

Boerboel Genetic Evaluation

SA Stud Book
February 2026

MR E.F. NORMAN

PO BOX 6066 AN

0

ACCRA

GHANA



Kennel Number: 688888



Estimated Breeding Values (EBVs)

Litter size and conformation traits are influenced by many genes, with every gene making a small contribution to the expression of the trait. These traits are, however, also influenced by physiological and physical environmental factors, for example the age and sex of the animal, the feeding and management the animal received and year x season effects. It is therefore not possible to know what the animal's genetic potential for the trait is by merely using the measurement.

With BLUP (*Best Linear Unbiased Prediction*) methodology an animal's genetic potential is predicted by making use of the genetic parameters (heritabilities and genetic correlations) of the breed, pedigree information, as well as the measurements of the animal as deviation from the average of the animals that were measured with the animal. Adjustments are made for differences in sex, age, classifier, management and year x season effects to ensure that fair comparisons are made amongst the animals. These predictions are called **EBVs (Estimated Breeding Values)** which indicates the animal's genetic potential for the specific trait and predicts the type of progeny that the animal will breed.

Pedigree information determines the genetic level at which the animal enters the genetic evaluation, it links the information of all relatives together and it is used to determine the genetic ranking of the breed. For young animals that were not yet measured, mid-parent EBVs are estimated, which are the average of the EBVs of the sire and dam. These breeding values are still inaccurate and can change a lot when more information (measurements) is included in subsequent genetic evaluations.

Breeding values therefore enables a breeder to compare his/her animals genetically to one another, as well as to all other animals of the breed. This Report gives a summary of the genetic levels of the active males and females of the relevant breeder in comparison to that of the breed for linearly classified traits and litter size. The genetic change that occurred over time can also easily be seen.

Breeding Value Indices (EBVi)

For easy interpretation, EBVs are standardised and expressed relative to the average (100) of the active animals of the breed, using 12 as standard deviation (SD). This means that an EBV of 100 is equal to the active average of the breed, and more or less 50% of the animals will have EBVi's of between 90 and 110, which indicates an average animal. Only 0.5% of the EBVi's will be lower than 64 and 0.5% will be higher than 136. Higher EBVi's indicate better genetic potential for the trait.

Accuracy

EBVs are published with an **accuracy value (%)**, which indicates how much info was available for the estimation of the EBV and with how much trust it can therefore be applied. Factors that influence the accuracy include heritability, completeness and correctness of pedigree information, number of own and measured relatives and the size of the group in which the animal was measured. When an accuracy of 85% and more is reached, the EBV should not change significantly with the inclusion of more information in subsequent genetic evaluations.

Kennel and Breed Averages: The different traits' averages of the breeder's active animals are compared to those of the breed in the Kennel and Breed Average Graphs and Tables. The breeder can therefore easily see for which traits the animals are above or below the average of the breed.




Genetic Trends: The Genetic Trends indicate the genetic change that occurred over time in the animals bred by the breeder compared to that of the breed. These are calculated as the average of the breeding values of all measured animals bred by the breeder, per year of birth.

Inbreeding: Inbreeding is the mating of related animals and is widely viewed as being harmful. The danger of inbreeding lies there in that it can gradually decrease fertility and survivability – a phenomenon known as inbreeding depression. It can cause lower conception rates, more abortions, more stillborn and weak offspring and a higher susceptibility to diseases. Indications in dogs include a low litter size as well as problems relative to fertility, such as invisible heat, behavioural problems when mating and low sperm quality. Overall, reduced litter size most likely reflects inbreeding depression in several traits, both physiological and behavioural, as well as a high frequency of non-viable embryos due to lethal alleles. Generally, the effects of inbreeding can become noticeable at a value of 6.25%, therefore it is generally recommended that individuals should have inbreeding coefficients of less than 6.25%. Breeders should therefore avoid matings causing inbreeding of more than 6.25% in the progeny. The theoretical maximum inbreeding coefficient is 50%. However, it should be noted that not all inbred animals show signs of inbreeding depression.

The data used in this evaluation was obtained from LOGIX from linear classifications that were done by the Breeder Society. All possible attempts have been made to present the information correctly. SA Stud Book does not accept responsibility for the use and interpretation of the information presented on animals in this publication.

Genetic Levels

Kennel Average relative to Breed Average, where Breed Average is indicated as 0



Average Breeding Value Indices (EBVi) where Breed Average = 100

Trait	All Animals	Males	Females
Litter size (LS)	94	98	92
Movement (Mv)	104	108	100
Temperament (Tmp)	105	108	103
Coat (Ct)	99	96	101
General Appearance	109	109	109
Head & Face (H&F)	109	113	107
Front Quarter (FQ)	107	109	106
Centre (C)	106	109	104
Hind Quarter (HQ)	105	106	105
Final Score (FS)	108	110	106
Hip Health (HH)	101	100	102
Elbow Health (ELM)	106	106	106

Inbreeding

Notes

Inbreeding primarily leads to decreased fertility, low survivability of pups and low disease resistance.

Inbreeding coefficients are calculated for all animals of the breed and indicates the probability that two genes of a pair are the same due to a common ancestor in the pedigree of the animal.

The adverse effects of inbreeding can be observed from 6.25% onwards.


It is therefore highly recommended to record pedigree information as accurately. Inbreeding is dependent on pedigree information. Conventional methods for the calculation of inbreeding coefficients usually assume that unknown parents are unrelated, which is usually far from the truth. Inbreeding coefficients are therefore conservative indicators of the level of inbreeding.

Incomplete or incorrect pedigree information can be reported to SA Stud Book via the Breed Society.

Inbreeding Levels for Specific Matings

Progeny with Parents :	25%
Full Brother x Full Sister :	25%
Half Brother x Half Sister :	12.5%
One Common Grandparent :	6.25%
One Common Great-Grandparent :	3.125%

Rate of Inbreeding




Inbreeding Levels


	All Animals		Males		Females		Sires		Dams	
	Kennel	Breed	Kennel	Breed	Kennel	Breed	Kennel	Breed	Kennel	Breed
Number	21	49007	9	25141	12	23857	17	3371	17	6287
Average Inbreeding	9.32	8.49	8.59	8.46	9.87	8.53	9.38	8.01	8.64	8.00
Number inbred	21	48727	9	24990	12	23728	17	24990	17	23728
Number >6.25% Inbr.	16	30600	7	15537	9	15058	9	15537	7	15058

Genetic Trends


Litter Size




Movement




Temperament




Coat



General Appearance




Head & Face




Genetic Trends


Front Quarter



Centre




Hind Quarter




Final Score & Health Traits


Final Score



Hip Health



Elbow Health



Estimated Breeding Value Indices (EBVi's)

Males

Inbreeding >6.25% is high

< 80

>= 100

>= 120

Animal Information		Inbreed	Health		Fertility	General			Appearance						Progeny :		Appraisal	Health		Progeny with litters
Name	Sire	%	Hips	Elbows	Litter Size	Move-	Tempe-	Coat	General	Head &	Front	Centre	Hind	Final	Progeny	Litters	Progeny	Hips	Elbows	litters
BYr	Dam		Acc.	Acc.	Acc.	ment	rament		Appear.	Face	Quarter		Quarter	Score			Kennels			
BREKER MENEER	VOORSLAG BBD PIKSTEEL	3.84	96	107	77	72	80	81	75	111	102	84	94	92	126	22	56	1	1	36
	2015 BREKER NELLA		5	5	56	79	57	88	79	88	80	81	83	86			41			9
ELEVATION DJ	ELEVATION PEPSI	14.35	123	96	63	123	121	92	130	121	110	118	107	118	70	15	21	4	4	14
	2018 ELEVATION IVY		37	56	45	67	44	78	66	78	67	69	71	75			20			4
MIDDELPOS BBD SAMPJE	BREKER MENEER	4.49	103	106	82	94	90	88	87	114	93	87	93	97	33	10	2			1
	2020 WOEKER BBD KATINKA		5	5	30	57	33	71	56	71	57	60	62	66			2			1
ELEVATION TOLBOS	ELEVATION DAX	13.57	87	118	111	126	128	111	139	127	123	121	106	126	54	11	14			6
	2021 ELEVATION MICA		30	49	40	62	39	76	63	75	63	65	67	72			11			1
ZVIMBEX KGK M2	ALESSANDRO BENJIE	6.36	104	101	95	121	128	98	141	123	129	139	131	134	19	4	3			
	2022 KING GRANITE KELLY		5	5	9	46	12	66	46	65	47	50	53	59			1			
GROOT ZEUS I	DELAHLERK ZEUS I	6.81	96	87	106	114	97	103	88	95	97	95	101	98						
	2023 AFRIKA JADORA		5	5	24	29	5	41	29	41	30	32	34	38						
GROOT VLADISLAV	COLOS MAX	7.99	94	107	128	105	106	96	103	100	106	108	107	105						
	2024 MES ANIKA		5	5	10	30	5	43	33	42	31	33	35	39						
GROOT MAXIMUS I	COLOS MAX	7.99	94	107	128	105	106	96	103	100	106	108	107	105						
	2024 MES ANIKA		5	5	10	30	5	43	33	42	31	33	35	39						
GROOT COMMANDER	ELEVATION TOLBOS	11.86	103	129	93	112		100	121	123	119	118	105	119						
	2024 ELEVATION GABY		5	15	16	37		50	37	49	38	40	42	46						

Estimated Breeding Value Indices (EBVi's)

Females

Inbreeding >6.25% is high

< 80

>= 100

>= 120

Animal Information			Inbreed	Health		Fertility	General			Appearance						Progeny :		Appraisal	Health		Progeny with litters
Name	BYr	Sire Dam	%	Hips Acc.	Elbows Acc.	Litter Size Acc.	Move-ment	Tempe-rament	Coat	General Appear.	Head & Face	Front Quarter	Centre	Hind Quarter	Final Score	Progeny	Litters	Progeny Kennels	Hips	Elbows	
ELEVATION GABY		LINGA LONGA HARLEY 3	5.38	119	140	75	98	104	88	103	118	116	114	103	111	11	3	2			1
	2020	ELEVATION QUEENIE		28	47	45	55	29	71	54	70	56	58	60	65			2			1
KADIMA NADIA		BREKER FANUS	5.06	82	104	115	83	78	101	85	86	91	85	106	88	3	1				
	2022	KADIMA TRUVELO		5	5	33	55	32	69	55	68	56	58	60	64						
GROOT ROEPERER		MAKULU LAANIE ROEPER	7.63	105	109	66	80	89	107	101	116	108	98	89	102						
	2022	MIDDELPOS BBD TINA		5	5	28	49	22	66	49	65	50	52	55	60						
KING GRANITE KNOCKOUT		KING GRANITE SANITIZER	7.07	104	95	87	128	118	107	128	105	113	114	114	115	12	2	2			
	2023	KING GRANITE MUCHANETA		5	5	27	43	7	63	42	62	44	47	50	56			1			
GROOT MARSHMALLOW		BREKER MENEER	4.10	106	105	84	104	98	100	100	102	99	94	106	102	14	2				
	2023	WOEKER BBD POPCORN		5	5	30	53	30	67	53	66	54	56	58	63						
ELEVATION YGRITTE		ELEVATION UTURN	14.45	92	66	100	108	114	111	120	116	108	108	103	113						
	2023	ELEVATION HANNAH		5	5	5	46	11	65	46	63	47	50	53	58						
KLEIN SANDFONTEIN CHERRY-COLA		FONT BOERBOELS MENELIK	7.54	94	90	88	86	101	103	125	106	96	104	100	103						
	2024	KLEIN SANDFONTEIN MCKENZIE		5	5	7	42	5	62	42	60	43	46	49	55						
GROOT PARIS		COLOS MAX	7.99	94	107	128	105	106	96	103	100	106	108	107	105						
	2024	MES ANIKA		5	5	10	30	5	43	33	42	31	33	35	39						
KING GRANITE STAR		ZVIMBEX KGK M1	11.08	101	105	98	106	113	100	123	86	104	116	117	106						
	2024	KING GRANITE TWABAM		5	5	5	40	5	60	39	58	41	43	47	53						
GROOT NELLA		MIDDELPOS BBD SAMPIE	21.74	104	106	83	99	94	94	93	108	96	91	100	99						
	2024	GROOT MARSHMALLOW		5	5	5	28	5	44	27	43	29	31	34	39						
GROOT VIKTORIYA		ELEVATION TOLBOS	11.86	103	129	93	112		100	121	123	119	118	105	119						
	2024	ELEVATION GABY		5	15	16	37		50	37	49	38	40	42	46						

Estimated Breeding Value Indices (EBVi's)

Females

Inbreeding >6.25% is high

< 80

>= 100

>= 120

Animal Information			Inbreed	Health		Fertility	General			Appearance						Progeny :		Appraisal	Health		Progeny with litters
Name		Sire	%	Hips	Elbows	Litter Size	Move-	Tempe-	Coat	General	Head &	Front	Centre	Hind	Final	Progeny Litters	Progeny Kennels	Hips	Elbows		
	BYr	Dam		Acc.	Acc.	Acc.	ment	rament		Appear.	Face	Quarter		Quarter	Score						
GROOT PENNY II		MIDDELPOS BBD JUMBO	14.59	113	112	84	93	108	101	108	113	113	104	111	111						
	2025	GROOT MARSHMALLOW		5	5	5	31	5	45	31	44	32	34	37	41						

Estimated Breeding Value Indices (EBVi's)

Sires

Inbreeding >6.25% is high

< 80

>= 100

>= 120

Sire Information			Inbreed	Health		Fertility	General			Appearance						Progeny :		Appraisal	Health		Progeny
Name	BYr	Sire Dam	%	Hips Acc.	Elbows Acc.	Litter Size Acc.	Move-ment	Tempe-rament	Coat	General Appear.	Head & Face	Front Quarter	Centre	Hind Quarter	Final Score	Progeny Litters	Progeny Kennels	Hips	Elbows	with litters	
VOORSLAG BBD PIKSTEEL		VOORSLAG BBD SAMPIE	30.24	95	102	72	100	82	104	62	101	89	72	99	90	7	4	3	1		4
	2014	VOORSLAG BBD MARBOELLA		5	5	5	51	5	69	51	68	52	55	58	63			3		1	1
ELEVATION PEPSI		MIDDELPOS BBD IMPI	7.81	158	100	74	116	111	116	119	108	99	111	95	109	98	19	36	4		19
	2015	ELEVATION ZOEY		45	58	51	76	54	86	75	85	76	78	79	83			32			8
MAKULU LAANIE ROEPER		MAKULU LAANIE DIMO	5.51	107	102	78	90	91	104	99	112	97	99	97	102	91	14	26	1		17
	2015	BREKER PATRYS		5	5	42	70	44	82	69	82	71	73	75	79			21		1	1
BREKER MENEER		VOORSLAG BBD PIKSTEEL	3.84	96	107	77	72	80	81	75	111	102	84	94	92	126	22	56	1		36
	2015	BREKER NELLA		5	5	56	79	57	88	79	88	80	81	83	86			41		1	1
ELEVATION DAX		GROENBERG BBD RAMBO	4.48	103	71	100	117	125	107	128	132	122	115	116	128	131	24	65	14		51
	2015	HAZENJACHT BBD FIELLA		53	66	69	84	68	90	83	90	84	85	86	88			53		14	14
BREKER FANUS		BREKER MENEER	15.68	97	107	76	68	71	92	94	111	102	92	104	98	151	21	41			27
	2017	BREKER BELLA		5	5	46	75	50	86	75	85	76	78	79	83			38			7
LINGA LONGA HARLEY 3		AFRIKA HAVANNAH	5.56	136	156	91	86	92	80	104	124	116	113	92	107	81	10	31	10		18
	2017	LINGA LONGA ZALYN		43	57	47	71	45	84	71	83	72	74	76	80			27		10	10
ALESSANDRO BENJIE		CDH MONTARO	6.16	100	95	93	113	116	107	125	110	118	125	123	121	44	11	15	1		10
	2019	KLEIN SANDFONTEIN ZUZU		5	5	32	50	24	64	49	63	50	53	55	59			12		1	1
MIDDELPOS BBD SAMPIE		BREKER MENEER	4.49	103	106	82	94	90	88	87	114	93	87	93	97	33	10	2			1
	2020	WOEKER BBD KATINKA		5	5	30	57	33	71	56	71	57	60	62	66			2			1
KING GRANITE SANITIZER		IVANOK KING	4.45	107	107	81	120	112	106	123	102	111	113	110	111	21	7	5			3
	2020	GIANTS OF AFRICA HAVOCKESS		5	5	28	41	10	57	40	56	42	44	47	52			5			2
DELAKLERK ZEUS I		VILLA ROUGE GOLIAT	18.77	91	113	105	119	83	100	73	91	84	97	96	92	11		1			
	2020	DELMA ARABELLA		5	5	22	41	5	59	41	58	42	45	48	54			1			
ELEVATION TOLBOS		ELEVATION DAX	13.57	87	118	111	126	128	111	139	127	123	121	106	126	54	11	14			6
	2021	ELEVATION MICA		30	49	40	62	39	76	63	75	63	65	67	72			11			1

Estimated Breeding Value Indices (EBVi's)

Sires

Inbreeding >6.25% is high

< 80

>= 100

>= 120

Sire Information		Inbreed	Health		Fertility	General			Appearance						Progeny :		Appraisal	Health		Progeny	
Name	BYr	Sire Dam	%	Hips Acc.	Elbows Acc.	Litter Size Acc.	Move-ment	Tempe-rament	Coat	General Appear.	Head & Face	Front Quarter	Centre	Hind Quarter	Final Score	Progeny Litters	Progeny Kennels	Hips	Elbows	with litters	
MIDDELPOS BBD JUMBO		MIDDELPOS BBD GAMKA	10.65	121		83	83	117	102	117	124	128	114	115	120	24	5	2		1	
	2021	JAMBAL PENNY		5		31	55	32	69	55	69	56	58	60	65						2
FONT BOERBOELS MENELIK		BRIEL THE GHOST	7.10	90	102	114	82	96	112	130	129	106	116	94	114	27	5	6		1	
	2022	FONT BOERBOELS QUEEN SHEBA		5	5	15	56	27	73	55	72	57	60	62	68						5
ZVIMBEX KGK M1		ALESSANDRO BENJIE	6.36	104	101	95	112	125	100	137	123	125	131	127	130	20	4	2			
	2022	KING GRANITE KELLY		5	5	9	45	10	64	44	63	46	48	51	58						2
COLOS MAX		COLOS MAXIMUS	8.68	88	118	109	99	105	100	117	101	101	115	106	106	26	5	1		1	
	2022	COLOS MAYA		5	24	18	42	15	55	50	54	43	45	47	51						1
ELEVATION UTURN		BOSTU DADDY COOL	6.05	89	52	110	117	130	114	144	126	115	130	121	131	53	10	8	1	1	2
	2022	ELEVATION IMKE		29	47	32	58	35	72	58	71	59	61	63	67						

Estimated Breeding Value Indices (EBVi's)

Dams

Inbreeding >6.25% is high

< 80

>= 100

>= 120

Animal Information			Inbreed	Health		Fertility	General			Appearance						Progeny :		Appraisal	Health		Progeny with litters
Name	BYr	Sire Dam	%	Hips Acc.	Elbows Acc.	Litter Size Acc.	Move-ment	Tempe-rament	Coat	General Appear.	Head & Face	Front Quarter	Centre	Hind Quarter	Final Score	Progeny	Litters	Progeny Kennels	Hips	Elbows	
BREKER NELLA	2012	DRIEFONTEIN BBD GROOT PRAAT	3.39	96	109	102	83	73	90	80	93	87	77	88	82	18	8	12	1	1	11
		BREKER PATRYS		5	5	48	63	42	74	62	73	63	65	67	70			10			1
ELEVATION IVY	2015	GROENBERG BBD RAMBO	4.48	111	92	83	116	128	88	128	126	123	121	118	125	5	2	2	3	3	2
		HAZENJACHT BBD FIELLA		39	50	59	66	52	76	66	75	67	68	69	72			2			1
WOEKER BBD KATINKA	2017	WOEKER BBD HANS	16.59	109	105	86	110	100	103	96	99	85	87	99	96	7	3	3			2
		MIDDELPOS BBD FIELA 3		5	5	47	59	33	74	59	73	60	62	64	69			3			1
KING GRANITE KELLY	2017	IVANOK HEROD	4.45	107	107	98	116	116	97	123	110	114	120	118	118	14	2	11	1	1	7
		GIANTS OF AFRICA HAVOCKESS		5	5	31	41	10	57	40	56	42	44	47	52			8			1
AFRIKA JADORA	2017	MES RUBENSTEIN	5.48	101	60	107	109	110	107	102	100	109	92	106	103	17	3	4			3
		AFRIKA SURAIJA		25	32	57	56	39	65	55	64	56	57	59	62			4			1
KADIMA TRUVELO	2018	MAXIPAL TROMPIE	4.32	67	101	157	98	83	106	76	61	79	75	99	75	45	5	15			8
		KADIMA MA-DUECE		17	34	52	62	35	78	62	77	63	66	68	73			15			1
ELEVATION QUEENIE	2018	ELEVATION OTTO	19.16		110	72	103	115	95	111	113	116	112	109	113	10		4	2	2	1
		ELEVATION ST CLAIRE			33	38	60	37	74	60	73	61	63	65	69			4			1
ELEVATION MICA	2018	ELEVATION AROS	4.98	92	129	121	129	125	99	136	116	114	129	112	122	28	4	18	3	3	9
		ZUKANDI CASSY		42	58	57	65	41	79	65	78	66	68	70	74			16			2
MIDDELPOS BBD TINA	2019	BREKER MENEER	3.80	103	115	53	88	93	105	90	113	114	96	98	103	14	6	1			1
		PLAASWAG THENA		5	5	56	55	32	69	54	68	55	57	60	64			1			1
WOEKER BBD POPCORN	2019	WOEKER BBD WOEKER	13.17	116	103	92	134	114	112	111	94	96	104	122	110	17	2	7			2
		MIDDELPOS BBD FIELA 3		5	5	43	61	37	76	61	75	62	64	66	71			7			2
KING GRANITE TWABAM	2019	KLEIN SANDFONTEIN MATANA	6.80	99	109	101	105	113	105	118	77	106	120	112	102	9	2	3			2
		KLEIN SANDFONTEIN PURPLE RAIN		5	19	44	50	28	61	49	61	50	52	54	57			2			1
ELEVATION GABY	2020	LINGA LONGA HARLEY 3	5.38	119	140	75	98	104	88	103	118	116	114	103	111	11	3	2			1
		ELEVATION QUEENIE		28	47	45	55	29	71	54	70	56	58	60	65			2			1

Estimated Breeding Value Indices (EBVi's)

Dams

Inbreeding >6.25% is high

< 80

>= 100

>= 120

Animal Information			Inbreed	Health		Fertility	General			Appearance						Progeny :		Appraisal	Health		Progeny with litters
Name	BYr	Sire Dam	%	Hips Acc.	Elbows Acc.	Litter Size Acc.	Move-ment	Tempe-r ament	Coat	General Appear.	Head & Face	Front Quarter	Centre	Hind Quarter	Final Score	Progeny	Litters	Progeny Kennels	Hips	Elbows	
KING GRANITE MUCHANETA	2020	GIANTS OF AFRICA SCORPION	4.62	101	83	93	118	112	113	116	103	106	105	109	110	7	2	1			1
		ELEVATION KANJIVA		5	5	42	48	26	63	47	62	48	51	53	58			1			1
ELEVATION HANNAH	2021	ELEVATION VAATJIE	16.08	95	79	91	117	117	101	111	115	114	105	103	112	8	1	4	1	1	1
		ELEVATION MIAMI		5	22	35	53	29	68	53	67	54	56	59	63			4			1
MES ANIKA	2021	MES FELIX BOETA	20.53	100	95	146	112	106	92	89	99	112	101	108	103	25	3	3			1
		TAKATSO MARAAI		5	5	44	58	29	73	57	72	59	61	63	68			2			1
KLEIN SANDFONTEIN MCKENZIE	2022	KLEIN SANDFONTEIN MAJOR TOM	9.49	97	78	63	101	109	88	120	96	104	106	104	101	8	3	3			1
		KLEIN SANDFONTEIN SADIE		5	5	40	43	5	58	42	57	43	46	48	53			3			1
GROOT MARSHMALLOW	2023	BREKER MENEER	4.10	106	105	84	104	98	100	100	102	99	94	106	102	14	2				
		WOEKER BBD POPCORN		5	5	30	53	30	67	53	66	54	56	58	63						

