



DOHNE MERINO GENETIC REPORT



20 September 2026

MR M.C. MICHAEL EDWARDS

FDM : R



CERTIFICATE
OF QUALITY

Valid up to
October 2029



Information

This Report gives a summary of the genetic levels of the flock with regards to production and fertility. Breeders can easily see if genetic progress occurred in their flocks.

EBV (Estimated Breeding Value)

The breeding value indicates an animal's genetic ability for a specific trait. It is indicated in the unit of measurement and relative to that of an average animal born in the base year, i.e. five years ago. A higher breeding value is desirable for all traits, except Fibre Diameter (thinner fibres are better), AFL (early sexual maturity) and ILP (easy conceptions – shorter Interlambing Periods).

EBVi (EBVindex)

The base of a breeding value index is 100, where 100 is the average of the active animals in the breed. Values above 100 are always in the more desirable direction, also for AFL (early sexual maturity) and ILP (shorter intervals). However, for FD values below 100 indicate thinner (more desirable) fibres.

Selection Indices

This is the combination of breeding values into a single value. It indicates of the genetic value of the combined traits of the animal with regards to the breed. Traits cannot simply be summed, as they are expressed in different units, their genetic variation differ and because negative values are more desirable for certain traits. Traits are also weighted differently according to economic importance. All these factors are taken into account when selection indices are constructed. The selection indices currently available for the Dohne Merino breed, is the General Merit (GM) and the within-test-group selection index (SIP). The GM and SIP indices are only published for animals with wean and wool measurements.

General Merit (GM)

$$GM = (EBV \text{ BWeight} * 2.30) + (EBV \text{ CFW} * 22.0) + (EBV \text{ FD} * -5.0) + (EBV \text{ TWW} * 5.0)$$

Within-Test-Group Selection Index (SIP)

$$SIP = (GM_{dier} / \text{Average GM of wool contemporary group}) * 100$$

This is a lifetime value for the animal, allocated on the basis of the animal's own measurements. This value is not updated when the animal's EBVs are estimated more accurately due to the inclusion of progeny and other relatives' information in the Genetic Evaluation.

Genetic Windows and Averages

The flock's average genetic levels are compared to the active breed average, where active breed average is set to 100.

Genetic Trends

The Genetic Trends indicate the genetic changes that occurred in the flock over time in comparison to that of the breed. This is based only on the animals that were measured for the relevant trait.

Inbreeding

The average inbreeding of the flock per year of birth is compared to that of the breed. Inbreeding levels should stay below 6.25% and rate of inbreeding less than 0.1-0.2% per year to maintain genetic diversity.

The active population is defined as the lambs born in the last 36 months and their parents, regardless if they were measured for the trait or not, excluding the animals that are already cancelled on Logix.

Abbreviations

WnD:	Weaning Weight Direct
WnM	Weaning Weight Maternal
BW:	Body Weight
CFW:	Clean Fleece Weight
FD:	Fibre Diameter
SL:	Staple Length
AFL:	Age First Lambing
ILP:	Interlambing Period
NLW:	Number of Lambs Weaned
TWW:	Total Weight of Lambs Weaned

The data used in this evaluation has been obtained from LOGIX, as supplied by breeders. Everything possible had been done to present the information correctly. SA Stud Book does not take any responsibility for the use and interpretation of the information from this publication.

Genetic Windows

Average Breeding Value Indices (EBVi)

(Lambs born in the last 36 months and their parents)

Number: 563


Genetic Linkage

(Based on the youngest measured generation)

Level	Nr of Link Rams
Swak / Weak	1

A link ram should have at least 20 measured progeny in your flock and at least another 20 measured progeny in at least one more flock.

Try to use at least 5 link rams in a 5-year period to obtain strong genetic linkages within the breed.



Abbr.	Trait	Interpretation of Index	
		<100 (Worse)	>100 (Better)
WnD	Weaning Weight Direct	Lighter	Heavier
WnM	Weaning Weight Maternal	Less	More
BW	Body Weight	Lighter	Heavier
CFW	Clean Fleece Weight	Less	More
FD	Fibre Diameter	Thinner	Thicker
SL	Staple Length	Shorter	Longer
AFL	Age at First Lambing	Later	Earlier
ILP	Interlambing Period	Longer	Shorter
NLW	Number of Lambs Weaned	Less	More
TWW	Total Weight of Lambs Weaned	Lighter	Heavier
AM	General Merit	Poor	Good
SIP	Within-Test Group Selection Index	Poor	Good

* The Genetic Windows provide a quick overview of the flock's genetic status compared to the breed.

* The values presented here are the average breeding value indices and selection indices of all the lambs born in the past 36 months and their parents in the flock compared to the breed.


* An index of 100 equals the average of the lambs born in the past 36 months and their parents in the breed.

* The breeding value indices for AFL and ILP are expressed in such a way that an index above 100 indicates the better animals, thus the animals with a genetic ability for a short AFL and ILP. See accompanying table for interpretation of other Indices.

Genetic Windows


Sires of lambs born in the last 36 months

Number : 8




Dams of lambs born in the last 36 months

Number : 184



Lambs born in the last 36 months

Number : 294



Average Genetic Levels

Average Breeding Values

Averages of all lambs born in the last 36 months and their parents

Trait	Flock			Breed		
	All	Rams	Ewes	All	Rams	Ewe
Breeding Values for Production Traits						
Weaning Weight Direct	-0.05	0.29	-0.24	0.54	0.66	0.47
Weaning Weight Mat	-0.07	-0.09	-0.06	0.01	0.00	0.01
Body Weight	-0.07	0.31	-0.32	0.56	0.96	0.41
Clean Fleece Weight	-0.02	0.01	-0.04	0.03	0.06	0.02
Fibre Diameter	0.19	0.20	0.18	-0.14	-0.22	-0.12
Staple Length	0.43	0.88	0.14	0.50	0.68	0.43
Breeding Values for Fertility						
Age First Lambing	-0.32	-0.57	-0.13	1.48	2.04	1.17
Interlambing Period	0.64	0.83	0.50	0.36	0.44	0.31
Lambs Weaned	-0.95	-1.24	-0.78	0.46	0.56	0.39
Total Weight Weaned	-0.31	-0.37	-0.28	0.27	0.32	0.24
Selection Indices						
General Merit Index	-3.19	-2.29	-3.69	2.81	4.45	2.23
SIP	99.7	100.0	99.5	100.7	100.4	100.8
Inbreeding						
Inbreeding (%)	2.38	2.31	2.43	3.00	3.13	2.92
Number of Animals						
Number of Animals	566	208	358	125905	45967	79938









Average Breeding Value Indices

Average EBVi of all active measured animals, where breed average of active measured animals = 100.

Trait	Flock		
	All	Rams	Ewes
Breeding value Indices for Production Traits			
Weaning Weight Direct	94.5	97.6	92.6
Weaning Weight Mat	98.4	98.0	98.6
Body Weight	96.0	98.4	94.4
Clean Fleece Weight	96.6	98.3	95.5
Fibre Diameter	105.1	105.3	105.0
Staple Length	99.8	101.0	99.0
Breeding Value Indices for Fertility			
Age First Lambing	102.0	102.3	101.8
Interlambing Period	99.0	98.4	99.5
Lambs Weaned	94.7	93.6	95.4
Total Weight Weaned	93.0	92.3	93.4
Selectopn Indices			
General Merit Index	90.1	91.6	89.3
SIP	99.7	100.0	99.5
Inbreeding			
Inbreeding (%)	2.38	2.31	2.43
Number of Animals			
Number of Animals	566	208	358

Genetic Trends




Average breeding value per year of birth for animals in the breed and flock. Genetic trends are based on measured animals that were bred by the relevant breeder.



For FD, AFL and ILP, flock trends below breed averages are desirable

Genetic Trends: Fertility Traits

Average breeding value per year of birth in the breed and flock. Genetic trends are based on measured animals that were bred by the relevant breeder.



Genetic Trends: Breed and Flock

Average breeding value per year of birth for animals in the breed and flock. Genetic trends are based on measured animals that were bred by the relevant breeder.

Genetic Trends of Breed


Birth Year	Weaning Weight			Body Weight		CFW		FD		SL		AFL		ILP		NLW		TWW		General Merit	
	Nr	Dir	Mat	Nr	EBV	Nr	EBV	Nr	EBV	Nr	EBV	Nr	EBV	Nr	EBV	Nr	EBV	Nr	EBV	Nr	Ind
2014	34600	-1.62	-0.08	23613	-2.43	23477	-0.20	23511	0.33	23404	-1.65	6513	-4.96	4764	-1.69	8149	-0.57	6758	-0.41	25195	-9.76
2015	36007	-1.44	-0.05	25062	-2.12	24975	-0.18	24990	0.28	24511	-1.51	6856	-4.79	5313	-1.43	8627	-0.57	7110	-0.42	26207	-8.59
2016	33764	-1.17	-0.03	24799	-1.74	24614	-0.15	24664	0.22	24080	-1.07	7054	-4.46	5449	-1.38	8681	-0.41	7293	-0.27	25836	-6.81
2017	33408	-0.95	0.00	24007	-1.39	23924	-0.13	23948	0.19	23487	-1.19	7125	-3.04	5498	-0.77	9139	-0.30	7020	-0.19	24328	-5.48
2018	34871	-0.67	0.00	24937	-0.96	24789	-0.10	24807	0.17	24087	-0.72	7421	-2.86	5764	-0.67	8663	0.09	7374	0.04	25402	-3.35
2019	34833	-0.46	0.02	25157	-0.74	25034	-0.06	25045	0.07	24985	-0.63	7016	-1.62	5333	-0.50	8420	-0.19	6949	-0.05	25370	-2.61
2020	35032	-0.26	0.03	24234	-0.34	24298	-0.04	24310	0.04	24213	-0.20	6557	-0.74	4885	-0.15	8732	0.34	6476	0.18	24153	-0.71
2021	33757	0.00	0.00	23306	0.00	23200	0.00	23217	0.00	23156	0.00	6425	0.00	4779	0.00	8439	0.00	6245	0.00	23180	0.17
2022	32965	0.20	-0.02	22207	0.34	22115	0.01	22136	-0.05	22041	0.27	5933	0.83	3883	0.50	7685	0.48	5658	0.21	22071	1.75
2023	32993	0.44	-0.06	21947	0.60	21831	0.04	21880	-0.16	21853	0.46	5361	1.77	1851	1.14	5554	0.35	4743	0.22	21836	2.88
2024	34418	0.50	-0.04	22757	0.76	22780	0.06	22790	-0.16	22746	0.74	2626	4.31	147	0.21	2149	0.65	2008	0.48	22746	3.82
2025	28497	0.77	0.02	8675	1.57	9028	0.07	9040	-0.38	9011	0.95	60	10.56							8597	6.80

Genetic Trends of Flock

Birth Year	Weaning Weight			Body Weight		CFW		FD		SL		AFL		ILP		NLW		TWW		General Merit	
	Nr	Dir	Mat	Nr	EBV	Nr	EBV	Nr	EBV	Nr	EBV	Nr	EBV	Nr	EBV	Nr	EBV	Aantal	EBV	Nr	EBV
2014	76	-2.13	0.06	57	-2.80	57	-0.17	57	0.74	57	1.37	21	-0.06	16	-2.52	22	-3.33	20	-1.12	57	-13.32
2015	95	-1.73	-0.08	68	-3.32	68	-0.27	68	0.38	68	-1.30	24	-10.30	17	-5.44	28	-0.29	23	-0.64	68	-13.39
2016	87	-1.68	-0.16	79	-3.20	77	-0.22	79	0.41	79	-0.86	16	-4.57	10	-3.12	27	-1.41	17	-1.19	79	-14.38
2017	55	-1.72	-0.31	32	-3.26	32	-0.28	32	-0.09	32	-1.64	14	-8.01	12	-2.41	27	-1.01	17	-0.98	32	-12.94
2018	59	-1.68	0.01	18	-2.76	18	-0.24	18	0.04	18	-0.85	14	-4.48	14	-4.40	14	1.76	14	-0.56	18	-9.69
2019	22	-0.36	-0.03	18	-0.99	19	-0.08	19	0.33	19	1.85	8	-9.74	6	-0.74	10	-0.24	6	0.29	19	-3.87
2020	80	0.10	-0.14	52	-0.13	54	-0.01	54	0.47	53	-0.73	14	4.71	13	-0.29	14	-0.35	14	-0.64	53	-3.68
2021	48	-0.60	0.09	32	-0.61	20	-0.11	20	0.35	20	-1.18	5	4.51	4	2.41	56	0.25	5	-0.56	24	-6.32
2022	70	-0.01	0.15	63	0.01	62	-0.07	63	0.33	62	-0.75	11	4.03	5	1.28	22	-0.23	11	-0.17	62	-2.21
2023	51	-0.25	-0.09	51	-0.27	51	-0.01	51	0.48	51	0.61	8	3.81			22	0.18	8	0.11	51	-2.81
2024	133	0.12	-0.08	115	0.13	111	-0.01	112	0.04	112	0.90									111	-2.28
2025	144	0.60	-0.12																		

Inbreeding

Inbreeding in Flock and Breed



Pedigree Information

	Number	%
Known Sires	476	84
Known Dams	476	84

Please Note : When pedigree information is incomplete, inbreeding is under-estimated.

The effects of inbreeding can be observed from 6.25% onwards. Inbreeding primarily leads to decreased fertility and low survivability of lambs.

Inbreeding % is dependent on the accuracy of pedigree information. It is therefore highly recommended to record pedigrees as accurately and completely as possible and not to mate related animals.

Incomplete and incorrect pedigree information can be reported to SA Stud Book

Inbreeding Level and Rate

Year of Birth	Level* (%)	Rate (% / year)
2000 - 2025	2.42	0.09
Recommendations	< 6.25	< 0.1 - 0.2

*Of last birth year

Inbreeding Levels for Specific Matings

Progeny with Parents :	25%
Full Brother x Full Sister :	25%
Half Brother x Half Sister :	12.5%
One Common Grandparent :	6.25%
One Common Great-Grandparent :	3.125%

Percentiles of Breeding Values : All Active Animals

Percentile	Wean Dir	Wean Mat	Body Weight	CFW	FD	SL	NLW	TWW	AFL	ILP	Gen. Merit
Gemid/Avg	0.43	0.00	0.58	0.04	-0.15	0.46	0.47	0.26	1.30	0.30	2.53
SA/SD	1.29	0.56	1.84	0.17	0.69	3.92	2.99	0.93	-10.19	-3.48	7.11
MIN	-4.90	-3.44	-9.56	-0.75	3.11	-18.57	-17.30	-5.29	68.72	22.49	-25.62
1%	-2.32	-1.35	-3.42	-0.38	1.49	-8.80	-7.64	-2.17	33.49	9.02	-13.42
5%	-1.58	-0.89	-2.30	-0.25	0.95	-5.86	-4.59	-1.30	18.37	6.15	-8.27
10%	-1.19	-0.67	-1.72	-0.19	0.69	-4.38	-3.19	-0.87	13.14	4.69	-6.12
20%	-0.68	-0.43	-0.98	-0.11	0.41	-2.72	-1.72	-0.43	8.52	3.05	-3.50
30%	-0.30	-0.27	-0.43	-0.05	0.20	-1.54	-0.76	-0.11	5.14	1.87	-1.46
40%	0.05	-0.13	0.05	0.00	0.02	-0.54	0.06	0.10	2.16	0.90	0.38
50%	0.38	0.00	0.50	0.04	-0.14	0.39	0.45	0.21	0.19	0.13	1.99
60%	0.72	0.13	0.96	0.08	-0.31	1.32	1.08	0.41	-1.46	-0.57	3.85
70%	1.09	0.27	1.48	0.13	-0.49	2.34	1.79	0.65	-3.58	-1.45	6.03
80%	1.54	0.44	2.11	0.18	-0.72	3.60	2.66	0.96	-5.70	-2.39	8.71
90%	2.13	0.69	2.98	0.26	-1.03	5.43	4.08	1.41	-9.18	-3.66	12.22
95%	2.62	0.93	3.73	0.32	-1.29	7.03	5.33	1.81	-12.92	-4.88	14.90
99%	3.57	1.41	5.08	0.45	-1.80	10.22	7.78	2.59	-23.99	-8.36	19.40
MAX	5.84	2.39	8.39	0.84	-3.43	19.74	16.55	5.29	-43.24	-17.72	31.42

SD = Standard Deviation = Indicates the spread around the average

Percentiles of Indices : All Active Animals

Percentile	Wean Dir	Wean Mat	Body Weight	CFW	FD	SL	NLW	TWW	AFB	ILP	Gen. Merit
Gemid/Avg	100	100	100	100	100	100	100	100	100	100	100
SA/SD	12	12	12	12	12	12	12	12	12	12	12
MIN	49	24	35	52	149	50	33	33	24	30	53
1%	73	71	73	72	128	73	68	69	63	70	72
5%	81	81	81	80	120	80	80	80	80	80	80
10%	85	85	85	85	115	85	85	85	86	85	85
20%	90	91	90	90	110	90	91	91	92	91	90
30%	93	94	94	94	106	94	95	95	95	95	94
40%	97	97	97	97	103	97	98	97	99	98	97
50%	100	100	100	100	100	100	100	100	101	100	100
60%	103	103	103	103	97	103	103	103	103	103	103
70%	106	106	106	106	94	106	106	106	106	106	106
80%	110	109	110	110	90	110	109	109	108	109	110
90%	116	115	115	115	85	115	115	115	112	114	116
95%	120	120	120	120	80	120	119	120	117	118	120
99%	129	130	130	128	72	129	129	129	130	130	128
MAX	150	150	150	150	49	150	160	160	150	160	147

Rams with Progeny



Genotyped

*Inbreeding in red is high

EBV - Estimated Breeding Value

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding values

Breeding values with accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of lambs born in the past 36 months and their parents in the breed

Animal Information		Parents & Progeny					Selection Indices			EBV - Weights			EBV - Wool			EBV - Fertility				Rank	
Animal ID Regnr	% In- brding	Sire ID Dam ID	Wean		Wool test		SIP	GM		Weaning Dir		Weight Mat	Body Weight	CFW	FD	SL	NLW	TWW	DAM		
			Progeny	Nr	Progeny	Nr		EBV	Index	Acc	Index								Acc	Index	
			Dam ID	weaned	flocks	tested	flocks														
		Active Breed Average :					101	2.8	100	0.54	0.01	0.56	0.03	-0.14	0.50	0.46	0.27				
CR 20 0103 89490775	2.39	CR 18 0157 CR 17 0175	164	2	94	2	107	1.37	98	2.08 97 115	-0.23 79 95	2.23 95 111	0.23 94 112	-1.06 97 86	7.65 95 119	-8.81 63 65	-2.76 62 63	119	5	4	
R 23 0065 98391535	0.52	WW 18 0310 RA 20 0418	16	1			103	-0.89	94	1.12 82 106	-0.62 56 87	1.62 71 107	-0.13 69 90	-0.34 77 97	-0.68 72 97	-1.17 45 94	-0.80 45 87	102	4	7	
R 23 0069 98391618	3.33	WW 20 2355 R 21 0011	16	1			108	4.67	103	0.47 81 99	-0.33 46 93	-0.20 67 95	0.33 65 118	0.46 76 109	4.35 69 110	0.03 33 98	0.37 33 101	142	3	3	
Rams with Progeny Average :							106	1.7	98	1.23	-0.39	1.22	0.14	-0.32	3.78	-3.32	-1.06				

Young Rams



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding value

Breeding values with an accuracy of below 5% are not printed

Young rams, born since 2020 with a weaning weight, and wool test, but no progeny, both parents known.

Animal Information		Parents		Rank	Selection Indices			EBV - Weights			EBV - Wool			EBV - Fertility			
Animal ID Regnr	% In- breeding	Sire ID	Dam ID		SIP	GM		Weaning Dir	Weight Mat	Body Weight	CFW	FD	SL	NLW	TWW	EPI	DAM Lambed
						EBV	Index		EBV	Index	EBV	Index	EBV	Index	EBV	Index	Phenotype
		Active Breed Average :			101	2.8	100	0.54	0.01	0.56	0.03	-0.14	0.50	0.46	0.27		
R 23 0011 98390891	0.57	WW 18 0310	R 18 0070	17	97	-5.50	86	-0.81 69 87	0.16 54 103	-0.55 69 93	-0.19 67 86	-0.09 76 101	-0.94 70 96	-1.29 43 93	-0.60 43 90	124	4
R 23 0014 98390917	0.80	WW 18 0310	R 18 0006	19	97	-5.35	87	-1.31 70 83	-0.63 55 87	-1.36 69 88	0.03 67 100	0.45 76 109	4.31 71 110	1.59 44 104	-0.59 44 90	139	4
R 23 0018 98390933	0.54	WW 18 0310	R 18 0017	22	88	-11.81	76	-1.49 68 81	-0.25 53 95	-0.74 68 92	-0.08 66 93	1.64 75 128	-1.00 70 96	-1.22 44 94	-1.01 44 85	85	3
R 23 0019 98390958	4.00	WW 20 2355	R 20 0049	13	99	-1.67	93	0.03 68 95	-0.01 47 100	-0.56 68 93	-0.03 66 96	0.32 76 107	1.75 70 103	2.57 37 108	0.22 37 99	102	2
R 23 0024 98390990	0.68	WW 20 2355	RA 20 1218	12	99	-2.37	91	-0.48 69 90	0.55 45 112	-1.13 69 89	-0.07 66 94	0.74 77 114	4.56 71 111	1.77 33 105	0.86 33 107	101	3
R 23 0027 98391030	1.30	WW 20 2355	R 19 0025	1	114	8.78	110	0.80 68 102	-0.05 45 99	0.19 67 98	0.34 65 119	0.26 76 106	5.10 70 112	0.36 32 100	1.07 31 110	141	5
R 23 0039 98391170	0.49	WW 18 0310	R 17 0060	21	89	-11.25	77	-1.28 70 83	-0.42 56 91	-1.71 70 86	-0.12 68 91	0.36 77 108	-6.73 72 81	-6.21 45 75	-1.54 45 78	131	5
R 23 0041 98391212	0.83	WW 20 2355	RA 20 1109	14	98	-2.32	92	-0.37 68 91	0.15 44 103	-0.79 69 91	-0.04 66 96	1.13 77 120	6.45 71 116	1.49 33 104	0.97 32 108	90	2
R 23 0044 98391238	1.78	WW 18 0310	R 16 1019	16	98	-4.77	88	-0.65 64 89	-0.31 49 93	-0.31 65 94	-0.05 63 95	0.47 73 110	1.50 67 103	-2.50 37 89	-0.56 37 90	122	3
R 23 0049 98391311	0.78	WW 18 0310	R 16 0035	11	99	-4.02	89	0.66 69 101	-0.09 53 98	1.02 70 103	0.10 68 104	0.89 77 116	2.21 72 105	-4.14 42 83	-1.20 42 82	92	3
R 23 0054 98391378	1.31	WW 20 2355	R 20 0073	2	109	5.22	104	1.15 67 106	0.79 44 117	1.08 67 103	-0.08 65 93	-0.23 76 99	0.71 69 101	1.34 32 103	1.02 31 109	100	4
R 23 0057 98391394	0.50	WW 18 0310	RA 20 0916	6	103	-1.54	93	0.88 70 103	-0.45 53 91	1.37 70 105	0.02 68 99	0.31 77 107	3.03 72 107	-2.10 43 90	-0.87 43 86	91	3
R 23 0058 98391410	0.60	WW 18 0310	RA 20 1212	20	92	-8.77	81	-0.81 70 87	0.37 54 108	-0.06 70 96	-0.16 68 88	1.16 77 120	-2.40 72 92	-2.94 44 87	-0.61 44 89	103	4
R 23 0063 98391493	0.79	WW 20 2355	RA 20 0344	8	102	0.84	97	-0.24 69 93	0.04 46 101	-0.16 69 95	0.20 66 110	2.02 77 133	0.03 71 99	2.89 35 109	1.40 35 114	109	4
R 23 0066 98391550	1.20	WW 20 2355	RA 20 1136	9	102	-0.25	95	0.46 68 99	0.64 44 113	0.60 68 100	-0.15 66 89	0.47 76 110	-0.95 70 96	0.55 32 100	0.73 31 106	93	3

Young Rams



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding value

Breeding values with an accuracy of below 5% are not printed

Young rams, born since 2020 with a weaning weight, and wool test, but no progeny, both parents known.

Animal Information		Parents		Rank	Selection Indices			EBV - Weights			EBV - Wool			EBV - Fertility			
Animal ID Regnr	% In- breeding	Sire ID	Dam ID		SIP	GM		Weaning Dir	Weight Mat	Body Weight	CFW	FD	SL	NLW	TWW	EPI	DAM Lambed
						EBV	Index	EBV Acc	EBV Index	EBV A	EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	Phenotype
		Active Breed Average :			101	2.8	100	0.54	0.01	0.56	0.03	-0.14	0.50	0.46	0.27		
R 23 0067 98391576	0.85	WW 20 2355	R 19 0012	5	103	0.92	97	0.25 67	-0.02 44	-0.23 99	0.03 66	0.42 76	4.14 110	-0.37 32	0.61 104	97	3
R 23 0068 98391592	1.03	WW 20 2355	R 21 0084	4	106	4.64	103	0.37 67	0.47 44	0.34 110	0.03 65	-0.34 76	-6.22 82	0.42 32	0.62 104	114	2
R 23 0088 98391774	0.85	WW 20 2355	R 16 0079	15	98	-2.23	92	-0.12 69	0.45 48	-1.18 109	0.07 66	0.94 76	2.89 117	0.14 35	0.50 103	149	5
R 23 0089 98391790	0.62	WW 18 0310	RA 20 1147	18	97	-5.97	86	-0.82 71	-0.23 55	-0.38 95	-0.14 69	0.46 77	-7.29 80	-3.66 45	-0.47 91	112	4
R 24 0001 107473902	2.21	WW 18 0310	R 21 0102	32	99	-3.22	90	-1.00 64	-0.34 49	-0.23 93	-0.07 62	-0.01 73	-3.77 89	-2.50 37	-0.56 90	101	2
R 24 0002 107473910	2.08	WW 18 0310	R 22 1070	44	96	-5.60	86	-2.34 64	-0.66 49	-1.71 86	-0.14 62	-0.36 73	-2.88 91	-2.50 37	-0.56 90	98	2
R 24 0004 107473928	1.41	CR 20 0103	R 20 0024	14	104	-0.09	95	0.66 69	-0.51 52	0.28 89	0.13 68	-1.00 76	5.81 114	-3.56 42	-1.76 76	94	3
R 24 0006 107473936	2.21	JL 22 0133	R 21 0138	13	105	1.51	98	0.82 62	-0.05 38	0.55 99	-0.04 59	-0.74 72	4.89 112	-3.06 20	-0.43 92	121	2
R 24 0007 107473944	2.21	JL 22 0133	R 21 0138	39	97	-3.76	89	-1.14 62	0.29 38	-0.84 106	-0.13 59	-0.30 72	9.72 124	-3.06 20	-0.43 92	121	2
R 24 0010 107473977	2.21	WW 18 0310	R 21 0122	43	96	-5.31	87	-1.40 63	-0.45 47	-1.46 90	-0.03 62	0.15 73	-1.15 96	-2.50 37	-0.56 90	94	1
R 24 0011 107473142	1.01	JL 22 0133	RA 22 0849	56	92	-7.51	83	-1.06 67	-0.59 41	-1.30 87	-0.17 65	-0.19 76	1.85 104	-2.55 30	-0.97 85	101	2
R 24 0019 107474009	1.89	CR 20 0103	R 19 0024	30	100	-3.77	89	-0.91 62	-0.28 43	-0.82 94	-0.12 61	-1.07 73	3.97 109	-4.18 31	-1.27 81	92	3
R 24 0020 107474017	2.21	CR 20 0103	R 21 0115	28	101	-3.18	90	-0.39 64	-0.48 45	-0.53 90	0.10 61	-0.16 73	4.23 110	-4.18 31	-1.27 81	99	2
R 24 0021 107474025	1.03	JL 22 0133	RA 22 0423	29	100	-1.42	93	-0.04 67	0.03 40	-0.05 100	-0.18 64	-0.53 76	10.82 127	-0.79 29	-0.16 95	110	2
R 24 0023 107474033	2.21	WW 18 0310	R 21 0156	53	92	-7.89	82	-1.39 64	-0.42 49	-0.54 91	-0.06 62	1.17 73	-2.73 92	-2.50 37	-0.56 90	100	2
R 24 0024 107474041	2.21	WW 18 0310	R 21 0104	15	104	0.04	95	0.38 64	0.12 49	0.35 103	-0.09 62	-0.75 73	-4.80 86	-2.50 37	-0.56 90	107	2

Young Rams



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding value

Breeding values with an accuracy of below 5% are not printed

Young rams, born since 2020 with a weaning weight, and wool test, but no progeny, both parents known.

Animal Information		Parents		Rank	Selection Indices			EBV - Weights			EBV - Wool			EBV - Fertility			
Animal ID Regnr	% In- breeding	Sire ID	Dam ID		SIP	GM		Weaning Weight Dir	Weight Mat	Body Weight	CFW	FD	SL	NLW	TWW	DAM EPI	Lambled
					EBV	Index		Acc	Index	Acc	Acc	Index	Acc	Acc	Index	Acc	Index
Active Breed Average :					101	2.8	100	0.54	0.01	0.56	0.03	-0.14	0.50	0.46	0.27		
R 24 0027 107474058	2.21	WW 18 0310	R 21 0113	27	101	-2.01	92	0.94 64	0.23 49	2.41 105	-0.31 62	-0.20 73	-0.82 97	-2.50 37	-0.56 90	105	2
R 24 0031 107474074	1.26	JL 22 0133	R 20 0073	2	112	5.89	105	1.95 65	0.05 41	1.81 101	0.07 63	-0.49 75	7.97 68	-2.41 29	-0.05 96	100	4
R 24 0032 107474082	1.68	CR 20 0103	RA 20 1212	18	103	-1.53	93	1.10 70	0.10 51	-0.03 102	0.08 68	-0.50 77	-0.84 97	-4.62 39	-1.32 81	103	4
R 24 0033 107474090	2.21	WW 18 0310	R 21 0128	45	95	-5.77	86	-1.28 63	-0.35 47	-0.99 93	-0.10 62	0.19 73	0.36 100	-2.50 37	-0.56 90	94	1
R 24 0034 107474108	1.17	WW 18 0310	RA 20 0232	36	98	-4.76	88	-0.69 70	-0.15 54	-0.47 97	-0.02 69	0.49 78	-1.63 94	-2.38 43	-0.59 90	100	4
R 24 0035 107474116	2.21	CR 20 0103	R 21 0143	21	102	-2.50	91	0.12 62	-0.13 43	0.52 97	0.07 61	0.03 73	-1.05 96	-4.18 31	-1.27 81	95	1
R 24 0037 107474124	1.74	CR 20 0103	RA 20 0255	11	105	0.26	96	0.54 70	-0.18 51	0.76 96	0.12 68	-0.55 77	3.76 109	-3.32 39	-1.41 80	99	3
R 24 0039 107474132	2.21	CR 20 0103	R 21 0132	10	107	1.42	98	1.66 64	0.39 45	2.66 108	-0.02 61	-0.48 73	3.31 107	-4.18 31	-1.27 81	107	2
R 24 0041 107474140	6.04	WW 21 2101	WW 19 2161	25	101	-1.69	93	0.73 70	0.63 44	0.22 113	-0.09 66	0.31 77	-0.23 98	-2.21 34	0.08 98	99	4
R 24 0045 107474157	2.21	WW 18 0310	R 21 0134	47	95	-6.05	85	-1.32 64	-0.23 49	-0.21 95	0.04 62	1.26 73	3.87 109	-2.50 37	-0.56 90	103	2
R 24 0050 107474173	2.24	CR 20 0103	RA 20 1030	3	111	3.32	101	2.05 70	1.02 51	2.74 121	-0.16 68	-0.59 77	4.26 110	-2.41 38	-0.27 94	104	2
R 24 0053 107474181	1.41	CR 20 0103	R 20 0030	6	108	2.55	100	1.69 69	-0.27 52	2.22 94	0.22 67	-0.80 77	5.27 113	-5.52 43	-2.12 71	105	3
R 24 0061 107474207	2.08	WW 18 0310	R 22 1030	55	92	-7.97	82	-1.17 64	0.00 49	-0.11 100	-0.17 62	0.91 73	-6.27 82	-2.50 37	-0.56 90	103	2
R 24 0064 107474215	5.80	WW 21 2101	WW 17 0430	58	86	-12.06	76	-0.90 69	0.55 44	-1.96 112	-0.29 67	0.30 77	-3.61 89	-5.06 35	-0.96 85	99	4
R 24 0065 107474223	5.99	WW 21 2101	WW 19 2698	17	103	-0.24	95	0.15 69	1.17 43	-0.02 125	-0.13 66	-0.63 76	-4.26 88	-1.99 33	-0.17 95	87	5
R 24 0069 107474249	0.92	CR 20 0103	R 18 0023	42	96	-6.24	85	-0.22 69	-0.27 52	0.09 94	-0.07 67	-0.13 75	4.17 110	-1.25 41	-1.64 77	112	4

Young Rams



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding value
Breeding values with an accuracy of below 5% are not printed

Young rams, born since 2020 with a weaning weight, and wool test, but no progeny, both parents known.

Animal Information		Parents		Rank	Selection Indices			EBV - Weights			EBV - Wool			EBV - Fertility			
Animal ID Regnr	% In- breeding	Sire ID	Dam ID		SIP	GM		Weaning Weight Dir	Weight Mat	Body Weight	CFW	FD	SL	NLW	TWW	DAM EPI	Lambd
					EBV	Index		Acc	Index	Acc	Acc	Index	Acc	Acc	Index	Acc	Phenotype
Active Breed Average :					101	2.8	100	0.54	0.01	0.56	0.03	-0.14	0.50	0.46	0.27		
R 24 0071 107474256	5.18	WW 21 2101	WW 17 0162	19	103	-0.39	95	2.07 70 114	-0.06 45 99	0.76 69 101	0.03 67 100	0.28 77 107	-1.44 71 95	-2.23 35 90	-0.36 35 92	119	5
R 24 0073 107474264	2.60	WW 21 2101	WW 18 0545	4	111	4.68	103	0.52 69 100	0.47 44 110	-0.30 68 95	0.16 67 108	0.07 76 103	2.49 70 105	0.06 33 99	0.77 33 106	103	4
R 24 0074 107474272	2.60	WW 21 2101	WW 18 0545	1	112	5.62	105	0.81 69 103	0.42 44 109	0.35 68 99	0.21 67 111	0.35 76 108	3.08 70 107	0.06 33 99	0.77 33 106	103	4
R 24 0078 107474280	2.33	WW 21 2101	WW 17 0320	50	94	-5.66	86	-0.04 70 95	0.61 46 113	-0.86 69 91	-0.26 67 82	0.34 77 108	-6.66 71 81	-0.93 35 95	0.24 35 100	107	4
R 24 0079 107474298	9.21	WW 21 2101	WW 17 0213	7	108	3.15	101	1.54 71 109	0.24 48 105	1.08 70 103	-0.15 67 88	-0.13 77 100	-6.95 71 81	3.22 38 110	0.89 38 108	116	4
R 24 0080 107474306	1.05	CR 20 0103	R 18 0070	5	110	3.41	101	1.65 69 110	-0.12 51 97	1.13 68 104	0.15 66 107	-1.05 76 86	3.90 70 109	-2.97 38 87	-1.31 38 81	124	4
R 24 0085 107474314	0.79	CR 20 0103	R 20 0067	12	105	0.17	96	2.41 69 118	-0.32 52 93	2.05 70 110	0.05 67 101	-0.44 77 95	2.39 71 105	-5.29 41 78	-1.59 41 78	127	4
R 24 0091 107474322	0.85	JL 22 0133	R 21 0083	23	101	-1.25	93	-0.25 66 93	-0.51 42 89	-0.21 67 95	0.10 64 104	-0.50 75 95	5.41 69 113	-5.39 32 78	-1.24 32 82	105	2
R 24 0095 107474348	2.21	WW 18 0310	R 21 0119	34	98	-3.73	89	-0.38 64 91	-0.25 49 95	0.45 64 99	-0.03 62 96	0.59 73 111	-3.16 67 90	-2.50 37 89	-0.56 37 90	103	2
R 24 0102 107474363	1.14	CR 20 0103	R 18 0006	26	101	-3.08	90	0.27 70 97	-0.44 52 91	-0.42 68 94	0.05 67 101	-0.37 76 97	0.33 70 100	-0.09 40 98	-1.30 39 81	139	4
R 24 0103 107474371	1.14	CR 20 0103	R 18 0006	46	95	-7.07	84	-1.40 70 82	-0.34 52 93	-1.90 68 84	0.11 67 105	0.31 76 107	6.09 70 115	-0.09 40 98	-1.30 39 81	139	4
R 24 0104 107474389	2.08	WW 18 0310	R 22 1010	35	98	-3.83	89	-0.76 63 88	-0.34 47 93	-0.25 64 95	0.05 62 101	0.67 73 113	-1.70 67 94	-2.50 37 89	-0.56 37 90	95	1
R 24 0106 107474397	0.58	WW 18 0310	RA 22 0734	41	97	-4.85	87	-0.43 70 91	-0.45 52 90	0.97 71 103	-0.19 69 86	0.64 77 112	-2.58 72 92	-1.21 41 94	-0.38 41 92	90	1
R 24 0107 107474405	2.08	WW 18 0310	R 22 1040	52	92	-7.79	83	-1.15 64 84	0.21 49 104	0.03 64 97	-0.21 62 85	0.76 73 114	-1.31 67 95	-2.50 37 89	-0.56 37 90	104	2
R 24 0108 107474413	7.18	WW 21 2101	WW 20 2388	8	108	2.24	99	0.64 70 101	-0.17 46 96	1.07 69 103	0.15 67 107	0.01 77 102	-3.76 71 89	-3.98 37 83	-0.53 37 90	106	4
R 24 0110 107474421	1.01	JL 22 0133	RA 22 0848	57	90	-8.40	82	-1.30 67 83	-0.53 41 89	-2.39 67 81	-0.11 65 91	-0.07 76 101	0.62 69 100	-2.65 30 88	-0.88 30 86	106	2

Young Rams



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding value

Breeding values with an accuracy of below 5% are not printed

Young rams, born since 2020 with a weaning weight, and wool test, but no progeny, both parents known.

Animal Information		Parents		Rank	Selection Indices			EBV - Weights			EBV - Wool			EBV - Fertility			
Animal ID Regnr	% In- breeding	Sire ID	Dam ID		SIP	GM		Weaning Dir	Weight Mat	Body Weight	CFW	FD	SL	NLW	TWW	EPI	DAM Lambcd
						EBV	Index	EBV Acc	EBV Index	A EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	Phenotype
		Active Breed Average :			101	2.8	100	0.54	0.01	0.56	0.03	-0.14	0.50	0.46	0.27		
R 24 0113 107474439	2.21	WW 18 0310	R 21 0142	37	97	-4.32	88	-0.61 63 89	-0.17 47 96	0.11 64 97	-0.12 62 91	0.21 73 105	-3.31 67 90	-2.50 37 89	-0.56 37 90	95	1
R 24 0115 107474447	2.08	WW 18 0310	R 22 1120	48	95	-6.24	85	-0.77 63 88	-0.17 47 96	0.36 64 99	-0.07 62 94	1.09 73 119	-1.42 67 95	-2.50 37 89	-0.56 37 90	95	1
R 24 0121 107474496	2.21	WW 18 0310	R 21 0111	33	99	-3.38	90	0.19 64 97	0.01 49 100	1.29 64 105	-0.08 62 93	0.69 73 113	-6.91 67 81	-2.50 37 89	-0.56 37 90	106	2
R 24 0127 107474520	1.57	CR 20 0103	RA 20 0507	9	107	2.36	99	0.99 70 104	-0.49 51 90	0.56 70 100	0.18 68 109	-1.36 77 81	6.47 72 116	-5.75 40 77	-1.80 40 75	104	4
R 24 0128 107474538	1.67	CR 20 0103	RA 20 0562	24	101	-2.20	92	2.02 70 114	0.49 52 110	1.69 70 107	0.01 68 99	0.52 77 110	1.37 72 102	-5.22 40 79	-0.98 40 85	108	4
R 24 0130 107474546	2.21	WW 18 0310	R 21 0107	51	94	-6.81	84	-0.76 63 88	-0.10 47 98	0.52 64 100	-0.14 62 90	1.04 73 118	-1.51 67 95	-2.50 37 89	-0.56 37 90	95	1
R 24 0131 107474553	5.54	WW 21 2101	WW 20 2419	31	100	-3.93	89	0.00 68 95	0.33 42 107	-0.68 69 92	-0.06 66 94	-0.37 76 97	-9.09 70 75	-5.40 35 78	-0.92 35 86	79	4
R 24 0135 107473746	2.21	WW 18 0310	R 21 0118	49	94	-6.55	85	-0.56 63 90	-0.22 47 95	0.19 64 98	0.07 62 102	1.69 73 128	2.47 67 105	-2.50 37 89	-0.56 37 90	95	1
R 24 0137 107474579	2.21	WW 18 0310	R 21 0151	20	102	-1.06	94	0.31 64 98	-0.48 49 90	-0.48 64 93	0.50 62 129	1.77 73 130	7.74 67 119	-2.50 37 89	-0.56 37 90	108	2
R 24 0138 107474587	0.99	WW 18 0310	RA 20 0935	40	97	-5.35	87	-1.28 70 83	-0.50 54 89	-0.55 70 93	-0.03 68 96	0.58 77 111	0.01 72 99	-1.80 42 92	-0.55 42 90	109	4
R 24 0148 107474611	5.53	WW 21 2101	WW 18 0221	54	92	-7.87	82	-0.07 70 94	-0.17 46 96	-1.43 69 87	-0.06 67 94	1.07 77 119	1.00 71 101	-1.16 38 94	-0.25 38 94	89	3
R 24 0150 107474629	5.60	WW 21 2101	WW 19 2470	22	101	-0.91	94	0.95 68 104	-0.16 42 97	0.31 68 98	-0.05 66 95	0.17 76 105	-1.58 70 95	-2.07 31 91	-0.03 31 96	86	2
R 24 0155 107474645	2.21	WW 18 0310	R 21 0149	38	97	-4.23	88	-0.63 63 89	-0.16 47 97	-0.08 64 96	-0.16 62 88	-0.09 73 101	-4.59 67 87	-2.50 37 89	-0.56 37 90	95	1
R 24 0156 107474652	2.21	CR 20 0103	R 21 0147	16	103	-1.37	93	0.83 64 103	0.07 45 101	1.30 64 105	0.17 61 109	0.52 73 110	9.37 66 123	-4.18 31 83	-1.27 31 81	106	2
Young rams (with known parents) average :					100	-2.64	91	-0.02	-0.04	0.04	-0.02	0.20	0.63	-2.17	-0.51		

Ewes with Progeny



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding values
Breeding values with an accuracy of less than 5% are not printed

Ewes with progeny and measured at weaning, with both parents known.

Animal Information		Parents			Progeny		Selection Indices			EBV - Weights			EBV - Wool			EBV - Fertility				Rank	
Animal ID Regnr	% In- breeding	Sire ID Dam ID	DAM :		Generation Progeny Weaned		SIP	GM		Weaning Weight		Body Weight	SVG	VD	SL	Lammers gespeen	TWW	EPI	Times lambd		
			EPI	Times lambd	1st	2nd		EBV	Index	EBV	Mat										EBV
		Active Breed Average :					100.7	2.8	100		0.54	0.01	0.56		0.03	-0.14	0.50		0.46	0.27	
R 16 0028 79439238	1.39	R 14 0007 R 11 0099	117	4	5	1	100	-15.84	69	0.41 74	-0.31 66	-1.16 73	-0.24 71	1.39 81	10.67 76	-0.24 49	-1.49 48	125	5	18	
R 16 0035 79439253	7.10	R 14 0007 R 12 0015	109	3	2		113	-4.02	89	0.45 70	0.38 58	-0.41 71	0.15 68	0.56 79	3.81 73	-2.83 42	-1.07 41	92	3	2	
R 16 0058 79439261	0.98	XT 12 6210 R 12 0024	114	4	4	1		-10.62	78	-1.31 74	0.11 66	-2.26 74	-0.12 65	0.35 80	2.46 76	-3.76 50	-1.09 49	125	5	0	
R 16 0060 79438719	0.63	EN 14 0433 R 08 0018	113	7	3		98	-16.17	69	-0.12 73	-0.58 64	-2.44 71	-0.55 68	-0.41 77	-5.25 72	-5.47 51	-1.44 50	98	5	24	
R 16 0078 79439626	8.71	R 14 0007 R 14 0075	97	3	3		99	-13.06	74	-0.43 71	0.43 60	-0.36 69	-0.13 67	1.26 77	3.85 71	-3.21 47	-1.71 47	111	5	22	
R 16 0079 79439303	0.97	XT 12 6210 R 12 0094	139	5	6	2	94	-10.43	78	-1.32 77	0.61 70	-2.75 75	-0.19 72	0.79 81	5.04 76	-0.64 50	-0.07 50	149	5	30	
R 17 0003 81499709	0.53	EN 14 0057 R 08 0040	96	5	5	1	110	-8.63	81	-1.54 75	-0.70 68	-2.34 73	-0.10 71	0.27 80	-2.56 75	3.13 53	-0.65 52	122	7	3	
R 17 0006 81499576	2.43	EN 14 0433 EN 12 0314	91	4	2		87	-24.48	55	-1.81 72	-0.18 61	-3.10 72	-0.58 70	0.72 79	3.11 74	-6.90 47	-2.19 47	85	4	16	
R 17 0025 81499642	0.89	R 15 0026 EN 13 0426	86	3	3		102	-14.28	72	-2.18 71	-0.25 59	-3.09 72	-0.55 69	-0.71 79	-12.98 74	-4.88 41	-0.90 40	94	4	10	
R 17 0028 81500332	3.49	EN 14 0433 R 13 0085	100	4	2					-0.85 72	-0.36 61					-4.19 42	-1.61 41	90	2		
R 17 0045 81499980	4.45	EN 14 0057 R 12 0041	127	4	2		104	-10.76	78	-3.05 72	-0.32 63	-4.57 71	-0.09 69	-0.79 78	-3.39 73	-0.20 53	-1.37 53	89	4	5	
R 17 0057 81499568	14.35	EN 14 0057 EN 12 0209	82	2	6	1	103	-7.33	83	-2.69 77	-0.48 70	-2.61 75	-0.26 73	-0.17 81	-2.05 77	6.04 55	0.06 55	135	5	8	
R 17 0060 81500415	3.77	EN 14 0433 R 14 0053	108	3	5	1	93	-15.78	69	-1.40 75	-0.07 68	-3.26 73	-0.39 71	-0.50 80	-1.06 75	-6.96 51	-1.74 50	131	5	15	
R 17 0061 81500001	0.88	EN 14 0057 R 12 0094	139	5	6	2	102	-7.13	84	-0.95 77	0.01 72	-2.83 76	-0.15 74	-0.04 82	2.55 78	3.70 56	-0.12 56	150	6	9	
R 18 0006 83020784	1.55	RA 15 0742 R 10 0088	92	4	5					-2.49 74	-0.53 66					8.62 49	0.15 48	139	4		
R 18 0017 83021097	1.03	RA 15 0742 R 14 0075	97	3	1					-0.53 70	-0.32 58					3.01 49	-0.69 49	85	3		

Ewes with Progeny



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding values
Breeding values with an accuracy of less than 5% are not printed

Ewes with progeny and measured at weaning, with both parents known.

Animal Information		Parents			Progeny		Selection Indices			EBV - Weights			EBV - Wool			EBV - Fertility				Rank				
Animal ID Regnr	% In- breeding	Sire ID Dam ID	DAM :		Generation Progeny Weaned	1st	2nd	SIP	GM	Weaning Weight		Body Weight	SVG	VD	SL	Lammers gespeen	TWW	EPI	Times lambd					
			EPI	Times lambd						Dir	Mat										Acc	Index	Acc	Index
		Active Breed Average :						100.7	2.8	100		0.54	0.01	0.56	0.03	-0.14	0.50	0.46	0.27					
R 18 0023 83021170	3.27	EN 14 0057 R 15 0024	125	5	3							-1.83 73	-0.88 65		83	93	108	104	6.30 53	-0.52 52	112	4		
R 18 0070 83020941	4.48	R 16 0041 R 13 0068	123	4	4	1						-0.46 72	0.41 62		109	90	94	100	2.87 44	0.14 44	98	124	4	
R 18 0071 83020958	4.48	R 16 0041 R 13 0068	123	4	3	1						-1.63 71	0.55 59		112	88	93	103	1.46 44	-0.28 44	93	105	4	
R 18 0072 83021378	13.49	R 16 0041 R 16 0079	149	5	3	1						-1.34 71	0.52 60		111	85	100	101	-1.44 42	-0.17 42	95	114	4	
R 18 0078 83021204	9.53	EN 14 0057 R 15 0037	88	1	2							0.01 71	-0.06 62		99	85	84	104	1.96 49	-0.43 49	92	101	3	
R 19 0010 89300222	1.41	R 17 0063 R 17 0061	150	6	4	1	101	-3.91	89			0.02 71	-0.07 63	-1.20 68	89	-0.06 64	0.37 76	-0.49 69	0.70 45	0.03 45	97	109	4	4
R 19 0012 89300164	1.20	RA 17 1108 R 15 0045	94	3	3		100	-4.10	89			-0.30 70	-0.63 60	-0.56 71	93	-0.05 68	0.88 79	6.22 73	-1.67 41	0.15 41	99	97	3	6
R 19 0013 89300180	1.32	R 17 0063 R 17 0060	131	5	2		100	-8.62	81			-0.08 68	0.03 55	-1.82 66	85	-0.17 64	-0.29 75	-3.57 69	-6.39 41	-1.16 41	83	94	3	7
R 19 0025 89316962	1.78	RA 17 1108 R 16 1005	97	3	5	1	102	2.09	99			-0.16 69	0.27 63	-0.37 67	94	-0.06 65	0.10 76	-0.10 70	-0.21 40	1.07 39	110	141	5	2
R 19 0054 89317721	2.17	RA 17 1108 R 14 0078	103	4	2	1	102	1.02	97			0.33 69	0.21 56	0.02 69	97	-0.11 67	-0.07 77	1.31 72	-0.66 39	0.65 38	105	90	3	3
R 19 0064 89318687	1.78	RA 17 1108 R 16 1007	101	2	3	1	104	3.05	100			0.63 66	-0.05 57	0.37 65	99	-0.01 62	0.33 74	4.14 68	2.23 36	1.01 36	109	99	3	1
R 20 0021 91751438	0.83	WW 17 016 R 16 0031	91	3	1		99	-5.69	86			0.03 70	-0.30 59	-0.90 71	91	-0.03 68	0.47 78	0.35 73	-2.24 48	-0.61 48	89	92	2	17
R 20 0024 91751453	1.27	SD 17 0256 R 16 0079	149	5	2		104	-3.14	90			0.32 73	-0.77 66	-0.04 73	96	0.08 71	0.49 79	4.18 75	1.68 55	-0.76 55	88	94	3	5
R 20 0030 91751495	1.28	SD 17 0256 R 14 0025	93	4	2		105	-1.42	93			0.11 72	-0.14 66	0.73 72	101	0.13 70	-0.15 78	0.71 73	-2.24 58	-1.48 57	79	105	3	3
R 20 0037 91751537	0.62	SD 15 0044 R 13 0017	107	3	3		97	-3.23	90			0.34 74	0.05 67	-0.32 73	94	0.24 71	1.61 79	2.43 74	0.11 53	-0.25 53	94	117	3	20
R 20 0042 91751578	0.81	SD 15 0044 R 12 0094	139	5	2		100	-1.25	93			1.16 73	-0.01 64	1.01 73	103	-0.03 71	0.33 80	-0.50 75	-2.00 53	-0.40 52	92	107	3	14

Ewes with Progeny



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding values
Breeding values with an accuracy of less than 5% are not printed

Ewes with progeny and measured at weaning, with both parents known.

Animal Information		Parents			Progeny		Selection Indices			EBV - Weights			EBV - Wool			EBV - Fertility				Rank				
Animal ID Regnr	% In- breeding	Sire ID Dam ID	DAM :		Generation Progeny Weaned	1st	2nd	SIP	GM	Weaning		Body Weight	SVG	VD		SL	Lammers gespeen		TWW	EPI	Times lambded			
			EPI	Times lambded						Dir	Mat			Acc	Index		Acc	Index					Acc	Index
		Active Breed Average :						100.7	2.8	100		0.54	0.01	0.56		0.03	-0.14	0.50		0.46	0.27			
R 20 0045 91751594	1.23	SD 17 0256 R 16 0028	125	5	1			104	-4.88	87		1.81 72	-0.35 63	1.24 70		0.01 69	0.48 77	7.68 72		0.09 55	-1.55 55	91	3	6
R 20 0049 91751636	1.24	SD 17 0256 R 15 0074	177	6	2			101	-5.18	87		0.02 74	-0.79 67	-0.89 83		-0.16 72	-0.26 80	-3.95 74		4.21 56	-0.65 56	102	2	11
R 20 0050 91751651	1.24	SD 17 0256 R 15 0074	177	6	2			101	-6.71	84		0.47 74	-0.49 67	-0.28 90		-0.11 69	0.12 77	5.62 72		2.77 58	-1.20 58	102	3	12
R 20 0059 91751735	0.72	SD 15 0044 R 17 0061	150	6	4	1		98	0.78	97		0.49 75	0.11 69	0.04 102		0.12 73	0.65 80	3.84 76		1.74 56	0.28 55	100	4	19
R 20 0061 91751750	1.75	SD 15 0044 R 17 1013	126	4	2			99	-1.49	93		-0.04 69	-0.40 62	0.56 67		-0.02 64	-0.03 75	-3.75 69		-1.32 48	-0.63 48	97	3	15
R 20 0067 91751792	0.63	WW 17 016 R 16 0058	125	5	3			103	-2.53	91		0.78 73	-0.36 66	0.47 92		-0.06 69	0.29 79	-1.24 74		-1.78 53	-0.43 52	92	4	7
R 20 0069 91751818	0.51	WW 17 016 R 16 0054	90	2	2			97	-10.13	79		0.44 71	-0.66 63	-0.17 86		-0.23 67	0.21 77	-1.09 71		-5.94 52	-1.59 52	78	4	21
R 20 0073 91752634	1.75	OJ 17 1003 R 17 1034	89	1	4	1		102	4.46	103		2.08 67	0.98 59	2.48 121		-0.26 63	-0.26 76	-1.60 69		1.75 40	0.96 40	105	4	10
R 21 0011 93223469	1.78	WW 18 031 R 16 1004	100	3	3			102	-0.86	94		-0.69 71	-0.70 63	-0.87 85		0.19 64	0.37 74	1.87 69		-0.87 44	-0.33 44	93	3	3
R 21 0019 93224699	1.56	DJ 17 0105 R 15 1011	95	3	1			106	-0.59	94		-0.32 65	1.22 51	-0.73 126		-0.18 61	-0.51 72	-0.66 65		0.35 34	0.41 33	100	2	1
R 21 0047 93223360	0.77	WW 18 031 R 16 0017	97	3	1			97	-10.89	77		-1.81 71	-1.03 59	-2.56 78		0.00 68	0.34 77	-1.55 71		-4.02 46	-1.59 46	78	1	5
R 21 0083 93223311	0.48	WW 18 031 R 13 0020	100	4	2			96	-9.54	80		-1.43 72	-0.29 63	-1.29 94		-0.12 69	0.14 78	-2.79 73		-4.23 49	-1.43 49	80	2	6
R 21 0084 93220903	1.00	DJ 17 0105 R 15 0007	96	4	2			102	-0.20	95		-0.19 71	0.77 59	0.74 116		-0.27 68	-0.59 78	-12.07 72		-0.09 40	0.15 40	99	2	2
R 22 0006 96434576	1.67	WW 18 031 R 20 0073	100	4	1			98	-1.65	93		0.24 70	0.22 58	0.56 105		0.01 67	0.69 77	3.75 71		-1.81 44	-0.09 44	96	2	21
R 22 0010 96434592	1.07	WW 18 031 RA 20 1049	89	3	1			96	-5.23	87		-1.07 71	0.10 58	-0.42 102		-0.32 68	-0.40 77	-4.99 72		-1.87 45	-0.29 44	93	1	24
R 22 0016 96434618	0.99	WW 18 031 RA 20 0935	109	4	1			97	-2.45	91		-0.17 71	-0.60 59	1.10 87		-0.03 68	0.55 77	0.89 72		-1.71 45	-0.55 44	90	1	22

Ewes with Progeny



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding values
Breeding values with an accuracy of less than 5% are not printed

Ewes with progeny and measured at weaning, with both parents known.

Animal Information		Parents			Progeny		Selection Indices			EBV - Weights			EBV - Wool			EBV - Fertility				Rank	
Animal ID Regnr	% In- breeding	Sire ID Dam ID	DAM :		Generation Progeny Weaned	1st	2nd	SIP	GM	Weaning Weight		Body Weight	SVG	VD	SL	Lammers gespeen	TWW	EPI	Times lambded		
			EPI	Times lambded						Dir	Mat										Acc
		Active Breed Average :						100.7	2.8	100		0.54	0.01	0.56	0.03	-0.14	0.50	0.46	0.27		
R 22 0020 96434691	0.57	WW 18 0311 RA 20 1218	101	3	1			99	-3.09	90	0.45 71 99	-0.15 59 97	0.89 71 102	-0.13 69 90	0.27 77 106	0.04 72 99	-1.74 47 92	-0.45 47 91	95	2	17
R 22 0025 96434733	0.47	WW 18 0311 RA 20 0761	84	4	1			101	-3.15	90	0.77 71 102	-1.08 58 77	1.04 70 103	-0.10 68 92	-0.27 77 98	-0.62 72 97	-3.90 46 84	-1.21 46 82	96	1	12
R 22 0035 96434857	1.06	WW 18 0311 RA 20 0119	93	4	1			97	-6.38	85	-0.27 71 92	-0.79 59 83	-0.63 70 92	-0.02 68 97	0.55 77 111	6.89 72 117	-3.62 46 85	-0.92 45 86	94	1	23
R 22 0047 96434972	1.39	WW 20 2021 R 19 0025	141	5	2			106	6.74	106	1.34 70 108	0.05 57 101	1.05 68 103	0.17 66 108	0.56 77 111	-0.41 71 98	2.35 41 107	1.19 40 111	111	2	4
R 22 0083 96435250	0.68	WW 20 2374 R 18 0070	124	4	1			101	0.84	97	0.99 67 104	0.89 50 119	0.95 64 103	-0.04 64 95	0.49 72 110	0.15 66 99	1.02 37 102	0.44 36 102	98	1	15
R 22 0090 96435292	1.21	WW 18 0311 R 19 0064	99	3	1			101	1.22	97	0.87 69 103	0.33 57 107	1.42 68 106	-0.15 67 89	-0.28 76 98	-5.27 70 85	-1.61 44 92	0.01 43 97	99	1	14
R 22 0101 96435391	0.73	WW 20 2021 R 14 0090	107	4	2			98	-6.42	85	-0.38 70 91	0.11 57 102	-0.90 67 91	-0.04 65 95	0.65 76 112	-1.89 70 94	-2.40 43 89	-0.58 42 90	109	2	19
R 22 0111 96435490	0.70	WW 20 2021 R 17 0057	135	5	2			105	2.06	99	-0.36 71 92	-0.44 59 91	-0.48 70 93	-0.07 66 93	-0.51 78 94	-6.49 72 82	5.43 45 119	0.57 45 104	107	2	6
R 23 0005 98390156	2.32	WW 20 2351 R 20 0059	154	4	1			107	3.01	100	0.17 70 97	-0.05 53 99	-0.47 69 93	0.47 66 127	1.73 76 129	9.00 71 122	1.44 40 104	0.70 39 105	102	1	4
R 23 0012 98390230	1.56	WW 20 2351 R 15 1039	113	4	1			99	-2.46	91	-1.42 66 82	0.12 49 102	-2.46 64 81	0.06 61 102	0.63 73 112	4.30 67 110	1.24 29 103	0.78 29 106	105	1	18
R 23 0015 98390271	0.49	WW 18 0311 R 17 0003	122	7	1			94	-7.99	82	-0.71 71 88	-0.70 60 85	-0.17 70 95	-0.13 68 90	0.59 77 111	0.50 72 100	-0.97 47 95	-1.04 47 84	99	1	25
R 23 0021 98390354	0.67	WW 20 2351 R 18 0071	105	4	1			108	3.06	100	0.17 69 97	0.38 51 108	-0.67 67 92	0.17 64 108	0.15 75 105	4.13 69 110	1.36 36 103	0.53 36 103	104	1	1
R 23 0038 98390495	1.78	WW 18 0311 R 16 1017	131	4	1			103	-2.57	91	-0.97 67 86	-0.64 57 87	-0.97 66 90	-0.05 63 95	-0.48 74 95	-6.72 68 81	-2.04 40 91	-0.58 40 90	99	1	12
R 23 0052 98390594	0.82	WW 20 2351 R 19 0010	109	4	1			107	3.57	101	0.68 69 101	-0.02 52 99	-0.43 68 94	0.26 65 114	0.66 76 112	3.77 70 109	1.00 36 102	0.65 36 105	103	1	3
R 23 0079 98390735	0.60	WW 18 0311 R 19 0054	90	3	1			104	-1.19	93	0.52 70 100	-0.18 57 96	1.20 69 104	-0.15 67 89	0.03 77 103	-2.26 71 93	-2.68 44 88	-0.24 44 94	101	1	10
RA 20 0255 90122185	7.31	RA 17 0736 RA 17 0605	97	5	3			92	-2.73	91	-1.17 74 84	0.00 64 100	-1.12 73 89	-0.06 71 94	-0.03 80 102	2.43 75 105	2.17 46 106	-0.07 46 96	99	3	224

Ewes with Progeny



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding values
Breeding values with an accuracy of less than 5% are not printed

Ewes with progeny and measured at weaning, with both parents known.

Animal Information		Parents			Progeny		Selection Indices			EBV - Weights			EBV - Wool			EBV - Fertility			Rank		
Animal ID Regnr	% In- breeding	Sire ID Dam ID	DAM :		Generation Progeny Weaned	1st	2nd	SIP	GM	Weaning Weight		Body Weight	SVG	VD	SL	Lammers gespeen	TWW	EPI	Times lambd		
			EPI	Times lambd						Dir	Mat										Acc
		Active Breed Average :						100.7	2.8	100		0.54	0.01	0.56	0.03	-0.14	0.50	0.46	0.27		
RA 20 0946 90121500	4.21	RA 18 0607 RA 16 1241	95	3	1			98	-0.79	94	0.10 70	-1.12 55	0.41 69	-0.07 66	0.13 77	2.97 71	1.97 39	-0.03 38	82	2	167
WW 17 0071 81553661	1.32	WW 15 2061 WW 11 2541	87	5	3			101	-13.55	73	-1.13 74	-0.12 68	-1.64 71	-0.23 69	0.17 78	-7.82 73	-6.60 57	-1.88 57	90	3	102
WW 18 0130 82793647	2.04	WW 13 2531 WW 14 2271	99	3	3			94	-10.26	78	-2.10 75	0.82 68	-1.05 72	-0.37 70	0.33 79	1.22 74	-2.22 58	-0.50 57	88	4	182
WW 18 0257 82792516	3.27	SD 15 0015 WW 13 2161	94	4	4			103	7.73	108	1.25 76	0.78 71	1.73 75	0.14 73	0.25 81	1.97 77	2.41 61	0.97 61	100	4	68
WW 18 0326 82794587	0.81	SD 15 0015 WW 15 2311	87	3	4	1		111	0.49	96	0.17 76	-0.42 71	0.62 73	0.15 71	0.43 80	-0.36 75	-1.50 62	-0.44 61	92	4	15
WW 19 2149 87934022	5.31	WW 17 0161 WW 17 0411	94	3	2			102	-9.34	80	-0.26 73	-0.88 64	-1.33 73	0.05 69	1.05 78	-6.69 73	-4.43 52	-1.21 51	82	4	108
WW 19 2161 87932166	4.13	WW 17 0251 WW 17 0261	118	5	4			106	-2.75	91	0.39 75	0.93 65	0.37 73	-0.20 71	0.00 80	-7.22 75	-3.13 49	-0.11 49	99	4	48
WW 19 2204 87913216	11.19	WW 15 2061 WW 13 2581	109	5	2			97	-8.88	81	-0.39 74	-1.07 67	-0.91 72	-0.15 70	0.65 78	-1.81 73	-3.49 57	-0.79 56	83	2	199
WW 19 2388 87922852	2.43	SD 15 0015 WW 16 2061	93	3	4			110	5.67	105	0.85 75	-0.29 70	0.68 75	0.11 73	0.13 81	-3.44 77	2.25 61	0.86 60	95	5	8
WW 19 2470 87923710	2.99	WW 17 0121 WW 16 2171	108	5	2			97	-6.63	84	-0.44 71	-0.29 60	-0.30 69	-0.24 67	0.36 77	-2.56 71	-2.84 41	-0.34 40	86	2	185
WW 19 2483 87909552	2.67	WW 17 0041 WW 12 2801	112	6	3			103	-3.96	89	-1.24 73	0.69 62	-2.00 69	-0.28 67	-1.07 77	1.28 72	-0.42 47	-0.07 46	87	4	86
WW 19 2588 87909503	2.64	WW 17 0041 WW 12 2771	113	8	2			96	-7.31	83	-1.40 71	0.28 59	-3.32 69	-0.12 67	0.01 77	-1.35 71	1.24 43	-0.04 43	85	3	212
WW 19 2698 87924676	3.36	WW 17 0061 WW 16 2281	89	4	3			93	-11.70	76	-2.11 72	2.17 62	-2.85 69	-0.24 66	0.35 77	-1.58 71	-2.68 47	-0.61 47	87	5	243
WW 20 2024 90975467	1.70	WW 18 0091 WW 18 0021	86	1	3			100	2.55	100	-0.50 75	-0.18 68	-0.21 73	0.18 71	2.08 79	-1.26 75	4.26 53	2.06 53	93	4	141
WW 20 2337 90978545	2.93	WW 18 0091 WW 15 2321	120	7	1			106	1.87	98	-0.47 73	-0.45 62	-1.30 72	0.23 70	0.70 78	2.22 73	1.07 50	0.76 50	78	3	49
WW 20 2388 90978966	7.72	WW 17 0381 WW 18 0231	91	3	4	1		100	-2.61	91	-0.52 75	-0.08 69	1.97 75	0.01 73	0.41 81	-6.81 76	-6.66 57	-1.34 57	106	4	131

Ewes with Progeny



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high



Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding values
Breeding values with an accuracy of less than 5% are not printed

Ewes with progeny and measured at weaning, with both parents known.

Animal Information		Parents			Progeny		Selection Indices			EBV - Weights			EBV - Wool			EBV - Fertility			Rank
Animal ID Regnr	% In- breeding	Sire ID Dam ID	DAM :		Generation Progeny Weaned 1st 2nd	SIP	GM	Weaning Dir	Weight Mat	Body Weight	SVG	VD	SL	Lammers gespeen	TWW	EPI	Times lambd		
			EPI	Times lambd															
			EBV	Index															
		Active Breed Average :			100.7	2.8	100	0.54	0.01	0.56	0.03	-0.14	0.50	0.46	0.27				
WW 20 2419 90979188	4.00	WW 17 038 WW 18 047	88	1	1	95	-11.33	77	-1.20 70	0.62 59	-0.52 71	-0.15 69	0.22 78	-10.39 73	-9.50 52	-2.12 51	79	4	208
WW 20 2445 90979386	2.58	WW 18 009 WW 15 202	154	7	2	110	3.14	101	0.09 74	-0.68 66	-0.68 72	0.24 70	0.41 78	-2.70 73	0.90 53	0.51 53	84	4	22
WW 20 2560 90980327	2.86	WW 18 009 WW 17 017	105	4	4	101	-3.79	89	-1.04 76	-0.30 68	-1.08 72	0.03 70	0.82 79	-1.77 74	-1.54 55	0.09 54	106	4	117
Ewes with progeny average :						100.9	-4.4	88	-0.38	-0.09	-0.63	-0.07	0.28	-0.40	-0.73	-0.38			

Young Ewes



EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding values
Breeding values with an accuracy of less than 5% are not

Ewes born since 2020 with a weaning weight and wool test, no progeny, with both parents known.

Animal Information		Parents			Selection Indices			EBV - Weights						EBV - Wol						EBV - Fertility				Rank
Animal ID Regnr	% In- breeding	Sire ID Dam ID	DAM REPROD :		SIP	GM	Weaning Weight				Body Weight		CFW		FD		SL		NLW		TWW			
			EPI	Times lambded			Dir	Mat	Weight	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc		Index
		Active Breed Average :			100.7	2.8	100	0.54		0.01		0.56		0.03		-0.14		0.50		0.46		0.27		
R 20 0057 91751693	0.58	WW 17 016 R 15 0031	91	2	99	-5.64	86	0.53 69	-0.31 55	0.04 97	-0.15 67	0.32 77	-1.80 71	-1.73 48	-0.66 89			16						
R 23 0013 98390255	0.49	WW 18 031 RA 20 0720	104	4	101	-2.75	91	0.45 70	-0.02 54	2.16 110	-0.17 69	0.55 77	0.47 72	-0.40 44	-0.49 91			15						
R 23 0016 98390297	1.89	WW 20 235 R 19 0106	98	2	107	3.37	101	0.17 62	0.32 39	-0.10 107	0.10 61	0.13 73	-0.45 66	0.69 25	0.65 105			2						
R 23 0017 98390313	0.47	WW 18 031 R 18 0078	101	3	103	-1.80	92	0.03 69	-0.32 54	0.41 99	-0.08 67	-0.48 76	3.07 70	-1.75 45	-0.88 86			11						
R 23 0020 98390339	0.53	WW 18 031 R 18 0023	112	4	98	-5.25	87	-0.44 70	-0.74 55	0.27 98	0.01 67	0.76 76	2.67 71	0.43 45	-0.92 86			19						
R 23 0023 98390370	0.83	WW 18 031 R 15 0040	145	6	86	-13.98	72	-1.75 70	-0.07 55	-2.19 82	-0.24 68	1.11 77	1.27 72	-3.35 44	-0.78 87			29						
R 23 0026 98390396	0.51	WW 18 031 R 16 0078	111	5	93	-8.87	81	-0.39 69	0.10 53	0.24 102	-0.22 67	0.14 77	-4.29 71	-4.33 44	-1.52 78			26						
R 23 0029 98390412	0.60	WW 20 235 R 17 0051	98	3	102	-0.45	95	0.12 67	-0.31 45	-1.11 89	0.22 65	0.27 75	2.49 69	-2.71 34	-0.34 93			14						
R 23 0030 98390438	1.75	WW 20 235 R 17 1010	123	4	95	-4.94	87	-1.30 64	0.12 42	-2.02 102	-0.03 61	1.00 73	0.84 67	0.69 25	0.65 105			23						
R 23 0035 98390479	0.48	WW 18 031 R 17 0028	90	2	97	-6.39	85	0.73 69	-0.39 53	0.96 103	-0.13 67	0.22 76	0.17 70	-4.82 43	-1.47 79			21						
R 23 0042 98390511	1.75	WW 18 031 R 17 1046	111	4	100	-4.26	88	-0.83 65	0.06 50	-0.60 101	-0.16 63	-0.29 74	-3.49 68	-2.50 37	-0.56 90			17						
R 23 0043 98390537	1.75	WW 18 031 R 17 1013	126	4	95	-7.90	82	-0.87 66	-0.08 52	-0.16 98	-0.05 64	1.17 75	-2.50 69	-2.80 38	-0.79 87			24						
R 23 0048 98390552	0.82	WW 20 235 R 18 0072	114	4	105	-0.59	94	-0.20 68	0.32 44	-1.35 107	0.12 64	0.14 75	4.23 69	-1.66 36	0.05 97			6						
R 23 0055 98390610	1.17	WW 18 031 RA 20 0232	100	4	105	-1.79	92	-0.41 70	-0.30 54	-0.20 94	0.04 68	0.05 77	-2.96 72	-2.38 43	-0.59 90			7						
R 23 0056 98390636	0.74	WW 20 235 R 17 0061	150	6	105	1.61	98	0.00 69	-0.02 49	-1.38 100	0.23 67	0.44 77	7.24 71	2.31 37	0.48 103			5						
R 23 0071 98390677	1.21	WW 18 031 R 19 0064	99	3	104	-1.35	93	0.26 68	-0.26 52	0.73 101	-0.01 67	0.57 76	1.81 71	-1.61 41	-0.16 95			9						

Young Ewes



EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding values
Breeding values with an accuracy of less than 5% are not

Ewes born since 2020 with a weaning weight and wool test, no progeny, with both parents known.

Animal Information		Parents			Selection Indices			EBV - Weights						EBV - Wol						EBV - Fertility				Rank
Animal ID Regnr	% In- breeding	Sire ID Dam ID	DAM REPROD :		SIP	GM	Weaning Weight				Body Weight		CFW		FD		SL	NLW		TWW				
			EPI	Times lambded			Dir	Mat	Weight	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index		Acc	Index
							EBV	Index	EBV	Index	EBV	Index	EBV	Index	EBV	Index	EBV	Index	EBV	Index	EBV	Index		
		Active Breed Average :			100.7	2.8	100	0.54		0.01	0.56		0.03	-0.14	0.50		0.46		0.27					
R 23 0077 98390693	7.06	WW 18 0310 R 20 0021	92	2	100	-3.99	89	0.08 68	-0.42 53	0.13 70	97	-0.05 68	0.04 77	-2.64 103	72	-3.85 44	-0.97 84	44	85			16		
R 23 0078 98390719	0.81	WW 18 0310 RA 20 0255	99	3	96	-6.52	85	-1.58 70	-0.16 54	-1.17 71	89	-0.08 69	0.26 77	-1.19 106	72	-1.64 44	-0.70 92	43	88			22		
R 23 0085 98390750	0.99	WW 18 0310 RA 20 0935	109	4	98	-6.53	85	-0.86 70	-0.48 54	-0.30 70	95	-0.07 68	0.89 77	-1.61 116	72	-1.80 42	-0.55 92	42	90			20		
R 23 0086 98390776	0.72	WW 20 2350 R 17 0025	94	4	91	-8.08	82	-1.41 68	0.28 44	-2.33 68	82	-0.26 66	0.17 76	-7.14 105	70	-1.98 32	0.09 91	32	98			28		
R 24 0003 107473126	2.21	WW 18 0310 R 21 0103	101	2	94	-5.64	86	-1.10 64	-0.45 49	-0.54 64	93	-0.03 62	0.70 73	-5.51 113	67	-2.50 37	-0.56 89	37	90			44		
R 24 0005 107473134	1.41	CR 20 0103 R 20 0024	94	3	99	-3.08	90	0.17 69	-0.43 52	0.08 69	97	0.19 68	0.02 76	12.43 103	71	-3.56 42	-1.76 85	41	76			32		
R 24 0012 107473159	0.97	JL 22 0133 RA 20 1005	104	4	108	3.68	101	0.33 67	-0.09 43	0.44 68	99	0.22 65	0.22 76	7.10 106	70	-0.06 32	0.04 98	32	97			8		
R 24 0013 107473167	2.21	WW 18 0310 R 21 0144	94	2	93	-6.38	85	-1.30 63	-0.26 47	-0.61 64	93	-0.16 62	0.29 73	-5.72 107	67	-2.50 37	-0.56 89	37	90			47		
R 24 0014 107473175	6.03	WW 21 2100 WW 18 0070	87	2	105	1.12	97	1.52 69	0.40 45	0.69 69	101	0.10 67	0.49 77	0.17 110	71	-1.57 38	0.02 92	38	97			10		
R 24 0016 107473183	2.71	WW 21 2100 R 20 0037	117	3	102	-0.15	95	1.11 68	-0.02 45	0.03 68	97	0.25 66	1.21 76	3.79 121	70	-0.60 36	0.01 96	36	97			18		
R 24 0018 107473191	1.17	CR 20 0103 RA 20 0119	93	4	99	-3.47	90	0.61 70	-0.29 51	-0.31 70	94	0.16 68	0.06 77	7.71 103	72	-5.13 39	-1.51 79	39	79			34		
R 24 0022 107473209	2.21	WW 18 0310 R 21 0145	104	2	102	0.00	95	-0.19 64	-0.25 49	-0.16 64	95	-0.04 62	-0.77 73	-6.36 90	67	-2.50 37	-0.56 89	37	90			14		
R 24 0026 107473225	2.21	JL 22 0133 R 21 0109	103	2	96	-3.87	89	-0.88 60	-0.34 35	-1.67 61	86	0.15 58	0.59 72	9.38 111	64	-3.06 20	-0.43 87	20	92			42		
R 24 0028 107473233	0.57	WW 18 0310 RA 20 0427	104	4	91	-7.97	82	-0.86 71	-0.02 55	-0.22 71	95	-0.18 69	0.54 78	-4.78 111	72	-3.31 45	-0.87 86	45	86			51		
R 24 0036 107473241	2.21	WW 18 0310 R 21 0121	102	2	102	-0.29	95	-0.76 64	-0.38 49	-0.32 64	94	-0.05 62	-0.80 73	1.38 90	67	-2.50 37	-0.56 89	37	90			17		
R 24 0038 107473258	0.85	JL 22 0133 RA 20 1218	101	3	98	-2.69	91	0.22 67	0.08 42	-0.44 68	94	-0.16 65	-0.30 76	6.73 98	70	-1.97 30	-0.21 91	30	94			38		

Young Ewes



EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding values
Breeding values with an accuracy of less than 5% are not

Ewes born since 2020 with a weaning weight and wool test, no progeny, with both parents known.

Animal Information		Parents			Selection Indices			EBV - Weights						EBV - Wol						EBV - Fertility				Rank
Animal ID Regnr	% In- breeding	Sire ID Dam ID	DAM REPROD :		SIP	GM	Weaning Weight				Body Weight		CFW		FD		SL		NLW		TWW			
			EPI	Times lambded			Dir	Mat	Weight	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc		Index
			EBV	Index	EBV	Index	EBV	Index	EBV	Index	EBV	Index	EBV	Index	EBV	Index	EBV	Index	EBV	Index	EBV	Index		
		Active Breed Average :			100.7	2.8	100	0.54		0.01		0.56		0.03		-0.14		0.50		0.46		0.27		
R 24 0040 107473266	2.08	WW 18 0310 R 22 1130	106	2	92	-7.19	84	-1.43 65	-0.27 50	-0.55 64	82	94	93	-0.10 62	0.81 73	0.75 67	101	-2.50 37	-0.56 37	89	90	50		
R 24 0042 107473274	2.21	WW 18 0310 R 21 0140	106	2	99	-2.00	92	-0.30 64	-0.01 49	-0.14 64	92	100	96	-0.05 62	-0.23 73	-4.68 67	86	-2.50 37	-0.56 37	89	90	27		
R 24 0043 107473282	0.66	WW 18 0310 RA 20 0301	101	4	99	-1.93	92	-0.02 70	0.09 55	0.85 71	95	102	102	-0.12 69	0.33 77	1.60 72	103	-1.60 45	-0.09 44	92	96	30		
R 24 0044 107473290	2.75	WW 21 2100 R 20 0042	107	3	108	4.46	103	1.95 68	0.00 44	1.54 68	113	100	106	-0.01 66	-0.59 76	-5.06 70	85	-1.65 35	-0.06 35	92	96	7		
R 24 0046 107473308	0.64	CR 20 0103 R 17 0003	122	7	101	-2.08	92	1.15 70	-0.45 53	0.71 69	106	90	101	0.00 68	-0.75 76	1.80 71	103	-2.84 41	-1.70 41	88	76	21		
R 24 0047 107473316	0.64	CR 20 0103 R 17 0003	122	7	97	-4.66	88	-0.05 70	-0.52 53	-0.39 69	95	89	94	0.11 68	-0.04 76	-0.03 71	99	-2.84 41	-1.70 41	88	76	40		
R 24 0049 107473324	2.24	CR 20 0103 RA 20 1030	104	2	114	6.72	106	1.78 70	0.80 51	3.13 70	112	117	117	0.01 68	-0.64 77	1.15 72	102	-2.41 38	-0.27 38	89	94	1		
R 24 0051 107473332	0.81	CR 20 0103 R 17 0061	150	6	94	-6.52	85	-0.02 71	0.03 54	-1.17 70	95	101	89	-0.05 68	-0.35 77	2.21 72	105	-2.55 42	-1.44 42	89	79	45		
R 24 0052 107473340	1.40	CR 20 0103 RA 20 0720	104	4	105	1.30	98	2.46 70	-0.05 51	3.63 70	118	99	120	0.08 68	0.50 77	8.24 72	120	-2.08 40	-1.21 39	91	82	11		
R 24 0054 107473357	2.21	JL 22 0133 R 21 0131	107	2	100	-1.41	93	-0.26 60	0.29 35	-0.45 61	93	106	94	-0.03 58	-0.34 72	1.25 64	102	-3.06 20	-0.43 20	87	92	26		
R 24 0055 107473365	2.21	CR 20 0103 R 21 0114	99	2	95	-6.38	85	-0.76 64	-0.37 45	-0.35 64	88	92	94	-0.04 61	0.22 73	5.26 66	113	-4.18 31	-1.27 31	83	81	43		
R 24 0058 107473381	2.70	WW 21 2100 R 20 0059	154	4	112	7.36	108	2.16 68	-0.15 45	1.37 69	115	97	105	0.20 66	-0.25 76	-1.69 71	94	0.22 37	0.28 36	99	100	2		
R 24 0059 107473399	9.51	WW 21 2100 WW 17 0040	110	4	99	-2.39	91	0.40 70	0.21 47	-0.44 70	99	104	94	0.01 67	0.41 77	-0.30 71	98	-2.21 38	-0.16 38	90	95	29		
R 24 0062 107473415	2.21	JL 22 0133 R 21 0130	102	2	98	-2.20	92	-1.56 60	-0.13 35	-1.50 61	80	97	87	-0.16 58	-1.15 72	4.23 64	110	-3.06 20	-0.43 20	87	92	35		
R 24 0063 107473423	8.31	WW 21 2100 WW 20 2140	78	3	97	-3.44	90	-0.56 68	0.17 44	-1.52 69	90	103	87	-0.05 67	0.32 77	-2.84 71	91	0.06 38	0.22 38	99	99	39		
R 24 0066 107473431	1.27	JL 22 0133 RA 20 1049	89	3	97	-4.22	88	-0.21 66	0.03 41	-0.58 67	93	101	93	-0.14 64	0.17 76	3.53 69	108	-2.51 29	-0.16 28	89	95	41		

Young Ewes



EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding values
Breeding values with an accuracy of less than 5% are not

Ewes born since 2020 with a weaning weight and wool test, no progeny, with both parents known.

Animal Information		Parents			Selection Indices			EBV - Weights						EBV - Wol						EBV - Fertility				Rank
Animal ID Regnr	% In- breeding	Sire ID Dam ID	DAM REPROD :		SIP	GM	Weaning Weight				Body Weight		CFW		FD		SL	NLW		TWW				
			EPI	Times lambded			Dir	Mat	Weight	Weight	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc		Index	
							EBV			EBV		EBV		EBV		EBV		EBV		EBV				
							Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index				
		Active Breed Average :			100.7	2.8	100					0.54	0.01	0.56		0.03	-0.14	0.50		0.46	0.27			
R 24 0070 107473449	0.92	CR 20 0103 R 18 0023	112	4	100	-2.88	91	0.25 69	-0.48 97	0.69 52	101	0.06 67	-0.22 75	4.47 99	110	-1.25 41	-1.64 94	77			25			
R 24 0075 107473464	2.21	WW 18 0311 R 21 0129	105	2	100	-1.50	93	0.86 64	0.24 103	2.71 49	114	-0.26 62	-0.01 73	-5.21 102	85	-2.50 37	-0.56 89	90			24			
R 24 0081 107473498	2.21	CR 20 0103 R 21 0106	100	2	106	1.24	97	0.32 64	-0.62 98	-0.55 45	93	0.19 61	-1.01 73	7.15 87	117	-4.18 31	-1.27 83	81			9			
R 24 0082 107473506	8.54	WW 21 2101 WW 19 2381	95	5	108	4.72	103	0.75 70	-0.07 102	-0.07 46	96	0.05 67	-0.52 77	-4.35 94	87	0.47 38	0.57 100	104			5			
R 24 0084 107473522	2.92	WW 21 2101 WW 18 0541	101	4	111	5.27	104	1.08 69	0.77 105	0.68 43	116	0.15 66	-0.10 77	1.30 101	102	-1.83 34	0.36 91	101			3			
R 24 0086 107473530	1.15	CR 20 0103 R 19 0012	97	3	98	-3.49	90	-0.10 69	-0.34 94	-0.04 50	96	0.07 67	-0.01 77	5.81 102	114	-5.24 38	-1.30 79	81			36			
R 24 0096 107473597	2.21	WW 18 0311 R 21 0150	95	1	91	-8.23	82	-1.08 63	-0.24 85	-0.90 47	91	-0.10 62	0.94 73	-1.58 117	95	-2.50 37	-0.56 89	90			52			
R 24 0097 107473605	2.21	CR 20 0103 R 21 0154	102	2	102	-1.28	93	0.39 64	-0.21 99	0.85 45	102	0.09 61	-0.10 73	8.95 101	122	-4.18 31	-1.27 83	81			15			
R 24 0098 107473613	0.52	WW 18 0311 RA 20 0418	102	4	92	-6.56	85	0.25 71	-0.33 97	1.28 55	105	-0.20 69	0.78 78	1.69 114	103	-1.17 45	-0.80 94	87			49			
R 24 0099 107473621	1.16	CR 20 0103 RA 20 0933	81	4	98	-5.40	86	0.96 69	-0.43 104	0.05 49	91	0.02 68	-0.47 77	2.77 95	106	-5.18 39	-2.14 79	71			37			
R 24 0105 107473647	2.21	CR 20 0103 R 21 0135	105	2	99	-3.18	90	0.71 64	0.17 102	0.68 45	104	-0.02 61	-0.11 73	2.93 100	106	-4.18 31	-1.27 83	81			28			
R 24 0114 107473662	1.20	JL 22 0133 R 22 0047	111	2	104	1.45	98	0.21 65	-0.22 97	-0.37 40	94	0.21 63	0.44 75	4.55 109	111	-2.10 29	0.06 90	98			12			
R 24 0120 107473670	1.34	CR 20 0103 RA 20 0344	109	4	108	3.23	101	1.05 70	-0.30 105	1.76 52	108	0.13 68	-0.02 77	0.22 102	99	-1.98 40	-0.52 91	91			6			
R 24 0122 107473688	2.21	CR 20 0103 R 21 0139	105	2	103	-0.93	94	0.87 64	0.10 103	0.68 45	102	-0.05 61	-0.88 73	4.95 89	112	-4.18 31	-1.27 83	81			13			
R 24 0123 107473696	2.08	WW 18 0311 R 22 1150	102	2	87	-10.56	78	-0.80 64	-0.22 87	0.39 49	95	-0.04 62	2.44 73	4.01 140	109	-2.50 37	-0.56 89	90			53			
R 24 0125 107473704	2.21	WW 18 0311 R 21 0123	107	2	99	-2.63	91	0.02 64	0.04 95	0.18 49	101	-0.08 62	-0.06 73	-4.44 101	87	-2.50 37	-0.56 89	90			33			

Young Ewes



EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding values
Breeding values with an accuracy of less than 5% are not

Ewes born since 2020 with a weaning weight and wool test, no progeny, with both parents known.

Animal Information		Parents			Selection Indices			EBV - Weights						EBV - Wol						EBV - Fertility				Rank
Animal ID Regnr	% In- breeding	Sire ID Dam ID	DAM REPROD :		SIP	GM	Weaning Weight				Body Weight		CFW		FD		SL		NLW		TWW			
			EPI	Times lambded			Dir	Mat	EBV	Index	EBV	Index	EBV	Index	EBV	Index	EBV	Index	EBV	Index	EBV	Index		EBV
		Active Breed Average :			100.7	2.8	100	0.54		0.01		0.56		0.03		-0.14		0.50		0.46		0.27		
R 24 0129 107473712	1.88	CR 20 0103 RA 20 1147	112	4	93	-7.32	83	0.41 70	99	0.12 52	102	0.21 70	98	-0.09 68	0.59 77	3.06 72	107	-5.34 40	-1.19 40	82			46	
R 24 0133 107473738	3.73	WW 21 210 WW 17 042	110	5	92	-6.56	85	-0.36 70	92	0.84 46	118	-0.70 69	92	-0.32 67	0.04 77	-6.33 71	82	-1.63 35	-0.12 35	95			48	
R 24 0134 107474561	17.65	WW 21 210 WW 20 256	106	4	102	0.35	96	0.93 70	104	0.06 45	101	1.05 69	103	-0.05 66	0.41 77	-4.00 71	88	-1.42 36	0.18 36	99			19	
R 24 0141 107473761	5.56	WW 21 210 WW 19 231	89	3	101	-0.12	95	0.89 69	103	-0.19 45	96	-0.22 69	95	0.09 67	0.16 77	2.22 71	105	-3.15 36	-0.23 36	94			22	
R 24 0142 107473779	1.36	WW 21 210 R 19 0025	141	5	109	5.26	104	1.12 67	105	0.00 43	100	0.51 67	100	0.11 65	-0.02 76	-2.46 70	92	-0.75 31	0.67 31	105			4	
R 24 0143 107473787	1.89	CR 20 0103 R 19 0040	115	5	102	-1.29	93	0.67 65	101	0.11 47	102	0.80 65	102	-0.02 62	-0.61 73	3.53 67	108	-4.18 31	-1.27 31	81			16	
R 24 0144 107473795	0.87	WW 21 210 R 18 0072	114	4	100	-1.06	94	0.63 68	101	0.34 42	107	-0.46 67	94	-0.11 64	-0.31 75	-1.70 69	94	-1.37 32	0.05 31	97			23	
R 24 0147 107473811	5.34	WW 21 210 WW 17 042	114	5	99	-2.06	92	0.47 70	99	0.45 45	109	0.48 69	100	-0.26 66	-0.61 77	-4.28 71	88	-2.52 35	-0.29 34	93			31	
R 24 0149 107473829	2.52	WW 21 210 WW 19 258	85	3	101	-0.14	95	0.70 68	102	0.00 42	100	-0.98 68	90	0.09 66	0.15 76	-0.20 70	98	-0.03 32	0.12 32	98			20	
Young Ewes (with known parents) average :					99.7	-2.5	91	0.10		-0.08		0.03		-0.02		0.12		0.84		-2.27		-0.56		