



BOERBOK GENETIC REPORT

21 September 2026



MR J. JAKOBUS MENTZ

FDM : 1805



CERTIFICATE
OF QUALITY

Valid up to
October 2029

 **SA** STAMBOEK
STUD BOOK
'n Storie met twee kante

General Information

This **Genetic Report** of your flock enables you to determine the genetic merit and potential of the animals in your herd relative to that of the breed. An animal's performance is determined by two factors, namely the environment and genetics. Good nutrition and management can improve performance, but an animal cannot perform better than its genetic potential. Superior performance due to the environment cannot be carried over to the next generation. It is therefore extremely important not to neglect genetic progress of your flock. Due to the interaction between environment and genetics, it is difficult to identify genetically superior animals on performance data. Estimated Breeding Values (EBVs) are therefore predicted for every animal to determine its genetic potential, as well as its worth as a parent for the next generation. Through the use of EBVs, animals can be compared fairly **within the breed**, therefore across herds, years and production systems. Results presented in this report allow the breeder to identify the underlying genetics of the animals.

Genetic parameters

Genetic parameters (heritability and genetic correlations) are estimated on a breed-basis and are required for the prediction of breeding values. The **heritability** refers to the portion of the variation of a trait in a population that is due to transferrable genetics (the rest of the variation can be attributed to the environment and non-transferrable genetics). Some traits are genetically correlated, which means that a change in one trait will lead to changes in other traits. The strength of this association amongst traits is referred to as a **genetic correlations** and can be desirable or undesirable.

Breeding Values

The prediction of EBVs makes use of performance recordings of the animal as well as those of its relatives, pedigree information and genetic parameters. The deviation of the animal's measurement relative to the average of its contemporary group, forms the basis for identifying the animal's genetic potential for the trait. A **contemporary group** is a group of animals that have been exposed to the same environmental and biological effects, including herd, year, sex and age effects. After adjusting for differences in these effects, animals can fairly be compared and the difference in performance that still persist are then assumed to be due to differences in the genetic merit of the animals.

The EBV predicted for an animal at birth and until it has been measured, is the average EBV of its parents, since the animal received half of its genes from each parent. This mid-parent value makes the assumption that the same half of the parents' genes are carried over to all their offspring. In reality, each offspring receives a random sample of each parent's genes,

therefore mid-parent EBVs are still of low accuracy, but it does indicate the genetic level that can be expected due its parental history. An animal's true genetic merit can be predicted more accurately as more information becomes available, eg. when the animal has been measured or when the number of relatives with measurements increases. Estimated breeding values therefore change over time as more information becomes available. EBVs of animals are published with an **accuracy** (%), which indicates how much information was available for the estimation of breeding values and therefore the confidence with which a breeder can use it. Factors that influence the accuracy of an EBV are the heritability of the trait, the number of measured relatives, the size of the contemporary group, the precision with which the measurements were taken and the completeness of pedigree information. An EBV with an accuracy of 85% or more is less likely to change significantly with subsequent genetic analyses.

Interpretation of breeding values

EBVs are expressed around a **base year** (5 years ago), which means that the average breeding value of the base year is set as zero and all breeding values are expressed relative to this average. An animal with an EBV of +1kg for weaning weight is therefore genetically superior by 1kg compared to an average animal born in the base year. EBVs therefore express genetic merit of animals relative to each other. The true performance of an animal cannot be calculated from the EBV, but it enables the breeder to know which animals will make a better contribution to the next generation. For easier interpretation EBVs are also expressed as breeding value indices. For these indices the average value of the **active population** is set as 100 with a standard deviation of 12. An index of 76 therefore indicates that the animal is 2 standard deviations below the average and an index of 112 indicates that the animal is 1 standard deviation above the average of the active population for the specific trait. Please note that negative EBVs are favourable for Inter-Lambing Period and Age at First Lambing, therefore shorter inter-lambing periods and younger ages at first lambing indicates better fertility. However, breeding value indices are expressed in the same way for all traits, therefore higher indices indicates desirability for the traits and lower indices are undesirable. This makes it easy to identify superior animals for all traits.

The data used in this evaluation has been obtained from LOGIX, as supplied by breeders. Everything possible had been done to present the information correctly. SA Stud Book does not take any responsibility for the use and interpretation of the information from this publication.

Selection Indices

It is easy to select on a single trait, but that is not the best approach to follow. Selecting on only one trait can lead to the deterioration of performance in other traits due to genetic correlations. There are different traits that are important, some being more important than others. A selection index combines multiple traits, each with an economic weight to take the different levels of importance into account. EBVs for different traits cannot simply be added together, since the unit of measurement and range of the values differ and in some cases negative values are favoured. These factors are accounted for in the compilation of a selection index. An overall selection index includes EBVs of all the traits of economic importance, while other selection indices are more focused on specific breeding objectives. Selection indices are expressed around 100, with 100 being the average of the active population, with a standard deviation of 12. A selection index of 124 is therefore 2 standard deviations above the average and an index of 88 is one standard deviation below the average of the active animals of the population.

Two Indices are constructed for the Boer Goat breed, namely the Logix Merit Index and the Reproduction Index. These indices, their purpose and the contribution of the different traits to the indices are summarised as follows :


Logix Merit Index (LMI)

This index combines all the traits to select for a balanced, profitable animal that is fertile and delivers a desirable level of production. Selection based on the LMI will lead to breeding of balanced animals that will have the genetic potential to wean at a heavier weight (both due to its own potential and having dams that produce sufficient milk), lambs at an early age, lambs regularly and give multiple lambs. This value is especially important for sustainability, which requires the selection of good, productive replacement animals for the flock.

The LMI is constructed as follows :

$$LMI = (0.1375 * AFL) + (0.0825 * ILP) + (0.216 * Wean Dir) + (0.144 * Wean Mat) + (0.33 * N_Lambs_Weaned) + (0.09 * Post-Wean Dir)$$

Schematically the LMI can be explained as follows :



Reproduction Index (RI)

This index includes Weaning Maternal, Number of Lambs Weaned, Age at First Lambing and Inter-lambing Period. This is especially an important index to consider in the development of a dam line.

The RI is constructed as follows :

$$(0.2 * AFL) + (0.2 * ILP) + (0.3 * Wean Mat) + (0.3 * N_Lambs_Weaned)$$

Schematically it can be explained as follows :



It is always important to consider the traits that contribute to the index individually when selection of animals is based on indices. It sometimes happen that an animal receives a good index due to its exceptional genetic merit of a specific trait, while some of the other traits of the animal in the index might be at undesirable levels for the specific flock's breeding objective, but masked in the index due to the exceptionality of that trait. A sound procedure is to rank animals based on the relevant selection index and then eliminate animals from the list that do not conform towards the flock's breeding objectives when considering the individual traits. Make use of all the available information.

Active Genetic Levels

Genetic Averages : Breeding Values

Trait	Flock			Breed		
	All	Rams	Ewes	All	Rams	Ewes
Weaning Weight Direct	-0.43	-0.37	-0.44	-0.06	-0.01	-0.09
Weaning Weight Maternal	-0.12	-0.08	-0.12	-0.02	-0.03	-0.02
Weaning Weight Combined	-0.33	-0.27	-0.34	-0.06	-0.03	-0.07
Post-wean Weight	-0.10	-0.05	-0.11	0.50	0.58	0.45
Number Lambs Weaned	0.35	0.42	0.34	-0.36	-0.55	-0.26
Total Weight Weaned	-0.33	-0.20	-0.36	-0.31	-0.37	-0.27
Age at First Lambing	-0.29	-0.44	-0.25	-0.30	-0.22	-0.35
Inter-lambing Period	1.71	0.78	1.92	0.15	0.19	0.13
Selection Indices						
Logix Merit Index	99	100	99	101	100	101
Reproduction Index	101	102	100	102	101	102
Inbreeding						
Inbreeding (%)	3.83	4.12	3.77	5.54	5.93	5.34
Number of Animals						
Number of Animals	308	55	253	49286	16616	32526

** Averages of all active animals in the flock.

Breeding Value Indices

Trait	Flock **		
	All	Rams	Ewes
Weaning Weight Direct	94.9	95.5	94.8
Weaning Weight Maternal	97.9	98.7	97.7
Weaning Weight Comb	94.6	95.7	94.4
Post-wean Weight	95.0	95.3	94.9
Number Lambs Weaned	105.1	105.4	105.0
Total Weight Weaned	100.6	101.3	100.4
Age First Lambing	100.1	100.3	100.1
Interlambing Period	97.2	99.7	96.6
Selection Indices			
Logix Merit Index	99.3	100.5	99.0
Ewe Index	100.6	102.3	100.2
Growth Index	94.4	94.9	94.3
Inbreeding			
Inbreeding (%)	3.83	4.12	3.77
Number of Animals			
Number of Animals	308	55	253

** Averages of all active animals in the flock.

Inbreeding

Inbreeding primarily leads to decreased fertility and low survivability of lambs. The effects of inbreeding can be observed from 6.25% onwards. It is therefore highly recommended to record pedigree information as accurately and completely as possible and to use a selection programme for selection of unrelated rams.

Incomplete or incorrect pedigree information can be reported to SA Stud Book. Inbreeding is dependent on pedigree information. Conventional methods for the Calculation of inbreeding coefficients usually assume that unknown parents are unrelated. However, this is usually far from the truth. An algorithm is used for the calculation of inbreeding, where the average inbreeding coefficient is assigned to unknown parents based on the generation in which they were born. This result is a more accurate reflection of inbreeding of the herd and breed.

Inbreeding Levels for Specific Matings


Progeny with Parents :	25%
Full Brother x Full Sister :	25%
Half Brother x Half Sister :	12.5%
One Common Grandparent :	6.25%
One Common Great-Grandparent :	3.125%

Level and Rate of Inbreeding

Year of Birth	Level* (%)	Rate (% / year)
2017 - 2025	3.31	0.09
Recommended:	< 6.25	< 0.1 - 0.2

*Of the last year of birth

Average Inbreeding per Year of Birth




Pedigree Information

	Number	%
Known Sires	297	96
Known Dams	296	96

Note: Inbreeding can be under-estimated if pedigree information is incomplete or incorrect

Genetic Windows



WWd: Weaning Weight Direct
WWm: Weaning Weight Maternal
WWc: Weaning Weight Combined
PoW: Post-Wean Weight
L-wean: Number of Lambs Weaned
TWW: Total Weight Weaned
AFL: Age at First Lambing
ILP: Inter-lambing Period
RI: Reproduction Index
LMI: Logix Merit Index


The genetic windows allow a quick overview of the genetic status of the flock compared to the breed. The values presented here are the average EBV indices of all the active animals of the flock, of the dams and sires of the active animals of the flock, as well as of the ewes and rams that are younger than 2-years old. An index of 100 is equal to the average of the active measured population. Due to the higher selection intensity on rams (selection is more strict since a much smaller percentage of young animals are retained in the flock), the expectation is for the average index of the sires to be higher than that of the dams.

Remember that the EBV index for AFL and ILP are presented in such a way that an index above 100 indicates animals that have a lower EBV for these traits.

Genetic Windows


Dams

Number: 141




Sires

Number: 27



Young Ewes

Number: 104









Young Rams

Number: 55




Genetic Trends

Genetic trends are based on measured animals that were bred by the specific breeder.






Genetic Trends

Genetic trends are based on measured animals that were bred by the specific breeder.



For AFL and ILP flock genetic trends below breed averages are desirable.



Genetic Trends of Breed

Birth year	Weaning Weight EBV				Post-wean		Lambs Weaned		TWW		AFL		ILP		RI		LMI	
	Number	Dir	Mat	Comb	Number	EBV	Number	EBV	Number	EBV	Number	EBV	Number	EBV	Number	EBV	Number	EBV
2013	1336	-0.37	0.02	-0.17	108	0.51	508	0.24	1336	100	1078	-2.27	653	0.70	1336	103	1336	100
2014	1007	-0.37	-0.07	-0.26	58	-0.17	671	0.13	1007	99	1072	-1.16	661	0.26	1007	100	1007	97
2015	1626	-0.20	0.08	-0.02	233	1.23	705	0.74	1626	104	1180	-1.69	715	0.18	1626	106	1626	104
2016	1804	-0.26	0.04	-0.09	239	0.72	791	0.07	1804	102	1291	-1.49	887	0.13	1804	104	1804	102
2017	2163	-0.29	-0.02	-0.17	313	1.21	825	0.29	2120	99	1404	-1.53	992	0.29	2120	102	2120	99
2018	2547	-0.28	0.07	-0.07	236	0.58	909	0.35	2519	101	1853	-0.08	1275	-0.77	2519	104	2519	101
2019	2144	-0.01	0.02	0.01	254	0.24	889	0.13	2138	102	2101	-0.70	1389	0.07	2138	102	2138	102
2020	2459	-0.10	0.04	-0.01	436	-0.69	864	0.14	2459	102	2740	-0.11	1744	-0.19	2459	102	2459	101
2021	1759	0.00	0.00	0.00	330	0.00	823	-0.01	1759	103	3094	0.00	1960	0.00	1759	104	1759	104
2022	2519	-0.07	0.05	0.02	427	0.54	802	-0.40	2519	102	3449	-0.76	1843	0.46	2519	103	2519	102
2023	2896	-0.17	0.05	-0.03	465	-0.06	570	-0.16	2894	101	3098	-0.57	1076	0.57	2894	103	2894	101
2024	3036	0.04	-0.06	-0.04	414	1.29	196	-0.35	3035	100	1825	-1.17	154	0.85	3035	100	3035	100
2025	2284	0.15	-0.01	0.07	476	1.04			2283	103	82	-1.16			2283	101	2283	102

Genetic Trends of Flock

Birth year	Weaning Weight EBV				Post-Wean		Lambs Weaned		TWW		AFL		ILP		RI		LMI	
	Number	Dir	Mat	Comb	Number	EBV	Number	EBV	Number	EBV	Number	EBV	Number	EBV	Number	EBV	Number	EBV
2020																		
2021																		
2022																		
2023																		
2024																		

Breeding Value & Selection Index Percentiles

The percentiles indicate the ranking of the animals' EBVs and Selection Indices within the active population.

For example, if an animal's EBV for a specific trait falls between the maximum and 99% percentile of the trait, it means that this animal ranks in the top 1% of the active population, or this animal's genetic merit for the trait is better than 99% of that of the active population.

Should the EBV for a specific trait falls between the 5% and 10% percentile, it means that the animal ranks in the bottom 10% of the active population for the specific trait, or the animal's genetic merit is worse than 90% of the active population.

Note that the percentiles for Age at First Lambing and Inter-lambing Period EBVs work on the reverse scale.

All Active Animals

Trait	AVG	SA*	Min	Percentiles (%)															Max
				1	5	10	20	25	30	40	50	60	70	75	80	90	95	99	
Weaning Weight Direct	-0.06	0.74	-4.91	-1.74	-1.04	-0.83	-0.65	-0.57	-0.48	-0.32	-0.16	0.02	0.22	0.35	0.51	0.91	1.28	2.04	4.89
Weaning Weight Maternal	-0.02	0.33	-2.29	-0.90	-0.58	-0.43	-0.26	-0.20	-0.15	-0.07	0.00	0.06	0.11	0.15	0.20	0.35	0.49	0.86	2.30
Weaning Weight Combined	-0.06	0.49	-2.89	-1.24	-0.79	-0.58	-0.39	-0.33	-0.28	-0.21	-0.12	-0.01	0.12	0.20	0.29	0.58	0.84	1.32	3.11
Post-Wean Weight	0.50	1.23	-7.95	-2.29	-1.01	-0.67	-0.42	-0.31	-0.19	0.05	0.33	0.61	0.96	1.14	1.38	1.99	2.60	4.25	12.54
Number of Lambs Weaned	-0.36	2.06	-13.10	-5.70	-4.20	-3.30	-2.20	-1.70	-1.30	-0.50	0.10	0.60	1.10	1.30	1.40	1.60	2.00	3.80	11.20
Total Weight Weaned	-0.30	1.53	-9.52	-4.12	-2.96	-2.34	-1.52	-1.22	-0.94	-0.48	-0.12	0.16	0.38	0.52	0.74	1.37	2.06	3.69	8.21
Age at First Lambing	-0.30	-6.96	62.93	17.45	10.46	7.50	4.40	3.30	2.43	0.97	-0.37	-1.47	-2.89	-3.74	-4.73	-7.80	-10.96	-19.95	-75.66
Interlambing Period	0.15	-3.66	23.72	9.96	6.51	4.87	2.99	2.35	1.75	0.75	-0.15	-0.94	-1.75	-2.21	-2.71	-4.10	-5.38	-8.00	-21.68
Reproduction Index	102	10	49	75	84	88	94	96	98	101	103	105	107	108	109	112	114	121	146
Logix Merit Index	101	9	62	79	85	89	94	95	97	100	102	103	105	106	107	111	116	126	147

*SD : Standard Deviation. An indicator of how far breeding values/selection indices are distributed around the average.

Breeding Value & Selection Index Percentiles

All Active Rams

Trait	AVG	SA*	Min	Percentiles (%)															Max
				1	5	10	20	25	30	40	50	60	70	75	80	90	95	99	
Weaning Weight Direct	-0.01	0.75	-4.91	-1.73	-0.99	-0.78	-0.60	-0.51	-0.41	-0.26	-0.09	0.07	0.30	0.42	0.57	0.96	1.32	2.10	3.75
Weaning Weight Maternal	-0.03	0.31	-1.73	-0.81	-0.55	-0.42	-0.26	-0.20	-0.16	-0.08	-0.01	0.05	0.11	0.14	0.19	0.33	0.45	0.76	1.79
Weaning Weight Combined	-0.03	0.46	-2.44	-1.09	-0.69	-0.51	-0.36	-0.31	-0.26	-0.19	-0.10	0.01	0.14	0.21	0.29	0.57	0.82	1.25	2.18
Post-Wean Weight	0.58	1.24	-7.95	-2.36	-0.94	-0.60	-0.33	-0.22	-0.10	0.17	0.45	0.71	1.06	1.24	1.48	2.06	2.64	4.24	12.54
Number of Lambs Weaned	-0.55	2.07	-8.30	-5.70	-4.40	-3.60	-2.40	-2.00	-1.50	-0.80	-0.20	0.40	0.80	1.10	1.30	1.60	1.90	3.60	8.30
Total Weight Weaned	-0.37	1.55	-5.94	-4.10	-3.06	-2.47	-1.65	-1.33	-1.05	-0.55	-0.18	0.11	0.37	0.50	0.72	1.35	2.01	3.69	7.18
Age at First Lambing	-0.22	-6.62	39.94	16.34	10.21	7.43	4.48	3.42	2.57	1.12	-0.29	-1.47	-2.85	-3.69	-4.63	-7.53	-10.44	-18.29	-65.44
Interlambing Period	0.19	-3.45	20.34	9.44	6.20	4.66	2.89	2.30	1.73	0.78	-0.11	-0.90	-1.67	-2.11	-2.61	-3.86	-4.98	-7.30	-14.85
Reproduction Index	101	9	55	76	83	88	93	95	97	100	103	105	107	108	109	111	114	120	135
Logix Merit Index	100	9	65	79	85	88	93	95	97	99	101	103	105	106	107	111	116	126	144

All Active Ewes

Trait	AVG	SA*	Min	Percentiles (%)															Max
				1	5	10	20	25	30	40	50	60	70	75	80	90	95	99	
Weaning Weight Direct	-0.09	0.74	-3.89	-1.74	-1.07	-0.86	-0.67	-0.60	-0.51	-0.36	-0.20	-0.02	0.19	0.31	0.47	0.88	1.27	2.00	4.89
Weaning Weight Direct	-0.02	0.34	-2.29	-0.94	-0.59	-0.44	-0.27	-0.20	-0.15	-0.07	0.00	0.06	0.12	0.16	0.21	0.37	0.52	0.89	2.30
Weaning Weight Combined	-0.07	0.50	-2.89	-1.31	-0.83	-0.62	-0.41	-0.34	-0.29	-0.22	-0.13	-0.02	0.11	0.19	0.29	0.58	0.85	1.36	3.11
Post-Wean Weight	0.46	1.22	-6.83	-2.27	-1.05	-0.70	-0.46	-0.36	-0.24	-0.01	0.27	0.55	0.90	1.09	1.33	1.96	2.58	4.25	8.78
Number of Lambs Weaned	-0.26	2.05	-13.10	-5.80	-4.10	-3.20	-2.00	-1.60	-1.10	-0.40	0.20	0.70	1.10	1.30	1.50	1.70	2.00	3.90	11.20
Total Weight Weaned	-0.27	1.52	-9.52	-4.15	-2.89	-2.26	-1.45	-1.16	-0.90	-0.44	-0.10	0.19	0.39	0.54	0.75	1.38	2.08	3.69	8.21
Age at First Lambing	-0.34	-7.13	62.93	18.10	10.67	7.55	4.36	3.23	2.34	0.88	-0.38	-1.48	-2.90	-3.76	-4.78	-7.95	-11.29	-20.92	-75.66
Interlambing Period	0.13	-3.78	23.72	10.31	6.69	4.98	3.03	2.38	1.76	0.73	-0.17	-0.94	-1.80	-2.27	-2.76	-4.23	-5.54	-8.30	-21.68
Reproduction Index	102	10	49	74	84	89	94	96	98	101	104	106	108	109	109	112	115	122	146
Logix Merit Index	101	9	62	79	86	89	94	96	97	100	102	103	105	106	107	111	116	126	147

*SD : Standard Deviation. An indicator of how far breeding values/selection indices are distributed around the average.

Rams

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information						Selection Indices		EBV - Weights				EBV - Fertility					
Animal ID Comp no.			Parents			% In- breeding	Logix Merit Index	Reproducti on	Wean Weight		Post-Wean		Number Weaned	TWW	AFL	ILP	Dam
									Dir	Mat	Comb						
								Acc	EBV Index	Acc	EBV Index	Acc	EBV Index	Acc	EBV Index	EPI	Times Lambded
Active Breed Average:						100	100		-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15	
1509	21	0164	1509	21	0013	2.79	105	112	-0.60	0.09	-0.22	-0.47	1.30	0.27	-2.56	-3.66	3
	97742779		1509	20	0081				17	93	19	103	97	5	93	15	112
762	22	0519	762	19	0382	11.99	81	70	0.45	-0.60	-0.37	1.24	-4.50	-2.84	10.30	9.36	3
	96016332		762	19	0253				56	105	50	86	94	28	104	39	76
686	23	0002	430	19	0153	3.54	104	104	0.36	-0.02	0.16	1.13	-0.70	-0.08	-1.52	-2.53	4
	96808464		686	17	0063				26	104	21	100	103	19	103	24	109
2123	23	0067	1658	19	0018	2.80	103	109	-0.61	0.07	-0.24	-0.41	1.60		5.15	-3.44	2
	107513319		1766	18	0037				5	93	5	103	96	5	93	41	93
2123	23	0071	1658	19	0018	2.80	104	109	-0.61	0.07	-0.24	-0.41	1.60		1.34	-2.18	2
	107513095		1766	18	0031				5	93	5	103	96	5	93	41	98
2123	23	0083	1658	19	0018	2.80	104	110	-0.61	0.07	-0.24	-0.41	1.60		-0.30	-1.64	2
	107513327		1766	18	0040				5	93	5	103	96	5	93	41	100
2123	23	0114	1658	19	0018	2.80	104	110	-0.61	0.07	-0.24	-0.41	1.60		-0.03	-1.73	2
	107513335		1766	18	0042				5	93	5	103	96	5	93	41	100
1658	23	0180	1658	21	0279	2.91	100	102	-0.41	-0.08	-0.28	0.03	0.30	-0.31	1.60	-0.24	3
	98270838		1658	20	0044				19	95	12	99	96	7	96	16	103
1658	23	0285	1658	21	0279	3.22	100	99	-0.08	-0.12	-0.17	0.27	-0.30	-0.39	-1.79	2.30	2
	98408297		1658	22	0136				27	99	16	98	97	8	97	18	96
1509	23	0381	1509	22	0094	6.59	104	108	-0.72	-0.02	-0.38	-0.57	1.50		-7.72	1.88	1
	107747651		1509	22	0073				6	92	5	100	94	5	92	21	110
1509	23	0387	1509	22	0094	5.82	104	109	-0.70	-0.03	-0.38	-0.57	1.30	0.06	-7.21	0.49	2
	107672800		1509	22	0001				7	92	5	100	94	5	92	23	109
1805	24	0031	1509	21	0164	2.69	104	108	-0.43	0.10	-0.12	-0.15	0.80	0.15	-6.94	1.67	2
	109724740		1509	23	0252				11	95	12	103	98	5	95	29	109

Rams

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices		EBV - Weights				EBV - Fertility											
Animal ID Comp no.			Parents			% In-breeding	Logix Merit Index	Reproduction	Wean Weight		Post-Wean		Number Weaned		TWW		AFL		ILP		Dam	
									Dir	Mat	Comb		Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index
Active Breed Average:					100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15								
1805	24	0035	1509	21	0164	2.69	104	108	-0.43	0.10	-0.12	-0.15	0.80	0.15	-6.94	1.67						
109724757		1509	23	0252	11		95	12	103	98	5	95	5	107	10	103	29	109	12	97	2	
1805	24	0075	1509	21	0164	2.79	104	110	-0.67	0.05	-0.29	-0.51	1.50	0.28	-0.86	-2.44						
107445777		1805	23	0204	9		92	10	102	95	5	92	5	111	8	104	26	101	12	109	2	
1805	24	0079	1509	21	0164	27.09	106	113	-0.60	0.08	-0.22	-0.46	1.40	0.32	-4.15	-3.34						
107445793		1805	23	0172	9		93	11	103	97	5	93	5	110	8	104	29	105	12	111	3	
1805	24	0084	1509	21	0164	2.82	104	110	-0.67	0.05	-0.29	-0.51	1.50	0.28	-2.15	-1.66						
107445819		1805	22	0007	9		92	10	102	95	5	92	5	111	8	104	30	103	12	106	2	
1805	24	0089	1509	21	0164	2.74	103	109	-0.75	0.01	-0.37	-0.61	1.50	0.16	-3.28	-0.55						
107445827		1805	21	0028	10		91	10	101	94	5	92	5	111	8	103	32	104	14	103	4	
1805	24	0090	1509	21	0164	2.74	103	109	-0.75	0.01	-0.37	-0.61	1.50	0.16	-3.28	-0.55						
107459653		1805	21	0028	10		91	10	101	94	5	92	5	111	8	103	32	104	14	103	4	
1805	24	0091	1509	21	0164	2.74	103	109	-0.75	0.01	-0.37	-0.61	1.50	0.16	-3.28	-0.55						
107445835		1805	21	0028	10		91	10	101	94	5	92	5	111	8	103	32	104	14	103	4	
1805	24	0095	1509	21	0164	2.80	104	110	-0.67	0.05	-0.29	-0.51	1.50	0.28	-0.26	-2.36						
107445843		1805	22	0021	9		92	10	102	95	5	92	5	111	8	104	30	100	12	108	3	
1805	24	0096	1509	21	0164	2.80	104	110	-0.67	0.05	-0.29	-0.51	1.50	0.28	-0.26	-2.36						
107445850		1805	22	0021	9		92	10	102	95	5	92	5	111	8	104	30	100	12	108	3	
1805	24	0098	1509	21	0164	2.72	103	108	-0.43	0.10	-0.12	-0.15	0.80	0.15	0.37	-1.78						
107445868		1509	23	0184	11		95	12	103	98	5	95	5	107	10	103	29	99	9	107	2	
1805	24	0100	1509	21	0164	2.69	103	108	-0.43	0.10	-0.12	-0.15	0.80	0.15	2.09	-2.52						
107445876		1509	23	0185	11		95	12	103	98	5	95	5	107	10	103	29	97	9	109	1	
1805	24	0101	1509	21	0164	2.69	103	108	-0.43	0.10	-0.12	-0.15	0.80	0.15	2.09	-2.52						
107445884		1509	23	0185	11		95	12	103	98	5	95	5	107	10	103	29	97	9	109	1	
1805	24	0109	1509	21	0164	2.81	104	110	-0.67	0.05	-0.29	-0.51	1.50	0.28	1.80	-2.98						
107445892		1805	23	0247	9		92	10	102	95	5	92	5	111	8	104	30	98	9	110	1	

Rams

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices		EBV - Weights				EBV - Fertility						
Animal ID Comp no.			Parents			% In- breeding	Logix Merit Index	Reproducti on	Wean Weight		Post-Wean		Number Weaned	TWW	AFL	ILP	Dam
									Dir	Mat	Comb						
Active Breed Average:							100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15	
1805 24 0110 107445900	1509 21 0164 1805 23 0167	2.72	106	110	-0.22 22 97	0.02 15 101	-0.09 99	-0.09 5 95	1.10 5 109	0.46 15 105	1.49 33 98	-4.76 15 115				2	
1805 24 0113 107445918	1509 21 0164 1805 23 0247	2.81	104	110	-0.67 9 92	0.05 10 102	-0.29 95	-0.51 5 92	1.50 5 111	0.28 8 104	1.80 30 98	-2.98 9 110				1	
1805 24 0115 109724773	1509 21 0164 1509 23 0168	4.24	105	112	-0.58 10 93	0.07 10 103	-0.22 97	-0.47 5 93	1.20 5 109	0.22 8 104	-0.41 27 100	-4.73 13 115				2	
1805 24 0120 109725002	1509 21 0164 1509 23 0284	3.83	104	110	-0.60 10 93	0.05 10 102	-0.26 96	-0.49 5 92	1.20 5 109	0.17 8 104	-3.97 30 105	-1.57 10 106				1	
1805 24 0121 109725010	1509 21 0164 1509 23 0271	2.65	103	107	-0.47 11 95	0.05 12 102	-0.19 97	-0.20 5 94	0.80 5 107	0.06 10 103	-3.41 31 104	0.27 13 101				2	
1805 25 0001 112278569	1509 21 0164 1805 19 0030	2.84	105	111	-0.64 8 93	0.08 10 103	-0.24 96	-0.48 5 93	1.50 5 111	0.35 7 105	-3.67 23 104	-1.20 9 105				3	
1805 25 0017 112278577	1509 21 0164 1805 22 0022	2.80	104	110	-0.67 9 92	0.05 10 102	-0.29 95	-0.51 5 92	1.50 5 111	0.28 8 104	-0.82 27 101	-2.14 10 108				1	
1805 25 0087 112278585	1509 21 0164 1805 22 0053	2.79	104	109	-0.69 9 92	0.05 10 102	-0.30 95	-0.55 5 92	1.50 5 111	0.25 8 104	-3.67 26 104	0.05 11 102				2	
1805 25 0094 112278833	1509 21 0164 1805 23 0192	2.78	104	109	-0.69 9 92	0.05 10 102	-0.30 95	-0.55 5 92	1.50 5 111	0.25 8 104	-2.92 30 104	-0.51 10 103				1	
1805 25 0095 112278593	1509 21 0164 1805 23 0215	2.75	103	109	-0.73 9 92	0.01 10 101	-0.35 94	-0.58 5 92	1.50 5 111	0.18 8 104	-2.24 32 103	-0.99 11 105				2	
1805 25 0097 112278601	1509 21 0164 1805 23 0204	2.79	104	110	-0.67 9 92	0.05 10 102	-0.29 95	-0.51 5 92	1.50 5 111	0.28 8 104	-0.86 26 101	-2.44 12 109				2	
1805 25 0098 112278619	1509 21 0164 1805 23 0199	2.76	104	110	-0.69 9 92	0.05 10 102	-0.30 95	-0.55 5 92	1.50 5 111	0.25 8 104	-3.03 30 104	-0.83 9 104				1	
1805 25 0104 112278627	1509 21 0164 1805 21 0197	2.74	104	109	-0.75 10 91	0.01 10 101	-0.37 94	-0.61 5 92	1.50 5 111	0.16 8 103	-4.14 33 105	-0.13 11 102				5	

Rams

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices		EBV - Weights				EBV - Fertility						
Animal ID Comp no.			Parents			% In-breeding	Logix Merit Index	Reproduction	Wean Weight		Post-Wean		Number Weaned	TWW	AFL	ILP	Dam
									Dir	Mat	Comb						
Active Breed Average:						100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15		
1805 25 0115 112278841	762 22 0519 1805 23 0130	2.30	90	87	-0.34 29 96	-0.42 25 90	-0.59 90	0.13 14 97	-1.40 15 97	-1.60 24 93	-0.15 34 100	7.26 21 82					1
1805 25 0117 112278858	762 22 0519 1805 23 0213	2.72	92	89	-0.17 28 98	-0.30 25 93	-0.38 94	0.31 14 98	-1.40 15 97	-1.30 24 95	0.28 34 99	6.70 20 83					2
1805 25 0118 112278866	762 22 0519 1805 21 0184	2.59	90	86	-0.23 29 97	-0.33 25 93	-0.44 93	0.24 14 97	-1.40 15 97	-1.40 24 94	4.07 34 95	7.12 22 82					2
1805 25 0120 112278874	762 22 0519 1509 23 0156	2.56	94	90	-0.07 28 99	-0.29 25 94	-0.32 95	0.44 14 99	-1.40 15 97	-1.20 24 96	-0.68 34 101	5.83 21 86					1
1805 25 0122 112278882	762 22 0519 1805 23 0225	2.66	92	88	-0.20 28 97	-0.33 25 93	-0.43 93	0.28 14 97	-1.40 15 97	-1.37 24 95	1.67 35 98	6.18 21 85					1
1805 25 0131 112278890	762 22 0519 1805 23 0310	2.58	91	87	-0.23 28 97	-0.33 25 93	-0.44 93	0.24 14 97	-1.40 15 97	-1.40 24 94	2.75 33 96	6.64 22 84					2
1805 25 0135 112278908	762 22 0519 1797 20 0369	5.39	93	89	0.00 34 100	-0.23 29 95	-0.23 96	0.56 15 99	-1.60 17 96	-1.19 28 96	6.65 29 91	3.41 21 93					2
1805 25 0139 112278916	762 22 0519 1805 23 0301	2.66	92	88	-0.20 28 97	-0.33 25 93	-0.43 93	0.28 14 97	-1.40 15 97	-1.37 24 95	1.89 35 97	6.36 21 84					2
1805 25 0171 112278924	762 22 0519 1805 23 0215	2.63	91	88	-0.20 28 97	-0.33 25 93	-0.43 93	0.28 14 97	-1.40 15 97	-1.37 24 95	4.19 35 94	5.53 21 87					2
1805 25 0173 112278932	762 22 0519 1509 23 0252	3.87	92	86	0.10 29 101	-0.25 26 95	-0.20 97	0.70 15 100	-2.10 16 94	-1.40 25 94	-0.51 33 100	8.18 22 79					2
1805 25 0176 112278940	762 22 0519 1563 18 0079	2.02	89	86	-0.45 30 95	-0.52 27 88	-0.74 88	0.02 14 96	-1.40 15 97	-1.80 25 92	1.87 34 97	6.07 24 85					5
1805 25 0179 112278957	762 22 0519 1509 23 0245	3.83	90	85	0.03 29 100	-0.31 26 93	-0.30 95	0.64 15 100	-2.10 16 94	-1.54 25 94	4.79 34 94	5.85 21 86					1
1805 25 0209 112278965	762 22 0519 1509 23 0198	4.24	90	86	0.16 29 102	-0.26 26 94	-0.18 97	0.71 15 100	-2.50 16 92	-1.60 25 93	6.92 35 91	3.66 21 92					1

Rams

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices		EBV - Weights				EBV - Fertility								
Animal ID Comp no.		Parents			% In-breeding	Logix Merit Index	Reproducti on	Wean Weight		Post-Wean	Number Weaned	TWW	AFL	ILP	Dam				
								Dir	Mat							Comb	Acc	Index	Acc
Active Breed Average:					100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15					
1805	25	0218	762	22	0519	2.72	91	88	-0.17	-0.30	-0.38	0.31	-1.40	-1.30	6.72	4.58	1		
	112278973	1805	23	0302	28				98	25	93	94	14	98	15	97		24	95
776	25	0241	776	24	0146	17.04	112	106	0.87	-0.11	0.32	1.58	1.50	1.66	-2.51	-0.03	1		
	111990867	776	24	0170	31				110	21	98	106	9	106	8	111		22	112
776	25	1232	776	23	0172	10.67	107	101	0.46	-0.54	-0.31	1.22	1.70	0.94	-3.33	0.78	1		
	111945283	776	23	0146	43				105	26	87	95	13	104	8	111		28	108
776	25	1237	776	23	0172	6.54	110	104	0.67	-0.24	0.10	1.42	1.70	1.45	-5.33	2.28	2		
	111945275	776	23	0003	42				107	26	95	102	12	105	8	111		28	111
Ram Flock Average: Number of rams in the flock: 55					100	102	-0.37	-0.08	-0.27	-0.05	0.42	-0.20	-0.44	0.78					

Ewes

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices		EBV - Weights				EBV - Fertility								
Animal Comp no.				% In- breeding	Logix Merit Index	Repro- duction Index	Wean Weight		Post-Wean		Number Weaned	TWW		AFL		ILP		Times EPI Lamberd	
							Dir	Mat	Comb										
							EBV Acc Index	EBV Acc Index	EBV Index	EBV Acc Index		EBV Index	EBV Acc Index	EBV Acc Index	EBV Index	EBV Acc Index	EBV Index	Phenotype	
Active Breed Average:					100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15					
1563 18 0079 90597006	770 15 0189 770 14 0132	2.25	98	102	-1.35 23 85	-0.43 22 90	-1.11 81	-1.21 5 88	1.80 5 112	-0.70 18 99	-6.56 42 108	2.77 30 94	5						
1384 18 0185 92655539	1384 16 0322 1384 13 0015	2.61	104	109	-0.67 5 92	0.09 5 103	-0.25 96	-0.49 5 92	1.60 5 111		-4.17 34 105	1.48 13 98	0						
1805 20 0251 92252519	1509 17 0085 1805 18 0039	2.80	105	111	-0.65 5 92	0.10 6 103	-0.23 96	-0.48 5 93	1.60 5 111		1.10 22 98	-3.44 12 111	1						
1797 20 0369 93343168	762 18 0524 1797 15 0090	2.89	104	109	-0.45 40 95	0.13 31 104	-0.09 99	-0.12 10 95	1.30 17 110	0.46 31 105	3.00 26 96	-2.54 18 109	2						
1212 20 0582 92950930	1658 17 0248 - - -	2.87	106	112	-0.61 5 93	0.07 5 103	-0.24 96	-0.41 5 93	1.60 5 111		-4.16 25 105	-1.81 12 107	3						
1298 20 0626 91667642	1298 18 0096 1398 18 0047	2.37	104	109	-0.26 20 97	-0.02 18 100	-0.15 98	0.12 10 96	0.30 7 105	-0.10 16 102	-2.94 54 104	-4.07 33 113	4						
1805 21 0026 91975474	1658 19 0175 1805 19 0028	2.90	101	106	-0.90 12 90	-0.06 6 99	-0.52 91	-0.75 5 91	1.70 5 111	0.05 7 103	-1.34 45 102	0.96 24 99	3						
1805 21 0032 91975680	1658 19 0175 1805 18 0150	2.80	102	105	-0.90 12 90	-0.06 6 99	-0.52 91	-0.75 5 91	1.70 5 111	0.05 7 103	-5.03 49 106	3.26 23 93	3						
1351 21 0050 94175973	1658 19 0025 1351 16 0018	2.90	102	109	-0.93 19 89	0.08 10 103	-0.39 94	-0.81 5 90	1.60 5 111	0.11 11 103	6.33 39 92	-4.29 20 114	0						
1351 21 0051 94175981	1658 19 0025 1351 16 0018	2.90	101	108	-0.93 19 89	0.08 10 103	-0.39 94	-0.81 5 90	1.60 5 111	0.11 11 103	5.38 39 93	-2.64 25 109	2						
1805 21 0092 92854900	1658 19 0175 1805 20 0080	2.87	101	104	-0.90 12 90	-0.06 6 99	-0.52 91	-0.75 5 91	1.70 5 111	0.05 7 103	-5.88 46 107	5.08 23 88	2						
1805 21 0116 92854934	1658 19 0175 1805 20 0010	2.87	105	107	-0.93 20 89	-0.09 20 99	-0.55 91	-0.77 5 91	1.70 5 111	0.00 16 103	-22.70 46 129	9.00 17 77	2						
1805 21 0117 92854942	1658 19 0175 1805 17 0038	2.92	101	105	-0.90 12 90	-0.06 6 99	-0.52 91	-0.75 5 91	1.70 5 111	0.05 7 103	-3.41 37 104	3.11 21 93	3						
1805 21 0128 92855063	1658 19 0175 1805 19 0069	2.90	102	106	-0.90 12 90	-0.06 6 99	-0.52 91	-0.75 5 91	1.70 5 111	0.05 7 103	-4.50 40 106	2.41 18 95	4						
1805 21 0184 94999307	1658 19 0175 1805 17 0012	2.92	100	103	-0.90 12 90	-0.06 6 99	-0.52 91	-0.75 5 91	1.70 5 111	0.05 7 103	-2.16 44 103	4.88 23 88	2						

Ewes

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices		EBV - Weights				EBV - Fertility								
Animal Comp no.				% In- breeding	Logix Merit Index	Repro- duction Index	Wean Weight		Comb	Post-Wean		Number Weaned	TWW		AFL		ILP		Times EPI Lamberd
							Dir	Mat		Acc	Index		Acc	Index	Acc	Index	Acc	Index	
							EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV
Active Breed Average:					100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15					
1805 21 0197 94999349	1658 19 0175 1805 17 0023	2.92			102	106	-0.90 12 90	-0.06 6 99	-0.52 91	-0.75 5 91	1.70 5 111	0.05 7 103	-5.71 49 107	3.41 17 93	5				
1805 21 0208 94999372	1658 19 0175 1805 17 0051	2.92			101	104	-0.90 12 90	-0.06 6 99	-0.52 91	-0.75 5 91	1.70 5 111	0.05 7 103	-7.20 46 109	5.61 23 86	2				
1805 22 0003 94242963	1658 20 0301 1805 20 0010	2.87			104	108	-0.77 16 91	-0.02 19 100	-0.40 93	-0.57 5 92	1.70 5 111	0.24 13 104	-5.84 31 107	1.64 11 97	1				
1805 22 0009 97542542	1658 19 0175 1805 20 0012	2.87			101	105	-0.90 12 90	-0.06 6 99	-0.52 91	-0.75 5 91	1.70 5 111	0.05 7 103	-4.01 35 105	2.85 17 94	0				
1889 22 0018 96456215	970 18 0010 1889 16 0033	2.61			97	102	-1.50 40 83	-0.37 42 92	-1.12 81	-1.15 12 88	2.00 11 113	-0.67 34 99	-0.45 51 100	1.49 31 98	96	4			
1805 22 0021 94243037	1658 20 0301 1805 20 0200	2.87			103	107	-0.74 5 91	0.01 5 101	-0.36 94	-0.56 5 92	1.70 5 111		2.04 42 97	-1.05 19 105	3				
1805 22 0022 94243045	1658 20 0301 1805 20 0200	2.87			103	108	-0.74 5 91	0.01 5 101	-0.36 94	-0.56 5 92	1.70 5 111		0.92 31 99	-0.62 12 104	1				
1805 22 0048 94243094	1658 19 0175 1805 20 0118	2.87			101	105	-0.90 12 90	-0.06 6 99	-0.52 91	-0.75 5 91	1.70 5 111	0.05 7 103	-4.10 34 105	2.88 17 94	0				
1805 22 0053 97535173	1805 21 0093 1805 17 0009	2.91			102	106	-0.79 6 91	0.01 5 101	-0.39 94	-0.62 5 92	1.70 5 111		-4.77 29 106	3.76 16 92	2				
1805 22 0080 97535215	1805 21 0093 1805 18 0181	2.85			103	107	-0.79 6 91	0.01 5 101	-0.39 94	-0.62 5 92	1.70 5 111		-3.81 29 105	2.09 10 96	0				
1805 22 0090 110030574	1658 19 0175 1713 17 0036	2.42			109	115	-0.69 21 92	0.38 20 110	0.04 101	-0.37 14 93	2.30 7 114	1.07 17 109	-6.68 44 108	2.07 23 96	1				
1805 22 0091 97539092	1805 21 0093 1805 20 0080	2.87			103	107	-0.79 6 91	0.01 5 101	-0.39 94	-0.62 5 92	1.70 5 111		-4.41 30 105	2.83 11 94	1				
1802 22 0107 97539126	1805 21 0093 1805 21 0128	15.00			102	105	-0.90 9 90	-0.06 5 99	-0.52 91	-0.75 5 91	1.70 5 111	0.05 6 103	-5.87 35 107	3.76 13 92	0				
776 23 0003 99476061	776 21 0603 627 17 0219	2.92			109	111	-0.06 25 99	0.36 25 110	0.33 106	0.33 10 98	1.40 6 110	1.14 21 109	-6.41 45 108	3.57 21 92	2				
2006 23 0058 96752829	430 21 0188 430 21 0164	9.56			112	114	0.34 30 104	0.23 29 107	0.40 107	1.33 13 104	1.10 5 109	1.23 24 110	-1.75 28 102	-4.00 24 113	2				

Ewes

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information				Selection Indices		EBV - Weights				EBV - Fertility												
Animal Comp no.				% In- breeding	Logix Merit Index	Repro- duction Index	Dir		Wean Weight		Post-Wean		Number Weaned		TWW		AFL		ILP		Times EPI Lambed	
							EBV Acc	Index	EBV Acc	Index	EBV Index	EBV Acc	Index	EBV Acc	Index	EBV Acc	Index	EBV Acc	Index	EBV Acc	Index	Phenotype
Active Breed Average:				100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15									
1805 23 0130 97333488	1805 21 0093 1563 18 0079	8.77	100	104	-1.13 13 87	-0.25 11 95	-0.81 86	-0.98 5 89	1.70 5 111	-0.35 10 101	-10.60 43 113	5.16 18 88	1									
1805 23 0133 97333496	1658 20 0301 1805 21 0116	2.80	103	107	-0.87 10 90	-0.07 10 99	-0.51 92	-0.69 5 91	1.70 5 111	0.08 8 103	-10.91 46 114	4.60 14 89	1									
1805 23 0134 97333504	1658 20 0301 1805 21 0116	2.80	103	107	-0.87 10 90	-0.07 10 99	-0.51 92	-0.69 5 91	1.70 5 111	0.08 8 103	-11.39 46 114	4.76 14 89	1									
776 23 0146 110800422	776 21 0603 776 21 0052	10.10	102	104	-0.49 31 94	-0.24 26 95	-0.48 92	-0.06 14 95	1.40 8 110	0.12 24 103	-2.40 45 103	0.57 20 100	1									
776 23 0147 110800414	776 21 0603 776 21 0052	10.10	102	104	-0.49 31 94	-0.24 26 95	-0.48 92	-0.06 14 95	1.40 8 110	0.12 24 103	-2.40 45 103	0.57 20 100	1									
1805 23 0154 97333538	1658 20 0301 1805 19 0046	2.88	102	107	-0.74 5 91	0.01 5 101	-0.36 94	-0.56 5 92	1.70 5 111		4.98 44 93	-1.92 11 107	1									
1509 23 0156 100858158	1509 22 0094 1658 20 0037	2.81	106	110	-0.59 10 93	0.02 5 101	-0.27 96	-0.37 5 93	1.60 5 111	0.39 6 105	-11.66 43 115	2.29 14 96	1									
1805 23 0158 97333546	1658 20 0301 1805 20 0023	2.87	102	107	-0.74 5 91	0.01 5 101	-0.36 94	-0.56 5 92	1.70 5 111		6.32 39 92	-2.94 12 110	1									
1509 23 0165 100858190	1509 20 0066 1509 21 0101	3.32	101	105	-0.17 15 98	0.04 13 102	-0.05 100	0.16 8 97	-0.40 8 102	-0.37 13 100	-0.19 46 100	-2.32 18 108	1									
1805 23 0167 97215313	1610 18 0117 1805 20 0022	2.87	106	108	0.16 42 102	-0.05 23 99	0.03 101	0.30 8 98	0.90 8 108	0.65 27 106	5.55 49 93	-5.86 27 118	2									
1509 23 0168 101075695	1509 20 0066 1509 19 0103	2.84	104	111	-0.55 9 94	0.06 8 102	-0.21 97	-0.47 5 93	1.00 5 108	0.11 8 103	1.75 32 98	-5.80 22 118	2									
1658 23 0171 98407893	1658 22 0133 1658 22 0066	2.54	100	102	-0.49 21 94	-0.18 13 96	-0.42 93	-0.34 5 93	1.30 5 110	0.11 14 103	4.61 50 94	-0.49 17 103	1									
1805 23 0172 100147024	1509 21 0164 1212 20 0582	2.78	107	113	-0.61 9 93	0.08 10 103	-0.23 96	-0.44 5 93	1.50 5 111	0.37 8 105	-5.75 39 107	-3.01 18 110	3									
1805 23 0174 97333561	1658 20 0301 1805 21 0114	2.81	100	105	-0.86 7 90	-0.06 5 99	-0.49 92	-0.69 5 91	1.70 5 111	0.10 5 103	4.16 47 95	-0.35 14 103	1									
1805 23 0178 100147032	1509 21 0164 1805 21 0051	2.71	104	109	-0.75 10 91	0.01 10 101	-0.37 94	-0.61 5 92	1.50 5 111	0.16 8 103	-3.79 32 105	-0.41 21 103	3									

Ewes

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices		EBV - Weights				EBV - Fertility											
Animal Comp no.				% In- breeding	Logix Merit Index	Repro- duction Index	Dir		Wean Weight		Post-Wean		Number Weaned		TWW		AFL		ILP		Times EPI Lambed	
							EBV Acc	Index	EBV Acc	Index	EBV Index	EBV Acc	Index	EBV Acc	Index	EBV Acc	Index	EBV Acc	Index	EBV Acc	Index	Phenotype
Active Breed Average:					100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15								
1509 23 0184 100925916	1509 21 0117 1509 17 0250	2.86	101	103	-0.25 13 97	0.11 13 104	-0.02 100	0.17 7 97	0.20 7 104	-0.02 12 102	3.30 39 96	0.10 11 102	2									
1509 23 0185 100858216	1509 21 0117 1509 18 0139	2.80	100	103	-0.25 13 97	0.11 13 104	-0.02 100	0.17 7 97	0.20 7 104	-0.02 12 102	6.73 39 91	-1.38 10 106	1									
1658 23 0191 98407596	1658 22 0133 1658 20 0027	2.76	104	107	-0.21 22 97	-0.08 12 99	-0.18 97	0.00 5 96	1.30 5 110	0.49 14 105	3.15 39 96	-2.99 17 110	0									
1805 23 0192 99158453	1805 21 0093 1805 20 0033	2.88	102	106	-0.79 6 91	0.01 5 101	-0.39 94	-0.62 5 92	1.70 5 111		-3.28 41 104	2.64 13 95	1									
1658 23 0193 98407653	1658 22 0133 1658 22 0021	2.70	102	103	-0.46 21 95	-0.18 13 96	-0.41 93	-0.30 5 94	1.30 5 110	0.14 14 103	-1.68 49 102	1.12 19 99	1									
1509 23 0198 101075810	1509 21 0117 1509 20 0080	2.97	100	103	-0.14 16 98	0.08 15 103	0.01 101	0.18 8 97	-0.40 8 102	-0.30 14 101	3.54 46 95	-2.05 16 108	1									
1805 23 0199 99158461	1805 21 0093 1805 21 0210	2.79	103	107	-0.79 6 91	0.01 5 101	-0.39 94	-0.62 5 92	1.70 5 111		-3.51 41 104	1.99 10 96	1									
1805 23 0201 99158487	1658 20 0301 1805 20 0031	2.87	102	107	-0.74 5 91	0.01 5 101	-0.36 94	-0.56 5 92	1.70 5 111		4.00 44 95	-1.60 11 106	1									
1658 23 0202 98271075	1658 21 0279 1658 21 0170	2.89	100	103	-0.47 18 94	-0.07 12 99	-0.30 95	-0.13 7 95	-0.10 7 103	-0.60 13 99	-3.79 50 105	0.85 16 100	1									
1805 23 0204 97333603	1658 20 0301 1805 21 0393	2.79	103	108	-0.74 5 91	0.01 5 101	-0.36 94	-0.56 5 92	1.70 5 111		0.84 30 99	-1.22 19 105	2									
1658 23 0205 98271331	1658 21 0279 1658 21 0227	5.73	99	101	-0.61 19 93	-0.15 13 97	-0.46 93	-0.22 7 94	0.30 7 105	-0.58 14 99	-6.79 44 108	4.23 19 90	0									
1805 23 0205 99158495	1805 21 0093 1805 21 0121	14.98	101	105	-0.90 9 90	-0.06 5 99	-0.52 91	-0.75 5 91	1.70 5 111	0.05 6 103	-5.18 47 106	3.84 13 91	1									
1805 23 0206 99158503	1805 21 0093 1805 21 0121	14.98	101	105	-0.90 9 90	-0.06 5 99	-0.52 91	-0.75 5 91	1.70 5 111	0.05 6 103	-4.78 47 106	3.71 13 92	1									
1658 23 0206 98271372	1658 21 0279 1658 21 0376	4.16	100	102	-0.46 24 95	-0.11 13 98	-0.34 94	-0.02 7 96	0.30 7 105	-0.39 16 100	-0.54 42 100	-0.08 15 102	0									
1805 23 0208 99158529	1805 21 0093 1805 21 0197	15.00	102	105	-0.90 9 90	-0.06 5 99	-0.52 91	-0.75 5 91	1.70 5 111	0.05 6 103	-9.47 48 112	5.25 13 87	1									

Ewes

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information				Selection Indices		EBV - Weights				EBV - Fertility												
Animal Comp no.				% In- breeding	Logix Merit Index	Repro- duction Index	Dir		Wean Weight		Post-Wean		Number Weaned		TWW		AFL		ILP		Times EPI Lambed	
							EBV		EBV		EBV		EBV		EBV		EBV		EBV		EBV	
	Acc	Index	Acc				Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc
Active Breed Average:				100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15									
1805 23 0209 99158537	1805 21 0093 1805 21 0197	15.00	101	105	-0.90 9 90	-0.06 5 99	-0.52 91	-0.75 5 91	1.70 5 111	0.05 6 103	-2.74 48 103	3.04 13 94	1									
1805 23 0210 99158545	1805 21 0093 1805 20 0031	2.87	103	107	-0.79 6 91	0.01 5 101	-0.39 94	-0.62 5 92	1.70 5 111		-6.88 44 109	3.10 10 93	1									
1805 23 0212 99158560	1805 21 0093 1805 20 0255	2.87	102	106	-0.79 6 91	0.01 5 101	-0.39 94	-0.62 5 92	1.70 5 111		0.03 44 100	0.83 10 100	1									
1805 23 0213 99158578	1805 21 0093 1805 20 0255	2.87	104	108	-0.79 6 91	0.01 5 101	-0.39 94	-0.62 5 92	1.70 5 111		-9.73 44 112	4.04 10 91	2									
1805 23 0215 99158586	1658 20 0301 1805 21 0032	2.79	102	106	-0.86 7 90	-0.06 5 99	-0.49 92	-0.69 5 91	1.70 5 111	0.10 5 103	-1.93 48 102	1.69 16 97	2									
1658 23 0217 98271257	1658 21 0279 1658 21 0014	2.98	99	102	-0.47 18 94	-0.07 12 99	-0.30 95	-0.13 7 95	-0.10 7 103	-0.60 13 99	-0.38 44 100	-0.36 16 103	0									
1509 23 0221 100858315	1509 21 0117 1509 17 0099	2.86	101	104	-0.25 13 97	0.11 13 104	-0.02 100	0.17 7 97	0.20 7 104	-0.02 12 102	5.54 41 93	-1.21 11 105	1									
1805 23 0224 99158594	1658 20 0301 1805 21 0128	2.81	101	105	-0.86 7 90	-0.06 5 99	-0.49 92	-0.69 5 91	1.70 5 111	0.10 5 103	2.08 46 97	0.03 14 102	1									
1805 23 0225 99158602	1658 20 0301 1805 21 0128	2.81	103	107	-0.86 7 90	-0.06 5 99	-0.49 92	-0.69 5 91	1.70 5 111	0.10 5 103	-6.97 46 109	3.00 14 94	1									
1805 23 0228 99158628	1658 20 0301 1805 19 0030	2.88	104	107	-0.74 5 91	0.01 5 101	-0.36 94	-0.56 5 92	1.70 5 111		-6.23 39 108	2.89 19 94	2									
1805 23 0229 99158636	1658 20 0301 1805 21 0208	2.81	102	105	-0.86 7 90	-0.06 5 99	-0.49 92	-0.69 5 91	1.70 5 111	0.10 5 103	-3.37 46 104	2.98 16 94	1									
1658 23 0231 98273592	1658 21 0279 1658 22 0034	8.32	97	98	-0.69 18 92	-0.17 12 97	-0.52 91	-0.31 7 94	0.30 7 105	-0.69 13 99	-1.50 50 102	4.02 15 91	1									
1509 23 0240 101076016	1509 22 0066 1509 21 0015	3.00	104	106	-0.24 22 97	-0.05 13 100	-0.17 97	-0.13 5 95	1.00 5 108	0.32 15 104	0.34 43 99	-1.76 16 107	1									
1509 23 0245 101075711	1509 21 0117 1658 20 0080	2.77	100	101	-0.39 14 95	-0.03 14 100	-0.22 97	0.04 7 96	0.20 7 104	-0.30 12 101	-0.72 44 101	2.34 13 95	1									
1805 23 0247 99158651	1658 20 0301 1805 19 0046	2.88	102	107	-0.74 5 91	0.01 5 101	-0.36 94	-0.56 5 92	1.70 5 111		6.16 41 92	-2.31 11 108	1									

Ewes

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information				Selection Indices		EBV - Weights				EBV - Fertility												
Animal Comp no.				% In- breeding	Logix Merit Index	Repro- duction Index	Dir		Wean Weight		Comb	Post-Wean		Number Weaned		TWW		AFL		ILP		Times EPI Lambed
							EBV	EBV	EBV	EBV		EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV			
							Acc	Index	Acc	Index	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc
Active Breed Average:				100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15									
1658 23 0248 98407950	1658 22 0133 1658 22 0089	5.75	100	100	-0.56 22 93	-0.24 13 95	-0.53 91	-0.40 5 93	1.30 5 110	-0.03 14 102	-0.83 49 101	3.07 19 93	1									
1805 23 0249 99158669	1658 20 0301 1805 19 0046	2.88	102	107	-0.74 5 91	0.01 5 101	-0.36 94	-0.56 5 92	1.70 5 111		2.42 43 97	-1.08 11 105	1									
1509 23 0252 100858299	1509 21 0117 1509 18 0126	2.80	103	103	-0.25 13 97	0.11 13 104	-0.02 100	0.17 7 97	0.20 7 104	-0.02 12 102	-11.32 39 114	7.00 19 83	2									
1509 23 0254 101075653	1509 21 0117 1509 21 0112	2.68	101	101	-0.29 14 96	0.06 13 102	-0.09 99	0.13 7 97	0.20 7 104	-0.11 12 102	-3.89 40 105	4.81 14 89	1									
1658 23 0258 98275019	1658 21 0279 1658 22 0095	8.68	97	98	-0.67 18 92	-0.18 12 96	-0.51 92	-0.31 7 94	0.10 7 104	-0.79 13 98	-2.85 46 103	4.28 18 90	0									
1658 23 0260 98275415	1658 21 0279 1658 21 0196	8.29	97	97	-0.73 20 92	-0.23 14 95	-0.60 90	-0.35 7 93	0.30 7 105	-0.78 15 98	-8.63 45 111	7.62 20 81	0									
1658 23 0261 98275431	1658 21 0279 1658 21 0196	8.29	98	97	-0.73 20 92	-0.23 14 95	-0.60 90	-0.35 7 93	0.30 7 105	-0.78 15 98	-11.38 50 114	8.53 20 78	1									
776 23 0263 107768830	776 22 0447 776 21 0777	5.10	107	103	0.32 31 103	-0.28 28 94	-0.12 98	1.23 20 104	1.10 13 109	0.70 26 107	-0.96 47 101	-1.14 23 105	1									
1509 23 0271 101075612	1509 21 0117 1509 20 0158	2.64	101	101	-0.33 15 96	0.01 14 101	-0.16 98	0.08 7 96	0.20 7 104	-0.20 13 101	-4.26 43 105	4.19 21 90	2									
1658 23 0276 98275670	1658 21 0279 1658 20 0146	5.68	98	100	-0.61 19 93	-0.15 13 97	-0.46 93	-0.22 7 94	0.30 7 105	-0.58 14 99	-1.69 50 102	2.70 19 94	1									
1509 23 0284 101075570	1509 22 0094 1509 19 0142	2.70	103	107	-0.60 10 93	0.01 8 101	-0.29 95	-0.52 5 92	1.00 5 108	0.01 8 103	-5.39 40 107	0.52 15 100	1									
1658 23 0284 98275837	1658 21 0279 1658 18 0175	2.80	99	102	-0.53 18 94	-0.05 11 100	-0.32 95	-0.13 7 95	0.30 7 105	-0.40 13 100	-1.77 38 102	2.05 12 96	0									
1658 23 0290 98408230	1658 22 0133 1658 22 0160	2.77	104	107	-0.33 21 96	-0.06 12 99	-0.22 97	-0.16 5 95	1.30 5 110	0.39 14 105	-0.40 41 100	-1.82 15 107	0									
1509 23 0292 101075851	1509 22 0066 1509 20 0050	8.71	103	108	-0.47 12 94	0.00 9 101	-0.23 96	-0.43 5 93	0.70 5 107	-0.05 9 102	-1.64 24 102	-2.70 16 109	1									
1658 23 0296 98408271	1658 21 0279 1658 22 0173	2.76	100	103	-0.53 18 94	-0.05 12 99	-0.32 95	-0.14 7 95	0.30 7 105	-0.41 13 100	-3.99 44 105	1.26 14 98	1									

Ewes

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices		EBV - Weights				EBV - Fertility												
Animal Comp no.				% In- breeding	Logix Merit Index	Repro- duction Index	Dir		Wean Weight		Comb	Post-Wean		Number Weaned		TWW		AFL		ILP		Times EPI Lambded	
							EBV		EBV			EBV		EBV		EBV		EBV		EBV		EBV	
							Acc	Index	Acc	Index	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index
Active Breed Average:					100	100	-0.06		-0.02		-0.06		0.50		-0.36		-0.31		-0.30		0.15		
1509 23 0301 101075919	1509 22 0066 1509 20 0081	11.50	104	109	-0.66 8 92	0.02 8 101	-0.31 95	-0.53 5 92	1.30 5 110	0.14 7 103	-3.30 24 104	-1.10 12 105	0										
1805 23 0301 99158677	1658 20 0301 1805 21 0094	2.81	102	106	-0.86 7 90	-0.06 5 99	-0.49 92	-0.69 5 91	1.70 5 111	0.10 5 103	-6.52 48 108	3.36 14 93	2										
1805 23 0302 99158750	1805 21 0093 1805 20 0014	2.87	102	106	-0.79 6 91	0.01 5 101	-0.39 94	-0.62 5 92	1.70 5 111		3.14 42 96	-0.20 10 102	1										
1805 23 0303 99158693	1805 21 0093 1805 21 0104	14.98	101	105	-0.90 9 90	-0.06 5 99	-0.52 91	-0.75 5 91	1.70 5 111	0.05 6 103	-5.45 45 107	3.93 13 91	1										
1805 23 0310 99158735	1805 21 0093 1805 21 0026	15.00	101	105	-0.90 9 90	-0.06 5 99	-0.52 91	-0.75 5 91	1.70 5 111	0.05 6 103	-4.80 40 106	3.92 22 91	2										
1805 24 0009 100133008	1509 21 0164 1805 21 0078	2.61	109	116	-0.68 14 92	0.30 14 108	-0.04 100	-0.50 7 92	2.10 5 113	0.88 12 108	-6.64 34 108	-1.06 15 105	0										
1805 24 0010 100132992	1509 21 0164 1805 20 0017	2.83	105	111	-0.64 8 93	0.08 10 103	-0.24 96	-0.48 5 93	1.50 5 111	0.35 7 105	-0.95 24 101	-2.47 7 109	0										
1805 24 0011 100130897	1509 21 0164 1805 20 0017	2.83	105	111	-0.64 8 93	0.08 10 103	-0.24 96	-0.48 5 93	1.50 5 111	0.35 7 105	-0.95 24 101	-2.47 7 109	0										
1805 24 0018 100130913	1509 21 0164 1805 20 0080	2.83	105	110	-0.64 8 93	0.08 10 103	-0.24 96	-0.48 5 93	1.50 5 111	0.35 7 105	-2.06 24 102	-1.56 8 106	0										
1805 24 0019 100130939	1509 21 0164 1351 21 0051	2.79	103	110	-0.77 13 91	0.08 11 103	-0.30 95	-0.64 5 91	1.50 5 111	0.22 9 104	1.41 29 98	-3.15 15 111	0										
1805 24 0020 100130962	1509 21 0164 1805 22 0053	2.79	104	109	-0.69 9 92	0.05 10 102	-0.30 95	-0.55 5 92	1.50 5 111	0.25 8 104	-3.67 26 104	0.05 11 102	0										
1805 24 0021 100131176	1509 21 0164 1805 17 0009	2.85	105	110	-0.64 8 93	0.08 10 103	-0.24 96	-0.48 5 93	1.50 5 111	0.35 7 105	-1.79 22 102	-1.75 8 107	0										
1805 24 0024 100131184	1509 21 0164 1805 21 0117	2.74	103	108	-0.75 10 91	0.01 10 101	-0.37 94	-0.61 5 92	1.50 5 111	0.16 8 103	-1.64 41 102	-0.72 13 104	1										
1805 24 0026 100131192	1509 21 0164 1805 21 0393	2.79	105	111	-0.64 8 93	0.08 10 103	-0.24 96	-0.48 5 93	1.50 5 111	0.35 7 105	-1.31 22 101	-2.57 9 109	0										
1805 24 0027 100131200	1509 21 0164 1805 21 0393	2.79	105	111	-0.64 8 93	0.08 10 103	-0.24 96	-0.48 5 93	1.50 5 111	0.35 7 105	-1.31 22 101	-2.57 9 109	0										

Ewes

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices		EBV - Weights				EBV - Fertility											
Animal Comp no.				% In- breeding	Logix Merit Index	Repro- duction Index	Dir		Wean Weight		Post-Wean		Number Weaned		TWW		AFL		ILP		Times EPI Lambed	
							EBV Acc	Index	EBV Acc	Index	EBV Index	EBV Acc	Index	EBV Acc	Index	EBV Acc	Index	EBV Acc	Index	EBV Acc	Index	Phenotype
Active Breed Average:					100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15								
1805 24 0029 100131218	1509 21 0164 1805 21 0033	2.71			103	108	-0.75 10 91	0.01 10 101	-0.37 94	-0.61 5 92	1.50 5 111	0.16 8 103	-4.90 44 106	1.05 14 99	1							
1805 24 0030 100131226	1509 21 0164 1805 21 0038	2.74			104	110	-0.75 10 91	0.01 10 101	-0.37 94	-0.61 5 92	1.50 5 111	0.16 8 103	-2.37 28 103	-1.61 13 106	0							
1805 24 0032 100131358	1509 21 0164 1805 19 0087	2.84			105	111	-0.64 8 93	0.08 10 103	-0.24 96	-0.48 5 93	1.50 5 111	0.35 7 105	-1.47 22 102	-2.30 7 108	0							
1805 24 0034 100131366	1509 21 0164 1805 20 0012	2.83			105	111	-0.64 8 93	0.08 10 103	-0.24 96	-0.48 5 93	1.50 5 111	0.35 7 105	-1.20 39 101	-2.39 7 108	1							
1805 24 0036 100131374	1509 21 0164 1805 20 0019	2.83			105	111	-0.64 8 93	0.08 10 103	-0.24 96	-0.48 5 93	1.50 5 111	0.35 7 105	-1.96 23 102	-2.14 7 108	0							
1805 24 0037 100131382	1509 21 0164 1805 20 0019	2.83			105	111	-0.64 8 93	0.08 10 103	-0.24 96	-0.48 5 93	1.50 5 111	0.35 7 105	-2.94 39 104	-1.82 7 107	1							
1805 24 0038 100131390	1509 21 0164 1805 18 0033	2.80			105	111	-0.64 8 93	0.08 10 103	-0.24 96	-0.48 5 93	1.50 5 111	0.35 7 105	-1.47 22 102	-2.30 7 108	0							
1805 24 0043 100131408	1509 21 0164 1805 20 0060	2.83			105	111	-0.64 8 93	0.08 10 103	-0.24 96	-0.48 5 93	1.50 5 111	0.35 7 105	-1.47 22 102	-2.30 7 108	0							
1805 24 0053 100131416	1509 21 0164 1805 21 0032	2.71			103	109	-0.75 10 91	0.01 10 101	-0.37 94	-0.61 5 92	1.50 5 111	0.16 8 103	-3.80 33 105	-0.20 14 102	0							
1805 24 0055 100131424	1509 21 0164 1805 21 0128	2.74			104	109	-0.75 10 91	0.01 10 101	-0.37 94	-0.61 5 92	1.50 5 111	0.16 8 103	-3.53 30 104	-0.63 12 104	0							
1805 24 0056 100131432	1509 21 0164 1805 21 0197	2.74			104	109	-0.75 10 91	0.01 10 101	-0.37 94	-0.61 5 92	1.50 5 111	0.16 8 103	-4.14 33 105	-0.13 11 102	0							
1805 24 0062 100133024	1509 21 0164 1212 20 0582	2.78			106	112	-0.61 9 93	0.08 10 103	-0.23 96	-0.44 5 93	1.50 5 111	0.37 8 105	-3.36 25 104	-2.74 10 109	0							
1805 24 0063 100131440	1509 21 0164 1805 21 0026	2.74			103	109	-0.75 10 91	0.01 10 101	-0.37 94	-0.61 5 92	1.50 5 111	0.16 8 103	-1.95 31 102	-1.35 14 106	1							
1805 24 0065 100131457	1509 21 0164 1805 22 0035	2.80			104	111	-0.67 9 92	0.05 10 102	-0.29 95	-0.51 5 92	1.50 5 111	0.28 8 104	-0.32 30 100	-3.04 12 110	0							
1805 24 0069 100131465	1509 21 0164 1805 21 0556	2.65			105	111	-0.52 12 94	0.05 12 102	-0.21 97	-0.47 5 93	0.90 5 108	0.07 10 103	-3.14 31 104	-3.90 14 113	0							

Ewes

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices		EBV - Weights				EBV - Fertility												
Animal Comp no.				% In- breeding	Logix Merit Index	Repro- duction Index	Dir		Wean Weight Mat		Comb	Post-Wean		Number Weaned		TWW		AFL		ILP		Times EPI Lambded	
							EBV Acc	Index	EBV Acc	Index	EBV Index	EBV Acc	Index	EBV Acc	Index	EBV Acc	Index	EBV Acc	Index	EBV Acc	Index	Phenotype	
Active Breed Average:					100	100	-0.06		-0.02		-0.06		0.50		-0.36		-0.31		-0.30		0.15		
1805 24 0070 100131473	1509 21 0164 1805 22 0102	2.74			103	109	-0.75 9		0.01 10		-0.37 94		-0.61 5		1.50 5		0.16 8		-3.54 29		-0.17 10		0
1805 24 0071 100135367	1509 21 0164 1805 21 0051	2.71			104	110	-0.75 10		0.01 10		-0.37 94		-0.61 5		1.50 5		0.16 8		-3.33 32		-1.21 14		0
1805 24 0073 107445926	1509 21 0164 1805 23 0228	2.81			104	110	-0.67 9		0.05 10		-0.29 95		-0.51 5		1.50 5		0.28 8		-4.39 29		-0.39 12		0
1805 24 0074 107445934	1509 21 0164 1805 23 0228	2.81			104	110	-0.67 9		0.05 10		-0.29 95		-0.51 5		1.50 5		0.28 8		-4.39 29		-0.39 12		0
1805 24 0076 107459471	1509 21 0164 1805 23 0204	2.79			104	110	-0.67 9		0.05 10		-0.29 95		-0.51 5		1.50 5		0.28 8		-0.86 26		-2.44 12		0
1805 24 0078 107445959	1509 21 0164 1805 23 0172	27.09			106	113	-0.60 9		0.08 11		-0.22 97		-0.46 5		1.40 5		0.32 8		-4.15 29		-3.34 12		0
1805 24 0080 107445967	1509 21 0164 1805 22 0038	2.80			104	111	-0.67 9		0.05 10		-0.29 95		-0.51 5		1.50 5		0.28 8		0.44 27		-3.40 12		0
1805 24 0082 107445975	1509 21 0164 1805 22 0038	2.80			104	111	-0.67 9		0.05 10		-0.29 95		-0.51 5		1.50 5		0.28 8		0.44 27		-3.40 12		0
1805 24 0083 107445983	1509 21 0164 1805 23 0178	27.05			104	111	-0.68 10		0.05 11		-0.29 95		-0.54 5		1.40 5		0.21 8		-3.18 27		-2.03 13		0
1805 24 0085 107445991	1509 21 0164 1805 22 0007	2.82			104	110	-0.67 9		0.05 10		-0.29 95		-0.51 5		1.50 5		0.28 8		-2.15 30		-1.66 12		0
1805 24 0086 107446007	1509 21 0164 1805 22 0007	2.82			104	110	-0.67 9		0.05 10		-0.29 95		-0.51 5		1.50 5		0.28 8		-2.15 30		-1.66 12		0
1805 24 0087 107446023	1509 21 0164 1805 23 0174	2.76			103	109	-0.73 9		0.01 10		-0.35 94		-0.58 5		1.50 5		0.18 8		0.80 32		-2.01 10		0
1805 24 0088 107446031	1509 21 0164 1805 23 0174	2.76			103	109	-0.73 9		0.01 10		-0.35 94		-0.58 5		1.50 5		0.18 8		0.80 32		-2.01 10		0
1805 24 0092 107446056	1509 21 0164 1805 21 0038	2.74			104	110	-0.75 10		0.01 10		-0.37 94		-0.61 5		1.50 5		0.16 8		-2.37 28		-1.61 13		0
1805 24 0093 107446064	1509 21 0164 1805 21 0038	2.74			104	110	-0.75 10		0.01 10		-0.37 94		-0.61 5		1.50 5		0.16 8		-2.37 28		-1.61 13		0

Ewes

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices		EBV - Weights				EBV - Fertility									
Animal Comp no.				% In- breeding	Logix Merit Index	Repro- duction Index	Wean Weight		Comb	Post-Wean		Number Weaned		TWW		AFL		ILP		Times EPI Lambded
							Dir	Mat		Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Phenotype
							EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	
Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	
Active Breed Average:					100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15						
1805 24 0094 107446080	1509 21 0164 1805 22 0021	2.80	104	110	-0.67 9 92	0.05 10 102	-0.29 95	-0.51 5 92	1.50 5 111	0.28 8 104	-0.26 30 100	-2.36 12 108	0							
1805 24 0097 107446106	1509 21 0164 1509 23 0184	2.72	103	108	-0.43 11 95	0.10 12 103	-0.12 98	-0.15 5 95	0.80 5 107	0.15 10 103	0.37 29 99	-1.78 9 107	0							
1805 24 0099 107446130	1509 21 0164 1509 23 0185	2.69	103	108	-0.43 11 95	0.10 12 103	-0.12 98	-0.15 5 95	0.80 5 107	0.15 10 103	2.09 29 97	-2.52 9 109	0							
1805 24 0102 107446148	1509 21 0164 1805 23 0154	2.81	104	110	-0.67 9 92	0.05 10 102	-0.29 95	-0.51 5 92	1.50 5 111	0.28 8 104	1.21 31 98	-2.79 9 110	0							
1805 24 0103 107446155	1509 21 0164 1805 23 0154	2.81	104	110	-0.67 9 92	0.05 10 102	-0.29 95	-0.51 5 92	1.50 5 111	0.28 8 104	1.21 31 98	-2.79 9 110	0							
1805 24 0104 107446163	1509 21 0164 1805 23 0167	2.72	106	110	-0.22 22 97	0.02 15 101	-0.09 99	-0.09 5 95	1.10 5 109	0.46 15 105	1.49 33 98	-4.76 15 115	0							
1805 24 0105 107446171	1509 21 0164 1805 23 0167	2.72	106	110	-0.22 22 97	0.02 15 101	-0.09 99	-0.09 5 95	1.10 5 109	0.46 15 105	1.49 33 98	-4.76 15 115	0							
1805 24 0106 107446189	1509 21 0164 1805 23 0310	2.74	103	108	-0.75 9 91	0.01 10 101	-0.37 94	-0.61 5 92	1.50 5 111	0.16 8 103	-1.28 39 101	-0.66 13 104	1							
1805 24 0107 107446197	1509 21 0164 1805 23 0310	2.74	104	109	-0.75 9 91	0.01 10 101	-0.37 94	-0.61 5 92	1.50 5 111	0.16 8 103	-6.08 39 108	0.92 13 99	1							
1805 24 0108 107446114	1509 21 0164 1509 23 0184	2.72	103	108	-0.43 11 95	0.10 12 103	-0.12 98	-0.15 5 95	0.80 5 107	0.15 10 103	0.37 29 99	-1.78 9 107	0							
1805 24 0111 107446205	1509 21 0164 1805 23 0247	2.81	104	110	-0.67 9 92	0.05 10 102	-0.29 95	-0.51 5 92	1.50 5 111	0.28 8 104	1.80 30 98	-2.98 9 110	0							
1805 24 0112 107446213	1509 21 0164 1805 23 0247	2.81	104	110	-0.67 9 92	0.05 10 102	-0.29 95	-0.51 5 92	1.50 5 111	0.28 8 104	1.80 30 98	-2.98 9 110	0							
776 24 0116 107875593	776 23 0172 776 22 0126	2.50	111	103	0.91 42 110	-0.39 26 91	0.06 101	1.86 13 108	1.70 9 111	1.53 28 111	-0.43 39 100	-1.11 21 105	0							
1509 24 0128 107886921	762 22 0519 1509 21 0029	3.85	93	87	0.27 35 103	-0.37 28 91	-0.24 96	0.73 15 100	-1.80 16 95	-1.19 28 96	3.12 34 96	4.69 24 89	0							
776 24 0170 111945390	776 23 0172 776 23 0081	2.44	113	106	1.12 43 112	-0.12 30 98	0.44 108	2.00 13 109	1.70 9 111	2.03 30 114	0.07 46 100	-0.46 20 103	1							

Ewes

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information				Selection Indices		EBV - Weights				EBV - Fertility									
Animal Comp no.				% In- breeding	Logix Merit Index	Repro- duction Index	Wean Weight		Post-Wean		Number Weaned		TWW		AFL		ILP		Times EPI Lamberd
							Dir	Mat	Comb										
							EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index
Active Breed Average:				100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15						
776 24 0301 107768954	776 21 0603 776 21 0348	6.11	109	111	0.03 28 100	0.08 24 103	0.10 102	0.58 13 99	1.40 9 110	0.96 22 108	-3.46 36 104	-1.59 20 106	0						
1805 25 0004 109699280	762 22 0519 1805 21 0092	2.56	91	87	-0.23 29 97	-0.33 25 93	-0.44 93	0.24 14 97	-1.40 15 97	-1.40 24 94	2.21 35 97	7.22 22 82	0						
1805 25 0006 109699298	762 22 0519 1805 21 0092	2.56	91	87	-0.23 29 97	-0.33 25 93	-0.44 93	0.24 14 97	-1.40 15 97	-1.40 24 94	2.21 35 97	7.22 22 82	0						
1805 25 0007 109699306	762 22 0519 1805 21 0092	2.56	91	87	-0.23 29 97	-0.33 25 93	-0.44 93	0.24 14 97	-1.40 15 97	-1.40 24 94	2.21 35 97	7.22 22 82	0						
1805 25 0009 109699314	762 22 0519 1805 22 0038	2.80	92	89	-0.15 28 98	-0.29 25 93	-0.37 94	0.34 14 98	-1.40 15 97	-1.28 24 95	6.87 30 91	3.11 22 93	0						
1805 25 0013 109699322	762 22 0519 1805 21 0026	2.58	91	88	-0.23 29 97	-0.33 25 93	-0.44 93	0.24 14 97	-1.40 15 97	-1.40 24 94	4.48 34 94	5.16 23 88	0						
1805 25 0014 109699330	762 22 0519 1805 21 0026	2.58	91	88	-0.23 29 97	-0.33 25 93	-0.44 93	0.24 14 97	-1.40 15 97	-1.40 24 94	4.48 34 94	5.16 23 88	0						
1805 25 0019 109699348	762 22 0519 1805 22 0022	2.80	92	89	-0.15 28 98	-0.29 25 93	-0.37 94	0.34 14 98	-1.40 15 97	-1.28 24 95	5.61 30 93	4.37 20 90	0						
1805 25 0020 109699355	762 22 0519 1805 22 0022	2.80	92	89	-0.15 28 98	-0.29 25 93	-0.37 94	0.34 14 98	-1.40 15 97	-1.28 24 95	5.61 30 93	4.37 20 90	0						
1805 25 0025 109699363	762 22 0519 1805 21 0128	2.58	91	88	-0.23 29 97	-0.33 25 93	-0.44 93	0.24 14 97	-1.40 15 97	-1.40 24 94	2.90 33 96	5.88 21 86	0						
1805 25 0030 109724690	762 22 0519 1805 23 0172	2.55	94	91	-0.08 28 99	-0.26 25 94	-0.30 95	0.40 14 98	-1.50 15 96	-1.24 24 95	2.28 33 97	3.17 21 93	0						
1805 25 0034 109699389	762 22 0519 1805 21 0116	2.56	93	88	-0.24 30 97	-0.35 27 92	-0.46 92	0.24 14 97	-1.40 15 97	-1.42 25 94	-6.20 35 108	9.18 21 77	0						
1805 25 0041 109699397	762 22 0519 1805 20 0201	2.87	93	90	-0.11 28 99	-0.26 25 94	-0.32 95	0.37 14 98	-1.40 15 97	-1.21 24 96	5.47 27 93	3.54 20 92	0						
1805 25 0045 109699405	762 22 0519 1805 21 0028	2.59	91	88	-0.23 29 97	-0.33 25 93	-0.44 93	0.24 14 97	-1.40 15 97	-1.40 24 94	3.15 35 96	5.96 23 86	0						
1805 25 0047 109699413	762 22 0519 1805 21 0208	2.59	91	87	-0.23 29 97	-0.33 25 93	-0.44 93	0.24 14 97	-1.40 15 97	-1.40 24 94	1.55 35 98	7.48 22 81	0						

Ewes

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices		EBV - Weights				EBV - Fertility								
Animal Comp no.				% In- breeding	Logix Merit Index	Repro- duction Index	Wean Weight		Comb	Post-Wean		Number Weaned	TWW		AFL		ILP		Times
							Dir	Mat		Acc	Index		Acc	Index	Acc	Index	Acc	Index	EPI
					Acc	Index	Acc	Index	EBV Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Phenotype	
Active Breed Average:					100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15					
1805 25 0052 109699421	762 22 0519 1805 21 0393	2.79	93	90	-0.11 28 99	-0.26 25 94	-0.32 95	0.37 14 98	-1.40 15 97	-1.21 24 96	5.12 26 93	3.94 20 91	0						
1889 25 0053 109989285	1889 23 0046 1889 22 0018	2.59	102	103	-0.65 35 93	-0.36 27 92	-0.68 89	-0.01 8 96	1.60 6 111	-0.04 25 102	-3.63 33 104	1.31 18 98	0						
1805 25 0053 109699439	762 22 0519 1805 21 0393	2.79	93	90	-0.11 28 99	-0.26 25 94	-0.32 95	0.37 14 98	-1.40 15 97	-1.21 24 96	5.12 26 93	3.94 20 91	0						
1889 25 0054 109989293	1889 23 0046 1889 22 0018	2.59	102	103	-0.65 35 93	-0.36 27 92	-0.68 89	-0.01 8 96	1.60 6 111	-0.04 25 102	-3.63 33 104	1.31 18 98	0						
1805 25 0055 109699447	762 22 0519 1805 18 0039	2.80	92	89	-0.11 28 99	-0.26 25 94	-0.32 95	0.37 14 98	-1.40 15 97	-1.21 24 96	4.96 26 94	4.21 19 90	0						
1805 25 0057 109724724	762 22 0519 1658 23 0231	3.34	89	84	-0.12 29 98	-0.39 26 91	-0.45 93	0.46 15 99	-2.10 16 94	-1.77 25 92	4.40 36 94	6.69 21 83	0						
1805 25 0058 109699454	762 22 0519 1805 23 0172	2.55	94	91	-0.08 28 99	-0.26 25 94	-0.30 95	0.40 14 98	-1.50 15 96	-1.24 24 95	2.28 33 97	3.17 21 93	0						
1805 25 0060 109724716	762 22 0519 1658 23 0248	3.21	90	85	-0.05 30 99	-0.42 26 90	-0.45 93	0.42 14 98	-1.60 15 96	-1.43 25 94	4.73 36 94	6.22 22 85	0						
1805 25 0061 109699520	762 22 0519 1805 23 0134	2.65	92	88	-0.21 28 97	-0.34 25 92	-0.44 93	0.27 14 97	-1.40 15 97	-1.38 24 95	-0.54 35 101	7.06 21 82	0						
1805 25 0066 109699462	762 22 0519 1805 23 0167	4.05	93	89	0.31 35 103	-0.33 27 93	-0.17 97	0.77 15 101	-1.80 16 95	-1.10 28 96	7.92 36 90	1.75 24 97	0						
1805 25 0071 109699470	762 22 0519 1805 23 0229	2.66	91	87	-0.20 28 97	-0.33 25 93	-0.43 93	0.28 14 97	-1.40 15 97	-1.37 24 95	3.46 35 95	6.17 21 85	0						
1805 25 0074 109699488	762 22 0519 1805 20 0080	2.87	92	89	-0.11 28 99	-0.26 25 94	-0.32 95	0.37 14 98	-1.40 15 97	-1.21 24 96	4.37 28 94	4.95 20 88	0						
1805 25 0077 109699496	762 22 0519 1805 23 0205	2.57	91	87	-0.23 28 97	-0.33 25 93	-0.44 93	0.24 14 97	-1.40 15 97	-1.40 24 94	2.56 35 97	6.60 21 84	0						
1805 25 0080 109699538	762 22 0519 1805 23 0133	2.65	92	88	-0.21 28 97	-0.34 25 92	-0.44 93	0.27 14 97	-1.40 15 97	-1.38 24 95	-0.30 35 100	6.98 21 83	0						
1805 25 0082 109699504	762 22 0519 1805 23 0249	2.82	92	88	-0.15 28 98	-0.29 25 93	-0.37 94	0.34 14 98	-1.40 15 97	-1.28 24 95	6.36 34 92	4.14 20 91	0						

Ewes

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices		EBV - Weights				EBV - Fertility								
Animal Comp no.				% In- breeding	Logix Merit Index	Repro- duction Index	Wean Weight		Comb	Post-Wean		Number Weaned	TWW		AFL		ILP		Times EPI Lambed
							Dir	Mat		Acc	Index		Acc	Index	Acc	Index	Acc	Index	Acc
Active Breed Average:					100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15					
1805 25 0086 109699512	762 1805	22 22	0519 0053	2.75	92	88	-0.17 28 98	-0.30 25 93	-0.38 94	0.31 14 98	-1.40 15 97	-1.30 24 95	2.76 30 96	6.56 21 84	0				
1805 25 0088 109699546	762 1805	22 23	0519 0206	2.57	91	87	-0.23 28 97	-0.33 25 93	-0.44 93	0.24 14 97	-1.40 15 97	-1.40 24 94	2.76 35 96	6.53 21 84	0				
1805 25 0089 109699553	762 1805	22 23	0519 0206	2.57	91	87	-0.23 28 97	-0.33 25 93	-0.44 93	0.24 14 97	-1.40 15 97	-1.40 24 94	2.76 35 96	6.53 21 84	0				
1805 25 0091 109699561	762 1805	22 22	0519 0091	2.72	92	88	-0.17 28 98	-0.30 25 93	-0.38 94	0.31 14 98	-1.40 15 97	-1.30 24 95	2.95 30 96	6.09 20 85	0				
1805 25 0093 109699579	762 1805	22 23	0519 0192	2.72	92	88	-0.17 28 98	-0.30 25 93	-0.38 94	0.31 14 98	-1.40 15 97	-1.30 24 95	3.51 33 95	6.00 20 85	0				
1805 25 0101 109699611	762 1805	22 23	0519 0303	2.55	91	87	-0.23 28 97	-0.33 25 93	-0.44 93	0.24 14 97	-1.40 15 97	-1.40 24 94	2.43 34 97	6.64 21 84	0				
1805 25 0102 109699629	762 1805	22 22	0519 0003	2.80	92	89	-0.16 29 98	-0.31 27 93	-0.39 94	0.34 14 98	-1.40 15 97	-1.30 25 95	2.23 30 97	5.50 20 87	0				
1805 25 0108 109699637	762 1805	22 21	0519 0117	2.59	91	87	-0.23 29 97	-0.33 25 93	-0.44 93	0.24 14 97	-1.40 15 97	-1.40 24 94	3.45 32 95	6.23 22 85	0				
1805 25 0109 109699645	762 1805	22 21	0519 0117	2.59	91	87	-0.23 29 97	-0.33 25 93	-0.44 93	0.24 14 97	-1.40 15 97	-1.40 24 94	3.45 32 95	6.23 22 85	0				
1805 25 0110 109699652	762 1805	22 21	0519 0197	2.59	91	88	-0.23 29 97	-0.33 25 93	-0.44 93	0.24 14 97	-1.40 15 97	-1.40 24 94	2.29 36 97	6.38 21 84	0				
1805 25 0116 112278122	762 1805	22 23	0519 0213	2.72	92	89	-0.17 28 98	-0.30 25 93	-0.38 94	0.31 14 98	-1.40 15 97	-1.30 24 95	0.28 34 99	6.70 20 83	0				
1805 25 0119 112278130	762 1509	22 23	0519 0156	2.56	94	90	-0.07 28 99	-0.29 25 94	-0.32 95	0.44 14 99	-1.40 15 97	-1.20 24 96	-0.68 34 101	5.83 21 86	0				
1805 25 0123 112278148	762 1805	22 22	0519 0021	2.80	92	89	-0.15 28 98	-0.29 25 93	-0.37 94	0.34 14 98	-1.40 15 97	-1.28 24 95	6.17 33 92	4.15 22 90	0				
1805 25 0124 112278155	762 1805	22 22	0519 0021	2.80	92	89	-0.15 28 98	-0.29 25 93	-0.37 94	0.34 14 98	-1.40 15 97	-1.28 24 95	6.17 33 92	4.15 22 90	0				
1805 25 0126 112278163	762 1805	22 23	0519 0178	2.46	92	89	-0.15 28 98	-0.29 25 93	-0.37 94	0.31 14 98	-1.50 15 96	-1.34 24 95	3.25 31 96	4.48 22 90	0				

Ewes

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices		EBV - Weights				EBV - Fertility									
Animal Comp no.				% In- breeding	Logix Merit Index	Repro- duction Index	Wean Weight		Comb	Post-Wean		Number Weaned		TWW		AFL		ILP		Times EPI Lambed
							Dir	Mat		Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Phenotype
							EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	
Active Breed Average:					100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15						
1805 25 0127 112278171	762 22 0519 1805 23 0178	2.46	92	89	-0.15 28 98	-0.29 25 93	-0.37 94	0.31 14 98	-1.50 15 96	-1.34 24 95	3.25 31 96	4.48 22 90	0							
1805 25 0130 112278189	762 22 0519 1805 23 0210	2.72	92	89	-0.17 28 98	-0.30 25 93	-0.38 94	0.31 14 98	-1.40 15 97	-1.30 24 95	1.71 34 98	6.23 20 85	0							
1805 25 0133 112278197	762 22 0519 1805 23 0208	2.58	92	88	-0.23 28 97	-0.33 25 93	-0.44 93	0.24 14 97	-1.40 15 97	-1.40 24 94	0.42 35 99	7.30 21 82	0							
1805 25 0134 112278205	762 22 0519 1797 20 0369	5.39	93	89	0.00 34 100	-0.23 29 95	-0.23 96	0.56 15 99	-1.60 17 96	-1.19 28 96	6.65 29 91	3.41 21 93	0							
1805 25 0136 112278213	762 22 0519 1805 21 0057	2.79	92	89	-0.11 28 99	-0.26 25 94	-0.32 95	0.37 14 98	-1.40 15 97	-1.21 24 96	4.96 26 94	4.21 19 90	0							
1805 25 0140 112629480	762 22 0519 1509 23 0168	3.50	93	91	-0.05 28 99	-0.27 25 94	-0.29 95	0.39 14 98	-1.70 15 95	-1.34 24 95	6.02 31 92	1.78 22 97	0							
1805 25 0141 112629498	762 22 0519 1509 23 0168	3.50	93	91	-0.05 28 99	-0.27 25 94	-0.29 95	0.39 14 98	-1.70 15 95	-1.34 24 95	6.02 31 92	1.78 22 97	0							
1805 25 0143 112278221	762 22 0519 1351 18 0014	2.80	92	89	-0.11 28 99	-0.26 25 94	-0.32 95	0.37 14 98	-1.40 15 97	-1.21 24 96	4.96 26 94	4.21 19 90	0							
1805 25 0145 112278239	762 22 0519 1805 23 0228	2.82	92	88	-0.15 28 98	-0.29 25 93	-0.37 94	0.34 14 98	-1.40 15 97	-1.28 24 95	2.04 33 97	6.12 22 85	0							
1805 25 0147 112278247	762 22 0519 1658 23 0202	3.98	90	86	-0.01 29 100	-0.33 26 92	-0.34 95	0.56 15 99	-2.30 16 93	-1.72 25 93	3.26 36 96	5.10 21 88	0							
1805 25 0148 112278254	762 22 0519 1658 23 0193	3.21	91	86	0.00 30 100	-0.39 26 91	-0.39 94	0.47 14 99	-1.60 15 96	-1.35 25 95	4.31 36 94	5.24 22 87	0							
1805 25 0150 112278262	762 22 0519 1509 23 0271	3.70	91	86	0.06 29 100	-0.29 26 93	-0.26 96	0.66 15 100	-2.10 16 94	-1.49 25 94	3.02 34 96	6.77 22 83	0							
1805 25 0154 112278270	762 22 0519 1658 23 0261	3.27	89	83	-0.14 30 98	-0.42 26 90	-0.48 92	0.45 15 99	-2.10 16 94	-1.81 25 92	-0.54 36 101	8.94 22 77	0							
1805 25 0155 112278288	762 22 0519 1805 24 0107	2.48	92	89	-0.15 28 98	-0.29 25 93	-0.37 94	0.31 14 98	-1.50 15 96	-1.34 24 95	2.11 32 97	5.14 21 88	0							
1805 25 0156 112278296	762 22 0519 1805 22 0090	2.25	95	92	-0.12 30 98	-0.11 27 98	-0.17 97	0.44 16 99	-1.10 16 98	-0.89 26 97	1.81 34 98	5.71 23 86	0							

Ewes

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices		EBV - Weights				EBV - Fertility									
Animal Comp no.				% In- breeding	Logix Merit Index	Repro- duction Index	Wean Weight		Comb	Post-Wean		Number Weaned		TWW		AFL		ILP		Times EPI Lamberd
							Dir	Mat		Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Phenotype
							EBV Acc	EBV Index	EBV Index											
Active Breed Average:					100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15						
1805 25 0159 112278304	762 22 0519 1658 23 0171	2.91	91	86	-0.02 30 100	-0.39 26 91	-0.40 94	0.45 14 99	-1.60 15 96	-1.37 25 95	7.46 36 90	4.44 21 90	0							
1805 25 0164 112278312	762 22 0519 1805 19 0030	2.90	93	89	-0.11 28 99	-0.26 25 94	-0.32 95	0.37 14 98	-1.40 15 97	-1.21 24 96	2.76 27 96	5.31 20 87	0							
1805 25 0165 112278320	762 22 0519 1805 19 0030	2.90	93	89	-0.11 28 99	-0.26 25 94	-0.32 95	0.37 14 98	-1.40 15 97	-1.21 24 96	2.76 27 96	5.31 20 87	0							
1805 25 0166 112278338	762 22 0519 1509 23 0165	4.59	91	87	0.14 29 101	-0.28 26 94	-0.21 97	0.70 15 100	-2.50 16 92	-1.64 25 93	5.05 35 93	3.52 21 92	0							
1805 25 0172 112278346	762 22 0519 1509 23 0252	3.87	92	86	0.10 29 101	-0.25 26 95	-0.20 97	0.70 15 100	-2.10 16 94	-1.40 25 94	-0.51 33 100	8.18 22 79	0							
1805 25 0174 112278353	762 22 0519 1509 23 0292	3.54	92	89	-0.01 28 100	-0.30 25 93	-0.30 95	0.41 14 98	-1.90 15 94	-1.45 24 94	4.33 29 94	3.33 21 93	0							
1805 25 0175 112278361	762 22 0519 1563 18 0079	2.02	89	86	-0.45 30 95	-0.52 27 88	-0.74 88	0.02 14 96	-1.40 15 97	-1.80 25 92	1.87 34 97	6.07 24 85	0							
1805 25 0180 112278379	762 22 0519 1805 23 0158	2.80	91	88	-0.15 28 98	-0.29 25 93	-0.37 94	0.34 14 98	-1.40 15 97	-1.28 24 95	8.31 33 89	3.21 20 93	0							
1805 25 0181 112278387	762 22 0519 1805 23 0158	2.80	91	88	-0.15 28 98	-0.29 25 93	-0.37 94	0.34 14 98	-1.40 15 97	-1.28 24 95	8.31 33 89	3.21 20 93	0							
1805 25 0184 112278395	762 22 0519 1658 23 0296	3.65	91	87	-0.04 29 99	-0.33 26 93	-0.35 94	0.55 15 99	-2.10 16 94	-1.63 25 93	3.16 34 96	5.31 21 87	0							
1805 25 0187 112278403	762 22 0519 1805 24 0029	2.46	92	89	-0.15 28 98	-0.29 25 93	-0.37 94	0.31 14 98	-1.50 15 96	-1.34 24 95	2.70 34 96	5.21 21 88	0							
1805 25 0189 112278411	762 22 0519 1805 24 0037	2.63	93	90	-0.09 28 99	-0.26 25 94	-0.30 95	0.38 14 98	-1.50 15 96	-1.25 24 95	3.68 32 95	3.77 20 92	0							
1805 25 0192 112816632	762 22 0519 1805 23 0209	2.58	91	87	-0.23 28 97	-0.33 25 93	-0.44 93	0.24 14 97	-1.40 15 97	-1.40 24 94	3.78 35 95	6.20 21 85	0							
1805 25 0193 112278429	762 22 0519 1805 24 0106	2.48	92	89	-0.15 28 98	-0.29 25 93	-0.37 94	0.31 14 98	-1.50 15 96	-1.34 24 95	4.51 32 94	4.35 21 90	0							
1805 25 0196 112278437	762 22 0519 1805 20 0252	2.87	92	89	-0.11 28 99	-0.26 25 94	-0.32 95	0.37 14 98	-1.40 15 97	-1.21 24 96	4.96 26 94	4.21 19 90	0							

Ewes

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices		EBV - Weights				EBV - Fertility									
Animal Comp no.				% In- breeding	Logix Merit Index	Repro- duction Index	Wean Weight		Comb	Post-Wean		Number Weaned		TWW		AFL		ILP		Times EPI Lambed
							Dir	Mat		Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Phenotype
							EBV Acc	EBV Index	EBV Index											
Active Breed Average:					100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15						
1805 25 0198 112278445	762 1805	22 23	0519 0201	2.80	92	88	-0.15 28 98	-0.29 25 93	-0.37 94	0.34 14 98	-1.40 15 97	-1.28 24 95	7.15 34 91	3.88 20 91	0					
1805 25 0202 112278452	762 1805	22 23	0519 0224	2.66	91	87	-0.20 28 97	-0.33 25 93	-0.43 93	0.28 14 97	-1.40 15 97	-1.37 24 95	6.19 35 92	4.70 21 89	0					
1805 25 0204 112278460	762 1805	22 23	0519 0301	2.66	92	88	-0.20 28 97	-0.33 25 93	-0.43 93	0.28 14 97	-1.40 15 97	-1.37 24 95	1.89 35 97	6.36 21 84	0					
1805 25 0207 112278478	762 1805	22 23	0519 0212	2.72	91	88	-0.17 28 98	-0.30 25 93	-0.38 94	0.31 14 98	-1.40 15 97	-1.30 24 95	5.17 34 93	5.09 20 88	0					
1805 25 0210 112278486	762 1658	22 23	0519 0276	3.55	89	85	-0.08 29 99	-0.37 26 91	-0.41 93	0.51 15 99	-2.10 16 94	-1.71 25 93	4.31 36 94	6.03 22 85	0					
1805 25 0212 112278494	762 1805	22 24	0519 0034	2.63	93	90	-0.09 28 99	-0.26 25 94	-0.30 95	0.38 14 98	-1.50 15 96	-1.25 24 95	4.55 32 94	3.49 20 92	0					
1805 25 0215 112278502	762 1805	22 24	0519 0063	2.48	92	89	-0.15 28 98	-0.29 25 93	-0.37 94	0.31 14 98	-1.50 15 96	-1.34 24 95	4.18 30 95	4.01 21 91	0					
1805 25 0219 112278510	762 1509	22 23	0519 0240	3.29	92	88	0.11 30 101	-0.32 26 93	-0.27 96	0.56 14 99	-1.80 15 95	-1.30 25 95	5.32 34 93	3.80 21 91	0					
1805 25 0221 112278528	762 1805	22 24	0519 0024	2.49	92	89	-0.15 28 98	-0.29 25 93	-0.37 94	0.31 14 98	-1.50 15 96	-1.34 24 95	4.33 33 94	4.32 21 90	0					
1805 25 0223 112278536	762 1805	22 23	0519 0213	2.72	92	89	-0.17 28 98	-0.30 25 93	-0.38 94	0.31 14 98	-1.40 15 97	-1.30 24 95	0.28 34 99	6.70 20 83	0					
1805 25 0226 112278544	762 1805	22 20	0519 0251	2.86	93	91	-0.10 28 99	-0.25 25 95	-0.30 95	0.38 14 98	-1.40 15 97	-1.19 24 96	5.70 28 93	2.96 20 94	0					
1805 25 0230 112278551	762 1509	22 23	0519 0221	3.92	91	87	0.10 29 101	-0.25 26 95	-0.20 97	0.70 15 100	-2.10 16 94	-1.40 25 94	7.92 33 90	4.08 20 91	0					
776 25 1231 111990628	776 776	23 23	0172 0146	10.67	107	101	0.46 43 105	-0.54 26 87	-0.31 95	1.22 13 104	1.70 8 111	0.94 28 108	-3.33 39 104	0.78 19 100	0					
776 25 1235 111990859	776 776	23 23	0172 0147	10.67	107	101	0.46 43 105	-0.54 26 87	-0.31 95	1.22 13 104	1.70 8 111	0.94 28 108	-3.33 39 104	0.78 19 100	0					
776 25 1236 111990636	776 776	23 23	0172 0147	10.67	107	101	0.46 43 105	-0.54 26 87	-0.31 95	1.22 13 104	1.70 8 111	0.94 28 108	-3.33 39 104	0.78 19 100	0					

Ewes

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices		EBV - Weights				EBV - Fertility				
Animal Comp no.				% In- breeding	Logix Merit Index	Repro- duction Index	Wean Weight		Post-Wean		Number Weaned	TWW	AFL	ILP	Times EPI Lambd
							Dir	Mat	Comb						
	Acc	EBV	Index	Acc	EBV	Index	Acc	EBV	Index	Phenotype					
Active Breed Average:					100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15	
1805 25 1239 111676169	1889 23 0046 1889 22 0018	2.59	102	103	-0.65 35 93	-0.36 27 92	-0.68 89	-0.01 8 96	1.60 6 111	-0.04 25 102	-3.63 33 104	1.31 18 98	0		
1805 25 1240 111676177	1889 23 0046 1889 22 0018	2.59	102	103	-0.65 35 93	-0.36 27 92	-0.68 89	-0.01 8 96	1.60 6 111	-0.04 25 102	-3.63 33 104	1.31 18 98	0		
	Ewe flock average: Total ewes in flock: 242			99	100	-0.44	-0.12	-0.34	-0.11	0.34	-0.36	-0.25	1.92		

Sires Used in Flock

*Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents & Progeny					Selection Indices		EBV - Weights				EBV - Fertility				
Animal ID Computer nr	% In-breeding	Sire ID Dam ID	1st Generation		2nd Generation		Logix Merit Index	Reprod Index	Weaning Weight		Post-Wean	Number Weaned	TWW	AFL	ILP	Dam	
			Progeny	Number	Progeny	Number			Dir	Mat							Comb
			y	Herds	Weaned	Herds			EBV Acc Index	EBV Acc Index	EBV Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EPI Times		
			Active Breed Average:				100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15	
1	770 15 0189 82168022	2.23	770 09 0185 770 13 0213		2	1	94	96	-1.58 40	-0.59 37	-1.38 77	-1.53 8	1.60 6	-1.21 31	-9.77 71	7.87 46	1
2	1384 16 0322 79048914	2.61													-6.14 65	3.30 26	
3	1509 17 0085 86238839	2.92													2.59 43	-5.94 24	
4	1658 17 0248 90590514	2.92	770 17 0258 1658 13 0021				106	112	-0.55 8	0.06 5	-0.22 97	-0.33 5	1.60 5		-4.36 38	-2.27 17	8
5	970 18 0010 82198524	1.65	HOK 16 0077 970 14 0121		15	1	89	94	-2.41 71	-0.93 67	-2.13 64	-1.87 24	2.30 22	-1.96 58	-6.39 80	5.30 54	2
6	1298 18 0096 89799977	5.80	762 16 0251 1298 14 0685		1	1	97	102	-0.58 35	0.02 33	-0.27 96	-0.33 18	-1.50 12	-1.46 29	-9.15 77	1.93 45	4
7	1610 18 0117 82719907	2.89	1590 15 0038 1610 15 0311	44	1	1	108	104	1.00 83	-0.18 46	0.32 106	1.09 17	0.10 17	0.87 54	0.41 79	-3.90 44	1
8	762 18 0524 82067141	6.96	762 13 0337 762 16 0411	23	1	7	105	109	-0.22 80	0.18 62	0.07 102	0.25 19	1.00 34	0.56 62	6.37 51	-4.13 35	8
9	1658 19 0018 96041801	2.92	770 17 0258 1658 12 0073				104	110	-0.55 8	0.06 5	-0.22 97	-0.33 5	1.60 5		3.03 80	-3.42 15	2
10	1658 19 0025 90038324	2.90													13.31 75	-8.33 39	
11	430 19 0153 88578661	2.79	430 18 0047 762 14 0552	1	1		105	105	0.76 35	0.25 28	0.63 111	1.65 17	-1.80 12	-0.07 27	0.09 63	-2.90 37	4
12	1658 19 0175 89849533	2.61	770 18 0271 770 16 0288				99	101	-1.13 25	-0.20 13	-0.77 87	-1.02 5	1.70 5	-0.32 15	-7.81 68	6.69 35	1
13	762 19 0382 86288982	5.95	762 16 0414 762 17 0284	79	1	61	78	56	1.16 94	-1.33 89	-0.75 87	2.16 48	-4.90 56	-3.11 83	7.30 90	20.34 70	3

Sires Used in Flock

*Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents & Progeny				Selection Indices		EBV - Weights				EBV - Fertility					
Animal ID Computer nr	% In-breeding	Sire ID Dam ID	1st Generation		2nd Generation		Logix Merit Index	Reprod Index	Weaning Weight		Comb	Post-Wean	Number Weaned	TWW	AFL	ILP	Dam
			Progeny Number	Herds	Progeny Number	Herds			Dir EBV Acc Index	Mat EBV Acc Index							
		Active Breed Average:				100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15		
14	1509 20 0066 93075604	2.92	430 18 0081 1509 17 0104				103	111	-0.45 18	0.02 15	-0.20 97	-0.46 9	0.40 9	-0.18 15	1.64 60	-7.69 32	1
15	1658 20 0301 93059681	2.87	1658 20 0059 1658 16 0203				102	106	-0.81 6	-0.06 6	-0.46 92	-0.62 5	1.70 5	0.15 5	1.11 59	0.14 23	4
16	1509 21 0013 97742415	2.59	1509 19 0016 1509 19 0199				104	111	-0.56 14	0.05 15	-0.23 96	-0.48 5	1.00 5	0.09 12	-0.83 36	-4.69 16	4
17	1805 21 0093 94999414	2.90	1658 19 0175 1805 19 0270				102	105	-0.90 12	-0.06 6	-0.52 91	-0.75 5	1.70 5	0.05 7	-7.25 58	5.12 20	3
18	1509 21 0117 97702542	2.80	1563 20 0084 1509 18 0102		1	1	99	99	0.17 27	0.14 25	0.23 104	0.83 13	-1.20 13	-0.41 23	1.33 49	2.31 20	4
19	1509 21 0164 97742779	2.79	1509 21 0013 1509 20 0081		1	1	105	112	-0.60 17	0.09 19	-0.22 97	-0.47 5	1.30 5	0.27 14	-2.56 44	-3.66 15	3
20	430 21 0188 93472199	11.55	430 20 0138 430 20 0047		1	1	117	119	0.72 38	0.54 35	0.90 116	1.92 20	1.10 8	1.92 30	-1.04 45	-5.98 30	4
21	1658 21 0279 97595789	2.02	1563 20 0084 1658 20 0153				95	94	-0.39 35	-0.18 23	-0.37 94	0.23 13	-1.10 13	-1.23 25	-3.35 73	5.11 23	4
22	776 21 0603 99287518	3.46	430 20 0078 776 18 0227		3	1	108	109	0.13 44	0.12 41	0.19 104	0.88 20	1.20 12	0.97 35	-0.74 60	-1.38 32	4
23	1509 22 0066 97702583	8.42	1509 20 0138 1509 19 0200				102	106	-0.64 12	-0.04 9	-0.36 94	-0.56 5	1.00 5	-0.08 9	-5.15 35	0.96 19	2
24	1509 22 0094 97733067	2.88	1509 20 0138 1509 20 0122				104	108	-0.75 8	-0.01 6	-0.39 94	-0.57 5	1.60 5	0.20 6	-11.09 36	3.69 15	1
25	1658 22 0133 97607154	2.73	1610 18 0117 1658 20 0072				103	103	0.02 42	-0.19 24	-0.18 97	0.17 8	0.90 8	0.37 27	2.89 66	-1.27 25	2
26	776 22 0447 97597256	7.51	430 10 0119 776 18 0227		1	1	102	95	0.40 52	-0.72 48	-0.52 91	1.34 37	0.30 25	-0.14 44	-3.71 59	0.34 38	4

Sires Used in Flock

*Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents & Progeny				Selection Indices		EBV - Weights				EBV - Fertility									
Animal ID Computer nr	% In-breedin g	Sire ID Dam ID	1st Generation		2nd Generation		Logix Merit Index	Reprod Index	Weaning Weight		Post-Wean		Number Weaned	TWW		AFL		ILP		Dam	
			Progen y	Number Herds	Progeny Weaned	Number Herds			Dir	Mat	Comb										
									EBV Acc Index	EBV Acc Index	EBV Index	EBV Acc Index		EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EPI Times Lambd			
		Active Breed Average:				100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15						
27	762 22 0519 96016332	11.99	762 19 0382 762 19 0253				81	70	0.45 56	-0.60 105	-0.37 94	1.24 28	-4.50 30	-2.84 48	10.30 52	9.36 39	76		3		
28	1889 23 0046 99013245	2.82	1318 21 0027 1889 21 0809				107	103	0.21 57	-0.34 102	-0.24 96	1.14 11	1.20 6	0.58 36	-6.81 42	1.14 19	99	99	2		
29	776 23 0172 101222859	15.87	776 19 0103 776 20 0053	31	1		112	97	1.41 80	-0.84 116	-0.14 98	2.50 21	1.90 14	1.71 52	-4.25 62	0.99 31	99		5		
30	776 24 0146 107769333	5.00	776 23 0172 776 20 0417				110	107	0.62 45	-0.11 107	0.20 104	1.16 13	1.30 13	1.29 31	-5.09 38	0.40 21	101		4		
		Sire Flock Average: Number of sires used in the flock: 30				101	102	-0.19	-0.18	-0.27	0.27	0.43	-0.11	-1.50	0.65						

Ram Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents & Progeny			Selection Indices		EBV - Weights				EBV - Fertility							
Animal ID Computer nr	% In-breeding	Sire ID Dam ID	1st Generation	2nd Generation	Logix Merit Index	Reproduction Index	Weaning Weight		Comb	Post-Wean	Number Weaned	TWW		AFL		ILP		Dam
			Progeny Number Weaned	Progeny Number Weaned			Dir	Mat				EBV	EBV	EBV	EBV	EBV	EBV	
			Acc	Index			Acc	Index	EBV	Index	EBV	Index	Acc	Index	Acc	Index	Acc	Index
			Active Breed Average:		100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15				
1	776 25 0241 111990867	17.04	776 24 0146 776 24 0170		112	106	0.87 31	-0.11 21	0.32 106	1.58 9	1.50 8	1.66 22	-2.51 30	-0.03 14			1	
2	776 25 1237 111945275	6.54	776 23 0172 776 23 0003		110	104	0.67 42	-0.24 26	0.10 102	1.42 12	1.70 8	1.45 28	-5.33 38	2.28 19			2	
3	776 25 1232 111945283	10.67	776 23 0172 776 23 0146		107	101	0.46 43	-0.54 26	-0.31 95	1.22 13	1.70 8	0.94 28	-3.33 39	0.78 19			1	
4	1805 24 0079 107445793	27.09	509 21 0164 805 23 0172		106	113	-0.60 9	0.08 11	-0.22 97	-0.46 5	1.40 5	0.32 8	-4.15 29	-3.34 12			3	
5	1805 24 0110 107445900	2.72	509 21 0164 805 23 0167		106	110	-0.22 22	0.02 15	-0.09 99	-0.09 5	1.10 5	0.46 15	1.49 33	-4.76 15			2	
6	1509 21 0164 97742779	2.79	509 21 0013 509 20 0081	1 1	105	112	-0.60 17	0.09 19	-0.22 97	-0.47 5	1.30 5	0.27 14	-2.56 44	-3.66 15			3	
7	1805 25 0001 112278569	2.84	509 21 0164 805 19 0030		105	111	-0.64 8	0.08 10	-0.24 96	-0.48 5	1.50 5	0.35 7	-3.67 23	-1.20 9			3	
8	1805 24 0115 109724773	4.24	509 21 0164 509 23 0168		105	112	-0.58 10	0.07 10	-0.22 97	-0.47 5	1.20 5	0.22 8	-0.41 27	-4.73 13			2	
9	2123 23 0114 107513335	2.80	658 19 0018 766 18 0042		104	110	-0.61 5	0.07 5	-0.24 96	-0.41 5	1.60 5		-0.03 41	-1.73 7			2	
10	2123 23 0083 107513327	2.80	658 19 0018 766 18 0040		104	110	-0.61 5	0.07 5	-0.24 96	-0.41 5	1.60 5		-0.30 41	-1.64 7			2	
11	1805 24 0075 107445777	2.79	509 21 0164 805 23 0204		104	110	-0.67 9	0.05 10	-0.29 95	-0.51 5	1.50 5	0.28 8	-0.86 26	-2.44 12			2	
12	1805 24 0035 109724757	2.69	509 21 0164 509 23 0252		104	108	-0.43 11	0.10 12	-0.12 98	-0.15 5	0.80 5	0.15 10	-6.94 29	1.67 12			2	
13	1805 24 0031 109724740	2.69	509 21 0164 509 23 0252		104	108	-0.43 11	0.10 12	-0.12 98	-0.15 5	0.80 5	0.15 10	-6.94 29	1.67 12			2	
14	1805 24 0120 109725002	3.83	509 21 0164 509 23 0284		104	110	-0.60 10	0.05 10	-0.26 96	-0.49 5	1.20 5	0.17 8	-3.97 30	-1.57 10			1	
15	1805 25 0097 112278601	2.79	509 21 0164 805 23 0204		104	110	-0.67 9	0.05 10	-0.29 95	-0.51 5	1.50 5	0.28 8	-0.86 26	-2.44 12			2	

Ram Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information			Parents & Progeny			Selection Indices		EBV - Weights				EBV - Fertility					
Animal ID Computer nr	% In-breeding	Sire ID Dam ID	1st Generation	2nd Generation	Logix Merit Index	Repro- duction Index	Weaning Weight		Post-Wean		Number Weaned	TWW	AFL		ILP		Dam
			Progeny Number	Progeny Number			Dir EBV Acc Index	Mat EBV Acc Index	Comb EBV Index	EBV Acc Index			EBV Acc Index	EBV Acc Index	EBV Acc Index	EPI Times Lamb	
			Weaned Herds	Weaned Herds													
Active Breed Average:					100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15			
16	1805 24 0084 107445819	2.82	509 21 0164 805 22 0007		104	110	-0.67 9 92	0.05 10 102	-0.29 95	-0.51 5 92	1.50 5 111	0.28 8 104	-2.15 30 103	-1.66 12 106			2
17	2123 23 0071 107513095	2.80	658 19 0018 766 18 0031		104	109	-0.61 5 93	0.07 5 103	-0.24 96	-0.41 5 93	1.60 5 111	1.34 41 98		-2.18 7 108			2
18	686 23 0002 96808464	3.54	430 19 0153 686 17 0063		104	104	0.36 26 104	-0.02 21 100	0.16 103	1.13 19 103	-0.70 10 100	-0.08 20 102	-1.52 38 102	-2.53 24 109			4
19	1805 25 0017 112278577	2.80	509 21 0164 805 22 0022		104	110	-0.67 9 92	0.05 10 102	-0.29 95	-0.51 5 92	1.50 5 111	0.28 8 104	-0.82 27 101	-2.14 10 108			1
20	1805 25 0098 112278619	2.76	509 21 0164 805 23 0199		104	110	-0.69 9 92	0.05 10 102	-0.30 95	-0.55 5 92	1.50 5 111	0.25 8 104	-3.03 30 104	-0.83 9 104			1
21	1805 24 0096 107445850	2.80	509 21 0164 805 22 0021		104	110	-0.67 9 92	0.05 10 102	-0.29 95	-0.51 5 92	1.50 5 111	0.28 8 104	-0.26 30 100	-2.36 12 108			3
22	1805 24 0095 107445843	2.80	509 21 0164 805 22 0021		104	110	-0.67 9 92	0.05 10 102	-0.29 95	-0.51 5 92	1.50 5 111	0.28 8 104	-0.26 30 100	-2.36 12 108			3
23	1805 25 0087 112278585	2.79	509 21 0164 805 22 0053		104	109	-0.69 9 92	0.05 10 102	-0.30 95	-0.55 5 92	1.50 5 111	0.25 8 104	-3.67 26 104	0.05 11 102			2
24	1805 25 0094 112278833	2.78	509 21 0164 805 23 0192		104	109	-0.69 9 92	0.05 10 102	-0.30 95	-0.55 5 92	1.50 5 111	0.25 8 104	-2.92 30 104	-0.51 10 103			1
25	1509 23 0381 107747651	6.59	509 22 0094 509 22 0073		104	108	-0.72 6 92	-0.02 5 100	-0.38 94	-0.57 5 92	1.50 5 111	-7.72 21 110		1.88 10 97			1
26	1509 23 0387 107672800	5.82	509 22 0094 509 22 0001		104	109	-0.70 7 92	-0.03 5 100	-0.38 94	-0.57 5 92	1.30 5 110	0.06 5 103	-7.21 23 109	0.49 13 101			2
27	1805 24 0113 107445918	2.81	509 21 0164 805 23 0247		104	110	-0.67 9 92	0.05 10 102	-0.29 95	-0.51 5 92	1.50 5 111	0.28 8 104	1.80 30 98	-2.98 9 110			1
28	1805 24 0109 107445892	2.81	509 21 0164 805 23 0247		104	110	-0.67 9 92	0.05 10 102	-0.29 95	-0.51 5 92	1.50 5 111	0.28 8 104	1.80 30 98	-2.98 9 110			1
29	1805 25 0104 112278627	2.74	509 21 0164 805 21 0197		104	109	-0.75 10 91	0.01 10 101	-0.37 94	-0.61 5 92	1.50 5 111	0.16 8 103	-4.14 33 105	-0.13 11 102			5
30	1805 24 0090 107459653	2.74	509 21 0164 805 21 0028		103	109	-0.75 10 91	0.01 10 101	-0.37 94	-0.61 5 92	1.50 5 111	0.16 8 103	-3.28 32 104	-0.55 14 103			4

Ram Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information			Parents & Progeny			Selection Indices		EBV - Weights				EBV - Fertility					
Animal ID Computer nr	% In-breeding	Sire ID Dam ID	1st Generation	2nd Generation	Logix Merit Index	Repro- duction Index	Weaning Weight		Comb	Post-Wean	Number Weaned	TWW	AFL	ILP	Dam		
			Progeny Number Weaned	Progeny Number Weaned			Dir	Mat								EBV	EBV
			Herds	Herds			EBV Acc Index	EBV Acc Index	EBV Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EPI	Times Lamb			
Active Breed Average:			100	100			-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15			
31	1805 24 0091 107445835	2.74	509 21 0164 805 21 0028		103	109	-0.75 10 91	0.01 10 101	-0.37 94	-0.61 5 92	1.50 5 111	0.16 8 103	-3.28 32 104	-0.55 14 103	4		
32	2123 23 0067 107513319	2.80	658 19 0018 766 18 0037		103	109	-0.61 5 93	0.07 5 103	-0.24 96	-0.41 5 93	1.60 5 111		5.15 41 93	-3.44 7 111	2		
33	1805 25 0095 112278593	2.75	509 21 0164 805 23 0215		103	109	-0.73 9 92	0.01 10 101	-0.35 94	-0.58 5 92	1.50 5 111	0.18 8 104	-2.24 32 103	-0.99 11 105	2		
34	1805 24 0089 107445827	2.74	509 21 0164 805 21 0028		103	109	-0.75 10 91	0.01 10 101	-0.37 94	-0.61 5 92	1.50 5 111	0.16 8 103	-3.28 32 104	-0.55 14 103	4		
35	1805 24 0098 107445868	2.72	509 21 0164 509 23 0184		103	108	-0.43 11 95	0.10 12 103	-0.12 98	-0.15 5 95	0.80 5 107	0.15 10 103	0.37 29 99	-1.78 9 107	2		
36	1805 24 0121 109725010	2.65	509 21 0164 509 23 0271		103	107	-0.47 11 95	0.05 12 102	-0.19 97	-0.20 5 94	0.80 5 107	0.06 10 103	-3.41 31 104	0.27 13 101	2		
37	1805 24 0100 107445876	2.69	509 21 0164 509 23 0185		103	108	-0.43 11 95	0.10 12 103	-0.12 98	-0.15 5 95	0.80 5 107	0.15 10 103	2.09 29 97	-2.52 9 109	1		
38	1805 24 0101 107445884	2.69	509 21 0164 509 23 0185		103	108	-0.43 11 95	0.10 12 103	-0.12 98	-0.15 5 95	0.80 5 107	0.15 10 103	2.09 29 97	-2.52 9 109	1		
39	1658 23 0180 98270838	2.91	658 21 0279 658 20 0044		100	102	-0.41 19 95	-0.08 12 99	-0.28 96	0.03 7 96	0.30 7 105	-0.31 14 101	1.60 43 98	-0.24 16 103	3		
40	1658 23 0285 98408297	3.22	658 21 0279 658 22 0136		100	99	-0.08 27 99	-0.12 16 98	-0.17 97	0.27 8 97	-0.30 8 102	-0.39 18 100	-1.79 43 102	2.30 18 96	2		
41	1805 25 0120 112278874	2.56	762 22 0519 509 23 0156		94	90	-0.07 28 99	-0.29 25 94	-0.32 95	0.44 14 99	-1.40 15 97	-1.20 24 96	-0.68 34 101	5.83 21 86	1		
42	1805 25 0135 112278908	5.39	762 22 0519 797 20 0369		93	89	0.00 34 100	-0.23 29 95	-0.23 96	0.56 15 99	-1.60 17 96	-1.19 28 96	6.65 29 91	3.41 21 93	2		
43	1805 25 0117 112278858	2.72	762 22 0519 805 23 0213		92	89	-0.17 28 98	-0.30 25 93	-0.38 94	0.31 14 98	-1.40 15 97	-1.30 24 95	0.28 34 99	6.70 20 83	2		
44	1805 25 0173 112278932	3.87	762 22 0519 509 23 0252		92	86	0.10 29 101	-0.25 26 95	-0.20 97	0.70 15 100	-2.10 16 94	-1.40 25 94	-0.51 33 100	8.18 22 79	2		
45	1805 25 0122 112278882	2.66	762 22 0519 805 23 0225		92	88	-0.20 28 97	-0.33 25 93	-0.43 93	0.28 14 97	-1.40 15 97	-1.37 24 95	1.67 35 98	6.18 21 85	1		

Ram Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents & Progeny			Selection Indices		EBV - Weights				EBV - Fertility				
Animal ID Computer nr	% In-breeding	Sire ID Dam ID	1st Generation	2nd Generation	Logix Merit Index	Repro- duction Index	Weaning Weight		Post-Wean	Number Weaned	TWW	AFL	ILP	Dam	
			Progeny Number	Progeny Number			Dir	Mat							Comb
			Weaned Herds	Weaned Herds			EBV Acc Index	EBV Acc Index	EBV Index	EBV Acc Index	EBV Acc Index	Acc Index	Acc Index	Acc Index	Acc Index
			Active Breed Average:		100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15	
46	1805 25 0139 112278916	2.66	762 22 0519 805 23 0301		92	88	-0.20 28 97	-0.33 25 93	-0.43 93	0.28 14 97	-1.40 15 97	-1.37 24 95	1.89 35 97	6.36 21 84	2
47	1805 25 0171 112278924	2.63	762 22 0519 805 23 0215		91	88	-0.20 28 97	-0.33 25 93	-0.43 93	0.28 14 97	-1.40 15 97	-1.37 24 95	4.19 35 94	5.53 21 87	2
48	1805 25 0218 112278973	2.72	762 22 0519 805 23 0302		91	88	-0.17 28 98	-0.30 25 93	-0.38 94	0.31 14 98	-1.40 15 97	-1.30 24 95	6.72 34 91	4.58 20 89	1
49	1805 25 0131 112278890	2.58	762 22 0519 805 23 0310		91	87	-0.23 28 97	-0.33 25 93	-0.44 93	0.24 14 97	-1.40 15 97	-1.40 24 94	2.75 33 96	6.64 22 84	2
50	1805 25 0209 112278965	4.24	762 22 0519 509 23 0198		90	86	0.16 29 102	-0.26 26 94	-0.18 97	0.71 15 100	-2.50 16 92	-1.60 25 93	6.92 35 91	3.66 21 92	1
51	1805 25 0118 112278866	2.59	762 22 0519 805 21 0184		90	86	-0.23 29 97	-0.33 25 93	-0.44 93	0.24 14 97	-1.40 15 97	-1.40 24 94	4.07 34 95	7.12 22 82	2
52	1805 25 0115 112278841	2.30	762 22 0519 805 23 0130		90	87	-0.34 29 96	-0.42 25 90	-0.59 90	0.13 14 97	-1.40 15 97	-1.60 24 93	-0.15 34 100	7.26 21 82	1
53	1805 25 0179 112278957	3.83	762 22 0519 509 23 0245		90	85	0.03 29 100	-0.31 26 93	-0.30 95	0.64 15 100	-2.10 16 94	-1.54 25 94	4.79 34 94	5.85 21 86	1
54	1805 25 0176 112278940	2.02	762 22 0519 563 18 0079		89	86	-0.45 30 95	-0.52 27 88	-0.74 88	0.02 14 96	-1.40 15 97	-1.80 25 92	1.87 34 97	6.07 24 85	5
55	762 22 0519 96016332	11.99	762 19 0382 762 19 0253		81	70	0.45 56 105	-0.60 50 86	-0.37 94	1.24 28 104	-4.50 30 82	-2.84 48 86	10.30 52 87	9.36 39 76	3

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents	Selection Indices		EBV - Weights				EBV - Fertility					
Animal ID Computer nr	% In-breeding	Sire ID Dam ID	Logix Merit Index	Repro- duction Index	Dir EBV Acc Index	Weaning Weight Mat EBV Acc Index	Comb EBV Acc Index	Post-Wean EBV Acc Index	Number Weaned EBV Acc Index	TWW EBV Acc Index	AFL EBV Acc Index	ILP EBV Acc Index	EPI Phenotype	Times Lambd
Active Breed Average:			100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15		
1 776 24 0170 111945390	2.44	776 23 0172 776 23 0081	113	106	1.12 43 112	-0.12 30 98	0.44 108	2.00 13 109	1.70 9 111	2.03 30 114	0.07 46 100	-0.46 20 103		1
2 2006 23 0058 96752829	9.56	430 21 0188 430 21 0164	112	114	0.34 30 104	0.23 29 107	0.40 107	1.33 13 104	1.10 5 109	1.23 24 110	-1.75 28 102	-4.00 24 113		2
3 776 24 0116 107875593	2.50	776 23 0172 776 22 0126	111	103	0.91 42 110	-0.39 26 91	0.06 101	1.86 13 108	1.70 9 111	1.53 28 111	-0.43 39 100	-1.11 21 105		0
4 776 23 0003 99476061	2.92	776 21 0603 627 17 0219	109	111	-0.06 25 99	0.36 25 110	0.33 106	0.33 10 98	1.40 6 110	1.14 21 109	-6.41 45 108	3.57 21 92		2
5 1805 24 0009 100133008	2.61	1509 21 0164 1805 21 0078	109	116	-0.68 14 92	0.30 14 108	-0.04 100	-0.50 7 92	2.10 5 113	0.88 12 108	-6.64 34 108	-1.06 15 105		0
6 776 24 0301 107768954	6.11	776 21 0603 776 21 0348	109	111	0.03 28 100	0.08 24 103	0.10 102	0.58 13 99	1.40 9 110	0.96 22 108	-3.46 36 104	-1.59 20 106		0
7 1805 22 0090 110030574	2.42	1658 19 0175 1713 17 0036	109	115	-0.69 21 92	0.38 20 110	0.04 101	-0.37 14 93	2.30 7 114	1.07 17 109	-6.68 44 108	2.07 23 96		1
8 776 25 1231 111990628	10.67	776 23 0172 776 23 0146	107	101	0.46 43 105	-0.54 26 87	-0.31 95	1.22 13 104	1.70 8 111	0.94 28 108	-3.33 39 104	0.78 19 100		0
9 776 25 1235 111990859	10.67	776 23 0172 776 23 0147	107	101	0.46 43 105	-0.54 26 87	-0.31 95	1.22 13 104	1.70 8 111	0.94 28 108	-3.33 39 104	0.78 19 100		0
10 776 25 1236 111990636	10.67	776 23 0172 776 23 0147	107	101	0.46 43 105	-0.54 26 87	-0.31 95	1.22 13 104	1.70 8 111	0.94 28 108	-3.33 39 104	0.78 19 100		0
11 776 23 0263 107768830	5.10	776 22 0447 776 21 0777	107	103	0.32 31 103	-0.28 28 94	-0.12 98	1.23 20 104	1.10 13 109	0.70 26 107	-0.96 47 101	-1.14 23 105		1
12 1805 23 0172 100147024	2.78	1509 21 0164 1212 20 0582	107	113	-0.61 9 93	0.08 10 103	-0.23 96	-0.44 5 93	1.50 5 111	0.37 8 105	-5.75 39 107	-3.01 18 110		3
13 1509 23 0156 100858158	2.81	1509 22 0094 1658 20 0037	106	110	-0.59 10 93	0.02 5 101	-0.27 96	-0.37 5 93	1.60 5 111	0.39 6 105	-11.66 43 115	2.29 14 96		1
14 1805 24 0078 107445959	27.09	1509 21 0164 1805 23 0172	106	113	-0.60 9 93	0.08 11 103	-0.22 97	-0.46 5 93	1.40 5 110	0.32 8 104	-4.15 29 105	-3.34 12 111		0
15 1212 20 0582 92950930	2.87	1658 17 0248 - - -	106	112	-0.61 5 93	0.07 5 103	-0.24 96	-0.41 5 93	1.60 5 111		-4.16 25 105	-1.81 12 107		3

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents	Selection Indices		EBV - Weights				EBV - Fertility				
Animal ID Computer nr	% In-breeding	Sire ID Dam ID	Logix Merit Index	Repro- duction Index	Dir EBV Acc	Weaning Weight Mat EBV Index	Comb EBV Index	Post-Wean EBV Acc	Number Weaned EBV Acc	TWW EBV Acc	AFL EBV Acc	ILP EBV Acc	EPI Phenotype
Active Breed Average:			100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15	
16 1805 23 0167 97215313	2.87	1610 18 0117 1805 20 0022	106	108	0.16 42	-0.05 23	0.03 101	0.30 8	0.90 8	0.65 27	5.55 49	-5.86 27	2
17 1805 24 0062 100133024	2.78	1509 21 0164 1212 20 0582	106	112	-0.61 9	0.08 10	-0.23 96	-0.44 5	1.50 5	0.37 8	-3.36 25	-2.74 10	0
18 1805 24 0105 107446171	2.72	1509 21 0164 1805 23 0167	106	110	-0.22 22	0.02 15	-0.09 99	-0.09 5	1.10 5	0.46 15	1.49 33	-4.76 15	0
19 1805 24 0104 107446163	2.72	1509 21 0164 1805 23 0167	106	110	-0.22 22	0.02 15	-0.09 99	-0.09 5	1.10 5	0.46 15	1.49 33	-4.76 15	0
20 1805 24 0037 100131382	2.83	1509 21 0164 1805 20 0019	105	111	-0.64 8	0.08 10	-0.24 96	-0.48 5	1.50 5	0.35 7	-2.94 39	-1.82 7	1
21 1805 24 0036 100131374	2.83	1509 21 0164 1805 20 0019	105	111	-0.64 8	0.08 10	-0.24 96	-0.48 5	1.50 5	0.35 7	-1.96 23	-2.14 7	0
22 1805 24 0026 100131192	2.79	1509 21 0164 1805 21 0393	105	111	-0.64 8	0.08 10	-0.24 96	-0.48 5	1.50 5	0.35 7	-1.31 22	-2.57 9	0
23 1805 24 0027 100131200	2.79	1509 21 0164 1805 21 0393	105	111	-0.64 8	0.08 10	-0.24 96	-0.48 5	1.50 5	0.35 7	-1.31 22	-2.57 9	0
24 1805 24 0038 100131390	2.80	1509 21 0164 1805 18 0033	105	111	-0.64 8	0.08 10	-0.24 96	-0.48 5	1.50 5	0.35 7	-1.47 22	-2.30 7	0
25 1805 20 0251 92252519	2.80	1509 17 0085 1805 18 0039	105	111	-0.65 5	0.10 6	-0.23 96	-0.48 5	1.60 5		1.10 22	-3.44 12	1
26 1805 24 0043 100131408	2.83	1509 21 0164 1805 20 0060	105	111	-0.64 8	0.08 10	-0.24 96	-0.48 5	1.50 5	0.35 7	-1.47 22	-2.30 7	0
27 1805 24 0032 100131358	2.84	1509 21 0164 1805 19 0087	105	111	-0.64 8	0.08 10	-0.24 96	-0.48 5	1.50 5	0.35 7	-1.47 22	-2.30 7	0
28 1805 24 0021 100131176	2.85	1509 21 0164 1805 17 0009	105	110	-0.64 8	0.08 10	-0.24 96	-0.48 5	1.50 5	0.35 7	-1.79 22	-1.75 8	0
29 1805 24 0034 100131366	2.83	1509 21 0164 1805 20 0012	105	111	-0.64 8	0.08 10	-0.24 96	-0.48 5	1.50 5	0.35 7	-1.20 39	-2.39 7	1
30 1805 21 0116 92854934	2.87	1658 19 0175 1805 20 0010	105	107	-0.93 20	-0.09 20	-0.55 91	-0.77 5	1.70 5	0.00 16	-22.70 46	9.00 17	2

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information			Parents	Selection Indices		EBV - Weights				EBV - Fertility								
Animal ID Computer nr	% In-breeding		Sire ID Dam ID	Logix Merit Index	Repro- duction Index	Weaning Weight		Comb EBV Index	Post-Wean EBV Index	Number Weaned EBV Index	TWW		AFL		ILP		EPI Phenotype	Times Lambd
						Dir Acc	EBV Index				Mat Acc	EBV Index	Acc	EBV Index	Acc	EBV Index		
Active Breed Average:				100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15					
31	1805 24 0018 100130913	2.83	1509 21 0164 1805 20 0080	105	110	-0.64 8	0.08 93	-0.24 10	-0.48 103	-0.24 96	-0.48 5	1.50 5	0.35 111	-2.06 7	-1.56 105	-2.06 24	-1.56 102	0
32	1805 24 0011 100130897	2.83	1509 21 0164 1805 20 0017	105	111	-0.64 8	0.08 93	-0.24 10	-0.48 103	-0.24 96	-0.48 5	1.50 5	0.35 111	-0.95 7	-2.47 105	-0.95 24	-2.47 101	0
33	1805 24 0010 100132992	2.83	1509 21 0164 1805 20 0017	105	111	-0.64 8	0.08 93	-0.24 10	-0.48 103	-0.24 96	-0.48 5	1.50 5	0.35 111	-0.95 7	-2.47 105	-0.95 24	-2.47 101	0
34	1805 24 0069 100131465	2.65	1509 21 0164 1805 21 0556	105	111	-0.52 12	0.05 94	-0.21 12	-0.47 102	-0.21 97	-0.47 5	0.90 5	0.07 108	-3.14 10	-3.90 103	-3.14 31	-3.90 104	0
35	1805 24 0073 107445926	2.81	1509 21 0164 1805 23 0228	104	110	-0.67 9	0.05 92	-0.29 10	-0.51 102	-0.29 95	-0.51 5	1.50 5	0.28 111	-4.39 8	-0.39 104	-4.39 29	-0.39 105	0
36	1805 24 0074 107445934	2.81	1509 21 0164 1805 23 0228	104	110	-0.67 9	0.05 92	-0.29 10	-0.51 102	-0.29 95	-0.51 5	1.50 5	0.28 111	-4.39 8	-0.39 104	-4.39 29	-0.39 105	0
37	1797 20 0369 93343168	2.89	762 18 0524 1797 15 0090	104	109	-0.45 40	0.13 95	-0.09 31	-0.12 104	-0.09 99	-0.12 10	1.30 17	0.46 110	3.00 26	-2.54 96	-2.54 18	-2.54 109	2
38	1805 24 0083 107445983	27.05	1509 21 0164 1805 23 0178	104	111	-0.68 10	0.05 92	-0.29 11	-0.54 102	-0.29 95	-0.54 5	1.40 5	0.21 110	-3.18 8	-2.03 104	-3.18 27	-2.03 104	0
39	1658 23 0290 98408230	2.77	1658 22 0133 1658 22 0160	104	107	-0.33 21	-0.06 96	-0.22 12	-0.16 99	-0.22 97	-0.16 5	1.30 5	0.39 110	-0.40 14	-1.82 105	-0.40 41	-1.82 100	0
40	1658 23 0191 98407596	2.76	1658 22 0133 1658 20 0027	104	107	-0.21 22	-0.08 97	-0.18 12	0.00 99	-0.18 97	0.00 5	1.30 5	0.49 110	3.15 14	-2.99 105	3.15 39	-2.99 96	0
41	1384 18 0185 92655539	2.61	1384 16 0322 1384 13 0015	104	109	-0.67 5	0.09 92	-0.25 5	-0.49 103	-0.25 96	-0.49 5	1.60 5		-4.17 34	1.48 105	-4.17 13	1.48 98	0
42	1805 24 0085 107445991	2.82	1509 21 0164 1805 22 0007	104	110	-0.67 9	0.05 92	-0.29 10	-0.51 102	-0.29 95	-0.51 5	1.50 5	0.28 111	-2.15 8	-1.66 104	-2.15 30	-1.66 103	0
43	1805 24 0065 100131457	2.80	1509 21 0164 1805 22 0035	104	111	-0.67 9	0.05 92	-0.29 10	-0.51 102	-0.29 95	-0.51 5	1.50 5	0.28 111	-0.32 8	-3.04 104	-0.32 30	-3.04 100	0
44	1805 24 0076 107459471	2.79	1509 21 0164 1805 23 0204	104	110	-0.67 9	0.05 92	-0.29 10	-0.51 102	-0.29 95	-0.51 5	1.50 5	0.28 111	-0.86 8	-2.44 104	-0.86 26	-2.44 101	0
45	1805 24 0086 107446007	2.82	1509 21 0164 1805 22 0007	104	110	-0.67 9	0.05 92	-0.29 10	-0.51 102	-0.29 95	-0.51 5	1.50 5	0.28 111	-2.15 8	-1.66 104	-2.15 30	-1.66 103	0

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents	Selection Indices		EBV - Weights				EBV - Fertility				
Animal ID Computer nr	% In-breeding	Sire ID Dam ID	Logix Merit Index	Repro- duction Index	Dir EBV Acc	Weaning Weight Mat EBV Index	Comb EBV Index	Post-Wean EBV Acc	Number Weaned EBV Acc	TWW EBV Acc	AFL EBV Acc	ILP EBV Acc	EPI Phenotype
Active Breed Average:			100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15	
46 1805 24 0082 107445975	2.80	1509 21 0164 1805 22 0038	104	111	-0.67 9 92	0.05 10 102	-0.29 95	-0.51 5 92	1.50 5 111	0.28 8 104	0.44 27 99	-3.40 12 111	0
47 1298 20 0626 91667642	2.37	1298 18 0096 1398 18 0047	104	109	-0.26 20 97	-0.02 18 100	-0.15 98	0.12 10 96	0.30 7 105	-0.10 16 102	-2.94 54 104	-4.07 33 113	4
48 1805 24 0080 107445967	2.80	1509 21 0164 1805 22 0038	104	111	-0.67 9 92	0.05 10 102	-0.29 95	-0.51 5 92	1.50 5 111	0.28 8 104	0.44 27 99	-3.40 12 111	0
49 1805 24 0094 107446080	2.80	1509 21 0164 1805 22 0021	104	110	-0.67 9 92	0.05 10 102	-0.29 95	-0.51 5 92	1.50 5 111	0.28 8 104	-0.26 30 100	-2.36 12 108	0
50 1805 23 0213 99158578	2.87	1805 21 0093 1805 20 0255	104	108	-0.79 6 91	0.01 5 101	-0.39 94	-0.62 5 92	1.70 5 111		-9.73 44 112	4.04 10 91	2
51 1509 23 0168 101075695	2.84	1509 20 0066 1509 19 0103	104	111	-0.55 9 94	0.06 8 102	-0.21 97	-0.47 5 93	1.00 5 108	0.11 8 103	1.75 32 98	-5.80 22 118	2
52 1805 24 0020 100130962	2.79	1509 21 0164 1805 22 0053	104	109	-0.69 9 92	0.05 10 102	-0.30 95	-0.55 5 92	1.50 5 111	0.25 8 104	-3.67 26 104	0.05 11 102	0
53 1805 24 0071 100135367	2.71	1509 21 0164 1805 21 0051	104	110	-0.75 10 91	0.01 10 101	-0.37 94	-0.61 5 92	1.50 5 111	0.16 8 103	-3.33 32 104	-1.21 14 105	0
54 1805 24 0107 107446197	2.74	1509 21 0164 1805 23 0310	104	109	-0.75 9 91	0.01 10 101	-0.37 94	-0.61 5 92	1.50 5 111	0.16 8 103	-6.08 39 108	0.92 13 99	1
55 1509 23 0240 101076016	3.00	1509 22 0066 1509 21 0015	104	106	-0.24 22 97	-0.05 13 100	-0.17 97	-0.13 5 95	1.00 5 108	0.32 15 104	0.34 43 99	-1.76 16 107	1
56 1805 24 0092 107446056	2.74	1509 21 0164 1805 21 0038	104	110	-0.75 10 91	0.01 10 101	-0.37 94	-0.61 5 92	1.50 5 111	0.16 8 103	-2.37 28 103	-1.61 13 106	0
57 1805 24 0030 100131226	2.74	1509 21 0164 1805 21 0038	104	110	-0.75 10 91	0.01 10 101	-0.37 94	-0.61 5 92	1.50 5 111	0.16 8 103	-2.37 28 103	-1.61 13 106	0
58 1805 23 0228 99158628	2.88	1658 20 0301 1805 19 0030	104	107	-0.74 5 91	0.01 5 101	-0.36 94	-0.56 5 92	1.70 5 111		-6.23 39 108	2.89 19 94	2
59 1805 24 0103 107446155	2.81	1509 21 0164 1805 23 0154	104	110	-0.67 9 92	0.05 10 102	-0.29 95	-0.51 5 92	1.50 5 111	0.28 8 104	1.21 31 98	-2.79 9 110	0
60 1805 24 0102 107446148	2.81	1509 21 0164 1805 23 0154	104	110	-0.67 9 92	0.05 10 102	-0.29 95	-0.51 5 92	1.50 5 111	0.28 8 104	1.21 31 98	-2.79 9 110	0

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information			Parents	Selection Indices		EBV - Weights				EBV - Fertility						
Animal ID Computer nr	% In-breeding	Sire ID Dam ID	Logix Merit Index	Repro- duction Index	Weaning Weight		Comb	Post-Wean	Number Weaned	TWW	AFL	ILP	EPI	Times Lambd		
					Dir EBV Acc Index	Mat EBV Acc Index									EBV Index	EBV Acc Index
Active Breed Average:				100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15			
61	1805 24 0093 107446064	2.74	1509 21 0164 1805 21 0038	104	110	-0.75 10 91	0.01 10 101	-0.37 94	-0.61 5 92	1.50 5 111	0.16 8 103	-2.37 28 103	-1.61 13 106	0		
62	1805 22 0003 94242963	2.87	1658 20 0301 1805 20 0010	104	108	-0.77 16 91	-0.02 19 100	-0.40 93	-0.57 5 92	1.70 5 111	0.24 13 104	-5.84 31 107	1.64 11 97	1		
63	1509 23 0301 101075919	11.50	1509 22 0066 1509 20 0081	104	109	-0.66 8 92	0.02 8 101	-0.31 95	-0.53 5 92	1.30 5 110	0.14 7 103	-3.30 24 104	-1.10 12 105	0		
64	1805 24 0112 107446213	2.81	1509 21 0164 1805 23 0247	104	110	-0.67 9 92	0.05 10 102	-0.29 95	-0.51 5 92	1.50 5 111	0.28 8 104	1.80 30 98	-2.98 9 110	0		
65	1805 23 0178 100147032	2.71	1509 21 0164 1805 21 0051	104	109	-0.75 10 91	0.01 10 101	-0.37 94	-0.61 5 92	1.50 5 111	0.16 8 103	-3.79 32 105	-0.41 21 103	3		
66	1805 24 0056 100131432	2.74	1509 21 0164 1805 21 0197	104	109	-0.75 10 91	0.01 10 101	-0.37 94	-0.61 5 92	1.50 5 111	0.16 8 103	-4.14 33 105	-0.13 11 102	0		
67	1805 24 0055 100131424	2.74	1509 21 0164 1805 21 0128	104	109	-0.75 10 91	0.01 10 101	-0.37 94	-0.61 5 92	1.50 5 111	0.16 8 103	-3.53 30 104	-0.63 12 104	0		
68	1805 24 0111 107446205	2.81	1509 21 0164 1805 23 0247	104	110	-0.67 9 92	0.05 10 102	-0.29 95	-0.51 5 92	1.50 5 111	0.28 8 104	1.80 30 98	-2.98 9 110	0		
69	1805 24 0053 100131416	2.71	1509 21 0164 1805 21 0032	103	109	-0.75 10 91	0.01 10 101	-0.37 94	-0.61 5 92	1.50 5 111	0.16 8 103	-3.80 33 105	-0.20 14 102	0		
70	1805 24 0019 100130939	2.79	1509 21 0164 1351 21 0051	103	110	-0.77 13 91	0.08 11 103	-0.30 95	-0.64 5 91	1.50 5 111	0.22 9 104	1.41 29 98	-3.15 15 111	0		
71	1805 23 0210 99158545	2.87	1805 21 0093 1805 20 0031	103	107	-0.79 6 91	0.01 5 101	-0.39 94	-0.62 5 92	1.70 5 111		-6.88 44 109	3.10 10 93	1		
72	1805 24 0070 100131473	2.74	1509 21 0164 1805 22 0102	103	109	-0.75 9 91	0.01 10 101	-0.37 94	-0.61 5 92	1.50 5 111	0.16 8 103	-3.54 29 104	-0.17 10 102	0		
73	1805 24 0029 100131218	2.71	1509 21 0164 1805 21 0033	103	108	-0.75 10 91	0.01 10 101	-0.37 94	-0.61 5 92	1.50 5 111	0.16 8 103	-4.90 44 106	1.05 14 99	1		
74	1805 24 0063 100131440	2.74	1509 21 0164 1805 21 0026	103	109	-0.75 10 91	0.01 10 101	-0.37 94	-0.61 5 92	1.50 5 111	0.16 8 103	-1.95 31 102	-1.35 14 106	1		
75	1805 24 0097 107446106	2.72	1509 21 0164 1509 23 0184	103	108	-0.43 11 95	0.10 12 103	-0.12 98	-0.15 5 95	0.80 5 107	0.15 10 103	0.37 29 99	-1.78 9 107	0		

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information			Parents	Selection Indices		EBV - Weights				EBV - Fertility							
Animal ID Computer nr	% In-breeding	Sire ID Dam ID	Logix Merit Index	Repro- duction Index	Weaning Weight		Post-Wean		Number Weaned	TWW		AFL		ILP		EPI	Times Lambd
					Dir EBV Acc	Mat EBV Index	Comb EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	Phenotype	
Active Breed Average:			100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15					
76	1805 24 0108 107446114	2.72	1509 21 0164 1509 23 0184	103	108	-0.43 11 95	0.10 12 103	-0.12 98	-0.15 5 95	0.80 5 107	0.15 10 103	0.37 29 99	-1.78 9 107		0		
77	1805 23 0134 97333504	2.80	1658 20 0301 1805 21 0116	103	107	-0.87 10 90	-0.07 10 99	-0.51 92	-0.69 5 91	1.70 5 111	0.08 8 103	-11.39 46 114		4.76 14 89		1	
78	1805 23 0204 97333603	2.79	1658 20 0301 1805 21 0393	103	108	-0.74 5 91	0.01 5 101	-0.36 94	-0.56 5 92	1.70 5 111	0.84 30 99		-1.22 19 105		2		
79	1805 24 0099 107446130	2.69	1509 21 0164 1509 23 0185	103	108	-0.43 11 95	0.10 12 103	-0.12 98	-0.15 5 95	0.80 5 107	0.15 10 103	2.09 29 97	-2.52 9 109		0		
80	1805 23 0133 97333496	2.80	1658 20 0301 1805 21 0116	103	107	-0.87 10 90	-0.07 10 99	-0.51 92	-0.69 5 91	1.70 5 111	0.08 8 103	-10.91 46 114		4.60 14 89		1	
81	1805 24 0024 100131184	2.74	1509 21 0164 1805 21 0117	103	108	-0.75 10 91	0.01 10 101	-0.37 94	-0.61 5 92	1.50 5 111	0.16 8 103	-1.64 41 102		-0.72 13 104		1	
82	1509 23 0284 101075570	2.70	1509 22 0094 1509 19 0142	103	107	-0.60 10 93	0.01 8 101	-0.29 95	-0.52 5 92	1.00 5 108	0.01 8 103	-5.39 40 107		0.52 15 100		1	
83	1805 22 0080 97535215	2.85	1805 21 0093 1805 18 0181	103	107	-0.79 6 91	0.01 5 101	-0.39 94	-0.62 5 92	1.70 5 111	-3.81 29 105		2.09 10 96		0		
84	1509 23 0252 100858299	2.80	1509 21 0117 1509 18 0126	103	103	-0.25 13 97	0.11 13 104	-0.02 100	0.17 7 97	0.20 7 104	-0.02 12 102	-11.32 39 114		7.00 19 83		2	
85	1509 23 0292 101075851	8.71	1509 22 0066 1509 20 0050	103	108	-0.47 12 94	0.00 9 101	-0.23 96	-0.43 5 93	0.70 5 107	-0.05 9 102	-1.64 24 102		-2.70 16 109		1	
86	1805 24 0106 107446189	2.74	1509 21 0164 1805 23 0310	103	108	-0.75 9 91	0.01 10 101	-0.37 94	-0.61 5 92	1.50 5 111	0.16 8 103	-1.28 39 101		-0.66 13 104		1	
87	1805 24 0088 107446031	2.76	1509 21 0164 1805 23 0174	103	109	-0.73 9 92	0.01 10 101	-0.35 94	-0.58 5 92	1.50 5 111	0.18 8 104	0.80 32 99		-2.01 10 107		0	
88	1805 24 0087 107446023	2.76	1509 21 0164 1805 23 0174	103	109	-0.73 9 92	0.01 10 101	-0.35 94	-0.58 5 92	1.50 5 111	0.18 8 104	0.80 32 99		-2.01 10 107		0	
89	1805 23 0199 99158461	2.79	1805 21 0093 1805 21 0210	103	107	-0.79 6 91	0.01 5 101	-0.39 94	-0.62 5 92	1.70 5 111	-3.51 41 104		1.99 10 96		1		
90	1805 22 0091 97539092	2.87	1805 21 0093 1805 20 0080	103	107	-0.79 6 91	0.01 5 101	-0.39 94	-0.62 5 92	1.70 5 111	-4.41 30 105		2.83 11 94		1		

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents	Selection Indices		EBV - Weights				EBV - Fertility					
Animal ID Computer nr	% In-breeding	Sire ID Dam ID	Logix Merit Index	Repro- duction Index	Dir EBV Acc	Weaning Weight Mat EBV Index	Comb EBV Index	Post-Wean EBV Acc	Number Weaned EBV Acc	TWW EBV Acc	AFL EBV Acc	ILP EBV Acc	EPI EBV Acc	Times Lambd
Active Breed Average:			100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15		
91 1805 22 0022 94243045	2.87	1658 20 0301 1805 20 0200	103	108	-0.74 5 91	0.01 5 101	-0.36 94	-0.56 5 92	1.70 5 111		0.92 31 99	-0.62 12 104		1
92 1805 23 0225 99158602	2.81	1658 20 0301 1805 21 0128	103	107	-0.86 7 90	-0.06 5 99	-0.49 92	-0.69 5 91	1.70 5 111	0.10 5 103	-6.97 46 109	3.00 14 94		1
93 1805 22 0021 94243037	2.87	1658 20 0301 1805 20 0200	103	107	-0.74 5 91	0.01 5 101	-0.36 94	-0.56 5 92	1.70 5 111		2.04 42 97	-1.05 19 105		3
94 1805 23 0192 99158453	2.88	1805 21 0093 1805 20 0033	102	106	-0.79 6 91	0.01 5 101	-0.39 94	-0.62 5 92	1.70 5 111		-3.28 41 104	2.64 13 95		1
95 1805 22 0053 97535173	2.91	1805 21 0093 1805 17 0009	102	106	-0.79 6 91	0.01 5 101	-0.39 94	-0.62 5 92	1.70 5 111		-4.77 29 106	3.76 16 92		2
96 1805 23 0249 99158669	2.88	1658 20 0301 1805 19 0046	102	107	-0.74 5 91	0.01 5 101	-0.36 94	-0.56 5 92	1.70 5 111		2.42 43 97	-1.08 11 105		1
97 776 23 0147 110800414	10.10	776 21 0603 776 21 0052	102	104	-0.49 31 94	-0.24 26 95	-0.48 92	-0.06 14 95	1.40 8 110	0.12 24 103	-2.40 45 103	0.57 20 100		1
98 776 23 0146 110800422	10.10	776 21 0603 776 21 0052	102	104	-0.49 31 94	-0.24 26 95	-0.48 92	-0.06 14 95	1.40 8 110	0.12 24 103	-2.40 45 103	0.57 20 100		1
99 1805 23 0301 99158677	2.81	1658 20 0301 1805 21 0094	102	106	-0.86 7 90	-0.06 5 99	-0.49 92	-0.69 5 91	1.70 5 111	0.10 5 103	-6.52 48 108	3.36 14 93		2
100 1805 23 0208 99158529	15.00	1805 21 0093 1805 21 0197	102	105	-0.90 9 90	-0.06 5 99	-0.52 91	-0.75 5 91	1.70 5 111	0.05 6 103	-9.47 48 112	5.25 13 87		1
101 1805 23 0201 99158487	2.87	1658 20 0301 1805 20 0031	102	107	-0.74 5 91	0.01 5 101	-0.36 94	-0.56 5 92	1.70 5 111		4.00 44 95	-1.60 11 106		1
102 1805 23 0212 99158560	2.87	1805 21 0093 1805 20 0255	102	106	-0.79 6 91	0.01 5 101	-0.39 94	-0.62 5 92	1.70 5 111		0.03 44 100	0.83 10 100		1
103 1658 23 0193 98407653	2.70	1658 22 0133 1658 22 0021	102	103	-0.46 21 95	-0.18 13 96	-0.41 93	-0.30 5 94	1.30 5 110	0.14 14 103	-1.68 49 102	1.12 19 99		1
104 1805 23 0154 97333538	2.88	1658 20 0301 1805 19 0046	102	107	-0.74 5 91	0.01 5 101	-0.36 94	-0.56 5 92	1.70 5 111		4.98 44 93	-1.92 11 107		1
105 1805 23 0158 97333546	2.87	1658 20 0301 1805 20 0023	102	107	-0.74 5 91	0.01 5 101	-0.36 94	-0.56 5 92	1.70 5 111		6.32 39 92	-2.94 12 110		1

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents	Selection Indices		EBV - Weights				EBV - Fertility						
Animal ID Computer nr	% In-breeding	Sire ID Dam ID	Logix Merit Index	Repro- duction Index	Weaning Weight		Comb	Post-Wean	Number Weaned	TWW	AFL	ILP	EPI	Times Lambed	
					Dir	Mat									EBV
Active Breed Average:					100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15	
106	1805 21 0128 92855063	2.90	1658 19 0175 1805 19 0069	102	106	-0.90	-0.06	-0.52	-0.75	1.70	0.05	-4.50	2.41		4
						12 90	6 99	91	5 91	5 111	7 103	40 106	18 95		
107	1805 25 1240 111676177	2.59	1889 23 0046 1889 22 0018	102	103	-0.65	-0.36	-0.68	-0.01	1.60	-0.04	-3.63	1.31		0
						35 93	27 92	89	8 96	6 111	25 102	33 104	18 98		
108	1889 25 0054 109989293	2.59	1889 23 0046 1889 22 0018	102	103	-0.65	-0.36	-0.68	-0.01	1.60	-0.04	-3.63	1.31		0
						35 93	27 92	89	8 96	6 111	25 102	33 104	18 98		
109	1889 25 0053 109989285	2.59	1889 23 0046 1889 22 0018	102	103	-0.65	-0.36	-0.68	-0.01	1.60	-0.04	-3.63	1.31		0
						35 93	27 92	89	8 96	6 111	25 102	33 104	18 98		
110	1805 21 0197 94999349	2.92	1658 19 0175 1805 17 0023	102	106	-0.90	-0.06	-0.52	-0.75	1.70	0.05	-5.71	3.41		5
						12 90	6 99	91	5 91	5 111	7 103	49 107	17 93		
111	1805 25 1239 111676169	2.59	1889 23 0046 1889 22 0018	102	103	-0.65	-0.36	-0.68	-0.01	1.60	-0.04	-3.63	1.31		0
						35 93	27 92	89	8 96	6 111	25 102	33 104	18 98		
112	1805 23 0247 99158651	2.88	1658 20 0301 1805 19 0046	102	107	-0.74	0.01	-0.36	-0.56	1.70		6.16	-2.31		1
						5 91	5 101	94	5 92	5 111		41 92	11 108		
113	1805 21 0032 91975680	2.80	1658 19 0175 1805 18 0150	102	105	-0.90	-0.06	-0.52	-0.75	1.70	0.05	-5.03	3.26		3
						12 90	6 99	91	5 91	5 111	7 103	49 106	23 93		
114	1351 21 0050 94175973	2.90	1658 19 0025 1351 16 0018	102	109	-0.93	0.08	-0.39	-0.81	1.60	0.11	6.33	-4.29		0
						19 89	10 103	94	5 90	5 111	11 103	39 92	20 114		
115	1802 22 0107 97539126	15.00	1805 21 0093 1805 21 0128	102	105	-0.90	-0.06	-0.52	-0.75	1.70	0.05	-5.87	3.76		0
						9 90	5 99	91	5 91	5 111	6 103	35 107	13 92		
116	1805 23 0215 99158586	2.79	1658 20 0301 1805 21 0032	102	106	-0.86	-0.06	-0.49	-0.69	1.70	0.10	-1.93	1.69		2
						7 90	5 99	92	5 91	5 111	5 103	48 102	16 97		
117	1805 23 0302 99158750	2.87	1805 21 0093 1805 20 0014	102	106	-0.79	0.01	-0.39	-0.62	1.70		3.14	-0.20		1
						6 91	5 101	94	5 92	5 111		42 96	10 102		
118	1805 23 0229 99158636	2.81	1658 20 0301 1805 21 0208	102	105	-0.86	-0.06	-0.49	-0.69	1.70	0.10	-3.37	2.98		1
						7 90	5 99	92	5 91	5 111	5 103	46 104	16 94		
119	1805 23 0205 99158495	14.98	1805 21 0093 1805 21 0121	101	105	-0.90	-0.06	-0.52	-0.75	1.70	0.05	-5.18	3.84		1
						9 90	5 99	91	5 91	5 111	6 103	47 106	13 91		
120	1805 22 0009 97542542	2.87	1658 19 0175 1805 20 0012	101	105	-0.90	-0.06	-0.52	-0.75	1.70	0.05	-4.01	2.85		0
						12 90	6 99	91	5 91	5 111	7 103	35 105	17 94		

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents	Selection Indices		EBV - Weights				EBV - Fertility				
Animal ID Computer nr	% In-breeding	Sire ID Dam ID	Logix Merit Index	Repro- duction Index	Dir EBV Acc	Weaning Weight Mat EBV Index	Comb EBV Index	Post-Wean EBV Acc	Number Weaned EBV Acc	TWW EBV Acc	AFL EBV Acc	ILP EBV Acc	EPI Phenotype
Active Breed Average:			100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15	
121 1805 22 0048 94243094	2.87	1658 19 0175 1805 20 0118	101	105	-0.90 12 90	-0.06 6 99	-0.52 91	-0.75 5 91	1.70 5 111	0.05 7 103	-4.10 34 105	2.88 17 94	0
122 1805 21 0026 91975474	2.90	1658 19 0175 1805 19 0028	101	106	-0.90 12 90	-0.06 6 99	-0.52 91	-0.75 5 91	1.70 5 111	0.05 7 103	-1.34 45 102	0.96 24 99	3
123 1805 23 0303 99158693	14.98	1805 21 0093 1805 21 0104	101	105	-0.90 9 90	-0.06 5 99	-0.52 91	-0.75 5 91	1.70 5 111	0.05 6 103	-5.45 45 107	3.93 13 91	1
124 1805 23 0206 99158503	14.98	1805 21 0093 1805 21 0121	101	105	-0.90 9 90	-0.06 5 99	-0.52 91	-0.75 5 91	1.70 5 111	0.05 6 103	-4.78 47 106	3.71 13 92	1
125 1805 21 0208 94999372	2.92	1658 19 0175 1805 17 0051	101	104	-0.90 12 90	-0.06 6 99	-0.52 91	-0.75 5 91	1.70 5 111	0.05 7 103	-7.20 46 109	5.61 23 86	2
126 1351 21 0051 94175981	2.90	1658 19 0025 1351 16 0018	101	108	-0.93 19 89	0.08 10 103	-0.39 94	-0.81 5 90	1.60 5 111	0.11 11 103	5.38 39 93	-2.64 25 109	2
127 1509 23 0165 100858190	3.32	1509 20 0066 1509 21 0101	101	105	-0.17 15 98	0.04 13 102	-0.05 100	0.16 8 97	-0.40 8 102	-0.37 13 100	-0.19 46 100	-2.32 18 108	1
128 1805 23 0310 99158735	15.00	1805 21 0093 1805 21 0026	101	105	-0.90 9 90	-0.06 5 99	-0.52 91	-0.75 5 91	1.70 5 111	0.05 6 103	-4.80 40 106	3.92 22 91	2
129 1805 21 0117 92854942	2.92	1658 19 0175 1805 17 0038	101	105	-0.90 12 90	-0.06 6 99	-0.52 91	-0.75 5 91	1.70 5 111	0.05 7 103	-3.41 37 104	3.11 21 93	3
130 1805 21 0092 92854900	2.87	1658 19 0175 1805 20 0080	101	104	-0.90 12 90	-0.06 6 99	-0.52 91	-0.75 5 91	1.70 5 111	0.05 7 103	-5.88 46 107	5.08 23 88	2
131 1805 23 0209 99158537	15.00	1805 21 0093 1805 21 0197	101	105	-0.90 9 90	-0.06 5 99	-0.52 91	-0.75 5 91	1.70 5 111	0.05 6 103	-2.74 48 103	3.04 13 94	1
132 1805 23 0224 99158594	2.81	1658 20 0301 1805 21 0128	101	105	-0.86 7 90	-0.06 5 99	-0.49 92	-0.69 5 91	1.70 5 111	0.10 5 103	2.08 46 97	0.03 14 102	1
133 1509 23 0184 100925916	2.86	1509 21 0117 1509 17 0250	101	103	-0.25 13 97	0.11 13 104	-0.02 100	0.17 7 97	0.20 7 104	-0.02 12 102	3.30 39 96	0.10 11 102	2
134 1509 23 0221 100858315	2.86	1509 21 0117 1509 17 0099	101	104	-0.25 13 97	0.11 13 104	-0.02 100	0.17 7 97	0.20 7 104	-0.02 12 102	5.54 41 93	-1.21 11 105	1
135 1509 23 0254 101075653	2.68	1509 21 0117 1509 21 0112	101	101	-0.29 14 96	0.06 13 102	-0.09 99	0.13 7 97	0.20 7 104	-0.11 12 102	-3.89 40 105	4.81 14 89	1

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents	Selection Indices		EBV - Weights				EBV - Fertility					
Animal ID Computer nr	% In-breeding	Sire ID Dam ID	Logix Merit Index	Repro- duction Index	Weaning Weight		Comb	Post-Wean	Number Weaned	TWW	AFL	ILP	EPI	Times Lambd
					Dir EBV Acc Index	Mat EBV Acc Index								
Active Breed Average:			100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15		
136	1509 23 0271 101075612	2.64	1509 21 0117 1509 20 0158	101	101	-0.33 15 96	0.01 14 101	-0.16 98	0.08 7 96	0.20 7 104	-0.20 13 101	-4.26 43 105	4.19 21 90	2
137	1805 23 0174 97333561	2.81	1658 20 0301 1805 21 0114	100	105	-0.86 7 90	-0.06 5 99	-0.49 92	-0.69 5 91	1.70 5 111	0.10 5 103	4.16 47 95	-0.35 14 103	1
138	1658 23 0296 98408271	2.76	1658 21 0279 1658 22 0173	100	103	-0.53 18 94	-0.05 12 99	-0.32 95	-0.14 7 95	0.30 7 105	-0.41 13 100	-3.99 44 105	1.26 14 98	1
139	1658 23 0171 98407893	2.54	1658 22 0133 1658 22 0066	100	102	-0.49 21 94	-0.18 13 96	-0.42 93	-0.34 5 93	1.30 5 110	0.11 14 103	4.61 50 94	-0.49 17 103	1
140	1509 23 0185 100858216	2.80	1509 21 0117 1509 18 0139	100	103	-0.25 13 97	0.11 13 104	-0.02 100	0.17 7 97	0.20 7 104	-0.02 12 102	6.73 39 91	-1.38 10 106	1
141	1509 23 0198 101075810	2.97	1509 21 0117 1509 20 0080	100	103	-0.14 16 98	0.08 15 103	0.01 101	0.18 8 97	-0.40 8 102	-0.30 14 101	3.54 46 95	-2.05 16 108	1
142	1805 23 0130 97333488	8.77	1805 21 0093 1563 18 0079	100	104	-1.13 13 87	-0.25 11 95	-0.81 86	-0.98 5 89	1.70 5 111	-0.35 10 101	-10.60 43 113	5.16 18 88	1
143	1805 21 0184 94999307	2.92	1658 19 0175 1805 17 0012	100	103	-0.90 12 90	-0.06 6 99	-0.52 91	-0.75 5 91	1.70 5 111	0.05 7 103	-2.16 44 103	4.88 23 88	2
144	1658 23 0206 98271372	4.16	1658 21 0279 1658 21 0376	100	102	-0.46 24 95	-0.11 13 98	-0.34 94	-0.02 7 96	0.30 7 105	-0.39 16 100	-0.54 42 100	-0.08 15 102	0
145	1658 23 0248 98407950	5.75	1658 22 0133 1658 22 0089	100	100	-0.56 22 93	-0.24 13 95	-0.53 91	-0.40 5 93	1.30 5 110	-0.03 14 102	-0.83 49 101	3.07 19 93	1
146	1509 23 0245 101075711	2.77	1509 21 0117 1658 20 0080	100	101	-0.39 14 95	-0.03 14 100	-0.22 97	0.04 7 96	0.20 7 104	-0.30 12 101	-0.72 44 101	2.34 13 95	1
147	1658 23 0202 98271075	2.89	1658 21 0279 1658 21 0170	100	103	-0.47 18 94	-0.07 12 99	-0.30 95	-0.13 7 95	-0.10 7 103	-0.60 13 99	-3.79 50 105	0.85 16 100	1
148	1658 23 0284 98275837	2.80	1658 21 0279 1658 18 0175	99	102	-0.53 18 94	-0.05 11 100	-0.32 95	-0.13 7 95	0.30 7 105	-0.40 13 100	-1.77 38 102	2.05 12 96	0
149	1658 23 0205 98271331	5.73	1658 21 0279 1658 21 0227	99	101	-0.61 19 93	-0.15 13 97	-0.46 93	-0.22 7 94	0.30 7 105	-0.58 14 99	-6.79 44 108	4.23 19 90	0
150	1658 23 0217 98271257	2.98	1658 21 0279 1658 21 0014	99	102	-0.47 18 94	-0.07 12 99	-0.30 95	-0.13 7 95	-0.10 7 103	-0.60 13 99	-0.38 44 100	-0.36 16 103	0

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents	Selection Indices		EBV - Weights				EBV - Fertility				
Animal ID Computer nr	% In-breeding	Sire ID Dam ID	Logix Merit Index	Repro- duction Index	Dir EBV Acc	Weaning Weight Mat EBV Index	Comb EBV Index	Post-Wean EBV Acc	Number Weaned EBV Acc	TWW EBV Acc	AFL EBV Acc	ILP EBV Acc	EPI Phenotype
Active Breed Average:			100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15	
151 1658 23 0276 98275670	5.68	1658 21 0279 1658 20 0146	98	100	-0.61 19 93	-0.15 13 97	-0.46 93	-0.22 7 94	0.30 7 105	-0.58 14 99	-1.69 50 102	2.70 19 94	1
152 1563 18 0079 90597006	2.25	770 15 0189 770 14 0132	98	102	-1.35 23 85	-0.43 22 90	-1.11 81	-1.21 5 88	1.80 5 112	-0.70 18 99	-6.56 42 108	2.77 30 94	5
153 1658 23 0261 98275431	8.29	1658 21 0279 1658 21 0196	98	97	-0.73 20 92	-0.23 14 95	-0.60 90	-0.35 7 93	0.30 7 105	-0.78 15 98	-11.38 50 114	8.53 20 78	1
154 1658 23 0260 98275415	8.29	1658 21 0279 1658 21 0196	97	97	-0.73 20 92	-0.23 14 95	-0.60 90	-0.35 7 93	0.30 7 105	-0.78 15 98	-8.63 45 111	7.62 20 81	0
155 1658 23 0231 98273592	8.32	1658 21 0279 1658 22 0034	97	98	-0.69 18 92	-0.17 12 97	-0.52 91	-0.31 7 94	0.30 7 105	-0.69 13 99	-1.50 50 102	4.02 15 91	1
156 1658 23 0258 98275019	8.68	1658 21 0279 1658 22 0095	97	98	-0.67 18 92	-0.18 12 96	-0.51 92	-0.31 7 94	0.10 7 104	-0.79 13 98	-2.85 46 103	4.28 18 90	0
157 1889 22 0018 96456215	2.61	970 18 0010 1889 16 0033	97	102	-1.50 40 83	-0.37 42 92	-1.12 81	-1.15 12 88	2.00 11 113	-0.67 34 99	-0.45 51 100	1.49 31 98	96 4
158 1805 25 0156 112278296	2.25	762 22 0519 1805 22 0090	95	92	-0.12 30 98	-0.11 27 98	-0.17 97	0.44 16 99	-1.10 16 98	-0.89 26 97	1.81 34 98	5.71 23 86	0
159 1805 25 0119 112278130	2.56	762 22 0519 1509 23 0156	94	90	-0.07 28 99	-0.29 25 94	-0.32 95	0.44 14 99	-1.40 15 97	-1.20 24 96	-0.68 34 101	5.83 21 86	0
160 1805 25 0058 109699454	2.55	762 22 0519 1805 23 0172	94	91	-0.08 28 99	-0.26 25 94	-0.30 95	0.40 14 98	-1.50 15 96	-1.24 24 95	2.28 33 97	3.17 21 93	0
161 1805 25 0030 109724690	2.55	762 22 0519 1805 23 0172	94	91	-0.08 28 99	-0.26 25 94	-0.30 95	0.40 14 98	-1.50 15 96	-1.24 24 95	2.28 33 97	3.17 21 93	0
162 1805 25 0066 109699462	4.05	762 22 0519 1805 23 0167	93	89	0.31 35 103	-0.33 27 93	-0.17 97	0.77 15 101	-1.80 16 95	-1.10 28 96	7.92 36 90	1.75 24 97	0
163 1509 24 0128 107886921	3.85	762 22 0519 1509 21 0029	93	87	0.27 35 103	-0.37 28 91	-0.24 96	0.73 15 100	-1.80 16 95	-1.19 28 96	3.12 34 96	4.69 24 89	0
164 1805 25 0226 112278544	2.86	762 22 0519 1805 20 0251	93	91	-0.10 28 99	-0.25 25 95	-0.30 95	0.38 14 98	-1.40 15 97	-1.19 24 96	5.70 28 93	2.96 20 94	0
165 1805 25 0189 112278411	2.63	762 22 0519 1805 24 0037	93	90	-0.09 28 99	-0.26 25 94	-0.30 95	0.38 14 98	-1.50 15 96	-1.25 24 95	3.68 32 95	3.77 20 92	0

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents	Selection Indices		EBV - Weights				EBV - Fertility									
Animal ID Computer nr	% In-breeding	Sire ID Dam ID	Logix Merit Index	Reproduction Index	Weaning Weight		Comb	Post-Wean	Number Weaned	TWW		AFL		ILP		EPI	Times Lamberd	
					Dir	Mat				EBV	EBV	EBV	EBV	EBV	EBV			EBV
Active Breed Average:					100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15				
166	1805 25 0164 112278312	2.90	762 22 0519 1805 19 0030	93	89	-0.11 28	-0.26 99 25	-0.32 95	0.37 14	0.37 98	-1.40 15	-1.21 97 24	2.76 96 27	5.31 87 20			0	
167	1805 25 0034 109699389	2.56	762 22 0519 1805 21 0116	93	88	-0.24 30	-0.35 97 27	-0.46 92	0.24 14	0.24 97	-1.40 15	-1.42 97 25	-6.20 35 108	9.18 77 21			0	
168	1805 25 0212 112278494	2.63	762 22 0519 1805 24 0034	93	90	-0.09 28	-0.26 99 25	-0.30 95	0.38 14	0.38 98	-1.50 15	-1.25 96 24	4.55 94 32	3.49 92 20			0	
169	1805 25 0165 112278320	2.90	762 22 0519 1805 19 0030	93	89	-0.11 28	-0.26 99 25	-0.32 95	0.37 14	0.37 98	-1.40 15	-1.21 97 24	2.76 96 27	5.31 87 20			0	
170	1805 25 0134 112278205	5.39	762 22 0519 1797 20 0369	93	89	0.00 34	-0.23 100 29	-0.23 96	0.56 15	0.56 99	-1.60 17	-1.19 96 28	6.65 91 29	3.41 93 21			0	
171	1805 25 0140 112629480	3.50	762 22 0519 1509 23 0168	93	91	-0.05 28	-0.27 99 25	-0.29 95	0.39 14	0.39 98	-1.70 15	-1.34 95 24	6.02 92 31	1.78 97 22			0	
172	1805 25 0041 109699397	2.87	762 22 0519 1805 20 0201	93	90	-0.11 28	-0.26 99 25	-0.32 95	0.37 14	0.37 98	-1.40 15	-1.21 97 24	5.47 93 27	3.54 92 20			0	
173	1805 25 0141 112629498	3.50	762 22 0519 1509 23 0168	93	91	-0.05 28	-0.27 99 25	-0.29 95	0.39 14	0.39 98	-1.70 15	-1.34 95 24	6.02 92 31	1.78 97 22			0	
174	1805 25 0052 109699421	2.79	762 22 0519 1805 21 0393	93	90	-0.11 28	-0.26 99 25	-0.32 95	0.37 14	0.37 98	-1.40 15	-1.21 97 24	5.12 93 26	3.94 91 20			0	
175	1805 25 0053 109699439	2.79	762 22 0519 1805 21 0393	93	90	-0.11 28	-0.26 99 25	-0.32 95	0.37 14	0.37 98	-1.40 15	-1.21 97 24	5.12 93 26	3.94 91 20			0	
176	1805 25 0196 112278437	2.87	762 22 0519 1805 20 0252	92	89	-0.11 28	-0.26 99 25	-0.32 95	0.37 14	0.37 98	-1.40 15	-1.21 97 24	4.96 94 26	4.21 90 19			0	
177	1805 25 0143 112278221	2.80	762 22 0519 1351 18 0014	92	89	-0.11 28	-0.26 99 25	-0.32 95	0.37 14	0.37 98	-1.40 15	-1.21 97 24	4.96 94 26	4.21 90 19			0	
178	1805 25 0136 112278213	2.79	762 22 0519 1805 21 0057	92	89	-0.11 28	-0.26 99 25	-0.32 95	0.37 14	0.37 98	-1.40 15	-1.21 97 24	4.96 94 26	4.21 90 19			0	
179	1805 25 0055 109699447	2.80	762 22 0519 1805 18 0039	92	89	-0.11 28	-0.26 99 25	-0.32 95	0.37 14	0.37 98	-1.40 15	-1.21 97 24	4.96 94 26	4.21 90 19			0	
180	1805 25 0074 109699488	2.87	762 22 0519 1805 20 0080	92	89	-0.11 28	-0.26 99 25	-0.32 95	0.37 14	0.37 98	-1.40 15	-1.21 97 24	4.37 94 28	4.95 88 20			0	

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents	Selection Indices		EBV - Weights				EBV - Fertility								
Animal ID Computer nr	% In-breeding	Sire ID Dam ID	Logix Merit Index	Repro- duction Index	Weaning Weight		Comb	Post-Wean	Number Weaned	TWW	AFL	ILP	EPI	Times Lambd			
					Dir	Mat									EBV	EBV	EBV
Active Breed Average:			100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15					
181	1805 25 0223 112278536	2.72	762 22 0519 1805 23 0213	92	89	-0.17 28	-0.30 98	-0.38 25	0.31 93	-0.38 94	0.31 14	-1.40 15	-1.30 24	0.28 99	6.70 20	83	0
182	1805 25 0116 112278122	2.72	762 22 0519 1805 23 0213	92	89	-0.17 28	-0.30 98	-0.38 25	0.31 93	-0.38 94	0.31 14	-1.40 15	-1.30 24	0.28 99	6.70 20	83	0
183	1805 25 0155 112278288	2.48	762 22 0519 1805 24 0107	92	89	-0.15 28	-0.29 98	-0.37 25	0.31 93	-0.37 94	0.31 14	-1.50 15	-1.34 24	2.11 97	5.14 21	88	0
184	1805 25 0102 109699629	2.80	762 22 0519 1805 22 0003	92	89	-0.16 29	-0.31 98	-0.39 27	0.34 93	-0.39 94	0.34 14	-1.40 15	-1.30 25	2.23 97	5.50 20	87	0
185	1805 25 0145 112278239	2.82	762 22 0519 1805 23 0228	92	88	-0.15 28	-0.29 98	-0.37 25	0.34 93	-0.37 94	0.34 14	-1.40 15	-1.28 24	2.04 97	6.12 22	85	0
186	1805 25 0219 112278510	3.29	762 22 0519 1509 23 0240	92	88	0.11 30	-0.32 101	-0.27 26	0.56 93	-0.27 96	0.56 14	-1.80 15	-1.30 25	5.32 93	3.80 21	91	0
187	1805 25 0127 112278171	2.46	762 22 0519 1805 23 0178	92	89	-0.15 28	-0.29 98	-0.37 25	0.31 93	-0.37 94	0.31 14	-1.50 15	-1.34 24	3.25 96	4.48 22	90	0
188	1805 25 0130 112278189	2.72	762 22 0519 1805 23 0210	92	89	-0.17 28	-0.30 98	-0.38 25	0.31 93	-0.38 94	0.31 14	-1.40 15	-1.30 24	1.71 98	6.23 20	85	0
189	1805 25 0126 112278163	2.46	762 22 0519 1805 23 0178	92	89	-0.15 28	-0.29 98	-0.37 25	0.31 93	-0.37 94	0.31 14	-1.50 15	-1.34 24	3.25 96	4.48 22	90	0
190	1805 25 0061 109699520	2.65	762 22 0519 1805 23 0134	92	88	-0.21 28	-0.34 97	-0.44 25	0.27 92	-0.44 93	0.27 14	-1.40 15	-1.38 24	-0.54 35	7.06 21	82	0
191	1805 25 0215 112278502	2.48	762 22 0519 1805 24 0063	92	89	-0.15 28	-0.29 98	-0.37 25	0.31 93	-0.37 94	0.31 14	-1.50 15	-1.34 24	4.18 95	4.01 21	91	0
192	1805 25 0172 112278346	3.87	762 22 0519 1509 23 0252	92	86	0.10 29	-0.25 101	-0.20 26	0.70 95	-0.20 97	0.70 15	-2.10 16	-1.40 25	-0.51 33	8.18 22	79	0
193	1805 25 0009 109699314	2.80	762 22 0519 1805 22 0038	92	89	-0.15 28	-0.29 98	-0.37 25	0.34 93	-0.37 94	0.34 14	-1.40 15	-1.28 24	6.87 91	3.11 22	93	0
194	1805 25 0187 112278403	2.46	762 22 0519 1805 24 0029	92	89	-0.15 28	-0.29 98	-0.37 25	0.31 93	-0.37 94	0.31 14	-1.50 15	-1.34 24	2.70 96	5.21 21	88	0
195	1805 25 0080 109699538	2.65	762 22 0519 1805 23 0133	92	88	-0.21 28	-0.34 97	-0.44 25	0.27 92	-0.44 93	0.27 14	-1.40 15	-1.38 24	-0.30 35	6.98 21	83	0

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents	Selection Indices		EBV - Weights				EBV - Fertility				
Animal ID Computer nr	% In-breeding	Sire ID Dam ID	Logix Merit Index	Repro- duction Index	Weaning Weight		Post-Wean		Number Weaned	TWW	AFL	ILP	EPI Times Lambd
					Dir EBV Acc Index	Mat EBV Acc Index	Comb EBV Acc Index	EBV Acc Index	Acc Index	Acc Index	Acc Index	Acc Index	Phenotype
Active Breed Average:			100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15	
196 1805 25 0174 112278353	3.54	762 22 0519 1509 23 0292	92	89	-0.01 28 100	-0.30 25 93	-0.30 95	0.41 14 98	-1.90 15 94	-1.45 24 94	4.33 29 94	3.33 21 93	0
197 1805 25 0221 112278528	2.49	762 22 0519 1805 24 0024	92	89	-0.15 28 98	-0.29 25 93	-0.37 94	0.31 14 98	-1.50 15 96	-1.34 24 95	4.33 33 94	4.32 21 90	0
198 1805 25 0193 112278429	2.48	762 22 0519 1805 24 0106	92	89	-0.15 28 98	-0.29 25 93	-0.37 94	0.31 14 98	-1.50 15 96	-1.34 24 95	4.51 32 94	4.35 21 90	0
199 1805 25 0019 109699348	2.80	762 22 0519 1805 22 0022	92	89	-0.15 28 98	-0.29 25 93	-0.37 94	0.34 14 98	-1.40 15 97	-1.28 24 95	5.61 30 93	4.37 20 90	0
200 1805 25 0091 109699561	2.72	762 22 0519 1805 22 0091	92	88	-0.17 28 98	-0.30 25 93	-0.38 94	0.31 14 98	-1.40 15 97	-1.30 24 95	2.95 30 96	6.09 20 85	0
201 1805 25 0020 109699355	2.80	762 22 0519 1805 22 0022	92	89	-0.15 28 98	-0.29 25 93	-0.37 94	0.34 14 98	-1.40 15 97	-1.28 24 95	5.61 30 93	4.37 20 90	0
202 1805 25 0082 109699504	2.82	762 22 0519 1805 23 0249	92	88	-0.15 28 98	-0.29 25 93	-0.37 94	0.34 14 98	-1.40 15 97	-1.28 24 95	6.36 34 92	4.14 20 91	0
203 1805 25 0086 109699512	2.75	762 22 0519 1805 22 0053	92	88	-0.17 28 98	-0.30 25 93	-0.38 94	0.31 14 98	-1.40 15 97	-1.30 24 95	2.76 30 96	6.56 21 84	0
204 1805 25 0093 109699579	2.72	762 22 0519 1805 23 0192	92	88	-0.17 28 98	-0.30 25 93	-0.38 94	0.31 14 98	-1.40 15 97	-1.30 24 95	3.51 33 95	6.00 20 85	0
205 1805 25 0124 112278155	2.80	762 22 0519 1805 22 0021	92	89	-0.15 28 98	-0.29 25 93	-0.37 94	0.34 14 98	-1.40 15 97	-1.28 24 95	6.17 33 92	4.15 22 90	0
206 1805 25 0123 112278148	2.80	762 22 0519 1805 22 0021	92	89	-0.15 28 98	-0.29 25 93	-0.37 94	0.34 14 98	-1.40 15 97	-1.28 24 95	6.17 33 92	4.15 22 90	0
207 1805 25 0198 112278445	2.80	762 22 0519 1805 23 0201	92	88	-0.15 28 98	-0.29 25 93	-0.37 94	0.34 14 98	-1.40 15 97	-1.28 24 95	7.15 34 91	3.88 20 91	0
208 1805 25 0133 112278197	2.58	762 22 0519 1805 23 0208	92	88	-0.23 28 97	-0.33 25 93	-0.44 93	0.24 14 97	-1.40 15 97	-1.40 24 94	0.42 35 99	7.30 21 82	0
209 1805 25 0204 112278460	2.66	762 22 0519 1805 23 0301	92	88	-0.20 28 97	-0.33 25 93	-0.43 93	0.28 14 97	-1.40 15 97	-1.37 24 95	1.89 35 97	6.36 21 84	0
210 1805 25 0207 112278478	2.72	762 22 0519 1805 23 0212	91	88	-0.17 28 98	-0.30 25 93	-0.38 94	0.31 14 98	-1.40 15 97	-1.30 24 95	5.17 34 93	5.09 20 88	0

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents	Selection Indices		EBV - Weights				EBV - Fertility				
Animal ID Computer nr	% In-breeding	Sire ID Dam ID	Logix Merit Index	Repro- duction Index	Dir EBV Acc	Weaning Weight Mat EBV Acc	Comb EBV Acc	Post-Wean EBV Acc	Number Weaned EBV Acc	TWW EBV Acc	AFL EBV Acc	ILP EBV Acc	EPI Phenotype
Active Breed Average:			100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15	
211 1805 25 0180 112278379	2.80	762 22 0519 1805 23 0158	91	88	-0.15 28 98	-0.29 25 93	-0.37 94	0.34 14 98	-1.40 15 97	-1.28 24 95	8.31 33 89	3.21 20 93	0
212 1805 25 0181 112278387	2.80	762 22 0519 1805 23 0158	91	88	-0.15 28 98	-0.29 25 93	-0.37 94	0.34 14 98	-1.40 15 97	-1.28 24 95	8.31 33 89	3.21 20 93	0
213 1805 25 0025 109699363	2.58	762 22 0519 1805 21 0128	91	88	-0.23 29 97	-0.33 25 93	-0.44 93	0.24 14 97	-1.40 15 97	-1.40 24 94	2.90 33 96	5.88 21 86	0
214 1805 25 0110 109699652	2.59	762 22 0519 1805 21 0197	91	88	-0.23 29 97	-0.33 25 93	-0.44 93	0.24 14 97	-1.40 15 97	-1.40 24 94	2.29 36 97	6.38 21 84	0
215 1805 25 0148 112278254	3.21	762 22 0519 1658 23 0193	91	86	0.00 30 100	-0.39 26 91	-0.39 94	0.47 14 99	-1.60 15 96	-1.35 25 95	4.31 36 94	5.24 22 87	0
216 1805 25 0045 109699405	2.59	762 22 0519 1805 21 0028	91	88	-0.23 29 97	-0.33 25 93	-0.44 93	0.24 14 97	-1.40 15 97	-1.40 24 94	3.15 35 96	5.96 23 86	0
217 1805 25 0071 109699470	2.66	762 22 0519 1805 23 0229	91	87	-0.20 28 97	-0.33 25 93	-0.43 93	0.28 14 97	-1.40 15 97	-1.37 24 95	3.46 35 95	6.17 21 85	0
218 1805 25 0089 109699553	2.57	762 22 0519 1805 23 0206	91	87	-0.23 28 97	-0.33 25 93	-0.44 93	0.24 14 97	-1.40 15 97	-1.40 24 94	2.76 35 96	6.53 21 84	0
219 1805 25 0077 109699496	2.57	762 22 0519 1805 23 0205	91	87	-0.23 28 97	-0.33 25 93	-0.44 93	0.24 14 97	-1.40 15 97	-1.40 24 94	2.56 35 97	6.60 21 84	0
220 1805 25 0088 109699546	2.57	762 22 0519 1805 23 0206	91	87	-0.23 28 97	-0.33 25 93	-0.44 93	0.24 14 97	-1.40 15 97	-1.40 24 94	2.76 35 96	6.53 21 84	0
221 1805 25 0014 109699330	2.58	762 22 0519 1805 21 0026	91	88	-0.23 29 97	-0.33 25 93	-0.44 93	0.24 14 97	-1.40 15 97	-1.40 24 94	4.48 34 94	5.16 23 88	0
222 1805 25 0013 109699322	2.58	762 22 0519 1805 21 0026	91	88	-0.23 29 97	-0.33 25 93	-0.44 93	0.24 14 97	-1.40 15 97	-1.40 24 94	4.48 34 94	5.16 23 88	0
223 1805 25 0101 109699611	2.55	762 22 0519 1805 23 0303	91	87	-0.23 28 97	-0.33 25 93	-0.44 93	0.24 14 97	-1.40 15 97	-1.40 24 94	2.43 34 97	6.64 21 84	0
224 1805 25 0047 109699413	2.59	762 22 0519 1805 21 0208	91	87	-0.23 29 97	-0.33 25 93	-0.44 93	0.24 14 97	-1.40 15 97	-1.40 24 94	1.55 35 98	7.48 22 81	0
225 1805 25 0109 109699645	2.59	762 22 0519 1805 21 0117	91	87	-0.23 29 97	-0.33 25 93	-0.44 93	0.24 14 97	-1.40 15 97	-1.40 24 94	3.45 32 95	6.23 22 85	0

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents	Selection Indices		EBV - Weights				EBV - Fertility				
Animal ID Computer nr	% In-breeding	Sire ID Dam ID	Logix Merit Index	Repro- duction Index	Dir EBV Acc	Weaning Weight Mat EBV Acc	Comb EBV Acc	Post-Wean EBV Acc	Number Weaned EBV Acc	TWW EBV Acc	AFL EBV Acc	ILP EBV Acc	EPI Phenotype
Active Breed Average:			100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15	
226 1805 25 0108 109699637	2.59	762 22 0519 1805 21 0117	91	87	-0.23 29 97	-0.33 25 93	-0.44 93	0.24 14 97	-1.40 15 97	-1.40 24 94	3.45 32 95	6.23 22 85	0
227 1805 25 0004 109699280	2.56	762 22 0519 1805 21 0092	91	87	-0.23 29 97	-0.33 25 93	-0.44 93	0.24 14 97	-1.40 15 97	-1.40 24 94	2.21 35 97	7.22 22 82	0
228 1805 25 0192 112816632	2.58	762 22 0519 1805 23 0209	91	87	-0.23 28 97	-0.33 25 93	-0.44 93	0.24 14 97	-1.40 15 97	-1.40 24 94	3.78 35 95	6.20 21 85	0
229 1805 25 0006 109699298	2.56	762 22 0519 1805 21 0092	91	87	-0.23 29 97	-0.33 25 93	-0.44 93	0.24 14 97	-1.40 15 97	-1.40 24 94	2.21 35 97	7.22 22 82	0
230 1805 25 0007 109699306	2.56	762 22 0519 1805 21 0092	91	87	-0.23 29 97	-0.33 25 93	-0.44 93	0.24 14 97	-1.40 15 97	-1.40 24 94	2.21 35 97	7.22 22 82	0
231 1805 25 0230 112278551	3.92	762 22 0519 1509 23 0221	91	87	0.10 29 101	-0.25 26 95	-0.20 97	0.70 15 100	-2.10 16 94	-1.40 25 94	7.92 33 90	4.08 20 91	0
232 1805 25 0166 112278338	4.59	762 22 0519 1509 23 0165	91	87	0.14 29 101	-0.28 26 94	-0.21 97	0.70 15 100	-2.50 16 92	-1.64 25 93	5.05 35 93	3.52 21 92	0
233 1805 25 0202 112278452	2.66	762 22 0519 1805 23 0224	91	87	-0.20 28 97	-0.33 25 93	-0.43 93	0.28 14 97	-1.40 15 97	-1.37 24 95	6.19 35 92	4.70 21 89	0
234 1805 25 0150 112278262	3.70	762 22 0519 1509 23 0271	91	86	0.06 29 100	-0.29 26 93	-0.26 96	0.66 15 100	-2.10 16 94	-1.49 25 94	3.02 34 96	6.77 22 83	0
235 1805 25 0159 112278304	2.91	762 22 0519 1658 23 0171	91	86	-0.02 30 100	-0.39 26 91	-0.40 94	0.45 14 99	-1.60 15 96	-1.37 25 95	7.46 36 90	4.44 21 90	0
236 1805 25 0184 112278395	3.65	762 22 0519 1658 23 0296	91	87	-0.04 29 99	-0.33 26 93	-0.35 94	0.55 15 99	-2.10 16 94	-1.63 25 93	3.16 34 96	5.31 21 87	0
237 1805 25 0060 109724716	3.21	762 22 0519 1658 23 0248	90	85	-0.05 30 99	-0.42 26 90	-0.45 93	0.42 14 98	-1.60 15 96	-1.43 25 94	4.73 36 94	6.22 22 85	0
238 1805 25 0147 112278247	3.98	762 22 0519 1658 23 0202	90	86	-0.01 29 100	-0.33 26 92	-0.34 95	0.56 15 99	-2.30 16 93	-1.72 25 93	3.26 36 96	5.10 21 88	0
239 1805 25 0210 112278486	3.55	762 22 0519 1658 23 0276	89	85	-0.08 29 99	-0.37 26 91	-0.41 93	0.51 15 99	-2.10 16 94	-1.71 25 93	4.31 36 94	6.03 22 85	0
240 1805 25 0154 112278270	3.27	762 22 0519 1658 23 0261	89	83	-0.14 30 98	-0.42 26 90	-0.48 92	0.45 15 99	-2.10 16 94	-1.81 25 92	-0.54 36 101	8.94 22 77	0

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents	Selection Indices		EBV - Weights				EBV - Fertility								
Animal ID Computer nr	% In-breeding	Sire ID Dam ID	Logix Merit Index	Reproduction Index	Weaning Weight		Comb	Post-Wean		Number Weaned	TWW		AFL		ILP	EPI	Times Lambded
					Dir	Mat		Acc	Index		Acc	Index	Acc	Index			
					EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV
Active Breed Average:			100	100	-0.06	-0.02	-0.06	0.50		-0.36	-0.31	-0.30	0.15				
241 1805 25 0175 112278361	2.02	762 22 0519 1563 18 0079	89	86	-0.45 30 95	-0.52 27 88	-0.74 88	0.02 14 96		-1.40 15 97	-1.80 25 92	1.87 34 97	6.07 24 85				0
242 1805 25 0057 109724724	3.34	762 22 0519 1658 23 0231	89	84	-0.12 29 98	-0.39 26 91	-0.45 93	0.46 15 99		-2.10 16 94	-1.77 25 92	4.40 36 94	6.69 21 83				0