

KALAHARI RED GENETIC REPORT

04 September 2026



Kalahari Red Club

LERUO STUDS

FDM : 214



CERTIFICATE
OF QUALITY

Valid up to
October 2029

General Information

This **Genetic Report** of your flock enables you to determine the genetic merit and potential of the animals in your herd relative to that of the breed. An animal's performance is determined by two factors, namely the environment and genetics. Good nutrition and management can improve performance, but an animal cannot perform better than its genetic potential. Superior performance due to the environment cannot be carried over to the next generation. It is therefore extremely important not to neglect genetic progress of your flock. Due to the interaction between environment and genetics, it is difficult to identify genetically superior animals on performance data. Estimated Breeding Values (EBVs) are therefore predicted for every animal to determine its genetic potential, as well as its worth as a parent for the next generation. Through the use of EBVs, animals can be compared fairly **within the breed**, therefore across herds, years and production systems. Results presented in this report allow the breeder to identify the underlying genetics of the animals.

Genetic parameters

Genetic parameters (heritability and genetic correlations) are estimated on a breed-basis and are required for the prediction of breeding values. The **heritability** refers to the portion of the variation of a trait in a population that is due to transferrable genetics (the rest of the variation can be attributed to the environment and non-transferrable genetics). Some traits are genetically correlated, which means that a change in one trait will lead to changes in other traits. The strength of this association amongst traits is referred to as a **genetic correlations** and can be desirable or undesirable.

Breeding Values

The prediction of EBVs makes use of performance recordings of the animal as well as those of its relatives, pedigree information and genetic parameters. The deviation of the animal's measurement relative to the average of its contemporary group, forms the basis for identifying the animal's genetic potential for the trait. A **contemporary group** is a group of animals that have been exposed to the same environmental and biological effects, including herd, year, sex and age effects. After adjusting for differences in these effects, animals can fairly be compared and the difference in performance that still persist are then assumed to be due to differences in the genetic merit of the animals.

The EBV predicted for an animal at birth and until it has been measured, is the average EBV of its parents, since the animal received half of its genes from each parent. This mid-parent value makes the assumption that the same half of the parents' genes are carried over to all their offspring. In reality, each offspring receives a random sample of each parent's genes,

therefore mid-parent EBVs are still of low accuracy, but it does indicate the genetic level that can be expected due its parental history. An animal's true genetic merit can be predicted more accurately as more information becomes available, eg. when the animal has been measured or when the number of relatives with measurements increases. Estimated breeding values therefore change over time as more information becomes available. EBVs of animals are published with an **accuracy** (%), which indicates how much information was available for the estimation of breeding values and therefore the confidence with which a breeder can use it. Factors that influence the accuracy of an EBV are the heritability of the trait, the number of measured relatives, the size of the contemporary group, the precision with which the measurements were taken and the completeness of pedigree information. An EBV with an accuracy of 85% or more is less likely to change significantly with subsequent genetic analyses.

Interpretation of breeding values

EBVs are expressed around a **base year** (5 years ago), which means that the average breeding value of the base year is set as zero and all breeding values are expressed relative to this average. An animal with an EBV of +1kg for weaning weight is therefore genetically superior by 1kg compared to an average animal born in the base year. EBVs therefore express genetic merit of animals relative to each other. The true performance of an animal cannot be calculated from the EBV, but it enables the breeder to know which animals will make a better contribution to the next generation. For easier interpretation EBVs are also expressed as breeding value indices. For these indices the average value of the **active population** is set as 100 with a standard deviation of 12. An index of 76 therefore indicates that the animal is 2 standard deviations below the average and an index of 112 indicates that the animal is 1 standard deviation above the average of the active population for the specific trait. Please note that negative EBVs are favourable for Inter-Lambing Period and Age at First Lambing, therefore shorter inter-lambing periods and younger ages at first lambing indicates better fertility. However, breeding value indices are expressed in the same way for all traits, therefore higher indices indicates desirability for the traits and lower indices are undesirable. This makes it easy to identify superior animals for all traits.

The data used in this evaluation has been obtained from LOGIX, as supplied by breeders. Everything possible had been done to present the information correctly. SA Stud Book does not take any responsibility for the use and interpretation of the information from this publication.

Selection Indices

It is easy to select on a single trait, but that is not the best approach to follow. Selecting on only one trait can lead to the deterioration of performance in other traits due to genetic correlations. There are different traits that are important, some being more important than others. A selection index combines multiple traits, each with an economic weight to take the different levels of importance into account. EBVs for different traits cannot simply be added together, since the unit of measurement and range of the values differ and in some cases negative values are favoured. These factors are accounted for in the compilation of a selection index. An overall selection index includes EBVs of all the traits of economic importance, while other selection indices are more focused on specific breeding objectives. Selection indices are expressed around 100, with 100 being the average of the active population, with a standard deviation of 12. A selection index of 124 is therefore 2 standard deviations above the average and an index of 88 is one standard deviation below the average of the active animals of the population.

Two Indices are constructed for the Kalahari Red Goat breed, namely the Logix Merit Index and the Reproduction Index. These indices, their purpose and the contribution of the different traits to the indices are summarised as follows :


Logix Merit Index (LMI)

This index combines all the traits to select for a balanced, profitable animal that is fertile and delivers a desirable level of production while not reaching very large adult weights. Very large animals require more feed to meet their maintenance requirements, which makes them more expensive to keep and more likely to struggle during difficult times. Since large animals in a breeding flock are unfavourable, a penalty is placed on Post-Wean Weight EBV (indicated by the negative value) in the index. Selection based on the LMI will lead to breeding of balanced animals that will have the genetic potential to wean at a heavier weight (both due to its own potential and having dams that produce sufficient milk), lambs at an early age, lambs regularly, give multiple lambs and has lower maintenance requirements. This value is especially important for sustainability, which requires the selection of good, productive replacement animals for the flock.

The LMI is constructed as follows :

$$LMI = (0.0675 * AFL) + (0.1125 * ILP) + (0.264 * Wean Dir) + (0.176 * Wean Mat) + (0.27 * N_Lambs_Weaned) + (0.11 * Post-Wean Dir)$$

Schematically the LMI can be explained as follows :




Reproduction Index (RI)

This index includes Weaning Maternal), Number of Lambs Weaned, Age at First Lambing and Inter-lambing. This is especially an important index to consider in the development of a dam line.

The RI is constructed as follows :

$$(0.2 * AFL) + (0.2 * ILP) + (0.3 * Wean Mat) + (0.3 * N_Lambs_Weaned)$$

Schematically it can be explained as follows :



It is always important to consider the traits that contribute to the index individually when selection of animals is based on indices. It sometimes happen that an animal receives a good index due to its exceptional genetic merit of a specific trait, while some of the other traits of the animal in the index might be at undesirable levels for the specific flock's breeding objective, but masked in the index due to the exceptionality of that trait. A sound procedure is to rank animals based on the relevant selection index and then eliminate animals from the list that do not conform towards the flock's breeding objectives when considering the individual traits. Make use of all the available information.

Genetic Levels

Breeding Values

Eienskap	Flock**			Breed		
	All	Rams	Ewes	All	Rams	Ewes
Weaning Weight Direct	-0.06	-0.02	-0.08	0.10	0.13	0.09
Weaning Weight Maternal	0.03	-0.02	0.05	-0.02	-0.02	-0.03
Weaning Weight Combined	0.00	-0.03	0.01	0.03	0.04	0.02
Post-wean Weight	3.69	3.77	3.66	3.97	4.04	3.94
Number Lambs Weaned	0.13	0.23	0.08	0.35	0.35	0.35
Total Weight Weaned	0.04	0.10	0.02	0.29	0.31	0.27
Age at First Lambing	0.90	1.92	0.42	-0.26	-0.27	-0.25
Inter-lambing Period	-1.02	-1.69	-0.69	0.28	0.14	0.35
Selection Indices						
Logix Merit Index	96	96	96	98	98	98
Reproduction Index	98	97	98	97	97	97
Inbreeding						
Inbreeding (%)	5.03	4.78	5.15	5.70	5.98	5.58
Number of Animals						
Number of Animals	197	63	134	12707	3920	8764

** Averages of all active animals in the flock.

Breeding Value Indices

Trait	Flock **		
	All	Rams	Ewes
Weaning Weight Direct	96.8	97.4	96.5
Weaning Weight Maternal	98.3	97.3	98.8
Weaning Weight Comb	96.3	95.8	96.6
Post-wean Weight	96.9	97.5	96.7
Number Lambs Weaned	97.8	98.3	97.5
Total Weight Weaned	96.0	96.4	95.8
Age at First Lambing	100.3	99.0	101.0
Interlambing Period	99.8	101.3	99.1
Selection Indices			
Logix Merit Index	95.7	96.1	95.5
Reproduction Index	97.7	97.5	97.8
Inbreeding			
Inbreeding (%)	5.03	4.78	5.15
Number of Animals			
Number of Animals	197	63	134

** Averages of all active animals in the flock.

Inbreeding

NOTES

- Inbreeding primarily leads to decreased fertility and low survivability of lambs.
- The effects of inbreeding can be observed from 6.25% onwards.
- It is therefore highly recommended to record pedigree information as accurately and completely as possible and to use a selection programme for selection of unrelated rams.
- Incomplete or incorrect pedigree information can be reported to SA Stud Book. Inbreeding is dependent on pedigree information. Conventional methods for the Calculation of inbreeding coefficients usually assume that unknown parents are unrelated. However, this is usually far from the truth. An algorithm is used for the calculation of inbreeding, where the average inbreeding coefficient is assigned to unknown parents based on the generation in which they were born. This result is a more accurate reflection of inbreeding of the herd and breed.

Inbreeding Levels for Specific Matings


Progeny with Parents :	25%
Full Brother x Full Sister :	25%
Half Brother x Half Sister :	12.5%
One Common Grandparent :	6.25%
One Common Great-Grandparent :	3.125%

Level and Rate of Inbreeding

Year of Birth	Level* (%)	Rate (% / year)
2014 - 2025	3.80	-0.26
Recommended:	< 6.25	< 0.1 - 0.2

*Of the last year of birth

Inbreeding




Pedigree Information

	Number	%
Known Sires	189	96
Known Dams	188	95

Note: Inbreeding can be under-estimated if pedigree information is incomplete or incorrect

Genetic Windows




WWd: Weaning Weight Direct
WWm: Weaning Weight Maternal
WWc: Weaning Weight Combined
PoW: Post-Wean Weight
L-wean: Number of Lambs Weaned
TWW: Total Weight Weaned
AFL: Age at First Lambing
ILP: Inter-lambing Period
RI: Reproduction Index
LMI: Logix Merit Index

The genetic windows allow a quick overview of the genetic status of the flock compared to the breed. The values presented here are the average EBV indices of all the active animals of the flock, of the dams and sires of the active animals of the flock, as well as of the active ewes and rams younger than 2 years old. An index of 100 is equal to the average of the active measured population. Due to the higher selection intensity on rams (selection is more strict since a much smaller percentage of young animals are retained in the flock), the expectation is for the average index of the sires to be higher than that of the dams.
 Remember that the EBV index for AFL and ILP are presented in such a way that an index above 100 indicates animals that have a lower EBV for these traits.

Genetic Windows


Dams

Number: 96




Sires

Number: 47




Young Ewes

Number: 130



Young Rams


Number: 63




Genetic Trends

Genetic trends are based on measured animals that were bred by the specific breeder.


Weaning Weight Direct




Wean Weight Maternal




Weaning Weight Combined




Post-weaning Weight



Number of Lambs Weaned





Total Weight Weaned (TWW)





Genetic Trends

Genetic trends are based on measured animals that were bred by the specific breeder.



For AFL and ILP flock genetic trends below breed averages are desirable.



Genetic Trends of Breed

Birth year	Weaning Weight				Post-wean	Lambs Weaned		TWW		AFL		ILP		RI		LMI				
	EBV					EBV		EBV		EBV		EBV		EBV		EBV				
	Number	Dir	Mat	Comb		Number	EBV	Number	EBV	Number	EBV	Number	EBV	Number	EBV	Number	EBV			
2013	184	0.80	-0.35	0.06	68	3.89	103	0.81	184	106	186	3.64	94	-2.39	184	96	184	106		
2014	75	-0.13	-0.10	-0.17			70	0.70	75	98	115	0.65	45	-0.59	75	97	75	98		
2015	144	-0.12	-0.14	-0.20			102	3.43	98	0.48	144	98	138	-0.07	74	-1.25	144	98	144	98
2016	108	-0.26	-0.02	-0.15			87	0.34	108	97	139	3.86	94	-4.48	108	99	108	97		
2017	271	-0.02	0.16	0.15			104	0.44	271	98	176	1.01	127	-0.49	271	99	271	96		
2018	168	-0.35	0.24	0.06	14	0.00	202	0.31	168	92	268	3.02	208	-2.21	168	101	168	92		
2019	293	-0.23	0.14	0.03			257	0.35	293	97	358	0.34	271	0.42	293	100	293	96		
2020	637	0.18	0.05	0.14			284	0.62	637	101	634	-0.01	461	0.76	637	100	637	100		
2021	562	0.00	0.00	0.00			274	-0.01	562	96	749	0.00	513	0.00	562	97	562	95		
2022	1120	-0.22	0.11	0.00			377	3.43	302	0.16	1114	97	896	0.23	522	-0.21	1114	100	1114	97
2023	1342	0.11	0.00	0.05	209	3.99	227	0.25	1342	99	805	0.42	270	0.60	1342	98	1342	98		
2024	1472	0.20	0.07	0.17	164	4.47	95	-0.11	1472	101	384	-1.08	53	-2.38	1472	100	1472	101		
2025	1116	0.20	0.18	0.28	394	4.65			1116	101	22	1.42			1116	102	1116	101		

Genetic Trends of Flock

Birth year	Weaning Weight EBV				Post-Wean	Lambs Weaned		TWW		AFL		ILP		RI		LMI	
	Number	Dir	Mat	Comb		Number	EBV	Number	EBV	Number	EBV	Number	EBV	Number	EBV	Number	EBV
2022										1	3.82						

Breeding Value & Selection Index Percentiles

The percentiles indicate the ranking of the animals' EBVs and Selection Indices within the active population.

For example, if an animal's EBV for a specific trait falls between the maximum and 99% percentile of the trait, it means that this animal ranks in the top 1% of the active population, or this animal's genetic merit for the trait is better than 99% of that of the active population.

Should the EBV for a specific trait falls between the 5% and 10% percentile, it means that the animal ranks in the bottom 10% of the active population for the specific trait, or the animal's genetic merit is worse than 90% of the active population.

Note that the percentiles for Age at First Lambing and Inter-lambing Period EBVs work on the reverse scale.

All Active Animals

Trait	AVG	SA*	Min	Percentiles(%)															Max
				1	5	10	20	25	30	40	50	60	70	75	80	90	95	99	
Weaning Weight Direct	0.10	0.58	-2.61	-1.35	-0.77	-0.54	-0.31	-0.23	-0.16	-0.03	0.05	0.17	0.27	0.39	0.51	0.83	1.19	1.73	3.06
Weaning Weight Maternal	-0.02	0.41	-2.33	-0.90	-0.57	-0.45	-0.34	-0.30	-0.26	-0.18	-0.09	0.02	0.13	0.19	0.26	0.50	0.74	1.20	2.15
Weaning Weight Combined	0.03	0.48	-2.85	-1.12	-0.71	-0.54	-0.34	-0.28	-0.22	-0.08	0.03	0.13	0.23	0.29	0.36	0.60	0.87	1.30	2.36
Post-Wean Weight	3.97	1.19	-1.89	0.94	2.16	2.59	3.10	3.26	3.47	3.71	3.95	4.15	4.39	4.57	4.79	5.44	5.99	7.22	12.54
Number of Lambs Weaned	0.35	1.41	-7.50	-3.60	-1.90	-1.20	-0.50	-0.30	-0.10	0.20	0.40	0.70	0.80	1.00	1.10	1.60	2.50	4.70	13.50
Total Weight Weaned	0.29	1.17	-7.52	-3.17	-1.68	-1.10	-0.44	-0.25	-0.09	0.16	0.34	0.56	0.77	0.89	1.02	1.50	2.03	3.44	8.91
Age at First Lambing	-0.26	-7.68	56.53	18.86	11.54	8.88	5.46	4.32	3.20	1.34	0.07	-1.35	-3.26	-4.69	-6.11	-9.87	-13.80	-19.60	-37.78
Interlambing Period	0.28	-5.28	19.61	12.82	8.72	6.76	4.28	3.48	2.91	1.87	0.81	-0.54	-2.24	-3.15	-4.21	-6.85	-8.84	-12.54	-24.28
Reproduction Index	97	9	53	76	84	88	92	93	93	95	96	98	100	101	103	108	113	124	146
Logix Merit Index	98	9	45	73	83	87	92	93	95	96	98	100	101	102	104	108	112	122	147

*SD : Standard Deviation. An indicator of how far breeding values/selection indices are distributed around the average.

Breeding Value & Selection Index Percentiles

All Active Rams

Trait	AVG	SA*	Min	Percentiles (%)															Max
				1	5	10	20	25	30	40	50	60	70	75	80	90	95	99	
Weaning Weight Direct	0.13	0.58	-2.24	-1.26	-0.75	-0.51	-0.29	-0.21	-0.15	-0.02	0.07	0.19	0.31	0.43	0.55	0.86	1.21	1.70	2.81
Weaning Weight Maternal	-0.02	0.38	-1.44	-0.75	-0.52	-0.43	-0.34	-0.30	-0.25	-0.17	-0.08	0.04	0.14	0.19	0.25	0.47	0.69	1.12	1.88
Weaning Weight Combined	0.04	0.45	-1.43	-0.96	-0.64	-0.50	-0.33	-0.27	-0.21	-0.07	0.04	0.15	0.24	0.30	0.37	0.59	0.84	1.25	2.24
Post-Wean Weight	4.04	1.21	-1.77	1.42	2.31	2.63	3.12	3.28	3.47	3.73	4.00	4.22	4.48	4.67	4.91	5.49	6.15	7.30	12.54
Number of Lambs Weaned	0.35	1.31	-4.60	-3.20	-1.80	-1.10	-0.50	-0.30	-0.10	0.20	0.40	0.70	0.80	1.00	1.10	1.50	2.30	4.70	8.80
Total Weight Weaned	0.31	1.10	-4.54	-2.91	-1.53	-0.96	-0.39	-0.22	-0.08	0.15	0.34	0.59	0.80	0.92	1.02	1.45	1.95	3.29	5.84
Age at First Lambing	-0.27	-7.03	27.46	14.80	10.78	8.41	5.20	4.19	3.07	1.39	0.18	-1.27	-3.15	-4.61	-5.88	-9.01	-12.52	-19.15	-31.92
Interlambing Period	0.14	-5.04	19.27	12.69	8.29	6.32	3.96	3.17	2.66	1.58	0.49	-0.83	-2.33	-3.18	-4.11	-6.52	-8.31	-11.92	-18.90
Reproduction Index	97	8	70	77	85	89	92	93	93	95	97	98	100	101	103	108	112	124	145
Logix Merit Index	98	8	65	75	84	88	92	94	95	97	98	100	102	103	104	107	112	123	137

All Active Ewes

Trait	AVG	SA*	Min	Percentiles (%)															Max
				1	5	10	20	25	30	40	50	60	70	75	80	90	95	99	
Weaning Weight Direct	0.09	0.58	-2.61	-1.41	-0.78	-0.55	-0.32	-0.23	-0.16	-0.03	0.04	0.15	0.25	0.36	0.48	0.81	1.17	1.73	3.06
Weaning Weight Maternal	-0.03	0.42	-2.33	-0.94	-0.60	-0.46	-0.34	-0.30	-0.26	-0.18	-0.09	0.00	0.13	0.19	0.26	0.51	0.76	1.24	2.15
Weaning Weight Combined	0.02	0.49	-2.85	-1.19	-0.73	-0.56	-0.35	-0.29	-0.23	-0.09	0.02	0.11	0.23	0.29	0.35	0.60	0.88	1.37	2.36
Post-Wean Weight	3.94	1.17	-1.89	0.80	2.10	2.57	3.09	3.26	3.47	3.70	3.92	4.11	4.36	4.51	4.73	5.41	5.89	7.15	9.58
Number of Lambs Weaned	0.35	1.46	-7.50	-3.80	-2.00	-1.20	-0.50	-0.30	-0.10	0.20	0.50	0.70	0.90	1.00	1.10	1.60	2.60	4.90	13.50
Total Weight Weaned	0.27	1.21	-7.52	-3.26	-1.74	-1.16	-0.48	-0.25	-0.10	0.17	0.34	0.54	0.75	0.88	1.02	1.53	2.04	3.50	8.91
Age at First Lambing	-0.25	-7.98	56.53	19.28	11.85	9.04	5.56	4.41	3.25	1.33	0.02	-1.39	-3.32	-4.74	-6.21	-10.44	-14.24	-19.76	-37.78
Interlambing Period	0.34	-5.40	19.61	12.85	9.02	6.90	4.47	3.57	2.96	2.01	0.96	-0.41	-2.16	-3.12	-4.28	-7.01	-9.03	-12.81	-24.28
Reproduction Index	97	9	53	75	84	88	91	93	93	95	96	98	100	101	103	109	114	125	146
Logix Merit Index	98	9	45	72	83	87	92	93	94	96	98	99	101	102	104	108	113	122	147

*SD : Standard Deviation. An indicator of how far breeding values/selection indices are distributed around the average.

Rams

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information							Selection Indices		EBV - Weights				EBV - Fertility									
Animal			Parents			% In-breeding	Logix Merit Index	Reproduction Index	Wean Weight		Post-Wean		Number Weaned		TWW		AFL		ILP		Dam	
Comp no.			Sire Dam						Dir	Mat	Comb				EBV	EBV	EBV	EBV	EBV	EBV	EPI	Times Lambded
							Acc Index	Acc Index	EBV Index	EBV Index			Acc Index	Acc Index	Acc Index	Acc Index	Acc Index	Acc Index				
Active Breed Average:							100	100	0.10	-0.02	0.03	3.97	0.35	0.29	-0.26	0.28						
AH 20 0187	93125631		AH 16 0072	AH 17 1045		17.59	100	95	0.38 40 103	0.05 37 99	0.24 101	2.63 24 90	1.40 13 105	1.27 33 105	-1.54 41 104	9.40 25 77	2					
104 20 0205	90374976		104 18 0002	104 18 0102		12.78	81	91	-0.16 65 95	0.20 51 102	0.12 99	3.54 41 96	-2.80 31 81	-1.65 52 83	18.34 36 76	-13.33 22 127	110	8				
KR62 21 0044	92438761		133 17 0026	KR62 19 0003		4.00	100	90	0.74 37 108	-0.38 33 89	-0.01 96	4.35 13 101	0.90 13 102	0.90 30 102	1.14 41 100	4.28 24 88	4					
100 21 0327	93065845		173 20 0023	AH 19 0243		2.64	94	88	0.23 36 101	-0.66 32 83	-0.55 86	4.79 17 104	0.10 6 98	-0.37 28 93	0.29 22 101	-0.14 13 98	93	5				
173 22 0015	93653715		173 20 0070	104 20 0244		4.88	95	106	-0.49 53 91	0.46 41 108	0.21 100	3.68 29 97	-0.60 16 94	-0.39 40 93	2.73 35 98	-7.69 21 115	85	4				
100 22 0062	93956837		100 19 0052	173 19 0003		2.64	98	107	-0.19 60 95	0.63 45 112	0.54 107	3.68 25 97	0.10 21 98	0.51 45 99	8.47 37 90	-6.47 24 112	102	3				
214 23 0015	97481287		KR62 21 0044	104 21 0081		6.37	95	98	0.30 37 102	0.33 31 105	0.48 106	3.84 25 98	-1.20 18 90	-0.09 30 95	3.75 27 97	-3.48 19 105	3					
214 23 0022	97943286		100 21 0327	100 20 0131		2.65	108	98	0.90 37 110	-0.41 30 89	0.04 97	5.68 15 110	1.60 14 106	1.45 29 107	5.11 23 95	-4.18 16 107	2					
214 23 0023	97947741		100 21 0327	133 21 0004		2.65	107	104	0.19 31 100	0.07 28 99	0.16 99	4.76 25 104	1.60 13 106	1.21 26 105	-3.94 26 107	1.55 17 94	2					
214 23 0027	97998454		100 21 0327	AH 21 0029		2.65	100	97	0.21 31 100	-0.06 25 96	0.04 97	3.23 22 94	0.90 7 102	0.68 23 101	-6.22 23 110	6.14 14 84	2					
214 23 0032	98029622		104 22 0191	104 21 0403		6.23	102	93	0.80 56 109	-0.26 46 92	0.14 99	7.39 50 122	-0.20 23 96	0.42 45 99	6.49 35 93	-4.55 18 108	100	3				
214 23 0034	98289416		104 21 0125	104 18 0156		9.89	103	100	0.96 56 111	-0.21 46 93	0.28 102	2.51 42 89	0.80 27 102	1.24 45 105	3.11 37 97	-5.95 22 111	82	4				
161 24 0036	99290462		100 22 0027	161 22 0092		2.65	90	91	-0.27 39 94	-0.36 27 90	-0.49 87	3.60 19 96	0.30 11 99	-0.45 28 92	7.94 33 91	-3.53 14 105	2					
161 24 0037	99291403		100 22 0027	161 22 0019		4.10	87	91	-0.54 44 90	-0.11 31 95	-0.38 89	3.23 20 94	-0.70 13 93	-1.06 32 88	1.72 35 99	0.44 17 97	2					
214 24 0038	98565104		100 21 0327	49 21 0144		2.65	101	96	0.26 23 101	-0.25 22 92	-0.12 94	4.71 14 104	0.70 5 101	0.43 18 99	-3.03 15 106	1.26 8 95	1					

Rams

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information							Selection Indices		EBV - Weights				EBV - Fertility					
Animal			Parents			% In-breeding	Logix Merit Index	Reproduction Index	Wean Weight		Post-Wean	Number Weaned	TWW	AFL	ILP	Dam		
Comp no.			Sire	Dam	Dir				Mat	Comb						EPI	Times Lambd	
							EBV Acc Index	EBV Acc Index	EBV Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index		
Active Breed Average:							100	100	0.10	-0.02	0.03	3.97	0.35	0.29	-0.26	0.28		
214 24 0039	98565120		100 21 0327	49 21 0144	2.65	101	96	0.26 23 101	-0.25 22 92	-0.12 94	4.71 14 104	0.70 5 101	0.43 18 99	-3.03 15 106	1.26 8 95	1		
214 24 0047	99108078		100 21 0327	104 22 0061	2.65	88	87	0.21 34 101	-0.46 31 88	-0.36 89	4.29 23 101	-1.20 16 90	-0.97 29 88	7.81 23 91	-6.11 14 111	2		
161 24 0050	99292260		100 22 0027	161 22 0072	2.65	92	93	-0.18 43 95	-0.30 29 91	-0.40 89	3.68 19 97	0.30 11 99	-0.31 30 93	4.70 34 95	-1.84 13 102	1		
214 24 0054	99331019		100 21 0327	125 20 0058	2.06	96	91	0.13 18 99	-0.46 16 88	-0.40 89	4.43 8 102	0.50 5 100	-0.03 14 95	0.53 11 101	0.42 6 97	2		
214 24 0057	99340945		100 21 0327	104 18 0077	2.65	98	101	-0.13 42 96	-0.15 40 94	-0.22 92	3.30 31 94	0.50 25 100	0.02 37 96	-6.61 29 111	-1.03 19 100	94 7		
161 24 0058	99292484		100 22 0027	161 21 0028	2.68	85	86	-0.51 40 91	-0.67 30 83	-0.92 79	3.44 19 95	-0.30 13 95	-1.35 30 86	3.33 29 97	-1.50 13 101	90 4		
214 24 0058	99340960		100 21 0327	104 18 0077	2.65	98	101	-0.13 42 96	-0.15 40 94	-0.22 92	3.30 31 94	0.50 25 100	0.02 37 96	-6.61 29 111	-1.03 19 100	94 7		
161 24 0060	99290629		100 22 0027	159 20 0047	4.26	106	116	-0.65 47 89	0.67 37 113	0.35 103	2.09 30 86	2.60 21 112	1.58 37 108	-4.19 34 108	2.15 19 93	91 4		
214 24 0060	99387078		100 21 0327	104 19 0061	2.65	90	87	0.07 41 99	-0.34 38 90	-0.30 91	5.58 33 110	-0.90 19 92	-0.81 35 90	10.07 30 88	-5.00 18 109	86 6		
161 24 0061	99332728		100 22 0027	159 20 0047	4.26	106	116	-0.65 47 89	0.67 37 113	0.35 103	2.09 30 86	2.60 21 112	1.58 37 108	-4.19 34 108	2.15 19 93	91 4		
161 24 0062	99332736		100 22 0027	159 20 0047	4.26	106	116	-0.65 47 89	0.67 37 113	0.35 103	2.09 30 86	2.60 21 112	1.58 37 108	-4.19 34 108	2.15 19 93	91 4		
161 24 0064	99291940		100 22 0027	104 19 0111	5.41	106	112	-0.37 47 93	0.22 39 103	0.04 97	2.31 29 88	1.40 22 105	0.69 38 101	-19.63 35 129	4.02 20 89	92 5		
214 24 0071	99585192		173 22 0015	100 20 0169	4.28	97	99	-0.10 40 96	0.18 31 102	0.13 99	4.07 19 100	-0.10 13 96	0.02 30 96	-1.78 27 104	0.55 16 96	1		
214 24 0072	99644114		173 22 0015	100 20 0131	5.21	108	107	0.54 42 105	0.15 32 101	0.42 105	5.13 19 107	1.20 16 104	1.41 32 106	6.33 27 93	-7.96 18 115	2		
214 24 0077	99847048		100 21 0327	100 20 0218	2.65	88	88	-0.67 35 89	-0.72 30 82	-1.06 76	3.66 14 97	0.40 11 99	-1.15 28 87	-2.23 23 105	1.93 15 93	4		

Rams

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information							Selection Indices		EBV - Weights				EBV - Fertility									
Animal			Parents			% In-breeding	Logix Merit Index	Reproduction Index	Wean Weight		Post-Wean		Number Weaned	TWW		AFL		ILP		Dam		
Comp no.			Sire	Dam	Dir				Mat	Comb		EBV		EBV	EBV	EBV	EBV	EBV	EBV	EBV	EPI	Times
					Acc				Index	Acc	Index	Index		Acc	Index	Acc	Index	Acc	Index	Acc	Index	Index
Active Breed Average:							100	100	0.10	-0.02	0.03	3.97	0.35	0.29	-0.26	0.28						
161 24 0078 99292385	100 22 0027 161 19 0035	2.64				100	102	0.00 35 98	0.28 29 104	0.28 102	3.65 19 97	0.30 10 99	0.46 27 99	-3.84 25 107	1.32 12 95	107	5					
214 24 0081 99879413	104 20 0205 161 22 0075	3.40				77	82	-0.42 45 92	-0.43 34 88	-0.63 84	3.27 22 94	-2.20 18 84	-2.16 35 79	11.28 27 86	-6.62 16 112		1					
214 24 0083 99921637	104 20 0205 104 19 0115	18.38				79	92	-0.45 48 92	0.32 41 105	0.09 98	4.12 30 100	-3.60 25 76	-2.29 40 79	12.50 30 84	-12.71 19 126	82	5					
214 24 0084 99921652	104 20 0205 104 19 0115	18.38				79	92	-0.45 48 92	0.32 41 105	0.09 98	4.12 30 100	-3.60 25 76	-2.29 40 79	12.50 30 84	-12.71 19 126	82	5					
214 24 0087 99939928	173 22 0015 104 21 0112	6.30				90	96	-0.13 40 96	0.24 34 103	0.17 100	4.36 29 101	-1.60 20 88	-0.85 33 89	9.12 28 89	-8.39 18 116		2					
161 24 0089 99291684	100 22 0027 104 19 0141	3.78				106	105	0.06 46 98	-0.02 38 97	0.01 97	3.40 26 95	2.80 20 114	1.72 37 109	1.06 29 100	1.45 17 94	90	5					
161 24 0090 99292005	100 22 0027 104 19 0141	3.78				106	105	0.06 46 98	-0.02 38 97	0.01 97	3.40 26 95	2.80 20 114	1.72 37 109	1.06 29 100	1.45 17 94	90	5					
214 24 0090 99953598	173 22 0015 100 19 0241	6.97				96	104	-0.30 41 94	0.47 37 108	0.32 102	3.80 21 98	-0.10 15 96	0.10 33 96	4.50 33 95	-4.74 21 108	96	3					
161 24 0091 99290884	100 22 0027 104 19 0141	3.78				106	105	0.06 46 98	-0.02 38 97	0.01 97	3.40 26 95	2.80 20 114	1.72 37 109	1.06 29 100	1.45 17 94	90	5					
214 24 0093 99955742	173 22 0015 3 21 0153	6.53				95	100	-0.05 30 97	0.09 25 100	0.07 98	4.06 18 99	-0.50 11 94	-0.26 24 94	4.98 29 95	-8.01 17 115		2					
161 24 0099 99290223	100 22 0027 22 18 0008	2.67				95	97	-0.30 33 94	-0.10 27 95	-0.25 91	3.45 19 95	0.30 10 99	-0.22 25 94	-4.86 26 108	1.87 12 93	88	6					
161 24 0100 99290249	100 22 0027 22 18 0008	2.67				95	97	-0.30 33 94	-0.10 27 95	-0.25 91	3.45 19 95	0.30 10 99	-0.22 25 94	-4.86 26 108	1.87 12 93	88	6					
161 24 0101 99332769	100 22 0027 161 21 0016	4.09				92	97	-0.60 43 90	-0.08 34 96	-0.37 89	3.37 21 95	0.80 12 102	-0.19 32 94	7.55 32 91	-3.32 17 105	100	2					
161 24 0106 99292567	100 22 0027 104 19 0097	5.56				94	99	-0.15 46 96	0.09 38 100	0.01 97	3.14 29 93	-0.10 21 96	-0.12 37 95	1.06 31 100	-2.04 17 102	80	7					
161 24 0107 99290942	100 22 0027 104 19 0097	5.56				94	99	-0.15 46 96	0.09 38 100	0.01 97	3.14 29 93	-0.10 21 96	-0.12 37 95	1.06 31 100	-2.04 17 102	80	7					

Rams

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information							Selection Indices		EBV - Weights				EBV - Fertility					
Animal			Parents			% In-breeding	Logix Merit Index	Reproduction Index	Wean Weight		Post-Wean	Number Weaned	TWW	AFL	ILP	Dam		
Comp no.			Sire	Dam	Dir				Mat	Comb						EPI	Times Lambded	
									EBV Acc Index	EBV Acc Index	EBV Index	EBV Acc Index	EBV Acc Index	EBV Acc Index				
Active Breed Average:							100	100	0.10	-0.02	0.03	3.97	0.35	0.29	-0.26	0.28		
214 24 0108 100309848	100 21 0327 104 22 0061	2.65	88	87	0.21 34 101	-0.46 31 88	-0.36 89	4.29 23 101	-1.20 16 90	-0.97 29 88	7.81 23 91	-6.11 14 111		2				
161 24 0109 99290900	100 22 0027 176 21 0009	2.76	92	93	-0.27 36 94	-0.27 30 92	-0.40 89	3.56 19 96	0.20 11 98	-0.41 28 93	1.97 34 99	-0.57 16 99	98	3				
214 24 0109 100309822	100 21 0327 104 22 0061	2.65	88	87	0.21 34 101	-0.46 31 88	-0.36 89	4.29 23 101	-1.20 16 90	-0.97 29 88	7.81 23 91	-6.11 14 111		2				
161 24 0110 99290967	100 22 0027 176 21 0009	2.76	92	93	-0.27 36 94	-0.27 30 92	-0.40 89	3.56 19 96	0.20 11 98	-0.41 28 93	1.97 34 99	-0.57 16 99	98	3				
214 24 0111 100363753	KR62 21 0044 KR62 21 0108	4.53	98	92	0.27 28 101	-0.29 26 91	-0.16 93	4.41 16 102	0.30 12 99	0.16 24 97	-7.75 30 112	6.87 20 82		2				
214 24 0114 100481654	100 22 0062 100 17 0064	6.34	100	102	0.19 43 100	0.21 34 102	0.31 102	3.59 16 96	0.60 14 101	0.76 33 101	7.51 29 91	-5.21 18 109		7				
214 24 0115 100481639	100 22 0062 100 17 0064	6.34	100	102	0.19 43 100	0.21 34 102	0.31 102	3.59 16 96	0.60 14 101	0.76 33 101	7.51 29 91	-5.21 18 109		7				
214 24 0116 100481613	100 22 0062 100 17 0064	6.34	100	102	0.19 43 100	0.21 34 102	0.31 102	3.59 16 96	0.60 14 101	0.76 33 101	7.51 29 91	-5.21 18 109		7				
214 24 0117 100481712	100 21 0327 AH 21 0029	2.65	100	97	0.21 31 100	-0.06 25 96	0.04 97	3.23 22 94	0.90 7 102	0.68 23 101	-6.22 23 110	6.14 14 84		2				
214 24 0118 100481670	100 21 0327 AH 21 0029	2.65	100	97	0.21 31 100	-0.06 25 96	0.04 97	3.23 22 94	0.90 7 102	0.68 23 101	-6.22 23 110	6.14 14 84		2				
161 24 0132 99291080	100 22 0027 133 18 0013	2.67	95	98	-0.29 32 94	-0.10 23 96	-0.24 92	3.45 19 95	0.60 11 101	-0.03 24 95	1.05 26 100	-1.23 12 100		5				
214 25 0004 107415804	100 22 0062 104 19 0061	6.82	92	97	-0.14 47 96	0.31 41 105	0.24 101	5.02 34 106	-0.90 21 92	-0.37 39 93	14.16 33 82	-8.17 21 116	86	6				
214 25 0005 110093325	100 22 0062 AH 20 0191	3.73	102	108	-0.07 38 97	0.59 29 111	0.56 107	2.62 24 90	0.90 12 102	1.06 29 104	-3.29 27 106	1.96 17 93		3				
214 25 0007 110193737	100 22 0062 104 22 0154	7.81	92	105	-0.29 43 94	1.03 33 120	0.89 113	3.50 32 96	-1.50 15 88	-0.16 33 95	11.18 26 86	-7.25 15 114	89	2				
214 25 0012 110203593	100 21 0327 161 19 0035	2.64	101	96	0.38 24 103	-0.14 25 95	0.05 97	4.60 8 103	0.50 5 100	0.54 20 100	-2.51 14 105	1.58 6 94	107	5				

Rams

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information							Selection Indices		EBV - Weights				EBV - Fertility					
Animal Comp no.			Parents Sire Dam			% In- breeding	Logix Merit Index	Reproduction Index	Wean Weight		Post-Wean	Number Weaned	TWW	AFL	ILP	Dam		
									Dir	Mat								Comb
							EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EPI	Times Lambd	
							Acc Index	Acc Index	Index	Acc Index	Acc Index	Acc Index	Acc Index	Acc Index	Acc Index	Acc Index	Acc Index	Acc Index
Active Breed Average:							100	100	0.10	-0.02	0.03	3.97	0.35	0.29	-0.26	0.28		
214 25 0025 110203635	100 21 0327 AH 20 0198	2.65	97	94	0.13 25 100	-0.18 21 94	-0.11 94	3.13 13 93	0.80 5 102	0.44 19 99	-5.46 24 109	7.07 13 82			1			
214 25 0030 110823069	100 21 0327 104 19 0097	2.65	95	92	0.23 39 101	-0.33 35 90	-0.22 92	4.09 24 100	0.00 18 97	-0.10 33 95	2.40 22 98	-1.79 14 102	80	7				
214 25 0031 110823051	100 21 0327 104 19 0097	2.65	95	92	0.23 39 101	-0.33 35 90	-0.22 92	4.09 24 100	0.00 18 97	-0.10 33 95	2.40 22 98	-1.79 14 102	80	7				
Ram Flock Average: Number of rams in the flock: 63							96	97	-0.02	-0.02	-0.03	3.77	0.23	0.10	1.92	-1.69		

Ewes

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information							Selection Indices			EBV - Weights				EBV - Fertility										
Animal Comp no.			Parents Sire Dam			% In- breedin	Logix Merit Index	Reproduction Index	Dir		Wean Weight		Comb	Post-Wean		Number Weaned	TWW		AFL		ILP		Phenotype	
									EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index		EBV Acc Index	EBV Acc Index		EBV Acc Index	EBV Acc Index	EPI	Times Lambd				
			Active Breed Average:				100	100	0.10	-0.02	0.03	3.97	0.35	0.29	-0.26	0.28								
100 17 0064 79216115	100 3 14 12 0135	0041 0135	17.64	101	98	0.56 62 105	-0.21 50 93	0.07 98	3.49 21 96	1.10 20 104	1.01 48 103	6.55 45 93	-3.94 26 106	7										
104 18 0077 82649849	100 104 16 14 0011	0131 0011	5.41	103	114	-0.48 76 91	0.36 74 106	0.12 99	1.81 59 84	1.00 50 103	0.47 69 99	-13.51 53 120	-1.93 36 102	94 7										
104 18 0156 83466383	100 104 16 15 0009	0131 0009	6.89	91	104	-0.03 71 97	0.44 65 107	0.43 105	1.49 49 82	-1.90 42 86	-0.73 62 90	-4.13 51 107	-6.21 36 111	82 4										
49 19 0022 92277417	100 49 16 17 8125	0093 8125	2.84	96	98	0.02 30 98	0.16 30 101	0.17 100	3.89 14 98	0.10 11 98	0.24 26 97	4.25 41 96	-1.78 21 102	5										
104 19 0061 85965754	104 104 17 16 0176	0089 0176	2.84	86	87	-0.09 73 97	-0.01 68 97	-0.06 95	6.36 64 115	-1.90 38 86	-1.24 63 86	19.84 55 74	-9.87 34 120	86 6										
104 19 0097 83715904	104 104 18 14 0011	0011 0011	8.96	96	97	0.23 69 101	0.00 63 98	0.11 99	3.38 45 95	-0.10 36 96	0.17 59 97	4.50 39 95	-3.44 24 105	80 7										
104 19 0111 83717330	100 104 16 13 0004	0131 0004	5.27	114	118	-0.21 71 95	0.27 65 104	0.16 99	1.72 43 84	3.10 40 115	1.92 62 110	-36.89 51 136	8.68 32 78	92 5										
104 19 0115 83583062	AH 104 13 15 0087	0543 0087	4.20	78	94	-0.73 70 88	0.43 63 107	0.07 98	4.70 45 104	-4.40 39 71	-2.94 60 74	6.66 49 93	-12.08 31 124	82 5										
104 19 0141 86171907	KR92 55 16 12 0029	0021 0029	4.46	121	109	0.65 68 107	-0.22 63 93	0.11 98	3.91 35 98	5.80 34 131	3.91 58 125	4.49 33 95	3.55 24 90	90 5										
KR62 19 0180 90655804	KR62 KR62 17 17 0042	0777 0042	3.86	81	88	-0.21 60 95	0.59 60 111	0.49 106	3.33 41 95	-4.10 37 73	-2.08 55 80	-11.37 51 117	8.35 40 79	109 4										
100 19 0241 86008000	KR65 100 15 15 0220	0027 0220	6.80	98	103	-0.12 62 96	0.48 63 108	0.42 104	3.91 29 98	0.40 26 99	0.60 54 100	6.28 57 93	-1.79 36 102	96 3										
159 20 0040 91422584	KR62 159 17 18 0025	0056 0025	2.67	108	119	-0.38 70 92	1.90 64 136	1.71 129	2.29 48 88	1.30 38 105	2.30 60 113	-10.37 50 116	13.23 30 68	85 4										
159 20 0047 91422345	KR62 KR62 17 17 0803	0056 0803	11.10	119	131	-0.77 71 87	1.16 61 123	0.78 111	1.29 47 81	5.30 37 128	3.57 59 122	-6.01 47 110	4.96 30 87	91 4										
AH 20 0110 93547339	AH AH 18 16 0370	0011 0370	20.73	100	104	-0.03 43 97	0.55 43 110	0.53 107	1.32 23 81	1.40 15 105	1.36 37 106	-3.36 41 106	7.73 22 80	108 3										

Ewes

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information							Selection Indices		EBV - Weights				EBV - Fertility									
Animal Comp no.			Parents Sire Dam			% In- breedin	Logix Merit Index	Reproduction Index	Wean Weight		Post-Wean		Number Weaned		TWW		AFL		ILP		Phenotype	
									Dir	Mat	Comb											
										EBV Acc Index	EBV Acc Index	EBV Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EPI	Times Lambd	
			Active Breed Average:				100	100		0.10	-0.02	0.03	3.97		0.35	0.29	-0.26	0.28				
100 20 0131 90001983	AH 17 0079 100 18 0080	2.84		121	108		1.57 65	-0.16 50	0.63 109	6.57 25		3.10 27	3.28 50	9.93 41	-8.23 29			2				
AH 20 0164 93547354	AH 18 0004 AH 15 0020	14.71		103	105		0.15 51	0.44 44	0.52 106	1.94 40		0.90 18	1.13 41	-15.68 37	10.98 24	96	3					
100 20 0169 90003294	AH 18 0031 100 18 0271	4.10		99	92		0.30 62	-0.10 47	0.05 97	4.46 23		0.40 20	0.43 47	-6.29 40	8.80 25			1				
AH 20 0191 93547461	AH 18 0004 AH 17 0299	14.99		106	109		0.06 48	0.54 36	0.57 107	1.57 40		1.60 13	1.56 35	-15.04 39	10.39 25			3				
AH 20 0198 93547370	AH 16 0066 AH 17 0027	25.41		100	100		0.04 34	0.31 29	0.33 103	1.47 19		1.50 9	1.25 26	-11.21 43	14.28 24			1				
100 20 0218 90937418	KR65 15 0027 100 18 0052	2.67		82	88		-1.56 61	-0.78 51	-1.56 66	2.53 23		0.80 21	-1.86 48	-4.75 40	4.00 26			4				
161 21 0001 91297903	140 19 0007 140 17 0015	3.53		111	111		0.29 39	0.37 45	0.51 106	3.75 12		2.10 16	1.91 36	-4.79 35	0.86 24			107			4	
133 21 0004 91093674	KR62 19 3196 133 16 0056	3.70		120	121		0.15 51	0.79 47	0.87 113	4.73 46		3.20 26	2.86 44	-8.16 47	3.23 31			2				
133 21 0008 91100040	KR62 19 3196 133 17 0101	2.84		112	115		-0.21 47	0.47 43	0.36 103	4.00 45		2.80 26	1.93 41	-8.46 42	3.72 25			0				
176 21 0009 93440832	100 20 0045 176 17 0032	2.67		91	85		0.00 38	-0.71 43	-0.71 83	4.22 5		0.50 7	-0.41 33	6.32 48	-0.49 23			98			3	
161 21 0019 94003498	AH 19 0160 22 18 0008	2.64		94	87		0.01 51	-0.89 44	-0.88 79	4.32 5		0.80 6	-0.40 38	-3.14 48	2.77 22			93			3	
159 21 0023 93670099	KR62 17 0777 159 14 0029	6.60		71	78		-0.37 63	-0.15 57	-0.34 90	2.69 39		-4.70 35	-3.34 54	-6.99 44	3.75 37			85			3	
161 21 0028 94893880	AH 19 0160 - - -	2.71		78	71		-0.48 50	-1.51 42	-1.75 64	3.99 5		-0.30 16	-2.17 39	9.04 34	-2.34 14			90			4	
AH 21 0029 93577443	AH 18 0004 AH 17 0036	16.41		105	106		0.18 50	0.54 39	0.63 108	1.66 41		1.70 14	1.74 37	-12.73 40	12.42 26			2				

Ewes

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information							Selection Indices			EBV - Weights					EBV - Fertility									
Animal Comp no.			Parents Sire Dam			% In- breedin	Logix Merit Index	Reproduction Index	Dir		Wean Weight Mat		Comb	Post-Wean	Number Weaned		TWW		AFL		ILP		Phenotype	
									EBV Acc Index	EBV Acc Index	EBV Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EPI	Times Lambd						
			Active Breed Average:				100	100	0.10	-0.02	0.03	3.97	0.35	0.29	-0.26	0.28								
104 21 0081 92499532	104 19 0024 104 18 0083	8.90	89	105	-0.14 65 96	1.04 52 121	0.97 115	3.32 48 95	-3.30 33 78	-1.08 53 88	6.36 36 93	-11.23 29 123	3											
KR62 21 0108 92439330	KR62 19 0002 KR62 17 0788	10.56	95	93	-0.20 44 95	-0.20 42 93	-0.30 91	4.48 29 102	-0.40 20 95	-0.64 38 91	-16.64 43 125	9.47 32 77	2											
104 21 0112 92500859	104 19 0028 104 18 0102	5.90	84	86	0.23 60 101	0.02 55 98	0.14 99	5.03 51 106	-2.70 36 81	-1.37 53 85	15.50 44 80	-9.09 30 118	2											
100 21 0128 91968032	AH 17 0079 100 18 0161	2.84	115	112	0.63 54 106	0.52 46 109	0.83 112	5.26 24 107	1.80 24 108	2.23 44 112	-7.45 40 112	2.94 28 91	3											
49 21 0144 93359297	49 18 0532 49 18 0138	2.67	108	105	0.29 30 102	0.16 29 101	0.30 102	4.63 22 103	1.40 5 105	1.29 24 105	-6.35 20 110	2.65 11 92	1											
3 21 0153 93109296	3 19 0029 3 19 0048	2.64	96	95	0.39 30 103	-0.27 28 92	-0.08 95	4.45 20 102	-0.40 14 95	-0.12 26 95	7.23 47 92	-8.32 26 116	2											
104 21 0161 92502434	104 19 0024 104 17 0004	11.19	95	108	0.02 57 98	0.99 51 119	1.00 116	3.74 46 97	-1.90 27 86	-0.14 48 95	7.77 36 91	-10.14 24 120	1											
49 21 0205 94795291	KR30 18 0031 49 17 0686	2.67	98	95	0.04 5 98	-0.27 5 92	-0.25 92	4.07 5 99	0.80 5 102		-4.43 15 108	3.65 6 89	2											
KR62 21 0205 92506187	KR62 18 0134 KR62 20 0204	2.06	77	80	-0.67 34 89	-0.54 32 86	-0.87 80	2.76 21 91	-2.30 19 84	-2.58 30 76	-6.11 33 110	4.46 23 88	0											
100 21 0344 93065977	100 19 0052 100 20 0238	21.96	102	115	0.23 58 101	1.34 50 127	1.45 124	4.55 29 103	-1.40 26 89	0.72 48 101	12.44 42 85	-13.75 32 128	2											
104 21 0403 93508331	104 18 0011 104 19 0047	7.60	87	82	0.93 62 110	-0.09 60 96	0.37 104	4.74 53 104	-2.30 34 84	-0.54 55 92	19.72 44 74	-7.21 26 114	100 3											
104 21 0408 93508141	104 18 0011 104 18 0117	12.20	85	92	-0.18 57 95	0.27 52 104	0.18 100	3.58 45 96	-1.80 33 86	-0.99 50 88	10.77 41 87	-4.50 24 108	1											
KR62 22 0017 93712925	KR62 19 3196 KR62 19 0048	2.64	111	114	-0.27 47 94	0.39 43 106	0.25 101	3.96 45 99	2.80 26 114	1.80 41 109	-8.06 42 113	3.02 26 91	0											
161 22 0019 94176617	AH 19 0160 KR62 20 0062	2.64	81	82	-0.54 63 90	-0.39 45 89	-0.66 84	3.56 17 96	-1.10 15 91	-1.59 45 84	5.82 51 94	1.52 24 94	2											

Ewes

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information							Selection Indices			EBV - Weights					EBV - Fertility									
Animal Comp no.			Parents Sire Dam			% In- breedin	Logix Merit Index	Reproduction Index	Wean Weight		Post-Wean		Number Weaned		TWW		AFL		ILP		Phenotype			
									Dir EBV Acc Index	Mat EBV Acc Index	Comb EBV Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EPI	Times Lambd						
			Active Breed Average:				100	100	0.10	-0.02	0.03	3.97	0.35	0.29	-0.26	0.28								
104 22 0061 93579522	104 18 0057 104 16 0175		12.12	83	87	0.19 58 100	-0.26 53 92	-0.17 93	3.78 44 98	-2.40 31 83	-1.51 50 84	15.33 41 81	-12.07 26 124							2				
161 22 0071 94672912	KR62 18 0089 133 18 0068		4.85	88	97	-1.06 57 83	-0.18 36 94	-0.71 83	2.42 13 88	0.80 9 102	-0.76 38 90	5.04 46 95	-2.87 17 104							1				
161 22 0072 94673258	AH 19 0160 22 18 0027		2.64	92	85	0.17 60 100	-0.79 41 80	-0.70 83	4.47 5 102	0.80 6 102	-0.14 40 95	11.78 47 85	-3.02 14 104							1				
161 22 0075 94673316	AH 19 0160 KR62 20 0044		2.64	74	74	-0.67 63 89	-1.05 46 75	-1.38 70	3.00 19 92	-1.50 18 88	-2.62 46 76	4.22 42 96	0.08 24 97							1				
KR62 22 0079 93729796	KR62 20 0007 KR62 19 0028		2.64	77	83	-0.93 42 85	-0.66 35 83	-1.12 75	2.74 20 91	-2.20 20 84	-2.91 34 74	-9.77 35 115	2.19 20 93							2				
214 22 0084 95535308	100 16 0131 104 21 0112		5.24	92	104	-0.19 56 95	0.50 52 109	0.41 104	2.27 50 87	-1.10 38 91	-0.35 50 93	3.82 44 96	-7.30 32 114							1				
161 22 0092 94673910	AH 19 0160 133 18 0040		2.64	88	83	0.00 47 98	-0.90 33 78	-0.90 79	4.31 5 101	0.80 6 102	-0.42 32 93	18.25 46 76	-6.42 18 112							2				
104 22 0154 95186003	55 21 0065 55 21 0039		10.47	86	104	-0.39 62 92	1.43 49 129	1.23 120	3.33 58 95	-3.20 23 78	-0.88 48 89	13.90 38 82	-8.02 18 115	89					2					
KR62 22 0222 94821295	KR62 20 0078 KR62 20 0206		2.06	89	90	0.00 31 98	-0.08 27 96	-0.08 95	3.73 21 97	-1.40 17 89	-0.92 26 89	-0.53 31 102	0.96 22 95							3				
104 22 0323 94915055	104 21 0042 104 18 0077		9.78	99	103	-0.26 56 94	-0.06 49 96	-0.19 93	3.96 48 99	0.50 32 100	-0.02 48 96	-1.78 44 104	-4.55 24 108							1				
104 22 0324 94915071	104 21 0042 104 18 0077		9.78	98	103	-0.26 56 94	-0.06 49 96	-0.19 93	3.96 48 99	0.50 32 100	-0.02 48 96	-1.54 44 104	-4.63 24 108							1				
214 23 0016 97481261	KR62 21 0044 104 21 0081		6.37	95	98	0.30 37 102	0.33 31 105	0.48 106	3.84 25 98	-1.20 18 90	-0.09 30 95	3.75 27 97	-3.48 19 105							0				
214 23 0025 97947766	100 21 0327 100 21 0128		2.65	104	100	0.43 32 104	-0.07 28 96	0.14 99	5.03 15 106	0.90 12 102	0.90 26 102	-3.58 23 107	1.40 15 94							0				
214 23 0026 97947725	100 21 0327 100 21 0128		2.65	104	100	0.43 32 104	-0.07 28 96	0.14 99	5.03 15 106	0.90 12 102	0.90 26 102	-3.58 23 107	1.40 15 94							0				

Ewes

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information							Selection Indices			EBV - Weights					EBV - Fertility							
Animal Comp no.			Parents Sire Dam			% In- breedin	Logix Merit Index	Reproduction Index	Wean Weight		Post-Wean		Number Weaned		TWW		AFL		ILP		Phenotype	
									Dir	Mat	Comb											
									EBV Acc Index	EBV Acc Index	EBV Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EPI	Times Lambd		
Active Breed Average:							100	100	0.10	-0.02	0.03	3.97	0.35	0.29	-0.26	0.28						
214 23 0031 98011570	100 AH	21 20	0327 0191	2.65	100	99	0.14 30	-0.06 24	0.01 96	3.18 97	22 22	3.18 94	0.90 7	0.62 102	-7.37 22	112	5.13 14	86	0			
214 23 0033 98029648	104 104	22 21	0191 0403	6.23	102	93	0.80 56	-0.26 46	0.14 92	7.39 99	50 50	122	-0.20 23	0.42 45	6.49 99	93	-4.55 18	108	0			
214 24 0002 107415796	AH 104	20 19	0187 0097	4.86	98	96	0.31 40	0.02 36	0.18 98	3.00 100	26 26	92	0.70 19	0.75 34	1.48 101	100	2.98 17	91	0			
214 24 0003 107415812	100 161	21 22	0327 0092	2.64	91	85	0.12 29	-0.78 23	-0.73 81	4.55 82	8 8	103	0.40 5	-0.43 21	9.27 92	89	-3.28 11	105	0			
161 24 0031 99291783	100 161	22 22	0027 0071	5.19	90	99	-0.80 42	0.00 87	-0.40 98	2.65 89	20 20	90	0.30 11	-0.62 29	1.34 91	33	-1.76 100	14 102	0			
161 24 0032 99292468	100 161	22 22	0027 0071	5.19	90	99	-0.80 42	0.00 87	-0.40 98	2.65 89	20 20	90	0.30 11	-0.62 29	1.34 91	33	-1.76 100	14 102	0			
161 24 0038 99292229	100 161	22 22	0027 0019	4.10	87	91	-0.54 44	-0.11 90	-0.38 95	3.23 89	20 20	94	-0.70 13	-1.06 32	1.72 88	99	0.44 17	97	0			
214 24 0043 98617533	100 KR62	21 22	0327 0222	2.35	91	89	0.11 24	-0.37 99	-0.31 90	4.26 90	14 14	101	-0.70 9	-0.68 19	-0.12 91	102	0.41 12	97	0			
214 24 0044 98617574	100 100	21 17	0327 0064	2.65	98	93	0.40 36	-0.44 103	-0.24 88	4.14 92	13 13	100	0.60 10	0.32 28	3.42 98	97	-2.04 14	102	0			
214 24 0045 98617558	100 100	21 17	0327 0064	2.65	98	93	0.40 36	-0.44 103	-0.24 88	4.14 92	13 13	100	0.60 10	0.32 28	3.42 98	97	-2.04 14	102	0			
214 24 0046 99108052	100 49	21 21	0327 0205	2.65	96	92	0.13 18	-0.46 99	-0.40 88	4.43 89	8 8	102	0.50 5	-0.03 14	-2.07 95	105	1.76 7	94	0			
214 24 0049 99192932	KR62 KR62	22 22	0129 0079	10.98	73	80	-0.85 33	-0.52 86	-0.94 86	2.39 78	17 17	88	-3.20 17	-3.29 28	-10.80 71	117	4.62 19	87	0			
161 24 0051 99292708	100 161	22 22	0027 0072	2.65	92	93	-0.18 43	-0.30 95	-0.40 91	3.68 89	19 19	97	0.30 11	-0.31 30	4.70 93	95	-1.84 13	102	0			
161 24 0052 99291809	100 159	22 20	0027 0040	3.54	101	110	-0.46 47	1.04 91	0.81 121	2.59 112	30 30	90	0.50 22	0.88 38	-6.37 102	111	6.29 19	84	0			

Ewes

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information							Selection Indices			EBV - Weights					EBV - Fertility									
Animal Comp no.			Parents Sire Dam			% In- breedin	Logix Merit Index	Reproduction Index	Dir		Wean Weight Mat		Comb	Post-Wean	Number Weaned		TWW		AFL		ILP		Phenotype	
									EBV Acc Index	EBV Acc Index	EBV Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EPI	Times Lambd				
			Active Breed Average:				100	100	0.10	-0.02	0.03	3.97	0.35	0.29	-0.26	0.28								
161 24 0053 99292542			100 22 0027 159 20 0040	3.54	101	110	-0.46 47 91	1.04 39 121	0.81 112	2.59 30 90	0.50 22 100	0.88 38 102	-6.37 34 111	6.29 19 84	0									
214 24 0055 99330995			100 21 0327 125 20 0058	2.06	96	91	0.13 18 99	-0.46 16 88	-0.40 89	4.43 8 102	0.50 5 100	-0.03 14 95	0.53 11 101	0.42 6 97	0									
214 24 0059 99340986			100 21 0327 104 18 0077	2.65	98	101	-0.13 42 96	-0.15 40 94	-0.22 92	3.30 31 94	0.50 25 100	0.02 37 96	-6.61 29 111	-1.03 19 100	0									
161 24 0059 99291601			100 22 0027 161 21 0028	2.68	85	86	-0.51 40 91	-0.67 30 83	-0.92 79	3.44 19 95	-0.30 13 95	-1.35 30 86	3.33 29 97	-1.50 13 101	0									
214 24 0061 99394678			100 22 0062 214 22 0084	5.21	95	105	-0.19 41 95	0.57 34 110	0.47 105	2.97 28 92	-0.50 21 94	0.08 34 96	6.14 29 93	-6.89 20 113	0									
214 24 0062 99506537			100 21 0327 104 21 0161	2.65	95	98	0.12 34 99	0.16 30 101	0.22 101	4.26 25 101	-0.90 14 92	-0.26 28 94	4.03 21 96	-5.14 13 109	0									
214 24 0063 99506552			100 21 0327 104 21 0161	2.65	95	98	0.12 34 99	0.16 30 101	0.22 101	4.26 25 101	-0.90 14 92	-0.26 28 94	4.03 21 96	-5.14 13 109	0									
161 24 0063 99332744			100 22 0027 159 20 0047	4.26	106	116	-0.65 47 89	0.67 37 113	0.35 103	2.09 30 86	2.60 21 112	1.58 37 108	-4.19 34 108	2.15 19 93	0									
161 24 0065 99290744			100 22 0027 104 19 0111	5.41	106	112	-0.37 47 93	0.22 39 103	0.04 97	2.31 29 88	1.40 22 105	0.69 38 101	-19.63 35 129	4.02 20 89	0									
214 24 0066 99504375			173 22 0015 104 22 0323	9.37	97	105	-0.38 38 93	0.20 32 102	0.01 97	3.82 28 98	0.00 18 97	-0.18 31 94	0.48 28 101	-6.12 16 111	0									
214 24 0067 99529703			173 22 0015 104 22 0324	9.37	97	105	-0.38 38 93	0.20 32 102	0.01 97	3.82 28 98	0.00 18 97	-0.18 31 94	0.60 28 101	-6.16 16 111	0									
161 24 0069 99292286			100 22 0027 KR62 19 0180	5.42	87	94	-0.37 43 93	0.39 37 106	0.20 100	3.11 28 93	-2.20 21 84	-1.31 36 86	-6.87 35 111	3.85 23 89	0									
214 24 0070 99585218			173 22 0015 100 20 0169	4.28	97	99	-0.10 40 96	0.18 31 102	0.13 99	4.07 19 100	-0.10 13 96	0.02 30 96	-1.78 27 104	0.55 16 96	0									
214 24 0073 99644098			173 22 0015 100 20 0131	5.21	108	107	0.54 42 105	0.15 32 101	0.42 105	5.13 19 107	1.20 16 104	1.41 32 106	6.33 27 93	-7.96 18 115	0									

Ewes

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information							Selection Indices			EBV - Weights				EBV - Fertility						
Animal Comp no.			Parents Sire Dam			% In- breedin	Logix Merit Index	Reproduction Index	Wean Weight		Post-Wean	Number Weaned	TWW		AFL		ILP		Phenotype	
									Dir EBV Acc Index	Mat EBV Acc Index			Comb EBV Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EPI	Times Lambd	
			Active Breed Average:				100	100	0.10	-0.02	0.03	3.97	0.35	0.29	-0.26	0.28				
161 24 0079 99290827			100 22 0027 161 19 0035	2.64		100	102	0.00 35 98	0.28 29 104	0.28 102	3.65 19 97	0.30 10 99	0.46 27 99	-3.84 25 107	1.32 12 95	0				
214 24 0080 99879439			104 20 0205 133 18 0110	2.67		83	87	-0.39 38 92	-0.46 33 88	-0.65 84	3.58 20 96	-1.00 16 91	-1.45 31 85	10.61 20 87	-6.70 11 112	0				
214 24 0082 99879454			104 20 0205 161 22 0075	3.40		77	82	-0.42 45 92	-0.43 34 88	-0.63 84	3.27 22 94	-2.20 18 84	-2.16 35 79	11.28 27 86	-6.62 16 112	0				
161 24 0084 99290868			100 22 0027 161 21 0001	4.47		102	105	-0.12 37 96	0.27 31 104	0.21 100	3.32 20 95	0.90 13 102	0.69 29 101	-3.58 30 107	0.11 17 97	0				
161 24 0085 99292401			100 22 0027 161 21 0001	4.47		102	105	-0.12 37 96	0.27 31 104	0.21 100	3.32 20 95	0.90 13 102	0.69 29 101	-3.58 30 107	0.11 17 97	0				
161 24 0088 99425605			100 22 0027 22 18 0027	2.67		96	99	-0.15 36 96	0.09 30 100	0.01 97	3.55 19 96	0.30 10 99	0.12 28 97	-0.28 27 102	0.22 12 97	0				
214 24 0092 99953630			173 22 0015 104 21 0112	6.30		90	96	-0.13 40 96	0.24 34 103	0.17 100	4.36 29 101	-1.60 20 88	-0.85 33 89	9.12 28 89	-8.39 18 116	0				
161 24 0094 99292047			100 22 0027 159 21 0023	6.64		82	89	-0.45 44 92	0.02 36 98	-0.21 92	2.79 27 91	-2.40 20 83	-1.88 35 82	-4.68 32 108	1.55 22 94	0				
214 24 0094 100019058			173 22 0015 AH 20 0191	4.22		100	107	-0.22 36 95	0.50 27 109	0.39 104	2.63 25 90	0.50 10 100	0.58 27 100	-6.15 26 110	1.35 17 95	0				
214 24 0096 100157247			100 21 0327 KR62 22 0222	2.35		91	89	0.11 24 99	-0.37 21 90	-0.31 90	4.26 14 101	-0.70 9 93	-0.68 19 91	-0.12 19 102	0.41 12 97	0				
214 24 0097 100157262			100 21 0327 100 21 0128	2.65		104	100	0.43 32 104	-0.07 28 96	0.14 99	5.03 15 106	0.90 12 102	0.90 26 102	-3.58 23 107	1.40 15 94	0				
161 24 0098 99291726			100 22 0027 AH 20 0110	4.25		96	102	-0.28 38 94	0.37 30 106	0.23 101	2.11 22 86	0.60 13 101	0.44 29 99	-2.86 32 106	3.54 16 90	0				
214 24 0102 100261908			AH 20 0187 104 21 0408	4.80		93	93	0.10 35 99	0.16 32 101	0.21 100	3.10 26 93	-0.20 18 96	0.14 30 97	4.62 29 95	2.45 17 92	0				
161 24 0102 99332785			100 22 0027 161 21 0016	4.09		92	97	-0.60 43 90	-0.08 34 96	-0.37 89	3.37 21 95	0.80 12 102	-0.19 32 94	7.55 32 91	-3.32 17 105	0				

Ewes

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information							Selection Indices		EBV - Weights				EBV - Fertility											
Animal Comp no.			Parents Sire Dam			% In- breedin	Logix Merit Index	Reproduction Index	Dir		Wean Weight Mat		Comb	Post-Wean	Number Weaned		TWW		AFL		ILP		Phenotype	
									EBV Acc Index	EBV Acc Index	EBV Index	EBV Acc Index			EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EPI	Times Lambd				
			Active Breed Average:				100	100	0.10	-0.02	0.03	3.97	0.35	0.29	-0.26	0.28								
214 24 0103 100261882	AH 20 0187 104 21 0408	4.80	93	93	0.10 35 99	0.16 32 101	0.21 100	3.10 26 93	-0.20 18 96	0.14 30 97	4.62 29 95	2.45 17 92	0											
161 24 0103 99290926	100 22 0027 161 21 0019	2.65	93	93	-0.26 40 94	-0.35 31 90	-0.48 87	3.61 19 96	0.30 11 99	-0.43 30 92	-2.75 34 106	1.06 16 95	0											
161 24 0104 99290280	100 22 0027 161 21 0019	2.65	93	93	-0.26 40 94	-0.35 31 90	-0.48 87	3.61 19 96	0.30 11 99	-0.43 30 92	-2.75 34 106	1.06 16 95	0											
214 24 0105 100261528	100 22 0062 133 21 0004	3.16	109	114	-0.02 39 97	0.71 33 113	0.70 110	4.21 26 100	1.70 17 107	1.71 32 109	0.15 30 101	-1.62 20 101	0											
161 24 0105 99292302	100 22 0027 161 21 0005	4.69	95	98	-0.04 34 97	0.22 28 103	0.20 100	3.37 19 95	-0.30 13 95	0.00 27 96	-0.25 25 102	0.08 13 97	0											
214 24 0106 100261544	100 22 0062 133 21 0004	3.16	109	114	-0.02 39 97	0.71 33 113	0.70 110	4.21 26 100	1.70 17 107	1.71 32 109	0.15 30 101	-1.62 20 101	0											
161 24 0108 99290306	100 22 0027 104 19 0097	5.56	94	99	-0.15 46 96	0.09 38 100	0.01 97	3.14 29 93	-0.10 21 96	-0.12 37 95	1.06 31 100	-2.04 17 102	0											
214 24 0110 100363324	100 21 0327 104 21 0081	2.65	92	97	0.04 37 98	0.19 31 102	0.21 100	4.06 25 99	-1.60 17 88	-0.73 30 90	3.33 21 97	-5.69 16 110	0											
214 24 0112 100481696	100 22 0062 49 19 0022	5.90	97	102	-0.08 33 97	0.39 27 106	0.35 103	3.79 14 98	0.10 12 98	0.37 26 98	6.36 27 93	-4.13 16 107	0											
214 24 0113 100481597	100 22 0062 49 19 0022	5.90	97	102	-0.08 33 97	0.39 27 106	0.35 103	3.79 14 98	0.10 12 98	0.37 26 98	6.36 27 93	-4.13 16 107	0											
161 24 0115 99291288	100 22 0027 100 21 0344	8.08	97	108	-0.15 42 96	0.76 33 114	0.68 110	3.72 24 97	-0.80 17 92	0.13 33 97	5.03 32 95	-7.20 20 114	0											
161 24 0120 99290348	100 22 0027 133 18 0040	2.67	94	97	-0.25 31 94	-0.04 21 97	-0.17 93	3.48 19 96	0.30 10 99	-0.11 22 95	2.13 26 99	-1.15 12 100	0											
161 24 0121 99291023	100 22 0027 133 18 0040	2.67	94	97	-0.25 31 94	-0.04 21 97	-0.17 93	3.48 19 96	0.30 10 99	-0.11 22 95	2.13 26 99	-1.15 12 100	0											
161 24 0133 99292427	100 22 0027 133 18 0013	2.67	95	98	-0.29 32 94	-0.10 23 96	-0.24 92	3.45 19 95	0.60 11 101	-0.03 24 95	1.05 26 100	-1.23 12 100	0											

Ewes

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information							Selection Indices		EBV - Weights				EBV - Fertility										
Animal Comp no.			Parents Sire Dam			% In- breedin	Logix Merit Index	Reproduction Index	Dir		Wean Weight Mat		Comb EBV Index	Post-Wean EBV Acc Index	Number Weaned EBV Acc Index	TWW		AFL		ILP		Phenotype	
									EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index				EBV Acc Index	EBV Acc Index	EPI	Times Lambd				
			Active Breed Average:				100	100	0.10	-0.02		0.03	3.97	0.35	0.29		-0.26		0.28				
214 25 0006 110093333	100 AH	22 20	0062 0191	3.73	102	108	-0.07 38 97	0.59 29 111		0.56 107	2.62 24 90	0.90 12 102	1.06 29 104		-3.29 27 106		1.96 17 93				0		
214 25 0008 110193745	100 104	22 22	0062 0154	7.81	92	105	-0.29 43 94	1.03 33 120		0.89 113	3.50 32 96	-1.50 15 88	-0.16 33 95		11.18 26 86		-7.25 15 114				0		
214 25 0010 110201050	100 22	21 18	0327 0008	2.65	96	91	0.08 22 99	-0.53 23 86		-0.49 87	4.40 8 102	0.50 5 100	-0.14 18 95		-3.53 15 107		2.13 8 93				0		
214 25 0011 110201068	100 161	21 21	0327 0001	2.65	103	99	0.26 27 101	-0.15 28 95		-0.02 96	4.27 10 101	1.10 9 104	0.77 23 101		-2.25 21 105		0.36 14 97				0		
214 25 0013 110203551	100 104	21 19	0327 0141	2.65	108	99	0.44 39 104	-0.44 35 88		-0.22 92	4.35 20 101	3.00 17 115	1.80 32 109		2.39 20 98		1.70 14 94				0		
214 25 0014 110203585	100 133	21 18	0327 0013	2.65	96	92	0.09 20 99	-0.52 19 86		-0.47 87	4.40 8 102	0.80 5 102	0.05 16 96		2.38 14 98		-0.97 8 100				0		
214 25 0015 110203569	100 KR62	21 22	0327 0222	2.35	91	89	0.11 24 99	-0.37 21 90		-0.31 90	4.26 14 101	-0.70 9 93	-0.68 19 91		-0.12 19 102		0.41 12 97				0		
214 25 0016 110203619	100 161	21 22	0327 0019	2.64	88	85	-0.16 36 96	-0.53 28 86		-0.61 85	4.18 12 100	-0.50 8 94	-0.98 26 88		3.06 28 97		0.69 14 96				0		
214 25 0017 110203627	100 104	21 19	0327 0115	2.65	86	91	-0.25 39 94	-0.12 35 95		-0.24 92	4.75 24 104	-2.20 19 84	-1.69 33 83		3.47 27 97		-6.11 17 111				0		
214 25 0019 110203601	100 100	22 17	0062 0064	6.34	100	102	0.19 43 100	0.21 34 102		0.31 102	3.59 16 96	0.60 14 101	0.76 33 101		7.51 29 91		-5.21 18 109				0		
214 25 0021 110203643	100 161	22 21	0062 0028	2.68	88	89	-0.33 39 93	-0.44 31 88		-0.61 85	3.83 12 98	-0.10 13 96	-0.83 30 89		8.75 25 90		-4.41 14 107				0		
214 25 0024 110203577	100 100	21 20	0327 0218	2.65	88	88	-0.67 35 89	-0.72 30 82		-1.06 76	3.66 14 97	0.40 11 99	-1.15 28 87		-2.23 23 105		1.93 15 93				0		
214 25 0027 110203544	100 104	21 21	0327 0403	2.65	90	85	0.58 36 106	-0.38 34 89		-0.09 95	4.77 28 104	-1.10 17 91	-0.46 31 92		10.01 25 88		-3.68 15 106				0		
214 25 0029 110823044	100 100	22 21	0062 0128	6.67	107	109	0.22 40 101	0.58 32 110		0.69 110	4.47 17 102	1.00 16 103	1.40 31 106		0.51 27 101		-1.77 18 102				0		

Ewe flock average: Total ewes in flock: 126	96	98	-0.08	0.05	0.01	3.66	0.08	0.02	0.42	-0.69
--	----	----	-------	------	------	------	------	------	------	-------

Sires Used in Flock

*Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents & Progeny				Selection Indices		EBV - Weights				EBV - Fertility						
Animal ID Computer nr	% In- breedin	Sire ID Dam ID	1st Generation		2nd Generation		Logix Merit Index	Reproducti on Index	Weaning Weight		Comb EBV Index	Post-Wean EBV Acc Index	Number Weaned EBV Acc Index	TWW EBV Acc Index	AFL EBV Acc Index	ILP EBV Acc Index	DAM EPI Times Lambe	
			Progeny Number Weaned	Herds	Progeny Number Weaned	Herds			Dir EBV Acc Index	Mat EBV Acc Index								
		Active Breed Average:						100	100	0.10	-0.02	0.03	3.97	0.35	0.29	-0.26	0.28	
1 AH 13 0543 74513490	4.20		63	1	14	1	76	87	-0.32 91 93	0.71 79 113	0.55 107	5.91 66 112	-5.60 53 64	-2.97 78 73	7.96 62 91	-6.92 36 113		
2 100 14 0041 74931866	3.69	3 11 0152 100 12 0068	43	1	18	2	110	101	1.33 87 116	-0.33 76 91	0.34 103	4.82 32 105	1.70 35 107	2.02 71 111	9.19 61 89	-8.49 41 116		1
3 KR65 15 0027 77132330	3.94	KR65 13 0006 KR65 11 8296	71	1	41	1	90	93	-0.71 92 88	0.07 85 99	-0.29 91	3.44 47 95	0.30 42 99	-0.46 78 92	-2.17 77 105	7.71 52 80		2
4 KR92 16 0021 82809658	4.46		66	1	16	1	129	117	1.15 91 113	0.11 81 100	0.69 110	3.48 71 96	7.20 57 136	5.59 79 138	5.98 58 93	1.86 34 93		
5 AH 16 0066 81131849	21.88	AH 12 0191 AH 14 0080					107	110	-0.01 48 98	0.55 40 110	0.54 107	0.88 29 78	1.50 12 106	1.44 37 106	-26.25 68 136	19.38 38 64		1
6 AH 16 0072 80875297	18.27	AH 12 0191 AH 11 0011			13	3	96	88	0.43 74 104	0.01 71 98	0.22 101	2.25 44 87	1.50 25 106	1.34 62 106	4.17 68 96	12.61 44 70		2
7 100 16 0093 77298768	4.20	3 12 0554 3 13 0757			3	1	95	103	0.07 53 99	0.65 51 112	0.68 109	3.76 29 97	-0.60 22 94	0.35 45 98	15.33 50 81	-9.76 31 119	69	5
8 100 16 0131 77522068	4.20	3 12 0270 3 13 0770	139	2	31	2	101	121	-0.61 95 89	0.98 88 119	0.68 109	-0.50 86 69	0.50 66 100	0.67 86 101	-7.87 77 113	-5.51 55 110	100	3
9 133 17 0026 81042152	3.21	133 13 0005 133 15 0013			4	2	100	86	1.03 61 112	-0.64 55 84	-0.13 94	5.38 18 108	0.70 20 101	0.80 49 102	4.93 66 95	1.91 37 93		6
10 KR62 17 0056 82927682	4.80	KR62 16 0005 KR9 16 0266	144	1	47	1	120	143	-1.83 95 73	1.88 88 136	0.97 115	-1.23 87 64	8.00 64 136	4.85 85 132	-14.25 77 121	10.85 49 74		5
11 AH 17 0079 81860751	2.84		81	3	14	1	119	103	1.03 90 112	-0.84 70 79	-0.32 90	5.29 40 108	4.50 32 124	2.89 69 117	-1.65 59 104	-0.30 34 98		
12 104 17 0089 85955888	2.84		75	2	16	1	93	96	-0.53 92 90	0.48 80 108	0.21 100	6.94 82 119	-0.40 53 95	-0.29 78 94	15.12 68 81	-3.02 42 104		
13 KR62 17 0777 89763742	4.20	KR62 11 0512 KR62 13 0168	92	2	53	3	58	63	-0.83 95 86	-1.05 91 75	-1.46 68	1.36 75 81	-9.00 65 64	-7.28 87 41	-15.63 87 123	8.62 69 78		1
14 104 18 0002 82649591	11.14	55 13 0019 104 15 0087	29	1	4	1	82	99	-0.71 85 88	0.52 69 109	0.17 100	1.90 59 85	-1.80 41 86	-1.27 69 86	18.73 51 76	-14.34 32 129	126	11
15 AH 18 0004 92383579	13.54	AH 14 0001 AH 11 0010	101	1	12	2	112	120	0.00 92 98	1.00 69 120	1.00 116	0.81 79 78	2.10 25 109	2.26 68 113	-19.96 60 129	10.40 32 75		5

Sires Used in Flock

*Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information			Parents & Progeny				Selection Indices		EBV - Weights				EBV - Fertility					
Animal ID Computer nr	% In- breedin	Sire ID Dam ID	1st Generation		2nd Generation		Logix Merit Index	Reproducti on Index	Weaning Weight		Comb EBV Index	Post-Wean EBV Acc Index	Number Weaned EBV Acc Index	TWW EBV Acc Index	AFL EBV Acc Index	ILP EBV Acc Index	DAM EPI Times Lambe	
			Progeny Number Weaned	Herds	Progeny Number Weaned	Herds			Dir EBV Acc Index	Mat EBV Acc Index								
Active Breed Average:							100	100	0.10	-0.02	0.03	3.97	0.35	0.29	-0.26	0.28		
16	104 18 0011 82649633	7.31	55 13 0019 104 15 0014	60	1	19	1	93	90	0.59 91 106	-0.33 81 91	-0.03 96	3.33 76 95	0.60 52 101	0.62 78 100	21.35 67 72	-8.26 40 116	91 10
17	AH 18 0011 92380435	27.04	AH 16 0066 AH 16 0069			2	1	101	109	-0.47 56 91	0.71 42 113	0.47 105	0.04 40 73	1.40 10 105	1.08 40 104	-19.76 55 129	16.11 30 64	2
18	AH 18 0031 86070844	11.47	AH 16 0072 AH 15 0009	62	2	11	2	104	78	1.93 89 124	-0.56 71 86	0.41 104	6.40 39 115	0.20 34 98	1.49 69 107	-0.66 62 103	13.34 39 68	2
19	KR30 18 0031 84136282	2.67														-6.07 21 110	4.14 10 88	
20	104 18 0057 82649740	5.01	100 16 0131 104 16 0029	31	1	9	1	101	89	1.50 86 118	-0.72 73 82	0.03 97	5.35 68 108	-0.90 44 92	0.24 71 97	2.12 59 99	-7.31 38 114	133 6
21	KR62 18 0089 91029157	4.21	KR62 16 0011 KR9 15 0222	19	1			105	100	0.31 71 102	-0.24 36 92	-0.09 95	4.86 12 105	1.60 7 106	1.02 43 103	-1.72 49 104	0.21 18 97	6
22	KR62 18 0134 90950775	3.51	KR62 17 0777 KR9 16 0229			3	1	57	67	-1.37 68 79	-0.81 64 80	-1.49 68	1.46 41 82	-5.40 38 65	-5.42 60 55	-14.60 63 122	7.99 45 80	9
23	49 18 0532 92302728	6.60	3 14 0450 49 12 0493			2	1	105	101	-0.08 36 97	-0.46 33 88	-0.50 87	4.17 18 100	2.00 10 109	0.66 29 101	-13.40 37 120	5.08 20 86	3
24	KR62 19 0002 90952466	3.68	KR62 17 0777 KR62 17 0027	5	1	6	1	74	71	-0.49 69 91	-1.08 65 74	-1.33 71	3.70 47 97	-3.50 34 76	-3.67 59 68	-22.88 63 133	11.86 45 71	6
25	140 19 0007 90649336	3.21	AH 18 0104 140 15 0033			2	2	105	105	0.01 37 98	0.26 36 103	0.27 102	3.21 18 94	1.70 12 107	1.29 31 105	-8.34 55 113	6.40 33 83	6
26	104 19 0024 83183475	4.80	AH 13 0543 104 15 0111	27	1	6	1	96	107	0.38 85 103	1.32 71 127	1.52 126	4.99 75 106	-3.20 42 78	-0.21 70 94	6.42 53 93	-8.13 32 116	107 5
27	104 19 0028 85965689	2.84	104 17 0089 104 16 0042	62	1	17	1	96	88	1.21 92 114	-0.06 82 97	0.55 107	6.42 85 115	-1.70 55 87	0.14 80 97	14.03 72 82	-7.54 42 114	95 7
28	3 19 0029 91041681	38.96	3 11 0283 3 16 0097			4	1	93	93	0.75 60 108	-0.28 56 92	0.09 98	4.82 39 105	-1.60 27 88	-0.49 51 92	17.57 81 77	-18.90 52 136	3
29	100 19 0052 83207621	13.26	100 15 0312 100 17 0009	118	2	22	4	99	119	-0.49 94 91	1.53 79 131	1.29 121	3.19 50 94	-0.60 41 94	0.68 76 101	16.17 73 79	-13.93 48 129	100 5
30	AH 19 0160 90590456	2.64		126	1	10	1	83	73	-0.03 93 97	-1.54 66 64	-1.56 66	4.56 5 103	0.70 12 101	-1.15 64 87	17.31 67 78	-5.67 27 110	

Sires Used in Flock

*Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents & Progeny						Selection Indices		EBV - Weights				EBV - Fertility							
Animal ID Computer nr	% In- breedin	Sire ID Dam ID	1st Generation		2nd Generation		Logix Merit Index	Reproducti on Index	Weaning Weight		Comb EBV Index	Post-Wean EBV Acc Index	Number Weaned EBV Acc Index	TWW EBV Acc Index	AFL EBV Acc Index	ILP EBV Acc Index	DAM EPI Times Lambe				
			Progeny Number Weaned	Herds	Progeny Number Weaned	Herds			Dir EBV Acc Index	Mat EBV Acc Index											
			Active Breed Average:						100	100	0.10	-0.02	0.03	3.97	0.35	0.29	-0.26	0.28			
31	KR62 19 3196 91032037	3.45	KR62 17 1276 KR62 17 0001	81	2	40	4	127	134	-0.46 94 91	1.20 85 124	0.96 115	3.94 89 99	4.70 52 125	3.55 81 122	-17.68 84 126	6.45 50 83	6			
32	KR62 20 0007 90950734	3.96	KR62 18 0134 KR62 15 0030	39	3	15	3	57	71	-1.89 85 72	-1.05 71 75	-2.00 64	1.42 40 82	-5.20 40 66	-6.06 69 50	-20.21 71 130	3.54 40 90	6			
33	173 20 0023 91932509	2.64	173 18 0001 173 19 0015	7	2	3	1	98	89	0.96 61 111	-0.37 46 90	0.11 98	5.88 34 112	-0.70 11 93	0.17 44 97	5.59 41 94	-3.16 26 105	2			
34	100 20 0045 86509874	2.67	100 18 0280 15 18 0069			8	1	94	85	0.38 48 103	-0.62 49 84	-0.43 88	4.66 5 103	0.20 15 98	-0.12 41 95	-1.46 67 104	4.60 32 87	80 3			
35	173 20 0070 93077584	2.67	173 18 0001 133 19 0030	3	2	3	1	96	100	-0.01 59 98	0.32 51 105	0.31 102	5.07 39 106	-1.10 12 91	-0.36 45 93	-1.24 48 103	-2.89 31 104	1			
36	KR62 20 0078 91034249	3.51	KR62 17 0777 KR9 14 0099			1	1	82	86	-0.12 59 96	0.13 54 101	0.07 98	3.22 41 94	-3.60 34 76	-2.15 51 80	-11.21 57 117	5.59 41 85	9			
37	AH 20 0187 93125631	17.59	AH 16 0072 AH 17 1045					100	95	0.38 40 103	0.05 37 99	0.24 101	2.63 24 90	1.40 13 105	1.27 33 105	-1.54 41 104	9.40 25 77	2			
38	104 20 0205 90374976	12.78	104 18 0002 104 18 0102					81	91	-0.16 65 95	0.20 51 102	0.12 99	3.54 41 96	-2.80 31 81	-1.65 52 83	18.34 36 76	-13.33 22 127	110 8			
39	104 21 0042 92498732	6.72	104 19 0028 104 20 0077	21	1	6	1	93	91	-0.04 82 97	-0.47 65 87	-0.49 87	6.11 76 113	-0.10 39 96	-0.58 66 91	10.19 53 88	-7.25 30 114	104 5			
40	KR62 21 0044 92438761	4.00	133 17 0026 KR62 19 0003					100	90	0.74 37 108	-0.38 33 89	-0.01 96	4.35 13 101	0.90 13 102	0.90 30 102	1.14 41 100	4.28 24 88	4			
41	55 21 0065 94613619	8.28	55 20 0053 104 20 0046	13	1	1	1	85	110	-1.36 73 79	1.35 51 128	0.68 109	1.95 63 85	-1.40 25 89	-0.85 53 89	16.54 37 79	-10.92 20 122	93 5			
42	104 21 0125 92501691	9.68	104 18 0145 104 19 0121	53	1	5	1	115	97	1.96 88 124	-0.85 64 79	0.13 99	3.52 68 96	3.40 35 117	3.14 67 119	10.35 55 87	-5.68 25 110	100 9			
43	100 21 0327 93065845	2.64	173 20 0023 AH 19 0243					94	88	0.23 36 101	-0.66 32 83	-0.55 86	4.79 17 104	0.10 6 98	-0.37 28 93	0.29 22 101	-0.14 13 98	93 5			
44	173 22 0015 93653715	4.88	173 20 0070 104 20 0244	3	1			95	106	-0.49 53 91	0.46 41 108	0.21 100	3.68 29 97	-0.60 16 94	-0.39 40 93	2.73 35 98	-7.69 21 115	85 4			
45	100 22 0027 93910073	3.57	KR62 19 3197 100 19 0222	2	1			92	100	-0.54 62 90	0.18 43 102	-0.09 95	2.89 37 92	-0.20 20 96	-0.47 45 92	-2.37 48 105	-0.65 23 99	98 3			

Sires Used in Flock

*Inbreeding in red is high

EBV - Estimated Breeding Value

Indices ≥ 124
Above breed average
Indices ≤ 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information				Parents & Progeny				Selection Indices		EBV - Weights				EBV - Fertility					
Animal ID Computer nr	% In- breedin	Sire ID Dam ID	1st Generation		2nd Generation		Logix Merit Index	Reproducti on Index	Weaning Weight				Number Weaned EBV Acc Index	TWW EBV Acc Index	AFL EBV Acc Index	ILP EBV Acc Index	DAM EPI Times Lambe		
			Progeny Number Weaned	Herds	Progeny Number Weaned	Herds			Dir EBV Acc Index	Mat EBV Acc Index	Comb EBV Index	Post-Wean EBV Acc Index							
			Active Breed Average:				100	100	0.10	-0.02	0.03	3.97	0.35	0.29	-0.26	0.28			
46	100 22 0062 93956837	2.64	100 19 0052 173 19 0003				98	107	-0.19 60 95	0.63 45 112	0.54 107	3.68 25 97	0.10 21 98	0.51 45 99	8.47 37 90	-6.47 24 112	102 3		
47	KR62 22 0129 94139748	17.57	KR62 18 0134 KR62 19 0015		2	1	69	76	-0.77 49 87	-0.38 47 89	-0.76 82	2.03 28 86	-4.20 27 72	-3.67 43 68	-11.83 45 118	7.05 32 82	6		
48	104 22 0191 95320883	4.27	55 20 0107 104 18 0179	104	1	6	1	117	103	0.67 93 107	-0.43 70 88	-0.10 94	10.04 84 136	1.90 32 108	1.37 70 106	-6.74 56 111	-1.89 24 102	95 9	
			Sire Flock Average: Number of sires used in the flock: 48				96	96	0.05	0.02	0.05	3.71	-0.11	0.01	0.01	0.03			

Ram Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents & Progeny			Selection Indices		EBV - Weights				EBV - Fertility						
Animal ID Computer nr	% In-breedi	Sire ID Dam ID	1st Generation	2nd Generation	Logix Merit Index	Reproducti on Index	Weaning Weight		Comb EBV Index	Post-Wean EBV Acc Index	Number Weaned EBV Acc Index	TWW		AFL		ILP	
			Progeny Number Weaned Herds	Progeny Number Weaned Herds			Dir EBV Acc Index	Mat EBV Acc Index				EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index		
		Active Breed Average:			100	100	0.10	-0.02	0.03	3.97	0.35	0.29	-0.26	0.28			
1	214 24 0072 99644114	5.21	173 22 0015 100 20 0131		108	107	0.54 42	0.15 105	0.42 105	5.13 19	1.20 16	1.41 104	6.33 27	-7.96 18		115	
2	214 23 0022 97943286	2.65	100 21 0327 100 20 0131		108	98	0.90 37	-0.41 110	0.04 97	5.68 15	1.60 14	1.45 106	5.11 29	-4.18 16		107	
3	214 23 0023 97947741	2.65	100 21 0327 133 21 0004		107	104	0.19 31	0.07 100	0.16 99	4.76 25	1.60 13	1.21 105	-3.94 26	1.55 17		94	
4	161 24 0089 99291684	3.78	100 22 0027 104 19 0141		106	105	0.06 46	-0.02 98	0.01 97	3.40 26	2.80 20	1.72 109	1.06 29	1.45 17		94	
5	161 24 0090 99292005	3.78	100 22 0027 104 19 0141		106	105	0.06 46	-0.02 98	0.01 97	3.40 26	2.80 20	1.72 109	1.06 29	1.45 17		94	
6	161 24 0091 99290884	3.78	100 22 0027 104 19 0141		106	105	0.06 46	-0.02 98	0.01 97	3.40 26	2.80 20	1.72 109	1.06 29	1.45 17		94	
7	161 24 0060 99290629	4.26	100 22 0027 159 20 0047		106	116	-0.65 47	0.67 113	0.35 103	2.09 30	2.60 21	1.58 108	-4.19 34	2.15 19		93	
8	161 24 0061 99332728	4.26	100 22 0027 159 20 0047		106	116	-0.65 47	0.67 113	0.35 103	2.09 30	2.60 21	1.58 108	-4.19 34	2.15 19		93	
9	161 24 0062 99332736	4.26	100 22 0027 159 20 0047		106	116	-0.65 47	0.67 113	0.35 103	2.09 30	2.60 21	1.58 108	-4.19 34	2.15 19		93	
10	161 24 0064 99291940	5.41	100 22 0027 104 19 0111		106	112	-0.37 47	0.22 93	0.04 97	2.31 29	1.40 22	0.69 101	-19.63 35	4.02 20		89	
11	214 23 0034 98289416	9.89	104 21 0125 104 18 0156		103	100	0.96 56	-0.21 93	0.28 102	2.51 42	0.80 27	1.24 105	3.11 37	-5.95 22		111	
12	214 25 0005 110093325	3.73	100 22 0062 AH 20 0191		102	108	-0.07 38	0.59 111	0.56 107	2.62 24	0.90 12	1.06 104	-3.29 27	1.96 17		93	
13	214 23 0032 98029622	6.23	104 22 0191 104 21 0403		102	93	0.80 56	-0.26 92	0.14 99	7.39 50	-0.20 23	0.42 99	6.49 35	-4.55 18		108	
14	214 25 0012 110203593	2.64	100 21 0327 161 19 0035		101	96	0.38 24	-0.14 95	0.05 97	4.60 8	0.50 5	0.54 100	-2.51 14	1.58 6		94	

Ram Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents & Progeny			Selection Indices		EBV - Weights				EBV - Fertility							
Animal ID Computer nr	% In- breedi	Sire ID Dam ID	1st Generation	2nd Generation	Logix Merit Index	Reproducti on Index	Weaning Weight		Comb EBV Index	Post-Wean EBV Acc. Index	Number Weaned EBV		TWW		AFL		ILP	
			Progeny Number Weaned Herds	Progeny Number Weaned Herds			Dir EBV Acc. index	Mat EBV Acc. Index			Acc.	Index	Acc.	Index	Acc.	Index	Acc.	Index
		Active Breed Average:			100	100	0.10	-0.02	0.03	3.97	0.35	0.29	-0.26	0.28				
15	214 24 0038 98565104	2.65	100 21 0327 49 21 0144		101	96	0.26 23 101	-0.25 22 92	-0.12 94	4.71 14 104	0.70 5 101	0.43 18 99	-3.03 15 106	1.26 8 95				
16	214 24 0039 98565120	2.65	100 21 0327 49 21 0144		101	96	0.26 23 101	-0.25 22 92	-0.12 94	4.71 14 104	0.70 5 101	0.43 18 99	-3.03 15 106	1.26 8 95				
17	R62 21 0044 92438761	4.00	133 17 0026 R62 19 0003		100	90	0.74 37 108	-0.38 33 89	-0.01 96	4.35 13 101	0.90 13 102	0.90 30 102	1.14 41 100	4.28 24 88				
18	AH 20 0187 93125631	17.59	AH 16 0072 AH 17 1045		100	95	0.38 40 103	0.05 37 99	0.24 101	2.63 24 90	1.40 13 105	1.27 33 105	-1.54 41 104	9.40 25 77				
19	214 24 0118 100481670	2.65	100 21 0327 AH 21 0029		100	97	0.21 31 100	-0.06 25 96	0.04 97	3.23 22 94	0.90 7 102	0.68 23 101	-6.22 23 110	6.14 14 84				
20	214 24 0117 100481712	2.65	100 21 0327 AH 21 0029		100	97	0.21 31 100	-0.06 25 96	0.04 97	3.23 22 94	0.90 7 102	0.68 23 101	-6.22 23 110	6.14 14 84				
21	214 23 0027 97998454	2.65	100 21 0327 AH 21 0029		100	97	0.21 31 100	-0.06 25 96	0.04 97	3.23 22 94	0.90 7 102	0.68 23 101	-6.22 23 110	6.14 14 84				
22	161 24 0078 99292385	2.64	100 22 0027 161 19 0035		100	102	0.00 35 98	0.28 29 104	0.28 102	3.65 19 97	0.30 10 99	0.46 27 99	-3.84 25 107	1.32 12 95				
23	214 24 0115 100481639	6.34	100 22 0062 100 17 0064		100	102	0.19 43 100	0.21 34 102	0.31 102	3.59 16 96	0.60 14 101	0.76 33 101	7.51 29 91	-5.21 18 109				
24	214 24 0114 100481654	6.34	100 22 0062 100 17 0064		100	102	0.19 43 100	0.21 34 102	0.31 102	3.59 16 96	0.60 14 101	0.76 33 101	7.51 29 91	-5.21 18 109				
25	214 24 0116 100481613	6.34	100 22 0062 100 17 0064		100	102	0.19 43 100	0.21 34 102	0.31 102	3.59 16 96	0.60 14 101	0.76 33 101	7.51 29 91	-5.21 18 109				
26	214 24 0057 99340945	2.65	100 21 0327 104 18 0077		98	101	-0.13 42 96	-0.15 40 94	-0.22 92	3.30 31 94	0.50 25 100	0.02 37 96	-6.61 29 111	-1.03 19 100				
27	214 24 0058 99340960	2.65	100 21 0327 104 18 0077		98	101	-0.13 42 96	-0.15 40 94	-0.22 92	3.30 31 94	0.50 25 100	0.02 37 96	-6.61 29 111	-1.03 19 100				
28	100 22 0062 93956837	2.64	100 19 0052 173 19 0003		98	107	-0.19 60 95	0.63 45 112	0.54 107	3.68 25 97	0.10 21 98	0.51 45 99	8.47 37 90	-6.47 24 112				

Ram Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents & Progeny			Selection Indices		EBV - Weights				EBV - Fertility			
Animal ID Computer nr	% In- breedi	Sire ID Dam ID	1st Generation	2nd Generation	Logix Merit Index	Reproducti on Index	Weaning Weight		Comb EBV Index	Post-Wean EBV Acc Index	Number Weaned EBV Acc Index	TWW EBV Acc Index	AFL EBV Acc Index	ILP EBV Acc Index
			Progeny Number Weaned Herds	Progeny Number Weaned Herds			Dir EBV Acc index	Mat EBV Acc Index						
		Active Breed Average:			100	100	0.10	-0.02	0.03	3.97	0.35	0.29	-0.26	0.28
29	214 24 0111 100363753	4.53	R62 21 0044 R62 21 0108		98	92	0.27 28 101	-0.29 26 91	-0.16 93	4.41 16 102	0.30 12 99	0.16 24 97	-7.75 30 112	6.87 20 82
30	214 25 0025 110203635	2.65	100 21 0327 AH 20 0198		97	94	0.13 25 100	-0.18 21 94	-0.11 94	3.13 13 93	0.80 5 102	0.44 19 99	-5.46 24 109	7.07 13 82
31	214 24 0071 99585192	4.28	173 22 0015 100 20 0169		97	99	-0.10 40 96	0.18 31 102	0.13 99	4.07 19 100	-0.10 13 96	0.02 30 96	-1.78 27 104	0.55 16 96
32	214 24 0090 99953598	6.97	173 22 0015 100 19 0241		96	104	-0.30 41 94	0.47 37 108	0.32 102	3.80 21 98	-0.10 15 96	0.10 33 96	4.50 33 95	-4.74 21 108
33	214 24 0054 99331019	2.06	100 21 0327 125 20 0058		96	91	0.13 18 99	-0.46 16 88	-0.40 89	4.43 8 102	0.50 5 100	-0.03 14 95	0.53 11 101	0.42 6 97
34	214 24 0093 99955742	6.53	173 22 0015 3 21 0153		95	100	-0.05 30 97	0.09 25 100	0.07 98	4.06 18 99	-0.50 11 94	-0.26 24 94	4.98 29 95	-8.01 17 115
35	161 24 0132 99291080	2.67	100 22 0027 133 18 0013		95	98	-0.29 32 94	-0.10 23 96	-0.24 92	3.45 19 95	0.60 11 101	-0.03 24 95	1.05 26 100	-1.23 12 100
36	161 24 0100 99290249	2.67	100 22 0027 22 18 0008		95	97	-0.30 33 94	-0.10 27 95	-0.25 91	3.45 19 95	0.30 10 99	-0.22 25 94	-4.86 26 108	1.87 12 93
37	161 24 0099 99290223	2.67	100 22 0027 22 18 0008		95	97	-0.30 33 94	-0.10 27 95	-0.25 91	3.45 19 95	0.30 10 99	-0.22 25 94	-4.86 26 108	1.87 12 93
38	173 22 0015 93653715	4.88	173 20 0070 104 20 0244	3 1	95	106	-0.49 53 91	0.46 41 108	0.21 100	3.68 29 97	-0.60 16 94	-0.39 40 93	2.73 35 98	-7.69 21 115
39	214 25 0030 110823069	2.65	100 21 0327 104 19 0097		95	92	0.23 39 101	-0.33 35 90	-0.22 92	4.09 24 100	0.00 18 97	-0.10 33 95	2.40 22 98	-1.79 14 102
40	214 25 0031 110823051	2.65	100 21 0327 104 19 0097		95	92	0.23 39 101	-0.33 35 90	-0.22 92	4.09 24 100	0.00 18 97	-0.10 33 95	2.40 22 98	-1.79 14 102
41	214 23 0015 97481287	6.37	R62 21 0044 104 21 0081		95	98	0.30 37 102	0.33 31 105	0.48 106	3.84 25 98	-1.20 18 90	-0.09 30 95	3.75 27 97	-3.48 19 105
42	161 24 0107 99290942	5.56	100 22 0027 104 19 0097		94	99	-0.15 46 96	0.09 38 100	0.01 97	3.14 29 93	-0.10 21 96	-0.12 37 95	1.06 31 100	-2.04 17 102

Ram Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents & Progeny			Selection Indices		EBV - Weights				EBV - Fertility			
Animal ID Computer nr	% In- breedi	Sire ID Dam ID	1st Generation	2nd Generation	Logix Merit Index	Reproducti on Index	Weaning Weight		Comb EBV Index	Post-Wean EBV Acc Index	Number Weaned EBV Acc Index	TWW EBV Acc Index	AFL EBV Acc Index	ILP EBV Acc Index
			Progeny Number Weaned Herds	Progeny Number Weaned Herds			Dir EBV Acc index	Mat EBV Acc Index						
			Active Breed Average:				100	100	0.10	-0.02	0.03	3.97	0.35	0.29
43	161 24 0106 99292567	5.56	100 22 0027 104 19 0097		94	99	-0.15 46	0.09 38	0.01 97	3.14 29	-0.10 21	-0.12 37	1.06 31	-2.04 17
44	100 21 0327 93065845	2.64	173 20 0023 AH 19 0243		94	88	0.23 36	-0.66 101	-0.55 86	4.79 17	0.10 6	-0.37 28	0.29 22	-0.14 13
45	214 25 0007 110193737	7.81	100 22 0062 104 22 0154		92	105	-0.29 43	1.03 33	0.89 113	3.50 32	-1.50 15	-0.16 33	11.18 26	-7.25 15
46	161 24 0050 99292260	2.65	100 22 0027 161 22 0072		92	93	-0.18 43	-0.30 29	-0.40 89	3.68 19	0.30 11	-0.31 30	4.70 34	-1.84 13
47	161 24 0101 99332769	4.09	100 22 0027 161 21 0016		92	97	-0.60 43	-0.08 34	-0.37 89	3.37 21	0.80 12	-0.19 32	7.55 32	-3.32 17
48	214 25 0004 107415804	6.82	100 22 0062 104 19 0061		92	97	-0.14 47	0.31 41	0.24 101	5.02 34	-0.90 21	-0.37 39	14.16 33	-8.17 21
49	161 24 0110 99290967	2.76	100 22 0027 176 21 0009		92	93	-0.27 36	-0.27 30	-0.40 89	3.56 19	0.20 11	-0.41 28	1.97 34	-0.57 16
50	161 24 0109 99290900	2.76	100 22 0027 176 21 0009		92	93	-0.27 36	-0.27 30	-0.40 89	3.56 19	0.20 11	-0.41 28	1.97 34	-0.57 16
51	161 24 0036 99290462	2.65	100 22 0027 161 22 0092		90	91	-0.27 39	-0.36 27	-0.49 87	3.60 19	0.30 11	-0.45 28	7.94 33	-3.53 14
52	214 24 0060 99387078	2.65	100 21 0327 104 19 0061		90	87	0.07 41	-0.34 38	-0.30 91	5.58 33	-0.90 19	-0.81 35	10.07 30	-5.00 18
53	214 24 0087 99939928	6.30	173 22 0015 104 21 0112		90	96	-0.13 40	0.24 34	0.17 100	4.36 29	-1.60 20	-0.85 33	9.12 28	-8.39 18
54	214 24 0047 99108078	2.65	100 21 0327 104 22 0061		88	87	0.21 34	-0.46 31	-0.36 89	4.29 23	-1.20 16	-0.97 29	7.81 23	-6.11 14
55	214 24 0109 100309822	2.65	100 21 0327 104 22 0061		88	87	0.21 34	-0.46 31	-0.36 89	4.29 23	-1.20 16	-0.97 29	7.81 23	-6.11 14
56	214 24 0108 100309848	2.65	100 21 0327 104 22 0061		88	87	0.21 34	-0.46 31	-0.36 89	4.29 23	-1.20 16	-0.97 29	7.81 23	-6.11 14

Ram Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents & Progeny			Selection Indices		EBV - Weights				EBV - Fertility			
Animal ID Computer nr	% In-breedi	Sire ID Dam ID	1st Generation	2nd Generation	Logix Merit Index	Reproducti on Index	Weaning Weight				Number Weaned	TWW	AFL	ILP
			Progeny Number Weaned	Progeny Number Weaned			Dir	Mat	Comb	Post-Wean				
			EBV Acc	EBV Acc			EBV Index	EBV Acc	EBV Acc	EBV Acc	EBV Acc	EBV Acc	EBV Acc	EBV Acc
		Active Breed Average:			100	100	0.10	-0.02	0.03	3.97	0.35	0.29	-0.26	0.28
57	214 24 0077 99847048	2.65	100 21 0327 100 20 0218		88	88	-0.67 35	-0.72 30	-1.06 76	3.66 14	0.40 11	-1.15 28	-2.23 23	1.93 15
58	161 24 0037 99291403	4.10	100 22 0027 161 22 0019		87	91	-0.54 44	-0.11 31	-0.38 89	3.23 20	-0.70 13	-1.06 32	1.72 35	0.44 17
59	161 24 0058 99292484	2.68	100 22 0027 161 21 0028		85	86	-0.51 40	-0.67 30	-0.92 79	3.44 19	-0.30 13	-1.35 30	3.33 29	-1.50 13
60	104 20 0205 90374976	12.78	104 18 0002 104 18 0102		81	91	-0.16 65	0.20 51	0.12 99	3.54 41	-2.80 31	-1.65 52	18.34 36	-13.33 22
61	214 24 0084 99921652	18.38	104 20 0205 104 19 0115		79	92	-0.45 48	0.32 41	0.09 98	4.12 30	-3.60 25	-2.29 40	12.50 30	-12.71 19
62	214 24 0083 99921637	18.38	104 20 0205 104 19 0115		79	92	-0.45 48	0.32 41	0.09 98	4.12 30	-3.60 25	-2.29 40	12.50 30	-12.71 19
63	214 24 0081 99879413	3.40	104 20 0205 161 22 0075		77	82	-0.42 45	-0.43 34	-0.63 84	3.27 22	-2.20 18	-2.16 35	11.28 27	-6.62 16

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents		Selection Indices		EBV - Weights				EBV - Fertility				
Animal ID Computer nr	% In-breedin	Sire ID Dam ID	Logix Merit Index	Reproducti on Index	Dir EBV Acc Index	Weaning Weight Mat EBV Acc Index	Comb EBV Index	Post-Wean EBV Acc Index	Number Weaned EBV Acc Index	TWW EBV Acc Index	AFL EBV Acc Index	ILP EBV Acc Index	Phenotype	
Active Breed Average:				100	100	0.10	-0.02	0.03	3.97	0.35	0.29	-0.26	0.28	
1 214 24 0072 99644114	5.21	173 22 0015 100 20 0131	108	107	42 ^{0.54} 105	32 ^{0.15} 101	0.42 105	5.13 19 107	1.20 16 104	1.41 32 106	6.33 27 93	-7.96 18 115		
2 214 23 0022 97943286	2.65	100 21 0327 100 20 0131	108	98	37 ^{0.90} 110	30 ^{-0.41} 89	0.04 97	5.68 15 110	1.60 14 106	1.45 29 107	5.11 23 95	-4.18 16 107		
3 214 23 0023 97947741	2.65	100 21 0327 133 21 0004	107	104	31 ^{0.19} 100	28 ^{0.07} 99	0.16 99	4.76 25 104	1.60 13 106	1.21 26 105	-3.94 26 107	1.55 17 94		
4 161 24 0089 99291684	3.78	100 22 0027 104 19 0141	106	105	46 ^{0.06} 98	38 ^{-0.02} 97	0.01 97	3.40 26 95	2.80 20 114	1.72 37 109	1.06 29 100	1.45 17 94		
5 161 24 0090 99292005	3.78	100 22 0027 104 19 0141	106	105	46 ^{0.06} 98	38 ^{-0.02} 97	0.01 97	3.40 26 95	2.80 20 114	1.72 37 109	1.06 29 100	1.45 17 94		
6 161 24 0091 99290884	3.78	100 22 0027 104 19 0141	106	105	46 ^{0.06} 98	38 ^{-0.02} 97	0.01 97	3.40 26 95	2.80 20 114	1.72 37 109	1.06 29 100	1.45 17 94		
7 161 24 0060 99290629	4.26	100 22 0027 159 20 0047	106	116	47 ^{-0.65} 89	37 ^{0.67} 113	0.35 103	2.09 30 86	2.60 21 112	1.58 37 108	-4.19 34 108	2.15 19 93		
8 161 24 0061 99332728	4.26	100 22 0027 159 20 0047	106	116	47 ^{-0.65} 89	37 ^{0.67} 113	0.35 103	2.09 30 86	2.60 21 112	1.58 37 108	-4.19 34 108	2.15 19 93		
9 161 24 0062 99332736	4.26	100 22 0027 159 20 0047	106	116	47 ^{-0.65} 89	37 ^{0.67} 113	0.35 103	2.09 30 86	2.60 21 112	1.58 37 108	-4.19 34 108	2.15 19 93		
10 161 24 0064 99291940	5.41	100 22 0027 104 19 0111	106	112	47 ^{-0.37} 93	39 ^{0.22} 103	0.04 97	2.31 29 88	1.40 22 105	0.69 38 101	-19.63 35 129	4.02 20 89		
11 214 23 0034 98289416	9.89	104 21 0125 104 18 0156	103	100	56 ^{0.96} 111	46 ^{-0.21} 93	0.28 102	2.51 42 89	0.80 27 102	1.24 45 105	3.11 37 97	-5.95 22 111		
12 214 25 0005 110093325	3.73	100 22 0062 AH 20 0191	102	108	38 ^{-0.07} 97	29 ^{0.59} 111	0.56 107	2.62 24 90	0.90 12 102	1.06 29 104	-3.29 27 106	1.96 17 93		
13 214 23 0032 98029622	6.23	104 22 0191 104 21 0403	102	93	56 ^{0.80} 109	46 ^{-0.26} 92	0.14 99	7.39 50 122	-0.20 23 96	0.42 45 99	6.49 35 93	-4.55 18 108		
14 214 25 0012 110203593	2.64	100 21 0327 161 19 0035	101	96	24 ^{0.38} 103	25 ^{-0.14} 95	0.05 97	4.60 8 103	0.50 5 100	0.54 20 100	-2.51 14 105	1.58 6 94		

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents	Selection Indices		EBV - Weights				EBV - Fertility				Phenotype	
Animal ID Computer nr	% In- breedin	Sire ID Dam ID	Logix Merit Index	Reproducti on Index	Dir EBV Acc Index	Weaning Weight Mat EBV Acc Index	Comb EBV Index	Post-Wean EBV Acc Index	Number Weaned EBV Acc Index	TWW EBV Acc Index	AFL EBV Acc Index	ILP EBV Acc Index	EPI	Times Lambd
Active Breed Average:			100	100	0.10	-0.02	0.03	3.97	0.35	0.29	-0.26	0.28		
15 214 24 0038 98565104	2.65	100 21 0327 49 21 0144	101	96	0.26 23 101	-0.25 22 92	-0.12 94	4.71 14 104	0.70 5 101	0.43 18 99	-3.03 15 106	1.26 8 95		
16 214 24 0039 98565120	2.65	100 21 0327 49 21 0144	101	96	0.26 23 101	-0.25 22 92	-0.12 94	4.71 14 104	0.70 5 101	0.43 18 99	-3.03 15 106	1.26 8 95		
17 KR62 21 0044 92438761	4.00	133 17 0026 KR62 19 0003	100	90	0.74 37 108	-0.38 33 89	-0.01 96	4.35 13 101	0.90 13 102	0.90 30 102	1.14 41 100	4.28 24 88		
18 AH 20 0187 93125631	17.59	AH 16 0072 AH 17 1045	100	95	0.38 40 103	0.05 37 99	0.24 101	2.63 24 90	1.40 13 105	1.27 33 105	-1.54 41 104	9.40 25 77		
19 214 24 0118 100481670	2.65	100 21 0327 AH 21 0029	100	97	0.21 31 100	-0.06 25 96	0.04 97	3.23 22 94	0.90 7 102	0.68 23 101	-6.22 23 110	6.14 14 84		
20 214 24 0117 100481712	2.65	100 21 0327 AH 21 0029	100	97	0.21 31 100	-0.06 25 96	0.04 97	3.23 22 94	0.90 7 102	0.68 23 101	-6.22 23 110	6.14 14 84		
21 214 23 0027 97998454	2.65	100 21 0327 AH 21 0029	100	97	0.21 31 100	-0.06 25 96	0.04 97	3.23 22 94	0.90 7 102	0.68 23 101	-6.22 23 110	6.14 14 84		
22 161 24 0078 99292385	2.64	100 22 0027 161 19 0035	100	102	0.00 35 98	0.28 29 104	0.28 102	3.65 19 97	0.30 10 99	0.46 27 99	-3.84 25 107	1.32 12 95		
23 214 24 0115 100481639	6.34	100 22 0062 100 17 0064	100	102	0.19 43 100	0.21 34 102	0.31 102	3.59 16 96	0.60 14 101	0.76 33 101	7.51 29 91	-5.21 18 109		
24 214 24 0114 100481654	6.34	100 22 0062 100 17 0064	100	102	0.19 43 100	0.21 34 102	0.31 102	3.59 16 96	0.60 14 101	0.76 33 101	7.51 29 91	-5.21 18 109		
25 214 24 0116 100481613	6.34	100 22 0062 100 17 0064	100	102	0.19 43 100	0.21 34 102	0.31 102	3.59 16 96	0.60 14 101	0.76 33 101	7.51 29 91	-5.21 18 109		
26 214 24 0057 99340945	2.65	100 21 0327 104 18 0077	98	101	-0.13 42 96	-0.15 40 94	-0.22 92	3.30 31 94	0.50 25 100	0.02 37 96	-6.61 29 111	-1.03 19 100		
27 214 24 0058 99340960	2.65	100 21 0327 104 18 0077	98	101	-0.13 42 96	-0.15 40 94	-0.22 92	3.30 31 94	0.50 25 100	0.02 37 96	-6.61 29 111	-1.03 19 100		
28 100 22 0062 93956837	2.64	100 19 0052 173 19 0003	98	107	-0.19 60 95	0.63 45 112	0.54 107	3.68 25 97	0.10 21 98	0.51 45 99	8.47 37 90	-6.47 24 112		

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents	Selection Indices		EBV - Weights				EBV - Fertility				Phenotype	
Animal ID Computer nr	% In- breedin	Sire ID Dam ID	Logix Merit Index	Reproducti on Index	Dir EBV Acc Index	Weaning Weight Mat EBV Acc Index	Comb EBV Index	Post-Wean EBV Acc Index	Number Weaned EBV Acc Index	TWW EBV Acc Index	AFL EBV Acc Index	ILP EBV Acc Index	EPI	Times Lambd
Active Breed Average:			100	100	0.10	-0.02	0.03	3.97	0.35	0.29	-0.26	0.28		
29	214 24 0111 100363753	4.53	KR62 21 0044 KR62 21 0108	98	92	0.27 28 101	-0.29 26 91	-0.16 93	4.41 16 102	0.30 12 99	0.16 24 97	-7.75 30 112	6.87 20 82	
30	214 25 0025 110203635	2.65	100 21 0327 AH 20 0198	97	94	0.13 25 100	-0.18 21 94	-0.11 94	3.13 13 93	0.80 5 102	0.44 19 99	-5.46 24 109	7.07 13 82	
31	214 24 0071 99585192	4.28	173 22 0015 100 20 0169	97	99	-0.10 40 96	0.18 31 102	0.13 99	4.07 19 100	-0.10 13 96	0.02 30 96	-1.78 27 104	0.55 16 96	
32	214 24 0090 99953598	6.97	173 22 0015 100 19 0241	96	104	-0.30 41 94	0.47 37 108	0.32 102	3.80 21 98	-0.10 15 96	0.10 33 96	4.50 33 95	-4.74 21 108	
33	214 24 0054 99331019	2.06	100 21 0327 125 20 0058	96	91	0.13 18 99	-0.46 16 88	-0.40 89	4.43 8 102	0.50 5 100	-0.03 14 95	0.53 11 101	0.42 6 97	
34	214 24 0093 99955742	6.53	173 22 0015 3 21 0153	95	100	-0.05 30 97	0.09 25 100	0.07 98	4.06 18 99	-0.50 11 94	-0.26 24 94	4.98 29 95	-8.01 17 115	
35	161 24 0132 99291080	2.67	100 22 0027 133 18 0013	95	98	-0.29 32 94	-0.10 23 96	-0.24 92	3.45 19 95	0.60 11 101	-0.03 24 95	1.05 26 100	-1.23 12 100	
36	161 24 0100 99290249	2.67	100 22 0027 22 18 0008	95	97	-0.30 33 94	-0.10 27 95	-0.25 91	3.45 19 95	0.30 10 99	-0.22 25 94	-4.86 26 108	1.87 12 93	
37	161 24 0099 99290223	2.67	100 22 0027 22 18 0008	95	97	-0.30 33 94	-0.10 27 95	-0.25 91	3.45 19 95	0.30 10 99	-0.22 25 94	-4.86 26 108	1.87 12 93	
38	173 22 0015 93653715	4.88	173 20 0070 104 20 0244	95	106	-0.49 53 91	0.46 41 108	0.21 100	3.68 29 97	-0.60 16 94	-0.39 40 93	2.73 35 98	-7.69 21 115	
39	214 25 0030 110823069	2.65	100 21 0327 104 19 0097	95	92	0.23 39 101	-0.33 35 90	-0.22 92	4.09 24 100	0.00 18 97	-0.10 33 95	2.40 22 98	-1.79 14 102	
40	214 25 0031 110823051	2.65	100 21 0327 104 19 0097	95	92	0.23 39 101	-0.33 35 90	-0.22 92	4.09 24 100	0.00 18 97	-0.10 33 95	2.40 22 98	-1.79 14 102	
41	214 23 0015 97481287	6.37	KR62 21 0044 104 21 0081	95	98	0.30 37 102	0.33 31 105	0.48 106	3.84 25 98	-1.20 18 90	-0.09 30 95	3.75 27 97	-3.48 19 105	
42	161 24 0107 99290942	5.56	100 22 0027 104 19 0097	94	99	-0.15 46 96	0.09 38 100	0.01 97	3.14 29 93	-0.10 21 96	-0.12 37 95	1.06 31 100	-2.04 17 102	

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information			Parents		Selection Indices		EBV - Weights				EBV - Fertility									
Animal ID Computer nr		% In- breedin	Sire ID Dam ID		Logix Merit Index	Reproducti on Index	Weaning Weight		Comb	Post-Wean	Number Weaned		TWW		AFL		ILP		Phenotype	
							Dir EBV Acc Index	Mat EBV Acc Index			EBV Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EPI	Times Lambd		
Active Breed Average:					100	100	0.10	-0.02	0.03	3.97	0.35	0.29	-0.26	0.28						
43	161 24 0106 99292567	5.56	100 22 0027 104 19 0097	94	99	-0.15 46 96	0.09 38 100	0.01 97	3.14 29 93	-0.10 21 96	-0.12 37 95	1.06 31 100	-2.04 17 102							
44	100 21 0327 93065845	2.64	173 20 0023 AH 19 0243	94	88	0.23 36 101	-0.66 32 83	-0.55 86	4.79 17 104	0.10 6 98	-0.37 28 93	0.29 22 101	-0.14 13 98							
45	214 25 0007 110193737	7.81	100 22 0062 104 22 0154	92	105	-0.29 43 94	1.03 33 120	0.89 113	3.50 32 96	-1.50 15 88	-0.16 33 95	11.18 26 86	-7.25 15 114							
46	161 24 0050 99292260	2.65	100 22 0027 161 22 0072	92	93	-0.18 43 95	-0.30 29 91	-0.40 89	3.68 19 97	0.30 11 99	-0.31 30 93	4.70 34 95	-1.84 13 102							
47	161 24 0101 99332769	4.09	100 22 0027 161 21 0016	92	97	-0.60 43 90	-0.08 34 96	-0.37 89	3.37 21 95	0.80 12 102	-0.19 32 94	7.55 32 91	-3.32 17 105							
48	214 25 0004 107415804	6.82	100 22 0062 104 19 0061	92	97	-0.14 47 96	0.31 41 105	0.24 101	5.02 34 106	-0.90 21 92	-0.37 39 93	14.16 33 82	-8.17 21 116							
49	161 24 0110 99290967	2.76	100 22 0027 176 21 0009	92	93	-0.27 36 94	-0.27 30 92	-0.40 89	3.56 19 96	0.20 11 98	-0.41 28 93	1.97 34 99	-0.57 16 99							
50	161 24 0109 99290900	2.76	100 22 0027 176 21 0009	92	93	-0.27 36 94	-0.27 30 92	-0.40 89	3.56 19 96	0.20 11 98	-0.41 28 93	1.97 34 99	-0.57 16 99							
51	161 24 0036 99290462	2.65	100 22 0027 161 22 0092	90	91	-0.27 39 94	-0.36 27 90	-0.49 87	3.60 19 96	0.30 11 99	-0.45 28 92	7.94 33 91	-3.53 14 105							
52	214 24 0060 99387078	2.65	100 21 0327 104 19 0061	90	87	0.07 41 99	-0.34 38 90	-0.30 91	5.58 33 110	-0.90 19 92	-0.81 35 90	10.07 30 88	-5.00 18 109							
53	214 24 0087 99939928	6.30	173 22 0015 104 21 0112	90	96	-0.13 40 96	0.24 34 103	0.17 100	4.36 29 101	-1.60 20 88	-0.85 33 89	9.12 28 89	-8.39 18 116							
54	214 24 0047 99108078	2.65	100 21 0327 104 22 0061	88	87	0.21 34 101	-0.46 31 88	-0.36 89	4.29 23 101	-1.20 16 90	-0.97 29 88	7.81 23 91	-6.11 14 111							
55	214 24 0109 100309822	2.65	100 21 0327 104 22 0061	88	87	0.21 34 101	-0.46 31 88	-0.36 89	4.29 23 101	-1.20 16 90	-0.97 29 88	7.81 23 91	-6.11 14 111							
56	214 24 0108 100309848	2.65	100 21 0327 104 22 0061	88	87	0.21 34 101	-0.46 31 88	-0.36 89	4.29 23 101	-1.20 16 90	-0.97 29 88	7.81 23 91	-6.11 14 111							

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents	Selection Indices		EBV - Weights				EBV - Fertility				
Animal ID Computer nr	% In- breedin	Sire ID Dam ID	Logix Merit Index	Reproducti on Index	Dir EBV Acc Index	Weaning Weight Mat EBV Acc Index	Comb EBV Index	Post-Wean EBV Acc Index	Number Weaned EBV Acc Index	TWW EBV Acc Index	AFL EBV Acc Index	ILP EBV Acc Index	Phenotype EPI Times Lambd
Active Breed Average:			100	100	0.10	-0.02	0.03	3.97	0.35	0.29	-0.26	0.28	
57 214 24 0077 99847048	2.65	100 21 0327 100 20 0218	88	88	-0.67 35 89	-0.72 30 82	-1.06 76	3.66 14 97	0.40 11 99	-1.15 28 87	-2.23 23 105	1.93 15 93	
58 161 24 0037 99291403	4.10	100 22 0027 161 22 0019	87	91	-0.54 44 90	-0.11 31 95	-0.38 89	3.23 20 94	-0.70 13 93	-1.06 32 88	1.72 35 99	0.44 17 97	
59 161 24 0058 99292484	2.68	100 22 0027 161 21 0028	85	86	-0.51 40 91	-0.67 30 83	-0.92 79	3.44 19 95	-0.30 13 95	-1.35 30 86	3.33 29 97	-1.50 13 101	
60 104 20 0205 90374976	12.78	104 18 0002 104 18 0102	81	91	-0.16 65 95	0.20 51 102	0.12 99	3.54 41 96	-2.80 31 81	-1.65 52 83	18.34 36 76	-13.33 22 127	
61 214 24 0084 99921652	18.38	104 20 0205 104 19 0115	79	92	-0.45 48 92	0.32 41 105	0.09 98	4.12 30 100	-3.60 25 76	-2.29 40 79	12.50 30 84	-12.71 19 126	
62 214 24 0083 99921637	18.38	104 20 0205 104 19 0115	79	92	-0.45 48 92	0.32 41 105	0.09 98	4.12 30 100	-3.60 25 76	-2.29 40 79	12.50 30 84	-12.71 19 126	
63 214 24 0081 99879413	3.40	104 20 0205 161 22 0075	77	82	-0.42 45 92	-0.43 34 88	-0.63 84	3.27 22 94	-2.20 18 84	-2.16 35 79	11.28 27 86	-6.62 16 112	