



BOERBOK GENETIC REPORT

21 September 2026



MD GOATFARMS

FDM : 9108



CERTIFICATE
OF QUALITY

Valid up to
October 2029

 **SA** STAMBOEK
STUD BOOK
'n Storie met twee kante

General Information

This **Genetic Report** of your flock enables you to determine the genetic merit and potential of the animals in your herd relative to that of the breed. An animal's performance is determined by two factors, namely the environment and genetics. Good nutrition and management can improve performance, but an animal cannot perform better than its genetic potential. Superior performance due to the environment cannot be carried over to the next generation. It is therefore extremely important not to neglect genetic progress of your flock. Due to the interaction between environment and genetics, it is difficult to identify genetically superior animals on performance data. Estimated Breeding Values (EBVs) are therefore predicted for every animal to determine its genetic potential, as well as its worth as a parent for the next generation. Through the use of EBVs, animals can be compared fairly **within the breed**, therefore across herds, years and production systems. Results presented in this report allow the breeder to identify the underlying genetics of the animals.

Genetic parameters

Genetic parameters (heritability and genetic correlations) are estimated on a breed-basis and are required for the prediction of breeding values. The **heritability** refers to the portion of the variation of a trait in a population that is due to transferrable genetics (the rest of the variation can be attributed to the environment and non-transferrable genetics). Some traits are genetically correlated, which means that a change in one trait will lead to changes in other traits. The strength of this association amongst traits is referred to as a **genetic correlations** and can be desirable or undesirable.

Breeding Values

The prediction of EBVs makes use of performance recordings of the animal as well as those of its relatives, pedigree information and genetic parameters. The deviation of the animal's measurement relative to the average of its contemporary group, forms the basis for identifying the animal's genetic potential for the trait. A **contemporary group** is a group of animals that have been exposed to the same environmental and biological effects, including herd, year, sex and age effects. After adjusting for differences in these effects, animals can fairly be compared and the difference in performance that still persist are then assumed to be due to differences in the genetic merit of the animals.

The EBV predicted for an animal at birth and until it has been measured, is the average EBV of its parents, since the animal received half of its genes from each parent. This mid-parent value makes the assumption that the same half of the parents' genes are carried over to all their offspring. In reality, each offspring receives a random sample of each parent's genes,

therefore mid-parent EBVs are still of low accuracy, but it does indicate the genetic level that can be expected due its parental history. An animal's true genetic merit can be predicted more accurately as more information becomes available, eg. when the animal has been measured or when the number of relatives with measurements increases. Estimated breeding values therefore change over time as more information becomes available. EBVs of animals are published with an **accuracy** (%), which indicates how much information was available for the estimation of breeding values and therefore the confidence with which a breeder can use it. Factors that influence the accuracy of an EBV are the heritability of the trait, the number of measured relatives, the size of the contemporary group, the precision with which the measurements were taken and the completeness of pedigree information. An EBV with an accuracy of 85% or more is less likely to change significantly with subsequent genetic analyses.

Interpretation of breeding values

EBVs are expressed around a **base year** (5 years ago), which means that the average breeding value of the base year is set as zero and all breeding values are expressed relative to this average. An animal with an EBV of +1kg for weaning weight is therefore genetically superior by 1kg compared to an average animal born in the base year. EBVs therefore express genetic merit of animals relative to each other. The true performance of an animal cannot be calculated from the EBV, but it enables the breeder to know which animals will make a better contribution to the next generation. For easier interpretation EBVs are also expressed as breeding value indices. For these indices the average value of the **active population** is set as 100 with a standard deviation of 12. An index of 76 therefore indicates that the animal is 2 standard deviations below the average and an index of 112 indicates that the animal is 1 standard deviation above the average of the active population for the specific trait. Please note that negative EBVs are favourable for Inter-Lambing Period and Age at First Lambing, therefore shorter inter-lambing periods and younger ages at first lambing indicates better fertility. However, breeding value indices are expressed in the same way for all traits, therefore higher indices indicates desirability for the traits and lower indices are undesirable. This makes it easy to identify superior animals for all traits.

The data used in this evaluation has been obtained from LOGIX, as supplied by breeders. Everything possible had been done to present the information correctly. SA Stud Book does not take any responsibility for the use and interpretation of the information from this publication.

Selection Indices

It is easy to select on a single trait, but that is not the best approach to follow. Selecting on only one trait can lead to the deterioration of performance in other traits due to genetic correlations. There are different traits that are important, some being more important than others. A selection index combines multiple traits, each with an economic weight to take the different levels of importance into account. EBVs for different traits cannot simply be added together, since the unit of measurement and range of the values differ and in some cases negative values are favoured. These factors are accounted for in the compilation of a selection index. An overall selection index includes EBVs of all the traits of economic importance, while other selection indices are more focused on specific breeding objectives. Selection indices are expressed around 100, with 100 being the average of the active population, with a standard deviation of 12. A selection index of 124 is therefore 2 standard deviations above the average and an index of 88 is one standard deviation below the average of the active animals of the population.

Two Indices are constructed for the Boer Goat breed, namely the Logix Merit Index and the Reproduction Index. These indices, their purpose and the contribution of the different traits to the indices are summarised as follows :


Logix Merit Index (LMI)

This index combines all the traits to select for a balanced, profitable animal that is fertile and delivers a desirable level of production. Selection based on the LMI will lead to breeding of balanced animals that will have the genetic potential to wean at a heavier weight (both due to its own potential and having dams that produce sufficient milk), lambs at an early age, lambs regularly and give multiple lambs. This value is especially important for sustainability, which requires the selection of good, productive replacement animals for the flock.

The LMI is constructed as follows :

$$LMI = (0.1375 * AFL) + (0.0825 * ILP) + (0.216 * Wean Dir) + (0.144 * Wean Mat) + (0.33 * N_Lambs_Weaned) + (0.09 * Post-Wean Dir)$$

Schematically the LMI can be explained as follows :



Reproduction Index (RI)

This index includes Weaning Maternal, Number of Lambs Weaned, Age at First Lambing and Inter-lambing Period. This is especially an important index to consider in the development of a dam line.

The RI is constructed as follows :

$$(0.2 * AFL) + (0.2 * ILP) + (0.3 * Wean Mat) + (0.3 * N_Lambs_Weaned)$$

Schematically it can be explained as follows :



It is always important to consider the traits that contribute to the index individually when selection of animals is based on indices. It sometimes happen that an animal receives a good index due to its exceptional genetic merit of a specific trait, while some of the other traits of the animal in the index might be at undesirable levels for the specific flock's breeding objective, but masked in the index due to the exceptionality of that trait. A sound procedure is to rank animals based on the relevant selection index and then eliminate animals from the list that do not conform towards the flock's breeding objectives when considering the individual traits. Make use of all the available information.

Active Genetic Levels

Genetic Averages : Breeding Values

Trait	Flock			Breed		
	All	Rams	Ewes	All	Rams	Ewes
Weaning Weight Direct	-0.47	-0.44	-0.50	-0.06	-0.01	-0.09
Weaning Weight Maternal	0.05	0.05	0.04	-0.02	-0.03	-0.02
Weaning Weight Combined	-0.19	-0.17	-0.21	-0.06	-0.03	-0.07
Post-wean Weight	-0.12	-0.07	-0.17	0.50	0.58	0.45
Number Lambs Weaned	-2.27	-2.18	-2.35	-0.36	-0.55	-0.26
Total Weight Weaned	-1.79	-1.70	-1.87	-0.31	-0.37	-0.27
Age at First Lambing	-3.79	-3.78	-3.81	-0.30	-0.22	-0.35
Inter-lambing Period	0.41	0.56	0.28	0.15	0.19	0.13
Selection Indices						
Logix Merit Index	94	95	94	101	100	101
Reproduction Index	99	99	99	102	101	102
Inbreeding						
Inbreeding (%)	4.91	4.87	4.94	5.54	5.93	5.34
Number of Animals						
Number of Animals	355	172	183	49286	16616	32526

** Averages of all active animals in the flock.

Breeding Value Indices

Trait	Flock **		
	All	Rams	Ewes
Weaning Weight Direct	94.4	94.8	94.1
Weaning Weight Maternal	101.9	102.0	101.8
Weaning Weight Comb	97.0	97.3	96.7
Post-wean Weight	94.9	95.2	94.5
Number Lambs Weaned	92.7	93.1	92.3
Total Weight Weaned	92.2	92.7	91.7
Age First Lambing	104.6	104.5	104.7
Interlambing Period	100.7	100.3	101.0
Selection Indices			
Logix Merit Index	94.2	94.6	93.9
Ewe Index	99.0	99.1	98.9
Growth Index	94.8	95.1	94.4
Inbreeding			
Inbreeding (%)	4.91	4.87	4.94
Number of Animals			
Number of Animals	355	172	183

** Averages of all active animals in the flock.

Inbreeding

Inbreeding primarily leads to decreased fertility and low survivability of lambs. The effects of inbreeding can be observed from 6.25% onwards. It is therefore highly recommended to record pedigree information as accurately and completely as possible and to use a selection programme for selection of unrelated rams.

Incomplete or incorrect pedigree information can be reported to SA Stud Book. Inbreeding is dependent on pedigree information. Conventional methods for the Calculation of inbreeding coefficients usually assume that unknown parents are unrelated. However, this is usually far from the truth. An algorithm is used for the calculation of inbreeding, where the average inbreeding coefficient is assigned to unknown parents based on the generation in which they were born. This result is a more accurate reflection of inbreeding of the herd and breed.

Inbreeding Levels for Specific Matings


Progeny with Parents :	25%
Full Brother x Full Sister :	25%
Half Brother x Half Sister :	12.5%
One Common Grandparent :	6.25%
One Common Great-Grandparent :	3.125%

Level and Rate of Inbreeding

Year of Birth	Level* (%)	Rate (% / year)
2016 - 2026	4.66	-0.13
Recommended:	< 6.25	< 0.1 - 0.2

*Of the last year of birth

Average Inbreeding per Year of Birth




Pedigree Information

	Number	%
Known Sires	350	99
Known Dams	350	99

Note: Inbreeding can be under-estimated if pedigree information is incomplete or incorrect

Genetic Windows



WWd: Weaning Weight Direct
WWm: Weaning Weight Maternal
WWc: Weaning Weight Combined
PoW: Post-Wean Weight
L-wean: Number of Lambs Weaned
TWW: Total Weight Weaned
AFL: Age at First Lambing
ILP: Inter-lambing Period
RI: Reproduction Index
LMI: Logix Merit Index


The genetic windows allow a quick overview of the genetic status of the flock compared to the breed. The values presented here are the average EBV indices of all the active animals of the flock, of the dams and sires of the active animals of the flock, as well as of the ewes and rams that are younger than 2-years old. An index of 100 is equal to the average of the active measured population. Due to the higher selection intensity on rams (selection is more strict since a much smaller percentage of young animals are retained in the flock), the expectation is for the average index of the sires to be higher than that of the dams.

Remember that the EBV index for AFL and ILP are presented in such a way that an index above 100 indicates animals that have a lower EBV for these traits.

Genetic Windows


Dams

Number: 98




Sires

Number: 27




Young Ewes

Number: 81



Young Rams


Number: 172




Genetic Trends

Genetic trends are based on measured animals that were bred by the specific breeder.


Weaning Weight Direct




Wean Weight Maternal




Weaning Weight Combined




Post-weaning Weight



Number of Lambs Weaned




Total Weight Weaned (TWW)






Genetic Trends

Genetic trends are based on measured animals that were bred by the specific breeder.



For AFL and ILP flock genetic trends below breed averages are desirable.



Genetic Trends of Breed

Birth year	Weaning Weight EBV				Post-wean		Lambs Weaned		TWW		AFL		ILP		RI		LMI	
	Number	Dir	Mat	Comb	Number	EBV	Number	EBV	Number	EBV	Number	EBV	Number	EBV	Number	EBV	Number	EBV
2013	1336	-0.37	0.02	-0.17	108	0.51	508	0.24	1336	100	1078	-2.27	653	0.70	1336	103	1336	100
2014	1007	-0.37	-0.07	-0.26	58	-0.17	671	0.13	1007	99	1072	-1.16	661	0.26	1007	100	1007	97
2015	1626	-0.20	0.08	-0.02	233	1.23	705	0.74	1626	104	1180	-1.69	715	0.18	1626	106	1626	104
2016	1804	-0.26	0.04	-0.09	239	0.72	791	0.07	1804	102	1291	-1.49	887	0.13	1804	104	1804	102
2017	2163	-0.29	-0.02	-0.17	313	1.21	825	0.29	2120	99	1404	-1.53	992	0.29	2120	102	2120	99
2018	2547	-0.28	0.07	-0.07	236	0.58	909	0.35	2519	101	1853	-0.08	1275	-0.77	2519	104	2519	101
2019	2144	-0.01	0.02	0.01	254	0.24	889	0.13	2138	102	2101	-0.70	1389	0.07	2138	102	2138	102
2020	2459	-0.10	0.04	-0.01	436	-0.69	864	0.14	2459	102	2740	-0.11	1744	-0.19	2459	102	2459	101
2021	1759	0.00	0.00	0.00	330	0.00	823	-0.01	1759	103	3094	0.00	1960	0.00	1759	104	1759	104
2022	2519	-0.07	0.05	0.02	427	0.54	802	-0.40	2519	102	3449	-0.76	1843	0.46	2519	103	2519	102
2023	2896	-0.17	0.05	-0.03	465	-0.06	570	-0.16	2894	101	3098	-0.57	1076	0.57	2894	103	2894	101
2024	3036	0.04	-0.06	-0.04	414	1.29	196	-0.35	3035	100	1825	-1.17	154	0.85	3035	100	3035	100
2025	2284	0.15	-0.01	0.07	476	1.04			2283	103	82	-1.16			2283	101	2283	102

Genetic Trends of Flock

Birth year	Weaning Weight EBV				Post-Wean		Lambs Weaned		TWW		AFL		ILP		RI		LMI	
	Number	Dir	Mat	Comb	Number	EBV	Number	EBV	Number	EBV	Number	EBV	Number	EBV	Number	EBV	Number	EBV
2018											1	-17.75	1	6.19				
2019											10	-0.30	8	-1.56				
2020											14	8.66	13	-5.42				
2021											18	8.71	16	-4.85				
2022											25	-0.42	16	-0.16				
2023											30	-9.95	15	1.34				
2024											14	-4.35						
2025											2	-3.53						

Breeding Value & Selection Index Percentiles

The percentiles indicate the ranking of the animals' EBVs and Selection Indices within the active population.

For example, if an animal's EBV for a specific trait falls between the maximum and 99% percentile of the trait, it means that this animal ranks in the top 1% of the active population, or this animal's genetic merit for the trait is better than 99% of that of the active population.

Should the EBV for a specific trait falls between the 5% and 10% percentile, it means that the animal ranks in the bottom 10% of the active population for the specific trait, or the animal's genetic merit is worse than 90% of the active population.

Note that the percentiles for Age at First Lambing and Inter-lambing Period EBVs work on the reverse scale.

All Active Animals

Trait	AVG	SA*	Min	Percentiles (%)															Max
				1	5	10	20	25	30	40	50	60	70	75	80	90	95	99	
Weaning Weight Direct	-0.06	0.74	-4.91	-1.74	-1.04	-0.83	-0.65	-0.57	-0.48	-0.32	-0.16	0.02	0.22	0.35	0.51	0.91	1.28	2.04	4.89
Weaning Weight Maternal	-0.02	0.33	-2.29	-0.90	-0.58	-0.43	-0.26	-0.20	-0.15	-0.07	0.00	0.06	0.11	0.15	0.20	0.35	0.49	0.86	2.30
Weaning Weight Combined	-0.06	0.49	-2.89	-1.24	-0.79	-0.58	-0.39	-0.33	-0.28	-0.21	-0.12	-0.01	0.12	0.20	0.29	0.58	0.84	1.32	3.11
Post-Wean Weight	0.50	1.23	-7.95	-2.29	-1.01	-0.67	-0.42	-0.31	-0.19	0.05	0.33	0.61	0.96	1.14	1.38	1.99	2.60	4.25	12.54
Number of Lambs Weaned	-0.36	2.06	-13.10	-5.70	-4.20	-3.30	-2.20	-1.70	-1.30	-0.50	0.10	0.60	1.10	1.30	1.40	1.60	2.00	3.80	11.20
Total Weight Weaned	-0.30	1.53	-9.52	-4.12	-2.96	-2.34	-1.52	-1.22	-0.94	-0.48	-0.12	0.16	0.38	0.52	0.74	1.37	2.06	3.69	8.21
Age at First Lambing	-0.30	-6.96	62.93	17.45	10.46	7.50	4.40	3.30	2.43	0.97	-0.37	-1.47	-2.89	-3.74	-4.73	-7.80	-10.96	-19.95	-75.66
Interlambing Period	0.15	-3.66	23.72	9.96	6.51	4.87	2.99	2.35	1.75	0.75	-0.15	-0.94	-1.75	-2.21	-2.71	-4.10	-5.38	-8.00	-21.68
Reproduction Index	102	10	49	75	84	88	94	96	98	101	103	105	107	108	109	112	114	121	146
Logix Merit Index	101	9	62	79	85	89	94	95	97	100	102	103	105	106	107	111	116	126	147

*SD : Standard Deviation. An indicator of how far breeding values/selection indices are distributed around the average.

Breeding Value & Selection Index Percentiles

All Active Rams

Trait	AVG	SA*	Min	Percentiles (%)															Max
				1	5	10	20	25	30	40	50	60	70	75	80	90	95	99	
Weaning Weight Direct	-0.01	0.75	-4.91	-1.73	-0.99	-0.78	-0.60	-0.51	-0.41	-0.26	-0.09	0.07	0.30	0.42	0.57	0.96	1.32	2.10	3.75
Weaning Weight Maternal	-0.03	0.31	-1.73	-0.81	-0.55	-0.42	-0.26	-0.20	-0.16	-0.08	-0.01	0.05	0.11	0.14	0.19	0.33	0.45	0.76	1.79
Weaning Weight Combined	-0.03	0.46	-2.44	-1.09	-0.69	-0.51	-0.36	-0.31	-0.26	-0.19	-0.10	0.01	0.14	0.21	0.29	0.57	0.82	1.25	2.18
Post-Wean Weight	0.58	1.24	-7.95	-2.36	-0.94	-0.60	-0.33	-0.22	-0.10	0.17	0.45	0.71	1.06	1.24	1.48	2.06	2.64	4.24	12.54
Number of Lambs Weaned	-0.55	2.07	-8.30	-5.70	-4.40	-3.60	-2.40	-2.00	-1.50	-0.80	-0.20	0.40	0.80	1.10	1.30	1.60	1.90	3.60	8.30
Total Weight Weaned	-0.37	1.55	-5.94	-4.10	-3.06	-2.47	-1.65	-1.33	-1.05	-0.55	-0.18	0.11	0.37	0.50	0.72	1.35	2.01	3.69	7.18
Age at First Lambing	-0.22	-6.62	39.94	16.34	10.21	7.43	4.48	3.42	2.57	1.12	-0.29	-1.47	-2.85	-3.69	-4.63	-7.53	-10.44	-18.29	-65.44
Interlambing Period	0.19	-3.45	20.34	9.44	6.20	4.66	2.89	2.30	1.73	0.78	-0.11	-0.90	-1.67	-2.11	-2.61	-3.86	-4.98	-7.30	-14.85
Reproduction Index	101	9	55	76	83	88	93	95	97	100	103	105	107	108	109	111	114	120	135
Logix Merit Index	100	9	65	79	85	88	93	95	97	99	101	103	105	106	107	111	116	126	144

All Active Ewes

Trait	AVG	SA*	Min	Percentiles (%)															Max
				1	5	10	20	25	30	40	50	60	70	75	80	90	95	99	
Weaning Weight Direct	-0.09	0.74	-3.89	-1.74	-1.07	-0.86	-0.67	-0.60	-0.51	-0.36	-0.20	-0.02	0.19	0.31	0.47	0.88	1.27	2.00	4.89
Weaning Weight Direct	-0.02	0.34	-2.29	-0.94	-0.59	-0.44	-0.27	-0.20	-0.15	-0.07	0.00	0.06	0.12	0.16	0.21	0.37	0.52	0.89	2.30
Weaning Weight Combined	-0.07	0.50	-2.89	-1.31	-0.83	-0.62	-0.41	-0.34	-0.29	-0.22	-0.13	-0.02	0.11	0.19	0.29	0.58	0.85	1.36	3.11
Post-Wean Weight	0.46	1.22	-6.83	-2.27	-1.05	-0.70	-0.46	-0.36	-0.24	-0.01	0.27	0.55	0.90	1.09	1.33	1.96	2.58	4.25	8.78
Number of Lambs Weaned	-0.26	2.05	-13.10	-5.80	-4.10	-3.20	-2.00	-1.60	-1.10	-0.40	0.20	0.70	1.10	1.30	1.50	1.70	2.00	3.90	11.20
Total Weight Weaned	-0.27	1.52	-9.52	-4.15	-2.89	-2.26	-1.45	-1.16	-0.90	-0.44	-0.10	0.19	0.39	0.54	0.75	1.38	2.08	3.69	8.21
Age at First Lambing	-0.34	-7.13	62.93	18.10	10.67	7.55	4.36	3.23	2.34	0.88	-0.38	-1.48	-2.90	-3.76	-4.78	-7.95	-11.29	-20.92	-75.66
Interlambing Period	0.13	-3.78	23.72	10.31	6.69	4.98	3.03	2.38	1.76	0.73	-0.17	-0.94	-1.80	-2.27	-2.76	-4.23	-5.54	-8.30	-21.68
Reproduction Index	102	10	49	74	84	89	94	96	98	101	104	106	108	109	109	112	115	122	146
Logix Merit Index	101	9	62	79	86	89	94	96	97	100	102	103	105	106	107	111	116	126	147

*SD : Standard Deviation. An indicator of how far breeding values/selection indices are distributed around the average.

Rams

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices		EBV - Weights				EBV - Fertility							
Animal ID Comp no.			Parents			% In-breeding	Logix Merit Index	Reproducti on	Wean Weight		Post-Wean		Number Weaned	TWW	AFL	ILP	Dam	
									Dir	Mat	Comb							Acc
Active Breed Average:							100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15		
9108	21	0035	770	16	0153	2.03	102	102	-0.48	-0.13	-0.37	-0.30	-0.40	-0.85	-30.94	11.12	5	
	954	11716	826	16	0075				12	94	12	97	7	102	11	98	29	71
9108	22	0063	9108	21	0035	2.80	103	105	-0.58	-0.03	-0.32	-0.39	0.60	-0.24	-16.44	6.34	8	
	979	72145	9108	18	0400				6	93	6	100	5	106	5	101	15	84
9108	22	0085	9108	19	0027	7.58	87	91	-0.44	-0.02	-0.24	0.26	-4.60	-3.22	-1.79	0.85	5	
	959	46760	762	17	0204				27	95	25	100	16	82	24	84	52	100
9183	23	0001	762	21	0770	2.58	112	112	0.22	0.18	0.29	0.90	2.00	1.59	-2.50	-0.85	4	
	990	94989	1298	20	0489				38	102	30	105	15	113	30	112	38	103
9108	23	0071	9108	21	0035	2.74	97	102	-0.72	0.04	-0.32	-0.77	-0.90	-1.22	-7.85	2.57	1	
	983	31341	9108	22	0017				14	92	14	102	9	99	13	95	35	110
9108	23	0076	9108	21	0035	2.92	103	106	-0.58	-0.03	-0.32	-0.39	0.60	-0.24	-17.22	5.67	5	
	983	31382	1432	17	0197				6	93	6	100	5	106	5	101	30	122
9108	23	0078	9108	21	0035	2.74	97	103	-0.72	0.04	-0.32	-0.77	-0.90	-1.22	-4.77	0.17	3	
	990	95085	9108	22	0010				14	92	14	102	9	99	13	95	35	106
9108	23	0079	9108	21	0035	2.71	95	97	-0.28	-0.01	-0.15	-0.16	-2.40	-1.73	-13.32	5.65	3	
	990	95093	9108	22	0027				20	97	17	101	12	92	17	93	34	117
9108	23	0081	9108	21	0035	2.53	98	104	-0.62	0.13	-0.18	-0.74	-1.50	-1.39	-15.22	4.24	6	
	990	95119	9108	21	0007				21	93	20	104	14	96	19	95	35	119
9108	24	0002	9108	21	0035	2.66	102	106	-0.59	0.05	-0.25	-0.37	-0.30	-0.72	-17.57	5.20	4	
	990	95176	9108	21	0010				16	93	15	102	12	102	15	98	33	122
9108	24	0003	9108	21	0035	2.62	96	103	-0.73	0.08	-0.29	-0.76	-1.40	-1.49	-8.19	1.57	3	
	990	95184	9108	21	0045				16	92	16	103	11	97	15	94	35	110
9102	24	0005	1298	21	0426	3.03	107	107	0.65	0.16	0.48	2.00	-0.50	0.50	2.77	-4.17	5	
	107	200131	959	19	0151				35	107	31	105	18	101	30	105	34	96

Rams

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices			EBV - Weights					EBV - Fertility										
Animal ID Comp no.			Parents			% In- breeding	Logix Merit Index	Reproducti on	Wean Weight		Post-Wean		Number Weaned	TWW	AFL	ILP	Dam						
									Dir	Mat	Comb												
								Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	EPI	Times Lambded				
			Active Breed Average:			100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15								
9183	24	0005	9176	22	0006	3.47	99	103	-0.36	0.08	-0.10	-0.10	-0.60	-0.64	1.69	-1.45		1					
	101387	199	9183	22	0001				23	96	19	103	99	12	95	10	101	18	99	23	98	16	106
9145	24	0006	9114	21	0003	3.21	100	104	0.10	0.32	0.37	0.36	-1.40	-0.42	1.57	-0.57		3					
	107312	449	9145	21	0002				26	101	23	109	107	18	98	14	97	22	100	22	98	16	104
9108	24	0006	9108	22	0085	5.36	85	93	-0.59	0.06	-0.24	-0.27	-4.20	-3.05	12.48	-5.52		4					
	990952	18	9108	21	0032				23	93	23	102	96	15	94	16	84	21	85	35	84	18	117
9108	24	0007	9108	22	0085	5.36	85	93	-0.59	0.06	-0.24	-0.27	-4.20	-3.05	12.48	-5.52		4					
	990952	26	9108	21	0032				23	93	23	102	96	15	94	16	84	21	85	35	84	18	117
9108	24	0008	9108	22	0085	3.33	94	98	-0.38	-0.11	-0.30	0.08	-2.50	-1.99	-2.28	-1.44		5					
	990952	34	9108	20	2697				15	95	14	98	95	9	96	9	92	13	91	28	103	14	106
9108	24	0010	9108	22	0085	4.78	86	96	-0.72	0.17	-0.19	-0.66	-4.10	-3.01	7.84	-4.34		2					
	990952	67	9108	21	0039				21	92	20	105	97	12	91	14	84	19	85	34	90	17	114
9108	24	0011	9108	22	0085	4.78	86	96	-0.72	0.17	-0.19	-0.66	-4.10	-3.01	7.84	-4.34		2					
	990952	75	9108	21	0039				21	92	20	105	97	12	91	14	84	19	85	34	90	17	114
9108	24	0014	9108	21	0035	2.68	96	101	-0.72	0.04	-0.32	-0.77	-0.90	-1.22	-7.00	3.35		5					
	990953	09	9108	20	0034				14	92	14	102	95	6	91	9	99	13	95	32	109	19	93
9108	24	0015	9108	21	0035	2.68	96	101	-0.72	0.04	-0.32	-0.77	-0.90	-1.22	-7.00	3.35		5					
	990953	17	9108	20	0034				14	92	14	102	95	6	91	9	99	13	95	32	109	19	93
9108	24	0017	9108	22	0085	4.34	87	95	-0.70	0.13	-0.22	-0.48	-3.50	-2.67	10.76	-4.27		2					
	100166	818	9108	21	0046				20	92	19	104	97	12	93	13	87	18	87	33	86	16	114
9108	24	0021	9108	22	0085	10.19	91	95	-0.46	-0.04	-0.27	0.12	-3.40	-2.54	-9.20	3.43		3					
	100166	859	9108	22	0054				16	95	16	100	96	11	96	11	87	15	88	35	112	16	92
9108	24	0022	9108	22	0085	10.19	91	95	-0.46	-0.04	-0.27	0.12	-3.40	-2.54	-9.20	3.43		3					
	100166	867	9108	22	0054				16	95	16	100	96	11	96	11	87	15	88	35	112	16	92
9108	24	0025	9108	22	0085	4.97	90	97	-0.46	0.07	-0.16	0.13	-3.60	-2.55	3.12	-3.62		4					
	100166	891	9108	20	0036				24	95	24	102	98	19	97	18	86	23	88	36	96	19	112

Rams

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices		EBV - Weights				EBV - Fertility											
Animal ID Comp no.			Parents			% In-breeding	Logix Merit Index	Reproduction	Wean Weight		Post-Wean	Number Weaned	TWW	AFL	ILP	Dam						
									Dir	Mat							Comb	Dir	Mat	Comb		
								Acc	Index	Acc	Index	Acc	Index	Acc	Index	EPI Times Lambded						
			Active Breed Average:			100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15							
9108	24	0028	9108	21	0035	3.08		100	103	-0.57	0.04	-0.24	-0.38	-0.70	-0.94	-19.40	7.48					
	100166917		9108	22	0081					9	93	9	102	5	100	8	97	34	124	17	81	3
9108	24	0030	9108	21	0035	3.30		94	97	-0.45	-0.12	-0.35	-0.12	-2.80	-2.25	-19.99	6.71					
	100167071		9108	22	0083					14	95	13	98	8	90	12	90	35	125	19	83	2
9108	24	0032	9108	21	0035	2.80		103	105	-0.58	-0.03	-0.32	-0.39	0.60	-0.24	-16.44	6.34					
	100167097		9108	18	0400					6	93	6	100	5	106	5	101	29	121	15	84	8
9108	24	0033	9108	21	0035	2.80		103	105	-0.58	-0.03	-0.32	-0.39	0.60	-0.24	-16.44	6.34					
	100167105		9108	18	0400					6	93	6	100	5	106	5	101	29	121	15	84	8
9108	24	0035	9108	22	0085	2.92		95	100	-0.56	0.03	-0.25	-0.12	-1.50	-1.43	-2.63	0.85					
	100168392		1332	17	0029					13	94	13	102	8	96	12	94	29	103	10	100	9
9108	24	0037	9108	22	0085	4.68		91	97	-0.58	0.00	-0.29	-0.30	-3.10	-2.44	0.61	-2.66					
	100168434		9108	21	0026					24	93	23	101	16	89	22	88	36	99	19	109	3
9108	24	0038	9108	22	0085	4.68		91	97	-0.58	0.00	-0.29	-0.30	-3.10	-2.44	0.61	-2.66					
	100168442		9108	21	0026					24	93	23	101	16	89	22	88	36	99	19	109	3
9108	24	0040	9108	21	0035	2.38		99	105	-0.75	0.03	-0.35	-0.23	-0.90	-1.26	-14.77	2.47					
	100168509		9108	21	0013					22	91	22	102	16	99	21	95	36	119	22	95	4
9108	24	0043	9108	22	0085	4.88		85	94	-0.73	0.18	-0.19	-0.85	-4.20	-3.08	11.69	-4.32					
	100168533		9108	21	0044					23	92	22	105	14	84	21	85	33	85	16	114	4
9108	24	0046	9108	22	0085	5.89		88	92	-0.45	0.02	-0.20	0.06	-3.60	-2.58	6.57	-1.10					
	100168921		9108	21	0034					21	95	20	101	13	86	19	88	31	91	17	105	5
9108	24	0047	9108	22	0085	5.89		88	92	-0.45	0.02	-0.20	0.06	-3.60	-2.58	6.57	-1.10					
	100168947		9108	21	0034					21	95	20	101	13	86	19	88	31	91	17	105	5
9108	24	0048	9108	21	0035	15.07		95	98	-0.46	0.00	-0.23	-0.26	-3.00	-2.26	-24.35	8.66					
	100168954		9108	18	0031					17	95	16	101	10	89	15	90	33	131	18	78	8
9108	24	0053	9108	21	0035	2.90		104	107	-0.58	-0.03	-0.32	-0.39	0.60	-0.24	-19.07	6.18					
	100169002		9108	19	0010					6	93	6	100	5	106	5	101	31	124	15	85	6

Rams

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices		EBV - Weights				EBV - Fertility											
Animal ID Comp no.			Parents			% In-breeding	Logix Merit Index	Reproduction	Wean Weight		Post-Wean		Number Weaned	TWW	AFL	ILP	Dam					
									Dir	Mat	Comb											
								Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index					
Active Breed Average:						100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15							
9108	24	0054	9108	21	0035	2.90		104	107	-0.58	-0.03	-0.32	-0.39	0.60	-0.24	-19.07	6.18					
	100169010		9108	19	0010					6	93	6	100	5	106	5	101	31	124	15	85	6
9108	24	0056	9108	22	0085	4.62	93	98		-0.60	0.01	-0.29	0.01	-2.80	-2.27	-8.28	1.66					
	100169044		9108	22	0047					17	93	17	101	11	90	16	89	31	110	15	97	1
9108	24	0057	9108	21	0035	2.62	99	105		-0.60	0.09	-0.21	-0.09	-1.30	-1.29	-14.48	2.89					
	100169051		9108	22	0062					14	93	14	103	10	97	13	95	36	118	19	94	4
9108	24	0058	9108	22	0085	7.55	93	95		-0.48	-0.13	-0.37	0.13	-2.60	-2.17	-7.31	2.45					
	100169069		9108	21	0028					17	94	16	98	10	91	15	90	31	109	15	95	4
9108	24	0060	9108	22	0085	7.55	93	95		-0.48	-0.13	-0.37	0.13	-2.60	-2.17	-7.31	2.45					
	100169085		9108	21	0028					17	94	16	98	10	91	15	90	31	109	15	95	4
9108	24	0061	9108	22	0085	7.55	93	95		-0.48	-0.13	-0.37	0.13	-2.60	-2.17	-7.31	2.45					
	100169093		9108	21	0028					17	94	16	98	10	91	15	90	31	109	15	95	4
9108	24	0062	9108	21	0035	2.65		101	107	-0.66	0.00	-0.33	-0.31	-0.10	-0.72	-11.55	1.42					
	100169101		9108	22	0060					12	92	12	101	8	98	11	98	36	114	18	98	3
9108	24	0064	9108	22	0085	4.04	92	97		-0.46	-0.01	-0.23	0.06	-3.10	-2.32	-3.12	-0.44					
	100169127		9108	22	0066					17	95	16	101	11	89	15	89	35	104	16	103	4
9108	24	0065	9108	22	0085	4.04	92	97		-0.46	-0.01	-0.23	0.06	-3.10	-2.32	-3.12	-0.44					
	100169135		9108	22	0066					17	95	16	101	11	89	15	89	35	104	16	103	4
9108	24	0069	9108	22	0085	9.08	88	92		-0.45	-0.05	-0.28	0.16	-4.50	-3.20	-3.68	0.37					
	100169176		9108	21	0023					22	95	21	99	15	82	20	84	36	104	19	101	5
9108	24	0071	9108	22	0085	4.20	88	95		-0.61	0.03	-0.28	-0.40	-3.50	-2.68	7.98	-4.06					
	100169192		9108	22	0044					19	93	18	102	12	87	17	87	30	90	14	113	1
9108	24	0075	9108	22	0085	5.60	88	96		-0.72	0.04	-0.33	-0.33	-3.40	-2.73	5.70	-3.56					
	101387413		9108	23	0009					19	92	19	102	13	87	18	87	30	93	15	112	2
9108	24	0076	9108	22	0085	5.60	88	96		-0.72	0.04	-0.33	-0.33	-3.40	-2.73	5.70	-3.56					
	101387421		9108	23	0009					19	92	19	102	13	87	18	87	30	93	15	112	2

Rams

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices		EBV - Weights				EBV - Fertility											
Animal ID Comp no.			Parents		% In-breeding	Logix Merit Index	Reproduction	Wean Weight		Post-Wean	Number Weaned	TWW	AFL	ILP	Dam							
								Dir	Mat							Comb	Dir	Mat	Comb	Acc	Index	Acc
			Active Breed Average:																			
9108	24	0077	9108	22	0085	3.22	94	98	-0.42	-0.09	-0.30	0.03	-2.50	-2.01	-9.04	1.78						
	101387439		9108	23	0033				14	95	13	99	9	92	12	91	30	111	14	97		2
9108	24	0078	9108	21	0035	2.74	97	103	-0.72	0.04	-0.32	-0.77	-0.90	-1.22	-4.77	0.17						
	101387447		9108	22	0010				14	92	14	102	6	99	13	95	35	106	19	101		3
9108	24	0079	9108	22	0085	4.49	90	98	-0.60	0.19	-0.11	-0.46	-3.60	-2.57	-0.64	-0.90						
	101387454		9108	21	0007				24	93	23	106	17	88	22	88	33	101	18	104		6
9108	24	0080	9108	22	0085	4.49	90	98	-0.60	0.19	-0.11	-0.46	-3.60	-2.57	-0.64	-0.90						
	101387462		9108	21	0007				24	93	23	106	17	88	22	88	33	101	18	104		6
9108	24	0081	9108	22	0085	5.36	85	93	-0.59	0.06	-0.24	-0.27	-4.20	-3.05	12.48	-5.52						
	101387470		9108	21	0032				23	93	23	102	15	84	21	85	35	84	18	117		4
9108	24	0082	9108	22	0085	5.36	85	93	-0.59	0.06	-0.24	-0.27	-4.20	-3.05	12.48	-5.52						
	101387488		9108	21	0032				23	93	23	102	15	84	21	85	35	84	18	117		4
9108	24	0083	9108	21	0035	5.38	101	104	-0.40	-0.16	-0.36	-0.20	-0.40	-0.80	-16.85	3.69						
	107200602		9108	20	2697				9	95	9	97	5	98	8	98	31	121	17	92		5
9108	24	0088	9108	22	0085	3.80	93	98	-0.53	0.06	-0.21	-0.24	-3.10	-2.33	-13.06	3.63						
	107200636		9108	23	0005				17	94	16	102	11	89	15	89	35	116	16	92		2
9108	24	0090	9108	21	0035	2.71	95	97	-0.28	-0.01	-0.15	-0.16	-2.40	-1.73	-13.32	5.65						
	107200651		9108	22	0027				20	97	17	101	12	92	17	93	34	117	20	86		3
9108	24	0091	9108	21	0035	2.71	95	97	-0.28	-0.01	-0.15	-0.16	-2.40	-1.73	-13.32	5.65						
	107200669		9108	22	0027				20	97	17	101	12	92	17	93	34	117	20	86		3
9108	24	0093	9108	22	0085	3.36	94	98	-0.51	0.02	-0.24	-0.06	-2.50	-2.00	-9.03	3.17						
	107200941		9108	23	0021				15	94	15	101	10	92	14	91	31	111	15	93		2
9108	24	0094	9108	22	0085	3.80	93	97	-0.53	0.06	-0.21	-0.24	-3.10	-2.33	-12.97	4.49						
	107201014		9108	23	0007				17	94	16	102	11	89	15	89	35	116	16	90		2
9108	24	0096	9183	23	0001	3.42	106	110	-0.24	0.20	0.09	0.23	0.90	0.51	-3.35	-0.79						
	107205981		9108	21	0010				24	97	21	106	15	108	20	105	25	104	19	104		4

Rams

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices		EBV - Weights				EBV - Fertility											
Animal ID Comp no.			Parents		% In-breeding	Logix Merit Index	Reproduction	Wean Weight		Post-Wean		Number Weaned	TWW	AFL	ILP	Dam						
								Dir	Mat	Comb												
							Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index						
Active Breed Average:					100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15								
9108	24	0098	9108	22	0085	3.00	96		100	-0.51	-0.02	-0.28	-0.07	-2.00	-1.73	-13.63	4.19					
	107206013		9108	23	0013			14	94	13	100	96	8	8	94	12	93	34	117	14	90	2
9140	25	0002	9176	22	0006	3.77	93		98	-0.52	-0.04	-0.30	-0.56	-1.50	-1.46	7.11	-2.92					2
	109797027		9116	22	0002			21	94	18	100	95	12	12	96	18	94	20	91	14	110	
9108	25	0003	9108	22	0085	2.92	95		100	-0.56	0.03	-0.25	-0.12	-1.50	-1.43	-2.63	0.85					9
	107483687		1332	17	0029			13	94	13	102	96	8	8	96	12	94	29	103	10	100	
9108	25	0004	9108	22	0085	2.80	95		99	-0.56	0.03	-0.25	-0.12	-1.50	-1.43	-1.86	1.20					8
	107483695		9108	18	0400			13	94	13	102	96	8	8	96	12	94	26	102	11	99	
9108	25	0005	9108	22	0085	2.80	95		99	-0.56	0.03	-0.25	-0.12	-1.50	-1.43	-1.86	1.20					8
	107483703		9108	18	0400			13	94	13	102	96	8	8	96	12	94	26	102	11	99	
9108	25	0006	9108	22	0085	4.52	93		100	-0.64	0.06	-0.26	-0.04	-2.20	-1.91	3.03	-3.72					3
	107483711		9108	22	0060			17	93	16	102	96	11	11	93	15	92	34	96	15	112	
9108	25	0007	9108	22	0085	4.52	93		100	-0.64	0.06	-0.26	-0.04	-2.20	-1.91	3.03	-3.72					3
	107483729		9108	22	0060			17	93	16	102	96	11	11	93	15	92	34	96	15	112	
9108	25	0009	9108	22	0085	5.89	88		92	-0.45	0.02	-0.20	0.06	-3.60	-2.58	6.57	-1.10					5
	107483745		9108	21	0034			21	95	20	101	97	11	13	86	19	88	31	91	17	105	
9108	25	0010	9108	21	0035	3.30	94		97	-0.45	-0.12	-0.35	-0.12	-2.80	-2.25	-19.99	6.71					2
	107483786		9108	22	0083			14	95	13	98	94	8	8	90	12	90	35	125	19	83	
9108	25	0012	9108	21	0035	15.07	95		98	-0.46	0.00	-0.23	-0.26	-3.00	-2.26	-24.35	8.66					8
	107483802		9108	18	0031			17	95	16	101	96	11	10	89	15	90	33	131	18	78	
9108	25	0016	9108	22	0085	5.13	91		97	-0.55	-0.05	-0.32	0.06	-3.30	-2.57	-3.67	-1.18					3
	107483844		9108	22	0033			18	94	17	100	95	12	12	88	16	88	30	104	16	105	
9108	25	0017	9108	22	0085	5.13	91		97	-0.55	-0.05	-0.32	0.06	-3.30	-2.57	-3.67	-1.18					3
	107483851		9108	22	0033			18	94	17	100	95	12	12	88	16	88	30	104	16	105	
9108	25	0022	9108	22	0085	6.48	91		98	-0.58	0.15	-0.14	0.19	-3.40	-2.47	0.10	-2.25					4
	107483901		9108	22	0062			19	93	18	104	98	13	12	87	17	88	34	100	16	108	

Rams

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices		EBV - Weights				EBV - Fertility											
Animal ID Comp no.			Parents			% In-breeding	Logix Merit Index	Reproduction	Wean Weight		Post-Wean		Number Weaned	TWW		AFL		ILP		Dam		
									Dir	Mat	Comb			Acc	Index	Acc	Index	Acc	Index	Acc	Index	EPI
			Active Breed Average:				100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15						
9108	25	0023	9108	22	0085	6.48	91	98	-0.58	0.15	-0.14	0.19	-3.40	-2.47	0.10	-2.25	4					
107483935			9108	22	0062				19	93	18	104	98	13	97	12					87	17
9108	25	0024	9108	21	0035	26.80	101	104	-0.48	-0.06	-0.30	-0.22	-1.00	-1.14	-22.66	6.45	3					
107483943			9108	22	0065				12	94	12	99	95	9	94	9					99	11
9108	25	0025	9108	22	0085	4.04	92	97	-0.46	-0.01	-0.23	0.06	-3.10	-2.32	-3.12	-0.44	4					
107483950			9108	22	0066			17	95	16	101	96	12	96	11	89					15	89
9108	25	0026	9108	22	0085	4.88	85	94	-0.73	0.18	-0.19	-0.85	-4.20	-3.08	11.69	-4.32	4					
107483968			9108	21	0044			23	92	22	105	97	13	90	14	84					21	85
9108	25	0029	9145	24	0001	5.68	89	99	-0.42	0.33	0.12	-0.60	-3.20	-2.01	24.27	-10.47	2					
107776486			9108	23	0004			24	95	23	109	102	16	92	16	88					22	91
9108	25	0033	9108	22	0085	3.89	93	97	-0.52	-0.04	-0.30	-0.16	-2.80	-2.24	-8.16	1.75	1					
107776684			9108	23	0049			17	94	16	100	95	11	95	11	90					15	90
9108	25	0036	9108	22	0085	5.40	90	97	-0.68	0.14	-0.20	-0.40	-3.50	-2.64	0.43	-1.30	2					
107776718			9108	22	0046			22	92	21	104	97	14	93	14	87					20	87
9108	25	0038	9108	22	0085	3.01	95	98	-0.51	-0.02	-0.28	-0.07	-2.00	-1.73	-9.52	3.81	2					
107776734			9108	23	0040			14	94	13	100	96	8	95	8	94					12	93
9108	25	0040	9108	22	0085	3.01	95	100	-0.51	-0.02	-0.28	-0.07	-2.00	-1.73	-8.74	1.99	2					
107776759			9108	23	0052			14	94	13	100	96	8	95	8	94					12	93
9108	25	0041	9108	22	0085	15.05	96	100	-0.56	0.03	-0.25	-0.12	-1.50	-1.43	-2.64	0.53	5					
107776767			1432	17	0197				13	94	13	102	96	8	95	8					96	12
9108	25	0042	9108	21	0035	2.89	95	98	-0.47	-0.11	-0.35	-0.12	-2.40	-2.02	-18.26	5.51	5					
107776809			9108	21	0023			19	94	18	98	94	14	95	13	92					17	91
9108	25	0043	9108	22	0085	4.34	88	96	-0.70	0.13	-0.22	-0.48	-3.50	-2.67	6.38	-3.56	3					
107776833			9108	21	0045			20	92	19	104	97	12	93	13	87					18	87
9108	25	0044	9108	22	0085	4.34	88	96	-0.70	0.13	-0.22	-0.48	-3.50	-2.67	6.38	-3.56	3					
107776858			9108	21	0045			20	92	19	104	97	12	93	13	87					18	87

Rams

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices		EBV - Weights				EBV - Fertility								
Animal ID Comp no.		Parents			% In- breeding	Logix Merit Index	Reproducti on	Wean Weight		Post-Wean		Number Weaned	TWW	AFL	ILP	Dam			
								Dir	Mat	Comb									
								Acc	EBV Index	Acc	EBV Index	Acc	EBV Index	Acc	EBV Index	EPI Times Lambled			
Active Breed Average:						100	100		-0.06	-0.02	-0.06	0.50		-0.36	-0.31	-0.30	0.15		
9108	25	0045	9108	22	0085	9.08	88	93	-0.45	-0.05	-0.28	0.16	-4.50	-3.20	-2.14	-1.03	4		
107776866		9108	21	0022	22				95	21	99	96	16	97	15	82		20	84
9108	25	0047	9108	22	0085	3.22	94	98	-0.42	-0.09	-0.30	0.03	-2.50	-2.01	-9.04	1.78	2		
109691980		9108	23	0033	14				95	13	99	95	9	96	9	92		12	91
9108	25	0048	9108	22	0085	3.22	94	98	-0.42	-0.09	-0.30	0.03	-2.50	-2.01	-9.04	1.78	2		
109691998		9108	23	0033	14				95	13	99	95	9	96	9	92		12	91
9108	25	0050	9108	22	0085	2.90	96	101	-0.56	0.03	-0.25	-0.12	-1.50	-1.43	-4.50	1.04	6		
109692012		9108	19	0010	13				94	13	102	96	8	95	8	96		12	94
9108	25	0051	9108	22	0085	2.90	96	101	-0.56	0.03	-0.25	-0.12	-1.50	-1.43	-4.50	1.04	6		
109692020		9108	19	0010	13				94	13	102	96	8	95	8	96		12	94
9108	25	0053	9183	23	0001	3.27	105	106	-0.15	-0.03	-0.11	0.45	0.70	0.23	-7.67	1.60	4		
109692046		9108	21	0028	22				98	18	100	98	10	99	9	107		17	104
9108	25	0055	9183	23	0001	3.27	105	106	-0.15	-0.03	-0.11	0.45	0.70	0.23	-7.67	1.60	4		
109692079		9108	21	0028	22				98	18	100	98	10	99	9	107		17	104
9108	25	0056	9183	23	0001	4.23	102	108	-0.27	0.29	0.15	-0.14	-0.30	-0.17	-1.00	-1.75	6		
109692095		9108	21	0007	28				97	24	108	103	17	95	16	102		24	102
9108	25	0057	9183	23	0001	4.23	102	108	-0.27	0.29	0.15	-0.14	-0.30	-0.17	-1.00	-1.75	6		
109692103		9108	21	0007	28				97	24	108	103	17	95	16	102		24	102
9108	25	0059	9108	22	0085	6.13	92	99	-0.73	0.09	-0.28	0.04	-3.00	-2.44	-0.19	-2.66	4		
110975208		9108	21	0013	25				92	24	103	96	18	96	17	89		23	88
9108	25	0061	9108	22	0085	5.89	88	92	-0.45	0.02	-0.20	0.06	-3.60	-2.58	6.57	-1.10	5		
111473419		9108	21	0034	21				95	20	101	97	11	96	13	86		19	88
9108	25	0062	9108	22	0085	5.89	88	92	-0.45	0.02	-0.20	0.06	-3.60	-2.58	6.57	-1.10	5		
111473468		9108	21	0034	21				95	20	101	97	11	96	13	86		19	88
9108	25	0064	9108	24	0038	2.92	98	103	-0.63	0.04	-0.28	-0.40	-0.70	-1.01	-1.43	-0.91	9		
111473534		1332	17	0029	12				93	11	102	96	8	93	8	100		11	97

Rams

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices		EBV - Weights				EBV - Fertility											
Animal ID Comp no.			Parents			% In-breeding	Logix Merit Index	Reproduction	Wean Weight		Post-Wean		Number Weaned		TWW		AFL		ILP		Dam	
									Dir	Mat	Comb		Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index
										EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV		Lambd	
			Active Breed Average:																			
9108	25	0065	9108	24	0038	2.92	98	103	-0.63	0.04	-0.28	-0.40	-0.70	-1.01	-1.43	-0.91					9	
	111473609		1332	17	0029				12	93	11	102	8	100	11	97	22	102	10	104		
9108	25	0066	9108	24	0038	7.77	93	100	-0.62	-0.04	-0.35	-0.22	-2.50	-2.16	-2.47	-2.94					3	
	111473633		9108	22	0033				17	93	17	100	11	92	16	90	24	103	15	110		
9108	25	0068	9108	24	0047	8.34	88	92	-0.44	0.08	-0.14	-0.08	-4.60	-3.12	-5.59	2.55					8	
	111474557		9108	18	0031				19	95	18	103	11	82	17	85	23	107	14	95		
9108	25	0069	9108	22	0085	8.06	92	94	-0.43	-0.18	-0.40	0.18	-3.10	-2.48	-10.57	3.49					2	
	111474565		9108	23	0065				18	95	17	96	10	89	16	88	32	113	15	92		
9108	25	0070	9108	22	0085	8.06	92	94	-0.43	-0.18	-0.40	0.18	-3.10	-2.48	-10.57	3.49					2	
	111474573		9108	23	0065				18	95	17	96	10	89	16	88	32	113	15	92		
9108	25	0074	9108	22	0085	4.62	93	98	-0.60	0.01	-0.29	0.01	-2.80	-2.27	-8.00	1.18					2	
	111474813		9108	23	0044				17	93	17	101	11	90	16	89	31	110	16	99		
9108	25	0075	9108	24	0047	12.03	84	93	-0.59	0.08	-0.22	-0.36	-3.70	-2.74	25.15	-9.65					2	
	111474821		9108	23	0004				22	93	21	103	15	86	20	87	29	68	17	128		
9108	25	0076	9108	24	0047	12.03	84	93	-0.59	0.08	-0.22	-0.36	-3.70	-2.74	25.15	-9.65					2	
	111474847		9108	23	0004				22	93	21	103	15	86	20	87	29	68	17	128		
9108	25	0081	9108	22	0085	6.83	92	97	-0.43	0.21	-0.01	0.33	-3.80	-2.50	-4.42	0.77					5	
	111475067		9108	20	2672				20	95	19	106	14	85	18	88	32	105	17	100		
9108	25	0082	9108	22	0085	6.48	91	98	-0.58	0.15	-0.14	0.19	-3.40	-2.47	0.10	-2.25					4	
	111475075		9108	22	0062				19	93	18	104	13	87	17	88	34	100	16	108		
9108	25	0083	9183	23	0001	3.42	106	110	-0.24	0.20	0.09	0.23	0.90	0.51	-3.35	-0.79					4	
	111475083		9108	21	0010				24	97	21	106	15	108	20	105	25	104	19	104		
9108	25	0084	9183	23	0001	3.42	106	110	-0.24	0.20	0.09	0.23	0.90	0.51	-3.35	-0.79					4	
	111475091		9108	21	0010				24	97	21	106	15	108	20	105	25	104	19	104		
9108	25	0086	9108	24	0047	3.10	94	98	-0.39	-0.09	-0.28	-0.02	-2.00	-1.67	1.90	-2.42					5	
	111475158		9108	20	2697				13	95	12	99	7	94	11	93	20	97	13	109		

Rams

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information						Selection Indices		EBV - Weights				EBV - Fertility					
Animal ID Comp no.			Parents			% In-breeding	Logix Merit Index	Reproduction	Wean Weight		Post-Wean		Number Weaned	TWW	AFL	ILP	Dam
									Dir	Mat	Comb						
								Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index
Active Breed Average:						100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15		
9108	25	0087	9108	24	0047	3.10	94	98	-0.39	-0.09	-0.28	-0.02	-2.00	-1.67	1.90	-2.42	
	111475174		9108	20	2697				13	95	12	99	7	94	11	93	5
9108	25	0089	9183	23	0001	3.45	105	108	-0.13	0.09	0.03	0.38	0.30	0.14	-3.48	-1.29	
	111475190		9108	22	0066				22	98	18	103	11	105	18	103	4
9108	25	0092	9183	23	0001	4.67	102	102	-0.08	-0.20	-0.24	0.70	-0.30	-0.45	-4.57	-0.81	
	111475885		762	17	0277				29	99	26	96	13	102	24	100	6
9108	26	0001	9145	24	0006	3.55	102	102	0.01	0.08	0.08	0.54	-1.00	-0.51	-11.69	5.17	
	112469945		9108	23	0077				17	100	16	103	9	99	15	100	1
9108	26	0002	9145	24	0006	3.55	102	102	0.01	0.08	0.08	0.54	-1.00	-0.51	-11.69	5.17	
	112469952		9108	23	0077				17	100	16	103	9	99	15	100	1
9108	26	0003	9108	24	0035	12.31	90	95	-0.49	-0.04	-0.28	-0.04	-3.30	-2.51	-3.49	1.05	
	112469960		9108	23	0069				15	94	14	100	8	88	13	88	1
9108	26	0006	9108	22	0085	4.88	85	94	-0.73	0.18	-0.19	-0.85	-4.20	-3.08	11.69	-4.32	
	112469994		9108	21	0044				23	92	22	105	14	84	21	85	4
9108	26	0011	9108	22	0085	3.01	95	100	-0.51	-0.02	-0.28	-0.07	-2.00	-1.73	-8.74	1.99	
	112657705		9108	23	0052				14	94	13	100	8	94	12	93	2
9108	26	0013	9108	24	0047	2.83	95	99	-0.51	0.00	-0.26	-0.17	-1.50	-1.41	-5.11	2.92	
	112657721		9108	22	0064				11	94	11	101	7	96	10	94	2
9108	26	0014	9108	24	0047	2.83	95	99	-0.51	0.00	-0.26	-0.17	-1.50	-1.41	-5.11	2.92	
	112657739		9108	22	0064				11	94	11	101	7	96	10	94	2
9108	26	0015	9108	24	0047	7.53	88	93	-0.46	-0.03	-0.26	0.06	-4.00	-2.89	0.50	-0.60	
	112657747		9108	21	0023				21	95	20	100	14	85	19	86	5
9108	26	0019	9145	24	0006	3.70	101	104	-0.25	0.19	0.06	-0.01	-0.90	-0.60	-7.36	2.46	
	113729883		9108	23	0021				15	97	14	105	9	99	13	99	2
9108	26	0024	9145	24	0006	4.63	97	103	-0.30	0.35	0.20	-0.22	-2.20	-1.27	-4.14	0.93	
	113729859		9108	23	0073				18	96	17	110	11	93	16	95	1

Rams

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices		EBV - Weights				EBV - Fertility									
Animal ID			Parents		% In-breeding	Logix Merit Index	Reproduction	Wean Weight		Post-Wean	Number Weaned	TWW	AFL	ILP	Dam					
Comp no.								Dir	Mat							Comb	Dir	Mat	Comb	
								Acc	Index	Acc	Index	Acc	Index	Acc	Index	EPI Times Lambded				
Active Breed Average:					100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15						
9108	26	0025	9145	24	0006	4.18	98	101	-0.19	0.13	0.03	0.17	-1.80	-1.14	-7.53	2.72	3			
	113729818		9108	22	0054				16	98	15	104	101	11	97	10		95	14	96
9108	26	0026	9145	24	0006	4.18	98	101	-0.19	0.13	0.03	0.17	-1.80	-1.14	-7.53	2.72	3			
	113729933		9108	22	0054				16	98	15	104	101	11	97	10		95	14	96
9108	26	0027	9145	24	0006	4.18	98	101	-0.19	0.13	0.03	0.17	-1.80	-1.14	-7.53	2.72	3			
	113730048		9108	22	0054				16	98	15	104	101	11	97	10		95	14	96
9108	26	0028	9108	22	0085	3.55	92	96	-0.58	0.01	-0.28	-0.25	-2.80	-2.25	-4.69	1.67	1			
	113729941		9108	23	0072				15	93	14	101	96	9	94	9		90	13	90
9108	26	0030	9145	24	0006	3.82	97	98	-0.03	-0.09	-0.10	0.52	-2.00	-1.31	-4.70	1.01	3			
	113729958		9108	22	0050				19	99	17	99	99	11	99	9		94	16	95
9108	26	0031	9145	24	0006	3.82	97	98	-0.03	-0.09	-0.10	0.52	-2.00	-1.31	-4.70	1.01	3			
	113730071		9108	22	0050				19	99	17	99	99	11	99	9		94	16	95
9108	26	0032	9145	24	0006	3.68	96	98	-0.13	0.03	-0.04	0.34	-2.30	-1.48	-4.62	1.53	1			
	113730113		9108	23	0057				18	98	16	102	100	11	98	10		93	15	94
9108	26	0033	9168	25	0004	2.90	103	107	-0.44	0.13	-0.09	-0.12	0.30	-0.13	-4.95	1.02	6			
	113729925		9108	19	0010				12	95	9	104	99	5	95	5		105	9	102
9108	26	0035	9183	23	0001	3.48	105	108	-0.22	0.20	0.09	0.22	0.60	0.34	-5.17	1.49	3			
	113730139		9108	22	0081				21	97	16	106	102	10	97	9		106	16	105
9108	26	0036	9108	22	0085	3.36	94	98	-0.51	0.02	-0.24	-0.06	-2.50	-2.00	-8.65	2.51	1			
	113730006		9108	23	0085				15	94	15	101	96	10	95	10		92	14	91
9108	26	0037	9108	22	0085	3.80	93	97	-0.53	0.06	-0.21	-0.24	-3.10	-2.33	-12.97	4.49	2			
	113730022		9108	23	0007				17	94	16	102	97	11	94	11		89	15	89
9108	26	0042	9108	22	0085	4.49	90	98	-0.60	0.19	-0.11	-0.46	-3.60	-2.57	-0.64	-0.90	6			
	113730063		9108	21	0007				24	93	23	106	98	17	93	16		86	22	88
9108	26	0044	9145	24	0006	4.13	98	100	-0.19	0.11	0.01	0.12	-1.90	-1.22	-10.97	4.73	2			
	113730055		9108	22	0077				16	98	15	103	101	11	96	10		94	14	95

Rams

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices			EBV - Weights					EBV - Fertility										
Animal ID Comp no.			Parents			% In-breeding	Logix Merit Index	Reproducti on	Wean Weight		Post-Wean	Number Weaned	TWW	AFL	ILP	Dam							
									Dir	Mat							Comb	Acc	Index	Acc	Index	Acc	Index
Active Breed Average:					100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15									
9108	26	0047	9145	24	0006	3.51	98	101	-0.19	0.15	0.05	0.07	-1.50	-0.94	-3.22	1.73							
	113730030		9108	23	0037				16	98	14	104	10	96	9	96	14	97	20	104	13	97	1
9108	26	0051	9145	24	0006	4.66	95	100	-0.29	0.23	0.09	-0.02	-2.50	-1.56	1.00	-0.93							
	113800551		9108	24	0013				17	96	16	107	11	96	10	92	15	94	19	99	12	104	1
9108	26	0053	9145	24	0006	4.02	95	97	-0.10	0.03	-0.02	0.41	-2.50	-1.57	-1.78	0.37							
	113800478		9108	24	0024				16	99	15	102	10	98	9	92	14	94	26	102	11	101	1
9108	26	0054	9145	24	0006	4.02	95	97	-0.10	0.03	-0.02	0.41	-2.50	-1.57	-1.78	0.37							
	113800486		9108	24	0024				16	99	15	102	10	98	9	92	14	94	26	102	11	101	1
9108	26	0055	9145	24	0006	4.03	96	102	-0.31	0.35	0.20	-0.41	-2.40	-1.40	-2.20	0.66							
	113800619		9108	23	0068				20	96	19	110	13	93	12	92	18	94	20	103	13	100	1
9108	26	0057	9145	24	0006	4.54	96	100	-0.18	0.16	0.07	0.21	-2.30	-1.40	-2.81	0.22							
	113800627		9108	24	0034				16	98	14	105	11	97	9	93	14	94	26	103	11	101	1
9108	26	0059	9183	23	0001	4.42	101	104	-0.12	0.12	0.06	0.52	-0.80	-0.48	0.76	-2.38							
	113800569		9108	24	0026				23	98	19	104	13	99	12	100	19	100	30	99	16	108	1
9108	26	0060	9183	23	0001	4.42	101	104	-0.12	0.12	0.06	0.52	-0.80	-0.48	0.76	-2.38							
	113800452		9108	24	0026				23	98	19	104	13	99	12	100	19	100	30	99	16	108	1
9108	26	0061	9145	24	0006	4.97	94	98	-0.18	0.14	0.05	0.26	-3.00	-1.84	-1.31	-0.02							
	113800429		9108	24	0070				17	98	16	104	12	97	10	89	15	92	25	101	12	102	1
9108	26	0063	9145	24	0006	3.72	97	100	-0.19	0.10	0.00	0.24	-2.00	-1.30	-3.57	1.17							
	113800585		9108	24	0059				16	98	14	103	10	97	9	94	14	95	25	104	11	99	1
9108	26	0064	9145	24	0006	3.72	97	100	-0.19	0.10	0.00	0.24	-2.00	-1.30	-3.57	1.17							
	113800593		9108	24	0059				16	98	14	103	10	97	9	94	14	95	25	104	11	99	1
9108	26	0065	9108	24	0047	3.81	95	99	-0.56	0.01	-0.27	-0.13	-1.90	-1.68	-3.26	0.42							
	113800437		9108	24	0063				12	94	12	101	7	95	8	94	11	93	28	104	12	101	1
9108	26	0066	9145	24	0006	4.97	94	98	-0.18	0.14	0.05	0.26	-3.00	-1.84	-0.16	-0.84							
	113800635		9108	24	0067				17	98	16	104	12	97	10	89	15	92	25	100	12	104	1

Rams

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices ≥ 124
 Above breed average
 Indices ≤ 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information						Selection Indices		EBV - Weights				EBV - Fertility							
Animal ID			Parents			% In-breeding	Logix Merit Index	Reproduction	Wean Weight		Post-Wean	Number Weaned	TWW	AFL	ILP	Dam			
Comp no.									Dir	Mat							Comb	EBV Index	
									Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	EPI Times Lambded
Active Breed Average:						100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15				
9108	26	0069	9145	24	0006	4.32	93	99	-0.32	0.25	0.09	-0.25	-2.80	-1.75	6.57	-2.43	1		
113800460		9108	24	0042	17				96	16	107	102	11	94	10	90		15	92
9108	26	0070	9145	24	0006	4.97	94	98	-0.18	0.14	0.05	0.26	-3.00	-1.84	-0.16	-0.84	1		
113800528		9108	24	0066	17				98	16	104	101	12	97	10	89		15	92
9108	26	0072	9108	22	0085	3.80	92	97	-0.53	0.06	-0.21	-0.24	-3.10	-2.33	-8.50	2.54	1		
114091598		9108	23	0082	17				94	16	102	97	11	94	11	89		15	89
9108	26	0073	9108	24	0038	6.31	95	100	-0.57	0.02	-0.27	-0.34	-1.90	-1.69	-8.94	2.26	1		
114091622		9108	24	0029	13				93	12	101	96	9	93	8	94		11	93
9108	26	0074	9108	22	0085	8.75	94	97	-0.26	-0.11	-0.24	0.48	-2.50	-1.86	-3.18	0.02	1		
114091697		9108	24	0089	20				97	18	98	96	11	99	11	92		17	92
9108	26	0075	9108	22	0085	8.75	94	97	-0.26	-0.11	-0.24	0.48	-2.50	-1.86	-3.18	0.02	1		
114091739		9108	24	0089	20				97	18	98	96	11	99	11	92		17	92
9108	26	0077	9145	24	0006	3.57	98	102	-0.23	0.18	0.06	0.12	-1.50	-0.95	-0.99	0.29	1		
114091721		9108	24	0036	15				97	13	105	101	10	96	8	96		13	97
9108	26	0078	9145	24	0006	4.15	96	100	-0.17	0.26	0.18	0.35	-2.60	-1.46	-1.43	0.10	1		
114091606		9108	25	0018	17				98	15	107	103	11	98	9	91		14	94
9108	26	0079	9145	24	0006	4.15	96	100	-0.17	0.26	0.18	0.35	-2.60	-1.46	-1.43	0.10	1		
114091630		9108	25	0018	17				98	15	107	103	11	98	9	91		14	94
9108	26	0080	9145	24	0006	3.57	98	102	-0.23	0.18	0.06	0.12	-1.50	-0.95	-0.53	0.14	1		
114091713		9108	25	0001	15				97	13	105	101	10	96	8	96		13	97
9108	26	0081	9145	24	0006	3.57	98	102	-0.23	0.18	0.06	0.12	-1.50	-0.95	-0.53	0.14	1		
114091689		9108	25	0001	15				97	13	105	101	10	96	8	96		13	97
9108	26	0082	9108	22	0085	4.62	93	98	-0.60	0.01	-0.29	0.01	-2.80	-2.27	-8.00	1.18	2		
114091705		9108	23	0044	17				93	17	101	95	11	96	11	90		16	89
9108	26	0086	9108	24	0038	5.95	94	97	-0.50	-0.18	-0.43	-0.10	-2.30	-2.06	-9.37	1.74	2		
114091671		9108	23	0065	17				94	16	96	93	10	95	10	93		15	91

Rams

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices		EBV - Weights				EBV - Fertility								
Animal ID Comp no.			Parents		% In-breeding	Logix Merit Index	Reproducti on	Wean Weight		Post-Wean	Number Weaned	TWW	AFL	ILP	Dam				
								Dir	Mat							Comb			
							Acc	EBV Index	Acc	EBV Index	Acc	EBV Index	Acc	EBV Index	EPI Times Lambd				
			Active Breed Average:			100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15				
9108	26	0087	9108	22	0085	5.89	88	92	-0.45	0.02	-0.20	0.06	-3.60	-2.58	6.57	-1.10	5		
114312986		9108	21	0034	21				95	20	101	97	11	96	13	86		19	88
9108	26	0089	9108	24	0038	7.90	94	100	-0.53	0.00	-0.26	-0.23	-2.30	-1.91	-1.92	-2.19	4		
114312994		9108	22	0066	16				94	15	101	96	12	94	11	93		14	92
9108	26	0090	9108	24	0038	7.90	94	100	-0.53	0.00	-0.26	-0.23	-2.30	-1.91	-1.92	-2.19	4		
114313216		9108	22	0066	16				94	15	101	96	12	94	11	93		14	92
9108	26	0092	9108	22	0085	3.94	88	95	-0.70	0.09	-0.26	-0.49	-3.00	-2.41	7.58	-1.79	5		
114313018		9108	20	0034	18				92	18	103	96	10	92	12	89		17	89
Ram Flock Average: Number of rams in the flock: 172							95	99	-0.44	0.05	-0.17	-0.07	-2.18	-1.70	-3.78	0.56			

Ewes

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information				Selection Indices		EBV - Weights				EBV - Fertility										
Animal Comp no.				% In- breeding	Logix Merit Index	Repro- duction Index	Wean Weight		Post-Wean		Number Weaned		TWW		AFL		ILP		Times EPI Lamberd	
							Dir	Mat	Comb											
	Acc	Index	Acc				Index	EBV	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc
Active Breed Average:				100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15							
762 17 0020 80894314	762 15 0538 762 10 0156	5.20	101	95	0.34 41 104	-0.21 40 96	-0.04 100	1.73 20 107	-0.70 23 100	-0.29 36 101	-8.47 44 111	7.28 29 82	7							
762 17 0155 80904550	762 14 0450 762 14 0319	5.33	90	102	-0.81 54 91	0.42 51 111	0.01 101	-1.95 33 83	-3.20 33 88	-2.32 48 89	1.56 49 98	-1.98 35 107	6							
762 17 0250 80896020	762 15 0411 762 11 0326	10.73	80	81	-0.22 43 97	-0.56 40 87	-0.67 89	0.51 22 99	-6.80 22 71	-4.86 37 74	-5.66 49 107	0.17 32 101	3							
762 17 0277 80904881	762 15 0411 762 14 0454	5.39	91	92	-0.37 44 96	-0.57 42 87	-0.75 87	0.49 21 99	-2.70 22 91	-2.56 38 88	-6.64 47 108	-0.77 30 104	6							
9108 18 0031 95405155	762 16 0039 826 16 0075	5.34	88	93	-0.44 31 95	0.14 30 104	-0.08 99	-0.22 22 94	-5.50 18 77	-3.60 28 82	-17.75 33 122	6.19 22 85	8							
9108 19 0029 95405163	762 17 0175 762 17 0155	7.98	94	105	-0.76 40 91	0.40 38 111	0.02 101	-1.18 30 88	-2.60 28 91	-1.93 36 91	-5.70 48 107	-1.05 32 105	5							
9108 20 0034 97972103	762 16 0523 9108 18 0400	2.80	90	99	-0.96 25 89	0.21 25 106	-0.27 96	-1.24 11 88	-1.40 17 97	-1.59 23 93	16.94 28 78	-4.42 24 114	5							
9108 20 0036 95405205	762 17 0175 762 17 0303	16.36	94	103	-0.47 41 94	0.15 40 105	-0.09 99	0.00 33 96	-2.60 31 91	-1.88 38 92	8.03 50 90	-8.09 34 124	4							
9108 20 2672 95480406	1673 17 0040 762 16 0651	4.77	97	104	-0.41 30 95	0.43 29 112	0.22 104	0.41 21 98	-2.90 19 90	-1.73 27 93	-7.06 38 109	0.69 27 100	5							
9108 20 2697 95572103	116 17 0033 826 16 0086	2.49	101	105	-0.32 14 96	-0.19 14 96	-0.35 94	-0.11 7 95	-0.30 7 102	-0.70 12 99	-2.77 23 103	-3.73 19 112	5							
9108 21 0007 95405213	762 17 0175 762 17 0155	7.98	93	104	-0.76 40 91	0.40 38 111	0.02 101	-1.18 30 88	-2.60 28 91	-1.93 36 91	0.51 40 99	-2.64 31 109	6							
9108 21 0010 97972111	762 17 0175 9108 19 0010	2.90	101	108	-0.69 29 92	0.23 28 107	-0.12 98	-0.45 25 93	-0.20 22 102	-0.58 27 99	-4.19 34 105	-0.72 28 104	4							
9108 21 0013 95405239	762 17 0175 762 16 0546	3.91	96	107	-1.03 42 88	0.19 42 106	-0.32 95	-0.17 31 95	-1.40 31 97	-1.67 39 93	1.40 43 98	-6.17 34 119	4							
9108 21 0017 95405247	762 17 0175 762 17 0204	4.72	88	93	-0.48 37 94	0.00 35 101	-0.24 96	0.27 28 97	-3.90 26 85	-2.82 34 86	1.79 43 98	-0.87 32 104	2							
9108 21 0022 95405262	762 17 0175 762 17 0250	4.76	88	95	-0.46 36 95	-0.09 35 99	-0.32 95	0.05 27 96	-4.40 25 83	-3.19 33 84	-2.50 51 103	-2.90 31 110	4							

Ewes

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices		EBV - Weights				EBV - Fertility										
Animal Comp no.				% In- breeding	Logix Merit Index	Repro- duction Index	Wean Weight		Comb	Post-Wean		Number Weaned		TWW		AFL		ILP		Times EPI Lambed	
							Dir	Mat		Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index
							EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index
Active Breed Average:					100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15							
9108 21 0023 95408456	762 762	17 17	0175 0250	4.76	88	93	-0.46 36 95	-0.09 35 99	-0.32 95	0.05 27 96	-4.40 25 83	-3.19 33 84	-5.58 51 107	-0.10 32 102	5						
9108 21 0026 95410163	762 762	17 17	0175 0166	8.18	95	104	-0.73 40 92	0.01 38 101	-0.35 94	-0.86 30 90	-1.50 27 96	-1.61 36 93	3.01 50 96	-6.18 32 119	3						
9108 21 0028 95411674	770 762	16 17	0153 0277	1.80	99	100	-0.52 22 94	-0.25 21 95	-0.51 92	0.00 11 96	-0.50 11 101	-1.07 19 96	-12.84 33 116	4.05 23 91	4						
9108 21 0032 95411690	762 762	16 17	0523 0303	5.26	84	95	-0.74 38 91	0.13 38 104	-0.24 96	-0.79 25 90	-3.80 28 85	-2.89 36 86	26.75 47 66	-11.89 31 135	4						
9108 21 0034 95411708	762 762	16 17	0523 0020	5.49	89	93	-0.46 32 95	0.07 32 102	-0.16 98	-0.13 15 95	-2.60 20 91	-1.95 29 91	14.93 36 81	-3.04 27 110	5						
9108 21 0039 95588240	762 9108	16 19	0523 0029	8.07	86	100	-1.01 32 88	0.37 32 110	-0.14 98	-1.58 18 85	-3.60 22 86	-2.80 30 86	17.48 44 78	-9.53 28 128	2						
9108 21 0044 95411740	762 762	16 17	0523 0155	8.77	82	96	-1.03 37 88	0.38 36 110	-0.14 98	-1.97 20 83	-3.80 24 85	-2.94 34 86	25.17 42 68	-9.48 26 128	4						
9108 21 0045 95588265	762 9108	16 20	0523 0017	5.14	90	102	-0.97 29 89	0.28 29 108	-0.20 97	-1.22 16 88	-2.40 20 92	-2.13 27 90	14.55 41 81	-7.97 27 124	3						
9108 21 0046 95588273	762 9108	16 20	0523 0017	5.14	87	99	-0.97 29 89	0.28 29 108	-0.20 97	-1.22 16 88	-2.40 20 92	-2.13 27 90	23.32 41 70	-9.39 27 128	2						
9108 22 0010 95411765	762 1432	16 17	0523 0247	2.92	91	103	-0.96 25 89	0.21 25 106	-0.27 96	-1.24 11 88	-1.40 17 97	-1.59 23 93	21.41 40 73	-10.77 24 132	3						
9108 22 0016 95412144	762 1332	16 17	0523 0029	2.92	91	101	-0.96 25 89	0.21 25 106	-0.27 96	-1.24 11 88	-1.40 17 97	-1.59 23 93	17.38 31 78	-6.68 19 120	1						
9108 22 0017 95412151	762 1332	16 17	0523 0029	2.92	91	101	-0.96 25 89	0.21 25 106	-0.27 96	-1.24 11 88	-1.40 17 97	-1.59 23 93	15.24 41 80	-5.98 19 118	1						
9108 22 0027 95588315	762 9108	19 19	0465 0029	4.98	88	91	-0.07 38 99	0.11 33 104	0.07 102	-0.03 22 95	-4.40 23 83	-2.61 33 87	4.30 36 94	0.18 28 101	3						
9108 22 0033 95588323	9108 826	21 16	0011 0075	2.95	96	103	-0.66 24 92	-0.08 24 99	-0.40 93	-0.14 17 95	-1.90 17 94	-1.87 22 92	-5.55 31 107	-3.21 24 111	3						
9108 22 0046 95588398	9108 762	21 17	0011 0155	6.16	92	103	-0.92 34 89	0.30 33 108	-0.16 98	-1.06 23 89	-2.30 22 93	-2.00 31 91	2.65 35 96	-3.44 28 111	2						

Ewes

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices		EBV - Weights				EBV - Fertility									
Animal Comp no.				% In- breeding	Logix Merit Index	Repro- duction Index	Wean Weight		Comb	Post-Wean		Number Weaned		TWW		AFL		ILP		Times EPI Lamberd
							Dir	Mat		Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Phenotype
							EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	
Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	
Active Breed Average:					100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15						
9108 22 0047 95588406	9108 21 0035 9108 21 0013	2.38			99	105	-0.75 22 91	0.03 22 102	-0.35 94	-0.23 16 94	-0.90 16 99	-1.26 21 95	-14.77 36 119	2.47 22 95					1	
9108 22 0049 95588422	493 18 0092 762 17 0277	4.18			94	92	-0.15 26 98	-0.50 25 88	-0.57 91	0.68 12 100	-2.60 12 91	-2.20 22 90	-11.58 46 115	2.82 23 94					3	
9108 22 0050 95588430	493 18 0092 762 17 0277	4.18			93	92	-0.15 26 98	-0.50 25 88	-0.57 91	0.68 12 100	-2.60 12 91	-2.20 22 90	-10.97 48 114	2.60 23 95					3	
9108 22 0054 95588448	9108 21 0035 9108 21 0017	2.70			96	98	-0.48 19 94	-0.07 19 99	-0.31 95	-0.01 14 96	-2.20 14 93	-1.87 18 92	-16.62 47 121	6.01 25 85					3	
9108 22 0060 95588547	9108 21 0011 1432 17 0247	2.92			100	110	-0.85 21 90	0.14 21 104	-0.29 95	-0.33 16 94	0.10 15 104	-0.66 20 99	7.85 45 90	-8.28 23 125					3	
9108 22 0062 96976717	9108 21 0011 9108 20 2672	6.24			96	106	-0.72 26 92	0.31 26 109	-0.05 99	0.12 19 96	-2.10 18 94	-1.67 24 93	1.98 44 97	-5.34 26 117					4	
9108 22 0064 97972152	9108 21 0035 9108 18 0400	2.80			103	105	-0.58 6 93	-0.03 6 100	-0.32 95	-0.39 5 93	0.60 5 106	-0.24 5 101	-16.79 29 121	6.94 20 83					2	
9108 22 0065 95588554	9108 21 0035 9108 20 0036	2.58			99	104	-0.48 21 94	0.01 21 101	-0.23 96	-0.15 17 95	-1.50 16 96	-1.37 20 95	-14.39 50 118	1.79 26 97					3	
9108 22 0066 95588562	9108 21 0035 9108 20 0036	2.58			97	103	-0.48 21 94	0.01 21 101	-0.23 96	-0.15 17 95	-1.50 16 96	-1.37 20 95	-4.46 48 105	-1.72 26 107					4	
9108 22 0077 95588612	9108 21 0035 9108 21 0023	2.89			95	96	-0.47 19 94	-0.11 18 98	-0.35 94	-0.12 14 95	-2.40 13 92	-2.02 17 91	-23.50 49 130	10.03 25 74					2	
9108 22 0081 95946729	9108 19 0027 1432 17 0203	2.92			98	103	-0.65 14 92	0.21 14 106	-0.11 98	-0.46 10 93	-0.90 8 99	-0.98 13 97	-7.85 36 110	3.84 18 91					3	
9108 22 0082 95946737	9108 19 0027 762 17 0250	8.28			86	90	-0.42 26 95	-0.11 24 98	-0.32 95	0.05 15 96	-5.10 14 79	-3.59 22 82	-9.59 33 112	2.97 19 94					1	
9108 22 0083 95946745	9108 19 0027 762 17 0250	8.28			86	90	-0.42 26 95	-0.11 24 98	-0.32 95	0.05 15 96	-5.10 14 79	-3.59 22 82	-9.04 41 111	2.30 24 96					2	
9108 23 0004 95946802	762 16 0523 762 17 0303	5.26			83	94	-0.74 38 91	0.13 38 104	-0.24 96	-0.79 25 90	-3.80 28 85	-2.89 36 86	43.72 49 64	-18.20 31 136					2	
9108 23 0005 96642871	9108 21 0035 9108 19 0029	2.53			100	106	-0.62 21 93	0.13 20 104	-0.18 97	-0.74 15 91	-1.50 14 96	-1.39 19 95	-24.33 47 131	6.42 25 84					2	

Ewes

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices		EBV - Weights				EBV - Fertility											
Animal Comp no.				% In- breeding	Logix Merit Index	Repro- duction Index	Dir		Wean Weight		Post-Wean		Number Weaned		TWW		AFL		ILP		Times EPI Lamberd	
							EBV Acc	Index	EBV Acc	Index	EBV Index	EBV Acc	Index	EBV Acc	Index	EBV Acc	Index	EBV Acc	Index	EBV Acc	Index	Phenotype
Active Breed Average:					100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15								
9108 23 0007 96642897	9108 9108	21 19	0035 0029	2.53	99	104	-0.62 21	0.13 93	20	-0.18 97	-0.74 15	-0.62 91	-1.50 14	-1.39 19	-24.16 47	8.12 25	131 80				2	
9108 23 0009 96642939	9108 9108	21 20	0011 0026	6.47	90	101	-1.01 28	0.09 88	28	-0.41 93	-0.91 18	-0.91 90	-2.10 19	-2.18 26	13.19 31	-7.96 83	24 124				2	
9108 23 0013 97972160	9108 9108	21 19	0035 0010	2.90	105	108	-0.58 6	-0.03 93	6	-0.32 95	-0.39 5	-0.39 93	0.60 5	-0.24 5	-25.48 43	7.53 21	132 81				2	
9108 23 0021 96976741	9108 9108	21 20	0035 0017	2.67	101	105	-0.59 16	0.05 93	15	-0.25 96	-0.37 13	-0.37 93	-0.30 12	-0.72 15	-16.28 34	5.48 24	121 87				2	
9108 23 0033 96976865	9108 9108	21 20	0035 2697	5.38	102	104	-0.40 9	-0.16 95	9	-0.36 94	-0.20 5	-0.20 94	-0.40 5	-0.80 8	-16.28 31	2.70 20	121 94				2	
9108 23 0037 96976980	9108 9108	21 21	0035 0034	2.59	96	98	-0.47 17	-0.03 95	17	-0.27 96	-0.21 8	-0.21 94	-1.50 11	-1.40 16	-8.00 34	4.04 20	110 91				1	
9108 23 0040 97522254	9108 1332	21 17	0035 0029	2.92	103	105	-0.58 6	-0.03 93	6	-0.32 95	-0.39 5	-0.39 93	0.60 5	-0.24 5	-17.25 42	6.77 18	122 83				2	
9108 23 0044 97522478	9108 9108	21 21	0035 0013	2.38	100	106	-0.75 22	0.03 91	22	-0.35 94	-0.23 16	-0.23 94	-0.90 16	-1.26 21	-14.21 36	1.51 24	118 98				2	
9108 23 0049 97522544	9108 9108	21 21	0035 0026	2.55	99	104	-0.60 21	-0.06 93	20	-0.36 94	-0.58 15	-0.58 92	-1.00 14	-1.26 19	-14.54 46	2.66 21	118 95				1	
9108 23 0052 97522577	9108 1432	21 17	0035 0247	2.92	104	108	-0.58 6	-0.03 93	6	-0.32 95	-0.39 5	-0.39 93	0.60 5	-0.24 5	-15.68 43	3.13 19	120 93				2	
9108 23 0057 97972186	9108 762	21 17	0035 0204	2.97	92	93	-0.36 23	-0.26 96	22	-0.44 93	0.32 13	0.32 98	-3.10 15	-2.48 21	-10.81 38	3.63 22	114 92				1	
9108 23 0065 97972269	9108 762	21 17	0035 0277	2.91	97	97	-0.43 23	-0.35 95	22	-0.56 91	0.10 11	0.10 96	-1.60 12	-1.74 20	-19.35 37	6.14 23	124 85				2	
9108 23 0066 98331309	9108 1432	19 17	0027 0070	2.92	98	104	-0.65 14	0.21 92	14	-0.11 98	-0.46 10	-0.46 93	-0.90 8	-0.98 13	-6.95 22	2.41 11	109 95				0	
9108 23 0067 98331317	9108 1432	19 17	0027 0070	2.92	98	104	-0.65 14	0.21 92	14	-0.11 98	-0.46 10	-0.46 93	-0.90 8	-0.98 13	-6.95 22	2.41 11	109 95				0	
9108 23 0068 98331325	9108 762	19 17	0027 0155	3.99	91	101	-0.72 31	0.38 92	29	0.02 101	-1.18 19	-1.18 88	-3.30 18	-2.32 27	-5.97 33	1.89 21	107 97				1	

Ewes

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices		EBV - Weights						EBV - Fertility										
Animal Comp no.				% In- breeding	Logix Merit Index	Repro- duction Index	Dir		Wean Weight		Post-Wean		Number Weaned		TWW		AFL		ILP		Times EPI Lambded		
							EBV		Mat		Comb		EBV		EBV		EBV		EBV		EBV		Phenotype
							Acc	Index	Acc	Index	EBV	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	
Active Breed Average:					100	100	-0.06		-0.02		-0.06		0.50		-0.36		-0.31		-0.30		0.15		
9108 23 0069 98331333	9108 19 0027 762 17 0250			8.28	85	89	-0.42 26 95		-0.11 24 98		-0.32 95		0.05 15 96		-5.10 14 79		-3.59 22 82		-4.35 41 105		1.24 19 98		1
9108 23 0072 98331358	9108 21 0035 9108 22 0017			2.74	97	102	-0.72 14 92		0.04 14 102		-0.32 95		-0.77 6 91		-0.90 9 99		-1.22 13 95		-7.60 43 109		2.49 17 95		1
9108 23 0073 98331366	9108 19 0027 9108 19 0029			3.94	94	102	-0.70 25 92		0.37 23 110		0.03 101		-0.80 18 90		-3.00 16 89		-2.12 22 90		-9.85 41 112		2.44 19 95		1
9108 23 0074 98331994	9108 19 0027 9108 19 0029			3.94	94	102	-0.70 25 92		0.37 23 110		0.03 101		-0.80 18 90		-3.00 16 89		-2.12 22 90		-9.60 32 112		2.35 19 95		0
9108 23 0077 99095077	9108 21 0035 762 17 0020			2.61	103	100	-0.07 21 99		-0.17 21 97		-0.21 97		0.72 11 100		-0.50 12 101		-0.54 19 99		-24.94 43 132		10.92 21 72		1
9108 23 0082 99095127	9108 21 0035 9108 21 0007			2.53	98	104	-0.62 21 93		0.13 20 104		-0.18 97		-0.74 15 91		-1.50 14 96		-1.39 19 95		-15.22 35 119		4.24 21 90		1
9108 23 0083 99095135	9108 21 0035 9108 20 0017			2.67	101	106	-0.59 16 93		0.05 15 102		-0.25 96		-0.37 13 93		-0.30 12 102		-0.72 15 98		-15.52 34 120		4.16 19 90		0
9108 23 0084 99095143	9108 21 0035 9108 20 0017			2.67	101	106	-0.59 16 93		0.05 15 102		-0.25 96		-0.37 13 93		-0.30 12 102		-0.72 15 98		-15.52 34 120		4.16 19 90		0
9108 23 0085 99095150	9108 21 0035 9108 20 0017			2.67	101	106	-0.59 16 93		0.05 15 102		-0.25 96		-0.37 13 93		-0.30 12 102		-0.72 15 98		-15.52 34 120		4.16 19 90		1
9108 24 0001 99095168	9108 21 0035 9108 21 0010			2.66	102	106	-0.59 16 93		0.05 15 102		-0.25 96		-0.37 13 93		-0.30 12 102		-0.72 15 98		-17.57 33 122		5.20 20 88		0
9108 24 0005 99095200	9108 22 0085 9108 21 0032			5.36	85	93	-0.59 23 93		0.06 23 102		-0.24 96		-0.27 15 94		-4.20 16 84		-3.05 21 85		12.48 35 84		-5.52 18 117		0
9108 24 0009 99095259	9108 22 0085 9108 20 2697			3.33	94	98	-0.38 15 95		-0.11 14 98		-0.30 95		0.08 9 96		-2.50 9 92		-1.99 13 91		-2.28 28 103		-1.44 14 106		0
9108 24 0012 99095283	9108 22 0085 9108 22 0046			5.40	90	97	-0.68 22 92		0.14 21 104		-0.20 97		-0.40 14 93		-3.50 14 87		-2.64 20 87		0.43 31 99		-1.30 17 105		0
9108 24 0013 99095291	9108 22 0085 9108 22 0046			5.40	90	97	-0.68 22 92		0.14 21 104		-0.20 97		-0.40 14 93		-3.50 14 87		-2.64 20 87		0.43 31 99		-1.30 17 105		1
9108 24 0016 99095325	9108 22 0085 9108 22 0033			5.13	91	97	-0.55 18 94		-0.05 17 100		-0.32 95		0.06 12 96		-3.30 12 88		-2.57 16 88		-3.67 30 104		-1.18 16 105		0

Ewes

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices		EBV - Weights				EBV - Fertility									
Animal Comp no.				% In- breeding	Logix Merit Index	Repro- duction Index	Wean Weight		Comb	Post-Wean		Number Weaned		TWW		AFL		ILP		Times EPI Lambed
							Dir	Mat		Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Phenotype
							EBV Acc	EBV Index	EBV Index											
Active Breed Average:					100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15						
9108 24 0018 100166826	9108 22 0085 9108 21 0046	4.34	87	95	-0.70 20	92	0.13 19	104	-0.22 97	-0.48 12	93	-3.50 13	-2.67 18	87	10.76 33	86	-4.27 16	114	0	
9108 24 0019 100166834	9108 21 0035 9108 22 0049	2.61	98	98	-0.31 15	96	-0.31 14	93	-0.47 92	0.19 7	97	-1.50 7	-1.53 13	94	-21.26 37	127	6.97 18	83	0	
9108 24 0023 100166875	9108 22 0085 9108 22 0050	8.44	90	92	-0.29 19	96	-0.26 18	94	-0.40 93	0.47 10	99	-3.60 10	-2.71 17	87	-6.38 35	108	1.72 15	97	0	
9108 24 0024 100166883	9108 22 0085 9108 22 0050	8.44	90	91	-0.29 19	96	-0.26 18	94	-0.40 93	0.47 10	99	-3.60 10	-2.71 17	87	-5.13 46	106	1.31 15	98	1	
9108 24 0026 100166909	9108 22 0085 9108 20 0036	4.97	90	97	-0.46 24	95	0.07 24	102	-0.16 98	0.13 19	97	-3.60 18	-2.55 23	88	4.01 47	95	-3.91 19	113	1	
9108 24 0029 100166925	9108 21 0035 9108 22 0081	3.08	100	103	-0.57 9	93	0.04 9	102	-0.24 96	-0.38 6	93	-0.70 5	-0.94 8	97	-18.48 42	123	7.18 17	82	1	
9108 24 0034 100168376	9108 22 0085 9108 22 0065	4.04	93	97	-0.46 17	95	-0.01 16	101	-0.23 96	0.06 12	96	-3.10 11	-2.32 15	89	-7.18 47	109	1.02 16	99	1	
9108 24 0036 100168426	9108 22 0085 1332 17 0029	2.92	96	100	-0.56 13	94	0.03 13	102	-0.25 96	-0.12 8	95	-1.50 8	-1.43 12	94	-3.54 38	104	1.15 10	99	1	
9108 24 0039 100168459	9108 21 0035 9108 21 0013	2.38	99	105	-0.75 22	91	0.03 22	102	-0.35 94	-0.23 16	94	-0.90 16	-1.26 21	95	-14.77 36	119	2.47 22	95	0	
9108 24 0042 100168525	9108 22 0085 9108 21 0044	4.88	85	94	-0.73 23	92	0.18 22	105	-0.19 97	-0.85 13	90	-4.20 14	-3.08 21	85	11.57 45	85	-4.28 16	114	1	
9108 24 0044 100168905	9108 22 0085 9108 21 0044	4.88	85	94	-0.73 23	92	0.18 22	105	-0.19 97	-0.85 13	90	-4.20 14	-3.08 21	85	11.69 33	85	-4.32 16	114	0	
9108 24 0049 100168962	9108 21 0035 9108 18 0031	15.07	95	98	-0.46 17	95	0.00 16	101	-0.23 96	-0.26 11	94	-3.00 10	-2.26 15	90	-24.35 33	131	8.66 18	78	0	
9108 24 0051 100168988	9108 22 0085 9108 22 0077	6.09	91	94	-0.45 16	95	-0.07 16	99	-0.29 95	0.07 11	96	-3.50 10	-2.62 15	87	-12.64 36	116	5.44 16	87	0	
9108 24 0055 100169036	9108 22 0085 9108 22 0047	4.62	93	98	-0.60 17	93	0.01 17	101	-0.29 95	0.01 11	96	-2.80 11	-2.27 16	89	-8.28 31	110	1.66 15	97	0	
9108 24 0059 100169077	9108 22 0085 9108 21 0028	7.55	93	96	-0.48 17	94	-0.13 16	98	-0.37 94	0.13 10	97	-2.60 10	-2.17 15	90	-8.71 44	111	2.91 15	94	1	

Ewes

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information				Selection Indices		EBV - Weights				EBV - Fertility											
Animal Comp no.				% In- breeding	Logix Merit Index	Repro- duction Index	Dir		Wean Weight		Post-Wean		Number Weaned		TWW		AFL		ILP		Times EPI Landed
							EBV	Mat	Comb		EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV
	Acc	Index	Acc				Index	EBV	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc
Active Breed Average:				100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15								
9108 24 0063 100169119	9108 21 0035 9108 22 0060	2.65	102	107	-0.66 12 92	0.00 12 101	-0.33 95	-0.31 8 94	-0.10 8 103	-0.72 11 98	-13.08 47 116	1.93 18 97	1								
9108 24 0066 100169143	9108 22 0085 9108 21 0022	9.08	88	93	-0.45 22 95	-0.05 21 99	-0.28 96	0.16 16 97	-4.50 15 82	-3.20 20 84	-1.89 45 102	-1.11 18 105	1								
9108 24 0067 100169150	9108 22 0085 9108 21 0022	9.08	88	93	-0.45 22 95	-0.05 21 99	-0.28 96	0.16 16 97	-4.50 15 82	-3.20 20 84	-1.89 45 102	-1.11 18 105	1								
9108 24 0068 100169168	9108 22 0085 9108 21 0022	9.08	88	93	-0.45 22 95	-0.05 21 99	-0.28 96	0.16 16 97	-4.50 15 82	-3.20 20 84	-2.14 36 103	-1.03 18 105	0								
9108 24 0070 100169184	9108 22 0085 9108 21 0023	9.08	88	92	-0.45 22 95	-0.05 21 99	-0.28 96	0.16 16 97	-4.50 15 82	-3.20 20 84	-4.19 45 105	0.54 19 100	1								
9108 24 0072 100169200	9108 22 0085 9108 22 0044	4.20	88	95	-0.61 19 93	0.03 18 102	-0.28 96	-0.40 10 93	-3.50 12 87	-2.68 17 87	7.98 30 90	-4.06 14 113	0								
9108 24 0073 100169218	9108 22 0085 9108 22 0044	4.20	88	95	-0.61 19 93	0.03 18 102	-0.28 96	-0.40 10 93	-3.50 12 87	-2.68 17 87	7.98 30 90	-4.06 14 113	0								
9108 24 0085 107200628	9108 22 0085 9108 19 0029	4.49	91	98	-0.60 24 93	0.19 23 106	-0.11 98	-0.46 17 93	-3.60 16 86	-2.57 22 88	-3.74 35 105	-0.10 19 102	0								
9108 24 0089 107200644	9183 23 0001 762 17 0277	4.67	102	102	-0.08 29 99	-0.20 26 96	-0.24 96	0.70 14 100	-0.30 13 102	-0.45 24 100	-4.57 30 106	-0.81 20 104	1								
9108 24 0092 107200776	9108 22 0085 9108 23 0021	3.36	94	98	-0.51 15 94	0.02 15 101	-0.24 96	-0.06 10 95	-2.50 10 92	-2.00 14 91	-9.03 31 111	3.17 15 93	0								
9108 24 0097 107205999	9108 22 0085 9108 23 0013	3.00	96	100	-0.51 14 94	-0.02 13 100	-0.28 96	-0.07 8 95	-2.00 8 94	-1.73 12 93	-13.63 34 117	4.19 14 90	0								
9108 24 0099 107206021	9108 22 0085 9108 22 0064	2.96	95	98	-0.51 14 94	-0.02 13 100	-0.28 96	-0.07 8 95	-2.00 8 94	-1.73 12 93	-9.29 30 112	3.89 14 91	0								
9108 25 0001 107483661	9108 22 0085 1332 17 0029	2.92	95	100	-0.56 13 94	0.03 13 102	-0.25 96	-0.12 8 95	-1.50 8 96	-1.43 12 94	-2.63 29 103	0.85 10 100	1								
9108 25 0002 107483679	9108 22 0085 1332 17 0029	2.92	95	100	-0.56 13 94	0.03 13 102	-0.25 96	-0.12 8 95	-1.50 8 96	-1.43 12 94	-2.63 29 103	0.85 10 100	0								
9108 25 0011 107483794	9108 21 0035 9108 22 0083	3.30	94	97	-0.45 14 95	-0.12 13 98	-0.35 94	-0.12 8 95	-2.80 8 90	-2.25 12 90	-19.99 35 125	6.71 19 83	0								

Ewes

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices		EBV - Weights				EBV - Fertility													
Animal Comp no.				% In- breeding	Logix Merit Index	Repro- duction Index	Dir		Wean Weight		Comb		Post-Wean		Number Weaned		TWW		AFL		ILP		Times EPI Lambed	
							EBV		EBV		EBV		EBV		EBV		EBV		EBV		EBV		EBV	
							Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index
Active Breed Average:					100	100	-0.06		-0.02		-0.06		0.50		-0.36		-0.31		-0.30		0.15			
9108 25 0013 107483810	9108 21 0035 9108 18 0031	15.07	95	98	-0.46 17 95	0.00 16 101	-0.23 96	-0.26 11 94	-3.00 10 89	-2.26 15 90	-24.35 33 131	8.66 18 78	0											
9108 25 0014 107483828	9108 22 0085 9108 22 0050	8.44	90	92	-0.29 19 96	-0.26 18 94	-0.40 93	0.47 10 99	-3.60 10 86	-2.71 17 87	-6.38 35 108	1.72 15 97	0											
9108 25 0015 107483836	9108 22 0085 9108 22 0050	8.44	90	92	-0.29 19 96	-0.26 18 94	-0.40 93	0.47 10 99	-3.60 10 86	-2.71 17 87	-6.38 35 108	1.72 15 97	0											
9108 25 0018 107483869	9108 22 0085 9108 20 2672	6.83	92	97	-0.43 20 95	0.21 19 106	-0.01 100	0.33 14 98	-3.80 12 85	-2.50 18 88	-4.42 32 105	0.77 17 100	1											
9108 25 0019 107483877	9108 22 0085 9108 20 2672	6.83	92	97	-0.43 20 95	0.21 19 106	-0.01 100	0.33 14 98	-3.80 12 85	-2.50 18 88	-4.42 32 105	0.77 17 100	0											
9108 25 0020 107483885	9108 22 0085 9108 22 0049	8.44	90	92	-0.29 19 96	-0.26 18 94	-0.40 93	0.47 10 99	-3.60 10 86	-2.71 17 87	-6.69 35 108	1.83 15 97	0											
9108 25 0021 107483893	9108 22 0085 9108 22 0049	8.44	90	92	-0.29 19 96	-0.26 18 94	-0.40 93	0.47 10 99	-3.60 10 86	-2.71 17 87	-6.69 35 108	1.83 15 97	0											
9108 25 0027 107483976	9108 22 0085 9108 21 0044	4.88	85	94	-0.73 23 92	0.18 22 105	-0.19 97	-0.85 13 90	-4.20 14 84	-3.08 21 85	11.69 33 85	-4.32 16 114	0											
9108 25 0030 107776676	9108 21 0035 9108 20 0034	2.68	96	101	-0.72 14 92	0.04 14 102	-0.32 95	-0.77 6 91	-0.90 9 99	-1.22 13 95	-7.00 32 109	3.35 19 93	0											
9108 25 0034 107776692	9108 22 0085 9108 22 0016	4.00	89	96	-0.70 18 92	0.09 18 103	-0.26 96	-0.49 10 92	-3.00 12 89	-2.41 17 89	7.80 30 90	-2.92 14 110	0											
9108 25 0035 107776700	9108 22 0085 9108 22 0046	5.40	90	97	-0.68 22 92	0.14 21 104	-0.20 97	-0.40 14 93	-3.50 14 87	-2.64 20 87	0.43 31 99	-1.30 17 105	0											
9108 25 0037 107776726	9108 22 0085 9108 23 0040	3.01	95	98	-0.51 14 94	-0.02 13 100	-0.28 96	-0.07 8 95	-2.00 8 94	-1.73 12 93	-9.52 33 112	3.81 13 91	0											
9108 25 0039 107776742	9108 22 0085 9108 23 0052	3.01	95	100	-0.51 14 94	-0.02 13 100	-0.28 96	-0.07 8 95	-2.00 8 94	-1.73 12 93	-8.74 34 111	1.99 14 96	0											
9108 25 0046 107777807	9108 22 0085 9108 21 0022	9.08	88	93	-0.45 22 95	-0.05 21 99	-0.28 96	0.16 16 97	-4.50 15 82	-3.20 20 84	-2.14 36 103	-1.03 18 105	0											
9108 25 0052 109692038	9108 21 0035 9108 22 0081	3.08	100	103	-0.57 9 93	0.04 9 102	-0.24 96	-0.38 6 93	-0.70 5 100	-0.94 8 97	-19.40 34 124	7.48 17 81	0											

Ewes

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices		EBV - Weights				EBV - Fertility								
Animal Comp no.				% In- breeding	Logix Merit Index	Repro- duction Index	Wean Weight		Comb	Post-Wean		Number Weaned	TWW		AFL		ILP		Times EPI Lambded
							Dir	Mat		Acc	Index		Acc	Index	Acc	Index	Acc	Index	
							EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV
Active Breed Average:					100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15					
9108 25 0054 109692053	9183 23 0001 9108 21 0028	3.27			105	106	-0.15 22 98	-0.03 18 100	-0.11 98	0.45 10 99	0.70 9 107	0.23 17 104	-7.67 25 110	1.60 17 98	0				
9108 25 0060 110975216	9108 22 0085 9108 21 0013	6.13			92	99	-0.73 25 92	0.09 24 103	-0.28 96	0.04 18 96	-3.00 17 89	-2.44 23 88	-0.19 34 100	-2.66 19 109	0				
9108 25 0063 111473500	9108 24 0047 9108 22 0060	4.77			94	101	-0.65 15 92	0.08 15 103	-0.25 96	-0.13 10 95	-1.70 10 95	-1.59 14 93	7.21 28 91	-4.69 14 115	0				
9108 25 0067 111474334	9108 24 0047 9108 18 0031	8.34			88	92	-0.44 19 95	0.08 18 103	-0.14 98	-0.08 12 95	-4.60 11 82	-3.12 17 85	-5.59 23 107	2.55 14 95	0				
9108 25 0071 111474607	9108 22 0085 9108 23 0065	8.06			92	94	-0.43 18 95	-0.18 17 96	-0.40 93	0.18 10 97	-3.10 10 89	-2.48 16 88	-10.57 32 113	3.49 15 92	0				
9108 25 0072 111474649	9108 22 0085 9108 23 0044	4.62			93	98	-0.60 17 93	0.01 17 101	-0.29 95	0.01 11 96	-2.80 11 90	-2.27 16 89	-8.00 31 110	1.18 16 99	0				
9108 25 0073 111474797	9108 22 0085 9108 23 0044	4.62			93	98	-0.60 17 93	0.01 17 101	-0.29 95	0.01 11 96	-2.80 11 90	-2.27 16 89	-8.00 31 110	1.18 16 99	0				
9108 25 0077 111474854	9183 23 0001 9108 22 0065	3.45			106	108	-0.13 22 98	0.09 18 103	0.03 101	0.38 12 98	0.30 11 105	0.14 18 103	-8.44 31 111	0.47 18 101	0				
9108 25 0078 111474862	9183 23 0001 9108 22 0065	3.45			106	108	-0.13 22 98	0.09 18 103	0.03 101	0.38 12 98	0.30 11 105	0.14 18 103	-8.44 31 111	0.47 18 101	0				
9108 25 0079 111474870	9108 24 0038 9108 23 0013	2.86			98	103	-0.58 12 93	-0.02 12 100	-0.31 95	-0.35 9 93	-1.20 8 98	-1.31 11 95	-12.43 28 116	2.43 14 95	0				
9108 25 0080 111475059	9108 22 0085 9108 20 2672	6.83			92	97	-0.43 20 95	0.21 19 106	-0.01 100	0.33 14 98	-3.80 12 85	-2.50 18 88	-4.42 32 105	0.77 17 100	0				
9108 25 0085 111475141	9183 23 0001 9108 21 0010	3.42			106	110	-0.24 24 97	0.20 21 106	0.09 102	0.23 15 97	0.90 13 108	0.51 20 105	-3.35 25 104	-0.79 19 104	0				
9108 25 0088 111475182	9108 24 0047 9108 20 2697	3.10			94	98	-0.39 13 95	-0.09 12 99	-0.28 96	-0.02 7 96	-2.00 7 94	-1.67 11 93	1.90 20 97	-2.42 13 109	0				
9108 25 0090 111475828	9183 23 0001 9108 22 0066	3.45			105	108	-0.13 22 98	0.09 18 103	0.03 101	0.38 12 98	0.30 11 105	0.14 18 103	-3.48 31 104	-1.29 18 105	0				
9108 25 0091 111475851	9183 23 0001 762 17 0277	4.67			102	102	-0.08 29 99	-0.20 26 96	-0.24 96	0.70 14 100	-0.30 13 102	-0.45 24 100	-4.57 30 106	-0.81 20 104	0				

Ewes

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices		EBV - Weights				EBV - Fertility										
Animal Comp no.				% In- breeding	Logix Merit Index	Repro- duction Index	Dir		Wean Weight		Comb	Post-Wean		Number Weaned	TWW		AFL		ILP		Times
							EBV	EBV	EBV	EBV		EBV	EBV		EBV	EBV	EBV	EBV	EPI		
	Acc	Index	Acc				Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index
Active Breed Average:					100	100	-0.06		-0.02		-0.06		0.50	-0.36	-0.31		-0.30		0.15		
9108 25 0093 111475893	9108 22 0085 9108 21 0017			17.28	87	92	-0.46 23 95		-0.01 22 101		-0.24 96	0.26 16 97		-4.30 16 83	-3.05 21 85		0.00 34 100		-0.01 19 102		0
9108 25 0094 111475901	9108 22 0085 9108 21 0017			17.28	87	92	-0.46 23 95		-0.01 22 101		-0.24 96	0.26 16 97		-4.30 16 83	-3.05 21 85		0.00 34 100		-0.01 19 102		0
9108 25 0095 111475919	9108 22 0085 9108 20 0034			3.94	88	95	-0.70 18 92		0.09 18 103		-0.26 96	-0.49 10 92		-3.00 12 89	-2.41 17 89		7.58 29 90		-1.79 15 107		0
9108 25 0096 111475927	9108 22 0085 9108 23 0005			3.80	93	98	-0.53 17 94		0.06 16 102		-0.21 97	-0.24 11 94		-3.10 11 89	-2.33 15 89		-13.06 35 116		3.63 16 92		0
9108 26 0004 112469978	9108 24 0035 9108 23 0069			12.31	90	95	-0.49 15 94		-0.04 14 100		-0.28 95	-0.04 9 95		-3.30 8 88	-2.51 13 88		-3.49 25 104		1.05 11 99		0
9108 26 0005 112469986	9108 22 0085 9108 21 0044			4.88	85	94	-0.73 23 92		0.18 22 105		-0.19 97	-0.85 13 90		-4.20 14 84	-3.08 21 85		11.69 33 85		-4.32 16 114		0
9108 26 0007 112657663	9108 22 0085 9108 21 0032			5.36	85	93	-0.59 23 93		0.06 23 102		-0.24 96	-0.27 15 94		-4.20 16 84	-3.05 21 85		12.48 35 84		-5.52 18 117		0
9108 26 0008 112657671	9108 22 0085 9108 21 0032			5.36	85	93	-0.59 23 93		0.06 23 102		-0.24 96	-0.27 15 94		-4.20 16 84	-3.05 21 85		12.48 35 84		-5.52 18 117		0
9108 26 0009 112657689	9108 22 0085 9108 21 0032			5.36	85	93	-0.59 23 93		0.06 23 102		-0.24 96	-0.27 15 94		-4.20 16 84	-3.05 21 85		12.48 35 84		-5.52 18 117		0
9108 26 0010 112657697	9108 22 0085 9108 23 0052			3.01	95	100	-0.51 14 94		-0.02 13 100		-0.28 96	-0.07 8 95		-2.00 8 94	-1.73 12 93		-8.74 34 111		1.99 14 96		0
9108 26 0012 112657713	9183 23 0001 9108 22 0082			4.57	99	101	-0.10 23 99		0.04 19 102		-0.02 100	0.47 11 99		-1.60 10 96	-1.03 18 97		-6.04 25 107		1.06 16 99		0
9108 26 0016 112657754	9108 24 0047 9108 21 0023			7.53	88	93	-0.46 21 95		-0.03 20 100		-0.26 96	0.06 15 96		-4.00 14 85	-2.89 19 86		0.50 30 99		-0.60 18 104		0
9108 26 0017 113729867	9192 23 0002 762 17 0020			4.20	102	104	-0.10 24 99		0.15 23 105		0.10 102	0.37 13 98		-0.50 13 101	-0.25 21 101		-2.80 26 103		1.28 17 98		0
9108 26 0018 113729875	9145 24 0006 9108 23 0021			3.70	101	104	-0.25 15 97		0.19 14 105		0.06 101	-0.01 11 96		-0.90 9 99	-0.60 13 99		-7.36 20 109		2.46 14 95		0
9108 26 0020 113729826	9145 24 0006 9108 23 0009			5.11	95	102	-0.46 19 95		0.21 18 106		-0.02 100	-0.28 13 94		-1.80 12 95	-1.33 17 95		7.38 19 90		-4.27 14 114		0

Ewes

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices		EBV - Weights				EBV - Fertility										
Animal Comp no.				% In- breeding	Logix Merit Index	Repro- duction Index	Wean Weight		Comb	Post-Wean		Number Weaned		TWW		AFL		ILP		Times EPI Lambded	
							Dir	Mat		Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index
							EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV
Active Breed Average:					100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15							
9108 26 0021 113729800	9145 24 0006 9108 23 0040	2.73			102	104	-0.24 13 97	0.15 12 105	0.03 101	-0.02 9 96	-0.40 7 102	-0.33 11 101	-7.84 24 110	3.10 12 93	0						
9108 26 0022 113729834	9145 24 0006 9108 23 0040	2.73			102	104	-0.24 13 97	0.15 12 105	0.03 101	-0.02 9 96	-0.40 7 102	-0.33 11 101	-7.84 24 110	3.10 12 93	0						
9108 26 0023 113729842	9145 24 0006 9108 23 0073	4.63			97	103	-0.30 18 96	0.35 17 110	0.20 104	-0.22 13 94	-2.20 11 93	-1.27 16 95	-4.14 23 105	0.93 13 99	0						
9108 26 0029 113730089	9108 22 0085 9108 23 0072	3.55			92	96	-0.58 15 93	0.01 14 101	-0.28 96	-0.25 9 94	-2.80 9 90	-2.25 13 90	-4.69 33 106	1.67 13 97	0						
9108 26 0034 113730105	9183 23 0001 9108 22 0081	3.48			105	108	-0.22 21 97	0.20 16 106	0.09 102	0.22 10 97	0.60 9 106	0.34 16 105	-5.17 26 106	1.49 16 98	0						
9108 26 0038 113730121	9108 22 0085 9108 23 0007	3.80			93	97	-0.53 17 94	0.06 16 102	-0.21 97	-0.24 11 94	-3.10 11 89	-2.33 15 89	-12.97 35 116	4.49 16 90	0						
9108 26 0039 113729974	9168 25 0004 9108 22 0049	4.24			97	98	-0.18 18 98	-0.16 15 97	-0.25 96	0.46 7 99	-1.80 7 95	-1.42 14 94	-7.14 25 109	1.81 13 97	0						
9108 26 0040 113730097	9168 25 0004 9108 22 0049	4.24			97	98	-0.18 18 98	-0.16 15 97	-0.25 96	0.46 7 99	-1.80 7 95	-1.42 14 94	-7.14 25 109	1.81 13 97	0						
9108 26 0041 113729990	9108 22 0085 9108 21 0007	4.49			90	98	-0.60 24 93	0.19 23 106	-0.11 98	-0.46 17 93	-3.60 16 86	-2.57 22 88	-0.64 33 101	-0.90 18 104	0						
9108 26 0043 113729966	9145 24 0006 9108 22 0077	4.13			98	100	-0.19 16 98	0.11 15 103	0.01 101	0.12 11 96	-1.90 10 94	-1.22 14 95	-10.97 27 114	4.73 15 89	0						
9108 26 0045 113729917	9108 22 0085 1432 17 0070	2.92			95	100	-0.56 13 94	0.03 13 102	-0.25 96	-0.12 8 95	-1.50 8 96	-1.43 12 94	-1.09 26 101	-0.05 10 102	0						
9108 26 0046 113729982	9145 24 0006 9108 23 0037	3.51			98	101	-0.19 16 98	0.15 14 104	0.05 101	0.07 10 96	-1.50 9 96	-0.94 14 97	-3.22 20 104	1.73 13 97	0						
9108 26 0048 113800445	9145 24 0006 9108 22 0010	3.66			96	103	-0.43 18 95	0.27 17 107	0.05 101	-0.44 10 93	-1.40 11 97	-1.01 16 97	11.49 23 85	-5.67 14 118	0						
9108 26 0049 113800502	9108 24 0047 9108 22 0027	6.21			88	92	-0.26 22 97	0.07 19 102	-0.06 99	0.02 12 96	-4.00 13 85	-2.59 19 88	5.43 24 93	-0.46 16 103	0						
9108 26 0050 113800510	9145 24 0006 9108 24 0013	4.66			95	100	-0.29 17 96	0.23 16 107	0.09 102	-0.02 11 96	-2.50 10 92	-1.56 15 94	1.00 19 99	-0.93 12 104	0						

Ewes

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices		EBV - Weights				EBV - Fertility										
Animal Comp no.				% In- breeding	Logix Merit Index	Repro- duction Index	Wean Weight		Comb	Post-Wean		Number Weaned		TWW		AFL		ILP		Times EPI	Lambd
							Dir	Mat		Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	
							EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV
Active Breed Average:					100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15							
9108 26 0052 113800601	9145 24 0006 9108 24 0024	4.02	95	97	-0.10 16 99	0.03 15 102	-0.02 100	0.41 10 98	-2.50 9 92	-1.57 14 94	-1.78 26 102	0.37 11 101	0								
9108 26 0056 113800577	9145 24 0006 9108 23 0068	4.03	96	102	-0.31 20 96	0.35 19 110	0.20 104	-0.41 13 93	-2.40 12 92	-1.40 18 94	-2.20 20 103	0.66 13 100	0								
9108 26 0058 113800544	9145 24 0006 9108 24 0034	4.54	96	100	-0.18 16 98	0.16 14 105	0.07 102	0.21 11 97	-2.30 9 93	-1.40 14 94	-2.81 26 103	0.22 11 101	0								
9108 26 0062 113800536	9145 24 0006 9108 24 0070	4.97	94	98	-0.18 17 98	0.14 16 104	0.05 101	0.26 12 97	-3.00 10 89	-1.84 15 92	-1.31 25 101	-0.02 12 102	0								
9108 26 0067 113800411	9145 24 0006 9108 24 0067	4.97	94	98	-0.18 17 98	0.14 16 104	0.05 101	0.26 12 97	-3.00 10 89	-1.84 15 92	-0.16 25 100	-0.84 12 104	0								
9108 26 0068 113800494	9145 24 0006 9108 24 0042	4.32	93	99	-0.32 17 96	0.25 16 107	0.09 102	-0.25 11 94	-2.80 10 90	-1.75 15 92	6.57 25 91	-2.43 11 109	0								
9108 26 0071 113800403	9145 24 0006 9108 24 0066	4.97	94	98	-0.18 17 98	0.14 16 104	0.05 101	0.26 12 97	-3.00 10 89	-1.84 15 92	-0.16 25 100	-0.84 12 104	0								
9108 26 0076 114091655	9145 24 0006 9108 24 0036	3.57	98	102	-0.23 15 97	0.18 13 105	0.06 101	0.12 10 96	-1.50 8 96	-0.95 13 97	-0.99 22 101	0.29 10 101	0								
9108 26 0083 114091663	9108 22 0085 9108 23 0044	4.62	93	98	-0.60 17 93	0.01 17 101	-0.29 95	0.01 11 96	-2.80 11 90	-2.27 16 89	-8.00 31 110	1.18 16 99	0								
9108 26 0084 114091648	9108 24 0038 9108 23 0065	5.95	94	97	-0.50 17 94	-0.18 16 96	-0.43 93	-0.10 10 95	-2.30 10 93	-2.06 15 91	-9.37 26 112	1.74 15 97	0								
9108 26 0085 114091614	9108 24 0038 9108 23 0065	5.95	94	97	-0.50 17 94	-0.18 16 96	-0.43 93	-0.10 10 95	-2.30 10 93	-2.06 15 91	-9.37 26 112	1.74 15 97	0								
9108 26 0088 114313224	9108 22 0085 9108 21 0034	5.89	88	92	-0.45 21 95	0.02 20 101	-0.20 97	0.06 11 96	-3.60 13 86	-2.58 19 88	6.57 31 91	-1.10 17 105	0								
9108 26 0091 114313000	9145 24 0006 9108 22 0062	4.91	98	105	-0.31 18 96	0.32 17 109	0.16 103	0.24 13 97	-1.80 11 95	-1.08 16 96	1.77 25 98	-2.96 15 110	0								
	Ewe flock average: Total ewes in flock: 178				94	99	-0.50	0.04	-0.21	-0.17	-2.35	-1.87	-3.81	0.28							

Sires Used in Flock

*Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents & Progeny						Selection Indices		EBV - Weights				EBV - Fertility						
Animal ID Computer nr	% In-breeding	Sire ID Dam ID	1st Generation		2nd Generation		Logix Merit Index	Reprod Index	Weaning Weight		Post-Wean		Number Weaned	TWW		AFL		ILP		Dam
			Progeny y	Number Herds	Progeny Weaned	Number Herds			Dir EBV Acc Index	Mat EBV Acc Index	Comb EBV Index	EBV Acc Index		EBV Acc Index	EBV Acc Index	EBV Acc Index	EPI	Times Lambded		
		Active Breed Average:						100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15			
1	762 14 0450 74915265	7.25	762 12 0290 LM 07 0321	64	3	27	4	83	109	-2.09 91 76	0.59 83 116	-0.45 93	-4.72 64 64	-2.80 56 90	-3.17 80 84	15.21 81 80	-15.00 59 136		7	
2	762 15 0411 76686252	7.62	762 14 0056 762 09 0218	6	1	2	1	78	80	0.04 68 100	-0.53 58 88	-0.50 92	1.13 40 103	-9.20 37 64	-6.00 57 68	-5.61 62 107	-2.32 44 108		4	
3	762 15 0538 76765940	3.04	762 12 0564 LM 08 0140	1	1			98	100	-0.43 60 95	-0.04 56 100	-0.26 96	0.83 34 101	-0.80 38 100	-0.95 53 97	-1.45 57 102	0.86 42 100		6	
4	762 16 0039 79100574	5.89	762 14 0056 762 12 0549					81	89	-0.59 58 93	0.62 55 116	0.33 106	-0.35 41 93	-8.50 33 64	-5.07 51 73	-17.29 53 122	8.98 38 77	113	8	
5	770 16 0153 79057055	2.25	770 14 0133 770 09 0375					106	108	-0.67 5 92	0.08 5 103	-0.26 96	-0.49 5 92	1.60 5 111		-15.53 35 120	6.87 19 83		1	
6	762 16 0523 79101358	5.09	762 14 0194 762 13 0419					79	95	-1.25 50 86	0.34 50 109	-0.29 95	-1.99 21 83	-4.50 34 82	-3.61 46 82	38.24 57 64	-14.22 37 136	103	5	
7	116 17 0033 80965288	2.92	116 15 0054					106	110	-0.36 15 96	-0.04 15 100	-0.22 97	-0.12 6 95	1.80 5 112	0.68 12 107	2.05 38 97	-4.51 24 114			
8	1673 17 0040 81769622	7.82	762 14 0269 762 14 0087					92	97	-0.39 30 95	0.29 29 108	0.09 102	0.15 12 97	-3.00 14 89	-1.90 26 92	3.56 44 95	1.03 30 99		1	
9	762 17 0175 80904436	4.10	762 15 0272 762 14 0292					97	107	-0.71 58 92	0.38 56 110	0.03 101	-0.41 49 93	-2.00 44 94	-1.53 54 94	-0.53 63 100	-4.26 46 114	97	2	
10	493 18 0092 84268374	2.51	762 13 0367 493 13 0166			1	1	95	91	0.08 29 101	-0.42 25 90	-0.38 94	0.87 9 101	-2.40 9 92	-1.78 23 92	-11.86 48 115	5.15 21 88		1	
11	9108 19 0027 95587812	2.92	762 16 0039 1432 17 0197					93	99	-0.63 29 93	0.35 27 110	0.04 101	-0.42 21 93	-3.40 17 87	-2.32 25 89	-13.51 43 117	5.76 21 86		5	
12	762 19 0465 86331691	8.30	762 18 0238 762 17 0714			1	1	81	78	0.61 64 107	-0.18 53 96	0.13 103	1.11 34 103	-6.30 36 74	-3.35 53 83	17.07 54 78	-1.47 39 106	100	5	
13	9114 21 0003 96046958	3.39	762 17 0448 1610 19 0168					105	110	-0.01 40 100	0.49 37 113	0.49 109	0.06 30 96	-0.40 21 102	0.24 34 104	-2.98 34 104	-0.51 25 103		7	

Sires Used in Flock

*Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents & Progeny				Selection Indices		EBV - Weights				EBV - Fertility					
Animal ID Computer nr	% In-breeding	Sire ID Dam ID	1st Generation		2nd Generation		Logix Merit Index	Reprod Index	Weaning Weight		Post-Wean		Number Weaned	TWW	AFL	ILP	Dam
			Progeny Number	Herds	Progeny Number	Herds			Dir EBV Acc Index	Mat EBV Acc Index	Comb EBV Index	EBV Acc Index					
		Active Breed Average:				100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15		
14	9108 21 0011 95405221	3.91	762 17 0175 762 16 0546				96	107	-1.03 42 88	0.19 42 106	-0.32 95	-0.17 31 95	-1.40 31 97	-1.67 39 93	5.50 49 93	-7.94 34 124	87 5
15	9108 21 0035 95411716	2.03	770 16 0153 826 16 0075		1 1		102	102	-0.48 12 94	-0.13 12 97	-0.37 94	-0.30 6 94	-0.40 7 102	-0.85 11 98	-30.94 57 136	11.12 29 71	5
16	1298 21 0426 93283935	1.95	16 4 60 DL 1298 15 0281				113	106	1.42 50 116	-0.03 44 100	0.68 112	2.81 34 114	0.50 20 106	1.69 41 112	1.50 52 98	-3.17 42 111	1
17	762 21 0770 93676062	6.01	762 19 0246 762 17 0526				106	113	-1.01 62 88	0.33 46 109	-0.17 97	-0.90 16 90	2.30 25 114	0.71 47 107	-5.31 51 107	2.50 30 95	161 8
18	9176 22 0006 95405098	2.92	762 17 0091 1805 19 0049				94	103	-1.01 26 88	-0.02 25 100	-0.53 91	-1.44 17 86	-0.60 15 101	-1.39 23 95	5.88 30 92	-4.64 20 115	3
19	9108 22 0085 95946760	7.58	9108 19 0027 762 17 0204				87	91	-0.44 27 95	-0.02 25 100	-0.24 96	0.26 17 97	-4.60 16 82	-3.22 24 84	-1.79 52 102	0.85 19 100	5
20	9183 23 0001 99094989	2.58	762 21 0770 1298 20 0489				112	112	0.22 38 102	0.18 30 105	0.29 105	0.90 17 102	2.00 15 113	1.59 30 112	-2.50 38 103	-0.85 25 104	4
21	9192 23 0002 109693440	2.92	959 17 0020 9176 21 0004				102	112	-0.53 25 94	0.51 24 114	0.25 105	-0.98 17 89	-0.40 14 102	-0.26 22 101	2.86 27 96	-4.71 18 115	5
22	9145 24 0001 99094617	3.57	959 17 0020 9145 21 0003				97	104	-0.10 30 99	0.54 28 114	0.49 109	-0.41 19 93	-2.50 17 92	-1.06 26 96	4.82 30 94	-2.75 20 109	4
23	9145 24 0006 107312449	3.21	9114 21 0003 9145 21 0002				100	104	0.10 26 101	0.32 23 109	0.37 107	0.36 18 98	-1.40 14 97	-0.42 22 100	1.57 22 98	-0.57 16 104	3
24	9108 24 0035 100168392	2.92	9108 22 0085 1332 17 0029				95	100	-0.56 13 94	0.03 13 102	-0.25 96	-0.12 8 95	-1.50 8 96	-1.43 12 94	-2.63 29 103	0.85 10 100	9
25	9108 24 0038 100168442	4.68	9108 22 0085 9108 21 0026				91	97	-0.58 24 93	0.00 23 101	-0.29 95	-0.30 17 94	-3.10 16 89	-2.44 22 88	0.61 36 99	-2.66 19 109	3
26	9108 24 0047 100168947	5.89	9108 22 0085 9108 21 0034				88	92	-0.45 21 95	0.02 20 101	-0.20 97	0.06 11 96	-3.60 13 86	-2.58 19 88	6.57 31 91	-1.10 17 105	5

Sires Used in Flock

*Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents & Progeny				Selection Indices		EBV - Weights				EBV - Fertility					
Animal ID Computer nr	% In-breeding	Sire ID Dam ID	1st Generation	2nd Generation		Logix Merit Index	Reprod Index	Weaning Weight		Comb	Post-Wean	Number Weaned	TWW	AFL	ILP	Dam	
			Progeny Number	Progeny Number	Dir			Mat	EBV								EBV
			y	Herds	Weaned	Herds		Acc	Index	Acc	Index	Acc	Index	Acc	Index	EPI Times	
			Active Breed Average:				100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15	
27	9168 25 0004 107781122	3.48	9114 22 0004 1610 19 0168				100	103	-0.21 23 97	0.18 19 105	0.08 102	0.25 8 97	-1.00 8 99	-0.63 18 99	-2.70 22 103	0.80 14 100	7
			Sire Flock Average:				95	101	-0.41	0.15	-0.06	-0.16	-2.06	-1.50	-0.34	-0.96	
			Number of sires used in the flock: 27														

Ram Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents & Progeny			Selection Indices		EBV - Weights				EBV - Fertility								
Animal ID Computer nr	% In-breeding	Sire ID Dam ID	1st Generation	2nd Generation	Logix Merit Index	Reproduction Index	Weaning Weight		Post-Wean	Number Weaned	TWW	AFL		ILP	Dam				
			Progeny Number Weaned	Progeny Number Weaned			Dir	Mat				Comb	EBV			EBV	EBV	EBV	
			Herds	Herds			EBV Acc Index	EBV Acc Index				EBV Index	EBV Acc Index			EBV Acc Index	EBV Acc Index	EPI	Times Lamb
			Active Breed Average:		100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15					
1	9183 23 0001 99094989	2.58	762 21 0770 298 20 0489		112	112	0.22 38	0.18 102	0.29 30	0.90 105	0.29 105	0.90 17	2.00 102	2.00 15	1.59 113	-2.50 38	-0.85 103	-0.85 25	4
2	9102 24 0005 107200131	3.03	298 21 0426 959 19 0151		107	107	0.65 35	0.16 107	0.48 31	2.00 105	0.48 109	2.00 27	2.00 109	-0.50 18	0.50 101	2.77 30	-4.17 105	-4.17 25	5
3	9108 25 0084 111475091	3.42	1183 23 0001 1108 21 0010		106	110	-0.24 24	0.20 97	0.09 21	0.23 106	0.09 102	0.23 15	0.23 97	0.90 13	0.51 108	-3.35 20	-0.79 105	-0.79 25	4
4	9108 25 0083 111475083	3.42	1183 23 0001 1108 21 0010		106	110	-0.24 24	0.20 97	0.09 21	0.23 106	0.09 102	0.23 15	0.23 97	0.90 13	0.51 108	-3.35 20	-0.79 105	-0.79 25	4
5	9108 24 0096 107205981	3.42	1183 23 0001 1108 21 0010		106	110	-0.24 24	0.20 97	0.09 21	0.23 106	0.09 102	0.23 15	0.23 97	0.90 13	0.51 108	-3.35 20	-0.79 105	-0.79 25	4
6	9108 25 0053 109692046	3.27	1183 23 0001 1108 21 0028		105	106	-0.15 22	-0.03 98	-0.11 18	0.45 100	0.45 98	0.45 10	0.45 99	0.70 9	0.23 107	-7.67 17	1.60 104	1.60 25	4
7	9108 26 0035 113730139	3.48	1183 23 0001 1108 22 0081		105	108	-0.22 21	0.20 97	0.09 16	0.22 106	0.09 102	0.22 10	0.22 97	0.60 9	0.34 106	-5.17 16	1.49 105	1.49 26	3
8	9108 25 0055 109692079	3.27	1183 23 0001 1108 21 0028		105	106	-0.15 22	-0.03 98	-0.11 18	0.45 100	0.45 98	0.45 10	0.45 99	0.70 9	0.23 107	-7.67 17	1.60 104	1.60 25	4
9	9108 25 0089 111475190	3.45	1183 23 0001 1108 22 0066		105	108	-0.13 22	0.09 98	0.03 18	0.38 103	0.03 101	0.38 12	0.38 98	0.30 11	0.14 105	-3.48 18	-1.29 103	-1.29 31	4
10	9108 24 0053 100169002	2.90	1108 21 0035 1108 19 0010		104	107	-0.58 6	-0.03 93	-0.32 6	-0.39 100	-0.32 95	-0.39 5	-0.39 93	0.60 5	-0.24 106	-19.07 5	6.18 101	6.18 31	6
11	9108 24 0054 100169010	2.90	1108 21 0035 1108 19 0010		104	107	-0.58 6	-0.03 93	-0.32 6	-0.39 100	-0.32 95	-0.39 5	-0.39 93	0.60 5	-0.24 106	-19.07 5	6.18 101	6.18 31	6
12	9108 23 0076 98331382	2.92	1108 21 0035 1108 17 0197		103	106	-0.58 6	-0.03 93	-0.32 6	-0.39 100	-0.32 95	-0.39 5	-0.39 93	0.60 5	-0.24 106	-17.22 5	5.67 101	5.67 30	5
13	9108 22 0063 97972145	2.80	1108 21 0035 1108 18 0400		103	105	-0.58 6	-0.03 93	-0.32 6	-0.39 100	-0.32 95	-0.39 5	-0.39 93	0.60 5	-0.24 106	-16.44 5	6.34 101	6.34 29	8
14	9108 24 0032 100167097	2.80	1108 21 0035 1108 18 0400		103	105	-0.58 6	-0.03 93	-0.32 6	-0.39 100	-0.32 95	-0.39 5	-0.39 93	0.60 5	-0.24 106	-16.44 5	6.34 101	6.34 29	8
15	9108 24 0033 100167105	2.80	1108 21 0035 1108 18 0400		103	105	-0.58 6	-0.03 93	-0.32 6	-0.39 100	-0.32 95	-0.39 5	-0.39 93	0.60 5	-0.24 106	-16.44 5	6.34 101	6.34 29	8

Ram Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents & Progeny			Selection Indices		EBV - Weights				EBV - Fertility					
Animal ID Computer nr	% In-breeding	Sire ID Dam ID	1st Generation	2nd Generation	Logix Merit Index	Repro- duction Index	Weaning Weight		Post-Wean		Number Weaned EBV Acc Index	TWW EBV Acc Index	AFL EBV Acc Index	ILP EBV Acc Index	Dam EPI Times Lamb	
			Progeny Number Weaned	Progeny Number Weaned			Dir EBV Acc Index	Mat EBV Acc Index	Comb EBV Index	Acc EBV Index						
			Herds	Herds												
		Active Breed Average:			100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15		
16	9108 26 0033 113729925	2.90	1168 25 0004 1108 19 0010		103	107	-0.44 12 95	0.13 9 104	-0.09 99	-0.12 5 95	0.30 5 105	-0.13 9 102	-4.95 15 106	1.02 9 99	6	
17	9108 25 0056 109692095	4.23	1183 23 0001 1108 21 0007		102	108	-0.27 28 97	0.29 24 108	0.15 103	-0.14 17 95	-0.30 16 102	-0.17 24 102	-1.00 28 101	-1.75 20 107	6	
18	9108 25 0057 109692103	4.23	1183 23 0001 1108 21 0007		102	108	-0.27 28 97	0.29 24 108	0.15 103	-0.14 17 95	-0.30 16 102	-0.17 24 102	-1.00 28 101	-1.75 20 107	6	
19	9108 25 0092 111475885	4.67	1183 23 0001 762 17 0277		102	102	-0.08 29 99	-0.20 26 96	-0.24 96	0.70 14 100	-0.30 13 102	-0.45 24 100	-4.57 30 106	-0.81 20 104	6	
20	9108 21 0035 95411716	2.03	770 16 0153 826 16 0075	1 1	102	102	-0.48 12 94	-0.13 12 97	-0.37 94	-0.30 6 94	-0.40 7 102	-0.85 11 98	-30.94 57 136	11.12 29 71	5	
21	9108 24 0002 99095176	2.66	1108 21 0035 1108 21 0010		102	106	-0.59 16 93	0.05 15 102	-0.25 96	-0.37 13 93	-0.30 12 102	-0.72 15 98	-17.57 33 122	5.20 20 88	4	
22	9108 26 0001 112469945	3.55	1145 24 0006 1108 23 0077		102	102	0.01 17 100	0.08 16 103	0.08 102	0.54 10 99	-1.00 9 99	-0.51 15 100	-11.69 24 115	5.17 13 88	1	
23	9108 26 0002 112469952	3.55	1145 24 0006 1108 23 0077		102	102	0.01 17 100	0.08 16 103	0.08 102	0.54 10 99	-1.00 9 99	-0.51 15 100	-11.69 24 115	5.17 13 88	1	
24	9108 24 0062 100169101	2.65	1108 21 0035 1108 22 0060		101	107	-0.66 12 92	0.00 12 101	-0.33 95	-0.31 8 94	-0.10 8 103	-0.72 11 98	-11.55 36 114	1.42 18 98	3	
25	9108 24 0083 107200602	5.38	1108 21 0035 1108 20 2697		101	104	-0.40 9 95	-0.16 9 97	-0.36 94	-0.20 5 94	-0.40 5 102	-0.80 8 98	-16.85 31 121	3.69 17 92	5	
26	9108 26 0060 113800452	4.42	1183 23 0001 1108 24 0026		101	104	-0.12 23 98	0.12 19 104	0.06 101	0.52 13 99	-0.80 12 100	-0.48 19 100	0.76 30 99	-2.38 16 108	1	
27	9108 26 0059 113800569	4.42	1183 23 0001 1108 24 0026		101	104	-0.12 23 98	0.12 19 104	0.06 101	0.52 13 99	-0.80 12 100	-0.48 19 100	0.76 30 99	-2.38 16 108	1	
28	9108 26 0019 113729883	3.70	1145 24 0006 1108 23 0021		101	104	-0.25 15 97	0.19 14 105	0.06 101	-0.01 11 96	-0.90 9 99	-0.60 13 99	-7.36 20 109	2.46 14 95	2	
29	9108 25 0024 107483943	26.80	1108 21 0035 1108 22 0065		101	104	-0.48 12 94	-0.06 12 99	-0.30 95	-0.22 9 94	-1.00 9 99	-1.14 11 96	-22.66 38 129	6.45 19 84	3	
30	9145 24 0006 107312449	3.21	1114 21 0003 1145 21 0002		100	104	0.10 26 101	0.32 23 109	0.37 107	0.36 18 98	-1.40 14 97	-0.42 22 100	1.57 22 98	-0.57 16 104	3	

Ram Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information			Parents & Progeny			Selection Indices		EBV - Weights				EBV - Fertility				
Animal ID Computer nr	% In-breeding	Sire ID Dam ID	1st Generation	2nd Generation	Logix Merit Index	Repro- duction Index	Weaning Weight		Comb	Post-Wean	Number Weaned	TWW	AFL	ILP	Dam	
			Progeny Number Weaned	Progeny Number Weaned			Dir	Mat								EBV
			Herds	Herds			EBV Acc Index	EBV Acc Index	EBV Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EPI	Times Lamb		
Active Breed Average:			100	100			-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15		
31	9108 24 0028 100166917	3.08	1108 21 0035 1108 22 0081		100	103	-0.57 9 93	0.04 9 102	-0.24 96	-0.38 6 93	-0.70 5 100	-0.94 8 97	-19.40 34 124	7.48 17 81	3	
32	9108 24 0040 100168509	2.38	1108 21 0035 1108 21 0013		99	105	-0.75 22 91	0.03 22 102	-0.35 94	-0.23 16 94	-0.90 16 99	-1.26 21 95	-14.77 36 119	2.47 22 95	4	
33	9108 24 0057 100169051	2.62	1108 21 0035 1108 22 0062		99	105	-0.60 14 93	0.09 14 103	-0.21 97	-0.09 10 95	-1.30 10 97	-1.29 13 95	-14.48 36 118	2.89 19 94	4	
34	9183 24 0005 101387199	3.47	1176 22 0006 1183 22 0001		99	103	-0.36 23 96	0.08 19 103	-0.10 99	-0.10 12 95	-0.60 10 101	-0.64 18 99	1.69 23 98	-1.45 16 106	1	
35	9108 26 0027 113730048	4.18	1145 24 0006 1108 22 0054		98	101	-0.19 16 98	0.13 15 104	0.03 101	0.17 11 97	-1.80 10 95	-1.14 14 96	-7.53 26 109	2.72 15 94	3	
36	9108 26 0026 113729933	4.18	1145 24 0006 1108 22 0054		98	101	-0.19 16 98	0.13 15 104	0.03 101	0.17 11 97	-1.80 10 95	-1.14 14 96	-7.53 26 109	2.72 15 94	3	
37	9108 26 0025 113729818	4.18	1145 24 0006 1108 22 0054		98	101	-0.19 16 98	0.13 15 104	0.03 101	0.17 11 97	-1.80 10 95	-1.14 14 96	-7.53 26 109	2.72 15 94	3	
38	9108 26 0047 113730030	3.51	1145 24 0006 1108 23 0037		98	101	-0.19 16 98	0.15 14 104	0.05 101	0.07 10 96	-1.50 9 96	-0.94 14 97	-3.22 20 104	1.73 13 97	1	
39	9108 26 0077 114091721	3.57	1145 24 0006 1108 24 0036		98	102	-0.23 15 97	0.18 13 105	0.06 101	0.12 10 96	-1.50 8 96	-0.95 13 97	-0.99 22 101	0.29 10 101	1	
40	9108 23 0081 99095119	2.53	1108 21 0035 1108 21 0007		98	104	-0.62 21 93	0.13 20 104	-0.18 97	-0.74 15 91	-1.50 14 96	-1.39 19 95	-15.22 35 119	4.24 21 90	6	
41	9108 26 0080 114091713	3.57	1145 24 0006 1108 25 0001		98	102	-0.23 15 97	0.18 13 105	0.06 101	0.12 10 96	-1.50 8 96	-0.95 13 97	-0.53 18 100	0.14 10 102	1	
42	9108 26 0081 114091689	3.57	1145 24 0006 1108 25 0001		98	102	-0.23 15 97	0.18 13 105	0.06 101	0.12 10 96	-1.50 8 96	-0.95 13 97	-0.53 18 100	0.14 10 102	1	
43	9108 26 0044 113730055	4.13	1145 24 0006 1108 22 0077		98	100	-0.19 16 98	0.11 15 103	0.01 101	0.12 11 96	-1.90 10 94	-1.22 14 95	-10.97 27 114	4.73 15 89	2	
44	9108 25 0064 111473534	2.92	1108 24 0038 332 17 0029		98	103	-0.63 12 93	0.04 11 102	-0.28 96	-0.40 8 93	-0.70 8 100	-1.01 11 97	-1.43 22 102	-0.91 10 104	9	
45	9108 25 0065 111473609	2.92	1108 24 0038 332 17 0029		98	103	-0.63 12 93	0.04 11 102	-0.28 96	-0.40 8 93	-0.70 8 100	-1.01 11 97	-1.43 22 102	-0.91 10 104	9	

Ram Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents & Progeny			Selection Indices		EBV - Weights				EBV - Fertility							
Animal ID Computer nr	% In-breeding	Sire ID Dam ID	1st Generation	2nd Generation	Logix Merit Index	Repro- duction Index	Weaning Weight		Comb	Post-Wean	Number Weaned	TWW	AFL	ILP	Dam			
			Progeny Number	Progeny Number			Dir	Mat								EBV	EBV	EBV
			Weaned	Herds			Weaned	Herds	Acc	Index	Index	Index	Acc	Index	Acc	Index	Acc	Index
Active Breed Average:					100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15				
46	9108 26 0024 113729859	4.63	1145 24 0006 1108 23 0073		97	103	-0.30 18	0.35 17	0.20 110	104	-0.22 13	-2.20 11	-1.27 16	-4.14 23	0.93 105	99	1	
47	9108 26 0031 113730071	3.82	1145 24 0006 1108 22 0050		97	98	-0.03 19	-0.09 17	-0.10 99	99	0.52 11	-2.00 9	-1.31 16	-4.70 26	1.01 106	99	3	
48	9108 26 0030 113729958	3.82	1145 24 0006 1108 22 0050		97	98	-0.03 19	-0.09 17	-0.10 99	99	0.52 11	-2.00 9	-1.31 16	-4.70 26	1.01 106	99	3	
49	9108 23 0078 99095085	2.74	1108 21 0035 1108 22 0010		97	103	-0.72 14	0.04 14	-0.32 102	95	-0.77 6	-0.90 9	-1.22 13	-4.77 35	0.17 106	101	3	
50	9108 24 0078 101387447	2.74	1108 21 0035 1108 22 0010		97	103	-0.72 14	0.04 14	-0.32 102	95	-0.77 6	-0.90 9	-1.22 13	-4.77 35	0.17 106	101	3	
51	9108 23 0071 98331341	2.74	1108 21 0035 1108 22 0017		97	102	-0.72 14	0.04 14	-0.32 102	95	-0.77 6	-0.90 9	-1.22 13	-7.85 35	2.57 110	95	1	
52	9108 26 0064 113800593	3.72	1145 24 0006 1108 24 0059		97	100	-0.19 16	0.10 14	0.00 103	100	0.24 10	-2.00 9	-1.30 14	-3.57 25	1.17 104	99	1	
53	9108 26 0063 113800585	3.72	1145 24 0006 1108 24 0059		97	100	-0.19 16	0.10 14	0.00 103	100	0.24 10	-2.00 9	-1.30 14	-3.57 25	1.17 104	99	1	
54	9108 26 0057 113800627	4.54	1145 24 0006 1108 24 0034		96	100	-0.18 16	0.16 14	0.07 105	102	0.21 11	-2.30 9	-1.40 14	-2.81 26	0.22 103	101	1	
55	9108 24 0003 99095184	2.62	1108 21 0035 1108 21 0045		96	103	-0.73 16	0.08 16	-0.29 103	95	-0.76 9	-1.40 11	-1.49 15	-8.19 35	1.57 110	98	3	
56	9108 24 0014 99095309	2.68	1108 21 0035 1108 20 0034		96	101	-0.72 14	0.04 14	-0.32 102	95	-0.77 6	-0.90 9	-1.22 13	-7.00 32	3.35 109	93	5	
57	9108 24 0015 99095317	2.68	1108 21 0035 1108 20 0034		96	101	-0.72 14	0.04 14	-0.32 102	95	-0.77 6	-0.90 9	-1.22 13	-7.00 32	3.35 109	93	5	
58	9108 26 0078 114091606	4.15	1145 24 0006 1108 25 0018		96	100	-0.17 17	0.26 15	0.18 107	103	0.35 11	-2.60 9	-1.46 14	-1.43 20	0.10 102	102	1	
59	9108 25 0050 109692012	2.90	1108 22 0085 1108 19 0010		96	101	-0.56 13	0.03 13	-0.25 102	96	-0.12 8	-1.50 8	-1.43 12	-4.50 28	1.04 106	99	6	
60	9108 25 0051 109692020	2.90	1108 22 0085 1108 19 0010		96	101	-0.56 13	0.03 13	-0.25 102	96	-0.12 8	-1.50 8	-1.43 12	-4.50 28	1.04 106	99	6	

Ram Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents & Progeny			Selection Indices		EBV - Weights				EBV - Fertility					
Animal ID Computer nr	% In-breeding	Sire ID Dam ID	1st Generation	2nd Generation	Logix Merit Index	Repro- duction Index	Weaning Weight		Comb	Post-Wean	Number Weaned	TWW	AFL	ILP	Dam	
			Progeny Number	Progeny Number			Dir	Mat								EBV
			Weaned	Herds			Herds	Acc	Index	Index	Acc	Index	Acc	Index	Acc	Index
			Active Breed Average:			100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15	
61	9108 26 0079 114091630	4.15	1145 24 0006 1108 25 0018		96	100	-0.17 17	0.26 15	0.18 103	0.35 11	-2.60 9	-1.46 14	-1.43 20	0.10 12	102	1
62	9108 24 0098 107206013	3.00	1108 22 0085 1108 23 0013		96	100	-0.51 14	-0.02 13	-0.28 96	-0.07 8	-2.00 8	-1.73 12	-13.63 34	4.19 14	117	2
63	9108 26 0032 113730113	3.68	1145 24 0006 1108 23 0057		96	98	-0.13 18	0.03 16	-0.04 100	0.34 11	-2.30 10	-1.48 15	-4.62 22	1.53 13	98	1
64	9108 26 0055 113800619	4.03	1145 24 0006 1108 23 0068		96	102	-0.31 20	0.35 19	0.20 104	-0.41 13	-2.40 12	-1.40 18	-2.20 20	0.66 13	100	1
65	9108 25 0041 107776767	15.05	1108 22 0085 432 17 0197		96	100	-0.56 13	0.03 13	-0.25 96	-0.12 8	-1.50 8	-1.43 12	-2.64 28	0.53 10	100	5
66	9108 24 0035 100168392	2.92	1108 22 0085 332 17 0029		95	100	-0.56 13	0.03 13	-0.25 96	-0.12 8	-1.50 8	-1.43 12	-2.63 29	0.85 10	100	9
67	9108 25 0003 107483687	2.92	1108 22 0085 332 17 0029		95	100	-0.56 13	0.03 13	-0.25 96	-0.12 8	-1.50 8	-1.43 12	-2.63 29	0.85 10	100	9
68	9108 25 0040 107776759	3.01	1108 22 0085 1108 23 0052		95	100	-0.51 14	-0.02 13	-0.28 96	-0.07 8	-2.00 8	-1.73 12	-8.74 34	1.99 14	96	2
69	9108 25 0042 107776809	2.89	1108 21 0035 1108 21 0023		95	98	-0.47 19	-0.11 18	-0.35 94	-0.12 14	-2.40 13	-2.02 17	-18.26 38	5.51 21	87	5
70	9108 26 0011 112657705	3.01	1108 22 0085 1108 23 0052		95	100	-0.51 14	-0.02 13	-0.28 96	-0.07 8	-2.00 8	-1.73 12	-8.74 34	1.99 14	96	2
71	9108 26 0073 114091622	6.31	1108 24 0038 1108 24 0029		95	100	-0.57 13	0.02 12	-0.27 96	-0.34 9	-1.90 8	-1.69 11	-8.94 27	2.26 13	96	1
72	9108 26 0013 112657721	2.83	1108 24 0047 1108 22 0064		95	99	-0.51 11	0.00 11	-0.26 96	-0.17 6	-1.50 7	-1.41 10	-5.11 21	2.92 13	94	2
73	9108 26 0014 112657739	2.83	1108 24 0047 1108 22 0064		95	99	-0.51 11	0.00 11	-0.26 96	-0.17 6	-1.50 7	-1.41 10	-5.11 21	2.92 13	94	2
74	9108 24 0090 107200651	2.71	1108 21 0035 1108 22 0027		95	97	-0.28 20	-0.01 17	-0.15 98	-0.16 12	-2.40 12	-1.73 17	-13.32 34	5.65 20	86	3
75	9108 23 0079 99095093	2.71	1108 21 0035 1108 22 0027		95	97	-0.28 20	-0.01 17	-0.15 98	-0.16 12	-2.40 12	-1.73 17	-13.32 34	5.65 20	86	3

Ram Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents & Progeny			Selection Indices		EBV - Weights				EBV - Fertility				
Animal ID Computer nr	% In-breeding	Sire ID Dam ID	1st Generation	2nd Generation	Logix Merit Index	Repro- duction Index	Weaning Weight		Post-Wean		Number Weaned EBV Acc Index	TWW EBV Acc Index	AFL EBV Acc Index	ILP EBV Acc Index	Dam EPI Times Lamb
			Progeny Number Weaned	Progeny Number Weaned			Dir EBV Acc Index	Mat EBV Acc Index	Comb EBV Index	EBV Acc Index					
			Herds	Herds											
		Active Breed Average:			100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15	
76	9108 24 0091 107200669	2.71	1108 21 0035 1108 22 0027		95	97	-0.28 20	-0.01 17	-0.15 98	-0.16 12	-2.40 12	-1.73 17	-13.32 34	5.65 20	3
77	9108 26 0053 113800478	4.02	1145 24 0006 1108 24 0024		95	97	-0.10 16	0.03 15	-0.02 100	0.41 10	-2.50 9	-1.57 14	-1.78 26	0.37 11	1
78	9108 26 0054 113800486	4.02	1145 24 0006 1108 24 0024		95	97	-0.10 16	0.03 15	-0.02 100	0.41 10	-2.50 9	-1.57 14	-1.78 26	0.37 11	1
79	9108 25 0005 107483703	2.80	1108 22 0085 1108 18 0400		95	99	-0.56 13	0.03 13	-0.25 96	-0.12 8	-1.50 8	-1.43 12	-1.86 26	1.20 11	8
80	9108 25 0004 107483695	2.80	1108 22 0085 1108 18 0400		95	99	-0.56 13	0.03 13	-0.25 96	-0.12 8	-1.50 8	-1.43 12	-1.86 26	1.20 11	8
81	9108 25 0038 107776734	3.01	1108 22 0085 1108 23 0040		95	98	-0.51 14	-0.02 13	-0.28 96	-0.07 8	-2.00 8	-1.73 12	-9.52 33	3.81 13	2
82	9108 25 0012 107483802	15.07	1108 21 0035 1108 18 0031		95	98	-0.46 17	0.00 16	-0.23 96	-0.26 11	-3.00 10	-2.26 15	-24.35 33	8.66 18	8
83	9108 24 0048 100168954	15.07	1108 21 0035 1108 18 0031		95	98	-0.46 17	0.00 16	-0.23 96	-0.26 11	-3.00 10	-2.26 15	-24.35 33	8.66 18	8
84	9108 26 0051 113800551	4.66	1145 24 0006 1108 24 0013		95	100	-0.29 17	0.23 16	0.09 102	-0.02 11	-2.50 10	-1.56 15	1.00 19	-0.93 12	1
85	9108 26 0065 113800437	3.81	1108 24 0047 1108 24 0063		95	99	-0.56 12	0.01 12	-0.27 96	-0.13 7	-1.90 8	-1.68 11	-3.26 28	0.42 12	1
86	9108 24 0030 100167071	3.30	1108 21 0035 1108 22 0083		94	97	-0.45 14	-0.12 13	-0.35 94	-0.12 8	-2.80 8	-2.25 12	-19.99 35	6.71 19	2
87	9108 25 0010 107483786	3.30	1108 21 0035 1108 22 0083		94	97	-0.45 14	-0.12 13	-0.35 94	-0.12 8	-2.80 8	-2.25 12	-19.99 35	6.71 19	2
88	9108 24 0077 101387439	3.22	1108 22 0085 1108 23 0033		94	98	-0.42 14	-0.09 13	-0.30 95	0.03 9	-2.50 9	-2.01 12	-9.04 30	1.78 14	2
89	9108 25 0047 109691980	3.22	1108 22 0085 1108 23 0033		94	98	-0.42 14	-0.09 13	-0.30 95	0.03 9	-2.50 9	-2.01 12	-9.04 30	1.78 14	2
90	9108 25 0048 109691998	3.22	1108 22 0085 1108 23 0033		94	98	-0.42 14	-0.09 13	-0.30 95	0.03 9	-2.50 9	-2.01 12	-9.04 30	1.78 14	2

Ram Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents & Progeny			Selection Indices		EBV - Weights				EBV - Fertility				
Animal ID Computer nr	% In-breeding	Sire ID Dam ID	1st Generation	2nd Generation	Logix Merit Index	Repro- duction Index	Weaning Weight		Comb	Post-Wean	Number Weaned	TWW	AFL	ILP	Dam
			Progeny Number	Progeny Number			Dir	Mat							
			Weaned	Herds			Weaned	Herds	EBV Acc Index	EBV Acc Index	EBV Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index
			Active Breed Average:		100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15	
91	9108 26 0075 114091739	8.75	1108 22 0085 1108 24 0089		94	97	-0.26 20	-0.11 18	-0.24 96	0.48 11	-2.50 11	-1.86 92	-3.18 30	0.02 104	1
92	9108 26 0074 114091697	8.75	1108 22 0085 1108 24 0089		94	97	-0.26 20	-0.11 18	-0.24 96	0.48 11	-2.50 11	-1.86 92	-3.18 30	0.02 104	1
93	9108 26 0089 114312994	7.90	1108 24 0038 1108 22 0066		94	100	-0.53 16	0.00 15	-0.26 101	-0.23 96	-2.30 11	-1.91 92	-1.92 30	-2.19 102	4
94	9108 26 0036 113730006	3.36	1108 22 0085 1108 23 0085		94	98	-0.51 15	0.02 15	-0.24 101	-0.06 96	-2.50 10	-2.00 91	-8.65 31	2.51 111	1
95	9108 26 0090 114313216	7.90	1108 24 0038 1108 22 0066		94	100	-0.53 16	0.00 15	-0.26 101	-0.23 96	-2.30 11	-1.91 92	-1.92 30	-2.19 102	4
96	9108 25 0086 111475158	3.10	1108 24 0047 1108 20 2697		94	98	-0.39 13	-0.09 12	-0.28 99	-0.02 96	-2.00 7	-1.67 93	1.90 20	-2.42 97	5
97	9108 25 0087 111475174	3.10	1108 24 0047 1108 20 2697		94	98	-0.39 13	-0.09 12	-0.28 99	-0.02 96	-2.00 7	-1.67 93	1.90 20	-2.42 97	5
98	9108 26 0086 114091671	5.95	1108 24 0038 1108 23 0065		94	97	-0.50 17	-0.18 16	-0.43 96	-0.10 93	-2.30 10	-2.06 91	-9.37 26	1.74 112	2
99	9108 26 0070 113800528	4.97	1145 24 0006 1108 24 0066		94	98	-0.18 17	0.14 16	0.05 104	0.26 101	-3.00 12	-1.84 97	-0.16 25	-0.84 100	1
100	9108 26 0066 113800635	4.97	1145 24 0006 1108 24 0067		94	98	-0.18 17	0.14 16	0.05 104	0.26 101	-3.00 12	-1.84 97	-0.16 25	-0.84 100	1
101	9108 26 0061 113800429	4.97	1145 24 0006 1108 24 0070		94	98	-0.18 17	0.14 16	0.05 104	0.26 101	-3.00 12	-1.84 97	-1.31 25	-0.02 101	1
102	9108 24 0093 107200941	3.36	1108 22 0085 1108 23 0021		94	98	-0.51 15	0.02 15	-0.24 101	-0.06 96	-2.50 10	-2.00 91	-9.03 31	3.17 111	2
103	9108 24 0008 99095234	3.33	1108 22 0085 1108 20 2697		94	98	-0.38 15	-0.11 14	-0.30 98	0.08 95	-2.50 9	-1.99 96	-2.28 28	-1.44 103	5
104	9108 25 0007 107483729	4.52	1108 22 0085 1108 22 0060		93	100	-0.64 17	0.06 16	-0.26 102	-0.04 96	-2.20 11	-1.91 95	3.03 34	-3.72 96	3
105	9108 25 0006 107483711	4.52	1108 22 0085 1108 22 0060		93	100	-0.64 17	0.06 16	-0.26 102	-0.04 96	-2.20 11	-1.91 95	3.03 34	-3.72 96	3

Ram Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents & Progeny			Selection Indices		EBV - Weights				EBV - Fertility				
Animal ID Computer nr	% In-breeding	Sire ID Dam ID	1st Generation	2nd Generation	Logix Merit Index	Repro- duction Index	Weaning Weight		Comb	Post-Wean	Number Weaned	TWW	AFL	ILP	Dam
			Progeny Number Weaned	Progeny Number Weaned			Dir	Mat							
			Herds	Herds			EBV Acc Index	EBV Acc Index	EBV Index	EBV Acc Index	EBV Acc Index	Acc Index	Acc Index	Acc Index	Acc Index
Active Breed Average:			100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15			
106	9108 24 0088 107200636	3.80	1108 22 0085 1108 23 0005	93	98	-0.53 17 94	0.06 16 102	-0.21 97	-0.24 11 94	-3.10 11 89	-2.33 15 89	-13.06 35 116	3.63 16 92	2	
107	9108 25 0066 111473633	7.77	1108 24 0038 1108 22 0033	93	100	-0.62 17 93	-0.04 17 100	-0.35 94	-0.22 12 94	-2.50 11 92	-2.16 16 90	-2.47 24 103	-2.94 15 110	3	
108	9108 25 0074 111474813	4.62	1108 22 0085 1108 23 0044	93	98	-0.60 17 93	0.01 17 101	-0.29 95	0.01 11 96	-2.80 11 90	-2.27 16 89	-8.00 31 110	1.18 16 99	2	
109	9140 25 0002 109797027	3.77	1176 22 0006 1116 22 0002	93	98	-0.52 21 94	-0.04 18 100	-0.30 95	-0.56 12 92	-1.50 12 96	-1.46 18 94	7.11 20 91	-2.92 14 110	2	
110	9108 26 0082 114091705	4.62	1108 22 0085 1108 23 0044	93	98	-0.60 17 93	0.01 17 101	-0.29 95	0.01 11 96	-2.80 11 90	-2.27 16 89	-8.00 31 110	1.18 16 99	2	
111	9108 24 0056 100169044	4.62	1108 22 0085 1108 22 0047	93	98	-0.60 17 93	0.01 17 101	-0.29 95	0.01 11 96	-2.80 11 90	-2.27 16 89	-8.28 31 110	1.66 15 97	1	
112	9108 26 0037 113730022	3.80	1108 22 0085 1108 23 0007	93	97	-0.53 17 94	0.06 16 102	-0.21 97	-0.24 11 94	-3.10 11 89	-2.33 15 89	-12.97 35 116	4.49 16 90	2	
113	9108 24 0094 107201014	3.80	1108 22 0085 1108 23 0007	93	97	-0.53 17 94	0.06 16 102	-0.21 97	-0.24 11 94	-3.10 11 89	-2.33 15 89	-12.97 35 116	4.49 16 90	2	
114	9108 25 0033 107776684	3.89	1108 22 0085 1108 23 0049	93	97	-0.52 17 94	-0.04 16 100	-0.30 95	-0.16 11 95	-2.80 11 90	-2.24 15 90	-8.16 35 110	1.75 14 97	1	
115	9108 24 0058 100169069	7.55	1108 22 0085 1108 21 0028	93	95	-0.48 17 94	-0.13 16 98	-0.37 94	0.13 10 97	-2.60 10 91	-2.17 15 90	-7.31 31 109	2.45 15 95	4	
116	9108 24 0060 100169085	7.55	1108 22 0085 1108 21 0028	93	95	-0.48 17 94	-0.13 16 98	-0.37 94	0.13 10 97	-2.60 10 91	-2.17 15 90	-7.31 31 109	2.45 15 95	4	
117	9108 24 0061 100169093	7.55	1108 22 0085 1108 21 0028	93	95	-0.48 17 94	-0.13 16 98	-0.37 94	0.13 10 97	-2.60 10 91	-2.17 15 90	-7.31 31 109	2.45 15 95	4	
118	9108 26 0069 113800460	4.32	1145 24 0006 1108 24 0042	93	99	-0.32 17 96	0.25 16 107	0.09 102	-0.25 11 94	-2.80 10 90	-1.75 15 92	6.57 25 91	-2.43 11 109	1	
119	9108 26 0072 114091598	3.80	1108 22 0085 1108 23 0082	92	97	-0.53 17 94	0.06 16 102	-0.21 97	-0.24 11 94	-3.10 11 89	-2.33 15 89	-8.50 31 111	2.54 14 95	1	
120	9108 24 0065 100169135	4.04	1108 22 0085 1108 22 0066	92	97	-0.46 17 95	-0.01 16 101	-0.23 96	0.06 12 96	-3.10 11 89	-2.32 15 89	-3.12 35 104	-0.44 16 103	4	

Ram Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents & Progeny			Selection Indices		EBV - Weights				EBV - Fertility					
Animal ID Computer nr	% In-breeding	Sire ID Dam ID	1st Generation	2nd Generation	Logix Merit Index	Repro- duction Index	Weaning Weight		Comb	Post-Wean	Number Weaned	TWW	AFL	ILP	Dam	
			Progeny Number	Progeny Number			Dir	Mat								EBV
			Weaned	Herds			Weaned	Herds	EBV Acc Index	EBV Acc Index	EBV Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index
		Active Breed Average:			100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15		
121	9108 24 0064 100169127	4.04	1108 22 0085 1108 22 0066		92	97	-0.46 17 95	-0.01 16 101	-0.23 96	0.06 12 96	-3.10 11 89	-2.32 15 89	-3.12 35 104	-0.44 16 103	4	
122	9108 25 0025 107483950	4.04	1108 22 0085 1108 22 0066		92	97	-0.46 17 95	-0.01 16 101	-0.23 96	0.06 12 96	-3.10 11 89	-2.32 15 89	-3.12 35 104	-0.44 16 103	4	
123	9108 25 0070 111474573	8.06	1108 22 0085 1108 23 0065		92	94	-0.43 18 95	-0.18 17 96	-0.40 93	0.18 10 97	-3.10 10 89	-2.48 16 88	-10.57 32 113	3.49 15 92	2	
124	9108 25 0069 111474565	8.06	1108 22 0085 1108 23 0065		92	94	-0.43 18 95	-0.18 17 96	-0.40 93	0.18 10 97	-3.10 10 89	-2.48 16 88	-10.57 32 113	3.49 15 92	2	
125	9108 26 0028 113729941	3.55	1108 22 0085 1108 23 0072		92	96	-0.58 15 93	0.01 14 101	-0.28 96	-0.25 9 94	-2.80 9 90	-2.25 13 90	-4.69 33 106	1.67 13 97	1	
126	9108 25 0081 111475067	6.83	1108 22 0085 1108 20 2672		92	97	-0.43 20 95	0.21 19 106	-0.01 100	0.33 14 98	-3.80 12 85	-2.50 18 88	-4.42 32 105	0.77 17 100	5	
127	9108 25 0059 110975208	6.13	1108 22 0085 1108 21 0013		92	99	-0.73 25 92	0.09 24 103	-0.28 96	0.04 18 96	-3.00 17 89	-2.44 23 88	-0.19 34 100	-2.66 19 109	4	
128	9108 25 0082 111475075	6.48	1108 22 0085 1108 22 0062		91	98	-0.58 19 93	0.15 18 104	-0.14 98	0.19 13 97	-3.40 12 87	-2.47 17 88	0.10 34 100	-2.25 16 108	4	
129	9108 25 0022 107483901	6.48	1108 22 0085 1108 22 0062		91	98	-0.58 19 93	0.15 18 104	-0.14 98	0.19 13 97	-3.40 12 87	-2.47 17 88	0.10 34 100	-2.25 16 108	4	
130	9108 25 0023 107483935	6.48	1108 22 0085 1108 22 0062		91	98	-0.58 19 93	0.15 18 104	-0.14 98	0.19 13 97	-3.40 12 87	-2.47 17 88	0.10 34 100	-2.25 16 108	4	
131	9108 24 0022 100166867	10.19	1108 22 0085 1108 22 0054		91	95	-0.46 16 95	-0.04 16 100	-0.27 96	0.12 11 96	-3.40 11 87	-2.54 15 88	-9.20 35 112	3.43 16 92	3	
132	9108 24 0021 100166859	10.19	1108 22 0085 1108 22 0054		91	95	-0.46 16 95	-0.04 16 100	-0.27 96	0.12 11 96	-3.40 11 87	-2.54 15 88	-9.20 35 112	3.43 16 92	3	
133	9108 25 0017 107483851	5.13	1108 22 0085 1108 22 0033		91	97	-0.55 18 94	-0.05 17 100	-0.32 95	0.06 12 96	-3.30 12 88	-2.57 16 88	-3.67 30 104	-1.18 16 105	3	
134	9108 25 0016 107483844	5.13	1108 22 0085 1108 22 0033		91	97	-0.55 18 94	-0.05 17 100	-0.32 95	0.06 12 96	-3.30 12 88	-2.57 16 88	-3.67 30 104	-1.18 16 105	3	
135	9108 24 0038 100168442	4.68	1108 22 0085 1108 21 0026		91	97	-0.58 24 93	0.00 23 101	-0.29 95	-0.30 17 94	-3.10 16 89	-2.44 22 88	0.61 36 99	-2.66 19 109	3	

Ram Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents & Progeny			Selection Indices		EBV - Weights				EBV - Fertility				
Animal ID Computer nr	% In-breeding	Sire ID Dam ID	1st Generation	2nd Generation	Logix Merit Index	Repro- duction Index	Weaning Weight		Post-Wean		Number Weaned	TWW	AFL	ILP	Dam
			Progeny Number	Progeny Number			Dir	Mat	Comb						
			Weaned Herds	Weaned Herds											
			Active Breed Average:		100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15	
136	9108 24 0037 100168434	4.68	1108 22 0085 1108 21 0026		91	97	-0.58 24 93	0.00 23 101	-0.29 95	-0.30 17 94	-3.10 16 89	-2.44 22 88	0.61 36 99	-2.66 19 109	3
137	9108 24 0025 100166891	4.97	1108 22 0085 1108 20 0036		90	97	-0.46 24 95	0.07 24 102	-0.16 98	0.13 19 97	-3.60 18 86	-2.55 23 88	3.12 36 96	-3.62 19 112	4
138	9108 26 0003 112469960	12.31	1108 24 0035 1108 23 0069		90	95	-0.49 15 94	-0.04 14 100	-0.28 95	-0.04 9 95	-3.30 8 88	-2.51 13 88	-3.49 25 104	1.05 11 99	1
139	9108 24 0079 101387454	4.49	1108 22 0085 1108 21 0007		90	98	-0.60 24 93	0.19 23 106	-0.11 98	-0.46 17 93	-3.60 16 86	-2.57 22 88	-0.64 33 101	-0.90 18 104	6
140	9108 26 0042 113730063	4.49	1108 22 0085 1108 21 0007		90	98	-0.60 24 93	0.19 23 106	-0.11 98	-0.46 17 93	-3.60 16 86	-2.57 22 88	-0.64 33 101	-0.90 18 104	6
141	9108 24 0080 101387462	4.49	1108 22 0085 1108 21 0007		90	98	-0.60 24 93	0.19 23 106	-0.11 98	-0.46 17 93	-3.60 16 86	-2.57 22 88	-0.64 33 101	-0.90 18 104	6
142	9108 25 0036 107776718	5.40	1108 22 0085 1108 22 0046		90	97	-0.68 22 92	0.14 21 104	-0.20 97	-0.40 14 93	-3.50 14 87	-2.64 20 87	0.43 31 99	-1.30 17 105	2
143	9108 25 0029 107776486	5.68	1145 24 0001 1108 23 0004		89	99	-0.42 24 95	0.33 23 109	0.12 102	-0.60 16 92	-3.20 16 88	-2.01 22 91	24.27 29 69	-10.47 18 131	2
144	9108 25 0044 107776858	4.34	1108 22 0085 1108 21 0045		88	96	-0.70 20 92	0.13 19 104	-0.22 97	-0.48 12 93	-3.50 13 87	-2.67 18 87	6.38 33 92	-3.56 16 112	3
145	9108 25 0043 107776833	4.34	1108 22 0085 1108 21 0045		88	96	-0.70 20 92	0.13 19 104	-0.22 97	-0.48 12 93	-3.50 13 87	-2.67 18 87	6.38 33 92	-3.56 16 112	3
146	9108 26 0092 114313018	3.94	1108 22 0085 1108 20 0034		88	95	-0.70 18 92	0.09 18 103	-0.26 96	-0.49 10 92	-3.00 12 89	-2.41 17 89	7.58 29 90	-1.79 15 107	5
147	9108 24 0075 101387413	5.60	1108 22 0085 1108 23 0009		88	96	-0.72 19 92	0.04 19 102	-0.33 95	-0.33 12 94	-3.40 13 87	-2.73 18 87	5.70 30 93	-3.56 15 112	2
148	9108 24 0076 101387421	5.60	1108 22 0085 1108 23 0009		88	96	-0.72 19 92	0.04 19 102	-0.33 95	-0.33 12 94	-3.40 13 87	-2.73 18 87	5.70 30 93	-3.56 15 112	2
149	9108 26 0015 112657747	7.53	1108 24 0047 1108 21 0023		88	93	-0.46 21 95	-0.03 20 100	-0.26 96	0.06 15 96	-4.00 14 85	-2.89 19 86	0.50 30 99	-0.60 18 104	5
150	9108 26 0087 114312986	5.89	1108 22 0085 1108 21 0034		88	92	-0.45 21 95	0.02 20 101	-0.20 97	0.06 11 96	-3.60 13 86	-2.58 19 88	6.57 31 91	-1.10 17 105	5

Ram Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents & Progeny			Selection Indices		EBV - Weights				EBV - Fertility				
Animal ID Computer nr	% In-breeding	Sire ID Dam ID	1st Generation	2nd Generation	Logix Merit Index	Repro- duction Index	Weaning Weight		Post-Wean		Number Weaned EBV Acc Index	TWW EBV Acc Index	AFL EBV Acc Index	ILP EBV Acc Index	Dam EPI Times Lamb
			Progeny Number Weaned	Progeny Number Weaned			Dir EBV Acc Index	Mat EBV Acc Index	Comb EBV Index	EBV Acc Index					
			Herds	Herds											
		Active Breed Average:			100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15	
151	9108 25 0061 111473419	5.89	1108 22 0085 1108 21 0034		88	92	-0.45 21	0.02 95 20	-0.20 97	0.06 11	-3.60 13	-2.58 19	6.57 31	-1.10 17	5
152	9108 24 0046 100168921	5.89	1108 22 0085 1108 21 0034		88	92	-0.45 21	0.02 95 20	-0.20 97	0.06 11	-3.60 13	-2.58 19	6.57 31	-1.10 17	5
153	9108 25 0062 111473468	5.89	1108 22 0085 1108 21 0034		88	92	-0.45 21	0.02 95 20	-0.20 97	0.06 11	-3.60 13	-2.58 19	6.57 31	-1.10 17	5
154	9108 24 0047 100168947	5.89	1108 22 0085 1108 21 0034		88	92	-0.45 21	0.02 95 20	-0.20 97	0.06 11	-3.60 13	-2.58 19	6.57 31	-1.10 17	5
155	9108 25 0009 107483745	5.89	1108 22 0085 1108 21 0034		88	92	-0.45 21	0.02 95 20	-0.20 97	0.06 11	-3.60 13	-2.58 19	6.57 31	-1.10 17	5
156	9108 24 0071 100169192	4.20	1108 22 0085 1108 22 0044		88	95	-0.61 19	0.03 93 18	-0.28 96	-0.40 10	-3.50 12	-2.68 17	7.98 30	-4.06 14	1
157	9108 25 0045 107776866	9.08	1108 22 0085 1108 21 0022		88	93	-0.45 22	-0.05 95 21	-0.28 96	0.16 16	-4.50 15	-3.20 20	-2.14 36	-1.03 103 18	4
158	9108 25 0068 111474557	8.34	1108 24 0047 1108 18 0031		88	92	-0.44 19	0.08 95 18	-0.14 98	-0.08 12	-4.60 11	-3.12 17	-5.59 23	2.55 107 14	8
159	9108 24 0069 100169176	9.08	1108 22 0085 1108 21 0023		88	92	-0.45 22	-0.05 95 21	-0.28 96	0.16 16	-4.50 15	-3.20 20	-3.68 36	0.37 104 19	5
160	9108 24 0017 100166818	4.34	1108 22 0085 1108 21 0046		87	95	-0.70 20	0.13 92 19	-0.22 97	-0.48 12	-3.50 13	-2.67 18	10.76 33	-4.27 86 16	2
161	9108 22 0085 95946760	7.58	1108 19 0027 762 17 0204		87	91	-0.44 27	-0.02 95 25	-0.24 96	0.26 17	-4.60 16	-3.22 24	-1.79 52	0.85 102 19	5
162	9108 24 0011 99095275	4.78	1108 22 0085 1108 21 0039		86	96	-0.72 21	0.17 92 20	-0.19 97	-0.66 12	-4.10 14	-3.01 19	7.84 34	-4.34 90 17	2
163	9108 24 0010 99095267	4.78	1108 22 0085 1108 21 0039		86	96	-0.72 21	0.17 92 20	-0.19 97	-0.66 12	-4.10 14	-3.01 19	7.84 34	-4.34 90 17	2
164	9108 24 0082 101387488	5.36	1108 22 0085 1108 21 0032		85	93	-0.59 23	0.06 93 23	-0.24 96	-0.27 15	-4.20 16	-3.05 21	12.48 35	-5.52 84 18	4
165	9108 24 0081 101387470	5.36	1108 22 0085 1108 21 0032		85	93	-0.59 23	0.06 93 23	-0.24 96	-0.27 15	-4.20 16	-3.05 21	12.48 35	-5.52 84 18	4

Ram Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents & Progeny			Selection Indices		EBV - Weights				EBV - Fertility											
Animal ID Computer nr	% In-breeding	Sire ID Dam ID	1st Generation	2nd Generation	Logix Merit Index	Repro- duction Index	Weaning Weight				Post-Wean	Number Weaned	TWW	AFL	ILP	Dam						
			Progeny Number	Progeny Number			Dir	Mat	Comb													
			Weaned Herds	Weaned Herds							EBV Acc Index	EBV Acc Index	EBV Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EPI	Times Lamb			
			Active Breed Average:		100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15								
166	9108 24 0006 99095218	5.36	1108 22 0085 1108 21 0032		85	93	-0.59 23	0.06 93	-0.24 23	-0.27 102	96	15	94	-4.20 16	-3.05 84	12.48 21	-5.52 85	18	117	4		
167	9108 24 0007 99095226	5.36	1108 22 0085 1108 21 0032		85	93	-0.59 23	0.06 93	-0.24 23	-0.27 102	96	15	94	-4.20 16	-3.05 84	12.48 21	-5.52 85	18	117	4		
168	9108 26 0006 112469994	4.88	1108 22 0085 1108 21 0044		85	94	-0.73 23	0.18 92	-0.19 22	-0.85 105	97	13	90	-4.20 14	-3.08 84	11.69 21	-4.32 85	16	114	4		
169	9108 25 0026 107483968	4.88	1108 22 0085 1108 21 0044		85	94	-0.73 23	0.18 92	-0.19 22	-0.85 105	97	13	90	-4.20 14	-3.08 84	11.69 21	-4.32 85	16	114	4		
170	9108 24 0043 100168533	4.88	1108 22 0085 1108 21 0044		85	94	-0.73 23	0.18 92	-0.19 22	-0.85 105	97	13	90	-4.20 14	-3.08 84	11.69 21	-4.32 85	16	114	4		
171	9108 25 0076 111474847	12.03	1108 24 0047 1108 23 0004		84	93	-0.59 22	0.08 93	-0.22 21	-0.36 103	97	14	93	-3.70 15	-2.74 86	25.15 20	-9.65 87	29	68	17	128	2
172	9108 25 0075 111474821	12.03	1108 24 0047 1108 23 0004		84	93	-0.59 22	0.08 93	-0.22 21	-0.36 103	97	14	93	-3.70 15	-2.74 86	25.15 20	-9.65 87	29	68	17	128	2

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information			Parents	Selection Indices		EBV - Weights				EBV - Fertility							
Animal ID Computer nr	% In-breeding	Sire ID Dam ID	Logix Merit Index	Reproduction Index	Weaning Weight		Post-Wean		Number Weaned	TWW	AFL	ILP	EPI	Times Lambded			
					Dir EBV Acc Index	Mat EBV Acc Index	Comb EBV Acc Index	EBV Acc Index							EBV Acc Index	EBV Acc Index	EBV Acc Index
Active Breed Average:				100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15				
1	9108 25 0085 111475141	3.42	9183 23 0001 9108 21 0010	106	110	-0.24 24	0.20 21	0.09 106	0.23 102	0.15	0.90 13	0.51 20	-3.35 104	-0.79 19	104	0	
2	9108 25 0078 111474862	3.45	9183 23 0001 9108 22 0065	106	108	-0.13 22	0.09 18	0.03 103	0.38 101	0.12	0.30 11	0.14 18	-8.44 31	0.47 111	18	101	0
3	9108 25 0077 111474854	3.45	9183 23 0001 9108 22 0065	106	108	-0.13 22	0.09 18	0.03 103	0.38 101	0.12	0.30 11	0.14 18	-8.44 31	0.47 111	18	101	0
4	9108 23 0013 97972160	2.90	9108 21 0035 9108 19 0010	105	108	-0.58 6	-0.03 6	-0.32 100	-0.39 95	0.05	0.60 5	-0.24 5	-25.48 43	7.53 132	21	81	2
5	9108 26 0034 113730105	3.48	9183 23 0001 9108 22 0081	105	108	-0.22 21	0.20 16	0.09 106	0.22 102	0.10	0.60 9	0.34 16	-5.17 26	1.49 106	16	98	0
6	9108 25 0054 109692053	3.27	9183 23 0001 9108 21 0028	105	106	-0.15 22	-0.03 18	-0.11 100	0.45 98	0.10	0.70 9	0.23 17	-7.67 25	1.60 110	17	98	0
7	9108 25 0090 111475828	3.45	9183 23 0001 9108 22 0066	105	108	-0.13 22	0.09 18	0.03 103	0.38 101	0.12	0.30 11	0.14 18	-3.48 31	-1.29 104	18	105	0
8	9108 23 0052 97522577	2.92	9108 21 0035 1432 17 0247	104	108	-0.58 6	-0.03 6	-0.32 100	-0.39 95	0.05	0.60 5	-0.24 5	-15.68 43	3.13 120	19	93	2
9	9108 23 0077 99095077	2.61	9108 21 0035 762 17 0020	103	100	-0.07 21	-0.17 21	-0.21 97	0.72 97	0.11	-0.50 12	-0.54 19	-24.94 43	10.92 132	21	72	1
10	9108 23 0040 97522254	2.92	9108 21 0035 1332 17 0029	103	105	-0.58 6	-0.03 6	-0.32 100	-0.39 95	0.05	0.60 5	-0.24 5	-17.25 42	6.77 122	18	83	2
11	9108 22 0064 97972152	2.80	9108 21 0035 9108 18 0400	103	105	-0.58 6	-0.03 6	-0.32 100	-0.39 95	0.05	0.60 5	-0.24 5	-16.79 29	6.94 121	20	83	2
12	9108 24 0089 107200644	4.67	9183 23 0001 762 17 0277	102	102	-0.08 29	-0.20 26	-0.24 96	0.70 96	0.14	-0.30 13	-0.45 24	-4.57 30	-0.81 106	20	104	1
13	9108 25 0091 111475851	4.67	9183 23 0001 762 17 0277	102	102	-0.08 29	-0.20 26	-0.24 96	0.70 96	0.14	-0.30 13	-0.45 24	-4.57 30	-0.81 106	20	104	0
14	9108 26 0021 113729800	2.73	9145 24 0006 9108 23 0040	102	104	-0.24 13	0.15 12	0.03 105	-0.02 101	0.09	-0.40 7	-0.33 11	-7.84 24	3.10 110	12	93	0
15	9108 26 0022 113729834	2.73	9145 24 0006 9108 23 0040	102	104	-0.24 13	0.15 12	0.03 105	-0.02 101	0.09	-0.40 7	-0.33 11	-7.84 24	3.10 110	12	93	0

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents	Selection Indices		EBV - Weights				EBV - Fertility				
Animal ID Computer nr	% In-breeding	Sire ID Dam ID	Logix Merit Index	Repro- duction Index	Dir EBV Acc	Weaning Weight Mat EBV Index	Comb EBV Index	Post-Wean EBV Acc	Number Weaned EBV Acc	TWW EBV Acc	AFL EBV Acc	ILP EBV Acc	EPI Phenotype
Active Breed Average:			100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15	
16 9108 24 0001 99095168	2.66	9108 21 0035 9108 21 0010	102	106	-0.59 16 93	0.05 15 102	-0.25 96	-0.37 13 93	-0.30 12 102	-0.72 15 98	-17.57 33 122	5.20 20 88	0
17 9108 23 0033 96976865	5.38	9108 21 0035 9108 20 2697	102	104	-0.40 9 95	-0.16 9 97	-0.36 94	-0.20 5 94	-0.40 5 102	-0.80 8 98	-16.28 31 121	2.70 20 94	2
18 9108 26 0017 113729867	4.20	9192 23 0002 762 17 0020	102	104	-0.10 24 99	0.15 23 105	0.10 102	0.37 13 98	-0.50 13 101	-0.25 21 101	-2.80 26 103	1.28 17 98	0
19 9108 24 0063 100169119	2.65	9108 21 0035 9108 22 0060	102	107	-0.66 12 92	0.00 12 101	-0.33 95	-0.31 8 94	-0.10 8 103	-0.72 11 98	-13.08 47 116	1.93 18 97	1
20 762 17 0020 80894314	5.20	762 15 0538 762 10 0156	101	95	0.34 41 104	-0.21 40 96	-0.04 100	1.73 20 107	-0.70 23 100	-0.29 36 101	-8.47 44 111	7.28 29 82	7
21 9108 23 0083 99095135	2.67	9108 21 0035 9108 20 0017	101	106	-0.59 16 93	0.05 15 102	-0.25 96	-0.37 13 93	-0.30 12 102	-0.72 15 98	-15.52 34 120	4.16 19 90	0
22 9108 23 0084 99095143	2.67	9108 21 0035 9108 20 0017	101	106	-0.59 16 93	0.05 15 102	-0.25 96	-0.37 13 93	-0.30 12 102	-0.72 15 98	-15.52 34 120	4.16 19 90	0
23 9108 23 0085 99095150	2.67	9108 21 0035 9108 20 0017	101	106	-0.59 16 93	0.05 15 102	-0.25 96	-0.37 13 93	-0.30 12 102	-0.72 15 98	-15.52 34 120	4.16 19 90	1
24 9108 23 0021 96976741	2.67	9108 21 0035 9108 20 0017	101	105	-0.59 16 93	0.05 15 102	-0.25 96	-0.37 13 93	-0.30 12 102	-0.72 15 98	-16.28 34 121	5.48 24 87	2
25 9108 21 0010 97972111	2.90	762 17 0175 9108 19 0010	101	108	-0.69 29 92	0.23 28 107	-0.12 98	-0.45 25 93	-0.20 22 102	-0.58 27 99	-4.19 34 105	-0.72 28 104	4
26 9108 26 0018 113729875	3.70	9145 24 0006 9108 23 0021	101	104	-0.25 15 97	0.19 14 105	0.06 101	-0.01 11 96	-0.90 9 99	-0.60 13 99	-7.36 20 109	2.46 14 95	0
27 9108 20 2697 95572103	2.49	116 17 0033 826 16 0086	101	105	-0.32 14 96	-0.19 14 96	-0.35 94	-0.11 7 95	-0.30 7 102	-0.70 12 99	-2.77 23 103	-3.73 19 112	5
28 9108 25 0052 109692038	3.08	9108 21 0035 9108 22 0081	100	103	-0.57 9 93	0.04 9 102	-0.24 96	-0.38 6 93	-0.70 5 100	-0.94 8 97	-19.40 34 124	7.48 17 81	0
29 9108 24 0029 100166925	3.08	9108 21 0035 9108 22 0081	100	103	-0.57 9 93	0.04 9 102	-0.24 96	-0.38 6 93	-0.70 5 100	-0.94 8 97	-18.48 42 123	7.18 17 82	1
30 9108 23 0005 96642871	2.53	9108 21 0035 9108 19 0029	100	106	-0.62 21 93	0.13 20 104	-0.18 97	-0.74 15 91	-1.50 14 96	-1.39 19 95	-24.33 47 131	6.42 25 84	2

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information			Parents	Selection Indices		EBV - Weights					EBV - Fertility											
Animal ID Computer nr		% In-breeding	Sire ID Dam ID		Logix Merit Index	Reproduction Index	Weaning Weight		Post-Wean		Number Weaned		TWW		AFL		ILP		EPI	Times Lambded		
							Dir	Mat	Comb		EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV			EBV	
Active Breed Average:					100	100	-0.06		-0.02		-0.06		0.50		-0.36		-0.31		-0.30		0.15	
31	9108 22 0060 95588547	2.92	9108 21 0011 1432 17 0247	100	110	-0.85 21	0.14 21	-0.29 95	-0.33 16	-0.33 94	0.10 15	-0.66 20	7.85 45	-8.28 23	125				3			
32	9108 23 0044 97522478	2.38	9108 21 0035 9108 21 0013	100	106	-0.75 22	0.03 22	-0.35 94	-0.23 16	-0.23 94	-0.90 16	-1.26 21	-14.21 36	1.51 24	98				2			
33	9108 24 0039 100168459	2.38	9108 21 0035 9108 21 0013	99	105	-0.75 22	0.03 22	-0.35 94	-0.23 16	-0.23 94	-0.90 16	-1.26 21	-14.77 36	2.47 22	95				0			
34	9108 22 0047 95588406	2.38	9108 21 0035 9108 21 0013	99	105	-0.75 22	0.03 22	-0.35 94	-0.23 16	-0.23 94	-0.90 16	-1.26 21	-14.77 36	2.47 22	95				1			
35	9108 23 0007 96642897	2.53	9108 21 0035 9108 19 0029	99	104	-0.62 21	0.13 20	-0.18 97	-0.74 15	-0.74 91	-1.50 14	-1.39 19	-24.16 47	8.12 25	80				2			
36	9108 22 0065 95588554	2.58	9108 21 0035 9108 20 0036	99	104	-0.48 21	0.01 21	-0.23 96	-0.15 17	-0.15 95	-1.50 16	-1.37 20	-14.39 50	1.79 26	97				3			
37	9108 26 0012 112657713	4.57	9183 23 0001 9108 22 0082	99	101	-0.10 23	0.04 19	-0.02 100	0.47 11	0.47 99	-1.60 10	-1.03 18	-6.04 25	1.06 16	99				0			
38	9108 21 0028 95411674	1.80	770 16 0153 762 17 0277	99	100	-0.52 22	-0.25 21	-0.51 92	0.00 11	0.00 96	-0.50 11	-1.07 19	-12.84 33	4.05 23	91				4			
39	9108 23 0049 97522544	2.55	9108 21 0035 9108 21 0026	99	104	-0.60 21	-0.06 20	-0.36 94	-0.58 15	-0.58 92	-1.00 14	-1.26 19	-14.54 46	2.66 21	95				1			
40	9108 23 0067 98331317	2.92	9108 19 0027 1432 17 0070	98	104	-0.65 14	0.21 14	-0.11 98	-0.46 10	-0.46 93	-0.90 8	-0.98 13	-6.95 22	2.41 11	95				0			
41	9108 23 0066 98331309	2.92	9108 19 0027 1432 17 0070	98	104	-0.65 14	0.21 14	-0.11 98	-0.46 10	-0.46 93	-0.90 8	-0.98 13	-6.95 22	2.41 11	95				0			
42	9108 25 0079 111474870	2.86	9108 24 0038 9108 23 0013	98	103	-0.58 12	-0.02 12	-0.31 95	-0.35 9	-0.35 93	-1.20 8	-1.31 11	-12.43 28	2.43 14	95				0			
43	9108 26 0091 114313000	4.91	9145 24 0006 9108 22 0062	98	105	-0.31 18	0.32 17	0.16 103	0.24 13	0.24 97	-1.80 11	-1.08 16	1.77 25	-2.96 15	110				0			
44	9108 22 0081 95946729	2.92	9108 19 0027 1432 17 0203	98	103	-0.65 14	0.21 14	-0.11 98	-0.46 10	-0.46 93	-0.90 8	-0.98 13	-7.85 36	3.84 18	91				3			
45	9108 24 0019 100166834	2.61	9108 21 0035 9108 22 0049	98	98	-0.31 15	-0.31 14	-0.47 92	0.19 7	0.19 97	-1.50 7	-1.53 13	-21.26 37	6.97 18	83				0			

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents		Selection Indices		EBV - Weights				EBV - Fertility							
Animal ID Computer nr	% In-breeding	Sire ID Dam ID	Logix Merit Index	Repro- duction Index	Weaning Weight		Comb EBV Index	Post-Wean EBV Index	Number Weaned EBV Index	TWW		AFL		ILP		EPI Phenotype	Times Lambd
					Dir EBV Acc Index	Mat EBV Acc Index				Acc	Index	Acc	Index	Acc	Index		
Active Breed Average:				100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15				
46	9108 26 0046 113729982	3.51	9145 24 0006 9108 23 0037	98	101	-0.19 16	0.15 14	0.05 101	0.07 10	-1.50 9	-0.94 14	-3.22 20	1.73 13			0	
47	9108 23 0082 99095127	2.53	9108 21 0035 9108 21 0007	98	104	-0.62 21	0.13 20	-0.18 97	-0.74 15	-1.50 14	-1.39 19	-15.22 35	4.24 21			1	
48	9108 26 0076 114091655	3.57	9145 24 0006 9108 24 0036	98	102	-0.23 15	0.18 13	0.06 101	0.12 10	-1.50 8	-0.95 13	-0.99 22	0.29 10			0	
49	9108 26 0043 113729966	4.13	9145 24 0006 9108 22 0077	98	100	-0.19 16	0.11 15	0.01 101	0.12 11	-1.90 10	-1.22 14	-10.97 27	4.73 15			0	
50	9108 22 0066 95588562	2.58	9108 21 0035 9108 20 0036	97	103	-0.48 21	0.01 21	-0.23 96	-0.15 17	-1.50 16	-1.37 20	-4.46 48	-1.72 26			4	
51	9108 26 0023 113729842	4.63	9145 24 0006 9108 23 0073	97	103	-0.30 18	0.35 17	0.20 104	-0.22 13	-2.20 11	-1.27 16	-4.14 23	0.93 13			0	
52	9108 20 2672 95480406	4.77	1673 17 0040 762 16 0651	97	104	-0.41 30	0.43 29	0.22 104	0.41 21	-2.90 19	-1.73 27	-7.06 38	0.69 27			5	
53	9108 26 0040 113730097	4.24	9168 25 0004 9108 22 0049	97	98	-0.18 18	-0.16 15	-0.25 96	0.46 7	-1.80 7	-1.42 14	-7.14 25	1.81 13			0	
54	9108 26 0039 113729974	4.24	9168 25 0004 9108 22 0049	97	98	-0.18 18	-0.16 15	-0.25 96	0.46 7	-1.80 7	-1.42 14	-7.14 25	1.81 13			0	
55	9108 23 0065 97972269	2.91	9108 21 0035 762 17 0277	97	97	-0.43 23	-0.35 22	-0.56 91	0.10 11	-1.60 12	-1.74 20	-19.35 37	6.14 23			2	
56	9108 23 0072 98331358	2.74	9108 21 0035 9108 22 0017	97	102	-0.72 14	0.04 14	-0.32 95	-0.77 6	-0.90 9	-1.22 13	-7.60 43	2.49 17			1	
57	9108 26 0058 113800544	4.54	9145 24 0006 9108 24 0034	96	100	-0.18 16	0.16 14	0.07 102	0.21 11	-2.30 9	-1.40 14	-2.81 26	0.22 11			0	
58	9108 21 0013 95405239	3.91	762 17 0175 762 16 0546	96	107	-1.03 42	0.19 42	-0.32 95	-0.17 31	-1.40 31	-1.67 39	1.40 43	-6.17 34			4	
59	9108 22 0062 96976717	6.24	9108 21 0011 9108 20 2672	96	106	-0.72 26	0.31 26	-0.05 99	0.12 19	-2.10 18	-1.67 24	1.98 44	-5.34 26			4	
60	9108 25 0030 107776676	2.68	9108 21 0035 9108 20 0034	96	101	-0.72 14	0.04 14	-0.32 95	-0.77 6	-0.90 9	-1.22 13	-7.00 32	3.35 19			0	

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information			Parents		Selection Indices		EBV - Weights				EBV - Fertility									
Animal ID Computer nr	% In-breeding	Sire ID Dam ID	Logix Merit Index	Repro- duction Index	Weaning Weight				Post-Wean		Number Weaned		TWW		AFL		ILP		EPI Phenotype	Times Lambd
					Dir		Mat		Comb EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index		
					Acc	Index	Acc	Index												
Active Breed Average:			100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15								
61	9108 24 0097 107205999	3.00	9108 22 0085 9108 23 0013	96	100	-0.51 14	-0.02 94	-0.28 13	-0.07 100	-0.28 96	-0.07 8	-2.00 8	-1.73 12	-13.63 34	4.19 117	14	90		0	
62	9108 23 0037 96976980	2.59	9108 21 0035 9108 21 0034	96	98	-0.47 17	-0.03 95	-0.27 17	-0.21 100	-0.27 96	-0.21 8	-1.50 11	-1.40 16	-8.00 34	4.04 110	20	91		1	
63	9108 22 0033 95588323	2.95	9108 21 0011 826 16 0075	96	103	-0.66 24	-0.08 92	-0.40 24	-0.14 99	-0.40 93	-0.14 17	-1.90 17	-1.87 22	-5.55 31	-3.21 107	24	111		3	
64	9108 26 0056 113800577	4.03	9145 24 0006 9108 23 0068	96	102	-0.31 20	0.35 96	0.20 19	-0.41 110	-0.41 104	-0.41 13	-2.40 12	-1.40 18	-2.20 20	0.66 103	13	100		0	
65	9108 26 0048 113800445	3.66	9145 24 0006 9108 22 0010	96	103	-0.43 18	0.27 95	0.05 17	-0.44 107	-0.44 101	-0.44 10	-1.40 11	-1.01 16	11.49 23	-5.67 85	14	118		0	
66	9108 24 0036 100168426	2.92	9108 22 0085 1332 17 0029	96	100	-0.56 13	0.03 94	-0.25 13	-0.12 102	-0.25 96	-0.12 8	-1.50 8	-1.43 12	-3.54 38	1.15 104	10	99		1	
67	9108 22 0054 95588448	2.70	9108 21 0035 9108 21 0017	96	98	-0.48 19	-0.07 94	-0.31 19	-0.01 99	-0.31 95	-0.01 14	-2.20 14	-1.87 18	-16.62 47	6.01 121	25	85		3	
68	9108 25 0001 107483661	2.92	9108 22 0085 1332 17 0029	95	100	-0.56 13	0.03 94	-0.25 13	-0.12 102	-0.25 96	-0.12 8	-1.50 8	-1.43 12	-2.63 29	0.85 103	10	100		1	
69	9108 26 0010 112657697	3.01	9108 22 0085 9108 23 0052	95	100	-0.51 14	-0.02 94	-0.28 13	-0.07 100	-0.28 96	-0.07 8	-2.00 8	-1.73 12	-8.74 34	1.99 111	14	96		0	
70	9108 25 0002 107483679	2.92	9108 22 0085 1332 17 0029	95	100	-0.56 13	0.03 94	-0.25 13	-0.12 102	-0.25 96	-0.12 8	-1.50 8	-1.43 12	-2.63 29	0.85 103	10	100		0	
71	9108 25 0039 107776742	3.01	9108 22 0085 9108 23 0052	95	100	-0.51 14	-0.02 94	-0.28 13	-0.07 100	-0.28 96	-0.07 8	-2.00 8	-1.73 12	-8.74 34	1.99 111	14	96		0	
72	9108 26 0045 113729917	2.92	9108 22 0085 1432 17 0070	95	100	-0.56 13	0.03 94	-0.25 13	-0.12 102	-0.25 96	-0.12 8	-1.50 8	-1.43 12	-1.09 26	-0.05 101	10	102		0	
73	9108 22 0077 95588612	2.89	9108 21 0035 9108 21 0023	95	96	-0.47 19	-0.11 94	-0.35 18	-0.12 98	-0.35 94	-0.12 14	-2.40 13	-2.02 17	-23.50 49	10.03 130	25	74		2	
74	9108 26 0052 113800601	4.02	9145 24 0006 9108 24 0024	95	97	-0.10 16	0.03 99	-0.02 15	0.41 102	-0.02 100	0.41 10	-2.50 9	-1.57 14	-1.78 26	0.37 102	11	101		0	
75	9108 25 0037 107776726	3.01	9108 22 0085 9108 23 0040	95	98	-0.51 14	-0.02 94	-0.28 13	-0.07 100	-0.28 96	-0.07 8	-2.00 8	-1.73 12	-9.52 33	3.81 112	13	91		0	

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information			Parents	Selection Indices		EBV - Weights						EBV - Fertility										
Animal ID Computer nr		% In-breeding	Sire ID Dam ID		Logix Merit Index	Reproduction Index	Weaning Weight				Post-Wean		Number Weaned		TWW		AFL		ILP		EPI	Times Lambded
							Dir		Mat		Comb	EBV	EBV	EBV	Acc	Index	Acc	Index	Acc	Index		
						Acc	Index	Acc	Index	Index											Index	Index
Active Breed Average:					100	100	-0.06		-0.02		-0.06		0.50		-0.36		-0.31		-0.30		0.15	
76	9108 25 0013 107483810	15.07	9108 21 0035 9108 18 0031	95	98	-0.46 17	0.00 95	-0.23 16	-0.26 101	-0.96	-0.26 11	-3.00 10	-2.26 89	-24.35 33	8.66 131	18	78				0	
77	9108 21 0026 95410163	8.18	762 17 0175 762 17 0166	95	104	-0.73 40	0.01 92	-0.35 38	-0.86 101	-0.94	-0.86 30	-1.50 27	-1.61 96	3.01 36	-6.18 93	32	119				3	
78	9108 24 0049 100168962	15.07	9108 21 0035 9108 18 0031	95	98	-0.46 17	0.00 95	-0.23 16	-0.26 101	-0.96	-0.26 11	-3.00 10	-2.26 89	-24.35 33	8.66 131	18	78				0	
79	9108 26 0020 113729826	5.11	9145 24 0006 9108 23 0009	95	102	-0.46 19	0.21 95	-0.02 18	-0.28 106	-0.100	-0.28 13	-1.80 12	-1.33 95	7.38 17	-4.27 90	14	114				0	
80	9108 24 0099 107206021	2.96	9108 22 0085 9108 22 0064	95	98	-0.51 14	-0.02 94	-0.28 13	-0.07 100	-0.96	-0.07 8	-2.00 8	-1.73 94	-9.29 30	3.89 112	14	91				0	
81	9108 26 0050 113800510	4.66	9145 24 0006 9108 24 0013	95	100	-0.29 17	0.23 96	0.09 16	-0.02 107	-0.102	-0.02 11	-2.50 10	-1.56 92	1.00 15	-0.93 94	12	104				0	
82	9108 19 0029 95405163	7.98	762 17 0175 762 17 0155	94	105	-0.76 40	0.40 91	0.02 38	-1.18 111	-0.101	-1.18 30	-2.60 28	-1.93 91	-5.70 48	-1.05 107	32	105				5	
83	9108 25 0011 107483794	3.30	9108 21 0035 9108 22 0083	94	97	-0.45 14	-0.12 95	-0.35 13	-0.12 98	-0.94	-0.12 8	-2.80 8	-2.25 12	-19.99 35	6.71 125	19	83				0	
84	9108 25 0088 111475182	3.10	9108 24 0047 9108 20 2697	94	98	-0.39 13	-0.09 95	-0.28 12	-0.02 99	-0.96	-0.02 7	-2.00 7	-1.67 94	1.90 11	-2.42 93	13	109				0	
85	9108 20 0036 95405205	16.36	762 17 0175 762 17 0303	94	103	-0.47 41	0.15 94	-0.09 40	0.00 105	-0.99	0.00 33	-2.60 31	-1.88 91	8.03 38	-8.09 92	34	124				4	
86	9108 25 0063 111473500	4.77	9108 24 0047 9108 22 0060	94	101	-0.65 15	0.08 92	-0.25 15	-0.13 103	-0.96	-0.13 10	-1.70 10	-1.59 95	7.21 14	-4.69 93	14	115				0	
87	9108 26 0067 113800411	4.97	9145 24 0006 9108 24 0067	94	98	-0.18 17	0.14 98	0.05 16	0.26 104	-0.101	0.26 12	-3.00 10	-1.84 89	-0.16 15	-0.84 92	12	104				0	
88	9108 26 0062 113800536	4.97	9145 24 0006 9108 24 0070	94	98	-0.18 17	0.14 98	0.05 16	0.26 104	-0.101	0.26 12	-3.00 10	-1.84 89	-1.31 15	-0.02 92	12	102				0	
89	9108 26 0085 114091614	5.95	9108 24 0038 9108 23 0065	94	97	-0.50 17	-0.18 94	-0.43 16	-0.10 96	-0.93	-0.10 10	-2.30 10	-2.06 93	-9.37 15	1.74 112	15	97				0	
90	9108 26 0084 114091648	5.95	9108 24 0038 9108 23 0065	94	97	-0.50 17	-0.18 94	-0.43 16	-0.10 96	-0.93	-0.10 10	-2.30 10	-2.06 93	-9.37 15	1.74 112	15	97				0	

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents	Selection Indices		EBV - Weights				EBV - Fertility						
Animal ID Computer nr	% In-breeding	Sire ID Dam ID	Logix Merit Index	Repro- duction Index	Weaning Weight		Comb	Post-Wean	Number Weaned	TWW	AFL	ILP	EPI	Times Lambd	
					Dir	Mat									EBV
Active Breed Average:					100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15	
91	9108 26 0071 113800403	4.97	9145 24 0006 9108 24 0066	94	98	-0.18 17	0.14 16	0.05 101	0.26 12	-3.00 10	-1.84 15	-0.16 25	-0.84 12		0
92	9108 24 0092 107200776	3.36	9108 22 0085 9108 23 0021	94	98	-0.51 15	0.02 15	-0.24 96	-0.06 10	-2.50 10	-2.00 14	-9.03 31	3.17 15		0
93	9108 23 0073 98331366	3.94	9108 19 0027 9108 19 0029	94	102	-0.70 25	0.37 23	0.03 101	-0.80 18	-3.00 16	-2.12 22	-9.85 41	2.44 19		1
94	9108 23 0074 98331994	3.94	9108 19 0027 9108 19 0029	94	102	-0.70 25	0.37 23	0.03 101	-0.80 18	-3.00 16	-2.12 22	-9.60 32	2.35 19		0
95	9108 22 0049 95588422	4.18	493 18 0092 762 17 0277	94	92	-0.15 26	-0.50 25	-0.57 91	0.68 12	-2.60 12	-2.20 22	-11.58 46	2.82 23		3
96	9108 24 0009 99095259	3.33	9108 22 0085 9108 20 2697	94	98	-0.38 15	-0.11 14	-0.30 95	0.08 9	-2.50 9	-1.99 13	-2.28 28	-1.44 14		0
97	9108 22 0050 95588430	4.18	493 18 0092 762 17 0277	93	92	-0.15 26	-0.50 25	-0.57 91	0.68 12	-2.60 12	-2.20 22	-10.97 48	2.60 23		3
98	9108 25 0096 111475927	3.80	9108 22 0085 9108 23 0005	93	98	-0.53 17	0.06 16	-0.21 97	-0.24 11	-3.10 11	-2.33 15	-13.06 35	3.63 16		0
99	9108 25 0072 111474649	4.62	9108 22 0085 9108 23 0044	93	98	-0.60 17	0.01 17	-0.29 95	0.01 11	-2.80 11	-2.27 16	-8.00 31	1.18 16		0
100	9108 25 0073 111474797	4.62	9108 22 0085 9108 23 0044	93	98	-0.60 17	0.01 17	-0.29 95	0.01 11	-2.80 11	-2.27 16	-8.00 31	1.18 16		0
101	9108 21 0007 95405213	7.98	762 17 0175 762 17 0155	93	104	-0.76 40	0.40 38	0.02 101	-1.18 30	-2.60 28	-1.93 36	0.51 40	-2.64 31		6
102	9108 24 0055 100169036	4.62	9108 22 0085 9108 22 0047	93	98	-0.60 17	0.01 17	-0.29 95	0.01 11	-2.80 11	-2.27 16	-8.28 31	1.66 15		0
103	9108 26 0083 114091663	4.62	9108 22 0085 9108 23 0044	93	98	-0.60 17	0.01 17	-0.29 95	0.01 11	-2.80 11	-2.27 16	-8.00 31	1.18 16		0
104	9108 24 0059 100169077	7.55	9108 22 0085 9108 21 0028	93	96	-0.48 17	-0.13 16	-0.37 94	0.13 10	-2.60 10	-2.17 15	-8.71 44	2.91 15		1
105	9108 26 0038 113730121	3.80	9108 22 0085 9108 23 0007	93	97	-0.53 17	0.06 16	-0.21 97	-0.24 11	-3.10 11	-2.33 15	-12.97 35	4.49 16		0

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents	Selection Indices		EBV - Weights				EBV - Fertility							
Animal ID Computer nr	% In-breeding	Sire ID Dam ID	Logix Merit Index	Repro- duction Index	Weaning Weight		Comb	Post-Wean	Number Weaned	TWW	AFL	ILP	EPI	Times Lambd		
					Dir	Mat									EBV	EBV
Active Breed Average:					100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15		
106	9108 24 0034 100168376	4.04	9108 22 0085 9108 22 0065	93	97	-0.46 17	95	-0.01 16	101	-0.23 96	0.06 12	96	-3.10 11	-2.32 15	89	1
107	9108 26 0068 113800494	4.32	9145 24 0006 9108 24 0042	93	99	-0.32 17	96	0.25 16	107	0.09 102	-0.25 11	94	-2.80 10	-1.75 15	92	0
108	9108 22 0046 95588398	6.16	9108 21 0011 762 17 0155	92	103	-0.92 34	89	0.30 33	108	-0.16 98	-1.06 23	89	-2.30 22	-2.00 31	91	2
109	9108 25 0071 111474607	8.06	9108 22 0085 9108 23 0065	92	94	-0.43 18	95	-0.18 17	96	-0.40 93	0.18 10	97	-3.10 10	-2.48 16	88	0
110	9108 25 0080 111475059	6.83	9108 22 0085 9108 20 2672	92	97	-0.43 20	95	0.21 19	106	-0.01 100	0.33 14	98	-3.80 12	-2.50 18	88	0
111	9108 26 0029 113730089	3.55	9108 22 0085 9108 23 0072	92	96	-0.58 15	93	0.01 14	101	-0.28 96	-0.25 9	94	-2.80 9	-2.25 13	90	0
112	9108 25 0018 107483869	6.83	9108 22 0085 9108 20 2672	92	97	-0.43 20	95	0.21 19	106	-0.01 100	0.33 14	98	-3.80 12	-2.50 18	88	1
113	9108 25 0019 107483877	6.83	9108 22 0085 9108 20 2672	92	97	-0.43 20	95	0.21 19	106	-0.01 100	0.33 14	98	-3.80 12	-2.50 18	88	0
114	9108 23 0057 97972186	2.97	9108 21 0035 762 17 0204	92	93	-0.36 23	96	-0.26 22	94	-0.44 93	0.32 13	98	-3.10 15	-2.48 21	88	1
115	9108 25 0060 110975216	6.13	9108 22 0085 9108 21 0013	92	99	-0.73 25	92	0.09 24	103	-0.28 96	0.04 18	96	-3.00 17	-2.44 23	88	0
116	762 17 0277 80904881	5.39	762 15 0411 762 14 0454	91	92	-0.37 44	96	-0.57 42	87	-0.75 87	0.49 21	99	-2.70 22	-2.56 38	88	6
117	9108 23 0068 98331325	3.99	9108 19 0027 762 17 0155	91	101	-0.72 31	92	0.38 29	110	0.02 101	-1.18 19	88	-3.30 18	-2.32 27	89	1
118	9108 24 0016 99095325	5.13	9108 22 0085 9108 22 0033	91	97	-0.55 18	94	-0.05 17	100	-0.32 95	0.06 12	96	-3.30 12	-2.57 16	88	0
119	9108 24 0051 100168988	6.09	9108 22 0085 9108 22 0077	91	94	-0.45 16	95	-0.07 16	99	-0.29 95	0.07 11	96	-3.50 10	-2.62 15	87	0
120	9108 22 0010 95411765	2.92	762 16 0523 1432 17 0247	91	103	-0.96 25	89	0.21 25	106	-0.27 96	-1.24 11	88	-1.40 17	-1.59 23	93	3

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents	Selection Indices		EBV - Weights				EBV - Fertility					
Animal ID Computer nr	% In-breeding	Sire ID Dam ID	Logix Merit Index	Repro- duction Index	Weaning Weight		Comb	Post-Wean	Number Weaned	TWW	AFL	ILP	EPI	Times Lambd
					Dir EBV Acc	Mat EBV Index								
Active Breed Average:			100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15		
121 9108 22 0017 95412151	2.92	762 16 0523 1332 17 0029	91	101	-0.96 25 89	0.21 25 106	-0.27 96	-1.24 11 88	-1.40 17 97	-1.59 23 93	15.24 41 80	-5.98 19 118		1
122 9108 24 0085 107200628	4.49	9108 22 0085 9108 19 0029	91	98	-0.60 24 93	0.19 23 106	-0.11 98	-0.46 17 93	-3.60 16 86	-2.57 22 88	-3.74 35 105	-0.10 19 102		0
123 9108 22 0016 95412144	2.92	762 16 0523 1332 17 0029	91	101	-0.96 25 89	0.21 25 106	-0.27 96	-1.24 11 88	-1.40 17 97	-1.59 23 93	17.38 31 78	-6.68 19 120		1
124 9108 26 0004 112469978	12.31	9108 24 0035 9108 23 0069	90	95	-0.49 15 94	-0.04 14 100	-0.28 95	-0.04 9 95	-3.30 8 88	-2.51 13 88	-3.49 25 104	1.05 11 99		0
125 9108 24 0026 100166909	4.97	9108 22 0085 9108 20 0036	90	97	-0.46 24 95	0.07 24 102	-0.16 98	0.13 19 97	-3.60 18 86	-2.55 23 88	4.01 47 95	-3.91 19 113		1
126 9108 24 0023 100166875	8.44	9108 22 0085 9108 22 0050	90	92	-0.29 19 96	-0.26 18 94	-0.40 93	0.47 10 99	-3.60 10 86	-2.71 17 87	-6.38 35 108	1.72 15 97		0
127 9108 25 0020 107483885	8.44	9108 22 0085 9108 22 0049	90	92	-0.29 19 96	-0.26 18 94	-0.40 93	0.47 10 99	-3.60 10 86	-2.71 17 87	-6.69 35 108	1.83 15 97		0
128 9108 25 0015 107483836	8.44	9108 22 0085 9108 22 0050	90	92	-0.29 19 96	-0.26 18 94	-0.40 93	0.47 10 99	-3.60 10 86	-2.71 17 87	-6.38 35 108	1.72 15 97		0
129 9108 25 0014 107483828	8.44	9108 22 0085 9108 22 0050	90	92	-0.29 19 96	-0.26 18 94	-0.40 93	0.47 10 99	-3.60 10 86	-2.71 17 87	-6.38 35 108	1.72 15 97		0
130 9108 25 0021 107483893	8.44	9108 22 0085 9108 22 0049	90	92	-0.29 19 96	-0.26 18 94	-0.40 93	0.47 10 99	-3.60 10 86	-2.71 17 87	-6.69 35 108	1.83 15 97		0
131 9108 26 0041 113729990	4.49	9108 22 0085 9108 21 0007	90	98	-0.60 24 93	0.19 23 106	-0.11 98	-0.46 17 93	-3.60 16 86	-2.57 22 88	-0.64 33 101	-0.90 18 104		0
132 9108 24 0024 100166883	8.44	9108 22 0085 9108 22 0050	90	91	-0.29 19 96	-0.26 18 94	-0.40 93	0.47 10 99	-3.60 10 86	-2.71 17 87	-5.13 46 106	1.31 15 98		1
133 9108 23 0009 96642939	6.47	9108 21 0011 9108 20 0026	90	101	-1.01 28 88	0.09 28 103	-0.41 93	-0.91 18 90	-2.10 19 94	-2.18 26 90	13.19 31 83	-7.96 24 124		2
134 762 17 0155 80904550	5.33	762 14 0450 762 14 0319	90	102	-0.81 54 91	0.42 51 111	0.01 101	-1.95 33 83	-3.20 33 88	-2.32 48 89	1.56 49 98	-1.98 35 107		6
135 9108 20 0034 97972103	2.80	762 16 0523 9108 18 0400	90	99	-0.96 25 89	0.21 25 106	-0.27 96	-1.24 11 88	-1.40 17 97	-1.59 23 93	16.94 28 78	-4.42 24 114		5

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents	Selection Indices		EBV - Weights				EBV - Fertility							
Animal ID Computer nr	% In-breeding	Sire ID Dam ID	Logix Merit Index	Repro- duction Index	Weaning Weight		Comb	Post-Wean	Number Weaned	TWW	AFL		ILP		EPI	Times Lambed
					Dir	Mat					EBV	EBV	EBV	EBV		
					Acc	Index	Acc	Index	Index	Index	Acc	Index	Acc	Index	Phenotype	
Active Breed Average:			100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15				
136	9108 21 0045 95588265	5.14	762 16 0523 9108 20 0017	90	102	-0.97 29 89	0.28 29 108	-0.20 97	-1.22 16 88	-2.40 20 92	-2.13 27 90	14.55 41 81	-7.97 27 124	3		
137	9108 24 0012 99095283	5.40	9108 22 0085 9108 22 0046	90	97	-0.68 22 92	0.14 21 104	-0.20 97	-0.40 14 93	-3.50 14 87	-2.64 20 87	0.43 31 99	-1.30 17 105	0		
138	9108 25 0035 107776700	5.40	9108 22 0085 9108 22 0046	90	97	-0.68 22 92	0.14 21 104	-0.20 97	-0.40 14 93	-3.50 14 87	-2.64 20 87	0.43 31 99	-1.30 17 105	0		
139	9108 24 0013 99095291	5.40	9108 22 0085 9108 22 0046	90	97	-0.68 22 92	0.14 21 104	-0.20 97	-0.40 14 93	-3.50 14 87	-2.64 20 87	0.43 31 99	-1.30 17 105	1		
140	9108 21 0034 95411708	5.49	762 16 0523 762 17 0020	89	93	-0.46 32 95	0.07 32 102	-0.16 98	-0.13 15 95	-2.60 20 91	-1.95 29 91	14.93 36 81	-3.04 27 110	5		
141	9108 25 0034 107776692	4.00	9108 22 0085 9108 22 0016	89	96	-0.70 18 92	0.09 18 103	-0.26 96	-0.49 10 92	-3.00 12 89	-2.41 17 89	7.80 30 90	-2.92 14 110	0		
142	9108 21 0022 95405262	4.76	762 17 0175 762 17 0250	88	95	-0.46 36 95	-0.09 35 99	-0.32 95	0.05 27 96	-4.40 25 83	-3.19 33 84	-2.50 51 103	-2.90 31 110	4		
143	9108 21 0017 95405247	4.72	762 17 0175 762 17 0204	88	93	-0.48 37 94	0.00 35 101	-0.24 96	0.27 28 97	-3.90 26 85	-2.82 34 86	1.79 43 98	-0.87 32 104	2		
144	9108 21 0023 95408456	4.76	762 17 0175 762 17 0250	88	93	-0.46 36 95	-0.09 35 99	-0.32 95	0.05 27 96	-4.40 25 83	-3.19 33 84	-5.58 51 107	-0.10 32 102	5		
145	9108 25 0095 111475919	3.94	9108 22 0085 9108 20 0034	88	95	-0.70 18 92	0.09 18 103	-0.26 96	-0.49 10 92	-3.00 12 89	-2.41 17 89	7.58 29 90	-1.79 15 107	0		
146	9108 26 0016 112657754	7.53	9108 24 0047 9108 21 0023	88	93	-0.46 21 95	-0.03 20 100	-0.26 96	0.06 15 96	-4.00 14 85	-2.89 19 86	0.50 30 99	-0.60 18 104	0		
147	9108 26 0049 113800502	6.21	9108 24 0047 9108 22 0027	88	92	-0.26 22 97	0.07 19 102	-0.06 99	0.02 12 96	-4.00 13 85	-2.59 19 88	5.43 24 93	-0.46 16 103	0		
148	9108 26 0088 114313224	5.89	9108 22 0085 9108 21 0034	88	92	-0.45 21 95	0.02 20 101	-0.20 97	0.06 11 96	-3.60 13 86	-2.58 19 88	6.57 31 91	-1.10 17 105	0		
149	9108 22 0027 95588315	4.98	762 19 0465 9108 19 0029	88	91	-0.07 38 99	0.11 33 104	0.07 102	-0.03 22 95	-4.40 23 83	-2.61 33 87	4.30 36 94	0.18 28 101	3		
150	9108 24 0073 100169218	4.20	9108 22 0085 9108 22 0044	88	95	-0.61 19 93	0.03 18 102	-0.28 96	-0.40 10 93	-3.50 12 87	-2.68 17 87	7.98 30 90	-4.06 14 113	0		

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information			Parents	Selection Indices		EBV - Weights				EBV - Fertility								
Animal ID Computer nr	% In-breeding	Sire ID Dam ID	Logix Merit Index	Repro- duction Index	Weaning Weight		Comb	Post-Wean	Number Weaned	TWW	AFL	ILP	EPI	Times Lambd				
					Dir	Mat									EBV	EBV	EBV	EBV
Active Breed Average:					100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15				
151	9108 24 0072 100169200	4.20	9108 22 0085 9108 22 0044	88	95	-0.61 19	0.03 18	-0.28 102	-0.40 96	-0.40 10	93	-3.50 12	-2.68 17	7.98 30	-4.06 14	113	0	
152	9108 18 0031 95405155	5.34	762 16 0039 826 16 0075	88	93	-0.44 31	0.14 30	-0.08 104	-0.22 99	-0.22 22	94	-5.50 18	-3.60 28	-17.75 33	6.19 122	85	8	
153	9108 24 0068 100169168	9.08	9108 22 0085 9108 21 0022	88	93	-0.45 22	-0.05 21	-0.28 99	0.16 96	0.16 16	97	-4.50 15	-3.20 20	-2.14 36	-1.03 103	18	105	0
154	9108 25 0067 111474334	8.34	9108 24 0047 9108 18 0031	88	92	-0.44 19	0.08 18	-0.14 103	-0.08 98	-0.08 12	95	-4.60 11	-3.12 17	-5.59 23	2.55 107	14	95	0
155	9108 24 0070 100169184	9.08	9108 22 0085 9108 21 0023	88	92	-0.45 22	-0.05 21	-0.28 99	0.16 96	0.16 16	97	-4.50 15	-3.20 20	-4.19 45	0.54 105	19	100	1
156	9108 25 0046 107777807	9.08	9108 22 0085 9108 21 0022	88	93	-0.45 22	-0.05 21	-0.28 99	0.16 96	0.16 16	97	-4.50 15	-3.20 20	-2.14 36	-1.03 103	18	105	0
157	9108 24 0067 100169150	9.08	9108 22 0085 9108 21 0022	88	93	-0.45 22	-0.05 21	-0.28 99	0.16 96	0.16 16	97	-4.50 15	-3.20 20	-1.89 45	-1.11 102	18	105	1
158	9108 24 0066 100169143	9.08	9108 22 0085 9108 21 0022	88	93	-0.45 22	-0.05 21	-0.28 99	0.16 96	0.16 16	97	-4.50 15	-3.20 20	-1.89 45	-1.11 102	18	105	1
159	9108 25 0093 111475893	17.28	9108 22 0085 9108 21 0017	87	92	-0.46 23	-0.01 22	-0.24 101	0.26 96	0.26 16	97	-4.30 16	-3.05 21	0.00 34	-0.01 100	19	102	0
160	9108 25 0094 111475901	17.28	9108 22 0085 9108 21 0017	87	92	-0.46 23	-0.01 22	-0.24 101	0.26 96	0.26 16	97	-4.30 16	-3.05 21	0.00 34	-0.01 100	19	102	0
161	9108 21 0046 95588273	5.14	762 16 0523 9108 20 0017	87	99	-0.97 29	0.28 29	-0.20 108	-0.20 97	-1.22 16	88	-2.40 20	-2.13 27	23.32 41	-9.39 70	27	128	2
162	9108 24 0018 100166826	4.34	9108 22 0085 9108 21 0046	87	95	-0.70 20	0.13 19	-0.22 104	-0.48 97	-0.48 12	93	-3.50 13	-2.67 18	10.76 33	-4.27 86	16	114	0
163	9108 22 0083 95946745	8.28	9108 19 0027 762 17 0250	86	90	-0.42 26	-0.11 24	-0.32 98	0.05 95	0.05 15	96	-5.10 14	-3.59 22	-9.04 41	2.30 111	24	96	2
164	9108 22 0082 95946737	8.28	9108 19 0027 762 17 0250	86	90	-0.42 26	-0.11 24	-0.32 98	0.05 95	0.05 15	96	-5.10 14	-3.59 22	-9.59 33	2.97 112	19	94	1
165	9108 21 0039 95588240	8.07	762 16 0523 9108 19 0029	86	100	-1.01 32	0.37 32	-0.14 110	-0.14 98	-1.58 18	85	-3.60 22	-2.80 30	17.48 44	-9.53 78	28	128	2

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents	Selection Indices		EBV - Weights				EBV - Fertility								
Animal ID Computer nr	% In-breeding	Sire ID Dam ID	Logix Merit Index	Repro- duction Index	Weaning Weight		Comb EBV Index	Post-Wean EBV Index	Number Weaned EBV Index	TWW		AFL		ILP		EPI Phenotype	Times Lambded
					Dir Acc	Mat Index				Acc	Index	Acc	Index	Acc	Index		
Active Breed Average:			100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15					
166	9108 26 0009 112657689	5.36	9108 22 0085 9108 21 0032	85	93	-0.59 23	0.06 102	-0.24 96	-0.27 15	94	-4.20 16	-3.05 21	12.48 35	84	-5.52 18	117	0
167	9108 26 0007 112657663	5.36	9108 22 0085 9108 21 0032	85	93	-0.59 23	0.06 102	-0.24 96	-0.27 15	94	-4.20 16	-3.05 21	12.48 35	84	-5.52 18	117	0
168	9108 24 0005 99095200	5.36	9108 22 0085 9108 21 0032	85	93	-0.59 23	0.06 102	-0.24 96	-0.27 15	94	-4.20 16	-3.05 21	12.48 35	84	-5.52 18	117	0
169	9108 23 0069 98331333	8.28	9108 19 0027 762 17 0250	85	89	-0.42 26	-0.11 98	-0.32 95	0.05 15	96	-5.10 14	-3.59 22	82	-4.35 41	1.24 19	98	1
170	9108 26 0008 112657671	5.36	9108 22 0085 9108 21 0032	85	93	-0.59 23	0.06 102	-0.24 96	-0.27 15	94	-4.20 16	-3.05 21	12.48 35	84	-5.52 18	117	0
171	9108 26 0005 112469986	4.88	9108 22 0085 9108 21 0044	85	94	-0.73 23	0.18 105	-0.19 97	-0.85 13	90	-4.20 14	-3.08 21	11.69 33	85	-4.32 16	114	0
172	9108 24 0042 100168525	4.88	9108 22 0085 9108 21 0044	85	94	-0.73 23	0.18 105	-0.19 97	-0.85 13	90	-4.20 14	-3.08 21	11.57 45	85	-4.28 16	114	1
173	9108 24 0044 100168905	4.88	9108 22 0085 9108 21 0044	85	94	-0.73 23	0.18 105	-0.19 97	-0.85 13	90	-4.20 14	-3.08 21	11.69 33	85	-4.32 16	114	0
174	9108 25 0027 107483976	4.88	9108 22 0085 9108 21 0044	85	94	-0.73 23	0.18 105	-0.19 97	-0.85 13	90	-4.20 14	-3.08 21	11.69 33	85	-4.32 16	114	0
175	9108 21 0032 95411690	5.26	762 16 0523 762 17 0303	84	95	-0.74 38	0.13 104	-0.24 96	-0.79 25	90	-3.80 28	-2.89 36	26.75 47	66	-11.89 31	135	4
176	9108 23 0004 95946802	5.26	762 16 0523 762 17 0303	83	94	-0.74 38	0.13 104	-0.24 96	-0.79 25	90	-3.80 28	-2.89 36	43.72 49	64	-18.20 31	136	2
177	9108 21 0044 95411740	8.77	762 16 0523 762 17 0155	82	96	-1.03 37	0.38 110	-0.14 98	-1.97 20	83	-3.80 24	-2.94 34	25.17 42	68	-9.48 26	128	4
178	762 17 0250 80896020	10.73	762 15 0411 762 11 0326	80	81	-0.22 43	-0.56 87	-0.67 89	0.51 22	99	-6.80 22	-4.86 37	74	-5.66 49	0.17 32	101	3