



BOERBOK GENETIC REPORT

21 September 2026

KAULANI RANCH

FDM : 1730



CERTIFICATE
OF QUALITY

Valid up to
October 2029



 **SA** STAMBOEK
STUD BOOK
'n Storie met twee kante

General Information

This **Genetic Report** of your flock enables you to determine the genetic merit and potential of the animals in your herd relative to that of the breed. An animal's performance is determined by two factors, namely the environment and genetics. Good nutrition and management can improve performance, but an animal cannot perform better than its genetic potential. Superior performance due to the environment cannot be carried over to the next generation. It is therefore extremely important not to neglect genetic progress of your flock. Due to the interaction between environment and genetics, it is difficult to identify genetically superior animals on performance data. Estimated Breeding Values (EBVs) are therefore predicted for every animal to determine its genetic potential, as well as its worth as a parent for the next generation. Through the use of EBVs, animals can be compared fairly **within the breed**, therefore across herds, years and production systems. Results presented in this report allow the breeder to identify the underlying genetics of the animals.

Genetic parameters

Genetic parameters (heritability and genetic correlations) are estimated on a breed-basis and are required for the prediction of breeding values. The **heritability** refers to the portion of the variation of a trait in a population that is due to transferrable genetics (the rest of the variation can be attributed to the environment and non-transferrable genetics). Some traits are genetically correlated, which means that a change in one trait will lead to changes in other traits. The strength of this association amongst traits is referred to as a **genetic correlations** and can be desirable or undesirable.

Breeding Values

The prediction of EBVs makes use of performance recordings of the animal as well as those of its relatives, pedigree information and genetic parameters. The deviation of the animal's measurement relative to the average of its contemporary group, forms the basis for identifying the animal's genetic potential for the trait. A **contemporary group** is a group of animals that have been exposed to the same environmental and biological effects, including herd, year, sex and age effects. After adjusting for differences in these effects, animals can fairly be compared and the difference in performance that still persist are then assumed to be due to differences in the genetic merit of the animals.

The EBV predicted for an animal at birth and until it has been measured, is the average EBV of its parents, since the animal received half of its genes from each parent. This mid-parent value makes the assumption that the same half of the parents' genes are carried over to all their offspring. In reality, each offspring receives a random sample of each parent's genes,

therefore mid-parent EBVs are still of low accuracy, but it does indicate the genetic level that can be expected due its parental history. An animal's true genetic merit can be predicted more accurately as more information becomes available, eg. when the animal has been measured or when the number of relatives with measurements increases. Estimated breeding values therefore change over time as more information becomes available. EBVs of animals are published with an **accuracy (%)**, which indicates how much information was available for the estimation of breeding values and therefore the confidence with which a breeder can use it. Factors that influence the accuracy of an EBV are the heritability of the trait, the number of measured relatives, the size of the contemporary group, the precision with which the measurements were taken and the completeness of pedigree information. An EBV with an accuracy of 85% or more is less likely to change significantly with subsequent genetic analyses.

Interpretation of breeding values

EBVs are expressed around a **base year** (5 years ago), which means that the average breeding value of the base year is set as zero and all breeding values are expressed relative to this average. An animal with an EBV of +1kg for weaning weight is therefore genetically superior by 1kg compared to an average animal born in the base year. EBVs therefore express genetic merit of animals relative to each other. The true performance of an animal cannot be calculated from the EBV, but it enables the breeder to know which animals will make a better contribution to the next generation. For easier interpretation EBVs are also expressed as breeding value indices. For these indices the average value of the **active population** is set as 100 with a standard deviation of 12. An index of 76 therefore indicates that the animal is 2 standard deviations below the average and an index of 112 indicates that the animal is 1 standard deviation above the average of the active population for the specific trait. Please note that negative EBVs are favourable for Inter-Lambing Period and Age at First Lambing, therefore shorter inter-lambing periods and younger ages at first lambing indicates better fertility. However, breeding value indices are expressed in the same way for all traits, therefore higher indices indicates desirability for the traits and lower indices are undesirable. This makes it easy to identify superior animals for all traits.

The data used in this evaluation has been obtained from LOGIX, as supplied by breeders. Everything possible had been done to present the information correctly. SA Stud Book does not take any responsibility for the use and interpretation of the information from this publication.

Selection Indices

It is easy to select on a single trait, but that is not the best approach to follow. Selecting on only one trait can lead to the deterioration of performance in other traits due to genetic correlations. There are different traits that are important, some being more important than others. A selection index combines multiple traits, each with an economic weight to take the different levels of importance into account. EBVs for different traits cannot simply be added together, since the unit of measurement and range of the values differ and in some cases negative values are favoured. These factors are accounted for in the compilation of a selection index. An overall selection index includes EBVs of all the traits of economic importance, while other selection indices are more focused on specific breeding objectives. Selection indices are expressed around 100, with 100 being the average of the active population, with a standard deviation of 12. A selection index of 124 is therefore 2 standard deviations above the average and an index of 88 is one standard deviation below the average of the active animals of the population.

Two Indices are constructed for the Boer Goat breed, namely the Logix Merit Index and the Reproduction Index. These indices, their purpose and the contribution of the different traits to the indices are summarised as follows :


Logix Merit Index (LMI)

This index combines all the traits to select for a balanced, profitable animal that is fertile and delivers a desirable level of production. Selection based on the LMI will lead to breeding of balanced animals that will have the genetic potential to wean at a heavier weight (both due to its own potential and having dams that produce sufficient milk), lambs at an early age, lambs regularly and give multiple lambs. This value is especially important for sustainability, which requires the selection of good, productive replacement animals for the flock.

The LMI is constructed as follows :

$$LMI = (0.1375 * AFL) + (0.0825 * ILP) + (0.216 * Wean Dir) + (0.144 * Wean Mat) + (0.33 * N_Lambs_Weaned) + (0.09 * Post-Wean Dir)$$

Schematically the LMI can be explained as follows :



Reproduction Index (RI)

This index includes Weaning Maternal, Number of Lambs Weaned, Age at First Lambing and Inter-lambing Period. This is especially an important index to consider in the development of a dam line.

The RI is constructed as follows :

$$(0.2 * AFL) + (0.2 * ILP) + (0.3 * Wean Mat) + (0.3 * N_Lambs_Weaned)$$

Schematically it can be explained as follows :



It is always important to consider the traits that contribute to the index individually when selection of animals is based on indices. It sometimes happen that an animal receives a good index due to its exceptional genetic merit of a specific trait, while some of the other traits of the animal in the index might be at undesirable levels for the specific flock's breeding objective, but masked in the index due to the exceptionality of that trait. A sound procedure is to rank animals based on the relevant selection index and then eliminate animals from the list that do not conform towards the flock's breeding objectives when considering the individual traits. Make use of all the available information.

Active Genetic Levels

Genetic Averages : Breeding Values

Trait	Flock			Breed		
	All	Rams	Ewes	All	Rams	Ewes
Weaning Weight Direct	0.32	0.35	0.29	-0.06	-0.01	-0.09
Weaning Weight Maternal	0.15	0.17	0.13	-0.02	-0.03	-0.02
Weaning Weight Combined	0.31	0.34	0.28	-0.06	-0.03	-0.07
Post-wean Weight	1.29	1.36	1.23	0.50	0.58	0.45
Number Lambs Weaned	0.92	0.91	0.93	-0.36	-0.55	-0.26
Total Weight Weaned	1.01	1.06	0.98	-0.31	-0.37	-0.27
Age at First Lambing	-0.30	-0.25	-0.34	-0.30	-0.22	-0.35
Inter-lambing Period	-0.91	-1.12	-0.74	0.15	0.19	0.13
Selection Indices						
Logix Merit Index	109	109	108	101	100	101
Reproduction Index	108	109	108	102	101	102
Inbreeding						
Inbreeding (%)	5.22	5.05	5.35	5.54	5.93	5.34
Number of Animals						
Number of Animals	176	77	99	49286	16616	32526

** Averages of all active animals in the flock.

Breeding Value Indices

Trait	Flock **		
	All	Rams	Ewes
Weaning Weight Direct	103.2	103.6	103.0
Weaning Weight Maternal	104.5	105.0	104.1
Weaning Weight Comb	105.6	106.2	105.1
Post-wean Weight	104.1	104.6	103.7
Number Lambs Weaned	107.7	107.7	107.8
Total Weight Weaned	108.4	108.6	108.2
Age First Lambing	100.1	100.1	100.2
Interlambing Period	104.4	104.9	103.9
Selection Indices			
Logix Merit Index	108.7	109.1	108.4
Ewe Index	108.2	108.6	107.9
Growth Index	104.7	105.2	104.3
Inbreeding			
Inbreeding (%)	5.22	5.05	5.35
Number of Animals			
Number of Animals	176	77	99

** Averages of all active animals in the flock.

Inbreeding

Inbreeding primarily leads to decreased fertility and low survivability of lambs. The effects of inbreeding can be observed from 6.25% onwards. It is therefore highly recommended to record pedigree information as accurately and completely as possible and to use a selection programme for selection of unrelated rams.

Incomplete or incorrect pedigree information can be reported to SA Stud Book. Inbreeding is dependent on pedigree information. Conventional methods for the Calculation of inbreeding coefficients usually assume that unknown parents are unrelated. However, this is usually far from the truth. An algorithm is used for the calculation of inbreeding, where the average inbreeding coefficient is assigned to unknown parents based on the generation in which they were born. This result is a more accurate reflection of inbreeding of the herd and breed.

Inbreeding Levels for Specific Matings


Progeny with Parents :	25%
Full Brother x Full Sister :	25%
Half Brother x Half Sister :	12.5%
One Common Grandparent :	6.25%
One Common Great-Grandparent :	3.125%

Level and Rate of Inbreeding

Year of Birth	Level* (%)	Rate (% / year)
2014 - 2025	6.76	0.41
Recommended:	< 6.25	< 0.1 - 0.2

*Of the last year of birth

Average Inbreeding per Year of Birth




Pedigree Information

	Number	%
Known Sires	175	99
Known Dams	175	99

Note: Inbreeding can be under-estimated if pedigree information is incomplete or incorrect

Genetic Windows



WWd: Weaning Weight Direct
WWm: Weaning Weight Maternal
WWc: Weaning Weight Combined
PoW: Post-Wean Weight
L-wean: Number of Lambs Weaned
TWW: Total Weight Weaned
AFL: Age at First Lambing
ILP: Inter-lambing Period
RI: Reproduction Index
LMI: Logix Merit Index


The genetic windows allow a quick overview of the genetic status of the flock compared to the breed. The values presented here are the average EBV indices of all the active animals of the flock, of the dams and sires of the active animals of the flock, as well as of the ewes and rams that are younger than 2-years old. An index of 100 is equal to the average of the active measured population. Due to the higher selection intensity on rams (selection is more strict since a much smaller percentage of young animals are retained in the flock), the expectation is for the average index of the sires to be higher than that of the dams.

Remember that the EBV index for AFL and ILP are presented in such a way that an index above 100 indicates animals that have a lower EBV for these traits.

Genetic Windows


Dams

Number: 68




Sires

Number: 27




Young Ewes

Number: 38








Young Rams

Number: 77




Genetic Trends

Genetic trends are based on measured animals that were bred by the specific breeder.






Genetic Trends

Genetic trends are based on measured animals that were bred by the specific breeder.



For AFL and ILP flock genetic trends below breed averages are desirable.



Genetic Trends of Breed

Birth year	Weaning Weight				Post-wean	Lambs Weaned		TWW	AFL		ILP	RI	LMI			
	EBV					EBV			EBV					EBV		
	Number	Dir	Mat	Comb		Number	EBV		Number	EBV				Number	EBV	Number
2013	1336	-0.37	0.02	-0.17	108	0.51	508	0.24	1336	100	1078	-2.27	653	0.70	1336	100
2014	1007	-0.37	-0.07	-0.26	58	-0.17	671	0.13	1007	99	1072	-1.16	661	0.26	1007	97
2015	1626	-0.20	0.08	-0.02	233	1.23	705	0.74	1626	104	1180	-1.69	715	0.18	1626	106
2016	1804	-0.26	0.04	-0.09	239	0.72	791	0.07	1804	102	1291	-1.49	887	0.13	1804	104
2017	2163	-0.29	-0.02	-0.17	313	1.21	825	0.29	2120	99	1404	-1.53	992	0.29	2120	102
2018	2547	-0.28	0.07	-0.07	236	0.58	909	0.35	2519	101	1853	-0.08	1275	-0.77	2519	104
2019	2144	-0.01	0.02	0.01	254	0.24	889	0.13	2138	102	2101	-0.70	1389	0.07	2138	102
2020	2459	-0.10	0.04	-0.01	436	-0.69	864	0.14	2459	102	2740	-0.11	1744	-0.19	2459	102
2021	1759	0.00	0.00	0.00	330	0.00	823	-0.01	1759	103	3094	0.00	1960	0.00	1759	104
2022	2519	-0.07	0.05	0.02	427	0.54	802	-0.40	2519	102	3449	-0.76	1843	0.46	2519	103
2023	2896	-0.17	0.05	-0.03	465	-0.06	570	-0.16	2894	101	3098	-0.57	1076	0.57	2894	103
2024	3036	0.04	-0.06	-0.04	414	1.29	196	-0.35	3035	100	1825	-1.17	154	0.85	3035	100
2025	2284	0.15	-0.01	0.07	476	1.04			2283	103	82	-1.16			2283	101

Genetic Trends of Flock

Birth year	Weaning Weight				Post-Wean	Lambs Weaned		TWW		AFL		ILP		RI		LMI		
	EBV																	
	Number	Dir	Mat	Comb		Number	EBV	Number	EBV	Number	EBV	Number	EBV	Number	EBV	Number	EBV	
2020							1	1.60										
2022	10	0.39	0.12	0.32	7	1.36	2	1.10	10	110	7	-3.67	5	1.07	10	108	10	108
2023	32	-0.07	0.10	0.06					32	105	12	-2.77	3	0.19	32	106	32	105
2024											6	-2.38						

Breeding Value & Selection Index Percentiles

The percentiles indicate the ranking of the animals' EBVs and Selection Indices within the active population.

For example, if an animal's EBV for a specific trait falls between the maximum and 99% percentile of the trait, it means that this animal ranks in the top 1% of the active population, or this animal's genetic merit for the trait is better than 99% of that of the active population.

Should the EBV for a specific trait falls between the 5% and 10% percentile, it means that the animal ranks in the bottom 10% of the active population for the specific trait, or the animal's genetic merit is worse than 90% of the active population.

Note that the percentiles for Age at First Lambing and Inter-lambing Period EBVs work on the reverse scale.

All Active Animals

Trait	AVG	SA*	Min	Percentiles (%)															Max
				1	5	10	20	25	30	40	50	60	70	75	80	90	95	99	
Weaning Weight Direct	-0.06	0.74	-4.91	-1.74	-1.04	-0.83	-0.65	-0.57	-0.48	-0.32	-0.16	0.02	0.22	0.35	0.51	0.91	1.28	2.04	4.89
Weaning Weight Maternal	-0.02	0.33	-2.29	-0.90	-0.58	-0.43	-0.26	-0.20	-0.15	-0.07	0.00	0.06	0.11	0.15	0.20	0.35	0.49	0.86	2.30
Weaning Weight Combined	-0.06	0.49	-2.89	-1.24	-0.79	-0.58	-0.39	-0.33	-0.28	-0.21	-0.12	-0.01	0.12	0.20	0.29	0.58	0.84	1.32	3.11
Post-Wean Weight	0.50	1.23	-7.95	-2.29	-1.01	-0.67	-0.42	-0.31	-0.19	0.05	0.33	0.61	0.96	1.14	1.38	1.99	2.60	4.25	12.54
Number of Lambs Weaned	-0.36	2.06	-13.10	-5.70	-4.20	-3.30	-2.20	-1.70	-1.30	-0.50	0.10	0.60	1.10	1.30	1.40	1.60	2.00	3.80	11.20
Total Weight Weaned	-0.30	1.53	-9.52	-4.12	-2.96	-2.34	-1.52	-1.22	-0.94	-0.48	-0.12	0.16	0.38	0.52	0.74	1.37	2.06	3.69	8.21
Age at First Lambing	-0.30	-6.96	62.93	17.45	10.46	7.50	4.40	3.30	2.43	0.97	-0.37	-1.47	-2.89	-3.74	-4.73	-7.80	-10.96	-19.95	-75.66
Interlambing Period	0.15	-3.66	23.72	9.96	6.51	4.87	2.99	2.35	1.75	0.75	-0.15	-0.94	-1.75	-2.21	-2.71	-4.10	-5.38	-8.00	-21.68
Reproduction Index	102	10	49	75	84	88	94	96	98	101	103	105	107	108	109	112	114	121	146
Logix Merit Index	101	9	62	79	85	89	94	95	97	100	102	103	105	106	107	111	116	126	147

*SD : Standard Deviation. An indicator of how far breeding values/selection indices are distributed around the average.

Breeding Value & Selection Index Percentiles

All Active Rams

Trait	AVG	SA*	Min	Percentiles (%)															Max
				1	5	10	20	25	30	40	50	60	70	75	80	90	95	99	
Weaning Weight Direct	-0.01	0.75	-4.91	-1.73	-0.99	-0.78	-0.60	-0.51	-0.41	-0.26	-0.09	0.07	0.30	0.42	0.57	0.96	1.32	2.10	3.75
Weaning Weight Maternal	-0.03	0.31	-1.73	-0.81	-0.55	-0.42	-0.26	-0.20	-0.16	-0.08	-0.01	0.05	0.11	0.14	0.19	0.33	0.45	0.76	1.79
Weaning Weight Combined	-0.03	0.46	-2.44	-1.09	-0.69	-0.51	-0.36	-0.31	-0.26	-0.19	-0.10	0.01	0.14	0.21	0.29	0.57	0.82	1.25	2.18
Post-Wean Weight	0.58	1.24	-7.95	-2.36	-0.94	-0.60	-0.33	-0.22	-0.10	0.17	0.45	0.71	1.06	1.24	1.48	2.06	2.64	4.24	12.54
Number of Lambs Weaned	-0.55	2.07	-8.30	-5.70	-4.40	-3.60	-2.40	-2.00	-1.50	-0.80	-0.20	0.40	0.80	1.10	1.30	1.60	1.90	3.60	8.30
Total Weight Weaned	-0.37	1.55	-5.94	-4.10	-3.06	-2.47	-1.65	-1.33	-1.05	-0.55	-0.18	0.11	0.37	0.50	0.72	1.35	2.01	3.69	7.18
Age at First Lambing	-0.22	-6.62	39.94	16.34	10.21	7.43	4.48	3.42	2.57	1.12	-0.29	-1.47	-2.85	-3.69	-4.63	-7.53	-10.44	-18.29	-65.44
Interlambing Period	0.19	-3.45	20.34	9.44	6.20	4.66	2.89	2.30	1.73	0.78	-0.11	-0.90	-1.67	-2.11	-2.61	-3.86	-4.98	-7.30	-14.85
Reproduction Index	101	9	55	76	83	88	93	95	97	100	103	105	107	108	109	111	114	120	135
Logix Merit Index	100	9	65	79	85	88	93	95	97	99	101	103	105	106	107	111	116	126	144

All Active Ewes

Trait	AVG	SA*	Min	Percentiles (%)															Max
				1	5	10	20	25	30	40	50	60	70	75	80	90	95	99	
Weaning Weight Direct	-0.09	0.74	-3.89	-1.74	-1.07	-0.86	-0.67	-0.60	-0.51	-0.36	-0.20	-0.02	0.19	0.31	0.47	0.88	1.27	2.00	4.89
Weaning Weight Direct	-0.02	0.34	-2.29	-0.94	-0.59	-0.44	-0.27	-0.20	-0.15	-0.07	0.00	0.06	0.12	0.16	0.21	0.37	0.52	0.89	2.30
Weaning Weight Combined	-0.07	0.50	-2.89	-1.31	-0.83	-0.62	-0.41	-0.34	-0.29	-0.22	-0.13	-0.02	0.11	0.19	0.29	0.58	0.85	1.36	3.11
Post-Wean Weight	0.46	1.22	-6.83	-2.27	-1.05	-0.70	-0.46	-0.36	-0.24	-0.01	0.27	0.55	0.90	1.09	1.33	1.96	2.58	4.25	8.78
Number of Lambs Weaned	-0.26	2.05	-13.10	-5.80	-4.10	-3.20	-2.00	-1.60	-1.10	-0.40	0.20	0.70	1.10	1.30	1.50	1.70	2.00	3.90	11.20
Total Weight Weaned	-0.27	1.52	-9.52	-4.15	-2.89	-2.26	-1.45	-1.16	-0.90	-0.44	-0.10	0.19	0.39	0.54	0.75	1.38	2.08	3.69	8.21
Age at First Lambing	-0.34	-7.13	62.93	18.10	10.67	7.55	4.36	3.23	2.34	0.88	-0.38	-1.48	-2.90	-3.76	-4.78	-7.95	-11.29	-20.92	-75.66
Interlambing Period	0.13	-3.78	23.72	10.31	6.69	4.98	3.03	2.38	1.76	0.73	-0.17	-0.94	-1.80	-2.27	-2.76	-4.23	-5.54	-8.30	-21.68
Reproduction Index	102	10	49	74	84	89	94	96	98	101	104	106	108	109	109	112	115	122	146
Logix Merit Index	101	9	62	79	86	89	94	96	97	100	102	103	105	106	107	111	116	126	147

*SD : Standard Deviation. An indicator of how far breeding values/selection indices are distributed around the average.

Rams

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information						Selection Indices			EBV - Weights						EBV - Fertility						
Animal ID Comp no.			Parents			% In-breeding	Logix Merit Index	Reproduction	Wean Weight		Post-Wean		Number Weaned	TWW	AFL	ILP	Dam				
									Dir	Mat	Comb										
								Acc	Index	Acc	Index	Index	Acc	Index	Acc	Index	EPI Times				
			Active Breed Average:														Lambled				
430	22	0047	430	19	0008	9.17		119	115	1.41	0.35	1.05	3.07	1.10	2.41	1.26	-5.44	5			
										49	116	35	110	118	28	116	12		109	35	117
1740	23	0169	430	21	0209	2.16		117	116	0.84	0.33	0.75	1.88	1.40	2.01	-3.94	-3.50	100	5		
										32	109	28	109	113	17	108	10			110	25
1740	23	0170	430	21	0209	2.16		117	116	0.84	0.33	0.75	1.88	1.40	2.01	-3.94	-3.50	100	5		
										32	109	28	109	113	17	108	10			110	25
1730	23	0306	1298	19	0333	7.58		101	89	1.21	-0.30	0.31	2.20	-1.20	0.19	2.42	5.55	100	5		
										49	113	31	93	106	13	110	7			98	32
1730	23	0307	1298	19	0333	7.58		94	93	-0.35	0.01	-0.16	0.12	-1.20	-1.06	2.42	5.55	100	5		
										49	96	31	101	98	13	96	7			98	32
1730	23	0308	430	21	0043	2.59		108	100	1.23	-0.12	0.50	2.18	-0.40	0.87	-3.33	1.83	104	4		
										56	114	36	98	109	34	110	13			102	38
1730	23	0311	430	21	0043	2.85		114	114	0.44	0.42	0.64	1.30	1.70	1.88	-1.58	-0.88	100	4		
										53	105	32	111	111	28	104	7			111	34
1730	23	0317	430	21	0043	2.90		106	112	-0.59	0.30	0.00	-0.11	1.70	0.73	-0.45	-0.68	97	6		
										54	93	34	108	100	32	95	7			111	35
1730	23	0319	430	21	0043	2.90		112	114	0.23	0.49	0.61	1.24	1.70	1.74	-0.54	0.54	105	4		
										56	102	35	113	111	31	104	7			111	37
1730	23	0320	430	21	0043	2.90		113	113	0.46	0.44	0.68	1.55	1.70	1.93	-0.53	0.54	105	4		
										56	105	35	112	112	31	106	7			111	37
1730	23	0326	970	21	0037	4.11		95	103	-1.17	0.18	-0.41	-1.04	0.40	-0.76	8.50	-0.02	100	2		
										62	87	42	105	93	12	89	16			105	44
1730	23	0330	970	20	0005	2.73		88	97	-1.67	-0.26	-1.09	-1.32	-1.00	-2.53	1.32	-0.93	111	4		
										62	81	50	94	82	17	87	22			99	48

Rams

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information						Selection Indices		EBV - Weights				EBV - Fertility				
Animal ID		Parents			% In-breeding	Logix Merit Index	Reproduction	Wean Weight		Comb	Post-Wean	Number Weaned	TWW	AFL	ILP	Dam
Comp no.								Dir	Mat							
								EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EPI Times Lambded
Active Breed Average:						100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15	
1730 23 0333	97834543	970 20 0005	1865 22 0011	4.35	87	103		-3.08 61 65	-0.25 46 94	-1.79 70	-2.91 14 77	1.30 21 110	-2.55 46 88	0.91 45 99	-1.11 29 105	105 3
1730 23 0336	97834576	970 20 0005	1865 22 0026	3.91	94	101		-1.77 62 80	-0.37 47 92	-1.25 79	-1.15 15 88	1.30 21 110	-1.36 47 95	-0.12 45 100	0.04 30 102	110 3
1730 23 0338	97834592	970 20 0005	1865 22 0027	4.34	85	98		-2.77 60 69	-0.45 45 89	-1.84 69	-2.44 14 80	0.50 21 106	-2.92 45 86	-0.12 45 100	0.50 29 101	100 3
1730 23 0340	98298771	430 21 0129	970 22 0038	2.54	108	116		-0.27 47 97	0.65 34 117	0.51 109	0.18 21 97	0.10 10 104	0.43 33 105	-10.39 40 113	1.09 25 99	100 3
1730 23 0343	98538960	430 21 0043	1610 18 0178	2.61	113	110		0.60 54 107	0.31 33 109	0.61 111	1.64 29 106	1.30 13 110	1.69 36 112	-4.07 36 105	2.02 23 96	100 3
1730 23 0344	98538978	430 22 0047	1637 22 0083	3.45	110	111		0.42 46 105	0.11 27 104	0.33 106	1.22 15 104	0.80 8 107	1.02 30 108	0.03 30 100	-4.54 20 114	104 1
1730 23 0345	98538986	430 22 0047	1637 22 0083	3.45	110	111		0.42 46 105	0.11 27 104	0.33 106	1.22 15 104	0.80 8 107	1.02 30 108	0.03 30 100	-4.54 20 114	104 1
1730 23 0346	98538994	430 22 0047	1730 22 0308	9.81	118	113		1.16 49 113	0.36 28 110	0.93 116	2.82 28 114	1.40 7 110	2.35 31 116	-0.80 28 101	-1.74 20 107	100 3
1730 23 0347	98539000	430 21 0043	1730 22 0113	4.41	115	112		0.86 52 109	0.40 31 111	0.83 115	1.80 28 107	1.20 10 109	1.99 34 114	-5.05 34 106	1.58 22 98	96 3
1730 24 0300	98547052	430 21 0043	1619 21 0073	2.79	111	111		0.33 38 103	0.21 22 106	0.38 107	1.26 28 104	1.70 7 111	1.57 25 112	-0.79 30 101	-0.25 19 103	100 3
1730 24 0307	106688195	430 21 0043	1740 20 0025	2.54	115	115		0.57 42 106	0.47 28 113	0.76 113	1.66 28 107	1.70 9 111	2.07 29 115	-2.08 39 102	-0.36 23 103	100 5
1730 24 0309	106688211	430 21 0043	1146 21 0029	2.59	107	101		0.94 46 110	-0.06 34 99	0.41 107	1.79 34 107	-0.40 13 102	0.64 34 106	-3.33 34 104	1.83 22 97	104 4
1730 24 0311	106688237	430 21 0043	1730 22 0114	4.41	114	112		0.76 42 108	0.40 27 111	0.78 114	1.66 28 107	1.20 10 109	1.88 29 113	-5.07 35 106	1.40 22 98	1

Rams

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information						Selection Indices		EBV - Weights						EBV - Fertility							
Animal ID Comp no.			Parents			% In-breeding	Logix Merit Index	Reproduction	Wean Weight		Post-Wean		Number Weaned	TWW		AFL		ILP		Dam	
									Dir	Mat	Comb			Acc	Index	Acc	Index	Acc	Index	Acc	Index
Active Breed Average:						100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15						
1730	24	0313	430	21	0043	2.90	113	113	0.45	0.45	0.67	1.54	1.70	1.92	-0.54	0.54	105	4			
	106688252		1619	21	0010				44	105	33	112	7	111	31	114	32	100	21	100	
1730	24	0316	430	21	0043	2.90	111	110	0.31	0.12	0.28	1.09	1.70	1.45	-0.45	-0.68	97	6			
	106688286		1619	19	0649				44	103	33	104	7	111	31	111	31	100	20	104	
1730	24	0317	430	21	0043	2.43	112	104	1.11	-0.14	0.42	2.40	1.40	1.81	-0.09	0.40	118	7			
	106688294		1584	19	0023				48	112	34	97	12	110	34	113	40	100	24	101	
1730	24	0323	430	21	0043	8.53	118	113	1.24	0.34	0.96	2.85	1.70	2.60	-0.97	-0.84	3				
	106688351		1740	22	0029				45	114	30	109	11	111	31	118	39	101	28	104	
1730	24	0324	430	21	0043	8.53	118	113	1.24	0.34	0.96	2.85	1.70	2.60	-0.97	-0.84	3				
	106688369		1740	22	0029				45	114	30	109	11	111	31	118	39	101	28	104	
1730	24	0326	430	21	0043	2.37	105	103	-0.01	-0.16	-0.17	1.20	1.40	0.67	3.66	-0.73	100	2			
	106688385		1584	22	0001				50	100	36	97	14	110	36	106	38	95	25	104	
1730	24	0331	430	21	0043	5.04	113	112	0.61	0.32	0.62	1.76	1.10	1.59	-4.52	-0.30	100	3			
	106688435		970	22	0136				46	107	32	109	8	109	32	112	37	106	24	103	
1730	24	0335	430	22	0047	9.87	118	111	1.41	0.26	0.97	3.23	1.40	2.51	1.30	-1.96	2				
	106688476		1730	22	0305				37	115	24	107	7	110	25	117	31	98	21	107	
1730	24	0336	430	22	0047	9.87	118	111	1.41	0.26	0.97	3.23	1.40	2.51	1.30	-1.96	2				
	106688484		1730	22	0305				37	115	24	107	7	110	25	117	31	98	21	107	
1730	24	0346	430	21	0043	2.48	111	111	0.32	0.19	0.35	1.22	1.20	1.22	-2.41	-1.64	2				
	106688583		1882	22	0055				43	103	28	106	8	109	29	110	36	103	22	106	
1730	24	0347	430	21	0043	2.53	107	108	0.16	0.34	0.42	0.96	0.80	0.98	3.57	0.11	100	3			
	106688591		970	22	0038				45	101	29	109	10	107	31	108	36	95	24	102	
1730	24	0351	430	21	0043	2.47	103	97	0.62	-0.38	-0.07	1.88	0.30	0.42	9.49	-2.66	100	4			
	106688625		1584	20	0178				49	107	36	91	12	105	35	105	40	88	24	109	
1730	24	0358	430	21	0043	2.74	104	103	-0.05	-0.07	-0.09	0.85	0.70	0.30	-0.65	1.50	100	3			
	106688682		1865	22	0027				46	99	30	99	11	107	32	104	36	101	22	98	

Rams

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices		EBV - Weights				EBV - Fertility											
Animal ID Comp no.			Parents			% In-breeding	Logix Merit Index	Reproduction	Wean Weight		Post-Wean		Number Weaned		TWW		AFL		ILP		Dam	
									Dir	Mat	Comb		Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index
Active Breed Average:						100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15							
1730	24	0359	430	21	0043	2.74	104	103	-0.05	-0.07	-0.09	0.85	0.70	0.30	-0.65	1.50						
	106688690		1865	22	0027				46	99	30	99	11	107	32	104	36	101	22	98	100	3
1730	24	0362	430	22	0047	2.66	102	105	-0.50	-0.18	-0.43	0.63	0.60	-0.32	2.27	-3.59					2	
	106688724		1584	23	0036				40	94	30	96	12	106	30	101	36	97	24	112		
1730	24	0366	430	22	0047	9.81	115	113	0.87	0.28	0.72	2.17	1.40	1.99	0.24	-2.84					1	
	106688765		1730	23	0301				31	109	21	108	113	20	110	28	100	19	110			
1730	24	0368	430	22	0047	2.66	102	103	-0.08	-0.26	-0.30	1.19	0.60	0.02	8.09	-5.76					2	
	106688781		1584	23	0037				40	99	30	94	12	106	30	103	36	90	24	118		
1730	24	0369	430	22	0047	2.66	102	104	-0.31	-0.22	-0.37	0.87	0.60	-0.17	6.43	-5.09					1	
	106688799		1584	23	0035				40	96	30	95	12	106	30	102	36	92	23	116		
1730	24	0419	430	22	0047	2.50	112	112	0.41	0.35	0.56	1.37	1.00	1.37	-2.84	-0.92					3	
	106688815		1610	18	0178				34	104	28	110	12	108	27	110	31	103	22	104	100	
1730	24	0420	430	22	0047	2.50	112	112	0.41	0.35	0.56	1.37	1.00	1.37	-2.84	-0.92					3	
	106688823		1610	18	0178				34	104	28	110	12	108	27	110	31	103	22	104	100	
1730	24	0422	430	22	0047	2.50	112	112	0.41	0.35	0.56	1.37	1.00	1.37	-2.84	-0.92					3	
	106688849		1610	18	0178				34	104	28	110	12	108	27	110	31	103	22	104	100	
1730	25	0302	430	22	0047	3.10	107	102	0.97	-0.06	0.43	1.81	-0.70	0.49	-2.10	-1.11					4	
	111519526		1146	21	0029				36	111	31	99	12	100	29	105	29	102	21	105	104	
1730	25	0303	430	22	0047	3.10	107	102	0.97	-0.06	0.43	1.81	-0.70	0.49	-2.10	-1.11					4	
	111519534		1146	21	0029				36	111	31	99	12	100	29	105	29	102	21	105	104	
1730	25	0305	430	22	0047	2.90	114	115	0.49	0.45	0.69	1.56	1.40	1.77	0.70	-2.40					4	
	111519559		1619	21	0010				33	105	30	112	6	110	26	113	26	99	20	109	105	
1730	25	0306	430	22	0047	2.90	114	115	0.49	0.45	0.69	1.56	1.40	1.77	0.70	-2.40					4	
	111519567		1619	21	0010				33	105	30	112	6	110	26	113	26	99	20	109	105	
1730	25	0308	430	22	0047	2.64	111	110	0.64	0.28	0.60	1.56	0.80	1.40	0.49	-1.16					1	
	111519575		1730	23	0332				39	107	27	108	9	107	27	111	34	99	20	105		

Rams

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information						Selection Indices		EBV - Weights						EBV - Fertility								
Animal ID Comp no.			Parents			% In-breeding	Logix Merit Index	Reproducti on	Wean Weight		Post-Wean		Number Weaned	TWW		AFL		ILP		Dam		
									Dir	Mat	Comb			Acc	Index	Acc	Index	Acc	Index	Acc	Index	EPI
								EBV	EBV	EBV	EBV	Acc	Index	Acc	Index	Acc	Index	Acc	Index			
Active Breed Average:						100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15							
1730	25	0311	430	22	0047	9.81	115	113	0.90	0.32	0.77	2.19	1.40	2.06	0.16	-2.49					2	
	111519591		1730	22	0302					31	110	22	109	7	110	22	114	28	100	21	109	
1730	25	0315	430	22	0047	7.72	112	112	0.57	0.27	0.55	1.73	0.70	1.26	-2.89	-2.71					1	
	111519625		1730	23	0328					36	106	23	108	7	107	24	110	33	103	20	109	
1730	25	0316	430	22	0047	7.72	112	112	0.57	0.27	0.55	1.73	0.70	1.26	-2.89	-2.71					1	
	111519633		1730	23	0328					36	106	23	108	7	107	24	110	33	103	20	109	
1730	25	0317	430	22	0047	9.85	116	113	1.05	0.31	0.83	2.38	1.40	2.20	0.33	-2.16					2	
	111519641		1730	23	0303					36	112	22	109	7	110	24	115	28	99	21	108	
1730	25	0319	430	22	0047	2.85	108	109	0.16	0.04	0.12	1.06	1.10	0.86	1.61	-3.05					105	3
	111519658		1865	22	0011					37	102	28	102	10	109	27	108	31	98	21	110	
1730	25	0324	430	22	0047	3.21	105	104	0.39	0.07	0.27	1.63	-0.10	0.41	3.68	-1.91					100	5
	111519674		1298	19	0177					31	104	27	103	7	103	24	105	35	95	22	107	
1730	25	0325	430	22	0047	2.79	112	113	0.42	0.29	0.50	1.33	1.40	1.55	0.45	-2.77					100	4
	111519682		1619	21	0098					27	105	21	108	6	110	20	112	23	99	17	110	
1730	25	0326	430	22	0047	2.79	112	113	0.42	0.29	0.50	1.33	1.40	1.55	0.45	-2.77					100	4
	111519690		1619	21	0098					27	105	21	108	6	110	20	112	23	99	17	110	
1730	25	0327	430	22	0047	8.53	119	115	1.27	0.34	0.98	2.88	1.40	2.46	0.26	-3.79					3	
	111519708		1740	22	0029					34	114	27	109	10	110	26	117	34	99	27	112	
1730	25	0333	430	22	0047	7.72	113	112	0.73	0.24	0.60	1.94	0.70	1.39	-2.01	-2.77					1	
	111519757		1730	23	0327					36	108	23	107	7	107	24	111	33	102	20	110	
1730	25	0335	430	22	0047	6.51	116	114	0.88	0.28	0.73	2.00	1.20	1.89	-4.46	-1.78					96	4
	111519773		1740	21	0039					38	110	27	108	8	109	27	114	36	105	23	107	
1730	25	0336	430	22	0047	2.90	105	104	0.87	0.17	0.61	1.72	-1.30	0.26	2.02	-2.87					111	4
	111519781		1865	20	0006					36	109	33	105	12	97	29	104	33	97	22	110	
1730	25	0338	430	22	0047	2.90	105	104	0.87	0.17	0.61	1.72	-1.30	0.26	2.02	-2.87					111	4
	111519799		1865	20	0006					36	109	33	105	12	97	29	104	33	97	22	110	

Rams

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices		EBV - Weights				EBV - Fertility											
Animal ID Comp no.		Parents			% In- breeding	Logix Merit Index	Reproducti on	Wean Weight		Post-Wean		Number Weaned	TWW	AFL	ILP	Dam						
								Dir	Mat	Comb												
								Acc	Index	Acc	Index	Acc	Index	Acc	Index	EPI Times Lambded						
Active Breed Average:						100	100		-0.06	-0.02	-0.06	0.50		-0.36	-0.31	-0.30	0.15					
1730	25	0339	430	22	0047	9.81	117	115	0.94	0.42	0.89	2.34	1.40	2.20	-0.11	-2.48	1					
	111519807	1730	23	0324					32	110	23	111	116	20	111	7		110	23	115	28	100
1730	25	0340	430	22	0047	9.81	117	115	0.94	0.42	0.89	2.34	1.40	2.20	-0.11	-2.48	1					
	111519815	1730	23	0324					32	110	23	111	116	20	111	7		110	23	115	28	100
1730	25	0341	430	22	0047	2.87	112	113	0.45	0.32	0.55	1.35	1.40	1.61	0.50	-2.74	100	4				
	111519823	1730	20	0064					27	105	23	109	110	14	105	6			110	21	112	23
1730	25	0343	1730	24	0307	3.15	108	109	0.01	0.19	0.20	0.73	1.40	1.04	-1.08	0.64	110	3				
	111519849	1865	22	0026					35	100	26	106	104	15	100	10			110	26	109	29
1730	25	0345	1730	24	0307	15.89	115	114	0.67	0.45	0.78	1.67	1.40	1.96	-3.56	0.61	1					
	111519864	1730	23	0348					30	107	20	112	114	20	107	7		110	21	114	26	104
1730	25	0346	1730	24	0307	2.26	101	98	0.24	-0.32	-0.20	1.20	0.20	0.04	9.05	-3.06	100	4				
	111519872	1584	20	0178					37	102	32	93	97	16	104	11			104	29	103	33
1730	25	0348	1730	24	0307	2.23	100	104	-0.91	-0.12	-0.57	-0.08	0.90	-0.49	0.60	-1.05	2					
	111519880	1584	23	0036					38	90	29	98	90	16	95	12		108	29	100	33	99
1730	25	0349	1730	24	0307	2.23	100	104	-0.91	-0.12	-0.57	-0.08	0.90	-0.49	0.60	-1.05	2					
	111519898	1584	23	0036					38	90	29	98	90	16	95	12		108	29	100	33	99
1730	25	0350	1730	24	0307	2.61	102	104	-0.43	0.00	-0.22	0.17	0.60	-0.08	-1.09	1.10	100	3				
	111519906	1865	22	0027					33	95	24	101	97	15	97	9			106	24	102	29
1730	25	0352	1730	24	0307	14.85	113	112	0.44	0.30	0.52	1.37	1.70	1.76	-1.27	-0.52	1					
	111519922	1730	23	0318					30	105	22	108	109	22	105	6		111	21	113	25	101
1730	25	0355	1730	24	0307	14.80	109	110	-0.21	0.12	0.01	0.93	1.70	0.93	-2.48	-0.39	2					
	111519955	1730	23	0323					34	97	21	104	101	21	102	6		111	23	108	25	103
1730	25	0356	1730	24	0307	14.80	115	113	0.71	0.43	0.78	2.07	1.70	2.15	-2.47	0.81	100	3				
	111519963	1730	22	0308					34	108	24	112	114	28	109	6			111	24	115	24
1730	25	0361	1730	24	0335	12.42	112	106	1.17	0.10	0.69	2.51	0.50	1.57	-1.44	0.08	1					
	111520003	1730	24	0310					29	113	21	103	112	22	112	7		106	21	112	28	102

Ram Flock Average: Number of rams in the flock: 77	109	109	0.35	0.17	0.34	1.36	0.91	1.06	-0.25	-1.12
---	-----	-----	------	------	------	------	------	------	-------	-------

Ewes

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices		EBV - Weights				EBV - Fertility										
Animal Comp no.				% In- breeding	Logix Merit Index	Repro- duction Index	Wean		Weight	Post-Wean		Number		TWW		AFL		ILP		Times	
							Dir	Mat	Comb		Weaned										
							Acc	Index	Acc	Index	EBV	Acc	Index	EBV	Acc	Index	EBV	Acc	Index	EBV	Acc
Active Breed Average:					100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15							
1610 18 0178 90098815	1217 14 0206 1610 17 0085	2.92	105	110	-0.58 46 93	0.36 44 110	0.07 102	-0.33 19 94	0.90 22 108	0.32 40 104	-6.93 40 109	3.60 28 92	100	3							
1584 19 0023 83482448	970 17 0122 1584 16 0106	2.13	106	96	0.89 58 110	-0.63 52 85	-0.18 97	1.78 8 107	1.00 20 108	0.86 47 108	1.01 52 99	0.36 29 101	118	7							
1298 19 0177 91603399	1298 18 0082 1298 13 0920	2.80	92	93	-0.62 39 93	-0.20 41 96	-0.51 92	0.20 10 97	-1.20 9 98	-1.54 33 94	6.09 51 92	1.63 27 97	100	5							
1865 20 0006 94033248	762 17 0379 1520 17 0353	3.73	92	93	0.33 54 103	0.00 55 101	0.16 103	0.37 21 98	-3.60 21 86	-1.83 47 92	2.79 46 96	-0.30 27 103	111	4							
1740 20 0025 86616497	1740 17 0105 1400 16 0020	2.65	111	117	-0.19 34 98	0.60 35 116	0.50 109	0.30 15 98	1.50 11 111	1.31 29 110	-2.96 51 104	-1.16 27 105	100	5							
1584 20 0178 90487000	1590 19 0150 1584 17 0071	3.37	87	81	-0.10 62 99	-1.10 57 73	-1.15 81	0.74 13 101	-1.20 20 98	-1.92 50 91	20.17 54 74	-5.76 30 118	100	4							
1619 20 0745 93827376	1298 18 0281 1619 19 0649	2.90	100	105	-0.47 43 94	0.04 47 102	-0.20 97	-0.35 19 93	0.00 9 103	-0.43 37 100	-0.55 40 101	-1.44 23 106	100	6							
1584 21 0007 91434720	970 18 0127 1584 15 0098	2.89	109	116	-0.37 32 96	0.68 32 118	0.49 109	-0.27 5 94	1.10 9 109	0.97 27 108	-9.31 46 112	2.66 17 95		2							
1619 21 0010 93236487	1619 19 0703 1619 19 0649	2.90	108	114	-0.43 44 95	0.54 49 114	0.33 106	0.05 27 96	1.60 5 111	1.07 36 109	0.13 24 100	0.64 20 100	105	4							
1146 21 0029 92032036	1502 19 0093 1146 20 0018	4.40	95	90	0.54 52 106	-0.47 52 89	-0.20 97	0.56 41 99	-2.50 22 92	-1.43 45 94	-5.46 35 107	3.22 24 93	104	4							
1740 21 0039 91703538	430 18 0109 1740 19 0116	2.48	112	112	0.36 59 104	0.22 41 106	0.40 107	0.92 22 102	1.30 11 110	1.36 41 110	-10.18 56 113	1.88 32 97	96	4							
1619 21 0090 93236842	1619 19 0680 1619 18 0100	2.90	109	116	-0.37 35 96	0.47 42 113	0.29 105	-0.29 5 94	1.60 5 111	1.07 30 109	-1.97 16 102	-2.21 17 108	100	4							
1298 21 0334 95442562	430 18 0050 1298 17 0321	3.83	117	115	1.23 49 113	0.75 47 120	1.36 124	2.16 26 110	0.30 12 105	2.16 40 115	-5.55 51 107	1.34 40 98	100	2							
1584 22 0001 93377133	970 20 0005 1584 17 0071	2.52	91	94	-1.36 65 84	-0.68 55 84	-1.36 77	-0.63 14 92	0.90 24 108	-1.50 52 94	8.52 47 89	-1.91 33 107	100	2							
1865 22 0011 94196722	970 19 0067 1520 17 0349	2.92	97	102	-1.08 56 88	-0.27 43 94	-0.81 86	-0.96 10 89	1.10 16 109	-0.69 42 99	1.96 42 97	-0.66 25 104	105	3							

Ewes

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices		EBV - Weights				EBV - Fertility								
Animal Comp no.				% In- breeding	Logix Merit Index	Repro- duction Index	Wean Weight		Comb	Post-Wean		Number Weaned	TWW		AFL		ILP		Times EPI Landed
							Dir	Mat		Acc	Index		Acc	Index	Acc	Index	Acc	Index	
							EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV
Active Breed Average:					100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15					
1865 22 0026 94196813	970 19 0067 1774 19 0019	2.02		101	103	-0.55 55 94	-0.09 44 98	-0.37 94	-0.21 11 94	1.20 17 109	0.08 42 103	-0.09 42 100	1.63 27 97	110	3				
1865 22 0027 94196821	970 19 0067 1865 19 0013	2.90		88	93	-1.44 52 84	-0.48 39 89	-1.20 80	-1.31 10 87	-0.50 16 101	-2.22 39 90	-0.10 42 100	2.56 25 95	100	3				
970 22 0038 95111332	970 21 0037 970 19 0027	10.63		95	103	-1.03 49 88	0.34 37 109	-0.17 97	-1.10 15 88	-0.20 14 102	-0.80 36 98	8.34 41 89	-0.23 29 103	100	3				
1882 22 0055 94776549	1509 18 0007 1882 16 1014	2.61		103	110	-0.70 38 92	0.03 34 102	-0.32 95	-0.58 23 92	0.70 8 107	-0.26 30 101	-3.62 42 104	-3.74 25 112		2				
1730 22 0114 96975180	1740 20 0149 1610 18 0178	2.55		109	112	0.18 34 102	0.46 29 112	0.55 110	0.31 14 98	0.50 13 106	0.93 27 108	-8.94 38 111	2.36 22 95		1				
970 22 0136 95119996	430 21 0129 970 21 0062	2.22		108	112	-0.13 50 98	0.29 44 108	0.23 104	0.50 23 99	0.30 9 105	0.35 38 105	-7.84 46 110	-1.05 29 105	100	3				
1730 22 0308 95910493	430 21 0043 1619 21 0048	2.79		116	112	0.84 55 109	0.38 39 110	0.80 114	2.48 48 112	1.70 7 111	2.24 38 116	-2.87 30 103	1.97 22 96	100	3				
1730 22 0311 95910535	430 21 0043 1619 19 0649	2.90		116	106	1.40 55 115	-0.17 34 97	0.53 110	3.05 50 116	1.70 7 111	2.25 36 116	0.15 31 100	-1.29 23 105		2				
1584 23 0035 96833546	970 20 0005 1584 20 0178	2.69		84	92	-2.03 63 77	-0.78 50 81	-1.80 69	-1.33 15 87	0.10 21 104	-2.75 48 87	11.59 54 85	-4.73 30 115		1				
1584 23 0036 96833348	970 20 0005 1584 20 0178	2.69		84	94	-2.40 63 73	-0.71 50 83	-1.91 68	-1.82 15 84	0.10 21 104	-3.04 48 85	3.27 54 96	-1.74 33 107		2				
1584 23 0037 96833504	970 20 0005 1584 20 0178	2.69		86	91	-1.56 63 82	-0.87 50 79	-1.65 72	-0.70 15 91	0.10 21 104	-2.37 48 89	14.92 54 81	-6.08 33 119		2				
1730 23 0301 96975115	430 21 0043 1619 21 0073	2.79		111	111	0.33 38 103	0.21 22 106	0.38 107	1.26 28 104	1.70 7 111	1.57 25 112	-0.79 30 101	-0.25 19 103		1				
1730 23 0302 96975149	430 21 0043 1619 21 0098	2.79		113	110	0.58 53 106	0.25 28 107	0.54 110	1.56 28 106	1.70 7 111	1.85 33 113	-0.60 30 101	0.75 19 100		1				
1730 23 0303 96989553	430 21 0043 1730 20 0064	2.87		113	110	0.70 52 108	0.27 29 108	0.62 111	1.69 28 107	1.70 7 111	1.98 33 114	-0.60 30 101	1.12 24 99		2				
1730 23 0318 97144182	430 21 0043 1619 19 0649	2.90		111	110	0.31 44 103	0.12 33 104	0.28 105	1.09 32 103	1.70 7 111	1.45 31 111	-0.45 31 100	-0.68 20 104		1				

Ewes

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices		EBV - Weights						EBV - Fertility									
Animal Comp no.				% In- breeding	Logix Merit Index	Repro- duction Index	Wean Weight		Post-Wean		Number Weaned		TWW		AFL		ILP		Times EPI Lambed			
							Dir	Mat	Comb													
							EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	Phenotype
Active Breed Average:					100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15								
1730 23 0323 97168660	430 21 0043 1619 21 0016	2.79	102	106	-1.00 53 89	-0.23 32 95	-0.73 88	0.20 32 97	1.70 7 111	-0.22 34 101	-2.87 31 103	-0.43 24 103	2									
1730 23 0324 97305197	430 21 0043 1619 21 0048	2.79	114	114	0.47 41 105	0.49 29 113	0.73 113	1.60 30 106	1.70 7 111	1.98 29 114	-1.48 30 102	0.49 19 101	1									
1730 23 0327 97569446	970 22 0142 970 22 0136	19.62	106	108	0.05 52 100	0.13 32 104	0.15 103	0.80 22 101	0.30 7 105	0.36 34 105	-5.29 47 107	-0.10 21 102	1									
1730 23 0328 97569453	970 22 0142 970 22 0136	19.62	105	109	-0.26 52 97	0.19 32 106	0.06 101	0.38 22 98	0.30 7 105	0.11 34 103	-7.04 47 109	0.02 21 102	1									
1730 23 0332 97555643	970 21 0037 1584 19 0023	3.06	103	104	-0.14 61 98	0.22 41 106	0.15 103	0.05 11 96	0.40 15 105	0.33 43 104	-0.28 49 100	3.11 23 93	1									
1730 23 0334 97834550	970 20 0005 1865 22 0011	4.35	90	102	-2.33 54 74	-0.40 45 91	-1.57 73	-1.92 14 83	1.30 21 110	-1.95 43 91	0.91 45 99	-1.11 29 105	0									
1730 23 0342 98298755	1740 21 0184 1740 22 0029	14.94	115	111	1.23 39 114	0.28 31 108	0.90 116	2.53 22 112	0.50 13 106	1.81 30 113	0.12 40 100	-3.01 30 110	0									
1730 23 0348 98539018	430 21 0043 1730 22 0113	4.41	114	112	0.77 43 108	0.42 29 111	0.81 114	1.67 28 107	1.20 10 109	1.91 30 114	-5.05 34 106	1.58 22 98	1									
1730 24 0301 98547060	430 21 0043 1619 21 0073	2.79	111	111	0.33 38 103	0.21 22 106	0.38 107	1.26 28 104	1.70 7 111	1.57 25 112	-0.79 30 101	-0.25 19 103	0									
1730 24 0303 106688153	430 21 0043 1740 21 0039	6.36	115	112	0.85 48 109	0.28 30 108	0.71 113	1.97 30 109	1.50 9 111	2.03 32 114	-3.78 50 105	0.54 25 100	1									
1730 24 0304 106688161	430 21 0043 1740 21 0039	6.36	115	112	0.85 48 109	0.28 30 108	0.71 113	1.97 30 109	1.50 9 111	2.03 32 114	-5.69 41 107	1.17 25 99	0									
1730 24 0305 106688179	430 21 0043 1298 19 0177	2.70	105	103	0.36 43 104	0.07 30 103	0.25 105	1.61 28 106	0.30 8 105	0.61 30 106	2.45 39 97	1.04 23 99	0									
1730 24 0306 106688187	430 21 0043 1298 19 0177	2.70	105	102	0.36 43 104	0.07 30 103	0.25 105	1.61 28 106	0.30 8 105	0.61 30 106	3.06 49 96	0.84 23 100	1									
1730 24 0308 106688203	430 21 0043 1740 20 0025	2.54	115	115	0.57 42 106	0.47 28 113	0.76 113	1.66 28 107	1.70 9 111	2.07 29 115	-0.46 49 100	-0.89 23 104	1									
1730 24 0310 106688229	430 21 0043 1146 21 0029	2.59	107	101	0.94 46 110	-0.06 34 99	0.41 107	1.79 34 107	-0.40 13 102	0.64 34 106	-4.17 46 105	2.11 22 96	1									

Ewes

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices		EBV - Weights				EBV - Fertility										
Animal Comp no.				% In- breeding	Logix Merit Index	Repro- duction Index	Dir		Wean Weight		Comb	Post-Wean		Number Weaned	TWW		AFL		ILP	Times EPI Lambed	
							EBV Acc	EBV Index	EBV Acc	EBV Index		EBV Acc	EBV Index		EBV Acc	EBV Index	EBV Acc	EBV Index		Phenotype	
Active Breed Average:					100	100	-0.06		-0.02		-0.06	0.50		-0.36	-0.31	-0.30	0.15				
1730 24 0312 106688245	430 1730	21 22	0043 0114	4.41	115	113	0.76 42		0.40 27		0.78 114	1.66 28	107	1.20 10	1.88 29	-6.41 46	1.84 22		1		
1730 24 0314 106688260	430 1619	21 21	0043 0010	2.90	114	113	0.45 44		0.45 33		0.67 112	1.54 31	106	1.70 7	1.92 31	-2.48 44	1.18 21		1		
1730 24 0318 106688302	430 1584	21 19	0043 0023	2.43	112	104	1.11 48		-0.14 34		0.42 108	2.40 28	111	1.40 12	1.81 34	-0.09 40	0.40 24		0		
1730 24 0319 106688310	430 1865	21 22	0043 0026	2.47	110	108	0.39 47		0.13 31		0.32 106	1.41 28	105	1.50 11	1.42 33	-0.64 36	1.04 23		0		
1730 24 0320 106688328	430 1865	21 22	0043 0026	2.47	110	108	0.39 47		0.13 31		0.32 106	1.41 28	105	1.50 11	1.42 33	-0.64 36	1.04 23		0		
1730 24 0327 106688393	430 1584	21 22	0043 0001	2.37	105	103	-0.01 50		-0.16 36		-0.17 97	1.20 28	104	1.40 14	0.67 36	3.66 38	-0.73 25		0		
1730 24 0334 106688468	430 1730	22 23	0047 0303	9.85	116	113	1.05 36		0.31 22		0.83 115	2.38 20	111	1.40 7	2.20 24	0.33 28	-2.16 21		0		
1730 24 0337 106688492	430 1730	22 22	0047 0305	9.87	118	111	1.41 37		0.26 24		0.97 117	3.23 28	117	1.40 7	2.51 25	1.30 31	-1.96 21		0		
1730 24 0340 106688526	430 1730	22 23	0047 0304	8.83	114	114	0.84 32		0.39 23		0.81 114	1.91 17	108	0.60 8	1.59 23	-4.01 31	-2.66 21		0		
1730 24 0341 106688534	430 1882	21 22	0043 0060	4.06	110	105	0.93 41		0.18 27		0.65 112	2.08 29	109	0.30 9	1.29 28	-2.15 35	1.74 22		0		
1730 24 0344 106688567	430 1865	21 22	0043 0011	2.75	108	107	0.13 47		0.04 31		0.10 102	1.03 28	102	1.50 11	1.07 33	0.38 36	-0.10 23		0		
1730 24 0353 106688641	430 1730	22 22	0047 0308	9.81	117	113	1.13 37		0.36 26		0.93 116	2.77 28	114	1.40 7	2.33 26	-0.80 28	-1.74 20		0		
1730 24 0356 106688666	430 1730	22 22	0047 0311	9.87	117	111	1.40 37		0.09 24		0.79 114	3.06 29	116	1.40 7	2.33 25	0.71 28	-3.37 20		0		
1730 24 0357 106688674	430 1298	21 21	0043 0334	9.13	118	113	1.28 45		0.55 32		1.19 121	2.59 31	113	1.00 9	2.43 32	-3.37 39	0.90 28		0		
1730 24 0360 106688708	430 1865	21 22	0043 0027	2.74	104	103	-0.05 46		-0.07 30		-0.09 99	0.85 28	101	0.70 11	0.30 32	-0.65 36	1.50 22		0		

Ewes

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices		EBV - Weights				EBV - Fertility							
Animal Comp no.				% In- breeding	Logix Merit Index	Repro- duction Index	Wean Weight		Post-Wean		Number Weaned	TWW		AFL		ILP		Times EPI Lambed
							Dir	Mat	Comb									
							EBV Acc	EBV Index	EBV Acc	EBV Index		EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	
Active Breed Average:					100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15				
1730 24 0361 106688716	430 22 0047 1730 23 0302	9.81	116	113	0.99 0.30 0.80 2.31 36 111 22 108 114 20 111	1.40 2.13 0.34 -2.35 7 110 24 115 28 99 19 108	0											
1730 24 0363 106688732	430 22 0047 1584 23 0036	2.66	102	105	-0.50 -0.18 -0.43 0.63 40 94 30 96 93 16 100	0.60 -0.32 2.27 -3.59 12 106 30 101 36 97 24 112	0											
1730 24 0364 106688740	430 21 0043 1619 21 0073	2.79	111	111	0.33 0.21 0.38 1.26 38 103 22 106 107 28 104	1.70 1.57 -0.79 -0.25 7 111 25 112 30 101 19 103	0											
1730 24 0370 106688807	430 22 0047 1584 23 0035	2.66	102	104	-0.31 -0.22 -0.37 0.87 40 96 30 95 94 16 101	0.60 -0.17 6.43 -5.09 12 106 30 102 36 92 23 116	0											
1730 24 0421 106688831	430 22 0047 1610 18 0178	2.50	112	112	0.41 0.35 0.56 1.37 34 104 28 110 110 17 105	1.00 1.37 -2.84 -0.92 12 108 27 110 31 103 22 104	0											
1730 24 0423 106688856	430 22 0047 1619 21 0098	2.79	112	113	0.42 0.29 0.50 1.33 27 105 21 108 109 14 104	1.40 1.55 0.45 -2.77 6 110 20 112 23 99 17 110	0											
1730 25 0300 111519500	430 22 0047 1619 20 0745	3.32	109	110	0.47 0.19 0.43 1.36 32 105 29 106 108 17 105	0.50 0.96 0.36 -3.44 7 106 25 108 31 99 20 111	0											
1730 25 0301 111519518	430 22 0047 1619 20 0745	3.32	109	110	0.47 0.19 0.43 1.36 32 105 29 106 108 17 105	0.50 0.96 0.36 -3.44 7 106 25 108 31 99 20 111	0											
1730 25 0304 111519542	430 22 0047 1584 19 0023	2.56	112	106	1.15 -0.14 0.43 2.42 38 113 31 97 108 14 112	1.00 1.61 1.14 -2.54 11 108 29 112 35 98 22 109	0											
1730 25 0309 111519583	430 22 0047 1730 23 0332	2.64	111	110	0.64 0.28 0.60 1.56 39 107 27 108 111 15 106	0.80 1.40 0.49 -1.16 9 107 27 111 34 99 20 105	0											
1730 25 0312 111519609	430 22 0047 1730 22 0302	9.81	115	113	0.90 0.32 0.77 2.19 31 110 22 109 114 20 110	1.40 2.06 0.16 -2.49 7 110 22 114 28 100 21 109	0											
1730 25 0313 111519617	430 22 0047 1882 22 0060	4.53	110	107	0.96 0.18 0.66 2.11 29 111 23 105 112 17 110	0.00 1.15 -0.92 -1.21 8 103 22 109 30 101 21 105	0											
1730 25 0321 111554945	430 22 0047 1882 22 0055	2.69	111	113	0.35 0.19 0.36 1.25 31 104 24 106 107 18 104	0.90 1.08 -1.18 -4.59 7 108 23 109 31 101 21 115	0											
1730 25 0323 111519666	430 22 0047 970 22 0038	2.75	107	109	0.19 0.35 0.44 0.99 35 102 25 109 108 16 102	0.50 0.84 4.80 -2.84 9 106 25 107 31 94 22 110	0											
1730 25 0328 111519716	430 22 0047 1740 22 0029	8.53	119	115	1.27 0.34 0.98 2.88 34 114 27 109 117 21 115	1.40 2.46 0.26 -3.79 10 110 26 117 34 99 27 112	0											

Ewes

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices		EBV - Weights				EBV - Fertility								
Animal Comp no.				% In- breeding	Logix Merit Index	Repro- duction Index	Wean Weight		Post-Wean		Number Weaned		TWW		AFL		ILP		Times EPI Lamberd
							Dir	Mat	Comb										
							EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index
Active Breed Average:					100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15					
1730 25 0329 111519724	430 22 0047 1740 22 0029	8.53	119	115	1.27 0.34 0.98 2.88 34 114 27 109 117 21 115	1.40 2.46 0.26 -3.79 10 110 26 117 34 99 27 112	0												
1730 25 0330 111519732	430 22 0047 1740 20 0025	2.19	115	116	0.61 0.47 0.78 1.68 30 107 25 113 114 16 107	1.30 1.86 -0.85 -3.30 8 110 23 113 34 101 22 111	0												
1730 25 0331 111519740	430 22 0047 1740 20 0025	2.19	115	116	0.61 0.47 0.78 1.68 30 107 25 113 114 16 107	1.30 1.86 -0.85 -3.30 8 110 23 113 34 101 22 111	0												
1730 25 0334 111519765	430 22 0047 1730 23 0327	7.72	113	112	0.73 0.24 0.60 1.94 36 108 23 107 111 18 108	0.70 1.39 -2.01 -2.77 7 107 24 111 33 102 20 110	0												
1730 25 0342 111519831	430 22 0047 1730 20 0064	2.87	112	113	0.45 0.32 0.55 1.35 27 105 23 109 110 14 105	1.40 1.61 0.50 -2.74 6 110 21 112 23 99 17 109	0												
1730 25 0344 111519856	1730 24 0307 1865 22 0026	3.15	108	109	0.01 0.19 0.20 0.73 35 100 26 106 104 15 100	1.40 1.04 -1.08 0.64 10 110 26 109 29 101 18 100	0												
1730 25 0351 111519914	1730 24 0307 1865 22 0027	2.61	102	104	-0.43 0.00 -0.22 0.17 33 95 24 101 97 15 97	0.60 -0.08 -1.09 1.10 9 106 24 102 29 101 17 99	0												
1730 25 0353 111519930	1730 24 0307 1619 21 0090	2.85	112	116	0.10 0.47 0.52 0.69 27 101 25 113 109 14 100	1.70 1.60 -2.02 -1.29 5 111 21 112 21 102 14 105	0												
1730 25 0354 111519948	1730 24 0307 1619 21 0090	2.85	112	116	0.10 0.47 0.52 0.69 27 101 25 113 109 14 100	1.70 1.60 -2.02 -1.29 5 111 21 112 21 102 14 105	0												
1730 25 0357 111519971	1730 24 0307 1730 22 0308	14.80	115	113	0.71 0.43 0.78 2.07 34 108 24 112 114 28 109	1.70 2.15 -2.47 0.81 6 111 24 115 24 103 16 100	0												
1730 25 0358 111519989	1730 24 0307 1584 23 0037	2.23	101	103	-0.49 -0.20 -0.45 0.48 38 94 29 96 93 16 99	0.90 -0.15 6.42 -3.22 12 108 29 102 33 92 20 111	0												
1730 25 0360 111519997	1730 23 0320 970 22 0136	3.97	111	113	0.17 0.37 0.45 1.03 37 102 28 110 108 19 102	1.00 1.14 -4.19 -0.25 6 108 26 109 28 105 18 103	0												
1730 25 0362 111520011	1730 24 0335 1730 24 0310	12.42	112	106	1.17 0.10 0.69 2.51 29 113 21 103 112 22 112	0.50 1.57 -1.44 0.08 7 106 21 112 28 102 15 102	0												
1730 25 0364 111520029	1730 24 0335 1730 24 0312	12.99	116	112	1.08 0.33 0.87 2.45 28 112 18 109 115 20 112	1.30 2.19 -2.55 -0.06 6 110 19 115 28 103 15 102	0												
1730 25 0365 111520037	1730 24 0335 1730 24 0314	18.47	116	112	0.93 0.35 0.82 2.38 29 110 21 110 114 21 111	1.60 2.24 -0.59 -0.39 5 111 20 116 27 101 15 103	0												

Ewes

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices		EBV - Weights				EBV - Fertility									
Animal Comp no.				% In- breeding	Logix Merit Index	Repro- duction Index	Dir		Wean Weight		Post-Wean	Number Weaned	TWW		AFL		ILP		Times EPI Lambded	
							EBV	Mat	Comb	EBV			EBV	EBV	EBV	EBV	EBV	EBV		EBV
							Acc	Index	Acc	Index	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc
Active Breed Average:					100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15						
1730 25 0366 111520045	1730 24 0335 1730 24 0314		18.47	116	112	0.93 29	110	0.35 21	110	0.82 114	2.38 21	111	1.60 5	2.24 20	116	-0.59 27	101	-0.39 15	103	0
1730 25 0367 111520052	1730 24 0335 1730 24 0306		12.46	111	107	0.88 28	110	0.17 20	105	0.61 111	2.42 20	112	0.80 5	1.53 20	111	2.18 29	97	-0.56 16	103	0
1730 25 0368 111520060	1730 24 0335 1730 24 0306		12.46	111	107	0.88 28	110	0.17 20	105	0.61 111	2.42 20	112	0.80 5	1.53 20	111	2.18 29	97	-0.56 16	103	0
1730 25 0369 111520078	1730 24 0335 1730 24 0303		13.74	117	112	1.13 30	112	0.27 19	108	0.84 115	2.60 20	113	1.50 6	2.30 20	116	-1.24 29	101	-0.71 16	104	0
1730 25 0370 111520086	1730 24 0335 1730 24 0303		13.74	117	112	1.13 30	112	0.27 19	108	0.84 115	2.60 20	113	1.50 6	2.30 20	116	-1.24 29	101	-0.71 16	104	0
1730 25 0371 111520094	1730 24 0335 1730 24 0308		12.18	116	113	0.99 28	111	0.37 19	110	0.86 115	2.44 20	112	1.50 6	2.26 19	116	0.42 29	99	-1.42 16	106	0
1730 25 0372 111520102	1730 24 0335 1584 19 0023		2.61	112	104	1.15 34	113	-0.18 29	96	0.39 107	2.50 14	112	1.20 10	1.68 27	112	1.16 30	98	-0.80 18	104	0
1730 25 0373 111520110	1730 24 0335 1584 19 0023		2.61	112	104	1.15 34	113	-0.18 29	96	0.39 107	2.50 14	112	1.20 10	1.68 27	112	1.16 30	98	-0.80 18	104	0
	Ewe flock average: Total ewes in flock: 98				108	108	0.29	0.13	0.28	1.23	0.93	0.98	-0.34	-0.74						

Sires Used in Flock

*Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents & Progeny						Selection Indices		EBV - Weights				EBV - Fertility					
Animal ID Computer nr	% In-breeding	Sire ID Dam ID	1st Generation		2nd Generation		Logix Merit Index	Reprod Index	Weaning Weight		Post-Wean		Number Weaned	TWW	AFL	ILP	Dam		
			Progeny	Number	Progeny	Number			Dir	Mat	Comb								
			y	Herds	Weaned	Herds			EBV Acc Index	EBV Acc Index	EBV Index	EBV Acc Index						EBV Acc Index	EBV Acc Index
		Active Breed Average:						100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15		
1	1217 14 0206 74109158	2.04	776 CG 0061 1217 12 0135	29	1	5	3	101	106	-0.73 84 92	0.33 70 109	-0.04 100	-0.33 37 93	0.10 44 104	-0.34 69 101	-11.53 80 114	6.95 56 83	109	4
2	1740 17 0105 83738518	2.92	1217 14 0206 - - -			6	1	104	111	-0.94 52 89	0.31 51 109	-0.16 98	-0.09 29 95	0.80 22 107	-0.15 45 102	-9.17 60 111	2.36 36 95		
3	970 17 0122 79888897	2.02	HOK 16 0077 970 10 0102	52	1	23	1	121	103	2.18 87 124	-0.49 73 88	0.60 111	3.57 11 119	2.60 34 116	3.25 69 121	-10.71 72 113	5.16 46 88		7
4	762 17 0379 80904956	5.13	762 16 0414 762 14 0517			8	1	92	90	0.79 69 109	0.35 65 110	0.74 113	1.12 38 103	-4.70 39 81	-1.69 61 93	8.73 63 89	1.32 45 98	97	2
5	1509 18 0007 82815176	1.81	762 15 0121 770 13 0104	15	1	15	2	101	109	-0.73 76 92	-0.02 68 100	-0.39 94	-0.66 46 91	-0.30 15 102	-0.94 59 97	-12.97 68 116	-1.00 38 105		1
6	430 18 0050 82910027	1.97	16 4 60 DL 430 16 0072	13	2	17	3	125	129	1.37 86 115	1.05 76 127	1.74 130	2.56 50 112	0.50 21 106	2.72 67 118	-6.60 88 108	-7.28 68 122		4
7	1298 18 0082 89809206	1.56	15-0 29 9 1298 15 0013			3	1	87	84	-1.09 43 88	-0.95 42 77	-1.49 75	0.34 17 98	-0.20 13 102	-2.15 36 90	8.86 64 89	1.96 39 97		5
8	430 18 0109 83080705	2.06	16 4 60 DL 430 16 0069	85	1	4	3	125	112	2.36 91 126	0.38 64 110	1.56 127	3.02 40 115	1.10 18 109	3.40 64 122	-23.46 84 130	9.30 60 76		7
9	970 18 0127 82201195	5.78	970 17 0084 970 15 0096					110	119	-0.58 31 93	0.95 25 125	0.67 112	-0.54 11 92	1.00 9 108	0.98 24 108	-14.76 55 119	6.52 30 84	98	5
10	1298 18 0281 91801134	7.09	762 16 0251 1298 15 0301			1	1	93	95	-0.49 37 94	-0.17 38 97	-0.41 93	-0.04 16 95	-1.70 18 95	-1.68 33 93	-1.30 54 101	2.13 31 96		2
11	430 19 0008 84225911	1.97	16 4 60 DL 430 16 0072	3	1	2	1	131	123	2.64 73 129	0.74 59 119	2.06 136	5.13 52 129	1.70 19 111	4.40 55 128	5.94 86 92	-8.49 61 125		4
12	970 19 0067 85930584	4.47	HOK 15 0035 970 17 0080	15	1	4	1	90	90	-0.89 69 90	-0.59 48 86	-1.03 83	-0.69 20 91	-0.40 19 102	-1.71 49 93	3.15 55 96	2.93 38 94		5
13	1502 19 0093 84126523	2.80	762 17 0632 1649 18 6116	2	1	1	1	85	88	-0.86 45 90	-0.46 36 89	-0.89 85	-1.25 37 87	-2.10 19 94	-2.58 36 88	6.40 28 92	0.54 23 100		3

Sires Used in Flock

*Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents & Progeny						Selection Indices		EBV - Weights				EBV - Fertility					
Animal ID Computer nr	% In-breeding	Sire ID Dam ID	1st Generation		2nd Generation		Logix Merit Index	Reprod Index	Weaning Weight		Post-Wean		Number Weaned	TWW	AFL	ILP	Dam		
			Progeny Number y	Herds	Progeny Number Weaned	Herds			Dir EBV Acc Index	Mat EBV Acc Index	Comb EBV Index	EBV Acc Index							
		Active Breed Average:						100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15		
14	1590 19 0150 86288412	4.53	1590 18 0061 1590 16 0049	9	1	7	1	90	79	0.73 65	-1.06 55	-0.70 88	1.93 24	-2.70 22	-1.96 51	11.44 61	-2.79 36		5
15	1298 19 0333 89814313	3.05	1298 17 0237 1298 14 0005	3	1	3	2	100	92	0.88 51	0.03 43	0.47 109	1.31 23	-1.20 11	0.20 39	-1.25 40	9.48 31		6
16	1619 19 0680 91111203	2.90				1	1									-1.98 31	-2.55 12		
17	1619 19 0703 91111211	2.90				1	1									-0.27 11	0.40 10		
18	970 20 0005 86611068	2.84	970 18 0010 970 14 0077	101	3	43	1	86	101	-3.58 92	-0.53 80	-2.32 64	-2.88 27	1.50 38	-3.21 75	-0.14 79	-1.56 53		5
19	1740 20 0149 89803704	2.61	430 18 0109 1740 19 0009			1	1	114	114	0.93 50	0.56 38	1.02 118	0.95 22	0.10 12	1.55 37	-9.59 56	0.67 35		1
20	970 21 0037 91433565	6.07	970 19 0098 970 18 0070	81	2	13	2	98	112	-1.22 89	1.08 62	0.47 108	-1.75 21	-0.10 23	-0.20 63	8.49 63	1.87 35		3
21	430 21 0043 92207554	2.13	430 19 0008 430 13 0116	26	1	1	1	119	112	1.34 76	0.35 45	1.02 118	3.02 55	1.80 14	2.77 50	-1.20 59	0.45 37		4
22	430 21 0129 93088292	26.81	430 19 0152 430 15 0025	30	2	7	3	121	127	0.48 81	0.95 56	1.19 121	1.47 40	0.30 15	1.61 56	-29.11 68	2.41 41		5
23	1740 21 0184 91974907	2.11	16 4 60 DL 1740 18 0047					111	108	1.32 61	0.23 48	0.89 116	2.36 31	-0.60 21	1.19 47	0.99 62	-3.88 44		105 5
24	430 21 0209 95713319	2.04	16 4 60 DL 430 13 0048	2	1	2	1	122	115	1.87 55	0.05 43	0.99 117	3.46 30	1.20 16	2.64 41	-4.92 74	-5.84 50		5
25	430 22 0047 95729190	9.17	430 19 0008 430 15 0144	3	1			119	115	1.41 49	0.35 35	1.05 118	3.07 28	1.10 12	2.41 35	1.26 46	-5.44 34		5
26	970 22 0142 95120036	2.43	430 21 0129 970 19 0126	4	2	2	1	105	105	0.01 57	0.00 40	0.01 101	0.82 38	0.20 10	0.14 40	-9.52 64	2.97 30		3

Sires Used in Flock

*Inbreeding in red is high

EBV - Estimated Breeding Value

Indices ≥ 124
Above breed average
Indices ≤ 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents & Progeny				Selection Indices		EBV - Weights				EBV - Fertility					
Animal ID Computer nr	% In-breeding	Sire ID Dam ID	1st Generation		2nd Generation		Logix Merit Index	Reprod Index	Weaning Weight		Post-Wean	Number Weaned	TWW	AFL	ILP	Dam	
			Progeny	Number	Progeny	Number			Dir	Mat						Comb	EPI Times
			Herds	Weaned	Herds			EBV Acc Index	EBV Acc Index	EBV Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	Lamb	Lamb
		Active Breed Average:				100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15		
27	1730 23 0320 97166342	2.90	430 21 0043 1619 21 0010			113	113	0.46 56 105	0.44 35 112	0.68 112	1.55 31 106	1.70 7 111	1.93 37 114	-0.53 32 100	0.54 21 100	105	4
28	1730 24 0307 106688195	2.54	430 21 0043 1740 20 0025			115	115	0.57 42 106	0.47 28 113	0.76 113	1.66 28 107	1.70 9 111	2.07 29 115	-2.08 39 102	-0.36 23 103	100	5
29	1730 24 0335 106688476	9.87	430 22 0047 1730 22 0305			118	111	1.41 37 115	0.26 24 107	0.97 117	3.23 28 117	1.40 7 110	2.51 25 117	1.30 31 98	-1.96 21 107		2
		Sire Flock Average: Number of sires used in the flock: 29				107	106	0.36	0.17	0.35	1.20	0.18	0.64	-3.26	0.58		

Ram Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents & Progeny				Selection Indices		EBV - Weights				EBV - Fertility					
Animal ID Computer nr	% In-breeding	Sire ID Dam ID	1st Generation		2nd Generation	Logix Merit Index	Repro- duction Index	Weaning Weight		Post-Wean	Number Weaned	TWW	AFL	ILP	Dam		
			Progeny Number Weaned	Herds	Progeny Number Weaned			Herds	Dir							Mat	Comb
			EBV Acc Index	EBV Acc Index	EBV Acc Index			EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EPI	Times Lamb				
		Active Breed Average:				100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15		
1	430 22 0047 95729190	9.17	430 19 0008 430 15 0144	3	1	119	115	1.41 49	0.35 116	1.05 118	3.07 28	1.10 12	2.41 35	1.26 98	-5.44 34	5	
2	1730 25 0327 111519708	8.53	430 22 0047 740 22 0029			119	115	1.27 34	0.34 114	0.98 117	2.88 21	1.40 10	2.46 26	0.26 99	-3.79 27	3	
3	1730 24 0324 106688369	8.53	430 21 0043 740 22 0029			118	113	1.24 45	0.34 114	0.96 117	2.85 32	1.70 11	2.60 31	-0.97 101	-0.84 28	3	
4	1730 24 0323 106688351	8.53	430 21 0043 740 22 0029			118	113	1.24 45	0.34 114	0.96 117	2.85 32	1.70 11	2.60 31	-0.97 101	-0.84 28	3	
5	1730 24 0335 106688476	9.87	430 22 0047 730 22 0305			118	111	1.41 37	0.26 115	0.97 117	3.23 28	1.40 7	2.51 25	1.30 98	-1.96 21	2	
6	1730 24 0336 106688484	9.87	430 22 0047 730 22 0305			118	111	1.41 37	0.26 115	0.97 117	3.23 28	1.40 7	2.51 25	1.30 98	-1.96 21	2	
7	1730 23 0346 98538994	9.81	430 22 0047 730 22 0308			118	113	1.16 49	0.36 113	0.93 116	2.82 28	1.40 7	2.35 31	-0.80 101	-1.74 20	100 3	
8	1740 23 0170 97171714	2.16	430 21 0209 740 20 0025			117	116	0.84 32	0.33 109	0.75 113	1.88 17	1.40 10	2.01 25	-3.94 105	-3.50 29	100 5	
9	1740 23 0169 97173314	2.16	430 21 0209 740 20 0025			117	116	0.84 32	0.33 109	0.75 113	1.88 17	1.40 10	2.01 25	-3.94 105	-3.50 29	100 5	
10	1730 25 0339 111519807	9.81	430 22 0047 730 23 0324			117	115	0.94 32	0.42 110	0.89 116	2.34 20	1.40 7	2.20 23	-0.11 100	-2.48 19	1	
11	1730 25 0340 111519815	9.81	430 22 0047 730 23 0324			117	115	0.94 32	0.42 110	0.89 116	2.34 20	1.40 7	2.20 23	-0.11 100	-2.48 19	1	
12	1730 25 0317 111519641	9.85	430 22 0047 730 23 0303			116	113	1.05 36	0.31 112	0.83 115	2.38 20	1.40 7	2.20 24	0.33 99	-2.16 21	2	
13	1730 25 0335 111519773	6.51	430 22 0047 740 21 0039			116	114	0.88 38	0.28 110	0.73 113	2.00 18	1.20 8	1.89 27	-4.46 105	-1.78 23	96 4	
14	1730 25 0356 111519963	14.80	730 24 0307 730 22 0308			115	113	0.71 34	0.43 108	0.78 114	2.07 28	1.70 6	2.15 24	-2.47 103	0.81 16	100 3	
15	1730 25 0311 111519591	9.81	430 22 0047 730 22 0302			115	113	0.90 31	0.32 110	0.77 114	2.19 20	1.40 7	2.06 22	0.16 100	-2.49 21	2	

Ram Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents & Progeny			Selection Indices		EBV - Weights				EBV - Fertility				
Animal ID Computer nr	% In-breeding	Sire ID Dam ID	1st Generation Progeny Number Weaned Herds	2nd Generation Progeny Number Weaned Herds	Logix Merit Index	Repro- duction Index	Dir EBV Acc Index	Weaning Weight Mat EBV Acc Index	Comb EBV Index	Post-Wean EBV Acc Index	Number Weaned EBV Acc Index	TWW EBV Acc Index	AFL EBV Acc Index	ILP EBV Acc Index	Dam EPI Times Lamb
Active Breed Average:					100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15	
16 1730 24 0366 106688765	9.81	430 22 0047 730 23 0301			115	113	0.87 31 109	0.28 21 108	0.72 113	2.17 20 110	1.40 7 110	1.99 22 114	0.24 28 100	-2.84 19 110	1
17 1730 24 0307 106688195	2.54	430 21 0043 740 20 0025			115	115	0.57 42 106	0.47 28 113	0.76 113	1.66 28 107	1.70 9 111	2.07 29 115	-2.08 39 102	-0.36 23 103	100 5
18 1730 23 0347 98539000	4.41	430 21 0043 730 22 0113			115	112	0.86 52 109	0.40 31 111	0.83 115	1.80 28 107	1.20 10 109	1.99 34 114	-5.05 34 106	1.58 22 98	96 3
19 1730 25 0345 111519864	15.89	730 24 0307 730 23 0348			115	114	0.67 30 107	0.45 20 112	0.78 114	1.67 20 107	1.40 7 110	1.96 21 114	-3.56 26 104	0.61 16 100	1
20 1730 24 0311 106688237	4.41	430 21 0043 730 22 0114			114	112	0.76 42 108	0.40 27 111	0.78 114	1.66 28 107	1.20 10 109	1.88 29 113	-5.07 35 106	1.40 22 98	1
21 1730 23 0311 97139364	2.85	430 21 0043 619 21 0090			114	114	0.44 53 105	0.42 32 111	0.64 111	1.30 28 104	1.70 7 111	1.88 34 113	-1.58 31 102	-0.88 21 104	100 4
22 1730 25 0305 111519559	2.90	430 22 0047 619 21 0010			114	115	0.49 33 105	0.45 30 112	0.69 112	1.56 20 106	1.40 6 110	1.77 26 113	0.70 26 99	-2.40 20 109	105 4
23 1730 25 0306 111519567	2.90	430 22 0047 619 21 0010			114	115	0.49 33 105	0.45 30 112	0.69 112	1.56 20 106	1.40 6 110	1.77 26 113	0.70 26 99	-2.40 20 109	105 4
24 1730 24 0313 106688252	2.90	430 21 0043 619 21 0010			113	113	0.45 44 105	0.45 33 112	0.67 112	1.54 31 106	1.70 7 111	1.92 31 114	-0.54 32 100	0.54 21 100	105 4
25 1730 23 0320 97166342	2.90	430 21 0043 619 21 0010			113	113	0.46 56 105	0.44 35 112	0.68 112	1.55 31 106	1.70 7 111	1.93 37 114	-0.53 32 100	0.54 21 100	105 4
26 1730 24 0331 106688435	5.04	430 21 0043 970 22 0136			113	112	0.61 46 107	0.32 32 109	0.62 111	1.76 30 107	1.10 8 109	1.59 32 112	-4.52 37 106	-0.30 24 103	100 3
27 1730 25 0352 111519922	14.85	730 24 0307 730 23 0318			113	112	0.44 30 105	0.30 22 108	0.52 109	1.37 22 105	1.70 6 111	1.76 21 113	-1.27 25 101	-0.52 15 103	1
28 1730 25 0333 111519757	7.72	430 22 0047 730 23 0327			113	112	0.73 36 108	0.24 23 107	0.60 111	1.94 18 108	0.70 7 107	1.39 24 111	-2.01 33 102	-2.77 20 110	1
29 1730 23 0343 98538960	2.61	430 21 0043 610 18 0178			113	110	0.60 54 107	0.31 33 109	0.61 111	1.64 29 106	1.30 13 110	1.69 36 112	-4.07 36 105	2.02 23 96	100 3
30 1730 25 0341 111519823	2.87	430 22 0047 730 20 0064			112	113	0.45 27 105	0.32 23 109	0.55 110	1.35 14 105	1.40 6 110	1.61 21 112	0.50 23 99	-2.74 17 109	100 4

Ram Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents & Progeny			Selection Indices		EBV - Weights				EBV - Fertility					
Animal ID Computer nr	% In-breeding	Sire ID Dam ID	1st Generation	2nd Generation	Logix Merit Index	Repro- duction Index	Weaning Weight		Post-Wean	Number Weaned	TWW	AFL		ILP	Dam	
			Progeny Number	Progeny Number			Dir	Mat				Comb	EBV			EBV
			Weaned Herds	Weaned Herds					EBV Acc Index	EBV Acc Index	EBV Index			EBV Acc Index	EBV Acc Index	
Active Breed Average:					100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15		
31	1730 24 0317 106688294	2.43	430 21 0043 584 19 0023		112	104	1.11 48 112	-0.14 34 97	0.42 108	2.40 28 111	1.40 12 110	1.81 34 113	-0.09 40 100	0.40 24 101	118 7	
32	1730 23 0319 97166334	2.90	430 21 0043 619 21 0010		112	114	0.23 56 102	0.49 35 113	0.61 111	1.24 31 104	1.70 7 111	1.74 37 113	-0.54 32 100	0.54 21 100	105 4	
33	1730 25 0361 111520003	12.42	730 24 0335 730 24 0310		112	106	1.17 29 113	0.10 21 103	0.69 112	2.51 22 112	0.50 7 106	1.57 21 112	-1.44 28 102	0.08 15 102	1	
34	1730 25 0316 111519633	7.72	430 22 0047 730 23 0328		112	112	0.57 36 106	0.27 23 108	0.55 110	1.73 18 107	0.70 7 107	1.26 24 110	-2.89 33 103	-2.71 20 109	1	
35	1730 25 0325 111519682	2.79	430 22 0047 619 21 0098		112	113	0.42 27 105	0.29 21 108	0.50 109	1.33 14 104	1.40 6 110	1.55 20 112	0.45 23 99	-2.77 17 110	100 4	
36	1730 25 0315 111519625	7.72	430 22 0047 730 23 0328		112	112	0.57 36 106	0.27 23 108	0.55 110	1.73 18 107	0.70 7 107	1.26 24 110	-2.89 33 103	-2.71 20 109	1	
37	1730 25 0326 111519690	2.79	430 22 0047 619 21 0098		112	113	0.42 27 105	0.29 21 108	0.50 109	1.33 14 104	1.40 6 110	1.55 20 112	0.45 23 99	-2.77 17 110	100 4	
38	1730 24 0419 106688815	2.50	430 22 0047 610 18 0178		112	112	0.41 34 104	0.35 28 110	0.56 110	1.37 17 105	1.00 12 108	1.37 27 110	-2.84 31 103	-0.92 22 104	100 3	
39	1730 24 0422 106688849	2.50	430 22 0047 610 18 0178		112	112	0.41 34 104	0.35 28 110	0.56 110	1.37 17 105	1.00 12 108	1.37 27 110	-2.84 31 103	-0.92 22 104	100 3	
40	1730 24 0420 106688823	2.50	430 22 0047 610 18 0178		112	112	0.41 34 104	0.35 28 110	0.56 110	1.37 17 105	1.00 12 108	1.37 27 110	-2.84 31 103	-0.92 22 104	100 3	
41	1730 24 0300 98547052	2.79	430 21 0043 619 21 0073		111	111	0.33 38 103	0.21 22 106	0.38 107	1.26 28 104	1.70 7 111	1.57 25 112	-0.79 30 101	-0.25 19 103	100 3	
42	1730 25 0308 111519575	2.64	430 22 0047 730 23 0332		111	110	0.64 39 107	0.28 27 108	0.60 111	1.56 15 106	0.80 9 107	1.40 27 111	0.49 34 99	-1.16 20 105	1	
43	1730 24 0346 106688583	2.48	430 21 0043 882 22 0055		111	111	0.32 43 103	0.19 28 106	0.35 106	1.22 30 104	1.20 8 109	1.22 29 110	-2.41 36 103	-1.64 22 106	2	
44	1730 24 0316 106688286	2.90	430 21 0043 619 19 0649		111	110	0.31 44 103	0.12 33 104	0.28 105	1.09 32 103	1.70 7 111	1.45 31 111	-0.45 31 100	-0.68 20 104	97 6	
45	1730 23 0344 98538978	3.45	430 22 0047 637 22 0083		110	111	0.42 46 105	0.11 27 104	0.33 106	1.22 15 104	0.80 8 107	1.02 30 108	0.03 30 100	-4.54 20 114	104 1	

Ram Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information			Parents & Progeny			Selection Indices		EBV - Weights				EBV - Fertility					
Animal ID Computer nr	% In-breeding	Sire ID Dam ID	1st Generation	2nd Generation	Logix Merit Index	Repro- duction Index	Weaning Weight		Post-Wean		Number Weaned	TWW	AFL	ILP	Dam		
			Progeny Number	Progeny Number			Dir	Mat	Comb								
			Weaned Herds	Weaned Herds												EBV Acc Index	EBV Acc Index
			Active Breed Average:			100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15		
46	1730 23 0345 98538986	3.45	430 22 0047 637 22 0083		110	111	0.42 46	0.11 105	0.33 27	1.22 104	0.80 8	1.02 107	0.03 30	-4.54 108	104	1	
47	1730 25 0355 111519955	14.80	730 24 0307 730 23 0323		109	110	-0.21 34	0.12 97	0.01 21	0.93 104	1.70 6	0.93 111	-2.48 23	-0.39 108	2	2	
48	1730 23 0340 98298771	2.54	430 21 0129 970 22 0038		108	116	-0.27 47	0.65 97	0.51 34	0.18 117	0.10 10	0.43 104	-10.39 33	1.09 105	100	3	
49	1730 23 0308 97139331	2.59	430 21 0043 146 21 0029		108	100	1.23 56	-0.12 114	0.50 36	2.18 98	-0.40 13	0.87 102	-3.33 38	1.83 108	104	4	
50	1730 25 0343 111519849	3.15	730 24 0307 865 22 0026		108	109	0.01 35	0.19 100	0.20 26	0.73 106	1.40 10	1.04 110	-1.08 26	0.64 109	110	3	
51	1730 25 0319 111519658	2.85	430 22 0047 865 22 0011		108	109	0.16 37	0.04 102	0.12 28	1.06 102	1.10 10	0.86 109	1.61 27	-3.05 108	105	3	
52	1730 24 0347 106688591	2.53	430 21 0043 970 22 0038		107	108	0.16 45	0.34 101	0.42 29	0.96 109	0.80 10	0.98 107	3.57 31	0.11 108	100	3	
53	1730 25 0303 111519534	3.10	430 22 0047 146 21 0029		107	102	0.97 36	-0.06 111	0.43 31	1.81 99	-0.70 12	0.49 100	-2.10 29	-1.11 102	104	4	
54	1730 25 0302 111519526	3.10	430 22 0047 146 21 0029		107	102	0.97 36	-0.06 111	0.43 31	1.81 99	-0.70 12	0.49 100	-2.10 29	-1.11 102	104	4	
55	1730 24 0309 106688211	2.59	430 21 0043 146 21 0029		107	101	0.94 46	-0.06 110	0.41 34	1.79 99	-0.40 13	0.64 102	-3.33 34	1.83 106	104	4	
56	1730 23 0317 97144174	2.90	430 21 0043 619 19 0649		106	112	-0.59 54	0.30 93	0.00 34	-0.11 108	1.70 7	0.73 111	-0.45 35	-0.68 107	97	6	
57	1730 25 0336 111519781	2.90	430 22 0047 865 20 0006		105	104	0.87 36	0.17 109	0.61 33	1.72 105	-1.30 12	0.26 97	2.02 29	-2.87 104	111	4	
58	1730 25 0338 111519799	2.90	430 22 0047 865 20 0006		105	104	0.87 36	0.17 109	0.61 33	1.72 105	-1.30 12	0.26 97	2.02 33	-2.87 104	111	4	
59	1730 25 0324 111519674	3.21	430 22 0047 298 19 0177		105	104	0.39 31	0.07 104	0.27 27	1.63 103	-0.10 7	0.41 103	3.68 24	-1.91 105	100	5	
60	1730 24 0326 106688385	2.37	430 21 0043 584 22 0001		105	103	-0.01 50	-0.16 100	-0.17 36	1.20 97	1.40 14	0.67 110	3.66 38	-0.73 95	100	2	

Ram Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents & Progeny			Selection Indices		EBV - Weights				EBV - Fertility					
Animal ID Computer nr	% In-breeding	Sire ID Dam ID	1st Generation	2nd Generation	Logix Merit Index	Repro- duction Index	Weaning Weight		Comb	Post-Wean	Number Weaned	TWW	AFL	ILP	Dam	
			Progeny Number Weaned	Progeny Number Weaned			Dir	Mat								EBV
			Acc	Index			Index	Index	Index	Index	Index	Index	Index	Index	Index	Index
			Active Breed Average:		100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15		
61	1730 24 0358 106688682	2.74	430 21 0043 865 22 0027		104	103	-0.05 46	-0.07 99 30	-0.09 99	0.85 28 101	0.70 11 107	0.30 32 104	-0.65 36 101	1.50 22 98	100 3	
62	1730 24 0359 106688690	2.74	430 21 0043 865 22 0027		104	103	-0.05 46	-0.07 99 30	-0.09 99	0.85 28 101	0.70 11 107	0.30 32 104	-0.65 36 101	1.50 22 98	100 3	
63	1730 24 0351 106688625	2.47	430 21 0043 584 20 0178		103	97	0.62 49	-0.38 107 36	-0.07 99	1.88 28 108	0.30 12 105	0.42 35 105	9.49 40 88	-2.66 24 109	100 4	
64	1730 24 0368 106688781	2.66	430 22 0047 584 23 0037		102	103	-0.08 40	-0.26 99 30	-0.30 95	1.19 16 103	0.60 12 106	0.02 30 103	8.09 36 90	-5.76 24 118	2	
65	1730 24 0369 106688799	2.66	430 22 0047 584 23 0035		102	104	-0.31 40	-0.22 96 30	-0.37 94	0.87 16 101	0.60 12 106	-0.17 30 102	6.43 36 92	-5.09 23 116	1	
66	1730 25 0350 111519906	2.61	730 24 0307 865 22 0027		102	104	-0.43 33	0.00 95 24	-0.22 97	0.17 15 97	0.60 9 106	-0.08 24 102	-1.09 29 101	1.10 17 99	100 3	
67	1730 24 0362 106688724	2.66	430 22 0047 584 23 0036		102	105	-0.50 40	-0.18 94 30	-0.43 93	0.63 16 100	0.60 12 106	-0.32 30 101	2.27 36 97	-3.59 24 112	2	
68	1730 25 0346 111519872	2.26	730 24 0307 584 20 0178		101	98	0.24 37	-0.32 102 32	-0.20 97	1.20 16 104	0.20 11 104	0.04 29 103	9.05 33 88	-3.06 19 110	100 4	
69	1730 23 0306 97224505	7.58	298 19 0333 298 19 0177		101	89	1.21 49	-0.30 113 31	0.31 106	2.20 13 110	-1.20 7 98	0.19 32 104	2.42 32 97	5.55 20 87	100 5	
70	1730 25 0349 111519898	2.23	730 24 0307 584 23 0036		100	104	-0.91 38	-0.12 90 29	-0.57 90	-0.08 16 95	0.90 12 108	-0.49 29 100	0.60 33 99	-1.05 20 105	2	
71	1730 25 0348 111519880	2.23	730 24 0307 584 23 0036		100	104	-0.91 38	-0.12 90 29	-0.57 90	-0.08 16 95	0.90 12 108	-0.49 29 100	0.60 33 99	-1.05 20 105	2	
72	1730 23 0326 97530075	4.11	970 21 0037 584 22 0001		95	103	-1.17 62	0.18 87 42	-0.41 93	-1.04 12 89	0.40 16 105	-0.76 44 98	8.50 39 89	-0.02 24 102	100 2	
73	1730 23 0336 97834576	3.91	970 20 0005 865 22 0026		94	101	-1.77 62	-0.37 80 47	-1.25 79	-1.15 15 88	1.30 21 110	-1.36 47 95	-0.12 45 100	0.04 30 102	110 3	
74	1730 23 0307 97224513	7.58	298 19 0333 298 19 0177		94	93	-0.35 49	0.01 96 31	-0.16 98	0.12 13 96	-1.20 7 98	-1.06 32 96	2.42 32 97	5.55 20 87	100 5	
75	1730 23 0330 97572077	2.73	970 20 0005 865 20 0006		88	97	-1.67 62	-0.26 81 50	-1.09 82	-1.32 17 87	-1.00 22 99	-2.53 48 88	1.32 46 98	-0.93 30 104	111 4	

Ram Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents & Progeny			Selection Indices		EBV - Weights				EBV - Fertility				
Animal ID Computer nr	% In-breeding	Sire ID Dam ID	1st Generation	2nd Generation	Logix Merit Index	Repro- duction Index	Weaning Weight		Post-Wean		Number Weaned EBV Acc Index	TWW EBV Acc Index	AFL EBV Acc Index	ILP EBV Acc Index	Dam EPI Times Lamb
			Progeny Number	Progeny Number			Dir	Mat	Comb						
			Weaned Herds	Weaned Herds			EBV Acc Index	EBV Acc Index	EBV Index	EBV Acc Index					
			Active Breed Average:		100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15	
76	1730 23 0333 97834543	4.35	970 20 0005 865 22 0011		87	103	-3.08 61 65	-0.25 46 94	-1.79 70	-2.91 14 77	1.30 21 110	-2.55 46 88	0.91 45 99	-1.11 29 105	105 3
77	1730 23 0338 97834592	4.34	970 20 0005 865 22 0027		85	98	-2.77 60 69	-0.45 45 89	-1.84 69	-2.44 14 80	0.50 21 106	-2.92 45 86	-0.12 45 100	0.50 29 101	100 3

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information			Parents	Selection Indices		EBV - Weights				EBV - Fertility							
Animal ID Computer nr	% In-breeding	Sire ID Dam ID	Logix Merit Index	Repro- duction Index	Weaning Weight		Post-Wean		Number Weaned	TWW	AFL	ILP	EPI	Times Lambd			
					Dir EBV Acc	Mat EBV Index	Comb EBV Index	Acc EBV Index							Acc EBV Index	Acc EBV Index	Acc EBV Index
Active Breed Average:			100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15					
1	1730 25 0329 111519724	8.53	430 22 0047 1740 22 0029	119	115	1.27 34	0.34 114	0.98 27	2.88 109	1.17 21	2.88 115	1.40 10	2.46 26	0.26 99	-3.79 27	112	0
2	1730 25 0328 111519716	8.53	430 22 0047 1740 22 0029	119	115	1.27 34	0.34 114	0.98 27	2.88 109	1.17 21	2.88 115	1.40 10	2.46 26	0.26 99	-3.79 27	112	0
3	1730 24 0337 106688492	9.87	430 22 0047 1730 22 0305	118	111	1.41 37	0.26 115	0.97 24	3.23 107	1.17 28	3.23 117	1.40 7	2.51 25	1.30 98	-1.96 21	107	0
4	1730 24 0357 106688674	9.13	430 21 0043 1298 21 0334	118	113	1.28 45	0.55 114	1.19 32	2.59 115	1.21 31	2.59 113	1.00 9	2.43 32	-3.37 39	0.90 28	99	0
5	1730 24 0353 106688641	9.81	430 22 0047 1730 22 0308	117	113	1.13 37	0.36 112	0.93 26	2.77 110	1.16 28	2.77 114	1.40 7	2.33 26	-0.80 28	-1.74 20	107	0
6	1730 24 0356 106688666	9.87	430 22 0047 1730 22 0311	117	111	1.40 37	0.09 115	0.79 24	3.06 103	1.14 29	3.06 116	1.40 7	2.33 25	0.71 28	-3.37 20	111	0
7	1298 21 0334 95442562	3.83	430 18 0050 1298 17 0321	117	115	1.23 49	0.75 113	1.36 47	2.16 120	1.24 26	2.16 110	0.30 12	2.16 40	-5.55 51	1.34 40	98	100 2
8	1730 25 0370 111520086	13.74	1730 24 0335 1730 24 0303	117	112	1.13 30	0.27 112	0.84 19	2.60 108	1.15 20	2.60 113	1.50 6	2.30 20	-1.24 29	-0.71 16	104	0
9	1730 25 0369 111520078	13.74	1730 24 0335 1730 24 0303	117	112	1.13 30	0.27 112	0.84 19	2.60 108	1.15 20	2.60 113	1.50 6	2.30 20	-1.24 29	-0.71 16	104	0
10	1730 25 0364 111520029	12.99	1730 24 0335 1730 24 0312	116	112	1.08 28	0.33 112	0.87 18	2.45 109	1.15 20	2.45 112	1.30 6	2.19 19	-2.55 28	-0.06 15	102	0
11	1730 25 0371 111520094	12.18	1730 24 0335 1730 24 0308	116	113	0.99 28	0.37 111	0.86 19	2.44 110	1.15 20	2.44 112	1.50 6	2.26 19	0.42 29	-1.42 16	106	0
12	1730 24 0334 106688468	9.85	430 22 0047 1730 23 0303	116	113	1.05 36	0.31 112	0.83 22	2.38 109	1.15 20	2.38 111	1.40 7	2.20 24	0.33 28	-2.16 21	108	0
13	1730 25 0365 111520037	18.47	1730 24 0335 1730 24 0314	116	112	0.93 29	0.35 110	0.82 21	2.38 110	1.14 21	2.38 111	1.60 5	2.24 20	-0.59 27	-0.39 15	103	0
14	1730 25 0366 111520045	18.47	1730 24 0335 1730 24 0314	116	112	0.93 29	0.35 110	0.82 21	2.38 110	1.14 21	2.38 111	1.60 5	2.24 20	-0.59 27	-0.39 15	103	0
15	1730 22 0308 95910493	2.79	430 21 0043 1619 21 0048	116	112	0.84 55	0.38 109	0.80 39	2.48 110	1.14 48	2.48 112	1.70 7	2.24 38	-2.87 30	1.97 22	96	100 3

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information			Parents	Selection Indices		EBV - Weights				EBV - Fertility								
Animal ID Computer nr	% In-breeding	Sire ID Dam ID	Logix Merit Index	Repro- duction Index	Weaning Weight		Post-Wean		Number Weaned	TWW		AFL		ILP		EPI	Times Lambd	
					Dir EBV Acc	Mat EBV Index	Comb EBV Index	EBV Acc		EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	Phenotype			
Active Breed Average:			100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15						
16	1730 22 0311 95910535	2.90	430 21 0043 1619 19 0649	116	106	1.40 55	-0.17 115	0.53 34	3.05 97	110	50	1.70 7	2.25 111	0.15 36	-1.29 100	23	105	2
17	1730 24 0361 106688716	9.81	430 22 0047 1730 23 0302	116	113	0.99 36	0.30 111	0.80 22	2.31 108	114	20	1.40 7	2.13 110	0.34 24	-2.35 115	19	108	0
18	1730 25 0357 111519971	14.80	1730 24 0307 1730 22 0308	115	113	0.71 34	0.43 108	0.78 24	2.07 112	114	28	1.70 6	2.15 111	-2.47 24	0.81 103	16	100	0
19	1730 25 0312 111519609	9.81	430 22 0047 1730 22 0302	115	113	0.90 31	0.32 110	0.77 22	2.19 109	114	20	1.40 7	2.06 110	0.16 28	-2.49 100	21	109	0
20	1730 24 0304 106688161	6.36	430 21 0043 1740 21 0039	115	112	0.85 48	0.28 109	0.71 30	1.97 108	113	30	1.50 9	2.03 111	-5.69 32	1.17 114	25	99	0
21	1730 24 0303 106688153	6.36	430 21 0043 1740 21 0039	115	112	0.85 48	0.28 109	0.71 30	1.97 108	113	30	1.50 9	2.03 111	-3.78 50	0.54 105	25	100	1
22	1730 25 0331 111519740	2.19	430 22 0047 1740 20 0025	115	116	0.61 30	0.47 107	0.78 25	1.68 113	114	16	1.30 8	1.86 110	-0.85 23	-3.30 113	22	111	0
23	1730 25 0330 111519732	2.19	430 22 0047 1740 20 0025	115	116	0.61 30	0.47 107	0.78 25	1.68 113	114	16	1.30 8	1.86 110	-0.85 34	-3.30 101	22	111	0
24	1730 24 0308 106688203	2.54	430 21 0043 1740 20 0025	115	115	0.57 42	0.47 106	0.76 28	1.66 113	113	28	1.70 9	2.07 111	-0.46 49	-0.89 100	23	104	1
25	1730 23 0342 98298755	14.94	1740 21 0184 1740 22 0029	115	111	1.23 39	0.28 114	0.90 31	2.53 108	116	22	0.50 13	1.81 106	0.12 40	-3.01 100	30	110	0
26	1730 24 0312 106688245	4.41	430 21 0043 1730 22 0114	115	113	0.76 42	0.40 108	0.78 27	1.66 111	114	28	1.20 10	1.88 109	-6.41 29	1.84 113	22	97	1
27	1730 24 0340 106688526	8.83	430 22 0047 1730 23 0304	114	114	0.84 32	0.39 109	0.81 23	1.91 111	114	17	0.60 8	1.59 106	-4.01 31	-2.66 105	21	109	0
28	1730 23 0348 98539018	4.41	430 21 0043 1730 22 0113	114	112	0.77 43	0.42 108	0.81 29	1.67 111	114	28	1.20 10	1.91 109	-5.05 34	1.58 106	22	98	1
29	1730 23 0324 97305197	2.79	430 21 0043 1619 21 0048	114	114	0.47 41	0.49 105	0.73 29	1.60 113	113	30	1.70 7	1.98 111	-1.48 30	0.49 102	19	101	1
30	1730 24 0314 106688260	2.90	430 21 0043 1619 21 0010	114	113	0.45 44	0.45 105	0.67 33	1.54 112	112	31	1.70 7	1.92 111	-2.48 44	1.18 103	21	99	1

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents	Selection Indices		EBV - Weights				EBV - Fertility				
Animal ID Computer nr	% In-breeding	Sire ID Dam ID	Logix Merit Index	Repro- duction Index	Dir EBV Acc	Weaning Weight Mat EBV Index	Comb EBV Index	Post-Wean EBV Acc	Number Weaned EBV Acc	TWW EBV Acc	AFL EBV Acc	ILP EBV Acc	EPI Phenotype
Active Breed Average:			100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15	
31 1730 23 0303 96989553	2.87	430 21 0043 1730 20 0064	113	110	0.70 52 108	0.27 29 108	0.62 111	1.69 28 107	1.70 7 111	1.98 33 114	-0.60 30 101	1.12 24 99	2
32 1730 25 0334 111519765	7.72	430 22 0047 1730 23 0327	113	112	0.73 36 108	0.24 23 107	0.60 111	1.94 18 108	0.70 7 107	1.39 24 111	-2.01 33 102	-2.77 20 110	0
33 1730 23 0302 96975149	2.79	430 21 0043 1619 21 0098	113	110	0.58 53 106	0.25 28 107	0.54 110	1.56 28 106	1.70 7 111	1.85 33 113	-0.60 30 101	0.75 19 100	1
34 1730 25 0342 111519831	2.87	430 22 0047 1730 20 0064	112	113	0.45 27 105	0.32 23 109	0.55 110	1.35 14 105	1.40 6 110	1.61 21 112	0.50 23 99	-2.74 17 109	0
35 1730 24 0318 106688302	2.43	430 21 0043 1584 19 0023	112	104	1.11 48 112	-0.14 34 97	0.42 108	2.40 28 111	1.40 12 110	1.81 34 113	-0.09 40 100	0.40 24 101	0
36 1730 25 0362 111520011	12.42	1730 24 0335 1730 24 0310	112	106	1.17 29 113	0.10 21 103	0.69 112	2.51 22 112	0.50 7 106	1.57 21 112	-1.44 28 102	0.08 15 102	0
37 1730 25 0353 111519930	2.85	1730 24 0307 1619 21 0090	112	116	0.10 27 101	0.47 25 113	0.52 109	0.69 14 100	1.70 5 111	1.60 21 112	-2.02 21 102	-1.29 14 105	0
38 1730 25 0304 111519542	2.56	430 22 0047 1584 19 0023	112	106	1.15 38 113	-0.14 31 97	0.43 108	2.42 14 112	1.00 11 108	1.61 29 112	1.14 35 98	-2.54 22 109	0
39 1730 25 0354 111519948	2.85	1730 24 0307 1619 21 0090	112	116	0.10 27 101	0.47 25 113	0.52 109	0.69 14 100	1.70 5 111	1.60 21 112	-2.02 21 102	-1.29 14 105	0
40 1730 24 0423 106688856	2.79	430 22 0047 1619 21 0098	112	113	0.42 27 105	0.29 21 108	0.50 109	1.33 14 104	1.40 6 110	1.55 20 112	0.45 23 99	-2.77 17 110	0
41 1740 21 0039 91703538	2.48	430 18 0109 1740 19 0116	112	112	0.36 59 104	0.22 41 106	0.40 107	0.92 22 102	1.30 11 110	1.36 41 110	-10.18 56 113	1.88 32 97	96 4
42 1730 25 0373 111520110	2.61	1730 24 0335 1584 19 0023	112	104	1.15 34 113	-0.18 29 96	0.39 107	2.50 14 112	1.20 10 109	1.68 27 112	1.16 30 98	-0.80 18 104	0
43 1730 25 0372 111520102	2.61	1730 24 0335 1584 19 0023	112	104	1.15 34 113	-0.18 29 96	0.39 107	2.50 14 112	1.20 10 109	1.68 27 112	1.16 30 98	-0.80 18 104	0
44 1730 24 0421 106688831	2.50	430 22 0047 1610 18 0178	112	112	0.41 34 104	0.35 28 110	0.56 110	1.37 17 105	1.00 12 108	1.37 27 110	-2.84 31 103	-0.92 22 104	0
45 1730 25 0368 111520060	12.46	1730 24 0335 1730 24 0306	111	107	0.88 28 110	0.17 20 105	0.61 111	2.42 20 112	0.80 5 107	1.53 20 111	2.18 29 97	-0.56 16 103	0

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents	Selection Indices		EBV - Weights				EBV - Fertility				
Animal ID Computer nr	% In-breeding	Sire ID Dam ID	Logix Merit Index	Repro- duction Index	Dir EBV Acc	Weaning Weight Mat EBV Acc	Comb EBV Acc	Post-Wean EBV Acc	Number Weaned EBV Acc	TWW EBV Acc	AFL EBV Acc	ILP EBV Acc	EPI Phenotype
Active Breed Average:			100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15	
46 1730 25 0367 111520052	12.46	1730 24 0335 1730 24 0306	111	107	0.88 28	0.17 20	0.61 111	2.42 20	0.80 5	1.53 20	2.18 29	-0.56 16	0
47 1730 24 0301 98547060	2.79	430 21 0043 1619 21 0073	111	111	0.33 38	0.21 22	0.38 107	1.26 28	1.70 7	1.57 25	-0.79 30	-0.25 19	0
48 1730 23 0301 96975115	2.79	430 21 0043 1619 21 0073	111	111	0.33 38	0.21 22	0.38 107	1.26 28	1.70 7	1.57 25	-0.79 30	-0.25 19	1
49 1730 24 0364 106688740	2.79	430 21 0043 1619 21 0073	111	111	0.33 38	0.21 22	0.38 107	1.26 28	1.70 7	1.57 25	-0.79 30	-0.25 19	0
50 1740 20 0025 86616497	2.65	1740 17 0105 1400 16 0020	111	117	-0.19 34	0.60 35	0.50 109	0.30 15	1.50 11	1.31 29	-2.96 51	-1.16 27	100 5
51 1730 25 0309 111519583	2.64	430 22 0047 1730 23 0332	111	110	0.64 39	0.28 27	0.60 111	1.56 15	0.80 9	1.40 27	0.49 34	-1.16 20	0
52 1730 25 0321 111554945	2.69	430 22 0047 1882 22 0055	111	113	0.35 31	0.19 24	0.36 107	1.25 18	0.90 7	1.08 23	-1.18 31	-4.59 21	0
53 1730 25 0360 111519997	3.97	1730 23 0320 970 22 0136	111	113	0.17 37	0.37 28	0.45 108	1.03 19	1.00 6	1.14 26	-4.19 28	-0.25 18	0
54 1730 23 0318 97144182	2.90	430 21 0043 1619 19 0649	111	110	0.31 44	0.12 33	0.28 105	1.09 32	1.70 7	1.45 31	-0.45 31	-0.68 20	1
55 1730 25 0313 111519617	4.53	430 22 0047 1882 22 0060	110	107	0.96 29	0.18 23	0.66 112	2.11 17	0.00 8	1.15 22	-0.92 30	-1.21 21	0
56 1730 24 0341 106688534	4.06	430 21 0043 1882 22 0060	110	105	0.93 41	0.18 27	0.65 112	2.08 29	0.30 9	1.29 28	-2.15 35	1.74 22	0
57 1730 24 0320 106688328	2.47	430 21 0043 1865 22 0026	110	108	0.39 47	0.13 31	0.32 106	1.41 28	1.50 11	1.42 33	-0.64 36	1.04 23	0
58 1730 24 0319 106688310	2.47	430 21 0043 1865 22 0026	110	108	0.39 47	0.13 31	0.32 106	1.41 28	1.50 11	1.42 33	-0.64 36	1.04 23	0
59 1730 25 0300 111519500	3.32	430 22 0047 1619 20 0745	109	110	0.47 32	0.19 29	0.43 108	1.36 17	0.50 7	0.96 25	0.36 31	-3.44 20	0
60 1584 21 0007 91434720	2.89	970 18 0127 1584 15 0098	109	116	-0.37 32	0.68 32	0.49 109	-0.27 5	1.10 9	0.97 27	-9.31 46	2.66 17	2

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information			Parents		Selection Indices		EBV - Weights						EBV - Fertility									
Animal ID Computer nr		% In-breeding	Sire ID Dam ID		Logix Merit Index	Repro-duction Index	Weaning Weight				Post-Wean		Number Weaned		TWW		AFL		ILP		EPI	Times Lambded
							Dir		Mat		Comb		Acc	Index	Acc	Index	Acc	Index	Acc	Index		
Active Breed Average:					100	100	-0.06		-0.02		-0.06		0.50		-0.36		-0.31		-0.30		0.15	
61	1730 25 0301 111519518	3.32	430 22 0047 1619 20 0745	109	110	0.47 32 105		0.19 29 106		0.43 108		1.36 17 105		0.50 7 106		0.96 25 108		0.36 31 99		-3.44 20 111		0
62	1730 22 0114 96975180	2.55	1740 20 0149 1610 18 0178	109	112	0.18 34 102		0.46 29 112		0.55 110		0.31 14 98		0.50 13 106		0.93 27 108		-8.94 38 111		2.36 22 95		1
63	1619 21 0090 93236842	2.90	1619 19 0680 1619 18 0100	109	116	-0.37 35 96		0.47 42 113		0.29 105		-0.29 5 94		1.60 5 111		1.07 30 109		-1.97 16 102		-2.21 17 108		100 4
64	1730 24 0344 106688567	2.75	430 21 0043 1865 22 0011	108	107	0.13 47 101		0.04 31 102		0.10 102		1.03 28 102		1.50 11 111		1.07 33 109		0.38 36 99		-0.10 23 102		0
65	1730 25 0344 111519856	3.15	1730 24 0307 1865 22 0026	108	109	0.01 35 100		0.19 26 106		0.20 104		0.73 15 100		1.40 10 110		1.04 26 109		-1.08 29 101		0.64 18 100		0
66	1619 21 0010 93236487	2.90	1619 19 0703 1619 19 0649	108	114	-0.43 44 95		0.54 49 114		0.33 106		0.05 27 96		1.60 5 111		1.07 36 109		0.13 24 100		0.64 20 100		105 4
67	970 22 0136 95119996	2.22	430 21 0129 970 21 0062	108	112	-0.13 50 98		0.29 44 108		0.23 104		0.50 23 99		0.30 9 105		0.35 38 105		-7.84 46 110		-1.05 29 105		100 3
68	1730 25 0323 111519666	2.75	430 22 0047 970 22 0038	107	109	0.19 35 102		0.35 25 109		0.44 108		0.99 16 102		0.50 9 106		0.84 25 107		4.80 31 94		-2.84 22 110		0
69	1730 24 0310 106688229	2.59	430 21 0043 1146 21 0029	107	101	0.94 46 110		-0.06 34 99		0.41 107		1.79 34 107		-0.40 13 102		0.64 34 106		-4.17 46 105		2.11 22 96		1
70	1730 23 0327 97569446	19.62	970 22 0142 970 22 0136	106	108	0.05 52 100		0.13 32 104		0.15 103		0.80 22 101		0.30 7 105		0.36 34 105		-5.29 47 107		-0.10 21 102		1
71	1584 19 0023 83482448	2.13	970 17 0122 1584 16 0106	106	96	0.89 58 110		-0.63 52 85		-0.18 97		1.78 8 107		1.00 20 108		0.86 47 108		1.01 52 99		0.36 29 101		118 7
72	1730 23 0328 97569453	19.62	970 22 0142 970 22 0136	105	109	-0.26 52 97		0.19 32 106		0.06 101		0.38 22 98		0.30 7 105		0.11 34 103		-7.04 47 109		0.02 21 102		1
73	1730 24 0305 106688179	2.70	430 21 0043 1298 19 0177	105	103	0.36 43 104		0.07 30 103		0.25 105		1.61 28 106		0.30 8 105		0.61 30 106		2.45 39 97		1.04 23 99		0
74	1730 24 0327 106688393	2.37	430 21 0043 1584 22 0001	105	103	-0.01 50 100		-0.16 36 97		-0.17 97		1.20 28 104		1.40 14 110		0.67 36 106		3.66 38 95		-0.73 25 104		0
75	1730 24 0306 106688187	2.70	430 21 0043 1298 19 0177	105	102	0.36 43 104		0.07 30 103		0.25 105		1.61 28 106		0.30 8 105		0.61 30 106		3.06 49 96		0.84 23 100		1

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents	Selection Indices		EBV - Weights				EBV - Fertility					
Animal ID Computer nr	% In-breeding	Sire ID Dam ID	Logix Merit Index	Repro- duction Index	Dir EBV Acc	Weaning Weight Mat EBV Index	Comb EBV Index	Post-Wean EBV Acc	Number Weaned EBV Acc	TWW EBV Acc	AFL EBV Acc	ILP EBV Acc	EPI EBV Acc	Times Lambd
Active Breed Average:			100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15		
76 1610 18 0178 90098815	2.92	1217 14 0206 1610 17 0085	105	110	-0.58 46 93	0.36 44 110	0.07 102	-0.33 19 94	0.90 22 108	0.32 40 104	-6.93 40 109	3.60 28 92	100	3
77 1730 24 0360 106688708	2.74	430 21 0043 1865 22 0027	104	103	-0.05 46 99	-0.07 30 99	-0.09 99	0.85 28 101	0.70 11 107	0.30 32 104	-0.65 36 101	1.50 22 98		0
78 1882 22 0055 94776549	2.61	1509 18 0007 1882 16 1014	103	110	-0.70 38 92	0.03 34 102	-0.32 95	-0.58 23 92	0.70 8 107	-0.26 30 101	-3.62 42 104	-3.74 25 112		2
79 1730 23 0332 97555643	3.06	970 21 0037 1584 19 0023	103	104	-0.14 61 98	0.22 41 106	0.15 103	0.05 11 96	0.40 15 105	0.33 43 104	-0.28 49 100	3.11 23 93		1
80 1730 23 0323 97168660	2.79	430 21 0043 1619 21 0016	102	106	-1.00 53 89	-0.23 32 95	-0.73 88	0.20 32 97	1.70 7 111	-0.22 34 101	-2.87 31 103	-0.43 24 103		2
81 1730 24 0370 106688807	2.66	430 22 0047 1584 23 0035	102	104	-0.31 40 96	-0.22 30 95	-0.37 94	0.87 16 101	0.60 12 106	-0.17 30 102	6.43 36 92	-5.09 23 116		0
82 1730 24 0363 106688732	2.66	430 22 0047 1584 23 0036	102	105	-0.50 40 94	-0.18 30 96	-0.43 93	0.63 16 100	0.60 12 106	-0.32 30 101	2.27 36 97	-3.59 24 112		0
83 1730 25 0351 111519914	2.61	1730 24 0307 1865 22 0027	102	104	-0.43 33 95	0.00 24 101	-0.22 97	0.17 15 97	0.60 9 106	-0.08 24 102	-1.09 29 101	1.10 17 99		0
84 1865 22 0026 94196813	2.02	970 19 0067 1774 19 0019	101	103	-0.55 55 94	-0.09 44 98	-0.37 94	-0.21 11 94	1.20 17 109	0.08 42 103	-0.09 42 100	1.63 27 97	110	3
85 1730 25 0358 111519989	2.23	1730 24 0307 1584 23 0037	101	103	-0.49 38 94	-0.20 29 96	-0.45 93	0.48 16 99	0.90 12 108	-0.15 29 102	6.42 33 92	-3.22 20 111		0
86 1619 20 0745 93827376	2.90	1298 18 0281 1619 19 0649	100	105	-0.47 43 94	0.04 47 102	-0.20 97	-0.35 19 93	0.00 9 103	-0.43 37 100	-0.55 40 101	-1.44 23 106	100	6
87 1865 22 0011 94196722	2.92	970 19 0067 1520 17 0349	97	102	-1.08 56 88	-0.27 43 94	-0.81 86	-0.96 10 89	1.10 16 109	-0.69 42 99	1.96 42 97	-0.66 25 104	105	3
88 970 22 0038 95111332	10.63	970 21 0037 970 19 0027	95	103	-1.03 49 88	0.34 37 109	-0.17 97	-1.10 15 88	-0.20 14 102	-0.80 36 98	8.34 41 89	-0.23 29 103	100	3
89 1146 21 0029 92032036	4.40	1502 19 0093 1146 20 0018	95	90	0.54 52 106	-0.47 52 89	-0.20 97	0.56 41 99	-2.50 22 92	-1.43 45 94	-5.46 35 107	3.22 24 93	104	4
90 1865 20 0006 94033248	3.73	762 17 0379 1520 17 0353	92	93	0.33 54 103	0.00 55 101	0.16 103	0.37 21 98	-3.60 21 86	-1.83 47 92	2.79 46 96	-0.30 27 103	111	4

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents	Selection Indices		EBV - Weights				EBV - Fertility								
Animal ID Computer nr	% In-breeding	Sire ID Dam ID	Logix Merit Index	Reproduction Index	Weaning Weight		Post-Wean		Number Weaned	TWW		AFL		ILP		EPI	Times Lambred
					Dir	Mat	Comb										
					Acc	EBV Index	Acc	EBV Index	EBV Index	Acc	EBV Index	Acc	EBV Index	Acc	EBV Index	Phenotype	
Active Breed Average:			100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15					
91	1298 19 0177 91603399	2.80	1298 18 0082 1298 13 0920	92	93	-0.62 39	-0.20 41	-0.51 96	0.20 92	10	97	-1.20 9	-1.54 33	6.09 51	1.63 27	100	5
92	1584 22 0001 93377133	2.52	970 20 0005 1584 17 0071	91	94	-1.36 65	-0.68 84	-1.36 55	-0.63 84	14	92	0.90 24	-1.50 108	8.52 47	-1.91 33	100	2
93	1730 23 0334 97834550	4.35	970 20 0005 1865 22 0011	90	102	-2.33 54	-0.40 74	-1.57 45	-1.92 91	14	83	1.30 21	-1.95 43	0.91 99	-1.11 29		0
94	1865 22 0027 94196821	2.90	970 19 0067 1865 19 0013	88	93	-1.44 52	-0.48 84	-1.20 39	-1.31 89	10	87	-0.50 16	-2.22 101	-0.10 42	2.56 100	100	3
95	1584 20 0178 90487000	3.37	1590 19 0150 1584 17 0071	87	81	-0.10 62	-1.10 99	-1.15 57	0.74 73	13	101	-1.20 20	-1.92 50	20.17 54	-5.76 74	100	4
96	1584 23 0037 96833504	2.69	970 20 0005 1584 20 0178	86	91	-1.56 63	-0.87 82	-1.65 50	-0.70 79	15	91	0.10 21	-2.37 104	14.92 48	-6.08 81		2
97	1584 23 0035 96833546	2.69	970 20 0005 1584 20 0178	84	92	-2.03 63	-0.78 77	-1.80 50	-1.33 81	15	87	0.10 21	-2.75 104	11.59 48	-4.73 85		1
98	1584 23 0036 96833348	2.69	970 20 0005 1584 20 0178	84	94	-2.40 63	-0.71 73	-1.91 50	-1.82 83	15	84	0.10 21	-3.04 104	3.27 48	-1.74 85		2