

Boerboel Genetic Evaluation

SA Stud Book
February 2026

MNR. R.G. MARITZ

KOPJESKRAAL 517

PART 63

SASOLBURG

1313



Kennel Number: 719710



Estimated Breeding Values (EBVs)

Litter size and conformation traits are influenced by many genes, with every gene making a small contribution to the expression of the trait. These traits are, however, also influenced by physiological and physical environmental factors, for example the age and sex of the animal, the feeding and management the animal received and year x season effects. It is therefore not possible to know what the animal's genetic potential for the trait is by merely using the measurement.

With BLUP (*Best Linear Unbiased Prediction*) methodology an animal's genetic potential is predicted by making use of the genetic parameters (heritabilities and genetic correlations) of the breed, pedigree information, as well as the measurements of the animal as deviation from the average of the animals that were measured with the animal. Adjustments are made for differences in sex, age, classifier, management and year x season effects to ensure that fair comparisons are made amongst the animals. These predictions are called **EBVs (Estimated Breeding Values)** which indicates the animal's genetic potential for the specific trait and predicts the type of progeny that the animal will breed.

Pedigree information determines the genetic level at which the animal enters the genetic evaluation, it links the information of all relatives together and it is used to determine the genetic ranking of the breed. For young animals that were not yet measured, mid-parent EBVs are estimated, which are the average of the EBVs of the sire and dam. These breeding values are still inaccurate and can change a lot when more information (measurements) is included in subsequent genetic evaluations.

Breeding values therefore enables a breeder to compare his/her animals genetically to one another, as well as to all other animals of the breed. This Report gives a summary of the genetic levels of the active males and females of the relevant breeder in comparison to that of the breed for linearly classified traits and litter size. The genetic change that occurred over time can also easily be seen.

Breeding Value Indices (EBVi)

For easy interpretation, EBVs are standardised and expressed relative to the average (100) of the active animals of the breed, using 12 as standard deviation (SD). This means that an EBV of 100 is equal to the active average of the breed, and more or less 50% of the animals will have EBVi's of between 90 and 110, which indicates an average animal. Only 0.5% of the EBVi's will be lower than 64 and 0.5% will be higher than 136. Higher EBVi's indicate better genetic potential for the trait.

Accuracy

EBVs are published with an **accuracy value (%)**, which indicates how much info was available for the estimation of the EBV and with how much trust it can therefore be applied. Factors that influence the accuracy include heritability, completeness and correctness of pedigree information, number of own and measured relatives and the size of the group in which the animal was measured. When an accuracy of 85% and more is reached, the EBV should not change significantly with the inclusion of more information in subsequent genetic evaluations.

Kennel and Breed Averages: The different traits' averages of the breeder's active animals are compared to those of the breed in the Kennel and Breed Average Graphs and Tables. The breeder can therefore easily see for which traits the animals are above or below the average of the breed.


Genetic Trends: The Genetic Trends indicate the genetic change that occurred over time in the animals bred by the breeder compared to that of the breed. These are calculated as the average of the breeding values of all measured animals bred by the breeder, per year of birth.

Inbreeding: Inbreeding is the mating of related animals and is widely viewed as being harmful. The danger of inbreeding lies there in that it can gradually decrease fertility and survivability – a phenomenon known as inbreeding depression. It can cause lower conception rates, more abortions, more stillborn and weak offspring and a higher susceptibility to diseases. Indications in dogs include a low litter size as well as problems relative to fertility, such as invisible heat, behavioural problems when mating and low sperm quality. Overall, reduced litter size most likely reflects inbreeding depression in several traits, both physiological and behavioural, as well as a high frequency of non-viable embryos due to lethal alleles. Generally, the effects of inbreeding can become noticeable at a value of 6.25%, therefore it is generally recommended that individuals should have inbreeding coefficients of less than 6.25%. Breeders should therefore avoid matings causing inbreeding of more than 6.25% in the progeny. The theoretical maximum inbreeding coefficient is 50%. However, it should be noted that not all inbred animals show signs of inbreeding depression.

The data used in this evaluation was obtained from LOGIX from linear classifications that were done by the Breeder Society. All possible attempts have been made to present the information correctly. SA Stud Book does not accept responsibility for the use and interpretation of the information presented on animals in this publication.

Genetic Levels

Kennel Average relative to Breed Average, where Breed Average is indicated as 0



Average Breeding Value Indices (EBVi) where Breed Average = 100

Trait	All Animals	Males	Females
Litter size (LS)	108	106	108
Movement (Mv)	102	98	102
Temperament (Tmp)	108	106	108
Coat (Ct)	98	107	96
General Appearance	114	115	114
Head & Face (H&F)	112	111	112
Front Quarter (FQ)	110	111	109
Centre (C)	114	118	113
Hind Quarter (HQ)	109	105	110
Final Score (FS)	112	112	112
Hip Health (HH)	96	87	99
Elbow Health (ELM)	100	102	100

Inbreeding

Notes

Inbreeding primarily leads to decreased fertility, low survivability of pups and low disease resistance.

Inbreeding coefficients are calculated for all animals of the breed and indicates the probability that two genes of a pair are the same due to a common ancestor in the pedigree of the animal.

The adverse effects of inbreeding can be observed from 6.25% onwards.


It is therefore highly recommended to record pedigree information as accurately. Inbreeding is dependent on pedigree information. Conventional methods for the calculation of inbreeding coefficients usually assume that unknown parents are unrelated, which is usually far from the truth. Inbreeding coefficients are therefore conservative indicators of the level of inbreeding.

Incomplete or incorrect pedigree information can be reported to SA Stud Book via the Breed Society.

Inbreeding Levels for Specific Matings

Progeny with Parents :	25%
Full Brother x Full Sister :	25%
Half Brother x Half Sister :	12.5%
One Common Grandparent :	6.25%
One Common Great-Grandparent :	3.125%

Rate of Inbreeding




Inbreeding Levels


	All Animals		Males		Females		Sires		Dams	
	Kennel	Breed	Kennel	Breed	Kennel	Breed	Kennel	Breed	Kennel	Breed
Number	25	49007	5	25141	20	23857	16	3371	18	6287
Average Inbreeding	8.51	8.49	10.65	8.46	7.97	8.53	10.22	8.01	9.36	8.00
Number inbred	25	48727	5	24990	20	23728	16	24990	18	23728
Number >6.25% Inbr.	20	30600	4	15537	16	15058	13	15537	15	15058

Genetic Trends


Litter Size




Movement




Temperament




Coat



General Appearance




Head & Face




Genetic Trends


Front Quarter



Centre




Hind Quarter




Final Score & Health Traits


Final Score



Hip Health



Elbow Health



Estimated Breeding Value Indices (EBVi's)

Males

Inbreeding >6.25% is high

< 80

>= 100

>= 120

Animal Information			Inbreed	Health		Fertility	General			Appearance						Progeny :		Appraisal	Health		Progeny with litters
Name	BYr	Sire Dam	%	Hips Acc.	Elbows Acc.	Litter Size Acc.	Move- ment	Tempe- rament	Coat	General Appear.	Head & Face	Front Quarter	Centre	Hind Quarter	Final Score	Progeny	Litters	Progeny Kennels	Hips	Elbows	
BRIEL THE GHOST		WIESENHOF MENEER	4.99	91	107	114	103	96	129	107	107	104	108	96	107	93	16	21			14
	2020	ALESSANDRO BELLA		5	5	26	65	36	80	63	79	66	68	71	76						4
BODINGTON BOERBOEL THE ROCK		TARGUS RAM	13.93	62	111	93	73	95	97	105	102	101	111	96	99	47	9	10			2
	2020	BODINGTON BOERBOEL PHOEBE		5	5	29	63	37	78	62	77	64	66	69	73						1
COLOS DIESEL I		COLOS BAAS	8.68	85	103	117	97	108	90	117	114	110	121	103	112						
	2021	COLOS FLAVIA		5	5	21	38	10	50	38	49	39	40	42	46						
EBS DIESEL		MES DEXTER	11.12	99	107	100	109	123	119	127	128	130	131	118	131						
	2024	COLOS PIPPA		5	5	14	45	14	63	34	62	46	49	51	57						
MARCELE BUFFEL		KLEIN SANDFONTEIN BIG VERC	14.53	98	83	107	108	110	99	117	102	108	118	111	111						
	2024	KLEIN SANDFONTEIN RIHANNA		5	5	5	29	5	44	27	43	29	32	34	39						

Estimated Breeding Value Indices (EBVi's)

Females

Inbreeding >6.25% is high

< 80

>= 100

>= 120

Animal Information			Inbreed	Health		Fertility	General			Appearance						Progeny :		Appraisal	Health		Progeny with litters
Name	BYr	Sire Dam	%	Hips Acc.	Elbows Acc.	Litter Size Acc.	Move-ment	Tempe-rament	Coat	General Appear.	Head & Face	Front Quarter	Centre	Hind Quarter	Final Score	Progeny	Litters	Progeny Kennels	Hips	Elbows	
KADIMA ZBRUJOVKA	2020	BOSTU ZAZU	4.47	90	99	50	92	104	83	113	123	99	105	111	111	15	2	3			2
		BREKER KALASHNIKOV		5	18	45	58	35	72	57	71	59	61	63	67			3			2
COLOS AZITA	2022	TARGUS BLOK	5.47	89	122	133	119	110	121	123	107	110	122	111	117	24	3	2			
		KLEIN SANDFONTEIN AKITA		5	5	48	55	29	70	54	69	55	58	60	65			2			
BODINGTON BOERBOEL PRINCESS FIONA	2022	KAMMO BBD JON SNOW	8.18	85	76	113	113	106	94	97	90	93	104	119	103	3	1				
		BODINGTON BOERBOEL SCARLETT		5	5	30	49	22	66	48	65	50	52	55	60						
COLOS MAXI	2022	COLOS MAXIMUS	8.68	91	118	116	106	110	108	121	102	104	116	110	110	20	1	1			1
		COLOS MAYA		5	5	27	49	21	66	50	65	50	52	55	60			1			1
COLOS PIPPA	2022	COLOS MAXIMUS	8.54	102	109	106	107	120	111	125	118	118	129	122	125	14	2	1			
		COLOS ANNABELLA		5	5	34	49	17	67	47	66	50	52	55	61			1			
COLOS ZOEY 2	2022	COLOS MAXIMUS	10.21	101	98	89	107	114	113	112	98	113	112	114	110	9	2				
		KLEIN SANDFONTEIN MILA		5	5	37	47	18	65	47	64	48	51	53	59						
LOMBARD SUPERIOR KESHA I	2023	LOMBARD SUPERIOR RETIEF	13.13	109	80	106	97	110	107	108	111	117	113	108	113	4	1				
		LOMBARD SUPERIOR BENTLEY		5	5	22	47	17	65	47	63	48	50	53	59						
BODINGTON BOERBOEL RACHEL	2023	BODINGTON BOERBOEL MICKEY	7.09	88	93	131	104	100	40	85	106	104	100	113	100	11	1				
		BODINGTON BOERBOEL SONIC BOOM		5	5	22	49	16	66	48	65	50	52	55	61						
EBS ZOE	2024	KADIMA DAMASCUS	6.22	96	94	96	82	91	99	104	103	102	102	97	99						
		CDH DOEDEL		5	5	23	38	8	50	37	49	38	40	42	46						
EBS LUYDMILA	2024	KADIMA DAMASCUS	6.22	96	94	96	82	91	99	104	103	102	102	97	99						
		CDH DOEDEL		5	5	23	38	8	50	37	49	38	40	42	46						
AFRIKA LIZADORA	2025	AFRIKA METADOR	10.55	128	95	97	100	108	103		129	116	110	108	119						
		AFRIKA LIZZY III		5	5	5	30	5	45		44	31	33	35	40						

Estimated Breeding Value Indices (EBVi's)

Females

Inbreeding >6.25% is high

< 80

>= 100

>= 120

Animal Information			Inbreed	Health		Fertility	General			Appearance						Progeny :		Appraisal	Health		Progeny with litters
Name	BYr	Sire Dam	%	Hips Acc.	Elbows Acc.	Litter Size Acc.	Move-ment	Temper-ament	Coat	General Appear.	Head & Face	Front Quarter	Centre	Hind Quarter	Final Score	Progeny Litters	Progeny Kennels		Hips	Elbows	
EBS ARYA		KILIAN ROCCO	7.75	104	99	116	106	114	86	121	121	113	117	111	117						
	2025	COLOS MAXI		5	5	5	30	5	44	30	44	31	33	35	40						
EBS FEODORA		KILIAN ROCCO	7.75	104	99	116	106	114	86	121	121	113	117	111	117						
	2025	COLOS MAXI		5	5	5	30	5	44	30	44	31	33	35	40						
EBS 1		KILIAN ROCCO	7.75	104	99	116	106	114	86	121	121	113	117	111	117						
	2025	COLOS MAXI		5	5	5	30	5	44	30	44	31	33	35	40						
EBS PUBU		KILIAN ROCCO	7.75	104	99	116	106	114	86	121	121	113	117	111	117						
	2025	COLOS MAXI		5	5	5	30	5	44	30	44	31	33	35	40						
EBS 11		KILIAN ROCCO	7.75	104	99	116	106	114	86	121	121	113	117	111	117						
	2025	COLOS MAXI		5	5	5	30	5	44	30	44	31	33	35	40						
EBS KAI		KILIAN ROCCO	7.75	104	99	116	106	114	86	121	121	113	117	111	117						
	2025	COLOS MAXI		5	5	5	30	5	44	30	44	31	33	35	40						
EBS KIANGA		KILIAN ROCCO	7.75	104	99	116	106	114	86	121	121	113	117	111	117						
	2025	COLOS MAXI		5	5	5	30	5	44	30	44	31	33	35	40						
EBS FIDO		BRIEL THE GHOST	8.69	90	115	124	111	103	125	115	107	107	115	104	112						
	2025	COLOS AZITA		5	5	17	38	5	50	37	50	39	40	43	46						
EBS EBS 2		BODINGTON BOERBOEL THE ROCK	7.73	82	105	91	90	104	105		100	107	112	105	105						
	2025	COLOS ZOEY 2		5	5	8	34	5	47		46	35	37	39	43						

Estimated Breeding Value Indices (EBVi's)

Sires

Inbreeding >6.25% is high

< 80

>= 100

>= 120

Sire Information			Inbreed	Health		Fertility	General			Appearance						Progeny :	Appraisal	Health		Progeny
Name	BYr	Sire Dam	%	Hips Acc.	Elbows Acc.	Litter Size Acc.	Move-ment	Temper-ament	Coat	General Appear.	Head & Face	Front Quarter	Centre	Hind Quarter	Final Score	Progeny Litters	Progeny Kennels	Hips	Elbows	with litters
BOSTU ZAZU		MES ASKAM	7.38	76	91	37	101	116	83	121	121	105	112	110	114	175 29	52 36	10 11		29
	2016	MES SHAKIRA		47	62	64	80	61	89	80	89	81	82	84	87					5
TARGUS RAM		SPITSVUUR BBD TOKARA DRIFTER	11.20	57	129	70	99	99	82	105	100	100	111	91	98	269 46	77 56	3 3		44
	2017	TARGUS RINA		14	30	60	82	62	90	82	90	83	84	85	88					14
WIESENHOF MENEER		FONT BOERBOELS MOJO	18.43	84	120	104	87	95	95	96	108	105	105	98	102	33 6	9 7			6
	2017	ROMSHA SALLY		5	5	5	53	8	71	52	70	54	57	60	65					3
KAMMO BBD JON SNOW		ELEVATION DAX	8.59	87	61	106	118	113	111	119	113	102	109	112	115	15 4	4 4			2
	2017	AREA BOERBOELS KARLIEN VAN JAARVELD		25	42	39	59	39	73	59	72	60	62	64	68					2
MES DEXTER		MES MASCOT	13.12	97	105	94	107	113	112	112	110	119	120	112	117	38 4	13 8			4
	2018	MES SERABI		5	20	40	66	43	79	64	78	66	68	70	75					1
TARGUS BLOK		TARGUS RAM	20.44	68	117	110	113	105	114	102	93	108	110	97	102	36 6	8 8	1 1		5
	2018	TOKARA KENDALL		5	5	44	63	37	77	62	76	64	66	68	72					2
KADIMA DAMASCUS		BREKER FANUS	4.18	98	91	78	76	86	72	106	113	104	102	100	100	68 10	7 7			4
	2019	MEGAZONE ALEJANDRA		5	5	28	59	33	74	57	73	59	62	64	69					2
KILIAN ROCCO		AFRIKA DANTOR	8.38	117	80	115	106	118	65	121	141	123	119	112	124	29 6	1 1			
	2019	KILIAN IVANKA		5	22	28	54	30	70	54	69	55	57	60	64					
COLOS BAAS		TARGUS RAM	5.55	83	128	112	98	109	77	114	118	113	126	108	114	53 7	5 4	2 2		5
	2019	KLEIN SANDFONTEIN AKITA		5	10	39	61	39	74	61	73	61	63	65	69					1
LOMBARD SUPERIOR RETIEF		MES RUBENSTEIN	11.16	110	67	113	107	114	92	107	111	113	116	116	114	80 18	13 12	1 1		4
	2019	LOMBARD SUPERIOR ALASKA		25	41	39	63	42	76	60	75	64	66	68	72					2
COLOS MAXIMUS		CDH THUNDER	10.67	96	108	103	105	113	109	123	103	108	121	111	113	103 16	19 12	3 2		10
	2020	SPITSVUUR BBD KIRA		5	5	37	64	36	79	64	79	65	67	70	75					3

Estimated Breeding Value Indices (EBVi's)

Sires

Inbreeding >6.25% is high

< 80

>= 100

>= 120

Sire Information			Inbreed	Health		Fertility	General			Appearance						Progeny :		Appraisal	Health		Progeny with litters
Name	BYr	Sire Dam	%	Hips Acc.	Elbows Acc.	Litter Size Acc.	Move-ment	Tempe-rament	Coat	General Appear.	Head & Face	Front Quarter	Centre	Hind Quarter	Final Score	Progeny Litters	Progeny Kennels	Hips	Elbows		
BRIEL THE GHOST		WIESENHOF MENEER	4.99	91	107	114	103	96	129	107	107	104	108	96	107	93	16	21		14	
	2020	ALESSANDRO BELLA		5	5	26	65	36	80	63	79	66	68	71	76			13		4	
BODINGTON BOERBOEL MICKEY		KAMMO BBD SAMWELL	7.36		89	122	100	109	78	111	113	110	102	103	106	70	10	17	2	2	4
	2020	BODINGTON BOERBOEL SAVANNA			30	29	63	37	79	62	78	64	67	69	74			13		1	
BODINGTON BOERBOEL THE ROCK		TARGUS RAM	13.93	62	111	93	73	95	97	105	102	101	111	96	99	47	9	10		2	
	2020	BODINGTON BOERBOEL PHOEBE		5	5	29	63	37	78	62	77	64	66	69	73			6		1	
KLEIN SANDFONTEIN BIG VERC		KLEIN SANDFONTEIN THE STING	10.40	102	88	92	106	109	99	119	94	104	115	109	106	34	5	10		3	
	2021	KLEIN SANDFONTEIN SADIE		5	5	18	55	24	72	53	71	56	58	61	67			8		3	
AFRIKA METADOR		AFRIKA DANTOR	7.76	126	76	111	96	103	108	120	133	122	115	102	120	7	1				
	2022	AFRIKA MELANIA		7	29	29	52	26	68	51	67	53	55	57	62						

Estimated Breeding Value Indices (EBVi's)

Dams

Inbreeding >6.25% is high

< 80

>= 100

>= 120

Animal Information			Inbreed	Health		Fertility	General			Appearance						Progeny :		Appraisal		Health		Progeny with litters
Name	BYr	Sire Dam	%	Hips Acc.	Elbows Acc.	Litter Size Acc.	Move-ment	Tempe-rament	Coat	General Appear.	Head & Face	Front Quarter	Centre	Hind Quarter	Final Score	Progeny	Litters	Progeny Kennels		Hips	Elbows	
BREKER KALASHNIKOV	2017	BREKER MENEER	15.68	105	107	66	86	90	71	96	126	100	100	109	107	28	5	12		2	2	12
		BREKER BELLA		5	5	47	67	41	80	67	80	68	70	72	76			12				1
BODINGTON BOERBOEL SCARLETT	2017	CABARET THOR	6.46	84	91	127	99	100	53	73	79	90	97	118	89	28	4	9		1	1	8
		KLEIN SANDFONTEIN SISKI		5	5	48	61	35	77	61	76	62	65	67	72			8				1
BODINGTON BOERBOEL PHOEBE	2017	MAKARIOS BBD BLACK-MAMBA	4.45	67	93	116	62	86	96	101	88	94	98	88	87	11	2	4				2
		KLEIN SANDFONTEIN JINXX		5	5	45	57	32	72	56	71	58	60	62	67			4				1
KLEIN SANDFONTEIN AKITA	2018	KLEIN SANDFONTEIN NUTCRACKER	7.47	110	126	148	108	109	102	127	117	110	124	118	120	42	7	21		2	2	16
		KLEIN SANDFONTEIN PIPER		16	36	57	68	43	81	68	80	69	71	73	77			15				1
ALESSANDRO BELLA	2018	MIDDELPOS BBD JOCK 1	7.46	98	95	107	116	108	120	114	102	110	115	113	113	11	2	5				3
		KLEIN SANDFONTEIN ZUZU		5	5	43	59	37	71	58	71	60	61	63	67			5				1
KLEIN SANDFONTEIN MILA	2019	KLEIN SANDFONTEIN HUEY	11.86	107	88	104	111	118	97	104	96	119	113	120	111	40	5	6				4
		MES O` HARA		5	19	60	58	36	71	56	70	59	61	63	67			5				1
COLOS MAYA	2019	TARGUS RAM	5.55	83	128	116	99	102	84	113	101	97	110	101	102	9	1	3		2	1	2
		KLEIN SANDFONTEIN AKITA		5	11	44	60	39	73	60	72	61	62	64	68			3				1
COLOS FLAVIA	2020	CDH THUNDER	10.67	96	108	123	95	107	102	120	110	108	116	99	109	49	5	5		2	2	4
		SPITSVUUR BBD KIRA		5	5	49	54	27	69	56	68	55	57	59	64			5				1
BODINGTON BOERBOEL SONIC BOOM	2020	BODINGTON BOERBOEL THE HULK	16.80	85	97	121	108	100	39	88	112	108	106	115	104	18	3	9				4
		BODINGTON BOERBOEL DAISY DUKE		5	5	38	59	22	76	57	75	60	63	65	71			8				1
CDH DOEDELS	2020	CDH THUNDER	7.33	94	97	115	89	96	126	103	93	100	103	95	98	23	3	5				3
		MES LARA 2		5	5	52	60	36	75	59	74	61	63	65	70			5				1
KLEIN SANDFONTEIN RIHANNA	2020	KLEIN SANDFONTEIN THE MACK ATTACK	11.39	93	77	123	109	111	100	115	111	113	121	112	115	23	3	1				
		KLEIN SANDFONTEIN LIEFA		5	5	40	48	21	63	47	62	49	51	53	58			1				
COLOS ANNABELLA	2021	CDH HUNTER I	10.03	109	110	118	113	115	90	115	106	109	118	122	115	16	2	3				2
		KLEIN SANDFONTEIN AKITA		5	5	43	51	23	68	51	67	52	54	57	62			3				1

Estimated Breeding Value Indices (EBVi's)

Dams

Inbreeding >6.25% is high

< 80

>= 100

>= 120

Animal Information			Inbreed	Health		Fertility	General			Appearance						Progeny :		Appraisal	Health		Progeny with litters
Name	BYr	Sire Dam	%	Hips Acc.	Elbows Acc.	Litter Size Acc.	Move-ment	Tempe-r ament	Coat	General Appear.	Head & Face	Front Quarter	Centre	Hind Quarter	Final Score	Progeny	Litters	Progeny Kennels	Hips	Elbows	
LOMBARD SUPERIOR BENTLEY		KADOS TEXAS	9.47	108	94	102	92	103	102	99	110	112	102	97	104	7	1	3			2
	2021	LOMBARD SUPERIOR LIESCHKA		5	5	32	46	21	60	53	59	47	49	51	55			3			1
COLOS AZITA		TARGUS BLOK	5.47	89	122	133	119	110	121	123	107	110	122	111	117	24	3	2			
	2022	KLEIN SANDFONTEIN AKITA		5	5	48	55	29	70	54	69	55	58	60	65			2			
COLOS MAXI		COLOS MAXIMUS	8.68	91	118	116	106	110	108	121	102	104	116	110	110	20	1	1			1
	2022	COLOS MAYA		5	5	27	49	21	66	50	65	50	52	55	60			1			1
COLOS PIPPA		COLOS MAXIMUS	8.54	102	109	106	107	120	111	125	118	118	129	122	125	14	2	1			
	2022	COLOS ANNABELLA		5	5	34	49	17	67	47	66	50	52	55	61			1			
COLOS ZOELY 2		COLOS MAXIMUS	10.21	101	98	89	107	114	113	112	98	113	112	114	110	9	2				
	2022	KLEIN SANDFONTEIN MILA		5	5	37	47	18	65	47	64	48	51	53	59						
AFRIKA LIZZY III		AFRIKA SAKABULA	10.98	130	114	83	103	112	98	108	125	111	105	114	117	7	1				
	2023	ELEVATION LIZE		23	46	22	51	23	68	50	66	51	54	56	62						

