



WAGYU

BREEDING VALUE REPORT

September 2025



CBC WAGYU

Herd Number: 8153780


E-mail: briennev@gmail.com
anneriesvwyk@gmail.com
karen@atis.co.za



WAGYU
SOCIETY
OF SOUTH AFRICA



CERTIFICATE
OF QUALITY
Valid up to
October 2029



Notes


GEBVi (GEBVindex): The average GEBVi of all the live animals in the breed is 100, and all EBVi values are expressed relative to this value. Values above 100 are mostly in a more desirable direction. Note that a very high index is not always desirable. For certain traits, such as birth weight, average values may be better. It is the top value in the list.

GEBV (Genomic Estimated Breeding Value) indicates the genetic potential of the animal for a specific trait. It is presented in the unit of measurement and relative to the average of animals born in the base year. It is the middle value in the list and not available for selection values.

Accuracy: This value gives an indication of how much information was available for breeding value estimation. It is the bottom value in the list.

Selection values combine similar breeding values in a scientific manner to simplify the selection of animals. For example, HF (Heifer Fertility), CF (Cow Fertility) and Longevity are

combined to form the Fertility Value by taking the heritability and economic importance in consideration.




* Depending on selection goal

GEBVi		Description / Measurement	Goal		General Guidelines*					
					80	90	100	110	120	
Selection V.	Calving Ease Value	Difficult calving due to high birth weight	Average birth weight	High						Low
	Calf Growth Value	Calf's genetic ability for prewean growth	Heavy weaner	Light						Heavy
	Milk Value	Cow's genetic mothering and milking ability	Enough milk for calf	Less						More
	Maintenance Value	Maintenance requirement of cow (weight and milk)	Low cow maintenance	High					*	Low
	Fertility Value	Fertility and retention of cows and heifers	Fertile cows	Low						High
Cow & Calf	Birth weight direct	Birth weight (Calf's genetic ability)	Average birth weight	Heavy						Light
	Birth weight mat	Birth weight (Dam's genetic ability)	Easy calving	Heavy						Light
	Weaning weight direct	Weaning weight (Calf's genetic ability)	Heavy weaners	Light						Heavy
	Weaning weight mat	Weaning weight (Dam's genetic ability)	Good mothers	Poor						Good
	Post-wean weight	Combination of EBVs for 12 and 18 month weights	Mature weight	Light				*	*	Heavy
	Mature Cow Weight	Cow weight at weaning of first three calves	Mature cow weight	Light				*	*	Heavy
Ferti.	Heifer Fertility	Age at first calving	Fertile heifers	Less						More
	Cow Fertility	First 3 inter-calving periods (ICPs)	Fertile cows	Less						More
	Longevity	Retention of progeny	Acceptable progeny	Poor						Good
Carcass	IMF	Intra-muscular-fat, Marbling	High quality carcass	Less						More
	Carcass weight	Weight of the carcass	High quality carcass	Light						Heavy
	EMA	Eye-muscle-area at the 12/13th rib of the dressed carcass	High quality carcass	Small						Large
	Rib Fat	Rib fat depth at the 12/13th rib of the dressed carcass	High quality carcass	Thin						Thick
	Marbling Fineness	Degree of fineness of marbling fat	High quality carcass	Low						High

Herd and Breed Averages

Number 472



Breeding Values (EBV):

Birth: Birth weight
 Wean: Weaning weight
 Birth.mat: Birth mat
 Milk: Milk
 Postwn: Postwean weight
 Matwt: Mature weight
 HF: Heifer Fertility
 CF: Cow Fertility
 LL: Longevity
 IMF: Marbling
 Carcwt: Carcass wt
 EMA: Eye muscle area
 RibFatt: Rib Fat thickness
 MF: Marbling Fineness

Selection values:

CEaseV: Calving Ease Value
 CGrowthV: Calf Growth Value
 MilkV: Milk Value
 MaintV: Maintenance Value
 FertV: Fertility Value

	Trait	EBV Herd	EBV Index	EBV Breed
Prewrite growth	Birth Weight	1.62	95	1.12
	Wean Weight	2.0	100	2.1
	Birth Mat.	0.13	89	-0.27
	Milk (Wn.Mat.)	8.8	101	8.1
Postwean growth	Postwean wt	3.1	98	4.5
	Mature weight	4	95	11
	Heifer Fertility	-4.1	100	-4.3
Fertility	Cow Fertility	1.0	100	0.9
	Longevity	5.7	100	5.8
Carcass	IMF	0.8	101	0.6
	Carcass weight	-1.4	93	3.5
	EMA	-0.5	93	0.6
	Rib Fat	-0.4	98	-0.1
	MF	-0.4	101	-0.7

Selection Value	Herd Avg
Calving Ease Value	92
Calf Growth Value	100
Milk Value	101
Maintenance Value	105
Fertility Value	98


- Average of live animals in the breed: 100
- Above 100: **more favourable**,
- Below 100: **less favourable**

What does a sub-selection value above breed average (100) mean?:

Calving ease: Smaller calf at birth - easier calving
 Calf growth: Heavier calves at wean due to growth potential of the calf
 Milk: Cows with more milk and better mothering ability
 Maintenance: Animals with low maintenance requirements (lower mature weight).
 Fertility: Cows/daughters that calve

Genetic Trends for On-Farm Traits

The graphs show the genetic gain of the herd relative to the breed. Only data of animals with measurements are included.




Herd

Birth Year	Calving Ease				Calf Growth			Milk			Maintenance				Fertility							
	Birth Weight		Mat EBV	Calv. Ease	Weaning Weight		Calf Growth	Milk (Wn.Mat.)		Milk	Postwean Weight		Mature Weight		Mainte- nance	Heifer Fert.		Cow Fert.		Longevity		Ferti- lity
	Number	Dir EBV			Number	EBV		Number	EBV		Number	EBV	Number	EBV		Number	EBV	Number	EBV	Number	EBV	
2018	15	-0.53	-0.30	118												9	-6.1	9	-2.6	16	-0.1	114
2019	26	0.67	-0.04	103	3	-1.7	91	3	6.86	98	2	-3.8		123		14	5.0	9	0.2	23	-2.6	94
2020	37	-0.29	0.31	107												19	2.6	6	2.9	23	0.6	90
2021	33	-0.21	0.06	102	6	7.5	113	6	2.51	90	5	12.8		110		6	1.4			12	1.8	97
2022	83	0.89	0.39	97												1	-9.4					100
2023	55	0.93	0.14	97																		
2024	149	0.27	0.16	108																		

Breed

Birth Year	Calving Ease				Calf Growth			Milk			Maintenance					Fertility						
	Birth Weight		Mat EBV	Calv. Ease	Weaning Weight		Calf Growth	Milk (Wn.Mat.)		Postwean Weight		Mature Weight		Mainte-nance	Heifer Fert.		Cow Fert.		Longevity		Ferti-lity	
	Number	Dir EBV			Number	EBV		Number	EBV	Number	EBV	Number	EBV		Number	EBV	Number	EBV	Number	EBV		
2015	368	0.00	0.00	108	331	0.0	95	331	0.00	85	310	0.0	9	0	111	855	0.0	570	0.0	4847	0.0	99
2016	674	0.16	0.00	106	280	0.7	97	280	6.02	96	213	2.2	17	-2	108	778	-0.9	391	-0.8	6263	-0.5	102
2017	793	0.40	0.17	102	408	0.4	96	408	3.68	92	309	0.2	32	-3	110	793	-1.3	307	-0.7	10222	-0.4	102
2018	1183	0.43	0.10	103	819	-1.6	91	819	2.62	90	827	-0.9	19	-15	112	661	-4.0	395	-1.1	9040	2.2	107
2019	1387	0.51	0.14	102	900	0.0	95	900	1.38	88	895	0.9	26	-22	110	992	-2.1	437	-0.6	11453	2.0	104
2020	2137	0.61	-0.03	102	553	2.6	101	553	7.37	99	271	5.8	20	-5	102	629	-3.1	210	-0.5	10669	1.3	104
2021	2397	0.51	-0.08	103	590	0.4	96	590	4.15	93	252	0.2	17	7	111	340	-4.1	48	-1.4	5003	1.7	105
2022	2131	0.47	-0.14	105	475	2.2	100	475	1.04	87	257	4.0	2	38	108	110	-2.1	10	1.0			104
2023	1724	0.39	-0.26	107	485	2.4	101	485	1.18	88	181	4.3			107	20	-1.3					104
2024	1523	0.41	-0.19	107	158	5.8	109	158	2.78	90	30	22.7			83							
2025	322	0.02	-0.06	107																		

Genetic Trends for Carcass Traits



Herd

Birth Year	Carcass														
	IMF			Carcass weight			EMA			RibFat			Marble Fineness		
	Number	EBV	EBVi	Number	EBV	EBVi	Number	EBV	EBVi	Number	EBV	EBVi	Number	EBV	EBVi
2018	7	0	98	7	-10	80	7	0	96						
2019	11	1	101	11	-5	88	11	-1	86						
2020	3	-1	83	3	7	104	3	-2	82						
2021															

Breed

Birth Year	Carcass														
	IMF			Carcass weight			EMA			Rib Fat			Marble Fineness		
	Number	EBV	EBVi	Number	EBV	EBVi	Number	EBV	EBVi	Number	EBV	EBVi	Number	EBV	EBVi
2012	3	-0.7	88	3	11.8	112	3	-0.8	90						
2013	10	-0.6	89	10	1.1	97	9	0.7	101	1	0.3	104			
2014	9	-1.0	86	9	-12.3	77	9	1.4	106	2	0.8	109			
2015	22	-1.1	85	22	1.7	97	22	0.4	99	5	0.6	107			
2016	108	-0.8	88	104	1.8	97	105	-1.0	89	5	0.4	105	1	1.7	114
2017	561	-0.5	90	568	4.2	101	557	-0.4	93	25	-1.2	90			
2018	1591	0.0	95	1601	0.0	95	1517	0.0	96	65	0.0	101	12	0.0	104
2019	2646	0.3	98	2652	0.6	96	2594	0.8	101	191	-0.2	99	26	-0.4	101
2020	4421	0.6	100	4475	1.6	97	4456	0.4	98	742	-0.1	100	84	-1.7	94
2021	2894	0.9	103	3058	0.7	96	3051	0.4	99	2852	-0.1	100	538	-1.0	98
2022	683	0.8	102	710	1.2	97	710	0.0	96	708	0.0	101	629	-1.0	98
2023															

WAGYU Sires

Sire			Growth						Carcass					Stats				
ID	Parentage	Sire ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Daughters with calves	Active 2yrs & older	Carcasses
Name	Gen. DNA	Dam ID																
JAPANESE BLACK																		
AL 180015		GRSFF0146	125	101	100	102	98	96	91	113	104	109	112					
PBD		BA 110585	-1.22	2.5	4.7	6.9	8	6.1	-0.4	12.0	1.2	0.9	1.3	2	9		1	1
MILAH N15 (4) (ET)			71%	34%	35%	27%	21%	30%	44%	47%	42%	42%	25%					
AL 180028		FB11842	132	84	85	89	85	81	94	97	104	93	107					
PBD		BA 130958	-1.86	-4.4	-5.2	-3.6	-12	-2.4	0.0	1.4	1.2	-0.9	0.6	2	64		2	
ITO ICHIRO N28 (AI)			93%	44%	25%	25%	19%	33%	27%	27%	26%	22%	13%					
BOS 170018		D0550	122	78	78	82	72	86	100	106	101	101	104					
FB		SFWFE0109	-0.96	-6.8	-9.6	-9.6	-30	0.3	0.6	7.3	0.8	0.0	0.0	3	81	17	33	
AL5 YASUZANE S1718 (ET)(AUS)			93%	87%	25%	24%	11%	38%	53%	53%	50%	47%	32%					
CBC 180103		HWKFA0002	79	115	111	114	90	80	105	82	94	70	97					
FB		AACFC0089	3.09	8.1	11.2	16.7	-3	-3.3	1.1	-8.4	-0.2	-3.3	-1.2	1	152	3	118	
180103			91%	28%	22%	16%	13%	26%	39%	38%	34%	31%	20%					
CBC 180107		HWKFA0002	115	110	105	109	93	74	89	103	90	86	112					
FB		LSRFE0263	-0.26	6.0	7.7	12.6	0	-6.4	-0.6	5.3	-0.8	-1.7	1.3	1	99	4	52	
180107			91%	37%	27%	20%	17%	28%	39%	39%	35%	33%	21%					
PK 150003		MOYFF0054	106	67	63	71	54	76	122	106	68	146	114					
FB		SFWFG0007	0.58	-11.3	-19.0	-18.5	-58	-5.2	3.2	7.4	-4.0	4.8	1.8	8	152	30	58	66
PK 150003			71%	55%	51%	46%	13%	51%	90%	90%	85%	69%	24%					

WAGYU Dams

Dam				Growth					Carcass					Stats				
ID	Parentage	Sire ID		Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name		Gen. DNA	Dam ID															
AKAUSHI																		
LPB 191003			ZEWB170031	95	109	112	114	106	102	94	111	95	93	97	1	2	1	
F1			13073	1.57	5.8	12.5	16.6	20	9.3	-0.1	11.2	-0.2	-0.8	-1.1				
LPB191003				66%	54%	25%	24%	14%	28%	27%	27%	25%	20%	7%				
JAPANESE BLACK																		
CBC 171701				97														
BS				1.37														
GWF 1701				29%														
CBC 180042			BA 130923	92	85	88	87	101	112	91	84	100	104	113	1	3	1	
F1				1.91	-3.9	-3.0	-4.9	12	14.8	-0.4	-7.4	0.6	0.3	1.5				
180042				59%	41%	28%	27%	26%	29%	36%	36%	33%	26%	11%				
CBC 180051			BA 130923	97	84	87	86	101	112	91	84	100	104	113	1	5	3	
F1				1.36	-4.6	-4.0	-6.2	12	14.5	-0.4	-7.4	0.6	0.3	1.5				
180051				64%	41%	28%	27%	26%	29%	36%	36%	33%	26%	11%				
CBC 180101			148BE	102	98	94	96	79	81	101	87	103	86	100	1	3	2	
FB			AACFC0047	0.91	1.4	0.3	1.9	-21	-2.3	0.8	-5.2	1.1	-1.6	-0.6				
180101				66%	55%	54%	54%	49%	53%	55%	55%	53%	52%	41%				
CBC 180104			HWKFA0002	90	108	104	107	88	77	94	98	95	83	106	1	2		
FB			LSRFE0263	2.08	5.4	7.2	11.2	-6	-4.8	-0.1	2.0	-0.2	-1.9	0.4				
180104				54%	31%	27%	20%	17%	28%	39%	39%	35%	33%	21%				
CBC 180106			148BE	113	92	87	89	80	75	109	93	120	92	96	1	2	2	
FB			AACFD0075	-0.08	-1.4	-3.7	-3.4	-19	-5.8	1.6	-1.4	3.6	-1.0	-1.4				
180106				62%	55%	54%	54%	46%	51%	55%	55%	54%	51%	42%				
CBC 180502			BA 110540	122	96	99	101	97	103	88	88	88	97	114	1	2		
F1			KAF4	-0.98	0.5	4.0	5.9	6	9.9	-0.8	-4.3	-1.2	-0.5	1.7				
18502				69%	26%	24%	19%	19%	28%	44%	44%	40%	20%	9%				
CBC 180504			PMGFL00013	92	115	111	109	102	90	103	91	107	93	102	1	3	2	
F1				1.89	8.4	11.3	12.3	13	2.3	1.0	-2.9	1.6	-0.9	-0.3				
18504				59%	27%	29%	21%	17%	19%	49%	49%	49%	48%	42%				
CBC 180506			BA 110540	114	97	101	103	97	105	88	88	88	97	114	1	2	2	
F1			KAF12	-0.18	1.0	5.1	7.3	6	11.0	-0.8	-4.3	-1.2	-0.5	1.7				
18506				70%	26%	24%	19%	19%	28%	44%	44%	40%	20%	9%				
CBC 180511			KF 120018	120	92	93	95	95	98	98	92	87	94	103	1	3	2	
F1			AAF6	-0.76	-1.2	0.1	1.5	3	6.9	0.4	-1.9	-1.3	-0.7	-0.1				
18511				70%	27%	28%	27%	18%	26%	48%	48%	46%	31%	12%				

WAGYU Dams

Dam				Growth					Carcass					Stats				
ID	Parentage	Sire ID		Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name		Gen. DNA	Dam ID															
JAPANESE BLACK																		
CBC 180519			KF 120018	121	101	100	104	102	97	90	97	77	98	113				
F1			AAF9	-0.89	2.4	4.7	8.3	14	6.2	-0.6	1.2	-2.7	-0.3	1.6	1	3	1	
18519				71%	27%	28%	27%	18%	26%	48%	48%	46%	31%	12%				
CBC 180520			BA 110540	126	105	107	109	105	101	80	92	76	104	126				
F1			AAF25	-1.34	4.2	9.0	12.6	18	8.7	-1.7	-2.0	-2.9	0.3	3.8	1	3	2	
18520				73%	26%	24%	19%	19%	28%	44%	44%	40%	20%	9%				
CBC 180523			BA 110540	122	96	99	101	97	104	88	88	88	97	114				
F1			AAF16	-1.00	0.3	3.8	5.7	6	10.1	-0.8	-4.3	-1.2	-0.5	1.7	1	2	1	
18523				71%	26%	24%	19%	19%	28%	44%	44%	40%	20%	9%				
CBC 181801				89														
BS				2.17														
GWF 1801				29%														
CBC 181802				98														
BS				1.32														
GWF 1802				29%														
CBC 181804				100														
BS				1.15														
GWF 1804				29%														
CBC 181805				96														
BS				1.53														
GWF 1805				29%														
CBC 181806				96														
BS				1.48														
GWF 1806				29%														
CBC 181808				89														
BS				2.13														
GWF 1808				29%														
CBC 181809				88														
BS				2.28														
GWF 1809				28%														
CBC 190002			PK 150003	87	86	87	89	91	108	105	99	77	131	113				
F1			CWBFCBC25	2.31	-3.9	-3.8	-3.7	-2	12.4	1.2	2.6	-2.7	3.2	1.5	1	1		
190002				44%	28%	26%	23%	6%	25%	45%	45%	43%	34%	12%				
CBC 190008			PK 150003	88	85	87	89	91	108	105	99	77	131	113				
F1			CWBFCBC36	2.27	-3.9	-3.8	-3.8	-2	12.3	1.2	2.6	-2.7	3.2	1.5	1	1	1	
190008				44%	28%	26%	23%	6%	25%	45%	45%	43%	34%	12%				

WAGYU Dams

Dam				Growth					Carcass					Stats				
ID	Parentage	Sire ID		Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name		Gen. DNA	Dam ID															
JAPANESE BLACK																		
CBC 190012			PK 150003	49	102	102	104	84	99	111	102	85	124	106				
F1			CBC19	5.89	2.8	5.5	8.6	-13	7.6	1.9	5.1	-1.6	2.4	0.3	1	1	1	
190012				65%	52%	29%	23%	6%	36%	45%	45%	43%	34%	12%				
CBC 190017			PK 150003	84	86	88	90	91	108	105	99	77	131	113				
F1			CWBFCBC11	2.59	-3.5	-3.2	-3.1	-2	12.5	1.2	2.6	-2.7	3.2	1.5	1	2	2	
190017				50%	28%	26%	23%	6%	25%	45%	45%	43%	34%	12%				
CBC 190036			PK 150003	92	84	86	88	91	107	105	99	77	131	113				
F1			CWBFCB CANGUS	1.89	-4.4	-4.6	-4.7	-2	12.1	1.2	2.6	-2.7	3.2	1.5	1	1		
190036				44%	28%	26%	23%	6%	25%	45%	45%	43%	34%	12%				
CBC 190524			PMGFL00013	116	97	95	96	84	82	112	85	117	83	94				
F1			AAF27	-0.40	1.0	1.3	1.8	-13	-1.9	1.9	-6.3	3.1	-2.0	-1.7	1	1	1	
19524				69%	27%	29%	21%	17%	19%	49%	49%	49%	48%	42%				
CBC 190538			PMGFL00013	79	113	108	108	84	81	112	85	117	83	94				
F1			KAF13	3.05	7.4	9.6	11.5	-13	-2.5	1.9	-6.3	3.1	-2.0	-1.7	1	2	2	
19538				70%	27%	29%	21%	17%	19%	49%	49%	49%	48%	42%				
CBC 190539			PMGFL00013	101	104	101	101	84	81	117	84	114	83	91				
F1			MAF11	1.06	3.9	4.9	6.0	-13	-2.3	2.5	-7.3	2.7	-1.9	-2.1	1	2	2	
19539				57%	27%	29%	21%	17%	19%	51%	51%	50%	48%	42%				
CBC 190547			KF 120016	135	94	94	97	99	96	71	101	65	111	132				
F1			HAF8	-2.16	-0.6	0.6	2.8	9	6.1	-2.7	3.9	-4.5	1.1	4.7	1	2	1	
19547				69%	27%	28%	26%	18%	25%	44%	43%	41%	23%	12%				
CBC 190548			KF 120016	108	104	103	105	99	96	72	105	67	114	131				
F1			KAF18	0.34	3.8	6.4	9.7	10	6.1	-2.6	7.0	-4.3	1.3	4.6	1	1	1	
19548				69%	27%	28%	26%	18%	25%	44%	43%	41%	23%	12%				
CBC 190549			KF 120016	125	96	96	99	98	97	73	104	65	114	131				
F1			AAF11	-1.21	0.4	2.1	4.7	8	6.5	-2.5	6.0	-4.4	1.3	4.6	1	2		
19549				70%	27%	28%	26%	18%	25%	44%	43%	41%	23%	12%				
CBC 190553			KF 120016	132	89	90	92	94	97	77	100	72	110	125				
F1			MAF10	-1.90	-2.5	-2.0	-0.9	2	6.2	-2.1	3.2	-3.6	1.0	3.7	1	2	2	
19553				70%	27%	28%	26%	18%	25%	44%	43%	41%	23%	12%				
CBC 190554			KF 120016	112	97	97	99	94	96	77	100	72	110	125				
F1			AAF4	0.01	1.0	2.6	4.5	2	5.9	-2.1	3.2	-3.6	1.0	3.7	1	2	1	
19554				70%	27%	28%	26%	18%	25%	44%	43%	41%	23%	12%				
CBC 191901				93														
BS				1.78											1	1		
GWF 1901				29%														

WAGYU Dams

Dam				Growth					Carcass					Stats			
ID	Parentage	Sire ID		Birth	Wean	12 mnth	18 mnth	Mature	IMF	Carcass	EMA	Rib Fat	Marble	Herds	Progeny	Active	
Name	Gen. DNA	Dam ID		weight	weight	weight	weight	weight		weight			Fineness			2yrs & older	Carcasses
JAPANESE BLACK																	
CBC 191902				89													
BS				2.19										1	1		
GWF 1902				29%													
CBC 191904				93													
BS				1.74										1	1		
GWF 1904				28%													
CBC 191906				95													
BS				1.55										1	1		
GWF 1906				29%													
CBC 191909				94													
BS				1.69										1	1		
GWF 1909				29%													
CBC 191911				90													
BS				2.02										1	1		
GWF 1911				29%													
CBC 191914				88													
BS				2.26										1	1		
GWF 1914				29%													
CBC 191915				97													
BS				1.43										1	1		
GWF 1915				29%													
CBC 191916				97													
BS				1.36										1	1		
GWF 1916				29%													
CBC 191917				92													
BS				1.84										1	1		
GWF 1917				29%													
CBC 191918				95													
BS				1.60										1	1		
GWF 1918				29%													
CBC 191921				95													
BS				1.63										1	1		
GWF 1921				29%													
CBC 191923				88													
BS				2.26										1	1		
GWF 1923				28%													

WAGYU Dams

Dam				Growth						Carcass					Stats			
ID	Parentage	Sire ID		Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name	Gen. DNA	Dam ID																
JAPANESE BLACK																		
CBC 191924				99														
BS				1.18														
GWF 1924				29%														
CBC 191926				88														
BS				2.23														
GWF 1926				29%														
CBC 191927				97														
BS				1.44														
GWF 1927				29%														
CBC 191928				101														
BS				1.07														
GWF 1928				29%														
CBC 191929				95														
BS				1.60														
GWF 1929				29%														
CBC 191930				99														
BS				1.25														
GWF 1930				29%														
CBC 191933				90														
BS				2.10														
GWF 1933				29%														
CBC 191936				97														
BS				1.35														
GWF 1936				28%														
CBC 191938				93														
BS				1.74														
GWF 1938				28%														
CBC 191940				95														
BS				1.59														
GWF 1940				29%														
CBC 191942				99														
BS				1.21														
GWF 1942				29%														
CBC 191943				94														
BS				1.67														
GWF 1943				29%														

WAGYU Dams

Dam				Growth					Carcass					Stats				
ID	Parentage	Sire ID		Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name	Gen. DNA	Dam ID																
JAPANESE BLACK																		
CBC 191945				97														
BS				1.39														
GWF 1945				29%														
CBC 191948				93														
BS				1.82														
GWF 1948				29%														
CBC 191951				95														
BS				1.61														
GWF 1951				29%														
CBC 191952				92														
BS				1.85														
GWF 1952				29%														
CBC 200002		PK 150003		80	88	89	91	91	109	105	99	77	131	113				
F1		CWBFCBC15		3.03	-3.0	-2.4	-2.0	-2	12.8	1.2	2.6	-2.7	3.2	1.5	1	2	1	
200002				50%	28%	26%	23%	6%	25%	45%	45%	43%	34%	12%				
CBC 200004		PK 150003		91	85	86	88	91	107	105	99	77	131	113				
F1		CWBFCBC28		2.00	-4.3	-4.4	-4.5	-2	12.2	1.2	2.6	-2.7	3.2	1.5	1	2	2	
200004				50%	28%	26%	23%	6%	25%	45%	45%	43%	34%	12%				
CBC 200006		PK 150003		91	85	86	88	91	107	105	99	77	131	113				
F1		CWBFCBC41		1.98	-4.3	-4.4	-4.5	-2	12.2	1.2	2.6	-2.7	3.2	1.5	1	2	2	
200006				50%	28%	26%	23%	6%	25%	45%	45%	43%	34%	12%				
CBC 200007		PK 150003		83	87	88	90	91	108	105	99	77	131	113				
F1		CWBFFANGUS3		2.72	-3.4	-3.0	-2.8	-2	12.6	1.2	2.6	-2.7	3.2	1.5	1	2	1	
200007				50%	28%	26%	23%	6%	25%	45%	45%	43%	34%	12%				
CBC 200008		PK 150003		85	90	91	95	82	102	111	102	85	124	106				
F1		CBC4*		2.54	-2.1	-1.0	0.9	-16	9.0	1.9	5.1	-1.6	2.4	0.3	1	2	1	
200008				51%	30%	29%	23%	6%	32%	45%	45%	43%	34%	12%				
CBC 200015		CBC 180102		84	102	103	102	104	110	96	85	95	97	104				
F1				2.64	2.8	6.3	6.9	17	13.8	0.2	-6.3	-0.1	-0.5	0.0	1	1		
200015				51%	28%	27%	27%	25%	26%	29%	29%	28%	28%	21%				
CBC 200556		KF 120016		127	90	91	94	94	97	77	100	72	110	125				
F1		KAF19		-1.43	-2.0	-1.2	0.1	2	6.6	-2.1	3.2	-3.6	1.0	3.7	1	2	2	
20556				69%	27%	28%	26%	18%	25%	44%	43%	41%	23%	12%				
CBC 200557		KF 120016		109	94	95	95	105	106	71	96	64	118	133				
F1		CWBFHAF2		0.25	-0.3	1.0	1.4	19	11.6	-2.7	0.7	-4.7	1.8	4.9	1	2		
20557				49%	27%	28%	26%	18%	25%	44%	43%	41%	23%	12%				

WAGYU Dams

Dam			Growth					Carcass					Stats				
ID	Parentage	Sire ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name	Gen. DNA	Dam ID															
JAPANESE BLACK																	
CBC 200558		KF 120016	127	90	91	94	94	97	77	100	72	110	125				
F1		MAF15	-1.48	-2.1	-1.3	0.0	2	6.6	-2.1	3.2	-3.6	1.0	3.7	1	1	1	
20558			68%	27%	28%	26%	18%	25%	44%	43%	41%	23%	12%				
CBC 200559		KF 120016	110	96	96	99	94	98	80	91	72	106	124				
F1		KAF14	0.14	0.4	2.2	4.1	2	7.1	-1.6	-2.7	-3.5	0.6	3.4	1	2		
20559			69%	27%	28%	26%	18%	25%	46%	46%	42%	23%	12%				
CBC 200561		KF 120016	117	93	94	96	94	99	77	100	72	110	125				
F1		MAF14	-0.46	-0.9	0.6	2.3	2	7.4	-2.1	3.2	-3.6	1.0	3.7	1	2	1	
20561			69%	27%	28%	26%	18%	25%	44%	43%	41%	23%	12%				
CBC 200562		KF 120016	111	97	97	99	94	97	77	100	72	110	125				
F1		AAF14	0.11	0.9	2.6	4.5	2	6.3	-2.1	3.2	-3.6	1.0	3.7	1	2	1	
20562			70%	27%	28%	26%	18%	25%	44%	43%	41%	23%	12%				
CBC 200564		KF 120016	105	95	96	96	105	107	71	96	64	118	133				
F1		CWBFAAF18	0.64	0.1	1.8	2.3	19	11.9	-2.7	0.7	-4.7	1.8	4.9	1	2	2	
20564			54%	27%	28%	26%	18%	25%	44%	43%	41%	23%	12%				
CBC 200566		KF 120016	105	98	98	100	94	98	77	100	72	110	125				
F1		AAF26	0.64	1.4	3.4	5.6	2	6.9	-2.1	3.2	-3.6	1.0	3.7	1	1	1	
20566			67%	27%	28%	26%	18%	25%	44%	43%	41%	23%	12%				
CBC 200567		KF 120016	107	98	98	100	94	98	77	100	72	110	125				
F1		AAF5	0.45	1.1	3.0	5.1	2	6.8	-2.1	3.2	-3.6	1.0	3.7	1	2		
20567			69%	27%	28%	26%	18%	25%	44%	43%	41%	23%	12%				
CBC 200570		KF 120016	104	96	96	97	105	107	71	96	64	118	133				
F1		CWBFKCF1	0.71	0.2	1.9	2.5	19	11.9	-2.7	0.7	-4.7	1.8	4.9	1	1		
20570			50%	27%	28%	26%	18%	25%	44%	43%	41%	23%	12%				
CBC 200578		KKWFE0010	108	85	87	83	99	110	123	85	94	91	80				
F1		CWBFTAF5	0.35	-4.3	-4.0	-8.9	9	13.6	3.2	-6.6	-0.3	-1.1	-4.1	1	1	1	
20578			53%	49%	49%	49%	21%	44%	50%	50%	49%	49%	46%				
CBC 200604		KKWFD0052	114	98	99	101	100	101	121	111	97	104	85				
F1		AAF1	-0.16	1.2	3.6	6.0	11	8.4	3.0	10.7	0.1	0.3	-3.2	1	1	1	
20604			69%	49%	49%	48%	38%	47%	51%	51%	50%	48%	44%				
CBC 200607		KKWFD0052	95	102	102	102	111	110	113	106	87	112	94				
F1		CWBFTAF14	1.56	2.7	5.7	7.2	27	13.6	2.1	7.4	-1.3	1.2	-1.6	1	1	1	
20607			52%	49%	49%	48%	38%	47%	49%	49%	49%	48%	44%				
CBC 200608		KKWFD0052	95	102	102	102	111	110	113	106	87	112	94				
F1		CWBFMCF6.1	1.58	2.8	5.7	7.2	27	13.6	2.1	7.4	-1.3	1.2	-1.6	1	1	1	
20608			52%	49%	49%	48%	38%	47%	49%	49%	49%	48%	44%				

WAGYU Dams

Dam				Growth						Carcass					Stats			
ID	Parentage	Sire ID		Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name	Gen. DNA	Dam ID																
JAPANESE BLACK																		
CBC 202003				94														
BS				1.71														
GWF 2003				29%														
CBC 202006				93														
BS				1.75														
GWF 2006				29%														
CBC 202009				90														
BS				2.03														
GWF 2009				28%														
CBC 202010				87														
BS				2.32														
GWF 2010				29%														
CBC 202011				92														
BS				1.84														
GWF 2011				28%														
CBC 202013				91														
BS				1.94														
GWF 2013				29%														
CBC 202014				92														
BS				1.90														
GWF 2014				29%														
CBC 202015				94														
BS				1.69														
GWF 2015				29%														
CBC 202016				90														
BS				2.09														
GWF 2016				29%														
CBC 202017				92														
BS				1.83														
GWF 2017				28%														
CBC 210003		CBC 180107		87	108	109	109	111	107	89	97	88	101	111				
F1		CWBFCBC30		2.32	5.3	10.4	12.9	27	12.0	-0.7	1.6	-1.1	0.0	1.3	1	1	1	
210003				49%	19%	14%	10%	9%	14%	20%	19%	18%	16%	11%				
CBC 210009		KKWFD0052		93	102	103	103	111	110	113	106	87	112	94				
F1		CWBFCBC28		1.76	3.0	6.1	7.7	27	13.8	2.1	7.4	-1.3	1.2	-1.6	1	2	1	
210009				55%	49%	49%	48%	38%	47%	49%	49%	49%	48%	44%				

WAGYU Dams

Dam				Growth					Carcass					Stats				
ID	Parentage	Sire ID		Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name		Gen. DNA	Dam ID															
JAPANESE BLACK																		
CBC 210014			KKWFD0052	87	104	104	105	111	111	113	106	87	112	94				
F1			CWBFCBC44	2.33	3.7	7.2	9.0	27	14.1	2.1	7.4	-1.3	1.2	-1.6	1	1		
210014				52%	49%	49%	48%	38%	47%	49%	49%	49%	48%	44%				
CBC 210015			KKWFD0052	91	103	103	103	111	110	113	106	87	112	94				
F1			CWBFCBC20	1.92	3.2	6.4	8.0	27	13.9	2.1	7.4	-1.3	1.2	-1.6	1	1		
210015				50%	49%	49%	48%	38%	47%	49%	49%	49%	48%	44%				
CBC 210018			KKWFD0052	94	102	102	103	111	110	113	106	87	112	94				
F1			CWBFCBC38	1.71	2.9	6.0	7.6	27	13.7	2.1	7.4	-1.3	1.2	-1.6	1	1	1	
210018				52%	49%	49%	48%	38%	47%	49%	49%	49%	48%	44%				
CBC 210021			KKWFD0052	89	103	104	104	111	111	113	106	87	112	94				
F1			CWBFCBC54	2.16	3.5	6.9	8.6	27	14.0	2.1	7.4	-1.3	1.2	-1.6	1	1		
210021				52%	49%	49%	48%	38%	47%	49%	49%	49%	48%	44%				
CBC 210025			CBC 180107	97	105	107	107	111	106	89	97	88	101	111				
F1			CWBFCBC83	1.38	4.2	8.6	10.7	27	11.5	-0.7	1.6	-1.1	0.0	1.3	1	2	1	
210025				54%	19%	14%	10%	9%	14%	20%	19%	18%	16%	11%				
CBC 210029			KKWFD0052	90	103	104	104	111	111	113	106	87	112	94				
F1			CWBFCBC35	2.09	3.4	6.7	8.4	27	14.0	2.1	7.4	-1.3	1.2	-1.6	1	1		
210029				52%	49%	49%	48%	38%	47%	49%	49%	49%	48%	44%				
CBC 210031			PMGFL00013	55	126	121	120	92	83	112	85	117	83	94				
F1			CBC19	5.34	13.0	18.1	21.5	-2	-1.3	1.9	-6.3	3.1	-2.0	-1.7	1	1		
210031				68%	54%	57%	21%	17%	32%	49%	49%	49%	48%	42%				
CBC 210034			CBC 180102	76	104	105	104	104	111	96	85	95	97	104				
F1			CWBFCBC43	3.42	3.8	7.8	8.8	17	14.3	0.2	-6.3	-0.1	-0.5	0.0	1	2	1	
210034				55%	28%	27%	27%	25%	26%	29%	29%	28%	28%	21%				
CBC 210035			CBC 180102	77	104	105	104	104	111	96	85	95	97	104				
F1			CWBFCBC41	3.28	3.6	7.5	8.4	17	14.2	0.2	-6.3	-0.1	-0.5	0.0	1	1		
210035				51%	28%	27%	27%	25%	26%	29%	29%	28%	28%	21%				
CBC 210037			CBC 180102	94	101	102	103	93	101	102	89	103	89	97				
F1			CBC18	1.72	2.5	6.0	7.8	0	8.7	0.9	-3.8	1.0	-1.3	-1.2	1	1		
210037				67%	28%	27%	27%	25%	26%	29%	29%	28%	28%	21%				
CBC 210042			CBC 180102	72	105	106	105	104	112	96	85	95	97	104				
F1			CWBFCBC8	3.77	4.2	8.5	9.6	17	14.5	0.2	-6.3	-0.1	-0.5	0.0	1	2	1	
210042				55%	28%	27%	27%	25%	26%	29%	29%	28%	28%	21%				
CBC 210043			CBC 180102	91	104	105	106	94	103	102	89	103	89	97				
F1			CBC48	1.97	3.8	7.7	9.7	1	9.7	0.9	-3.8	1.0	-1.3	-1.2	1	1		
210043				69%	30%	29%	30%	25%	32%	29%	29%	28%	28%	21%				

WAGYU Dams

Dam				Growth					Carcass					Stats				
ID	Parentage	Sire ID		Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name		Gen. DNA	Dam ID															
JAPANESE BLACK																		
CBC 210050			CBC 180102	76	104	105	104	104	111	96	85	95	97	104				
F1			CWBFCBC26	3.34	3.7	7.6	8.6	17	14.2	0.2	-6.3	-0.1	-0.5	0.0	1	2	1	
210050				55%	28%	27%	27%	25%	26%	29%	29%	28%	28%	21%				
CBC 210051			CBC 180107	93	106	108	108	111	107	89	97	88	101	111				
F1				1.79	4.7	9.4	11.6	27	11.7	-0.7	1.6	-1.1	0.0	1.3	1	1		
210051				51%	19%	14%	10%	9%	14%	20%	19%	18%	16%	11%				
CBC 210053			CBC 180102	77	104	105	104	104	111	96	85	95	97	104				
F1				3.30	3.6	7.6	8.5	17	14.2	0.2	-6.3	-0.1	-0.5	0.0	1	1	1	
210053				51%	28%	27%	27%	25%	26%	29%	29%	28%	28%	21%				
CBC 210067			CBC 180107	93	106	108	108	111	107	89	97	88	101	111				
F1				1.76	4.6	9.4	11.6	27	11.7	-0.7	1.6	-1.1	0.0	1.3	1	1		
210067				51%	19%	14%	10%	9%	14%	20%	19%	18%	16%	11%				
CBC 210077			CBC 180102	84	102	103	102	104	110	96	85	95	97	104				
F1			CWBFCBC13	2.65	2.8	6.3	7.0	17	13.8	0.2	-6.3	-0.1	-0.5	0.0	1	1	1	
210077				51%	28%	27%	27%	25%	26%	29%	29%	28%	28%	21%				
CBC 210612			KKWFE0010	111	84	86	82	99	110	123	85	94	91	80				
F1			CWBFAAF18	0.11	-4.6	-4.5	-9.5	9	13.5	3.2	-6.6	-0.3	-1.1	-4.1	1	1		
210612				53%	49%	49%	49%	21%	44%	50%	50%	49%	49%	46%				
CBC 210619			KKWFD0052	99	101	101	101	111	110	113	106	87	112	94				
F1			CWBFAAF17	1.21	2.3	5.0	6.4	27	13.4	2.1	7.4	-1.3	1.2	-1.6	1	1		
210619				52%	49%	49%	48%	38%	47%	49%	49%	49%	48%	44%				
CBC 212101				95														
BS				1.58											1	1		
GWF 2101				29%														
CBC 212102				91														
BS				2.01											1	1		
GWF 2102				29%														
CBC 212104				86														
BS				2.40											1	1		
GWF 2104				29%														
CBC 220011			PMGFL00013	88	106	102	101	94	91	106	82	109	90	101				
F1			CWBFCBC44	2.28	4.6	5.9	5.9	3	2.9	1.3	-8.9	1.9	-1.2	-0.4	1	1		
220011				45%	27%	29%	21%	17%	19%	49%	49%	49%	48%	42%				
CBC 220021			CBC 180103	72	110	111	111	110	110	97	87	90	94	104				
F1			CWBFCBC46	3.74	6.0	11.7	14.3	25	13.4	0.2	-5.3	-0.8	-0.8	0.0	1	1	1	
220021				51%	14%	11%	8%	6%	13%	19%	19%	17%	16%	10%				

WAGYU Dams

Dam			Growth					Carcass					Stats				
ID	Parentage	Sire ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name	Gen. DNA	Dam ID															
JAPANESE BLACK																	
CBC 220026		CBC 180103	73	109	111	111	110	110	97	87	90	94	104	1	1	1	
F1		CWBFANGUS1	3.67	6.0	11.5	14.1	25	13.4	0.2	-5.3	-0.8	-0.8	0.0				
220026			51%	14%	11%	8%	6%	13%	19%	19%	17%	16%	10%				
CBC 220034		CBC 180103	81	102	101	102	96	96	98	83	97	87	105	1	1	1	
F2		CBC 180042	2.93	2.7	5.0	7.0	5	5.9	0.4	-7.9	0.2	-1.5	0.1				
220034			71%	25%	18%	16%	14%	19%	26%	26%	24%	20%	11%				
KF 130002		BIMFE0003	118	86	83	85	83	72	96	156	101	116	97	8	30	12	5
FB		KJDFC0007	-0.59	-3.8	-6.8	-7.0	-14	-7.4	0.2	40.9	0.7	1.6	-1.1				
MICHIFUKI-04			72%	41%	65%	32%	30%	39%	64%	63%	56%	45%	14%				
LB 190004		BA 140004	100	106	106	108	99	108	89	89	99	88	107	1	2	2	
F1		D11	1.13	4.4	8.5	11.5	9	12.5	-0.7	-3.7	0.5	-1.4	0.5				
LB190004			71%	32%	24%	20%	18%	23%	37%	37%	34%	21%	9%				
LB 190022		BA 150400	96	109	114	117	109	115	89	94	78	115	122	1	2	1	
F1		17.60.24	1.50	5.7	13.7	19.3	24	16.3	-0.7	-0.4	-2.6	1.5	3.1				
LB190022			70%	27%	18%	22%	16%	22%	36%	35%	32%	22%	11%				
LB 190029		BA 140004	109	105	105	108	101	107	83	92	92	90	113	1	3	2	
F1		NT102	0.31	4.0	7.7	11.4	12	11.8	-1.3	-1.6	-0.5	-1.1	1.6				
LB190029			72%	32%	24%	20%	18%	23%	37%	37%	34%	21%	9%				
LB 190040		BA 140004	96	107	107	109	99	109	89	89	99	88	107	1	1	1	
F1		13-164	1.53	4.8	9.2	12.3	9	12.9	-0.7	-3.7	0.5	-1.4	0.5				
LB190040			69%	32%	24%	20%	18%	23%	37%	37%	34%	21%	9%				
LB 190054		BA 150400	125	97	104	108	109	115	89	94	78	115	122	1	2	1	
F1		DCH4	-1.23	0.9	7.3	11.8	24	16.4	-0.7	-0.4	-2.6	1.5	3.1				
LB190054			70%	27%	18%	22%	16%	22%	36%	35%	32%	22%	11%				
LB 190058		LB 160100	117	89	93	95	92	104	99	87	99	97	105	1	2	1	
F1		LB14	-0.47	-2.5	-0.1	1.1	-1	10.3	0.5	-5.3	0.4	-0.5	0.2				
LB190058			68%	15%	14%	14%	15%	15%	32%	32%	28%	13%	8%				
LB 190061		BA 150400	115	102	108	111	109	114	89	94	78	115	122	1	3	2	
F1		15-163	-0.34	2.7	9.6	14.4	24	16.1	-0.7	-0.4	-2.6	1.5	3.1				
LB190061			72%	27%	18%	22%	16%	22%	36%	35%	32%	22%	11%				
LPB 190006		OVE 100045	124	86	83	87	80	80	88	133	76	120	117	1	2		
PBD		KF 130002	-1.20	-3.9	-6.5	-5.3	-18	-3.3	-0.8	26.1	-3.0	2.0	2.2				
LPB 190006			63%	36%	41%	24%	17%	34%	50%	50%	45%	36%	10%				
LPB 190016		OVE 100045	118	91	87	90	81	81	79	112	81	121	132	1	2	2	
PBD		KF 120006	-0.59	-1.8	-4.1	-3.2	-17	-2.3	-1.7	11.5	-2.1	2.1	4.9				
LPB 190016			62%	40%	36%	30%	21%	37%	48%	49%	44%	36%	15%				

WAGYU Dams

Dam			Growth					Carcass					Stats				
ID	Parentage	Sire ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name	Gen. DNA	Dam ID															
JAPANESE BLACK																	
LPB 191101		HJ 150008	96	104	105	106	96	98	97	90	85	97	109	1	2	1	
F1		13007	1.53	3.7	7.9	10.5	4	6.9	0.2	-3.0	-1.5	-0.5	0.8				
LPB191101			70%	58%	26%	20%	18%	34%	42%	42%	39%	25%	10%				
LPB 191108		HJ 150008	98	107	108	108	99	98	97	90	85	97	109	1	2	1	
F1		LPB114	1.26	5.0	9.4	12.0	9	7.0	0.2	-3.0	-1.5	-0.5	0.8				
LPB191108			71%	58%	26%	20%	18%	34%	42%	42%	39%	25%	10%				
LPB 191201		KT4FK1888	100	104	104	105	97	95	119	107	114	94	81	1	2	2	
F1		17148	1.11	3.7	6.8	8.9	6	5.5	2.7	7.9	2.7	-0.8	-3.9				
LPB191201			70%	46%	31%	25%	16%	35%	42%	43%	38%	22%	14%				

WAGYU Bulls

Inbreeding >6% is high					<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed															
Bull					Selection Value					Calf weight		Mother		Growth		Fertility			Carcass				
ID	%Inbreeding	Parentage			Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
Name		Genomic	DNA	Sire ID Dam ID																			
JAPANESE BLACK																							
CBC 180103 FB CBC 180103	7			HWKFA0002 AACFC0089	73 81%	115 28%	80 26 %	110 13%	101 24%	79 3.09 91 %	115 8.1 28 %	83 0.39 42%	80 -3.3 26%	113 13.6 19%	90 -3 13%	106 -7.3 31%	101 1.1 16%	135 22.1 55 %	105 1.1 39 %	82 -8.4 38 %	94 -0.2 34 %	70 -3.3 31 %	97 -1.2 20 %
CBC 240824 F2 CBC CBC240824	3			KKWFD0052 CBC 210612	124 63%	90 55%	96 52 %	104 40%	97 40%	119 -0.69 69 %	90 -1.9 55 %	104 -0.44 38%	96 5.6 52%	89 -3.9 54%	96 4 40%	94 -1.3 53%	101 1.0 27%	98 4.8 57 %	130 4.1 55 %	103 5.2 55 %	90 -0.8 55 %	99 -0.2 54 %	79 -4.3 50 %
CBC 240826 F2 CBC CBC240826	1			KKWFD0052 CBC 190549	121 65%	100 51%	89 49 %	105 39%	94 40%	117 -0.51 71 %	100 2.1 51 %	100 -0.27 42%	89 1.9 49%	99 3.5 50%	95 4 39%	83 4.6 53%	103 0.6 28%	94 3.1 56 %	105 1.2 54 %	112 11.5 54 %	76 -2.9 53 %	110 1.0 49 %	104 0.1 44 %
CBC 240829 F2 CBC CBC240829	1			KKWFD0052 CBC 200561	117 65%	98 51%	90 49 %	107 39%	91 40%	115 -0.29 71 %	98 1.2 51 %	96 -0.11 41%	90 2.4 49%	97 2.2 50%	93 1 39%	82 5.6 53%	99 1.3 28%	94 3.1 56 %	107 1.4 54 %	110 10.1 54 %	79 -2.4 53 %	109 0.8 49 %	102 -0.4 44 %
CBC 240833 F2 CBC CBC240833	25			KKWFD0052 CBC 210619	120 62%	98 55%	96 53 %	98 43%	101 42%	114 -0.21 68 %	98 1.3 55 %	108 -0.58 38%	96 5.6 53%	97 2.3 54%	102 13 43%	94 -1.0 54%	106 -0.1 30%	96 4.1 57 %	125 3.5 55 %	113 12.2 55 %	87 -1.3 54 %	110 0.9 54 %	86 -3.0 49 %
CBC 240839 F2 CBC CBC240839	1			KKWFD0052 LB 190061	117 67%	102 51%	98 48 %	99 39%	107 41%	115 -0.26 73 %	102 2.9 51 %	99 -0.23 43%	98 6.7 48%	104 7.4 50%	101 12 39%	99 -3.9 53%	112 -1.0 29%	100 5.6 56 %	113 2.1 52 %	107 8.3 52 %	83 -1.9 51 %	111 1.1 49 %	100 -0.7 44 %
CBC 240840 F2 CBC CBC240840	1			KKWFD0052 CBC 200567	113 65%	100 51%	89 49 %	107 39%	93 40%	111 0.10 71 %	100 2.1 51 %	98 -0.20 42%	89 2.1 49%	98 3.3 50%	93 1 39%	86 3.3 53%	99 1.2 28%	96 3.9 56 %	107 1.4 54 %	110 10.1 54 %	79 -2.4 53 %	109 0.8 49 %	102 -0.4 44 %
CBC 240843 F2 CBC CBC240843	1			KKWFD0052 CBC 190547	121 65%	97 51%	89 49 %	104 39%	93 40%	128 -1.50 71 %	97 0.7 51 %	108 -0.57 42%	89 1.8 49%	96 1.3 50%	96 4 39%	83 4.7 53%	102 0.8 28%	94 2.9 56 %	104 1.1 54 %	110 10.4 54 %	76 -2.9 53 %	109 0.9 49 %	105 0.1 44 %
CBC 240844 F1 CBC CBC240844				KKWFD0052	96 43%	102 49%	110 47 %	89 38%	95 37%	95 1.60 46 %	102 2.8 49 %	100 -0.27 31%	110 13.7 47%	102 6.2 48%	111 27 38%	97 -2.9 48%	95 1.8 26%	89 0.9 50 %	113 2.1 49 %	106 7.4 49 %	87 -1.3 49 %	112 1.2 48 %	94 -1.6 44 %
CBC 240846 F2 CBC CBC240846	1			KKWFD0052 LPB 191108	113 66%	103 57%	90 50 %	104 39%	90 40%	111 0.07 73 %	103 3.2 57 %	96 -0.11 41%	90 2.3 50%	101 5.5 50%	96 5 39%	75 8.8 53%	102 0.8 28%	106 8.6 56 %	117 2.6 53 %	105 7.0 53 %	86 -1.4 52 %	102 0.1 50 %	93 -1.8 44 %
CBC 240848 F2 CBC CBC240848	1			KKWFD0052 CBC 200570	120 62%	97 51%	94 49 %	101 39%	90 40%	114 -0.25 68 %	97 0.7 51 %	108 -0.58 39%	94 4.8 49%	95 1.1 50%	99 9 39%	86 3.4 51%	96 1.8 28%	96 4.1 56 %	104 1.1 54 %	108 8.8 54 %	75 -3.0 53 %	113 1.2 49 %	105 0.2 44 %
CBC 240851 F1 CBC CBC240851				CBC 180107	89 40%	106 19%	107 14 %	89 9 %	97 14%	93 1.81 45 %	106 4.7 19 %	86 0.27 22%	107 11.7 14%	108 10.2 12%	111 27 9 %	102 -5.5 17%	93 2.0 10%	106 8.6 31 %	89 -0.7 20 %	97 1.6 19 %	88 -1.1 18 %	101 0.0 16 %	111 1.3 11 %

WAGYU Bulls

Inbreeding >6% is high					<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed																
Bull					Selection Value					Calf weight		Mother		Growth		Fertility		Carcass						
ID	%Inbreeding	Parentage			Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling	Fineness
Name		Genomic	DNA	Sire ID Dam ID																				
JAPANESE BLACK																								
CBC 240852	1			CBC 180107	114	101	86	107	90	116	101	84	86	101	93	85	96	112	85	97	81	96	118	
F2				CBC 200559	64%	23%	19 %	13%	20%	-0.41	2.5	0.36	0.4	5.4	1	4.0	1.9	11.4	-1.1	1.3	-2.2	-0.6	2.4	
CBC CBC240852					71 %	23 %		13%	20%	71 %	23 %	36%	19%	18%	13%	27%	14%	41 %	30 %	30 %	28 %	20 %	12 %	
CBC 240943				AL 180028	122	88	101	104	105	124	88	97	101	94	96	101	106	104	97	98	103	97	102	
F1				CBC 191928	58%	22%	17 %	10%	13%	-1.14	-2.9	-0.14	8.5	0.1	5	-4.9	-0.3	7.7	0.3	2.1	1.0	-0.4	-0.3	
CBC CBC240943					66 %	22 %	17 %	10%	13%	66 %	22 %	27%	17%	12%	10%	17%	9%	33 %	14 %	14 %	13 %	11 %	7 %	
CBC 240944				AL 180028	114	92	101	104	105	114	92	90	101	97	96	101	106	106	97	98	103	97	102	
F1				CBC 202006	58%	22%	17 %	10%	13%	-0.17	-1.2	0.10	8.6	2.5	5	-4.9	-0.3	8.5	0.3	2.1	1.0	-0.4	-0.3	
CBC CBC240944					66 %	22 %	17 %	10%	13%	66 %	22 %	27%	17%	12%	10%	17%	9%	32 %	14 %	14 %	13 %	11 %	7 %	
CBC 240945				AL 180028	116	91	101	104	105	115	91	91	101	97	96	101	106	104	97	98	103	97	102	
F1				CBC 191943	58%	22%	17 %	10%	13%	-0.30	-1.4	0.07	8.6	2.2	5	-4.9	-0.3	7.7	0.3	2.1	1.0	-0.4	-0.3	
CBC CBC240945					66 %	22 %	17 %	10%	13%	66 %	22 %	27%	17%	12%	10%	17%	9%	33 %	14 %	14 %	13 %	11 %	7 %	
CBC 240946				AL 180028	104	95	101	104	105	106	95	86	101	100	96	101	106	104	97	98	103	97	102	
F1				CBC 191914	58%	22%	17 %	10%	13%	0.54	0.0	0.27	8.6	4.3	5	-4.9	-0.3	7.7	0.3	2.1	1.0	-0.4	-0.3	
CBC CBC240946					66 %	22 %	17 %	10%	13%	66 %	22 %	27%	17%	12%	10%	17%	9%	33 %	14 %	14 %	13 %	11 %	7 %	
CBC 240947				AL 180028	123	89	101	104	105	121	89	95	101	95	96	101	106	104	97	98	103	97	102	
F1				CBC 191930	58%	22%	17 %	10%	13%	-0.88	-2.4	-0.08	8.5	0.8	5	-4.9	-0.3	7.7	0.3	2.1	1.0	-0.4	-0.3	
CBC CBC240947					66 %	22 %	17 %	10%	13%	66 %	22 %	27%	17%	12%	10%	17%	9%	33 %	14 %	14 %	13 %	11 %	7 %	
CBC 240948				BOS 170018	107	89	103	110	97	110	89	83	103	93	90	92	100	97	100	102	102	102	100	
F1				CBC 202015	60%	43%	19 %	6 %	18%	0.18	-2.6	0.40	9.9	-0.3	-4	-0.2	0.9	4.4	0.6	5.1	0.8	0.0	-0.6	
CBC CBC240948					60 %	43 %	19 %	6 %	18%	67 %	43 %	35%	19%	12%	6 %	30%	6%	38 %	26 %	26 %	25 %	24 %	16 %	
CBC 240949				AL 180028	110	93	101	104	105	111	93	89	101	98	96	101	106	106	97	98	103	97	102	
F1				CBC 202013	58%	22%	17 %	10%	13%	0.09	-0.8	0.16	8.6	3.1	5	-4.9	-0.3	8.5	0.3	2.1	1.0	-0.4	-0.3	
CBC CBC240949					66 %	22 %	17 %	10%	13%	66 %	22 %	27%	17%	12%	10%	17%	9%	32 %	14 %	14 %	13 %	11 %	7 %	
CBC 240950				BOS 170018	109	88	103	110	97	111	88	83	103	93	90	92	100	95	100	102	102	102	100	
F1				CBC 191929	60%	43%	19 %	6 %	18%	0.06	-2.8	0.37	9.9	-0.6	-4	-0.2	0.9	3.6	0.6	5.1	0.8	0.0	-0.6	
CBC CBC240950					60 %	43 %	19 %	6 %	18%	67 %	43 %	35%	19%	12%	6 %	30%	6%	39 %	26 %	26 %	25 %	24 %	16 %	
CBC 240951				BOS 170018	109	88	103	110	97	111	88	83	103	93	90	92	100	95	100	102	102	102	100	
F1				CBC 191918	60%	43%	19 %	6 %	18%	0.06	-2.8	0.37	9.9	-0.6	-4	-0.2	0.9	3.6	0.6	5.1	0.8	0.0	-0.6	
CBC CBC240951					60 %	43 %	19 %	6 %	18%	67 %	43 %	35%	19%	12%	6 %	30%	6%	39 %	26 %	26 %	25 %	24 %	16 %	
CBC 240952				BOS 170018	109	88	103	110	97	111	88	83	103	93	90	92	100	97	100	102	102	102	100	
F1				CBC 212101	60%	43%	19 %	6 %	18%	0.04	-2.9	0.37	9.9	-0.7	-4	-0.2	0.9	4.6	0.6	5.1	0.8	0.0	-0.6	
CBC CBC240952					60 %	43 %	19 %	6 %	18%	67 %	43 %	35%	19%	12%	6 %	30%	6%	37 %	26 %	26 %	25 %	24 %	16 %	
CBC 240953				AL 180028	112	93	101	104	105	112	93	90	101	98	96	101	106	104	97	98	103	97	102	
F1				CBC 191952	58%	22%	17 %	10%	13%	-0.04	-1.0	0.13	8.6	2.8	5	-4.9	-0.3	7.7	0.3	2.1	1.0	-0.4	-0.3	
CBC CBC240953					66 %	22 %	17 %	10%	13%	66 %	22 %	27%	17%	12%	10%	17%	9%	33 %	14 %	14 %	13 %	11 %	7 %	

WAGYU Bulls

Inbreeding >6% is high					<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed																
Bull					Selection Value					Calf weight		Mother		Growth		Fertility		Carcass						
ID	Name	%Inbreeding	Parentage		Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling	Fineness
			Genomic	DNA																				
JAPANESE BLACK																								
CBC 240954				BOS 170018	110	88	103	110	97	112	88	84	103	93	90	92	100	96	100	102	102	102	100	
F1				CBC 181805	60%	43%	19%	6%	18%	-0.05	-3.0	0.35	9.9	-0.9	-4	-0.2	0.9	3.8	0.6	5.1	0.8	0.0	-0.6	
CBC CBC240954										67%	43%	35%	19%	12%	6%	30%	6%	38%	26%	26%	25%	24%	16%	
CBC 240955				BOS 170018	98	92	103	110	97	102	92	78	103	96	90	92	100	95	100	102	102	102	100	
F1				CBC 191902	60%	43%	19%	6%	18%	0.90	-1.4	0.58	10.0	1.4	-4	-0.2	0.9	3.6	0.6	5.1	0.8	0.0	-0.6	
CBC CBC240955										67%	43%	35%	19%	12%	6%	30%	6%	39%	26%	26%	25%	24%	16%	
CBC 240956				AL 180028	112	92	101	104	105	112	92	90	101	98	96	101	106	104	97	98	103	97	102	
F1				CBC 191917	58%	22%	17%	10%	13%	-0.05	-1.0	0.13	8.6	2.8	5	-4.9	-0.3	7.7	0.3	2.1	1.0	-0.4	-0.3	
CBC CBC240956										66%	22%	27%	17%	12%	10%	17%	9%	33%	14%	14%	13%	11%	7%	
CBC 240957				AL 180028	120	90	101	104	105	118	90	93	101	96	96	101	106	104	97	98	103	97	102	
F1				CBC 191927	58%	22%	17%	10%	13%	-0.62	-2.0	-0.01	8.6	1.4	5	-4.9	-0.3	7.7	0.3	2.1	1.0	-0.4	-0.3	
CBC CBC240957										66%	22%	27%	17%	12%	10%	17%	9%	33%	14%	14%	13%	11%	7%	
CBC 240958				CBC 180102	86	101	101	107	100	94	101	72	101	103	93	94	102	95	102	89	103	89	97	
F1				CBC 191953	42%	28%	26%	25%	24%	1.72	2.5	0.82	8.8	6.5	0	-1.3	0.2	3.6	0.9	-3.8	1.0	-1.3	-1.2	
CBC CBC240958										45%	28%	32%	26%	27%	25%	28%	21%	40%	29%	29%	28%	28%	21%	
CBC 240959				AL 180028	103	95	101	104	105	105	95	85	101	100	96	101	106	106	97	98	103	97	102	
F1				CBC 202010	58%	22%	17%	10%	13%	0.63	0.1	0.30	8.6	4.5	5	-4.9	-0.3	8.5	0.3	2.1	1.0	-0.4	-0.3	
CBC CBC240959										66%	22%	27%	17%	12%	10%	17%	9%	32%	14%	14%	13%	11%	7%	
CBC 240960				AL 180028	120	90	101	104	105	118	90	93	101	96	96	101	106	104	97	98	103	97	102	
F1				CBC 191915	58%	22%	17%	10%	13%	-0.63	-2.0	-0.02	8.6	1.4	5	-4.9	-0.3	7.7	0.3	2.1	1.0	-0.4	-0.3	
CBC CBC240960										66%	22%	27%	17%	12%	10%	17%	9%	33%	14%	14%	13%	11%	7%	
CBC 240961				AL 180028	106	94	101	104	105	107	94	87	101	99	96	101	106	105	97	98	103	97	102	
F1				CBC 181801	58%	22%	17%	10%	13%	0.41	-0.2	0.24	8.6	3.9	5	-4.9	-0.3	7.9	0.3	2.1	1.0	-0.4	-0.3	
CBC CBC240961										66%	22%	27%	17%	12%	10%	17%	9%	32%	14%	14%	13%	11%	7%	
CBC 240962				AL 180028	116	91	101	104	105	116	91	92	101	97	96	101	106	104	97	98	103	97	102	
F1				CBC 191921	58%	22%	17%	10%	13%	-0.35	-1.5	0.05	8.6	2.1	5	-4.9	-0.3	7.7	0.3	2.1	1.0	-0.4	-0.3	
CBC CBC240962										66%	22%	27%	17%	12%	10%	17%	9%	33%	14%	14%	13%	11%	7%	
CBC 240963				AL 180028	115	92	101	104	105	114	92	91	101	97	96	101	106	106	97	98	103	97	102	
F1				CBC 202003	58%	22%	17%	10%	13%	-0.23	-1.3	0.08	8.6	2.3	5	-4.9	-0.3	8.5	0.3	2.1	1.0	-0.4	-0.3	
CBC CBC240963										66%	22%	27%	17%	12%	10%	17%	9%	32%	14%	14%	13%	11%	7%	
CBC 240964				AL 180028	123	89	101	104	105	123	89	96	101	94	96	101	106	105	97	98	103	97	102	
F1				CBC 181804	58%	22%	17%	10%	13%	-1.02	-2.6	-0.11	8.5	0.4	5	-4.9	-0.3	7.9	0.3	2.1	1.0	-0.4	-0.3	
CBC CBC240964										66%	22%	27%	17%	12%	10%	17%	9%	32%	14%	14%	13%	11%	7%	
CBC 240965				AL 180028	105	95	101	104	105	107	95	86	101	100	96	101	106	104	97	98	103	97	102	
F1				CBC 191926	58%	22%	17%	10%	13%	0.49	-0.1	0.26	8.6	4.1	5	-4.9	-0.3	7.7	0.3	2.1	1.0	-0.4	-0.3	
CBC CBC240965										66%	22%	27%	17%	12%	10%	17%	9%	33%	14%	14%	13%	11%	7%	

WAGYU Bulls

Inbreeding >6% is high					<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed																
Bull					Selection Value					Calf weight		Mother		Growth		Fertility		Carcass						
ID	Name	%Inbreeding	Parentage		Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling	Fineness
			Genomic	DNA																				
JAPANESE BLACK																								
CBC 240966			AL 180028		111	93	101	104	105	112	93	89	101	98	96	101	106	106	97	98	103	97	102	
F1	CBC 202001		CBC 202001																					0.01
CBC CBC240966					41%	22%	17 %	10%	13%	46 %	22 %	21%	17%	12%	10%	17%	9%	32 %	14 %	14 %	13 %	11 %	7 %	
CBC 240967			AL 180028		109	93	101	104	105	110	93	88	101	99	96	101	106	106	97	98	103	97	102	
F1	CBC 212102		CBC 212102																					0.18
CBC CBC240967					58%	22%	17 %	10%	13%	66 %	22 %	27%	17%	12%	10%	17%	9%	30 %	14 %	14 %	13 %	11 %	7 %	
CBC 240968			BOS 170018		113	87	103	110	97	115	87	85	103	92	90	92	100	95	100	102	102	102	100	
F1	CBC 191916		CBC 191916																					-0.27
CBC CBC240968					60%	43%	19 %	6 %	18%	67 %	43 %	35%	19%	12%	6 %	30%	6%	39 %	26 %	26 %	25 %	24 %	16 %	
CBC 240969			AL 180028		111	93	101	104	105	111	93	89	101	98	96	101	106	106	97	98	103	97	102	
F1	CBC 202014		CBC 202014																					0.03
CBC CBC240969					58%	22%	17 %	10%	13%	66 %	22 %	27%	17%	12%	10%	17%	9%	32 %	14 %	14 %	13 %	11 %	7 %	
CBC 240970			AL 180028		109	93	101	104	105	110	93	88	101	99	96	101	106	104	97	98	103	97	102	
F1	CBC 191911		CBC 191911																					0.19
CBC CBC240970					58%	22%	17 %	10%	13%	66 %	22 %	27%	17%	12%	10%	17%	9%	33 %	14 %	14 %	13 %	11 %	7 %	
CBC 240971			AL 180028		124	89	101	104	105	122	89	95	101	95	96	101	106	104	97	98	103	97	102	
F1	CBC 191942		CBC 191942																					-0.94
CBC CBC240971					58%	22%	17 %	10%	13%	66 %	22 %	27%	17%	12%	10%	17%	9%	33 %	14 %	14 %	13 %	11 %	7 %	
CBC 240972			AL 180028		117	91	101	104	105	116	91	92	101	97	96	101	106	104	97	98	103	97	102	
F1	CBC 191951		CBC 191951																					-0.38
CBC CBC240972					58%	22%	17 %	10%	13%	66 %	22 %	27%	17%	12%	10%	17%	9%	33 %	14 %	14 %	13 %	11 %	7 %	
CBC 240973			AL 180028		121	88	101	104	105	125	88	97	101	94	96	101	106	99	97	98	103	97	102	
F1	CBC 191955		CBC 191955																					-1.23
CBC CBC240973					58%	22%	17 %	10%	13%	66 %	22 %	27%	17%	12%	10%	17%	9%	33 %	14 %	14 %	13 %	11 %	7 %	
CBC 240974			AL 180028		113	92	101	104	105	113	92	90	101	98	96	101	106	104	97	98	103	97	102	
F1	CBC 191948		CBC 191948																					-0.08
CBC CBC240974					58%	22%	17 %	10%	13%	66 %	22 %	27%	17%	12%	10%	17%	9%	33 %	14 %	14 %	13 %	11 %	7 %	
CBC 240975			BOS 170018		110	88	103	110	97	112	88	84	103	93	90	92	100	96	100	102	102	102	100	
F1	CBC 191906		CBC 191906																					-0.01
CBC CBC240975					60%	43%	19 %	6 %	18%	67 %	43 %	35%	19%	12%	6 %	30%	6%	39 %	26 %	26 %	25 %	24 %	16 %	
CBC 240976			AL 180028		121	90	101	104	105	119	90	94	101	96	96	101	106	105	97	98	103	97	102	
F1	CBC 191945		CBC 191945																					-0.68
CBC CBC240976					58%	22%	17 %	10%	13%	66 %	22 %	27%	17%	12%	10%	17%	9%	33 %	14 %	14 %	13 %	11 %	7 %	
CBC 240977			AL 180015		103	102	109	97	99	105	102	85	109	106	103	93	102	103	96	106	103	105	104	
F1	CBC 191933		CBC 191933																					0.63
CBC CBC240977					56%	17%	15 %	10%	14%	63 %	17 %	28%	15%	16%	10%	19%	10%	34 %	22 %	23 %	21 %	21 %	13 %	

WAGYU Bulls

Inbreeding >6% is high					<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed																
Bull					Selection Value					Calf weight		Mother		Growth		Fertility		Carcass						
ID	%Inbreeding	Parentage			Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling	Fineness
Name		Genomic	DNA	Sire ID Dam ID																				
JAPANESE BLACK																								
CBC 240978				BOS 170018	111	87	103	110	97	113	87	84	103	92	90	92	100	96	100	102	102	102	100	
F1				CBC 181806	60%	43%	19%	6%	18%	-0.12	-3.1	0.33	9.9	-1.1	-4	-0.2	0.9	3.8	0.6	5.1	0.8	0.0	-0.6	
CBC CBC240978										67%	43%	35%	19%	12%	6%	30%	6%	39%	26%	26%	25%	24%	16%	
CBC 240979				AL 180028	107	94	101	104	105	108	94	87	101	99	96	101	106	105	97	98	103	97	102	
F1				CBC 181808	58%	22%	17%	10%	13%	0.35	-0.3	0.23	8.6	3.8	5	-4.9	-0.3	7.9	0.3	2.1	1.0	-0.4	-0.3	
CBC CBC240979										66%	22%	27%	17%	12%	10%	17%	9%	33%	14%	14%	13%	11%	7%	
CBC 240980				AL 180028	122	89	101	104	105	120	89	94	101	95	96	101	106	105	97	98	103	97	102	
F1				CBC 181802	58%	22%	17%	10%	13%	-0.78	-2.3	-0.05	8.5	1.0	5	-4.9	-0.3	7.9	0.3	2.1	1.0	-0.4	-0.3	
CBC CBC240980										66%	22%	27%	17%	12%	10%	17%	9%	33%	14%	14%	13%	11%	7%	
CBC 240981				AL 180015	111	100	109	97	99	111	100	89	109	104	103	93	102	103	96	106	103	105	104	
F1				CBC 191909	56%	17%	15%	10%	14%	0.06	2.0	0.16	12.8	7.4	15	-0.8	0.3	7.0	0.1	7.4	1.1	0.5	0.0	
CBC CBC240981										63%	17%	28%	15%	16%	10%	19%	10%	34%	22%	23%	21%	21%	13%	
CBC 240982				AL 180028	124	89	101	104	105	122	89	96	101	95	96	101	106	105	97	98	103	97	102	
F1				CBC 191924	58%	22%	17%	10%	13%	-0.98	-2.6	-0.10	8.5	0.5	5	-4.9	-0.3	8.1	0.3	2.1	1.0	-0.4	-0.3	
CBC CBC240982										66%	22%	27%	17%	12%	10%	17%	9%	33%	14%	14%	13%	11%	7%	
CBC 240983				AL 180015	100	103	109	97	99	103	103	84	109	107	103	93	102	103	96	106	103	105	104	
F1				CBC 191923	54%	17%	15%	10%	14%	0.87	3.4	0.36	12.9	9.4	15	-0.8	0.3	7.0	0.1	7.4	1.1	0.5	0.0	
CBC CBC240983										61%	17%	28%	15%	16%	10%	19%	10%	34%	22%	23%	21%	21%	13%	
CBC 240984				AL 180028	112	92	101	104	105	112	92	90	101	98	96	101	106	106	97	98	103	97	102	
F1				CBC 202011	57%	22%	17%	10%	13%	-0.05	-1.0	0.13	8.6	2.8	5	-4.9	-0.3	8.7	0.3	2.1	1.0	-0.4	-0.3	
CBC CBC240984										65%	22%	27%	17%	12%	10%	17%	9%	32%	14%	14%	13%	11%	7%	
CBC 240985				AL 180028	122	90	101	104	105	120	90	94	101	95	96	101	106	105	97	98	103	97	102	
F1				CBC 191936	57%	22%	17%	10%	13%	-0.74	-2.2	-0.04	8.5	1.1	5	-4.9	-0.3	8.1	0.3	2.1	1.0	-0.4	-0.3	
CBC CBC240985										65%	22%	27%	17%	12%	10%	17%	9%	33%	14%	14%	13%	11%	7%	
CBC 240986				AL 180028	109	94	101	104	105	110	94	88	101	99	96	101	106	106	97	98	103	97	102	
F1				CBC 202009	57%	22%	17%	10%	13%	0.22	-0.6	0.19	8.6	3.5	5	-4.9	-0.3	8.7	0.3	2.1	1.0	-0.4	-0.3	
CBC CBC240986										65%	22%	27%	17%	12%	10%	17%	9%	32%	14%	14%	13%	11%	7%	
CBC 240987				AL 180028	112	92	101	104	105	113	92	90	101	98	96	101	106	106	97	98	103	97	102	
F1				CBC 202017	57%	22%	17%	10%	13%	-0.07	-1.1	0.12	8.6	2.8	5	-4.9	-0.3	8.7	0.3	2.1	1.0	-0.4	-0.3	
CBC CBC240987										65%	22%	27%	17%	12%	10%	17%	9%	32%	14%	14%	13%	11%	7%	
CBC 240988				AL 180028	104	95	101	104	105	106	95	86	101	100	96	101	106	105	97	98	103	97	102	
F1				CBC 181809	57%	22%	17%	10%	13%	0.57	0.0	0.28	8.6	4.3	5	-4.9	-0.3	7.9	0.3	2.1	1.0	-0.4	-0.3	
CBC CBC240988										65%	22%	27%	17%	12%	10%	17%	9%	33%	14%	14%	13%	11%	7%	
CBC 240989				AL 180028	114	92	101	104	105	114	92	91	101	97	96	101	106	105	97	98	103	97	102	
F1				CBC 191904	57%	22%	17%	10%	13%	-0.19	-1.3	0.09	8.6	2.5	5	-4.9	-0.3	8.1	0.3	2.1	1.0	-0.4	-0.3	
CBC CBC240989										65%	22%	27%	17%	12%	10%	17%	9%	33%	14%	14%	13%	11%	7%	

WAGYU Bulls

Inbreeding >6% is high				<75		75 - 125		>125		Breeding values with an accuracy < 5% are not printed												
Bull				Selection Value					Calf weight		Mother		Growth		Fertility			Carcass				
ID	%Inbreeding	Parentage		Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn. Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
		Genomic	Sire ID																			
Name																						
JAPANESE BLACK																						
CBC 240990		AL 180028		114	92	101	104	105	114	92	91	101	97	96	101	106	105	97	98	103	97	102
F1		CBC 191938		-0.20	-1.3	0.09	8.6	2.4	5	-4.9	-0.3	8.1	0.3	2.1	1.0	-0.4	-0.3					
CBC CBC240990				57%	22%	17 %	10%	13%	65 %	22 %	27%	17%	12%	10%	17%	9%	33 %	14 %	14 %	13 %	11 %	7 %

WAGYU Cows

Inbreeding >6% is high				<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed															
Cow				Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas				
ID	%Inbreeding	Parentage		Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
Name		Genomic DNA	Sire ID																			
JAPANESE BLACK																						
CBC 170038			BA 130923	104	82	111	99	99	102	82	99	111	85	101	113	91	88	91	84	100	104	113
F1				45 %	41 %	29 %	26 %	26 %	0.89	-5.2	-0.25	14.2	-6.5	12	-11.5	2.7	0.2	-0.4	-7.4	0.6	0.3	1.5
CBC 170038				45 %	41 %	29 %	26 %	26 %	47 %	41 %	35 %	29 %	28 %	26%	33%	19%	45 %	36 %	36 %	33 %	26 %	11 %
CBC 180008			BA 130923	94	84	112	99	99	96	84	90	112	87	101	113	91	86	91	84	100	104	113
F1				58 %	41 %	29 %	26 %	26 %	1.50	-4.5	0.13	14.6	-5.2	12	-11.5	2.7	-0.6	-0.4	-7.4	0.6	0.3	1.5
CBC 180008				58 %	41 %	29 %	26 %	26 %	59 %	41 %	56 %	29 %	28 %	26%	33%	19%	53 %	36 %	36 %	33 %	26 %	11 %
CBC 180042			BA 130923	87	85	112	99	99	92	85	83	112	88	101	113	91	83	91	84	100	104	113
F1				59 %	41 %	29 %	26 %	26 %	1.91	-3.9	0.38	14.8	-4.3	12	-11.5	2.7	-2.1	-0.4	-7.4	0.6	0.3	1.5
CBC 180042				59 %	41 %	29 %	26 %	26 %	59 %	41 %	58 %	29 %	28 %	26%	33%	19%	54 %	36 %	36 %	33 %	26 %	11 %
CBC 180051			BA 130923	96	84	112	99	99	97	84	92	112	86	101	113	91	92	91	84	100	104	113
F1				64 %	41 %	29 %	26 %	26 %	1.36	-4.6	0.05	14.5	-5.5	12	-11.5	2.7	2.1	-0.4	-7.4	0.6	0.3	1.5
CBC 180051				64 %	41 %	29 %	26 %	26 %	64 %	41 %	64 %	29 %	28 %	26%	33%	19%	54 %	36 %	36 %	33 %	26 %	11 %
CBC 180101			148BE AACFC0047	100	98	81	121	99	102	98	87	81	95	79	84	108	101	101	87	103	86	100
FB				66 %	55 %	53 %	49 %	51 %	0.91	1.4	0.23	-2.3	0.8	-21	4.4	-0.6	6.3	0.8	-5.2	1.1	-1.6	-0.6
CBC 180101				66 %	55 %	53 %	49 %	51 %	66 %	55 %	66 %	53 %	54 %	49%	59%	43%	64 %	55 %	55 %	53 %	52 %	41 %
CBC 180104	2		HWKFA0002 LSRFE0263	79	108	77	112	102	90	108	63	77	106	88	100	104	124	94	98	95	83	106
FB				54 %	31 %	28 %	17 %	30 %	2.08	5.4	1.18	-4.8	8.8	-6	-4.6	0.2	16.7	-0.1	2.0	-0.2	-1.9	0.4
CBC 180104				54 %	31 %	28 %	17 %	30 %	54 %	31 %	52 %	28 %	24 %	17%	41%	19%	52 %	39 %	39 %	35 %	33 %	21 %
CBC 180106			148BE AACFD0075	119	92	75	120	114	113	92	110	75	88	80	116	110	105	109	93	120	92	96
FB				62 %	55 %	51 %	46 %	49 %	-0.08	-1.4	-0.65	-5.8	-3.9	-19	-13.0	-1.0	7.9	1.6	-1.4	3.6	-1.0	-1.4
CBC 180106				62 %	55 %	51 %	46 %	49 %	62 %	55 %	61 %	51 %	54 %	46%	58%	40%	62 %	55 %	55 %	54 %	51 %	42 %
CBC 180503			KF 120018 AAF11	122	96	97	102	96	122	96	91	97	98	98	82	106	88	94	96	81	98	109
F1				61 %	27 %	26 %	18 %	26 %	-0.97	0.6	0.09	6.6	3.3	8	5.3	-0.2	0.5	0.0	0.8	-2.2	-0.4	0.8
CBC 18503				61 %	27 %	26 %	18 %	26 %	65 %	27 %	45 %	26 %	28 %	18%	34%	18%	52 %	48 %	48 %	46 %	31 %	12 %
CBC 190008			PK 150003 CWBFCBC36	88	85	108	109	99	88	85	101	108	88	91	98	100	84	105	99	77	131	113
F1				44 %	28 %	25 %	6 %	18 %	2.27	-3.9	-0.30	12.3	-4.2	-2	-3.2	0.8	-1.6	1.2	2.6	-2.7	3.2	1.5
CBC 190008				44 %	28 %	25 %	6 %	18 %	44 %	28 %	45 %	25 %	24 %	6 %	27%	10%	49 %	45 %	45 %	43 %	34 %	12 %
CBC 190012			PK 150003 CBC19	52	102	99	116	113	49	102	61	99	103	84	104	116	82	111	102	85	124	106
F1				62 %	52 %	36 %	6 %	26 %	5.89	2.8	1.24	7.6	6.7	-13	-6.4	-2.2	-2.5	1.9	5.1	-1.6	2.4	0.3
CBC 190012				62 %	52 %	36 %	6 %	26 %	65 %	52 %	50 %	36 %	26 %	6 %	41%	10%	50 %	45 %	45 %	43 %	34 %	12 %
CBC 190036			PK 150003 CWBFCB CANGUS	95	84	107	109	99	92	84	107	107	87	91	98	100	84	105	99	77	131	113
F1				44 %	28 %	25 %	6 %	18 %	1.89	-4.4	-0.54	12.1	-5.0	-2	-3.2	0.8	-1.6	1.2	2.6	-2.7	3.2	1.5
CBC 190036				44 %	28 %	25 %	6 %	18 %	44 %	28 %	45 %	25 %	24 %	6 %	27%	10%	49 %	45 %	45 %	43 %	34 %	12 %
CBC 190038			PK 150003 CWBFANGUS1	89	85	108	109	99	88	85	101	108	88	91	98	100	83	105	99	77	131	113
F1				36 %	28 %	25 %	6 %	18 %	2.23	-4.0	-0.33	12.3	-4.3	-2	-3.2	0.8	-1.9	1.2	2.6	-2.7	3.2	1.5
CBC 190038				36 %	28 %	25 %	6 %	18 %	36 %	28 %	35 %	25 %	24 %	6 %	27%	10%	46 %	45 %	45 %	43 %	34 %	12 %

WAGYU Cows

Inbreeding >6% is high				<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed																
Cow				Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas					
ID	%Inbreeding	Parentage		Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling	Fineness
Name		Genomic DNA	Sire ID																				
JAPANESE BLACK																							
CBC 190529			PMGFL00013	102	104	82	116	105	101	104	97	82	101	84	91	113	90	112	85	117	83	94	
F1			AAF5						1.05	3.7	-0.16	-2.1	4.9	-13	0.6	-1.6	1.2	1.9	-6.3	3.1	-2.0	-1.7	
CBC 19529				62 %	27 %	19 %	17 %	23 %	67 %	27 %	41 %	19 %	25 %	17 %	30 %	16 %	49 %	49 %	49 %	49 %	48 %	42 %	
CBC 190553			KF 120016	118	89	97	106	87	132	89	112	97	91	94	78	95	86	77	100	72	110	125	
F1			MAF10						-1.90	-2.5	-0.76	6.2	-1.8	2	7.4	1.9	-0.7	-2.1	3.2	-3.6	1.0	3.7	
CBC 19553				67 %	27 %	25 %	18 %	32 %	70 %	27 %	56 %	25 %	27 %	18 %	45 %	20 %	52 %	44 %	43 %	41 %	23 %	12 %	
LPB 190006	2		OVE 100045	121	86	80	120	115	124	86	131	80	85	80	118	111	128	88	133	76	120	117	
PBD			KF 130002						-1.20	-3.9	-1.50	-3.3	-6.2	-18	-13.7	-1.3	18.8	-0.8	26.1	-3.0	2.0	2.2	
PURE LPB 190006				63 %	36 %	34 %	17 %	36 %	63 %	36 %	62 %	34 %	32 %	17 %	52 %	20 %	62 %	50 %	50 %	45 %	36 %	10 %	
LPB 190016	2		OVE 100045	120	91	81	119	118	118	91	131	81	88	81	113	118	116	79	112	81	121	132	
PBD			KF 120006						-0.59	-1.8	-1.49	-2.3	-4.0	-17	-11.2	-2.6	13.3	-1.7	11.5	-2.1	2.1	4.9	
PURE LPB 190016				62 %	40 %	37 %	21 %	36 %	62 %	40 %	61 %	37 %	33 %	21 %	50 %	22 %	60 %	48 %	49 %	44 %	36 %	15 %	
LPB 191108			HJ 150008	95	107	98	101	74	98	107	83	98	108	99	61	87	110	97	90	85	97	109	
F1			LPB114						1.26	5.0	0.40	7.0	10.3	9	16.8	3.6	10.4	0.2	-3.0	-1.5	-0.5	0.8	
PURE LPB191108				68 %	58 %	34 %	18 %	28 %	71 %	58 %	54 %	34 %	23 %	18 %	42 %	15 %	53 %	42 %	42 %	39 %	25 %	10 %	
CBC 200004			PK 150003	93	85	107	109	99	91	85	105	107	87	91	98	100	84	105	99	77	131	113	
F1			CWBFCBC28						2.00	-4.3	-0.47	12.2	-4.8	-2	-3.2	0.8	-1.8	1.2	2.6	-2.7	3.2	1.5	
CBC 200004				50 %	28 %	25 %	6 %	18 %	50 %	28 %	52 %	25 %	24 %	6 %	27 %	10 %	48 %	45 %	45 %	43 %	34 %	12 %	
CBC 200006			PK 150003	93	85	107	109	99	91	85	105	107	87	91	98	100	84	105	99	77	131	113	
F1			CWBFCBC41						1.98	-4.3	-0.48	12.2	-4.8	-2	-3.2	0.8	-1.8	1.2	2.6	-2.7	3.2	1.5	
CBC 200006				50 %	28 %	25 %	6 %	18 %	50 %	28 %	52 %	25 %	24 %	6 %	27 %	10 %	48 %	45 %	45 %	43 %	34 %	12 %	
CBC 200007			PK 150003	81	87	108	109	99	83	87	94	108	89	91	98	100	83	105	99	77	131	113	
F1			CWBFBANGUS3						2.72	-3.4	-0.03	12.6	-3.3	-2	-3.2	0.8	-2.0	1.2	2.6	-2.7	3.2	1.5	
CBC 200007				50 %	28 %	25 %	6 %	18 %	50 %	28 %	52 %	25 %	24 %	6 %	27 %	10 %	48 %	45 %	45 %	43 %	34 %	12 %	
CBC 200008			PK 150003	75	90	102	118	117	85	90	67	102	93	82	108	120	84	111	102	85	124	106	
F1			CBC4*						2.54	-2.1	1.00	9.0	-0.4	-16	-8.5	-3.0	-1.7	1.9	5.1	-1.6	2.4	0.3	
CBC 200008				52 %	30 %	32 %	6 %	27 %	51 %	30 %	54 %	32 %	26 %	6 %	41 %	13 %	53 %	45 %	45 %	43 %	34 %	12 %	
CBC 200009			PK 150003	86	86	99	120	106	92	86	77	99	90	80	93	112	81	111	102	85	124	106	
F1			53						1.85	-3.6	0.60	7.6	-2.9	-18	-0.6	-1.5	-3.0	1.9	5.1	-1.6	2.4	0.3	
CBC 200009				39 %	28 %	25 %	6 %	18 %	39 %	28 %	39 %	25 %	24 %	6 %	27 %	10 %	48 %	45 %	45 %	43 %	34 %	12 %	
CBC 200020			CBC 180107	89	106	107	89	97	93	106	86	107	108	111	102	95	106	89	97	88	101	111	
F1			CWBFCBC59						1.81	4.7	0.27	11.7	10.2	27	-5.5	2.0	8.6	-0.7	1.6	-1.1	0.0	1.3	
CBC 200020				40 %	19 %	14 %	9 %	14 %	45 %	19 %	22 %	14 %	12 %	9 %	17 %	10 %	31 %	20 %	19 %	18 %	16 %	11 %	
CBC 200566			KF 120016	103	98	98	106	81	105	98	87	98	100	94	77	88	87	77	100	72	110	125	
F1			AAF26						0.64	1.4	0.23	6.9	4.2	2	8.0	3.3	0.0	-2.1	3.2	-3.6	1.0	3.7	
CBC 20566				64 %	27 %	25 %	18 %	31 %	67 %	27 %	51 %	25 %	27 %	18 %	44 %	18 %	50 %	44 %	43 %	41 %	23 %	12 %	

WAGYU Cows

Inbreeding >6% is high				<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed																
Cow				Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas					
ID	%Inbreeding	Parentage		Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness	
Name		Genomic DNA	Sire ID																				Dam ID
JAPANESE BLACK																							
CBC 210001		KKWFD0052		96	102	110	89	95	95	102	100	110	102	111	97	96	89	113	106	87	112	94	
F1		CWBFCBC21		1.60	2.8				1.60	2.8	-0.27	13.7	6.2	27	-2.9	1.8	0.9	2.1	7.4	-1.3	1.2	-1.6	
CBC 210001				43 %	49 %	47 %	38 %	37 %	46 %	49 %	31 %	47 %	48 %	38%	48%	26%	50 %	49 %	49 %	49 %	48 %	44 %	
CBC 210009		KKWFD0052		93	102	110	89	95	93	102	97	110	103	111	97	96	90	113	106	87	112	94	
F1		CWBFCBC28		1.76	3.0				1.76	3.0	-0.18	13.8	6.5	27	-2.9	1.8	1.4	2.1	7.4	-1.3	1.2	-1.6	
CBC 210009				54 %	49 %	47 %	38 %	37 %	55 %	49 %	50 %	47 %	48 %	38%	48%	26%	55 %	49 %	49 %	49 %	48 %	44 %	
CBC 210014		KKWFD0052		84	104	111	89	95	87	104	89	111	105	111	97	96	90	113	106	87	112	94	
F1		CWBFCBC44		2.33	3.7				2.33	3.7	0.17	14.1	7.7	27	-2.9	1.8	1.4	2.1	7.4	-1.3	1.2	-1.6	
CBC 210014				50 %	49 %	47 %	38 %	37 %	52 %	49 %	42 %	47 %	48 %	38%	48%	26%	55 %	49 %	49 %	49 %	48 %	44 %	
CBC 210018		KKWFD0052		94	102	110	89	95	94	102	98	110	103	111	97	96	90	113	106	87	112	94	
F1		CWBFCBC38		1.71	2.9				1.71	2.9	-0.20	13.7	6.4	27	-2.9	1.8	1.3	2.1	7.4	-1.3	1.2	-1.6	
CBC 210018				50 %	49 %	47 %	38 %	37 %	52 %	49 %	42 %	47 %	48 %	38%	48%	26%	54 %	49 %	49 %	49 %	48 %	44 %	
CBC 210021		KKWFD0052		87	103	111	89	95	89	103	91	111	104	111	97	96	90	113	106	87	112	94	
F1		CWBFCBC54		2.16	3.5				2.16	3.5	0.07	14.0	7.4	27	-2.9	1.8	1.4	2.1	7.4	-1.3	1.2	-1.6	
CBC 210021				50 %	49 %	47 %	38 %	37 %	52 %	49 %	42 %	47 %	48 %	38%	48%	26%	55 %	49 %	49 %	49 %	48 %	44 %	
CBC 210025		CBC 180107		96	105	106	89	97	97	105	93	106	107	111	102	95	104	89	97	97	88	101	111
F1		CWBFCBC83		1.38	4.2				1.38	4.2	0.01	11.5	9.3	27	-5.5	2.0	7.5	-0.7	1.6	-1.1	0.0	1.3	
CBC 210025				52 %	19 %	14 %	9 %	14 %	54 %	19 %	44 %	14 %	12 %	9 %	17%	10%	38 %	20 %	19 %	18 %	16 %	11 %	
CBC 210026		KKWFD0052		96	102	110	89	95	95	102	100	110	102	111	97	96	89	113	106	87	112	94	
F1		CWBFCBC42		1.60	2.8				1.60	2.8	-0.27	13.7	6.2	27	-2.9	1.8	0.8	2.1	7.4	-1.3	1.2	-1.6	
CBC 210026				43 %	49 %	47 %	38 %	37 %	46 %	49 %	31 %	47 %	48 %	38%	48%	26%	52 %	49 %	49 %	49 %	48 %	44 %	
CBC 210029		KKWFD0052		88	103	111	89	95	90	103	92	111	104	111	97	96	90	113	106	87	112	94	
F1		CWBFCBC35		2.09	3.4				2.09	3.4	0.03	14.0	7.2	27	-2.9	1.8	1.4	2.1	7.4	-1.3	1.2	-1.6	
CBC 210029				50 %	49 %	47 %	38 %	37 %	52 %	49 %	42 %	47 %	48 %	38%	48%	26%	55 %	49 %	49 %	49 %	48 %	44 %	
CBC 210030		CBC 180102		79	102	110	96	93	83	102	86	110	103	104	99	92	92	96	85	95	97	104	
F1		CWBFCBC46		2.71	2.9				2.71	2.9	0.27	13.9	6.4	17	-3.8	2.6	2.1	0.2	-6.3	-0.1	-0.5	0.0	
CBC 210030				42 %	28 %	26 %	25 %	24 %	45 %	28 %	32 %	26 %	27 %	25%	28%	21%	39 %	29 %	29 %	28 %	28 %	21 %	
CBC 210031		PMGFL00013		52	126	83	108	109	55	126	61	83	121	92	93	117	89	112	85	117	83	94	
F1		CBC19		5.34	13.0				5.34	13.0	1.26	-1.3	19.4	-2	-0.5	-2.3	0.7	1.9	-6.3	3.1	-2.0	-1.7	
CBC 210031				64 %	54 %	32 %	17 %	29 %	68 %	54 %	49 %	32 %	39 %	17%	42%	16%	53 %	49 %	49 %	49 %	48 %	42 %	
CBC 210034		CBC 180102		67	104	111	96	93	76	104	75	111	105	104	99	92	93	96	85	95	97	104	
F1		CWBFCBC43		3.42	3.8				3.42	3.8	0.70	14.3	7.9	17	-3.8	2.6	2.8	0.2	-6.3	-0.1	-0.5	0.0	
CBC 210034				54 %	28 %	26 %	25 %	24 %	55 %	28 %	51 %	26 %	27 %	25%	28%	21%	44 %	29 %	29 %	28 %	28 %	21 %	
CBC 210035		CBC 180102		69	104	111	96	93	77	104	77	111	104	104	99	92	94	96	85	95	97	104	
F1		CWBFCBC41		3.28	3.6				3.28	3.6	0.61	14.2	7.6	17	-3.8	2.6	3.0	0.2	-6.3	-0.1	-0.5	0.0	
CBC 210035				49 %	28 %	26 %	25 %	24 %	51 %	28 %	43 %	26 %	27 %	25%	28%	21%	41 %	29 %	29 %	28 %	28 %	21 %	

WAGYU Cows

Inbreeding >6% is high				<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed															
Cow				Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas				
ID	%Inbreeding	Parentage		Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
Name		Genomic DNA	Sire ID Dam ID																			
JAPANESE BLACK																						
CBC 210036		CBC 180102		79	102	110	96	93	83	102	86	110	103	104	99	92	94	96	85	95	97	104
F1		CWBFCBC23		42 %	28 %	26 %	25 %	24 %	2.71	2.9	0.27	13.9	6.4	17	-3.8	2.6	3.0	0.2	-6.3	-0.1	-0.5	0.0
CBC 210036				42 %	28 %	26 %	25 %	24 %	45 %	28 %	32 %	26 %	27 %	25%	28%	21%	39 %	29 %	29 %	28 %	28 %	21 %
CBC 210037		CBC 180102		87	101	101	107	103	94	101	74	101	103	93	100	105	91	102	89	103	89	97
F1		CBC18		63 %	28 %	26 %	25 %	28 %	1.72	2.5	0.75	8.7	6.5	0	-4.4	-0.1	1.5	0.9	-3.8	1.0	-1.3	-1.2
CBC 210037				63 %	28 %	26 %	25 %	28 %	67 %	28 %	46 %	26 %	27 %	25%	36%	21%	44 %	29 %	29 %	28 %	28 %	21 %
CBC 210042		CBC 180102		61	105	112	96	93	72	105	69	112	106	104	99	92	94	96	85	95	97	104
F1		CWBFCBC8		54 %	28 %	26 %	25 %	24 %	3.77	4.2	0.92	14.5	8.7	17	-3.8	2.6	3.0	0.2	-6.3	-0.1	-0.5	0.0
CBC 210042				54 %	28 %	26 %	25 %	24 %	55 %	28 %	51 %	26 %	27 %	25%	28%	21%	41 %	29 %	29 %	28 %	28 %	21 %
CBC 210048		CBC 180102		79	102	110	96	93	83	102	86	110	103	104	99	92	94	96	85	95	97	104
F1		CWBFCBC25		42 %	28 %	26 %	25 %	24 %	2.71	2.9	0.27	13.9	6.4	17	-3.8	2.6	3.0	0.2	-6.3	-0.1	-0.5	0.0
CBC 210048				42 %	28 %	26 %	25 %	24 %	45 %	28 %	32 %	26 %	27 %	25%	28%	21%	39 %	29 %	29 %	28 %	28 %	21 %
CBC 210049		CBC 180102		93	99	101	107	100	99	99	75	101	101	93	94	104	90	102	89	103	89	97
F1		CBC29		59 %	28 %	26 %	25 %	24 %	1.18	1.6	0.69	8.7	5.1	0	-1.3	0.2	1.3	0.9	-3.8	1.0	-1.3	-1.2
CBC 210049				59 %	28 %	26 %	25 %	24 %	65 %	28 %	36 %	26 %	27 %	25%	28%	21%	43 %	29 %	29 %	28 %	28 %	21 %
CBC 210051		CBC 180107		90	106	107	89	97	93	106	86	107	108	111	102	95	104	89	97	88	101	111
F1				48 %	19 %	14 %	9 %	14 %	1.79	4.7	0.26	11.7	10.1	27	-5.5	2.0	7.8	-0.7	1.6	-1.1	0.0	1.3
CBC 210051				48 %	19 %	14 %	9 %	14 %	51 %	19 %	38 %	14 %	12 %	9 %	17%	10%	36 %	20 %	19 %	18 %	16 %	11 %
CBC 210053		CBC 180102		69	104	111	96	93	77	104	77	111	104	104	99	92	94	96	85	95	97	104
F1				49 %	28 %	26 %	25 %	24 %	3.30	3.6	0.63	14.2	7.7	17	-3.8	2.6	3.0	0.2	-6.3	-0.1	-0.5	0.0
CBC 210053				49 %	28 %	26 %	25 %	24 %	51 %	28 %	43 %	26 %	27 %	25%	28%	21%	41 %	29 %	29 %	28 %	28 %	21 %
CBC 210056		CBC 180107		89	106	107	89	97	93	106	86	107	108	111	102	95	105	89	97	88	101	111
F1		CWBFCBC61		40 %	19 %	14 %	9 %	14 %	1.81	4.7	0.27	11.7	10.2	27	-5.5	2.0	8.2	-0.7	1.6	-1.1	0.0	1.3
CBC 210056				40 %	19 %	14 %	9 %	14 %	45 %	19 %	22 %	14 %	12 %	9 %	17%	10%	34 %	20 %	19 %	18 %	16 %	11 %
CBC 210060		CBC 180107		99	105	97	100	103	105	105	74	97	108	100	97	107	106	95	101	96	94	104
F1		CBC53		44 %	19 %	14 %	9 %	14 %	0.65	4.1	0.72	6.5	9.9	11	-3.0	-0.3	8.7	0.0	4.1	0.1	-0.8	0.0
CBC 210060				44 %	19 %	14 %	9 %	14 %	48 %	19 %	28 %	14 %	12 %	9 %	17%	10%	35 %	20 %	19 %	18 %	16 %	11 %
CBC 210062		CBC 180102		79	102	110	96	93	83	102	86	110	103	104	99	92	93	96	85	95	97	104
F1				42 %	28 %	26 %	25 %	24 %	2.71	2.9	0.27	13.9	6.4	17	-3.8	2.6	2.7	0.2	-6.3	-0.1	-0.5	0.0
CBC 210062				42 %	28 %	26 %	25 %	24 %	45 %	28 %	32 %	26 %	27 %	25%	28%	21%	37 %	29 %	29 %	28 %	28 %	21 %
CBC 210066		CBC 180102		79	102	110	96	93	83	102	86	110	103	104	99	92	93	96	85	95	97	104
F1				42 %	28 %	26 %	25 %	24 %	2.71	2.9	0.27	13.9	6.4	17	-3.8	2.6	2.7	0.2	-6.3	-0.1	-0.5	0.0
CBC 210066				42 %	28 %	26 %	25 %	24 %	45 %	28 %	32 %	26 %	27 %	25%	28%	21%	37 %	29 %	29 %	28 %	28 %	21 %
CBC 210067		CBC 180107		90	106	107	89	97	93	106	87	107	108	111	102	95	107	89	97	88	101	111
F1				48 %	19 %	14 %	9 %	14 %	1.76	4.6	0.24	11.7	10.1	27	-5.5	2.0	8.9	-0.7	1.6	-1.1	0.0	1.3
CBC 210067				48 %	19 %	14 %	9 %	14 %	51 %	19 %	38 %	14 %	12 %	9 %	17%	10%	36 %	20 %	19 %	18 %	16 %	11 %

WAGYU Cows

Inbreeding >6% is high				<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed															
Cow				Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas				
ID	%Inbreeding	Parentage		Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
Name		Genomic DNA	Sire ID																			
JAPANESE BLACK																						
CBC 210074			CBC 180102	79	102	110	96	93	83	102	86	110	103	104	99	92	93	96	85	95	97	104
F1			CWBFCBC73	42 %	28 %	26 %	25 %	24 %	2.71	2.9	0.27	13.9	6.4	17	-3.8	2.6	2.7	0.2	-6.3	-0.1	-0.5	0.0
CBC 210074				42 %	28 %	26 %	25 %	24 %	45 %	28 %	32 %	26 %	27 %	25%	28%	21%	37 %	29 %	29 %	28 %	28 %	21 %
CBC 210075			CBC 180102	76	102	111	96	93	81	102	83	111	103	104	99	92	96	96	85	95	97	104
F1			CWBFBN50	49 %	28 %	26 %	25 %	24 %	2.91	3.1	0.39	14.0	6.8	17	-3.8	2.6	4.1	0.2	-6.3	-0.1	-0.5	0.0
CBC 210075				49 %	28 %	26 %	25 %	24 %	51 %	28 %	43 %	26 %	27 %	25%	28%	21%	42 %	29 %	29 %	28 %	28 %	21 %
CBC 210078			CBC 180107	89	106	107	89	97	93	106	86	107	108	111	102	95	106	89	97	88	101	111
F1				40 %	19 %	14 %	9 %	14 %	1.81	4.7	0.27	11.7	10.2	27	-5.5	2.0	8.6	-0.7	1.6	-1.1	0.0	1.3
CBC 210078				40 %	19 %	14 %	9 %	14 %	45 %	19 %	22 %	14 %	12 %	9 %	17%	10%	31 %	20 %	19 %	18 %	16 %	11 %
CBC 210085			CBC 180102	79	102	110	96	93	83	102	86	110	103	104	99	92	93	96	85	95	97	104
F1			CWBFCBC9	42 %	28 %	26 %	25 %	24 %	2.71	2.9	0.27	13.9	6.4	17	-3.8	2.6	2.7	0.2	-6.3	-0.1	-0.5	0.0
CBC 210085				42 %	28 %	26 %	25 %	24 %	45 %	28 %	32 %	26 %	27 %	25%	28%	21%	37 %	29 %	29 %	28 %	28 %	21 %
CBC 210612			KKWFE0010	113	84	110	101	88	111	84	99	110	84	99	98	85	93	123	85	94	91	80
F1			CWBFAAF18	51 %	49 %	44 %	21 %	26 %	0.11	-4.6	-0.24	13.5	-7.4	9	-3.5	3.9	2.7	3.2	-6.6	-0.3	-1.1	-4.1
CBC 210612				51 %	49 %	44 %	21 %	26 %	53 %	49 %	43 %	44 %	49 %	21%	41%	11%	55 %	50 %	50 %	49 %	49 %	46 %
CBC 210625			KKWFE0010	120	83	101	112	95	121	83	85	101	84	88	91	98	89	129	89	102	83	73
F1			AAF16	62 %	49 %	44 %	21 %	27 %	-0.86	-4.9	0.33	8.4	-7.3	-7	0.4	1.3	0.9	3.9	-4.0	0.9	-1.9	-5.3
CBC 210625				62 %	49 %	44 %	21 %	27 %	68 %	49 %	39 %	44 %	49 %	21%	42%	12%	54 %	50 %	50 %	49 %	49 %	46 %
CBC 210637	6		KKWFE0010	119	83	88	117	96	128	83	100	88	80	83	99	96	103	138	93	108	80	65
F2			LPB 191201	62 %	54 %	47 %	22 %	30 %	-1.50	-5.0	-0.28	1.7	-9.7	-15	-3.7	1.7	7.1	5.0	-1.5	1.8	-2.3	-6.6
CBC 21637				62 %	54 %	47 %	22 %	30 %	68 %	54 %	40 %	47 %	50 %	22%	47%	14%	56 %	54 %	54 %	53 %	51 %	47 %
CBC 220011			PMGFL00013	92	106	91	106	99	88	106	112	91	101	94	94	103	94	106	82	109	90	101
F1			CWBFCBC44	43 %	27 %	19 %	17 %	22 %	2.28	4.6	-0.75	2.9	5.5	3	-1.0	0.3	2.9	1.3	-8.9	1.9	-1.2	-0.4
CBC 220011				43 %	27 %	19 %	17 %	22 %	45 %	27 %	33 %	19 %	25 %	17%	29%	16%	48 %	49 %	49 %	49 %	48 %	42 %
CBC 220012			KKWFE0010	108	85	110	101	88	107	85	94	110	85	99	98	85	90	123	85	94	91	80
F1			CWBFCBC35	44 %	49 %	44 %	21 %	26 %	0.43	-4.2	-0.04	13.7	-6.7	9	-3.5	3.9	1.1	3.2	-6.6	-0.3	-1.1	-4.1
CBC 220012				44 %	49 %	44 %	21 %	26 %	48 %	49 %	31 %	44 %	49 %	21%	41%	11%	50 %	50 %	50 %	49 %	49 %	46 %
CBC 220017			CBC 180103	74	103	95	104	100	79	103	86	95	103	96	109	95	114	98	83	97	87	105
F2			CBC 180051	64 %	25 %	19 %	14 %	18 %	3.12	3.4	0.26	5.4	6.4	5	-9.4	1.9	12.1	0.4	-7.9	0.2	-1.5	0.1
CBC 220017				64 %	25 %	19 %	14 %	18 %	70 %	25 %	39 %	19 %	17 %	14%	23%	13%	39 %	26 %	26 %	24 %	20 %	11 %
CBC 220019			CBC 180103	75	109	100	101	100	83	109	72	100	111	99	100	100	119	102	91	98	86	97
F1			CB CBOX16	58 %	14 %	13 %	6 %	12 %	2.68	5.6	0.82	8.2	12.6	9	-4.5	1.0	14.4	0.9	-2.8	0.4	-1.6	-1.2
CBC 220019				58 %	14 %	13 %	6 %	12 %	66 %	14 %	27 %	13 %	10 %	6 %	16%	8%	33 %	19 %	19 %	17 %	16 %	10 %
CBC 220021			CBC 180103	66	110	110	90	93	72	110	83	110	111	110	105	88	115	97	87	90	94	104
F1			CWBFCBC46	48 %	14 %	13 %	6 %	12 %	3.74	6.0	0.38	13.4	12.6	25	-7.0	3.3	12.9	0.2	-5.3	-0.8	-0.8	0.0
CBC 220021				48 %	14 %	13 %	6 %	12 %	51 %	14 %	37 %	13 %	10 %	6 %	16%	8%	33 %	19 %	19 %	17 %	16 %	10 %

WAGYU Cows

Inbreeding >6% is high			<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed																
Cow				Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas				
ID	%Inbreeding	Parentage		Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
Name		Genomic DNA	Sire ID Dam ID																			
JAPANESE BLACK																						
CBC 220022			CBC 180103	70	109	109	90	93	75	109	87	109	111	110	105	88	106	97	87	90	94	104
F1			CWBFCBC36						3.48	5.7	0.22	13.3	12.1	25	-7.0	3.3	8.4	0.2	-5.3	-0.8	-0.8	0.0
CBC 220022				41 %	14 %	13 %	6 %	12 %	46 %	14 %	21 %	13 %	10 %	6 %	16 %	8 %	28 %	19 %	19 %	17 %	16 %	10 %
CBC 220024			CBC 180103	70	109	109	90	93	75	109	87	109	111	110	105	88	106	97	87	90	94	104
F1			CWBFCBC24						3.48	5.7	0.22	13.3	12.1	25	-7.0	3.3	8.4	0.2	-5.3	-0.8	-0.8	0.0
CBC 220024				41 %	14 %	13 %	6 %	12 %	46 %	14 %	21 %	13 %	10 %	6 %	16 %	8 %	28 %	19 %	19 %	17 %	16 %	10 %
CBC 220026			CBC 180103	67	109	110	90	93	73	109	84	110	111	110	105	88	115	97	87	90	94	104
F1			CWBFBANGUS1						3.67	6.0	0.34	13.4	12.5	25	-7.0	3.3	12.9	0.2	-5.3	-0.8	-0.8	0.0
CBC 220026				48 %	14 %	13 %	6 %	12 %	51 %	14 %	37 %	13 %	10 %	6 %	16 %	8 %	33 %	19 %	19 %	17 %	16 %	10 %
CBC 220032			CBC 180103	70	109	109	90	93	75	109	87	109	111	110	105	88	106	97	87	90	94	104
F1			CWBFCBC60						3.48	5.7	0.22	13.3	12.1	25	-7.0	3.3	8.4	0.2	-5.3	-0.8	-0.8	0.0
CBC 220032				41 %	14 %	13 %	6 %	12 %	46 %	14 %	21 %	13 %	10 %	6 %	16 %	8 %	28 %	19 %	19 %	17 %	16 %	10 %
CBC 220034			CBC 180103	74	102	96	104	100	81	102	79	96	102	96	109	95	116	98	83	97	87	105
F2			CBC 180042						2.93	2.7	0.55	5.9	5.6	5	-9.4	1.9	13.0	0.4	-7.9	0.2	-1.5	0.1
CBC 220034				66 %	25 %	19 %	14 %	18 %	71 %	25 %	45 %	19 %	17 %	14 %	23 %	13 %	42 %	26 %	26 %	24 %	20 %	11 %
CBC 220040			CBC 180103	70	109	109	90	93	75	109	87	109	111	110	105	88	106	97	87	90	94	104
F1			CWBFCBC12						3.48	5.7	0.22	13.3	12.1	25	-7.0	3.3	8.4	0.2	-5.3	-0.8	-0.8	0.0
CBC 220040				41 %	14 %	13 %	6 %	12 %	46 %	14 %	21 %	13 %	10 %	6 %	16 %	8 %	28 %	19 %	19 %	17 %	16 %	10 %
CBC 220050			CBC 180103	70	109	109	90	93	75	109	87	109	111	110	105	88	106	97	87	90	94	104
F1									3.48	5.7	0.22	13.3	12.1	25	-7.0	3.3	8.4	0.2	-5.3	-0.8	-0.8	0.0
CBC 220050				41 %	14 %	13 %	6 %	12 %	46 %	14 %	21 %	13 %	10 %	6 %	16 %	8 %	28 %	19 %	19 %	17 %	16 %	10 %
CBC 220051			CBC 180103	70	109	109	90	93	75	109	87	109	111	110	105	88	106	97	87	90	94	104
F1			CWBFCBC 200011						3.48	5.7	0.22	13.3	12.1	25	-7.0	3.3	8.4	0.2	-5.3	-0.8	-0.8	0.0
CBC 220051				41 %	14 %	13 %	6 %	12 %	46 %	14 %	21 %	13 %	10 %	6 %	16 %	8 %	28 %	19 %	19 %	17 %	16 %	10 %
CBC 220055			CBC 180103	90	97	94	109	100	91	97	95	94	98	91	102	100	110	105	91	86	101	105
F2			CBC 200006						1.94	0.7	-0.08	4.6	2.8	-3	-5.2	1.0	10.2	1.2	-2.9	-1.5	0.0	0.1
CBC 220055				61 %	20 %	18 %	7 %	16 %	68 %	20 %	34 %	18 %	16 %	7 %	21 %	10 %	37 %	30 %	29 %	27 %	23 %	12 %
CBC 220063			CBC 180103	70	109	109	90	93	75	109	87	109	111	110	105	88	106	97	87	90	94	104
F1			CWBFCBC51						3.48	5.7	0.22	13.3	12.1	25	-7.0	3.3	8.4	0.2	-5.3	-0.8	-0.8	0.0
CBC 220063				41 %	14 %	13 %	6 %	12 %	46 %	14 %	21 %	13 %	10 %	6 %	16 %	8 %	28 %	19 %	19 %	17 %	16 %	10 %
CBC 220074			CBC 180103	70	109	109	90	93	75	109	87	109	111	110	105	88	106	97	87	90	94	104
F1									3.48	5.7	0.22	13.3	12.1	25	-7.0	3.3	8.4	0.2	-5.3	-0.8	-0.8	0.0
CBC 220074				41 %	14 %	13 %	6 %	12 %	46 %	14 %	21 %	13 %	10 %	6 %	16 %	8 %	28 %	19 %	19 %	17 %	16 %	10 %
CBC 220075			CBC 180103	70	109	109	90	93	75	109	87	109	111	110	105	88	106	97	87	90	94	104
PEN									3.48	5.7	0.22	13.3	12.1	25	-7.0	3.3	8.4	0.2	-5.3	-0.8	-0.8	0.0
CBC 220075				41 %	14 %	13 %	6 %	12 %	46 %	14 %	21 %	13 %	10 %	6 %	16 %	8 %	28 %	19 %	19 %	17 %	16 %	10 %

WAGYU Cows

Inbreeding >6% is high			<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed																
Cow				Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas				
ID	%Inbreeding	Parentage		Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
Name		Genomic DNA	Sire ID Dam ID																			
JAPANESE BLACK																						
CBC 220076			CBC 180103	68	103	94	109	100	74	103	85	94	103	91	102	100	110	105	91	86	101	105
F2			CBC 200002	3.57	3.5				3.57	3.5	0.30	4.7	6.9	-3	-5.2	1.0	10.2	1.2	-2.9	-1.5	0.0	0.1
CBC 220076				61 %	20 %	18 %	7 %	16 %	68 %	20 %	34 %	18 %	16 %	7 %	21%	10%	37 %	30 %	29 %	27 %	23 %	12 %
CBC 220086			CBC 180103	70	109	109	90	93	75	109	87	109	111	110	105	88	106	97	87	90	94	104
F1			CWBFCBC9	3.48	5.7				3.48	5.7	0.22	13.3	12.1	25	-7.0	3.3	8.4	0.2	-5.3	-0.8	-0.8	0.0
CBC 220086				41 %	14 %	13 %	6 %	12 %	46 %	14 %	21 %	13 %	10 %	6 %	16%	8%	28 %	19 %	19 %	17 %	16 %	10 %
CBC 220140			CBC 180103	70	109	109	90	93	75	109	87	109	111	110	105	88	106	97	87	90	94	104
F1			CWBFCBC60	3.48	5.7				3.48	5.7	0.22	13.3	12.1	25	-7.0	3.3	8.4	0.2	-5.3	-0.8	-0.8	0.0
CBC 220140				41 %	14 %	13 %	6 %	12 %	46 %	14 %	21 %	13 %	10 %	6 %	16%	8%	28 %	19 %	19 %	17 %	16 %	10 %
CBC 220605			CBC 180102	79	111	99	102	107	87	111	72	99	111	98	99	111	95	96	93	96	92	104
F1			MAF1	2.31	6.5				2.31	6.5	0.82	7.6	12.3	8	-3.7	-1.1	3.3	0.2	-1.5	0.0	-0.9	0.0
CBC 220605				61 %	28 %	26 %	25 %	24 %	67 %	28 %	39 %	26 %	27 %	25%	28%	21%	42 %	29 %	29 %	28 %	28 %	21 %
CBC 220607			CBC 180107	122	102	91	104	112	122	102	90	91	102	96	105	114	110	89	96	95	87	109
F2			LB 190002	-0.96	2.8				-0.96	2.8	0.12	3.1	6.2	4	-6.9	-1.7	10.5	-0.6	0.8	-0.1	-1.5	0.9
CBC 220607				72 %	25 %	18 %	13 %	20 %	72 %	25 %	33 %	18 %	16 %	13%	27%	12%	41 %	27 %	27 %	25 %	19 %	11 %
CBC 220608	1		CBC 180107	110	101	89	108	108	112	101	84	89	102	92	105	108	116	94	95	95	91	108
F2			LB 190058	0.00	2.5				0.00	2.5	0.33	1.9	6.0	0	-6.8	-0.7	13.2	-0.1	0.0	-0.2	-1.1	0.8
CBC 220608				64 %	20 %	16 %	11 %	18 %	72 %	20 %	34 %	16 %	14 %	11%	25%	12%	39 %	25 %	25 %	23 %	18 %	11 %
CBC 220609	2		CBC 180107	126	98	78	113	113	120	98	106	78	96	87	106	115	126	84	107	86	103	122
PBD			LPB 190016	-0.79	1.4				-0.79	1.4	-0.52	-4.2	1.9	-9	-7.7	-2.0	17.9	-1.2	8.4	-1.5	0.2	3.1
CBC 220609				64 %	27 %	23 %	14 %	22 %	71 %	27 %	38 %	23 %	20 %	14%	30%	15%	44 %	31 %	31 %	28 %	24 %	13 %
CBC 220623			CBC 180107	93	111	91	104	111	98	111	77	91	110	96	104	114	119	89	96	95	87	109
F2			LB 190040	1.31	6.7				1.31	6.7	0.60	3.1	11.9	4	-6.7	-1.7	14.4	-0.6	0.8	-0.1	-1.5	0.9
CBC 220623				64 %	25 %	18 %	13 %	20 %	72 %	25 %	33 %	18 %	16 %	13%	27%	12%	40 %	27 %	27 %	25 %	19 %	11 %
CBC 220630			CBC 180107	89	106	107	89	97	93	106	86	107	108	111	102	95	106	89	97	88	101	111
PBD			CWBFLPB 190002	1.81	4.7				1.81	4.7	0.27	11.7	10.2	27	-5.5	2.0	8.6	-0.7	1.6	-1.1	0.0	1.3
CBC 220630				40 %	19 %	14 %	9 %	14 %	45 %	19 %	22 %	14 %	12 %	9 %	17%	10%	31 %	20 %	19 %	18 %	16 %	11 %
CBC 220638			CBC 180102	79	102	110	96	93	83	102	86	110	103	104	99	92	93	96	85	95	97	104
F1			CWBFTAF6	2.71	2.9				2.71	2.9	0.27	13.9	6.4	17	-3.8	2.6	2.7	0.2	-6.3	-0.1	-0.5	0.0
CBC 220638				42 %	28 %	26 %	25 %	24 %	45 %	28 %	32 %	26 %	27 %	25%	28%	21%	37 %	29 %	29 %	28 %	28 %	21 %
CBC 220640			CBC 180102	78	111	99	102	108	86	111	71	99	111	98	100	111	96	97	95	98	93	102
F1			KAF18	2.40	6.8				2.40	6.8	0.87	7.7	12.7	8	-4.3	-1.3	3.7	0.3	-0.1	0.3	-0.9	-0.3
CBC 220640				63 %	28 %	26 %	25 %	25 %	68 %	28 %	42 %	26 %	27 %	25%	29%	21%	43 %	29 %	29 %	28 %	28 %	21 %
CBC 220651			CBC 180102	99	97	101	107	105	103	97	80	101	100	93	99	108	93	102	89	103	89	97
F1			AAF6	0.81	1.0				0.81	1.0	0.50	8.6	4.3	0	-3.8	-0.7	2.7	0.9	-3.8	1.0	-1.3	-1.2
CBC 220651				61 %	28 %	26 %	25 %	25 %	67 %	28 %	40 %	26 %	27 %	25%	29%	21%	42 %	29 %	29 %	28 %	28 %	21 %

WAGYU Cows

Inbreeding >6% is high				<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed															
Cow				Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas				
ID	%Inbreeding	Parentage		Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
Name		Genomic DNA	Sire ID Dam ID																			
JAPANESE BLACK																						
CBC 220654			CBC 180102	112	101	99	103	107	111	101	95	99	102	97	100	111	90	96	95	95	92	103
F1			HAF1	0.06	2.6				0.06	2.6	-0.06	7.5	6.2	7	-4.2	-1.2	1.2	0.1	-0.2	-0.2	-1.0	-0.2
CBC 220654				62 %	28 %	26 %	25 %	24 %	67 %	28 %	41 %	26 %	27 %	25%	28%	21%	43 %	32 %	32 %	30 %	28 %	21 %
CBC 220655			CBC 180102	79	102	110	96	93	83	102	86	110	103	104	99	92	93	96	85	95	97	104
F1			CWBFTAF1	2.71	2.9				2.71	2.9	0.27	13.9	6.4	17	-3.8	2.6	2.7	0.2	-6.3	-0.1	-0.5	0.0
CBC 220655				42 %	28 %	26 %	25 %	24 %	45 %	28 %	32 %	26 %	27 %	25%	28%	21%	37 %	29 %	29 %	28 %	28 %	21 %
CBC 220657			CBC 180107	102	104	97	100	102	107	104	78	97	107	100	95	106	105	95	101	96	94	104
F1			KCF4	0.49	3.9				0.49	3.9	0.57	6.4	9.6	11	-1.6	-0.2	8.2	0.0	4.1	0.1	-0.8	0.0
CBC 22657				60 %	19 %	14 %	9 %	14 %	67 %	19 %	32 %	14 %	12 %	9 %	19%	10%	36 %	20 %	19 %	18 %	16 %	11 %
CBC 220659			CBC 180107	89	106	107	89	97	93	106	86	107	108	111	102	95	106	89	97	88	101	111
F1			CWBFKCF8	1.81	4.7				1.81	4.7	0.27	11.7	10.2	27	-5.5	2.0	8.6	-0.7	1.6	-1.1	0.0	1.3
CBC 22659				40 %	19 %	14 %	9 %	14 %	45 %	19 %	22 %	14 %	12 %	9 %	17%	10%	31 %	20 %	19 %	18 %	16 %	11 %
CBC 220663			KKWFE0010	108	85	110	101	88	107	85	94	110	85	99	98	85	90	123	85	94	91	80
F1				0.43	-4.2				0.43	-4.2	-0.04	13.7	-6.7	9	-3.5	3.9	1.1	3.2	-6.6	-0.3	-1.1	-4.1
CBC 22663				44 %	49 %	44 %	21 %	26 %	48 %	49 %	31 %	44 %	49 %	21%	41%	11%	50 %	50 %	50 %	49 %	49 %	46 %
CBC 220664	1		KKWFE0010	125	82	94	113	83	123	82	102	94	79	87	87	84	96	114	87	83	92	91
F2			CBC 200564	-1.01	-5.4				-1.01	-5.4	-0.36	4.7	-10.7	-9	2.9	4.0	3.7	2.2	-5.1	-1.9	-1.0	-2.2
CBC 22664				63 %	51 %	46 %	23 %	30 %	69 %	51 %	41 %	46 %	51 %	23%	45%	15%	55 %	54 %	54 %	53 %	51 %	47 %
CBC 220666	1		KKWFE0010	114	87	89	118	92	115	87	86	89	85	82	83	99	102	127	84	93	81	79
F2			LPB 191101	-0.30	-3.1				-0.30	-3.1	0.27	2.1	-6.4	-16	4.9	1.1	6.6	3.7	-7.0	-0.4	-2.1	-4.3
CBC 22666				66 %	57 %	47 %	22 %	30 %	73 %	57 %	40 %	47 %	50 %	22%	46%	14%	56 %	54 %	54 %	53 %	51 %	47 %
CBC 220667	2		CBC 180102	81	107	93	112	108	87	107	80	93	106	88	96	113	95	96	84	96	87	105
F2			CBC 180506	2.38	5.0				2.38	5.0	0.48	4.1	8.6	-7	-2.4	-1.6	3.7	0.2	-7.4	0.0	-1.5	0.2
CBC 22667				64 %	31 %	30 %	26 %	30 %	70 %	31 %	42 %	30 %	30 %	26%	36%	24%	46 %	36 %	36 %	34 %	29 %	21 %
CBC 220668	1		KKWFE0010	106	77	89	119	82	140	77	103	89	75	81	81	86	95	117	89	87	88	87
F2			CBC 190554	-2.67	-7.5				-2.67	-7.5	-0.39	2.0	-13.5	-17	5.7	3.6	3.7	2.6	-3.9	-1.4	-1.4	-2.9
CBC 22668				65 %	51 %	46 %	23 %	31 %	71 %	51 %	42 %	46 %	51 %	23%	47%	15%	56 %	54 %	54 %	53 %	51 %	47 %
CBC 220672			KKWFE0010	108	85	110	101	88	107	85	94	110	85	99	98	85	90	123	85	94	91	80
PBD			CWBFLPB 200003	0.43	-4.2				0.43	-4.2	-0.04	13.7	-6.7	9	-3.5	3.9	1.1	3.2	-6.6	-0.3	-1.1	-4.1
CBC 22672				44 %	49 %	44 %	21 %	26 %	48 %	49 %	31 %	44 %	49 %	21%	41%	11%	50 %	50 %	50 %	49 %	49 %	46 %
CBC 220673			KKWFE0010	112	80	96	117	98	128	80	75	96	82	83	89	105	99	131	88	106	79	70
F2			LPB 191107	-1.49	-6.0				-1.49	-6.0	0.69	5.9	-8.3	-15	1.7	0.1	5.3	4.1	-4.3	1.5	-2.4	-5.8
CBC 22673				65 %	55 %	45 %	21 %	28 %	72 %	55 %	39 %	45 %	49 %	21%	44%	13%	53 %	50 %	50 %	50 %	49 %	46 %
CBC 220674			KKWFE0010	108	85	110	101	88	107	85	94	110	85	99	98	85	90	123	85	94	91	80
F1				0.43	-4.2				0.43	-4.2	-0.04	13.7	-6.7	9	-3.5	3.9	1.1	3.2	-6.6	-0.3	-1.1	-4.1
CBC 22674				44 %	49 %	44 %	21 %	26 %	48 %	49 %	31 %	44 %	49 %	21%	41%	11%	50 %	50 %	50 %	49 %	49 %	46 %

WAGYU Cows

Inbreeding >6% is high				<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed																
Cow				Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas					
ID	%Inbreeding	Parentage		Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness	
Name		Genomic DNA	Sire ID																				Dam ID
JAPANESE BLACK																							
CBC 220676	1		KKWFE0010	109	81	89	116	86	137	81	101	89	79	84	84	90	94	115	90	83	88	90	
F2			CBC 190547	-2.39	-5.7	-0.33	1.8	-10.8	-14	4.2	3.0	3.1	2.3	-3.5	-1.8	-1.4	-2.3						
CBC 22676				65 %	51 %	46 %	23 %	31 %	71 %	51 %	42 %	46 %	51 %	23%	47%	15%	56 %	54 %	54 %	53 %	51 %	47 %	
CBC 220679	1		KKWFE0010	118	87	89	119	83	116	87	97	89	83	81	83	87	94	117	89	87	88	87	
F2			CBC 200562	-0.40	-3.4	-0.14	1.7	-7.6	-17	5.0	3.5	2.9	2.6	-3.9	-1.4	-1.4	-2.9						
CBC 22679				65 %	51 %	46 %	23 %	31 %	71 %	51 %	42 %	46 %	51 %	23%	47%	15%	56 %	54 %	54 %	53 %	51 %	47 %	
CBC 220685	2		CBC 180102	106	99	93	112	109	106	99	92	93	99	88	97	115	97	96	84	96	87	105	
F2			CBC 180523	0.54	1.9	0.03	4.0	4.0	-7	-2.7	-2.0	4.2	0.2	-7.4	0.0	-1.5	0.2						
CBC 22685				64 %	31 %	30 %	26 %	30 %	70 %	31 %	43 %	30 %	30 %	26%	36%	24%	46 %	36 %	36 %	34 %	29 %	21 %	
CBC 220688	2		CBC 180102	105	96	90	114	91	107	96	85	90	96	86	85	97	99	90	89	88	94	111	
F2			CBC 200566	0.43	0.6	0.33	2.5	1.4	-9	3.6	1.5	5.3	-0.5	-3.6	-1.2	-0.8	1.2						
CBC 22688				64 %	31 %	29 %	26 %	30 %	70 %	31 %	41 %	29 %	30 %	26%	36%	23%	45 %	36 %	36 %	34 %	30 %	21 %	
CBC 220690	2		CBC 180102	118	93	90	114	91	117	93	92	90	93	86	83	97	98	90	89	88	94	111	
F2			CBC 200558	-0.51	-0.9	0.03	2.4	-0.8	-9	4.6	1.5	4.9	-0.5	-3.6	-1.2	-0.8	1.2						
CBC 22690				64 %	31 %	29 %	26 %	30 %	70 %	31 %	41 %	29 %	30 %	26%	36%	23%	45 %	36 %	36 %	34 %	30 %	21 %	
CBC 220691			CBC 180102	79	102	110	96	93	83	102	86	110	103	104	99	92	93	96	85	95	97	104	
F1				2.71	2.9	0.27	13.9	6.4	17	-3.8	2.6	2.7	0.2	-6.3	-0.1	-0.5	0.0						
CBC 22691				45 %	28 %	32 %	26 %	27 %	25%	28%	21%	37 %	29 %	29 %	28 %	28 %	21 %	29 %	29 %	28 %	28 %	21 %	
CBC 220695			CBC 180107	89	106	107	89	97	93	106	86	107	108	111	102	95	106	89	97	88	101	111	
F1				1.81	4.7	0.27	11.7	10.2	27	-5.5	2.0	8.6	-0.7	1.6	-1.1	0.0	1.3						
CBC 220695				45 %	19 %	22 %	14 %	12 %	9 %	17%	10%	31 %	20 %	19 %	18 %	16 %	11 %	20 %	19 %	18 %	16 %	11 %	
CBC 220697	1		CBC 180107	122	99	86	106	107	122	99	89	86	99	94	96	113	113	94	97	89	90	108	
F2			CBC 180511	-0.99	1.5	0.17	0.4	3.8	2	-2.4	-1.6	11.6	-0.1	1.7	-1.0	-1.2	0.6						
CBC 220697				63 %	23 %	19 %	13 %	22 %	70 %	23 %	38 %	19 %	18 %	13%	28%	15%	42 %	31 %	31 %	29 %	23 %	12 %	
CBC 220698			CBC 180107	89	106	107	89	97	93	106	86	107	108	111	102	95	106	89	97	88	101	111	
F1				1.81	4.7	0.27	11.7	10.2	27	-5.5	2.0	8.6	-0.7	1.6	-1.1	0.0	1.3						
CBC 220698				45 %	19 %	22 %	14 %	12 %	9 %	17%	10%	31 %	20 %	19 %	18 %	16 %	11 %	20 %	19 %	18 %	16 %	11 %	
CBC 220699			CBC 180107	121	103	91	103	117	121	103	86	91	104	97	106	120	116	86	98	91	88	112	
F2			LB 190029	-0.85	3.3	0.25	2.9	7.2	6	-7.7	-3.0	13.3	-1.0	1.9	-0.7	-1.4	1.4						
CBC 220699				65 %	25 %	18 %	13 %	20 %	72 %	25 %	37 %	18 %	16 %	13%	27%	14%	41 %	27 %	27 %	25 %	19 %	11 %	
CBC 230001	8		CBC 180103	70	114	93	99	99	77	114	80	93	113	101	104	97	120	97	90	91	86	104	
F2			CBC 210003	3.30	7.9	0.51	4.2	14.0	12	-6.4	1.6	14.8	0.2	-3.4	-0.7	-1.6	0.0						
CBC 230001				55 %	17 %	15 %	8 %	14 %	62 %	17 %	27 %	15 %	11 %	8 %	18%	9%	33 %	22 %	21 %	19 %	18 %	11 %	
CBC 230002			CBC 180103	70	109	109	90	93	75	109	87	109	111	110	105	88	106	97	87	90	94	104	
F1				3.48	5.7	0.22	13.3	12.1	25	-7.0	3.3	8.4	0.2	-5.3	-0.8	-0.8	0.0						
CBC 230002				41 %	14 %	13 %	6 %	12 %	46 %	14 %	21 %	13 %	10 %	6 %	16%	8%	28 %	19 %	19 %	17 %	16 %	10 %	

WAGYU Cows

Inbreeding >6% is high				<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed																
Cow				Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas					
ID	%Inbreeding	Parentage		Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value		Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
Name		Genomic DNA	Sire ID																				
JAPANESE BLACK																							
CBC 230003	1		CBC 180103	60	113	95	103	97		68	113	79	95	112	97	102	95	115	101	84	95	84	100
PEN			CBC 210050	4.10	7.6					4.10	7.6	0.56	5.3	13.0	7	-5.6	1.9	12.5	0.7	-7.3	-0.2	-1.9	-0.6
CBC 230003				61 %	20 %	18 %	14 %	17 %		68 %	20 %	33 %	18 %	17 %	14%	21%	13%	34 %	24 %	24 %	22 %	21 %	14 %
CBC 230009	1		CBC 180103	63	112	95	103	97		71	112	79	95	111	97	102	95	115	101	84	95	84	100
F2			CBC 210053	3.88	7.2					3.88	7.2	0.54	5.3	12.5	7	-5.6	1.9	12.5	0.7	-7.3	-0.2	-1.9	-0.6
CBC 230009				60 %	20 %	18 %	14 %	17 %		68 %	20 %	30 %	18 %	17 %	14%	21%	13%	34 %	24 %	24 %	22 %	21 %	14 %
CBC 230010			CBC 180107	89	106	107	89	97		93	106	86	107	108	111	102	95	106	89	97	88	101	111
F1				1.81	4.7					1.81	4.7	0.27	11.7	10.2	27	-5.5	2.0	8.6	-0.7	1.6	-1.1	0.0	1.3
CBC 230010				40 %	19 %	14 %	9 %	14 %		45 %	19 %	22 %	14 %	12 %	9 %	17%	10%	31 %	20 %	19 %	18 %	16 %	11 %
CBC 230012	8		CBC 180103	92	107	93	99	99		95	107	89	93	107	101	104	97	120	97	90	91	86	104
F2			CBC 210025	1.63	5.0					1.63	5.0	0.17	4.2	9.8	12	-6.4	1.6	14.8	0.2	-3.4	-0.7	-1.6	0.0
CBC 230012				56 %	17 %	15 %	8 %	14 %		63 %	17 %	31 %	15 %	11 %	8 %	18%	9%	34 %	22 %	21 %	19 %	18 %	11 %
CBC 230015			CBC 180103	70	109	109	90	93		75	109	87	109	111	110	105	88	106	97	87	90	94	104
F1				3.48	5.7					3.48	5.7	0.22	13.3	12.1	25	-7.0	3.3	8.4	0.2	-5.3	-0.8	-0.8	0.0
CBC 230015				41 %	14 %	13 %	6 %	12 %		46 %	14 %	21 %	13 %	10 %	6 %	16%	8%	28 %	19 %	19 %	17 %	16 %	10 %
CBC 230019			CBC 180103	84	99	94	109	100		86	99	94	94	100	91	102	100	110	105	91	86	101	105
F2			CBC 200004	2.49	1.8					2.49	1.8	-0.04	4.5	4.3	-3	-5.2	1.0	10.2	1.2	-2.9	-1.5	0.0	0.1
CBC 230019				61 %	20 %	18 %	7 %	16 %		68 %	20 %	34 %	18 %	16 %	7 %	21%	10%	37 %	30 %	29 %	27 %	23 %	12 %
CBC 230024			CBC 180103	70	109	109	90	93		75	109	87	109	111	110	105	88	106	97	87	90	94	104
PEN				3.48	5.7					3.48	5.7	0.22	13.3	12.1	25	-7.0	3.3	8.4	0.2	-5.3	-0.8	-0.8	0.0
CBC 230024				41 %	14 %	13 %	6 %	12 %		46 %	14 %	21 %	13 %	10 %	6 %	16%	8%	28 %	19 %	19 %	17 %	16 %	10 %
CBC 230026			CBC 180103	70	109	109	90	93		75	109	87	109	111	110	105	88	106	97	87	90	94	104
PEN				3.48	5.7					3.48	5.7	0.22	13.3	12.1	25	-7.0	3.3	8.4	0.2	-5.3	-0.8	-0.8	0.0
CBC 230026				41 %	14 %	13 %	6 %	12 %		46 %	14 %	21 %	13 %	10 %	6 %	16%	8%	28 %	19 %	19 %	17 %	16 %	10 %
CBC 230035			CBC 180103	79	100	96	104	100		84	100	82	96	101	96	109	95	113	98	83	97	87	105
F2			CBC 180011	2.62	2.2					2.62	2.2	0.43	5.7	4.9	4	-9.1	1.9	11.6	0.4	-7.9	0.2	-1.5	0.1
CBC 230035				62 %	27 %	26 %	14 %	18 %		69 %	27 %	36 %	26 %	17 %	14%	23%	13%	39 %	26 %	26 %	24 %	20 %	11 %
CBC 230041			CBC 180103	70	109	109	90	93		75	109	87	109	111	110	105	88	106	97	87	90	94	104
F1				3.48	5.7					3.48	5.7	0.22	13.3	12.1	25	-7.0	3.3	8.4	0.2	-5.3	-0.8	-0.8	0.0
CBC 230041				41 %	14 %	13 %	6 %	12 %		46 %	14 %	21 %	13 %	10 %	6 %	16%	8%	28 %	19 %	19 %	17 %	16 %	10 %
CBC 230042			CBC 180103	70	109	109	90	93		75	109	87	109	111	110	105	88	106	97	87	90	94	104
F1			CWBFCBC14	3.48	5.7					3.48	5.7	0.22	13.3	12.1	25	-7.0	3.3	8.4	0.2	-5.3	-0.8	-0.8	0.0
CBC 230042				41 %	14 %	13 %	6 %	12 %		46 %	14 %	21 %	13 %	10 %	6 %	16%	8%	28 %	19 %	19 %	17 %	16 %	10 %
CBC 230043			CBC 180103	70	109	109	90	93		75	109	87	109	111	110	105	88	106	97	87	90	94	104
F1			CWBFCBC 220038	3.48	5.7					3.48	5.7	0.22	13.3	12.1	25	-7.0	3.3	8.4	0.2	-5.3	-0.8	-0.8	0.0
CBC 230043				41 %	14 %	13 %	6 %	12 %		46 %	14 %	21 %	13 %	10 %	6 %	16%	8%	28 %	19 %	19 %	17 %	16 %	10 %

WAGYU Cows

Inbreeding >6% is high			<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed																
Cow				Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas				
ID	%Inbreeding	Parentage		Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
Name		Genomic DNA	Sire ID Dam ID																			
JAPANESE BLACK																						
CBC 230056	27	CBC 180103		68	113	94	100	97	74	113	83	94	113	100	105	93	125	101	85	92	82	100
F2		CBC 220026		3.60	7.4				3.60	7.4	0.37	5.0	13.6	11	-7.2	2.2	17.5	0.7	-6.8	-0.5	-2.0	-0.6
CBC 230056				60 %	16 %	14 %	7 %	13 %	68 %	16 %	28 %	14 %	10 %	7 %	17 %	9 %	32 %	22 %	21 %	19 %	18 %	11 %
CBC 230058		CBC 180103		70	109	109	90	93	75	109	87	109	111	110	105	88	106	97	87	90	94	104
F1		CWBFCBC42		3.48	5.7				3.48	5.7	0.22	13.3	12.1	25	-7.0	3.3	8.4	0.2	-5.3	-0.8	-0.8	0.0
CBC 230058				41 %	14 %	13 %	6 %	12 %	46 %	14 %	21 %	13 %	10 %	6 %	16 %	8 %	28 %	19 %	19 %	17 %	16 %	10 %
CBC 230061		CBC 180103		70	109	109	90	93	75	109	87	109	111	110	105	88	106	97	87	90	94	104
F1				3.48	5.7				3.48	5.7	0.22	13.3	12.1	25	-7.0	3.3	8.4	0.2	-5.3	-0.8	-0.8	0.0
CBC 230061				41 %	14 %	13 %	6 %	12 %	46 %	14 %	21 %	13 %	10 %	6 %	16 %	8 %	28 %	19 %	19 %	17 %	16 %	10 %
CBC 230067		CBC 180103		74	102	94	109	100	79	102	88	94	102	91	102	100	109	105	91	86	101	105
F2		CBC 200007		3.14	2.8				3.14	2.8	0.19	4.6	5.8	-3	-5.2	1.0	10.0	1.2	-2.9	-1.5	0.0	0.1
CBC 230067				61 %	20 %	18 %	7 %	16 %	68 %	20 %	34 %	18 %	16 %	7 %	21 %	10 %	37 %	30 %	29 %	27 %	23 %	12 %
CBC 230077		CBC 180103		70	109	109	90	93	75	109	87	109	111	110	105	88	106	97	87	90	94	104
F1		CWBFCBC 180037		3.48	5.7				3.48	5.7	0.22	13.3	12.1	25	-7.0	3.3	8.4	0.2	-5.3	-0.8	-0.8	0.0
CBC 230077				41 %	14 %	13 %	6 %	12 %	46 %	14 %	21 %	13 %	10 %	6 %	16 %	8 %	28 %	19 %	19 %	17 %	16 %	10 %
CBC 230079		CBC 180103		70	109	109	90	93	75	109	87	109	111	110	105	88	106	97	87	90	94	104
F1		CWBFCBC7		3.48	5.7				3.48	5.7	0.22	13.3	12.1	25	-7.0	3.3	8.4	0.2	-5.3	-0.8	-0.8	0.0
CBC 230079				41 %	14 %	13 %	6 %	12 %	46 %	14 %	21 %	13 %	10 %	6 %	16 %	8 %	28 %	19 %	19 %	17 %	16 %	10 %
CBC 230719	4	KKWFD0052		127	94	81	113	112	122	94	120	81	91	87	102	116	109	108	116	84	114	105
PBD		LPB 190016		-0.93	-0.4				-0.93	-0.4	-1.06	-2.3	-1.9	-9	-5.2	-2.2	10.1	1.6	14.2	-1.7	1.4	0.2
CBC 23719				71 %	53 %	51 %	40 %	42 %	71 %	53 %	44 %	51 %	52 %	40 %	55 %	29 %	58 %	55 %	55 %	53 %	51 %	45 %
CBC 230720	27	KKWFE0010		119	75	96	116	90	127	75	96	96	72	84	95	89	98	140	82	98	78	64
F2		CBC 200578		-1.43	-8.1				-1.43	-8.1	-0.12	5.6	-15.7	-13	-1.9	3.2	5.1	5.2	-8.8	0.3	-2.4	-6.7
CBC 23720				62 %	55 %	49 %	23 %	30 %	69 %	55 %	37 %	49 %	55 %	23 %	46 %	13 %	57 %	55 %	55 %	55 %	55 %	52 %
CBC 230753		CBC 180107		89	106	107	89	97	93	106	86	107	108	111	102	95	106	89	97	88	101	111
F1				1.81	4.7				1.81	4.7	0.27	11.7	10.2	27	-5.5	2.0	8.6	-0.7	1.6	-1.1	0.0	1.3
CBC 23753				40 %	19 %	14 %	9 %	14 %	45 %	19 %	22 %	14 %	12 %	9 %	17 %	10 %	31 %	20 %	19 %	18 %	16 %	11 %
CBC 240002		CBC 180103		80	110	95	99	98	83	110	90	95	109	101	101	97	113	109	94	91	91	96
F2		CBC 210009		2.71	6.1				2.71	6.1	0.12	5.2	10.8	12	-5.1	1.5	11.7	1.6	-0.5	-0.8	-1.1	-1.4
CBC 240002				62 %	28 %	27 %	20 %	22 %	69 %	28 %	33 %	27 %	26 %	20 %	29 %	16 %	39 %	31 %	31 %	30 %	29 %	24 %
CBC 240006		PMGFL00013		92	106	91	106	99	88	106	112	91	101	94	94	103	90	106	82	109	90	101
PEN				2.28	4.6				2.28	4.6	-0.75	2.9	5.5	3	-1.0	0.3	1.0	1.3	-8.9	1.9	-1.2	-0.4
CBC 240006				43 %	27 %	19 %	17 %	22 %	45 %	27 %	33 %	19 %	25 %	17 %	29 %	16 %	45 %	49 %	49 %	49 %	48 %	42 %
CBC 240007	5	KKWFE0010		123	83	81	126	95	122	83	92	81	78	74	88	100	102	130	83	102	76	75
PEN		CBC 180101		-0.94	-4.9				-0.94	-4.9	0.05	-2.4	-11.3	-28	2.1	0.9	6.9	4.0	-8.1	0.9	-2.7	-5.0
CBC 240007				66 %	56 %	51 %	32 %	38 %	71 %	56 %	45 %	51 %	56 %	32 %	51 %	25 %	59 %	57 %	57 %	56 %	56 %	51 %

WAGYU Cows

Inbreeding >6% is high			<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed																
Cow				Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas				
ID	%Inbreeding	Parentage		Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
Name		Genomic DNA	Sire ID Dam ID																			
JAPANESE BLACK																						
CBC 240008		CBC 180103		70	109	109	90	93	75	109	87	109	111	110	105	88	106	97	87	90	94	104
F1				41 %	14 %	13 %	6 %	12 %	3.48	5.7	0.22	13.3	12.1	25	-7.0	3.3	8.4	0.2	-5.3	-0.8	-0.8	0.0
CBC 240008									46 %	14 %	21 %	13 %	10 %	6 %	16 %	8 %	28 %	19 %	19 %	17 %	16 %	10 %
CBC 240012		CBC 180103		70	109	109	90	93	75	109	87	109	111	110	105	88	106	97	87	90	94	104
F1				41 %	14 %	13 %	6 %	12 %	3.48	5.7	0.22	13.3	12.1	25	-7.0	3.3	8.4	0.2	-5.3	-0.8	-0.8	0.0
CBC 240012									46 %	14 %	21 %	13 %	10 %	6 %	16 %	8 %	28 %	19 %	19 %	17 %	16 %	10 %
CBC 240013	5	PMGFL00013		95	109	76	115	105	91	109	112	76	101	85	90	113	97	118	89	109	88	93
F2		CBC 210029		62 %	36 %	30 %	25 %	30 %	1.96	5.7	-0.74	-5.2	5.4	-11	0.9	-1.5	4.3	2.7	-4.1	2.0	-1.4	-1.9
CBC 240013									68 %	36 %	40 %	30 %	35 %	25 %	38 %	21 %	52 %	55 %	55 %	55 %	54 %	48 %
CBC 240017	1	PMGFL00013		91	101	75	124	106	87	101	110	75	94	76	90	115	93	114	85	105	97	102
F2		CBC 200002		63 %	30 %	23 %	17 %	24 %	2.32	2.3	-0.67	-5.7	0.2	-25	0.8	-2.0	2.8	2.2	-6.5	1.3	-0.4	-0.3
CBC 240017									68 %	30 %	42 %	23 %	28 %	17 %	32 %	17 %	51 %	54 %	54 %	54 %	51 %	43 %
CBC 240027		CBC 180103		79	101	94	109	100	82	101	91	94	101	91	102	100	110	105	91	86	101	105
F2		CBC 190002		60 %	20 %	18 %	7 %	16 %	2.80	2.3	0.06	4.5	5.0	-3	-5.2	1.0	10.2	1.2	-2.9	-1.5	0.0	0.1
CBC 240027									67 %	20 %	31 %	18 %	16 %	7 %	21 %	10 %	37 %	30 %	29 %	27 %	23 %	12 %
CBC 240031		CBC 180103		70	109	109	90	93	75	109	87	109	111	110	105	88	106	97	87	90	94	104
PEN				41 %	14 %	13 %	6 %	12 %	3.48	5.7	0.22	13.3	12.1	25	-7.0	3.3	8.4	0.2	-5.3	-0.8	-0.8	0.0
CBC 240031									46 %	14 %	21 %	13 %	10 %	6 %	16 %	8 %	28 %	19 %	19 %	17 %	16 %	10 %
CBC 240032		CBC 180103		70	109	109	90	93	75	109	87	109	111	110	105	88	106	97	87	90	94	104
F1				41 %	14 %	13 %	6 %	12 %	3.48	5.7	0.22	13.3	12.1	25	-7.0	3.3	8.4	0.2	-5.3	-0.8	-0.8	0.0
CBC 240032									46 %	14 %	21 %	13 %	10 %	6 %	16 %	8 %	28 %	19 %	19 %	17 %	16 %	10 %
CBC 240041	1	CBC 180103		81	109	91	108	99	87	109	79	91	108	92	97	100	114	103	86	99	80	97
F2		CBC 210043		62 %	21 %	21 %	14 %	18 %	2.38	5.7	0.53	3.3	10.6	-1	-2.7	0.9	12.4	1.0	-6.1	0.4	-2.3	-1.2
CBC 240041									70 %	21 %	33 %	21 %	18 %	14 %	24 %	13 %	36 %	24 %	24 %	22 %	21 %	14 %
CBC 240042	8	CBC 180103		82	110	93	99	99	86	110	85	93	110	101	104	97	120	97	90	91	86	104
F2		CBC 210051		60 %	17 %	15 %	8 %	14 %	2.41	6.3	0.32	4.2	11.8	12	-6.4	1.6	14.9	0.2	-3.4	-0.7	-1.6	0.0
CBC 240042									68 %	17 %	29 %	15 %	11 %	8 %	18 %	9 %	33 %	22 %	21 %	19 %	18 %	11 %
CBC 240043	1	CBC 180103		73	109	95	103	97	79	109	80	95	108	97	102	95	115	101	84	95	84	100
F2		CBC 210050		62 %	20 %	18 %	14 %	17 %	3.08	5.6	0.52	5.5	10.3	7	-5.6	1.9	12.5	0.7	-7.3	-0.2	-1.9	-0.6
CBC 240043									69 %	20 %	33 %	18 %	17 %	14 %	21 %	13 %	34 %	24 %	24 %	22 %	21 %	14 %
CBC 240806		CBC 180107		89	106	107	89	97	93	106	86	107	108	111	102	95	106	89	97	88	101	111
F1		CWBFTAF9		40 %	19 %	14 %	9 %	14 %	1.81	4.7	0.27	11.7	10.2	27	-5.5	2.0	8.6	-0.7	1.6	-1.1	0.0	1.3
CBC 24806									45 %	19 %	22 %	14 %	12 %	9 %	17 %	10 %	31 %	20 %	19 %	18 %	16 %	11 %
CBC 240809		CBC 180107		89	106	107	89	97	93	106	86	107	108	111	102	95	106	89	97	88	101	111
F1		CWBFTAF22		40 %	19 %	14 %	9 %	14 %	1.81	4.7	0.27	11.7	10.2	27	-5.5	2.0	8.6	-0.7	1.6	-1.1	0.0	1.3
CBC 24809									45 %	19 %	22 %	14 %	12 %	9 %	17 %	10 %	31 %	20 %	19 %	18 %	16 %	11 %

WAGYU Cows

Inbreeding >6% is high				<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed															
Cow				Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas				
ID	%Inbreeding	Parentage		Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
Name		Genomic DNA	Sire ID																			
JAPANESE BLACK																						
CBC 240903		BOS 170018		109	88	103	110	97	111	88	83	103	93	90	92	100	95	100	102	102	102	100
F1		CBC 191940							0.05	-2.8	0.37	9.9	-0.7	-4	-0.2	0.9	3.6	0.6	5.1	0.8	0.0	-0.6
CBC CBC240903				60 %	43 %	19 %	6 %	18 %	67 %	43 %	35 %	19 %	12 %	6 %	30%	6%	39 %	26 %	26 %	25 %	24 %	16 %
CBC 240911		BOS 170018		106	89	103	110	97	109	89	82	103	94	90	92	100	95	100	102	102	102	100
F1		CBC 191901							0.31	-2.4	0.44	9.9	0.0	-4	-0.2	0.9	3.6	0.6	5.1	0.8	0.0	-0.6
CBC CBC220911				60 %	43 %	19 %	6 %	18 %	67 %	43 %	35 %	19 %	12 %	6 %	30%	6%	39 %	26 %	26 %	25 %	24 %	16 %
CBC 240917		AL 180028		101	96	101	104	105	104	96	85	101	100	96	101	106	106	97	98	103	97	102
F1		CBC 212104							0.74	0.3	0.32	8.6	4.8	5	-4.9	-0.3	8.7	0.3	2.1	1.0	-0.4	-0.3
CBC CBC240917				58 %	22 %	17 %	10 %	13 %	66 %	22 %	27 %	17 %	12 %	10%	17%	9%	30 %	14 %	14 %	13 %	11 %	7 %
CBC 240923		AL 180028		107	94	101	104	105	109	94	87	101	99	96	101	106	106	97	98	103	97	102
F1		CBC 202016							0.30	-0.4	0.21	8.6	3.7	5	-4.9	-0.3	8.5	0.3	2.1	1.0	-0.4	-0.3
CBC CBC240923				58 %	22 %	17 %	10 %	13 %	66 %	22 %	27 %	17 %	12 %	10%	17%	9%	32 %	14 %	14 %	13 %	11 %	7 %
CBC 240927		AL 180015		117	98	108	97	99	116	98	92	108	103	103	93	103	103	96	106	103	105	104
F1		CBC 171701							-0.39	1.3	0.05	12.8	6.3	15	-0.8	0.3	7.2	0.1	7.4	1.1	0.5	0.0
CBC CBC240927				56 %	17 %	15 %	10 %	14 %	63 %	17 %	28 %	15 %	16 %	10%	19%	10%	35 %	22 %	23 %	21 %	21 %	13 %



CWB

BREEDING VALUE REPORT

September 2025



CBC WAGYU

Herd Number: 8153780


E-mail: briennev@gmail.com
anneriesvwyk@gmail.com
karen@atis.co.za



WAGYU
SOCIETY
OF SOUTH AFRICA



CERTIFICATE
OF QUALITY
Valid up to
October 2029



CWB Dams

Dam				Growth					Carcass					Stats				
ID	Parentage	Sire ID		Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name		Gen. DNA	Dam ID															
AKAUSHI																		
LPB 191003			ZEWB170031	95	109	112	114	106	102	94	111	95	93	97				
F1			13073	1.57	5.8	12.5	16.6	20	9.3	-0.1	11.2	-0.2	-0.8	-1.1	1	2	1	
LPB191003				66%	54%	25%	24%	14%	28%	27%	27%	25%	20%	7%				
JAPANESE BLACK																		
CBC 171701				97														
BS				1.37											1	1		
GWF 1701				29%														
CBC 180042			BA 130923	92	85	88	87	101	112	91	84	100	104	113				
F1				1.91	-3.9	-3.0	-4.9	12	14.8	-0.4	-7.4	0.6	0.3	1.5	1	3	1	
180042				59%	41%	28%	27%	26%	29%	36%	36%	33%	26%	11%				
CBC 180051			BA 130923	97	84	87	86	101	112	91	84	100	104	113				
F1				1.36	-4.6	-4.0	-6.2	12	14.5	-0.4	-7.4	0.6	0.3	1.5	1	5	3	
180051				64%	41%	28%	27%	26%	29%	36%	36%	33%	26%	11%				
CBC 180101			148BE	102	98	94	96	79	81	101	87	103	86	100				
FB			AACFC0047	0.91	1.4	0.3	1.9	-21	-2.3	0.8	-5.2	1.1	-1.6	-0.6	1	3	2	
180101				66%	55%	54%	54%	49%	53%	55%	55%	53%	52%	41%				
CBC 180104			HWKFA0002	90	108	104	107	88	77	94	98	95	83	106				
FB			LSRFE0263	2.08	5.4	7.2	11.2	-6	-4.8	-0.1	2.0	-0.2	-1.9	0.4	1	2		
180104				54%	31%	27%	20%	17%	28%	39%	39%	35%	33%	21%				
CBC 180106			148BE	113	92	87	89	80	75	109	93	120	92	96				
FB			AACFD0075	-0.08	-1.4	-3.7	-3.4	-19	-5.8	1.6	-1.4	3.6	-1.0	-1.4	1	2	2	
180106				62%	55%	54%	54%	46%	51%	55%	55%	54%	51%	42%				
CBC 180502			BA 110540	122	96	99	101	97	103	88	88	88	97	114				
F1			KAF4	-0.98	0.5	4.0	5.9	6	9.9	-0.8	-4.3	-1.2	-0.5	1.7	1	2		
18502				69%	26%	24%	19%	19%	28%	44%	44%	40%	20%	9%				
CBC 180504			PMGFL00013	92	115	111	109	102	90	103	91	107	93	102				
F1				1.89	8.4	11.3	12.3	13	2.3	1.0	-2.9	1.6	-0.9	-0.3	1	3	2	
18504				59%	27%	29%	21%	17%	19%	49%	49%	49%	48%	42%				
CBC 180506			BA 110540	114	97	101	103	97	105	88	88	88	97	114				
F1			KAF12	-0.18	1.0	5.1	7.3	6	11.0	-0.8	-4.3	-1.2	-0.5	1.7	1	2	2	
18506				70%	26%	24%	19%	19%	28%	44%	44%	40%	20%	9%				
CBC 180511			KF 120018	120	92	93	95	95	98	98	92	87	94	103				
F1			AAF6	-0.76	-1.2	0.1	1.5	3	6.9	0.4	-1.9	-1.3	-0.7	-0.1	1	3	2	
18511				70%	27%	28%	27%	18%	26%	48%	48%	46%	31%	12%				

CWB Dams

Dam				Growth					Carcass					Stats				
ID	Parentage	Sire ID		Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name		Gen. DNA	Dam ID															
JAPANESE BLACK																		
CBC 180519			KF 120018	121	101	100	104	102	97	90	97	77	98	113				
F1			AAF9	-0.89	2.4	4.7	8.3	14	6.2	-0.6	1.2	-2.7	-0.3	1.6	1	3	1	
18519				71%	27%	28%	27%	18%	26%	48%	48%	46%	31%	12%				
CBC 180520			BA 110540	126	105	107	109	105	101	80	92	76	104	126				
F1			AAF25	-1.34	4.2	9.0	12.6	18	8.7	-1.7	-2.0	-2.9	0.3	3.8	1	3	2	
18520				73%	26%	24%	19%	19%	28%	44%	44%	40%	20%	9%				
CBC 180523			BA 110540	122	96	99	101	97	104	88	88	88	97	114				
F1			AAF16	-1.00	0.3	3.8	5.7	6	10.1	-0.8	-4.3	-1.2	-0.5	1.7	1	2	1	
18523				71%	26%	24%	19%	19%	28%	44%	44%	40%	20%	9%				
CBC 181801				89														
BS				2.17											1	1		
GWF 1801				29%														
CBC 181802				98														
BS				1.32											1	1		
GWF 1802				29%														
CBC 181804				100														
BS				1.15											1	1		
GWF 1804				29%														
CBC 181805				96														
BS				1.53											1	1		
GWF 1805				29%														
CBC 181806				96														
BS				1.48											1	1		
GWF 1806				29%														
CBC 181808				89														
BS				2.13											1	1		
GWF 1808				29%														
CBC 181809				88														
BS				2.28											1	1		
GWF 1809				28%														
CBC 190002			PK 150003	87	86	87	89	91	108	105	99	77	131	113				
F1			CWBFCBC25	2.31	-3.9	-3.8	-3.7	-2	12.4	1.2	2.6	-2.7	3.2	1.5	1	1		
190002				44%	28%	26%	23%	6%	25%	45%	45%	43%	34%	12%				
CBC 190008			PK 150003	88	85	87	89	91	108	105	99	77	131	113				
F1			CWBFCBC36	2.27	-3.9	-3.8	-3.8	-2	12.3	1.2	2.6	-2.7	3.2	1.5	1	1	1	
190008				44%	28%	26%	23%	6%	25%	45%	45%	43%	34%	12%				

CWB Dams

Dam			Growth						Carcass					Stats			
ID	Parentage	Sire ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name	Gen. DNA	Dam ID															
JAPANESE BLACK																	
CBC 190012		PK 150003	49	102	102	104	84	99	111	102	85	124	106				
F1		CBC19	5.89	2.8	5.5	8.6	-13	7.6	1.9	5.1	-1.6	2.4	0.3	1	1	1	
190012			65%	52%	29%	23%	6%	36%	45%	45%	43%	34%	12%				
CBC 190017		PK 150003	84	86	88	90	91	108	105	99	77	131	113				
F1		CWBFCBC11	2.59	-3.5	-3.2	-3.1	-2	12.5	1.2	2.6	-2.7	3.2	1.5	1	2	2	
190017			50%	28%	26%	23%	6%	25%	45%	45%	43%	34%	12%				
CBC 190036		PK 150003	92	84	86	88	91	107	105	99	77	131	113				
F1		CWBFCB CANGUS	1.89	-4.4	-4.6	-4.7	-2	12.1	1.2	2.6	-2.7	3.2	1.5	1	1		
190036			44%	28%	26%	23%	6%	25%	45%	45%	43%	34%	12%				
CBC 190524		PMGFL00013	116	97	95	96	84	82	112	85	117	83	94				
F1		AAF27	-0.40	1.0	1.3	1.8	-13	-1.9	1.9	-6.3	3.1	-2.0	-1.7	1	1	1	
19524			69%	27%	29%	21%	17%	19%	49%	49%	49%	48%	42%				
CBC 190538		PMGFL00013	79	113	108	108	84	81	112	85	117	83	94				
F1		KAF13	3.05	7.4	9.6	11.5	-13	-2.5	1.9	-6.3	3.1	-2.0	-1.7	1	2	2	
19538			70%	27%	29%	21%	17%	19%	49%	49%	49%	48%	42%				
CBC 190539		PMGFL00013	101	104	101	101	84	81	117	84	114	83	91				
F1		MAF11	1.06	3.9	4.9	6.0	-13	-2.3	2.5	-7.3	2.7	-1.9	-2.1	1	2	2	
19539			57%	27%	29%	21%	17%	19%	51%	51%	50%	48%	42%				
CBC 190547		KF 120016	135	94	94	97	99	96	71	101	65	111	132				
F1		HAF8	-2.16	-0.6	0.6	2.8	9	6.1	-2.7	3.9	-4.5	1.1	4.7	1	2	1	
19547			69%	27%	28%	26%	18%	25%	44%	43%	41%	23%	12%				
CBC 190548		KF 120016	108	104	103	105	99	96	72	105	67	114	131				
F1		KAF18	0.34	3.8	6.4	9.7	10	6.1	-2.6	7.0	-4.3	1.3	4.6	1	1	1	
19548			69%	27%	28%	26%	18%	25%	44%	43%	41%	23%	12%				
CBC 190549		KF 120016	125	96	96	99	98	97	73	104	65	114	131				
F1		AAF11	-1.21	0.4	2.1	4.7	8	6.5	-2.5	6.0	-4.4	1.3	4.6	1	2		
19549			70%	27%	28%	26%	18%	25%	44%	43%	41%	23%	12%				
CBC 190553		KF 120016	132	89	90	92	94	97	77	100	72	110	125				
F1		MAF10	-1.90	-2.5	-2.0	-0.9	2	6.2	-2.1	3.2	-3.6	1.0	3.7	1	2	2	
19553			70%	27%	28%	26%	18%	25%	44%	43%	41%	23%	12%				
CBC 190554		KF 120016	112	97	97	99	94	96	77	100	72	110	125				
F1		AAF4	0.01	1.0	2.6	4.5	2	5.9	-2.1	3.2	-3.6	1.0	3.7	1	2	1	
19554			70%	27%	28%	26%	18%	25%	44%	43%	41%	23%	12%				
CBC 191901			93														
BS			1.78											1	1		
GWF 1901			29%														

CWB Dams

Dam				Growth					Carcass					Stats				
ID	Parentage		Sire ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name	Gen.	DNA	Dam ID															
JAPANESE BLACK																		
CBC 191902				89														
BS				2.19										11				
GWF 1902				29%														
CBC 191904				93														
BS				1.74										11				
GWF 1904				28%														
CBC 191906				95														
BS				1.55										11				
GWF 1906				29%														
CBC 191909				94														
BS				1.69										11				
GWF 1909				29%														
CBC 191911				90														
BS				2.02										11				
GWF 1911				29%														
CBC 191914				88														
BS				2.26										11				
GWF 1914				29%														
CBC 191915				97														
BS				1.43										11				
GWF 1915				29%														
CBC 191916				97														
BS				1.36										11				
GWF 1916				29%														
CBC 191917				92														
BS				1.84										11				
GWF 1917				29%														
CBC 191918				95														
BS				1.60										11				
GWF 1918				29%														
CBC 191921				95														
BS				1.63										11				
GWF 1921				29%														
CBC 191923				88														
BS				2.26										11				
GWF 1923				28%														

CWB Dams

Dam				Growth					Carcass					Stats				
ID	Parentage	Sire ID		Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name	Gen. DNA	Dam ID																
JAPANESE BLACK																		
CBC 191924				99														
BS				1.18										11				
GWF 1924				29%														
CBC 191926				88														
BS				2.23										11				
GWF 1926				29%														
CBC 191927				97														
BS				1.44										11				
GWF 1927				29%														
CBC 191928				101														
BS				1.07										11				
GWF 1928				29%														
CBC 191929				95														
BS				1.60										11				
GWF 1929				29%														
CBC 191930				99														
BS				1.25										11				
GWF 1930				29%														
CBC 191933				90														
BS				2.10										11				
GWF 1933				29%														
CBC 191936				97														
BS				1.35										11				
GWF 1936				28%														
CBC 191938				93														
BS				1.74										11				
GWF 1938				28%														
CBC 191940				95														
BS				1.59										11				
GWF 1940				29%														
CBC 191942				99														
BS				1.21										11				
GWF 1942				29%														
CBC 191943				94														
BS				1.67										11				
GWF 1943				29%														

CWB Dams

Dam				Growth					Carcass					Stats				
ID	Parentage	Sire ID		Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name		Gen. DNA	Dam ID															
JAPANESE BLACK																		
CBC 191945				97														
BS				1.39											11			
GWF 1945				29%														
CBC 191948				93														
BS				1.82											11			
GWF 1948				29%														
CBC 191951				95														
BS				1.61											11			
GWF 1951				29%														
CBC 191952				92														
BS				1.85											11			
GWF 1952				29%														
CBC 200002			PK 150003	80	88	89	91	91	109	105	99	77	131	113				
F1			CWBFCBC15	3.03	-3.0	-2.4	-2.0	-2	12.8	1.2	2.6	-2.7	3.2	1.5	1	2	1	
200002				50%	28%	26%	23%	6%	25%	45%	45%	43%	34%	12%				
CBC 200004			PK 150003	91	85	86	88	91	107	105	99	77	131	113				
F1			CWBFCBC28	2.00	-4.3	-4.4	-4.5	-2	12.2	1.2	2.6	-2.7	3.2	1.5	1	2	2	
200004				50%	28%	26%	23%	6%	25%	45%	45%	43%	34%	12%				
CBC 200006			PK 150003	91	85	86	88	91	107	105	99	77	131	113				
F1			CWBFCBC41	1.98	-4.3	-4.4	-4.5	-2	12.2	1.2	2.6	-2.7	3.2	1.5	1	2	2	
200006				50%	28%	26%	23%	6%	25%	45%	45%	43%	34%	12%				
CBC 200007			PK 150003	83	87	88	90	91	108	105	99	77	131	113				
F1			CWBFANGUS3	2.72	-3.4	-3.0	-2.8	-2	12.6	1.2	2.6	-2.7	3.2	1.5	1	2	1	
200007				50%	28%	26%	23%	6%	25%	45%	45%	43%	34%	12%				
CBC 200008			PK 150003	85	90	91	95	82	102	111	102	85	124	106				
F1			CBC4*	2.54	-2.1	-1.0	0.9	-16	9.0	1.9	5.1	-1.6	2.4	0.3	1	2	1	
200008				51%	30%	29%	23%	6%	32%	45%	45%	43%	34%	12%				
CBC 200015			CBC 180102	84	102	103	102	104	110	96	85	95	97	104				
F1				2.64	2.8	6.3	6.9	17	13.8	0.2	-6.3	-0.1	-0.5	0.0	1	1		
200015				51%	28%	27%	27%	25%	26%	29%	29%	28%	28%	21%				
CBC 200556			KF 120016	127	90	91	94	94	97	77	100	72	110	125				
F1			KAF19	-1.43	-2.0	-1.2	0.1	2	6.6	-2.1	3.2	-3.6	1.0	3.7	1	2	2	
20556				69%	27%	28%	26%	18%	25%	44%	43%	41%	23%	12%				
CBC 200557			KF 120016	109	94	95	95	105	106	71	96	64	118	133				
F1			CWBFHAF2	0.25	-0.3	1.0	1.4	19	11.6	-2.7	0.7	-4.7	1.8	4.9	1	2		
20557				49%	27%	28%	26%	18%	25%	44%	43%	41%	23%	12%				

CWB Dams

Dam				Growth					Carcass					Stats				
ID	Parentage	Sire ID		Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name		Gen. DNA	Dam ID															
JAPANESE BLACK																		
CBC 200558			KF 120016	127	90	91	94	94	97	77	100	72	110	125				
F1			MAF15	-1.48	-2.1	-1.3	0.0	2	6.6	-2.1	3.2	-3.6	1.0	3.7	1	1	1	
20558				68%	27%	28%	26%	18%	25%	44%	43%	41%	23%	12%				
CBC 200559			KF 120016	110	96	96	99	94	98	80	91	72	106	124				
F1			KAF14	0.14	0.4	2.2	4.1	2	7.1	-1.6	-2.7	-3.5	0.6	3.4	1	2		
20559				69%	27%	28%	26%	18%	25%	46%	46%	42%	23%	12%				
CBC 200561			KF 120016	117	93	94	96	94	99	77	100	72	110	125				
F1			MAF14	-0.46	-0.9	0.6	2.3	2	7.4	-2.1	3.2	-3.6	1.0	3.7	1	2	1	
20561				69%	27%	28%	26%	18%	25%	44%	43%	41%	23%	12%				
CBC 200562			KF 120016	111	97	97	99	94	97	77	100	72	110	125				
F1			AAF14	0.11	0.9	2.6	4.5	2	6.3	-2.1	3.2	-3.6	1.0	3.7	1	2	1	
20562				70%	27%	28%	26%	18%	25%	44%	43%	41%	23%	12%				
CBC 200564			KF 120016	105	95	96	96	105	107	71	96	64	118	133				
F1			CWBFAAF18	0.64	0.1	1.8	2.3	19	11.9	-2.7	0.7	-4.7	1.8	4.9	1	2	2	
20564				54%	27%	28%	26%	18%	25%	44%	43%	41%	23%	12%				
CBC 200566			KF 120016	105	98	98	100	94	98	77	100	72	110	125				
F1			AAF26	0.64	1.4	3.4	5.6	2	6.9	-2.1	3.2	-3.6	1.0	3.7	1	1	1	
20566				67%	27%	28%	26%	18%	25%	44%	43%	41%	23%	12%				
CBC 200567			KF 120016	107	98	98	100	94	98	77	100	72	110	125				
F1			AAF5	0.45	1.1	3.0	5.1	2	6.8	-2.1	3.2	-3.6	1.0	3.7	1	2		
20567				69%	27%	28%	26%	18%	25%	44%	43%	41%	23%	12%				
CBC 200570			KF 120016	104	96	96	97	105	107	71	96	64	118	133				
F1			CWBFKCF1	0.71	0.2	1.9	2.5	19	11.9	-2.7	0.7	-4.7	1.8	4.9	1	1		
20570				50%	27%	28%	26%	18%	25%	44%	43%	41%	23%	12%				
CBC 200578			KKWFE0010	108	85	87	83	99	110	123	85	94	91	80				
F1			CWBFTAF5	0.35	-4.3	-4.0	-8.9	9	13.6	3.2	-6.6	-0.3	-1.1	-4.1	1	1	1	
20578				53%	49%	49%	49%	21%	44%	50%	50%	49%	49%	46%				
CBC 200604			KKWFD0052	114	98	99	101	100	101	121	111	97	104	85				
F1			AAF1	-0.16	1.2	3.6	6.0	11	8.4	3.0	10.7	0.1	0.3	-3.2	1	1	1	
20604				69%	49%	49%	48%	38%	47%	51%	51%	50%	48%	44%				
CBC 200607			KKWFD0052	95	102	102	102	111	110	113	106	87	112	94				
F1			CWBFTAF14	1.56	2.7	5.7	7.2	27	13.6	2.1	7.4	-1.3	1.2	-1.6	1	1	1	
20607				52%	49%	49%	48%	38%	47%	49%	49%	49%	48%	44%				
CBC 200608			KKWFD0052	95	102	102	102	111	110	113	106	87	112	94				
F1			CWBFMCF6.1	1.58	2.8	5.7	7.2	27	13.6	2.1	7.4	-1.3	1.2	-1.6	1	1	1	
20608				52%	49%	49%	48%	38%	47%	49%	49%	49%	48%	44%				

CWB Dams

Dam			Growth						Carcass					Stats			
ID	Parentage	Sire ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name	Gen. DNA	Dam ID															
JAPANESE BLACK																	
CBC 202003			94														
BS			1.71											1	1		
GWF 2003			29%														
CBC 202006			93														
BS			1.75											1	1		
GWF 2006			29%														
CBC 202009			90														
BS			2.03											1	1		
GWF 2009			28%														
CBC 202010			87														
BS			2.32											1	1		
GWF 2010			29%														
CBC 202011			92														
BS			1.84											1	1		
GWF 2011			28%														
CBC 202013			91														
BS			1.94											1	1		
GWF 2013			29%														
CBC 202014			92														
BS			1.90											1	1		
GWF 2014			29%														
CBC 202015			94														
BS			1.69											1	1		
GWF 2015			29%														
CBC 202016			90														
BS			2.09											1	1		
GWF 2016			29%														
CBC 202017			92														
BS			1.83											1	1		
GWF 2017			28%														
CBC 210003		CBC 180107	87	108	109	109	111	107	89	97	88	101	111				
F1		CWBFCBC30	2.32	5.3	10.4	12.9	27	12.0	-0.7	1.6	-1.1	0.0	1.3	1	1	1	
210003			49%	19%	14%	10%	9%	14%	20%	19%	18%	16%	11%				
CBC 210009		KKWFD0052	93	102	103	103	111	110	113	106	87	112	94				
F1		CWBFCBC28	1.76	3.0	6.1	7.7	27	13.8	2.1	7.4	-1.3	1.2	-1.6	1	2	1	
210009			55%	49%	49%	48%	38%	47%	49%	49%	49%	48%	44%				

CWB Dams

Dam				Growth					Carcass					Stats				
ID	Parentage	Sire ID		Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name		Gen. DNA	Dam ID															
JAPANESE BLACK																		
CBC 210014			KKWFD0052	87	104	104	105	111	111	113	106	87	112	94				
F1			CWBFCBC44	2.33	3.7	7.2	9.0	27	14.1	2.1	7.4	-1.3	1.2	-1.6	1	1		
210014				52%	49%	49%	48%	38%	47%	49%	49%	49%	48%	44%				
CBC 210015			KKWFD0052	91	103	103	103	111	110	113	106	87	112	94				
F1			CWBFCBC20	1.92	3.2	6.4	8.0	27	13.9	2.1	7.4	-1.3	1.2	-1.6	1	1		
210015				50%	49%	49%	48%	38%	47%	49%	49%	49%	48%	44%				
CBC 210018			KKWFD0052	94	102	102	103	111	110	113	106	87	112	94				
F1			CWBFCBC38	1.71	2.9	6.0	7.6	27	13.7	2.1	7.4	-1.3	1.2	-1.6	1	1	1	
210018				52%	49%	49%	48%	38%	47%	49%	49%	49%	48%	44%				
CBC 210021			KKWFD0052	89	103	104	104	111	111	113	106	87	112	94				
F1			CWBFCBC54	2.16	3.5	6.9	8.6	27	14.0	2.1	7.4	-1.3	1.2	-1.6	1	1		
210021				52%	49%	49%	48%	38%	47%	49%	49%	49%	48%	44%				
CBC 210025			CBC 180107	97	105	107	107	111	106	89	97	88	101	111				
F1			CWBFCBC83	1.38	4.2	8.6	10.7	27	11.5	-0.7	1.6	-1.1	0.0	1.3	1	2	1	
210025				54%	19%	14%	10%	9%	14%	20%	19%	18%	16%	11%				
CBC 210029			KKWFD0052	90	103	104	104	111	111	113	106	87	112	94				
F1			CWBFCBC35	2.09	3.4	6.7	8.4	27	14.0	2.1	7.4	-1.3	1.2	-1.6	1	1		
210029				52%	49%	49%	48%	38%	47%	49%	49%	49%	48%	44%				
CBC 210031			PMGFL00013	55	126	121	120	92	83	112	85	117	83	94				
F1			CBC19	5.34	13.0	18.1	21.5	-2	-1.3	1.9	-6.3	3.1	-2.0	-1.7	1	1		
210031				68%	54%	57%	21%	17%	32%	49%	49%	49%	48%	42%				
CBC 210034			CBC 180102	76	104	105	104	104	111	96	85	95	97	104				
F1			CWBFCBC43	3.42	3.8	7.8	8.8	17	14.3	0.2	-6.3	-0.1	-0.5	0.0	1	2	1	
210034				55%	28%	27%	27%	25%	26%	29%	29%	28%	28%	21%				
CBC 210035			CBC 180102	77	104	105	104	104	111	96	85	95	97	104				
F1			CWBFCBC41	3.28	3.6	7.5	8.4	17	14.2	0.2	-6.3	-0.1	-0.5	0.0	1	1		
210035				51%	28%	27%	27%	25%	26%	29%	29%	28%	28%	21%				
CBC 210037			CBC 180102	94	101	102	103	93	101	102	89	103	89	97				
F1			CBC18	1.72	2.5	6.0	7.8	0	8.7	0.9	-3.8	1.0	-1.3	-1.2	1	1		
210037				67%	28%	27%	27%	25%	26%	29%	29%	28%	28%	21%				
CBC 210042			CBC 180102	72	105	106	105	104	112	96	85	95	97	104				
F1			CWBFCBC8	3.77	4.2	8.5	9.6	17	14.5	0.2	-6.3	-0.1	-0.5	0.0	1	2	1	
210042				55%	28%	27%	27%	25%	26%	29%	29%	28%	28%	21%				
CBC 210043			CBC 180102	91	104	105	106	94	103	102	89	103	89	97				
F1			CBC48	1.97	3.8	7.7	9.7	1	9.7	0.9	-3.8	1.0	-1.3	-1.2	1	1		
210043				69%	30%	29%	30%	25%	32%	29%	29%	28%	28%	21%				

CWB Dams

Dam				Growth					Carcass					Stats				
ID	Parentage	Sire ID		Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name		Gen. DNA	Dam ID															
JAPANESE BLACK																		
CBC 210050			CBC 180102	76	104	105	104	104	111	96	85	95	97	104				
F1			CWBFCBC26	3.34	3.7	7.6	8.6	17	14.2	0.2	-6.3	-0.1	-0.5	0.0	1	2	1	
210050				55%	28%	27%	27%	25%	26%	29%	29%	28%	28%	21%				
CBC 210051			CBC 180107	93	106	108	108	111	107	89	97	88	101	111				
F1				1.79	4.7	9.4	11.6	27	11.7	-0.7	1.6	-1.1	0.0	1.3	1	1		
210051				51%	19%	14%	10%	9%	14%	20%	19%	18%	16%	11%				
CBC 210053			CBC 180102	77	104	105	104	104	111	96	85	95	97	104				
F1				3.30	3.6	7.6	8.5	17	14.2	0.2	-6.3	-0.1	-0.5	0.0	1	1	1	
210053				51%	28%	27%	27%	25%	26%	29%	29%	28%	28%	21%				
CBC 210067			CBC 180107	93	106	108	108	111	107	89	97	88	101	111				
F1				1.76	4.6	9.4	11.6	27	11.7	-0.7	1.6	-1.1	0.0	1.3	1	1		
210067				51%	19%	14%	10%	9%	14%	20%	19%	18%	16%	11%				
CBC 210077			CBC 180102	84	102	103	102	104	110	96	85	95	97	104				
F1			CWBFCBC13	2.65	2.8	6.3	7.0	17	13.8	0.2	-6.3	-0.1	-0.5	0.0	1	1	1	
210077				51%	28%	27%	27%	25%	26%	29%	29%	28%	28%	21%				
CBC 210612			KKWFE0010	111	84	86	82	99	110	123	85	94	91	80				
F1			CWBFAAF18	0.11	-4.6	-4.5	-9.5	9	13.5	3.2	-6.6	-0.3	-1.1	-4.1	1	1		
210612				53%	49%	49%	49%	21%	44%	50%	50%	49%	49%	46%				
CBC 210619			KKWFD0052	99	101	101	101	111	110	113	106	87	112	94				
F1			CWBFAAF17	1.21	2.3	5.0	6.4	27	13.4	2.1	7.4	-1.3	1.2	-1.6	1	1		
210619				52%	49%	49%	48%	38%	47%	49%	49%	49%	48%	44%				
CBC 212101				95														
BS				1.58											1	1		
GWF 2101				29%														
CBC 212102				91														
BS				2.01											1	1		
GWF 2102				29%														
CBC 212104				86														
BS				2.40											1	1		
GWF 2104				29%														
CBC 220011			PMGFL00013	88	106	102	101	94	91	106	82	109	90	101				
F1			CWBFCBC44	2.28	4.6	5.9	5.9	3	2.9	1.3	-8.9	1.9	-1.2	-0.4	1	1		
220011				45%	27%	29%	21%	17%	19%	49%	49%	49%	48%	42%				
CBC 220021			CBC 180103	72	110	111	111	110	110	97	87	90	94	104				
F1			CWBFCBC46	3.74	6.0	11.7	14.3	25	13.4	0.2	-5.3	-0.8	-0.8	0.0	1	1	1	
220021				51%	14%	11%	8%	6%	13%	19%	19%	17%	16%	10%				

CWB Dams

Dam				Growth					Carcass					Stats				
ID	Parentage	Sire ID		Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name		Gen. DNA	Dam ID															
JAPANESE BLACK																		
CBC 220026			CBC 180103	73	109	111	111	110	110	97	87	90	94	104				
F1			CWBFANGUS1	3.67	6.0	11.5	14.1	25	13.4	0.2	-5.3	-0.8	-0.8	0.0	1	1	1	
220026				51%	14%	11%	8%	6%	13%	19%	19%	17%	16%	10%				
CBC 220034			CBC 180103	81	102	101	102	96	96	98	83	97	87	105				
F2			CBC 180042	2.93	2.7	5.0	7.0	5	5.9	0.4	-7.9	0.2	-1.5	0.1	1	1	1	
220034				71%	25%	18%	16%	14%	19%	26%	26%	24%	20%	11%				
CWBFCBC 190540			WC 170005	116	89	90	90	91	91	104	104	116	83	85				
F1			MAF5	-0.40	-2.3	-1.7	-3.2	-2	2.9	1.1	5.9	2.9	-1.9	-3.2	1	1		
19540				60%	26%	27%	26%	22%	25%	47%	47%	46%	45%	32%				
CWBFCBC 210624			KKWFD0052	112	99	99	101	100	100	119	110	95	104	87				
F1			MAF15	0.00	1.6	4.0	6.5	11	8.3	2.7	9.9	-0.2	0.4	-2.8	1	1		
21624				67%	49%	49%	48%	38%	47%	49%	49%	49%	48%	44%				
KF 130002			BIMFE0003	118	86	83	85	83	72	96	156	101	116	97				
FB			KJDFC0007	-0.59	-3.8	-6.8	-7.0	-14	-7.4	0.2	40.9	0.7	1.6	-1.1	8	30	12	5
MICHIFUKI-04				72%	41%	65%	32%	30%	39%	64%	63%	56%	45%	14%				
LB 190004			BA 140004	100	106	106	108	99	108	89	89	99	88	107				
F1			D11	1.13	4.4	8.5	11.5	9	12.5	-0.7	-3.7	0.5	-1.4	0.5	1	2	2	
LB190004				71%	32%	24%	20%	18%	23%	37%	37%	34%	21%	9%				
LB 190022			BA 150400	96	109	114	117	109	115	89	94	78	115	122				
F1			17.60.24	1.50	5.7	13.7	19.3	24	16.3	-0.7	-0.4	-2.6	1.5	3.1	1	2	1	
LB190022				70%	27%	18%	22%	16%	22%	36%	35%	32%	22%	11%				
LB 190029			BA 140004	109	105	105	108	101	107	83	92	92	90	113				
F1			NT102	0.31	4.0	7.7	11.4	12	11.8	-1.3	-1.6	-0.5	-1.1	1.6	1	3	2	
LB190029				72%	32%	24%	20%	18%	23%	37%	37%	34%	21%	9%				
LB 190040			BA 140004	96	107	107	109	99	109	89	89	99	88	107				
F1			13-164	1.53	4.8	9.2	12.3	9	12.9	-0.7	-3.7	0.5	-1.4	0.5	1	1	1	
LB190040				69%	32%	24%	20%	18%	23%	37%	37%	34%	21%	9%				
LB 190054			BA 150400	125	97	104	108	109	115	89	94	78	115	122				
F1			DCH4	-1.23	0.9	7.3	11.8	24	16.4	-0.7	-0.4	-2.6	1.5	3.1	1	2	1	
LB190054				70%	27%	18%	22%	16%	22%	36%	35%	32%	22%	11%				
LB 190058			LB 160100	117	89	93	95	92	104	99	87	99	97	105				
F1			LB14	-0.47	-2.5	-0.1	1.1	-1	10.3	0.5	-5.3	0.4	-0.5	0.2	1	2	1	
LB190058				68%	15%	14%	14%	15%	15%	32%	32%	28%	13%	8%				
LB 190061			BA 150400	115	102	108	111	109	114	89	94	78	115	122				
F1			15-163	-0.34	2.7	9.6	14.4	24	16.1	-0.7	-0.4	-2.6	1.5	3.1	1	3	2	
LB190061				72%	27%	18%	22%	16%	22%	36%	35%	32%	22%	11%				

CWB Dams

Dam			Growth					Carcass					Stats				
ID	Parentage	Sire ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name	Gen. DNA	Dam ID															
JAPANESE BLACK																	
LPB 190006		OVE 100045	124	86	83	87	80	80	88	133	76	120	117	1	2		
PBD		KF 130002	-1.20	-3.9	-6.5	-5.3	-18	-3.3	-0.8	26.1	-3.0	2.0	2.2				
LPB 190006			63%	36%	41%	24%	17%	34%	50%	50%	45%	36%	10%				
LPB 190016		OVE 100045	118	91	87	90	81	81	79	112	81	121	132	1	2	2	
PBD		KF 120006	-0.59	-1.8	-4.1	-3.2	-17	-2.3	-1.7	11.5	-2.1	2.1	4.9				
LPB 190016			62%	40%	36%	30%	21%	37%	48%	49%	44%	36%	15%				
LPB 191101		HJ 150008	96	104	105	106	96	98	97	90	85	97	109	1	2	1	
F1		13007	1.53	3.7	7.9	10.5	4	6.9	0.2	-3.0	-1.5	-0.5	0.8				
LPB191101			70%	58%	26%	20%	18%	34%	42%	42%	39%	25%	10%				
LPB 191108		HJ 150008	98	107	108	108	99	98	97	90	85	97	109	1	2	1	
F1		LPB114	1.26	5.0	9.4	12.0	9	7.0	0.2	-3.0	-1.5	-0.5	0.8				
LPB191108			71%	58%	26%	20%	18%	34%	42%	42%	39%	25%	10%				
LPB 191201		KT4FK1888	100	104	104	105	97	95	119	107	114	94	81	1	2	2	
F1		17148	1.11	3.7	6.8	8.9	6	5.5	2.7	7.9	2.7	-0.8	-3.9				
LPB191201			70%	46%	31%	25%	16%	35%	42%	43%	38%	22%	14%				

CWB Bulls

Inbreeding >6% is high					<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed															
Bull					Selection Value					Calf weight		Mother		Growth		Fertility			Carcass				
ID	Name	%Inbreeding	Parentage		Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
			Genomic DNA	Sire ID Dam ID																			
JAPANESE BLACK																							
CWBMCBC 180047			BA 130923		104	82	111	99	99	102	82	99	111	85	101	113	91	115	91	84	100	104	113
F1					0.89	-5.2				0.89	-5.2	-0.25	14.2	-6.5	12	-11.5	2.7	12.5	-0.4	-7.4	0.6	0.3	1.5
CBC 180047					45%	41%	29 %	26%	26%	47 %	41 %	35%	29%	28%	26%	33%	19%	53 %	36 %	36 %	33 %	26 %	11 %
CWBMCBC 190003			PK 150003		89	85	108	109	99	88	85	101	108	88	91	98	99	93	105	99	77	131	113
F1			CWBFCBC33		2.23	-4.0				2.23	-4.0	-0.33	12.3	-4.3	-2	-3.2	0.8	2.4	1.2	2.6	-2.7	3.2	1.5
CBC 190003					36%	28%	25 %	6 %	18%	36 %	28 %	35%	25%	24%	6 %	27%	10%	46 %	45 %	45 %	43 %	34 %	12 %
CWBMCBC 190006			PK 150003		89	85	108	109	99	88	85	101	108	88	91	98	99	93	105	99	77	131	113
F1			CWBFCBC8		2.23	-4.0				2.23	-4.0	-0.33	12.3	-4.3	-2	-3.2	0.8	2.4	1.2	2.6	-2.7	3.2	1.5
CBC 190006					36%	28%	25 %	6 %	18%	36 %	28 %	35%	25%	24%	6 %	27%	10%	46 %	45 %	45 %	43 %	34 %	12 %
CWBMCBC 190007			PK 150003		89	85	108	109	99	88	85	101	108	88	91	98	99	93	105	99	77	131	113
F1			CWBFCBC34		2.23	-4.0				2.23	-4.0	-0.33	12.3	-4.3	-2	-3.2	0.8	2.4	1.2	2.6	-2.7	3.2	1.5
CBC 190007					36%	28%	25 %	6 %	18%	36 %	28 %	35%	25%	24%	6 %	27%	10%	46 %	45 %	45 %	43 %	34 %	12 %
CWBMCBC 190009			PK 150003		89	85	108	109	99	88	85	101	108	88	91	98	99	93	105	99	77	131	113
F1			CWBFCBC35		2.23	-4.0				2.23	-4.0	-0.33	12.3	-4.3	-2	-3.2	0.8	2.4	1.2	2.6	-2.7	3.2	1.5
CBC 190009					36%	28%	25 %	6 %	18%	36 %	28 %	35%	25%	24%	6 %	27%	10%	46 %	45 %	45 %	43 %	34 %	12 %
CWBMCBC 190010			PK 150003		89	85	108	109	99	88	85	101	108	88	91	98	99	93	105	99	77	131	113
F1			CWBFCBC30		2.23	-4.0				2.23	-4.0	-0.33	12.3	-4.3	-2	-3.2	0.8	2.4	1.2	2.6	-2.7	3.2	1.5
CBC 190010					36%	28%	25 %	6 %	18%	36 %	28 %	35%	25%	24%	6 %	27%	10%	46 %	45 %	45 %	43 %	34 %	12 %
CWBMCBC 190011			PK 150003		89	85	108	109	99	88	85	101	108	88	91	98	99	90	105	99	77	131	113
F1			CWBFCBC3		2.23	-4.0				2.23	-4.0	-0.33	12.3	-4.3	-2	-3.2	0.8	1.1	1.2	2.6	-2.7	3.2	1.5
CBC 190011					36%	28%	25 %	6 %	18%	36 %	28 %	35%	25%	24%	6 %	27%	10%	44 %	45 %	45 %	43 %	34 %	12 %
CWBMCBC 190013			PK 150003		89	85	108	109	99	88	85	101	108	88	91	98	99	90	105	99	77	131	113
F1			CWBFCBC32		2.23	-4.0				2.23	-4.0	-0.33	12.3	-4.3	-2	-3.2	0.8	1.1	1.2	2.6	-2.7	3.2	1.5
CBC 190013					36%	28%	25 %	6 %	18%	36 %	28 %	35%	25%	24%	6 %	27%	10%	44 %	45 %	45 %	43 %	34 %	12 %
CWBMCBC 190016			PK 150003		89	85	108	109	99	88	85	101	108	88	91	98	99	93	105	99	77	131	113
F1					2.23	-4.0				2.23	-4.0	-0.33	12.3	-4.3	-2	-3.2	0.8	2.4	1.2	2.6	-2.7	3.2	1.5
CBC 190016					36%	28%	25 %	6 %	18%	36 %	28 %	35%	25%	24%	6 %	27%	10%	46 %	45 %	45 %	43 %	34 %	12 %
CWBMCBC 190019			PK 150003		89	85	108	109	99	88	85	101	108	88	91	98	99	93	105	99	77	131	113
F1			CWBFCBC47		2.23	-4.0				2.23	-4.0	-0.33	12.3	-4.3	-2	-3.2	0.8	2.4	1.2	2.6	-2.7	3.2	1.5
CBC 190019					36%	28%	25 %	6 %	18%	36 %	28 %	35%	25%	24%	6 %	27%	10%	46 %	45 %	45 %	43 %	34 %	12 %
CWBMCBC 190020			PK 150003		89	85	108	109	99	88	85	101	108	88	91	98	99	93	105	99	77	131	113
F1			CWBFCBC51		2.23	-4.0				2.23	-4.0	-0.33	12.3	-4.3	-2	-3.2	0.8	2.4	1.2	2.6	-2.7	3.2	1.5
CBC 190020					36%	28%	25 %	6 %	18%	36 %	28 %	35%	25%	24%	6 %	27%	10%	46 %	45 %	45 %	43 %	34 %	12 %
CWBMCBC 190022			PK 150003		89	85	108	109	99	88	85	101	108	88	91	98	99	93	105	99	77	131	113
F1			CWBFCBC42		2.23	-4.0				2.23	-4.0	-0.33	12.3	-4.3	-2	-3.2	0.8	2.4	1.2	2.6	-2.7	3.2	1.5
CBC 190022					36%	28%	25 %	6 %	18%	36 %	28 %	35%	25%	24%	6 %	27%	10%	46 %	45 %	45 %	43 %	34 %	12 %

CWB Bulls

Inbreeding >6% is high					<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed															
Bull					Selection Value					Calf weight		Mother		Growth		Fertility			Carcass				
ID	%Inbreeding	Parentage			Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
Name		Genomic	DNA	Sire ID Dam ID																			
JAPANESE BLACK																							
CWBMCBC 190023				PK 150003	96	92	100	117	104	97	92	91	100	93	83	91	111	90	111	102	85	124	106
F1				CBC48	43%	50%	32 %	6 %	19%	1.35	-1.3	0.08	7.9	-0.3	-15	0.7	-1.4	1.1	1.9	5.1	-1.6	2.4	0.3
CBC 190023					43%	50%	32 %	6 %	19%	43 %	50 %	44%	32%	50%	6 %	28%	10%	50 %	45 %	45 %	43 %	34 %	12 %
CWBMCBC 190026				PK 150003	89	85	108	109	99	88	85	101	108	88	91	98	99	93	105	99	77	131	113
F1				CWBFCBC54	36%	28%	25 %	6 %	18%	2.23	-4.0	-0.33	12.3	-4.3	-2	-3.2	0.8	2.4	1.2	2.6	-2.7	3.2	1.5
CBC 190026					36%	28%	25 %	6 %	18%	36 %	28 %	35%	25%	24%	6 %	27%	10%	46 %	45 %	45 %	43 %	34 %	12 %
CWBMCBC 190031				PK 150003	89	85	108	109	99	88	85	101	108	88	91	98	99	93	105	99	77	131	113
F1				CWBFCBC1	36%	28%	25 %	6 %	18%	2.23	-4.0	-0.33	12.3	-4.3	-2	-3.2	0.8	2.4	1.2	2.6	-2.7	3.2	1.5
CBC 190031					36%	28%	25 %	6 %	18%	36 %	28 %	35%	25%	24%	6 %	27%	10%	46 %	45 %	45 %	43 %	34 %	12 %
CWBMCBC 190032				PK 150003	89	85	108	109	99	88	85	101	108	88	91	98	99	93	105	99	77	131	113
F1				CWBFCBC14	36%	28%	25 %	6 %	18%	2.23	-4.0	-0.33	12.3	-4.3	-2	-3.2	0.8	2.4	1.2	2.6	-2.7	3.2	1.5
CBC 190032					36%	28%	25 %	6 %	18%	36 %	28 %	35%	25%	24%	6 %	27%	10%	46 %	45 %	45 %	43 %	34 %	12 %
CWBMCBC 190034				PK 150003	89	85	108	109	99	88	85	101	108	88	91	98	99	93	105	99	77	131	113
F1				CWBFCBC26	36%	28%	25 %	6 %	18%	2.23	-4.0	-0.33	12.3	-4.3	-2	-3.2	0.8	2.4	1.2	2.6	-2.7	3.2	1.5
CBC 190034					36%	28%	25 %	6 %	18%	36 %	28 %	35%	25%	24%	6 %	27%	10%	46 %	45 %	45 %	43 %	34 %	12 %
CWBMCBC 190035				PK 150003	89	85	108	109	99	88	85	101	108	88	91	98	99	93	105	99	77	131	113
F1				CWBFCBC17	36%	28%	25 %	6 %	18%	2.23	-4.0	-0.33	12.3	-4.3	-2	-3.2	0.8	2.4	1.2	2.6	-2.7	3.2	1.5
CBC 190035					36%	28%	25 %	6 %	18%	36 %	28 %	35%	25%	24%	6 %	27%	10%	46 %	45 %	45 %	43 %	34 %	12 %
CWBMCBC 200003				PK 150003	89	85	108	109	99	88	85	101	108	88	91	98	99	90	105	99	77	131	113
F1				CWBFCBC2	36%	28%	25 %	6 %	18%	2.23	-4.0	-0.33	12.3	-4.3	-2	-3.2	0.8	1.1	1.2	2.6	-2.7	3.2	1.5
CBC 200003					36%	28%	25 %	6 %	18%	36 %	28 %	35%	25%	24%	6 %	27%	10%	44 %	45 %	45 %	43 %	34 %	12 %
CWBMCBC 200012	2			CBC 180107	115	101	75	114	111	114	101	95	75	98	86	108	112	128	99	98	105	89	104
FB				CBC 180106	60%	33%	29 %	25%	28%	-0.17	2.3	-0.08	-6.1	3.0	-10	-8.7	-1.2	18.8	0.5	2.0	1.4	-1.3	0.0
CBC 200012					60%	33%	29 %	25%	28%	66 %	33 %	38%	29%	30%	25%	33%	22%	46 %	34 %	34 %	32 %	30 %	23 %
CWBMCBC 200022				CBC 180107	73	112	98	100	103	85	112	61	98	114	100	97	106	105	95	101	96	94	104
F1				53	58%	19%	14 %	9 %	14%	2.54	7.2	1.25	6.8	14.5	11	-3.0	-0.3	7.9	0.0	4.1	0.1	-0.8	0.0
CBC 200022					58%	19%	14 %	9 %	14%	66 %	19 %	28%	14%	12%	9 %	17%	10%	37 %	20 %	19 %	18 %	16 %	11 %
CWBMCBC 200601				KKWFD0052	96	102	110	89	95	95	102	100	110	102	111	97	95	89	113	106	87	112	94
F1				CWBFTAF27	43%	49%	47 %	38%	37%	1.60	2.8	-0.27	13.7	6.2	27	-2.9	1.8	0.9	2.1	7.4	-1.3	1.2	-1.6
CBC 20601					43%	49%	47 %	38%	37%	46 %	49 %	31%	47%	48%	38%	48%	26%	50 %	49 %	49 %	49 %	48 %	44 %
CWBMCBC 210023				CBC 180107	89	106	107	89	97	93	106	86	107	108	111	102	93	106	89	97	88	101	111
F1					40%	19%	14 %	9 %	14%	1.81	4.7	0.27	11.7	10.2	27	-5.5	2.0	8.6	-0.7	1.6	-1.1	0.0	1.3
CBC 210023					40%	19%	14 %	9 %	14%	45 %	19 %	22%	14%	12%	9 %	17%	10%	31 %	20 %	19 %	18 %	16 %	11 %
CWBMCBC 210064				CBC 180107	89	106	107	89	97	93	106	86	107	108	111	102	93	106	89	97	88	101	111
F1					40%	19%	14 %	9 %	14%	1.81	4.7	0.27	11.7	10.2	27	-5.5	2.0	8.6	-0.7	1.6	-1.1	0.0	1.3
CBC 210064					40%	19%	14 %	9 %	14%	45 %	19 %	22%	14%	12%	9 %	17%	10%	31 %	20 %	19 %	18 %	16 %	11 %

CWB Bulls

Inbreeding >6% is high				<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed															
Bull				Selection Value					Calf weight		Mother		Growth		Fertility			Carcass				
ID	%Inbreeding	Parentage		Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
Name		Genomic	DNA																			
JAPANESE BLACK																						
CWBMCBC 210065			CBC 180102	79	102	110	96	93	83	102	86	110	103	104	99	90	93	96	85	95	97	104
F1				2.71	2.9				2.71	2.9	0.27	13.9	6.4	17	-3.8	2.6	2.7	0.2	-6.3	-0.1	-0.5	0.0
CBC 210065				42%	28%	26 %	25%	24%	45 %	28 %	32%	26%	27%	25%	28%	21%	37 %	29 %	29 %	28 %	28 %	21 %
CWBMCBC 210636			KKWFE0010	108	85	110	101	88	107	85	94	110	85	99	98	84	90	123	85	94	91	80
PBD			CWBFLPB 190018	0.43	-4.2				0.43	-4.2	-0.04	13.7	-6.7	9	-3.5	3.9	1.1	3.2	-6.6	-0.3	-1.1	-4.1
CBC 21636				44%	49%	44 %	21%	26%	48 %	49 %	31%	44%	49%	21%	41%	11%	50 %	50 %	50 %	49 %	49 %	46 %
CWBMCBC 220002			PMGFL00013	92	106	91	106	99	88	106	112	91	101	94	94	103	90	106	82	109	90	101
F1			CWBFCBC42	2.28	4.6				2.28	4.6	-0.75	2.9	5.5	3	-1.0	0.3	1.0	1.3	-8.9	1.9	-1.2	-0.4
CBC 220002				43%	27%	19 %	17%	22%	45 %	27 %	33%	19%	25%	17%	29%	16%	45 %	49 %	49 %	49 %	48 %	42 %
CWBMCBC 220003			PMGFL00013	92	106	91	106	99	88	106	112	91	101	94	94	103	90	106	82	109	90	101
F1			CWBFCBC34	2.28	4.6				2.28	4.6	-0.75	2.9	5.5	3	-1.0	0.3	1.0	1.3	-8.9	1.9	-1.2	-0.4
CBC 220003				43%	27%	19 %	17%	22%	45 %	27 %	33%	19%	25%	17%	29%	16%	45 %	49 %	49 %	49 %	48 %	42 %
CWBMCBC 220004			KKWFE0010	108	85	110	101	88	107	85	94	110	85	99	98	84	90	123	85	94	91	80
F1			CWBFCBC11	0.43	-4.2				0.43	-4.2	-0.04	13.7	-6.7	9	-3.5	3.9	1.1	3.2	-6.6	-0.3	-1.1	-4.1
CBC 220004				44%	49%	44 %	21%	26%	48 %	49 %	31%	44%	49%	21%	41%	11%	50 %	50 %	50 %	49 %	49 %	46 %
CWBMCBC 220005			PMGFL00013	92	106	91	106	99	88	106	112	91	101	94	94	103	90	106	82	109	90	101
F1			CWBFCBC30	2.28	4.6				2.28	4.6	-0.75	2.9	5.5	3	-1.0	0.3	1.0	1.3	-8.9	1.9	-1.2	-0.4
CBC 220005				43%	27%	19 %	17%	22%	45 %	27 %	33%	19%	25%	17%	29%	16%	45 %	49 %	49 %	49 %	48 %	42 %
CWBMCBC 220006			KKWFE0010	108	85	110	101	88	107	85	94	110	85	99	98	84	90	123	85	94	91	80
F1			CWBFCBC43	0.43	-4.2				0.43	-4.2	-0.04	13.7	-6.7	9	-3.5	3.9	1.1	3.2	-6.6	-0.3	-1.1	-4.1
CBC 220006				44%	49%	44 %	21%	26%	48 %	49 %	31%	44%	49%	21%	41%	11%	50 %	50 %	50 %	49 %	49 %	46 %
CWBMCBC 220009			KKWFE0010	108	85	110	101	88	107	85	94	110	85	99	98	84	90	123	85	94	91	80
F1			CWBFCBC14	0.43	-4.2				0.43	-4.2	-0.04	13.7	-6.7	9	-3.5	3.9	1.1	3.2	-6.6	-0.3	-1.1	-4.1
CBC 220009				44%	49%	44 %	21%	26%	48 %	49 %	31%	44%	49%	21%	41%	11%	50 %	50 %	50 %	49 %	49 %	46 %
CWBMCBC 220010			KKWFE0010	108	85	110	101	88	107	85	94	110	85	99	98	84	90	123	85	94	91	80
F1			CWBFBANGUS4*	0.43	-4.2				0.43	-4.2	-0.04	13.7	-6.7	9	-3.5	3.9	1.1	3.2	-6.6	-0.3	-1.1	-4.1
CBC 220010				44%	49%	44 %	21%	26%	48 %	49 %	31%	44%	49%	21%	41%	11%	50 %	50 %	50 %	49 %	49 %	46 %
CWBMCBC 220015			CBC 180103	70	109	109	90	93	75	109	87	109	111	110	105	87	106	97	87	90	94	104
F1			CWBFCBC7	3.48	5.7				3.48	5.7	0.22	13.3	12.1	25	-7.0	3.3	8.4	0.2	-5.3	-0.8	-0.8	0.0
CBC 220015				41%	14%	13 %	6 %	12%	46 %	14 %	21%	13%	10%	6 %	16%	8%	28 %	19 %	19 %	17 %	16 %	10 %
CWBMCBC 220016			CBC 180103	70	109	109	90	93	75	109	87	109	111	110	105	87	106	97	87	90	94	104
F1			CWBFCBC33	3.48	5.7				3.48	5.7	0.22	13.3	12.1	25	-7.0	3.3	8.4	0.2	-5.3	-0.8	-0.8	0.0
CBC 220016				41%	14%	13 %	6 %	12%	46 %	14 %	21%	13%	10%	6 %	16%	8%	28 %	19 %	19 %	17 %	16 %	10 %
CWBMCBC 220018			PMGFL00013	92	106	91	106	99	88	106	112	91	101	94	94	103	90	106	82	109	90	101
F1			CWBFCBC17	2.28	4.6				2.28	4.6	-0.75	2.9	5.5	3	-1.0	0.3	1.0	1.3	-8.9	1.9	-1.2	-0.4
CBC 220018				43%	27%	19 %	17%	22%	45 %	27 %	33%	19%	25%	17%	29%	16%	45 %	49 %	49 %	49 %	48 %	42 %

CWB Bulls

Inbreeding >6% is high					<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed															
Bull					Selection Value					Calf weight		Mother		Growth		Fertility			Carcass				
ID	Name	%Inbreeding	Parentage		Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
			Genomic	Sire ID																			
JAPANESE BLACK																							
CWBMCBC 220020				CBC 180103	87	105	100	101	100	93	105	78	100	108	99	100	99	119	102	91	98	86	97
F1				BN49	1.78	4.1				1.78	4.1	0.60	8.1	10.4	9	-4.5	1.0	14.4	0.9	-2.8	0.4	-1.6	-1.2
CBC 220020					58%	14%	13 %	6 %	12%	66 %	14 %	27%	13%	10%	6 %	16%	8%	33 %	19 %	19 %	17 %	16 %	10 %
CWBMCBC 220023				CBC 180103	87	97	96	104	100	91	97	83	96	98	96	109	96	113	98	83	97	87	105
F2				CBC 180011	1.96	0.9				1.96	0.9	0.40	5.9	3.1	4	-9.1	1.9	11.6	0.4	-7.9	0.2	-1.5	0.1
CBC 220023					62%	27%	26 %	14%	18%	69 %	27 %	36%	26%	17%	14%	23%	13%	39 %	26 %	26 %	24 %	20 %	11 %
CWBMCBC 220025				CBC 180103	70	109	109	90	93	75	109	87	109	111	110	105	87	106	97	87	90	94	104
F1					3.48	5.7				3.48	5.7	0.22	13.3	12.1	25	-7.0	3.3	8.4	0.2	-5.3	-0.8	-0.8	0.0
CBC 220025					41%	14%	13 %	6 %	12%	46 %	14 %	21%	13%	10%	6 %	16%	8%	28 %	19 %	19 %	17 %	16 %	10 %
CWBMCBC 220027				CBC 180103	70	109	109	90	93	75	109	87	109	111	110	105	87	106	97	87	90	94	104
F1				CWBFCBC8	3.48	5.7				3.48	5.7	0.22	13.3	12.1	25	-7.0	3.3	8.4	0.2	-5.3	-0.8	-0.8	0.0
CBC 220027					41%	14%	13 %	6 %	12%	46 %	14 %	21%	13%	10%	6 %	16%	8%	28 %	19 %	19 %	17 %	16 %	10 %
CWBMCBC 220028				CBC 180103	70	109	109	90	93	75	109	87	109	111	110	105	87	106	97	87	90	94	104
F1				CWBFCBC28	3.48	5.7				3.48	5.7	0.22	13.3	12.1	25	-7.0	3.3	8.4	0.2	-5.3	-0.8	-0.8	0.0
CBC 220028					41%	14%	13 %	6 %	12%	46 %	14 %	21%	13%	10%	6 %	16%	8%	28 %	19 %	19 %	17 %	16 %	10 %
CWBMCBC 220030				CBC 180103	70	109	109	90	93	75	109	87	109	111	110	105	87	106	97	87	90	94	104
F1				CWBFCBC27	3.48	5.7				3.48	5.7	0.22	13.3	12.1	25	-7.0	3.3	8.4	0.2	-5.3	-0.8	-0.8	0.0
CBC 220030					41%	14%	13 %	6 %	12%	46 %	14 %	21%	13%	10%	6 %	16%	8%	28 %	19 %	19 %	17 %	16 %	10 %
CWBMCBC 220033				CBC 180103	70	109	109	90	93	75	109	87	109	111	110	105	87	106	97	87	90	94	104
F1				CWBFCBC25	3.48	5.7				3.48	5.7	0.22	13.3	12.1	25	-7.0	3.3	8.4	0.2	-5.3	-0.8	-0.8	0.0
CBC 220033					41%	14%	13 %	6 %	12%	46 %	14 %	21%	13%	10%	6 %	16%	8%	28 %	19 %	19 %	17 %	16 %	10 %
CWBMCBC 220041				CBC 180103	70	109	109	90	93	75	109	87	109	111	110	105	87	106	97	87	90	94	104
F1				CWBFCBC65	3.48	5.7				3.48	5.7	0.22	13.3	12.1	25	-7.0	3.3	8.4	0.2	-5.3	-0.8	-0.8	0.0
CBC 220041					41%	14%	13 %	6 %	12%	46 %	14 %	21%	13%	10%	6 %	16%	8%	28 %	19 %	19 %	17 %	16 %	10 %
CWBMCBC 220042				CBC 180103	70	109	109	90	93	75	109	87	109	111	110	105	87	106	97	87	90	94	104
F1				CWBFCBC21	3.48	5.7				3.48	5.7	0.22	13.3	12.1	25	-7.0	3.3	8.4	0.2	-5.3	-0.8	-0.8	0.0
CBC 220042					41%	14%	13 %	6 %	12%	46 %	14 %	21%	13%	10%	6 %	16%	8%	28 %	19 %	19 %	17 %	16 %	10 %
CWBMCBC 220043				CBC 180103	70	109	109	90	93	75	109	87	109	111	110	105	87	106	97	87	90	94	104
F1				CWBFCBC61	3.48	5.7				3.48	5.7	0.22	13.3	12.1	25	-7.0	3.3	8.4	0.2	-5.3	-0.8	-0.8	0.0
CBC 220043					41%	14%	13 %	6 %	12%	46 %	14 %	21%	13%	10%	6 %	16%	8%	28 %	19 %	19 %	17 %	16 %	10 %
CWBMCBC 220044				CBC 180103	70	109	109	90	93	75	109	87	109	111	110	105	87	106	97	87	90	94	104
F1					3.48	5.7				3.48	5.7	0.22	13.3	12.1	25	-7.0	3.3	8.4	0.2	-5.3	-0.8	-0.8	0.0
CBC 220044					41%	14%	13 %	6 %	12%	46 %	14 %	21%	13%	10%	6 %	16%	8%	28 %	19 %	19 %	17 %	16 %	10 %
CWBMCBC 220045				CBC 180103	70	109	109	90	93	75	109	87	109	111	110	105	87	106	97	87	90	94	104
F1				CWBFCBC73	3.48	5.7				3.48	5.7	0.22	13.3	12.1	25	-7.0	3.3	8.4	0.2	-5.3	-0.8	-0.8	0.0
CBC 220045					41%	14%	13 %	6 %	12%	46 %	14 %	21%	13%	10%	6 %	16%	8%	28 %	19 %	19 %	17 %	16 %	10 %

CWB Bulls

Inbreeding >6% is high					<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed																
Bull					Selection Value					Calf weight		Mother		Growth		Fertility			Carcass					
ID	Name	%Inbreeding	Parentage		Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness	
			Genomic	Sire ID																				DNA
JAPANESE BLACK																								
CWBMCBC 220046				CBC 180103	70	109	109	90	93	75	109	87	109	111	110	105	87	106	97	87	90	94	104	
F1				CWBFCBC71	41%	14%	13 %	6 %	12%	3.48	5.7	0.22	13.3	12.1	25	-7.0	3.3	8.4	0.2	-5.3	-0.8	-0.8	0.0	
CBC 220046					41%	14%	13 %	6 %	12%	46 %	14 %	21%	13%	10%	6 %	16%	8%	28 %	19 %	19 %	17 %	16 %	10 %	
CWBMCBC 220052				CBC 180103	71	104	91	114	109	79	104	75	91	104	86	107	110	110	108	92	90	97	101	
F2				CBC 200008	61%	21%	21 %	7 %	18%	3.11	3.6	0.71	2.8	7.4	-10	-7.9	-0.9	10.2	1.5	-1.6	-0.9	-0.4	-0.5	
CBC 220052					61%	21%	21 %	7 %	18%	68 %	21 %	34%	21%	16%	7 %	26%	11%	38 %	30 %	29 %	27 %	23 %	12 %	
CWBMCBC 220056				CBC 180103	86	99	94	109	100	87	99	94	94	99	91	102	100	110	105	91	86	101	105	
F2				CBC 200004	61%	20%	18 %	7 %	16%	2.32	1.5	-0.05	4.5	3.8	-3	-5.2	1.0	10.2	1.2	-2.9	-1.5	0.0	0.1	
CBC 220056					61%	20%	18 %	7 %	16%	68 %	20 %	34%	18%	16%	7 %	21%	10%	37 %	30 %	29 %	27 %	23 %	12 %	
CWBMCBC 220058				CBC 180103	75	102	94	109	100	79	102	89	94	102	91	102	100	110	105	91	86	101	105	
F2				CBC 190017	61%	20%	18 %	7 %	16%	3.10	2.8	0.15	4.6	5.7	-3	-5.2	1.0	10.2	1.2	-2.9	-1.5	0.0	0.1	
CBC 220058					61%	20%	18 %	7 %	16%	68 %	20 %	34%	18%	16%	7 %	21%	10%	37 %	30 %	29 %	27 %	23 %	12 %	
CWBMCBC 220065				CBC 180103	72	101	90	113	107	80	101	74	90	102	87	105	108	109	108	92	90	97	101	
F2				CBC 190012	62%	29%	22 %	7 %	18%	2.99	2.6	0.75	2.5	6.1	-8	-6.8	-0.5	9.8	1.5	-1.6	-0.9	-0.4	-0.5	
CBC 220065					62%	29%	22 %	7 %	18%	70 %	29 %	33%	22%	16%	7 %	26%	10%	38 %	30 %	29 %	27 %	23 %	12 %	
CWBMCBC 220066				CWBMCBC 210005	97	100	106	102	103	105	100	66	106	105	98	91	108	85	112	106	102	99	88	
F1				CBC 210009	53%	24%	24 %	19%	18%	0.67	2.1	1.04	11.6	8.2	8	0.3	-1.1	-1.0	2.0	7.7	0.9	-0.2	-2.7	
CBC 220066					53%	24%	24 %	19%	18%	60 %	24 %	25%	24%	24%	19%	24%	13%	28 %	25 %	25 %	24 %	24 %	22 %	
CWBMCBC 220068				CBC 180103	70	109	109	90	93	75	109	87	109	111	110	105	87	106	97	87	90	94	104	
F1					41%	14%	13 %	6 %	12%	3.48	5.7	0.22	13.3	12.1	25	-7.0	3.3	8.4	0.2	-5.3	-0.8	-0.8	0.0	
CBC 220068					41%	14%	13 %	6 %	12%	46 %	14 %	21%	13%	10%	6 %	16%	8%	28 %	19 %	19 %	17 %	16 %	10 %	
CWBMCBC 220069				CBC 180103	70	109	109	90	93	75	109	87	109	111	110	105	87	106	97	87	90	94	104	
F1				CWBFCBC71	41%	14%	13 %	6 %	12%	3.48	5.7	0.22	13.3	12.1	25	-7.0	3.3	8.4	0.2	-5.3	-0.8	-0.8	0.0	
CBC 220069					41%	14%	13 %	6 %	12%	46 %	14 %	21%	13%	10%	6 %	16%	8%	28 %	19 %	19 %	17 %	16 %	10 %	
CWBMCBC 220071				CBC 180103	70	109	109	90	93	75	109	87	109	111	110	105	87	106	97	87	90	94	104	
F1				CWBFCBC54	41%	14%	13 %	6 %	12%	3.48	5.7	0.22	13.3	12.1	25	-7.0	3.3	8.4	0.2	-5.3	-0.8	-0.8	0.0	
CBC 220071					41%	14%	13 %	6 %	12%	46 %	14 %	21%	13%	10%	6 %	16%	8%	28 %	19 %	19 %	17 %	16 %	10 %	
CWBMCBC 220072				CBC 180103	70	109	109	90	93	75	109	87	109	111	110	105	87	106	97	87	90	94	104	
F1					41%	14%	13 %	6 %	12%	3.48	5.7	0.22	13.3	12.1	25	-7.0	3.3	8.4	0.2	-5.3	-0.8	-0.8	0.0	
CBC 220072					41%	14%	13 %	6 %	12%	46 %	14 %	21%	13%	10%	6 %	16%	8%	28 %	19 %	19 %	17 %	16 %	10 %	
CWBMCBC 220073				CBC 180103	70	109	109	90	93	75	109	87	109	111	110	105	87	106	97	87	90	94	104	
F1					41%	14%	13 %	6 %	12%	3.48	5.7	0.22	13.3	12.1	25	-7.0	3.3	8.4	0.2	-5.3	-0.8	-0.8	0.0	
CBC 220073					41%	14%	13 %	6 %	12%	46 %	14 %	21%	13%	10%	6 %	16%	8%	28 %	19 %	19 %	17 %	16 %	10 %	
CWBMCBC 220077				CBC 180103	70	109	109	90	93	75	109	87	109	111	110	105	87	106	97	87	90	94	104	
F1					41%	14%	13 %	6 %	12%	3.48	5.7	0.22	13.3	12.1	25	-7.0	3.3	8.4	0.2	-5.3	-0.8	-0.8	0.0	
CBC 220077					41%	14%	13 %	6 %	12%	46 %	14 %	21%	13%	10%	6 %	16%	8%	28 %	19 %	19 %	17 %	16 %	10 %	

CWB Bulls

Inbreeding >6% is high					<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed															
Bull					Selection Value					Calf weight		Mother		Growth		Fertility			Carcass				
ID	%Inbreeding	Parentage			Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
Name		Genomic	DNA	Sire ID Dam ID																			
JAPANESE BLACK																							
CWBMCBC 220078				CBC 180103	87	106	102	100	98	93	106	76	102	109	100	98	99	106	102	91	98	86	97
F1				CBC48	61%	19%	22 %	6 %	12%	1.74	4.7	0.64	9.4	11.3	10	-3.3	1.1	8.6	0.9	-2.8	0.4	-1.6	-1.2
CBC 220078					61%	19%	22 %	6 %	12%	68 %	19 %	34%	22%	15%	6 %	17%	8%	35 %	19 %	19 %	17 %	16 %	10 %
CWBMCBC 220080				CBC 180103	70	109	109	90	93	75	109	87	109	111	110	105	87	106	97	87	90	94	104
F1				CWBFCBC20	41%	14%	13 %	6 %	12%	3.48	5.7	0.22	13.3	12.1	25	-7.0	3.3	8.4	0.2	-5.3	-0.8	-0.8	0.0
CBC 220080					41%	14%	13 %	6 %	12%	46 %	14 %	21%	13%	10%	6 %	16%	8%	28 %	19 %	19 %	17 %	16 %	10 %
CWBMCBC 220656				CBC 180107	89	106	107	89	97	93	106	86	107	108	111	102	93	106	89	97	88	101	111
F1				CWBFHAF2	40%	19%	14 %	9 %	14%	1.81	4.7	0.27	11.7	10.2	27	-5.5	2.0	8.6	-0.7	1.6	-1.1	0.0	1.3
CBC 22656					40%	19%	14 %	9 %	14%	45 %	19 %	22%	14%	12%	9 %	17%	10%	31 %	20 %	19 %	18 %	16 %	11 %
CWBMCBC 220658				CBC 180107	89	106	107	89	97	93	106	86	107	108	111	102	93	106	89	97	88	101	111
F1				CWBFTAF22	40%	19%	14 %	9 %	14%	1.81	4.7	0.27	11.7	10.2	27	-5.5	2.0	8.6	-0.7	1.6	-1.1	0.0	1.3
CBC 22658					40%	19%	14 %	9 %	14%	45 %	19 %	22%	14%	12%	9 %	17%	10%	31 %	20 %	19 %	18 %	16 %	11 %
CWBMCBC 220660				CBC 180107	89	106	107	89	97	93	106	86	107	108	111	102	93	106	89	97	88	101	111
F1				CWBFTAF29	40%	19%	14 %	9 %	14%	1.81	4.7	0.27	11.7	10.2	27	-5.5	2.0	8.6	-0.7	1.6	-1.1	0.0	1.3
CBC 22660					40%	19%	14 %	9 %	14%	45 %	19 %	22%	14%	12%	9 %	17%	10%	31 %	20 %	19 %	18 %	16 %	11 %
CWBMCBC 220661				CBC 180107	89	106	107	89	97	93	106	86	107	108	111	102	93	106	89	97	88	101	111
F1				CWBFFMAF6.1	40%	19%	14 %	9 %	14%	1.81	4.7	0.27	11.7	10.2	27	-5.5	2.0	8.6	-0.7	1.6	-1.1	0.0	1.3
CBC 22661					40%	19%	14 %	9 %	14%	45 %	19 %	22%	14%	12%	9 %	17%	10%	31 %	20 %	19 %	18 %	16 %	11 %
CWBMCBC 220662	1			KKWFE0010	122	87	89	116	90	122	87	91	89	84	84	87	96	96	115	92	84	89	90
F2				CBC 190548	65%	51%	46 %	23%	31%	-1.00	-3.3	0.09	1.7	-7.2	-13	2.5	2.0	3.9	2.3	-2.0	-1.7	-1.2	-2.4
CBC 22662					65%	51%	46 %	23%	31%	71 %	51 %	40%	46%	51%	23%	47%	15%	56 %	54 %	54 %	53 %	51 %	47 %
CWBMCBC 220669	1			KKWFE0010	91	70	90	119	89	155	70	106	90	70	81	85	96	95	117	89	87	88	87
F2				CBC 190553	65%	51%	46 %	23%	31%	-4.09	-10.3	-0.53	2.2	-17.4	-17	3.6	2.2	3.4	2.6	-3.9	-1.4	-1.4	-2.9
CBC 22669					65%	51%	46 %	23%	31%	71 %	51 %	42%	46%	51%	23%	47%	15%	56 %	54 %	54 %	53 %	51 %	47 %
CWBMCBC 220671	5			KKWFE0010	121	87	81	124	98	119	87	96	81	82	76	87	107	95	135	82	109	74	71
F2				CBC 190538	65%	51%	45 %	22%	30%	-0.69	-3.5	-0.11	-2.3	-8.8	-25	2.5	0.0	3.5	4.6	-8.6	2.0	-2.9	-5.5
CBC 22671					65%	51%	45 %	22%	30%	71 %	51 %	41%	45%	50%	22%	46%	15%	57 %	55 %	55 %	55 %	55 %	51 %
CWBMCBC 220675				KKWFE0010	108	85	110	101	88	107	85	94	110	85	99	98	84	90	123	85	94	91	80
F1					44%	49%	44 %	21%	26%	0.43	-4.2	-0.04	13.7	-6.7	9	-3.5	3.9	1.1	3.2	-6.6	-0.3	-1.1	-4.1
CBC 22675					44%	49%	44 %	21%	26%	48 %	49 %	31%	44%	49%	21%	41%	11%	50 %	50 %	50 %	49 %	49 %	46 %
CWBMCBC 220677	2			CBC 180102	102	100	95	111	101	105	100	84	95	100	89	88	108	102	97	84	102	82	102
F2				LB 190004	66%	32%	29 %	26%	29%	0.67	2.1	0.37	5.4	4.2	-6	2.0	-0.6	6.7	0.2	-7.1	0.8	-2.0	-0.4
CBC 22677					66%	32%	29 %	26%	29%	72 %	32 %	42%	29%	30%	26%	35%	23%	45 %	34 %	34 %	32 %	30 %	21 %
CWBMCBC 220678	2			CBC 180102	118	93	90	114	95	117	93	92	90	93	86	87	101	98	90	89	88	94	111
F2				CBC 200556	64%	31%	29 %	26%	30%	-0.53	-0.9	0.05	2.4	-0.9	-9	2.5	0.7	4.9	-0.5	-3.6	-1.2	-0.8	1.2
CBC 22678					64%	31%	29 %	26%	30%	70 %	31 %	42%	29%	30%	26%	36%	23%	45 %	36 %	36 %	34 %	30 %	21 %

CWB Bulls

Inbreeding >6% is high				<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed																
Bull				Selection Value					Calf weight		Mother		Growth		Fertility			Carcass					
ID	%Inbreeding	Parentage		Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling	Fineness
Name		Genomic	DNA																				
JAPANESE BLACK																							
CWBMCBC 220680	5		KKWFE0010	111	91	81	124	98	110	91	98	81	85	76	87	107	96	137	81	108	74	70	
F2			CBC 190539	0.22	-1.6				0.22	-1.6	-0.18	-2.7	-6.2	-25	2.6	0.0	4.0	4.9	-9.1	1.8	-2.9	-5.7	
CBC 22680				63%	51%	45%	22%	30%	69%	51%	41%	45%	50%	22%	46%	15%	57%	56%	56%	55%	55%	51%	
CWBMCBC 220683	2		CBC 180102	95	103	90	111	88	99	103	82	90	102	89	77	97	110	101	85	95	87	103	
F2			LPB 191108	1.22	3.3				1.22	3.3	0.43	2.5	5.8	-6	8.0	1.6	10.5	0.7	-6.7	-0.2	-1.5	-0.2	
CBC 22683				66%	40%	32%	26%	28%	72%	40%	42%	32%	30%	26%	35%	22%	45%	36%	36%	34%	30%	21%	
CWBMCBC 220686			CBC 180107	89	106	107	89	97	93	106	86	107	108	111	102	93	106	89	97	88	101	111	
F1			CWBFTAF27	1.81	4.7				1.81	4.7	0.27	11.7	10.2	27	-5.5	2.0	8.6	-0.7	1.6	-1.1	0.0	1.3	
CBC 22686				40%	19%	14%	9%	14%	45%	19%	22%	14%	12%	9%	17%	10%	31%	20%	19%	18%	16%	11%	
CWBMCBC 220687	2		CBC 180102	94	100	90	114	88	98	100	81	90	99	86	83	95	98	90	89	88	94	111	
F2			CBC 200561	1.30	2.2				1.30	2.2	0.45	2.5	3.7	-9	4.7	2.1	4.9	-0.5	-3.6	-1.2	-0.8	1.2	
CBC 22687				64%	31%	29%	26%	30%	70%	31%	42%	29%	30%	26%	36%	23%	46%	36%	36%	34%	30%	21%	
CWBMCBC 220692	1		CBC 180102	93	104	98	106	102	98	104	79	98	106	94	88	111	103	97	87	91	96	109	
F2			LB 190022	1.29	3.6				1.29	3.6	0.56	7.2	8.6	1	1.9	-0.9	7.1	0.2	-5.4	-0.7	-0.6	0.9	
CBC 22692				66%	31%	29%	26%	29%	72%	31%	42%	29%	29%	26%	35%	23%	45%	34%	34%	32%	30%	21%	
CWBMCBC 220694	1		CBC 180107	120	105	88	101	123	126	105	98	88	106	99	111	124	111	85	97	83	95	119	
F2			CBC 180520	-1.38	4.0				-1.38	4.0	-0.18	1.3	8.6	9	-10.3	-4.1	10.6	-1.2	1.7	-1.8	-0.7	2.6	
CBC 220694				64%	23%	20%	13%	22%	71%	23%	38%	20%	16%	13%	28%	16%	43%	29%	29%	27%	19%	12%	
CWBMCBC 220700	1		CBC 180107	119	102	86	103	113	124	102	87	86	103	97	100	118	114	90	100	84	92	112	
F2			CBC 180519	-1.20	3.0				-1.20	3.0	0.23	0.0	6.3	7	-4.1	-2.6	12.1	-0.6	3.3	-1.8	-1.0	1.5	
CBC 220700				64%	23%	19%	13%	22%	71%	23%	38%	19%	18%	13%	28%	15%	43%	31%	31%	29%	23%	12%	
CWBMCBC 230005	1		CBC 180103	58	114	95	103	97	67	114	78	95	112	97	102	96	114	101	84	95	84	100	
F2			CBC 210034	4.24	7.8				4.24	7.8	0.59	5.3	13.4	7	-5.6	1.9	12.4	0.7	-7.3	-0.2	-1.9	-0.6	
CBC 230005				61%	20%	18%	14%	17%	68%	20%	33%	18%	17%	14%	21%	13%	35%	24%	24%	22%	21%	14%	
CWBMCBC 230007			CBC 180103	70	109	109	90	93	75	109	87	109	111	110	105	87	106	97	87	90	94	104	
F1				3.48	5.7				3.48	5.7	0.22	13.3	12.1	25	-7.0	3.3	8.4	0.2	-5.3	-0.8	-0.8	0.0	
CBC 230007				41%	14%	13%	6%	12%	46%	14%	21%	13%	10%	6%	16%	8%	28%	19%	19%	17%	16%	10%	
CWBMCBC 230008			CBC 180103	70	109	109	90	93	75	109	87	109	111	110	105	87	106	97	87	90	94	104	
F1				3.48	5.7				3.48	5.7	0.22	13.3	12.1	25	-7.0	3.3	8.4	0.2	-5.3	-0.8	-0.8	0.0	
CBC 230008				41%	14%	13%	6%	12%	46%	14%	21%	13%	10%	6%	16%	8%	28%	19%	19%	17%	16%	10%	
CWBMCBC 230011			CBC 180103	70	109	109	90	93	75	109	87	109	111	110	105	87	106	97	87	90	94	104	
F1				3.48	5.7				3.48	5.7	0.22	13.3	12.1	25	-7.0	3.3	8.4	0.2	-5.3	-0.8	-0.8	0.0	
CBC 230011				41%	14%	13%	6%	12%	46%	14%	21%	13%	10%	6%	16%	8%	28%	19%	19%	17%	16%	10%	
CWBMCBC 230013			CBC 180103	70	109	109	90	93	75	109	87	109	111	110	105	87	106	97	87	90	94	104	
F1			CWBFCBC3	3.48	5.7				3.48	5.7	0.22	13.3	12.1	25	-7.0	3.3	8.4	0.2	-5.3	-0.8	-0.8	0.0	
CBC 230013				41%	14%	13%	6%	12%	46%	14%	21%	13%	10%	6%	16%	8%	28%	19%	19%	17%	16%	10%	

CWB Bulls

Inbreeding >6% is high					<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed															
Bull					Selection Value					Calf weight		Mother		Growth		Fertility			Carcass				
ID	%Inbreeding	Parentage			Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
Name		Genomic	DNA	Sire ID Dam ID																			
JAPANESE BLACK																							
CWBMCBC 230016				CBC 180103	70	109	109	90	93	75	109	87	109	111	110	105	87	106	97	87	90	94	104
F1					3.48	5.7				3.48	5.7	0.22	13.3	12.1	25	-7.0	3.3	8.4	0.2	-5.3	-0.8	-0.8	0.0
CBC 230016					41%	14%	13 %	6 %	12%	46 %	14 %	21%	13%	10%	6 %	16%	8%	28 %	19 %	19 %	17 %	16 %	10 %
CWBMCBC 230020				CBC 180103	70	109	109	90	93	75	109	87	109	111	110	105	87	106	97	87	90	94	104
F1				CWBFCBC70	3.48	5.7				3.48	5.7	0.22	13.3	12.1	25	-7.0	3.3	8.4	0.2	-5.3	-0.8	-0.8	0.0
CBC 230020					41%	14%	13 %	6 %	12%	46 %	14 %	21%	13%	10%	6 %	16%	8%	28 %	19 %	19 %	17 %	16 %	10 %
CWBMCBC 230023				CBC 180103	76	101	94	109	100	80	101	89	94	101	91	102	100	110	105	91	86	101	105
F2				CBC 190017	3.01	2.6				3.01	2.6	0.15	4.6	5.5	-3	-5.2	1.0	10.2	1.2	-2.9	-1.5	0.0	0.1
CBC 230023					61%	20%	18 %	7 %	16%	68 %	20 %	34%	18%	16%	7 %	21%	10%	37 %	30 %	29 %	27 %	23 %	12 %
CWBMCBC 230025				CBC 180103	70	109	109	90	93	75	109	87	109	111	110	105	87	106	97	87	90	94	104
F1				CWBFCBC46	3.48	5.7				3.48	5.7	0.22	13.3	12.1	25	-7.0	3.3	8.4	0.2	-5.3	-0.8	-0.8	0.0
CBC 230025					41%	14%	13 %	6 %	12%	46 %	14 %	21%	13%	10%	6 %	16%	8%	28 %	19 %	19 %	17 %	16 %	10 %
CWBMCBC 230027	1			CBC 180103	77	108	95	103	97	82	108	85	95	107	97	102	96	116	101	84	95	84	100
F2				CBC 210077	2.80	5.3				2.80	5.3	0.31	5.3	9.7	7	-5.6	1.9	13.0	0.7	-7.3	-0.2	-1.9	-0.6
CBC 230027					59%	20%	18 %	14%	17%	67 %	20 %	30%	18%	17%	14%	21%	13%	34 %	24 %	24 %	22 %	21 %	14 %
CWBMCBC 230030	27			CBC 180103	68	110	88	107	101	75	110	80	88	109	93	108	99	126	101	83	96	79	101
F3				CBC 220034	3.48	6.3				3.48	6.3	0.49	1.2	10.9	1	-8.4	1.5	17.5	0.8	-8.1	0.0	-2.4	-0.6
CBC 230030					63%	19%	16 %	10%	14%	71 %	19 %	31%	16%	12%	10%	19%	10%	35 %	23 %	23 %	21 %	19 %	12 %
CWBMCBC 230031				CBC 180103	70	109	109	90	93	75	109	87	109	111	110	105	87	106	97	87	90	94	104
F1					3.48	5.7				3.48	5.7	0.22	13.3	12.1	25	-7.0	3.3	8.4	0.2	-5.3	-0.8	-0.8	0.0
CBC 230031					41%	14%	13 %	6 %	12%	46 %	14 %	21%	13%	10%	6 %	16%	8%	28 %	19 %	19 %	17 %	16 %	10 %
CWBMCBC 230032				CBC 180103	70	109	109	90	93	75	109	87	109	111	110	105	87	106	97	87	90	94	104
F1					3.48	5.7				3.48	5.7	0.22	13.3	12.1	25	-7.0	3.3	8.4	0.2	-5.3	-0.8	-0.8	0.0
CBC 230032					41%	14%	13 %	6 %	12%	46 %	14 %	21%	13%	10%	6 %	16%	8%	28 %	19 %	19 %	17 %	16 %	10 %
CWBMCBC 230034				CBC 180103	70	109	109	90	93	75	109	87	109	111	110	105	87	106	97	87	90	94	104
F1				CWBFCBC43	3.48	5.7				3.48	5.7	0.22	13.3	12.1	25	-7.0	3.3	8.4	0.2	-5.3	-0.8	-0.8	0.0
CBC 230034					41%	14%	13 %	6 %	12%	46 %	14 %	21%	13%	10%	6 %	16%	8%	28 %	19 %	19 %	17 %	16 %	10 %
CWBMCBC 230036				CBC 180103	70	109	109	90	93	75	109	87	109	111	110	105	87	106	97	87	90	94	104
F1					3.48	5.7				3.48	5.7	0.22	13.3	12.1	25	-7.0	3.3	8.4	0.2	-5.3	-0.8	-0.8	0.0
CBC 230036					41%	14%	13 %	6 %	12%	46 %	14 %	21%	13%	10%	6 %	16%	8%	28 %	19 %	19 %	17 %	16 %	10 %
CWBMCBC 230045				CBC 180103	70	109	109	90	93	75	109	87	109	111	110	105	87	106	97	87	90	94	104
F1				CWBFCBC27	3.48	5.7				3.48	5.7	0.22	13.3	12.1	25	-7.0	3.3	8.4	0.2	-5.3	-0.8	-0.8	0.0
CBC 230045					41%	14%	13 %	6 %	12%	46 %	14 %	21%	13%	10%	6 %	16%	8%	28 %	19 %	19 %	17 %	16 %	10 %
CWBMCBC 230046				CBC 180103	70	109	109	90	93	75	109	87	109	111	110	105	87	106	97	87	90	94	104
F1				CWBFCBC34	3.48	5.7				3.48	5.7	0.22	13.3	12.1	25	-7.0	3.3	8.4	0.2	-5.3	-0.8	-0.8	0.0
CBC 230046					41%	14%	13 %	6 %	12%	46 %	14 %	21%	13%	10%	6 %	16%	8%	28 %	19 %	19 %	17 %	16 %	10 %

CWB Bulls

Inbreeding >6% is high					<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed															
Bull					Selection Value					Calf weight		Mother		Growth		Fertility			Carcass				
ID	%Inbreeding	Parentage			Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
Name		Genomic	DNA	Sire ID Dam ID																			
JAPANESE BLACK																							
CWBMCBC 230047				CBC 180103	80	100	94	109	100	83	100	92	94	101	91	102	100	110	105	91	86	101	105
F2				CBC 190008	2.74	2.2				2.74	2.2	0.05	4.5	4.8	-3	-5.2	1.0	10.2	1.2	-2.9	-1.5	0.0	0.1
CBC 230047					60%	20%	18 %	7 %	16%	67 %	20 %	31%	18%	16%	7 %	21%	10%	37 %	30 %	29 %	27 %	23 %	12 %
CWBMCBC 230049				CBC 180103	88	98	96	104	100	91	98	88	96	98	96	109	96	114	98	83	97	87	105
F2				CBC 180051	1.97	1.2				1.97	1.2	0.21	5.7	3.4	5	-9.4	1.9	12.1	0.4	-7.9	0.2	-1.5	0.1
CBC 230049					64%	25%	19 %	14%	18%	70 %	25 %	39%	19%	17%	14%	23%	13%	39 %	26 %	26 %	24 %	20 %	11 %
CWBMCBC 230051				CBC 180103	70	109	109	90	93	75	109	87	109	111	110	105	87	106	97	87	90	94	104
F1				CWBFCBC73	3.48	5.7				3.48	5.7	0.22	13.3	12.1	25	-7.0	3.3	8.4	0.2	-5.3	-0.8	-0.8	0.0
CBC 230051					41%	14%	13 %	6 %	12%	46 %	14 %	21%	13%	10%	6 %	16%	8%	28 %	19 %	19 %	17 %	16 %	10 %
CWBMCBC 230054				CBC 180103	70	109	109	90	93	75	109	87	109	111	110	105	87	106	97	87	90	94	104
F1				CWBFCBC10	3.48	5.7				3.48	5.7	0.22	13.3	12.1	25	-7.0	3.3	8.4	0.2	-5.3	-0.8	-0.8	0.0
CBC 230054					41%	14%	13 %	6 %	12%	46 %	14 %	21%	13%	10%	6 %	16%	8%	28 %	19 %	19 %	17 %	16 %	10 %
CWBMCBC 230055				CBC 180103	70	109	109	90	93	75	109	87	109	111	110	105	87	106	97	87	90	94	104
F1				CWBFCBC30	3.48	5.7				3.48	5.7	0.22	13.3	12.1	25	-7.0	3.3	8.4	0.2	-5.3	-0.8	-0.8	0.0
CBC 230055					41%	14%	13 %	6 %	12%	46 %	14 %	21%	13%	10%	6 %	16%	8%	28 %	19 %	19 %	17 %	16 %	10 %
CWBMCBC 230057	27			CBC 180103	66	114	94	100	97	72	114	83	94	113	100	105	94	125	101	85	92	82	100
F2				CBC 220021	3.73	7.7				3.73	7.7	0.40	5.0	13.9	11	-7.2	2.2	17.5	0.7	-6.8	-0.5	-2.0	-0.6
CBC 230057					60%	16%	14 %	7 %	13%	68 %	16 %	28%	14%	10%	7 %	17%	9%	32 %	22 %	21 %	19 %	18 %	11 %
CWBMCBC 230059				CBC 180103	70	109	109	90	93	75	109	87	109	111	110	105	87	106	97	87	90	94	104
F1				CWBFCBC8	3.48	5.7				3.48	5.7	0.22	13.3	12.1	25	-7.0	3.3	8.4	0.2	-5.3	-0.8	-0.8	0.0
CBC 230059					41%	14%	13 %	6 %	12%	46 %	14 %	21%	13%	10%	6 %	16%	8%	28 %	19 %	19 %	17 %	16 %	10 %
CWBMCBC 230060				CBC 180103	70	109	109	90	93	75	109	87	109	111	110	105	87	106	97	87	90	94	104
F2					3.48	5.7				3.48	5.7	0.22	13.3	12.1	25	-7.0	3.3	8.4	0.2	-5.3	-0.8	-0.8	0.0
CBC 230060					41%	14%	13 %	6 %	12%	46 %	14 %	21%	13%	10%	6 %	16%	8%	28 %	19 %	19 %	17 %	16 %	10 %
CWBMCBC 230062				CBC 180103	74	98	87	119	113	82	98	75	87	99	81	110	113	105	108	92	90	97	101
F2				CBC 190033	2.84	1.1				2.84	1.1	0.71	0.8	3.7	-17	-9.8	-1.6	8.1	1.5	-1.6	-0.9	-0.4	-0.5
CBC 230062					61%	29%	22 %	7 %	18%	68 %	29 %	34%	22%	26%	7 %	26%	11%	39 %	30 %	29 %	27 %	23 %	12 %
CWBMCBC 230064				CBC 180103	70	109	109	90	93	75	109	87	109	111	110	105	87	106	97	87	90	94	104
F1				CWBFCBC39	3.48	5.7				3.48	5.7	0.22	13.3	12.1	25	-7.0	3.3	8.4	0.2	-5.3	-0.8	-0.8	0.0
CBC 230064					41%	14%	13 %	6 %	12%	46 %	14 %	21%	13%	10%	6 %	16%	8%	28 %	19 %	19 %	17 %	16 %	10 %
CWBMCBC 230065				CBC 180103	70	109	109	90	93	75	109	87	109	111	110	105	87	106	97	87	90	94	104
F1					3.48	5.7				3.48	5.7	0.22	13.3	12.1	25	-7.0	3.3	8.4	0.2	-5.3	-0.8	-0.8	0.0
CBC 230065					41%	14%	13 %	6 %	12%	46 %	14 %	21%	13%	10%	6 %	16%	8%	28 %	19 %	19 %	17 %	16 %	10 %
CWBMCBC 230068				CBC 180103	70	109	109	90	93	75	109	87	109	111	110	105	87	106	97	87	90	94	104
F1					3.48	5.7				3.48	5.7	0.22	13.3	12.1	25	-7.0	3.3	8.4	0.2	-5.3	-0.8	-0.8	0.0
CBC 230068					41%	14%	13 %	6 %	12%	46 %	14 %	21%	13%	10%	6 %	16%	8%	28 %	19 %	19 %	17 %	16 %	10 %

CWB Bulls

Inbreeding >6% is high					<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed																
Bull					Selection Value					Calf weight		Mother		Growth		Fertility			Carcass					
ID	%Inbreeding	Parentage			Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness	
Name		Genomic	DNA	Sire ID Dam ID																				
JAPANESE BLACK																								
CWBMCBC 230069				CBC 180103	82	109	95	99	98	85	109	90	95	108	101	101	98	113	109	94	91	91	96	
F2				CBC 210018	2.53	5.8				2.53	5.8	0.10	5.2	10.4	12	-5.1	1.5	11.7	1.6	-0.5	-0.8	-1.1	-1.4	
CBC 230069					60%	28%	27 %	20%	22%	68 %	28 %	30%	27%	26%	20%	29%	16%	39 %	31 %	31 %	30 %	29 %	24 %	
CWBMCBC 230070				CBC 180103	70	109	109	90	93	75	109	87	109	111	110	105	87	106	97	87	90	94	104	
F1				CWBFCBC1	3.48	5.7				3.48	5.7	0.22	13.3	12.1	25	-7.0	3.3	8.4	0.2	-5.3	-0.8	-0.8	0.0	
CBC 230070					41%	14%	13 %	6 %	12%	46 %	14 %	21%	13%	10%	6 %	16%	8%	28 %	19 %	19 %	17 %	16 %	10 %	
CWBMCBC 230071				CBC 180103	70	109	109	90	93	75	109	87	109	111	110	105	87	106	97	87	90	94	104	
F1				CWBFCBC20	3.48	5.7				3.48	5.7	0.22	13.3	12.1	25	-7.0	3.3	8.4	0.2	-5.3	-0.8	-0.8	0.0	
CBC 230071					41%	14%	13 %	6 %	12%	46 %	14 %	21%	13%	10%	6 %	16%	8%	28 %	19 %	19 %	17 %	16 %	10 %	
CWBMCBC 230072				CBC 180103	84	106	100	101	100	90	106	76	100	109	99	100	99	106	102	91	98	86	97	
F1				CBC53	2.02	4.5				2.02	4.5	0.66	8.1	11.0	9	-4.5	1.0	8.5	0.9	-2.8	0.4	-1.6	-1.2	
CBC 230072					58%	14%	13 %	6 %	12%	66 %	14 %	27%	13%	10%	6 %	16%	8%	32 %	19 %	19 %	17 %	16 %	10 %	
CWBMCBC 230073				CBC 180103	70	109	109	90	93	75	109	87	109	111	110	105	87	106	97	87	90	94	104	
F1				CWBFCBC17	3.48	5.7				3.48	5.7	0.22	13.3	12.1	25	-7.0	3.3	8.4	0.2	-5.3	-0.8	-0.8	0.0	
CBC 230073					41%	14%	13 %	6 %	12%	46 %	14 %	21%	13%	10%	6 %	16%	8%	28 %	19 %	19 %	17 %	16 %	10 %	
CWBMCBC 230074				CBC 180103	70	109	109	90	93	75	109	87	109	111	110	105	87	106	97	87	90	94	104	
F1				CWBFCBC26	3.48	5.7				3.48	5.7	0.22	13.3	12.1	25	-7.0	3.3	8.4	0.2	-5.3	-0.8	-0.8	0.0	
CBC 230074					41%	14%	13 %	6 %	12%	46 %	14 %	21%	13%	10%	6 %	16%	8%	28 %	19 %	19 %	17 %	16 %	10 %	
CWBMCBC 230075				CBC 180103	70	109	109	90	93	75	109	87	109	111	110	105	87	106	97	87	90	94	104	
F1					3.48	5.7				3.48	5.7	0.22	13.3	12.1	25	-7.0	3.3	8.4	0.2	-5.3	-0.8	-0.8	0.0	
CBC 230075					41%	14%	13 %	6 %	12%	46 %	14 %	21%	13%	10%	6 %	16%	8%	28 %	19 %	19 %	17 %	16 %	10 %	
CWBMCBC 230080				CBC 180103	70	109	109	90	93	75	109	87	109	111	110	105	87	106	97	87	90	94	104	
F1					3.48	5.7				3.48	5.7	0.22	13.3	12.1	25	-7.0	3.3	8.4	0.2	-5.3	-0.8	-0.8	0.0	
CBC 230080					41%	14%	13 %	6 %	12%	46 %	14 %	21%	13%	10%	6 %	16%	8%	28 %	19 %	19 %	17 %	16 %	10 %	
CWBMCBC 230082				CBC 180103	82	108	102	100	98	89	108	76	102	111	100	98	99	106	102	91	98	86	97	
F1				CBC48	2.15	5.5				2.15	5.5	0.66	9.3	12.4	10	-3.3	1.1	8.6	0.9	-2.8	0.4	-1.6	-1.2	
CBC 230082					60%	19%	22 %	6 %	12%	67 %	19 %	34%	22%	15%	6 %	17%	8%	35 %	19 %	19 %	17 %	16 %	10 %	
CWBMCBC 230083				CBC 180103	70	109	109	90	93	75	109	87	109	111	110	105	87	106	97	87	90	94	104	
F1				CWBFCBC33	3.48	5.7				3.48	5.7	0.22	13.3	12.1	25	-7.0	3.3	8.4	0.2	-5.3	-0.8	-0.8	0.0	
CBC 230083					41%	14%	13 %	6 %	12%	46 %	14 %	21%	13%	10%	6 %	16%	8%	28 %	19 %	19 %	17 %	16 %	10 %	
CWBMCBC 230084				CBC 180103	70	109	109	90	93	75	109	87	109	111	110	105	87	106	97	87	90	94	104	
F2					3.48	5.7				3.48	5.7	0.22	13.3	12.1	25	-7.0	3.3	8.4	0.2	-5.3	-0.8	-0.8	0.0	
CBC 230084					41%	14%	13 %	6 %	12%	46 %	14 %	21%	13%	10%	6 %	16%	8%	28 %	19 %	19 %	17 %	16 %	10 %	
CWBMCBC 230085				CBC 180103	80	101	95	104	100	84	101	87	95	101	96	109	96	114	98	83	97	87	105	
F2				CBC 180051	2.63	2.5				2.63	2.5	0.24	5.5	5.1	5	-9.4	1.9	12.1	0.4	-7.9	0.2	-1.5	0.1	
CBC 230085					64%	25%	19 %	14%	18%	70 %	25 %	39%	19%	17%	14%	23%	13%	39 %	26 %	26 %	24 %	20 %	11 %	

CWB Bulls

Inbreeding >6% is high					<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed															
Bull					Selection Value					Calf weight		Mother		Growth		Fertility			Carcass				
ID	Name	%Inbreeding	Parentage		Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
			Genomic DNA	Sire ID Dam ID																			
JAPANESE BLACK																							
CWBMCBC 230702	1			CBC 180107	118	101	95	99	108	125	101	86	95	105	101	104	111	117	89	98	84	100	117
F2				LB 190061	-1.27	2.5				-1.27	2.5	0.26	5.1	8.2	12	-6.5	-0.8	13.4	-0.7	2.4	-1.7	-0.1	2.2
CBC 230702					65%	23%	18 %	12%	20%	72 %	23 %	37%	18%	16%	12%	26%	14%	40 %	27 %	26 %	24 %	20 %	12 %
CWBMCBC 230703				CBC 180107	89	106	107	89	97	93	106	86	107	108	111	102	93	106	89	97	88	101	111
F1				CWBFKCF6	1.81	4.7				1.81	4.7	0.27	11.7	10.2	27	-5.5	2.0	8.6	-0.7	1.6	-1.1	0.0	1.3
CBC 230703					40%	19%	14 %	9 %	14%	45 %	19 %	22%	14%	12%	9 %	17%	10%	31 %	20 %	19 %	18 %	16 %	11 %
CWBMCBC 230706				CBC 180107	89	106	107	89	97	93	106	86	107	108	111	102	93	106	89	97	88	101	111
F1				CWBFJERSY1	1.81	4.7				1.81	4.7	0.27	11.7	10.2	27	-5.5	2.0	8.6	-0.7	1.6	-1.1	0.0	1.3
CBC 23706					40%	19%	14 %	9 %	14%	45 %	19 %	22%	14%	12%	9 %	17%	10%	31 %	20 %	19 %	18 %	16 %	11 %
CWBMCBC 230707				CBC 180107	89	106	107	89	97	93	106	86	107	108	111	102	93	106	89	97	88	101	111
F1				CWBFJERSY2	1.81	4.7				1.81	4.7	0.27	11.7	10.2	27	-5.5	2.0	8.6	-0.7	1.6	-1.1	0.0	1.3
CBC 23707					40%	19%	14 %	9 %	14%	45 %	19 %	22%	14%	12%	9 %	17%	10%	31 %	20 %	19 %	18 %	16 %	11 %
CWBMCBC 230708	1			CBC 180107	113	104	87	104	108	114	104	87	87	104	96	100	111	112	105	107	94	95	98
F2				CBC 200604	-0.20	3.6				-0.20	3.6	0.25	1.0	7.1	5	-4.2	-1.2	11.5	1.2	8.0	-0.3	-0.7	-0.9
CBC 23708					62%	31%	28 %	21%	24%	70 %	31 %	33%	28%	27%	21%	32%	16%	42 %	32 %	32 %	31 %	29 %	24 %
CWBMCBC 230710	1			KKWFE0010	118	79	94	113	83	130	79	103	94	77	87	87	86	96	114	87	83	92	91
F2				CBC 200564	-1.70	-6.7				-1.70	-6.7	-0.39	4.8	-12.5	-9	2.9	4.0	3.7	2.2	-5.1	-1.9	-1.0	-2.2
CBC 23710					63%	51%	46 %	23%	30%	69 %	51 %	41%	46%	51%	23%	45%	15%	55 %	54 %	54 %	53 %	51 %	47 %
CWBMCBC 230711				KKWFE0010	108	85	110	101	88	107	85	94	110	85	99	98	84	90	123	85	94	91	80
F1				CWBFTAF23	0.43	-4.2				0.43	-4.2	-0.04	13.7	-6.7	9	-3.5	3.9	1.1	3.2	-6.6	-0.3	-1.1	-4.1
CBC 23711					44%	49%	44 %	21%	26%	48 %	49 %	31%	44%	49%	21%	41%	11%	50 %	50 %	50 %	49 %	49 %	46 %
CWBMCBC 230712				KKWFD0052	96	102	110	89	95	95	102	100	110	102	111	97	95	89	113	106	87	112	94
F1				CWBFAAF12	1.60	2.8				1.60	2.8	-0.27	13.7	6.2	27	-2.9	1.8	0.9	2.1	7.4	-1.3	1.2	-1.6
CBC 23712					43%	49%	47 %	38%	37%	46 %	49 %	31%	47%	48%	38%	48%	26%	50 %	49 %	49 %	49 %	48 %	44 %
CWBMCBC 230716	5			KKWFD0052	122	99	82	112	102	117	99	105	82	96	88	83	115	95	124	103	102	95	86
F2				CBC 190524	-0.52	1.7				-0.52	1.7	-0.46	-2.2	1.5	-7	4.6	-1.6	3.7	3.4	5.3	0.9	-0.7	-3.1
CBC 23716					64%	51%	48 %	39%	40%	71 %	51 %	39%	48%	50%	39%	53%	28%	57 %	55 %	55 %	55 %	54 %	49 %
CWBMCBC 230718	3			KKWFE0010	123	84	96	110	93	120	84	99	96	81	90	95	96	97	135	92	94	89	72
F2				CBC 200607	-0.78	-4.6				-0.78	-4.6	-0.22	5.6	-9.1	-5	-1.6	2.1	4.4	4.6	-1.8	-0.3	-1.3	-5.5
CBC 23718					62%	55%	50 %	28%	33%	69 %	55 %	37%	50%	55%	28%	48%	18%	56 %	55 %	55 %	55 %	55 %	51 %
CWBMCBC 230721				KKWFE0010	108	85	110	101	88	107	85	94	110	85	99	98	84	90	123	85	94	91	80
F1				CWBFTAF7	0.43	-4.2				0.43	-4.2	-0.04	13.7	-6.7	9	-3.5	3.9	1.1	3.2	-6.6	-0.3	-1.1	-4.1
CBC 23721					44%	49%	44 %	21%	26%	48 %	49 %	31%	44%	49%	21%	41%	11%	50 %	50 %	50 %	49 %	49 %	46 %
CWBMCBC 230722				KKWFD0052	96	102	110	89	95	95	102	100	110	102	111	97	95	89	113	106	87	112	94
F1				CWBFTAF15	1.60	2.8				1.60	2.8	-0.27	13.7	6.2	27	-2.9	1.8	0.9	2.1	7.4	-1.3	1.2	-1.6
CBC 23722					43%	49%	47 %	38%	37%	46 %	49 %	31%	47%	48%	38%	48%	26%	50 %	49 %	49 %	49 %	48 %	44 %

CWB Bulls

Inbreeding >6% is high					<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed															
Bull					Selection Value					Calf weight		Mother		Growth		Fertility			Carcass				
ID	%Inbreeding	Parentage			Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
Name		Genomic	DNA	Sire ID Dam ID																			
JAPANESE BLACK																							
CWBMCBC 230723				KKWFD0052	112	97	96	105	106	115	97	81	96	100	95	88	116	98	121	109	99	100	84
F2				LPB 191107	-0.29	1.0				-0.29	1.0	0.46	5.9	4.6	3	2.2	-2.1	5.0	3.0	9.7	0.5	-0.2	-3.3
CBC 23723					65%	55%	48 %	38%	39%	72 %	55 %	39%	48%	48%	38%	51%	27%	53 %	50 %	50 %	49 %	48 %	44 %
CWBMCBC 230724	5			KKWFE0010	114	89	81	124	98	113	89	95	81	84	76	87	107	95	135	82	109	74	71
F2				CBC 190538	-0.10	-2.3				-0.10	-2.3	-0.08	-2.4	-7.2	-25	2.5	0.0	3.5	4.6	-8.6	2.0	-2.9	-5.5
CBC 23724					65%	51%	45 %	22%	30%	71 %	51 %	41%	45%	50%	22%	46%	15%	57 %	55 %	55 %	55 %	55 %	51 %
CWBMCBC 230726	1			KKWFE0010	119	88	91	113	114	129	88	104	91	87	87	107	116	94	119	85	89	84	87
F2				CBC 180520	-1.63	-2.7				-1.63	-2.7	-0.45	3.0	-5.3	-9	-8.2	-2.2	3.1	2.8	-6.5	-1.0	-1.8	-2.8
CBC 23726					66%	51%	46 %	23%	32%	72 %	51 %	43%	46%	50%	23%	47%	17%	57 %	54 %	54 %	53 %	50 %	47 %
CWBMCBC 230727				KKWFD0052	96	102	110	89	95	95	102	100	110	102	111	97	95	89	113	106	87	112	94
F1					1.60	2.8				1.60	2.8	-0.27	13.7	6.2	27	-2.9	1.8	0.9	2.1	7.4	-1.3	1.2	-1.6
CBC 23727					43%	49%	47 %	38%	37%	46 %	49 %	31%	47%	48%	38%	48%	26%	50 %	49 %	49 %	49 %	48 %	44 %
CWBMCBC 230730	1			KKWFE0010	117	83	93	117	102	127	83	90	93	82	83	96	107	92	123	83	95	81	81
F2				CBC 180506	-1.45	-5.0				-1.45	-5.0	0.10	4.3	-8.6	-15	-2.1	-0.3	2.1	3.2	-7.6	-0.2	-2.1	-3.8
CBC 23730					65%	51%	46 %	23%	32%	71 %	51 %	41%	46%	50%	23%	47%	16%	57 %	54 %	54 %	53 %	50 %	47 %
CWBMCBC 230731				KKWFD0052	96	102	110	89	95	95	102	100	110	102	111	97	95	89	113	106	87	112	94
F1				CWBFTA5	1.60	2.8				1.60	2.8	-0.27	13.7	6.2	27	-2.9	1.8	0.9	2.1	7.4	-1.3	1.2	-1.6
CBC 23731					43%	49%	47 %	38%	37%	46 %	49 %	31%	47%	48%	38%	48%	26%	50 %	49 %	49 %	49 %	48 %	44 %
CWBMCBC 230732				CBC 180107	100	109	88	101	116	106	109	71	88	110	99	108	118	123	92	107	93	89	105
F2				LPB 191003	0.52	5.6				0.52	5.6	0.85	1.5	11.6	10	-8.4	-2.6	16.4	-0.4	8.2	-0.5	-1.2	0.1
CBC 23732					63%	33%	20 %	11%	19%	71 %	33 %	34%	20%	17%	11%	26%	12%	39 %	24 %	24 %	22 %	19 %	11 %
CWBMCBC 230736	25			KKWFD0052	111	101	96	98	101	107	101	104	96	99	102	94	106	96	125	113	87	110	86
F2				CBC 200608	0.42	2.4				0.42	2.4	-0.45	5.6	3.9	13	-1.0	-0.1	4.1	3.5	12.2	-1.3	0.9	-3.0
CBC 23736					62%	55%	53 %	43%	42%	68 %	55 %	38%	53%	54%	43%	54%	30%	56 %	55 %	55 %	54 %	54 %	49 %
CWBMCBC 230740	1			KKWFE0010	111	79	89	119	90	134	79	99	89	77	81	87	96	95	117	89	87	88	87
F2				CBC 200556	-2.13	-6.7				-2.13	-6.7	-0.24	2.1	-12.2	-17	2.9	2.1	3.3	2.6	-3.9	-1.4	-1.4	-2.9
CBC 23740					65%	51%	46 %	23%	31%	71 %	51 %	41%	46%	51%	23%	47%	15%	56 %	54 %	54 %	53 %	51 %	47 %
CWBMCBC 230742	1			KKWFE0010	108	81	98	111	100	136	81	93	98	83	89	100	103	99	123	86	90	90	85
F2				LB 190054	-2.24	-5.6				-2.24	-5.6	0.01	7.0	-7.7	-6	-4.1	0.8	5.2	3.3	-5.7	-0.9	-1.2	-3.1
CBC 23742					66%	51%	45 %	22%	30%	73 %	51 %	41%	45%	50%	22%	46%	14%	56 %	53 %	53 %	52 %	51 %	47 %
CWBMCBC 230744				CBC 180107	89	106	107	89	97	93	106	86	107	108	111	102	93	106	89	97	88	101	111
F1				CWBFAAF2	1.81	4.7				1.81	4.7	0.27	11.7	10.2	27	-5.5	2.0	8.6	-0.7	1.6	-1.1	0.0	1.3
CBC 23744					40%	19%	14 %	9 %	14%	45 %	19 %	22%	14%	12%	9 %	17%	10%	31 %	20 %	19 %	18 %	16 %	11 %
CWBMCBC 230746				KKWFE0010	108	85	110	101	88	107	85	94	110	85	99	98	84	90	123	85	94	91	80
F1				CWBFAAF18	0.43	-4.2				0.43	-4.2	-0.04	13.7	-6.7	9	-3.5	3.9	1.1	3.2	-6.6	-0.3	-1.1	-4.1
CBC 23746					44%	49%	44 %	21%	26%	48 %	49 %	31%	44%	49%	21%	41%	11%	50 %	50 %	50 %	49 %	49 %	46 %

CWB Bulls

Inbreeding >6% is high					<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed															
Bull					Selection Value					Calf weight		Mother		Growth		Fertility			Carcass				
ID	%Inbreeding	Parentage			Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
Name		Genomic	DNA	Sire ID Dam ID																			
JAPANESE BLACK																							
CWBMCBC 230747				KKWFD0052	96	102	110	89	95	95	102	100	110	102	111	97	95	89	113	106	87	112	94
F1				CWBFTAF29	43%	49%	47 %	38%	37%	1.60	2.8	-0.27	13.7	6.2	27	-2.9	1.8	0.9	2.1	7.4	-1.3	1.2	-1.6
CBC 23747					46 %	49 %				46 %	49 %	31%	47%	48%	38%	48%	26%	50 %	49 %	49 %	49 %	48 %	44 %
CWBMCBC 230748	1			KKWFE0010	117	88	94	116	95	117	88	90	94	86	84	88	103	98	123	84	100	76	78
F2				LB 190004	66%	52%	45 %	22%	30%	-0.47	-2.7	0.10	4.9	-5.9	-13	2.3	0.8	5.1	3.3	-7.3	0.7	-2.6	-4.4
CBC 23748					73 %	52 %				73 %	52 %	41%	45%	50%	22%	46%	14%	56 %	53 %	53 %	52 %	51 %	47 %
CWBMCBC 230749				CBC 180107	89	106	107	89	97	93	106	86	107	108	111	102	93	106	89	97	88	101	111
F1				CWBFTAF1	40%	19%	14 %	9 %	14%	1.81	4.7	0.27	11.7	10.2	27	-5.5	2.0	8.6	-0.7	1.6	-1.1	0.0	1.3
CBC 23749					45 %	19 %				45 %	19 %	22%	14%	12%	9 %	17%	10%	31 %	20 %	19 %	18 %	16 %	11 %
CWBMCBC 230754				CBC 180107	89	106	107	89	97	93	106	86	107	108	111	102	93	106	89	97	88	101	111
F1					40%	19%	14 %	9 %	14%	1.81	4.7	0.27	11.7	10.2	27	-5.5	2.0	8.6	-0.7	1.6	-1.1	0.0	1.3
CBC 23754					45 %	19 %				45 %	19 %	22%	14%	12%	9 %	17%	10%	31 %	20 %	19 %	18 %	16 %	11 %
CWBMCBC 230755	2			CBC 180107	100	114	82	103	106	99	114	99	82	110	97	98	111	114	96	97	99	89	107
F2				CBC 180504	62%	23%	17 %	12%	17%	1.20	7.9	-0.25	-2.1	11.7	7	-3.0	-1.2	12.0	0.2	1.2	0.4	-1.3	0.5
CBC 23755					62 %	23 %				69 %	23 %	36%	17%	17%	12%	22%	12%	41 %	32 %	31 %	30 %	29 %	24 %
CWBMCBC 240003				CBC 180103	70	109	109	90	93	75	109	87	109	111	110	105	87	106	97	87	90	94	104
F1					41%	14%	13 %	6 %	12%	3.48	5.7	0.22	13.3	12.1	25	-7.0	3.3	8.4	0.2	-5.3	-0.8	-0.8	0.0
CBC 240003					46 %	14 %				46 %	14 %	21%	13%	10%	6 %	16%	8%	28 %	19 %	19 %	17 %	16 %	10 %
CWBMCBC 240005				CWBMCBC 180047	87	105	90	113	107	98	105	48	90	109	87	93	114	102	103	102	106	85	94
F2				CBC 180104	54%	15%	14 %	9 %	16%	1.29	4.1	1.74	2.3	10.6	-8	-0.5	-1.8	6.7	0.9	4.9	1.5	-1.7	-1.7
CBC 240005					61 %	15 %				61 %	15 %	26%	14%	12%	9 %	21%	10%	26 %	20 %	19 %	18 %	16 %	11 %
CWBMCBC 240009	5			PMGFL00013	90	110	76	115	105	87	110	110	76	103	85	90	114	97	118	89	109	88	93
F2				CBC 210014	62%	36%	30 %	25%	30%	2.37	6.4	-0.65	-5.2	6.4	-11	0.9	-1.5	4.3	2.7	-4.1	2.0	-1.4	-1.9
CBC 240009					62 %	36 %				68 %	36 %	40%	30%	35%	25%	38%	21%	52 %	55 %	55 %	55 %	54 %	48 %
CWBMCBC 240010				CWBMCBC 210055	68	114	93	111	110	81	114	47	93	116	89	89	120	85	112	96	117	85	88
F1				CBC 210031	54%	27%	16 %	8 %	14%	2.89	7.9	1.78	4.0	15.8	-6	1.5	-3.1	-1.3	1.9	0.8	3.2	-1.7	-2.7
CBC 240010					62 %	27 %				62 %	27 %	25%	16%	19%	8 %	21%	8%	27 %	25 %	25 %	25 %	24 %	21 %
CWBMCBC 240015	5			PMGFL00013	94	109	76	115	105	90	109	111	76	102	85	90	114	97	118	89	109	88	93
F2				CBC 210021	62%	36%	30 %	25%	30%	2.09	5.9	-0.71	-5.2	5.7	-11	0.9	-1.5	4.3	2.7	-4.1	2.0	-1.4	-1.9
CBC 240015					62 %	36 %				68 %	36 %	40%	30%	35%	25%	38%	21%	52 %	55 %	55 %	55 %	54 %	48 %
CWBMCBC 240016	3			KKWFE0010	101	88	96	114	92	103	88	86	96	85	86	96	93	99	127	82	98	81	76
F2				CBC 210035	63%	51%	46 %	24%	30%	0.79	-2.8	0.27	5.7	-6.4	-10	-2.0	2.5	5.2	3.7	-8.6	0.4	-2.1	-4.7
CBC 240016					63 %	51 %				69 %	51 %	38%	46%	51%	24%	44%	16%	54 %	52 %	52 %	51 %	51 %	47 %
CWBMCBC 240019	3			KKWFE0010	100	88	96	114	92	103	88	82	96	85	86	96	93	99	127	82	98	81	76
F2				CBC 210042	63%	51%	46 %	24%	30%	0.84	-2.8	0.41	5.9	-6.4	-10	-2.0	2.5	5.2	3.7	-8.6	0.4	-2.1	-4.7
CBC 240019					63 %	51 %				69 %	51 %	40%	46%	51%	24%	44%	16%	54 %	52 %	52 %	51 %	51 %	47 %

CWB Bulls

Inbreeding >6% is high					<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed															
Bull					Selection Value					Calf weight		Mother		Growth		Fertility			Carcass				
ID	%Inbreeding	Parentage			Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
Name		Genomic	DNA	Sire ID Dam ID																			
JAPANESE BLACK																							
CWBMCBC 240021				CWBMCBC 210055	86	104	106	102	103	96	104	64	106	108	98	91	108	85	112	106	102	99	88
F2				CBC 210015	52%	24%	24 %	19%	18%	1.49	3.6	1.12	11.5	10.4	8	0.3	-1.1	-1.0	2.0	7.7	0.9	-0.2	-2.7
CBC 240021					60 %	24 %	24 %	19%	18%	60 %	24 %	22%	24%	24%	19%	24%	13%	28 %	25 %	25 %	24 %	24 %	22 %
CWBMCBC 240023				PMGFL00013	92	106	91	106	99	88	106	112	91	101	94	94	103	90	106	82	109	90	101
F1					43%	27%	19 %	17%	22%	2.28	4.6	-0.75	2.9	5.5	3	-1.0	0.3	1.0	1.3	-8.9	1.9	-1.2	-0.4
CBC 240023					43%	27%	19 %	17%	22%	45 %	27 %	33%	19%	25%	17%	29%	16%	45 %	49 %	49 %	49 %	48 %	42 %
CWBMCBC 240024	4			PMGFL00013	94	106	77	118	104	92	106	104	77	99	82	91	112	98	110	79	113	80	98
F2				CBC 210034	63%	30%	23 %	21%	26%	1.89	4.5	-0.43	-4.8	3.8	-16	0.4	-1.1	5.0	1.7	-10.9	2.6	-2.2	-1.1
CBC 240024					63%	30%	23 %	21%	26%	68 %	30 %	42%	23%	28%	21%	32%	19%	50 %	52 %	51 %	51 %	50 %	44 %
CWBMCBC 240025				CBC 180103	70	109	109	90	93	75	109	87	109	111	110	105	87	106	97	87	90	94	104
F1					41%	14%	13 %	6 %	12%	3.48	5.7	0.22	13.3	12.1	25	-7.0	3.3	8.4	0.2	-5.3	-0.8	-0.8	0.0
CBC 240025					41%	14%	13 %	6 %	12%	46 %	14 %	21%	13%	10%	6 %	16%	8%	28 %	19 %	19 %	17 %	16 %	10 %
CWBMCBC 240026				CBC 180103	90	96	96	104	100	94	96	84	96	97	96	109	96	109	98	83	97	87	105
F2				CBC 180042	62%	25%	19 %	14%	18%	1.70	0.6	0.35	6.0	2.5	5	-9.4	1.9	10.0	0.4	-7.9	0.2	-1.5	0.1
CBC 240026					62%	25%	19 %	14%	18%	69 %	25 %	36%	19%	17%	14%	23%	13%	39 %	26 %	26 %	24 %	20 %	11 %
CWBMCBC 240028				CWBMCBC 210055	95	92	107	107	105	104	92	63	107	98	93	99	107	86	101	95	109	96	97
F1				CBC 180051	56%	21%	14 %	13%	13%	0.75	-1.2	1.16	11.9	3.0	1	-4.0	-0.6	-0.6	0.7	0.3	1.9	-0.6	-1.1
CBC 240028					56%	21%	14 %	13%	13%	62 %	21 %	32%	14%	14%	13%	16%	10%	27 %	18 %	18 %	17 %	13 %	5 %
CWBMCBC 240029	1			CBC 180103	78	108	95	103	97	83	108	85	95	107	97	102	96	115	101	84	95	84	100
F2				CBC 200015	60%	20%	18 %	14%	17%	2.77	5.2	0.30	5.3	9.7	7	-5.6	1.9	12.6	0.7	-7.3	-0.2	-1.9	-0.6
CBC 240029					60%	20%	18 %	14%	17%	68 %	20 %	30%	18%	17%	14%	21%	13%	35 %	24 %	24 %	22 %	21 %	14 %
CWBMCBC 240030	8			CBC 180103	84	110	93	99	99	87	110	88	93	110	101	104	97	120	97	90	91	86	104
F2				CBC 210025	60%	17%	15 %	8 %	14%	2.33	6.3	0.20	4.1	11.7	12	-6.4	1.6	14.8	0.2	-3.4	-0.7	-1.6	0.0
CBC 240030					60%	17%	15 %	8 %	14%	68 %	17 %	31%	15%	11%	8 %	18%	9%	34 %	22 %	21 %	19 %	18 %	11 %
CWBMCBC 240033				CBC 180103	89	98	94	109	100	90	98	95	94	98	91	102	100	110	105	91	86	101	105
F2				CBC 190036	60%	20%	18 %	7 %	16%	2.08	1.1	-0.09	4.5	3.2	-3	-5.2	1.0	10.2	1.2	-2.9	-1.5	0.0	0.1
CBC 240033					60%	20%	18 %	7 %	16%	67 %	20 %	31%	18%	16%	7 %	21%	10%	37 %	30 %	29 %	27 %	23 %	12 %
CWBMCBC 240034				CBC 180103	77	101	91	114	109	84	101	75	91	102	86	107	110	110	108	92	90	97	101
F2				CBC 200008	61%	21%	21 %	7 %	18%	2.61	2.6	0.69	2.9	6.0	-10	-7.9	-0.9	10.2	1.5	-1.6	-0.9	-0.4	-0.5
CBC 240034					61%	21%	21 %	7 %	18%	68 %	21 %	34%	21%	16%	7 %	26%	11%	38 %	30 %	29 %	27 %	23 %	12 %
CWBMCBC 240035				CBC 180103	70	109	109	90	93	75	109	87	109	111	110	105	87	106	97	87	90	94	104
F1					41%	14%	13 %	6 %	12%	3.48	5.7	0.22	13.3	12.1	25	-7.0	3.3	8.4	0.2	-5.3	-0.8	-0.8	0.0
CBC 240035					41%	14%	13 %	6 %	12%	46 %	14 %	21%	13%	10%	6 %	16%	8%	28 %	19 %	19 %	17 %	16 %	10 %
CWBMCBC 240036				CBC 180103	70	109	109	90	93	75	109	87	109	111	110	105	87	106	97	87	90	94	104
F1					41%	14%	13 %	6 %	12%	3.48	5.7	0.22	13.3	12.1	25	-7.0	3.3	8.4	0.2	-5.3	-0.8	-0.8	0.0
CBC 240036					41%	14%	13 %	6 %	12%	46 %	14 %	21%	13%	10%	6 %	16%	8%	28 %	19 %	19 %	17 %	16 %	10 %

CWB Bulls

Inbreeding >6% is high				<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed															
Bull				Selection Value					Calf weight		Mother		Growth		Fertility			Carcass				
ID	%Inbreeding	Parentage		Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
Name		Genomic	DNA																			
JAPANESE BLACK																						
CWBMCBC 240037			CBC 180103	70	109	109	90	93	75	109	87	109	111	110	105	87	106	97	87	90	94	104
F1				41%	14%	13 %	6 %	12%	3.48	5.7	0.22	13.3	12.1	25	-7.0	3.3	8.4	0.2	-5.3	-0.8	-0.8	0.0
CBC 240037									46 %	14 %	21%	13%	10%	6 %	16%	8%	28 %	19 %	19 %	17 %	16 %	10 %
CWBMCBC 240038	8		CBC 180103	82	110	93	99	99	87	110	85	93	110	101	104	97	121	97	90	91	86	104
F2			CBC 210067						2.37	6.2	0.31	4.2	11.7	12	-6.4	1.6	15.5	0.2	-3.4	-0.7	-1.6	0.0
CBC 240038				60%	17%	15 %	8 %	14%	68 %	17 %	29%	15%	11%	8 %	18%	9%	33 %	22 %	21 %	19 %	18 %	11 %
CWBMCBC 240044	1		CBC 180103	83	107	90	108	102	89	107	79	90	107	92	103	103	113	103	86	99	80	97
F2			CBC 210037						2.17	4.9	0.56	2.7	9.4	-1	-5.9	0.5	11.8	1.0	-6.1	0.4	-2.3	-1.2
CBC 240044				62%	20%	18 %	14%	18%	70 %	20 %	31%	18%	17%	14%	24%	13%	36 %	24 %	24 %	22 %	21 %	14 %
CWBMCBC 240045	2		CBC 200021	83	112	83	108	102	85	112	91	83	107	92	97	106	116	99	91	101	87	105
F2			CBC 220011						2.49	6.8	0.08	-1.5	9.8	0	-2.7	-0.1	13.1	0.5	-2.6	0.7	-1.5	0.2
CBC 240045				38%	18%	14 %	10%	15%	41 %	18 %	24%	14%	16%	10%	20%	10%	34 %	28 %	28 %	28 %	27 %	22 %
CWBMCBC 240802	1		CBC 180107	112	105	95	99	105	115	105	79	95	108	101	91	114	116	89	98	84	100	117
F2			LB 190022						-0.28	4.1	0.53	5.2	10.6	12	0.2	-1.5	13.0	-0.7	2.4	-1.7	-0.1	2.2
CBC 24802				64%	23%	18 %	12%	20%	72 %	23 %	35%	18%	16%	12%	26%	13%	40 %	27 %	26 %	24 %	20 %	12 %
CWBMCBC 240803			CBC 180107	89	106	107	89	97	93	106	86	107	108	111	102	93	106	89	97	88	101	111
F1			CWBFTAF14						1.81	4.7	0.27	11.7	10.2	27	-5.5	2.0	8.6	-0.7	1.6	-1.1	0.0	1.3
CBC 24803				40%	19%	14 %	9 %	14%	45 %	19 %	22%	14%	12%	9 %	17%	10%	31 %	20 %	19 %	18 %	16 %	11 %
CWBMCBC 240804			CBC 180107	89	106	107	89	97	93	106	86	107	108	111	102	93	106	89	97	88	101	111
F1			CWBFTAF11						1.81	4.7	0.27	11.7	10.2	27	-5.5	2.0	8.6	-0.7	1.6	-1.1	0.0	1.3
CBC 24804				40%	19%	14 %	9 %	14%	45 %	19 %	22%	14%	12%	9 %	17%	10%	31 %	20 %	19 %	18 %	16 %	11 %
CWBMCBC 240810	1		CBC 180107	118	105	85	103	113	119	105	86	85	105	97	100	118	114	90	100	84	92	112
F2			CBC 180519						-0.64	4.1	0.25	-0.1	7.8	7	-4.1	-2.6	12.1	-0.6	3.3	-1.8	-1.0	1.5
CBC 24810				64%	23%	19 %	13%	22%	71 %	23 %	38%	19%	18%	13%	28%	15%	43 %	31 %	31 %	29 %	23 %	12 %
CWBMCBC 240812			CBC 180107	89	106	107	89	97	93	106	86	107	108	111	102	93	106	89	97	88	101	111
F1			CWBFAAF13						1.81	4.7	0.27	11.7	10.2	27	-5.5	2.0	8.6	-0.7	1.6	-1.1	0.0	1.3
CBC 24812				40%	19%	14 %	9 %	14%	45 %	19 %	22%	14%	12%	9 %	17%	10%	31 %	20 %	19 %	18 %	16 %	11 %
CWBMCBC 240813	2		CBC 180107	124	95	77	114	112	125	95	107	77	94	86	109	113	132	89	118	83	103	114
PBD			LPB 190006						-1.27	0.0	-0.53	-4.7	0.3	-9	-9.0	-1.4	20.7	-0.7	15.7	-1.9	0.2	1.8
CBC 24813				64%	26%	22 %	12%	22%	71 %	26 %	39%	22%	20%	12%	31%	14%	44 %	32 %	32 %	28 %	24 %	12 %
CWBMCBC 240814			CBC 180107	89	106	107	89	97	93	106	86	107	108	111	102	93	106	89	97	88	101	111
F1			CWBFHAF3						1.81	4.7	0.27	11.7	10.2	27	-5.5	2.0	8.6	-0.7	1.6	-1.1	0.0	1.3
CBC 24814				40%	19%	14 %	9 %	14%	45 %	19 %	22%	14%	12%	9 %	17%	10%	31 %	20 %	19 %	18 %	16 %	11 %
CWBMCBC 240815	1		CBC 180107	116	95	89	108	108	126	95	86	89	97	92	105	108	116	94	95	95	91	108
F2			LB 190058						-1.38	-0.2	0.27	2.2	2.3	0	-6.8	-0.7	13.2	-0.1	0.0	-0.2	-1.1	0.8
CBC 24815				64%	20%	16 %	11%	18%	72 %	20 %	34%	16%	14%	11%	25%	12%	39 %	25 %	25 %	23 %	18 %	11 %

CWB Bulls

Inbreeding >6% is high				<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed															
Bull				Selection Value					Calf weight		Mother		Growth		Fertility			Carcass				
ID	%Inbreeding	Parentage		Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn. Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
		Genomic DNA	Sire ID																			
JAPANESE BLACK																						
CWBMCBC 240816			CBC 180107	89	106	107	89	97	93	106	86	107	108	111	102	93	106	89	97	88	101	111
F1			CWBFTAF6	40%	19%	14 %	9 %	14%	1.81	4.7	0.27	11.7	10.2	27	-5.5	2.0	8.6	-0.7	1.6	-1.1	0.0	1.3
CBC 24816									45 %	19 %	22%	14%	12%	9 %	17%	10%	31 %	20 %	19 %	18 %	16 %	11 %
CWBMCBC 240817		1	CBC 180107	121	99	86	106	107	122	99	89	86	99	94	96	113	113	94	97	89	90	108
F2			CBC 180511	-1.01	1.5	0.17	0.4	3.8	-1.01	1.5	0.17	0.4	3.8	2	-2.4	-1.6	11.6	-0.1	1.7	-1.0	-1.2	0.6
CBC 24817				64%	23%	19 %	13%	22%	71 %	23 %	38%	19%	18%	13%	28%	15%	42 %	31 %	31 %	29 %	23 %	12 %
CWBMCBC 240818		1	CBC 180107	121	100	89	105	114	125	100	95	89	102	95	108	115	104	89	96	89	91	113
F2			CBC 180502	-1.22	2.1	-0.08	1.9	5.6	-1.22	2.1	-0.08	1.9	5.6	3	-8.7	-2.2	7.7	-0.7	0.5	-1.0	-1.1	1.5
CBC 24818				63%	23%	20 %	13%	22%	70 %	23 %	35%	20%	16%	13%	28%	15%	42 %	29 %	29 %	27 %	19 %	12 %
CWBMCBC 240819		1	CBC 180107	124	98	91	101	92	121	98	98	91	98	99	90	95	113	80	99	77	102	122
F2			CBC 200557	-0.83	1.3	-0.21	2.8	3.1	-0.83	1.3	-0.21	2.8	3.1	9	0.8	2.0	11.6	-1.7	3.0	-2.8	0.1	3.1
CBC 24819				61%	23%	19 %	13%	18%	68 %	23 %	33%	19%	18%	13%	24%	13%	40 %	29 %	29 %	27 %	20 %	12 %
CWBMCBC 240835			KKWFD0052	96	102	110	89	95	95	102	100	110	102	111	97	95	89	113	106	87	112	94
F1			CWBFCF6	1.60	2.8	-0.27	13.7	6.2	1.60	2.8	-0.27	13.7	6.2	27	-2.9	1.8	0.9	2.1	7.4	-1.3	1.2	-1.6
CBC CBC240835				43%	49%	47 %	38%	37%	46 %	49 %	31%	47%	48%	38%	48%	26%	50 %	49 %	49 %	49 %	48 %	44 %
CWBMCBC 240841			KKWFD0052	96	102	110	89	95	95	102	100	110	102	111	97	95	89	113	106	87	112	94
F1			CWBFCBC 210624	1.60	2.8	-0.27	13.7	6.2	1.60	2.8	-0.27	13.7	6.2	27	-2.9	1.8	0.9	2.1	7.4	-1.3	1.2	-1.6
CBC CBC240841				43%	49%	47 %	38%	37%	46 %	49 %	31%	47%	48%	38%	48%	26%	50 %	49 %	49 %	49 %	48 %	44 %

CWB Cows

Inbreeding >6% is high				<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed															
Cow				Selection Values					Kalf gewig		Moeder		Groeï		Vrugbaarheid			Karkas				
ID	%Inbreeding	Parentage		Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
Name		Genomic DNA	Sire ID																			
JAPANESE BLACK																						
CWBFCBC 180048		BA 130923		104	82	111	99	99	102	82	99	111	85	101	113	91	88	91	84	100	104	113
F1				45 %	41 %	29 %	26 %	26 %	0.89	-5.2	-0.25	14.2	-6.5	12	-11.5	2.7	0.2	-0.4	-7.4	0.6	0.3	1.5
CBC 180048									47 %	41 %	35 %	29 %	28 %	26%	33%	19%	45 %	36 %	36 %	33 %	26 %	11 %
CWBFCBC 220007		PMGFL00013		92	106	91	106	99	88	106	112	91	101	94	94	103	90	106	82	109	90	101
F1		CWBFCBC47		43 %	27 %	19 %	17 %	22 %	2.28	4.6	-0.75	2.9	5.5	3	-1.0	0.3	1.0	1.3	-8.9	1.9	-1.2	-0.4
CBC 220007									45 %	27 %	33 %	19 %	25 %	17%	29%	16%	45 %	49 %	49 %	49 %	48 %	42 %
CWBFCBC 220067		CBC 180103		70	109	109	90	93	75	109	87	109	111	110	105	88	106	97	87	90	94	104
F1		CWBFCBC22		41 %	14 %	13 %	6 %	12 %	3.48	5.7	0.22	13.3	12.1	25	-7.0	3.3	8.4	0.2	-5.3	-0.8	-0.8	0.0
CBC 220067									46 %	14 %	21 %	13 %	10 %	6 %	16%	8%	28 %	19 %	19 %	17 %	16 %	10 %
CWBFCBC 230029		CBC 180103		70	109	109	90	93	75	109	87	109	111	110	105	88	106	97	87	90	94	104
PEN		CWBFCBC47		41 %	14 %	13 %	6 %	12 %	3.48	5.7	0.22	13.3	12.1	25	-7.0	3.3	8.4	0.2	-5.3	-0.8	-0.8	0.0
CBC 230029									46 %	14 %	21 %	13 %	10 %	6 %	16%	8%	28 %	19 %	19 %	17 %	16 %	10 %
CWBFCBC 230033		CBC 180103		70	109	109	90	93	75	109	87	109	111	110	105	88	106	97	87	90	94	104
PEN		CWBFCBC21		41 %	14 %	13 %	6 %	12 %	3.48	5.7	0.22	13.3	12.1	25	-7.0	3.3	8.4	0.2	-5.3	-0.8	-0.8	0.0
CBC 230033									46 %	14 %	21 %	13 %	10 %	6 %	16%	8%	28 %	19 %	19 %	17 %	16 %	10 %
CWBFCBC 230037		CBC 180103		70	109	109	90	93	75	109	87	109	111	110	105	88	106	97	87	90	94	104
PEN		CWBFCBC31		41 %	14 %	13 %	6 %	12 %	3.48	5.7	0.22	13.3	12.1	25	-7.0	3.3	8.4	0.2	-5.3	-0.8	-0.8	0.0
CBC 230037									46 %	14 %	21 %	13 %	10 %	6 %	16%	8%	28 %	19 %	19 %	17 %	16 %	10 %
CWBFCBC 230038		CBC 180103		70	109	109	90	93	75	109	87	109	111	110	105	88	106	97	87	90	94	104
PEN		CWBFCBC71		41 %	14 %	13 %	6 %	12 %	3.48	5.7	0.22	13.3	12.1	25	-7.0	3.3	8.4	0.2	-5.3	-0.8	-0.8	0.0
CBC 230038									46 %	14 %	21 %	13 %	10 %	6 %	16%	8%	28 %	19 %	19 %	17 %	16 %	10 %
CWBFCBC 230044		CBC 180103		70	109	109	90	93	75	109	87	109	111	110	105	88	106	97	87	90	94	104
PEN		CWBFCBC25		41 %	14 %	13 %	6 %	12 %	3.48	5.7	0.22	13.3	12.1	25	-7.0	3.3	8.4	0.2	-5.3	-0.8	-0.8	0.0
CBC 230044									46 %	14 %	21 %	13 %	10 %	6 %	16%	8%	28 %	19 %	19 %	17 %	16 %	10 %
CWBFCBC 240004		KKWFE0010		108	85	110	101	88	107	85	94	110	85	99	98	85	90	123	85	94	91	80
PEN		CWBFCBC38		44 %	49 %	44 %	21 %	26 %	0.43	-4.2	-0.04	13.7	-6.7	9	-3.5	3.9	1.1	3.2	-6.6	-0.3	-1.1	-4.1
CBC 240004									48 %	49 %	31 %	44 %	49 %	21%	41%	11%	50 %	50 %	50 %	49 %	49 %	46 %
CWBFCBC 240834		KKWFD0052		96	102	110	89	95	95	102	100	110	102	111	97	96	89	113	106	87	112	94
F2		CWBFCBC 190540		43 %	49 %	47 %	38 %	37 %	1.60	2.8	-0.27	13.7	6.2	27	-2.9	1.8	0.9	2.1	7.4	-1.3	1.2	-1.6
CBC CBC240834									46 %	49 %	31 %	47 %	48 %	38%	48%	26%	50 %	49 %	49 %	49 %	48 %	44 %

