



WAGYU BREEDING VALUE REPORT

September 2026



RW JEFFERY

Herd Number: 8167422


E-mail: cradlewagyu@gmail.com



**WAGYU
SOCIETY**
OF SOUTH AFRICA



**CERTIFICATE
OF QUALITY**
Valid up to
October 2029



Notes


GEBVi (GEBVindex): The average GEBVi of all the live animals in the breed is 100, and all EBVi values are expressed relative to this value. Values above 100 are mostly in a more desirable direction. Note that a very high index is not always desirable. For certain traits, such as birth weight, average values may be better. It is the top value in the list.

GEBV (Genomic Estimated Breeding Value) indicates the genetic potential of the animal for a specific trait. It is presented in the unit of measurement and relative to the average of animals born in the base year. It is the middle value in the list and not available for selection values.

Accuracy: This value gives an indication of how much information was available for breeding value estimation. It is the bottom value in the list.

Selection values combine similar breeding values in a scientific manner to simplify the selection of animals. For example, HF (Heifer Fertility), CF (Cow Fertility) and Longevity are

combined to form the Fertility Value by taking the heritability and economic importance in consideration.




* Depending on selection goal

GEBVi		Description / Measurement	Goal		General Guidelines*					
					80	90	100	110	120	
Selection V.	Calving Ease Value	Difficult calving due to high birth weight	Average birth weight	High						Low
	Calf Growth Value	Calf's genetic ability for prewean growth	Heavy weaner	Light						Heavy
	Milk Value	Cow's genetic mothering and milking ability	Enough milk for calf	Less						More
	Maintenance Value	Maintenance requirement of cow (weight and milk)	Low cow maintenance	High					*	Low
	Fertility Value	Fertility and retention of cows and heifers	Fertile cows	Low						High
Cow & Calf	Birth weight direct	Birth weight (Calf's genetic ability)	Average birth weight	Heavy						Light
	Birth weight mat	Birth weight (Dam's genetic ability)	Easy calving	Heavy						Light
	Weaning weight direct	Weaning weight (Calf's genetic ability)	Heavy weaners	Light						Heavy
	Weaning weight mat	Weaning weight (Dam's genetic ability)	Good mothers	Poor						Good
	Post-wean weight	Combination of EBVs for 12 and 18 month weights	Mature weight	Light				*	*	Heavy
	Mature Cow Weight	Cow weight at weaning of first three calves	Mature cow weight	Light				*	*	Heavy
Ferti.	Heifer Fertility	Age at first calving	Fertile heifers	Less						More
	Cow Fertility	First 3 inter-calving periods (ICPs)	Fertile cows	Less						More
	Longevity	Retention of progeny	Acceptable progeny	Poor						Good
Carcass	IMF	Intra-muscular-fat, Marbling	High quality carcass	Less						More
	Carcass weight	Weight of the carcass	High quality carcass	Light						Heavy
	EMA	Eye-muscle-area at the 12/13th rib of the dressed carcass	High quality carcass	Small						Large
	Rib Fat	Rib fat depth at the 12/13th rib of the dressed carcass	High quality carcass	Thin						Thick
	Marbling Fineness	Degree of fineness of marbling fat	High quality carcass	Low						High

Herd and Breed Averages

Number 404



Breeding Values (EBV):

Birth: Birth weight IMF: Marbling
 Wean: Weaning weight Carcwt: Carcass wt
 Birth.mat: Birth mat EMA: Eye muscle area
 Milk: Milk RibFatt: Rib Fat thickness
 Postwn: Postwean weight MF: Marbling Fineness
 Matwt: Mature weight
 HF: Heifer Fertility
 CF: Cow Fertility
 LL: Longevity

Selection values:

CEaseV Calving Ease Value
 CGrowthV Calf Growth Value
 MilkV: Milk Value
 MaintV: Maintenance Value
 FertV: Fertility Value

	Trait	EBV Herd	EBV Index	EBV Breed
Prewean growth	Birth Weight	1.14	101	1.23
	Wean Weight	2.5	99	2.9
	Birth Mat.	-0.28	97	-0.38
	Milk (Wn.Mat.)	5.4	94	8.7
Postwean growth	Postwean wt	5.7	99	6.4
	Mature weight	0	95	6
	Heifer Fertility	-0.3	96	-2.9
Fertility	Cow Fertility	-0.4	105	0.5
	Longevity	6.0	102	5.2
Carcass	IMF	0.4	97	0.8
	Carcass weight	2.3	102	0.8
	EMA	1.9	107	0.8
	Rib Fat	-0.2	99	-0.1
	MF	0.2	104	-0.5

Selection Value	Herd Avg
Calving Ease Value	101
Calf Growth Value	99
Milk Value	94
Maintenance Value	105
Fertility Value	101


- Average of live animals in the breed: 100
- Above 100: **more favourable**,
- Below 100: **less favourable**

What does a sub-selection value above breed average (100) mean?:

Calving ease: Smaller calf at birth - easier calving
 Calf growth: Heavier calves at wean due to growth potential of the calf
 Milk: Cows with more milk and better mothering ability
 Maintenance: Animals with low maintenance requirements (lower mature weight).
 Fertility: Cows/daughters that calve

Genetic Trends for On-Farm Traits

The graphs show the genetic gain of the herd relative to the breed. Only data of animals with measurements are included.




Herd

Birth Year	Calving Ease				Calf Growth			Milk			Maintenance			Fertility									
	Birth Weight		Dir	Mat	Calv. Ease	Weaning Weight		Calf Growth	Milk (Wn.Mat.)		Milk	Postwean Weight		Mature Weight		Maintenance	Heifer Fert.		Cow Fert.		Longevity		Ferti- lity
	Number	EBV				Number	EBV		Number	EBV		Number	EBV	Number	EBV		Number	EBV	Number	EBV	Number	EBV	
2016																				12		1.0	
2017																				16		3.8	
2018																6		-0.4	5	-1.8	52	-0.8	106
2019	6	0.63	-0.47	108												10		3.4	6	-0.2	41	1.3	98
2020	50	0.27	-0.31	108												8		2.4	8	-0.6	72	1.8	99
2021	44	0.29	-0.28	107												13		0.3	8	-2.8	47	2.3	105
2022	34	-0.08	0.04	106												8		3.1	1	-0.6	17	1.9	99
2023	55	0.88	0.12	101												1		-12.6			125		
2024	56	0.63	-0.16	107																			
2025	55	0.56	-0.40	109																			
2026	16	0.73	-0.19	104																			

Breed

Birth Year	Calving Ease				Calf Growth			Milk			Maintenance					Fertility						
	Birth Weight		Mat EBV	Calv. Ease	Weaning Weight		Calf Growth	Milk (Wn.Mat.)		Milk	Postwean Weight		Mature Weight		Maintenance	Heifer Fert.		Cow Fert.		Longevity		Fertility
	Number	Dir EBV			Number	EBV		Number	EBV		Number	EBV	Number	EBV		Number	EBV	Number	EBV	Number	EBV	
2016	667	0.14	0.06	106	280	0.5	94	280	6.43	96	213	2.7	17	-11	110	777	-1.4	388	-0.8	6318	-0.5	102
2017	787	0.41	0.21	102	405	0.6	94	405	3.76	91	309	0.1	33	-9	111	791	-1.9	308	-0.6	10308	-0.4	102
2018	1180	0.44	0.12	103	815	-1.4	89	815	2.45	88	823	-0.9	19	-23	113	665	-4.6	407	-1.0	9232	2.0	106
2019	1379	0.55	0.15	102	901	0.1	93	901	1.30	86	896	0.6	27	-30	112	1006	-2.8	469	-0.6	11910	1.7	103
2020	2115	0.65	-0.03	102	556	2.3	98	556	7.29	97	273	6.2	24	-7	103	665	-4.3	269	-1.0	11395	1.2	106
2021	2374	0.55	-0.10	103	589	0.4	94	589	4.13	91	253	0.2	19	-6	112	405	-6.0	158	-1.5	9292	1.5	108
2022	2062	0.42	-0.18	105	461	2.0	98	461	1.65	87	246	2.4	15	15	110	306	-2.8	72	-0.6	4200	2.1	103
2023	1637	0.34	-0.31	107	461	2.0	98	461	1.21	86	160	2.0	5	-3	111	121	-6.6	11	-0.6			110
2024	1413	0.39	-0.30	107	311	2.5	99	311	1.86	87	36	14.0			97	15	-2.4					101
2025	1478	0.37	-0.14	106	386	2.5	99	386	0.24	84												
2026	307	0.25	-0.03	106																		

Genetic Trends for Carcass Traits



Herd

Birth Year	Carcass														
	IMF			Carcass weight			EMA			RibFat			Marble Fineness		
	Number	EBV	EBVi	Number	EBV	EBVi	Number	EBV	EBVi	Number	EBV	EBVi	Number	EBV	EBVi
2013															
2014															
2015															
2016															
2017															
2018															
2019															
2020	6	0.8	100	6	-6.0	91	5	2.8	113						
2021															
2022															
2023															

Breed

Birth Year	Carcass														
	IMF			Carcass weight			EMA			Rib Fat			Marble Fineness		
	Number	EBV	EBVi	Number	EBV	EBVi	Number	EBV	EBVi	Number	EBV	EBVi	Number	EBV	EBVi
2013	17	0.6	99	776	-0.1	99	361	0.8	100	346	0.2	103	5	-4.6	74
2014	16	-1.0	86	541	-3.8	94	301	1.7	106	269	-0.1	100	4	0.0	103
2015	36	-0.5	90	589	-7.1	89	548	1.0	102	520	-0.1	100	6	0.3	105
2016	124	-0.8	87	588	-0.3	98	322	0.1	96	211	0.3	105	5	2.1	117
2017	732	-0.4	90	1244	-0.2	99	1116	0.1	95	272	0.0	102	17	0.3	105
2018	1946	0.0	94	1969	0.0	99	1940	0.0	95	87	0.0	101	22	0.0	103
2019	2812	0.3	96	2823	-1.3	97	2753	0.8	100	212	-0.5	96	61	0.4	106
2020	4627	0.7	99	4682	-0.6	98	4656	0.5	98	713	-0.3	98	92	-1.2	95
2021	3444	0.9	101	3606	-0.3	98	3596	0.6	99	3275	-0.2	99	531	-0.6	99
2022	3277	1.0	101	3324	-0.9	98	3275	0.4	97	3191	-0.3	97	2749	-1.0	97
2023	1839	1.1	103	1845	1.3	101	1836	0.6	99	1795	0.0	101	1841	-1.0	96
2024	17	-0.6	89	17	1.3	101	17	0.5	98	16	-0.5	96	17	0.1	103

WAGYU Sires

Sire			Growth						Carcass					Stats				
ID	Parentage	Sire ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Daughters with calves	Active 2yrs & older	Carcasses
Name	Gen. DNA	Dam ID																
AKAUSHI																		
AP112607		AF15430	116	124	121	123	113	89	119	94	102	137	109	3	60	11	36	2
PBD		3A40027	-0.33	12.8	18.9	25.1	25	2.7	3.2	-3.3	1.1	3.5	1.0					
HEARTBRAND 15/16 14E KING			63%	21%	18%	13%	11%	27%	60%	63%	55%	63%	47%					
FB14989		FB101	86	125	122	125	123	107	93	126	96	114	96	15	97	23	39	15
FB		FB12815	2.60	13.1	19.7	27.2	39	12.5	-0.1	19.2	0.1	1.2	-1.1					
JC RUESHAW 75			83%	46%	64%	66%	52%	58%	79%	78%	71%	49%	34%					
IMUFN2125		DAI5 96	106	120	117	119	107	86	91	79	123	91	108	14	83	46	8	
FB		J19461	0.67	11.0	16.5	22.7	16	1.5	-0.4	-13.9	4.3	-1.0	0.8					
TAMAMARU (USA)			77%	47%	55%	54%	27%	33%	64%	63%	57%	53%	34%					
J251830R		DAI10	104	138	129	129	127	83	97	98	105	64	80	14	85	42	18	
FB		92958WGU	0.83	18.2	24.0	29.9	44	-0.2	0.4	-0.4	1.6	-3.6	-3.6					
HIKARI J251830R			84%	52%	63%	53%	40%	45%	68%	68%	61%	61%	46%					
RSS 190063		IMUFN2125	101	121	118	120	110	88	95	92	114	87	98	3	72	2	27	
FB		1219Z	1.11	11.4	17.4	23.3	20	2.2	0.1	-4.9	2.9	-1.3	-0.8					
RSS190063			91%	28%	33%	30%	17%	22%	37%	37%	33%	32%	21%					
JAPANESE BLACK																		
A3001		IMJFAJ2810	113	104	98	102	90	69	129	80	97	85	89	23	65	16	23	2
FB		Y3004	-0.06	4.5	4.8	8.8	-8	-7.9	4.4	-13.4	0.3	-1.5	-2.3					
ECHIGO FARMS A3001 (AI)			94%	93%	93%	92%	92%	92%	94%	94%	93%	93%	92%					
BA 090327		IMUFM1615	147	76	67	71	55	39	118	80	123	99	110	11	357	68	43	102
PEN		KJDFB0075	-3.29	-6.7	-14.2	-15.5	-58	-23.4	3.1	-13.0	4.3	-0.2	1.2					
REPUBLIC MICH			97%	83%	73%	74%	66%	75%	94%	94%	92%	87%	54%					
BA 090337		148BE	121	67	66	71	57	73	115	56	121	100	115	12	128	27	23	23
FB		KJDFB0050	-0.79	-10.4	-15.1	-15.1	-55	-5.8	2.7	-30.3	4.1	-0.1	1.9					
PRIME INTEREST			94%	83%	75%	76%	56%	64%	82%	82%	77%	60%	49%					
BA 100389		Y342	114	86	85	89	81	94	83	84	81	60	100	7	21	7	4	4
FB		BA 070123	-0.15	-2.7	-3.5	-1.0	-21	5.5	-1.3	-10.4	-2.2	-3.9	-0.5					
WILLEM			89%	85%	85%	85%	85%	85%	87%	87%	86%	85%	84%					
BA 130975		BA 090319	121	80	80	85	79	83	91	79	90	84	110	7	94	31	34	6
FB		BA 040044	-0.79	-5.3	-6.2	-4.5	-23	-0.3	-0.4	-14.1	-0.8	-1.6	1.2					
BA 130975			95%	93%	92%	92%	92%	93%	93%	93%	93%	92%	92%					

WAGYU Sires

Sire				Growth						Carcass					Stats				
ID	Parentage	Sire ID		Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Daughters with calves	Active 2yrs & older	Carcasses
Name	Gen. DNA	Dam ID																	
JAPANESE BLACK																			
BA 140004	✓	ETJ002		108	108	100	102	88	94	70	72	92	73	121					
FB		BA 010039		0.46	6.2	6.1	9.1	-12	5.7	-3.1	-19.2	-0.5	-2.7	2.9	5	82	10	14	10
WOODVIEW BA14-004				94%	65%	48%	39%	37%	47%	76%	76%	70%	52%	39%					
BA 150400	✓	IMUFP0036		125	107	111	116	116	114	76	110	75	121	128					
FB		BA 080225		-1.24	5.8	13.0	20.1	29	16.4	-2.2	8.0	-3.1	1.9	4.0	3	56	7	12	10
WOODVIEW BA15-400				92%	55%	37%	43%	34%	45%	73%	73%	66%	54%	37%					
BB 140001	✓	WESFZ0278		136	90	82	84	82	76	119	48	95	57	96					
FB	✓	KJDFD0023		-2.22	-1.2	-5.1	-5.3	-20	-3.9	3.2	-36.0	0.0	-4.2	-1.2	5	302	28	32	224
HIRASHIGETEYASU				91%	69%	70%	40%	36%	46%	96%	96%	94%	53%	34%					
CWJ 150002		WESFA0107		122	90	83	86	80	72	70	110	86	89	120					
FB		KJDFE0004		-0.93	-1.2	-4.4	-3.5	-23	-6.0	-3.1	7.8	-1.4	-1.1	2.7	2	10	4	6	
CRADLE KJDFE004'S A107				62%	50%	48%	43%	30%	45%	56%	56%	54%	43%	33%					
CWJ 160001		KJDFC0087		107	85	77	76	76	66	101	123	121	103	105					
FB		MOYFH0079		0.56	-3.2	-8.0	-11.2	-28	-9.6	1.0	16.9	4.0	0.2	0.3	3	20	5	7	
CRADLE MOYFH079'S C087				65%	50%	50%	44%	45%	52%	56%	56%	53%	47%	39%					
CWJ 160003	✓	KJDFC0087		107	87	79	77	76	64	97	113	122	97	110					
FB	✓	MOYFH0079		0.58	-2.4	-7.3	-10.5	-28	-10.6	0.5	9.9	4.2	-0.3	1.1	4	113	19	62	2
CRADLE THUNDER				91%	50%	50%	44%	45%	52%	60%	60%	55%	47%	39%					
CWJ 170003		LDFDE0241		109	108	103	106	94	71	98	82	93	86	107					
FB		MOYFH0138		0.37	6.3	8.0	12.1	-2	-6.6	0.5	-11.8	-0.2	-1.4	0.6	1	4	2	3	
CRADLE MOYFH138'S LONGFORD				67%	48%	46%	34%	15%	27%	43%	43%	40%	35%	25%					
CWJ 170005	✓	PMGFL0004		131	85	77	78	78	69	118	76	128	70	93					
FB	✓	KSOFC0007		-1.73	-3.3	-8.1	-9.7	-25	-7.9	3.1	-16.0	5.1	-3.0	-1.5	2	114	8	66	4
MONEYMAKER				94%	39%	48%	42%	35%	37%	60%	60%	55%	46%	37%					
CWJ 180002		SMOFF0126		114	102	96	97	82	73	104	105	109	140	128					
FB		SFWFK0120		-0.09	3.8	3.8	5.2	-19	-5.5	1.2	4.0	2.2	3.7	3.9	3	5		3	
CWJ18002				62%	45%	45%	48%	41%	44%	47%	49%	46%	46%	33%					
CWJ 180013	✓	GINFB0901		121	79	74	76	78	77	96	108	126	88	97					
FB	✓	CWJ 160002		-0.77	-5.4	-9.9	-11.4	-25	-3.7	0.3	6.5	4.8	-1.3	-1.0	1	7		6	
CWJ180013				58%	37%	33%	33%	32%	40%	48%	48%	44%	40%	30%					
CWJ 190004	✓	SMOFF0126		137	93	92	94	83	77	98	103	102	131	125					
FB	✓	KSOFL00098		-2.32	0.1	1.4	3.1	-19	-3.2	0.5	2.7	1.1	2.9	3.5	2	95	8	53	
THOR				91%	43%	39%	41%	37%	47%	42%	43%	40%	39%	29%					

WAGYU Sires

Sire				Growth						Carcass					Stats				
ID	Parentage	Sire ID		Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Daughters with calves	Active 2yrs & older	Carcasses
Name	Gen. DNA	Dam ID																	
JAPANESE BLACK																			
CWJ 190115		PMGFL0004		141	133	119	124	107	65	81	109	103	100	120					
FB		KSOFJ0068		-2.72	16.4	18.1	26.2	16	-9.6	-1.6	7.3	1.2	-0.1	2.7	2	19	1	3	
CWJ190115				56%	39%	47%	42%	34%	36%	47%	48%	45%	45%	34%					
CWJ 190123		SMOFF0154		113	86	79	77	81	65	129	92	110	94	95					
FB		CWJ 170009		-0.07	-2.7	-6.9	-10.4	-21	-9.7	4.4	-5.1	2.3	-0.7	-1.2	2	10		10	
BIG BEN				75%	45%	50%	47%	42%	44%	52%	52%	50%	50%	45%					
CWJ 200006		GINFK0930		87	105	96	99	90	74	93	106	109	88	103					
FB		CWJ 160006		2.50	4.9	3.7	6.6	-8	-5.1	-0.1	5.3	2.2	-1.2	0.0	1	14	1	13	
CWJ200006				79%	36%	35%	34%	32%	35%	30%	37%	36%	34%	22%					
CWJ 200007		GINFK0930		90	103	95	98	90	74	93	106	109	88	103					
FB		CWJ 160006		2.19	4.3	3.0	5.7	-8	-5.0	-0.1	5.3	2.2	-1.2	0.0	2	25		8	
CWJ200007				84%	36%	35%	34%	32%	35%	30%	37%	36%	34%	22%					
CWJ 200010		A3001		113	100	94	97	88	80	111	106	95	98	94					
FB		SFWFK0060		0.01	3.0	2.4	4.9	-11	-1.8	2.1	5.3	0.0	-0.3	-1.5	2	5		3	
CWJ200010				59%	36%	46%	34%	23%	30%	43%	44%	42%	41%	31%					
FB15730		148BE		130	79	73	72	70	66	122	63	110	99	108					
FB		USAFT0003		-1.69	-5.4	-10.5	-14.2	-37	-9.2	3.6	-25.1	2.3	-0.2	0.8	6	10	2	1	
MAVERICK				71%	57%	56%	57%	51%	55%	55%	57%	56%	56%	50%					
GINFB0901		ETJ001		123	79	76	80	81	88	91	93	131	72	89					
FB		GINFZ0158		-0.96	-5.6	-9.2	-8.4	-21	2.5	-0.3	-4.0	5.6	-2.8	-2.2	26	150	40	46	13
GINJO MARBLEMAX HIRANAMI B901				94%	92%	92%	92%	92%	92%	93%	94%	93%	93%	92%					
GINFK0930		IMUFSR018		86	107	99	106	96	78	89	104	105	81	97					
FB		GINFG0682		2.62	5.8	5.4	12.1	1	-2.9	-0.7	3.8	1.6	-1.9	-1.0	6	26	4	6	
GINJO HATSHIRA K930 (AI)				91%	90%	90%	90%	89%	90%	89%	90%	90%	90%	88%					
GRSFK0483		FB2907		96	110	106	105	91	83	122	114	138	83	66					
PBD		SMOFE0175		1.60	6.9	9.6	11.7	-6	-0.5	3.6	10.7	6.7	-1.7	-5.9	2	7	3		
GOORAMBAT MR MARBLE K483 (AI)				86%	84%	85%	84%	84%	84%	85%	85%	85%	84%	84%					
HJ 130019		KJDFD0111		135	64	62	66	50	71	121	64	87	66	94					
FB		KJDFD0030		-2.15	-11.7	-17.8	-19.2	-65	-6.9	3.4	-24.4	-1.2	-3.3	-1.4	4	87	18	14	14
HJ 130019				87%	73%	58%	49%	45%	51%	77%	77%	71%	59%	43%					
HJ 140016		KJDFC0087		101	80	74	75	80	75	105	101	89	128	128					
FB		BA 110586		1.15	-5.0	-10.4	-12.3	-23	-4.7	1.4	1.3	-0.9	2.6	4.0	5	112	23	29	37
HJ 140016				89%	79%	63%	63%	55%	57%	86%	87%	83%	75%	56%					

WAGYU Sires

Sire			Growth						Carcass					Stats				
ID	Parentage	Sire ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Daughters with calves	Active 2yrs & older	Carcasses
Name	Gen. DNA	Dam ID																
JAPANESE BLACK																		
KJDFC0087		IMUFM1615	102	95	84	80	87	72	98	115	118	102	118	55	369	126	100	52
FB		KJDFY0034	1.04	0.9	-4.2	-8.4	-12	-6.1	0.6	11.6	3.5	0.1	2.4					
LAKE WAGYU C087			98%	97%	97%	97%	96%	97%	98%	98%	98%	97%	96%					
LFDFE0241		TWAFR0003	102	125	118	123	107	74	100	63	79	82	112	19	100	25	35	11
FB		LFDFZ1065	1.05	12.9	17.5	25.1	16	-5.2	0.8	-25.4	-2.4	-1.8	1.5					
LONGFORD FE0241			95%	92%	91%	88%	85%	87%	90%	90%	89%	88%	86%					
PMGFL0004		ADBFA0139	124	86	79	82	74	68	137	55	115	56	79	13	57	16	19	3
FB		PMGFG0059	-1.05	-2.7	-7.3	-6.8	-32	-8.3	5.5	-31.1	3.2	-4.3	-3.9					
PEPPERMILL GROVE L0004 (AI)			82%	54%	75%	63%	47%	50%	77%	76%	71%	71%	57%					
PWYPM0775		ADBFA0139	116	96	86	85	81	68	97	45	88	61	120	15	253	41	71	39
PBD		JKCPB2083	-0.35	1.2	-2.4	-4.3	-21	-8.0	0.4	-38.2	-1.1	-3.8	2.8					
POLL WAGYU MIDNIGHT M0775			95%	92%	93%	93%	92%	92%	95%	95%	94%	94%	93%					
SMOFF0126		IMUFM1615	113	115	107	106	84	64	95	106	104	161	156	25	166	50	52	12
FB		SMOFC0152	0.01	8.9	10.6	12.5	-16	-10.5	0.1	4.9	1.4	5.7	8.5					
SUMO MICHIFUKU F126 (AI)			97%	96%	97%	97%	96%	96%	97%	97%	97%	97%	96%					
WESFA0107		ETJ001	105	94	87	90	85	64	54	121	105	74	116	22	57	26	9	3
FB		WESFX0170	0.71	0.5	-1.9	0.0	-15	-10.3	-5.0	15.7	1.5	-2.6	2.0					
WESTHOLME HIRASHIGETAMAN			90%	80%	77%	72%	52%	70%	87%	87%	84%	72%	55%					
WSI126Z		FB11816	110	93	89	92	81	76	100	96	112	94	102	1	2			
FB		FB15231	0.26	0.2	-0.6	1.1	-21	-4.1	0.7	-2.1	2.6	-0.6	-0.2					
WSI OKUKANEHARU			47%	28%	26%	26%	22%	27%	27%	29%	27%	26%	18%					
WSIFK188B		FB2501	123	84	76	75	69	63	131	61	106	90	98	2	2			
FB		WSIFW056L	-0.95	-3.5	-8.6	-11.8	-37	-11.1	4.7	-26.7	1.7	-1.0	-0.7					
WSI SUZAJIROU 2 (AI)			51%	41%	41%	39%	33%	38%	43%	45%	43%	42%	32%					

WAGYU Dams

Dam				Growth						Carcass					Stats			
ID	Parentage	Sire ID		Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name	Gen. DNA	Dam ID																
AKAUSHI																		
677Z		AF8478		100	120	119	121	109	93	79	88	98	96	115				
FB		AF8511		1.23	11.1	17.7	24.1	18	4.8	-1.8	-7.4	0.5	-0.5	2.0	4	21	6	
HEARTBRAND 677Z				46%	21%	52%	30%	10%	25%	31%	30%	26%	28%	18%				
AF4685		H0518E		102	131	125	125	118	84	90	101	118	64	84				
FB		FB2120		1.00	15.6	21.4	26.8	32	0.5	-0.5	1.4	3.6	-3.5	-3.0	1	4	2	
HEARTBRAND C4176S				48%	29%	35%	29%	22%	24%	39%	39%	36%	35%	26%				
RSS 190049	✓	AF6914		88	138	132	132	120	83	95	99	125	78	88				
FB	✓	WB 170003		2.42	18.0	26.2	32.8	35	-0.1	0.2	0.3	4.7	-2.2	-2.4	1	2	2	
RSS190049				59%	44%	46%	45%	16%	25%	34%	34%	30%	25%	17%				
RSS 190107	✓	IMUFN2125		104	126	121	122	113	85	90	90	120	77	96				
FB	✓	AF4685		0.84	13.3	18.9	24.8	24	1.0	-0.5	-6.2	3.9	-2.3	-1.1	1	1		
RSS190107				45%	28%	33%	30%	17%	20%	37%	37%	33%	32%	22%				
JAPANESE BLACK																		
11-106				84														
BS				2.83											1	1	1	
LOUMA-B 11-106				29%														
12-149				82														
BS				2.99											1	1	1	
LOUMA-B 12-149				29%														
15-D11				93														
BS				1.87											1	2	1	
LOUMA-B 15-D11 BONSMARA				37%														
17.60.30				90														
BS				2.24											1	1	1	
17.60.30				29%														
17.60.32				82														
BS				3.02											1	1	1	
17.60.32				29%														
17.60.33				89														
BS				2.31											1	1	1	
17.60.33				29%														
BORG25-10				100														
BS				1.25											1	1	1	
BORG 25-10				29%														

WAGYU Dams

Dam				Growth					Carcass					Stats				
ID	Parentage	Sire ID		Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name	Gen. DNA	Dam ID																
JAPANESE BLACK																		
BORG514				91														
BS				2.07											111			
BORG514				29%														
BUT TERCUP				86														
BS				2.60											121			
BUTTERCUP				39%														
CHANEL17/15				86														
BS				2.62											132			
CHANEL17/15				40%														
CWJ 130002				95														
BS				1.76											111			
CRADLE BONSMARA KRIE'S COW				34%														
CWJ 130003				90														
BS				2.16											111			
CRADLE AFRIKANER AF X				29%														
CWJ 130217				80														
BS				3.15											122			
CRADLE SIMBRA				40%														
CWJ 130859				95														
BS				1.76											111			
CRADLE ANGUS 859				29%														
CWJ 130X14				100														
BS				1.27											143			
CRADLE TULIX14				52%														
CWJ 13GB14				80														
BS				3.16											122			
CRADLE CWJ13GB14				39%														
CWJ 150001		WESFA0107		109	86	79	81	74	70	84	95	97	73	110				
FB		KJDFD0030		0.35	-2.6	-6.9	-7.6	-30	-7.0	-1.2	-3.0	0.3	-2.7	1.1	4	8	2	1
CRADLE CWJ15-001				69%	54%	51%	45%	40%	48%	59%	59%	57%	50%	39%				
CWJ 160002		KJDFC0087		114	82	75	74	76	65	101	123	121	103	105				
FB		MOYFH0079		-0.08	-4.3	-9.5	-13.0	-29	-10.1	1.0	16.9	4.0	0.2	0.3	1	7	2	
CRADLE C087'S MOYFH079				71%	51%	50%	44%	45%	54%	56%	56%	53%	47%	39%				
CWJ 160005		WESFA0107		106	92	85	86	78	67	83	123	112	93	108				
FB		KSOFD0012		0.69	-0.2	-3.2	-3.4	-25	-8.7	-1.4	16.9	2.6	-0.8	0.7	1	9	6	
CRADLE A107'S KSOFD012				74%	54%	54%	49%	31%	48%	54%	54%	52%	44%	33%				

WAGYU Dams

Dam			Growth					Carcass					Stats				
ID	Parentage	Sire ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name	Gen. DNA	Dam ID															
JAPANESE BLACK																	
CWJ 160006		KJDFC0087	102	97	88	87	84	70	97	108	113	96	109	1	14	6	
FB		MOYFH0138	1.07	1.5	-1.2	-2.8	-16	-7.0	0.4	6.7	2.7	-0.5	1.0				
CRADLE C087'S MOYH138			78%	50%	48%	44%	40%	47%	51%	51%	50%	46%	38%				
CWJ 160007		KJDFC0087	113	92	84	83	84	70	94	105	111	95	113	2	3	2	1
FB		MOYFH0138	-0.07	-0.2	-3.7	-5.7	-16	-7.3	0.0	4.2	2.4	-0.6	1.7				
CRADLE C087'S MOYH138			65%	50%	48%	44%	40%	47%	55%	55%	52%	46%	38%				
CWJ 170001		KJDFC0087	98	107	98	94	95	78	102	154	125	126	102	1	8	3	
FB		KSOFFJ0064	1.45	5.9	4.7	3.0	-1	-2.8	1.0	38.8	4.7	2.4	-0.1				
CRADLE C087'S KSOFFJ064			74%	52%	52%	51%	41%	52%	58%	58%	56%	51%	40%				
CWJ 170004		A3001	102	104	101	103	97	85	110	92	93	98	101	1	5	1	
FB		KSOFFK0082	1.09	4.7	6.9	9.5	2	0.5	2.0	-4.6	-0.3	-0.3	-0.4				
CWJ17004			64%	36%	41%	38%	25%	30%	43%	43%	41%	40%	31%				
CWJ 170007		KJDFC0087	101	92	83	82	81	72	91	105	107	88	114	1	4		
FB		CWJ 150001	1.16	-0.2	-4.7	-6.9	-21	-6.2	-0.3	4.3	1.9	-1.3	1.7				
CWJ17007			69%	52%	51%	47%	43%	51%	56%	56%	55%	50%	42%				
CWJ 170008		SMOFF0126	111	103	97	98	82	74	104	105	109	140	128	1	7	2	
FB		SFWFK0120	0.18	4.0	4.2	5.7	-19	-5.1	1.2	4.0	2.2	3.7	3.9				
CWJ17008			70%	45%	45%	48%	41%	44%	47%	49%	46%	46%	33%				
CWJ 170009		PMGFL0004	111	92	84	84	78	69	119	79	126	72	92	1	8	4	
FB		KSOFFC0007	0.16	-0.3	-3.9	-4.8	-25	-7.6	3.2	-13.7	4.8	-2.7	-1.7				
CWJ17009			72%	39%	48%	42%	35%	37%	49%	50%	47%	46%	37%				
CWJ 180003		SMOFF0126	127	98	92	93	82	72	104	105	109	140	128	2	7	2	
FB		SFWFK0120	-1.36	2.1	1.2	2.1	-19	-6.0	1.2	4.0	2.2	3.7	3.9				
CWJ18003			67%	45%	45%	48%	41%	44%	47%	49%	46%	46%	33%				
CWJ 180005	🔗	GINFB0901	101	91	85	87	83	81	94	101	122	84	99	1	5	2	
FB	🔗	CWJ 160006	1.16	-0.6	-3.1	-3.0	-18	-1.6	0.0	1.3	4.2	-1.6	-0.6				
CWJ180005			68%	36%	32%	33%	31%	37%	46%	47%	43%	40%	29%				
CWJ 180006	🔗	SMOFF0126	112	101	94	94	80	63	89	114	108	130	132	1	5	1	
FB	🔗	CWJ 160005	0.09	3.5	2.5	3.1	-22	-10.7	-0.6	10.9	2.0	2.8	4.6				
CWJ180006			70%	46%	45%	47%	38%	45%	49%	49%	46%	43%	33%				
CWJ 180007	🔗	LFDFF0241	115	106	99	101	96	71	97	84	95	89	113	1	5	1	
FB	🔗	CWJ 160007	-0.20	5.4	5.6	8.1	0	-6.7	0.4	-10.6	0.0	-1.2	1.6				
CWJ180007			67%	50%	48%	38%	23%	33%	48%	48%	44%	39%	30%				
CWJ 180009	🔗	SMOFF0126	104	105	98	98	81	66	89	114	108	130	132	1	4	2	
FB	🔗	CWJ 160005	0.86	5.0	4.7	5.7	-21	-9.3	-0.6	10.9	2.0	2.8	4.6				
CWJ180009			68%	44%	45%	47%	38%	42%	49%	49%	46%	43%	33%				

WAGYU Dams

Dam			Growth					Carcass					Stats				
ID	Parentage	Sire ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name	Gen. DNA	Dam ID															
JAPANESE BLACK																	
CWJ 180011	 GINFB0901		114	87	81	83	83	79	94	101	122	84	99	1	1	1	
FB		 CWJ 160006	-0.17	-2.3	-5.6	-6.1	-18	-2.4	0.0	1.3	4.2	-1.6	-0.6				
CWJ180011			60%	36%	32%	33%	31%	37%	46%	47%	43%	40%	29%				
CWJ 180012	 LFDFO241		114	107	100	101	96	71	97	84	95	89	113	1	5	3	
FB		 CWJ 160007	-0.09	5.6	5.8	8.4	0	-6.6	0.4	-10.6	0.0	-1.2	1.6				
CWJ180012			69%	50%	48%	38%	23%	33%	48%	48%	44%	39%	30%				
CWJ 190001	 CWJ 170003		99	109	102	101	95	75	100	118	109	106	105	1	4	1	
FB		 CWJ 170001	1.35	6.6	7.2	8.6	-1	-4.4	0.7	13.5	2.2	0.5	0.3				
CWJ190001			62%	35%	35%	31%	22%	29%	36%	36%	34%	31%	24%				
CWJ 190002	 SMOFF0126		118	101	100	102	84	79	98	103	102	131	125	1	5	2	
FB		 KSOFL00098	-0.50	3.5	6.1	8.7	-17	-2.2	0.5	2.7	1.1	2.9	3.5				
CWJ190002			66%	38%	39%	41%	37%	38%	42%	43%	40%	39%	29%				
CWJ 190003	 GINFB0901		102	89	84	86	80	79	87	108	121	82	98	1	4	2	
FB		 CWJ 160005	1.00	-1.5	-4.0	-3.2	-23	-2.4	-0.9	6.5	4.1	-1.8	-0.8				
CWJ190003			67%	38%	35%	35%	28%	38%	47%	48%	44%	39%	28%				
CWJ 190007	 CWJ 170003		95	107	99	101	86	68	90	103	103	89	107	1	4	1	
FB		 CWJ 160005	1.71	5.6	5.6	8.0	-13	-8.3	-0.5	2.6	1.2	-1.1	0.7				
CWJ 19-7			73%	36%	35%	30%	17%	28%	35%	35%	33%	28%	21%				
CWJ 190119	 A3001		118	99	92	95	88	79	111	106	95	98	94	1	4	2	
FB		 SFWFK0060	-0.52	2.4	1.4	3.7	-11	-2.2	2.1	5.3	0.0	-0.3	-1.5				
CWJ190119			63%	36%	46%	34%	23%	30%	43%	44%	42%	41%	31%				
CWJ 190125	 CWJ 160003		103	92	93	92	101	100	91	113	108	102	106	1	1	1	
F1		CWBFNIC OLETTE	0.94	-0.2	1.8	1.0	8	8.5	-0.3	10.0	2.0	0.1	0.4				
CWJ190125			51%	25%	25%	22%	22%	26%	30%	30%	27%	24%	20%				
CWJ 200001	 PWYPM0775		117	93	84	84	80	68	108	62	107	67	106	1	3	2	
PBD		 CWJ 170009	-0.43	0.0	-3.8	-5.3	-23	-8.0	1.8	-26.0	1.9	-3.3	0.5				
CWJ200001			65%	29%	41%	35%	23%	27%	50%	50%	47%	48%	37%				
CWJ 200003	 GINFK0930		95	102	93	96	90	74	93	106	109	88	103	1	4	2	
FB		 CWJ 160006	1.74	3.5	1.9	4.5	-8	-5.0	-0.1	5.3	2.2	-1.2	0.0				
CWJ200003			64%	36%	35%	34%	32%	35%	30%	37%	36%	34%	22%				
CWJ 200015	 CWJ 160003		105	92	93	93	85	86	102	103	113	97	102	1	4	3	
F2		 JMP 160244	0.72	-0.4	1.5	1.9	-15	1.3	1.1	2.9	2.9	-0.3	-0.2				
CWJ200015			77%	25%	25%	22%	22%	26%	30%	30%	27%	24%	20%				
CWJ 200016	 CWJ 160003		99	94	95	93	101	100	91	113	108	102	106	1	4	2	
F1			1.36	0.4	2.7	2.0	8	8.8	-0.3	10.0	2.0	0.1	0.4				
CWJ200016			62%	25%	25%	22%	22%	26%	30%	30%	27%	24%	20%				

WAGYU Dams

Dam			Growth					Carcass					Stats				
ID	Parentage	Sire ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name	Gen. DNA	Dam ID															
JAPANESE BLACK																	
CWJ 200018	✓ CWJ 170005	F1	95	97	98	98	103	104	101	95	110	88	97	1	2	1	
			1.70	1.8	5.1	5.9	10	11.0	1.0	-3.0	2.4	-1.2	-0.9				
CWJ200018			55%	20%	24%	21%	18%	18%	30%	30%	27%	23%	18%				
CWJ 200019	✓ CWJ 170005	F1	114	90	92	93	92	95	109	88	114	85	95	1	4	1	
			-0.16	-1.1	1.1	2.0	-6	5.9	1.9	-7.7	3.0	-1.5	-1.3				
CWJ200019				CWJ 130002	72%	20%	24%	21%	18%	18%	30%	30%	27%				
CWJ 200020	✓ CWJ 170005	F1	92	98	100	99	103	105	101	95	110	88	97	1	3	2	
			2.06	2.2	5.8	6.7	10	11.3	1.0	-3.0	2.4	-1.2	-0.9				
CWJ200020			60%	20%	24%	21%	18%	18%	30%	30%	27%	23%	18%				
CWJ 200029	✓ CWJ 160003	F1	89	96	97	96	101	101	91	113	108	102	106	1	4	2	
			2.26	1.5	4.4	4.1	8	9.3	-0.3	10.0	2.0	0.1	0.4				
CWJ200029			62%	25%	25%	22%	22%	26%	30%	30%	27%	24%	20%				
CWJ 200030	✓ CWJ 160003	F1	89	96	97	96	101	101	91	113	108	102	106	1	3	2	
			2.25	1.5	4.4	4.1	8	9.3	-0.3	10.0	2.0	0.1	0.4				
CWJ200030			59%	25%	25%	22%	22%	26%	30%	30%	27%	24%	20%				
CWJ 200032	✓ CWJ 160003	F1	97	94	95	93	101	100	91	113	108	102	106	1	4	2	
			1.49	0.5	2.9	2.3	8	8.9	-0.3	10.0	2.0	0.1	0.4				
CWJ200032			61%	25%	25%	22%	22%	26%	30%	30%	27%	24%	20%				
CWJ 200033	✓ CWJ 160003	F1	83	98	99	97	101	102	91	113	108	102	106	1	4	2	
			2.86	2.2	5.5	5.5	8	9.7	-0.3	10.0	2.0	0.1	0.4				
CWJ200033			61%	25%	25%	22%	22%	26%	30%	30%	27%	24%	20%				
CWJ 200035	✓ GINFK0930	FB	91	101	93	97	87	76	104	92	116	76	94	1	3	3	
			2.12	3.2	1.8	5.0	-12	-4.2	1.3	-5.0	3.2	-2.3	-1.4				
CWJ200035			73%	32%	35%	34%	30%	32%	30%	37%	35%	35%	21%				
CWJ 200042	✓ CWJ 160003	F1	98	92	94	94	90	93	98	106	112	99	103	1	3	2	
			1.44	-0.3	2.2	2.5	-7	5.1	0.6	5.3	2.6	-0.2	0.0				
CWJ200042				MA RBORAN	72%	25%	25%	22%	22%	26%	30%	30%	27%				
CWJ 200054	✓ SMOFF0126	FB	118	107	102	102	90	75	96	119	106	136	126	1	4	2	
			-0.52	5.7	7.0	9.3	-9	-4.6	0.2	14.2	1.7	3.3	3.6				
CWJ200054			64%	39%	41%	43%	37%	39%	45%	46%	44%	42%	31%				
CWJ 200056	✓ CWJ 160003	F1	85	98	98	97	101	102	91	113	108	102	106	1	3	2	
			2.66	2.0	5.1	5.0	8	9.6	-0.3	10.0	2.0	0.1	0.4				
CWJ200056				CWBFDRAKENS B7 6/15	58%	25%	25%	22%	22%	26%	30%	30%	27%				
CWJ 200060	✓ CWJ 160003	F1	88	97	98	96	101	101	91	113	108	102	106	1	1	1	
			2.41	1.7	4.7	4.4	8	9.4	-0.3	10.0	2.0	0.1	0.4				
CWJ200060				CWBFSI MBRAC4	51%	25%	25%	22%	22%	26%	30%	30%	27%				

WAGYU Dams

Dam			Growth					Carcass					Stats				
ID	Parentage	Sire ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name	Gen. DNA	Dam ID															
JAPANESE BLACK																	
CWJ 200069	✓	CWJ 160003	86	98	98	97	101	102	91	113	108	102	106	2	3	2	
F1		CWBFBV15-123	2.63	1.9	5.1	4.9	8	9.6	-0.3	10.0	2.0	0.1	0.4				
CWJ200069			60%	25%	25%	22%	22%	26%	30%	30%	27%	24%	20%				
CWJ 210001	✓	CWJ 160003	84	98	99	99	90	93	98	106	112	99	103	1	1		
F1		JERSEYXBORAN	2.79	2.3	5.5	6.3	-7	4.8	0.6	5.3	2.6	-0.2	0.0				
CWJ210001			69%	25%	25%	22%	22%	26%	30%	30%	27%	24%	20%				
CWJ 210012	✓	CWJ 170005	115	91	83	83	81	69	107	92	120	83	101	1	3		
FB	✓	CWJ 160006	-0.18	-0.6	-4.3	-5.8	-20	-7.5	1.7	-4.7	3.9	-1.7	-0.2				
CWJ210012			75%	32%	34%	30%	27%	30%	40%	39%	37%	33%	27%				
CWJ 210027	✓	CWJ 170005	102	95	97	96	103	104	101	95	110	88	97	1	3	1	
F1		CWBFPINZYL25/16	1.08	1.0	3.9	4.4	10	10.7	1.0	-3.0	2.4	-1.2	-0.9				
CWJ210027			59%	20%	24%	21%	18%	18%	30%	30%	27%	23%	18%				
CWJ 210029	✓	CWJ 160003	81	99	100	98	101	102	91	113	108	102	106	1	2		
F1		CWBFPINZ5/16	3.08	2.5	6.0	6.0	8	9.8	-0.3	10.0	2.0	0.1	0.4				
CWJ210029			54%	25%	25%	22%	22%	26%	30%	30%	27%	24%	20%				
CWJ 210041	✓	CWJ 160003	93	95	96	95	90	93	98	106	112	99	103	1	2	1	
F2	✓	JMP 160021	1.95	0.7	3.5	4.0	-7	4.9	0.6	5.3	2.6	-0.2	0.0				
CWJ210041			74%	25%	25%	22%	22%	26%	30%	30%	27%	24%	20%				
CWJ 210080	✓	CWJ 190004	104	100	104	104	105	108	91	108	98	119	113	1	1	1	
F1			0.85	2.8	8.8	11.0	13	13.0	-0.3	6.4	0.4	1.7	1.6				
CWJ210088			51%	21%	19%	21%	18%	24%	21%	21%	20%	20%	15%				
CWJ 210082	✓	CWJ 190004	114	97	101	101	105	107	91	108	98	119	113	1	3	1	
F1			-0.14	1.5	6.9	8.7	13	12.4	-0.3	6.4	0.4	1.7	1.6				
CWJ210082			58%	21%	19%	21%	18%	24%	21%	21%	20%	20%	15%				
CWJ 220003	✓	CWJ 170005	95	97	99	98	103	104	101	95	110	88	97	1	2	1	
F1	✓	CWBFCWJ 172017	1.76	1.8	5.2	6.0	10	11.1	1.0	-3.0	2.4	-1.2	-0.9				
CWJ220003			56%	20%	24%	21%	18%	18%	30%	30%	27%	23%	18%				
CWJ 220044	✓	CWBMCWJ 190116	105	92	98	99	92	101	103	100	108	98	98	1	2	1	
F2	✓	CWJ 200029	0.70	-0.4	5.0	6.9	-5	9.5	1.1	0.6	2.0	-0.3	-0.8				
CWJ220044			67%	13%	12%	11%	11%	13%	15%	15%	14%	12%	10%				
CWJ 220045	✓	CWJ 190004	108	99	95	97	85	77	101	97	109	104	110	1	1		
FB	✓	CWJ 200035	0.47	2.4	2.7	5.4	-15	-3.4	0.9	-1.1	2.2	0.3	1.1				
CWJ220045			72%	27%	26%	27%	24%	28%	26%	28%	27%	26%	18%				
CWJ 220054	✓	RSS 190063	88	113	117	117	118	113	90	103	103	96	99	2	2	1	
F1			2.39	8.2	16.4	20.7	32	15.7	-0.5	2.6	1.3	-0.4	-0.6				
CWJ220054			55%	14%	16%	15%	9%	11%	18%	18%	16%	16%	11%				

WAGYU Dams

Dam			Growth					Carcass					Stats				
ID	Parentage	Sire ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name	Gen. DNA	Dam ID															
JAPANESE BLACK																	
CWJ 220072	✓	CWJ 190115	113	118	116	117	117	101	83	111	98	103	111	1	2	1	
F1		CWBFBORXJER	-0.06	10.0	15.8	20.9	30	9.4	-1.4	8.7	0.5	0.2	1.2				
CWJ220072			46%	19%	23%	21%	17%	18%	23%	24%	23%	23%	17%				
CWJ 220088	✓	CWJ 190004	134	90	86	87	81	72	103	82	105	99	116	1	1		
PBD	✓	CWJ 200001	-2.07	-0.9	-2.6	-2.8	-21	-5.9	1.2	-11.6	1.5	-0.2	2.0				
CWJ220088			69%	26%	28%	27%	22%	27%	33%	33%	31%	31%	24%				
CWJ 220095	✓	RSS 190063	87	114	117	117	118	113	90	103	103	96	99	1	1		
F1			2.52	8.4	16.7	21.0	32	15.7	-0.5	2.6	1.3	-0.4	-0.6				
CWJ220095			49%	14%	16%	15%	9%	11%	18%	18%	16%	16%	11%				
CWJ 230009	✓	CWJ 200006	85	122	115	116	105	78	94	103	117	83	95	1	1		
PBD	✓	RSS 190049	2.65	11.9	15.5	20.3	14	-2.7	0.0	2.8	3.4	-1.7	-1.2				
CWJ230009			70%	28%	29%	28%	18%	21%	23%	25%	23%	21%	14%				
CWJ A18006		CWJ 160001	88	96	97	96	101	102	93	118	107	104	103	2	3	1	
F1			2.40	1.2	4.3	4.1	8	10.0	-0.1	13.5	1.9	0.3	0.0				
RJA6-18			52%	25%	25%	22%	22%	26%	28%	28%	27%	24%	20%				
CWJ A18007	✓	CWJ 160001	83	97	99	97	101	103	93	118	107	104	103	2	5	4	
F1			2.85	1.8	5.2	5.1	8	10.2	-0.1	13.5	1.9	0.3	0.0				
RJA7-18			57%	25%	25%	22%	22%	26%	28%	28%	27%	24%	20%				
CWJ A18011	✓	CWJ 160001	81	98	99	98	101	103	93	118	107	104	103	2	3	1	
F1			3.07	2.1	5.6	5.7	8	10.4	-0.1	13.5	1.9	0.3	0.0				
RJA11-18			54%	25%	25%	22%	22%	26%	28%	28%	27%	24%	20%				
CWJ A18012	✓	CWJ 160001	89	96	97	95	101	102	93	118	107	104	103	2	4	3	
F1			2.34	1.2	4.2	3.9	8	9.9	-0.1	13.5	1.9	0.3	0.0				
RJA12-18			58%	25%	25%	22%	22%	26%	28%	28%	27%	24%	20%				
CWJ A18013	✓	CWJ 160001	92	95	96	95	101	102	93	118	107	104	103	1	4	2	
F1			2.04	0.8	3.6	3.2	8	9.7	-0.1	13.5	1.9	0.3	0.0				
RJA13-18			56%	25%	25%	22%	22%	26%	28%	28%	27%	24%	20%				
CWJ1190003	✓	CWJ 160003	79	100	100	99	101	102	91	113	108	102	106	1	3	2	
F1		CWBFBV9	3.25	2.7	6.3	6.4	8	9.9	-0.3	10.0	2.0	0.1	0.4				
CWJF1 19-3			59%	25%	25%	22%	22%	26%	30%	30%	27%	24%	20%				
CWJ1190005	✓	CWJ 160003	106	90	92	91	90	92	95	99	109	96	108	2	2	2	
F1		CWJ 130004	0.69	-1.2	0.8	0.8	-7	4.6	0.1	0.4	2.2	-0.5	0.8				
CWJF1 19-5			69%	25%	25%	22%	22%	26%	33%	33%	29%	24%	20%				
CWJ1190006	✓	CWJ 160003	96	94	95	95	90	92	98	106	112	99	103	2	3	1	
F1		JERSEYXBORAN	1.62	0.4	3.0	3.3	-7	4.6	0.6	5.3	2.6	-0.2	0.0				
CWJF1 19-6			70%	25%	25%	22%	22%	26%	30%	30%	27%	24%	20%				

WAGYU Dams

Dam				Growth						Carcass					Stats			
ID	Parentage	Sire ID		Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name	Gen. DNA	Dam ID																
JAPANESE BLACK																		
CWJF1170012				89														
BS				2.33											1	1	1	
CRADLE CWJF11712				30%														
F111/16				95														
BS				1.71											1	4		
F1 11/16				39%														
FW 180011		KJDFC0087		110	84	77	77	77	75	97	113	120	99	108				
FB		RVK 150016		0.26	-3.4	-8.3	-10.4	-26	-4.7	0.4	10.3	3.8	-0.2	0.8	2	6	3	
FW180011				69%	50%	49%	46%	40%	49%	56%	56%	54%	49%	40%				
GB14X				82														
BS				2.97											1	1	1	
GB14X				32%														
GB2013				89														
BS				2.30											1	1	1	
GB2013				28%														
JERSEYXBORAN				82														
BS				2.97											1	2	2	
JERSEYXBORAN				42%														
JMP 060159				90														
BS				2.24											1	1	1	
CARLOO JMP06-159				29%														
JMP 080850				93						101	107	104						
BS				1.88						0.9	5.6	1.4			1	1	1	
CARLOO JMP08-850				29%						11%	11%	8%						
JMP 090290				98														
BS				1.47											1	2	1	
CARLOO JMP09-290				37%														
JMP 160011		BA 100389		87	97	102	104	93	109	91	92	91	80	98				
F1		JMP 130351		2.47	1.8	7.2	10.9	-4	13.4	-0.3	-4.9	-0.6	-2.0	-0.8	1	6	5	
JMP16-011				73%	21%	19%	18%	18%	22%	30%	30%	27%	21%	14%				
JMP 160014		CWBMBA 090334		122														
F1		JMP 080006		-0.90											1	1	1	
JMP16-014				56%														
JMP 160021		CWBMBA 090334		76														
F1				3.60											1	6	5	
JMP16-021				62%														

WAGYU Dams

Dam				Growth						Carcass					Stats			
ID	Parentage	Sire ID		Birth	Wean	12 mnth	18 mnth	Mature	Milk	IMF	Carcass	EMA	Rib Fat	Marble	Herds	Progeny	Active	
Name	Gen. DNA	Dam ID		weight	weight	weight	weight	weight			weight			Fineness			2yrs & older	Carcasses
JAPANESE BLACK																		
JMP 160042		CWBMBA 090334		83														
F1		JMP 070019		2.92											1	1		
JMP16-042				60%														
JMP 160063	✓	CWBMBA 090334		99														
F1	✓	JMP 060159		1.35											1	7	2	
JMP16-063				69%														
JMP 160076	✓	BA 100389		91	96	101	102	104	117	84	99	87	83	100				
F1				2.06	1.5	6.5	9.2	12	17.5	-1.2	-0.1	-1.2	-1.7	-0.4	1	7	3	
JMP16-076				66%	21%	19%	18%	18%	22%	30%	30%	27%	21%	14%				
JMP 160242		CWBMBA 090334		105						109	107	111						
F1		JMP 080850		0.70						2.0	5.9	2.5			1	4	2	1
JMP16-242				68%						27%	26%	20%						
JMP 160244		CWBMBA 090334		103														
F1		JMP 090290		0.95											1	7	2	
JMP16-244				73%														
KSOFC0007		IMUFM1615		120	92	83	81	83	68	101	104	137	89	106				
FB		101		-0.71	-0.3	-4.3	-7.3	-18	-8.5	0.9	3.6	6.5	-1.2	0.5	5	12	6	
OASIS MORIYAMA C007				71%	57%	59%	54%	52%	54%	62%	64%	61%	59%	46%				
KSOFD0012		151BE		113	89	81	80	73	70	111	125	119	111	99				
FB		KCCWAGYUSONY		-0.02	-1.6	-5.5	-8.1	-32	-7.2	2.2	18.2	3.7	1.0	-0.6	9	29	3	2
OASIS SONY D012				78%	70%	75%	68%	35%	58%	66%	66%	61%	50%	37%				
KSOFJ0064		IMUFR3258		90	121	113	110	103	85	105	170	133	149	87				
FB		KSOFD0012		2.24	11.3	14.3	15.3	10	0.6	1.4	50.8	5.8	4.6	-2.5	10	22	4	2
OASIS MORIYAMA				71%	53%	58%	61%	28%	53%	65%	67%	61%	52%	32%				
KSOFK0082		KSOFC0001		88	105	105	104	103	100	90	105	88	111	112				
FB		KSOFG0038		2.37	5.1	9.3	10.5	11	9.0	-0.4	4.2	-1.0	1.0	1.5	3	6	1	
OASIS SONY J82 (TW)				45%	36%	36%	49%	30%	34%	35%	37%	36%	35%	25%				
KSOFL00098				123	88	93	97	84	95	101	100	101	94	94				
FB		KSOFG0042		-1.02	-1.9	1.5	4.9	-17	6.2	1.0	0.6	0.9	-0.6	-1.5	1	2	2	
OASIS HIKOHIME (AI)				54%	29%	25%	25%	24%	30%	24%	26%	25%	25%	16%				
KSOFM00141	✓	IMUFR3258		115	102	98	101	95	87	96	132	109	103	95				
FB	✓	BRMFX0065		-0.22	3.6	5.0	8.0	-1	1.8	0.3	23.4	2.1	0.2	-1.3	1	1	1	
OASIS YURIYUHO M00141 (AI) (ET)				46%	36%	39%	35%	27%	36%	38%	44%	41%	40%	27%				
LB11-662				104														
BS				0.80											1	1	1	
LOUMA-B 11-662 ANGUS				29%														

WAGYU Dams

Dam				Growth						Carcass					Stats			
ID	Parentage	Sire ID		Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name		Gen. DNA	Dam ID															
JAPANESE BLACK																		
LB15-120				85														
BS				2.74											1			
LOUMA-B 15-120 BONSMARA				29%											1			
LB15-178				91														
BS				2.11											1			
LOUMA-B 15-178 BONSMARA				29%											1			
LB15-246				85														
BS				2.73											1			
LOUMA-B 15-246 BONSMARA				29%											1			
LONGHNGUNI				105														
BS				0.78											1			
LONGH NGUNI				40%											2			
MA RBORAN				90														
BS				2.24											1			
MARBORAN				40%											2			
MOYFH0079			MOYFZ0179	118	72	70	71	64	58	104	130	125	103	92				
FB			MOYFB0354	-0.53	-8.2	-12.9	-15.4	-45	-13.4	1.4	22.3	4.6	0.2	-1.7	7	30	6	4
MOYHU F H79				66%	47%	48%	30%	44%	54%	58%	57%	51%	36%	26%				
MOYFH0138			MOYFZ0179	116	92	88	89	82	69	96	101	108	90	101				
FB			MOYFZ0165	-0.28	-0.3	-1.5	-0.9	-20	-7.9	0.2	1.8	2.0	-1.0	-0.3	6	18	4	
MOYHU F H138				63%	45%	39%	28%	22%	30%	36%	38%	35%	29%	21%				
NG14/132				97														
BS				1.53											1			
CRADLE NG14/132				26%											1			
NT117				94														
BS				1.81											1			
NT117				24%											1			
PINZ10/16				88														
BS				2.43											1			
PINZ10/16				29%											1			
RSS 180003			BA 150368	111	111	104	103	98	77	82	106	96	82	102				
PBD			WAP 140026	0.17	7.5	8.4	10.1	3	-3.6	-1.5	5.1	0.1	-1.8	-0.1	2	4	2	
RSS180003				66%	38%	44%	42%	25%	36%	56%	55%	53%	49%	38%				
RVK 150016			MOYFF0054	114	75	71	76	68	78	95	112	122	95	98				
FB			KSOFF0036	-0.12	-7.3	-11.7	-11.5	-40	-3.0	0.1	9.0	4.2	-0.6	-0.7	2	5	1	1
F0054'S KSOFG36 - 2				60%	44%	46%	40%	19%	43%	58%	57%	54%	46%	33%				

WAGYU Dams

Dam			Growth					Carcass					Stats				
ID	Parentage	Sire ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name	Gen. DNA	Dam ID															
JAPANESE BLACK																	
SFWFK0060		IMUFR3258	110	97	91	92	85	92	93	133	93	110	99	3	9	4	
FB		SFWFE0006	0.26	1.8	0.3	1.4	-15	4.3	-0.1	24.0	-0.3	0.8	-0.6				
SHADAI FARM K0060			54%	36%	56%	34%	25%	35%	37%	42%	40%	39%	24%				
SFWFK0120		MO 139	120	87	83	86	80	83	112	103	115	112	99	3	10	4	
FB		SFWFD0094	-0.72	-2.2	-4.3	-3.6	-23	-0.2	2.4	3.2	3.1	1.0	-0.6				
SHADAI FARM K0120 (AI)			65%	56%	54%	54%	44%	54%	47%	54%	52%	53%	35%				

WAGYU Bulls

Inbreeding >6% is high				<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed																	
Bull				Selection Value					Calf weight		Mother		Growth		Fertility			Carcass						
ID	Parentage	%Inbreeding	Genomic DNA	Sire ID	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling	Fineness
Name	Dam ID																							
JAPANESE BLACK																								
CWJ 170005	4			PMGFL0004	118	85	69	122	101	131	85	110	69	78	78	99	104	94	118	76	128	70	93	
FB				KSOFC0007	88%	39%	37 %	35%	38%	-1.73	-3.3	-0.74	-7.9	-9.3	-25	-2.4	0.1	2.4	3.1	-16.0	5.1	-3.0	-1.5	
CRADLE MONEYMAKER										94 %	39 %	65%	37%	45%	35%	48%	28%	76 %	60 %	60 %	55 %	46 %	37 %	
CWJ 190004	2			SMOFF0126	109	93	77	117	106	137	93	114	77	93	83	96	114	112	98	103	102	131	125	
FB				KSOFL00098	85%	43%	47 %	37%	41%	-2.32	0.1	-0.89	-3.2	1.8	-19	-0.5	-2.0	10.3	0.5	2.7	1.1	2.9	3.5	
CRADLE THOR										91 %	43 %	61%	47%	40%	37%	55%	27%	68 %	42 %	43 %	40 %	39 %	29 %	
CWJ 200007	2			GINFK0930	90	103	74	110	110	90	103	97	74	96	90	97	120	124	93	106	109	88	103	
FB				CWJ 160006	76%	36%	35 %	32%	32%	2.19	4.3	-0.28	-5.0	3.9	-8	-1.0	-3.1	15.6	-0.1	5.3	2.2	-1.2	0.0	
CRADLE CWJ200007										84 %	36 %	47%	35%	34%	32%	39%	25%	58 %	30 %	37 %	36 %	34 %	22 %	
CWJ 200010	1			A3001	119	100	80	112	107	113	100	108	80	95	88	106	108	126	111	106	95	98	94	
FB				SFWFK0060	56%	36%	30 %	23%	30%	0.01	3.0	-0.70	-1.8	3.2	-11	-6.5	-1.1	16.4	2.1	5.3	0.0	-0.3	-1.5	
CRADLE CWJ200010										59 %	36 %	43%	30%	40%	23%	39%	21%	58 %	43 %	44 %	42 %	41 %	31 %	
CWJ 230106	2			CWJ 200010	122	93	74	117	106	115	93	109	74	88	83	103	109	120	97	115	103	95	101	
FB				CWJ 160005	61%	32%	28 %	19%	26%	-0.27	0.2	-0.72	-5.1	-1.9	-18	-4.3	-1.2	13.7	0.4	11.1	1.3	-0.6	-0.4	
CRADLE CWJ230106										66 %	32 %	44%	28%	33%	19%	34%	18%	45 %	35 %	35 %	33 %	30 %	23 %	
CWJ 250003				RSS 190063	103	114	83	98	112	100	114	103	83	107	102	102	118	115	98	123	119	106	100	
PBD				CWJ 170001	65%	29%	28 %	22%	26%	1.21	8.5	-0.49	-0.3	11.5	10	-4.2	-2.8	11.5	0.6	17.0	3.8	0.5	-0.5	
CRADLE CWJ250003										70 %	29 %	46%	28%	30%	22%	34%	17%	47 %	34 %	34 %	32 %	30 %	23 %	
CWJ 250005				RSS 190063	91	119	81	98	112	91	119	98	81	114	102	107	115	117	97	105	111	96	101	
PBD				CWJ 190001	62%	23%	18 %	14%	22%	2.12	10.7	-0.30	-1.3	16.1	10	-6.8	-2.4	12.5	0.4	4.3	2.5	-0.4	-0.3	
CRADLE CWJ250005										68 %	23 %	41%	18%	23%	14%	31%	14%	42 %	26 %	26 %	24 %	22 %	16 %	
CWJ 250008				RSS 190063	95	111	78	106	118	97	111	90	78	105	94	116	119	123	107	86	120	80	95	
PBD				CWJ 170009	65%	24%	21 %	20%	24%	1.55	7.3	-0.01	-2.9	10.0	-2	-11.9	-3.0	15.1	1.7	-9.3	3.9	-2.0	-1.3	
CRADLE CWJ250008										71 %	24 %	44%	21%	28%	20%	31%	16%	46 %	31 %	31 %	29 %	28 %	21 %	
CWJ 250013	4			CWJ 200007	99	105	76	113	107	98	105	98	76	101	87	95	116	118	95	105	106	110	114	
FB				CWJ 190002	63%	26%	26 %	24%	25%	1.42	5.0	-0.29	-3.7	7.0	-12	-0.2	-2.4	13.0	0.2	4.0	1.6	0.8	1.8	
CRADLE CWJ250013										69 %	26 %	41%	26%	26%	24%	32%	18%	41 %	26 %	28 %	27 %	26 %	18 %	
CWJ 250017				RSS 190063	114	113	79	97	119	108	113	111	79	109	103	113	123	115	96	88	104	88	105	
PBD				CWJ 180012	64%	28%	20 %	14%	24%	0.41	8.3	-0.81	-2.2	13.0	10	-10.2	-3.7	11.8	0.3	-7.7	1.4	-1.3	0.4	
CRADLE CWJ250017										70 %	28 %	42%	20%	26%	14%	32%	15%	44 %	30 %	30 %	28 %	25 %	18 %	
CWJ 250019				RSS 190063	105	113	75	105	122	102	113	105	75	109	95	117	124	119	92	103	111	109	115	
PBD				CWJ 180006	66%	27%	25 %	21%	26%	1.07	8.3	-0.57	-4.3	12.4	-1	-12.6	-3.9	13.4	-0.3	3.0	2.4	0.7	1.9	
CRADLE CWJ250019										71 %	27 %	45%	25%	28%	21%	35%	17%	45 %	31 %	31 %	28 %	27 %	20 %	
CWJ 250036				AP112607	125	108	79	104	114	118	108	109	79	102	96	113	113	133	113	78	105	102	108	
PBD				CWJ 200001	61%	18%	19 %	13%	24%	-0.49	6.2	-0.72	-2.6	8.0	1	-10.3	-2.2	19.3	2.5	-14.7	1.5	0.1	0.8	
CRADLE CWJ250036										66 %	18 %	40%	19%	20%	13%	34%	13%	44 %	39 %	40 %	36 %	40 %	30 %	

WAGYU Bulls

Inbreeding >6% is high					<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed															
Bull					Selection Value					Calf weight		Mother		Growth		Fertility			Carcass				
ID	%Inbreeding	Parentage			Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
Name		Genomic	DNA	Sire ID Dam ID																			
JAPANESE BLACK																							
CWJ 250042	1	✓	WSI126Z		100	107	77	107	111	99	107	99	77	103	93	105	115	119	97	99	114	89	99
PBD		✓	CWJ 230009		56%	20%	17 %	14%	18%	1.37	5.9	-0.34	-3.4	8.4	-4	-6.0	-2.1	13.2	0.4	0.3	3.0	-1.2	-0.7
CRADLE CWJ250042					64%	20%	17 %	14%	18%	64 %	20 %	27%	17%	19%	14%	25%	11%	28 %	18 %	19 %	18 %	17 %	12 %
CWJ 250047	3	✓	FB15730		115	90	69	117	102	129	90	125	69	84	83	95	109	108	109	74	102	94	110
FB		✓	CWJ 180007		62%	38%	32 %	28%	32%	-1.54	-1.1	-1.34	-7.8	-4.8	-18	0.0	-1.1	8.6	2.0	-17.8	1.2	-0.7	1.2
CRADLE CWJ250047					67 %	38 %	32 %	28%	32%	67 %	38 %	44%	32%	36%	28%	38%	25%	43 %	36 %	37 %	36 %	34 %	29 %
CWJ 250053	4	✓	GRSFK0483		95	102	73	117	96	92	102	109	73	95	83	87	106	112	112	118	130	93	85
PBD		✓	CWJ 160002		60%	31%	32 %	26%	24%	2.03	3.7	-0.72	-5.6	2.7	-17	4.5	-0.2	10.4	2.3	13.8	5.4	-0.8	-2.8
CRADLE CWJ250053					65 %	31 %	32 %	26%	24%	65 %	31 %	40%	32%	30%	26%	31%	18%	44 %	34 %	35 %	33 %	30 %	23 %
CWJ 250058	2	✓	CWJ 200010		115	96	74	117	106	109	96	108	74	90	83	103	109	120	97	115	103	95	101
FB		✓	CWJ 160005		46%	32%	28 %	19%	26%	0.35	1.4	-0.70	-5.2	-0.3	-18	-4.3	-1.2	13.7	0.4	11.1	1.3	-0.6	-0.4
CRADLE CWJ250058					47 %	32 %	28 %	19%	26%	47 %	32 %	44%	28%	33%	19%	34%	18%	45 %	35 %	35 %	33 %	30 %	23 %
CWJ 250062		✓	RSS 190063		104	112	78	102	121	101	112	104	78	109	98	119	122	120	92	97	108	88	102
PBD		✓	CWJ 190007		65%	23%	18 %	12%	22%	1.12	8.0	-0.53	-3.0	12.4	4	-13.7	-3.6	14.0	-0.2	-1.1	2.0	-1.2	-0.1
CRADLE CWJ250062					71 %	23 %	18 %	12%	22%	71 %	23 %	41%	18%	22%	12%	30%	14%	43 %	25 %	25 %	23 %	21 %	15 %
CWJ 250063		✓	RSS 190063		111	116	81	100	123	106	116	108	81	112	100	120	124	121	95	105	110	111	112
PBD		✓	CWJ 200054		64%	24%	22 %	21%	26%	0.68	9.3	-0.69	-1.3	14.9	6	-14.7	-4.0	14.1	0.2	4.7	2.3	1.0	1.4
CRADLE CWJ250063					70 %	24 %	22 %	21%	26%	70 %	24 %	42%	22%	26%	21%	33%	18%	44 %	29 %	29 %	27 %	26 %	19 %
CWJ 250064		✓	RSS 190063		114	110	84	101	122	109	110	104	84	107	99	119	122	116	103	99	104	92	96
PBD		✓	CWJ 190119		64%	23%	19 %	15%	24%	0.33	7.0	-0.53	0.0	11.1	5	-14.1	-3.7	11.9	1.1	0.2	1.4	-0.8	-1.1
CRADLE CWJ250064					70 %	23 %	19 %	15%	24%	70 %	23 %	41%	19%	26%	15%	32%	16%	44 %	28 %	29 %	27 %	26 %	19 %
CWJ 250069	4	✓	CWJ 200007		126	92	74	114	105	123	92	112	74	87	86	95	112	127	98	94	107	94	109
PBD		✓	CWJ 220088		62%	22%	22 %	19%	23%	-0.97	-0.3	-0.85	-5.2	-2.4	-14	-0.1	-1.8	16.7	0.5	-3.2	1.8	-0.7	1.0
CRADLE CWJ250069					69 %	22 %	22 %	19%	23%	69 %	22 %	35%	22%	22%	19%	30%	16%	38 %	22 %	25 %	24 %	23 %	16 %
CWJ 260006	5	✓	CWJ 200007		107	102	74	114	107	103	102	107	74	96	86	98	115	115	98	105	109	114	115
FB		✓	CWJ 170008		64%	29%	28 %	26%	26%	0.97	3.8	-0.65	-5.0	3.6	-14	-1.5	-2.1	11.7	0.6	4.7	2.2	1.3	2.0
CRADLE CWJ260006					70 %	29 %	28 %	26%	26%	70 %	29 %	43%	28%	29%	26%	31%	20%	43 %	28 %	31 %	29 %	29 %	20 %
CWJ 260012		✓	CWJ 220095		94	100	108		110	103	100	59	108	109		104	112	98	102	95	106	95	95
PEN					52%	7 %	6 %		8 %	0.91	2.9	1.14	13.1	12.8		-5.1		4.5	1.0	-3.1	1.7	-0.5	-1.3
CRADLE CWJ260012					60 %	7 %	6 %		8 %	60 %	7 %	20%	6 %	8 %		11%		20 %	9 %	9 %	8 %	8 %	5 %
CWJ 260013	6	✓	CWJ 200007		105	103	69	115	108	100	103	110	69	96	85	98	116	123	91	110	108	109	117
FB		✓	CWJ 180006		65%	29%	29 %	25%	27%	1.20	4.0	-0.74	-7.9	3.3	-15	-1.9	-2.4	15.1	-0.4	8.1	2.1	0.8	2.3
CRADLE CWJ260013					70 %	29 %	29 %	25%	27%	70 %	29 %	44%	29%	29%	25%	34%	20%	43 %	29 %	31 %	29 %	28 %	20 %
CWJ 260014	6	✓	CWJ 200007		95	106	70	114	107	94	106	103	70	98	86	95	117	122	91	110	108	109	117
FB		✓	CWJ 180009		63%	28%	27 %	25%	27%	1.85	5.3	-0.50	-7.3	5.2	-14	0.2	-2.5	14.4	-0.4	8.1	2.1	0.8	2.3
CRADLE CWJ260014					69 %	28 %	27 %	25%	27%	69 %	28 %	42%	27%	29%	25%	33%	21%	42 %	29 %	31 %	29 %	28 %	20 %

WAGYU Bulls

Inbreeding >6% is high				<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed															
Bull				Selection Value					Calf weight		Mother		Growth		Fertility			Carcass				
ID	%Inbreeding	Parentage		Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
		Genomic	Sire ID																			
JAPANESE BLACK																						
CWJ 260015	10	✓	CWJ 200007	96	107	75	108	99	94	107	103	75	99	92	88	108	121	96	112	109	97	104
FB		✓	CWJ 190001	1.81	5.6	-0.49	-4.8	5.8	5.6	-0.49	-4.8	5.8	-5	3.9	-1.0	14.1	0.3	9.4	2.2	-0.4	0.1	
CRADLE CWJ260015				62%	25%	23 %	19%	24%	68 %	25 %	40%	23%	24%	19%	30%	17%	40 %	24 %	26 %	25 %	23 %	16 %
CWJ 260021	5	✓	CWJ 200007	107	102	73	114	107	105	102	119	73	96	86	98	115	113	98	105	109	114	115
FB		✓	CWJ 180003	0.78	3.9	-1.10	-5.6	3.5	3.9	-1.10	-5.6	3.5	-14	-1.5	-2.1	10.9	0.6	4.7	2.2	1.3	2.0	
CRADLE CWJ260021				63%	29%	28 %	26%	26%	69 %	29 %	42%	28%	29%	26%	31%	20%	43 %	28 %	31 %	29 %	29 %	20 %
CWJ 260023	27	✓	CWJ 200007	87	104	72	113	109	86	104	103	72	95	87	95	119	117	95	107	111	92	106
FB		✓	CWJ 160006	2.55	4.7	-0.48	-6.2	3.2	4.7	-0.48	-6.2	3.2	-12	0.3	-3.0	12.6	0.1	6.0	2.5	-0.8	0.5	
CRADLE CWJ260023				66%	31%	29 %	26%	26%	71 %	31 %	45%	29%	29%	26%	33%	20%	46 %	30 %	32 %	31 %	29 %	22 %

WAGYU Cows

Inbreeding >6% is high			<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed																
Cow				Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas				
ID	%Inbreeding	Parentage		Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
Name		Genomic DNA	Sire ID																			
AKAUSHI																						
RSS 190107 6				107	126	85	87	141	104	126	103	85	121	113	140	139	132	90	90	120	77	96
FB				44 %	28 %	20 %	17 %	26 %	0.84	13.3	-0.48	1.0	21.4	24	-26.1	-6.6	18.9	-0.5	-6.2	3.9	-2.3	-1.1
RISING SUN RSS190107									45 %	28 %	40 %	20 %	32 %	17%	39%	14%	59 %	37 %	37 %	33 %	32 %	22 %
CWJ 230092				83	114	113	82	111	86	114	91	113	117	118	114	108	96	90	103	103	96	99
F1				42 %	14 %	11 %	9 %	15 %	2.64	8.5	-0.05	15.8	18.6	32	-10.7	-1.0	3.6	-0.5	2.6	1.3	-0.4	-0.6
CRADLE CWJ230092									46 %	14 %	25 %	11 %	16 %	9 %	21%	9%	32 %	18 %	18 %	16 %	16 %	11 %
CWJ 240073				83	114	113	82	111	86	114	91	113	117	118	114	108	96	90	103	103	96	99
F1				42 %	14 %	11 %	9 %	15 %	2.64	8.5	-0.05	15.8	18.6	32	-10.7	-1.0	3.6	-0.5	2.6	1.3	-0.4	-0.6
CRADLE CWJ240073									46 %	14 %	25 %	11 %	16 %	9 %	21%	9%	32 %	18 %	18 %	16 %	16 %	11 %
CWJ 240083				83	114	113	82	111	86	114	91	113	117	118	114	108	96	90	103	103	96	99
F1				42 %	14 %	11 %	9 %	15 %	2.64	8.5	-0.05	15.8	18.6	32	-10.7	-1.0	3.6	-0.5	2.6	1.3	-0.4	-0.6
CRADLE CWJ240083									46 %	14 %	25 %	11 %	16 %	9 %	21%	9%	32 %	18 %	18 %	16 %	16 %	11 %
JAPANESE BLACK																						
CWJ 110016				89					97		66				67							
BS				39 %					1.48		0.87				-8.8							
CRADLE CWJ11-16									38 %		42 %				22 %							
CWJ 160002 11				116	82	65	124	99	114	82	123	65	74	76	81	113	100	101	123	121	103	105
FB				71 %	51 %	54 %	45 %	41 %	-0.08	-4.3	-1.23	-10.1	-11.6	-29	8.2	-1.9	5.2	1.0	16.9	4.0	0.2	0.3
CRADLE C087'S MOYFH079									71 %	51 %	73 %	54 %	47 %	45%	52%	30%	68 %	56 %	56 %	53 %	47 %	39 %
CWJ 160005				111	92	67	122	104	106	92	108	67	86	78	99	110	114	83	123	112	93	108
FB				74 %	54 %	48 %	31 %	42 %	0.69	-0.2	-0.69	-8.7	-3.7	-25	-2.2	-1.2	11.0	-1.4	16.9	2.6	-0.8	0.7
CRADLE A107'S KSOFD012									74 %	54 %	76 %	48 %	52 %	31%	55%	29%	70 %	54 %	54 %	52 %	44 %	33 %
CWJ 160006 5				106	97	70	116	108	102	97	110	70	87	84	92	119	110	97	108	113	96	109
FB				78 %	50 %	47 %	40 %	42 %	1.07	1.5	-0.77	-7.0	-2.4	-16	1.6	-2.9	9.6	0.4	6.7	2.7	-0.5	1.0
CRADLE C087'S MOYH138									78 %	50 %	76 %	47 %	46 %	40%	54%	31%	70 %	51 %	51 %	50 %	46 %	38 %
JMP 160021				60				100	76		33			94		105						
F1				63 %				9 %	3.60		2.11			0.4		7.5						
CARLOO JMP16-021									62 %		66 %			15%		39 %						
JMP 160063				87				108	99		49			100	113	86						
F1				67 %				19 %	1.35		1.54			-2.6	-1.9	-0.7						
CARLOO JMP16-063									69 %		60 %			32%	6%	46 %						
JMP 160076				89	96	117	96	99	91	96	90	117	101	104	102	97	87	84	99	87	83	100
F1				66 %	21 %	22 %	18 %	24 %	2.06	1.5	0.00	17.5	7.4	12	-4.0	1.0	-0.5	-1.2	-0.1	-1.2	-1.7	-0.4
CARLOO JMP16-076									66 %	21 %	67 %	22 %	18 %	18%	34%	15%	54 %	30 %	30 %	27 %	21 %	14 %

WAGYU Cows

Inbreeding >6% is high				<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed																
Cow				Selection Values					Kalf gewig		Moeder		Groeï		Vrugbaarheid			Karkas					
ID	%Inbreeding	Parentage		Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness	
Name		Genomic DNA	Sire ID Dam ID																				
JAPANESE BLACK																							
JMP 160242		CWBMBMA 090334		95 66 %				109 0.70 68 %			44 1.71 58 %			111 9.7 40 %				109 2.0 27 %	107 5.9 26 %	111 2.5 20 %			
F1		JMP 080850																					
CARLOO JMP16-242																							
JMP 160244		CWBMBMA 090334		92 71 %				109 12 %	103 0.95 73 %		45 1.67 65 %				98 -1.8 16%	117 -2.5 9%	114 11.0 47 %						
F1		JMP 090290																					
CARLOO JMP16-244																							
CWJ 170001		9	KJDFC0087	100 75 %	107 52 %	78 52 %	105 41 %	87 42 %	98 1.45 74 %	107 5.9 52 %	116 -1.00 77 %	78 -2.8 52 %	96 3.4 52 %	95 -1 41%	71 14.2 54%	101 0.4 30%	113 10.7 69 %	102 1.0 58 %	154 38.8 58 %	125 4.7 56 %	126 2.4 51 %	102 -0.1 40 %	
FB		KSOFJ0064																					
CRADLE C087'S KSOFJ064																							
CWJ 170004		3	A3001	106 64 %	104 36 %	85 30 %	103 25 %	100 29 %	102 1.09 64 %	104 4.7 36 %	111 -0.81 65 %	85 0.5 30 %	102 7.8 40 %	97 2 25%	101 -3.5 36%	100 0.5 22%	105 7.3 60 %	110 2.0 43 %	92 -4.6 43 %	93 -0.3 41 %	98 -0.3 40 %	101 -0.4 31 %	
FB		KSOFK0082																					
CRADLE CWJ17004																							
CWJ 170007		7	KJDFC0087	103 69 %	92 52 %	72 51 %	119 43 %	99 40 %	101 1.16 69 %	92 -0.2 52 %	116 -0.99 70 %	72 -6.2 51 %	82 -6.2 49 %	81 -21 43%	82 7.8 51%	112 -1.7 30%	101 5.5 65 %	91 -0.3 56 %	105 4.3 56 %	107 1.9 55 %	88 -1.3 50 %	114 1.7 42 %	
FB		CWJ 150001																					
CRADLE CWJ17007																							
CWJ 170008		5	SMOFF0126	115 70 %	103 45 %	74 44 %	118 41 %	104 39 %	111 0.18 70 %	103 4.0 45 %	117 -1.01 72 %	74 -5.1 44 %	97 4.5 46 %	82 -19 41%	99 -2.1 48%	109 -1.1 30%	106 7.7 64 %	104 1.2 47 %	105 4.0 49 %	109 2.2 46 %	140 3.7 46 %	128 3.9 33 %	
FB		SFWFK0120																					
CRADLE CWJ17008																							
CWJ 170009		4	PMGFL0004	113 72 %	92 39 %	69 37 %	122 35 %	100 36 %	111 0.16 72 %	92 -0.3 39 %	93 -0.12 73 %	69 -7.6 37 %	84 -4.8 45 %	78 -25 35%	97 -1.2 45%	103 0.0 27%	130 18.0 64 %	119 3.2 49 %	79 -13.7 50 %	126 4.8 47 %	72 -2.7 46 %	92 -1.7 37 %	
FB		KSOFK0007																					
CRADLE CWJ17009																							
CWJ 180003		5	SMOFF0126	112 67 %	98 45 %	72 44 %	118 41 %	104 39 %	127 -1.36 67 %	98 2.1 45 %	142 -1.95 69 %	72 -6.0 44 %	93 1.2 46 %	82 -19 41%	99 -2.1 48%	109 -1.1 30%	102 6.2 64 %	104 1.2 47 %	105 4.0 49 %	109 2.2 46 %	140 3.7 46 %	128 3.9 33 %	
FB		SFWFK0120																					
CRADLE CWJ18003																							
CWJ 180005		2	GINFB0901	94 69 %	91 36 %	81 37 %	117 31 %	108 40 %	101 1.16 68 %	91 -0.6 36 %	70 0.73 71 %	81 -1.6 37 %	86 -3.5 32 %	83 -18 31%	100 -2.6 52%	114 -2.0 29%	111 10.0 62 %	94 0.0 46 %	101 1.3 47 %	122 4.2 43 %	84 -1.6 40 %	99 -0.6 29 %	
FB		✓	CWJ 160006																				
CRADLE CWJ180005		✓																					
CWJ 180006		6	SMOFF0126	114 71 %	101 46 %	63 45 %	120 38 %	107 42 %	112 0.09 70 %	101 3.5 46 %	122 -1.21 74 %	63 -10.7 45 %	94 2.4 46 %	80 -22 38%	100 -2.8 55%	113 -1.8 30%	122 14.6 63 %	89 -0.6 49 %	114 10.9 49 %	108 2.0 46 %	130 2.8 43 %	132 4.6 33 %	
FB		✓	CWJ 160005																				
CRADLE CWJ180006		✓																					
CWJ 180007		4	LFDFF0241	114 67 %	106 50 %	71 33 %	104 23 %	105 36 %	115 -0.20 67 %	106 5.4 50 %	135 -1.70 66 %	71 -6.7 33 %	100 6.4 43 %	96 0 23%	90 3.0 49%	115 -2.3 22%	113 10.9 61 %	97 0.4 48 %	84 -10.6 48 %	95 0.0 44 %	89 -1.2 39 %	113 1.6 30 %	
FB		✓	CWJ 160007																				
CRADLE CWJ180007		✓																					
CWJ 180009		6	SMOFF0126	109 68 %	105 44 %	66 42 %	119 38 %	104 43 %	104 0.86 68 %	105 5.0 44 %	110 -0.75 70 %	66 -9.3 42 %	98 4.8 46 %	81 -21 38%	93 1.5 54%	113 -1.8 32%	119 13.3 62 %	89 -0.6 49 %	114 10.9 49 %	108 2.0 46 %	130 2.8 43 %	132 4.6 33 %	
FB		✓	CWJ 160005																				
CRADLE CWJ180009		✓																					

WAGYU Cows

Inbreeding >6% is high				<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed															
Cow				Selection Values					Kalf gewig		Moeder		Groeï		Vrugbaarheid			Karkas				
ID	%Inbreeding	Parentage		Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
Name		Genomic DNA	Sire ID Dam ID																			
JAPANESE BLACK																						
CWJ 180012	4	✓	LFDfE0241	113	107	71	104	102	114	107	133	71	100	96	91	110	114	97	84	95	89	113
FB		✓	CWJ 160007	-0.09	5.6	-1.63	-6.6	68 %	69 %	50 %	68 %	33 %	6.7	0	2.2	-1.3	11.3	0.4	-10.6	0.0	-1.2	1.6
CRADLE CWJ180012				69 %	50 %	33 %	23 %	36 %	69 %	50 %	68 %	33 %	43 %	23%	49%	24%	60 %	48 %	48 %	44 %	39 %	30 %
CWJ A18006			CWJ 160001	89	96	102	99	92	88	96	103	102	96	101	87	96	98	93	118	107	104	103
F1				2.40	1.2	-0.50	10.0	52 %	2.40	1.2	-0.50	10.0	3.8	8	4.9	1.2	4.1	-0.1	13.5	1.9	0.3	0.0
CRADLE RJA6-18				53 %	25 %	26 %	22 %	20 %	52 %	25 %	55 %	26 %	24 %	22%	25%	15%	49 %	28 %	28 %	27 %	24 %	20 %
CWJ A18007		✓	CWJ 160001	81	97	103	99	92	83	97	96	103	98	101	87	96	101	93	118	107	104	103
F1				2.85	1.8	-0.22	10.2	57 %	2.85	1.8	-0.22	10.2	4.7	8	4.9	1.2	5.8	-0.1	13.5	1.9	0.3	0.0
CRADLE RJA7-18				58 %	25 %	26 %	22 %	20 %	57 %	25 %	60 %	26 %	24 %	22%	25%	15%	48 %	28 %	28 %	27 %	24 %	20 %
CWJ A18011		✓	CWJ 160001	78	98	103	99	92	81	98	92	103	98	101	87	96	99	93	118	107	104	103
F1				3.07	2.1	-0.08	10.4	54 %	3.07	2.1	-0.08	10.4	5.2	8	4.9	1.2	4.8	-0.1	13.5	1.9	0.3	0.0
CRADLE RJA11-18				54 %	25 %	26 %	22 %	20 %	54 %	25 %	56 %	26 %	24 %	22%	25%	15%	49 %	28 %	28 %	27 %	24 %	20 %
CWJ A18012		✓	CWJ 160001	90	96	102	99	92	89	96	104	102	96	101	87	96	100	93	118	107	104	103
F1				2.34	1.2	-0.53	9.9	58 %	2.34	1.2	-0.53	9.9	3.6	8	4.9	1.2	5.3	-0.1	13.5	1.9	0.3	0.0
CRADLE RJA12-18				58 %	25 %	26 %	22 %	20 %	58 %	25 %	60 %	26 %	24 %	22%	25%	15%	48 %	28 %	28 %	27 %	24 %	20 %
CWJ A18013		✓	CWJ 160001	95	95	102	99	92	92	95	109	102	95	101	87	96	101	93	118	107	104	103
F1				2.04	0.8	-0.72	9.7	56 %	2.04	0.8	-0.72	9.7	3.0	8	4.9	1.2	5.4	-0.1	13.5	1.9	0.3	0.0
CRADLE RJA13-18				57 %	25 %	26 %	22 %	20 %	56 %	25 %	60 %	26 %	24 %	22%	25%	15%	49 %	28 %	28 %	27 %	24 %	20 %
F111/16				85					95		63						96					
BS				1.71		1.01			1.71		1.01						3.3					
CRADLE F1 11/16				40 %		43 %			39 %		43 %						40 %					
FW 180011	6		KJDFC0087	115	84	75	123	92	110	84	115	75	77	77	73	107	128	97	113	120	99	108
FB			RVK 150016	0.26	-3.4	-0.93	-4.7	69 %	0.26	-3.4	-0.93	-4.7	-9.8	-26	13.0	-0.8	17.0	0.4	10.3	3.8	-0.2	0.8
FULLBLOOD GENETICS FW180011				70 %	50 %	49 %	40 %	40 %	69 %	50 %	72 %	49 %	48 %	40%	51%	29%	64 %	56 %	56 %	54 %	49 %	40 %
CWJ 190001	2	✓	CWJ 170003	103	109	75	105	88	99	109	109	75	101	95	80	96	117	100	118	109	106	105
FB		✓	CWJ 170001	1.35	6.6	-0.71	-4.4	62 %	1.35	6.6	-0.71	-4.4	7.4	-1	8.8	1.2	12.6	0.7	13.5	2.2	0.5	0.3
CRADLE CWJ190001				62 %	35 %	29 %	22 %	33 %	62 %	35 %	64 %	29 %	33 %	22%	44%	22%	55 %	36 %	36 %	34 %	31 %	24 %
CWJ 190002	2	✓	SMOFF0126	122	101	79	116	104	118	101	99	79	101	84	94	112	112	98	103	102	131	125
FB		✓	KSOFL00098	-0.50	3.5	-0.36	-2.2	66 %	-0.50	3.5	-0.36	-2.2	7.0	-17	0.6	-1.7	10.4	0.5	2.7	1.1	2.9	3.5
CRADLE CWJ190002				66 %	38 %	38 %	37 %	38 %	66 %	38 %	68 %	38 %	40 %	37%	50%	25%	59 %	42 %	43 %	40 %	39 %	29 %
CWJ 190003	7	✓	GINFB0901	96	89	79	120	103	102	89	69	79	85	80	99	108	114	87	108	121	82	98
FB		✓	CWJ 160005	1.00	-1.5	0.79	-2.4	67 %	1.00	-1.5	0.79	-2.4	-4.0	-23	-2.1	-0.9	11.3	-0.9	6.5	4.1	-1.8	-0.8
CRADLE CWJ190003				67 %	38 %	38 %	28 %	41 %	67 %	38 %	69 %	38 %	35 %	28%	53%	29%	62 %	47 %	48 %	44 %	39 %	28 %
CWJ 190007	2	✓	CWJ 170003	96	107	68	114	106	95	107	118	68	100	86	104	109	124	90	103	103	89	107
FB		✓	CWJ 160005	1.71	5.6	-1.06	-8.3	73 %	1.71	5.6	-1.06	-8.3	6.4	-13	-4.9	-1.1	15.7	-0.5	2.6	1.2	-1.1	0.7
CRADLE CWJ 19-7				71 %	36 %	28 %	17 %	34 %	73 %	36 %	65 %	28 %	32 %	17%	43%	24%	56 %	35 %	35 %	33 %	28 %	21 %

WAGYU Cows

Inbreeding >6% is high				<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed															
Cow				Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas				
ID	%Inbreeding	Parentage		Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
Name		Genomic DNA	Sire ID																			
JAPANESE BLACK																						
CWJ 190119	1	✓	A3001	123	99	79	112	108	118	99	118	79	94	88	105	110	115	111	106	95	98	94
FB		✓	SFWFK0060	63 %	36 %	30 %	23 %	36 %	-0.52	2.4	-1.08	-2.2	2.1	-11	-5.7	-1.3	11.5	2.1	5.3	0.0	-0.3	-1.5
CRADLE CWJ190119									63 %	36 %	63 %	30 %	40 %	23%	47%	26%	58 %	43 %	44 %	42 %	41 %	31 %
CWJ1190003		✓	CWJ 160003	78	100	102	99	88	79	100	99	102	99	101	80	95	95	91	113	108	102	106
F1			CWBFBV9	59 %	25 %	26 %	22 %	24 %	3.25	2.7	-0.33	9.9	5.9	8	8.7	1.3	3.2	-0.3	10.0	2.0	0.1	0.4
CRADLE CWJF1 19-3									59 %	25 %	59 %	26 %	24 %	22%	31%	16%	50 %	30 %	30 %	27 %	24 %	20 %
CWJ1190006		✓	CWJ 160003	96	94	92	110	94	96	94	95	92	95	90	77	107	124	98	106	112	99	103
F1			JERSEYXBORAN	68 %	25 %	26 %	22 %	30 %	1.62	0.4	-0.19	4.6	2.7	-7	10.3	-0.8	15.4	0.6	5.3	2.6	-0.2	0.0
CRADLE CWJF1 19-6									70 %	25 %	60 %	26 %	24 %	22%	42%	18%	53 %	30 %	30 %	27 %	24 %	20 %
CWJ 200001	10	✓	PWYPM0775	122	93	68	120	89	117	93	119	68	84	80	86	94	127	108	62	107	67	106
PBD		✓	CWJ 170009	65 %	29 %	27 %	23 %	36 %	-0.43	0.0	-1.09	-8.0	-5.0	-23	5.5	1.6	16.8	1.8	-26.0	1.9	-3.3	0.5
CRADLE CWJ200001									65 %	29 %	63 %	27 %	38 %	23%	49%	23%	59 %	50 %	50 %	47 %	48 %	37 %
CWJ 200003	2	✓	GINFK0930	96	102	74	110	108	95	102	99	74	95	90	92	120	114	93	106	109	88	103
FB		✓	CWJ 160006	64 %	36 %	35 %	32 %	38 %	1.74	3.5	-0.35	-5.0	2.8	-8	1.8	-3.1	11.2	-0.1	5.3	2.2	-1.2	0.0
CRADLE CWJ200003									64 %	36 %	64 %	35 %	34 %	32%	47%	30%	56 %	30 %	37 %	36 %	34 %	22 %
CWJ 200015		✓	CWJ 160003	110	92	86	115	106	105	92	105	86	93	85	86	121	111	102	103	113	97	102
F2		✓	JMP 160244	75 %	25 %	26 %	22 %	33 %	0.72	-0.4	-0.59	1.3	1.3	-15	5.0	-3.2	9.8	1.1	2.9	2.9	-0.3	-0.2
CRADLE CWJ200015									77 %	25 %	66 %	26 %	24 %	22%	42%	24%	52 %	30 %	30 %	27 %	24 %	20 %
CWJ 200016		✓	CWJ 160003	97	94	100	99	88	99	94	130	100	94	101	79	95	93	91	113	108	102	106
F1				62 %	25 %	26 %	22 %	25 %	1.36	0.4	-1.49	8.8	1.9	8	9.5	1.4	2.4	-0.3	10.0	2.0	0.1	0.4
CRADLE CWJ200016									62 %	25 %	62 %	26 %	24 %	22%	34%	16%	50 %	30 %	30 %	27 %	24 %	20 %
CWJ 200019		✓	CWJ 170005	115	90	95	108	95	114	90	87	95	93	92	95	97	98	109	88	114	85	95
F1			CWJ 130002	70 %	20 %	18 %	18 %	30 %	-0.16	-1.1	0.09	5.9	1.2	-6	0.2	1.1	4.5	1.9	-7.7	3.0	-1.5	-1.3
CRADLE CWJ200019									72 %	20 %	61 %	18 %	22 %	18%	38%	22%	51 %	30 %	30 %	27 %	23 %	18 %
CWJ 200020		✓	CWJ 170005	89	98	105	97	93	92	98	87	105	99	103	96	92	101	101	95	110	88	97
F1				59 %	20 %	18 %	18 %	19 %	2.06	2.2	0.09	11.3	5.8	10	-0.7	2.0	5.4	1.0	-3.0	2.4	-1.2	-0.9
CRADLE CWJ200020									60 %	20 %	56 %	18 %	22 %	18%	24%	14%	46 %	30 %	30 %	27 %	23 %	18 %
CWJ 200029		✓	CWJ 160003	91	96	101	99	92	89	96	115	101	96	101	88	95	108	91	113	108	102	106
F1				62 %	25 %	26 %	22 %	24 %	2.26	1.5	-0.94	9.3	3.8	8	3.9	1.4	8.5	-0.3	10.0	2.0	0.1	0.4
CRADLE CWJ200029									62 %	25 %	63 %	26 %	24 %	22%	33%	16%	50 %	30 %	30 %	27 %	24 %	20 %
CWJ 200030		✓	CWJ 160003	91	96	101	99	88	89	96	115	101	96	101	80	95	110	91	113	108	102	106
F1				59 %	25 %	26 %	22 %	24 %	2.25	1.5	-0.94	9.3	3.8	8	8.7	1.3	9.4	-0.3	10.0	2.0	0.1	0.4
CRADLE CWJ200030									59 %	25 %	58 %	26 %	24 %	22%	31%	16%	49 %	30 %	30 %	27 %	24 %	20 %
CWJ 200032		✓	CWJ 160003	96	94	100	99	88	97	94	128	100	94	101	80	95	110	91	113	108	102	106
F1				61 %	25 %	26 %	22 %	24 %	1.49	0.5	-1.42	8.9	2.2	8	8.7	1.3	9.5	-0.3	10.0	2.0	0.1	0.4
CRADLE CWJ200032									61 %	25 %	62 %	26 %	24 %	22%	31%	16%	50 %	30 %	30 %	27 %	24 %	20 %

WAGYU Cows

Inbreeding >6% is high				<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed															
Cow				Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas				
ID	%Inbreeding	Parentage		Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
Name		Genomic DNA	Sire ID																			
JAPANESE BLACK																						
CWJ 200033 ✓ CWJ 160003				84	98	102	99	88	83	98	105	102	98	101	80	95	111	91	113	108	102	106
F1				61 %	25 %	26 %	22 %	24 %	2.86	2.2	-0.57	9.7	5.1	8	8.7	1.3	9.7	-0.3	10.0	2.0	0.1	0.4
CRADLE CWJ200033				61 %	25 %	26 %	22 %	24 %	61 %	25 %	62 %	26 %	24 %	22%	31%	16%	49 %	30 %	30 %	27 %	24 %	20 %
CWJ 200035 3 ✓ GINFK0930				81	101	76	113	108	91	101	66	76	95	87	99	114	133	104	92	116	76	94
FB ✓ CWJ 170009				71 %	32 %	32 %	30 %	36 %	2.12	3.2	0.90	-4.2	3.0	-12	-2.6	-2.0	19.5	1.3	-5.0	3.2	-2.3	-1.4
CRADLE CWJ200035				71 %	32 %	32 %	30 %	36 %	73 %	32 %	61 %	32 %	34 %	30%	45%	28%	55 %	30 %	37 %	35 %	35 %	21 %
CWJ 200042 ✓ CWJ 160003				96	92	93	110	86	98	92	86	93	94	90	70	99	111	98	106	112	99	103
F1 MA RBORAN				70 %	25 %	26 %	22 %	30 %	1.44	-0.3	0.13	5.1	1.9	-7	14.7	0.6	9.7	0.6	5.3	2.6	-0.2	0.0
CRADLE CWJ200042				70 %	25 %	26 %	22 %	30 %	72 %	25 %	61 %	26 %	24 %	22%	40%	20%	52 %	30 %	30 %	27 %	24 %	20 %
CWJ 200054 2 ✓ SMOFF0126				120	107	75	110	110	118	107	128	75	102	90	107	113	125	96	119	106	136	126
FB ✓ KSOFM00141				64 %	39 %	39 %	37 %	40 %	-0.52	5.7	-1.43	-4.6	7.7	-9	-6.8	-1.9	16.0	0.2	14.2	1.7	3.3	3.6
CRADLE CWJ200054				64 %	39 %	39 %	37 %	40 %	64 %	39 %	65 %	39 %	42 %	37%	50%	30%	59 %	45 %	46 %	44 %	42 %	31 %
CWJ 200056 ✓ CWJ 160003				87	98	102	99	88	85	98	108	102	98	101	80	95	110	91	113	108	102	106
F1 CWBFDRAKENS76/15				58 %	25 %	26 %	22 %	24 %	2.66	2.0	-0.70	9.6	4.7	8	8.7	1.3	9.4	-0.3	10.0	2.0	0.1	0.4
CRADLE CWJ200056				58 %	25 %	26 %	22 %	24 %	58 %	25 %	58 %	26 %	24 %	22%	31%	16%	49 %	30 %	30 %	27 %	24 %	20 %
CWJ 200066 ✓ CWJ 160003				88	98	102	99	88	86	98	109	102	97	101	80	95	106	91	113	108	102	106
F1 CWBFBORXJER				48 %	25 %	26 %	22 %	24 %	2.62	1.9	-0.72	9.6	4.6	8	8.7	1.3	7.9	-0.3	10.0	2.0	0.1	0.4
CRADLE CWJ200066				48 %	25 %	26 %	22 %	24 %	49 %	25 %	44 %	26 %	24 %	22%	31%	16%	43 %	30 %	30 %	27 %	24 %	20 %
CWJ 200069 ✓ CWJ 160003				88	98	102	99	88	86	98	109	102	97	101	80	95	116	91	113	108	102	106
F1 CWBFBV15-123				60 %	25 %	26 %	22 %	24 %	2.63	1.9	-0.72	9.6	4.6	8	8.7	1.3	11.9	-0.3	10.0	2.0	0.1	0.4
CRADLE CWJ200069				60 %	25 %	26 %	22 %	24 %	60 %	25 %	58 %	26 %	24 %	22%	31%	16%	49 %	30 %	30 %	27 %	24 %	20 %
CWJ 200098 ✓ CWJ 160003				101	93	92	110	92	99	93	101	92	94	90	79	102	90	98	106	112	99	103
F1 CWJ 130X14				64 %	25 %	26 %	22 %	24 %	1.36	0.2	-0.42	4.3	2.2	-7	9.4	0.2	0.8	0.6	5.3	2.6	-0.2	0.0
CRADLE CWJ200098				64 %	25 %	26 %	22 %	24 %	68 %	25 %	48 %	26 %	24 %	22%	32%	16%	46 %	30 %	30 %	27 %	24 %	20 %
CWJ 210001 ✓ CWJ 160003				79	98	93	110	92	84	98	85	93	99	90	76	105	128	98	106	112	99	103
F1 JERSEYXBORAN				66 %	25 %	26 %	22 %	28 %	2.79	2.3	0.16	4.8	5.5	-7	10.9	-0.3	17.3	0.6	5.3	2.6	-0.2	0.0
CRADLE CWJ210001				66 %	25 %	26 %	22 %	28 %	69 %	25 %	52 %	26 %	24 %	22%	41%	16%	52 %	30 %	30 %	27 %	24 %	20 %
CWJ 210012 7 ✓ CWJ 170005				121	91	69	119	108	115	91	109	69	83	81	101	114	121	107	92	120	83	101
FB ✓ CWJ 160006				73 %	32 %	30 %	27 %	34 %	-0.18	-0.6	-0.73	-7.5	-5.5	-20	-3.4	-1.9	14.2	1.7	-4.7	3.9	-1.7	-0.2
CRADLE CWJ210012				73 %	32 %	30 %	27 %	34 %	75 %	32 %	63 %	30 %	32 %	27%	43%	24%	57 %	40 %	39 %	37 %	33 %	27 %
CWJ 210027 ✓ CWJ 170005				105	95	104	97	93	102	95	103	104	96	103	96	92	108	101	95	110	88	97
F1 CWBFPINZYL25/16				58 %	20 %	18 %	18 %	19 %	1.08	1.0	-0.51	10.7	3.8	10	-0.7	2.0	8.8	1.0	-3.0	2.4	-1.2	-0.9
CRADLE CWJ210027				58 %	20 %	18 %	18 %	19 %	59 %	20 %	56 %	18 %	22 %	18%	24%	14%	46 %	30 %	30 %	27 %	23 %	18 %
CWJ 210029 ✓ CWJ 160003				80	99	102	99	88	81	99	101	102	99	101	80	95	107	91	113	108	102	106
F1 CWBFPINZ5/16				54 %	25 %	26 %	22 %	24 %	3.08	2.5	-0.44	9.8	5.6	8	8.7	1.3	8.1	-0.3	10.0	2.0	0.1	0.4
CRADLE CWJ210029				54 %	25 %	26 %	22 %	24 %	54 %	25 %	53 %	26 %	24 %	22%	31%	16%	47 %	30 %	30 %	27 %	24 %	20 %

WAGYU Cows

Inbreeding >6% is high				<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed															
Cow				Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas				
ID	%Inbreeding	Parentage		Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
Name		Genomic DNA	Sire ID																			
JAPANESE BLACK																						
CWJ 210041				90	95	93	110	99	93	95	87	93	96	90	81	112	116	98	106	112	99	103
F2				71 %	25 %	26 %	22 %	30 %	1.95	0.7	0.10	4.9	3.3	-7	8.0	-1.6	12.2	0.6	5.3	2.6	-0.2	0.0
CRADLE CWJ210041				71 %	25 %	26 %	22 %	30 %	74 %	25 %	60 %	26 %	24 %	22%	42%	18%	51 %	30 %	30 %	27 %	24 %	20 %
CWJ 210056				81	98	92	110	103	85	98	86	92	98	90	94	109	115	98	106	112	99	103
F1				66 %	25 %	26 %	22 %	30 %	2.68	2.1	0.12	4.7	5.3	-7	0.4	-1.2	11.5	0.6	5.3	2.6	-0.2	0.0
CRADLE CWJ210056				66 %	25 %	26 %	22 %	30 %	69 %	25 %	55 %	26 %	24 %	22%	42%	18%	50 %	30 %	30 %	27 %	24 %	20 %
CWJ 210080				108	100	108	95	96	104	100	104	108	104	105	95	97	117	91	108	98	119	113
F1				49 %	21 %	24 %	18 %	20 %	0.85	2.8	-0.55	13.0	9.4	13	0.3	1.0	12.7	-0.3	6.4	0.4	1.7	1.6
CRADLE CWJ210088				49 %	21 %	24 %	18 %	20 %	51 %	21 %	42 %	24 %	20 %	18%	27%	14%	39 %	21 %	21 %	20 %	20 %	15 %
CWJ 210082				118	97	107	95	96	114	97	121	107	101	105	95	97	120	91	108	98	119	113
F1				57 %	21 %	24 %	18 %	20 %	-0.14	1.5	-1.16	12.4	7.4	13	0.3	1.0	13.7	-0.3	6.4	0.4	1.7	1.6
CRADLE CWJ210082				57 %	21 %	24 %	18 %	20 %	58 %	21 %	55 %	24 %	20 %	18%	27%	14%	43 %	21 %	21 %	20 %	20 %	15 %
CWJ 220003				93	97	104	97	93	95	97	92	104	98	103	96	92	112	101	95	110	88	97
F1				55 %	20 %	18 %	18 %	19 %	1.76	1.8	-0.10	11.1	5.2	10	-0.7	2.0	10.4	1.0	-3.0	2.4	-1.2	-0.9
CRADLE CWJ220003				55 %	20 %	18 %	18 %	19 %	56 %	20 %	51 %	18 %	22 %	18%	24%	14%	44 %	30 %	30 %	27 %	23 %	18 %
CWJ 220024				119	102	77	111	96	115	102	118	77	96	89	83	107	119	100	128	114	128	114
FB				69 %	34 %	35 %	28 %	29 %	-0.19	3.6	-1.06	-3.3	3.4	-10	6.8	-0.8	13.5	0.8	20.8	2.9	2.6	1.7
CRADLE CWJ220024				69 %	34 %	35 %	28 %	29 %	73 %	34 %	55 %	35 %	33 %	28%	38%	20%	51 %	36 %	36 %	34 %	32 %	25 %
CWJ 220036				97					108		48						103					
PEN				35 %					0.49		1.58						6.6					
CRADLE CWJ220036				35 %					35 %		37 %						27 %					
CWJ 220040				120	91	86	113	101	126	91	101	86	93	87	95	105	105	103	95	108	108	110
F2				65 %	24 %	25 %	20 %	25 %	-1.32	-0.7	-0.40	1.3	1.3	-12	-0.2	-0.5	7.4	1.2	-2.5	2.1	0.7	1.1
CRADLE CWJ220040				65 %	24 %	25 %	20 %	25 %	71 %	24 %	43 %	25 %	23 %	20%	33%	17%	43 %	26 %	26 %	24 %	23 %	17 %
CWJ 220044				102	92	101	108	107	105	92	77	101	99	92	108	106	114	103	100	108	98	98
F2				64 %	13 %	13 %	11 %	23 %	0.70	-0.4	0.46	9.5	5.5	-5	-7.7	-0.6	11.3	1.1	0.6	2.0	-0.3	-0.8
CRADLE CWJ220044				64 %	13 %	13 %	11 %	23 %	67 %	13 %	51 %	13 %	12 %	11%	35%	11%	34 %	15 %	15 %	14 %	12 %	10 %
CWJ 220045				105	99	77	115	105	108	99	81	77	96	85	95	113	133	101	97	109	104	110
FB				68 %	27 %	28 %	24 %	32 %	0.47	2.4	0.33	-3.4	3.6	-15	0.1	-1.8	19.2	0.9	-1.1	2.2	0.3	1.1
CRADLE CWJ220045				68 %	27 %	28 %	24 %	32 %	72 %	27 %	51 %	28 %	26 %	24%	45%	19%	48 %	26 %	28 %	27 %	26 %	18 %
CWJ 220054				87	113	113	82	111	88	113	95	113	117	118	114	108	116	90	103	103	96	99
F1				53 %	14 %	11 %	9 %	15 %	2.39	8.2	-0.20	15.7	18.1	32	-10.7	-1.0	12.1	-0.5	2.6	1.3	-0.4	-0.6
CRADLE CWJ220054				53 %	14 %	11 %	9 %	15 %	55 %	14 %	45 %	11 %	16 %	9 %	21%	9%	40 %	18 %	18 %	16 %	16 %	11 %
CWJ 220072				119	118	101	83	128	113	118	105	101	116	117	123	130	113	83	111	98	103	111
F1				46 %	19 %	18 %	17 %	16 %	-0.06	10.0	-0.56	9.4	17.9	30	-16.4	-4.9	11.0	-1.4	8.7	0.5	0.2	1.2
CRADLE CWJ220072				46 %	19 %	18 %	17 %	16 %	46 %	19 %	47 %	18 %	22 %	17%	20%	12%	39 %	23 %	24 %	23 %	23 %	17 %

WAGYU Cows

Inbreeding >6% is high										<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed									
Cow				Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas				
ID	%Inbreeding	Parentage	Sire ID	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
Name		Genomic DNA	Dam ID																			
JAPANESE BLACK																						
CWJ 220088	5	☒ CWJ 190004		109	90	72	119	100	134	90	125	72	86	81	94	105	129	103	82	105	99	116
PBD		☒ CWJ 200001		65 %	26 %	27 %	22 %	32 %	-2.07	-0.9	-1.33	-5.9	-3.1	-21	0.8	-0.4	17.7	1.2	-11.6	1.5	-0.2	2.0
CRADLE CWJ220088									69 %	26 %	51 %	27 %	28 %	22%	46%	18%	48 %	33 %	33 %	31 %	31 %	24 %
CWJ 220095		☒ RSS 190063		85	114	113	82	111	87	114	93	113	117	118	114	108	116	90	103	103	96	99
F1				47 %	14 %	11 %	9 %	15 %	2.52	8.4	-0.12	15.7	18.4	32	-10.7	-1.0	12.0	-0.5	2.6	1.3	-0.4	-0.6
CRADLE CWJ220095									49 %	14 %	39 %	11 %	16 %	9 %	21%	9%	40 %	18 %	18 %	16 %	16 %	11 %
CWJ 230009		☒ CWJ 200006		84	122	78	95	125	85	122	98	78	116	105	117	130	134	94	103	117	83	95
PBD		☒ RSS 190049		65 %	28 %	21 %	18 %	27 %	2.65	11.9	-0.31	-2.7	17.5	14	-12.6	-4.9	19.6	0.0	2.8	3.4	-1.7	-1.2
CRADLE CWJ230009									70 %	28 %	46 %	21 %	28 %	18%	40%	14%	44 %	23 %	25 %	23 %	21 %	14 %
CWJ 230016		☒ CWBMCWJ 190116		100	98	84	118	106	106	98	67	84	101	82	93	116	100	101	100	108	112	111
FB		☒ CWJ 180009		56 %	22 %	21 %	19 %	22 %	0.62	2.2	0.85	0.5	7.4	-19	1.0	-2.3	5.2	1.0	1.1	2.1	1.1	1.3
CRADLE CWJ230016									62 %	22 %	35 %	21 %	23 %	19%	27%	16%	31 %	24 %	24 %	23 %	21 %	16 %
CWJ 230039		☒ CWBMCWJ 190116		111	85	84	120	104	115	85	74	84	88	80	88	116	90	108	105	115	99	98
FB		☒ CWJ 160002		35 %	26 %	27 %	22 %	20 %	-0.18	-3.0	0.60	0.2	-1.7	-23	4.4	-2.4	1.1	1.8	4.1	3.1	-0.2	-0.8
CRADLE CWJ230039									35 %	26 %	37 %	27 %	24 %	22%	26%	15%	34 %	28 %	28 %	27 %	24 %	20 %
CWJ 230050	4	☒ RSS 190063		113	114	82	96	132	111	114	97	82	110	104	129	132	118	88	99	105	85	100
PBD		☒ RSS 180003		65 %	24 %	21 %	15 %	23 %	0.19	8.6	-0.26	-0.6	13.2	12	-19.8	-5.3	13.0	-0.7	0.1	1.5	-1.6	-0.5
CRADLE CWJ230050									71 %	24 %	42 %	21 %	26 %	15%	32%	14%	45 %	33 %	33 %	31 %	29 %	22 %
CWJ 230060		☒ RSS 190063		103	113	78	102	121	100	113	104	78	109	98	119	123	120	92	97	108	88	102
PBD		☒ CWJ 190007		65 %	23 %	18 %	12 %	22 %	1.22	8.1	-0.53	-3.0	12.6	4	-13.7	-3.6	14.0	-0.2	-1.1	2.0	-1.2	-0.1
CRADLE CWJ230060									71 %	23 %	41 %	18 %	22 %	12%	30%	14%	43 %	25 %	25 %	23 %	21 %	15 %
CWJ 230062	6	☒ CWJ 200006		91	99	88	104	100	91	99	100	88	96	96	91	108	108	93	112	108	96	103
F2		☒ CWJ A18006		62 %	22 %	22 %	19 %	20 %	2.14	2.5	-0.40	2.5	3.4	0	2.5	-0.9	8.8	-0.1	9.4	2.0	-0.4	0.0
CRADLE CWJ230062									68 %	22 %	37 %	22 %	20 %	19%	24%	15%	38 %	21 %	23 %	22 %	21 %	15 %
CWJ 230063		☒ CWJ 160003		90	97	101	99	88	88	97	113	101	97	101	80	95	85	91	113	108	102	106
F1				44 %	25 %	26 %	22 %	24 %	2.37	1.6	-0.87	9.4	4.1	8	8.7	1.3	-1.4	-0.3	10.0	2.0	0.1	0.4
CRADLE CWJ230063									45 %	25 %	38 %	26 %	24 %	22%	31%	16%	41 %	30 %	30 %	27 %	24 %	20 %
CWJ 230070		☒ CWJ 190123		92	96	102	96	97	92	96	99	102	97	104	94	99	101	107	102	102	100	98
F1				36 %	23 %	22 %	21 %	19 %	2.04	1.5	-0.34	9.9	4.1	12	0.4	0.7	5.6	1.6	2.5	1.0	-0.1	-0.7
CRADLE CWJ230070									38 %	23 %	29 %	22 %	24 %	21%	24%	14%	30 %	26 %	26 %	25 %	25 %	22 %
CWJ 230076		☒ RSS 190063		83	114	113	82	111	86	114	91	113	117	118	114	108	96	90	103	103	96	99
F1				42 %	14 %	11 %	9 %	15 %	2.64	8.5	-0.05	15.8	18.6	32	-10.7	-1.0	3.6	-0.5	2.6	1.3	-0.4	-0.6
RISING SUN CRADLE CWJ230076									46 %	14 %	25 %	11 %	16 %	9 %	21%	9%	32 %	18 %	18 %	16 %	16 %	11 %
CWJ 230095		☒ CWJ 190004		116	94	100	106	102	117	94	81	100	100	94	95	107	105	99	101	102	116	110
F1		CHANEL17/15		60 %	21 %	24 %	18 %	20 %	-0.41	0.4	0.32	8.7	6.6	-3	0.2	-0.7	7.4	0.6	1.7	1.0	1.4	1.2
CRADLE CWJ230095									66 %	21 %	38 %	24 %	20 %	18%	27%	14%	40 %	21 %	21 %	20 %	20 %	15 %

WAGYU Cows

Inbreeding >6% is high				<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed															
Cow				Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas				
ID	%Inbreeding	Parentage		Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
		Genomic DNA	Sire ID																			
JAPANESE BLACK																						
CWJ 240040				116	88	90	114	102	118	88	77	90	92	86	97	106	102	114	92	119	86	90
F2				66 %	20 %	18 %	18 %	19 %	-0.52	-1.7	0.48	3.6	0.5	-13	-0.9	-0.5	6.1	2.5	-5.1	3.8	-1.4	-2.0
CRADLE CWJ240040									72 %	20 %	43 %	18 %	22 %	18%	24%	14%	43 %	33 %	33 %	29 %	23 %	18 %
CWJ 240052				114	94	89	113	109	125	94	77	89	99	87	100	116	103	105	103	107	115	108
FB				56 %	20 %	20 %	19 %	20 %	-1.23	0.4	0.46	3.1	5.8	-13	-3.1	-2.3	6.5	1.4	2.7	1.9	1.4	0.8
CRADLE CWJ240052									62 %	20 %	33 %	20 %	22 %	19%	25%	15%	30 %	22 %	23 %	22 %	21 %	16 %
CWJ 240064				112	108	78	105	113	108	108	104	78	102	95	110	115	122	101	77	110	77	102
PBD				64 %	20 %	17 %	14 %	24 %	0.50	6.0	-0.53	-2.9	7.9	-1	-8.5	-2.2	14.5	1.0	-15.4	2.4	-2.3	-0.1
CRADLE CWJ240064									70 %	20 %	41 %	17 %	24 %	14%	33%	14%	44 %	31 %	31 %	29 %	29 %	21 %
CWJ 240076				90	111	82	101	122	95	111	77	82	108	99	117	125	125	99	92	115	82	96
PBD				65 %	21 %	19 %	17 %	24 %	1.70	7.5	0.47	-1.0	11.7	4	-12.5	-4.0	15.9	0.7	-4.9	3.0	-1.8	-1.1
CRADLE CWJ240076									71 %	21 %	40 %	19 %	24 %	17%	31%	16%	42 %	24 %	26 %	24 %	23 %	15 %
CWJ 240089				107	100	108	95	96	103	100	103	108	105	105	95	97	94	91	108	98	119	113
F1				42 %	21 %	24 %	18 %	20 %	0.92	2.9	-0.51	13.1	9.6	13	0.3	1.0	2.7	-0.3	6.4	0.4	1.7	1.6
CRADLE CWJ240089									45 %	21 %	31 %	24 %	20 %	18%	27%	14%	34 %	21 %	21 %	20 %	20 %	15 %
CWJ 240099				107	100	108	95	96	103	100	103	108	105	105	95	97	94	91	108	98	119	113
F1				42 %	21 %	24 %	18 %	20 %	0.92	2.9	-0.51	13.1	9.6	13	0.3	1.0	2.7	-0.3	6.4	0.4	1.7	1.6
CRADLE CWJ240099									45 %	21 %	31 %	24 %	20 %	18%	27%	14%	34 %	21 %	21 %	20 %	20 %	15 %
CWJ 240101				107	100	108	95	96	103	100	103	108	105	105	95	97	94	91	108	98	119	113
F1				42 %	21 %	24 %	18 %	20 %	0.92	2.9	-0.51	13.1	9.6	13	0.3	1.0	2.7	-0.3	6.4	0.4	1.7	1.6
CRADLE CWJ240101									45 %	21 %	31 %	24 %	20 %	18%	27%	14%	34 %	21 %	21 %	20 %	20 %	15 %
CWJ 240105				90	97	101	99	88	88	97	113	101	97	101	80	95	85	91	113	108	102	106
F1				44 %	25 %	26 %	22 %	24 %	2.37	1.6	-0.87	9.4	4.1	8	8.7	1.3	-1.4	-0.3	10.0	2.0	0.1	0.4
CRADLE CWJ240105									45 %	25 %	38 %	26 %	24 %	22%	31%	16%	41 %	30 %	30 %	27 %	24 %	20 %
CWJ 240107				90	97	101	99	88	88	97	113	101	97	101	80	95	85	91	113	108	102	106
F1				44 %	25 %	26 %	22 %	24 %	2.37	1.6	-0.87	9.4	4.1	8	8.7	1.3	-1.4	-0.3	10.0	2.0	0.1	0.4
CRADLE CWJ240107									45 %	25 %	38 %	26 %	24 %	22%	31%	16%	41 %	30 %	30 %	27 %	24 %	20 %
CWJ 250002				107	113	81	104	120	104	113	103	81	109	96	116	123	111	99	98	111	113	113
PBD				64 %	26 %	25 %	22 %	24 %	0.86	8.1	-0.48	-1.5	12.8	1	-12.3	-3.6	10.0	0.7	-0.4	2.5	1.2	1.5
CRADLE CWJ250002									69 %	26 %	44 %	25 %	28 %	22%	32%	17%	46 %	30 %	31 %	28 %	28 %	20 %
CWJ 250006				87	101	88	104	101	86	101	102	88	98	96	92	108	112	93	112	108	96	103
F2				61 %	22 %	22 %	19 %	19 %	2.59	3.5	-0.48	2.2	4.7	0	2.0	-1.0	10.5	-0.1	9.4	2.0	-0.4	0.0
CRADLE CWJ250006									67 %	22 %	38 %	22 %	20 %	19%	23%	15%	38 %	21 %	23 %	22 %	21 %	15 %
CWJ 250011				85	101	88	104	99	85	101	99	88	98	96	88	108	115	92	110	108	95	104
F2				61 %	22 %	22 %	19 %	20 %	2.68	3.5	-0.35	2.4	4.9	0	3.9	-0.9	11.8	-0.2	7.6	2.1	-0.6	0.2
CRADLE CWJ250011									67 %	22 %	36 %	22 %	20 %	19%	25%	15%	38 %	21 %	24 %	22 %	21 %	15 %

WAGYU Cows

Inbreeding >6% is high				<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed															
Cow				Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas				
ID	%Inbreeding	Parentage		Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
Name		Genomic DNA	Sire ID Dam ID																			
JAPANESE BLACK																						
CWJ 250012	5	✓	CWJ 200007	112	100	73	114	107	109	100	120	73	94	86	98	114	113	98	105	109	114	115
FB		✓	CWJ 180003	0.33	3.0	-1.12	-5.5	2.3	-14	-1.5	-2.1	10.9	2.3	-14	-1.5	-2.1	10.9	0.6	4.7	2.2	1.3	2.0
CRADLE CWJ250012				63 %	29 %	28 %	26 %	26 %	69 %	29 %	42 %	28 %	29 %	26 %	31 %	20 %	43 %	28 %	31 %	29 %	29 %	20 %
CWJ 250014		✓	RSS 190063	94	107	84	104	122	98	107	79	84	104	96	117	125	114	94	96	118	86	98
PBD		✓	CWJ 180005	1.41	5.9	0.39	0.3	1.41	5.9	-12.6	-4.1	11.1	9.0	1	-12.6	-4.1	11.1	0.1	-1.8	3.5	-1.5	-0.7
CRADLE CWJ250014				65 %	23 %	22 %	18 %	26 %	70 %	23 %	44 %	22 %	22 %	18 %	34 %	17 %	45 %	30 %	30 %	27 %	25 %	18 %
CWJ 250015		✓	RSS 190063	110	102	81	106	114	107	102	102	81	98	94	103	122	122	96	103	117	93	103
PBD		✓	FW 180011	0.59	3.8	-0.46	-1.2	0.59	3.8	-4.8	-3.4	14.7	4.8	-3	-4.8	-3.4	14.7	0.2	2.7	3.4	-0.8	0.0
CRADLE CWJ250015				64 %	28 %	27 %	22 %	25 %	69 %	28 %	44 %	27 %	29 %	22 %	33 %	17 %	46 %	33 %	33 %	32 %	29 %	23 %
CWJ 250018		✓	RSS 190063	100	115	77	104	120	99	115	99	77	110	96	113	125	118	92	103	111	109	115
PBD		✓	CWJ 180009	1.37	8.9	-0.35	-3.6	1.37	8.9	-10.5	-4.0	12.8	13.4	0	-10.5	-4.0	12.8	-0.3	3.0	2.4	0.7	1.9
CRADLE CWJ250018				64 %	26 %	24 %	21 %	26 %	70 %	26 %	43 %	24 %	28 %	21 %	34 %	18 %	45 %	31 %	31 %	28 %	27 %	20 %
CWJ 250022		✓	RSS 190063	126	100	80	103	122	120	100	102	80	96	97	113	128	113	96	100	113	92	104
PBD		✓	CWJ 160006	-0.71	3.0	-0.46	-2.0	-0.71	3.0	-10.5	-4.5	10.9	3.9	2	-10.5	-4.5	10.9	0.3	0.9	2.8	-0.9	0.1
CRADLE CWJ250022				67 %	29 %	26 %	22 %	26 %	72 %	29 %	46 %	26 %	28 %	22 %	34 %	18 %	48 %	32 %	32 %	30 %	28 %	22 %
CWJ 250031	4	✓	CWJ 190004	120	94	89	108	99	114	94	114	89	94	92	92	105	110	95	108	105	116	115
F2		✓	CWJ 200029	-0.17	0.5	-0.92	3.1	-0.17	0.5	-1.7	-0.3	9.4	2.5	-5	1.7	-0.3	9.4	0.1	6.4	1.5	1.5	2.0
CRADLE CWJ250031				65 %	25 %	27 %	22 %	24 %	70 %	25 %	44 %	27 %	23 %	22 %	32 %	16 %	42 %	26 %	26 %	24 %	23 %	18 %
CWJ 250032	26	✓	CWJ 170005	123	90	86	110	97	116	90	107	86	87	90	98	97	101	110	85	119	79	95
F2		✓	CWJ 210027	-0.34	-1.2	-0.63	1.4	-0.34	-1.2	-1.5	1.1	5.6	-2.8	-7	-1.5	1.1	5.6	2.0	-9.5	3.7	-2.1	-1.2
CRADLE CWJ250032				64 %	22 %	21 %	20 %	21 %	70 %	22 %	43 %	21 %	25 %	20 %	27 %	15 %	44 %	34 %	33 %	30 %	26 %	21 %
CWJ 250033	4	✓	CWJ 170005	109	92	85	110	94	105	92	104	85	88	90	90	99	95	105	95	118	86	99
F2		✓	CWJ1190003	0.71	-0.4	-0.54	1.0	0.71	-0.4	3.2	0.7	2.8	-1.8	-8	3.2	0.7	2.8	1.4	-3.0	3.5	-1.4	-0.5
CRADLE CWJ250033				65 %	23 %	23 %	21 %	22 %	70 %	23 %	44 %	23 %	26 %	21 %	28 %	16 %	46 %	34 %	33 %	30 %	26 %	21 %
CWJ 250034	3	✓	CWJ 190004	120	95	91	107	99	115	95	101	91	96	93	96	103	106	100	99	106	110	111
F2		✓	CWJ 200020	-0.26	0.9	-0.41	4.0	-0.26	0.9	-0.6	0.0	7.9	3.5	-4	-0.6	0.0	7.9	0.8	-0.1	1.8	0.8	1.3
CRADLE CWJ250034				63 %	24 %	25 %	20 %	22 %	69 %	24 %	42 %	25 %	23 %	20 %	30 %	15 %	41 %	26 %	26 %	24 %	23 %	17 %
CWJ 250039		✓	CWJ 170005	110	92	95	108	99	110	92	86	95	94	92	96	101	95	109	88	114	85	95
F1		✓	F111/16	0.23	-0.4	0.15	5.9	0.23	-0.4	-0.8	0.3	2.9	2.2	-6	-0.8	0.3	2.9	1.9	-7.7	3.0	-1.5	-1.3
CRADLE CWJ250039				61 %	20 %	18 %	18 %	19 %	67 %	20 %	39 %	18 %	22 %	18 %	24 %	14 %	43 %	30 %	30 %	27 %	23 %	18 %
CWJ 250040	4	✓	CWJ 190004	114	96	90	108	97	108	96	109	90	96	92	88	105	111	95	108	105	116	115
F2		✓	CWJ 200033	0.44	1.5	-0.72	3.2	0.44	1.5	4.1	-0.3	10.0	3.9	-5	4.1	-0.3	10.0	0.1	6.4	1.5	1.5	2.0
CRADLE CWJ250040				65 %	25 %	27 %	22 %	23 %	70 %	25 %	44 %	27 %	23 %	22 %	31 %	15 %	42 %	26 %	26 %	24 %	23 %	18 %
CWJ 250045	2	✓	WSI126Z	98	101	76	117	101	99	101	89	76	97	83	95	106	118	100	97	110	99	106
FB		✓	CWJ 220045	1.34	3.2	0.03	-4.0	1.34	3.2	4.3	-4.0	12.9	4.3	-18	0.3	-0.6	12.9	0.8	-1.6	2.4	-0.2	0.4
CRADLE CWJ250045				57 %	19 %	20 %	16 %	20 %	64 %	19 %	29 %	20 %	18 %	16 %	26 %	13 %	30 %	19 %	20 %	19 %	18 %	13 %

WAGYU Cows

Inbreeding >6% is high										<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed										
Cow					Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas				
ID	%Inbreeding	Parentage		Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling	Fineness
		Genomic DNA	Sire ID																				
JAPANESE BLACK																							
CWJ 250046					109	110	80	103	119	105	110	107	80	103	97	111	124	120	105	100	105	112	112
PBD					61 %	28 %	29 %	22 %	26 %	0.78	7.0	-0.65	-1.9	8.7	2	-9.2	-3.8	13.7	1.4	0.5	1.5	1.1	1.4
CRADLE CWJ250046										66 %	28 %	42 %	29 %	26 %	22%	35%	17%	47 %	41 %	42 %	39 %	40 %	31 %
CWJ 250049					113	95	94	112	108	115	95	79	94	102	88	97	115	113	102	98	104	114	109
F2					66 %	21 %	24 %	18 %	21 %	-0.26	1.1	0.41	5.7	7.5	-10	-1.1	-2.3	10.7	1.1	-0.6	1.3	1.3	1.0
CRADLE CWJ250049										72 %	21 %	45 %	24 %	20 %	18%	28%	14%	41 %	21 %	21 %	20 %	20 %	15 %
CWJ 250055					91	101	81	115	99	95	101	83	81	97	85	96	101	119	105	111	130	83	82
PBD					59 %	26 %	25 %	20 %	24 %	1.71	3.5	0.25	-1.6	4.2	-14	-0.6	0.3	13.5	1.4	8.6	5.4	-1.7	-3.3
CRADLE CWJ250055										65 %	26 %	38 %	25 %	26 %	20%	32%	17%	41 %	31 %	32 %	30 %	27 %	19 %
CWJ 250059					98	100	86	111	100	97	100	97	86	98	89	91	107	127	105	106	103	98	98
F2					59 %	22 %	20 %	16 %	20 %	1.53	2.9	-0.26	1.5	4.7	-9	2.2	-0.7	16.8	1.4	5.3	1.3	-0.3	-0.7
CRADLE CWJ250059										65 %	22 %	34 %	20 %	23 %	16%	28%	13%	39 %	26 %	27 %	25 %	24 %	18 %
CWJ 250065					109	107	79	104	122	107	107	99	79	102	96	117	125	119	101	92	117	85	100
PBD					66 %	21 %	19 %	16 %	22 %	0.58	5.6	-0.35	-2.7	7.5	0	-13.0	-4.0	13.2	0.9	-4.8	3.4	-1.5	-0.5
CRADLE CWJ250065										72 %	21 %	41 %	19 %	22 %	16%	30%	15%	43 %	27 %	27 %	25 %	23 %	17 %
CWJ 250067					105	92	89	113	108	112	92	63	89	96	87	93	119	98	103	96	109	92	97
PEN					56 %	18 %	17 %	16 %	20 %	0.04	-0.5	1.01	2.8	3.7	-12	1.2	-3.0	4.1	1.2	-1.7	2.1	-0.9	-1.0
CRADLE CWJ250067										62 %	18 %	32 %	17 %	17 %	16%	24%	15%	28 %	15 %	19 %	18 %	17 %	11 %
CWJ 250068					120	94	90	108	97	114	94	111	90	94	92	88	105	111	95	108	105	116	115
F2					64 %	25 %	27 %	22 %	23 %	-0.14	0.4	-0.81	3.2	2.4	-5	4.1	-0.3	9.9	0.1	6.4	1.5	1.5	2.0
CRADLE CWJ250068										69 %	25 %	43 %	27 %	23 %	22%	31%	15%	42 %	26 %	26 %	24 %	23 %	18 %
CWJ 260002					88	108	94	96	111	89	108	96	94	107	104	105	114	120	91	104	106	92	101
F2					62 %	19 %	18 %	17 %	18 %	2.31	6.3	-0.24	5.3	11.1	12	-5.9	-2.1	13.8	-0.3	3.9	1.7	-0.8	-0.3
CRADLE CWJ260002										69 %	19 %	33 %	18 %	19 %	17%	22%	13%	35 %	18 %	21 %	20 %	19 %	12 %
CWJ 260003					122	90	86	113	98	117	90	117	86	89	87	97	100	111	107	86	104	109	111
F2					60 %	30 %	30 %	27 %	28 %	-0.43	-1.0	-1.02	1.5	-1.4	-12	-1.4	0.6	10.1	1.6	-9.3	1.4	0.7	1.2
CRADLE CWJ260003										65 %	30 %	40 %	30 %	30 %	27%	32%	23%	38 %	29 %	30 %	30 %	30 %	26 %
CWJ 260009					112	92	92	116	106	123	92	63	92	99	84	94	115	97	106	95	106	113	108
F1					56 %	19 %	19 %	18 %	19 %	-1.05	-0.4	1.00	4.3	5.9	-17	0.6	-2.3	3.7	1.6	-3.0	1.6	1.1	0.8
CRADLE CWJ260009										62 %	19 %	34 %	19 %	20 %	18%	25%	13%	29 %	21 %	21 %	20 %	20 %	15 %



CWB

BREEDING VALUE REPORT

September 2026



RW JEFFERY

Herd Number: 8167422


E-mail: cradlewagyu@gmail.com



**WAGYU
SOCIETY**
OF SOUTH AFRICA



**CERTIFICATE
OF QUALITY**
Valid up to
October 2029



CWB Dams

Dam				Growth					Carcass					Stats				
ID	Parentage	Sire ID		Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name	Gen.	DNA	Dam ID															
AKAUSHI																		
677Z			AF8478	100	120	119	121	109	93	79	88	98	96	115	4	21	6	
FB			AF8511	1.23	11.1	17.7	24.1	18	4.8	-1.8	-7.4	0.5	-0.5	2.0				
HEARTBRAND 677Z				46%	21%	52%	30%	10%	25%	31%	30%	26%	28%	18%				
AF4685			H0518E	102	131	125	125	118	84	90	101	118	64	84	1	4	2	
FB			FB2120	1.00	15.6	21.4	26.8	32	0.5	-0.5	1.4	3.6	-3.5	-3.0				
HEARTBRAND C4176S				48%	29%	35%	29%	22%	24%	39%	39%	36%	35%	26%				
CWBFRSS 180038		✓	J251830R	102	129	124	125	118	88	88	93	102	80	98	2	3	1	
FB			677Z	1.03	14.6	20.8	27.0	31	2.3	-0.7	-3.9	1.0	-2.0	-0.8				
RSS MISS HIKARI				48%	28%	41%	31%	21%	26%	37%	37%	33%	34%	25%				
CWBFRSS 190109		✓	FB14989	78	116	119	120	125	123	89	120	95	110	99	2	3	1	
FB		✓	CWBFWB 170007	3.38	9.4	18.1	23.2	42	20.9	-0.6	14.7	-0.1	0.9	-0.7				
RSS190109				41%	23%	32%	33%	26%	29%	40%	39%	36%	25%	17%				
CWBFWB 170007			C0402	90	149	140	137	132	80	100	104	128	82	83	2	15	2	
FB			KALFB0004	2.20	22.6	31.2	36.5	52	-1.7	0.8	3.3	5.2	-1.8	-3.1				
MILAH WB 17-007				51%	37%	43%	41%	26%	26%	43%	43%	39%	38%	26%				
RSS 190049		✓	AF6914	88	138	132	132	120	83	95	99	125	78	88	1	2	2	
FB		✓	WB 170003	2.42	18.0	26.2	32.8	35	-0.1	0.2	0.3	4.7	-2.2	-2.4				
RSS190049				59%	44%	46%	45%	16%	25%	34%	34%	30%	25%	17%				
RSS 190107		✓	IMUFN2125	104	126	121	122	113	85	90	90	120	77	96	1	1		
FB		✓	AF4685	0.84	13.3	18.9	24.8	24	1.0	-0.5	-6.2	3.9	-2.3	-1.1				
RSS190107				45%	28%	33%	30%	17%	20%	37%	37%	33%	32%	22%				
JAPANESE BLACK																		
11-106				84											1	1	1	
BS				2.83														
LOUMA-B 11-106				29%														
12-149				82											1	1	1	
BS				2.99														
LOUMA-B 12-149				29%														
15-D11				93											1	2	1	
BS				1.87														
LOUMA-B 15-D11 BONSMARA				37%														
17.60.30				90											1	1	1	
BS				2.24														
17.60.30				29%														

CWB Dams

Dam				Growth					Carcass					Stats				
ID	Parentage	Sire ID		Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name	Gen. DNA	Dam ID																
JAPANESE BLACK																		
17.60.32				82														
BS				3.02											1	1	1	
17.60.32				29%														
17.60.33				89														
BS				2.31											1	1	1	
17.60.33				29%														
BORG25-10				100														
BS				1.25											1	1	1	
BORG 25-10				29%														
BORG514				91														
BS				2.07											1	1	1	
BORG514				29%														
BUT TERCUP				86														
BS				2.60											1	2	1	
BUTTERCUP				39%														
CHANEL17/15				86														
BS				2.62											1	3	2	
CHANEL17/15				40%														
CWBFCWJ 172017		👤 CWJ 150002		96	98	100	100	103	106	77	112	90	98	111				
F1				1.61	2.2	6.0	7.8	11	11.7	-2.1	9.0	-0.8	-0.3	1.2	2	3	3	
CRADLE A2/2017				31%	25%	24%	22%	15%	23%	28%	28%	27%	22%	16%				
CWJ 130002				95														
BS				1.76											1	1	1	
CRADLE BONSMARA KRIE'S COW				34%														
CWJ 130003				90														
BS				2.16											1	1	1	
CRADLE AFRIKANER AF X				29%														
CWJ 130217				80														
BS				3.15											1	2	2	
CRADLE SIMBRA				40%														
CWJ 130859				95														
BS				1.76											1	1	1	
CRADLE ANGUS 859				29%														
CWJ 130X14				100														
BS				1.27											1	4	3	
CRADLE TULIX14				52%														

CWB Dams

Dam			Growth					Carcass					Stats				
ID	Parentage	Sire ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name	Gen. DNA	Dam ID															
JAPANESE BLACK																	
CWJ 13GB14 BS CRADLE CWJ13GB14			80 3.16 39%										122				
CWJ 150001 FB CRADLE CWJ15-001			109 0.35 69%	86 -2.6 54%	79 -6.9 51%	81 -7.6 45%	74 -30 40%	70 -7.0 48%	84 -1.2 59%	95 -3.0 59%	97 0.3 57%	73 -2.7 50%	110 1.1 39%	4	8	2	1
CWJ 160002 FB CRADLE C087'S MOYFH079			114 -0.08 71%	82 -4.3 51%	75 -9.5 50%	74 -13.0 44%	76 -29 45%	65 -10.1 54%	101 1.0 56%	123 16.9 56%	121 4.0 53%	103 0.2 47%	105 0.3 39%	1	7	2	
CWJ 160005 FB CRADLE A107'S KSOFD012			106 0.69 74%	92 -0.2 54%	85 -3.2 54%	86 -3.4 49%	78 -25 31%	67 -8.7 48%	83 -1.4 54%	123 16.9 54%	112 2.6 52%	93 -0.8 44%	108 0.7 33%	1	9	6	
CWJ 160006 FB CRADLE C087'S MOYH138			102 1.07 78%	97 1.5 50%	88 -1.2 48%	87 -2.8 44%	84 -16 40%	70 -7.0 47%	97 0.4 51%	108 6.7 51%	113 2.7 50%	96 -0.5 46%	109 1.0 38%	1	14	6	
CWJ 160007 FB CRADLE C087'S MOYH138			113 -0.07 65%	92 -0.2 50%	84 -3.7 48%	83 -5.7 44%	84 -16 40%	70 -7.3 47%	94 0.0 55%	105 4.2 55%	111 2.4 52%	95 -0.6 46%	113 1.7 38%	2	3	2	1
CWJ 170001 FB CRADLE C087'S KSOFJ064			98 1.45 74%	107 5.9 52%	98 4.7 52%	94 3.0 51%	95 -1 41%	78 -2.8 52%	102 1.0 58%	154 38.8 58%	125 4.7 56%	126 2.4 51%	102 -0.1 40%	1	8	3	
CWJ 170004 FB CWJ17004			102 1.09 64%	104 4.7 36%	101 6.9 41%	103 9.5 38%	97 2 25%	85 0.5 30%	110 2.0 43%	92 -4.6 43%	93 -0.3 41%	98 -0.3 40%	101 -0.4 31%	1	5	1	
CWJ 170007 FB CWJ17007			101 1.16 69%	92 -0.2 52%	83 -4.7 51%	82 -6.9 47%	81 -21 43%	72 -6.2 51%	91 -0.3 56%	105 4.3 56%	107 1.9 55%	88 -1.3 50%	114 1.7 42%	1	4		
CWJ 170008 FB CWJ17008			111 0.18 70%	103 4.0 45%	97 4.2 45%	98 5.7 48%	82 -19 41%	74 -5.1 44%	104 1.2 47%	105 4.0 49%	109 2.2 46%	140 3.7 46%	128 3.9 33%	1	7	2	
CWJ 170009 FB CWJ17009			111 0.16 72%	92 -0.3 39%	84 -3.9 48%	84 -4.8 42%	78 -25 35%	69 -7.6 37%	119 3.2 49%	79 -13.7 50%	126 4.8 47%	72 -2.7 46%	92 -1.7 37%	1	8	4	
CWJ 180003 FB CWJ18003			127 -1.36 67%	98 2.1 45%	92 1.2 45%	93 2.1 48%	82 -19 41%	72 -6.0 44%	104 1.2 47%	105 4.0 49%	109 2.2 46%	140 3.7 46%	128 3.9 33%	2	7	2	

CWB Dams

Dam				Growth					Carcass					Stats				
ID	Parentage	Sire ID		Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name		Gen. DNA	Dam ID															
JAPANESE BLACK																		
CWJ 180005			GINFB0901	101	91	85	87	83	81	94	101	122	84	99	1	5	2	
FB			CWJ 160006	1.16	-0.6	-3.1	-3.0	-18	-1.6	0.0	1.3	4.2	-1.6	-0.6				
CWJ180005				68%	36%	32%	33%	31%	37%	46%	47%	43%	40%	29%				
CWJ 180006			SMOFF0126	112	101	94	94	80	63	89	114	108	130	132	1	5	1	
FB			CWJ 160005	0.09	3.5	2.5	3.1	-22	-10.7	-0.6	10.9	2.0	2.8	4.6				
CWJ180006				70%	46%	45%	47%	38%	45%	49%	49%	46%	43%	33%				
CWJ 180007			LDFDE0241	115	106	99	101	96	71	97	84	95	89	113	1	5	1	
FB			CWJ 160007	-0.20	5.4	5.6	8.1	0	-6.7	0.4	-10.6	0.0	-1.2	1.6				
CWJ180007				67%	50%	48%	38%	23%	33%	48%	48%	44%	39%	30%				
CWJ 180009			SMOFF0126	104	105	98	98	81	66	89	114	108	130	132	1	4	2	
FB			CWJ 160005	0.86	5.0	4.7	5.7	-21	-9.3	-0.6	10.9	2.0	2.8	4.6				
CWJ180009				68%	44%	45%	47%	38%	42%	49%	49%	46%	43%	33%				
CWJ 180011			GINFB0901	114	87	81	83	83	79	94	101	122	84	99	1	1	1	
FB			CWJ 160006	-0.17	-2.3	-5.6	-6.1	-18	-2.4	0.0	1.3	4.2	-1.6	-0.6				
CWJ180011				60%	36%	32%	33%	31%	37%	46%	47%	43%	40%	29%				
CWJ 180012			LDFDE0241	114	107	100	101	96	71	97	84	95	89	113	1	5	3	
FB			CWJ 160007	-0.09	5.6	5.8	8.4	0	-6.6	0.4	-10.6	0.0	-1.2	1.6				
CWJ180012				69%	50%	48%	38%	23%	33%	48%	48%	44%	39%	30%				
CWJ 190001			CWJ 170003	99	109	102	101	95	75	100	118	109	106	105	1	4	1	
FB			CWJ 170001	1.35	6.6	7.2	8.6	-1	-4.4	0.7	13.5	2.2	0.5	0.3				
CWJ190001				62%	35%	35%	31%	22%	29%	36%	36%	34%	31%	24%				
CWJ 190002			SMOFF0126	118	101	100	102	84	79	98	103	102	131	125	1	5	2	
FB			KSOFL00098	-0.50	3.5	6.1	8.7	-17	-2.2	0.5	2.7	1.1	2.9	3.5				
CWJ190002				66%	38%	39%	41%	37%	38%	42%	43%	40%	39%	29%				
CWJ 190003			GINFB0901	102	89	84	86	80	79	87	108	121	82	98	1	4	2	
FB			CWJ 160005	1.00	-1.5	-4.0	-3.2	-23	-2.4	-0.9	6.5	4.1	-1.8	-0.8				
CWJ190003				67%	38%	35%	35%	28%	38%	47%	48%	44%	39%	28%				
CWJ 190007			CWJ 170003	95	107	99	101	86	68	90	103	103	89	107	1	4	1	
FB			CWJ 160005	1.71	5.6	5.6	8.0	-13	-8.3	-0.5	2.6	1.2	-1.1	0.7				
CWJ 19-7				73%	36%	35%	30%	17%	28%	35%	35%	33%	28%	21%				
CWJ 190119			A3001	118	99	92	95	88	79	111	106	95	98	94	1	4	2	
FB			SFWFK0060	-0.52	2.4	1.4	3.7	-11	-2.2	2.1	5.3	0.0	-0.3	-1.5				
CWJ190119				63%	36%	46%	34%	23%	30%	43%	44%	42%	41%	31%				
CWJ 190125			CWJ 160003	103	92	93	92	101	100	91	113	108	102	106	1	1	1	
F1			CWBFCNIC OLETTE	0.94	-0.2	1.8	1.0	8	8.5	-0.3	10.0	2.0	0.1	0.4				
CWJ190125				51%	25%	25%	22%	22%	26%	30%	30%	27%	24%	20%				

CWB Dams

Dam				Growth					Carcass					Stats				
ID	Parentage	Sire ID		Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name		Gen. DNA	Dam ID															
JAPANESE BLACK																		
CWJ 200001		🔗	PWYPM0775	117	93	84	84	80	68	108	62	107	67	106	1	3	2	
PBD		🔗	CWJ 170009	-0.43	0.0	-3.8	-5.3	-23	-8.0	1.8	-26.0	1.9	-3.3	0.5				
CWJ200001				65%	29%	41%	35%	23%	27%	50%	50%	47%	48%	37%				
CWJ 200003		🔗	GINFK0930	95	102	93	96	90	74	93	106	109	88	103	1	4	2	
FB		🔗	CWJ 160006	1.74	3.5	1.9	4.5	-8	-5.0	-0.1	5.3	2.2	-1.2	0.0				
CWJ200003				64%	36%	35%	34%	32%	35%	30%	37%	36%	34%	22%				
CWJ 200015		🔗	CWJ 160003	105	92	93	93	85	86	102	103	113	97	102	1	4	3	
F2		🔗	JMP 160244	0.72	-0.4	1.5	1.9	-15	1.3	1.1	2.9	2.9	-0.3	-0.2				
CWJ200015				77%	25%	25%	22%	22%	26%	30%	30%	27%	24%	20%				
CWJ 200016		🔗	CWJ 160003	99	94	95	93	101	100	91	113	108	102	106	1	4	2	
F1				1.36	0.4	2.7	2.0	8	8.8	-0.3	10.0	2.0	0.1	0.4				
CWJ200016				62%	25%	25%	22%	22%	26%	30%	30%	27%	24%	20%				
CWJ 200018		🔗	CWJ 170005	95	97	98	98	103	104	101	95	110	88	97	1	2	1	
F1				1.70	1.8	5.1	5.9	10	11.0	1.0	-3.0	2.4	-1.2	-0.9				
CWJ200018				55%	20%	24%	21%	18%	18%	30%	30%	27%	23%	18%				
CWJ 200019		🔗	CWJ 170005	114	90	92	93	92	95	109	88	114	85	95	1	4	1	
F1			CWJ 130002	-0.16	-1.1	1.1	2.0	-6	5.9	1.9	-7.7	3.0	-1.5	-1.3				
CWJ200019				72%	20%	24%	21%	18%	18%	30%	30%	27%	23%	18%				
CWJ 200020		🔗	CWJ 170005	92	98	100	99	103	105	101	95	110	88	97	1	3	2	
F1				2.06	2.2	5.8	6.7	10	11.3	1.0	-3.0	2.4	-1.2	-0.9				
CWJ200020				60%	20%	24%	21%	18%	18%	30%	30%	27%	23%	18%				
CWJ 200029		🔗	CWJ 160003	89	96	97	96	101	101	91	113	108	102	106	1	4	2	
F1				2.26	1.5	4.4	4.1	8	9.3	-0.3	10.0	2.0	0.1	0.4				
CWJ200029				62%	25%	25%	22%	22%	26%	30%	30%	27%	24%	20%				
CWJ 200030		🔗	CWJ 160003	89	96	97	96	101	101	91	113	108	102	106	1	3	2	
F1				2.25	1.5	4.4	4.1	8	9.3	-0.3	10.0	2.0	0.1	0.4				
CWJ200030				59%	25%	25%	22%	22%	26%	30%	30%	27%	24%	20%				
CWJ 200032		🔗	CWJ 160003	97	94	95	93	101	100	91	113	108	102	106	1	4	2	
F1				1.49	0.5	2.9	2.3	8	8.9	-0.3	10.0	2.0	0.1	0.4				
CWJ200032				61%	25%	25%	22%	22%	26%	30%	30%	27%	24%	20%				
CWJ 200033		🔗	CWJ 160003	83	98	99	97	101	102	91	113	108	102	106	1	4	2	
F1				2.86	2.2	5.5	5.5	8	9.7	-0.3	10.0	2.0	0.1	0.4				
CWJ200033				61%	25%	25%	22%	22%	26%	30%	30%	27%	24%	20%				
CWJ 200035		🔗	GINFK0930	91	101	93	97	87	76	104	92	116	76	94	1	3	3	
FB		🔗	CWJ 170009	2.12	3.2	1.8	5.0	-12	-4.2	1.3	-5.0	3.2	-2.3	-1.4				
CWJ200035				73%	32%	35%	34%	30%	32%	30%	37%	35%	35%	21%				

CWB Dams

Dam				Growth					Carcass					Stats				
ID	Parentage	Sire ID		Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name		Gen.	DNA	Dam ID														
JAPANESE BLACK																		
CWJ 200042			✓	CWJ 160003	98	92	94	94	90	93	98	106	112	99	103	1	3	2
F1				MA RBORAN	1.44	-0.3	2.2	2.5	-7	5.1	0.6	5.3	2.6	-0.2	0.0			
CWJ200042					72%	25%	25%	22%	22%	26%	30%	30%	27%	24%	20%			
CWJ 200054			✓	SMOFF0126	118	107	102	102	90	75	96	119	106	136	126	1	4	2
FB			✓	KSOFM00141	-0.52	5.7	7.0	9.3	-9	-4.6	0.2	14.2	1.7	3.3	3.6			
CWJ200054					64%	39%	41%	43%	37%	39%	45%	46%	44%	42%	31%			
CWJ 200056			✓	CWJ 160003	85	98	98	97	101	102	91	113	108	102	106	1	3	2
F1				CWBFDRAKENS7	2.66	2.0	5.1	5.0	8	9.6	-0.3	10.0	2.0	0.1	0.4			
CWJ200056				6/15	58%	25%	25%	22%	22%	26%	30%	30%	27%	24%	20%			
CWJ 200060			✓	CWJ 160003	88	97	98	96	101	101	91	113	108	102	106	1	1	1
F1				CWBFSI MBRAC4	2.41	1.7	4.7	4.4	8	9.4	-0.3	10.0	2.0	0.1	0.4			
CWJ200060					51%	25%	25%	22%	22%	26%	30%	30%	27%	24%	20%			
CWJ 200069			✓	CWJ 160003	86	98	98	97	101	102	91	113	108	102	106	2	3	2
F1				CWBFBV15-123	2.63	1.9	5.1	4.9	8	9.6	-0.3	10.0	2.0	0.1	0.4			
CWJ200069					60%	25%	25%	22%	22%	26%	30%	30%	27%	24%	20%			
CWJ 210001			✓	CWJ 160003	84	98	99	99	90	93	98	106	112	99	103	1	1	
F1				JERSEYXBORAN	2.79	2.3	5.5	6.3	-7	4.8	0.6	5.3	2.6	-0.2	0.0			
CWJ210001					69%	25%	25%	22%	22%	26%	30%	30%	27%	24%	20%			
CWJ 210012			✓	CWJ 170005	115	91	83	83	81	69	107	92	120	83	101	1	3	
FB			✓	CWJ 160006	-0.18	-0.6	-4.3	-5.8	-20	-7.5	1.7	-4.7	3.9	-1.7	-0.2			
CWJ210012					75%	32%	34%	30%	27%	30%	40%	39%	37%	33%	27%			
CWJ 210027			✓	CWJ 170005	102	95	97	96	103	104	101	95	110	88	97	1	3	1
F1				CWBFPINZYL25/16	1.08	1.0	3.9	4.4	10	10.7	1.0	-3.0	2.4	-1.2	-0.9			
CWJ210027					59%	20%	24%	21%	18%	18%	30%	30%	27%	23%	18%			
CWJ 210029			✓	CWJ 160003	81	99	100	98	101	102	91	113	108	102	106	1	2	
F1				CWBFPINZ5/16	3.08	2.5	6.0	6.0	8	9.8	-0.3	10.0	2.0	0.1	0.4			
CWJ210029					54%	25%	25%	22%	22%	26%	30%	30%	27%	24%	20%			
CWJ 210041			✓	CWJ 160003	93	95	96	95	90	93	98	106	112	99	103	1	2	1
F2			✓	JMP 160021	1.95	0.7	3.5	4.0	-7	4.9	0.6	5.3	2.6	-0.2	0.0			
CWJ210041					74%	25%	25%	22%	22%	26%	30%	30%	27%	24%	20%			
CWJ 210080			✓	CWJ 190004	104	100	104	104	105	108	91	108	98	119	113	1	1	1
F1					0.85	2.8	8.8	11.0	13	13.0	-0.3	6.4	0.4	1.7	1.6			
CWJ210088					51%	21%	19%	21%	18%	24%	21%	21%	20%	20%	15%			
CWJ 210082			✓	CWJ 190004	114	97	101	101	105	107	91	108	98	119	113	1	3	1
F1					-0.14	1.5	6.9	8.7	13	12.4	-0.3	6.4	0.4	1.7	1.6			
CWJ210082					58%	21%	19%	21%	18%	24%	21%	21%	20%	20%	15%			

CWB Dams

Dam			Growth					Carcass					Stats				
ID	Parentage	Sire ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name	Gen. DNA	Dam ID															
JAPANESE BLACK																	
CWJ 220003	🔗	CWJ 170005	95	97	99	98	103	104	101	95	110	88	97	1	2	1	
F1	🔗	CWBFCWJ 172017	1.76	1.8	5.2	6.0	10	11.1	1.0	-3.0	2.4	-1.2	-0.9				
CWJ220003			56%	20%	24%	21%	18%	18%	30%	30%	27%	23%	18%				
CWJ 220044	🔗	CWBMCWJ 190116	105	92	98	99	92	101	103	100	108	98	98	1	2	1	
F2	🔗	CWJ 200029	0.70	-0.4	5.0	6.9	-5	9.5	1.1	0.6	2.0	-0.3	-0.8				
CWJ220044			67%	13%	12%	11%	11%	13%	15%	15%	14%	12%	10%				
CWJ 220045	🔗	CWJ 190004	108	99	95	97	85	77	101	97	109	104	110	1	1		
FB	🔗	CWJ 200035	0.47	2.4	2.7	5.4	-15	-3.4	0.9	-1.1	2.2	0.3	1.1				
CWJ220045			72%	27%	26%	27%	24%	28%	26%	28%	27%	26%	18%				
CWJ 220054	🔗	RSS 190063	88	113	117	117	118	113	90	103	103	96	99	2	2	1	
F1			2.39	8.2	16.4	20.7	32	15.7	-0.5	2.6	1.3	-0.4	-0.6				
CWJ220054			55%	14%	16%	15%	9%	11%	18%	18%	16%	16%	11%				
CWJ 220072	🔗	CWJ 190115	113	118	116	117	117	101	83	111	98	103	111	1	2	1	
F1		CWBFBORXJER	-0.06	10.0	15.8	20.9	30	9.4	-1.4	8.7	0.5	0.2	1.2				
CWJ220072			46%	19%	23%	21%	17%	18%	23%	24%	23%	23%	17%				
CWJ 220088	🔗	CWJ 190004	134	90	86	87	81	72	103	82	105	99	116	1	1		
PBD	🔗	CWJ 200001	-2.07	-0.9	-2.6	-2.8	-21	-5.9	1.2	-11.6	1.5	-0.2	2.0				
CWJ220088			69%	26%	28%	27%	22%	27%	33%	33%	31%	31%	24%				
CWJ 220095	🔗	RSS 190063	87	114	117	117	118	113	90	103	103	96	99	1	1		
F1			2.52	8.4	16.7	21.0	32	15.7	-0.5	2.6	1.3	-0.4	-0.6				
CWJ220095			49%	14%	16%	15%	9%	11%	18%	18%	16%	16%	11%				
CWJ 230009	🔗	CWJ 200006	85	122	115	116	105	78	94	103	117	83	95	1	1		
PBD	🔗	RSS 190049	2.65	11.9	15.5	20.3	14	-2.7	0.0	2.8	3.4	-1.7	-1.2				
CWJ230009			70%	28%	29%	28%	18%	21%	23%	25%	23%	21%	14%				
CWJ A18006		CWJ 160001	88	96	97	96	101	102	93	118	107	104	103	2	3	1	
F1			2.40	1.2	4.3	4.1	8	10.0	-0.1	13.5	1.9	0.3	0.0				
RJA6-18			52%	25%	25%	22%	22%	26%	28%	28%	27%	24%	20%				
CWJ A18007	🔗	CWJ 160001	83	97	99	97	101	103	93	118	107	104	103	2	5	4	
F1			2.85	1.8	5.2	5.1	8	10.2	-0.1	13.5	1.9	0.3	0.0				
RJA7-18			57%	25%	25%	22%	22%	26%	28%	28%	27%	24%	20%				
CWJ A18011	🔗	CWJ 160001	81	98	99	98	101	103	93	118	107	104	103	2	3	1	
F1			3.07	2.1	5.6	5.7	8	10.4	-0.1	13.5	1.9	0.3	0.0				
RJA11-18			54%	25%	25%	22%	22%	26%	28%	28%	27%	24%	20%				
CWJ A18012	🔗	CWJ 160001	89	96	97	95	101	102	93	118	107	104	103	2	4	3	
F1			2.34	1.2	4.2	3.9	8	9.9	-0.1	13.5	1.9	0.3	0.0				
RJA12-18			58%	25%	25%	22%	22%	26%	28%	28%	27%	24%	20%				

CWB Dams

Dam				Growth					Carcass					Stats					
ID	Parentage	Sire ID		Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses	
Name	Gen.	DNA	Dam ID																
JAPANESE BLACK																			
CWJ A18013		✓ CWJ 160001		92	95	96	95	101	102	93	118	107	104	103	1	4	2		
F1				2.04	0.8	3.6	3.2	8	9.7	-0.1	13.5	1.9	0.3	0.0					
RJA13-18				56%	25%	25%	22%	22%	26%	28%	28%	27%	24%	20%					
CWJ1190003		✓ CWJ 160003		79	100	100	99	101	102	91	113	108	102	106	1	3	2		
F1		CWBFBV9		3.25	2.7	6.3	6.4	8	9.9	-0.3	10.0	2.0	0.1	0.4					
CWJF1 19-3				59%	25%	25%	22%	22%	26%	30%	30%	27%	24%	20%					
CWJ1190005		✓ CWJ 160003		106	90	92	91	90	92	95	99	109	96	108	2	2	2		
F1		CWJ 130004		0.69	-1.2	0.8	0.8	-7	4.6	0.1	0.4	2.2	-0.5	0.8					
CWJF1 19-5				69%	25%	25%	22%	22%	26%	33%	33%	29%	24%	20%					
CWJ1190006		✓ CWJ 160003		96	94	95	95	90	92	98	106	112	99	103	2	3	1		
F1		JERSEYXBORAN		1.62	0.4	3.0	3.3	-7	4.6	0.6	5.3	2.6	-0.2	0.0					
CWJF1 19-6				70%	25%	25%	22%	22%	26%	30%	30%	27%	24%	20%					
CWJF1170012				89											1	1	1		
BS				2.33															
CRADLE CWJF11712				30%															
F111/16				95											1	4			
BS				1.71															
F1 11/16				39%															
FW 180011		KJDFC0087		110	84	77	77	77	75	97	113	120	99	108	2	6	3		
FB		RVK 150016		0.26	-3.4	-8.3	-10.4	-26	-4.7	0.4	10.3	3.8	-0.2	0.8					
FW180011				69%	50%	49%	46%	40%	49%	56%	56%	54%	49%	40%					
GB14X				82											1	1	1		
BS				2.97															
GB14X				32%															
GB2013				89											1	1	1		
BS				2.30															
GB2013				28%															
JERSEYXBORAN				82											1	2	2		
BS				2.97															
JERSEYXBORAN				42%															
JMP 060159				90											1	1	1		
BS				2.24															
CARLOO JMP06-159				29%															
JMP 080850				93						101	107	104				1	1	1	
BS				1.88						0.9	5.6	1.4							
CARLOO JMP08-850				29%						11%	11%	8%							

CWB Dams

Dam				Growth					Carcass					Stats					
ID	Parentage	Sire ID		Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses	
Name		Gen. DNA	Dam ID																
JAPANESE BLACK																			
JMP 090290 BS CARLOO JMP09-290				98 1.47 37%											1	2	1		
JMP 160011 F1 JMP16-011		✓ BA 100389 ✓ JMP 130351		87 2.47 73%	97 1.8 21%	102 7.2 19%	104 10.9 18%	93 -4 18%	109 13.4 22%	91 -0.3 30%	92 -4.9 30%	91 -0.6 27%	80 -2.0 21%	98 -0.8 14%	1	6	5		
JMP 160014 F1 JMP16-014		CWBMBA 090334 JMP 080006		122 -0.90 56%											1	1	1		
JMP 160021 F1 JMP16-021		✓ CWBMBA 090334		76 3.60 62%											1	6	5		
JMP 160042 F1 JMP16-042		CWBMBA 090334 JMP 070019		83 2.92 60%											1	1			
JMP 160063 F1 JMP16-063		✓ CWBMBA 090334 ✓ JMP 060159		99 1.35 69%											1	7	2		
JMP 160076 F1 JMP16-076		✓ BA 100389		91 2.06 66%	96 1.5 21%	101 6.5 19%	102 9.2 18%	104 12 18%	117 17.5 22%	84 -1.2 30%	99 -0.1 30%	87 -1.2 27%	83 -1.7 21%	100 -0.4 14%	1	7	3		
JMP 160242 F1 JMP16-242		CWBMBA 090334 JMP 080850		105 0.70 68%						109 2.0 27%	107 5.9 26%	111 2.5 20%				1	4	2	1
JMP 160244 F1 JMP16-244		CWBMBA 090334 JMP 090290		103 0.95 73%											1	7	2		
KSOFC0007 FB OASIS MORIYAMA C007		IMUFM1615 101		120 -0.71 71%	92 -0.3 57%	83 -4.3 59%	81 -7.3 54%	83 -18 52%	68 -8.5 54%	101 0.9 62%	104 3.6 64%	137 6.5 61%	89 -1.2 59%	106 0.5 46%	5	12	6		
KSOFD0012 FB OASIS SONY D012		151BE KCCWAGYUSONY		113 -0.02 78%	89 -1.6 70%	81 -5.5 75%	80 -8.1 68%	73 -32 35%	70 -7.2 58%	111 2.2 66%	125 18.2 66%	119 3.7 61%	111 1.0 50%	99 -0.6 37%	9	29	3	2	
KSOFJ0064 FB OASIS MORIYAMA		IMUFR3258 KSOFD0012		90 2.24 71%	121 11.3 53%	113 14.3 58%	110 15.3 61%	103 10 28%	85 0.6 53%	105 1.4 65%	170 50.8 67%	133 5.8 61%	149 4.6 52%	87 -2.5 32%	10	22	4	2	

CWB Dams

Dam				Growth					Carcass					Stats				
ID	Parentage	Sire ID		Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name		Gen. DNA	Dam ID															
JAPANESE BLACK																		
KSOFK0082			KSOFC0001	88	105	105	104	103	100	90	105	88	111	112	3	6	1	
FB			KSOFG0038	2.37	5.1	9.3	10.5	11	9.0	-0.4	4.2	-1.0	1.0	1.5				
OASIS SONY J82 (TW)				45%	36%	36%	49%	30%	34%	35%	37%	36%	35%	25%				
KSOFL00098			KSOFG0042	123	88	93	97	84	95	101	100	101	94	94	1	2	2	
FB				-1.02	-1.9	1.5	4.9	-17	6.2	1.0	0.6	0.9	-0.6	-1.5				
OASIS HIKOHIME (AI)				54%	29%	25%	25%	24%	30%	24%	26%	25%	25%	16%				
KSOFM00141		✓	IMUFR3258	115	102	98	101	95	87	96	132	109	103	95	1	1	1	
FB		✓	BRMFX0065	-0.22	3.6	5.0	8.0	-1	1.8	0.3	23.4	2.1	0.2	-1.3				
OASIS YURIYUHO M00141 (AI) (ET)				46%	36%	39%	35%	27%	36%	38%	44%	41%	40%	27%				
LB11-662				104											1	1	1	
BS				0.80														
LOUMA-B 11-662 ANGUS				29%														
LB15-120				85											1	1	1	
BS				2.74														
LOUMA-B 15-120 BONSMARA				29%														
LB15-178				91											1	1	1	
BS				2.11														
LOUMA-B 15-178 BONSMARA				29%														
LB15-246				85											1	1	1	
BS				2.73														
LOUMA-B 15-246 BONSMARA				29%														
LONGHNGUNI				105											1	2	1	
BS				0.78														
LONGH NGUNI				40%														
MA RBORAN				90											1	2	2	
BS				2.24														
MARBORAN				40%														
MOYFH0079			MOYFZ0179	118	72	70	71	64	58	104	130	125	103	92	7	30	6	4
FB			MOYFB0354	-0.53	-8.2	-12.9	-15.4	-45	-13.4	1.4	22.3	4.6	0.2	-1.7				
MOYHU F H79				66%	47%	48%	30%	44%	54%	58%	57%	51%	36%	26%				
MOYFH0138			MOYFZ0179	116	92	88	89	82	69	96	101	108	90	101	6	18	4	
FB			MOYFZ0165	-0.28	-0.3	-1.5	-0.9	-20	-7.9	0.2	1.8	2.0	-1.0	-0.3				
MOYHU F H138				63%	45%	39%	28%	22%	30%	36%	38%	35%	29%	21%				
NG14/132				97											1	1	1	
BS				1.53														
CRADLE NG14/132				26%														

CWB Dams

Dam				Growth					Carcass					Stats				
ID	Parentage	Sire ID		Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name	Gen.	DNA	Dam ID															
JAPANESE BLACK																		
NT117				94														
BS				1.81											1			
NT117				24%											1			
PINZ10/16				88														
BS				2.43											1			
PINZ10/16				29%											1			
RSS 180003		BA 150368		111	111	104	103	98	77	82	106	96	82	102				
PBD		WAP 140026		0.17	7.5	8.4	10.1	3	-3.6	-1.5	5.1	0.1	-1.8	-0.1	2	4	2	
RSS180003				66%	38%	44%	42%	25%	36%	56%	55%	53%	49%	38%				
RVK 150016		MOYFF0054		114	75	71	76	68	78	95	112	122	95	98				
FB		KSOFF0036		-0.12	-7.3	-11.7	-11.5	-40	-3.0	0.1	9.0	4.2	-0.6	-0.7	2	5	1	1
F0054'S KSOFG36 - 2				60%	44%	46%	40%	19%	43%	58%	57%	54%	46%	33%				
SFWFK0060		IMUFR3258		110	97	91	92	85	92	93	133	93	110	99				
FB		SFWFE0006		0.26	1.8	0.3	1.4	-15	4.3	-0.1	24.0	-0.3	0.8	-0.6	3	9	4	
SHADAI FARM K0060				54%	36%	56%	34%	25%	35%	37%	42%	40%	39%	24%				
SFWFK0120		MO 139		120	87	83	86	80	83	112	103	115	112	99				
FB		SFWFD0094		-0.72	-2.2	-4.3	-3.6	-23	-0.2	2.4	3.2	3.1	1.0	-0.6	3	10	4	
SHADAI FARM K0120 (AI)				65%	56%	54%	54%	44%	54%	47%	54%	52%	53%	35%				

CWB Bulls

Inbreeding >6% is high					<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed																
Bull					Selection Value					Calf weight		Mother		Growth		Fertility			Carcass					
ID	%Inbreeding	Parentage			Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling	Fineness
Name		Genomic	DNA	Sire ID Dam ID																				
AKAUSHI																								
CWBMCWJ 250061				✓ RSS 190063	83	114	113	82	111	86	114	91	113	117	118	114	107	96	90	103	103	96	99	
F1					42%	14%	11 %	9 %	15%	2.64	8.5	-0.05	15.8	18.6	32	-10.7	-1.0	3.6	-0.5	2.6	1.3	-0.4	-0.6	
CRADLE CWJ250061					42%	14%	11 %	9 %	15%	46 %	14 %	25%	11%	16%	9 %	21%	9%	32 %	18 %	18 %	16 %	16 %	11 %	
CWBMCWJ 250084				✓ RSS 190063	83	114	113	82	111	86	114	91	113	117	118	114	107	96	90	103	103	96	99	
F1					42%	14%	11 %	9 %	15%	2.64	8.5	-0.05	15.8	18.6	32	-10.7	-1.0	3.6	-0.5	2.6	1.3	-0.4	-0.6	
CRADLE CWJ250084					42%	14%	11 %	9 %	15%	46 %	14 %	25%	11%	16%	9 %	21%	9%	32 %	18 %	18 %	16 %	16 %	11 %	
CWBMCWJ 250086				✓ RSS 190063	83	114	113	82	111	86	114	91	113	117	118	114	107	96	90	103	103	96	99	
F1					42%	14%	11 %	9 %	15%	2.64	8.5	-0.05	15.8	18.6	32	-10.7	-1.0	3.6	-0.5	2.6	1.3	-0.4	-0.6	
CRADLE CWJ250086					42%	14%	11 %	9 %	15%	46 %	14 %	25%	11%	16%	9 %	21%	9%	32 %	18 %	18 %	16 %	16 %	11 %	
CWBMCWJ 250087				✓ RSS 190063	83	114	113	82	111	86	114	91	113	117	118	114	107	96	90	103	103	96	99	
F1					42%	14%	11 %	9 %	15%	2.64	8.5	-0.05	15.8	18.6	32	-10.7	-1.0	3.6	-0.5	2.6	1.3	-0.4	-0.6	
CRADLE CWJ250087					42%	14%	11 %	9 %	15%	46 %	14 %	25%	11%	16%	9 %	21%	9%	32 %	18 %	18 %	16 %	16 %	11 %	
CWBMCWJ 250088				✓ RSS 190063	83	114	113	82	111	86	114	91	113	117	118	114	107	96	90	103	103	96	99	
F1					42%	14%	11 %	9 %	15%	2.64	8.5	-0.05	15.8	18.6	32	-10.7	-1.0	3.6	-0.5	2.6	1.3	-0.4	-0.6	
CRADLE CWJ250088					42%	14%	11 %	9 %	15%	46 %	14 %	25%	11%	16%	9 %	21%	9%	32 %	18 %	18 %	16 %	16 %	11 %	
CWBMCWJ 250090				✓ RSS 190063	83	114	113	82	111	86	114	91	113	117	118	114	107	96	90	103	103	96	99	
F1					42%	14%	11 %	9 %	15%	2.64	8.5	-0.05	15.8	18.6	32	-10.7	-1.0	3.6	-0.5	2.6	1.3	-0.4	-0.6	
CRADLE CWJ250090					42%	14%	11 %	9 %	15%	46 %	14 %	25%	11%	16%	9 %	21%	9%	32 %	18 %	18 %	16 %	16 %	11 %	
CWBMCWJ 250091				✓ RSS 190063	83	114	113	82	111	86	114	91	113	117	118	114	107	96	90	103	103	96	99	
F1					42%	14%	11 %	9 %	15%	2.64	8.5	-0.05	15.8	18.6	32	-10.7	-1.0	3.6	-0.5	2.6	1.3	-0.4	-0.6	
CRADLE CWJ250091					42%	14%	11 %	9 %	15%	46 %	14 %	25%	11%	16%	9 %	21%	9%	32 %	18 %	18 %	16 %	16 %	11 %	
JAPANESE BLACK																								
CWBMCWJ 180015				✓ CWJ 150002	99	98	106	97	98	96	98	113	106	100	103	102	95	82	77	112	90	98	111	
F1					31%	25%	23 %	15%	18%	1.61	2.2	-0.87	11.7	6.5	11	-4.0	1.3	-2.7	-2.1	9.0	-0.8	-0.3	1.2	
CRADLE CWJF1180015					31%	25%	23 %	15%	18%	31 %	25 %	29%	23%	23%	15%	24%	12%	33 %	28 %	28 %	27 %	22 %	16 %	
CWBMCWJ A18008				✓ CWJ 160001	90	96	102	99	92	88	96	104	102	96	101	87	96	92	93	118	107	104	103	
F1					32%	25%	26 %	22%	20%	2.36	1.2	-0.52	9.9	3.7	8	4.9	1.2	1.8	-0.1	13.5	1.9	0.3	0.0	
CRADLE RJA8-18					32%	25%	26 %	22%	20%	32 %	25 %	33%	26%	24%	22%	25%	15%	37 %	28 %	28 %	27 %	24 %	20 %	
CWBMCWJ1180012				✓ CWJ 150002	99	98	106	97	98	96	98	113	106	100	103	102	95	82	77	112	90	98	111	
F1					31%	25%	23 %	15%	18%	1.61	2.2	-0.87	11.7	6.5	11	-4.0	1.3	-2.7	-2.1	9.0	-0.8	-0.3	1.2	
CRADLE CWJF1180012					31%	25%	23 %	15%	18%	31 %	25 %	29%	23%	23%	15%	24%	12%	33 %	28 %	28 %	27 %	22 %	16 %	
CWBMLB 180012				BA 090337	99	87	106	108	101	95	87	109	106	92	92	102	101	84	100	85	107	103	108	
F1					45%	41%	32 %	28%	29%	1.68	-2.4	-0.73	11.8	0.9	-5	-4.0	0.5	-1.5	0.8	-10.1	1.9	0.2	0.8	
LOUMA-B LB180012					45%	41%	32 %	28%	29%	47 %	41 %	35%	32%	38%	28%	35%	23%	45 %	41 %	41 %	38 %	30 %	25 %	
CWBMLB 180019				BA 090327	113	91	89	109	88	108	91	112	89	92	91	85	90	84	101	97	108	103	106	
F1					47%	41%	37 %	33%	32%	0.43	-0.6	-0.82	3.0	1.0	-7	5.8	2.0	-1.7	1.0	-1.5	2.0	0.2	0.4	
LOUMA-B LB180019					47%	41%	37 %	33%	32%	49 %	41 %	41%	37%	37%	33%	39%	25%	48 %	47 %	47 %	46 %	43 %	27 %	

CWB Bulls

Inbreeding >6% is high				<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed															
Bull				Selection Value					Calf weight		Mother		Growth		Fertility			Carcass				
ID	%Inbreeding	Parentage		Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
Name		Genomic DNA	Sire ID Dam ID																			
JAPANESE BLACK																						
CWBMLB 180021			BA 090327	113	91	89	109	88	108	91	112	89	92	91	85	90	84	101	97	108	103	106
F1				0.43	-0.6	-0.82	3.0	-7	49%	41%	41%	37%	37%	33%	39%	25%	48%	1.0	-1.5	2.0	0.2	0.4
LOUMA-B LB180021				47%	41%	37%	33%	32%	49%	41%	41%	37%	37%	33%	39%	25%	48%	47%	47%	46%	43%	27%
CWBMLB 180028			HJ 130019	107	85	105	112	92	102	85	108	105	90	88	93	94	90	103	89	90	86	98
F1				1.01	-3.0	-0.69	11.3	-10	1.01	-3.0	-0.69	11.3	-0.8	-10	1.4	1.8	0.9	1.1	-7.2	-0.7	-1.4	-0.8
LOUMA-B LB180028				41%	36%	26%	23%	20%	43%	36%	33%	26%	27%	23%	28%	12%	44%	39%	38%	36%	30%	22%
CWBMLB 180034			HJ 130019	107	85	105	112	92	102	85	108	105	90	88	93	94	90	103	89	90	86	98
F1				1.01	-3.0	-0.69	11.3	-10	1.01	-3.0	-0.69	11.3	-0.8	-10	1.4	1.8	0.9	1.1	-7.2	-0.7	-1.4	-0.8
LOUMA-B LB180034				41%	36%	26%	23%	20%	43%	36%	33%	26%	27%	23%	28%	12%	44%	39%	38%	36%	30%	22%
CWBMLB 180035			HJ 130019	107	85	105	112	92	102	85	108	105	90	88	93	94	90	103	89	90	86	98
F1				1.01	-3.0	-0.69	11.3	-10	1.01	-3.0	-0.69	11.3	-0.8	-10	1.4	1.8	0.9	1.1	-7.2	-0.7	-1.4	-0.8
LOUMA-B LB180035				41%	36%	26%	23%	20%	43%	36%	33%	26%	27%	23%	28%	12%	44%	39%	38%	36%	30%	22%
CWBMLB 180038			HJ 130019	107	85	105	112	92	102	85	108	105	90	88	93	94	90	103	89	90	86	98
F1				1.01	-3.0	-0.69	11.3	-10	1.01	-3.0	-0.69	11.3	-0.8	-10	1.4	1.8	0.9	1.1	-7.2	-0.7	-1.4	-0.8
LOUMA-B LB180038				41%	36%	26%	23%	20%	43%	36%	33%	26%	27%	23%	28%	12%	44%	39%	38%	36%	30%	22%
CWBMLB 180055			BA 130975	98	93	111	97	89	95	93	103	111	99	103	96	85	98	88	96	92	95	106
F1				1.69	0.2	-0.51	14.6	11	1.69	0.2	-0.51	14.6	5.8	11	-0.6	3.3	4.3	-0.8	-2.0	-0.5	-0.6	0.5
LOUMA-B LB180055				40%	24%	23%	14%	21%	42%	24%	30%	23%	19%	14%	27%	15%	43%	28%	28%	26%	20%	13%
CWBMLB 180056			BA 090327	113	91	89	109	88	108	91	112	89	92	91	85	90	84	101	97	108	103	106
F1				0.43	-0.6	-0.82	3.0	-7	0.43	-0.6	-0.82	3.0	1.0	-7	5.8	2.0	-1.7	1.0	-1.5	2.0	0.2	0.4
LOUMA-B LB180056				47%	41%	37%	33%	32%	49%	41%	41%	37%	37%	33%	39%	25%	48%	47%	47%	46%	43%	27%
CWBMLB 180061		BA 090337		104	83	97	119	107	104	83	91	97	90	81	102	110	87	107	78	111	100	105
F1		LB15-178		0.82	-3.8	-0.03	7.1	-21	0.82	-3.8	-0.03	7.1	-0.8	-21	-4.1	-1.2	-0.5	1.7	-14.8	2.5	-0.1	0.4
LOUMA-B LB180061				60%	41%	32%	28%	29%	66%	41%	38%	32%	38%	28%	35%	23%	49%	41%	41%	38%	30%	25%
CWBMLB 180076			BA 140004	89	107	117	93	101	89	107	98	117	108	107	104	99	88	77	92	93	89	111
F1				2.31	5.9	-0.32	17.5	16	2.31	5.9	-0.32	17.5	12.3	16	-4.9	0.6	0.0	-2.1	-4.6	-0.4	-1.1	1.3
LOUMA-B LB180076				45%	32%	24%	19%	22%	47%	32%	35%	24%	22%	19%	30%	15%	42%	38%	38%	35%	26%	19%
CWBMLB 180079			CWBMBA 150352	94					105		43						81					
F1			15-D11	0.78					0.78		1.77						-2.7					
LOUMA-B LB180079				51%					59%		22%						21%					
CWBMLB 180110			BA 140004	81	108	108	104	107	89	108	74	108	109	96	104	108	90	84	86	97	87	109
F1			LB15-120	2.33	6.0	0.59	12.9	1	2.33	6.0	0.59	12.9	12.8	1	-5.0	-1.1	1.0	-1.2	-9.3	0.2	-1.4	0.9
LOUMA-B LB180110				60%	32%	24%	19%	22%	66%	32%	38%	24%	22%	19%	30%	15%	46%	38%	38%	35%	26%	19%
CWBMLB 180118			BA 140004	81	108	108	104	107	89	108	74	108	109	96	104	108	90	84	86	97	87	109
F1			LB15-246	2.32	6.0	0.59	12.9	1	2.32	6.0	0.59	12.9	12.8	1	-5.0	-1.1	1.0	-1.2	-9.3	0.2	-1.4	0.9
LOUMA-B LB180118				60%	32%	24%	19%	22%	66%	32%	38%	24%	22%	19%	30%	15%	46%	38%	38%	35%	26%	19%

CWB Bulls

Inbreeding >6% is high					<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed																
Bull					Selection Value					Calf weight		Mother		Growth		Fertility			Carcass					
ID	%Inbreeding	Parentage			Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling	Fineness
Name		Genomic	DNA	Sire ID Dam ID																				
JAPANESE BLACK																								
CWBMLB 180129				✓ HJ 140016	113	82	98	108	103	113	82	84	98	86	92	94	109	97	102	100	95	114	112	
F1				LB11-662	-0.06	-4.2				-0.06	-4.2	0.20	7.5	-3.4	-5	0.6	-1.4	3.9	1.1	1.0	0.0	1.3	1.5	
LOUMA-B LB180129					60%	39%	29 %	28%	24%	65 %	39 %	39%	29%	31%	28%	31%	18%	44 %	43 %	43 %	41 %	38 %	28 %	
CWBMCWJ 190008				✓ CWJ 170003	118	95	92	106	101	119	95	81	92	101	94	94	106	113	103	95	102	94	97	
F2				✓ JMP 160242	-0.57	1.0				-0.57	1.0	0.32	4.5	7.0	-2	0.7	-0.7	10.8	1.2	-2.9	1.1	-0.6	-1.0	
CRADLE CWJF2 19-8					61%	24%	14 %	7 %	15%	66 %	24 %	40%	14%	20%	7 %	21%	9%	38 %	25 %	25 %	22 %	17 %	13 %	
CWBMCWJ 190010				✓ CWJ 150002	99	98	106	97	98	96	98	113	106	100	103	102	95	82	77	112	90	98	111	
F1					1.61	2.2				1.61	2.2	-0.87	11.7	6.5	11	-4.0	1.3	-2.7	-2.1	9.0	-0.8	-0.3	1.2	
CRADLE CWJF1190010					31%	25%	23 %	15%	18%	31 %	25 %	29%	23%	23%	15%	24%	12%	33 %	28 %	28 %	27 %	22 %	16 %	
CWBMCWJ 190011				✓ CWJ 150002	99	98	106	97	98	96	98	113	106	100	103	102	95	82	77	112	90	98	111	
F1					1.61	2.2				1.61	2.2	-0.87	11.7	6.5	11	-4.0	1.3	-2.7	-2.1	9.0	-0.8	-0.3	1.2	
CRADLE CWJF1190011					31%	25%	23 %	15%	18%	31 %	25 %	29%	23%	23%	15%	24%	12%	33 %	28 %	28 %	27 %	22 %	16 %	
CWBMCWJ 190013				✓ CWJ 150002	99	98	106	97	98	96	98	113	106	100	103	102	95	82	77	112	90	98	111	
F1					1.61	2.2				1.61	2.2	-0.87	11.7	6.5	11	-4.0	1.3	-2.7	-2.1	9.0	-0.8	-0.3	1.2	
CRADLE CWJF1190013					31%	25%	23 %	15%	18%	31 %	25 %	29%	23%	23%	15%	24%	12%	33 %	28 %	28 %	27 %	22 %	16 %	
CWBMCWJ 190015				✓ CWJ 160003	100	92	92	110	94	100	92	96	92	93	90	80	105	89	98	106	112	99	103	
F1				PINZYL21-16	1.26	-0.2				1.26	-0.2	-0.24	4.6	1.8	-7	8.6	-0.4	0.4	0.6	5.3	2.6	-0.2	0.0	
CRADLE RJA190005					44%	25%	26 %	22%	24%	45 %	25 %	38%	26%	24%	22%	31%	16%	45 %	30 %	30 %	27 %	24 %	20 %	
CWBMCWJ 190016				✓ CWJ 160003	90	97	101	99	88	88	97	113	101	97	101	80	95	85	91	113	108	102	106	
F1				CWBFBV15-113	2.37	1.6				2.37	1.6	-0.87	9.4	4.1	8	8.7	1.3	-1.4	-0.3	10.0	2.0	0.1	0.4	
CRADLE RJA190006					44%	25%	26 %	22%	24%	45 %	25 %	38%	26%	24%	22%	31%	16%	41 %	30 %	30 %	27 %	24 %	20 %	
CWBMCWJ 190017				✓ CWJ 160003	90	97	101	99	88	88	97	113	101	97	101	80	95	85	91	113	108	102	106	
F1				CWBFBV29	2.37	1.6				2.37	1.6	-0.87	9.4	4.1	8	8.7	1.3	-1.4	-0.3	10.0	2.0	0.1	0.4	
CRADLE RJA190007					44%	25%	26 %	22%	24%	45 %	25 %	38%	26%	24%	22%	31%	16%	41 %	30 %	30 %	27 %	24 %	20 %	
CWBMCWJ 190018				✓ CWJ 160003	90	97	101	99	88	88	97	113	101	97	101	80	95	85	91	113	108	102	106	
F1				CWBFBV102	2.37	1.6				2.37	1.6	-0.87	9.4	4.1	8	8.7	1.3	-1.4	-0.3	10.0	2.0	0.1	0.4	
CRADLE RJA190008					44%	25%	26 %	22%	24%	45 %	25 %	38%	26%	24%	22%	31%	16%	41 %	30 %	30 %	27 %	24 %	20 %	
CWBMCWJ 190019				✓ CWJ 160003	90	97	101	99	88	88	97	113	101	97	101	80	95	85	91	113	108	102	106	
F1				CWBFBORXJER	2.37	1.6				2.37	1.6	-0.87	9.4	4.1	8	8.7	1.3	-1.4	-0.3	10.0	2.0	0.1	0.4	
CRADLE RJA190009					44%	25%	26 %	22%	24%	45 %	25 %	38%	26%	24%	22%	31%	16%	41 %	30 %	30 %	27 %	24 %	20 %	
CWBMCWJ 190020				✓ CWJ 160003	90	97	101	99	88	88	97	113	101	97	101	80	95	85	91	113	108	102	106	
F1				CWBFPINZYL11-16	2.37	1.6				2.37	1.6	-0.87	9.4	4.1	8	8.7	1.3	-1.4	-0.3	10.0	2.0	0.1	0.4	
CRADLE RJA190010					44%	25%	26 %	22%	24%	45 %	25 %	38%	26%	24%	22%	31%	16%	41 %	30 %	30 %	27 %	24 %	20 %	
CWBMCWJ 190021				✓ CWJ 160003	90	97	101	99	88	88	97	113	101	97	101	80	95	85	91	113	108	102	106	
F1					2.37	1.6				2.37	1.6	-0.87	9.4	4.1	8	8.7	1.3	-1.4	-0.3	10.0	2.0	0.1	0.4	
CRADLE RJA190011					44%	25%	26 %	22%	24%	45 %	25 %	38%	26%	24%	22%	31%	16%	41 %	30 %	30 %	27 %	24 %	20 %	

CWB Bulls

Inbreeding >6% is high					<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed															
Bull					Selection Value					Calf weight		Mother		Growth		Fertility			Carcass				
ID	%Inbreeding	Parentage			Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
Name		Genomic	DNA	Sire ID Dam ID																			
JAPANESE BLACK																							
CWBMCWJ 190023				✓ CWJ 160003	116	86	88	115	98	114	86	92	88	89	85	83	109	89	102	103	113	97	102
F2				✓ JMP 160014	50%	25%	26 %	22%	25%	-0.16	-2.7	-0.09	2.3	-1.6	-15	6.9	-1.2	0.6	1.1	2.9	2.9	-0.3	-0.2
CRADLE RJB190013										53 %	25 %	39%	26%	24%	22%	34%	16%	46 %	30 %	30 %	27 %	24 %	20 %
CWBMCWJ 190024				✓ CWJ 160003	102	91	87	115	100	103	91	91	87	93	85	83	111	90	102	103	113	97	102
F2				✓ JMP 160063	55%	25%	26 %	22%	26%	0.96	-0.5	-0.04	2.0	1.4	-15	6.9	-1.6	0.7	1.1	2.9	2.9	-0.3	-0.2
CRADLE RJB190014										57 %	25 %	48%	26%	24%	22%	35%	16%	47 %	30 %	30 %	27 %	24 %	20 %
CWBMCWJ 190025	1			✓ CWJ 160003	97	92	86	116	99	97	92	93	86	90	84	87	109	96	94	102	106	89	104
F2				✓ JMP 160011	56%	27%	28 %	24%	26%	1.53	-0.3	-0.13	1.4	-0.3	-16	5.0	-1.2	3.6	0.1	2.5	1.8	-1.2	0.1
CRADLE RJB190015										58 %	27 %	50%	28%	26%	24%	34%	18%	49 %	34 %	33 %	30 %	26 %	21 %
CWBMCWJ 190124				✓ CWJ 160003	108	90	92	110	94	105	90	100	92	91	90	80	105	96	98	106	112	99	103
F1				NG14/132	58%	25%	26 %	22%	24%	0.71	-1.2	-0.38	4.6	0.4	-7	8.6	-0.4	3.6	0.6	5.3	2.6	-0.2	0.0
CRADLE CWJ190124										62 %	25 %	41%	26%	24%	22%	31%	16%	44 %	30 %	30 %	27 %	24 %	20 %
CWBMCWJF1190001				✓ CWJ 160003	90	97	101	99	88	88	97	113	101	97	101	80	95	85	91	113	108	102	106
F1					44%	25%	26 %	22%	24%	2.37	1.6	-0.87	9.4	4.1	8	8.7	1.3	-1.4	-0.3	10.0	2.0	0.1	0.4
CRADLE CWJF1190001										45 %	25 %	38%	26%	24%	22%	31%	16%	41 %	30 %	30 %	27 %	24 %	20 %
CWBMLB 190012				✓ BA 150400	96	105	118	90	107	104	105	65	118	113	110	106	109	95	88	105	88	110	112
F1				17.60.33	60%	27%	23 %	17%	22%	0.88	4.8	0.92	18.2	15.8	21	-6.5	-0.8	3.2	-0.7	4.3	-1.1	0.9	1.5
LOUMA-B LB190012										66 %	27 %	39%	23%	20%	17%	28%	16%	47 %	37 %	36 %	33 %	27 %	18 %
CWBMLB 190021				✓ CWBMBA 150352	96					107		43						89					
F1				NT117	50%					0.59		1.75						0.4					
LOUMA-B LB190021										58 %		17%						24 %					
CWBMLB 190025				✓ BA 140004	76	109	108	104	107	85	109	71	108	111	96	104	108	94	84	86	97	87	109
F1				17.60.32	60%	32%	24 %	19%	22%	2.73	6.7	0.69	12.9	13.8	1	-5.0	-1.1	2.5	-1.2	-9.3	0.2	-1.4	0.9
LOUMA-B LB190025										66 %	32 %	38%	24%	22%	19%	30%	15%	48 %	38 %	38 %	35 %	26 %	19 %
CWBMLB 190044				✓ BA 140004	76	109	108	104	107	85	109	72	108	110	96	104	108	108	84	86	97	87	109
F1				12-149	60%	32%	24 %	19%	22%	2.69	6.6	0.68	12.9	13.7	1	-5.0	-1.1	8.7	-1.2	-9.3	0.2	-1.4	0.9
LOUMA-B LB190044										66 %	32 %	38%	24%	22%	19%	30%	15%	48 %	38 %	38 %	35 %	26 %	19 %
CWBMLB 190048				✓ BA 150400	86	108	118	90	107	96	108	60	118	116	110	106	109	95	88	105	88	110	112
F1				11-106	60%	27%	23 %	17%	22%	1.60	6.0	1.10	18.2	17.6	21	-6.5	-0.8	3.2	-0.7	4.3	-1.1	0.9	1.5
LOUMA-B LB190048										66 %	27 %	39%	23%	20%	17%	28%	16%	46 %	37 %	36 %	33 %	27 %	18 %
CWBMLB 190051				✓ BA 150400	97	104	118	90	107	105	104	66	118	113	110	106	109	95	88	105	88	110	112
F1				17.60.30	60%	27%	23 %	17%	22%	0.77	4.6	0.90	18.2	15.5	21	-6.5	-0.8	3.2	-0.7	4.3	-1.1	0.9	1.5
LOUMA-B LB190051										66 %	27 %	39%	23%	20%	17%	28%	16%	47 %	37 %	36 %	33 %	27 %	18 %
CWBMCWJ 200009				✓ CWJ 180002	95	104	106	96	95	92	104	109	106	106	104	96	95	90	94	109	101	123	114
F1					30%	22%	22 %	21%	20%	2.04	4.7	-0.72	12.0	10.7	13	-0.5	1.5	1.1	0.0	7.1	1.0	2.1	1.8
CRADLE CWJ200009										31 %	22 %	27%	22%	24%	21%	24%	15%	31 %	23 %	24 %	23 %	23 %	17 %

CWB Bulls

Inbreeding >6% is high					<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed																
Bull					Selection Value					Calf weight		Mother		Growth		Fertility			Carcass					
ID	%Inbreeding	Parentage			Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling	Fineness
Name		Genomic	DNA	Sire ID Dam ID																				
JAPANESE BLACK																								
CWBMCWJ 200012				✓ CWJ 180002	95	104	106	96	95	92	104	109	106	106	104	96	95	90	94	109	101	123	114	
F1					30%	22%	22 %	21%	20%	2.04	4.7	-0.72	12.0	10.7	13	-0.5	1.5	1.1	0.0	7.1	1.0	2.1	1.8	
CRADLE CWJ200012										31 %	22 %	27%	22%	24%	21%	24%	15%	31 %	23 %	24 %	23 %	23 %	17 %	
CWBMCWJ 200013				✓ CWJ 160003	90	97	101	99	88	88	97	113	101	97	101	80	95	85	91	113	108	102	106	
F1					44%	25%	26 %	22%	24%	2.37	1.6	-0.87	9.4	4.1	8	8.7	1.3	-1.4	-0.3	10.0	2.0	0.1	0.4	
CRADLE CWJ200013										45 %	25 %	38%	26%	24%	22%	31%	16%	41 %	30 %	30 %	27 %	24 %	20 %	
CWBMCWJ 200023				✓ CWJ 170005	103	96	104	97	93	100	96	101	104	97	103	96	92	85	101	95	110	88	97	
F1					44%	20%	18 %	18%	19%	1.22	1.2	-0.43	10.7	4.1	10	-0.7	2.0	-1.3	1.0	-3.0	2.4	-1.2	-0.9	
CRADLE CWJ200023										47 %	20 %	32%	18%	22%	18%	24%	14%	38 %	30 %	30 %	27 %	23 %	18 %	
CWBMCWJ 200026				✓ CWJ 170005	103	96	104	97	93	100	96	101	104	97	103	96	92	85	101	95	110	88	97	
F1					44%	20%	18 %	18%	19%	1.22	1.2	-0.43	10.7	4.1	10	-0.7	2.0	-1.3	1.0	-3.0	2.4	-1.2	-0.9	
CRADLE CWJ200026										47 %	20 %	32%	18%	22%	18%	24%	14%	38 %	30 %	30 %	27 %	23 %	18 %	
CWBMCWJ 200038				✓ CWJ 170005	103	96	104	97	93	100	96	101	104	97	103	96	92	85	101	95	110	88	97	
F1				CWBFBV29	44%	20%	18 %	18%	19%	1.22	1.2	-0.43	10.7	4.1	10	-0.7	2.0	-1.3	1.0	-3.0	2.4	-1.2	-0.9	
CRADLE CWJ200038										47 %	20 %	32%	18%	22%	18%	24%	14%	38 %	30 %	30 %	27 %	23 %	18 %	
CWBMCWJ 200043				✓ CWJ 170005	104	93	95	108	99	106	93	81	95	95	92	96	101	86	109	88	114	85	95	
F1				GB2013	59%	20%	18 %	18%	19%	0.61	0.1	0.33	6.0	3.0	-6	-0.8	0.3	-0.8	1.9	-7.7	3.0	-1.5	-1.3	
CRADLE CWJ200043										65 %	20 %	36%	18%	22%	18%	24%	14%	43 %	30 %	30 %	27 %	23 %	18 %	
CWBMCWJ 200051				✓ CWJ 160003	90	97	101	99	88	88	97	113	101	97	101	80	95	85	91	113	108	102	106	
F1				CWBFBV36	44%	25%	26 %	22%	24%	2.37	1.6	-0.87	9.4	4.1	8	8.7	1.3	-1.4	-0.3	10.0	2.0	0.1	0.4	
CRADLE CWJ200051										45 %	25 %	38%	26%	24%	22%	31%	16%	41 %	30 %	30 %	27 %	24 %	20 %	
CWBMCWJ 200052				✓ CWJ 160003	90	97	101	99	88	88	97	113	101	97	101	80	95	85	91	113	108	102	106	
F1				CWBFB0 R2EYES	44%	25%	26 %	22%	24%	2.37	1.6	-0.87	9.4	4.1	8	8.7	1.3	-1.4	-0.3	10.0	2.0	0.1	0.4	
CRADLE CWJ200052										45 %	25 %	38%	26%	24%	22%	31%	16%	41 %	30 %	30 %	27 %	24 %	20 %	
CWBMCWJ 200058				✓ CWJ 160003	90	97	101	99	88	88	97	113	101	97	101	80	95	85	91	113	108	102	106	
F1				CWBFSI MBRAC2	44%	25%	26 %	22%	24%	2.37	1.6	-0.87	9.4	4.1	8	8.7	1.3	-1.4	-0.3	10.0	2.0	0.1	0.4	
CRADLE CWJ200058										45 %	25 %	38%	26%	24%	22%	31%	16%	41 %	30 %	30 %	27 %	24 %	20 %	
CWBMCWJ 200062				✓ BB 140001	98	99	99	107	101	101	99	81	99	100	93	99	103	90	109	74	98	78	96	
F1				BUT TERCUP	61%	35%	23 %	18%	26%	1.10	2.5	0.31	8.0	6.7	-3	-2.0	0.0	0.9	2.0	-17.7	0.5	-2.2	-1.1	
CRADLE CWJ200062										66 %	35 %	41%	23%	28%	18%	34%	17%	50 %	48 %	48 %	47 %	27 %	17 %	
CWBMCWJ 200070				✓ CWJ 170005	103	96	104	97	93	100	96	101	104	97	103	96	92	85	101	95	110	88	97	
F1				CWBFBV9	44%	20%	18 %	18%	19%	1.22	1.2	-0.43	10.7	4.1	10	-0.7	2.0	-1.3	1.0	-3.0	2.4	-1.2	-0.9	
CRADLE CWJ200070										47 %	20 %	32%	18%	22%	18%	24%	14%	38 %	30 %	30 %	27 %	23 %	18 %	
CWBMCWJ 200071				✓ CWJ 170005	103	96	104	97	93	100	96	101	104	97	103	96	92	85	101	95	110	88	97	
F1				CWBFBORG7-16	44%	20%	18 %	18%	19%	1.22	1.2	-0.43	10.7	4.1	10	-0.7	2.0	-1.3	1.0	-3.0	2.4	-1.2	-0.9	
CRADLE CWJ200071										47 %	20 %	32%	18%	22%	18%	24%	14%	38 %	30 %	30 %	27 %	23 %	18 %	

CWB Bulls

Inbreeding >6% is high					<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed																
Bull					Selection Value					Calf weight		Mother		Growth		Fertility			Carcass					
ID	%Inbreeding	Parentage			Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling	Fineness
Name		Genomic	DNA	Sire ID Dam ID																				
JAPANESE BLACK																								
CWBMCWJ 200072				✓ CWJ 170005	103	96	104	97	93	100	96	101	104	97	103	96	92	85	101	95	110	88	97	
F1				CWBFBV102	1.22	1.2	-0.43	10.7	4.1	10	-0.7	10.7	18%	4.1	10	-0.7	2.0	-1.3	1.0	-3.0	2.4	-1.2	-0.9	
CRADLE CWJ200072					44%	20%	18 %	18%	19%	47 %	20 %	32%	18%	22%	18%	24%	14%	38 %	30 %	30 %	27 %	23 %	18 %	
CWBMCWJ 200074				✓ CWJ 160003	90	97	101	99	88	88	97	113	101	97	101	80	95	85	91	113	108	102	106	
F1				CWBFBV15-5	2.37	1.6	-0.87	9.4	4.1	8	8.7	1.3	-1.4	4.1	8	8.7	1.3	-1.4	-0.3	10.0	2.0	0.1	0.4	
CRADLE CWJ200074					44%	25%	26 %	22%	24%	45 %	25 %	38%	26%	24%	22%	31%	16%	41 %	30 %	30 %	27 %	24 %	20 %	
CWBMCWJ 200075				✓ CWJ 160003	90	97	101	99	88	88	97	113	101	97	101	80	95	85	91	113	108	102	106	
F1				CWBFBV15-113	2.37	1.6	-0.87	9.4	4.1	8	8.7	1.3	-1.4	4.1	8	8.7	1.3	-1.4	-0.3	10.0	2.0	0.1	0.4	
CRADLE CWJ200075					44%	25%	26 %	22%	24%	45 %	25 %	38%	26%	24%	22%	31%	16%	41 %	30 %	30 %	27 %	24 %	20 %	
CWBMCWJ 200078	4			✓ CWJ 170005	118	90	85	110	96	111	90	109	85	86	90	93	100	97	106	97	117	87	98	
F2				CWJ A18013	0.13	-1.3	-0.73	0.9	-3.2	-8	1.2	0.6	3.9	-3.2	-8	1.2	0.6	3.9	1.5	-1.3	3.5	-1.3	-0.7	
CRADLE CWJ200078					64%	23%	23 %	21%	22%	69 %	23 %	44%	23%	26%	21%	27%	16%	45 %	33 %	33 %	30 %	26 %	21 %	
CWBMCWJ 200081				✓ CWJ 160003	98	93	92	110	94	98	93	95	92	94	90	80	105	88	98	106	112	99	103	
F1				BORG514	1.44	0.1	-0.19	4.7	2.2	-7	8.6	-0.4	0.2	2.2	-7	8.6	-0.4	0.2	0.6	5.3	2.6	-0.2	0.0	
CRADLE CWJ200081					60%	25%	26 %	22%	24%	65 %	25 %	41%	26%	24%	22%	31%	16%	45 %	30 %	30 %	27 %	24 %	20 %	
CWBMCWJ 200082				✓ CWJ 160003	90	97	101	99	88	88	97	113	101	97	101	80	95	85	91	113	108	102	106	
F1				CWBFPINZYL11-16	2.37	1.6	-0.87	9.4	4.1	8	8.7	1.3	-1.4	4.1	8	8.7	1.3	-1.4	-0.3	10.0	2.0	0.1	0.4	
CRADLE CWJ200082					44%	25%	26 %	22%	24%	45 %	25 %	38%	26%	24%	22%	31%	16%	41 %	30 %	30 %	27 %	24 %	20 %	
CWBMCWJ 200083				✓ CWJ 170005	98	93	96	108	100	104	93	71	96	96	92	97	104	99	109	88	114	85	95	
F2				JMP 160021	0.88	0.2	0.72	6.5	3.4	-6	-1.0	-0.1	5.0	3.4	-6	-1.0	-0.1	5.0	1.9	-7.7	3.0	-1.5	-1.3	
CRADLE CWJ200083					66%	20%	18 %	18%	20%	71 %	20 %	46%	18%	22%	18%	25%	14%	43 %	30 %	30 %	27 %	23 %	18 %	
CWBMCWJ 200084	4			✓ CWJ 170005	105	94	85	110	96	101	94	106	85	90	90	93	100	97	106	97	117	87	98	
F2				CWJ A18012	1.12	0.5	-0.60	0.8	-0.6	-8	1.2	0.6	3.9	-0.6	-8	1.2	0.6	3.9	1.5	-1.3	3.5	-1.3	-0.7	
CRADLE CWJ200084					65%	23%	23 %	21%	22%	71 %	23 %	44%	23%	26%	21%	27%	16%	45 %	33 %	33 %	30 %	26 %	21 %	
CWBMCWJ 200085				✓ CWJ 170005	123	87	95	108	99	122	87	91	95	90	92	96	101	89	109	88	114	85	95	
F1				BORG25-10	-0.86	-2.3	-0.03	5.9	-0.6	-6	-0.8	0.3	0.3	-0.6	-6	-0.8	0.3	0.3	1.9	-7.7	3.0	-1.5	-1.3	
CRADLE CWJ200085					60%	20%	18 %	18%	19%	66 %	20 %	36%	18%	22%	18%	24%	14%	43 %	30 %	30 %	27 %	23 %	18 %	
CWBMCWJ 200086	4			✓ CWJ 170005	120	84	74	119	105	127	84	101	74	78	81	100	109	98	106	88	125	77	96	
FB				CWJ 180011	-1.35	-3.6	-0.43	-5.1	-8.9	-21	-3.0	-1.1	4.4	-8.9	-21	-3.0	-1.1	4.4	1.6	-7.3	4.6	-2.3	-1.1	
CRADLE CWJ200086					64%	27%	26 %	23%	27%	69 %	27 %	44%	26%	28%	23%	35%	19%	49 %	38 %	38 %	35 %	30 %	24 %	
CWBMCWJ 200090	4			✓ CWJ 170005	120	94	70	113	101	125	94	122	70	88	87	95	108	104	107	80	111	79	103	
FB				CWJ 180012	-1.24	0.5	-1.20	-7.2	-2.2	-12	-0.1	-0.6	6.9	-2.2	-12	-0.1	-0.6	6.9	1.7	-13.3	2.5	-2.1	0.0	
CRADLE CWJ200090					66%	32%	25 %	21%	26%	71 %	32 %	47%	25%	31%	21%	34%	18%	48 %	39 %	38 %	35 %	30 %	24 %	
CWBMCWJ 200091				✓ CWJ 170005	103	96	104	97	93	100	96	101	104	97	103	96	92	85	101	95	110	88	97	
F1				CWBFBV33	1.22	1.2	-0.43	10.7	4.1	10	-0.7	10.7	18%	4.1	10	-0.7	2.0	-1.3	1.0	-3.0	2.4	-1.2	-0.9	
CRADLE CWJ200091					44%	20%	18 %	18%	19%	47 %	20 %	32%	18%	22%	18%	24%	14%	38 %	30 %	30 %	27 %	23 %	18 %	

CWB Bulls

Inbreeding >6% is high					<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed															
Bull					Selection Value					Calf weight		Mother		Growth		Fertility			Carcass				
ID	Parentage	%Inbreeding	Genomic	Sire ID	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn. Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
Name	DNA		Dam ID																				
JAPANESE BLACK																							
CWBMCWJ 200092	16			CWJ 160003	105	89	83	112	91	102	89	115	83	85	88	77	103	97	95	115	115	101	106
F2				CWJ A18007	66%	28%	29 %	25%	26%	1.09	-1.5	-0.95	0.0	-3.9	-10	10.6	-0.1	4.0	0.2	11.7	3.0	0.0	0.6
CRADLE CWJ200092					66%	28%	29 %	25%	26%	70 %	28 %	49%	29%	26%	25%	34%	18%	47 %	33 %	33 %	30 %	26 %	22 %
CWBMCWJ 200094			✓	CWJ 170005	122	89	94	108	99	119	89	94	94	91	92	96	101	86	109	88	114	85	95
F1				LONGHNGUNI	61%	20%	18 %	18%	19%	-0.59	-1.6	-0.16	5.7	0.2	-6	-0.8	0.3	-0.6	1.9	-7.7	3.0	-1.5	-1.3
CRADLE CWJ200094					61%	20%	18 %	18%	19%	67 %	20 %	39%	18%	22%	18%	24%	14%	43 %	30 %	30 %	27 %	23 %	18 %
CWBMCWJ 200095			✓	CWJ 160003	90	97	101	99	88	88	97	113	101	97	101	80	95	85	91	113	108	102	106
F1				CWBFBV10	44%	25%	26 %	22%	24%	2.37	1.6	-0.87	9.4	4.1	8	8.7	1.3	-1.4	-0.3	10.0	2.0	0.1	0.4
CRADLE CWJ200095					44%	25%	26 %	22%	24%	45 %	25 %	38%	26%	24%	22%	31%	16%	41 %	30 %	30 %	27 %	24 %	20 %
CWBMCWJ 200096			✓	CWJ 170005	101	93	96	108	99	105	93	74	96	95	92	96	101	95	109	88	114	85	95
F1				CWJ 130217	61%	20%	18 %	18%	19%	0.70	0.0	0.58	6.4	3.0	-6	-0.8	0.3	3.0	1.9	-7.7	3.0	-1.5	-1.3
CRADLE CWJ200096					61%	20%	18 %	18%	19%	67 %	20 %	39%	18%	22%	18%	24%	14%	42 %	30 %	30 %	27 %	23 %	18 %
CWBMCWJ 200097			✓	CWJ 160003	104	91	92	110	94	102	91	98	92	93	90	80	105	93	98	106	112	99	103
F1				CWJ 130859	60%	25%	26 %	22%	24%	1.01	-0.7	-0.30	4.6	1.2	-7	8.6	-0.4	2.2	0.6	5.3	2.6	-0.2	0.0
CRADLE CWJ200097					60%	25%	26 %	22%	24%	65 %	25 %	41%	26%	24%	22%	31%	16%	45 %	30 %	30 %	27 %	24 %	20 %
CWBMCWJ 200104			✓	CWJ 180013	95	93	108	97	93	95	93	94	108	95	103	91	95	95	90	111	110	97	99
F1					29%	18%	20 %	16%	18%	1.69	0.1	-0.16	12.8	3.1	10	2.6	1.4	2.9	-0.4	8.3	2.3	-0.4	-0.6
CRADLE CWJ200104					29%	18%	20 %	16%	18%	29 %	18 %	27%	20%	17%	16%	23%	13%	29 %	24 %	24 %	22 %	20 %	15 %
CWBMCWJ 200105			✓	CWJ 180013	95	93	108	97	93	95	93	94	108	95	103	91	95	95	90	111	110	97	99
F1					29%	18%	20 %	16%	18%	1.69	0.1	-0.16	12.8	3.1	10	2.6	1.4	2.9	-0.4	8.3	2.3	-0.4	-0.6
CRADLE CWJ200105					29%	18%	20 %	16%	18%	29 %	18 %	27%	20%	17%	16%	23%	13%	29 %	24 %	24 %	22 %	20 %	15 %
CWBMCWJ 200106			✓	CWJ 180013	95	93	108	97	93	95	93	94	108	95	103	91	95	95	90	111	110	97	99
F1					29%	18%	20 %	16%	18%	1.69	0.1	-0.16	12.8	3.1	10	2.6	1.4	2.9	-0.4	8.3	2.3	-0.4	-0.6
CRADLE CWJ200106					29%	18%	20 %	16%	18%	29 %	18 %	27%	20%	17%	16%	23%	13%	29 %	24 %	24 %	22 %	20 %	15 %
CWBMCWJ 200107			✓	CWJ 180013	95	93	108	97	93	95	93	94	108	95	103	91	95	95	90	111	110	97	99
F1					29%	18%	20 %	16%	18%	1.69	0.1	-0.16	12.8	3.1	10	2.6	1.4	2.9	-0.4	8.3	2.3	-0.4	-0.6
CRADLE CWJ200107					29%	18%	20 %	16%	18%	29 %	18 %	27%	20%	17%	16%	23%	13%	29 %	24 %	24 %	22 %	20 %	15 %
CWBMCWJ 200109			✓	CWJ 180013	95	93	108	97	93	95	93	94	108	95	103	91	95	95	90	111	110	97	99
F1					29%	18%	20 %	16%	18%	1.69	0.1	-0.16	12.8	3.1	10	2.6	1.4	2.9	-0.4	8.3	2.3	-0.4	-0.6
CRADLE CWJ200109					29%	18%	20 %	16%	18%	29 %	18 %	27%	20%	17%	16%	23%	13%	29 %	24 %	24 %	22 %	20 %	15 %
CWBMCWJ 210002			✓	CWJ 160003	66	103	92	110	94	73	103	84	92	103	90	80	105	93	98	106	112	99	103
F1				CWJ 13GB14	61%	25%	26 %	22%	24%	3.84	4.3	0.23	4.6	8.3	-7	8.6	-0.4	2.1	0.6	5.3	2.6	-0.2	0.0
CRADLE CWJ210002					61%	25%	26 %	22%	24%	66 %	25 %	44%	26%	24%	22%	31%	16%	45 %	30 %	30 %	27 %	24 %	20 %
CWBMCWJ 210004			✓	CWJ 170005	103	96	104	97	93	100	96	101	104	97	103	96	92	85	101	95	110	88	97
F1					44%	20%	18 %	18%	19%	1.22	1.2	-0.43	10.7	4.1	10	-0.7	2.0	-1.3	1.0	-3.0	2.4	-1.2	-0.9
CRADLE CWJ210004					44%	20%	18 %	18%	19%	47 %	20 %	32%	18%	22%	18%	24%	14%	38 %	30 %	30 %	27 %	23 %	18 %

CWB Bulls

Inbreeding >6% is high					<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed															
Bull					Selection Value					Calf weight		Mother		Growth		Fertility			Carcass				
ID	%Inbreeding	Parentage			Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
Name		Genomic	DNA	Sire ID Dam ID																			
JAPANESE BLACK																							
CWBMCWJ 210005				✓ CWJ 170005	103	96	104	97	93	100	96	101	104	97	103	96	92	85	101	95	110	88	97
F1				CWBFCWJ 140001	44%	20%	18 %	18%	19%	1.22	1.2	-0.43	10.7	4.1	10	-0.7	2.0	-1.3	1.0	-3.0	2.4	-1.2	-0.9
CRADLE CWJ210005										47 %	20 %	32%	18%	22%	18%	24%	14%	38 %	30 %	30 %	27 %	23 %	18 %
CWBMCWJ 210006				✓ CWJ 170005	103	96	104	97	93	100	96	101	104	97	103	96	92	85	101	95	110	88	97
F1				CWBFCWJ 140001	44%	20%	18 %	18%	19%	1.22	1.2	-0.43	10.7	4.1	10	-0.7	2.0	-1.3	1.0	-3.0	2.4	-1.2	-0.9
CRADLE CWJ210006										47 %	20 %	32%	18%	22%	18%	24%	14%	38 %	30 %	30 %	27 %	23 %	18 %
CWBMCWJ 210007				✓ CWJ 170005	106	92	95	108	99	108	92	82	95	94	92	96	101	93	109	88	114	85	95
F1				CWJ 130003	60%	20%	18 %	18%	19%	0.42	-0.2	0.28	6.0	2.5	-6	-0.8	0.3	2.4	1.9	-7.7	3.0	-1.5	-1.3
CRADLE CWJ210007										66 %	20 %	36%	18%	22%	18%	24%	14%	42 %	30 %	30 %	27 %	23 %	18 %
CWBMCWJ 210008				✓ CWJ 170005	103	96	104	97	93	100	96	101	104	97	103	96	92	85	101	95	110	88	97
F1					44%	20%	18 %	18%	19%	1.22	1.2	-0.43	10.7	4.1	10	-0.7	2.0	-1.3	1.0	-3.0	2.4	-1.2	-0.9
CRADLE CWJ210008										47 %	20 %	32%	18%	22%	18%	24%	14%	38 %	30 %	30 %	27 %	23 %	18 %
CWBMCWJ 210013				✓ CWJ 170005	103	96	104	97	93	100	96	101	104	97	103	96	92	85	101	95	110	88	97
F1					44%	20%	18 %	18%	19%	1.22	1.2	-0.43	10.7	4.1	10	-0.7	2.0	-1.3	1.0	-3.0	2.4	-1.2	-0.9
CRADLE CWJ210013										47 %	20 %	32%	18%	22%	18%	24%	14%	38 %	30 %	30 %	27 %	23 %	18 %
CWBMCWJ 210015				✓ CWJ 170005	103	96	104	97	93	100	96	101	104	97	103	96	92	85	101	95	110	88	97
F1					44%	20%	18 %	18%	19%	1.22	1.2	-0.43	10.7	4.1	10	-0.7	2.0	-1.3	1.0	-3.0	2.4	-1.2	-0.9
CRADLE CWJ210015										47 %	20 %	32%	18%	22%	18%	24%	14%	38 %	30 %	30 %	27 %	23 %	18 %
CWBMCWJ 210016				✓ CWJ 190004	107	100	108	95	96	103	100	103	108	105	105	95	97	94	91	108	98	119	113
F1					42%	21%	24 %	18%	20%	0.92	2.9	-0.51	13.1	9.6	13	0.3	1.0	2.7	-0.3	6.4	0.4	1.7	1.6
CRADLE CWJ210016										45 %	21 %	31%	24%	20%	18%	27%	14%	34 %	21 %	21 %	20 %	20 %	15 %
CWBMCWJ 210017				✓ CWJ 170005	103	96	104	97	93	100	96	101	104	97	103	96	92	85	101	95	110	88	97
F1					44%	20%	18 %	18%	19%	1.22	1.2	-0.43	10.7	4.1	10	-0.7	2.0	-1.3	1.0	-3.0	2.4	-1.2	-0.9
CRADLE CWJ210017										47 %	20 %	32%	18%	22%	18%	24%	14%	38 %	30 %	30 %	27 %	23 %	18 %
CWBMCWJ 210020				✓ CWJ 160003	90	97	101	99	88	88	97	113	101	97	101	80	95	85	91	113	108	102	106
F1					44%	25%	26 %	22%	24%	2.37	1.6	-0.87	9.4	4.1	8	8.7	1.3	-1.4	-0.3	10.0	2.0	0.1	0.4
CRADLE CWJ210020										45 %	25 %	38%	26%	24%	22%	31%	16%	41 %	30 %	30 %	27 %	24 %	20 %
CWBMCWJ 210021				✓ CWJ 170005	103	96	104	97	93	100	96	101	104	97	103	96	92	85	101	95	110	88	97
F1				CWBFBV29	44%	20%	18 %	18%	19%	1.22	1.2	-0.43	10.7	4.1	10	-0.7	2.0	-1.3	1.0	-3.0	2.4	-1.2	-0.9
CRADLE CWJ210021										47 %	20 %	32%	18%	22%	18%	24%	14%	38 %	30 %	30 %	27 %	23 %	18 %
CWBMCWJ 210024	1			✓ CWJ 170005	94	96	88	114	104	98	96	80	88	94	86	103	105	97	105	84	109	75	96
F2				✓ JMP 160011	67%	22%	21 %	20%	22%	1.39	1.2	0.36	2.5	2.4	-14	-4.4	-0.4	3.7	1.4	-10.4	2.2	-2.5	-1.2
CRADLE CWJ210024										72 %	22 %	46%	21%	24%	20%	27%	16%	47 %	34 %	33 %	30 %	26 %	20 %
CWBMCWJ 210025				✓ CWJ 190004	107	100	108	95	96	103	100	103	108	105	105	95	97	94	91	108	98	119	113
F1				CWBF14565	42%	21%	24 %	18%	20%	0.92	2.9	-0.51	13.1	9.6	13	0.3	1.0	2.7	-0.3	6.4	0.4	1.7	1.6
CRADLE CWJ210025										45 %	21 %	31%	24%	20%	18%	27%	14%	34 %	21 %	21 %	20 %	20 %	15 %

CWB Bulls

Inbreeding >6% is high					<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed															
Bull					Selection Value					Calf weight		Mother		Growth		Fertility			Carcass				
ID	%Inbreeding	Parentage			Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
Name		Genomic	DNA	Sire ID Dam ID																			
JAPANESE BLACK																							
CWBMCWJ 210032				✓ CWJ 160003	90	97	101	99	88	88	97	113	101	97	101	80	95	85	91	113	108	102	106
F1				CWBFBORG6/16	44%	25%	26 %	22%	24%	2.37	1.6	-0.87	9.4	4.1	8	8.7	1.3	-1.4	-0.3	10.0	2.0	0.1	0.4
CRADLE CWJ210032										45 %	25 %	38%	26%	24%	22%	31%	16%	41 %	30 %	30 %	27 %	24 %	20 %
CWBMCWJ 210033				✓ CWJ 170005	103	96	104	97	93	100	96	101	104	97	103	96	92	85	101	95	110	88	97
F1				CWBFBORXTULI10 /15	44%	20%	18 %	18%	19%	1.22	1.2	-0.43	10.7	4.1	10	-0.7	2.0	-1.3	1.0	-3.0	2.4	-1.2	-0.9
CRADLE CWJ210033										47 %	20 %	32%	18%	22%	18%	24%	14%	38 %	30 %	30 %	27 %	23 %	18 %
CWBMCWJ 210034				✓ CWJ 160003	90	97	101	99	88	88	97	113	101	97	101	80	95	85	91	113	108	102	106
F1				CWBFBV36	44%	25%	26 %	22%	24%	2.37	1.6	-0.87	9.4	4.1	8	8.7	1.3	-1.4	-0.3	10.0	2.0	0.1	0.4
CRADLE CWJ210034										45 %	25 %	38%	26%	24%	22%	31%	16%	41 %	30 %	30 %	27 %	24 %	20 %
CWBMCWJ 210042				✓ CWJ 160003	90	97	101	99	88	88	97	113	101	97	101	80	95	85	91	113	108	102	106
F1				CWBFDRAKENS7 6/15	44%	25%	26 %	22%	24%	2.37	1.6	-0.87	9.4	4.1	8	8.7	1.3	-1.4	-0.3	10.0	2.0	0.1	0.4
CRADLE CWJ210042										45 %	25 %	38%	26%	24%	22%	31%	16%	41 %	30 %	30 %	27 %	24 %	20 %
CWBMCWJ 210043				✓ CWJ 160003	90	97	101	99	88	88	97	113	101	97	101	80	95	85	91	113	108	102	106
F1				CWBFBV15-123	44%	25%	26 %	22%	24%	2.37	1.6	-0.87	9.4	4.1	8	8.7	1.3	-1.4	-0.3	10.0	2.0	0.1	0.4
CRADLE CWJ210043										45 %	25 %	38%	26%	24%	22%	31%	16%	41 %	30 %	30 %	27 %	24 %	20 %
CWBMCWJ 210044	4			✓ CWJ 190004	111	97	90	108	97	106	97	106	90	97	92	88	104	104	95	108	105	116	115
F2				✓ CWJ1190003	64%	25%	27 %	22%	23%	0.63	1.7	-0.60	3.3	4.3	-5	4.1	-0.3	6.8	0.1	6.4	1.5	1.5	2.0
CRADLE CWJ210044										69 %	25 %	43%	27%	23%	22%	31%	15%	42 %	26 %	26 %	24 %	23 %	18 %
CWBMCWJ 210047				✓ CWJ 170005	87	98	95	108	99	94	98	73	95	99	92	96	101	95	109	88	114	85	95
F1				CWJ 130217	61%	20%	18 %	18%	19%	1.82	2.2	0.63	6.1	6.0	-6	-0.8	0.3	3.0	1.9	-7.7	3.0	-1.5	-1.3
CRADLE CWJ210047										67 %	20 %	39%	18%	22%	18%	24%	14%	42 %	30 %	30 %	27 %	23 %	18 %
CWBMCWJ 210050				✓ CWJ 190004	107	100	108	95	96	103	100	103	108	105	105	95	97	94	91	108	98	119	113
F1				✓ CWBFCWJ 119006	42%	21%	24 %	18%	20%	0.92	2.9	-0.51	13.1	9.6	13	0.3	1.0	2.7	-0.3	6.4	0.4	1.7	1.6
CRADLE CWJ210050										45 %	21 %	31%	24%	20%	18%	27%	14%	34 %	21 %	21 %	20 %	20 %	15 %
CWBMCWJ 210053	1			✓ CWJ 160003	109	89	90	110	95	104	89	112	90	88	90	84	104	90	91	106	105	90	105
F2				JMP 160076	67%	27%	28 %	24%	26%	0.82	-1.4	-0.84	3.6	-2.3	-8	6.2	-0.2	0.8	-0.4	4.9	1.5	-1.0	0.3
CRADLE CWJ210053										71 %	27 %	51%	28%	26%	24%	35%	18%	49 %	34 %	33 %	30 %	26 %	21 %
CWBMCWJ 210059				MA RBORAN	86				100	98		39				90	106	89					
PEN						52%				5 %	1.40		1.90			2.8		0.3					
CRADLE CWJ210059										59 %		24%				7%		20 %					
CWBMCWJ 210063				✓ CWJ 160003	90	97	101	99	88	88	97	113	101	97	101	80	95	85	91	113	108	102	106
F1				CWBFBORGUNI10/ 16*	44%	25%	26 %	22%	24%	2.37	1.6	-0.87	9.4	4.1	8	8.7	1.3	-1.4	-0.3	10.0	2.0	0.1	0.4
CRADLE CWJ210063										45 %	25 %	38%	26%	24%	22%	31%	16%	41 %	30 %	30 %	27 %	24 %	20 %
CWBMCWJ 210068				✓ CWJ 160003	91	95	92	110	94	93	95	92	92	96	90	80	105	92	98	106	112	99	103
F1				PINZ10/16	61%	25%	26 %	22%	24%	1.92	0.9	-0.07	4.7	3.4	-7	8.6	-0.4	1.8	0.6	5.3	2.6	-0.2	0.0
CRADLE CWJ210068										66 %	25 %	42%	26%	24%	22%	31%	16%	44 %	30 %	30 %	27 %	24 %	20 %

CWB Bulls

Inbreeding >6% is high					<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed																
Bull					Selection Value					Calf weight		Mother		Growth		Fertility			Carcass					
ID	%Inbreeding	Parentage			Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling	Fineness
Name		Genomic	DNA	Sire ID Dam ID																				
JAPANESE BLACK																								
CWBMCWJ 210069				✓ CWJ 170005	103	96	104	97	93	100	96	101	104	97	103	96	92	85	101	95	110	88	97	
F1				CWBFGE LBVIEH	44%	20%	18 %	18%	19%	1.22	1.2	-0.43	10.7	4.1	10	-0.7	2.0	-1.3	1.0	-3.0	2.4	-1.2	-0.9	
CRADLE CWJ210069										47 %	20 %	32%	18%	22%	18%	24%	14%	38 %	30 %	30 %	27 %	23 %	18 %	
CWBMCWJ 220004				✓ CWJ 170005	112	83	95	108	96	131	83	92	95	87	92	95	99	90	109	88	114	85	95	
F1				CWJ 130X14	64%	20%	18 %	18%	20%	-1.74	-4.0	-0.07	6.1	-3.0	-6	0.0	0.9	0.9	1.9	-7.7	3.0	-1.5	-1.3	
CRADLE CWJ220004										69 %	20 %	43%	18%	22%	18%	25%	14%	43 %	30 %	30 %	27 %	23 %	18 %	
CWBMCWJ 220012				✓ CWBMCWJ 190116	82	100	86	116	108	92	100	66	86	101	84	93	118	96	106	97	111	95	100	
FB				✓ CWJ 160006	59%	25%	24 %	20%	22%	2.05	3.0	0.90	1.3	7.3	-17	1.1	-2.9	3.3	1.5	-1.0	2.4	-0.5	-0.5	
CRADLE CWJ220012										64 %	25 %	38%	24%	23%	20%	27%	16%	35 %	26 %	26 %	25 %	23 %	19 %	
CWBMCWJ 220013				✓ CWJ 190004	107	98	99	106	102	109	98	83	99	103	94	95	106	95	99	101	102	116	110	
F1				✓ CWJF1170012	61%	21%	24 %	18%	20%	0.36	1.9	0.27	8.4	8.7	-3	0.2	-0.7	3.2	0.6	1.7	1.0	1.4	1.2	
CRADLE CWJ220013										68 %	21 %	35%	24%	20%	18%	27%	14%	34 %	21 %	21 %	20 %	20 %	15 %	
CWBMCWJ 220016				✓ CWBMCWJ 190116	103	88	92	117	108	113	88	48	92	93	83	97	115	96	104	94	115	89	95	
FB				✓ CWJ 180005	57%	18%	19 %	15%	20%	-0.01	-2.1	1.56	4.5	1.2	-18	-1.0	-2.4	3.5	1.3	-3.7	3.1	-1.1	-1.3	
CRADLE CWJ220016										63 %	18 %	36%	19%	16%	15%	26%	14%	31 %	23 %	24 %	22 %	20 %	15 %	
CWBMCWJ 220018				✓ CWBMCWJ 190116	77	101	85	119	104	89	101	56	85	102	81	96	110	105	117	83	118	83	92	
FB				✓ CWJ 170009	57%	20%	18 %	18%	18%	2.28	3.4	1.26	0.9	8.0	-21	-0.3	-1.4	7.5	2.9	-11.2	3.5	-1.7	-1.8	
CRADLE CWJ220018										63 %	20 %	36%	18%	22%	18%	22%	13%	32 %	25 %	25 %	23 %	23 %	18 %	
CWBMCWJ 220020				✓ CWBMCWJ 190116	114	93	91	116	106	120	93	63	91	100	84	94	114	97	106	95	106	113	108	
FB				✓ CWJ 190002	56%	19%	19 %	18%	19%	-0.73	0.2	1.02	4.2	6.7	-17	0.6	-2.3	3.7	1.6	-3.0	1.6	1.1	0.8	
CRADLE CWJ220020										62 %	19 %	34%	19%	20%	18%	25%	13%	29 %	21 %	21 %	20 %	20 %	15 %	
CWBMCWJ 220021	1			✓ CWJ 170005	117	87	89	114	104	117	87	82	89	87	86	103	105	97	105	84	109	75	96	
F2				✓ JMP 160011	67%	22%	21 %	20%	22%	-0.44	-2.3	0.27	2.9	-2.5	-14	-4.4	-0.4	3.7	1.4	-10.4	2.2	-2.5	-1.2	
CRADLE CWJ220021										73 %	22 %	46%	21%	24%	20%	27%	16%	47 %	34 %	33 %	30 %	26 %	20 %	
CWBMCWJ 220027					73	99	102	108	100	86	99	59	102	105	92	90	106	91	104	102	108	100	97	
PEN				CWJ A18007	56%	13%	13 %	11%	10%	2.62	2.6	1.17	10.0	10.0	-5	2.7	-0.8	1.4	1.2	2.4	2.0	-0.1	-1.0	
CRADLE CWJ220027										63 %	13 %	30%	13%	12%	11%	12%	8%	24 %	14 %	14 %	13 %	12 %	10 %	
CWBMCWJ 220039				✓ CWJ 190004	107	100	108	95	96	103	100	103	108	105	105	95	97	94	91	108	98	119	113	
F1					42%	21%	24 %	18%	20%	0.92	2.9	-0.51	13.1	9.6	13	0.3	1.0	2.7	-0.3	6.4	0.4	1.7	1.6	
CRADLE CWJ220039										45 %	21 %	31%	24%	20%	18%	27%	14%	34 %	21 %	21 %	20 %	20 %	15 %	
CWBMCWJ 220046				✓ CWBMCWJ 190116	104	90	95	116	108	110	90	65	95	98	84	90	118	96	108	95	111	96	96	
F3				✓ CWJ 200015	58%	13%	13 %	11%	16%	0.22	-1.1	0.92	5.8	4.8	-16	2.8	-3.0	3.4	1.8	-2.9	2.5	-0.5	-1.1	
CRADLE CWJ220046										64 %	13 %	33%	13%	12%	11%	21%	12%	26 %	15 %	15 %	14 %	12 %	10 %	
CWBMCWJ 220049	3			✓ CWJ 190004	112	99	91	107	99	108	99	102	91	99	93	96	103	102	100	99	106	110	111	
F2				✓ CWJ 200018	62%	24%	25 %	20%	22%	0.48	2.4	-0.48	3.7	5.6	-4	-0.6	0.0	6.0	0.8	-0.1	1.8	0.8	1.3	
CRADLE CWJ220049										68 %	24 %	40%	25%	23%	20%	30%	15%	42 %	26 %	26 %	24 %	23 %	17 %	

CWB Bulls

Inbreeding >6% is high					<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed																
Bull					Selection Value					Calf weight		Mother		Growth		Fertility			Carcass					
ID	%Inbreeding	Parentage			Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling	Fineness
Name		Genomic	DNA	Sire ID Dam ID																				
JAPANESE BLACK																								
CWBMCWJ 220050 F2 CRADLE CWJ220050	4			CWJ 190004 CWJ 200033	110 64%	98 25%	89 27 %	108 22%	97 23%	104 0.81 69 %	98 2.2 25 %	109 -0.71 44%	89 3.1 27%	98 4.9 23%	92 -5 22%	88 4.1 31%	104 -0.3 15%	111 10.0 42 %	95 0.1 26 %	108 6.4 26 %	105 1.5 24 %	116 1.5 23 %	115 2.0 18 %	
CWBMCWJ 220052 F2 CRADLE CWJ220052	4			CWJ 190004 CWJ 200032	124 64%	92 25%	89 27 %	108 22%	97 23%	120 -0.71 69 %	92 -0.3 25 %	121 -1.17 44%	89 2.9 27%	93 1.2 23%	92 -5 22%	88 4.1 31%	104 -0.3 15%	111 9.9 42 %	95 0.1 26 %	108 6.4 26 %	105 1.5 24 %	116 1.5 23 %	115 2.0 18 %	
CWBMCWJ 220057 F2 CRADLE CWJ220057				CWJ 160003 JMP 160021	66 67%	103 25%	93 26 %	110 22%	96 24%	74 3.74 71 %	103 4.0 25 %	80 0.35 50%	93 4.8 26%	102 7.9 24%	90 -7 22%	81 8.4 32%	107 -0.8 16%	99 4.8 45 %	98 0.6 30 %	106 5.3 30 %	112 2.6 27 %	99 -0.2 24 %	103 0.0 20 %	
CWBMCWJ 220059 F2 CRADLE CWJ220059	4			CWJ 190004 CWJ 190125	103 62%	84 25%	89 27 %	108 22%	97 23%	138 -2.49 68 %	84 -3.5 25 %	127 -1.40 39%	89 3.1 27%	86 -3.4 23%	92 -5 22%	88 4.1 31%	104 -0.3 15%	101 5.4 42 %	95 0.1 26 %	108 6.4 26 %	105 1.5 24 %	116 1.5 23 %	115 2.0 18 %	
CWBMCWJ 220063 F1 CRADLE CWJ220063				CWJ 190115	106 27%	120 19%	102 18 %	83 17%	128 16%	105 0.72 28 %	120 11.0 19 %	92 -0.08 24%	102 9.9 18%	119 19.6 22%	117 30 17%	123 -16.4 20%	128 -4.9 12%	94 2.5 32 %	83 -1.4 23 %	111 8.7 24 %	98 0.5 23 %	103 0.2 23 %	111 1.2 17 %	
CWBMCWJ 220065 F1 CRADLE CWJ220065				CWJ 160003	90 44%	97 25%	101 26 %	99 22%	88 24%	88 2.37 45 %	97 1.6 25 %	113 -0.87 38%	101 9.4 26%	97 4.1 24%	101 8 22%	80 8.7 31%	95 1.3 16%	85 -1.4 41 %	91 -0.3 30 %	113 10.0 30 %	108 2.0 27 %	102 0.1 24 %	106 0.4 20 %	
CWBMCWJ 220070 F1 CRADLE CWJ220070				CWJ 190115 CWBFBV15-113	106 27%	120 19%	102 18 %	83 17%	128 16%	105 0.72 28 %	120 11.0 19 %	92 -0.08 24%	102 9.9 18%	119 19.6 22%	117 30 17%	123 -16.4 20%	128 -4.9 12%	94 2.5 32 %	83 -1.4 23 %	111 8.7 24 %	98 0.5 23 %	103 0.2 23 %	111 1.2 17 %	
CWBMCWJ 220076 F1 CRADLE CWJ220076				CWJ 170005	103 44%	96 20%	104 18 %	97 18%	93 19%	100 1.22 47 %	96 1.2 20 %	101 -0.43 32%	104 10.7 18%	97 4.1 22%	103 10 18%	96 -0.7 24%	92 2.0 14%	85 -1.3 38 %	101 1.0 30 %	95 -3.0 30 %	110 2.4 27 %	88 -1.2 23 %	97 -0.9 18 %	
CWBMCWJ 220078 F1 CRADLE CWJ220078				CWJ 170005	103 44%	96 20%	104 18 %	97 18%	93 19%	100 1.22 47 %	96 1.2 20 %	101 -0.43 32%	104 10.7 18%	97 4.1 22%	103 10 18%	96 -0.7 24%	92 2.0 14%	85 -1.3 38 %	101 1.0 30 %	95 -3.0 30 %	110 2.4 27 %	88 -1.2 23 %	97 -0.9 18 %	
CWBMCWJ 220083 F2 CRADLE CWJ220083	4			CWJ 190004 CWJ 200060	117 62%	95 25%	89 27 %	108 22%	97 23%	112 0.09 68 %	95 1.0 25 %	113 -0.87 39%	89 3.1 27%	95 3.1 23%	92 -5 22%	88 4.1 31%	104 -0.3 15%	101 5.4 42 %	95 0.1 26 %	108 6.4 26 %	105 1.5 24 %	116 1.5 23 %	115 2.0 18 %	
CWBMCWJ 220086 F1 CRADLE CWJ220086				CWJ 160003 CWBFCWJ 140001	90 44%	97 25%	101 26 %	99 22%	88 24%	88 2.37 45 %	97 1.6 25 %	113 -0.87 38%	101 9.4 26%	97 4.1 24%	101 8 22%	80 8.7 31%	95 1.3 16%	85 -1.4 41 %	91 -0.3 30 %	113 10.0 30 %	108 2.0 27 %	102 0.1 24 %	106 0.4 20 %	
CWBMCWJ 220090 F1 CRADLE CWJ220090				CWJ 200003	100 52%	94 18%	89 17 %	113 16%	108 20%	108 0.47 57 %	94 0.4 18 %	62 1.03 32%	89 2.7 17%	98 4.8 17%	87 -12 16%	93 1.2 24%	118 -3.0 15%	98 4.1 28 %	103 1.2 15 %	96 -1.7 19 %	109 2.1 18 %	92 -0.9 17 %	97 -1.0 11 %	

CWB Bulls

Inbreeding >6% is high					<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed															
Bull					Selection Value					Calf weight		Mother		Growth		Fertility			Carcass				
ID	%Inbreeding	Parentage			Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
Name		Genomic	DNA	Sire ID Dam ID																			
JAPANESE BLACK																							
CWBMCWJ 220100				✓ CWJ 160003	90	97	101	99	88	88	97	113	101	97	101	80	95	85	91	113	108	102	106
F1					44%	25%	26 %	22%	24%	2.37	1.6	-0.87	9.4	4.1	8	8.7	1.3	-1.4	-0.3	10.0	2.0	0.1	0.4
CRADLE CWJ220100										45 %	25 %	38%	26%	24%	22%	31%	16%	41 %	30 %	30 %	27 %	24 %	20 %
CWBMCWJ 230003	4			✓ CWJ 170005 ✓ CWJ A18013	125	84	86	110	96	124	84	111	86	82	90	93	100	97	106	97	117	87	98
F2					64%	23%	23 %	21%	22%	-1.11	-3.7	-0.79	1.2	-6.5	-8	1.2	0.6	3.9	1.5	-1.3	3.5	-1.3	-0.7
CRADLE CWJ230003										69 %	23 %	44%	23%	26%	21%	27%	16%	45 %	33 %	33 %	30 %	26 %	21 %
CWBMCWJ 230005	27			✓ CWJ 200006 ✓ CWJ 160006	97	101	72	113	108	95	101	104	72	92	87	94	119	115	95	107	111	92	106
FB					65%	31%	29 %	26%	27%	1.73	3.1	-0.53	-6.1	1.0	-12	0.9	-3.0	11.5	0.1	6.0	2.5	-0.8	0.5
CRADLE CWJ230005										70 %	31 %	45%	29%	29%	26%	34%	20%	46 %	30 %	32 %	31 %	29 %	22 %
CWBMCWJ 230008				✓ CWBMCWJ 190116 ✓ FW 180011	113	84	89	119	100	117	84	70	89	88	81	83	112	104	105	100	114	97	99
FB					59%	25%	25 %	20%	20%	-0.43	-3.4	0.73	3.0	-1.9	-22	6.8	-1.8	7.0	1.5	0.8	3.0	-0.4	-0.6
CRADLE CWJ230008										65 %	25 %	36%	25%	24%	20%	25%	15%	32 %	28 %	28 %	27 %	25 %	20 %
CWBMCWJ 230010				✓ CWBMCWJ 190116 ✓ CWJ 170001	99	98	91	111	98	105	98	70	91	100	89	82	108	97	108	120	117	110	97
FB					59%	26%	26 %	21%	21%	0.74	2.3	0.72	3.7	6.2	-9	7.4	-1.2	3.9	1.8	15.0	3.4	0.9	-1.0
CRADLE CWJ230010										64 %	26 %	39%	26%	26%	21%	27%	15%	34 %	29 %	29 %	28 %	25 %	20 %
CWBMCWJ 230011	1			✓ CWJ 170005 ✓ JMP 160011	100	94	88	114	104	103	94	81	88	92	86	103	105	97	105	84	109	75	96
F2					67%	22%	21 %	20%	22%	0.93	0.3	0.34	2.6	1.1	-14	-4.4	-0.4	3.7	1.4	-10.4	2.2	-2.5	-1.2
CRADLE CWJ230011										73 %	22 %	46%	21%	24%	20%	27%	16%	47 %	34 %	33 %	30 %	26 %	20 %
CWBMCWJ 230014				✓ CWJ 190004	107	100	108	95	96	103	100	103	108	105	105	95	97	94	91	108	98	119	113
F1					42%	21%	24 %	18%	20%	0.92	2.9	-0.51	13.1	9.6	13	0.3	1.0	2.7	-0.3	6.4	0.4	1.7	1.6
CRADLE CWJ230014										45 %	21 %	31%	24%	20%	18%	27%	14%	34 %	21 %	21 %	20 %	20 %	15 %
CWBMCWJ 230015				✓ CWBMCWJ 190116 ✓ CWJ1190006	98	91	98	113	102	107	91	60	98	98	87	86	111	102	106	96	110	97	97
F2					58%	13%	13 %	11%	15%	0.60	-0.8	1.11	7.5	5.3	-12	5.4	-1.8	6.2	1.6	-1.7	2.3	-0.4	-1.0
CRADLE CWJ230015										65 %	13 %	31%	13%	12%	11%	21%	9%	26 %	15 %	15 %	14 %	12 %	10 %
CWBMCWJ 230017				✓ CWBMCWJ 190116 ✓ CWJ 180005	77	98	91	117	108	90	98	46	91	101	83	97	115	96	104	94	115	89	95
FB					57%	18%	19 %	15%	20%	2.20	2.1	1.66	4.0	7.1	-18	-1.0	-2.4	3.5	1.3	-3.7	3.1	-1.1	-1.3
CRADLE CWJ230017										63 %	18 %	36%	19%	16%	15%	26%	14%	31 %	23 %	24 %	22 %	20 %	15 %
CWBMCWJ 230018	10			✓ CWJ 200006 ✓ CWJ 180012	106	105	73	107	105	103	105	116	73	98	93	93	115	117	95	95	102	89	108
FB					63%	31%	24 %	20%	25%	0.93	4.7	-0.97	-5.8	5.0	-4	1.2	-2.2	12.4	0.1	-2.7	1.1	-1.2	0.8
CRADLE CWJ230018										68 %	31 %	42%	24%	28%	20%	32%	18%	42 %	28 %	30 %	28 %	26 %	19 %
CWBMCWJ 230020	4			✓ CWJ 200006 ✓ CWJ 190002	99	105	76	113	107	98	105	98	76	101	87	94	115	116	95	105	106	110	114
FB					63%	26%	26 %	24%	26%	1.42	5.0	-0.30	-3.8	7.0	-12	0.4	-2.4	11.9	0.2	4.0	1.6	0.8	1.8
CRADLE CWJ230020										68 %	26 %	42%	26%	26%	24%	33%	18%	41 %	26 %	28 %	27 %	26 %	18 %
CWBMCWJ 230021	5			✓ CWJ 200006 ✓ CWJ 170004	88	108	79	106	104	87	108	103	79	102	94	98	109	112	101	99	101	93	102
FB					62%	25%	23 %	20%	22%	2.49	6.1	-0.51	-2.5	8.1	-3	-1.7	-1.3	10.4	0.9	0.3	0.9	-0.7	-0.2
CRADLE CWJ230021										68 %	25 %	41%	23%	26%	20%	28%	17%	42 %	26 %	28 %	27 %	26 %	19 %

CWB Bulls

Inbreeding >6% is high					<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed																
Bull					Selection Value					Calf weight		Mother		Growth		Fertility			Carcass					
ID	%Inbreeding	Parentage			Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn. Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling	Fineness
Name		Genomic	DNA	Sire ID Dam ID																				
JAPANESE BLACK																								
CWBMCWJ 230025 FB CRADLE CWJ230025	5			CWJ 200006 CWJ 170008	110 64%	101 29%	74 28 %	114 26%	106 26%	105 0.78 69 %	101 3.4 29 %	108 -0.67 43%	74 -5.0 28%	95 3.1 29%	86 -14 26%	97 -1.0 32%	115 -2.0 20%	113 10.6 44 %	98 0.6 28 %	105 4.7 31 %	109 2.2 29 %	114 1.3 29 %	115 2.0 20 %	
CWBMCWJ 230026 FB CRADLE CWJ230026				CWBMCWJ 190116 CWJ 170009	112 57%	88 20%	86 18 %	119 18%	104 18%	119 -0.57 63 %	88 -2.0 20 %	60 1.13 36%	86 1.5 18%	91 0.4 22%	81 -21 18%	96 -0.3 22%	110 -1.4 13%	105 7.5 32 %	117 2.9 25 %	83 -11.2 25 %	118 3.5 23 %	83 -1.7 23 %	92 -1.8 18 %	
CWBMCWJ 230027 F2 CRADLE CWJ230027	6			CWJ 200006 CWJ 200069	93 63%	99 22%	88 22 %	104 19%	99 20%	92 2.05 69 %	99 2.5 22 %	104 -0.52 38%	88 2.3 22%	96 3.3 20%	96 0 19%	87 4.5 26%	107 -0.8 15%	117 12.7 38 %	92 -0.2 21 %	110 7.6 24 %	108 2.1 22 %	95 -0.6 21 %	104 0.2 15 %	
CWBMCWJ 230029 F1 CRADLE CWJ230029				CWJ 170005 CWBFBV33	103 44%	96 20%	104 18 %	97 18%	93 19%	100 1.22 47 %	96 1.2 20 %	101 -0.43 32%	104 10.7 18%	97 4.1 22%	103 10 18%	96 -0.7 24%	92 2.0 14%	85 -1.3 38 %	101 1.0 30 %	95 -3.0 30 %	110 2.4 27 %	88 -1.2 23 %	97 -0.9 18 %	
CWBMCWJ 230033 F1 CRADLE CWJ230033				CWJ 170005 CWJ 130X14	119 64%	89 20%	95 18 %	108 18%	96 20%	117 -0.42 69 %	89 -1.5 20 %	90 -0.01 43%	95 5.8 18%	92 0.6 22%	92 -6 18%	95 0.0 25%	99 0.9 14%	90 0.9 43 %	109 1.9 30 %	88 -7.7 30 %	114 3.0 27 %	85 -1.5 23 %	95 -1.3 18 %	
CWBMCWJ 230035 F1 CRADLE CWJ230035				CWJ 200007	77 38%	105 18%	107 17 %	91 16%	98 16%	80 3.17 42 %	105 5.0 18 %	95 -0.20 23%	107 12.2 17%	106 10.6 17%	109 18 16%	95 0.0 20%	100 0.4 13%	100 5.3 29 %	89 -0.6 15 %	110 7.7 19 %	101 1.0 18 %	97 -0.4 17 %	102 -0.1 11 %	
CWBMCWJ 230040 F2 CRADLE CWJ230040	4			CWJ 170005 CWJ1190005	124 66%	84 23%	81 23 %	116 21%	89 24%	124 -1.12 72 %	84 -3.4 23 %	106 -0.59 43%	81 -1.5 23%	82 -6.1 26%	84 -16 21%	78 9.7 32%	99 0.9 16%	92 1.9 46 %	106 1.6 34 %	88 -7.8 34 %	118 3.6 31 %	83 -1.7 26 %	101 -0.4 21 %	
CWBMCWJ 230041 F2 CRADLE CWJ230041	6			CWJ 200006 CWJ 200030	99 61%	97 22%	88 22 %	104 19%	99 20%	95 1.68 67 %	97 1.9 22 %	107 -0.64 38%	88 2.3 22%	94 2.4 20%	96 0 19%	87 4.5 26%	107 -0.8 15%	115 11.5 38 %	92 -0.2 21 %	110 7.6 24 %	108 2.1 22 %	95 -0.6 21 %	104 0.2 15 %	
CWBMCWJ 230044 F2 CRADLE CWJ230044	4			CWJ 170005 CWJ 200016	111 65%	80 23%	85 23 %	110 21%	94 22%	133 -2.01 70 %	80 -5.0 23 %	122 -1.20 45%	85 0.9 23%	79 -8.5 26%	90 -8 21%	89 3.5 29%	99 0.7 16%	93 2.4 45 %	105 1.4 34 %	95 -3.0 33 %	118 3.5 30 %	86 -1.4 26 %	99 -0.5 21 %	
CWBMCWJ 230045 F2 CRADLE CWJ230045	3			CWJ 200006 CWJ 200020	67 61%	109 20%	89 20 %	104 18%	101 20%	72 3.93 67 %	109 6.7 20 %	90 -0.02 37%	89 2.7 20%	105 9.7 20%	96 1 18%	95 -0.2 24%	105 -0.5 15%	110 9.5 37 %	97 0.4 21 %	100 1.1 24 %	110 2.3 22 %	88 -1.2 21 %	100 -0.4 14 %	
CWBMCWJ 230047 F2 CRADLE CWJ230047				CWJ 200006 CWBFCWJ 172017	76 36%	106 18%	106 17 %	91 16%	97 17%	78 3.33 39 %	106 5.3 18 %	95 -0.20 24%	106 12.1 17%	107 11.1 17%	109 18 16%	94 0.6 21%	99 0.5 13%	98 4.2 29 %	89 -0.6 15 %	110 7.7 19 %	101 1.0 18 %	97 -0.4 17 %	102 -0.1 11 %	
CWBMCWJ 230048 F2 CRADLE CWJ230048	1			CWJ 200006 JMP 160076	84 64%	102 21%	95 21 %	103 18%	104 21%	86 2.60 70 %	102 3.8 21 %	93 -0.12 41%	95 6.1 21%	101 6.9 20%	97 2 18%	98 -1.9 27%	108 -1.0 15%	103 6.5 40 %	88 -0.7 21 %	102 2.6 24 %	98 0.5 22 %	86 -1.5 20 %	102 -0.2 13 %	

CWB Bulls

Inbreeding >6% is high					<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed															
Bull					Selection Value					Calf weight		Mother		Growth		Fertility			Carcass				
ID	%Inbreeding	Parentage			Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
Name		Genomic	DNA	Sire ID Dam ID																			
JAPANESE BLACK																							
CWBMCWJ 230049		✓	RSS 190063		113	115	81	100	123	107	115	108	81	111	100	120	124	121	95	105	110	111	112
PBD		✓	CWJ 200054		64%	24%	22 %	21%	26%	0.53	9.0	-0.69	-1.3	14.4	6	-14.7	-4.0	14.1	0.2	4.7	2.3	1.0	1.4
CRADLE CWJ230049					64%	24%	22 %	21%	26%	70 %	24 %	42%	22%	26%	21%	33%	18%	44 %	29 %	29 %	27 %	26 %	19 %
CWBMCWJ 230051	6	✓	CWJ 200007		111	93	80	112	108	107	93	102	80	91	88	92	120	117	97	105	111	93	102
F3		✓	CWJ 200015		65%	22%	22 %	19%	23%	0.57	0.3	-0.47	-1.7	0.2	-11	2.0	-3.2	12.7	0.5	4.1	2.5	-0.8	-0.1
CRADLE CWJ230051					65%	22%	22 %	19%	23%	71 %	22 %	41%	22%	20%	19%	29%	17%	39 %	21 %	24 %	22 %	21 %	15 %
CWBMCWJ 230052		✓	RSS 190063		122	107	84	101	122	116	107	105	84	104	99	119	122	116	103	99	104	92	96
PBD		✓	CWJ 190119		64%	23%	19 %	15%	24%	-0.34	5.7	-0.56	0.2	9.3	5	-14.1	-3.7	11.9	1.1	0.2	1.4	-0.8	-1.1
CRADLE CWJ230052					64%	23%	19 %	15%	24%	70 %	23 %	41%	19%	26%	15%	32%	16%	44 %	28 %	29 %	27 %	26 %	19 %
CWBMCWJ 230055		✓	CWJ 170005		83	99	95	108	100	91	99	69	95	100	92	97	104	99	109	88	114	85	95
F2		✓	JMP 160021		66%	20%	18 %	18%	20%	2.10	2.6	0.77	6.2	6.6	-6	-1.0	-0.1	5.0	1.9	-7.7	3.0	-1.5	-1.3
CRADLE CWJ230055					66%	20%	18 %	18%	20%	71 %	20 %	46%	18%	22%	18%	25%	14%	43 %	30 %	30 %	27 %	23 %	18 %
CWBMCWJ 230056	4	✓	CWJ 170005		118	89	86	110	96	112	89	107	86	86	90	93	100	97	106	97	117	87	98
F2		✓	CWJ A18012		65%	23%	23 %	21%	22%	0.07	-1.5	-0.65	1.1	-3.5	-8	1.2	0.6	3.9	1.5	-1.3	3.5	-1.3	-0.7
CRADLE CWJ230056					65%	23%	23 %	21%	22%	71 %	23 %	44%	23%	26%	21%	27%	16%	45 %	33 %	33 %	30 %	26 %	21 %
CWBMCWJ 230059	6	✓	CWJ 200007		82	102	83	110	98	85	102	91	83	98	90	83	110	117	96	106	110	94	103
F2		✓	CWJ 200042		64%	22%	22 %	19%	22%	2.67	3.6	-0.03	-0.2	5.2	-8	6.9	-1.3	12.6	0.2	5.3	2.4	-0.7	0.0
CRADLE CWJ230059					64%	22%	22 %	19%	22%	70 %	22 %	39%	22%	20%	19%	28%	16%	39 %	21 %	24 %	22 %	21 %	15 %
CWBMCWJ 230064		✓	RSS 190063		81	112	83	105	120	87	112	77	83	108	95	116	121	115	91	100	117	85	98
PBD		✓	CWJ 190003		64%	24%	22 %	17%	26%	2.48	7.7	0.47	-0.4	11.7	-1	-12.3	-3.5	11.8	-0.4	0.8	3.5	-1.6	-0.8
CRADLE CWJ230064					64%	24%	22 %	17%	26%	70 %	24 %	43%	22%	24%	17%	34%	17%	45 %	30 %	30 %	27 %	25 %	18 %
CWBMCWJ 230066		✓	CWJ 190004		107	100	108	95	96	103	100	103	108	105	105	95	97	94	91	108	98	119	113
F1			CWBFBV36		42%	21%	24 %	18%	20%	0.92	2.9	-0.51	13.1	9.6	13	0.3	1.0	2.7	-0.3	6.4	0.4	1.7	1.6
CRADLE CWJ230066					42%	21%	24 %	18%	20%	45 %	21 %	31%	24%	20%	18%	27%	14%	34 %	21 %	21 %	20 %	20 %	15 %
CWBMCWJ 230067	6	✓	CWJ 200006		79	103	88	104	100	81	103	96	88	99	96	91	107	110	93	112	108	96	103
F2		✓	CWJ A18007		63%	22%	22 %	19%	20%	3.07	4.1	-0.23	2.5	5.8	0	2.5	-0.9	9.7	-0.1	9.4	2.0	-0.4	0.0
CRADLE CWJ230067					63%	22%	22 %	19%	20%	69 %	22 %	39%	22%	20%	19%	24%	15%	38 %	21 %	23 %	22 %	21 %	15 %
CWBMCWJ 230073				CWJ 200056	81	98	102	108	99	90	98	66	102	104	92	87	106	95	103	100	108	98	98
PEN					55%	13%	13 %	11%	12%	2.16	1.9	0.91	9.7	9.0	-5	4.6	-0.8	3.2	1.1	0.6	2.0	-0.3	-0.8
CRADLE CWJ230073					55%	13%	13 %	11%	12%	61 %	13 %	30%	13%	12%	11%	16%	8%	24 %	15 %	15 %	14 %	12 %	10 %
CWBMCWJ 230074		✓	RSS 190063		65	121	81	101	122	75	121	75	81	115	99	117	124	125	99	92	115	82	96
PBD		✓	CWJ 200035		65%	21%	19 %	17%	24%	3.70	11.3	0.56	-1.5	17.0	4	-12.5	-4.0	15.9	0.7	-4.9	3.0	-1.8	-1.1
CRADLE CWJ230074					65%	21%	19 %	17%	24%	71 %	21 %	40%	19%	24%	17%	31%	16%	42 %	24 %	26 %	24 %	23 %	15 %
CWBMCWJ 230075	4	✓	CWJ 170005		97	97	85	110	94	95	97	103	85	92	90	90	100	95	105	95	118	86	99
F2			CWJ1190003		65%	23%	23 %	21%	22%	1.75	1.6	-0.49	0.8	1.0	-8	3.2	0.7	2.8	1.4	-3.0	3.5	-1.4	-0.5
CRADLE CWJ230075					65%	23%	23 %	21%	22%	70 %	23 %	44%	23%	26%	21%	28%	16%	46 %	34 %	33 %	30 %	26 %	21 %

CWB Bulls

Inbreeding >6% is high					<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed															
Bull					Selection Value					Calf weight		Mother		Growth		Fertility			Carcass				
ID	%Inbreeding	Parentage			Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
Name		Genomic	DNA	Sire ID Dam ID																			
JAPANESE BLACK																							
CWBMCWJ 230079 ✓ RSS 190063					83	114	113	82	111	86	114	91	113	117	118	114	107	96	90	103	103	96	99
F1					42%	14%	11 %	9 %	15%	2.64	8.5	-0.05	15.8	18.6	32	-10.7	-1.0	3.6	-0.5	2.6	1.3	-0.4	-0.6
CRADLE CWJ230079					42%	14%	11 %	9 %	15%	46 %	14 %	25%	11%	16%	32 %	21%	9%	32 %	18 %	18 %	16 %	16 %	11 %
CWBMCWJ 230083 ✓ CWJ 190004					107	100	108	95	96	103	100	103	108	105	105	95	97	94	91	108	98	119	113
F1					42%	21%	24 %	18%	20%	0.92	2.9	-0.51	13.1	9.6	13	0.3	1.0	2.7	-0.3	6.4	0.4	1.7	1.6
CRADLE CWJ230083					42%	21%	24 %	18%	20%	45 %	21 %	31%	24%	20%	18%	27%	14%	34 %	21 %	21 %	20 %	20 %	15 %
CWBMCWJ 230085 ✓ CWJ 190123					92	96	102	96	97	92	96	99	102	97	104	94	99	101	107	102	102	100	98
F1					36%	23%	22 %	21%	19%	2.04	1.5	-0.34	9.9	4.1	12	0.4	0.7	5.6	1.6	2.5	1.0	-0.1	-0.7
CRADLE CWJ230085					36%	23%	22 %	21%	19%	38 %	23 %	29%	22%	24%	21%	24%	14%	30 %	26 %	26 %	25 %	25 %	22 %
CWBMCWJ 230089 ✓ CWJ 190004					107	100	108	95	96	103	100	103	108	105	105	95	97	94	91	108	98	119	113
F1					42%	21%	24 %	18%	20%	0.92	2.9	-0.51	13.1	9.6	13	0.3	1.0	2.7	-0.3	6.4	0.4	1.7	1.6
CRADLE CWJ230089					42%	21%	24 %	18%	20%	45 %	21 %	31%	24%	20%	18%	27%	14%	34 %	21 %	21 %	20 %	20 %	15 %
CWBMCWJ 230090 ✓ CWJ 190004					107	100	108	95	96	103	100	103	108	105	105	95	97	94	91	108	98	119	113
F1					42%	21%	24 %	18%	20%	0.92	2.9	-0.51	13.1	9.6	13	0.3	1.0	2.7	-0.3	6.4	0.4	1.7	1.6
CRADLE CWJ230090					42%	21%	24 %	18%	20%	45 %	21 %	31%	24%	20%	18%	27%	14%	34 %	21 %	21 %	20 %	20 %	15 %
CWBMCWJ 230093 ✓ CWJ 190004					107	100	108	95	96	103	100	103	108	105	105	95	97	94	91	108	98	119	113
F1					42%	21%	24 %	18%	20%	0.92	2.9	-0.51	13.1	9.6	13	0.3	1.0	2.7	-0.3	6.4	0.4	1.7	1.6
CRADLE CWJ230093					42%	21%	24 %	18%	20%	45 %	21 %	31%	24%	20%	18%	27%	14%	34 %	21 %	21 %	20 %	20 %	15 %
CWBMCWJ 230094 ✓ CWJ 190004					107	100	108	95	96	103	100	103	108	105	105	95	97	94	91	108	98	119	113
F1					42%	21%	24 %	18%	20%	0.92	2.9	-0.51	13.1	9.6	13	0.3	1.0	2.7	-0.3	6.4	0.4	1.7	1.6
CRADLE CWJ230094					42%	21%	24 %	18%	20%	45 %	21 %	31%	24%	20%	18%	27%	14%	34 %	21 %	21 %	20 %	20 %	15 %
CWBMCWJ 230098 ✓ CWJ 190004					107	100	108	95	96	103	100	103	108	105	105	95	97	94	91	108	98	119	113
F1					42%	21%	24 %	18%	20%	0.92	2.9	-0.51	13.1	9.6	13	0.3	1.0	2.7	-0.3	6.4	0.4	1.7	1.6
CRADLE CWJ230098					42%	21%	24 %	18%	20%	45 %	21 %	31%	24%	20%	18%	27%	14%	34 %	21 %	21 %	20 %	20 %	15 %
CWBMCWJ 230099 ✓ CWJ 190004					116	93	100	106	102	118	93	77	100	100	94	95	106	102	99	101	102	116	110
F1					60%	21%	24 %	18%	20%	-0.53	-0.1	0.46	8.9	6.1	-3	0.2	-0.7	6.2	0.6	1.7	1.0	1.4	1.2
CRADLE CWJ230099					60%	21%	24 %	18%	20%	66 %	21 %	38%	24%	20%	18%	27%	14%	39 %	21 %	21 %	20 %	20 %	15 %
CWBMCWJ 230101 ✓ RSS 190063					105	110	98	93	116	104	110	97	98	111	107	114	116	117	93	100	106	103	105
F2					60%	18%	16 %	13%	18%	0.89	6.9	-0.27	7.6	14.4	17	-11.1	-2.5	12.5	-0.1	0.8	1.7	0.2	0.4
CRADLE CWJ230101					60%	18%	16 %	13%	18%	67 %	18 %	33%	16%	18%	13%	25%	11%	38 %	21 %	21 %	19 %	19 %	13 %
CWBMCWJ 230104 ✓ CWJ 190004					107	100	108	95	96	103	100	103	108	105	105	95	97	94	91	108	98	119	113
F1					42%	21%	24 %	18%	20%	0.92	2.9	-0.51	13.1	9.6	13	0.3	1.0	2.7	-0.3	6.4	0.4	1.7	1.6
CRADLE CWJ230104					42%	21%	24 %	18%	20%	45 %	21 %	31%	24%	20%	18%	27%	14%	34 %	21 %	21 %	20 %	20 %	15 %
CWBMCWJ 230105 ✓ RSS 190063					88	115	81	100	122	90	115	93	81	110	100	113	127	115	94	99	111	88	100
PBD					63%	23%	21 %	18%	24%	2.24	9.0	-0.13	-1.6	13.5	6	-10.4	-4.6	11.8	0.0	0.2	2.5	-1.3	-0.4
CRADLE CWJ230105					63%	23%	21 %	18%	24%	69 %	23 %	41%	21%	24%	18%	32%	17%	43 %	24 %	26 %	24 %	23 %	15 %

CWB Bulls

Inbreeding >6% is high					<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed																
Bull					Selection Value					Calf weight		Mother		Growth		Fertility			Carcass					
ID	%Inbreeding	Parentage			Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling	Fineness
Name		Genomic	DNA	Sire ID Dam ID																				
JAPANESE BLACK																								
CWBMCWJ 240001				✓ CWJ 190004	107	100	108	95	96	103	100	103	108	105	105	95	97	94	91	108	98	119	113	
F1				CWBFBV29	42%	21%	24 %	18%	20%	0.92	2.9	-0.51	13.1	9.6	13	0.3	1.0	2.7	-0.3	6.4	0.4	1.7	1.6	
CRADLE CWJ240001										45 %	21 %	31%	24%	20%	18%	27%	14%	34 %	21 %	21 %	20 %	20 %	15 %	
CWBMCWJ 240003				✓ CWJ 190004	107	100	108	95	96	103	100	103	108	105	105	95	97	94	91	108	98	119	113	
F1				CWBFBV15-10	42%	21%	24 %	18%	20%	0.92	2.9	-0.51	13.1	9.6	13	0.3	1.0	2.7	-0.3	6.4	0.4	1.7	1.6	
CRADLE CWJ240003										45 %	21 %	31%	24%	20%	18%	27%	14%	34 %	21 %	21 %	20 %	20 %	15 %	
CWBMCWJ 240004				✓ CWBMCWJ 190116	102	89	89	119	100	108	89	69	89	92	81	83	112	104	105	100	114	97	99	
FB				✓ FW 180011	59%	25%	25 %	20%	20%	0.48	-1.7	0.77	2.7	0.5	-22	6.8	-1.8	7.0	1.5	0.8	3.0	-0.4	-0.6	
CRADLE CWJ240004										65 %	25 %	36%	25%	24%	20%	25%	15%	32 %	28 %	28 %	27 %	25 %	20 %	
CWBMCWJ 240006					110	86	106	106	102	128	86	74	106	97	94	94	107	100	103	97	103	107	102	
PEN				CWJ 210082	54%	11%	12 %	9 %	10%	-1.51	-2.6	0.58	11.7	4.3	-2	0.4	-0.9	5.4	1.1	-1.2	1.3	0.5	-0.2	
CRADLE CWJ240006										61 %	11 %	28%	12%	10%	9 %	14%	7%	22 %	11 %	11 %	10 %	10 %	7 %	
CWBMCWJ 240011				✓ RSS 190063	105	113	77	104	120	102	113	99	77	109	96	113	124	118	92	103	111	109	115	
PBD				✓ CWJ 180009	64%	26%	24 %	21%	26%	1.01	8.2	-0.36	-3.6	12.4	0	-10.5	-4.0	12.8	-0.3	3.0	2.4	0.7	1.9	
CRADLE CWJ240011										70 %	26 %	43%	24%	28%	21%	34%	18%	45 %	31 %	31 %	28 %	27 %	20 %	
CWBMCWJ 240012	1			✓ CWJ 170005	107	91	89	114	104	109	91	82	89	90	86	103	105	97	105	84	109	75	96	
F2				✓ JMP 160011	67%	22%	21 %	20%	22%	0.35	-0.8	0.31	2.7	-0.4	-14	-4.4	-0.4	3.7	1.4	-10.4	2.2	-2.5	-1.2	
CRADLE CWJ240012										73 %	22 %	46%	21%	24%	20%	27%	16%	47 %	34 %	33 %	30 %	26 %	20 %	
CWBMCWJ 240013	3			✓ CWJ 200007	87	102	89	104	102	88	102	94	89	99	96	96	106	118	97	100	110	88	100	
F2				✓ CWJ 220003	60%	20%	20 %	18%	19%	2.36	3.8	-0.17	2.9	5.6	1	-0.8	-0.5	13.0	0.4	1.1	2.3	-1.2	-0.4	
CRADLE CWJ240013										67 %	20 %	35%	20%	20%	18%	23%	15%	36 %	21 %	24 %	22 %	21 %	14 %	
CWBMCWJ 240015					102	98	89	111	98	108	98	67	89	102	89	87	106	99	107	102	109	100	98	
F1				CWJ 190001	56%	18%	15 %	11%	16%	0.45	2.3	0.86	3.0	7.6	-9	4.7	-0.8	4.8	1.7	2.4	2.2	-0.1	-0.8	
CRADLE CWJ240015										62 %	18 %	32%	15%	16%	11%	22%	11%	28 %	18 %	18 %	17 %	15 %	12 %	
CWBMCWJ 240016				✓ RSS 190063	115	110	81	104	120	110	110	103	81	107	96	116	123	111	99	98	111	113	113	
PBD				✓ CWJ 170008	65%	26%	25 %	22%	24%	0.25	6.9	-0.51	-1.3	11.1	1	-12.3	-3.6	10.0	0.7	-0.4	2.5	1.2	1.5	
CRADLE CWJ240016										71 %	26 %	44%	25%	28%	22%	32%	17%	46 %	30 %	31 %	28 %	28 %	20 %	
CWBMCWJ 240018				✓ RSS 190063	112	114	79	97	119	107	114	111	79	110	103	113	123	115	96	88	104	88	105	
PBD				✓ CWJ 180012	65%	28%	20 %	14%	24%	0.59	8.6	-0.80	-2.2	13.5	10	-10.2	-3.7	11.8	0.3	-7.7	1.4	-1.3	0.4	
CRADLE CWJ240018										71 %	28 %	42%	20%	26%	14%	32%	15%	44 %	30 %	30 %	28 %	25 %	18 %	
CWBMCWJ 240019				✓ CWJ 200007	77	105	107	91	98	80	105	95	107	106	109	95	100	100	89	110	101	97	102	
F1				✓ CWBFCWJ 119006	38%	18%	17 %	16%	16%	3.17	5.0	-0.20	12.2	10.6	18	0.0	0.4	5.3	-0.6	7.7	1.0	-0.4	-0.1	
CRADLE CWJ240019										42 %	18 %	23%	17%	17%	16%	20%	13%	29 %	15 %	19 %	18 %	17 %	11 %	
CWBMCWJ 240023					107	100	108	95	96	103	100	103	108	105	105	95	97	94	91	108	98	119	113	
F1				CWJ 190004	42%	21%	24 %	18%	20%	0.92	2.9	-0.51	13.1	9.6	13	0.3	1.0	2.7	-0.3	6.4	0.4	1.7	1.6	
CRADLE CWJ240023										45 %	21 %	31%	24%	20%	18%	27%	14%	34 %	21 %	21 %	20 %	20 %	15 %	

CWB Bulls

Inbreeding >6% is high					<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed																
Bull					Selection Value					Calf weight		Mother		Growth		Fertility			Carcass					
ID	%Inbreeding	Parentage			Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling	Fineness
Name		Genomic	DNA	Sire ID Dam ID																				
JAPANESE BLACK																								
CWBMCWJ 240024				CWJ 190004	107	100	108	95	96	103	100	103	108	105	105	95	97	94	91	108	98	119	113	
F1					0.92	2.9				0.92	2.9	-0.51	13.1	9.6	13	0.3	1.0	2.7	-0.3	6.4	0.4	1.7	1.6	
CRADLE CWJ240024					42%	21%	24 %	18%	20%	45 %	21 %	31%	24%	20%	18%	27%	14%	34 %	21 %	21 %	20 %	20 %	15 %	
CWBMCWJ 240025			✓	CWJ 190004	107	100	108	95	96	103	100	103	108	105	105	95	97	94	91	108	98	119	113	
F1					0.92	2.9				0.92	2.9	-0.51	13.1	9.6	13	0.3	1.0	2.7	-0.3	6.4	0.4	1.7	1.6	
CRADLE CWJ240025					42%	21%	24 %	18%	20%	45 %	21 %	31%	24%	20%	18%	27%	14%	34 %	21 %	21 %	20 %	20 %	15 %	
CWBMCWJ 240035			✓	CWJ 190004	107	100	108	95	96	103	100	103	108	105	105	95	97	94	91	108	98	119	113	
PBD			✓	CWBFRSS 190109	0.92	2.9				0.92	2.9	-0.51	13.1	9.6	13	0.3	1.0	2.7	-0.3	6.4	0.4	1.7	1.6	
CRADLE CWJ240035					42%	21%	24 %	18%	20%	45 %	21 %	31%	24%	20%	18%	27%	14%	34 %	21 %	21 %	20 %	20 %	15 %	
CWBMCWJ 240041			✓	CWJ 200007	93	97	93	108	110	100	97	72	93	100	92	97	117	119	100	100	107	93	98	
F2			✓	JMP 160244	1.27	1.8				1.27	1.8	0.68	5.0	6.6	-5	-1.4	-2.8	13.3	0.8	0.6	1.8	-0.8	-0.8	
CRADLE CWJ240041					65%	18%	17 %	16%	18%	71 %	18 %	40%	17%	17%	16%	21%	14%	37 %	15 %	19 %	18 %	17 %	11 %	
CWBMCWJ 240054	4		✓	CWJ 170005	120	90	77	118	103	114	90	107	77	87	82	93	112	102	110	90	121	84	98	
F3			✓	CWJ 200015	-0.12	-1.1				-0.12	-1.1	-0.65	-3.4	-3.0	-20	1.3	-1.6	6.1	2.1	-6.5	4.0	-1.7	-0.9	
CRADLE CWJ240054					67%	23%	23 %	21%	25%	72 %	23 %	46%	23%	26%	21%	32%	18%	46 %	34 %	33 %	30 %	26 %	21 %	
CWBMCWJ 240060	5		✓	CWJ 190123	107	89	79	114	97	106	89	96	79	86	86	83	109	118	114	99	111	96	99	
F2			✓	CWJ 200042	0.70	-1.5				0.70	-1.5	-0.22	-2.3	-3.6	-14	7.3	-1.0	13.0	2.5	0.1	2.4	-0.4	-0.6	
CRADLE CWJ240060					63%	26%	26 %	24%	25%	68 %	26 %	42%	26%	27%	24%	32%	18%	40 %	30 %	30 %	28 %	28 %	24 %	
CWBMCWJ 240062	4		✓	CWJ 170005	110	92	85	110	94	106	92	107	85	88	90	90	100	102	105	95	118	86	99	
F2			✓	CWJ 200033	0.69	-0.3				0.69	-0.3	-0.65	0.9	-1.8	-8	3.2	0.7	6.1	1.4	-3.0	3.5	-1.4	-0.5	
CRADLE CWJ240062					65%	23%	23 %	21%	22%	70 %	23 %	45%	23%	26%	21%	28%	16%	45 %	34 %	33 %	30 %	26 %	21 %	
CWBMCWJ 240066			✓	RSS 190063	83	114	113	82	111	86	114	91	113	117	118	114	107	96	90	103	103	96	99	
PBD			✓	CWBFRSS 180038	2.64	8.5				2.64	8.5	-0.05	15.8	18.6	32	-10.7	-1.0	3.6	-0.5	2.6	1.3	-0.4	-0.6	
CRADLE CWJ240066					42%	14%	11 %	9 %	15%	46 %	14 %	25%	11%	16%	9 %	21%	9%	32 %	18 %	18 %	16 %	16 %	11 %	
CWBMCWJ 240071	5		✓	CWJ 190123	103	92	83	109	98	99	92	107	83	88	91	88	107	118	110	102	109	98	100	
F2			✓	CWJ 200056	1.32	-0.3				1.32	-0.3	-0.63	-0.1	-2.1	-6	4.3	-0.6	12.9	2.1	2.5	2.1	-0.3	-0.4	
CRADLE CWJ240071					66%	26%	26 %	24%	22%	66 %	26 %	41%	26%	27%	24%	29%	16%	39 %	30 %	30 %	28 %	28 %	24 %	
CWBMCWJ 240072			✓	CWJ 190004	107	100	108	95	96	103	100	103	108	105	105	95	97	94	91	108	98	119	113	
F1					0.92	2.9				0.92	2.9	-0.51	13.1	9.6	13	0.3	1.0	2.7	-0.3	6.4	0.4	1.7	1.6	
CRADLE CWJ240072					42%	21%	24 %	18%	20%	45 %	21 %	31%	24%	20%	18%	27%	14%	34 %	21 %	21 %	20 %	20 %	15 %	
CWBMCWJ 240078			✓	RSS 190063	95	108	99	98	122	101	108	69	99	113	102	117	123	101	101	93	109	92	96	
F2			✓	JMP 160063	1.10	6.1				1.10	6.1	0.78	8.4	15.7	9	-12.6	-4.0	5.8	0.9	-4.4	2.2	-0.8	-1.2	
CRADLE CWJ240078					64%	14%	11 %	9 %	18%	70 %	14 %	39%	11%	16%	9 %	27%	9%	40 %	18 %	18 %	16 %	16 %	11 %	
CWBMCWJ 240081			✓	CWJ 190004	107	100	108	95	96	103	100	103	108	105	105	95	97	94	91	108	98	119	113	
F1					0.92	2.9				0.92	2.9	-0.51	13.1	9.6	13	0.3	1.0	2.7	-0.3	6.4	0.4	1.7	1.6	
CRADLE CWJ240081					42%	21%	24 %	18%	20%	45 %	21 %	31%	24%	20%	18%	27%	14%	34 %	21 %	21 %	20 %	20 %	15 %	

CWB Bulls

Inbreeding >6% is high					<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed															
Bull					Selection Value					Calf weight		Mother		Growth		Fertility			Carcass				
ID	%Inbreeding	Parentage			Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
Name		Genomic	DNA	Sire ID Dam ID																			
JAPANESE BLACK																							
CWBMCWJ 240095  CWJ 190004					107	100	108	95	96	103	100	103	108	105	105	95	97	94	91	108	98	119	113
F1					0.92	2.9				0.92	2.9	-0.51	13.1	9.6	13	0.3	1.0	2.7	-0.3	6.4	0.4	1.7	1.6
CRADLE CWJ240095					42%	21%	24 %	18%	20%	45 %	21 %	31%	24%	20%	18%	27%	14%	34 %	21 %	21 %	20 %	20 %	15 %
CWBMCWJ 240096  CWJ 190004  CWJ 220054					121	102	95	100	109	116	102	105	95	104	100	105	110	114	94	103	103	114	112
F2					-0.28	3.6				-0.28	3.6	-0.56	6.3	9.1	7	-5.6	-1.5	11.2	0.0	2.7	1.2	1.2	1.5
CRADLE CWJ240096					59%	23%	24 %	19%	22%	64 %	23 %	38%	24%	22%	19%	29%	14%	40 %	23 %	23 %	22 %	21 %	16 %
CWBMCWJ 240098  CWJ 190004					107	100	108	95	96	103	100	103	108	105	105	95	97	94	91	108	98	119	113
F1					0.92	2.9				0.92	2.9	-0.51	13.1	9.6	13	0.3	1.0	2.7	-0.3	6.4	0.4	1.7	1.6
CRADLE CWJ240098					42%	21%	24 %	18%	20%	45 %	21 %	31%	24%	20%	18%	27%	14%	34 %	21 %	21 %	20 %	20 %	15 %
CWBMCWJ 250001  RSS 190063  CWJ 210082					123	104	98	93	116	117	104	106	98	107	107	114	116	118	93	100	106	103	105
F2					-0.43	4.7				-0.43	4.7	-0.61	7.5	11.2	17	-11.1	-2.5	13.0	-0.1	0.8	1.7	0.2	0.4
CRADLE CWJ250001					61%	18%	16 %	13%	18%	67 %	18 %	38%	16%	18%	13%	25%	11%	39 %	21 %	21 %	19 %	19 %	13 %
CWBMCWJ 250007  CWJ 200007  CWJ 200019					99	98	84	109	103	99	98	92	84	96	91	96	108	111	101	97	112	87	99
F2					1.32	2.2				1.32	2.2	-0.08	0.4	3.3	-7	-0.4	-1.0	10.0	0.9	-1.2	2.6	-1.4	-0.7
CRADLE CWJ250007					64%	20%	20 %	18%	22%	70 %	20 %	39%	20%	20%	18%	27%	17%	39 %	21 %	24 %	22 %	21 %	14 %
CWBMCWJ 250010  RSS 190063  CWJ1190006					104	105	90	100	116	104	105	93	90	105	100	106	121	120	97	99	113	93	100
F2					0.86	4.9				0.86	4.9	-0.11	3.5	10.0	7	-6.1	-3.4	13.8	0.4	0.2	2.7	-0.8	-0.4
CRADLE CWJ250010					63%	19%	17 %	14%	21%	69 %	19 %	40%	17%	20%	14%	30%	12%	42 %	24 %	24 %	21 %	20 %	14 %
CWBMCWJ 250016  RSS 190063  CWJ A18006					87	111	95	94	114	88	111	95	95	110	106	110	115	107	94	105	110	96	100
F2					2.36	7.5				2.36	7.5	-0.21	5.9	13.4	14	-8.8	-2.4	8.2	0.0	4.3	2.4	-0.5	-0.4
CRADLE CWJ250016					60%	19%	17 %	14%	18%	66 %	19 %	38%	17%	20%	14%	25%	11%	41 %	23 %	23 %	21 %	20 %	14 %
CWBMCWJ 250028  CWJ 190004  CWJ A18012					127	91	90	108	99	119	91	110	90	92	92	91	105	106	96	110	105	118	114
F2					-0.64	-0.6				-0.64	-0.6	-0.74	3.5	1.0	-5	2.2	-0.4	7.8	0.2	8.1	1.5	1.6	1.8
CRADLE CWJ250028					65%	25%	27 %	22%	22%	71 %	25 %	43%	27%	23%	22%	30%	15%	42 %	25 %	26 %	24 %	23 %	18 %
CWBMCWJ 250029  RSS 190063  CWJ 200015					124	99	88	103	122	119	99	99	88	100	97	110	127	114	98	98	114	92	100
F3					-0.65	2.5				-0.65	2.5	-0.35	2.1	6.4	3	-8.8	-4.6	11.0	0.6	-1.0	2.9	-0.8	-0.5
CRADLE CWJ250029					66%	19%	17 %	14%	22%	72 %	19 %	42%	17%	20%	14%	30%	15%	42 %	24 %	24 %	21 %	20 %	14 %
CWBMCWJ 250030  CWJ 190004  CWJ 200030					118	95	89	108	97	113	95	114	89	95	92	88	104	111	95	108	105	116	115
F2					-0.03	0.8				-0.03	0.8	-0.92	3.0	2.8	-5	4.1	-0.3	9.9	0.1	6.4	1.5	1.5	2.0
CRADLE CWJ250030					64%	25%	27 %	22%	23%	69 %	25 %	43%	27%	23%	22%	31%	15%	42 %	26 %	26 %	24 %	23 %	18 %
CWBMCWJ 250035  RSS 190063  CWJ 220003					93	110	96	94	115	95	110	90	96	110	106	115	113	114	98	93	112	87	98
F2					1.72	7.2				1.72	7.2	-0.03	6.6	13.3	15	-11.6	-2.0	11.4	0.6	-3.9	2.6	-1.3	-0.9
CRADLE CWJ250035					62%	17%	14 %	12%	18%	69 %	17 %	36%	14%	19%	12%	24%	11%	39 %	24 %	24 %	21 %	20 %	14 %
CWBMCWJ 250038  CWJ 170005  JMP 160021					102	92	96	108	100	107	92	71	96	94	92	97	104	99	109	88	114	85	95
F2					0.55	-0.4				0.55	-0.4	0.70	6.6	2.5	-6	-1.0	-0.1	5.0	1.9	-7.7	3.0	-1.5	-1.3
CRADLE CWJ250038					67%	20%	18 %	18%	20%	72 %	20 %	46%	18%	22%	18%	25%	14%	43 %	30 %	30 %	27 %	23 %	18 %

CWB Bulls

Inbreeding >6% is high				<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed																					
Bull				Selection Value					Calf weight		Mother		Growth		Fertility			Carcass										
ID	%Inbreeding	Parentage		Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling	Fineness					
Name		Genomic	Sire ID																					DNA	Dam ID			
JAPANESE BLACK																												
CWBMCWJ 250041	4		✓ CWJ 170005	111	92	84	110	94	108	92	119	84	88	90	89	99	93	105	95	118	86	99						
F2			✓ CWJ 200016	0.44	-0.3	-1.09	0.3	-2.0	-8	3.5	0.7	2.4	1.4	-3.0	3.5	-1.4	-0.5	34 %	33 %	30 %	26 %	21 %						
CRADLE CWJ250041				65%	23%	23 %	21%	22%	70 %	23 %	45%	23%	26%	21%	29%	16%	45 %	34 %	33 %	30 %	26 %	21 %						
CWBMCWJ 250043			✓ CWJ 190004	92	101	95	112	99	100	101	66	95	107	88	86	108	104	102	98	104	114	109						
F1			✓ JMP 160042	1.21	3.4	0.91	6.0	-10	5.2	-1.0	7.0	1.1	-0.6	1.3	1.3	1.0	21 %	21 %	20 %	20 %	15 %							
CRADLE CWJ250043				64%	21%	24 %	18%	22%	71 %	21 %	36%	24%	20%	18%	31%	14%	40 %	21 %	21 %	20 %	20 %	15 %						
CWBMCWJ 250051	4		✓ CWJ 190004	101	100	90	108	99	98	100	102	90	100	92	91	105	106	96	110	105	118	114						
F2			✓ CWJ A18011	1.38	3.0	-0.44	3.3	-5	6.2	-0.4	7.6	0.2	8.1	1.5	1.6	1.8	25 %	26 %	24 %	23 %	18 %							
CRADLE CWJ250051				64%	25%	27 %	22%	22%	70 %	25 %	42%	27%	23%	22%	30%	15%	42 %	25 %	26 %	24 %	23 %	18 %						
CWBMCWJ 250054	4		✓ CWJ 190004	121	94	90	108	97	114	94	112	90	94	92	88	104	114	95	108	105	116	115						
F2			✓ CWJ 200069	-0.17	0.4	-0.82	3.2	-5	2.4	-0.3	11.1	0.1	6.4	1.5	1.5	2.0	26 %	26 %	24 %	23 %	18 %							
CRADLE CWJ250054				65%	25%	27 %	22%	23%	71 %	25 %	42%	27%	23%	22%	31%	15%	42 %	26 %	26 %	24 %	23 %	18 %						
CWBMCWJ 250056	4		✓ CWJ 190004	121	93	85	114	96	117	93	100	85	94	86	83	107	111	98	105	107	115	114						
F2			✓ CWJ 200042	-0.39	0.0	-0.38	0.9	-13	-0.39	0.0	-0.38	0.9	2.0	-13	7.1	-0.7	10.0	0.6	4.0	1.8	1.3	1.7						
CRADLE CWJ250056				65%	25%	27 %	22%	26%	71 %	25 %	43%	27%	23%	22%	34%	17%	43 %	26 %	26 %	24 %	23 %	18 %						
CWBMCWJ 250060	4		✓ CWJ 190004	123	91	89	108	97	123	91	121	89	92	92	88	104	111	95	108	105	116	115						
F2			✓ CWJ 200032	-0.98	-0.8	-1.18	2.9	-5	-0.98	-0.8	-1.18	2.9	0.5	-5	4.1	-0.3	9.9	0.1	6.4	1.5	1.5	2.0						
CRADLE CWJ250060				65%	25%	27 %	22%	23%	70 %	25 %	44%	27%	23%	22%	31%	15%	42 %	26 %	26 %	24 %	23 %	18 %						
CWBMCWJ 250066			✓ RSS 190063	106	104	91	100	118	106	104	89	91	104	100	108	123	116	97	99	113	93	100						
F3			✓ CWJ 210041	0.65	4.4	0.02	3.8	7	9.3	-7.3	-3.9	12.3	0.4	0.2	2.7	-0.8	-0.4	24 %	24 %	21 %	20 %	14 %						
CRADLE CWJ250066				64%	19%	17 %	14%	21%	71 %	19 %	39%	17%	20%	14%	30%	12%	41 %	24 %	24 %	21 %	20 %	14 %						
CWBMCWJ 250080	4		✓ CWJ 190004	115	95	90	108	99	110	95	105	90	96	92	91	105	107	96	110	105	118	114						
F2			✓ CWJ A18007	0.27	1.0	-0.55	3.5	-5	3.3	-5	2.2	-0.4	8.1	2.2	-0.4	8.1	0.2	8.1	8.1	1.5	1.6	1.8						
CRADLE CWJ250080				52%	25%	27 %	22%	22%	54 %	25 %	43%	27%	23%	22%	30%	15%	42 %	25 %	26 %	24 %	23 %	18 %						
CWBMCWJ 250081			✓ CWJ 190004	117	95	94	112	107	118	95	81	94	101	88	98	113	99	102	98	104	114	109						
F2			✓ JMP 160063	-0.49	0.7	0.33	5.7	-10	-0.49	0.7	0.33	5.7	7.0	-10	-1.6	-2.0	4.8	1.1	-0.6	1.3	1.3	1.0						
CRADLE CWJ250081				54%	21%	24 %	18%	23%	57 %	21 %	43%	24%	20%	18%	32%	14%	41 %	21 %	21 %	20 %	20 %	15 %						
CWBMCWJ 250082			✓ CWJ 170005	103	96	104	97	93	100	96	101	104	97	103	96	92	85	101	95	110	88	97						
F1				1.22	1.2	-0.43	10.7	10	1.22	1.2	-0.43	10.7	4.1	10	-0.7	2.0	-1.3	1.0	-3.0	2.4	-1.2	-0.9						
CRADLE CWJ250082				44%	20%	18 %	18%	19%	47 %	20 %	32%	18%	22%	18%	24%	14%	38 %	30 %	30 %	27 %	23 %	18 %						
CWBMCWJ 260001	2		✓ CWJ 200007	106	110	88	96	119	103	110	101	88	106	104	110	124	119	88	109	104	96	107						
F2			✓ CWJ 220072	0.90	6.9	-0.42	2.2	11	10.5	11	-8.7	-4.0	13.3	-0.8	7.0	1.3	-0.5	-0.8	7.0	1.3	-0.5	0.6						
CRADLE CWJ260001				59%	20%	20 %	18%	18%	66 %	20 %	33%	20%	20%	18%	22%	14%	35 %	19 %	22 %	21 %	21 %	14 %						
CWBMCWJ 260004			CWJ 200007	77	105	107	91	98	80	105	95	107	106	109	95	100	100	89	110	101	97	102						
PEN				3.17	5.0	-0.20	12.2	18	3.17	5.0	-0.20	12.2	10.6	18	0.0	0.4	5.3	-0.6	7.7	1.0	-0.4	-0.1						
CRADLE CWJ260004				38%	18%	17 %	16%	16%	42 %	18 %	23%	17%	17%	16%	20%	13%	29 %	15 %	19 %	18 %	17 %	11 %						

CWB Bulls

Inbreeding >6% is high				<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed															
Bull				Selection Value					Calf weight		Mother		Growth		Fertility			Carcass				
ID	%Inbreeding	Parentage		Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
		Genomic	Sire ID																			
JAPANESE BLACK																						
CWBMCWJ 260005	2	✓	WSIFK188B	116	88	82	119	96	113	88	98	82	88	81	93	99	107	117	80	107	94	98
F3		✓	CWJ 220044	-0.01	-1.8	-0.30	-0.8	-2.2	-21	1.2	0.7	8.3	2.9	-13.0	1.9	-0.7	-0.8	23 %	24 %	23 %	22 %	17 %
CRADLE CWJ260005				57%	21%	20 %	17%	20%	64 %	21 %	32%	20%	21%	17%	27%	14%	31 %	23 %	24 %	23 %	22 %	17 %
CWBMCWJ 260007		✓	WSIFK188B	99	95	101	102	85	96	95	106	101	96	98	85	87	88	108	87	100	98	100
F1				1.60	1.0	-0.59	9.2	3.4	4	5.6	3.0	0.2	1.8	-8.3	0.7	-0.3	-0.5	22 %	22 %	22 %	21 %	16 %
CRADLE CWJ260007				25%	20%	19 %	16%	17%	26 %	20 %	20%	19%	20%	16%	21%	13%	26 %	22 %	22 %	22 %	21 %	16 %
CWBMCWJ 260008	5	✓	FB15730	116	81	81	119	98	130	81	102	81	80	81	98	99	101	115	76	112	92	101
F2		✓	CWJ 200019	-1.70	-4.8	-0.45	-1.4	-7.9	-21	-1.4	0.6	5.5	2.7	-16.4	2.7	-0.9	-0.3	31 %	32 %	31 %	31 %	26 %
CRADLE CWJ260008				63%	30%	29 %	27%	30%	68 %	30 %	42%	29%	30%	27%	34%	25%	40 %	31 %	32 %	31 %	31 %	26 %
CWBMCWJ 260010		✓	CWJ 170001	109	95	91	111	98	113	95	71	91	97	89	82	108	97	108	120	117	110	97
F1				-0.06	0.8	0.69	3.9	4.1	-9	7.4	-1.2	3.9	1.8	15.0	3.4	0.9	-1.0	29 %	29 %	28 %	25 %	20 %
CRADLE CWJ260010				59%	26%	26 %	21%	21%	64 %	26 %	39%	26%	26%	21%	27%	15%	34 %	29 %	29 %	28 %	25 %	20 %
CWBMCWJ 260011		✓	FW 180011	106	87	89	119	100	111	87	70	89	90	81	83	112	104	105	100	114	97	99
F1				0.16	-2.3	0.76	2.8	-0.3	-22	6.8	-1.8	7.0	1.5	0.8	3.0	-0.4	-0.6	28 %	28 %	27 %	25 %	20 %
CRADLE CWJ260011				59%	25%	25 %	20%	20%	65 %	25 %	36%	25%	24%	20%	25%	15%	32 %	28 %	28 %	27 %	25 %	20 %
CWBMCWJ 260022	6	✓	CWJ 200007	97	97	83	110	102	97	97	96	83	94	90	87	113	124	96	106	110	94	103
F2		✓	CWJ1190006	1.55	1.7	-0.25	-0.1	2.4	-8	4.7	-2.0	15.5	0.2	5.3	2.4	-0.7	0.0	21 %	24 %	22 %	21 %	15 %
CRADLE CWJ260022				64%	22%	22 %	19%	22%	71 %	22 %	38%	22%	20%	19%	29%	16%	39 %	21 %	24 %	22 %	21 %	15 %

CWB Cows

Cow				Selection Values					Kalf gewig		Moeder		Groeï		Vrugbaarheid			Karkas					
ID	%Inbreeding	Parentage		Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling	Fineness
Name		Genomic DNA	Sire ID																				
AKAUSHI																							
CWBFRSS 180038 10 J251830R 677Z				100	129	88	82	129	102	129	84	88	124	118	123	131	125	88	93	102	80	98	
FB RISING SUN RSS MISS HIKARI				47 %	28 %	26 %	21 %	26 %	1.03 48 %	14.6 28 %	0.20 44 %	2.3 26 %	23.5 36 %	31 21%	-16.1 39%	-5.2 14%	15.8 60 %	-0.7 37 %	-3.9 37 %	1.0 33 %	-2.0 34 %	-0.8 25 %	
CWBFRSS 190109 FB14989 FB CWBFWB 170007				71	116	123	75	104	78	116	80	123	120	125	98	108	121	89	120	95	110	99	
RISING SUN RSS190109				40 %	23 %	29 %	26 %	28 %	3.38 41 %	9.4 23 %	0.37 38 %	20.9 29 %	20.2 32 %	42 26%	-1.9 44%	-0.9 13%	14.3 51 %	-0.6 40 %	14.7 39 %	-0.1 36 %	0.9 25 %	-0.7 17 %	
CWBFCWJ 240090 RSS 190063 F1				83	114	113	82	111	86	114	91	113	117	118	114	108	96	90	103	103	96	99	
CRADLE CWJ240090				42 %	14 %	11 %	9 %	15 %	2.64 46 %	8.5 14 %	-0.05 25 %	15.8 11 %	18.6 16 %	32 9 %	-10.7 21%	-1.0 9%	3.6 32 %	-0.5 18 %	2.6 18 %	1.3 16 %	-0.4 16 %	-0.6 11 %	
CWBFCWJ 250083 RSS 190063 F1				83	114	113	82	111	86	114	91	113	117	118	114	108	96	90	103	103	96	99	
CRADLE CWJ250083				42 %	14 %	11 %	9 %	15 %	2.64 46 %	8.5 14 %	-0.05 25 %	15.8 11 %	18.6 16 %	32 9 %	-10.7 21%	-1.0 9%	3.6 32 %	-0.5 18 %	2.6 18 %	1.3 16 %	-0.4 16 %	-0.6 11 %	
CWBFCWJ 250085 RSS 190063 F1				83	114	113	82	111	86	114	91	113	117	118	114	108	96	90	103	103	96	99	
CRADLE CWJ250085				42 %	14 %	11 %	9 %	15 %	2.64 46 %	8.5 14 %	-0.05 25 %	15.8 11 %	18.6 16 %	32 9 %	-10.7 21%	-1.0 9%	3.6 32 %	-0.5 18 %	2.6 18 %	1.3 16 %	-0.4 16 %	-0.6 11 %	
CWBFCWJ 250089 RSS 190063 F1				83	114	113	82	111	86	114	91	113	117	118	114	108	96	90	103	103	96	99	
CRADLE CWJ250089				42 %	14 %	11 %	9 %	15 %	2.64 46 %	8.5 14 %	-0.05 25 %	15.8 11 %	18.6 16 %	32 9 %	-10.7 21%	-1.0 9%	3.6 32 %	-0.5 18 %	2.6 18 %	1.3 16 %	-0.4 16 %	-0.6 11 %	
JAPANESE BLACK																							
CWBFCWJ 172017 CWJ 150002 F1				99	98	106	97	98	96	98	113	106	100	103	102	95	93	77	112	90	98	111	
CRADLE A2/2017				31 %	25 %	23 %	15 %	18 %	1.61 31 %	2.2 25 %	-0.87 29 %	11.7 23 %	6.5 23 %	11 15%	-4.0 24%	1.3 12%	2.4 46 %	-2.1 28 %	9.0 28 %	-0.8 27 %	-0.3 22 %	1.2 16 %	
CWBFCWJ 200108 CWJ 180013 F1				95	93	108	97	93	95	93	94	108	95	103	91	95	95	90	111	110	97	99	
CRADLE CWJ200108				29 %	18 %	20 %	16 %	18 %	1.69 29 %	0.1 18 %	-0.16 27 %	12.8 20 %	3.1 17 %	10 16%	2.6 23%	1.4 13%	2.9 29 %	-0.4 24 %	8.3 24 %	2.3 22 %	-0.4 20 %	-0.6 15 %	
CWBFCWJ 240053 4 CWJ 170005 CWJ A18011 F2				109	91	86	110	96	106	91	101	86	88	90	93	99	96	106	97	117	87	98	
CRADLE CWJ240053				64 %	23 %	23 %	21 %	22 %	0.63 70 %	-0.7 23 %	-0.41 43 %	1.2 23 %	-2.2 26 %	-8 21%	1.2 27%	0.6 16%	3.6 45 %	1.5 33 %	-1.3 33 %	3.5 30 %	-1.3 26 %	-0.7 21 %	
CWBFCWJ 240069 CWJ 170005 CWBFCWJ 172017 F2				103	96	104	97	93	100	96	101	104	97	103	96	92	85	101	95	110	88	97	
CRADLE CWJ240069				44 %	20 %	18 %	18 %	19 %	1.22 47 %	1.2 20 %	-0.43 32 %	10.7 18 %	4.1 22 %	10 18%	-0.7 24%	2.0 14%	-1.3 38 %	1.0 30 %	-3.0 30 %	2.4 27 %	-1.2 23 %	-0.9 18 %	
CWBFCWJ 240092 CWJ 190004 F1				107	100	108	95	96	103	100	103	108	105	105	95	97	94	91	108	98	119	113	
CRADLE CWJ240092				42 %	21 %	24 %	18 %	20 %	0.92 45 %	2.9 21 %	-0.51 31 %	13.1 24 %	9.6 20 %	13 18%	0.3 27%	1.0 14%	2.7 34 %	-0.3 21 %	6.4 21 %	0.4 20 %	1.7 20 %	1.6 15 %	

CWB Cows

Inbreeding >6% is high				<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed															
Cow				Selection Values					Kalf gewig		Moeder		Groeï		Vrugbaarheid			Karkas				
ID	Name	%Inbreeding	Parentage	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
			Genomic DNA																			
JAPANESE BLACK																						
CWBFCWJ 240094  CWJ 190004				107	100	108	95	96	103	100	103	108	105	105	95	97	94	91	108	98	119	113
F1				42 %	21 %	24 %	18 %	20 %	0.92	2.9	-0.51	13.1	9.6	13	0.3	1.0	2.7	-0.3	6.4	0.4	1.7	1.6
CRADLE CWJ240094									45 %	21 %	31 %	24 %	20 %	18%	27%	14%	34 %	21 %	21 %	20 %	20 %	15 %
CWBFCWJ 240110  CWJ 160003				90	97	101	99	88	88	97	113	101	97	101	80	95	85	91	113	108	102	106
F1				44 %	25 %	26 %	22 %	24 %	2.37	1.6	-0.87	9.4	4.1	8	8.7	1.3	-1.4	-0.3	10.0	2.0	0.1	0.4
CRADLE CWJ240110									45 %	25 %	38 %	26 %	24 %	22%	31%	16%	41 %	30 %	30 %	27 %	24 %	20 %
CWBFCWJ 250037  CWJ 190004  CWBFRSS 180038				107	100	108	95	96	103	100	103	108	105	105	95	97	94	91	108	98	119	113
PEN				42 %	21 %	24 %	18 %	20 %	0.92	2.9	-0.51	13.1	9.6	13	0.3	1.0	2.7	-0.3	6.4	0.4	1.7	1.6
CRADLE CWJ250037									45 %	21 %	31 %	24 %	20 %	18%	27%	14%	34 %	21 %	21 %	20 %	20 %	15 %
CWBFCWJ 250048 2  CWJ 190004  JMP 160076				116	96	97	107	102	112	96	101	97	98	93	99	106	99	91	101	95	107	113
F2				66 %	24 %	26 %	21 %	24 %	0.09	1.2	-0.44	7.1	5.2	-4	-2.2	-0.5	4.9	-0.3	1.3	0.0	0.6	1.5
CRADLE CWJ250048									71 %	24 %	46 %	26 %	22 %	21%	32%	15%	44 %	26 %	26 %	24 %	22 %	16 %
CWBFCWJ 250050  CWJ 190004  CWBFRSS 190109				107	100	108	95	96	103	100	103	108	105	105	95	97	94	91	108	98	119	113
FB				42 %	21 %	24 %	18 %	20 %	0.92	2.9	-0.51	13.1	9.6	13	0.3	1.0	2.7	-0.3	6.4	0.4	1.7	1.6
CRADLE CWJ250050									45 %	21 %	31 %	24 %	20 %	18%	27%	14%	34 %	21 %	21 %	20 %	20 %	15 %
CWBFCWJ 250052 FB15730				103	93	103	102	93	100	93	104	103	94	98	97	91	90	103	88	102	102	105
PEN				35 %	28 %	27 %	25 %	26 %	1.23	0.1	-0.52	10.1	2.3	4	-1.0	2.1	0.7	1.2	-7.5	1.0	0.1	0.3
CRADLE CWJ250052									36 %	28 %	29 %	27 %	28 %	25%	29%	22%	31 %	27 %	28 %	28 %	28 %	25 %
CWBFCWJ 250057  CWJ 190004  RSS 190107				128	109	81	102	124	120	109	108	81	107	98	118	127	122	94	96	111	104	111
FB				48 %	26 %	26 %	20 %	24 %	-0.74	6.7	-0.68	-1.1	11.6	3	-13.3	-4.3	14.6	0.0	-1.7	2.5	0.3	1.2
CRADLE CWJ250057									51 %	26 %	37 %	26 %	26 %	20%	34%	15%	45 %	28 %	28 %	26 %	25 %	18 %

