



WAGYU BREEDING VALUE REPORT

September 2026



WILD COAST WAGYU

Herd Number: 8178950

E-mail: gerald@wildcoastwagyu.co.za
farm.admin@wildcoastwagyu.co.za



**WAGYU
SOCIETY**
OF SOUTH AFRICA



**CERTIFICATE
OF QUALITY**
Valid up to
October 2029



Notes


GEBVi (GEBVindex): The average GEBVi of all the live animals in the breed is 100, and all EBVi values are expressed relative to this value. Values above 100 are mostly in a more desirable direction. Note that a very high index is not always desirable. For certain traits, such as birth weight, average values may be better. It is the top value in the list.

GEBV (Genomic Estimated Breeding Value) indicates the genetic potential of the animal for a specific trait. It is presented in the unit of measurement and relative to the average of animals born in the base year. It is the middle value in the list and not available for selection values.

Accuracy: This value gives an indication of how much information was available for breeding value estimation. It is the bottom value in the list.

Selection values combine similar breeding values in a scientific manner to simplify the selection of animals. For example, HF (Heifer Fertility), CF (Cow Fertility) and Longevity are

combined to form the Fertility Value by taking the heritability and economic importance in consideration.




* Depending on selection goal

GEBVi		Description / Measurement	Goal		General Guidelines*					
					80	90	100	110	120	
Selection V.	Calving Ease Value	Difficult calving due to high birth weight	Average birth weight	High						Low
	Calf Growth Value	Calf's genetic ability for prewean growth	Heavy weaner	Light						Heavy
	Milk Value	Cow's genetic mothering and milking ability	Enough milk for calf	Less						More
	Maintenance Value	Maintenance requirement of cow (weight and milk)	Low cow maintenance	High					*	Low
	Fertility Value	Fertility and retention of cows and heifers	Fertile cows	Low						High
Cow & Calf	Birth weight direct	Birth weight (Calf's genetic ability)	Average birth weight	Heavy						Light
	Birth weight mat	Birth weight (Dam's genetic ability)	Easy calving	Heavy						Light
	Weaning weight direct	Weaning weight (Calf's genetic ability)	Heavy weaners	Light						Heavy
	Weaning weight mat	Weaning weight (Dam's genetic ability)	Good mothers	Poor						Good
	Post-wean weight	Combination of EBVs for 12 and 18 month weights	Mature weight	Light				*	*	Heavy
	Mature Cow Weight	Cow weight at weaning of first three calves	Mature cow weight	Light				*	*	Heavy
Ferti.	Heifer Fertility	Age at first calving	Fertile heifers	Less						More
	Cow Fertility	First 3 inter-calving periods (ICPs)	Fertile cows	Less						More
	Longevity	Retention of progeny	Acceptable progeny	Poor						Good
Carcass	IMF	Intra-muscular-fat, Marbling	High quality carcass	Less						More
	Carcass weight	Weight of the carcass	High quality carcass	Light						Heavy
	EMA	Eye-muscle-area at the 12/13th rib of the dressed carcass	High quality carcass	Small						Large
	Rib Fat	Rib fat depth at the 12/13th rib of the dressed carcass	High quality carcass	Thin						Thick
	Marbling Fineness	Degree of fineness of marbling fat	High quality carcass	Low						High

Herd and Breed Averages

Number 18



Breeding Values (EBV):

Birth: Birth weight IMF: Marbling
 Wean: Weaning weight Carcwt: Carcass wt
 Birth.mat: Birth mat EMA: Eye muscle area
 Milk: Milk RibFatt: Rib Fat thickness
 Postwn: Postwean weight MF: Marbling Fineness
 Matwt: Mature weight
 HF: Heifer Fertility
 CF: Cow Fertility
 LL: Longevity

Selection values:

CEaseV Calving Ease Value
 CGrowthV Calf Growth Value
 MilkV: Milk Value
 MaintV: Maintenance Value
 FertV: Fertility Value

	Trait	EBV Herd	EBV Index	EBV Breed
Prewrite growth	Birth Weight	-0.12	114	1.23
	Wean Weight	-0.4	92	2.9
	Birth Mat.	-0.75	110	-0.38
	Milk (Wn.Mat.)	-0.8	82	8.7
Postwean growth	Postwean wt	-2.4	87	6.4
	Mature weight	-12	87	6
	Heifer Fertility	-0.2	95	-2.9
Fertility	Cow Fertility	0.6	100	0.5
	Longevity	11.9	116	5.2
Carcass	IMF	1.2	103	0.8
	Carcass weight	-3.6	94	0.8
	EMA	-0.1	95	0.8
	Rib Fat	0.1	102	-0.1
	MF	0.7	108	-0.5

Selection Value	Herd Avg
Calving Ease Value	114
Calf Growth Value	92
Milk Value	82
Maintenance Value	113
Fertility Value	97


- Average of live animals in the breed: 100
- Above 100: **more favourable**,
- Below 100: **less favourable**

What does a sub-selection value above breed average (100) mean?:

Calving ease: Smaller calf at birth - easier calving
 Calf growth: Heavier calves at wean due to growth potential of the calf
 Milk: Cows with more milk and better mothering ability
 Maintenance: Animals with low maintenance requirements (lower mature weight).
 Fertility: Cows/daughters that calve

Genetic Trends for On-Farm Traits

The graphs show the genetic gain of the herd relative to the breed. Only data of animals with measurements are included.




Herd

Birth Year	Calving Ease				Calf Growth			Milk			Maintenance				Fertility							
	Birth Weight		Mat EBV	Calv. Ease	Weaning Weight		Calf Growth	Milk (Wn.Mat.)		Milk	Postwean Weight		Mature Weight		Mainte- nance	Heifer Fert.		Cow Fert.		Longevity		Ferti- lity
	Number	Dir EBV			Number	EBV		Number	EBV		Number	EBV	Number	EBV		Number	EBV	Number	EBV	Number	EBV	
2016																			22		-3.0	
2017																			49		-4.7	
2018															7		1.0	7	0.4	102	-2.2	97
2019	46	0.70	0.12	104	1	3.0	100	1	7.88	98	1	6.2	105		24	3.2	13	0.4	897	-3.5	95	
2020	8	1.29	-0.07	92											1	-6.6			393	-2.6	105	
2021	62	1.52	-0.08	93	17	4.6	104	17	6.43	96	3	10.3	99		10	-1.6			485	1.8	98	
2022	66	0.99	-0.43	103	23	0.5	94	23	4.47	92	2	10.8	99						436	3.4		
2023	29	0.98	-0.68	106																		
2024																						
2025																						

Breed

Birth Year	Calving Ease				Calf Growth			Milk			Maintenance					Fertility						
	Birth Weight		Mat EBV	Calv. Ease	Weaning Weight		Calf Growth	Milk (Wn.Mat.)		Milk	Postwean Weight		Mature Weight		Mainte-nance	Heifer Fert.		Cow Fert.		Longevity		Ferti-lity
	Number	Dir EBV			Number	EBV		Number	EBV		Number	EBV	Number	EBV		Number	EBV	Number	EBV	Number	EBV	
2016	667	0.14	0.06	106	280	0.5	94	280	6.43	96	213	2.7	17	-11	110	777	-1.4	388	-0.8	6318	-0.5	102
2017	787	0.41	0.21	102	405	0.6	94	405	3.76	91	309	0.1	33	-9	111	791	-1.9	308	-0.6	10308	-0.4	102
2018	1180	0.44	0.12	103	815	-1.4	89	815	2.45	88	823	-0.9	19	-23	113	665	-4.6	407	-1.0	9232	2.0	106
2019	1379	0.55	0.15	102	901	0.1	93	901	1.30	86	896	0.6	27	-30	112	1006	-2.8	469	-0.6	11910	1.7	103
2020	2115	0.65	-0.03	102	556	2.3	98	556	7.29	97	273	6.2	24	-7	103	665	-4.3	269	-1.0	11395	1.2	106
2021	2374	0.55	-0.10	103	589	0.4	94	589	4.13	91	253	0.2	19	-6	112	405	-6.0	158	-1.5	9292	1.5	108
2022	2062	0.42	-0.18	105	461	2.0	98	461	1.65	87	246	2.4	15	15	110	306	-2.8	72	-0.6	4200	2.1	103
2023	1637	0.34	-0.31	107	461	2.0	98	461	1.21	86	160	2.0	5	-3	111	121	-6.6	11	-0.6			110
2024	1413	0.39	-0.30	107	311	2.5	99	311	1.86	87	36	14.0			97	15	-2.4					101
2025	1478	0.37	-0.14	106	386	2.5	99	386	0.24	84												
2026	307	0.25	-0.03	106																		

Genetic Trends for Carcass Traits



Herd

Birth Year	Carcass														
	IMF			Carcass weight			EMA			RibFat			Marble Fineness		
	Number	EBV	EBVi	Number	EBV	EBVi	Number	EBV	EBVi	Number	EBV	EBVi	Number	EBV	EBVi
2015															
2016															
2017															
2018	10	0.5	98	10	-4.4	93	10	0.4	98						
2019	55	0.8	100	54	-1.8	96	55	-0.2	93						
2020	76	-1.7	80	76	-7.2	89	76	0.4	98	9	-2.0	80			
2021	3	1.5	105	3	-5.0	92	3	-2.8	77	3	1.3	114			
2022															
2023															

Breed

Birth Year	Carcass														
	IMF			Carcass weight			EMA			Rib Fat			Marble Fineness		
	Number	EBV	EBVi	Number	EBV	EBVi	Number	EBV	EBVi	Number	EBV	EBVi	Number	EBV	EBVi
2013	17	0.6	99	776	-0.1	99	361	0.8	100	346	0.2	103	5	-4.6	74
2014	16	-1.0	86	541	-3.8	94	301	1.7	106	269	-0.1	100	4	0.0	103
2015	36	-0.5	90	589	-7.1	89	548	1.0	102	520	-0.1	100	6	0.3	105
2016	124	-0.8	87	588	-0.3	98	322	0.1	96	211	0.3	105	5	2.1	117
2017	732	-0.4	90	1244	-0.2	99	1116	0.1	95	272	0.0	102	17	0.3	105
2018	1946	0.0	94	1969	0.0	99	1940	0.0	95	87	0.0	101	22	0.0	103
2019	2812	0.3	96	2823	-1.3	97	2753	0.8	100	212	-0.5	96	61	0.4	106
2020	4627	0.7	99	4682	-0.6	98	4656	0.5	98	713	-0.3	98	92	-1.2	95
2021	3444	0.9	101	3606	-0.3	98	3596	0.6	99	3275	-0.2	99	531	-0.6	99
2022	3277	1.0	101	3324	-0.9	98	3275	0.4	97	3191	-0.3	97	2749	-1.0	97
2023	1839	1.1	103	1845	1.3	101	1836	0.6	99	1795	0.0	101	1841	-1.0	96
2024	17	-0.6	89	17	1.3	101	17	0.5	98	16	-0.5	96	17	0.1	103

WAGYU Sires

Sire				Growth						Carcass					Stats				
ID	Parentage	Sire ID		Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Daughters with calves	Active 2yrs & older	Carcasses
Name	Gen. DNA	Dam ID																	
JAPANESE BLACK																			
AW 180077		AACFF0758		96	115	103	102	101	75	90	109	55	150	136					
FB		BA 130990		1.63	9.1	7.8	8.9	7	-4.7	-0.5	6.8	-6.2	4.7	5.3	6	687	21	6	4
AW180077				96%	91%	90%	89%	88%	89%	91%	91%	90%	90%	89%					
BA 090335		148BE		142	95	89	91	85	63	119	68	121	98	105					
FB		KJDFB0050		-2.82	0.9	-0.9	0.3	-15	-11.0	3.2	-21.6	4.0	-0.3	0.3	19	262	97	43	8
FUTURE INVESTMENT				97%	91%	76%	82%	61%	90%	87%	87%	84%	75%	61%					
BA 130823		148BE		133	93	87	88	81	86	125	72	48	97	97					
FB		BA 090331		-1.93	0.2	-1.9	-2.1	-21	1.4	4.0	-18.6	-7.2	-0.4	-0.9	13	445	53	122	81
BA 130823				98%	93%	91%	92%	91%	91%	96%	96%	95%	94%	92%					
BDWFM0495		BDWFY0408		126	57	54	62	57	75	120	101	97	115	104					
FB				-1.26	-14.3	-22.9	-22.6	-55	-4.4	3.3	1.6	0.3	1.3	0.1	39	333	88	100	71
MACQUARIE PRELUDE M0495				98%	97%	98%	97%	97%	97%	98%	98%	97%	97%	97%					
KI 140008		OVE 080002		105	102	97	99	89	74	70	63	101	51	120					
FB		BA 080212		0.72	3.9	3.9	6.6	-10	-4.9	-3.0	-25.7	0.9	-4.7	2.8	9	290	52	15	79
KI 140008				96%	94%	94%	93%	93%	93%	96%	96%	96%	94%	93%					
SMOFF0154		IMUFM1615		105	85	78	74	84	61	138	104	94	116	98					
FB		SMOFC0016		0.73	-3.1	-7.4	-13.2	-17	-12.0	5.7	3.6	-0.2	1.4	-0.8	33	285	101	126	20
SUMO CATTLE CO MICHIFUKU F154 (AI)				99%	98%	98%	98%	98%	98%	99%	99%	98%	98%	98%					
SWK 210153		CCOFG0113		117	96	97	93	99	85	130	100	107	113	91					
FB		SWK 190061		-0.47	1.4	4.5	2.2	5	0.5	4.6	0.5	1.8	1.2	-1.9	9	311	5	100	
ITOSHIGENAMI				97%	96%	95%	95%	95%	95%	95%	95%	94%	94%	94%					
WCW 190132		KR 140006		120	70	67	69	67	75	114	67	101	86	103					
FB		AL 160001		-0.69	-9.0	-14.5	-16.4	-41	-4.7	2.5	-22.2	1.0	-1.5	0.0	1	45		2	
WCW190132				91%	86%	84%	83%	83%	83%	85%	85%	84%	84%	83%					
WCW 190133		IMUFM1615		101	99	90	88	79	66	95	78	99	90	122					
FB		BA 110479		1.12	2.4	0.1	-1.6	-24	-9.3	0.1	-14.4	0.7	-1.1	3.1	1	34		3	
WCW190133				89%	87%	87%	87%	86%	87%	87%	87%	87%	87%	86%					

WAGYU Dams

Dam			Growth					Carcass					Stats				
ID	Parentage	Sire ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name	Gen. DNA	Dam ID															
JAPANESE BLACK																	
AW 180095		OVE 080002	123	79	75	80	78	78	84	96	94	102	121	1	3	2	
FB		PK 140017	-1.04	-5.5	-9.3	-8.1	-26	-3.0	-1.3	-2.0	-0.2	0.1	2.9				
AW180095			90%	88%	88%	88%	87%	88%	90%	89%	89%	88%	87%				
AW 190017		SMOFF0154	107	90	82	80	81	65	105	92	102	86	109	1	2	2	
FB		CWJ 150001	0.55	-1.1	-5.1	-8.0	-21	-10.1	1.4	-5.0	1.0	-1.4	1.0				
AW190017			89%	88%	87%	87%	86%	87%	87%	88%	87%	87%	87%				
AW 190035		SMOFF0154	111	94	87	84	89	72	141	105	124	105	81	2	4		
FB		CCOFD0218	0.20	0.4	-2.1	-4.7	-9	-6.4	6.0	4.3	4.5	0.4	-3.5				
AW190035			89%	88%	88%	88%	87%	88%	88%	88%	88%	88%	88%				
BA 110474		Y342	116	94	94	98	96	105	63	105	80	82	118	2	23	18	1
FB		BA 070154	-0.35	0.5	2.3	5.6	1	11.4	-3.9	4.1	-2.4	-1.9	2.3				
CASTLE 11 474			79%	44%	34%	35%	40%	49%	49%	49%	44%	35%	24%				
BA 130880		BA 090335	134	92	91	93	91	93	89	86	106	86	107	4	12	5	
FB		BA 110474	-2.05	-0.4	0.3	2.3	-6	4.8	-0.6	-9.1	1.7	-1.4	0.7				
BA 130880			92%	89%	89%	89%	89%	89%	89%	89%	89%	88%	88%				
BA 150366		IMUFP0036	128	95	95	100	90	101	90	86	78	99	115	2	4	3	
FB		BA 070123	-1.53	1.0	3.2	7.3	-7	9.3	-0.4	-9.3	-2.7	-0.2	1.9				
WOODVIEW BA15-366			64%	47%	43%	38%	39%	49%	68%	67%	61%	47%	34%				
CCOFD0218		148BE	122	84	79	80	76	73	124	83	128	87	85	3	4	2	
FB		SUMFW0061	-0.86	-3.7	-6.7	-7.9	-28	-5.7	3.9	-11.0	5.0	-1.3	-2.9				
COATES NAMI D0218 (AI)(ET)			90%	89%	88%	88%	88%	88%	88%	89%	89%	89%	88%				
WCW 190339		AW 170004	100	97	99	98	106	111	109	100	99	105	96	1	1	1	
F1			1.21	1.9	5.3	6.2	14	14.3	2.0	1.0	0.6	0.4	-1.2				
WCW190339			47%	23%	22%	20%	20%	20%	41%	41%	37%	27%	19%				
WCW 210395		BDWFM0495	133	70	68	75	68	83	105	93	101	95	100	1	2	2	
FB		BA 130880	-1.96	-9.2	-13.9	-12.0	-39	-0.1	1.5	-3.8	1.0	-0.6	-0.4				
WCW210395			89%	87%	87%	87%	87%	87%	88%	88%	87%	87%	86%				
WCW 210787		AW 180077	124	85	77	81	80	79	86	104	74	122	126	1	1	1	
FB		AW 180095	-1.07	-3.0	-8.0	-7.7	-23	-2.3	-1.0	4.0	-3.3	2.0	3.7				
WCW210787			89%	86%	85%	85%	84%	85%	86%	86%	86%	85%	85%				

WAGYU Bulls

Inbreeding >6% is high			<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed																		
Bull					Selection Value					Calf weight		Mother		Growth		Fertility			Carcass					
ID	Name	%Inbreeding	Parentage		Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness	
			Genomic DNA	Sire ID Dam ID																				
JAPANESE BLACK																								
AW 190038	3				SMOFF0154	121	82	66	123	94	114	82	107	66	74	77	83	106	120	133	98	127	72	68
FB					CCOFD0218	-0.17	-4.4	-0.65	-9.6	-11.7	-27	7.2	-0.1	13.8	5.0	-0.8	4.9	-2.8	-5.5					
ABSOLUTE GENETIC AW190038					91%	88%	87 %	87%	87%	92 %	88 %	88%	87%	88%	88%	87%	88%	86%	94 %	88 %	88 %	88 %	88 %	87 %
WCW 210011	3				AW 180077	115	98	70	110	98	112	98	119	70	88	90	88	105	116	93	94	77	114	125
FB					AW 190017	0.11	2.0	-1.10	-7.2	-2.3	-8	3.9	-0.5	12.0	0.0	-3.2	-2.8	1.3	3.6					
CHIYO WCW210011					90%	87%	84 %	83%	84%	91 %	87 %	85%	84%	84%	83%	84%	83%	88 %	85 %	85 %	85 %	85 %	85 %	84 %
WCW 210055	3				AW 180077	111	98	89	98	88	134	98	115	89	94	102	93	87	120	89	97	81	124	126
FB					BA 130880	-2.11	2.2	-0.96	2.8	2.2	8	1.3	2.9	13.9	-0.6	-1.6	-2.2	2.2	3.6					
CHIYO WCW210055					89%	86%	84 %	84%	84%	90 %	86 %	85%	84%	84%	84%	84%	85%	83%	88 %	85 %	85 %	85 %	84 %	84 %

WAGYU Cows

Inbreeding >6% is high				<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed															
Cow				Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas				
ID	%Inbreeding	Parentage		Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
Name		Genomic DNA	Sire ID																			
JAPANESE BLACK																						
BA 130880	3		BA 090335	113	92	93	109	96	134	92	111	93	92	91	101	93	129	89	86	106	86	107
FB			BA 110474	92 %	89 %	89 %	89 %	88 %	-2.05	-0.4	-0.81	4.8	0.9	-6	-3.3	1.8	17.8	-0.6	-9.1	1.7	-1.4	0.7
WOODVIEW BA 130880									92 %		91 %		89 %		90 %			89 %				
AW 190035	3		SMOFF0154	117	94	72	111	110	111	94	110	72	85	89	94	121	115	141	105	124	105	81
FB			CCOFD0218	89 %	88 %	88 %	87 %	88 %	0.20	0.4	-0.74	-6.4	-3.8	-9	0.5	-3.3	11.4	6.0	4.3	4.5	0.4	-3.5
ABSOLUTE GENETIC AW190035									89 %		88 %		88 %		88 %			88 %				
WCW 190131	3		SMOFF0154	109	100	82	110	122	105	100	105	82	93	90	111	130	115	110	89	87	104	110
FB			BA 150366	86 %	85 %	85 %	84 %	84 %	0.73	2.8	-0.56	-0.7	1.4	-8	-9.0	-4.9	11.6	2.0	-7.3	-1.2	0.3	1.1
CHIYO WCW190131									86 %		85 %		85 %		85 %			86 %				
WCW 210003	2		AW 180077	123	92	79	110	88	117	92	106	79	85	90	99	82	110	88	106	77	123	124
FB			AW 180095	87 %	85 %	84 %	84 %	84 %	-0.39	-0.4	-0.61	-2.2	-3.8	-8	-2.4	3.8	9.3	-0.7	4.7	-2.8	2.1	3.4
CHIYO WCW210003									87 %		85 %		84 %		85 %			86 %				
WCW 210395	1		BDWFM0495	114	70	83	132	100	133	70	105	83	72	68	100	101	126	105	93	101	95	100
FB			BA 130880	89 %	87 %	87 %	87 %	87 %	-1.96	-9.2	-0.57	-0.1	-13.4	-39	-3.0	0.4	16.3	1.5	-3.8	1.0	-0.6	-0.4
CHIYO WCW210395									89 %		88 %		87 %		88 %			88 %				
WCW 210787	2		AW 180077	123	85	79	120	89	124	85	118	79	79	80	95	87	125	86	104	74	122	126
FB			AW 180095	88 %	86 %	85 %	84 %	85 %	-1.07	-3.0	-1.07	-2.3	-8.2	-23	0.0	2.8	16.1	-1.0	4.0	-3.3	2.0	3.7
CHIYO WCW210787									89 %		86 %		85 %		86 %			86 %				
WCW 220537	2		BA 130823	118	98	75	115	101	114	98	119	75	91	85	90	111	102	113	79	67	104	115
FB			AW 190017	89 %	86 %	86 %	85 %	86 %	-0.09	2.1	-1.08	-4.7	0.0	-15	3.2	-1.4	6.1	2.5	-13.7	-4.4	0.3	1.9
CHIYO WCW220537									89 %		87 %		86 %		86 %			87 %				
WCW 220841	6		WCW 190133	116	99	79	115	98	110	99	109	79	94	85	97	100	124	92	82	103	88	115
FB			BA 130880	66 %	39 %	40 %	36 %	35 %	0.30	2.5	-0.73	-2.4	1.9	-15	-1.2	0.5	15.7	-0.2	-11.8	1.2	-1.2	1.9
CHIYO WCW220841									71 %		48 %		36 %		43 %			37 %				
WCW 230205	4		WCW 190132	128	73	77	132	91	121	73	112	77	73	68	94	91	129	116	92	106	86	87
FB			WCW 210395	87 %	84 %	84 %	83 %	84 %	-0.80	-7.9	-0.82	-3.2	-12.2	-39	0.7	2.2	17.5	2.9	-5.2	1.7	-1.5	-2.5
CHIYO WCW230205									88 %		84 %		84 %		84 %			84 %				
WCW 240003	3		WCW 190133	118	92	73	121	95	112	92	114	73	84	79	94	97	122	90	91	87	106	124
FB			WCW 210787	47 %	36 %	31 %	27 %	30 %	0.03	-0.3	-0.90	-5.8	-4.7	-23	0.5	1.0	14.8	-0.4	-5.2	-1.3	0.5	3.4
CHIYO WCW240003									50 %		37 %		31 %		32 %			37 %				
WCW 240007	4		WCW 190132	122	70	79	132	94	126	70	112	79	70	68	93	96	121	109	80	101	90	102
FB			WCW 210395	50 %	39 %	30 %	26 %	26 %	-1.33	-9.1	-0.85	-2.4	-14.6	-40	1.1	1.2	14.0	2.0	-13.0	1.0	-1.0	-0.2
CHIYO WCW240007									53 %		38 %		30 %		34 %			36 %				
AW 250135	12		SWK 210153	120	95	78	106	104	114	95	106	78	90	94	97	110	117	135	102	115	109	86
FB			AW 190035	51 %	49 %	36 %	30 %	28 %	-0.13	0.9	-0.61	-2.9	-0.4	-2	-1.3	-1.3	12.7	5.3	2.4	3.2	0.8	-2.7
ABSOLUTE GENETIC AW250135									54 %		38 %		44 %		36 %			36 %				



CWB

BREEDING VALUE REPORT

September 2026



WILD COAST WAGYU

Herd Number: 8178950

E-mail: gerald@wildcoastwagyu.co.za
farm.admin@wildcoastwagyu.co.za



**WAGYU
SOCIETY**
OF SOUTH AFRICA



CERTIFICATE
OF QUALITY
Valid up to
October 2029



CWB Dams

Dam			Growth					Carcass					Stats				
ID	Parentage	Sire ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name	Gen. DNA	Dam ID															
JAPANESE BLACK																	
AW 180095		OVE 080002	123	79	75	80	78	78	84	96	94	102	121	1	3	2	
FB		PK 140017	-1.04	-5.5	-9.3	-8.1	-26	-3.0	-1.3	-2.0	-0.2	0.1	2.9				
AW180095			90%	88%	88%	88%	87%	88%	90%	89%	89%	88%	87%				
AW 190017		SMOFF0154	107	90	82	80	81	65	105	92	102	86	109	1	2	2	
FB		CWJ 150001	0.55	-1.1	-5.1	-8.0	-21	-10.1	1.4	-5.0	1.0	-1.4	1.0				
AW190017			89%	88%	87%	87%	86%	87%	87%	88%	87%	87%	87%				
AW 190035		SMOFF0154	111	94	87	84	89	72	141	105	124	105	81	2	4		
FB		CCOFD0218	0.20	0.4	-2.1	-4.7	-9	-6.4	6.0	4.3	4.5	0.4	-3.5				
AW190035			89%	88%	88%	88%	87%	88%	88%	88%	88%	88%	88%				
BA 110474		Y342	116	94	94	98	96	105	63	105	80	82	118	2	23	18	1
FB		BA 070154	-0.35	0.5	2.3	5.6	1	11.4	-3.9	4.1	-2.4	-1.9	2.3				
CASTLE 11 474			79%	44%	34%	35%	40%	49%	49%	49%	44%	35%	24%				
BA 130880		BA 090335	134	92	91	93	91	93	89	86	106	86	107	4	12	5	
FB		BA 110474	-2.05	-0.4	0.3	2.3	-6	4.8	-0.6	-9.1	1.7	-1.4	0.7				
BA 130880			92%	89%	89%	89%	89%	89%	89%	89%	89%	88%	88%				
BA 150366		IMUFP0036	128	95	95	100	90	101	90	86	78	99	115	2	4	3	
FB		BA 070123	-1.53	1.0	3.2	7.3	-7	9.3	-0.4	-9.3	-2.7	-0.2	1.9				
WOODVIEW BA15-366			64%	47%	43%	38%	39%	49%	68%	67%	61%	47%	34%				
CCOFD0218		148BE	122	84	79	80	76	73	124	83	128	87	85	3	4	2	
FB		SUMFW0061	-0.86	-3.7	-6.7	-7.9	-28	-5.7	3.9	-11.0	5.0	-1.3	-2.9				
COATES NAMI D0218 (AI)(ET)			90%	89%	88%	88%	88%	88%	88%	89%	89%	89%	88%				
WCW 190339		AW 170004	100	97	99	98	106	111	109	100	99	105	96	1	1	1	
F1			1.21	1.9	5.3	6.2	14	14.3	2.0	1.0	0.6	0.4	-1.2				
WCW190339			47%	23%	22%	20%	20%	20%	41%	41%	37%	27%	19%				
WCW 210395		BDWFM0495	133	70	68	75	68	83	105	93	101	95	100	1	2	2	
FB		BA 130880	-1.96	-9.2	-13.9	-12.0	-39	-0.1	1.5	-3.8	1.0	-0.6	-0.4				
WCW210395			89%	87%	87%	87%	87%	87%	88%	88%	87%	87%	86%				
WCW 210787		AW 180077	124	85	77	81	80	79	86	104	74	122	126	1	1	1	
FB		AW 180095	-1.07	-3.0	-8.0	-7.7	-23	-2.3	-1.0	4.0	-3.3	2.0	3.7				
WCW210787			89%	86%	85%	85%	84%	85%	86%	86%	86%	85%	85%				

CWB Bulls

Inbreeding >6% is high				<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed															
Bull				Selection Value					Calf weight		Mother		Growth		Fertility			Carcass				
ID	%Inbreeding	Parentage		Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
Name		Genomic	Sire ID																			
JAPANESE BLACK																						
CWBMWCW 200325		✓	KI 140008	88	105	107	92	101	88	105	102	107	107	108	108	95	87	77	88	97	79	111
F1			CWBF1159	43%	36%	29 %	21%	26%	2.44	4.7	-0.46	12.3	11.1	17	-7.7	1.3	-0.3	-2.1	-7.8	0.3	-2.1	1.2
CHIYO WCW200325				44 %	36 %	29 %	21%	26%	44 %	36 %	39%	29%	34%	21%	35%	17%	47 %	46 %	46 %	45 %	40 %	30 %
CWBMWCW 210250		✓	AW 180077	84	111	107	86	87	83	111	104	107	109	114	92	83	96	87	111	74	128	119
F1				44%	37%	20 %	14%	22%	2.89	7.4	-0.55	12.3	12.7	26	1.8	3.3	3.4	-0.8	8.4	-3.2	2.6	2.5
CHIYO WCW210250				44%	37%	20 %	14%	22%	47 %	37 %	32%	20%	24%	14%	30%	14%	47 %	34 %	34 %	32 %	31 %	25 %
CWBMWCW 240004	3	✓	WCW 190133	103	98	88	108	93	101	98	102	88	94	92	88	96	108	102	89	99	98	109
F2		✓	WCW 190339	41%	30%	29 %	26%	27%	1.17	2.1	-0.45	2.5	2.1	-5	3.9	1.0	8.4	1.0	-6.7	0.6	-0.3	1.0
CHIYO WCW240004				41%	30%	29 %	26%	27%	43 %	30 %	34%	29%	28%	26%	33%	21%	45 %	34 %	35 %	33 %	30 %	23 %