



WAGYU
BREEDING VALUE REPORT

September 2026



ELANDSBERG FARMS

Herd Number: 8191261


E-mail: jonathan@rapula.co.za



WAGYU
SOCIETY
OF SOUTH AFRICA



CERTIFICATE
OF QUALITY
Valid up to
October 2029



Notes


GEBVi (GEBVindex): The average GEBVi of all the live animals in the breed is 100, and all EBVi values are expressed relative to this value. Values above 100 are mostly in a more desirable direction. Note that a very high index is not always desirable. For certain traits, such as birth weight, average values may be better. It is the top value in the list.

GEBV (Genomic Estimated Breeding Value) indicates the genetic potential of the animal for a specific trait. It is presented in the unit of measurement and relative to the average of animals born in the base year. It is the middle value in the list and not available for selection values.

Accuracy: This value gives an indication of how much information was available for breeding value estimation. It is the bottom value in the list.

Selection values combine similar breeding values in a scientific manner to simplify the selection of animals. For example, HF (Heifer Fertility), CF (Cow Fertility) and Longevity are

combined to form the Fertility Value by taking the heritability and economic importance in consideration.




* Depending on selection goal

GEBVi		Description / Measurement	Goal		General Guidelines*					
					80	90	100	110	120	
Selection V.	Calving Ease Value	Difficult calving due to high birth weight	Average birth weight	High						Low
	Calf Growth Value	Calf's genetic ability for prewean growth	Heavy weaner	Light						Heavy
	Milk Value	Cow's genetic mothering and milking ability	Enough milk for calf	Less						More
	Maintenance Value	Maintenance requirement of cow (weight and milk)	Low cow maintenance	High					*	Low
	Fertility Value	Fertility and retention of cows and heifers	Fertile cows	Low						High
Cow & Calf	Birth weight direct	Birth weight (Calf's genetic ability)	Average birth weight	Heavy						Light
	Birth weight mat	Birth weight (Dam's genetic ability)	Easy calving	Heavy						Light
	Weaning weight direct	Weaning weight (Calf's genetic ability)	Heavy weaners	Light						Heavy
	Weaning weight mat	Weaning weight (Dam's genetic ability)	Good mothers	Poor						Good
	Post-wean weight	Combination of EBVs for 12 and 18 month weights	Mature weight	Light				*	*	Heavy
	Mature Cow Weight	Cow weight at weaning of first three calves	Mature cow weight	Light				*	*	Heavy
Ferti.	Heifer Fertility	Age at first calving	Fertile heifers	Less						More
	Cow Fertility	First 3 inter-calving periods (ICPs)	Fertile cows	Less						More
	Longevity	Retention of progeny	Acceptable progeny	Poor						Good
Carcass	IMF	Intra-muscular-fat, Marbling	High quality carcass	Less						More
	Carcass weight	Weight of the carcass	High quality carcass	Light						Heavy
	EMA	Eye-muscle-area at the 12/13th rib of the dressed carcass	High quality carcass	Small						Large
	Rib Fat	Rib fat depth at the 12/13th rib of the dressed carcass	High quality carcass	Thin						Thick
	Marbling Fineness	Degree of fineness of marbling fat	High quality carcass	Low						High

Herd and Breed Averages

Number 273



Breeding Values (EBV):

Birth: Birth weight IMF: Marbling
 Wean: Weaning weight Carcwt: Carcass wt
 Birth.mat: Birth mat EMA: Eye muscle area
 Milk: Milk RibFatt: Rib Fat thickness
 Postwn: Postwean weight MF: Marbling Fineness
 Matwt: Mature weight
 HF: Heifer Fertility
 CF: Cow Fertility
 LL: Longevity

Selection values:

CEaseV: Calving Ease Value
 CGrowthV: Calf Growth Value
 MilkV: Milk Value
 MaintV: Maintenance Value
 FertV: Fertility Value

	Trait	EBV Herd	EBV Index	EBV Breed
Prewean growth	Birth Weight	0.46	108	1.23
	Wean Weight	-2.2	87	2.9
	Birth Mat.	-0.63	107	-0.38
	Milk (Wn.Mat.)	3.3	90	8.7
Postwean growth	Postwean wt	-3.1	86	6.4
	Mature weight	-19	82	6
Fertility	Heifer Fertility	0.8	94	-2.9
	Cow Fertility	0.4	101	0.5
	Longevity	11.1	114	5.2
Carcass	IMF	1.1	102	0.8
	Carcass weight	-0.3	98	0.8
	EMA	1.2	103	0.8
	Rib Fat	0.5	106	-0.1
	MF	0.5	106	-0.5

Selection Value	Herd Avg
Calving Ease Value	104
Calf Growth Value	87
Milk Value	90
Maintenance Value	118
Fertility Value	96


- Average of live animals in the breed: 100
- Above 100: **more favourable**,
- Below 100: **less favourable**

What does a sub-selection value above breed average (100) mean?:

Calving ease: Smaller calf at birth - easier calving
 Calf growth: Heavier calves at wean due to growth potential of the calf
 Milk: Cows with more milk and better mothering ability
 Maintenance: Animals with low maintenance requirements (lower mature weight).
 Fertility: Cows/daughters that calve

Genetic Trends for On-Farm Traits

The graphs show the genetic gain of the herd relative to the breed. Only data of animals with measurements are included.




Herd

Birth Year	Calving Ease				Calf Growth			Milk			Maintenance					Fertility						
	Birth Weight		Mat EBV	Calv. Ease	Weaning Weight		Calf Growth	Milk (Wn.Mat.)		Milk	Postwean Weight		Mature Weight		Mainte- nance	Heifer Fert.		Cow Fert.		Longevity		Ferti- lity
	Number	EBV			Number	EBV		Number	EBV		Number	EBV	Number	EBV		Number	EBV	Number	EBV	Number	EBV	
2016																6	-2.2	4	0.1	40	2.8	102
2017	19	1.13	0.03	100	14	-2.8	86	14	3.75	91						12	0.0	10	-0.1	71	2.0	99
2018																				2	0.0	
2019	18	0.15	-0.30	96	1	-18.8	46	1	-3.40	77						9	1.7	5	1.4	43	5.5	96
2020	36	1.31	0.15	95												19	0.2	15	-0.6	66	6.9	101
2021	35	-0.52	-0.77	104	30	-2.5	87	30	0.35	84	30	-4.0		121		9	1.9	8	1.1	47	6.4	93
2022	47	-0.41	-0.64	108	43	-4.7	81	43	0.73	85	41	-7.3		125		13	0.7	4	1.0	58	6.9	97
2023	45	-0.15	-0.73	111	42	-3.9	83	42	1.49	86	40	-5.8		122		6	2.4					96
2024	44	-0.08	-0.66	108	44	-3.2	85	44	1.38	86												
2025	44	0.56	-0.89	105	44	-1.1	90	44	-0.40	83												
2026	34	0.11	-0.48	108																		

Breed

Birth Year	Calving Ease				Calf Growth			Milk			Maintenance					Fertility						
	Birth Weight		Mat EBV	Calv. Ease	Weaning Weight		Calf Growth	Milk (Wn.Mat.)		Milk	Postwean Weight		Mature Weight		Mainte-nance	Heifer Fert.		Cow Fert.		Longevity		Ferti-ility
	Number	Dir EBV			Number	EBV		Number	EBV		Number	EBV	Number	EBV		Number	EBV	Number	EBV	Number	EBV	
2016	667	0.14	0.06	106	280	0.5	94	280	6.43	96	213	2.7	17	-11	110	777	-1.4	388	-0.8	6318	-0.5	102
2017	787	0.41	0.21	102	405	0.6	94	405	3.76	91	309	0.1	33	-9	111	791	-1.9	308	-0.6	10308	-0.4	102
2018	1180	0.44	0.12	103	815	-1.4	89	815	2.45	88	823	-0.9	19	-23	113	665	-4.6	407	-1.0	9232	2.0	106
2019	1379	0.55	0.15	102	901	0.1	93	901	1.30	86	896	0.6	27	-30	112	1006	-2.8	469	-0.6	11910	1.7	103
2020	2115	0.65	-0.03	102	556	2.3	98	556	7.29	97	273	6.2	24	-7	103	665	-4.3	269	-1.0	11395	1.2	106
2021	2374	0.55	-0.10	103	589	0.4	94	589	4.13	91	253	0.2	19	-6	112	405	-6.0	158	-1.5	9292	1.5	108
2022	2062	0.42	-0.18	105	461	2.0	98	461	1.65	87	246	2.4	15	15	110	306	-2.8	72	-0.6	4200	2.1	103
2023	1637	0.34	-0.31	107	461	2.0	98	461	1.21	86	160	2.0	5	-3	111	121	-6.6	11	-0.6			110
2024	1413	0.39	-0.30	107	311	2.5	99	311	1.86	87	36	14.0			97	15	-2.4					101
2025	1478	0.37	-0.14	106	386	2.5	99	386	0.24	84												
2026	307	0.25	-0.03	106																		

Genetic Trends for Carcass Traits



Herd

Birth Year	Carcass														
	IMF			Carcass weight			EMA			RibFat			Marble Fineness		
	Number	EBV	EBVi	Number	EBV	EBVi	Number	EBV	EBVi	Number	EBV	EBVi	Number	EBV	EBVi
2013															
2014															
2016	2	-0.2	92	2	26.7	137	2	1.8	107						
2017	1	1.9	108				1	-0.3	93						
2018															
2019	3	1.9	108	8	0.5	100	8	1.7	106						
2020	24	0.7	99	25	1.8	101	20	0.6	99						
2021	2	0.6	99	2	8.3	111	2	1.0	102	2	1.1	113			
2022															
2023															

Breed

Birth Year	Carcass														
	IMF			Carcass weight			EMA			Rib Fat			Marble Fineness		
	Number	EBV	EBVi	Number	EBV	EBVi	Number	EBV	EBVi	Number	EBV	EBVi	Number	EBV	EBVi
2013	17	0.6	99	776	-0.1	99	361	0.8	100	346	0.2	103	5	-4.6	74
2014	16	-1.0	86	541	-3.8	94	301	1.7	106	269	-0.1	100	4	0.0	103
2015	36	-0.5	90	589	-7.1	89	548	1.0	102	520	-0.1	100	6	0.3	105
2016	124	-0.8	87	588	-0.3	98	322	0.1	96	211	0.3	105	5	2.1	117
2017	732	-0.4	90	1244	-0.2	99	1116	0.1	95	272	0.0	102	17	0.3	105
2018	1946	0.0	94	1969	0.0	99	1940	0.0	95	87	0.0	101	22	0.0	103
2019	2812	0.3	96	2823	-1.3	97	2753	0.8	100	212	-0.5	96	61	0.4	106
2020	4627	0.7	99	4682	-0.6	98	4656	0.5	98	713	-0.3	98	92	-1.2	95
2021	3444	0.9	101	3606	-0.3	98	3596	0.6	99	3275	-0.2	99	531	-0.6	99
2022	3277	1.0	101	3324	-0.9	98	3275	0.4	97	3191	-0.3	97	2749	-1.0	97
2023	1839	1.1	103	1845	1.3	101	1836	0.6	99	1795	0.0	101	1841	-1.0	96
2024	17	-0.6	89	17	1.3	101	17	0.5	98	16	-0.5	96	17	0.1	103

WAGYU Sires

Sire				Growth						Carcass					Stats				
ID	Parentage	Sire ID		Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Daughters with calves	Active 2yrs & older	Carcasses
Name	Gen. DNA	Dam ID																	
JAPANESE BLACK																			
BDWFM0495		BDWFY0408		126	57	54	62	57	75	120	101	97	115	104					
FB				-1.26	-14.3	-22.9	-22.6	-55	-4.4	3.3	1.6	0.3	1.3	0.1	39	333	88	100	71
MACQUARIE PRELUDE M0495				98%	97%	98%	97%	97%	97%	98%	98%	97%	97%	97%					
BYWFG0615		BYWFC0058		122	99	90	86	77	77	112	44	87	88	122					
FB		BYWFY0377		-0.91	2.5	-0.4	-3.3	-26	-3.3	2.3	-38.7	-1.2	-1.3	3.1	13	66	25	29	2
BLACKMORE DAI ICHI YASUCHIYO G615				80%	62%	70%	61%	48%	46%	63%	63%	54%	58%	39%					
BYWFH0224		IMJFQ3161		141	79	73	76	65	73	143	61	112	82	82					
FB		BYWFY0385		-2.72	-5.7	-10.8	-11.1	-44	-5.7	6.3	-26.9	2.7	-1.9	-3.3	18	53	13	11	5
BLACKMORE KINUSURUKIKU H224 (AI)				79%	59%	65%	46%	56%	66%	59%	58%	51%	49%	24%					
BYWFJ0455		BYWFF0255		146	81	73	74	70	78	111	46	109	84	113					
FB		BYWFF0303		-3.21	-4.5	-10.8	-13.0	-37	-3.0	2.2	-37.7	2.2	-1.6	1.6	9	24	4	5	3
BLACKMORE KIZASHI J455				78%	70%	68%	37%	36%	55%	49%	51%	43%	36%	24%					
EBF 160002		KJDFC0087		92	104	96	91	93	83	106	115	106	121	115					
FB		KSOFH0051AU		1.98	4.6	3.4	0.8	-4	-0.5	1.5	11.2	1.7	1.9	2.0	1	45	22	12	13
EBF16002				88%	76%	74%	47%	41%	79%	73%	75%	69%	55%	40%					
EBF 190001		 BYWFH0224		134	80	74	78	68	72	120	85	105	96	95					
FB		 EBF 160009		-2.08	-5.0	-10.0	-9.9	-39	-5.9	3.3	-10.1	1.6	-0.4	-1.3	1	23	6	5	
HIDEYOSHI 1				77%	68%	70%	31%	30%	57%	42%	42%	38%	33%	20%					
EBF 190006		 SMOFF0126		149	72	67	70	60	62	104	91	111	133	129					
FB		 EBF 160007		-3.55	-8.4	-14.3	-16.0	-51	-11.7	1.3	-5.7	2.5	3.1	4.1	1	15	3	4	
KEMONO 6				75%	67%	69%	45%	37%	50%	49%	50%	47%	44%	34%					
EBF 190012		 BYWFJ0455		151	46	44	44	41	77	100	76	113	91	111					
FB		 EBF 160005		-3.73	-18.8	-28.7	-36.1	-78	-3.4	0.7	-15.8	2.8	-0.9	1.3	1	67	8	45	
19012				92%	88%	86%	28%	20%	53%	38%	38%	35%	29%	20%					
EBF 190020		 ETJ001		101	91	83	87	77	79	80	106	108	90	110					
FB		 FB11923		1.15	-0.7	-4.4	-2.4	-26	-2.7	-1.8	5.0	2.0	-1.0	1.1	1	15	2	3	
19020				80%	76%	77%	50%	45%	56%	50%	52%	51%	49%	36%					
EBF 200010		 BYWFK0730		114	85	77	79	69	76	99	106	108	87	94					
FB		 EBF 170015		-0.12	-2.9	-8.4	-8.9	-39	-3.9	0.6	5.2	2.0	-1.3	-1.4	2	70	3	30	
20010				91%	88%	75%	29%	16%	48%	38%	39%	36%	33%	24%					
EBF 200011		 BYWFG0615		114	96	88	86	75	76	104	79	98	108	118					
FB		 EBF 160008		-0.10	1.3	-1.5	-3.3	-30	-4.1	1.3	-13.7	0.5	0.7	2.4	2	36			
20011				86%	64%	47%	36%	25%	43%	43%	43%	39%	37%	25%					

WAGYU Sires

Sire			Growth					Carcass					Stats					
ID	Parentage	Sire ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Daughters with calves	Active 2yrs & older	Carcasses
Name	Gen. DNA	Dam ID																
JAPANESE BLACK																		
FGW 130003		KJDFD0111	112	74	67	67	58	61	107	81	86	109	121	2	82	38	21	20
FB		KJDFD0023	0.09	-7.4	-14.7	-18.1	-54	-12.2	1.7	-12.7	-1.3	0.8	2.9					
FGW 130003			92%	86%	77%	38%	51%	85%	80%	79%	71%	45%	35%					
FGW 220219		MYMFAQ0014	115	80	75	77	75	82	125	96	116	110	94	1	16			
FB		FGW 200161	-0.22	-5.2	-9.3	-10.4	-29	-1.0	4.0	-2.1	3.3	0.8	-1.4					
FGW220219			90%	86%	88%	85%	85%	86%	85%	85%	85%	85%	85%					
FGW 220223		MYMFP0342	106	111	107	108	102	66	92	113	123	93	104	2	12	1	8	
PBD		FGW 200134	0.61	7.3	10.5	13.5	9	-9.3	-0.2	10.1	4.3	-0.8	0.2					
FGW220223			93%	92%	91%	90%	90%	91%	90%	90%	90%	90%	89%					
GRSFF0146		IMUFR3258	113	116	110	110	105	94	94	110	97	129	121	15	46	10	12	5
FB		GRSFC0021	-0.05	9.5	12.2	15.0	13	5.7	0.0	8.2	0.4	2.7	2.9					
GOORAMBAT TERUTANI F146 (AI)			90%	88%	88%	87%	86%	87%	90%	91%	90%	90%	87%					
IMJFAJ2810		1742	142	74	71	80	76	66	114	53	115	53	94	49	256	133	22	26
FB		601124	-2.88	-7.6	-11.8	-8.3	-29	-9.1	2.6	-32.4	3.2	-4.6	-1.4					
KITATERUYASUDOJ J2810 HONGEN			97%	96%	96%	96%	95%	96%	97%	97%	96%	96%	95%					
KJDFC0087		IMUFM1615	102	95	84	80	87	72	98	115	118	102	118	55	369	126	100	52
FB		KJDFY0034	1.04	0.9	-4.2	-8.4	-12	-6.1	0.6	11.6	3.5	0.1	2.4					
LAKE WAGYU C087			98%	97%	97%	97%	96%	97%	98%	98%	98%	97%	96%					
MYMFP0342		SMOFF0126	121	104	96	98	91	59	113	123	108	133	116	1	19	7	12	
FB		BDWFC1624	-0.82	4.5	3.5	5.6	-6	-13.2	2.4	16.7	2.0	3.1	2.0					
ARUBIAL UNITED P0342 (AI) (ET)			72%	62%	68%	61%	53%	59%	48%	48%	45%	45%	35%					
MYMFAQ0014		CCOFG0113	132	71	70	67	71	74	129	100	116	103	87	1	19	1	15	
FB		PMGFL00021	-1.91	-9.0	-12.4	-18.3	-35	-5.1	4.5	0.8	3.3	0.2	-2.6					
ARUBIAL ANTICIPATED Q0014 (AI) (ET)			94%	93%	94%	93%	92%	93%	93%	93%	93%	92%	92%					
SMOFD0233		TWAFR0007	131	80	78	79	80	79	136	81	111	91	79	9	56	10	8	
FB		SUMFW0079	-1.74	-5.1	-7.4	-8.5	-23	-2.5	5.4	-12.9	2.5	-1.0	-3.8					
SUMO SHIKIKAN D233 (AI)(ET)			91%	90%	90%	89%	89%	90%	90%	90%	90%	90%	89%					
SWK 190060		SMOFF0154	93	106	100	96	91	73	138	108	121	112	87	10	127	12	44	1
FB		GRSFF0149	1.92	5.2	5.9	4.2	-7	-5.8	5.7	6.3	4.0	1.0	-2.6					
MICHIFUKU Q060			98%	97%	96%	96%	95%	95%	96%	96%	96%	96%	95%					
SWK 200078		CCOFG0113	115	119	120	119	106	85	98	120	89	115	102	7	224	22	99	
FB		BDWFC1430	-0.21	10.4	18.6	22.2	15	0.7	0.6	15.1	-0.9	1.3	-0.2					
SWK200078			98%	97%	96%	94%	93%	94%	93%	93%	93%	93%	93%					

WAGYU Sires

Sire			Growth						Carcass					Stats				
ID	Parentage	Sire ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Daughters with calves	Active 2yrs & older	Carcasses
Name	Gen. DNA	Dam ID																
JAPANESE BLACK																		
SWK 200080		BDWFM0546	120	87	95	111	80	84	130	92	115	161	127	5	86	7	37	
FB		BDWFD1995	-0.67	-2.2	2.9	15.9	-22	0.1	4.6	-4.9	3.1	5.7	3.8					
KITATERUYASUDOI R080				97%	96%	96%	95%	95%	95%	95%	95%	95%	94%					

WAGYU Dams

Dam				Growth						Carcass					Stats			
ID	Parentage	Sire ID		Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name	Gen. DNA	Dam ID																
JAPANESE BLACK																		
EB F17AD2				82	98	109			119									
BS				2.94	2.0	11.7			18.9						1	1	1	
EBF EBF17AD2				33%	22%	14%			30%									
EB F17AD5				103														
BS				0.89											1	2	1	
EBF EBF17AD5				39%														
EB F20148				95	87	98			118									
BS				1.68	-2.3	4.9			18.0						1	4	2	
EBF20148				54%	44%	45%			62%									
EBF 120023				97	88	100			112									
BS				1.50	-1.9	5.8			15.2						1	1	1	
EBF BONSMARA 120023				34%	27%	23%			35%									
EBF 140011				91	100	111			127									
BS				2.11	3.1	13.0			22.9						1	1	1	
EBF BONSMARA 140011				35%	33%	23%			50%									
EBF 140026				97	91	103			113									
BS				1.51	-0.8	7.7			15.4						1	1	1	
EBF BONSMARA 140026				35%	27%	23%			36%									
EBF 160005		MOYFF0054		126	53	49	55	47	74	88	107	117	99	110				
FB		KSOFH0053		-1.32	-16.0	-25.6	-27.7	-70	-5.2	-0.7	6.0	3.4	-0.2	1.1	4	6	2	
EBF16005				67%	56%	60%	41%	18%	47%	57%	57%	54%	46%	33%				
EBF 160008		MOYFF0054		109	79	75	77	71	76	97	115	109	129	114				
FB		KSOFH0051AU		0.33	-5.7	-9.7	-10.8	-36	-4.0	0.4	11.3	2.1	2.7	1.8	2	8	3	
EBF16008				74%	61%	63%	40%	16%	68%	58%	58%	55%	48%	33%				
EBF 160009		MOYFF0054		126	69	65	70	60	74	96	108	98	111	108				
FB		KJDFE0004		-1.32	-9.4	-15.6	-15.6	-51	-5.1	0.3	6.7	0.5	1.0	0.8	2	8	2	1
EBF16009				71%	60%	62%	41%	18%	64%	60%	60%	57%	46%	33%				
EBF 160010		D0550		136	81	78	78	74	74	109	82	130	72	91				
FB		KSOFH0045		-2.25	-4.5	-7.9	-9.5	-31	-4.9	1.9	-11.9	5.5	-2.8	-2.0	2	7	2	
EBF16010				61%	45%	41%	33%	22%	45%	56%	57%	54%	50%	39%				
EBF 160011		MOYFF0054		116	69	66	69	65	73	101	97	101	121	116				
FB		KSOFH0051AU		-0.30	-9.5	-15.0	-16.9	-44	-5.7	1.0	-1.5	1.0	1.9	2.1	2	6	2	
EBF16011				66%	50%	56%	40%	16%	54%	64%	64%	60%	56%	44%				
EBF 160018		MOYFF0054		102	75	72	77	65	74	103	134	123	117	91				
FB		KSOFH0052		1.08	-7.3	-11.2	-10.2	-44	-5.1	1.1	24.9	4.4	1.5	-1.9	1	4	2	1
EBF16018				67%	55%	57%	37%	16%	67%	53%	56%	53%	43%	30%				

WAGYU Dams

Dam				Growth					Carcass					Stats				
ID	Parentage	Sire ID		Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name	Gen. DNA	Dam ID																
JAPANESE BLACK																		
EBF 160501		FGW 130003		133	64	67	68	67	70	103	90	94	105	109	1	4	2	
F1		EBF 201313		-1.94	-11.8	-14.7	-17.2	-40	-7.3	1.2	-6.0	-0.2	0.4	0.9				
EBF16501				66%	61%	55%	19%	26%	72%	40%	39%	35%	23%	17%				
EBF 160502		FGW 130003		95	111	106	106	94	81	98	101	85	103	110	1	8	2	1
F1		EBF 200068		1.68	7.2	10.1	12.1	-2	-1.6	0.5	1.7	-1.5	0.1	1.2				
EBF16502				65%	62%	55%	19%	26%	74%	45%	44%	39%	23%	17%				
EBF 160504		FGW 130003		115	79	81	82	79	86	103	90	94	105	109	1	1	1	
F1		EBF 201201		-0.20	-5.7	-6.0	-6.8	-24	1.1	1.2	-6.0	-0.2	0.4	0.9				
EBF16504				54%	47%	42%	19%	26%	50%	40%	39%	35%	23%	17%				
EBF 16AM51				76	115	126									1	2	1	
BS				3.56	8.9	22.3												
EBF EBF16AM51				42%	39%	38%												
EBF 170004		MOYFF0054		86	93	89	91	79	84	100	155	129	133	95	1	8	2	2
FB		KSOFJ0064		2.56	0.2	-1.0	0.5	-24	0.3	0.8	39.4	5.3	3.1	-1.3				
EBF17004				69%	58%	57%	45%	17%	68%	61%	61%	57%	47%	32%				
EBF 170008		WESFA0107		117	91	84	86	79	71	88	117	114	87	103	3	8	2	1
FB		KSOFD0012		-0.42	-0.7	-3.8	-3.8	-24	-6.8	-0.8	12.9	3.0	-1.3	0.0				
EBF17008				69%	62%	63%	49%	31%	68%	57%	57%	54%	44%	33%				
EBF 170015		MOYFF0054		106	85	80	83	74	73	101	154	131	132	94	1	3	3	
FB		KSOFJ0064		0.63	-3.0	-6.2	-6.0	-32	-5.5	1.0	39.2	5.5	3.0	-1.5				
17015				70%	63%	62%	45%	17%	64%	56%	57%	54%	47%	32%				
EBF 170503		FGW 130003		103	86	90	91	84	99	103	90	94	105	109	1	1	1	
F1		EBF 140023		0.96	-2.5	-0.5	0.1	-16	8.4	1.2	-6.0	-0.2	0.4	0.9				
17503				68%	63%	45%	19%	26%	60%	40%	39%	35%	23%	17%				
EBF 170511		FGW 130003		99	94	93	93	86	89	103	90	94	105	109	1	5	2	
F1		EBF 140011		1.33	0.6	1.8	2.1	-14	2.9	1.2	-6.0	-0.2	0.4	0.9				
17511				74%	70%	55%	19%	26%	75%	40%	39%	35%	23%	17%				
EBF 170514		FGW 130003		105	94	95	95	89	97	99	91	96	104	112	1	3	1	1
F1		EBF 140016		0.73	0.7	3.2	3.9	-10	7.0	0.7	-5.6	0.1	0.3	1.4				
17514				71%	65%	51%	19%	26%	63%	46%	45%	40%	23%	17%				
EBF 170518		FGW 130003		108	75	78	79	77	80	103	90	94	105	109	1	5	3	
F1		EBF 140026		0.47	-7.3	-7.6	-8.6	-27	-2.0	1.2	-6.0	-0.2	0.4	0.9				
17518				74%	63%	55%	19%	26%	75%	40%	39%	35%	23%	17%				
EBF 170520		FGW 130003		108	71	74	76	71	79	103	90	94	105	109	1	5	3	
F1		EBF 120023		0.42	-8.8	-10.3	-11.6	-35	-2.5	1.2	-6.0	-0.2	0.4	0.9				
17520				73%	62%	55%	19%	26%	74%	40%	39%	35%	23%	17%				

WAGYU Dams

Dam			Growth					Carcass					Stats				
ID	Parentage	Sire ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name	Gen. DNA	Dam ID															
JAPANESE BLACK																	
EBF 170521		FGW 130003	103	86	88	88	83	91	103	90	94	105	109				
F1		EBF 140017	0.98	-2.9	-1.7	-1.6	-19	3.8	1.2	-6.0	-0.2	0.4	0.9	1	3	1	
17521			71%	54%	52%	19%	26%	64%	40%	39%	35%	23%	17%				
EBF 17AX17			90	101	112			125									
BS			2.19	3.2	13.3			22.0						1	1	1	
EBF17AX17			32%	18%	14%			26%									
EBF 190011	IMJFAJ2810		130	64	61	68	64	64	108	75	108	87	105				
FB	EBF 160011		-1.64	-11.6	-17.9	-17.8	-45	-10.1	1.8	-17.0	2.1	-1.3	0.4	1	6	2	
19011			77%	64%	60%	43%	33%	74%	55%	55%	53%	50%	40%				
EBF 190016	BYWFH0224		145	75	70	72	66	68	126	71	121	77	86				
FB	EBF 160010		-3.10	-7.3	-12.5	-14.1	-42	-8.3	4.1	-19.4	4.1	-2.3	-2.6	1	5	2	
19016			67%	56%	50%	28%	30%	70%	41%	41%	37%	35%	23%				
EBF 190025	EBF 160002		116	75	69	71	66	76	96	102	101	112	118				
FB	EBF 160003		-0.32	-7.0	-13.2	-15.5	-43	-4.0	0.2	2.3	0.9	1.0	2.4	1	2	1	
19025			61%	55%	55%	31%	22%	64%	48%	49%	45%	36%	26%				
EBF 190506	EBF 160002		75	112	112	110	103	106	102	107	104	111	106				
F1	EBF 200052		3.66	7.9	13.7	15.3	11	11.7	1.1	5.9	1.3	0.9	0.4	1	1	1	
19506			68%	44%	44%	23%	20%	52%	36%	37%	34%	28%	20%				
EBF 190512	EBF 160002		82	111	112	108	115	113	95	114	100	114	108				
F1	CWBFEFB 201430		3.00	7.4	13.4	13.9	28	15.9	0.2	10.6	0.7	1.2	0.8	1	4	2	
19512			62%	57%	50%	23%	20%	70%	36%	37%	34%	28%	20%				
EBF 190513	EBF 160002		87	113	114	111	109	113	102	107	104	111	106				
F1	EBF 201421		2.50	8.3	14.8	16.5	19	15.6	1.1	5.9	1.3	0.9	0.4	1	3	2	
19513			70%	53%	50%	23%	20%	66%	36%	37%	34%	28%	20%				
EBF 200005	KJDFC0087		81	100	92	91	87	83	99	135	124	118	106				
FB	EBF 170004		3.08	3.1	1.1	0.5	-12	-0.5	0.7	25.5	4.4	1.6	0.5	1	3	1	
20005			66%	59%	52%	47%	40%	68%	57%	57%	55%	49%	40%				
EBF 200006	SMOFC0151		136	63	59	61	63	75	109	90	93	122	115				
FB	EBF 160009		-2.26	-11.8	-19.5	-22.7	-47	-4.8	2.0	-6.6	-0.3	2.0	1.9	1	2	1	
20006			59%	50%	52%	41%	35%	56%	46%	46%	43%	39%	33%				
EBF 200009	BDWFM0495		125	63	59	66	59	75	108	105	98	113	106				
FB	EBF 160009		-1.17	-11.9	-19.4	-19.2	-53	-4.7	1.8	4.1	0.4	1.1	0.5	1	3	2	
20009			67%	60%	58%	47%	37%	69%	55%	55%	52%	46%	34%				
EBF 200068			81	131	130			93	85	122	81						
BS			3.06	15.3	24.8			5.1	-1.0	16.5	-2.2			1	1	1	
EBF EBF200068			28%	27%	23%			35%	12%	12%	10%						

WAGYU Dams

Dam			Growth					Carcass					Stats				
ID	Parentage	Sire ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name	Gen. DNA	Dam ID															
JAPANESE BLACK																	
EBF 200501	✓	EBF 160002	68	103	104	102	108	104	95	114	100	114	108	1	5	2	
F1		CWBFEBF 17AM51	4.34	4.2	8.8	8.8	17	10.7	0.2	10.6	0.7	1.2	0.8				
20501			65%	57%	44%	23%	20%	70%	36%	37%	34%	28%	20%				
EBF 200505	✓	FGW 130003	94	92	93	92	94	98	96	97	90	108	111	1	4	3	
F1		CWBFEB F17AM9	1.78	-0.5	1.7	1.3	-2	7.7	0.3	-1.3	-0.8	0.6	1.3				
20505			63%	59%	51%	19%	26%	71%	40%	39%	35%	23%	17%				
EBF 200506	✓	FGW 130003	107	73	76	77	72	78	103	90	94	105	109	2	5	2	
F1		EBF 201417	0.51	-8.1	-9.1	-10.3	-34	-3.0	1.2	-6.0	-0.2	0.4	0.9				
20506			75%	59%	51%	19%	26%	69%	40%	39%	35%	23%	17%				
EBF 200507	✓	FGW 130003	88	91	92	92	92	100	96	97	90	108	111	2	4	1	
F1		CWBFEB F17AX9	2.38	-0.7	1.2	1.0	-5	8.6	0.3	-1.3	-0.8	0.6	1.3				
20507			63%	53%	39%	19%	26%	60%	40%	39%	35%	23%	17%				
EBF 200510	✓	FGW 130003	97	88	90	89	91	98	96	97	90	108	111	1	3	2	
F1		CWBFEBF 17AM34	1.56	-1.7	-0.4	-1.0	-6	7.8	0.3	-1.3	-0.8	0.6	1.3				
20510			60%	56%	51%	19%	26%	67%	40%	39%	35%	23%	17%				
EBF 200512	✓	FGW 130003	104	100	101	101	93	108	103	90	95	104	108	1	2	1	
F1		EB F17AM8	0.83	2.9	6.4	7.9	-3	12.9	1.2	-5.9	0.1	0.3	0.8				
20512			71%	54%	52%	19%	26%	63%	41%	41%	36%	25%	17%				
EBF 200514	✓	FGW 130003	106	79	81	82	75	93	103	90	94	105	109	1	4	2	
F1		EBF 201314	0.67	-5.4	-5.9	-6.3	-29	4.8	1.2	-6.0	-0.2	0.4	0.9				
20514			74%	60%	52%	19%	26%	72%	40%	39%	35%	23%	17%				
EBF 200516	✓	FGW 130003	99	91	92	93	85	96	103	90	94	105	109	1	2	2	
F1		EBF 17AX17	1.38	-0.8	1.1	1.7	-15	6.9	1.2	-6.0	-0.2	0.4	0.9				
20516			70%	52%	46%	19%	26%	61%	40%	39%	35%	23%	17%				
EBF 200517	✓	FGW 130003	98	93	95	95	87	94	103	90	94	105	109	1	2	2	
F1		EBF 17AM25	1.43	0.1	2.7	3.5	-12	5.8	1.2	-6.0	-0.2	0.4	0.9				
20517			70%	52%	51%	19%	26%	61%	40%	39%	35%	23%	17%				
EBF 200520	✓	FGW 130003	110	86	86	86	90	101	96	97	90	108	111	1	4	2	
F1		CWBFEB F17AX2	0.22	-2.9	-2.4	-3.4	-9	9.5	0.3	-1.3	-0.8	0.6	1.3				
20520			63%	59%	51%	19%	26%	71%	40%	39%	35%	23%	17%				
EBF 200522	✓	FGW 130003	79	99	99	98	97	108	96	97	90	108	111	1	5	2	
F1		CWBFEB F17AD4	3.29	2.4	5.7	6.3	1	12.7	0.3	-1.3	-0.8	0.6	1.3				
20522			65%	59%	51%	19%	26%	71%	40%	39%	35%	23%	17%				
EBF 200523	✓	FGW 130003	85	88	89	89	89	100	96	97	90	108	111	1	5	1	
F1		CWBFEB F17AX6	2.71	-1.7	-0.5	-0.9	-9	8.7	0.3	-1.3	-0.8	0.6	1.3				
20523			65%	59%	51%	19%	26%	71%	40%	39%	35%	23%	17%				

WAGYU Dams

Dam				Growth					Carcass					Stats				
ID	Parentage	Sire ID		Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name	Gen.	DNA	Dam ID															
JAPANESE BLACK																		
EBF 200530		✓	EBF 160002	116	83	85	85	86	88	102	107	104	111	106	1	5	2	
F1			EBF 201316	-0.34	-3.9	-3.1	-4.6	-13	2.3	1.1	5.9	1.3	0.9	0.4				
20530				75%	59%	53%	23%	20%	72%	36%	37%	34%	28%	20%				
EBF 200533		✓	EBF 160002	104	102	104	102	107	106	102	107	104	111	106	1	5	2	
F1			EBF 201242	0.84	3.8	8.8	9.3	17	11.9	1.1	5.9	1.3	0.9	0.4				
20533				71%	49%	44%	23%	20%	60%	36%	37%	34%	28%	20%				
EBF 200539		✓	FGW 130003	88	87	89	89	79	87	103	90	94	105	109	1	3	2	
F1			EB F17AD2	2.43	-2.2	-1.0	-0.7	-24	1.7	1.2	-6.0	-0.2	0.4	0.9				
20539				71%	56%	46%	19%	26%	67%	40%	39%	35%	23%	17%				
EBF 200544		✓	FGW 130003	78	93	94	95	81	90	103	90	94	105	109	1	1	1	
F1			EB F20143	3.37	0.2	2.3	3.2	-21	3.5	1.2	-6.0	-0.2	0.4	0.9				
20544				68%	50%	47%	19%	26%	57%	40%	39%	35%	23%	17%				
EBF 200548		✓	EBF 160002	75	115	115	113	106	113	102	116	103	115	105	1	5	2	
F1			EBF 201428	3.71	8.8	15.3	17.3	15	15.8	1.1	11.7	1.2	1.4	0.3				
20548				71%	49%	44%	23%	20%	60%	36%	40%	36%	28%	20%				
EBF 200605		✓	EBF 160002	117	84	82	81	82	80	104	103	100	113	112	1	5	3	
F2		✓	EBF 160501	-0.43	-3.5	-5.3	-7.7	-19	-1.9	1.4	2.6	0.8	1.2	1.4				
20605				77%	62%	55%	25%	24%	73%	42%	42%	39%	30%	22%				
EBF 200629		✓	EBF 160002	117	79	78	77	82	82	104	103	100	113	112	1	5	2	
F2		✓	EBF 160504	-0.45	-5.6	-7.8	-10.5	-19	-1.1	1.4	2.6	0.8	1.2	1.4				
20629				75%	59%	52%	25%	24%	71%	42%	42%	39%	30%	22%				
EBF 200635		✓	EBF 160002	94	96	92	90	88	87	104	103	100	113	112	1	2	2	
F2		✓	EBF 170521	1.82	1.2	1.2	0.1	-12	1.6	1.4	2.6	0.8	1.2	1.4				
20635				72%	55%	50%	25%	24%	65%	42%	42%	39%	30%	22%				
EBF 201242				108	97	109			122						1	2	1	
BS				0.46	1.9	11.4			20.3									
EBF201242				41%	18%	14%			26%									
EBF 201313				109	80	93			100						1	3	1	
BS				0.36	-5.1	1.6			8.6									
EBF EBF201313				48%	44%	41%			60%									
EBF 201314				99	92	102			123						1	2	2	
BS				1.36	-0.4	7.6			20.9									
EBF201314				45%	37%	32%			53%									
EBF 201316				115	78	90			104						1	3	2	
BS				-0.24	-6.0	-0.1			10.8									
EBF201316				50%	43%	42%			60%									

WAGYU Dams

Dam				Growth						Carcass					Stats			
ID	Parentage	Sire ID		Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name	Gen. DNA	Dam ID																
JAPANESE BLACK																		
EBF 201417				97	89	101			112									
BS				1.56	-1.5	6.6			14.9						1	1	1	
201417				35%	25%	19%			32%									
EBF 201425				86	109	120			130									
BS				2.56	6.7	18.5			24.8						1	1	1	
201425				31%	28%	28%			43%									
EBF 201428				79	107	118			130		116	100						
BS				3.30	5.8	17.1			24.5		12.3	0.7			1	2	1	1
EBF201428				41%	18%	14%			26%		26%	21%						
EBF 210002	✓ BYWFJ0455			133	89	81	82	75	73	99	81	112	86	108				
FB	✓ EBF 170008			-2.01	-1.4	-5.8	-6.8	-29	-5.6	0.7	-12.4	2.6	-1.5	0.8	1	2	1	
21002				72%	66%	64%	31%	24%	62%	38%	38%	35%	28%	20%				
EBF 210506	✓ EBF 160002			66	115	115	112	116	119	95	114	100	114	108				
F1	✓ CWBFEB F17AX2			4.51	9.0	15.5	16.7	30	18.8	0.2	10.6	0.7	1.2	0.8	1	2	1	
21506				55%	49%	37%	23%	20%	60%	36%	37%	34%	28%	20%				
EBF 210509	✓ EBF 160002			68	109	110	107	112	112	95	114	100	114	108				
F1	CWBFEB F17AX6			4.33	6.6	12.1	12.6	23	14.9	0.2	10.6	0.7	1.2	0.8	1	1	1	
21509				50%	44%	37%	23%	20%	52%	36%	37%	34%	28%	20%				
EBF 210515	✓ EBF 160002			84	102	103	100	107	107	95	114	100	114	108				
F1	CWBFEBF 201241			2.75	3.8	7.9	7.6	16	12.6	0.2	10.6	0.7	1.2	0.8	1	2	1	
21515				55%	49%	37%	23%	20%	60%	36%	37%	34%	28%	20%				
EBF 210518	✓ EBF 160002			100	95	96	95	94	104	102	107	104	111	106				
F1	EBF 201314			1.27	1.1	3.6	3.5	-3	10.9	1.1	5.9	1.3	0.9	0.4	1	3	1	
21518				72%	64%	59%	23%	20%	63%	36%	37%	34%	28%	20%				
EBF 210529	✓ MCPFM1713			123	86	88	87	92	98	109	91	118	95	91				
F1	CWBFEBF 130016			-1.00	-2.9	-1.7	-2.9	-5	7.5	1.9	-5.4	3.6	-0.6	-1.9	1	1	1	
21529				48%	40%	29%	28%	23%	48%	40%	40%	38%	30%	26%				
EBF 210532	✓ FGW 130003			67	98	99	98	96	102	96	97	90	108	111				
F1	CWBFEB F17AD4			4.41	2.0	5.2	5.9	0	10.0	0.3	-1.3	-0.8	0.6	1.3	1	3	1	
21532				60%	52%	39%	19%	26%	61%	40%	39%	35%	23%	17%				
EBF 210536	✓ FGW 130003			87	94	95	94	94	103	96	97	90	108	111				
F1	CWBFEBF 17JK14			2.46	0.4	2.7	2.7	-2	10.3	0.3	-1.3	-0.8	0.6	1.3	1	1	1	
21536				51%	48%	39%	19%	26%	54%	40%	39%	35%	23%	17%				
EBF 210537	✓ FGW 130003			82	101	101	100	100	111	96	97	90	108	111				
F1	CWBFEBF 17JK14			2.95	3.3	6.9	7.7	7	14.6	0.3	-1.3	-0.8	0.6	1.3	1	2	1	
21537				56%	52%	39%	19%	26%	61%	40%	39%	35%	23%	17%				

WAGYU Dams

Dam			Growth					Carcass					Stats				
ID	Parentage	Sire ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name	Gen. DNA	Dam ID															
JAPANESE BLACK																	
EBF 210542	✓	FGW 130003	95	84	86	85	87	93	96	97	90	108	111	1	1	1	
F1		CWBFEB F17AM2	1.68	-3.5	-2.9	-3.9	-13	4.8	0.3	-1.3	-0.8	0.6	1.3				
21542			51%	48%	39%	19%	26%	54%	40%	39%	35%	23%	17%				
EBF 210545	✓	FGW 130003	110	68	73	75	70	82	103	90	94	105	109	1	2	1	
F1		EBF 201313	0.27	-9.8	-10.8	-12.0	-37	-0.8	1.2	-6.0	-0.2	0.4	0.9				
21545			71%	66%	61%	19%	26%	66%	40%	39%	35%	23%	17%				
EBF 210547	✓	FGW 130003	96	102	103	102	94	90	103	90	94	105	109	1	2	1	
F1		EBF 16AM51	1.59	3.7	7.9	9.2	-3	3.3	1.2	-6.0	-0.2	0.4	0.9				
21547			71%	66%	60%	19%	26%	65%	40%	39%	35%	23%	17%				
EBF 210603	✓	BYWFFJ0455	137	66	65	67	64	73	107	68	102	94	111	1	1	1	
F2	✓	EBF 160501	-2.40	-10.9	-16.1	-18.7	-45	-5.6	1.7	-21.8	1.0	-0.6	1.3				
21603			70%	64%	63%	21%	22%	56%	32%	32%	28%	21%	15%				
EBF 210610	✓	BYWFFJ0455	124	81	80	81	78	82	107	68	102	94	111	1	2	1	
F2	✓	EBF 170518	-1.08	-4.7	-6.2	-7.0	-26	-0.9	1.7	-21.8	1.0	-0.6	1.3				
21610			72%	67%	63%	21%	22%	63%	32%	32%	28%	21%	15%				
EBF 210634	✓	EBF 190001	108	104	100	100	89	89	112	87	99	101	102	1	2	1	
F2	✓	EBF 170503	0.50	4.4	5.8	7.6	-9	2.8	2.3	-8.1	0.7	0.0	-0.2				
21634			71%	66%	62%	18%	20%	61%	29%	29%	26%	20%	13%				
EBF 210650	✓	EBF 190001	120	70	70	74	65	78	112	87	99	101	102	1	1	1	
F2	✓	EBF 170512	-0.71	-9.2	-12.5	-13.1	-44	-3.0	2.3	-8.1	0.7	0.0	-0.2				
21650			70%	64%	62%	18%	20%	53%	29%	29%	26%	20%	13%				
EBF 220013	✓	SMOFD0233	120	85	83	84	80	77	119	118	121	111	86	1	1		
FB	✓	EBF 170015	-0.67	-3.1	-4.8	-4.9	-22	-3.6	3.2	13.2	4.0	1.0	-2.7				
22013			69%	63%	63%	31%	19%	52%	35%	36%	35%	32%	25%				
EBF 220036	✓	EBF 190012	120	56	53	59	52	78	101	105	118	104	101	1	2		
FB	✓	EBF 160018	-0.71	-15.0	-23.0	-24.3	-63	-3.2	0.9	4.5	3.6	0.3	-0.3				
22036			73%	67%	66%	23%	13%	54%	32%	34%	32%	26%	18%				
EBF 220060	✓	EBF 190012	151	50	47	51	47	72	113	74	117	84	99	1	2		
FB	✓	EBF 190016	-3.68	-17.2	-27.2	-30.5	-70	-6.0	2.4	-17.6	3.4	-1.6	-0.6				
22060			74%	67%	65%	20%	18%	55%	28%	28%	26%	23%	15%				
EBF 220061	✓	EBF 190020	88	93	84	87	75	80	88	110	108	110	112	1	2		
FB	✓	EBF 160008	2.42	0.1	-3.7	-2.7	-29	-1.9	-0.7	8.2	2.1	0.8	1.4				
22061			72%	65%	66%	32%	24%	55%	38%	39%	37%	34%	24%				
EBF 220063	✓	EBF 190020	127	71	65	71	63	80	88	107	103	101	109	1	2		
FB	✓	EBF 160009	-1.35	-9.0	-15.5	-15.2	-46	-1.9	-0.7	5.9	1.2	0.0	1.0				
22063			72%	65%	66%	32%	24%	54%	39%	40%	38%	33%	24%				

WAGYU Dams

Dam			Growth					Carcass					Stats				
ID	Parentage	Sire ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name	Gen. DNA	Dam ID															
JAPANESE BLACK																	
EBF 220503	✓	EBF 190012	128	64	62	64	65	88	98	87	102	100	111	1	2		
F2	✓	EBF 200507	-1.49	-11.7	-17.7	-20.3	-44	2.2	0.5	-8.6	1.0	-0.1	1.3				
22503			74%	55%	47%	17%	16%	52%	27%	27%	25%	18%	13%				
EBF 220510	✓	EBF 190006	111	107	108	108	99	93	102	95	106	117	112	1	1		
F1		EBF 201425	0.12	5.7	11.0	13.5	4	5.0	1.0	-2.5	1.7	1.5	1.5				
22510			66%	59%	60%	22%	19%	49%	24%	25%	24%	22%	17%				
EBF 220515	✓	EBF 190001	113	92	94	95	89	93	110	92	103	98	96	1	2		
F1	✓	EB F20148	-0.07	-0.1	2.1	3.9	-10	5.0	2.0	-4.7	1.3	-0.3	-1.2				
22515			70%	62%	62%	15%	15%	54%	21%	21%	19%	17%	10%				
EBF 220528	✓	EBF 190001	96	93	95	96	97	103	102	99	99	101	98	1	1		
F1		CWBFEBF 17JK20	1.63	0.1	3.0	4.4	1	10.5	1.1	0.0	0.7	0.0	-0.8				
22528			46%	42%	35%	15%	15%	47%	21%	21%	19%	17%	10%				
EBF 220535	✓	EBF 190006	145	57	63	67	62	77	102	95	106	117	112	1	1		
F1		EBF 201316	-3.15	-14.4	-16.9	-18.4	-49	-3.4	1.0	-2.5	1.7	1.5	1.5				
22535			68%	61%	62%	22%	19%	52%	24%	25%	24%	22%	17%				
EBF 220541	✓	EBF 190006	113	86	89	89	89	97	94	102	102	120	115	1	2		
F1		CWBFEBF 17JK14	0.00	-2.8	-1.0	-0.9	-10	6.9	0.1	2.2	1.1	1.8	1.9				
22541			51%	41%	34%	22%	19%	45%	24%	25%	24%	22%	17%				
EBF 220557	✓	EBF 190001	105	91	93	94	96	103	102	99	99	101	98	1	2		
F1		CWBFEB F17AM5	0.75	-0.7	1.8	2.9	0	10.5	1.1	0.0	0.7	0.0	-0.8				
22557			52%	42%	35%	15%	15%	47%	21%	21%	19%	17%	10%				
EBF 230006	✓	SWK 200078	122	94	92	94	84	79	103	113	93	114	104	1	1		
FB	✓	EBF 200009	-0.90	0.6	0.8	2.6	-16	-2.6	1.2	9.6	-0.2	1.2	0.2				
23006			73%	67%	68%	44%	26%	50%	41%	40%	37%	37%	30%				
EBF 230011	✓	EBF 190012	142	53	48	52	51	76	104	83	103	107	113	1	1		
FB	✓	EBF 200006	-2.88	-15.8	-26.1	-29.7	-64	-4.0	1.4	-11.2	1.3	0.6	1.6				
23011			58%	51%	50%	25%	20%	39%	30%	30%	28%	24%	19%				
EBF 230016	✓	SWK 200078	113	90	91	94	83	80	100	127	106	116	96	1	1		
FB	✓	EBF 160018	0.01	-1.1	0.5	2.4	-18	-1.8	0.8	20.0	1.7	1.4	-1.0				
23016			73%	67%	68%	42%	20%	49%	40%	41%	38%	37%	29%				
EBF 230019	✓	SWK 200078	117	91	92	94	84	81	100	137	110	123	98	1	1		
FB	✓	EBF 170015	-0.46	-0.5	1.2	2.7	-16	-1.6	0.8	27.2	2.3	2.1	-0.8				
23019			73%	68%	68%	44%	21%	48%	41%	41%	38%	38%	29%				
EBF 230531	✓	EBF 190012	136	55	57	61	59	97	99	88	107	96	104	1	1		
F1		EB F20148	-2.27	-15.1	-21.0	-23.1	-53	7.2	0.7	-7.6	1.9	-0.5	0.1				
23531			71%	64%	65%	14%	10%	41%	19%	19%	17%	15%	10%				

WAGYU Dams

Dam			Growth					Carcass					Stats				
ID	Parentage	Sire ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name	Gen. DNA	Dam ID															
JAPANESE BLACK																	
EBF 230535	✓	EBF 190012	106	76	78	80	83	109	92	95	103	99	106	1	1		
F1		CWBFEB F17AM3	0.67	-6.7	-7.4	-8.0	-18	13.3	-0.2	-2.9	1.3	-0.2	0.5				
23535			51%	44%	43%	14%	10%	26%	19%	19%	17%	15%	10%				
EBF 230536	✓	EBF 190012	111	74	77	79	83	108	92	95	103	99	106	1	1		
F1		CWBFEBF 201317	0.12	-7.4	-8.5	-9.3	-18	12.9	-0.2	-2.9	1.3	-0.2	0.5				
23536			51%	44%	43%	14%	10%	26%	19%	19%	17%	15%	10%				
EBF 230547	✓	EBF 200010	95	95	96	96	98	107	92	110	101	97	98	1	1		
F1		CWBFEB F17AM7	1.74	1.0	3.5	4.5	3	12.6	-0.3	7.6	0.9	-0.4	-0.8				
23547			51%	44%	38%	14%	8%	24%	19%	19%	18%	16%	12%				
EBF 230557	✓	EBF 200010	139	64	61	64	63	73	101	98	101	96	102	1	1		
F2	✓	EBF 160501	-2.56	-11.7	-18.1	-20.7	-47	-5.8	0.9	-0.4	0.9	-0.5	-0.2				
23557			71%	66%	64%	17%	15%	44%	28%	28%	25%	20%	15%				
EBF 230559	✓	EBF 190012	116	73	75	77	83	107	92	95	103	99	106	1	1		
F1		CWBFEBF 201430	-0.27	-7.9	-9.2	-10.2	-18	12.7	-0.2	-2.9	1.3	-0.2	0.5				
23559			51%	44%	43%	14%	10%	26%	19%	19%	17%	15%	10%				
EBF 230560	✓	EBF 200010	97	95	95	95	98	107	92	110	101	97	98	1	1		
F1		CWBFEBF 17JK20	1.52	0.7	3.1	3.9	3	12.5	-0.3	7.6	0.9	-0.4	-0.8				
23560			51%	44%	38%	14%	8%	24%	19%	19%	18%	16%	12%				
FGW 200134	GT✓✓	FGW 170035	91	117	114	114	105	66	80	104	130	68	98	1	9	7	
PBD	✓✓	BA 110541	2.08	9.9	14.6	18.5	13	-9.3	-1.7	3.4	5.4	-3.1	-0.7				
FREDERICKSBURG QUEEN 200134			93%	92%	92%	91%	91%	92%	90%	90%	90%	90%	89%				
FGW 200161	GT✓✓	FGW 170044	85	109	100	105	93	92	102	78	100	92	112	1	6	3	
FB	✓✓	FGW 170022	2.69	6.7	6.1	11.2	-4	4.7	1.0	-14.8	0.8	-0.9	1.4				
FREDERICKSBURG HIKOKURA 200161			92%	90%	90%	89%	90%	90%	89%	89%	88%	88%	88%				

WAGYU Bulls

Inbreeding >6% is high				<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed															
Bull				Selection Value					Calf weight		Mother		Growth		Fertility			Carcass				
ID	Parentage			Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn. Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
Name	%Inbreeding	Genomic DNA	Sire ID Dam ID																			
JAPANESE BLACK																						
EBF 190012 FB EBF 19012	1	 BYWFJ0455  EBF 160005		86 85%	46 88%	77 53 %	159 20%	92 30%	151 -3.73 92 %	46 -18.8 88 %	138 -1.80 56%	77 -3.4 53%	44 -32.6 57%	41 -78 20%	94 0.8 45%	94 1.9 14%	121 14.2 66 %	100 0.7 38 %	76 -15.8 38 %	113 2.8 35 %	91 -0.9 29 %	111 1.3 20 %
EBF 200011 FB EBF 20011	1	 BYWFG0615  EBF 160008		120 78%	96 64%	76 43 %	125 25%	101 28%	114 -0.10 86 %	96 1.3 64 %	111 -0.79 49%	76 -4.1 43%	87 -2.8 42%	75 -30 25%	95 -0.1 43%	107 -0.6 14%	145 24.3 60 %	104 1.3 43 %	79 -13.7 43 %	98 0.5 39 %	108 0.7 37 %	118 2.4 25 %
FGW 220219 FB FREDERICKSBURG WGU FGW220219	3	  MYMFQ0014  FGW 200161		117 89%	80 86%	82 86 %	125 85%	89 84%	115 -0.22 90 %	80 -5.2 86 %	92 -0.07 86%	82 -1.0 86%	76 -10.3 86%	75 -29 85%	90 2.9 85%	91 2.2 84%	112 10.4 87 %	125 4.0 85 %	96 -2.1 85 %	116 3.3 85 %	110 0.8 85 %	94 -1.4 85 %
FGW 220223 PBD FREDERICKSBURG WGU FGW220223	3	  MYMFP0342  FGW 200134		104 93%	111 92%	66 91 %	98 90%	99 90%	106 0.61 93 %	111 7.3 92 %	83 0.25 91%	66 -9.3 91%	107 11.6 90%	102 9 90%	99 -2.0 90%	102 0.3 89%	127 16.7 91 %	92 -0.2 90 %	113 10.1 90 %	123 4.3 90 %	93 -0.8 90 %	104 0.2 89 %
EBF 240021 FB EBF 24021	3	 SWK 200080  EBF 210002		117 64%	93 66%	78 40 %	118 22%	96 20%	129 -1.55 71 %	93 0.2 66 %	118 -1.06 38%	78 -3.1 40%	96 3.6 46%	82 -19 22%	94 0.6 30%	100 0.6 11%	107 8.4 42 %	115 2.7 33 %	87 -8.6 33 %	113 2.9 29 %	129 2.6 30 %	117 2.3 24 %
EBF 240036 FB EBF 24036	3	 SWK 200078  EBF 160008		106 68%	100 67%	80 50 %	111 21%	94 30%	105 0.74 73 %	100 3.1 67 %	93 -0.12 51%	80 -1.7 50%	99 5.7 48%	89 -10 21%	87 4.9 44%	102 0.3 15%	119 13.5 53 %	98 0.5 42 %	118 13.2 41 %	99 0.6 38 %	122 2.0 38 %	108 0.8 29 %
EBF 240053 FB EBF 24053	9	 EBF 200010  EBF 200005		101 64%	100 65%	79 42 %	119 21%	89 26%	97 1.48 70 %	100 2.8 65 %	106 -0.62 42%	79 -2.7 42%	89 -1.0 37%	81 -21 21%	70 14.6 34%	105 -0.2 17%	119 13.1 47 %	99 0.7 34 %	121 15.3 34 %	116 3.2 33 %	102 0.1 30 %	100 -0.4 23 %
EBF 240059 FB EBF 24059	7	 EBF 190012  EBF 190011		122 67%	52 67%	71 46 %	151 19%	98 26%	124 -1.06 72 %	52 -16.6 67 %	120 -1.13 46%	71 -6.5 46%	52 -27.3 39%	49 -67 19%	100 -2.9 36%	99 1.0 17%	117 12.4 48 %	104 1.3 33 %	76 -16.4 33 %	111 2.4 32 %	89 -1.1 29 %	108 0.9 22 %
EBF 250009 FB EBF EBF25009	1	 SWK 190060  EBF 200009		98 66%	83 66%	74 45 %	127 28%	106 30%	95 1.71 71 %	83 -4.1 66 %	114 -0.89 47%	74 -5.0 45%	79 -8.0 48%	73 -32 28%	94 0.6 41%	117 -2.1 20%	111 10.0 49 %	123 3.7 45 %	106 5.2 45 %	109 2.2 42 %	112 1.1 42 %	96 -1.1 35 %
EBF 250026 FB EBF EBF25026	5	 SWK 190060  EBF 220013		114 65%	95 66%	75 39 %	114 24%	106 28%	111 0.15 71 %	95 1.0 66 %	122 -1.19 41%	75 -4.7 39%	90 -0.5 46%	86 -14 24%	96 -0.7 38%	115 -2.0 17%	115 11.5 48 %	129 4.4 39 %	113 9.7 40 %	121 4.0 37 %	112 1.0 39 %	86 -2.6 33 %
EBF 250030 FB EBF EBF25030	2	 SWK 190060  EBF 190016		117 66%	91 65%	70 45 %	121 26%	97 29%	117 -0.46 71 %	91 -0.6 65 %	136 -1.72 47%	70 -7.1 45%	85 -3.9 44%	79 -23 26%	99 -2.0 39%	99 1.0 19%	106 7.6 48 %	132 4.9 41 %	90 -6.6 41 %	121 4.0 38 %	94 -0.6 39 %	86 -2.6 32 %
EBF 250037 FB EBF EBF25037	5	 EBF 200010  EBF 220063		117 64%	84 66%	77 37 %	130 14%	103 22%	125 -1.19 71 %	84 -3.4 66 %	133 -1.60 37%	77 -3.4 37%	77 -9.4 36%	70 -36 14%	95 0.0 30%	111 -1.2 14%	120 13.7 43 %	93 0.0 27 %	107 5.5 28 %	105 1.6 26 %	94 -0.7 23 %	102 -0.2 17 %

WAGYU Bulls

Inbreeding >6% is high					<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed															
Bull					Selection Value					Calf weight		Mother		Growth		Fertility			Carcass				
ID	%Inbreeding	Parentage			Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
Name		Genomic	DNA	Sire ID Dam ID																			
JAPANESE BLACK																							
EBF 250063 FB EBF EBF25063	14			EBF 200011 EBF 220061	107 61%	99 61%	77 36 %	122 17%	100 22%	104 0.86 67 %	99 2.6 61 %	101 -0.43 37%	77 -3.4 36%	90 -0.9 32%	78 -26 17%	92 1.5 32%	108 -0.7 13%	134 19.8 42 %	96 0.3 29 %	95 -2.8 29 %	103 1.3 27 %	109 0.8 25 %	115 1.9 18 %
EBF 260003 PEN EBF EBF26003	6			EBF 200011 EBF 220063	108 63%	76 46%	79 34 %	131 17%	104 22%	136 -2.23 70 %	76 -6.7 46 %	122 -1.20 38%	79 -2.7 34%	72 -13.3 32%	69 -38 17%	98 -1.9 32%	111 -1.1 13%	131 18.5 40 %	96 0.3 29 %	93 -3.9 29 %	100 0.8 27 %	105 0.3 25 %	114 1.7 18 %
EBF 260005 PEN EBF EBF26005	4			EBF 200011 EBF 190016	105 64%	82 43%	72 41 %	130 20%	90 23%	137 -2.34 70 %	82 -4.4 43 %	127 -1.39 42%	72 -6.0 41%	76 -10.2 28%	70 -36 20%	95 0.2 32%	91 2.5 14%	124 15.3 42 %	115 2.7 30 %	75 -16.6 30 %	110 2.3 27 %	93 -0.8 26 %	102 -0.1 17 %
EBF 260013 PEN EBF EBF26013	5			FGW 220219 EBF 230006	121 61%	84 40%	80 32 %	120 23%	92 20%	125 -1.22 68 %	84 -3.6 40 %	100 -0.40 34%	80 -1.7 32%	82 -6.2 37%	80 -23 23%	89 3.8 29%	97 1.3 11%	115 11.6 35 %	114 2.6 26 %	104 3.8 26 %	105 1.5 24 %	112 1.0 24 %	99 -0.6 19 %
EBF 260027 PEN EBF EBF26027	6			FGW 220219 EBF 230016	115 62%	85 40%	81 32 %	121 21%	93 20%	113 -0.07 69 %	85 -3.1 40 %	93 -0.13 34%	81 -1.4 32%	84 -4.5 36%	79 -24 21%	90 3.1 29%	98 1.1 10%	113 10.6 35 %	113 2.4 26 %	112 9.0 26 %	111 2.5 24 %	113 1.1 24 %	95 -1.2 19 %
EBF 260028 PEN EBF EBF26028	5			EBF 200011 EBF 220060	102 63%	70 46%	74 35 %	139 15%	91 21%	138 -2.49 70 %	70 -9.1 46 %	131 -1.54 38%	74 -4.9 35%	66 -17.7 30%	61 -50 15%	94 0.5 31%	92 2.2 11%	132 18.9 38 %	109 1.9 26 %	77 -15.7 26 %	108 2.0 23 %	96 -0.5 22 %	109 0.9 15 %
EBF 260039 PEN EBF EBF26039	2			FGW 220219 EBF 190011	124 64%	74 39%	73 42 %	131 25%	96 24%	119 -0.58 70 %	74 -7.7 39 %	101 -0.42 41%	73 -5.7 42%	72 -13.3 36%	69 -37 25%	97 -1.2 31%	97 1.1 17%	113 10.6 40 %	116 2.9 32 %	85 -9.5 32 %	112 2.7 30 %	98 -0.3 29 %	100 -0.5 23 %
EBF 260045 PEN EBF EBF26045	6			FGW 220219 EBF 230019	116 62%	87 41%	81 32 %	120 21%	84 20%	113 -0.01 69 %	87 -2.3 41 %	97 -0.27 34%	81 -1.4 32%	86 -3.5 38%	80 -23 21%	78 9.8 29%	92 2.1 10%	116 12.2 36 %	112 2.4 26 %	117 12.5 26 %	113 2.8 24 %	116 1.5 24 %	96 -1.1 19 %
EBF 260049 PEN EBF EBF26049	2			FGW 220219 EBF 220061	88 59%	91 40%	80 34 %	125 22%	95 20%	91 2.15 65 %	91 -0.6 40 %	88 0.05 34%	80 -1.7 34%	85 -4.1 35%	75 -29 22%	90 2.7 28%	100 0.7 12%	119 13.5 36 %	107 1.6 25 %	103 3.0 25 %	112 2.7 24 %	110 0.8 23 %	103 0.0 17 %
EBF 260050 PEN EBF EBF26050	8			EBF 200011 EBF 200005	91 61%	101 44%	79 40 %	119 23%	90 26%	92 2.01 66 %	101 3.2 44 %	94 -0.16 42%	79 -2.5 40%	91 0.2 32%	81 -21 23%	73 12.8 36%	105 0.0 17%	130 17.9 44 %	102 1.0 35 %	107 5.9 35 %	111 2.4 33 %	113 1.1 31 %	112 1.5 24 %
EBF 260607 PEN EBF EBF26607	1			FGW 220219 EBF 230559	128 58%	74 32%	95 24 %	121 19%	89 13%	121 -0.84 66 %	74 -7.7 32 %	108 -0.69 29%	95 6.0 24%	74 -11.8 28%	79 -24 19%	92 1.9 18%	89 2.6 8%	109 9.1 30 %	108 1.9 19 %	95 -2.5 19 %	110 2.3 17 %	104 0.3 17 %	100 -0.4 13 %
EBF 260612 PEN EBF EBF26612	1			FGW 220219 EBF 230531	113 61%	65 39%	90 29 %	133 19%	96 16%	131 -1.81 68 %	65 -11.2 39 %	97 -0.27 32%	90 3.2 29%	65 -17.9 32%	67 -41 19%	98 -1.4 24%	96 1.3 8%	109 9.0 32 %	112 2.3 19 %	92 -4.8 19 %	112 2.6 17 %	103 0.2 17 %	99 -0.6 13 %

WAGYU Bulls

Inbreeding >6% is high				<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed															
Bull				Selection Value					Calf weight		Mother		Growth		Fertility			Carcass				
ID	%Inbreeding	Parentage		Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
Name		Genomic DNA	Sire ID																			
JAPANESE BLACK																						
EBF 260614	1		FGW 220219	118	84	95	114	91	112	84	106	95	83	86	91	93	110	108	103	108	103	96
PEN			EBF 230560	0.05	-3.4				0.05	-3.4	-0.63	5.9	-5.2	-13	2.4	1.9	9.3	1.8	2.8	2.1	0.2	-1.1
EBF EBF26614				66 %	32 %	24 %	19 %	12 %	66 %	32 %	28 %	24 %	28 %	19 %	17 %	8 %	30 %	19 %	19 %	17 %	17 %	13 %
EBF 260624	3		EBF 200011	105	88	76	127	98	103	88	97	76	84	73	98	101	127	104	85	96	107	113
PEN			EBF 200506	0.93	-2.0				0.93	-2.0	-0.28	-3.8	-4.5	-32	-1.5	0.5	16.8	1.3	-9.8	0.1	0.5	1.7
EBF EBF26624				72 %	44 %	41 %	18 %	22 %	72 %	44 %	42 %	41 %	28 %	18 %	31 %	13 %	41 %	29 %	29 %	26 %	22 %	15 %
EBF 260625	2		FGW 220223	77	105	84	101	97	85	105	76	84	104	99	98	98	119	94	105	106	100	108
PEN			EBF 210532	2.72	5.0				2.72	5.0	0.50	0.3	8.9	4	-1.5	1.0	13.5	0.0	4.4	1.8	-0.1	0.8
EBF EBF26625				67 %	43 %	39 %	26 %	20 %	67 %	43 %	39 %	39 %	32 %	26 %	26 %	13 %	37 %	26 %	26 %	24 %	18 %	13 %
EBF 260626	1		FGW 220219	107	81	95	121	89	105	81	99	95	80	79	92	89	109	108	95	110	104	100
PEN			EBF 230535	0.77	-4.9				0.77	-4.9	-0.35	6.0	-7.7	-24	1.9	2.6	9.1	1.9	-2.5	2.3	0.3	-0.4
EBF EBF26626				66 %	32 %	24 %	19 %	13 %	66 %	32 %	29 %	24 %	28 %	19 %	18 %	8 %	30 %	19 %	19 %	17 %	17 %	13 %
EBF 260630	3		EBF 200011	109	103	78	116	102	105	103	106	78	96	84	98	107	126	101	90	92	105	114
PEN			EBF 160502	0.79	4.3				0.79	4.3	-0.62	-2.9	3.9	-16	-1.8	-0.4	16.3	0.9	-6.0	-0.5	0.4	1.8
EBF EBF26630				54 %	45 %	43 %	18 %	23 %	54 %	45 %	41 %	43 %	28 %	18 %	32 %	14 %	42 %	31 %	31 %	27 %	22 %	15 %
EBF 260631	3		EBF 200011	116	92	90	115	95	112	92	116	90	89	85	94	98	125	103	89	99	105	108
PEN			EBF 220557	0.11	-0.1				0.11	-0.1	-0.98	3.2	-1.0	-15	0.4	1.1	16.0	1.2	-6.9	0.6	0.4	0.8
EBF EBF26631				67 %	38 %	32 %	15 %	16 %	67 %	38 %	35 %	32 %	24 %	15 %	25 %	8 %	36 %	24 %	24 %	22 %	20 %	14 %
EBF 260634	5		EBF 200011	69	113	94	110	102	77	113	78	94	107	90	94	108	129	103	97	100	112	111
PEN			EBF 200548	3.50	8.3				3.50	8.3	0.44	5.5	11.1	-7	0.8	-1.1	17.7	1.2	-1.0	0.8	1.0	1.3
EBF EBF26634				70 %	41 %	37 %	16 %	22 %	70 %	41 %	40 %	37 %	27 %	16 %	30 %	13 %	40 %	28 %	29 %	26 %	23 %	16 %
EBF 260638	3		EBF 200011	87	102	91	114	97	87	102	99	91	96	86	96	100	128	100	88	94	108	115
PEN			EBF 200522	2.48	3.6				2.48	3.6	-0.35	4.1	3.7	-14	-0.4	0.6	17.3	0.8	-7.5	-0.2	0.7	1.9
EBF EBF26638				69 %	44 %	41 %	18 %	20 %	69 %	44 %	42 %	41 %	28 %	18 %	28 %	11 %	40 %	29 %	29 %	26 %	22 %	15 %
EBF 260640	5		EBF 200011	120	91	90	116	103	118	91	92	90	87	84	94	109	132	103	93	101	110	112
PEN			EBF 210518	-0.50	-0.9				-0.50	-0.9	-0.07	3.6	-2.7	-16	0.6	-1.3	19.0	1.2	-3.9	0.9	0.8	1.4
EBF EBF26640				70 %	45 %	38 %	16 %	22 %	70 %	45 %	40 %	38 %	30 %	16 %	31 %	13 %	40 %	28 %	28 %	26 %	23 %	16 %
EBF 260644	3		EBF 200011	99	93	88	118	98	97	93	101	88	89	82	96	100	127	100	88	94	108	115
PEN			EBF 200523	1.55	0.3				1.55	0.3	-0.44	2.2	-1.3	-19	-0.8	0.6	17.0	0.8	-7.5	-0.2	0.7	1.9
EBF EBF26644				69 %	44 %	41 %	18 %	20 %	69 %	44 %	42 %	41 %	28 %	18 %	28 %	11 %	40 %	29 %	29 %	26 %	22 %	15 %
EBF 260648	2		FGW 220219	99	64	78	131	93	143	64	121	78	63	69	93	96	116	113	97	108	103	98
PEN			EBF 230557	-2.97	-11.5				-2.97	-11.5	-1.19	-3.1	-19.2	-38	1.0	1.4	12.1	2.4	-1.3	2.1	0.2	-0.8
EBF EBF26648				65 %	40 %	30 %	20 %	16 %	65 %	40 %	31 %	30 %	32 %	20 %	21 %	10 %	33 %	21 %	21 %	19 %	18 %	14 %

WAGYU Cows

Inbreeding >6% is high				<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed															
Cow				Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas				
ID	%Inbreeding	Parentage		Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
Name		Genomic DNA	Sire ID																			
JAPANESE BLACK																						
EBF 160502			FGW 130003	97	111	81	106	103	95	111	102	81	106	94	101	104	107	98	101	85	103	110
F1			EBF 200068	65 %	62 %	74 %	26 %	34 %	1.68	7.2	-0.46	-1.6	10.7	-2	-3.6	-0.2	8.2	0.5	1.7	-1.5	0.1	1.2
EBF16502				65 %	62 %	74 %	26 %	34 %	65 %	62 %	67 %	74 %	37 %	26%	46%	23%	58 %	45 %	44 %	39 %	23 %	17 %
EBF 170511			FGW 130003	100	94	89	114	100	99	94	98	89	93	86	91	107	119	103	90	94	105	109
F1			EBF 140011	73 %	70 %	75 %	26 %	34 %	1.33	0.6	-0.31	2.9	1.5	-14	2.2	-0.8	13.5	1.2	-6.0	-0.2	0.4	0.9
EBF 17511				73 %	70 %	75 %	26 %	34 %	74 %	70 %	67 %	75 %	37 %	26%	45%	24%	58 %	40 %	39 %	35 %	23 %	17 %
EBF 170518			FGW 130003	107	75	80	123	96	108	75	85	80	79	77	93	100	122	103	90	94	105	109
F1			EBF 140026	73 %	63 %	75 %	26 %	34 %	0.47	-7.3	0.17	-2.0	-8.5	-27	1.4	0.5	14.6	1.2	-6.0	-0.2	0.4	0.9
EBF 17518				73 %	63 %	75 %	26 %	34 %	74 %	63 %	68 %	75 %	37 %	26%	47%	22%	58 %	40 %	39 %	35 %	23 %	17 %
EBF 170520			FGW 130003	107	71	79	129	93	108	71	84	79	75	71	85	101	123	103	90	94	105	109
F1			EBF 120023	72 %	62 %	74 %	26 %	36 %	0.42	-8.8	0.22	-2.5	-11.3	-35	5.9	0.4	15.1	1.2	-6.0	-0.2	0.4	0.9
EBF 17520				72 %	62 %	74 %	26 %	36 %	73 %	62 %	67 %	74 %	37 %	26%	47%	24%	57 %	40 %	39 %	35 %	23 %	17 %
EBF 190011	1	☒	IMJFAJ2810	118	64	64	136	103	130	64	111	64	65	64	104	103	113	108	75	108	87	105
FB		☒	EBF 160011	76 %	64 %	74 %	33 %	44 %	-1.64	-11.6	-0.81	-10.1	-18.3	-45	-5.3	0.0	10.8	1.8	-17.0	2.1	-1.3	0.4
EBF 19011				76 %	64 %	74 %	33 %	44 %	77 %	64 %	72 %	74 %	52 %	33%	55%	32%	65 %	55 %	55 %	53 %	50 %	40 %
EBF 190016	2	☒	BYWFH0224	92	75	68	134	80	145	75	141	68	71	66	94	72	103	126	71	121	77	86
FB		☒	EBF 160010	67 %	56 %	70 %	30 %	36 %	-3.10	-7.3	-1.92	-8.3	-13.7	-42	0.4	5.6	6.3	4.1	-19.4	4.1	-2.3	-2.6
EBF 19016				67 %	56 %	70 %	30 %	36 %	67 %	56 %	68 %	70 %	39 %	30%	47%	24%	58 %	41 %	41 %	37 %	35 %	23 %
EBF 190512		☒	EBF 160002	79	111	113	85	93	82	111	94	113	110	115	89	96	117	95	114	100	114	108
F1			CWBFEFBF 201430	62 %	57 %	70 %	20 %	25 %	3.00	7.4	-0.17	15.9	13.2	28	3.6	1.2	12.6	0.2	10.6	0.7	1.2	0.8
EBF 19512				62 %	57 %	70 %	20 %	25 %	62 %	57 %	63 %	70 %	36 %	20%	32%	18%	50 %	36 %	37 %	34 %	28 %	20 %
EBF 200005	5	☒	KJDFC0087	74	100	83	113	78	81	100	79	83	91	87	51	100	115	99	135	124	118	106
FB		☒	EBF 170004	66 %	59 %	68 %	40 %	44 %	3.08	3.1	0.42	-0.5	0.4	-12	25.6	0.5	11.5	0.7	25.5	4.4	1.6	0.5
EBF 20005				66 %	59 %	68 %	40 %	44 %	66 %	59 %	68 %	68 %	50 %	40%	57%	31%	64 %	57 %	57 %	55 %	49 %	40 %
EBF 200009	2	☒	BDWFM0495	123	63	75	141	97	125	63	104	75	63	59	84	107	116	108	105	98	113	106
FB		☒	EBF 160009	67 %	60 %	69 %	37 %	40 %	-1.17	-11.9	-0.54	-4.7	-19.7	-53	6.2	-0.7	12.2	1.8	4.1	0.4	1.1	0.5
EBF 20009				67 %	60 %	69 %	37 %	40 %	67 %	60 %	67 %	69 %	52 %	37%	55%	26%	61 %	55 %	55 %	52 %	46 %	34 %
EBF 200501		☒	EBF 160002	55	103	104	92	93	68	103	65	104	103	108	90	96	106	95	114	100	114	108
F1			CWBFEFBF 17AM51	65 %	57 %	70 %	20 %	25 %	4.34	4.2	0.92	10.7	8.4	17	2.7	1.2	8.0	0.2	10.6	0.7	1.2	0.8
EBF 20501				65 %	57 %	70 %	20 %	25 %	65 %	57 %	66 %	70 %	34 %	20%	32%	18%	52 %	36 %	37 %	34 %	28 %	20 %
EBF 200505		☒	FGW 130003	96	92	98	106	95	94	92	118	98	92	94	98	93	112	96	97	90	108	111
F1			CWBFEFB F17AM9	63 %	59 %	71 %	26 %	26 %	1.78	-0.5	-1.05	7.7	1.1	-2	-2.0	1.7	10.4	0.3	-1.3	-0.8	0.6	1.3
EBF 20505				63 %	59 %	71 %	26 %	26 %	63 %	59 %	64 %	71 %	35 %	26%	35%	17%	52 %	40 %	39 %	35 %	23 %	17 %
EBF 200506		☒	FGW 130003	106	73	78	128	96	107	73	85	78	76	72	100	94	109	103	90	94	105	109
F1			EBF 201417	73 %	59 %	69 %	26 %	34 %	0.51	-8.1	0.16	-3.0	-10.1	-34	-3.0	1.6	9.2	1.2	-6.0	-0.2	0.4	0.9
EBF 20506				73 %	59 %	69 %	26 %	34 %	75 %	59 %	67 %	69 %	35 %	26%	45%	22%	56 %	40 %	39 %	35 %	23 %	17 %

WAGYU Cows

Inbreeding >6% is high				<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed															
Cow				Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas				
ID	%Inbreeding	Parentage		Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
		Genomic DNA	Sire ID																			
JAPANESE BLACK																						
EBF 200507		✓	FGW 130003	89	91	100	108	98	88	91	103	100	92	92	102	96	108	96	97	90	108	111
F1			CWBFEF F17AX9	63 %	53 %	60 %	26 %	28 %	2.38	-0.7	-0.51	8.6	0.7	-5	-4.1	1.3	8.7	0.3	-1.3	-0.8	0.6	1.3
EBF 20507				63 %	53 %	60 %	26 %	28 %	63 %	53 %	64 %	60 %	29 %	26%	37%	18%	54 %	40 %	39 %	35 %	23 %	17 %
EBF 200514		✓	FGW 130003	104	79	93	125	110	106	79	84	93	82	75	104	114	120	103	90	94	105	109
F1			EBF 201314	72 %	60 %	72 %	26 %	35 %	0.67	-5.4	0.20	4.8	-6.5	-29	-5.2	-2.1	13.6	1.2	-6.0	-0.2	0.4	0.9
EBF 20514				72 %	60 %	72 %	26 %	35 %	74 %	60 %	66 %	72 %	36 %	26%	46%	24%	56 %	40 %	39 %	35 %	23 %	17 %
EBF 200516		✓	FGW 130003	96	91	96	115	92	99	91	86	96	92	85	85	97	107	103	90	94	105	109
F1			EBF 17AX17	67 %	52 %	61 %	26 %	32 %	1.38	-0.8	0.15	6.9	1.0	-15	5.8	1.0	8.2	1.2	-6.0	-0.2	0.4	0.9
EBF 20516				67 %	52 %	61 %	26 %	32 %	70 %	52 %	57 %	61 %	32 %	26%	45%	20%	54 %	40 %	39 %	35 %	23 %	17 %
EBF 200520		✓	FGW 130003	109	86	101	110	95	110	86	137	101	86	90	98	93	111	96	97	90	108	111
F1			CWBFEF F17AX2	63 %	59 %	71 %	26 %	26 %	0.22	-2.9	-1.76	9.5	-3.3	-9	-1.6	1.7	10.1	0.3	-1.3	-0.8	0.6	1.3
EBF 20520				63 %	59 %	71 %	26 %	26 %	63 %	59 %	64 %	71 %	35 %	26%	35%	17%	53 %	40 %	39 %	35 %	23 %	17 %
EBF 200522		✓	FGW 130003	74	99	108	103	94	79	99	89	108	99	97	96	93	112	96	97	90	108	111
F1			CWBFEF F17AD4	65 %	59 %	71 %	26 %	26 %	3.29	2.4	0.02	12.7	5.6	1	-0.7	1.7	10.3	0.3	-1.3	-0.8	0.6	1.3
EBF 20522				65 %	59 %	71 %	26 %	26 %	65 %	59 %	67 %	71 %	35 %	26%	35%	17%	54 %	40 %	39 %	35 %	23 %	17 %
EBF 200523		✓	FGW 130003	82	88	100	111	94	85	88	93	100	89	89	98	93	110	96	97	90	108	111
F1			CWBFEF F17AX6	65 %	59 %	71 %	26 %	26 %	2.71	-1.7	-0.11	8.7	-1.1	-9	-1.4	1.7	9.6	0.3	-1.3	-0.8	0.6	1.3
EBF 20523				65 %	59 %	71 %	26 %	26 %	65 %	59 %	67 %	71 %	35 %	26%	35%	17%	55 %	40 %	39 %	35 %	23 %	17 %
EBF 200530		✓	EBF 160002	120	83	88	114	107	116	83	99	88	85	86	106	108	125	102	107	104	111	106
F1			EBF 201316	74 %	59 %	72 %	20 %	32 %	-0.34	-3.9	-0.34	2.3	-4.3	-13	-6.5	-1.0	16.1	1.1	5.9	1.3	0.9	0.4
EBF 20530				74 %	59 %	72 %	20 %	32 %	75 %	59 %	68 %	72 %	38 %	20%	43%	22%	55 %	36 %	37 %	34 %	28 %	20 %
EBF 200533		✓	EBF 160002	100	102	106	93	102	104	102	79	106	103	107	89	112	120	102	107	104	111	106
F1			EBF 201242	69 %	49 %	60 %	20 %	32 %	0.84	3.8	0.42	11.9	8.6	17	3.6	-1.6	13.7	1.1	5.9	1.3	0.9	0.4
EBF 20533				69 %	49 %	60 %	20 %	32 %	71 %	49 %	61 %	60 %	34 %	20%	43%	22%	52 %	36 %	37 %	34 %	28 %	20 %
EBF 200539		✓	FGW 130003	81	87	87	121	102	88	87	78	87	89	79	98	106	113	103	90	94	105	109
F1			EB F17AD2	69 %	56 %	67 %	26 %	32 %	2.43	-2.2	0.45	1.7	-1.3	-24	-1.5	-0.5	10.7	1.2	-6.0	-0.2	0.4	0.9
EBF 20539				69 %	56 %	67 %	26 %	32 %	71 %	56 %	61 %	67 %	32 %	26%	43%	20%	54 %	40 %	39 %	35 %	23 %	17 %
EBF 200548		✓	EBF 160002	59	115	113	94	104	75	115	49	113	114	106	92	112	114	102	116	103	115	105
F1			EBF 201428	69 %	49 %	60 %	20 %	32 %	3.71	8.8	1.52	15.8	15.9	15	1.6	-1.6	11.2	1.1	11.7	1.2	1.4	0.3
EBF 20548				69 %	49 %	60 %	20 %	32 %	71 %	49 %	61 %	60 %	34 %	20%	41%	22%	53 %	36 %	40 %	36 %	28 %	20 %
EBF 200605	4	✓	EBF 160002	123	84	80	118	98	117	84	105	80	81	82	94	101	122	104	103	100	113	112
F2		✓	EBF 160501	76 %	62 %	73 %	24 %	38 %	-0.43	-3.5	-0.58	-1.9	-6.9	-19	0.6	0.2	14.5	1.4	2.6	0.8	1.2	1.4
EBF 20605				76 %	62 %	73 %	24 %	38 %	77 %	62 %	70 %	73 %	40 %	24%	49%	27%	57 %	42 %	42 %	39 %	30 %	22 %
EBF 200629	4	✓	EBF 160002	116	79	82	118	107	117	79	79	82	77	82	104	111	124	104	103	100	113	112
F2		✓	EBF 160504	74 %	59 %	71 %	24 %	36 %	-0.45	-5.6	0.40	-1.1	-9.6	-19	-5.0	-1.5	15.7	1.4	2.6	0.8	1.2	1.4
EBF 20629				74 %	59 %	71 %	24 %	36 %	75 %	59 %	68 %	71 %	38 %	24%	47%	26%	57 %	42 %	42 %	39 %	30 %	22 %

WAGYU Cows

Inbreeding >6% is high			<75			75 - 125			>125			Breeding values with an accuracy < 5% are not printed									
Cow			Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas				
ID	%Inbreeding	Parentage	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
Name		Genomic DNA Sire ID Dam ID																			
JAPANESE BLACK																					
EBF 210002	1	✓ BYWFJ0455	106	89	73	125	92	133	89	138	73	81	75	90	95	100	99	81	112	86	108
FB		✓ EBF 170008	69 %	66 %	62 %	24 %	31 %	-2.01	-1.4	-1.80	-5.6	-6.7	-29	3.0	1.5	5.1	0.7	-12.4	2.6	-1.5	0.8
EBF 21002								72 %	66 %	56 %	62 %	48 %	24%	44%	18%	54 %	38 %	38 %	35 %	28 %	20 %
EBF 210506		✓ EBF 160002	53	115	119	84	92	66	115	65	119	113	116	88	96	110	95	114	100	114	108
F1		✓ CWFBEF F17AX2	55 %	49 %	60 %	20 %	25 %	4.51	9.0	0.93	18.8	15.7	30	4.2	1.2	9.7	0.2	10.6	0.7	1.2	0.8
EBF 21506								55 %	49 %	54 %	60 %	30 %	20%	32%	18%	49 %	36 %	37 %	34 %	28 %	20 %
EBF 210509		✓ EBF 160002	55	109	112	88	93	68	109	67	112	108	112	89	96	108	95	114	100	114	108
F1		CWFBEF F17AX6	50 %	44 %	52 %	20 %	25 %	4.33	6.6	0.87	14.9	11.9	23	3.4	1.2	8.7	0.2	10.6	0.7	1.2	0.8
EBF 21509								50 %	44 %	48 %	52 %	30 %	20%	32%	18%	47 %	36 %	37 %	34 %	28 %	20 %
EBF 210515		✓ EBF 160002	82	102	107	93	93	84	102	92	107	101	107	91	96	111	95	114	100	114	108
F1		CWFBEF 201241	55 %	49 %	60 %	20 %	25 %	2.75	3.8	-0.08	12.6	7.3	16	2.5	1.2	9.8	0.2	10.6	0.7	1.2	0.8
EBF 21515								55 %	49 %	54 %	60 %	30 %	20%	32%	18%	49 %	36 %	37 %	34 %	28 %	20 %
EBF 210518		✓ EBF 160002	93	95	104	106	105	100	95	70	104	95	94	93	114	120	102	107	104	111	106
F1		EBF 201314	70 %	64 %	63 %	20 %	33 %	1.27	1.1	0.74	10.9	3.1	-3	1.3	-2.1	13.7	1.1	5.9	1.3	0.9	0.4
EBF 21518								72 %	64 %	62 %	63 %	41 %	20%	44%	22%	52 %	36 %	37 %	34 %	28 %	20 %
EBF 210532		✓ FGW 130003	56	98	102	104	94	67	98	70	102	98	96	97	93	112	96	97	90	108	111
F1		CWFBEF F17AD4	60 %	52 %	61 %	26 %	26 %	4.41	2.0	0.73	10.0	5.1	0	-1.1	1.7	10.3	0.3	-1.3	-0.8	0.6	1.3
EBF 21532								60 %	52 %	60 %	61 %	29 %	26%	35%	17%	51 %	40 %	39 %	35 %	23 %	17 %
EBF 210536		✓ FGW 130003	88	94	103	106	94	87	94	103	103	94	94	97	93	110	96	97	90	108	111
F1		CWFBEF 17JK14	51 %	48 %	54 %	26 %	26 %	2.46	0.4	-0.48	10.3	2.3	-2	-1.3	1.7	9.5	0.3	-1.3	-0.8	0.6	1.3
EBF 21536								51 %	48 %	49 %	54 %	29 %	26%	35%	17%	49 %	40 %	39 %	35 %	23 %	17 %
EBF 210537		✓ FGW 130003	80	101	111	100	94	82	101	96	111	101	100	95	93	111	96	97	90	108	111
F1		CWFBEF 17JK14	56 %	52 %	61 %	26 %	26 %	2.95	3.3	-0.24	14.6	6.9	7	-0.2	1.7	9.7	0.3	-1.3	-0.8	0.6	1.3
EBF 21537								56 %	52 %	55 %	61 %	29 %	26%	35%	17%	50 %	40 %	39 %	35 %	23 %	17 %
EBF 210542		✓ FGW 130003	98	84	93	113	95	95	84	114	93	85	87	99	93	109	96	97	90	108	111
F1		CWFBEF F17AM2	51 %	48 %	54 %	26 %	26 %	1.68	-3.5	-0.89	4.8	-3.8	-13	-2.5	1.7	9.1	0.3	-1.3	-0.8	0.6	1.3
EBF 21542								51 %	48 %	49 %	54 %	29 %	26%	35%	17%	48 %	40 %	39 %	35 %	23 %	17 %
EBF 210545		✓ FGW 130003	115	68	82	130	108	110	68	111	82	74	70	112	105	112	103	90	94	105	109
F1		EBF 201313	69 %	66 %	66 %	26 %	33 %	0.27	-9.8	-0.81	-0.8	-11.8	-37	-9.6	-0.4	10.4	1.2	-6.0	-0.2	0.4	0.9
EBF 21545								71 %	66 %	59 %	66 %	40 %	26%	46%	20%	52 %	40 %	39 %	35 %	23 %	17 %
EBF 210547		✓ FGW 130003	97	102	90	106	108	96	102	98	90	103	94	105	111	119	103	90	94	105	109
F1		EBF 16AM51	68 %	66 %	65 %	26 %	32 %	1.59	3.7	-0.33	3.3	8.2	-3	-5.5	-1.5	13.5	1.2	-6.0	-0.2	0.4	0.9
EBF 21547								71 %	66 %	58 %	65 %	40 %	26%	45%	20%	53 %	40 %	39 %	35 %	23 %	17 %
EBF 210610	1	✓ BYWFJ0455	125	81	82	122	85	124	81	111	82	81	78	86	86	110	107	68	102	94	111
F2		✓ EBF 170518	68 %	67 %	63 %	22 %	30 %	-1.08	-4.7	-0.79	-0.9	-7.0	-26	5.2	3.0	9.4	1.7	-21.8	1.0	-0.6	1.3
EBF 21610								72 %	67 %	55 %	63 %	42 %	22%	43%	17%	50 %	32 %	32 %	28 %	21 %	15 %

WAGYU Cows

Inbreeding >6% is high				<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed															
Cow				Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas				
ID	%Inbreeding	Parentage		Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
Name		Genomic DNA	Sire ID Dam ID																			
JAPANESE BLACK																						
EBF 210634	2	✓	EBF 190001	110	104	89	111	91	108	104	119	89	100	89	93	92	115	112	87	99	101	102
F2		✓	EBF 170503	68 %	66 %	61 %	20 %	30 %	0.50	4.4	-1.10	2.8	6.3	-9	1.5	2.0	11.5	2.3	-8.1	0.7	0.0	-0.2
EBF 21634									71 %	66 %	54 %	61 %	40 %	20%	44%	17%	51 %	29 %	29 %	26 %	20 %	13 %
EBF 220013	4	✓	SMOFD0233	127	85	77	120	99	120	85	111	77	83	80	90	106	122	119	118	121	111	86
FB		✓	EBF 170015	65 %	63 %	52 %	19 %	32 %	-0.67	-3.1	-0.78	-3.6	-5.3	-22	2.9	-0.6	14.8	3.2	13.2	4.0	1.0	-2.7
EBF 22013									69 %	63 %	51 %	52 %	47 %	19%	47%	16%	57 %	35 %	36 %	35 %	32 %	25 %
EBF 220036	8	✓	EBF 190012	128	56	78	148	100	120	56	110	78	57	52	97	104	120	101	105	118	104	101
FB		✓	EBF 160018	69 %	67 %	54 %	13 %	29 %	-0.71	-15.0	-0.74	-3.2	-24.1	-63	-0.9	-0.2	14.0	0.9	4.5	3.6	0.3	-0.3
EBF 22036									73 %	67 %	55 %	54 %	44 %	13%	45%	13%	52 %	32 %	34 %	32 %	26 %	18 %
EBF 220060	6	✓	EBF 190012	83	50	72	153	81	151	50	149	72	49	47	93	75	119	113	74	117	84	99
FB		✓	EBF 190016	70 %	67 %	55 %	18 %	30 %	-3.68	-17.2	-2.24	-6.0	-29.3	-70	1.1	5.0	13.4	2.4	-17.6	3.4	-1.6	-0.6
EBF 22060									74 %	67 %	56 %	55 %	42 %	18%	43%	17%	49 %	28 %	28 %	26 %	23 %	15 %
EBF 220061	3	✓	EBF 190020	84	93	80	125	100	88	93	88	80	86	75	91	107	127	88	110	108	110	112
FB		✓	EBF 160008	68 %	65 %	55 %	24 %	34 %	2.42	0.1	0.07	-1.9	-3.6	-29	2.4	-0.8	16.7	-0.7	8.2	2.1	0.8	1.4
EBF 22061									72 %	65 %	55 %	55 %	49 %	24%	48%	20%	55 %	38 %	39 %	37 %	34 %	24 %
EBF 220063	1	✓	EBF 190020	116	71	80	137	107	127	71	129	80	68	63	102	112	117	88	107	103	101	109
FB		✓	EBF 160009	69 %	65 %	54 %	24 %	36 %	-1.35	-9.0	-1.47	-1.9	-15.8	-46	-3.8	-1.6	12.7	-0.7	5.9	1.2	0.0	1.0
EBF 22063									72 %	65 %	57 %	54 %	49 %	24%	48%	23%	55 %	39 %	40 %	38 %	33 %	24 %
EBF 220503	2	✓	EBF 190012	114	64	88	135	99	128	64	130	88	63	65	104	97	123	98	87	102	100	111
F2		✓	EBF 200507	70 %	55 %	52 %	16 %	28 %	-1.49	-11.7	-1.51	2.2	-19.4	-44	-5.1	1.1	15.0	0.5	-8.6	1.0	-0.1	1.3
EBF 22503									74 %	55 %	55 %	52 %	32 %	16%	41%	14%	49 %	27 %	27 %	25 %	18 %	13 %
EBF 220510		✓	EBF 190006	116	107	93	101	106	111	107	115	93	108	99	103	109	109	102	95	106	117	112
F1			EBF 201425	61 %	59 %	49 %	19 %	26 %	0.12	5.7	-0.95	5.0	11.8	4	-4.8	-1.0	8.8	1.0	-2.5	1.7	1.5	1.5
EBF 22510									66 %	59 %	44 %	49 %	41 %	19%	39%	14%	45 %	24 %	25 %	24 %	22 %	17 %
EBF 220515		✓	EBF 190001	115	92	93	111	104	113	92	94	93	95	89	102	106	104	110	92	103	98	96
F1		✓	EB F20148	67 %	62 %	54 %	15 %	26 %	-0.07	-0.1	-0.14	5.0	2.6	-10	-4.0	-0.5	7.0	2.0	-4.7	1.3	-0.3	-1.2
EBF 22515									70 %	62 %	55 %	54 %	38 %	15%	40%	13%	48 %	21 %	21 %	19 %	17 %	10 %
EBF 220528		✓	EBF 190001	99	93	103	103	90	96	93	106	103	96	97	93	88	106	102	99	99	101	98
F1			CWBFEBF 17JK20	45 %	42 %	47 %	15 %	16 %	1.63	0.1	-0.60	10.5	3.3	1	1.0	2.7	7.8	1.1	0.0	0.7	0.0	-0.8
EBF 22528									46 %	42 %	41 %	47 %	25 %	15%	24%	9%	41 %	21 %	21 %	19 %	17 %	10 %
EBF 220535		✓	EBF 190006	95	57	77	138	106	145	57	129	77	65	62	107	106	119	102	95	106	117	112
F1			EBF 201316	64 %	61 %	52 %	19 %	27 %	-3.15	-14.4	-1.46	-3.4	-18.1	-49	-6.8	-0.5	13.5	1.0	-2.5	1.7	1.5	1.5
EBF 22535									68 %	61 %	48 %	52 %	42 %	19%	40%	14%	46 %	24 %	25 %	24 %	22 %	17 %
EBF 220541		✓	EBF 190006	114	86	97	111	96	113	86	127	97	89	89	99	96	109	94	102	102	120	115
F1			CWBFEBF 17JK14	51 %	41 %	45 %	19 %	20 %	0.00	-2.8	-1.41	6.9	-1.3	-10	-2.2	1.3	8.9	0.1	2.2	1.1	1.8	1.9
EBF 22541									51 %	41 %	49 %	45 %	28 %	19%	25%	14%	44 %	24 %	25 %	24 %	22 %	17 %

WAGYU Cows

Inbreeding >6% is high										<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed									
Cow				Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas				
ID	%Inbreeding	Parentage	Sire ID	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
Name		Genomic DNA	Dam ID																			
JAPANESE BLACK																						
EBF 220557		EBF 190001		107	91	103	104	90	105	91	120	103	94	96	94	88	106	102	99	99	101	98
F1		CWBFEF F17AM5		51 %	42 %	47 %	15 %	16 %	0.75	-0.7	-1.15	10.5	1.9	0	0.9	2.7	7.8	1.1	0.0	0.7	0.0	-0.8
EBF 22557									52 %	42 %	49 %	47 %	25 %	15%	24%	9%	41 %	21 %	21 %	19 %	17 %	10 %
EBF 220570		EBF 190006		112	89	100	107	96	110	89	123	100	92	93	98	96	105	94	102	102	120	115
F1		CWBFEF 201415		35 %	33 %	25 %	19 %	20 %	0.31	-1.4	-1.25	8.9	0.9	-3	-1.5	1.3	7.3	0.1	2.2	1.1	1.8	1.9
EBF 22570									37 %	33 %	29 %	25 %	28 %	19%	25%	14%	40 %	24 %	25 %	24 %	22 %	17 %
EBF 220649	2	EBF 190012		121	70	86	135	98	126	70	115	86	70	65	98	100	112	101	83	103	98	110
F2		EBF 200517		65 %	64 %	41 %	16 %	22 %	-1.28	-9.1	-0.93	1.2	-14.5	-44	-1.7	0.5	10.3	1.0	-10.9	1.3	-0.3	1.1
EBF 22649									71 %	64 %	40 %	41 %	41 %	16%	32%	12%	45 %	27 %	27 %	25 %	18 %	13 %
EBF 220662	2	EBF 190012		119	62	88	136	94	125	62	127	88	63	64	98	93	118	98	87	102	100	111
F2		EBF 200505		64 %	66 %	45 %	16 %	20 %	-1.19	-12.2	-1.39	2.5	-19.2	-46	-1.4	1.9	13.1	0.5	-8.6	1.0	-0.1	1.3
EBF 22662									70 %	66 %	42 %	45 %	41 %	16%	28%	11%	44 %	27 %	27 %	25 %	18 %	13 %
EBF 220664	2	EBF 190012		103	46	80	155	94	143	46	110	80	45	45	92	96	127	101	83	103	98	110
F2		EBF 170520		66 %	66 %	46 %	16 %	24 %	-2.93	-18.8	-0.76	-2.1	-31.9	-72	1.8	1.2	16.8	1.0	-10.9	1.3	-0.3	1.1
EBF 22664									72 %	66 %	44 %	46 %	42 %	16%	33%	14%	47 %	27 %	27 %	25 %	18 %	13 %
EBF 220752	4	EBF 190020		123	80	80	127	97	117	80	102	80	77	73	91	102	120	92	104	104	102	111
F3		EBF 200605		65 %	64 %	47 %	25 %	30 %	-0.45	-5.3	-0.46	-1.8	-9.6	-32	2.2	0.1	13.7	-0.2	3.8	1.4	0.1	1.3
EBF 22752									70 %	64 %	45 %	47 %	46 %	25%	38%	22%	47 %	32 %	34 %	32 %	29 %	21 %
EBF 230006	5	SWK 200078		127	94	79	116	94	122	94	108	79	93	84	87	101	118	103	113	93	114	104
FB		EBF 200009		69 %	67 %	50 %	26 %	34 %	-0.90	0.6	-0.68	-2.6	1.3	-16	4.7	0.4	12.8	1.2	9.6	-0.2	1.2	0.2
EBF 23006									73 %	67 %	55 %	50 %	56 %	26%	50%	17%	51 %	41 %	40 %	37 %	37 %	30 %
EBF 230011	6	EBF 190012		101	53	76	149	102	142	53	118	76	50	51	102	104	120	104	83	103	107	113
FB		EBF 200006		56 %	51 %	39 %	20 %	30 %	-2.88	-15.8	-1.07	-4.0	-28.3	-64	-3.9	-0.2	13.9	1.4	-11.2	1.3	0.6	1.6
EBF 23011									58 %	51 %	48 %	39 %	38 %	20%	44%	16%	48 %	30 %	30 %	28 %	24 %	19 %
EBF 230016	5	SWK 200078		115	90	80	117	97	113	90	95	80	92	83	89	103	113	100	127	106	116	96
FB		EBF 160018		69 %	67 %	49 %	20 %	32 %	0.01	-1.1	-0.19	-1.8	1.0	-18	3.4	-0.1	10.8	0.8	20.0	1.7	1.4	-1.0
EBF 23016									73 %	67 %	55 %	49 %	55 %	20%	50%	15%	53 %	40 %	41 %	38 %	37 %	29 %
EBF 230019	5	SWK 200078		123	91	81	116	80	117	91	103	81	93	84	66	91	121	100	137	110	123	98
FB		EBF 170015		69 %	68 %	48 %	21 %	32 %	-0.46	-0.5	-0.49	-1.6	1.5	-16	16.7	2.0	14.1	0.8	27.2	2.3	2.1	-0.8
EBF 23019									73 %	68 %	54 %	48 %	56 %	21%	50%	14%	54 %	41 %	41 %	38 %	38 %	29 %
EBF 230032		EBF 190012		115	75	108	117	89	110	75	115	108	78	83	93	86	99	92	95	103	99	106
F1				42 %	44 %	26 %	10 %	15 %	0.22	-7.3	-0.96	13.0	-9.1	-18	1.0	3.0	4.6	-0.2	-2.9	1.3	-0.2	0.5
EBF 23032									46 %	44 %	28 %	26 %	28 %	10%	23%	7%	33 %	19 %	19 %	17 %	15 %	10 %
EBF 230531		EBF 190012		109	55	97	141	102	136	55	101	97	59	59	105	101	106	99	88	107	96	104
F1		EB F20148		66 %	64 %	41 %	10 %	23 %	-2.27	-15.1	-0.42	7.2	-22.5	-53	-5.8	0.3	7.6	0.7	-7.6	1.9	-0.5	0.1
EBF 23531									71 %	64 %	49 %	41 %	40 %	10%	38%	8%	44 %	19 %	19 %	17 %	15 %	10 %

WAGYU Cows

Inbreeding >6% is high				<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed															
Cow				Selection Values					Kalf gewig		Moeder		Groeï		Vrugbaarheid			Karkas				
ID	%Inbreeding	Parentage		Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
		Genomic DNA	Sire ID Dam ID																			
JAPANESE BLACK																						
EBF 230535		✓	EBF 190012	111	76	109	117	89	106	76	108	109	79	83	93	86	106	92	95	103	99	106
F1			CWBFEB F17AM3	49 %	44 %	26 %	10 %	15 %	0.67	-6.7	-0.68	13.3	-8.1	-18	1.0	3.0	7.9	-0.2	-2.9	1.3	-0.2	0.5
EBF 23535				49 %	44 %	26 %	10 %	15 %	51 %	44 %	41 %	26 %	28 %	10%	23%	7%	38 %	19 %	19 %	17 %	15 %	10 %
EBF 230536		✓	EBF 190012	116	74	108	117	89	111	74	117	108	78	83	93	86	106	92	95	103	99	106
F1			CWBFEBF 201317	49 %	44 %	26 %	10 %	15 %	0.12	-7.4	-1.02	12.9	-9.3	-18	1.0	3.0	7.9	-0.2	-2.9	1.3	-0.2	0.5
EBF 23536				49 %	44 %	26 %	10 %	15 %	51 %	44 %	41 %	26 %	28 %	10%	23%	7%	38 %	19 %	19 %	17 %	15 %	10 %
EBF 230539		✓	EBF 200010	95	96	108	102	93	92	96	112	108	97	98	92	94	103	92	110	101	97	98
F1			CWBFEBF 17JK14	41 %	44 %	24 %	8 %	12 %	2.02	1.3	-0.82	12.8	4.2	3	1.9	1.6	6.6	-0.3	7.6	0.9	-0.4	-0.8
EBF 23539				41 %	44 %	24 %	8 %	12 %	46 %	44 %	24 %	24 %	26 %	8 %	18%	7%	34 %	19 %	19 %	18 %	16 %	12 %
EBF 230544		✓	EBF 200010	95	96	108	102	93	92	96	112	108	97	98	92	94	103	92	110	101	97	98
F1			CWBFEB F17AX9	41 %	44 %	24 %	8 %	12 %	2.02	1.3	-0.82	12.8	4.2	3	1.9	1.6	6.6	-0.3	7.6	0.9	-0.4	-0.8
EBF 23544				41 %	44 %	24 %	8 %	12 %	46 %	44 %	24 %	24 %	26 %	8 %	18%	7%	34 %	19 %	19 %	18 %	16 %	12 %
EBF 230547		✓	EBF 200010	97	95	107	102	93	95	95	116	107	96	98	92	94	107	92	110	101	97	98
F1			CWBFEB F17AM7	49 %	44 %	24 %	8 %	12 %	1.74	1.0	-1.00	12.6	3.5	3	1.9	1.6	8.2	-0.3	7.6	0.9	-0.4	-0.8
EBF 23547				49 %	44 %	24 %	8 %	12 %	51 %	44 %	39 %	24 %	26 %	8 %	18%	7%	37 %	19 %	19 %	18 %	16 %	12 %
EBF 230557	2	✓	EBF 200010	97	64	73	137	98	139	64	147	73	63	63	97	100	120	101	98	101	96	102
F2		✓	EBF 160501	66 %	66 %	44 %	15 %	22 %	-2.56	-11.7	-2.16	-5.8	-19.8	-47	-0.9	0.5	13.7	0.9	-0.4	0.9	-0.5	-0.2
EBF 23557				66 %	66 %	44 %	15 %	22 %	71 %	66 %	48 %	44 %	40 %	15%	30%	15%	46 %	28 %	28 %	25 %	20 %	15 %
EBF 230559		✓	EBF 190012	118	73	107	117	89	116	73	123	107	76	83	93	86	106	92	95	103	99	106
F1			CWBFEBF 201430	49 %	44 %	26 %	10 %	15 %	-0.27	-7.9	-1.26	12.7	-10.1	-18	1.0	3.0	7.9	-0.2	-2.9	1.3	-0.2	0.5
EBF 23559				49 %	44 %	26 %	10 %	15 %	51 %	44 %	41 %	26 %	28 %	10%	23%	7%	38 %	19 %	19 %	17 %	15 %	10 %
EBF 230560		✓	EBF 200010	98	95	107	102	93	97	95	120	107	95	98	92	94	107	92	110	101	97	98
F1			CWBFEBF 17JK20	49 %	44 %	24 %	8 %	12 %	1.52	0.7	-1.13	12.5	3.1	3	1.9	1.6	8.2	-0.3	7.6	0.9	-0.4	-0.8
EBF 23560				49 %	44 %	24 %	8 %	12 %	51 %	44 %	39 %	24 %	26 %	8 %	18%	7%	37 %	19 %	19 %	18 %	16 %	12 %
EBF 230602	2	✓	EBF 190012	121	68	88	131	93	118	68	126	88	69	69	96	93	118	98	87	102	100	111
F2		✓	EBF 200505	64 %	66 %	45 %	16 %	20 %	-0.53	-10.0	-1.37	2.3	-15.5	-38	-0.5	1.8	12.8	0.5	-8.6	1.0	-0.1	1.3
EBF 23602				64 %	66 %	45 %	16 %	20 %	70 %	66 %	42 %	45 %	42 %	16%	28%	11%	44 %	27 %	27 %	25 %	18 %	13 %
EBF 230607	1	✓	SWK 200078	112	87	82	117	90	111	87	90	82	90	83	90	92	113	101	105	92	110	105
F2		✓	EBF 200506	69 %	69 %	50 %	23 %	28 %	0.17	-2.4	0.01	-0.7	-0.4	-18	3.2	1.9	10.7	0.9	4.5	-0.5	0.8	0.4
EBF 23607				69 %	69 %	50 %	23 %	28 %	74 %	69 %	49 %	50 %	53 %	23%	41%	16%	48 %	36 %	36 %	32 %	32 %	26 %
EBF 230608	1	✓	GRSFF0146	108	112	101	97	96	104	112	114	101	110	103	94	98	103	99	100	96	117	114
F2		✓	EBF 200512	63 %	59 %	40 %	20 %	26 %	0.82	7.6	-0.89	9.3	13.5	10	0.8	0.8	6.3	0.6	1.1	0.2	1.5	1.8
EBF 23608				63 %	59 %	40 %	20 %	26 %	68 %	59 %	44 %	40 %	44 %	20%	36%	17%	52 %	44 %	45 %	42 %	39 %	28 %
EBF 230626	2	✓	EBF 190012	106	56	90	140	93	134	56	136	90	57	60	97	93	117	98	87	102	100	111
F2		✓	EBF 200520	64 %	66 %	45 %	16 %	20 %	-2.04	-14.7	-1.73	3.5	-23.4	-51	-0.9	1.8	12.6	0.5	-8.6	1.0	-0.1	1.3
EBF 23626				64 %	66 %	45 %	16 %	20 %	70 %	66 %	42 %	45 %	42 %	16%	28%	11%	44 %	27 %	27 %	25 %	18 %	13 %

WAGYU Cows

Inbreeding >6% is high			<75		75 - 125	>125	Breeding values with an accuracy < 5% are not printed														
Cow			Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas				
ID	%Inbreeding	Parentage Genomic DNA Sire ID Dam ID	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
Name																					
JAPANESE BLACK																					
EBF 230642	2	EBF 200010	122	98	78	118	101	117	98	119	78	92	82	96	106	115	98	104	97	95	102
F2		EBF 160502	64 %	66 %	45 %	15 %	21 %	-0.46	1.9	-1.09	-2.7	0.8	-20	-0.6	-0.5	11.8	0.6	3.4	0.3	-0.6	-0.1
EBF 23642			64 %	66 %	45 %	15 %	21 %	70 %	66 %	41 %	45 %	40 %	15%	29%	13%	44 %	30 %	29 %	27 %	20 %	15 %
EBF 230643	2	EBF 190012	121	66	93	134	93	126	66	115	93	66	66	96	93	118	98	87	102	100	111
F2		EBF 200522	65 %	66 %	45 %	16 %	20 %	-1.29	-10.8	-0.93	5.0	-17.1	-43	-0.3	1.8	12.7	0.5	-8.6	1.0	-0.1	1.3
EBF 23643			65 %	66 %	45 %	16 %	20 %	70 %	66 %	44 %	45 %	42 %	16%	28%	11%	44 %	27 %	27 %	25 %	18 %	13 %
EBF 230649	1	EBF 200010	87	113	93	104	101	89	113	92	93	105	96	89	110	119	100	111	105	101	100
F2		EBF 200548	64 %	64 %	40 %	13 %	20 %	2.33	8.2	-0.08	5.1	10.1	0	3.4	-1.2	13.2	0.9	8.5	1.6	0.0	-0.5
EBF 23649			64 %	64 %	40 %	13 %	20 %	71 %	64 %	39 %	40 %	41 %	13%	27%	14%	43 %	26 %	28 %	25 %	21 %	16 %
EBF 230650	1	EBF 200010	106	103	91	105	101	102	103	105	91	101	95	89	110	122	101	107	106	99	100
F2		EBF 200533	64 %	64 %	40 %	13 %	21 %	1.00	4.3	-0.55	3.8	6.8	0	3.5	-1.2	14.5	0.9	5.5	1.7	-0.2	-0.5
EBF 23650			64 %	64 %	40 %	13 %	21 %	71 %	64 %	39 %	40 %	41 %	13%	28%	14%	42 %	26 %	27 %	25 %	21 %	16 %
EBF 230662	2	EBF 200010	126	71	85	134	101	119	71	113	85	71	66	93	107	121	101	98	101	96	102
F2		EBF 170511	65 %	68 %	45 %	15 %	22 %	-0.61	-8.6	-0.86	0.5	-13.8	-43	0.9	-0.8	14.3	0.9	-0.4	0.9	-0.5	-0.2
EBF 23662			65 %	68 %	45 %	15 %	22 %	71 %	68 %	41 %	45 %	40 %	15%	29%	14%	44 %	28 %	28 %	25 %	20 %	15 %
EBF 230717	2	SWK 200078	102	111	85	101	91	102	111	90	85	108	99	83	99	117	101	111	95	114	107
F3		EBF 200635	67 %	66 %	48 %	22 %	30 %	1.01	7.5	-0.01	0.8	11.9	5	7.3	0.7	12.5	1.0	8.9	-0.1	1.2	0.6
EBF 23717			67 %	66 %	48 %	22 %	30 %	72 %	66 %	47 %	48 %	54 %	22%	42%	17%	48 %	37 %	36 %	33 %	33 %	27 %
EBF 230730	3	EBF 190012	112	58	79	142	99	135	58	108	79	56	58	99	101	123	102	90	107	102	112
F3		EBF 200629	66 %	66 %	45 %	16 %	24 %	-2.20	-13.8	-0.70	-2.2	-24.6	-54	-2.1	0.2	15.0	1.1	-6.6	1.8	0.1	1.4
EBF 23730			66 %	66 %	45 %	16 %	24 %	72 %	66 %	44 %	45 %	42 %	16%	33%	15%	45 %	28 %	28 %	26 %	21 %	15 %
EBF 240012	5	SWK 200078	117	90	80	117	90	130	90	103	80	90	83	80	98	114	103	113	93	114	104
FB		EBF 200009	67 %	67 %	50 %	26 %	30 %	-1.67	-1.3	-0.49	-2.0	-0.8	-18	8.5	0.8	11.3	1.2	9.6	-0.2	1.2	0.2
EBF 24012			67 %	67 %	50 %	26 %	30 %	72 %	67 %	49 %	50 %	49 %	26%	44%	17%	50 %	41 %	40 %	37 %	37 %	30 %
EBF 240043	8	EBF 190012	126	63	81	148	90	122	63	105	81	61	52	84	96	114	100	116	121	112	103
FB		EBF 170004	66 %	66 %	44 %	13 %	24 %	-0.89	-12.1	-0.58	-1.2	-20.9	-62	6.6	1.3	11.0	0.8	11.8	4.1	1.1	0.0
EBF 24043			66 %	66 %	44 %	13 %	24 %	71 %	66 %	45 %	44 %	38 %	13%	36%	12%	50 %	36 %	36 %	33 %	27 %	19 %
EBF 240501		EBF 190012	115	75	108	117	89	110	75	115	108	78	83	93	86	101	92	95	103	99	106
F1		CWBFEB F17AM3	42 %	44 %	26 %	10 %	15 %	0.22	-7.3	-0.96	13.0	-9.1	-18	1.0	3.0	5.7	-0.2	-2.9	1.3	-0.2	0.5
EBF 24501			42 %	44 %	26 %	10 %	15 %	46 %	44 %	28 %	26 %	28 %	10%	23%	7%	36 %	19 %	19 %	17 %	15 %	10 %
EBF 240506		EBF 190012	115	75	108	117	89	110	75	115	108	78	83	93	86	101	92	95	103	99	106
F1		CWBFEB F17AM9	42 %	44 %	26 %	10 %	15 %	0.22	-7.3	-0.96	13.0	-9.1	-18	1.0	3.0	5.7	-0.2	-2.9	1.3	-0.2	0.5
EBF 24506			42 %	44 %	26 %	10 %	15 %	46 %	44 %	28 %	26 %	28 %	10%	23%	7%	36 %	19 %	19 %	17 %	15 %	10 %
EBF 240520		EBF 190012	115	75	108	117	89	110	75	115	108	78	83	93	86	101	92	95	103	99	106
F1		CWBFEBF 17JK20	42 %	44 %	26 %	10 %	15 %	0.22	-7.3	-0.96	13.0	-9.1	-18	1.0	3.0	5.7	-0.2	-2.9	1.3	-0.2	0.5
EBF 24520			42 %	44 %	26 %	10 %	15 %	46 %	44 %	28 %	26 %	28 %	10%	23%	7%	36 %	19 %	19 %	17 %	15 %	10 %

WAGYU Cows

Inbreeding >6% is high				<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed															
Cow				Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas				
ID	%Inbreeding	Parentage		Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
Name		Genomic DNA	Sire ID																			
JAPANESE BLACK																						
EBF 240528		✓	EBF 190012	115	75	108	117	89	110	75	115	108	78	83	93	86	101	92	95	103	99	106
F1			CWBFEF F17JK4	0.22	-7.3				0.22	-7.3	-0.96	13.0	-9.1	-18	1.0	3.0	5.7	-0.2	-2.9	1.3	-0.2	0.5
EBF 24528				42 %	44 %	26 %	10 %	15 %	46 %	44 %	28 %	26 %	28 %	10%	23%	7%	36 %	19 %	19 %	17 %	15 %	10 %
EBF 240540		✓	EBF 190012	115	75	108	117	89	110	75	115	108	78	83	93	86	101	92	95	103	99	106
F1			CWBFEBF 201430	0.22	-7.3				0.22	-7.3	-0.96	13.0	-9.1	-18	1.0	3.0	5.7	-0.2	-2.9	1.3	-0.2	0.5
EBF 24540				42 %	44 %	26 %	10 %	15 %	46 %	44 %	28 %	26 %	28 %	10%	23%	7%	36 %	19 %	19 %	17 %	15 %	10 %
EBF 240544		✓	EBF 200010	95	96	108	102	93	92	96	112	108	97	98	92	94	102	92	110	101	97	98
F1			CWBFEF F17AX2	2.02	1.3				2.02	1.3	-0.82	12.8	4.2	3	1.9	1.6	5.9	-0.3	7.6	0.9	-0.4	-0.8
EBF 24544				41 %	44 %	24 %	8 %	12 %	46 %	44 %	24 %	24 %	26 %	8 %	18%	7%	34 %	19 %	19 %	18 %	16 %	12 %
EBF 240546		✓	EBF 190012	115	75	108	117	89	110	75	115	108	78	83	93	86	101	92	95	103	99	106
F1			CWBFEF F17AM5	0.22	-7.3				0.22	-7.3	-0.96	13.0	-9.1	-18	1.0	3.0	5.7	-0.2	-2.9	1.3	-0.2	0.5
EBF 24546				42 %	44 %	26 %	10 %	15 %	46 %	44 %	28 %	26 %	28 %	10%	23%	7%	36 %	19 %	19 %	17 %	15 %	10 %
EBF 240610	1	✓	SWK 200080	104	91	90	116	96	104	91	89	90	100	84	92	101	110	117	91	104	138	118
F2		✓	EBF 200516	0.80	-0.7				0.80	-0.7	0.01	3.4	6.1	-16	1.9	0.4	9.5	2.9	-5.5	1.4	3.5	2.3
EBF 24610				64 %	64 %	40 %	23 %	22 %	71 %	64 %	38 %	40 %	42 %	23%	31%	12%	43 %	34 %	33 %	29 %	29 %	23 %
EBF 240614		✓	SWK 200080	94	97	111	96	94	95	97	94	111	110	104	96	92	95	107	103	104	139	114
F1				1.75	1.7				1.75	1.7	-0.14	14.8	13.2	11	-0.8	1.9	3.1	1.7	2.6	1.4	3.6	1.7
EBF 24614				42 %	44 %	25 %	19 %	14 %	47 %	44 %	25 %	25 %	38 %	19%	21%	7%	31 %	27 %	27 %	23 %	27 %	22 %
EBF 240616	1	✓	SWK 200080	119	74	90	123	99	114	74	102	90	86	77	101	99	111	113	94	102	140	119
F2		✓	EBF 210542	-0.15	-7.6				-0.15	-7.6	-0.47	3.2	-3.5	-27	-3.7	0.8	10.0	2.4	-3.1	1.1	3.7	2.5
EBF 24616				61 %	63 %	38 %	23 %	19 %	68 %	63 %	36 %	38 %	41 %	23%	27%	11%	41 %	34 %	33 %	29 %	29 %	23 %
EBF 240617	2	✓	SWK 200078	96	116	99	88	88	96	116	96	99	116	112	82	93	116	97	117	94	114	105
F2		✓	EBF 190512	1.63	9.5				1.63	9.5	-0.23	8.2	17.4	23	7.5	1.7	12.0	0.4	12.9	-0.1	1.3	0.3
EBF 24617				66 %	67 %	50 %	21 %	26 %	71 %	67 %	48 %	50 %	46 %	21%	38%	15%	47 %	35 %	35 %	32 %	32 %	26 %
EBF 240623	1	✓	SWK 200080	115	83	92	117	97	110	83	105	92	93	83	98	98	105	113	94	102	140	119
F2		✓	EBF 200510	0.24	-3.9				0.24	-3.9	-0.57	4.3	1.5	-18	-1.4	0.9	7.5	2.4	-3.1	1.1	3.7	2.5
EBF 24623				64 %	65 %	42 %	23 %	20 %	70 %	65 %	39 %	42 %	42 %	23%	28%	11%	43 %	34 %	33 %	29 %	29 %	23 %
EBF 240624	2	✓	EBF 200010	117	75	79	130	104	128	75	124	79	74	70	101	106	117	101	98	101	96	102
F2		✓	EBF 210545	-1.46	-7.3				-1.46	-7.3	-1.28	-2.3	-12.1	-37	-3.4	-0.6	12.4	0.9	-0.4	0.9	-0.5	-0.2
EBF 24624				71 %	67 %	42 %	15 %	21 %	71 %	67 %	38 %	42 %	32 %	15%	29%	13%	42 %	28 %	28 %	25 %	20 %	15 %
EBF 240626	1	✓	SWK 200078	109	102	92	102	89	107	102	96	92	103	98	87	92	113	97	109	90	111	107
F2		✓	EBF 200523	0.59	3.9				0.59	3.9	-0.25	4.7	8.6	3	4.7	2.0	10.6	0.4	6.9	-0.8	1.0	0.6
EBF 24626				66 %	67 %	50 %	23 %	26 %	71 %	67 %	49 %	50 %	46 %	23%	39%	14%	48 %	36 %	36 %	32 %	32 %	26 %
EBF 240631	2	✓	SWK 200078	96	117	99	93	93	101	117	75	99	117	107	84	101	114	100	118	96	115	103
F2		✓	EBF 200548	1.10	9.9				1.10	9.9	0.55	8.2	18.1	16	6.7	0.3	11.1	0.8	13.4	0.2	1.3	0.0
EBF 24631				67 %	66 %	47 %	21 %	28 %	72 %	66 %	47 %	47 %	44 %	21%	40%	16%	47 %	35 %	36 %	32 %	32 %	26 %

WAGYU Cows

Inbreeding >6% is high				<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed																		
Cow				Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas							
ID	%Inbreeding	Parentage		Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness			
Name		Genomic DNA	Sire ID																				Dam ID		
JAPANESE BLACK																									
EBF 240634	2	✓	EBF 190012	109	50	86	149	101	138	50	110	86	52	51	100	103	120	101	83	103	98	110			
F2		✓	EBF 200514	-2.46	-17.4	-0.77	1.4	-27.0	-64	-3.1	0.0	13.6	-10.9	-1.3	-0.3	1.1									
EBF 24634				66 %	66 %	45 %	16 %	23 %	72 %	66 %	43 %	45 %	34 %	16 %	32 %	14 %	45 %	27 %	27 %	25 %	18 %	13 %			
EBF 240635	2	✓	EBF 190012	123	78	91	122	92	117	78	116	91	75	78	91	94	116	97	95	106	103	110			
F2		✓	EBF 210515	-0.45	-5.7	-1.00	4.2	-11.1	-26	2.2	1.6	12.0	-2.6	1.8	0.1	1.1									
EBF 24635				63 %	64 %	41 %	14 %	20 %	69 %	64 %	39 %	41 %	32 %	14 %	28 %	12 %	43 %	26 %	27 %	24 %	20 %	14 %			
EBF 240637	2	✓	EBF 190012	117	65	82	141	97	112	65	106	82	65	59	96	99	116	101	83	103	98	110			
F2		✓	EBF 200539	0.07	-11.1	-0.61	-0.8	-18.1	-52	-0.3	0.7	12.2	-10.9	1.3	-0.3	1.1									
EBF 24637				65 %	65 %	43 %	16 %	22 %	71 %	65 %	42 %	43 %	32 %	16 %	31 %	12 %	44 %	27 %	27 %	25 %	18 %	13 %			
EBF 240638	2	✓	EBF 190012	120	64	84	140	96	127	64	117	84	63	60	93	100	119	101	83	103	98	110			
F2		✓	EBF 170511	-1.34	-11.7	-1.02	0.1	-19.4	-51	1.0	0.6	13.5	-10.9	1.3	-0.3	1.1									
EBF 24638				66 %	68 %	46 %	16 %	23 %	72 %	68 %	44 %	46 %	34 %	16 %	32 %	14 %	45 %	27 %	27 %	25 %	18 %	13 %			
EBF 240645	1	✓	EBF 200010	72	104	93	107	96	75	104	96	93	98	93	89	102	115	97	110	104	100	101			
F2		✓	EBF 210509	3.67	4.5	-0.25	5.2	5.3	-4	3.6	0.2	11.8	7.9	1.4	-0.1	-0.3									
EBF 24645				61 %	63 %	37 %	13 %	18 %	68 %	63 %	34 %	37 %	30 %	13 %	24 %	12 %	41 %	26 %	27 %	25 %	21 %	16 %			
EBF 240647	2	✓	EBF 200010	112	70	78	135	98	107	70	105	78	71	65	97	101	115	101	98	101	96	102			
F2		✓	EBF 200506	0.52	-9.3	-0.56	-2.8	-14.1	-44	-0.9	0.4	11.8	-0.4	0.9	-0.5	-0.2									
EBF 24647				66 %	67 %	43 %	15 %	21 %	73 %	67 %	41 %	43 %	31 %	15 %	29 %	13 %	44 %	28 %	28 %	25 %	20 %	15 %			
EBF 240654	1	✓	EBF 200010	111	95	90	117	102	107	95	102	90	90	83	91	111	121	101	107	106	99	100			
F2		✓	EBF 210518	0.52	0.9	-0.44	3.2	-0.8	-18	2.4	-1.5	14.0	5.5	1.7	-0.2	-0.5									
EBF 24654				64 %	66 %	41 %	13 %	20 %	70 %	66 %	39 %	41 %	34 %	13 %	28 %	13 %	42 %	26 %	27 %	25 %	21 %	16 %			
EBF 240656	1	✓	EBF 200010	73	114	96	100	95	76	114	98	96	106	100	87	102	116	97	110	104	100	101			
F2		✓	EBF 210506	3.60	8.7	-0.31	6.6	10.8	6	4.7	0.2	12.3	7.9	1.4	-0.1	-0.3									
EBF 24656				61 %	64 %	40 %	13 %	18 %	68 %	64 %	36 %	40 %	30 %	13 %	24 %	12 %	42 %	26 %	27 %	25 %	21 %	16 %			
EBF 240658	EBF 200010			95	96	108	102	93	92	96	112	108	97	98	92	94	100	92	110	101	97	98			
PEN				2.02	1.3	-0.82	12.8	4.2	3	1.9	1.6	5.0	7.6	0.9	-0.4	-0.8									
EBF 24658				41 %	44 %	24 %	8 %	12 %	46 %	44 %	24 %	24 %	26 %	8 %	18 %	7 %	32 %	19 %	19 %	18 %	16 %	12 %			
EBF 240660	1	✓	EBF 200010	100	73	88	127	97	138	73	140	88	73	73	96	98	109	104	99	113	91	93			
F2		✓	EBF 210529	-2.48	-7.8	-1.88	2.5	-12.5	-32	-0.7	0.8	9.0	-0.1	2.8	-1.0	-1.6									
EBF 24660				60 %	63 %	35 %	14 %	18 %	67 %	63 %	33 %	35 %	30 %	14 %	24 %	13 %	42 %	28 %	28 %	26 %	22 %	18 %			
EBF 240663	2	✓	EBF 190012	95	60	83	139	100	147	61	121	83	60	61	101	100	122	101	92	108	101	109			
F2		✓	EBF 200530	-3.37	-13.0	-1.17	-0.5	-21.5	-49	-3.3	0.5	14.8	-4.9	2.1	0.0	0.9									
EBF 24663				65 %	66 %	45 %	14 %	22 %	71 %	66 %	44 %	45 %	34 %	14 %	31 %	13 %	44 %	26 %	27 %	24 %	20 %	14 %			
EBF 240739	3	✓	EBF 190012	111	46	82	151	101	135	46	104	82	46	49	102	101	122	102	90	107	102	112			
F3		✓	EBF 200629	-2.18	-18.8	-0.53	-1.1	-31.4	-67	-3.8	0.3	14.5	-6.6	1.8	0.1	1.4									
EBF 24739				66 %	66 %	45 %	16 %	24 %	72 %	66 %	44 %	45 %	34 %	16 %	33 %	15 %	45 %	28 %	28 %	26 %	21 %	15 %			

WAGYU Cows

Inbreeding >6% is high				<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed															
Cow				Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas				
ID	%Inbreeding	Parentage		Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
Name		Genomic DNA	Sire ID Dam ID																			
JAPANESE BLACK																						
EBF 240761	5	✓	EBF 200010	107	70	78	137	97	134	70	130	78	69	63	94	101	113	105	97	104	94	98
F3		✓	EBF 210650	-2.09	-9.0	-1.52	-3.1	-15.3	-47	0.8	0.3	10.6	28%	11%	42%	24%	24%	22%	19%	14%	14%	
EBF 24761				63 %	66 %	37 %	13 %	20 %	70 %	66 %	34 %	37 %	33 %	13%	28%	11%	42 %	24 %	24 %	22 %	19 %	14 %
EBF 250001	8	✓	EBF 200010	84	55	72	142	102	156	55	124	72	56	58	100	105	118	103	91	108	87	100
FB		✓	EBF 190011	-4.21	-15.3	-1.28	-6.0	-24.6	-54	-2.7	-0.4	12.9	-24.6	-54	-2.7	-0.4	12.9	1.2	-5.9	2.0	-1.3	-0.5
EBF EBF25001				66 %	67 %	45 %	18 %	26 %	72 %	67 %	43 %	45 %	37 %	18%	33%	18%	46 %	33 %	34 %	32 %	30 %	23 %
EBF 250015	5	✓	EBF 200010	112	77	76	134	96	129	77	133	76	72	66	92	101	112	99	94	110	86	101
FB		✓	EBF 210002	-1.63	-6.2	-1.62	-4.1	-13.0	-42	2.1	0.3	10.5	-13.0	-42	2.1	0.3	10.5	0.7	-3.6	2.3	-1.4	-0.3
EBF EBF25015				64 %	67 %	40 %	14 %	20 %	71 %	67 %	37 %	40 %	35 %	14%	28%	12%	43 %	27 %	27 %	25 %	22 %	16 %
EBF 250027	2	✓	SWK 190060	109	74	73	133	98	130	74	141	73	70	67	99	99	113	126	91	119	98	93
FB		✓	EBF 220060	-1.69	-7.7	-1.91	-5.7	-14.6	-41	-2.0	0.7	10.8	-14.6	-41	-2.0	0.7	10.8	4.1	-5.7	3.7	-0.3	-1.6
EBF EBF25027				66 %	66 %	40 %	23 %	27 %	72 %	66 %	43 %	40 %	46 %	23%	37%	17%	45 %	38 %	38 %	35 %	37 %	31 %
EBF 250029	9	✓	EBF 200010	77	101	79	118	89	78	101	102	79	91	82	70	104	119	99	121	116	102	100
FB		✓	EBF 200005	3.36	3.3	-0.46	-2.6	0.2	-19	14.7	-0.2	13.3	0.2	-19	14.7	-0.2	13.3	0.7	15.3	3.2	0.1	-0.4
EBF EBF25029				70 %	65 %	42 %	21 %	26 %	70 %	65 %	42 %	42 %	37 %	21%	34%	17%	47 %	34 %	34 %	33 %	30 %	23 %
EBF 250062	8	✓	EBF 200010	120	73	77	140	100	116	73	120	77	69	60	94	106	121	100	106	113	96	98
FB		✓	EBF 220036	-0.33	-8.1	-1.15	-3.7	-15.5	-50	0.8	-0.5	14.4	-15.5	-50	0.8	-0.5	14.4	0.8	4.9	2.8	-0.5	-0.8
EBF EBF25062				62 %	66 %	37 %	10 %	19 %	68 %	66 %	37 %	37 %	34 %	10%	29%	9%	43 %	25 %	26 %	24 %	21 %	15 %
EBF 250607	2	✓	SWK 200078	109	102	101	98	89	108	102	95	101	105	102	85	93	117	97	117	94	114	105
F2		✓	EBF 190512	0.48	3.9	-0.20	9.1	10.1	10	6.0	1.7	12.4	10.1	10	6.0	1.7	12.4	0.4	12.9	-0.1	1.3	0.3
EBF EBF25607				66 %	67 %	50 %	21 %	26 %	71 %	67 %	48 %	50 %	46 %	21%	38%	15%	47 %	35 %	35 %	32 %	32 %	26 %
EBF 250608	2	✓	SWK 190060	119	89	76	115	105	113	89	110	76	87	85	98	111	114	121	99	107	108	98
F2		✓	EBF 170518	0.01	-1.6	-0.77	-3.9	-2.9	-16	-1.5	-1.5	11.3	-2.9	-16	-1.5	-1.5	11.3	3.5	0.1	1.9	0.7	-0.9
EBF EBF25608				67 %	67 %	47 %	25 %	28 %	72 %	67 %	47 %	47 %	44 %	25%	38%	19%	48 %	40 %	41 %	37 %	37 %	31 %
EBF 250613	1	✓	SWK 190060	101	95	88	109	102	101	95	125	88	93	91	98	105	107	120	103	110	106	92
F2		✓	EBF 220557	1.15	0.8	-1.32	2.6	1.4	-6	-2.0	-0.4	8.3	1.4	-6	-2.0	-0.4	8.3	3.4	3.1	2.3	0.5	-1.7
EBF EBF25613				63 %	63 %	37 %	23 %	24 %	69 %	63 %	41 %	37 %	42 %	23%	33%	16%	44 %	37 %	37 %	34 %	36 %	31 %
EBF 250628	4	✓	SWK 190060	111	63	77	134	111	132	63	128	77	68	66	108	114	113	120	102	114	114	99
F2		✓	EBF 220535	-1.87	-12.0	-1.43	-3.5	-16.1	-43	-7.3	-2.0	10.9	-16.1	-43	-7.3	-2.0	10.9	3.3	1.9	2.9	1.3	-0.6
EBF EBF25628				65 %	65 %	39 %	23 %	26 %	71 %	65 %	41 %	39 %	46 %	23%	36%	17%	45 %	37 %	38 %	35 %	37 %	31 %
EBF 250631	2	✓	EBF 200010	121	78	84	130	101	115	78	113	84	77	70	93	107	121	101	98	101	96	102
F2		✓	EBF 170511	-0.27	-6.0	-0.88	0.2	-10.0	-36	0.9	-0.8	14.2	-10.0	-36	1.4	-0.8	14.2	0.9	-0.4	0.9	-0.5	-0.2
EBF EBF25631				66 %	68 %	45 %	15 %	22 %	72 %	68 %	41 %	45 %	32 %	15%	29%	14%	44 %	28 %	28 %	25 %	20 %	15 %
EBF 250633	2	✓	EBF 200010	93	85	82	128	101	92	85	102	82	83	72	94	107	118	101	98	101	96	102
F2		✓	EBF 200539	2.02	-3.2	-0.44	-0.9	-5.8	-33	0.4	-0.7	12.9	-5.8	-33	0.4	-0.7	12.9	0.9	-0.4	0.9	-0.5	-0.2
EBF EBF25633				64 %	65 %	42 %	15 %	20 %	71 %	65 %	39 %	42 %	30 %	15%	28%	12%	43 %	28 %	28 %	25 %	20 %	15 %

WAGYU Cows

Inbreeding >6% is high				<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed																
Cow				Selection Values					Kalf gewig		Moeder		Groeï		Vrugbaarheid			Karkas					
ID	%Inbreeding	Parentage		Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling	Fineness
Name		Genomic DNA	Sire ID																				
JAPANESE BLACK																							
EBF 250634	3	✓	EBF 200010	121	90	85	119	103	124	90	124	85	88	81	98	108	116	100	101	107	102	103	
F2		✓	EBF 220510						-1.08	-1.1	-1.28	0.9	-2.0	-21	-1.5	-0.9	12.0	0.8	1.3	1.9	0.1	0.1	
EBF EBF25634				62 %	65 %	35 %	12 %	18 %	70 %	65 %	33 %	35 %	33 %	12%	27%	10%	40 %	23 %	23 %	21 %	20 %	15 %	
EBF 250635	1	✓	EBF 200010	83	105	97	106	96	84	105	98	97	99	94	88	102	117	97	110	104	100	101	
F2		✓	EBF 210506						2.75	4.8	-0.29	7.2	5.7	-2	4.0	0.2	12.7	0.4	7.9	1.4	-0.1	-0.3	
EBF EBF25635				62 %	64 %	40 %	13 %	18 %	69 %	64 %	36 %	40 %	30 %	13%	24%	12%	42 %	26 %	27 %	25 %	21 %	16 %	
EBF 250636	2	✓	EBF 200010	115	90	88	117	97	116	90	136	88	85	83	93	100	118	97	102	99	97	103	
F2		✓	EBF 200520						-0.29	-0.9	-1.72	2.5	-3.9	-18	1.0	0.4	12.8	0.5	1.9	0.6	-0.3	0.0	
EBF EBF25636				64 %	66 %	44 %	15 %	18 %	70 %	66 %	40 %	44 %	31 %	15%	25%	11%	42 %	28 %	28 %	25 %	20 %	15 %	
EBF 250639	2	✓	EBF 200010	112	77	79	131	104	109	77	120	79	76	69	101	106	118	101	98	101	96	102	
F2		✓	EBF 210545						0.38	-6.5	-1.13	-2.3	-10.5	-39	-3.6	-0.6	12.8	0.9	-0.4	0.9	-0.5	-0.2	
EBF EBF25639				64 %	67 %	42 %	15 %	21 %	71 %	67 %	38 %	42 %	32 %	15%	29%	13%	42 %	28 %	28 %	25 %	20 %	15 %	
EBF 250643	1	✓	EBF 200010	122	73	84	129	104	116	73	112	84	73	71	100	108	124	101	107	106	99	100	
F2		✓	EBF 200530						-0.30	-8.0	-0.83	0.0	-12.3	-36	-3.0	-0.9	15.5	0.9	5.5	1.7	-0.2	-0.5	
EBF EBF25643				66 %	66 %	44 %	13 %	21 %	72 %	66 %	42 %	44 %	32 %	13%	28%	14%	43 %	26 %	27 %	25 %	21 %	16 %	
EBF 250646	5	✓	EBF 200010	113	70	82	136	100	129	70	131	82	67	64	98	102	123	98	96	105	93	103	
F3		✓	EBF 220503						-1.59	-9.0	-1.55	-0.6	-16.5	-45	-1.7	0.1	15.0	0.6	-1.7	1.5	-0.7	0.0	
EBF EBF25646				64 %	64 %	37 %	11 %	18 %	71 %	64 %	37 %	37 %	30 %	11%	27%	10%	42 %	24 %	24 %	22 %	19 %	14 %	
EBF 250647	3	✓	EBF 200011	80	97	89	116	98	84	97	89	89	93	84	96	100	128	100	88	94	108	115	
F2		✓	EBF 210532						2.83	1.7	0.03	3.0	1.4	-17	-0.5	0.6	17.1	0.8	-7.5	-0.2	0.7	1.9	
EBF EBF25647				62 %	60 %	38 %	18 %	20 %	68 %	60 %	39 %	38 %	25 %	18%	28%	11%	41 %	29 %	29 %	26 %	22 %	15 %	
EBF 250653	3	✓	EBF 200011	113	94	85	119	103	109	94	101	85	90	81	99	106	124	107	86	101	103	107	
F2		✓	EBF 220515						0.34	0.3	-0.42	0.5	-0.3	-22	-2.2	-0.5	15.3	1.7	-9.2	0.9	0.2	0.6	
EBF EBF25653				63 %	61 %	35 %	15 %	20 %	70 %	61 %	37 %	35 %	30 %	15%	29%	10%	40 %	24 %	24 %	22 %	20 %	14 %	
EBF 250658	3	✓	EBF 200011	118	80	87	124	99	128	80	120	87	79	76	99	101	126	99	91	100	114	117	
F2		✓	EBF 220541						-1.45	-5.3	-1.12	2.0	-8.1	-29	-2.2	0.4	16.4	0.7	-5.8	0.8	1.2	2.2	
EBF EBF25658				60 %	58 %	32 %	16 %	18 %	67 %	58 %	35 %	32 %	25 %	16%	25%	10%	39 %	25 %	25 %	23 %	22 %	15 %	
EBF 260036	4		FGW 220219	121	68	79	137	96	127	68	105	79	64	63	96	97	116	115	89	110	108	104	
PEN			EBF 230011						-1.34	-10.1	-0.56	-2.6	-18.7	-46	-0.5	1.0	12.2	2.7	-6.7	2.3	0.7	0.1	
EBF EBF26036				59 %	34 %	28 %	21 %	18 %	66 %	34 %	32 %	28 %	30 %	21%	26%	11%	34 %	22 %	22 %	20 %	19 %	15 %	
EBF 260043	7		EBF 200011	119	78	76	137	101	113	78	110	76	73	63	96	105	132	103	92	108	106	110	
PEN			EBF 220036						-0.02	-6.1	-0.75	-3.7	-12.4	-46	-0.5	-0.4	19.1	1.1	-4.6	2.0	0.5	1.1	
EBF EBF26043				63 %	46 %	34 %	14 %	20 %	70 %	46 %	37 %	34 %	31 %	14%	31%	10%	40 %	27 %	27 %	25 %	23 %	16 %	
EBF 260601	3		EBF 200011	90	100	87	116	99	88	100	106	87	94	84	99	101	126	100	88	94	108	115	
PEN			EBF 200507						2.41	2.8	-0.59	2.0	2.3	-17	-2.1	0.4	16.5	0.8	-7.5	-0.2	0.7	1.9	
EBF EBF26601				64 %	42 %	37 %	18 %	20 %	70 %	42 %	41 %	37 %	25 %	18%	29%	11%	40 %	29 %	29 %	26 %	22 %	15 %	

WAGYU Cows

Inbreeding >6% is high			<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed																
Cow				Selection Values					Kalf gewig		Moeder		Groeï		Vrugbaarheid			Karkas				
ID	%Inbreeding	Parentage		Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
Name		Genomic DNA	Sire ID Dam ID																			
JAPANESE BLACK																						
EBF 260609	5		EBF 200011	97	96	90	109	97	98	96	89	90	92	91	93	101	126	100	97	99	111	113
PEN			EBF 200501	63 %	43 %	41 %	16 %	19 %	1.39	1.4	0.03	3.5	0.8	-6	1.3	0.3	16.1	0.8	-1.5	0.6	1.0	1.6
EBF EBF26609									69 % 43 %		41 % 41 %		27 % 16%		27% 11% 40 %			28 % 28 % 26 % 23 % 16 %				
EBF 260611	1		FGW 220219	120	77	95	121	89	114	77	104	95	76	79	92	88	109	108	95	110	104	100
PEN			EBF 230536	58 %	32 %	24 %	19 %	13 %	-0.17	-6.5	-0.55	6.0	-10.1	-24	1.9	2.6	9.1	1.9	-2.5	2.3	0.3	-0.4
EBF EBF26611									66 % 32 %		29 % 24 %		28 % 19%		18% 8% 30 %			19 % 19 % 17 % 17 % 13 %				
EBF 260620	4		EBF 200011	123	79	82	130	100	123	79	121	82	74	70	100	101	134	101	83	100	104	115
PEN			EBF 220503	63 %	42 %	34 %	15 %	20 %	-1.02	-5.6	-1.16	-0.9	-11.7	-37	-2.6	0.2	19.6	0.9	-11.1	0.7	0.3	1.9
EBF EBF26620									70 % 42 %		37 % 34 %		26 % 15%		30% 10% 38 %			25 % 25 % 23 % 21 % 14 %				
EBF 260621	3		EBF 200011	109	103	78	116	102	105	103	106	78	96	84	98	105	126	101	90	92	105	114
PEN			EBF 160502	51 %	45 %	43 %	18 %	23 %	0.79	4.3	-0.62	-2.9	3.9	-16	-1.8	-0.4	16.3	0.9	-6.0	-0.5	0.4	1.8
EBF EBF26621									54 % 45 %		41 % 43 %		28 % 18%		32% 14% 42 %			31 % 31 % 27 % 22 % 15 %				
EBF 260623	5		EBF 200011	116	97	91	109	102	113	97	95	91	93	91	92	109	132	103	93	101	110	112
PEN			EBF 200533	64 %	41 %	37 %	16 %	22 %	-0.05	1.8	-0.20	4.0	1.8	-6	1.8	-1.1	19.0	1.2	-3.9	0.9	0.8	1.4
EBF EBF26623									70 % 41 %		40 % 37 %		27 % 16%		30% 13% 40 %			28 % 28 % 26 % 23 % 16 %				
EBF 260629	3		EBF 200011	118	94	84	118	103	114	94	102	84	91	82	99	106	124	107	86	101	103	107
PEN			EBF 220515	63 %	45 %	34 %	15 %	20 %	-0.10	0.6	-0.47	0.4	-0.1	-20	-2.0	-0.5	15.6	1.7	-9.2	0.9	0.2	0.6
EBF EBF26629									70 % 45 %		37 % 34 %		30 % 15%		29% 10% 38 %			24 % 24 % 22 % 20 % 14 %				
EBF 260632	1		FGW 220219	113	86	95	114	91	108	86	104	95	85	86	91	92	110	108	103	108	103	96
PEN			EBF 230547	58 %	32 %	24 %	19 %	12 %	0.42	-2.8	-0.55	5.9	-4.3	-13	2.4	1.9	9.3	1.8	2.8	2.1	0.2	-1.1
EBF EBF26632									66 % 32 %		28 % 24 %		28 % 19%		17% 8% 30 %			19 % 19 % 17 % 17 % 13 %				
EBF 260633	3		FGW 220223	114	96	77	106	103	113	96	91	77	96	94	102	105	126	97	110	113	102	105
PEN			EBF 200530	63 %	45 %	44 %	24 %	22 %	-0.01	1.4	-0.05	-3.5	3.3	-2	-4.2	-0.3	16.4	0.5	8.0	2.8	0.1	0.3
EBF EBF26633									69 % 45 %		42 % 44 %		34 % 24%		29% 15% 38 %			25 % 25 % 23 % 20 % 14 %				
EBF 260647	3		EBF 200011	106	95	86	118	99	103	95	118	86	92	82	97	101	127	99	91	100	114	117
PEN			EBF 220541	60 %	38 %	31 %	16 %	18 %	0.91	1.1	-1.06	1.2	0.5	-20	-1.2	0.4	16.6	0.7	-5.8	0.8	1.2	2.2
EBF EBF26647									67 % 38 %		35 % 31 %		25 % 16%		25% 10% 37 %			25 % 25 % 23 % 22 % 15 %				
EBF 260735	6		EBF 200011	123	90	78	121	99	116	90	108	78	84	79	95	104	133	104	91	99	111	115
PEN			EBF 200605	65 %	45 %	42 %	17 %	24 %	-0.34	-1.2	-0.69	-3.0	-5.1	-24	0.3	-0.2	19.4	1.3	-5.5	0.6	0.9	1.9
EBF EBF26735									71 % 45 %		43 % 42 %		29 % 17%		32% 15% 41 %			30 % 30 % 27 % 24 % 17 %				
EBF 260746	6		EBF 200011	108	91	78	122	104	107	91	94	78	85	78	99	109	134	104	91	99	111	115
PEN			EBF 200629	65 %	44 %	41 %	17 %	24 %	0.54	-0.6	-0.16	-2.8	-4.0	-24	-2.5	-1.0	20.0	1.3	-5.5	0.6	0.9	1.9
EBF EBF26746									71 % 44 %		42 % 41 %		28 % 17%		32% 15% 41 %			30 % 30 % 27 % 24 % 17 %				



CWB

BREEDING VALUE REPORT

September 2026



ELANDSBERG FARMS

Herd Number: 8191261


E-mail: jonathan@rapula.co.za



**WAGYU
SOCIETY**
OF SOUTH AFRICA



**CERTIFICATE
OF QUALITY**
Valid up to
October 2029



CWB Dams

Dam				Growth					Carcass					Stats				
ID	Parentage	Sire ID		Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name	Gen.	DNA	Dam ID															
JAPANESE BLACK																		
CWBFEBF 210513			FGW 130003	91	90	92	91	92	100	96	97	90	108	111				
PEN			CWBFEB F17AM7	2.13	-0.9	0.8	0.5	-5	8.6	0.3	-1.3	-0.8	0.6	1.3	1	1		
21513				46%	43%	39%	19%	26%	42%	40%	39%	35%	23%	17%				
CWBFEBF 210516		✓	EBF 160002	81	105	106	103	110	111	95	114	100	114	108				
F1			CWBFEB F17AX9	3.07	5.1	9.9	10.0	20	14.4	0.2	10.6	0.7	1.2	0.8	2	3	1	
21516				44%	38%	37%	23%	20%	39%	36%	37%	34%	28%	20%				
CWBFEBF 210521			FGW 130003	91	90	92	91	92	100	96	97	90	108	111				
PEN			CWBFEB F17JK4	2.13	-0.9	0.8	0.5	-5	8.6	0.3	-1.3	-0.8	0.6	1.3	1	1		
21521				46%	43%	39%	19%	26%	42%	40%	39%	35%	23%	17%				
CWBFEBF 220501			EBF 190001	118	87	90	92	87	96	110	92	103	98	96				
F1			EB F17AD5	-0.56	-2.1	-0.2	1.5	-13	6.7	2.0	-4.7	1.3	-0.3	-1.2	1	1		
22501				65%	34%	35%	15%	15%	29%	21%	21%	19%	17%	10%				
EB F17AD2				82	98	109			119									
BS				2.94	2.0	11.7			18.9						1	1	1	
EBF EBF17AD2				33%	22%	14%			30%									
EB F17AD5				103														
BS				0.89											1	2	1	
EBF EBF17AD5				39%														
EB F20148				95	87	98			118									
BS				1.68	-2.3	4.9			18.0						1	4	2	
EBF20148				54%	44%	45%			62%									
EBF 120023				97	88	100			112									
BS				1.50	-1.9	5.8			15.2						1	1	1	
EBF BONSMARA 120023				34%	27%	23%			35%									
EBF 140011				91	100	111			127									
BS				2.11	3.1	13.0			22.9						1	1	1	
EBF BONSMARA 140011				35%	33%	23%			50%									
EBF 140026				97	91	103			113									
BS				1.51	-0.8	7.7			15.4						1	1	1	
EBF BONSMARA 140026				35%	27%	23%			36%									
EBF 160005			MOYFF0054	126	53	49	55	47	74	88	107	117	99	110				
FB			KSOFH0053	-1.32	-16.0	-25.6	-27.7	-70	-5.2	-0.7	6.0	3.4	-0.2	1.1	4	6	2	
EBF16005				67%	56%	60%	41%	18%	47%	57%	57%	54%	46%	33%				
EBF 160008			MOYFF0054	109	79	75	77	71	76	97	115	109	129	114				
FB			KSOFH0051AU	0.33	-5.7	-9.7	-10.8	-36	-4.0	0.4	11.3	2.1	2.7	1.8	2	8	3	
EBF16008				74%	61%	63%	40%	16%	68%	58%	58%	55%	48%	33%				

CWB Dams

Dam				Growth					Carcass					Stats				
ID	Parentage	Sire ID		Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name	Gen. DNA	Dam ID																
JAPANESE BLACK																		
EBF 160009		MOYFF0054		126	69	65	70	60	74	96	108	98	111	108	2	8	2	1
FB		KJDFE0004		-1.32	-9.4	-15.6	-15.6	-51	-5.1	0.3	6.7	0.5	1.0	0.8				
EBF16009				71%	60%	62%	41%	18%	64%	60%	60%	57%	46%	33%				
EBF 160010		D0550		136	81	78	78	74	74	109	82	130	72	91	2	7	2	
FB		KSOFH0045		-2.25	-4.5	-7.9	-9.5	-31	-4.9	1.9	-11.9	5.5	-2.8	-2.0				
EBF16010				61%	45%	41%	33%	22%	45%	56%	57%	54%	50%	39%				
EBF 160011		MOYFF0054		116	69	66	69	65	73	101	97	101	121	116	2	6	2	
FB		KSOFH0051AU		-0.30	-9.5	-15.0	-16.9	-44	-5.7	1.0	-1.5	1.0	1.9	2.1				
EBF16011				66%	50%	56%	40%	16%	54%	64%	64%	60%	56%	44%				
EBF 160018		MOYFF0054		102	75	72	77	65	74	103	134	123	117	91	1	4	2	1
FB		KSOFH0052		1.08	-7.3	-11.2	-10.2	-44	-5.1	1.1	24.9	4.4	1.5	-1.9				
EBF16018				67%	55%	57%	37%	16%	67%	53%	56%	53%	43%	30%				
EBF 160501		FGW 130003		133	64	67	68	67	70	103	90	94	105	109	1	4	2	
F1		EBF 201313		-1.94	-11.8	-14.7	-17.2	-40	-7.3	1.2	-6.0	-0.2	0.4	0.9				
EBF16501				66%	61%	55%	19%	26%	72%	40%	39%	35%	23%	17%				
EBF 160502		FGW 130003		95	111	106	106	94	81	98	101	85	103	110	1	8	2	1
F1		EBF 200068		1.68	7.2	10.1	12.1	-2	-1.6	0.5	1.7	-1.5	0.1	1.2				
EBF16502				65%	62%	55%	19%	26%	74%	45%	44%	39%	23%	17%				
EBF 160504		FGW 130003		115	79	81	82	79	86	103	90	94	105	109	1	1	1	
F1		EBF 201201		-0.20	-5.7	-6.0	-6.8	-24	1.1	1.2	-6.0	-0.2	0.4	0.9				
EBF16504				54%	47%	42%	19%	26%	50%	40%	39%	35%	23%	17%				
EBF 16AM51				76	115	126			128						1	2	1	
BS				3.56	8.9	22.3			23.4									
EBF EBF16AM51				42%	39%	38%			56%									
EBF 170004		MOYFF0054		86	93	89	91	79	84	100	155	129	133	95	1	8	2	2
FB		KSOFJ0064		2.56	0.2	-1.0	0.5	-24	0.3	0.8	39.4	5.3	3.1	-1.3				
EBF17004				69%	58%	57%	45%	17%	68%	61%	61%	57%	47%	32%				
EBF 170008		WESFA0107		117	91	84	86	79	71	88	117	114	87	103	3	8	2	1
FB		KSOFD0012		-0.42	-0.7	-3.8	-3.8	-24	-6.8	-0.8	12.9	3.0	-1.3	0.0				
EBF17008				69%	62%	63%	49%	31%	68%	57%	57%	54%	44%	33%				
EBF 170015		MOYFF0054		106	85	80	83	74	73	101	154	131	132	94	1	3	3	
FB		KSOFJ0064		0.63	-3.0	-6.2	-6.0	-32	-5.5	1.0	39.2	5.5	3.0	-1.5				
17015				70%	63%	62%	45%	17%	64%	56%	57%	54%	47%	32%				
EBF 170503		FGW 130003		103	86	90	91	84	99	103	90	94	105	109	1	1	1	
F1		EBF 140023		0.96	-2.5	-0.5	0.1	-16	8.4	1.2	-6.0	-0.2	0.4	0.9				
17503				68%	63%	45%	19%	26%	60%	40%	39%	35%	23%	17%				

CWB Dams

Dam			Growth					Carcass					Stats				
ID	Parentage	Sire ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name	Gen. DNA	Dam ID															
JAPANESE BLACK																	
EBF 170511		FGW 130003	99	94	93	93	86	89	103	90	94	105	109				
F1		EBF 140011	1.33	0.6	1.8	2.1	-14	2.9	1.2	-6.0	-0.2	0.4	0.9	1	5	2	
17511			74%	70%	55%	19%	26%	75%	40%	39%	35%	23%	17%				
EBF 170514		FGW 130003	105	94	95	95	89	97	99	91	96	104	112				
F1		EBF 140016	0.73	0.7	3.2	3.9	-10	7.0	0.7	-5.6	0.1	0.3	1.4	1	3	1	1
17514			71%	65%	51%	19%	26%	63%	46%	45%	40%	23%	17%				
EBF 170518		FGW 130003	108	75	78	79	77	80	103	90	94	105	109				
F1		EBF 140026	0.47	-7.3	-7.6	-8.6	-27	-2.0	1.2	-6.0	-0.2	0.4	0.9	1	5	3	
17518			74%	63%	55%	19%	26%	75%	40%	39%	35%	23%	17%				
EBF 170520		FGW 130003	108	71	74	76	71	79	103	90	94	105	109				
F1		EBF 120023	0.42	-8.8	-10.3	-11.6	-35	-2.5	1.2	-6.0	-0.2	0.4	0.9	1	5	3	
17520			73%	62%	55%	19%	26%	74%	40%	39%	35%	23%	17%				
EBF 170521		FGW 130003	103	86	88	88	83	91	103	90	94	105	109				
F1		EBF 140017	0.98	-2.9	-1.7	-1.6	-19	3.8	1.2	-6.0	-0.2	0.4	0.9	1	3	1	
17521			71%	54%	52%	19%	26%	64%	40%	39%	35%	23%	17%				
EBF 17AX17			90	101	112			125									
BS			2.19	3.2	13.3			22.0						1	1	1	
EBF17AX17			32%	18%	14%			26%									
EBF 190011	IMJFAJ2810		130	64	61	68	64	64	108	75	108	87	105				
FB	EBF 160011		-1.64	-11.6	-17.9	-17.8	-45	-10.1	1.8	-17.0	2.1	-1.3	0.4	1	6	2	
19011			77%	64%	60%	43%	33%	74%	55%	55%	53%	50%	40%				
EBF 190016	BYWFH0224		145	75	70	72	66	68	126	71	121	77	86				
FB	EBF 160010		-3.10	-7.3	-12.5	-14.1	-42	-8.3	4.1	-19.4	4.1	-2.3	-2.6	1	5	2	
19016			67%	56%	50%	28%	30%	70%	41%	41%	37%	35%	23%				
EBF 190025	EBF 160002		116	75	69	71	66	76	96	102	101	112	118				
FB	EBF 160003		-0.32	-7.0	-13.2	-15.5	-43	-4.0	0.2	2.3	0.9	1.0	2.4	1	2	1	
19025			61%	55%	55%	31%	22%	64%	48%	49%	45%	36%	26%				
EBF 190506	EBF 160002		75	112	112	110	103	106	102	107	104	111	106				
F1	EBF 200052		3.66	7.9	13.7	15.3	11	11.7	1.1	5.9	1.3	0.9	0.4	1	1	1	
19506			68%	44%	44%	23%	20%	52%	36%	37%	34%	28%	20%				
EBF 190512	EBF 160002		82	111	112	108	115	113	95	114	100	114	108				
F1	CWBFEBF 201430		3.00	7.4	13.4	13.9	28	15.9	0.2	10.6	0.7	1.2	0.8	1	4	2	
19512			62%	57%	50%	23%	20%	70%	36%	37%	34%	28%	20%				
EBF 190513	EBF 160002		87	113	114	111	109	113	102	107	104	111	106				
F1	EBF 201421		2.50	8.3	14.8	16.5	19	15.6	1.1	5.9	1.3	0.9	0.4	1	3	2	
19513			70%	53%	50%	23%	20%	66%	36%	37%	34%	28%	20%				

CWB Dams

Dam			Growth					Carcass					Stats				
ID	Parentage	Sire ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name	Gen. DNA	Dam ID															
JAPANESE BLACK																	
EBF 200005	✓	KJDFC0087	81	100	92	91	87	83	99	135	124	118	106	1	3	1	
FB	✓	EBF 170004	3.08	3.1	1.1	0.5	-12	-0.5	0.7	25.5	4.4	1.6	0.5				
20005			66%	59%	52%	47%	40%	68%	57%	57%	55%	49%	40%				
EBF 200006	✓	SMOFC0151	136	63	59	61	63	75	109	90	93	122	115	1	2	1	
FB	✓	EBF 160009	-2.26	-11.8	-19.5	-22.7	-47	-4.8	2.0	-6.6	-0.3	2.0	1.9				
20006			59%	50%	52%	41%	35%	56%	46%	46%	43%	39%	33%				
EBF 200009	✓	BDWFM0495	125	63	59	66	59	75	108	105	98	113	106	1	3	2	
FB	✓	EBF 160009	-1.17	-11.9	-19.4	-19.2	-53	-4.7	1.8	4.1	0.4	1.1	0.5				
20009			67%	60%	58%	47%	37%	69%	55%	55%	52%	46%	34%				
EBF 200068			81	131	130			93	85	122	81			1	1	1	
BS			3.06	15.3	24.8			5.1	-1.0	16.5	-2.2						
EBF EBF200068			28%	27%	23%			35%	12%	12%	10%						
EBF 200501	✓	EBF 160002	68	103	104	102	108	104	95	114	100	114	108	1	5	2	
F1		CWBFEFB 17AM51	4.34	4.2	8.8	8.8	17	10.7	0.2	10.6	0.7	1.2	0.8				
20501			65%	57%	44%	23%	20%	70%	36%	37%	34%	28%	20%				
EBF 200505	✓	FGW 130003	94	92	93	92	94	98	96	97	90	108	111	1	4	3	
F1		CWBFEFB F17AM9	1.78	-0.5	1.7	1.3	-2	7.7	0.3	-1.3	-0.8	0.6	1.3				
20505			63%	59%	51%	19%	26%	71%	40%	39%	35%	23%	17%				
EBF 200506	✓	FGW 130003	107	73	76	77	72	78	103	90	94	105	109	2	5	2	
F1		EBF 201417	0.51	-8.1	-9.1	-10.3	-34	-3.0	1.2	-6.0	-0.2	0.4	0.9				
20506			75%	59%	51%	19%	26%	69%	40%	39%	35%	23%	17%				
EBF 200507	✓	FGW 130003	88	91	92	92	92	100	96	97	90	108	111	2	4	1	
F1		CWBFEFB F17AX9	2.38	-0.7	1.2	1.0	-5	8.6	0.3	-1.3	-0.8	0.6	1.3				
20507			63%	53%	39%	19%	26%	60%	40%	39%	35%	23%	17%				
EBF 200510	✓	FGW 130003	97	88	90	89	91	98	96	97	90	108	111	1	3	2	
F1		CWBFEFB 17AM34	1.56	-1.7	-0.4	-1.0	-6	7.8	0.3	-1.3	-0.8	0.6	1.3				
20510			60%	56%	51%	19%	26%	67%	40%	39%	35%	23%	17%				
EBF 200512	✓	FGW 130003	104	100	101	101	93	108	103	90	95	104	108	1	2	1	
F1		EB F17AM8	0.83	2.9	6.4	7.9	-3	12.9	1.2	-5.9	0.1	0.3	0.8				
20512			71%	54%	52%	19%	26%	63%	41%	41%	36%	25%	17%				
EBF 200514	✓	FGW 130003	106	79	81	82	75	93	103	90	94	105	109	1	4	2	
F1		EBF 201314	0.67	-5.4	-5.9	-6.3	-29	4.8	1.2	-6.0	-0.2	0.4	0.9				
20514			74%	60%	52%	19%	26%	72%	40%	39%	35%	23%	17%				
EBF 200516	✓	FGW 130003	99	91	92	93	85	96	103	90	94	105	109	1	2	2	
F1		EBF 17AX17	1.38	-0.8	1.1	1.7	-15	6.9	1.2	-6.0	-0.2	0.4	0.9				
20516			70%	52%	46%	19%	26%	61%	40%	39%	35%	23%	17%				

CWB Dams

Dam			Growth					Carcass					Stats				
ID	Parentage	Sire ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name	Gen. DNA	Dam ID															
JAPANESE BLACK																	
EBF 200517	✓	FGW 130003	98	93	95	95	87	94	103	90	94	105	109				
F1		EBF 17AM25	1.43	0.1	2.7	3.5	-12	5.8	1.2	-6.0	-0.2	0.4	0.9	1	2	2	
20517			70%	52%	51%	19%	26%	61%	40%	39%	35%	23%	17%				
EBF 200520	✓	FGW 130003	110	86	86	86	90	101	96	97	90	108	111				
F1		CWBFEB F17AX2	0.22	-2.9	-2.4	-3.4	-9	9.5	0.3	-1.3	-0.8	0.6	1.3	1	4	2	
20520			63%	59%	51%	19%	26%	71%	40%	39%	35%	23%	17%				
EBF 200522	✓	FGW 130003	79	99	99	98	97	108	96	97	90	108	111				
F1		CWBFEB F17AD4	3.29	2.4	5.7	6.3	1	12.7	0.3	-1.3	-0.8	0.6	1.3	1	5	2	
20522			65%	59%	51%	19%	26%	71%	40%	39%	35%	23%	17%				
EBF 200523	✓	FGW 130003	85	88	89	89	89	100	96	97	90	108	111				
F1		CWBFEB F17AX6	2.71	-1.7	-0.5	-0.9	-9	8.7	0.3	-1.3	-0.8	0.6	1.3	1	5	1	
20523			65%	59%	51%	19%	26%	71%	40%	39%	35%	23%	17%				
EBF 200530	✓	EBF 160002	116	83	85	85	86	88	102	107	104	111	106				
F1		EBF 201316	-0.34	-3.9	-3.1	-4.6	-13	2.3	1.1	5.9	1.3	0.9	0.4	1	5	2	
20530			75%	59%	53%	23%	20%	72%	36%	37%	34%	28%	20%				
EBF 200533	✓	EBF 160002	104	102	104	102	107	106	102	107	104	111	106				
F1		EBF 201242	0.84	3.8	8.8	9.3	17	11.9	1.1	5.9	1.3	0.9	0.4	1	5	2	
20533			71%	49%	44%	23%	20%	60%	36%	37%	34%	28%	20%				
EBF 200539	✓	FGW 130003	88	87	89	89	79	87	103	90	94	105	109				
F1		EB F17AD2	2.43	-2.2	-1.0	-0.7	-24	1.7	1.2	-6.0	-0.2	0.4	0.9	1	3	2	
20539			71%	56%	46%	19%	26%	67%	40%	39%	35%	23%	17%				
EBF 200544	✓	FGW 130003	78	93	94	95	81	90	103	90	94	105	109				
F1		EB F20143	3.37	0.2	2.3	3.2	-21	3.5	1.2	-6.0	-0.2	0.4	0.9	1	1	1	
20544			68%	50%	47%	19%	26%	57%	40%	39%	35%	23%	17%				
EBF 200548	✓	EBF 160002	75	115	115	113	106	113	102	116	103	115	105				
F1		EBF 201428	3.71	8.8	15.3	17.3	15	15.8	1.1	11.7	1.2	1.4	0.3	1	5	2	
20548			71%	49%	44%	23%	20%	60%	36%	40%	36%	28%	20%				
EBF 200605	✓	EBF 160002	117	84	82	81	82	80	104	103	100	113	112				
F2	✓	EBF 160501	-0.43	-3.5	-5.3	-7.7	-19	-1.9	1.4	2.6	0.8	1.2	1.4	1	5	3	
20605			77%	62%	55%	25%	24%	73%	42%	42%	39%	30%	22%				
EBF 200629	✓	EBF 160002	117	79	78	77	82	82	104	103	100	113	112				
F2	✓	EBF 160504	-0.45	-5.6	-7.8	-10.5	-19	-1.1	1.4	2.6	0.8	1.2	1.4	1	5	2	
20629			75%	59%	52%	25%	24%	71%	42%	42%	39%	30%	22%				
EBF 200635	✓	EBF 160002	94	96	92	90	88	87	104	103	100	113	112				
F2	✓	EBF 170521	1.82	1.2	1.2	0.1	-12	1.6	1.4	2.6	0.8	1.2	1.4	1	2	2	
20635			72%	55%	50%	25%	24%	65%	42%	42%	39%	30%	22%				

CWB Dams

Dam				Growth					Carcass					Stats				
ID	Parentage	Sire ID		Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name	Gen. DNA	Dam ID																
JAPANESE BLACK																		
EBF 201242				108	97	109			122									
BS				0.46	1.9	11.4			20.3						1	2	1	
EBF201242				41%	18%	14%			26%									
EBF 201313				109	80	93			100									
BS				0.36	-5.1	1.6			8.6						1	3	1	
EBF EBF201313				48%	44%	41%			60%									
EBF 201314				99	92	102			123									
BS				1.36	-0.4	7.6			20.9						1	2	2	
EBF201314				45%	37%	32%			53%									
EBF 201316				115	78	90			104									
BS				-0.24	-6.0	-0.1			10.8						1	3	2	
EBF201316				50%	43%	42%			60%									
EBF 201417				97	89	101			112									
BS				1.56	-1.5	6.6			14.9						1	1	1	
201417				35%	25%	19%			32%									
EBF 201425				86	109	120			130									
BS				2.56	6.7	18.5			24.8						1	1	1	
201425				31%	28%	28%			43%									
EBF 201428				79	107	118			130		116	100						
BS				3.30	5.8	17.1			24.5		12.3	0.7			1	2	1	1
EBF201428				41%	18%	14%			26%		26%	21%						
EBF 210002		✓ BYWFJ0455		133	89	81	82	75	73	99	81	112	86	108				
FB		✓ EBF 170008		-2.01	-1.4	-5.8	-6.8	-29	-5.6	0.7	-12.4	2.6	-1.5	0.8	1	2	1	
21002				72%	66%	64%	31%	24%	62%	38%	38%	35%	28%	20%				
EBF 210506		✓ EBF 160002		66	115	115	112	116	119	95	114	100	114	108				
F1		✓ CWBFEB F17AX2		4.51	9.0	15.5	16.7	30	18.8	0.2	10.6	0.7	1.2	0.8	1	2	1	
21506				55%	49%	37%	23%	20%	60%	36%	37%	34%	28%	20%				
EBF 210509		✓ EBF 160002		68	109	110	107	112	112	95	114	100	114	108				
F1		CWBFEB F17AX6		4.33	6.6	12.1	12.6	23	14.9	0.2	10.6	0.7	1.2	0.8	1	1	1	
21509				50%	44%	37%	23%	20%	52%	36%	37%	34%	28%	20%				
EBF 210515		✓ EBF 160002		84	102	103	100	107	107	95	114	100	114	108				
F1		CWBFEBF 201241		2.75	3.8	7.9	7.6	16	12.6	0.2	10.6	0.7	1.2	0.8	1	2	1	
21515				55%	49%	37%	23%	20%	60%	36%	37%	34%	28%	20%				
EBF 210518		✓ EBF 160002		100	95	96	95	94	104	102	107	104	111	106				
F1		EBF 201314		1.27	1.1	3.6	3.5	-3	10.9	1.1	5.9	1.3	0.9	0.4	1	3	1	
21518				72%	64%	59%	23%	20%	63%	36%	37%	34%	28%	20%				

CWB Dams

Dam			Growth					Carcass					Stats				
ID	Parentage	Sire ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name	Gen. DNA	Dam ID															
JAPANESE BLACK																	
EBF 210529	✓	MCPFM1713	123	86	88	87	92	98	109	91	118	95	91				
F1		CWBFEBF 130016	-1.00	-2.9	-1.7	-2.9	-5	7.5	1.9	-5.4	3.6	-0.6	-1.9	1	1	1	
21529			48%	40%	29%	28%	23%	48%	40%	40%	38%	30%	26%				
EBF 210532	✓	FGW 130003	67	98	99	98	96	102	96	97	90	108	111				
F1		CWBFEB F17AD4	4.41	2.0	5.2	5.9	0	10.0	0.3	-1.3	-0.8	0.6	1.3	1	3	1	
21532			60%	52%	39%	19%	26%	61%	40%	39%	35%	23%	17%				
EBF 210536	✓	FGW 130003	87	94	95	94	94	103	96	97	90	108	111				
F1		CWBFEBF 17JK14	2.46	0.4	2.7	2.7	-2	10.3	0.3	-1.3	-0.8	0.6	1.3	1	1	1	
21536			51%	48%	39%	19%	26%	54%	40%	39%	35%	23%	17%				
EBF 210537	✓	FGW 130003	82	101	101	100	100	111	96	97	90	108	111				
F1		CWBFEBF 17JK14	2.95	3.3	6.9	7.7	7	14.6	0.3	-1.3	-0.8	0.6	1.3	1	2	1	
21537			56%	52%	39%	19%	26%	61%	40%	39%	35%	23%	17%				
EBF 210542	✓	FGW 130003	95	84	86	85	87	93	96	97	90	108	111				
F1		CWBFEB F17AM2	1.68	-3.5	-2.9	-3.9	-13	4.8	0.3	-1.3	-0.8	0.6	1.3	1	1	1	
21542			51%	48%	39%	19%	26%	54%	40%	39%	35%	23%	17%				
EBF 210545	✓	FGW 130003	110	68	73	75	70	82	103	90	94	105	109				
F1		EBF 201313	0.27	-9.8	-10.8	-12.0	-37	-0.8	1.2	-6.0	-0.2	0.4	0.9	1	2	1	
21545			71%	66%	61%	19%	26%	66%	40%	39%	35%	23%	17%				
EBF 210547	✓	FGW 130003	96	102	103	102	94	90	103	90	94	105	109				
F1		EBF 16AM51	1.59	3.7	7.9	9.2	-3	3.3	1.2	-6.0	-0.2	0.4	0.9	1	2	1	
21547			71%	66%	60%	19%	26%	65%	40%	39%	35%	23%	17%				
EBF 210603	✓	BYWFJ0455	137	66	65	67	64	73	107	68	102	94	111				
F2	✓	EBF 160501	-2.40	-10.9	-16.1	-18.7	-45	-5.6	1.7	-21.8	1.0	-0.6	1.3	1	1	1	
21603			70%	64%	63%	21%	22%	56%	32%	32%	28%	21%	15%				
EBF 210610	✓	BYWFJ0455	124	81	80	81	78	82	107	68	102	94	111				
F2	✓	EBF 170518	-1.08	-4.7	-6.2	-7.0	-26	-0.9	1.7	-21.8	1.0	-0.6	1.3	1	2	1	
21610			72%	67%	63%	21%	22%	63%	32%	32%	28%	21%	15%				
EBF 210634	✓	EBF 190001	108	104	100	100	89	89	112	87	99	101	102				
F2	✓	EBF 170503	0.50	4.4	5.8	7.6	-9	2.8	2.3	-8.1	0.7	0.0	-0.2	1	2	1	
21634			71%	66%	62%	18%	20%	61%	29%	29%	26%	20%	13%				
EBF 210650	✓	EBF 190001	120	70	70	74	65	78	112	87	99	101	102				
F2	✓	EBF 170512	-0.71	-9.2	-12.5	-13.1	-44	-3.0	2.3	-8.1	0.7	0.0	-0.2	1	1	1	
21650			70%	64%	62%	18%	20%	53%	29%	29%	26%	20%	13%				
EBF 220013	✓	SMOFD0233	120	85	83	84	80	77	119	118	121	111	86				
FB	✓	EBF 170015	-0.67	-3.1	-4.8	-4.9	-22	-3.6	3.2	13.2	4.0	1.0	-2.7	1	1		
22013			69%	63%	63%	31%	19%	52%	35%	36%	35%	32%	25%				

CWB Dams

Dam			Growth					Carcass					Stats				
ID	Parentage	Sire ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name	Gen. DNA	Dam ID															
JAPANESE BLACK																	
EBF 220036	🔗	EBF 190012	120	56	53	59	52	78	101	105	118	104	101	1	2		
FB	🔗	EBF 160018	-0.71	-15.0	-23.0	-24.3	-63	-3.2	0.9	4.5	3.6	0.3	-0.3				
22036			73%	67%	66%	23%	13%	54%	32%	34%	32%	26%	18%				
EBF 220060	🔗	EBF 190012	151	50	47	51	47	72	113	74	117	84	99	1	2		
FB	🔗	EBF 190016	-3.68	-17.2	-27.2	-30.5	-70	-6.0	2.4	-17.6	3.4	-1.6	-0.6				
22060			74%	67%	65%	20%	18%	55%	28%	28%	26%	23%	15%				
EBF 220061	🔗	EBF 190020	88	93	84	87	75	80	88	110	108	110	112	1	2		
FB	🔗	EBF 160008	2.42	0.1	-3.7	-2.7	-29	-1.9	-0.7	8.2	2.1	0.8	1.4				
22061			72%	65%	66%	32%	24%	55%	38%	39%	37%	34%	24%				
EBF 220063	🔗	EBF 190020	127	71	65	71	63	80	88	107	103	101	109	1	2		
FB	🔗	EBF 160009	-1.35	-9.0	-15.5	-15.2	-46	-1.9	-0.7	5.9	1.2	0.0	1.0				
22063			72%	65%	66%	32%	24%	54%	39%	40%	38%	33%	24%				
EBF 220503	🔗	EBF 190012	128	64	62	64	65	88	98	87	102	100	111	1	2		
F2	🔗	EBF 200507	-1.49	-11.7	-17.7	-20.3	-44	2.2	0.5	-8.6	1.0	-0.1	1.3				
22503			74%	55%	47%	17%	16%	52%	27%	27%	25%	18%	13%				
EBF 220510	🔗	EBF 190006	111	107	108	108	99	93	102	95	106	117	112	1	1		
F1		EBF 201425	0.12	5.7	11.0	13.5	4	5.0	1.0	-2.5	1.7	1.5	1.5				
22510			66%	59%	60%	22%	19%	49%	24%	25%	24%	22%	17%				
EBF 220515	🔗	EBF 190001	113	92	94	95	89	93	110	92	103	98	96	1	2		
F1	🔗	EB F20148	-0.07	-0.1	2.1	3.9	-10	5.0	2.0	-4.7	1.3	-0.3	-1.2				
22515			70%	62%	62%	15%	15%	54%	21%	21%	19%	17%	10%				
EBF 220528	🔗	EBF 190001	96	93	95	96	97	103	102	99	99	101	98	1	1		
F1		CWBFEBF 17JK20	1.63	0.1	3.0	4.4	1	10.5	1.1	0.0	0.7	0.0	-0.8				
22528			46%	42%	35%	15%	15%	47%	21%	21%	19%	17%	10%				
EBF 220535	🔗	EBF 190006	145	57	63	67	62	77	102	95	106	117	112	1	1		
F1		EBF 201316	-3.15	-14.4	-16.9	-18.4	-49	-3.4	1.0	-2.5	1.7	1.5	1.5				
22535			68%	61%	62%	22%	19%	52%	24%	25%	24%	22%	17%				
EBF 220541	🔗	EBF 190006	113	86	89	89	89	97	94	102	102	120	115	1	2		
F1		CWBFEBF 17JK14	0.00	-2.8	-1.0	-0.9	-10	6.9	0.1	2.2	1.1	1.8	1.9				
22541			51%	41%	34%	22%	19%	45%	24%	25%	24%	22%	17%				
EBF 220557	🔗	EBF 190001	105	91	93	94	96	103	102	99	99	101	98	1	2		
F1		CWBFEB F17AM5	0.75	-0.7	1.8	2.9	0	10.5	1.1	0.0	0.7	0.0	-0.8				
22557			52%	42%	35%	15%	15%	47%	21%	21%	19%	17%	10%				
EBF 230006	🔗	SWK 200078	122	94	92	94	84	79	103	113	93	114	104	1	1		
FB	🔗	EBF 200009	-0.90	0.6	0.8	2.6	-16	-2.6	1.2	9.6	-0.2	1.2	0.2				
23006			73%	67%	68%	44%	26%	50%	41%	40%	37%	37%	30%				

CWB Dams

Dam			Growth					Carcass					Stats				
ID	Parentage	Sire ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name	Gen. DNA	Dam ID															
JAPANESE BLACK																	
EBF 230011	✓	EBF 190012	142	53	48	52	51	76	104	83	103	107	113	1	1		
FB	✓	EBF 200006	-2.88	-15.8	-26.1	-29.7	-64	-4.0	1.4	-11.2	1.3	0.6	1.6				
23011			58%	51%	50%	25%	20%	39%	30%	30%	28%	24%	19%				
EBF 230016	✓	SWK 200078	113	90	91	94	83	80	100	127	106	116	96	1	1		
FB	✓	EBF 160018	0.01	-1.1	0.5	2.4	-18	-1.8	0.8	20.0	1.7	1.4	-1.0				
23016			73%	67%	68%	42%	20%	49%	40%	41%	38%	37%	29%				
EBF 230019	✓	SWK 200078	117	91	92	94	84	81	100	137	110	123	98	1	1		
FB	✓	EBF 170015	-0.46	-0.5	1.2	2.7	-16	-1.6	0.8	27.2	2.3	2.1	-0.8				
23019			73%	68%	68%	44%	21%	48%	41%	41%	38%	38%	29%				
EBF 230531	✓	EBF 190012	136	55	57	61	59	97	99	88	107	96	104	1	1		
F1		EB F20148	-2.27	-15.1	-21.0	-23.1	-53	7.2	0.7	-7.6	1.9	-0.5	0.1				
23531			71%	64%	65%	14%	10%	41%	19%	19%	17%	15%	10%				
EBF 230535	✓	EBF 190012	106	76	78	80	83	109	92	95	103	99	106	1	1		
F1		CWBFEB F17AM3	0.67	-6.7	-7.4	-8.0	-18	13.3	-0.2	-2.9	1.3	-0.2	0.5				
23535			51%	44%	43%	14%	10%	26%	19%	19%	17%	15%	10%				
EBF 230536	✓	EBF 190012	111	74	77	79	83	108	92	95	103	99	106	1	1		
F1		CWBFEBF 201317	0.12	-7.4	-8.5	-9.3	-18	12.9	-0.2	-2.9	1.3	-0.2	0.5				
23536			51%	44%	43%	14%	10%	26%	19%	19%	17%	15%	10%				
EBF 230547	✓	EBF 200010	95	95	96	96	98	107	92	110	101	97	98	1	1		
F1		CWBFEB F17AM7	1.74	1.0	3.5	4.5	3	12.6	-0.3	7.6	0.9	-0.4	-0.8				
23547			51%	44%	38%	14%	8%	24%	19%	19%	18%	16%	12%				
EBF 230557	✓	EBF 200010	139	64	61	64	63	73	101	98	101	96	102	1	1		
F2	✓	EBF 160501	-2.56	-11.7	-18.1	-20.7	-47	-5.8	0.9	-0.4	0.9	-0.5	-0.2				
23557			71%	66%	64%	17%	15%	44%	28%	28%	25%	20%	15%				
EBF 230559	✓	EBF 190012	116	73	75	77	83	107	92	95	103	99	106	1	1		
F1		CWBFEBF 201430	-0.27	-7.9	-9.2	-10.2	-18	12.7	-0.2	-2.9	1.3	-0.2	0.5				
23559			51%	44%	43%	14%	10%	26%	19%	19%	17%	15%	10%				
EBF 230560	✓	EBF 200010	97	95	95	95	98	107	92	110	101	97	98	1	1		
F1		CWBFEBF 17JK20	1.52	0.7	3.1	3.9	3	12.5	-0.3	7.6	0.9	-0.4	-0.8				
23560			51%	44%	38%	14%	8%	24%	19%	19%	18%	16%	12%				
FGW 200134	GT	FGW 170035	91	117	114	114	105	66	80	104	130	68	98	1	9	7	
PBD		BA 110541	2.08	9.9	14.6	18.5	13	-9.3	-1.7	3.4	5.4	-3.1	-0.7				
FREDERICKSBURG QUEEN 200134			93%	92%	92%	91%	91%	92%	90%	90%	90%	90%	89%				
FGW 200161	GT	FGW 170044	85	109	100	105	93	92	102	78	100	92	112	1	6	3	
FB		FGW 170022	2.69	6.7	6.1	11.2	-4	4.7	1.0	-14.8	0.8	-0.9	1.4				
FREDERICKSBURG HIKOKURA 200161			92%	90%	90%	89%	90%	90%	89%	89%	88%	88%	88%				

CWB Bulls

Inbreeding >6% is high					<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed															
Bull					Selection Value					Calf weight		Mother		Growth		Fertility			Carcass				
ID	Parentage	%Inbreeding	Genomic	Sire ID	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
Name	DNA		Dam ID																				
JAPANESE BLACK																							
CWBMEBF 230012 FB EBF 23012	2		GRSFF0146 EBF 170008		117 64%	104 61%	83 42 %	108 22%	98 28%	115 -0.21 68 %	104 4.6 61 %	125 -1.32 48%	83 -0.5 42%	98 5.2 49%	92 -6 22%	94 0.4 37%	101 0.3 19%	103 6.4 56 %	91 -0.4 48 %	114 10.5 49 %	106 1.7 46 %	108 0.7 43 %	112 1.5 31 %
CWBMEBF 230023 FB EBF 23023	2		GRSFF0146 EBF 190011		106 65%	109 61%	77 44 %	102 23%	97 30%	104 0.80 70 %	109 6.7 61 %	121 -1.16 48%	77 -3.2 44%	103 8.4 47%	98 4 23%	96 -0.3 39%	99 0.6 21%	110 9.3 54 %	101 0.9 47 %	93 -4.4 49 %	103 1.2 46 %	108 0.7 45 %	113 1.6 33 %
CWBMEBF 230027 F1 EBF 23027			EBF 190012		115 42%	75 44%	108 26 %	117 10%	89 15%	110 0.22 46 %	75 -7.3 44 %	115 -0.96 28%	108 13.0 26%	78 -9.1 28%	83 -18 10%	93 1.0 23%	87 3.0 7%	99 4.6 33 %	92 -0.2 19 %	95 -2.9 19 %	103 1.3 17 %	99 -0.2 15 %	106 0.5 10 %
CWBMEBF 230063 FB EBF 23063	7		EBF 190012 EBF 190025		112 63%	51 65%	77 42 %	154 15%	96 24%	133 -2.01 69 %	51 -16.7 65 %	119 -1.08 41%	77 -3.5 42%	47 -31.0 44%	46 -71 15%	94 0.5 34%	99 0.7 13%	119 13.3 46 %	98 0.5 31 %	89 -6.7 31 %	107 1.8 29 %	102 0.1 23 %	115 1.9 16 %
CWBMEBF 230610 F2 EBF 23610	2		EBF 190012 EBF 200516		123 65%	74 64%	86 41 %	134 16%	91 22%	125 -1.18 71 %	74 -7.7 64 %	114 -0.90 40%	86 1.2 41%	71 -14.1 41%	66 -43 16%	88 4.0 32%	95 1.5 12%	116 11.9 44 %	101 1.0 27 %	83 -10.9 27 %	103 1.3 25 %	98 -0.3 18 %	110 1.1 13 %
CWBMEBF 230613 F2 EBF 23613	1		SWK 200078 EBF 170514		118 67%	109 68%	91 48 %	100 23%	96 28%	115 -0.20 72 %	109 6.5 68 %	96 -0.23 47%	91 3.7 48%	109 13.0 53%	100 6 23%	90 2.7 41%	101 0.4 16%	116 11.9 49 %	98 0.6 38 %	106 4.8 37 %	92 -0.4 33 %	110 0.8 32 %	107 0.6 26 %
CWBMEBF 230614 F2 EBF 23614	1		GRSFF0146 EBF 190506		92 63%	122 57%	99 36 %	90 19%	88 26%	92 2.04 68 %	122 11.9 57 %	98 -0.31 42%	99 8.3 36%	117 18.2 44%	110 20 19%	79 9.3 35%	94 1.4 17%	104 6.9 50 %	98 0.6 43 %	109 7.1 44 %	100 0.8 41 %	120 1.8 40 %	113 1.6 28 %
CWBMEBF 230620 F2 EBF 23620	2		EBF 190012 EBF 200501		101 64%	87 66%	89 45 %	118 14%	92 20%	99 1.34 70 %	87 -2.4 66 %	102 -0.48 43%	89 2.8 45%	82 -6.3 42%	82 -19 14%	90 3.0 28%	94 1.6 12%	116 11.9 44 %	97 0.5 26 %	95 -2.6 27 %	106 1.8 24 %	103 0.1 20 %	110 1.1 14 %
CWBMEBF 230621 F2 EBF 23621	2		EBF 190012 EBF 190512		122 64%	80 66%	95 45 %	119 14%	92 20%	117 -0.43 70 %	80 -5.0 66 %	116 -1.00 42%	95 6.3 45%	80 -7.8 42%	81 -20 14%	91 2.4 28%	94 1.6 12%	121 14.1 43 %	97 0.5 26 %	95 -2.6 27 %	106 1.8 24 %	103 0.1 20 %	110 1.1 14 %
CWBMEBF 230622 F2 EBF 23622	2		EBF 190012 EBF 170518		113 66%	56 67%	79 46 %	143 16%	94 23%	134 -2.02 72 %	56 -14.8 67 %	112 -0.82 44%	79 -2.5 46%	58 -23.3 42%	57 -55 16%	94 0.8 33%	97 1.2 13%	122 14.8 45 %	101 1.0 27 %	83 -10.9 27 %	103 1.3 25 %	98 -0.3 18 %	110 1.1 13 %
CWBMEBF 230625 F2 EBF 23625	2		EBF 190012 EBF 200517		125 65%	76 64%	85 41 %	131 16%	98 22%	119 -0.64 71 %	76 -6.6 64 %	115 -0.93 40%	85 0.8 41%	75 -11.2 42%	69 -38 16%	96 -0.8 32%	100 0.5 12%	112 10.2 45 %	101 1.0 27 %	83 -10.9 27 %	103 1.3 25 %	98 -0.3 18 %	110 1.1 13 %
CWBMEBF 230629 F2 EBF 23629	2		EBF 190012 EBF 200510		123 63%	66 65%	88 43 %	134 16%	92 20%	121 -0.84 69 %	66 -10.8 65 %	127 -1.39 41%	88 2.3 43%	66 -17.5 42%	66 -42 16%	94 0.7 29%	93 2.0 11%	111 10.0 44 %	98 0.5 27 %	87 -8.6 27 %	102 1.0 25 %	100 -0.1 18 %	111 1.3 13 %

CWB Bulls

Inbreeding >6% is high				<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed															
Bull				Selection Value					Calf weight		Mother		Growth		Fertility			Carcass				
ID	Parentage			Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn. Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
Name	%Inbreeding	Genomic DNA	Sire ID Dam ID																			
JAPANESE BLACK																						
CWBMEBF 230634 F2 EBF 23634	2	 EBF 190012  EBF 200530		114 66%	68 66%	82 45 %	133 14%	99 22%	132 -1.83 72 %	68 -10.1 66 %	119 -1.10 44%	82 -0.9 45%	66 -17.7 42%	67 -41 14%	99 -2.2 31%	100 0.5 13%	124 15.6 44 %	101 0.9 26 %	92 -4.9 27 %	108 2.1 24 %	101 0.0 20 %	109 0.9 14 %
CWBMEBF 230637 F2 EBF 23637	2	 EBF 190012  EBF 200514		108 66%	46 66%	86 45 %	158 16%	101 23%	139 -2.54 72 %	46 -18.8 66 %	111 -0.78 43%	86 1.2 45%	44 -32.6 42%	42 -77 16%	100 -2.9 32%	103 0.0 14%	122 14.4 45 %	101 1.0 27 %	83 -10.9 27 %	103 1.3 25 %	98 -0.3 18 %	110 1.1 13 %
CWBMEBF 230651 F2 EBF 23651	1	 EBF 200010  EBF 190513		104 64%	101 65%	94 42 %	112 13%	95 21%	102 1.03 71 %	101 3.2 65 %	100 -0.40 39%	94 5.7 42%	96 3.5 42%	88 -10 13%	85 6.1 28%	103 -0.2 14%	113 10.6 43 %	101 0.9 26 %	107 5.5 27 %	106 1.7 25 %	99 -0.2 21 %	100 -0.5 16 %
CWBMEBF 230653 F2 EBF 23653	2	 EBF 200010  EBF 170521		107 64%	78 65%	84 41 %	130 15%	107 22%	103 0.94 71 %	78 -6.1 65 %	106 -0.60 39%	84 0.5 41%	77 -9.7 40%	70 -37 15%	101 -3.7 29%	113 -1.7 14%	120 13.7 45 %	101 0.9 28 %	98 -0.4 28 %	101 0.9 25 %	96 -0.5 20 %	102 -0.2 15 %
CWBMEBF 230654 F2 EBF 23654	2	 EBF 200010  EBF 200544		98 63%	84 64%	84 38 %	129 15%	99 20%	97 1.51 70 %	84 -3.5 64 %	99 -0.34 36%	84 0.0 38%	81 -7.0 40%	71 -35 15%	93 1.4 28%	105 -0.3 11%	116 11.9 44 %	101 0.9 28 %	98 -0.4 28 %	101 0.9 25 %	96 -0.5 20 %	102 -0.2 15 %
CWBMEBF 230655 F2 EBF 23655	2	 EBF 200010  EBF 200539		123 64%	81 65%	82 42 %	129 15%	101 20%	116 -0.35 70 %	81 -4.8 65 %	107 -0.63 39%	82 -0.9 42%	78 -8.9 40%	71 -36 15%	95 0.2 28%	107 -0.7 12%	119 13.2 43 %	101 0.9 28 %	98 -0.4 28 %	101 0.9 25 %	96 -0.5 20 %	102 -0.2 15 %
CWBMEBF 230665 F2 EBF 23665	2	 EBF 200010  EBF 170520		123 65%	59 66%	79 45 %	145 15%	98 22%	117 -0.41 71 %	59 -13.6 66 %	104 -0.55 41%	79 -2.3 45%	59 -22.1 41%	55 -57 15%	90 2.8 29%	105 -0.2 14%	124 15.3 44 %	101 0.9 28 %	98 -0.4 28 %	101 0.9 25 %	96 -0.5 20 %	102 -0.2 15 %
CWBMEBF 230715 F3 EBF 23715	2	 SWK 200078  EBF 200605		115 68%	110 68%	82 51 %	101 22%	90 30%	111 0.19 73 %	110 6.8 68 %	102 -0.46 50%	82 -1.0 51%	107 11.3 54%	99 5 22%	85 6.1 42%	96 1.2 18%	119 13.4 48 %	101 1.0 37 %	111 8.9 36 %	95 -0.1 33 %	114 1.2 33 %	107 0.6 27 %
CWBMEBF 240022 FB EBF 24022	3	 SWK 200078  EBF 190016		104 67%	94 67%	77 50 %	114 24%	82 30%	139 -2.55 72 %	94 0.6 67 %	121 -1.17 49%	77 -3.7 50%	93 1.7 46%	86 -14 24%	86 5.4 42%	83 3.9 17%	109 9.2 49 %	112 2.3 36 %	96 -2.2 36 %	105 1.6 32 %	96 -0.5 34 %	94 -1.4 27 %
CWBMEBF 240604 F2 EBF 24604	2	 EBF 190012  EBF 160502		119 65%	76 66%	79 46 %	133 16%	97 22%	126 -1.30 70 %	76 -6.8 66 %	120 -1.15 44%	79 -2.5 46%	72 -12.9 34%	67 -41 16%	97 -1.4 32%	100 0.9 13%	114 11.3 46 %	99 0.6 29 %	89 -7.0 29 %	99 0.7 26 %	97 -0.4 18 %	111 1.3 13 %
CWBMEBF 240607 F2 EBF 24607	1	 SWK 200080  EBF 210547		124 64%	85 66%	88 42 %	117 23%	105 22%	122 -0.87 71 %	85 -3.1 66 %	97 -0.28 39%	88 2.2 42%	96 3.5 44%	83 -18 23%	103 -4.7 31%	108 -0.9 12%	116 12.2 42 %	117 2.9 34 %	91 -5.5 33 %	104 1.4 29 %	138 3.5 29 %	118 2.3 23 %
CWBMEBF 240608 F2 EBF 24608	1	 SWK 200080  EBF 200533		112 55%	95 50%	95 39 %	106 21%	102 22%	112 0.09 59 %	95 0.8 50 %	86 0.13 40%	95 6.0 39%	103 8.8 42%	94 -3 21%	94 0.5 30%	108 -0.9 13%	117 12.3 42 %	116 2.9 33 %	100 0.5 33 %	109 2.2 29 %	141 3.8 30 %	116 2.1 24 %

CWB Bulls

Inbreeding >6% is high				<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed																	
Bull				Selection Value					Calf weight		Mother		Growth		Fertility			Carcass						
ID	Name	%Inbreeding	Parentage		Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling	Fineness
			Genomic	Sire ID																				
JAPANESE BLACK																								
CWBMEBF 240609	2		EBF 190012	102	70	89	130	93	137	70	140	89	67	70	94	93	117	98	87	102	100	111		
F2			EBF 200520	64%	66%	45 %	16%	20%	-2.31	-9.3	-1.88	2.6	-16.8	-36	0.4	1.8	12.4	0.5	-8.6	1.0	-0.1	1.3		
EBF 24609									70 %	66 %	42%	45%	34%	16%	28%	11%	44 %	27 %	27 %	25 %	18 %	13 %		
CWBMEBF 240625	2		SWK 200078	101	115	99	94	87	104	115	84	99	115	106	78	94	108	100	114	96	113	104		
F2			EBF 190513	67%	66%	49 %	21%	28%	0.87	8.9	0.23	8.2	17.0	15	10.0	1.3	8.5	0.8	10.5	0.2	1.1	0.1		
EBF 24625									72 %	66 %	47%	49%	46%	21%	41%	16%	48 %	35 %	35 %	32 %	32 %	26 %		
CWBMEBF 240627	1		SWK 200078	87	117	95	93	88	89	117	94	95	115	107	85	92	114	97	109	90	111	107		
F2			EBF 200522	66%	67%	50 %	23%	26%	2.31	9.8	-0.15	6.2	17.1	16	6.0	2.0	11.1	0.4	6.9	-0.8	1.0	0.6		
EBF 24627									71 %	67 %	49%	50%	46%	23%	39%	14%	48 %	36 %	36 %	32 %	32 %	26 %		
CWBMEBF 240633	1		SWK 200080	110	70	83	129	100	111	70	86	83	84	71	98	103	117	117	91	104	138	118		
F2			EBF 170518	66%	66%	45 %	23%	22%	0.20	-9.0	0.14	-0.2	-5.0	-35	-1.8	0.1	12.6	2.9	-5.5	1.4	3.5	2.3		
EBF 24633									72 %	66 %	42%	45%	43%	23%	31%	13%	44 %	34 %	33 %	29 %	29 %	23 %		
CWBMEBF 240641	2		EBF 190012	91	82	89	127	92	90	82	103	89	79	73	94	93	117	98	87	102	100	111		
F2			EBF 210532	63%	64%	41 %	16%	20%	2.24	-4.2	-0.48	2.6	-8.6	-32	0.6	1.8	12.5	0.5	-8.6	1.0	-0.1	1.3		
EBF 24641									69 %	64 %	41%	41%	32%	16%	28%	11%	44 %	27 %	27 %	25 %	18 %	13 %		
CWBMEBF 240642	2		EBF 190012	122	64	88	136	93	122	64	127	88	64	64	97	94	117	98	87	102	100	111		
F2			EBF 200505	64%	66%	45 %	16%	20%	-0.95	-11.5	-1.39	2.3	-18.7	-45	-1.0	1.8	12.5	0.5	-8.6	1.0	-0.1	1.3		
EBF 24642									70 %	66 %	42%	45%	34%	16%	28%	11%	44 %	27 %	27 %	25 %	18 %	13 %		
CWBMEBF 240648			EBF 200010	95	96	108	102	93	92	96	112	108	97	98	92	94	100	92	110	101	97	98		
F2				41%	44%	24 %	8 %	12%	2.02	1.3	-0.82	12.8	4.2	3	1.9	1.6	5.0	-0.3	7.6	0.9	-0.4	-0.8		
EBF 24648									46 %	44 %	24%	24%	26%	8 %	18%	7%	32 %	19 %	19 %	18 %	16 %	12 %		
CWBMEBF 240651	2		EBF 190012	120	68	77	138	92	114	68	110	77	66	62	88	97	122	101	83	103	98	110		
F2			EBF 170520	65%	66%	46 %	16%	24%	-0.08	-9.9	-0.75	-3.6	-17.3	-48	4.0	1.2	14.5	1.0	-10.9	1.3	-0.3	1.1		
EBF 24651									71 %	66 %	44%	46%	34%	16%	33%	14%	45 %	27 %	27 %	25 %	18 %	13 %		
CWBMEBF 240652	2		EBF 200010	97	96	89	116	97	96	96	117	89	91	84	93	101	117	97	102	99	97	103		
F2			EBF 210536	60%	64%	37 %	15%	18%	1.65	1.2	-1.02	2.8	-0.2	-16	1.2	0.4	12.4	0.5	1.9	0.6	-0.3	0.0		
EBF 24652									67 %	64 %	35%	37%	30%	15%	25%	11%	42 %	28 %	28 %	25 %	20 %	15 %		
CWBMEBF 240655	2		EBF 200010	83	104	92	110	96	82	104	112	92	98	90	91	101	117	97	102	99	97	103		
F2			EBF 210537	62%	64%	40 %	15%	18%	2.96	4.7	-0.85	4.7	4.9	-8	2.2	0.4	12.5	0.5	1.9	0.6	-0.3	0.0		
EBF 24655									68 %	64 %	37%	40%	30%	15%	25%	11%	42 %	28 %	28 %	25 %	20 %	15 %		
CWBMEBF 240657	1		EBF 200010	76	107	89	105	96	78	107	98	89	100	95	89	102	115	97	110	104	100	101		
F2			EBF 200501	64%	66%	43 %	13%	18%	3.40	5.7	-0.31	2.7	6.3	-1	3.8	0.2	11.6	0.4	7.9	1.4	-0.1	-0.3		
EBF 24657									70 %	66 %	41%	43%	32%	13%	24%	12%	42 %	26 %	27 %	25 %	21 %	16 %		
CWBMEBF 240662			EBF 200010	95	96	108	102	93	92	96	112	108	97	98	92	94	102	92	110	101	97	98		
F2			CWBFEFB 210516	41%	44%	24 %	8 %	12%	2.02	1.3	-0.82	12.8	4.2	3	1.9	1.6	6.2	-0.3	7.6	0.9	-0.4	-0.8		
EBF 24662									46 %	44 %	24%	24%	26%	8 %	18%	7%	34 %	19 %	19 %	18 %	16 %	12 %		

CWB Bulls

Inbreeding >6% is high				<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed															
Bull				Selection Value					Calf weight		Mother		Growth		Fertility			Carcass				
ID	%Inbreeding	Parentage		Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn. Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
Name		Genomic	Sire ID																			
JAPANESE BLACK																						
CWBMEBF 240713 F3 EBF 24713	2	 SWK 200080  EBF 210634		122 64%	101 66%	86 40 %	111 21%	96 20%	115 -0.27 71 %	101 3.2 66 %	109 -0.70 37%	86 1.1 40%	105 10.2 44%	89 -9 21%	95 0.0 30%	98 0.9 11%	114 11.1 42 %	121 3.4 31 %	90 -6.5 30 %	107 1.9 27 %	136 3.3 29 %	114 1.8 23 %
CWBMEBF 240715 F3 EBF 24715	1	 SWK 200080  EBF 200635		105 64%	88 64%	86 41 %	118 22%	101 24%	106 0.65 71 %	88 -2.0 64 %	86 0.12 39%	86 1.1 41%	95 2.7 43%	82 -20 22%	95 0.2 32%	106 -0.5 15%	116 12.0 44 %	117 3.0 34 %	97 -1.2 34 %	107 1.9 30 %	142 3.9 31 %	119 2.6 24 %
CWBMEBF 240719 F3 EBF 24719	2	 SWK 200078  EBF 200605		126 68%	98 68%	83 51 %	108 22%	91 30%	121 -0.81 73 %	98 2.1 68 %	102 -0.45 50%	83 -0.4 51%	98 4.7 46%	92 -5 22%	86 5.4 42%	96 1.3 18%	118 12.9 48 %	101 1.0 37 %	111 8.9 36 %	95 -0.1 33 %	114 1.2 33 %	107 0.6 27 %
CWBMEBF 240729 F3 EBF 24729	2	 SWK 200080 EBF 210610		126 64%	88 66%	82 41 %	119 22%	93 20%	120 -0.74 71 %	88 -2.0 66 %	103 -0.50 38%	82 -0.6 41%	95 2.8 44%	81 -21 22%	93 1.4 30%	96 1.4 11%	112 10.4 41 %	119 3.2 32 %	80 -13.4 31 %	108 2.0 27 %	133 3.0 29 %	119 2.5 23 %
CWBMEBF 240749 F3 EBF 24749	4	 EBF 200010  EBF 210603		117 63%	72 66%	75 38 %	136 14%	90 20%	125 -1.23 70 %	72 -8.2 66 %	132 -1.58 35%	75 -4.5 38%	69 -15.0 34%	64 -45 14%	90 3.1 28%	92 2.0 12%	111 10.1 42 %	103 1.2 25 %	87 -8.3 25 %	105 1.5 23 %	91 -1.0 20 %	103 -0.1 14 %
CWBMEBF 250502 F1 EBF EBF25502		 SWK 200080		94 42%	97 44%	111 25 %	96 19%	94 14%	95 1.75 47 %	97 1.7 44 %	94 -0.14 25%	111 14.8 25%	110 13.2 38%	104 11 19%	96 -0.8 21%	92 1.9 7%	95 3.1 31 %	107 1.7 27 %	103 2.6 27 %	104 1.4 23 %	139 3.6 27 %	114 1.7 22 %
CWBMEBF 250548 F1 EBF EBF25548		 EBF 200011		93 39%	101 32%	107 21 %	99 13%	93 14%	92 2.03 43 %	101 3.5 32 %	102 -0.45 25%	107 12.6 21%	101 7.3 20%	101 7 13%	94 0.5 22%	93 1.7 7%	110 9.6 30 %	94 0.1 21 %	96 -1.8 21 %	96 0.1 19 %	107 0.6 19 %	110 1.1 13 %
CWBMEBF 250551 F1 EBF EBF25551		 EBF 200011		93 39%	101 32%	107 21 %	99 13%	93 14%	92 2.03 43 %	101 3.5 32 %	102 -0.45 25%	107 12.6 21%	101 7.3 20%	101 7 13%	94 0.5 22%	93 1.7 7%	110 9.6 30 %	94 0.1 21 %	96 -1.8 21 %	96 0.1 19 %	107 0.6 19 %	110 1.1 13 %
CWBMEBF 250555 F1 EBF EBF25555		 EBF 200011		93 39%	101 32%	107 21 %	99 13%	93 14%	92 2.03 43 %	101 3.5 32 %	102 -0.45 25%	107 12.6 21%	101 7.3 20%	101 7 13%	94 0.5 22%	93 1.7 7%	110 9.6 30 %	94 0.1 21 %	96 -1.8 21 %	96 0.1 19 %	107 0.6 19 %	110 1.1 13 %
CWBMEBF 250560 F1 EBF EBF25560		 EBF 200011		93 39%	101 32%	107 21 %	99 13%	93 14%	92 2.03 43 %	101 3.5 32 %	102 -0.45 25%	107 12.6 21%	101 7.3 20%	101 7 13%	94 0.5 22%	93 1.7 7%	110 9.6 30 %	94 0.1 21 %	96 -1.8 21 %	96 0.1 19 %	107 0.6 19 %	110 1.1 13 %
CWBMEBF 250603 F2 EBF EBF25603	1	 SWK 200080  EBF 210547		112 64%	92 66%	87 42 %	113 23%	105 22%	110 0.28 71 %	92 -0.2 66 %	96 -0.24 39%	87 1.9 42%	101 7.3 44%	87 -13 23%	102 -4.0 31%	108 -0.9 12%	117 12.5 42 %	117 2.9 34 %	91 -5.5 33 %	104 1.4 29 %	138 3.5 29 %	118 2.3 23 %
CWBMEBF 250610 F2 EBF EBF25610	2	 EBF 200010  EBF 200506		107 62%	83 62%	77 43 %	130 15%	98 21%	103 0.97 67 %	83 -4.1 62 %	107 -0.65 41%	77 -3.6 43%	80 -7.5 31%	70 -36 15%	95 0.0 29%	102 0.4 13%	115 11.6 44 %	101 0.9 28 %	98 -0.4 28 %	101 0.9 25 %	96 -0.5 20 %	102 -0.2 15 %

CWB Bulls

Inbreeding >6% is high					<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed															
Bull					Selection Value					Calf weight		Mother		Growth		Fertility			Carcass				
ID	%Inbreeding	Parentage			Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
Name		Genomic	DNA	Sire ID Dam ID																			
JAPANESE BLACK																							
CWBMEBF 250612 F2 EBF EBF25612	1			EBF 200010 EBF 200501	88 64%	109 66%	88 43 %	102 13%	96 18%	88 2.42 70 %	109 6.7 66 %	101 -0.42 41%	88 2.4 43%	101 7.2 32%	98 4 13%	88 4.0 24%	102 0.2 12%	116 11.9 42 %	97 0.4 26 %	110 7.9 27 %	104 1.4 25 %	100 -0.1 21 %	101 -0.3 16 %
CWBMEBF 250617 F2 EBF EBF25617	1			SWK 190060 EBF 220528	89 62%	98 63%	88 37 %	107 23%	102 24%	88 2.40 68 %	98 2.1 63 %	116 -0.99 39%	88 2.5 37%	96 3.6 42%	93 -4 23%	98 -1.8 33%	105 -0.4 16%	108 8.4 44 %	120 3.4 37 %	103 3.1 37 %	110 2.3 34 %	106 0.5 36 %	92 -1.7 31 %
CWBMEBF 250621 F2 EBF EBF25621	3			SWK 190060 EBF 200548	80 56%	110 51%	93 41 %	102 24%	109 28%	84 2.81 59 %	110 7.0 51 %	90 0.00 45%	93 5.0 41%	106 10.3 43%	98 4 24%	97 -1.4 37%	116 -2.6 19%	111 9.9 46 %	120 3.4 40 %	112 9.0 41 %	112 2.6 37 %	114 1.2 38 %	96 -1.2 32 %
CWBMEBF 250622 F2 EBF EBF25622	2			SWK 190060 EBF 160502	79 66%	124 66%	75 47 %	98 25%	107 28%	79 3.24 71 %	124 12.6 66 %	117 -1.02 47%	75 -4.6 47%	114 16.0 44%	102 9 25%	100 -2.6 38%	115 -1.9 19%	108 8.4 48 %	118 3.1 42 %	105 4.0 42 %	103 1.2 38 %	107 0.6 37 %	98 -0.7 31 %
CWBMEBF 250623 F2 EBF EBF25623	3			SWK 190060 EBF 200548	80 56%	110 51%	93 41 %	102 24%	109 28%	84 2.81 59 %	110 7.0 51 %	90 0.00 45%	93 5.0 41%	106 10.3 43%	98 4 24%	97 -1.4 37%	116 -2.6 19%	111 9.9 46 %	120 3.4 40 %	112 9.0 41 %	112 2.6 37 %	114 1.2 38 %	96 -1.2 32 %
CWBMEBF 250625 F2 EBF EBF25625	2			SWK 190060 EBF 200523	85 66%	102 66%	86 45 %	107 25%	104 26%	84 2.79 71 %	102 3.9 66 %	112 -0.83 47%	86 1.1 45%	97 4.5 44%	93 -3 25%	99 -2.4 35%	108 -0.9 17%	110 9.3 47 %	117 3.0 40 %	102 2.5 41 %	105 1.6 37 %	110 0.8 37 %	99 -0.6 31 %
CWBMEBF 250632 F2 EBF EBF25632	2			EBF 200010 EBF 210537	104 62%	102 64%	92 40 %	110 15%	96 18%	101 1.12 69 %	102 3.8 64 %	116 -1.00 37%	92 4.7 40%	96 3.3 30%	90 -8 15%	91 2.2 25%	101 0.4 11%	118 12.8 42 %	97 0.5 28 %	102 1.9 28 %	99 0.6 25 %	97 -0.3 20 %	103 0.0 15 %
CWBMEBF 250638 F2 EBF EBF25638	2			EBF 200010 EBF 200522	90 64%	100 66%	91 44 %	113 15%	96 18%	87 2.49 70 %	100 2.9 66 %	110 -0.75 41%	91 4.0 44%	94 2.5 31%	87 -12 15%	92 1.7 25%	101 0.4 11%	118 13.0 43 %	97 0.5 28 %	102 1.9 28 %	99 0.6 25 %	97 -0.3 20 %	103 0.0 15 %
CWBMEBF 250640 F2 EBF EBF25640	1			EBF 200010 EBF 200533	100 64%	103 64%	90 40 %	108 13%	100 21%	97 1.49 71 %	103 4.3 64 %	104 -0.54 39%	90 3.5 40%	98 4.8 32%	92 -5 13%	88 3.9 28%	109 -1.2 14%	122 14.5 42 %	101 0.9 26 %	107 5.5 27 %	106 1.7 25 %	99 -0.2 21 %	100 -0.5 16 %
CWBMEBF 250642 F2 EBF EBF25642	2			EBF 200010 EBF 200514	102 65%	93 66%	83 44 %	121 15%	104 22%	98 1.43 71 %	93 0.3 66 %	107 -0.66 41%	83 -0.2 44%	88 -2.0 32%	79 -24 15%	96 -0.4 29%	111 -1.5 14%	122 14.5 44 %	101 0.9 28 %	98 -0.4 28 %	101 0.9 25 %	96 -0.5 20 %	102 -0.2 15 %
CWBMEBF 250644 F2 EBF EBF25644	3			EBF 200011 EBF 200505	116 63%	101 61%	86 42 %	110 18%	97 20%	112 0.07 69 %	101 3.3 61 %	118 -1.06 40%	86 1.2 42%	94 2.4 28%	90 -8 18%	95 -0.2 28%	100 0.6 11%	128 17.2 41 %	100 0.8 29 %	88 -7.5 29 %	94 -0.2 26 %	108 0.7 22 %	115 1.9 15 %
CWBMEBF 250649 F2 EBF EBF25649	1			EBF 200010 EBF 210518	93 64%	95 66%	90 41 %	118 13%	102 20%	93 1.92 71 %	95 0.7 66 %	98 -0.31 39%	90 3.3 41%	90 -0.5 34%	82 -19 13%	91 2.3 28%	110 -1.5 13%	122 14.6 42 %	101 0.9 26 %	107 5.5 27 %	106 1.7 25 %	99 -0.2 21 %	100 -0.5 16 %

CWB Bulls

Inbreeding >6% is high				<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed																
Bull				Selection Value					Calf weight		Mother		Growth		Fertility			Carcass					
ID	%Inbreeding	Parentage		Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling	Fineness
Name		Genomic	Sire ID																				
JAPANESE BLACK																							
CWBMEBF 250650			EBF 200010	95	96	108	102	93	92	96	112	108	97	98	92	94	101	92	110	101	97	98	
F2			CWBFEFB 210516	41%	44%	24 %	8 %	12%	2.02	1.3	-0.82	12.8	4.2	3	1.9	1.6	5.7	-0.3	7.6	0.9	-0.4	-0.8	
EBF EBF25650				41%	44%	24 %	8 %	12%	46 %	44 %	24%	24%	26%	8 %	18%	7%	33 %	19 %	19 %	18 %	16 %	12 %	
CWBMEBF 250656		1	EBF 200010	110	81	93	121	97	104	81	109	93	80	79	92	102	118	97	110	104	100	101	
F2			EBF 210515	62%	64%	40 %	13%	18%	0.80	-4.8	-0.72	5.2	-7.4	-24	1.5	0.2	12.9	0.4	7.9	1.4	-0.1	-0.3	
EBF EBF25656				62%	64%	40 %	13%	18%	69 %	64 %	36%	40%	30%	13%	24%	12%	42 %	26 %	27 %	25 %	21 %	16 %	
CWBMEBF 250661		2	EBF 200010	114	70	79	137	97	110	70	105	79	70	63	90	105	123	101	98	101	96	102	
F2			EBF 170520	63%	66%	45 %	15%	22%	0.30	-9.3	-0.55	-2.6	-14.4	-46	3.2	-0.2	15.1	0.9	-0.4	0.9	-0.5	-0.2	
EBF EBF25661				63%	66%	45 %	15%	22%	69 %	66 %	41%	45%	32%	15%	29%	14%	44 %	28 %	28 %	25 %	20 %	15 %	
CWBMEBF 250716		1	SWK 200080	115	89	82	115	104	115	89	87	82	95	85	101	106	119	117	97	107	142	119	
F3			EBF 200629	66%	66%	44 %	22%	24%	-0.18	-1.3	0.09	-0.9	2.9	-15	-3.3	-0.9	13.4	3.0	-1.2	1.9	3.9	2.6	
EBF EBF25716				66%	66%	44 %	22%	24%	72 %	66 %	42%	44%	43%	22%	32%	15%	44 %	34 %	34 %	30 %	31 %	24 %	
CWBMEBF 250720		5	SWK 190060	89	109	75	105	105	88	109	118	75	100	95	96	111	114	121	105	110	112	99	
F3			EBF 200605	67%	66%	46 %	25%	30%	2.36	6.6	-1.04	-4.7	6.5	-1	-0.8	-1.7	11.4	3.5	4.4	2.4	1.1	-0.6	
EBF EBF25720				67%	66%	46 %	25%	30%	72 %	66 %	48%	46%	44%	25%	39%	20%	48 %	41 %	41 %	38 %	38 %	32 %	
CWBMEBF 250757		4	EBF 200011	118	102	82	117	96	113	102	116	82	95	83	93	99	129	108	83	99	104	110	
F3			EBF 210634	63%	62%	38 %	16%	21%	-0.03	3.9	-0.99	-0.9	2.9	-17	1.1	0.7	17.5	1.8	-10.9	0.6	0.3	1.1	
EBF EBF25757				63%	62%	38 %	16%	21%	70 %	62 %	37%	38%	30%	16%	31%	11%	41 %	26 %	26 %	23 %	21 %	14 %	
CWBMEBF 250759		3	EBF 200011	124	92	78	123	93	118	92	111	78	86	77	90	97	127	106	74	100	101	115	
F3			EBF 210610	63%	62%	39 %	17%	20%	-0.48	-0.5	-0.81	-2.7	-3.3	-26	2.9	1.2	16.8	1.5	-17.8	0.7	0.0	1.8	
EBF EBF25759				63%	62%	39 %	17%	20%	70 %	62 %	37%	39%	30%	17%	30%	11%	40 %	27 %	27 %	24 %	22 %	15 %	
CWBMEBF 260504			EBF 200011	93	101	107	99	93	92	101	102	107	101	101	94	93	110	94	96	96	107	110	
PEN			CWBFEFB 17AM51	39%	32%	21 %	13%	14%	2.03	3.5	-0.45	12.6	7.3	7	0.5	1.7	9.6	0.1	-1.8	0.1	0.6	1.1	
EBF EBF26504				39%	32%	21 %	13%	14%	43 %	32 %	25%	21%	20%	13%	22%	7%	30 %	21 %	21 %	19 %	19 %	13 %	
CWBMEBF 260516			FGW 220219	91	93	110	99	87	92	93	92	110	96	101	92	85	94	105	105	105	108	98	
PEN			CWBFEFB F17JK4	35%	22%	20 %	18%	10%	1.97	0.2	-0.09	14.2	3.6	8	2.0	3.1	2.7	1.4	4.0	1.5	0.6	-0.8	
EBF EBF26516				35%	22%	20 %	18%	10%	39 %	22 %	20%	20%	24%	18%	14%	7%	23 %	16 %	16 %	15 %	15 %	12 %	
CWBMEBF 260642			EBF 200011	93	101	107	99	93	92	101	102	107	101	101	94	93	110	94	96	96	107	110	
PEN			CWBFEFB 210516	39%	32%	21 %	13%	14%	2.03	3.5	-0.45	12.6	7.3	7	0.5	1.7	9.6	0.1	-1.8	0.1	0.6	1.1	
EBF EBF26642				39%	32%	21 %	13%	14%	43 %	32 %	25%	21%	20%	13%	22%	7%	30 %	21 %	21 %	19 %	19 %	13 %	

CWB Cows

Inbreeding >6% is high				<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed																
Cow				Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas					
ID	%Inbreeding	Parentage		Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling	Fineness
Name		Genomic DNA	Sire ID																				
JAPANESE BLACK																							
CWBFEBF 210513		FGW 130003		94	90	100	108	95	91	90	108	100	91	92	98	93	104	96	97	90	108	111	
PEN		CWBFEB F17AM7		45 %	43 %	42 %	26 %	26 %	2.13	-0.9	-0.67	8.6	0.3	-5	-1.6	1.7	6.8	0.3	-1.3	-0.8	0.6	1.3	
EBF 21513				45 %	43 %	42 %	26 %	26 %	46 %	43 %	41 %	42 %	29 %	26%	35%	17%	48 %	40 %	39 %	35 %	23 %	17 %	
CWBFEBF 210516		✓	EBF 160002	76	105	111	90	93	81	105	87	111	104	110	90	96	112	95	114	100	114	108	
F1		CWBFEB F17AX9		43 %	38 %	39 %	20 %	25 %	3.07	5.1	0.10	14.4	9.5	20	3.0	1.2	10.1	0.2	10.6	0.7	1.2	0.8	
EBF 21516				43 %	38 %	39 %	20 %	25 %	44 %	38 %	39 %	39 %	30 %	20%	32%	18%	48 %	36 %	37 %	34 %	28 %	20 %	
CWBFEBF 210521		FGW 130003		94	90	100	108	95	91	90	108	100	91	92	98	93	104	96	97	90	108	111	
PEN		CWBFEB F17JK4		45 %	43 %	42 %	26 %	26 %	2.13	-0.9	-0.67	8.6	0.3	-5	-1.6	1.7	6.8	0.3	-1.3	-0.8	0.6	1.3	
EBF 21521				45 %	43 %	42 %	26 %	26 %	46 %	43 %	41 %	42 %	29 %	26%	35%	17%	48 %	40 %	39 %	35 %	23 %	17 %	
CWBFEBF 220501		EBF 190001		125	87	96	113	95	118	87	107	96	91	87	93	97	94	110	92	103	98	96	
F1		EB F17AD5		59 %	34 %	29 %	15 %	16 %	-0.56	-2.1	-0.66	6.7	0.2	-13	1.0	1.0	2.5	2.0	-4.7	1.3	-0.3	-1.2	
EBF 22501				59 %	34 %	29 %	15 %	16 %	65 %	34 %	36 %	29 %	25 %	15%	24%	9%	44 %	21 %	21 %	19 %	17 %	10 %	
CWBFEBF 250505		✓	SWK 200080	94	97	111	96	94	95	97	94	111	110	104	96	92	95	107	103	104	139	114	
F1				42 %	44 %	25 %	19 %	14 %	1.75	1.7	-0.14	14.8	13.2	11	-0.8	1.9	3.1	1.7	2.6	1.4	3.6	1.7	
EBF EBF25505				42 %	44 %	25 %	19 %	14 %	47 %	44 %	25 %	25 %	38 %	19%	21%	7%	31 %	27 %	27 %	23 %	27 %	22 %	
CWBFEBF 250506		✓	SWK 200080	94	97	111	96	94	95	97	94	111	110	104	96	92	95	107	103	104	139	114	
F1				42 %	44 %	25 %	19 %	14 %	1.75	1.7	-0.14	14.8	13.2	11	-0.8	1.9	3.1	1.7	2.6	1.4	3.6	1.7	
EBF EBF25506				42 %	44 %	25 %	19 %	14 %	47 %	44 %	25 %	25 %	38 %	19%	21%	7%	31 %	27 %	27 %	23 %	27 %	22 %	
CWBFEBF 250511		✓	SWK 200080	94	97	111	96	94	95	97	94	111	110	104	96	92	95	107	103	104	139	114	
F1				42 %	44 %	25 %	19 %	14 %	1.75	1.7	-0.14	14.8	13.2	11	-0.8	1.9	3.1	1.7	2.6	1.4	3.6	1.7	
EBF EBF25511				42 %	44 %	25 %	19 %	14 %	47 %	44 %	25 %	25 %	38 %	19%	21%	7%	31 %	27 %	27 %	23 %	27 %	22 %	
CWBFEBF 250518		✓	EBF 200010	95	96	108	102	93	92	96	112	108	97	98	92	94	100	92	110	101	97	98	
F1				41 %	44 %	24 %	8 %	12 %	2.02	1.3	-0.82	12.8	4.2	3	1.9	1.6	5.0	-0.3	7.6	0.9	-0.4	-0.8	
EBF EBF25518				41 %	44 %	24 %	8 %	12 %	46 %	44 %	24 %	24 %	26 %	8 %	18%	7%	32 %	19 %	19 %	18 %	16 %	12 %	
CWBFEBF 250519		✓	SWK 200080	94	97	111	96	94	95	97	94	111	110	104	96	92	95	107	103	104	139	114	
F1				42 %	44 %	25 %	19 %	14 %	1.75	1.7	-0.14	14.8	13.2	11	-0.8	1.9	3.1	1.7	2.6	1.4	3.6	1.7	
EBF EBF25519				42 %	44 %	25 %	19 %	14 %	47 %	44 %	25 %	25 %	38 %	19%	21%	7%	31 %	27 %	27 %	23 %	27 %	22 %	
CWBFEBF 250545		✓	EBF 200011	93	101	107	99	93	92	101	102	107	101	101	94	93	110	94	96	96	107	110	
F1				39 %	32 %	21 %	13 %	14 %	2.03	3.5	-0.45	12.6	7.3	7	0.5	1.7	9.6	0.1	-1.8	0.1	0.6	1.1	
EBF EBF25545				39 %	32 %	21 %	13 %	14 %	43 %	32 %	25 %	21 %	20 %	13%	22%	7%	30 %	21 %	21 %	19 %	19 %	13 %	
CWBFEBF 250552		✓	EBF 200010	95	96	108	102	93	92	96	112	108	97	98	92	94	100	92	110	101	97	98	
F1				41 %	44 %	24 %	8 %	12 %	2.02	1.3	-0.82	12.8	4.2	3	1.9	1.6	5.0	-0.3	7.6	0.9	-0.4	-0.8	
EBF EBF25552				41 %	44 %	24 %	8 %	12 %	46 %	44 %	24 %	24 %	26 %	8 %	18%	7%	32 %	19 %	19 %	18 %	16 %	12 %	
CWBFEBF 250604		2	✓ SWK 190060	100	95	87	108	106	98	95	118	87	92	92	103	109	107	117	102	105	110	99	
F2		✓ EBF 200507		62 %	61 %	41 %	25 %	27 %	1.40	0.8	-1.05	1.6	0.7	-6	-4.4	-1.1	8.2	3.0	2.5	1.6	0.8	-0.6	
EBF EBF25604				62 %	61 %	41 %	25 %	27 %	66 %	61 %	46 %	41 %	42 %	25%	36%	18%	47 %	40 %	41 %	37 %	37 %	31 %	

CWB Cows

Inbreeding >6% is high				<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed															
Cow				Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas				
ID	Parentage			Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
Name	%Inbreeding	Genomic DNA	Sire ID Dam ID																			
JAPANESE BLACK																						
CWBFEBF 250614		SWK 190060		82	106	106	91	100	81	106	112	106	107	109	98	101	93	112	110	107	109	94
F2		CWBFEBF 220501		3.04	5.4	-0.82	11.8	11.0	47 %	5.4	33 %	11.8	11.0	19	-1.7	0.3	2.2	2.3	8.2	1.9	0.7	-1.4
EBF EBF25614				44 %	44 %	27 %	21 %	22 %		44 %		27 %	39 %	21%	30%	15%	38 %	35 %	36 %	33 %	35 %	30 %
CWBFEBF 250624		EBF 200010		95	96	108	102	93	92	96	112	108	97	98	92	94	100	92	110	101	97	98
PEN		CWBFEBF 210513		2.02	1.3	-0.82	12.8	4.2	46 %	1.3	-0.82	12.8	4.2	3	1.9	1.6	5.3	-0.3	7.6	0.9	-0.4	-0.8
EBF EBF25624				41 %	44 %	24 %	8 %	12 %		44 %		24 %	26 %	8 %	18%	7%	34 %	19 %	19 %	18 %	16 %	12 %
CWBFEBF 250641		EBF 200010		95	96	108	102	93	92	96	112	108	97	98	92	94	100	92	110	101	97	98
PEN		CWBFEBF 210521		2.02	1.3	-0.82	12.8	4.2	46 %	1.3	-0.82	12.8	4.2	3	1.9	1.6	5.3	-0.3	7.6	0.9	-0.4	-0.8
EBF EBF25641				41 %	44 %	24 %	8 %	12 %		44 %		24 %	26 %	8 %	18%	7%	34 %	19 %	19 %	18 %	16 %	12 %
CWBFEBF 250654		EBF 200011		93	101	107	99	93	92	101	102	107	101	101	94	93	110	94	96	96	107	110
F2		CWBFEBF 220504		2.03	3.5	-0.45	12.6	7.3	43 %	3.5	-0.45	12.6	7.3	7	0.5	1.7	9.6	0.1	-1.8	0.1	0.6	1.1
EBF EBF25654				39 %	32 %	21 %	13 %	14 %		32 %		21 %	20 %	13%	22%	7%	32 %	21 %	21 %	19 %	19 %	13 %
CWBFEBF 260010		FGW 220219		91	93	110	99	87	92	93	92	110	96	101	92	86	94	105	105	105	108	98
PEN		CWBFEBF 230028		1.97	0.2	-0.09	14.2	3.6	39 %	0.2	-0.09	14.2	3.6	8	2.0	3.1	2.7	1.4	4.0	1.5	0.6	-0.8
EBF EBF26010				35 %	22 %	20 %	18 %	10 %		22 %		20 %	24 %	18%	14%	7%	23 %	16 %	16 %	15 %	15 %	12 %
CWBFEBF 260508		FGW 220219		91	93	110	99	87	92	93	92	110	96	101	92	86	94	105	105	105	108	98
PEN		CWBFEB F17AX2		1.97	0.2	-0.09	14.2	3.6	39 %	0.2	-0.09	14.2	3.6	8	2.0	3.1	2.7	1.4	4.0	1.5	0.6	-0.8
EBF EBF26508				35 %	22 %	20 %	18 %	10 %		22 %		20 %	24 %	18%	14%	7%	23 %	16 %	16 %	15 %	15 %	12 %