



WAGYU

BREEDING VALUE REPORT

September 2026



ABSOLUTE WAGYU

Herd Number: 8191313


E-mail: drfaniesteyn@gmail.com
marietjie@absolutegenetics.co.za



WAGYU
SOCIETY
OF SOUTH AFRICA



CERTIFICATE
OF QUALITY
Valid up to
October 2029



Notes


GEBVi (GEBVindex): The average GEBVi of all the live animals in the breed is 100, and all EBVi values are expressed relative to this value. Values above 100 are mostly in a more desirable direction. Note that a very high index is not always desirable. For certain traits, such as birth weight, average values may be better. It is the top value in the list.

GEBV (Genomic Estimated Breeding Value) indicates the genetic potential of the animal for a specific trait. It is presented in the unit of measurement and relative to the average of animals born in the base year. It is the middle value in the list and not available for selection values.

Accuracy: This value gives an indication of how much information was available for breeding value estimation. It is the bottom value in the list.

Selection values combine similar breeding values in a scientific manner to simplify the selection of animals. For example, HF (Heifer Fertility), CF (Cow Fertility) and Longevity are

combined to form the Fertility Value by taking the heritability and economic importance in consideration.




* Depending on selection goal

GEBVi		Description / Measurement	Goal		General Guidelines*					
					80	90	100	110	120	
Selection V.	Calving Ease Value	Difficult calving due to high birth weight	Average birth weight	High						Low
	Calf Growth Value	Calf's genetic ability for prewean growth	Heavy weaner	Light						Heavy
	Milk Value	Cow's genetic mothering and milking ability	Enough milk for calf	Less						More
	Maintenance Value	Maintenance requirement of cow (weight and milk)	Low cow maintenance	High					*	Low
	Fertility Value	Fertility and retention of cows and heifers	Fertile cows	Low						High
Cow & Calf	Birth weight direct	Birth weight (Calf's genetic ability)	Average birth weight	Heavy						Light
	Birth weight mat	Birth weight (Dam's genetic ability)	Easy calving	Heavy						Light
	Weaning weight direct	Weaning weight (Calf's genetic ability)	Heavy weaners	Light						Heavy
	Weaning weight mat	Weaning weight (Dam's genetic ability)	Good mothers	Poor						Good
	Post-wean weight	Combination of EBVs for 12 and 18 month weights	Mature weight	Light				*	*	Heavy
	Mature Cow Weight	Cow weight at weaning of first three calves	Mature cow weight	Light				*	*	Heavy
Ferti.	Heifer Fertility	Age at first calving	Fertile heifers	Less						More
	Cow Fertility	First 3 inter-calving periods (ICPs)	Fertile cows	Less						More
	Longevity	Retention of progeny	Acceptable progeny	Poor						Good
Carcass	IMF	Intra-muscular-fat, Marbling	High quality carcass	Less						More
	Carcass weight	Weight of the carcass	High quality carcass	Light						Heavy
	EMA	Eye-muscle-area at the 12/13th rib of the dressed carcass	High quality carcass	Small						Large
	Rib Fat	Rib fat depth at the 12/13th rib of the dressed carcass	High quality carcass	Thin						Thick
	Marbling Fineness	Degree of fineness of marbling fat	High quality carcass	Low						High

Herd and Breed Averages

Number 159



Breeding Values (EBV):

Birth: Birth weight IMF: Marbling
 Wean: Weaning weight Carcwt: Carcass wt
 Birth.mat: Birth mat EMA: Eye muscle area
 Milk: Milk RibFatt: Rib Fat thickness
 Postwn: Postwean weight MF: Marbling Fineness
 Matwt: Mature weight
 HF: Heifer Fertility
 CF: Cow Fertility
 LL: Longevity

Selection values:

CEaseV Calving Ease Value
 CGrowthV Calf Growth Value
 MilkV: Milk Value
 MaintV: Maintenance Value
 FertV: Fertility Value

	Trait	EBV Herd	EBV Index	EBV Breed
Prewean growth	Birth Weight	0.45	108	1.23
	Wean Weight	3.0	100	2.9
	Birth Mat.	-0.38	100	-0.38
	Milk (Wn.Mat.)	-0.4	83	8.7
Postwean growth	Postwean wt	4.4	97	6.4
	Mature weight	-7	91	6
	Heifer Fertility	-7.6	108	-2.9
Fertility	Cow Fertility	-1.9	113	0.5
	Longevity	13.5	120	5.2
Carcass	IMF	1.5	106	0.8
	Carcass weight	-1.7	96	0.8
	EMA	1.4	104	0.8
	Rib Fat	0.0	101	-0.1
	MF	-0.3	101	-0.5

Selection Value	Herd Avg
Calving Ease Value	108
Calf Growth Value	100
Milk Value	83
Maintenance Value	109
Fertility Value	111


- Average of live animals in the breed: 100
- Above 100: **more favourable**,
- Below 100: **less favourable**

What does a sub-selection value above breed average (100) mean?:

Calving ease: Smaller calf at birth - easier calving
 Calf growth: Heavier calves at wean due to growth potential of the calf
 Milk: Cows with more milk and better mothering ability
 Maintenance: Animals with low maintenance requirements (lower mature weight).
 Fertility: Cows/daughters that calve

Genetic Trends for On-Farm Traits

The graphs show the genetic gain of the herd relative to the breed. Only data of animals with measurements are included.




Herd

Birth Year	Calving Ease				Calf Growth			Milk			Maintenance					Fertility							
	Birth Weight		Dir	Mat	Calv. Ease	Weaning Weight		Calf Growth	Milk (Wn.Mat.)		Milk	Postwean Weight		Mature Weight		Maintenance	Heifer Fert.		Cow Fert.		Longevity		Fertility
	Number	EBV				Number	EBV		Number	EBV		Number	EBV	Number	EBV		Number	EBV	Number	EBV	Number	EBV	
2016																	1	-5.2			56	-0.6	100
2017						1	-3.1	85	1	-10.80	63	20	2.9		110	18	-9.9	10	-3.7	119	4.5	116	
2018	1	-1.15		-1.53	118	3	6.0	108	3	3.71	91	2	11.7	1	-16	108	24	-3.0	15	-0.9	172	4.7	104
2019														2	5	101	18	-2.4	13	-1.0	117	5.2	104
2020																	30	-4.5	19	-0.9	76	7.2	105
2021																	19	-6.5	11	-2.1	58	7.5	110
2022	1	-1.65		-0.47	117												14	-4.5	2	-1.8	30	9.1	104
2023																							
2024																							
2025																							
2026																							

Breed

Birth Year	Calving Ease				Calf Growth			Milk			Maintenance					Fertility						
	Birth Weight		Mat EBV	Calv. Ease	Weaning Weight		Calf Growth	Milk (Wn.Mat.)		Milk	Postwean Weight		Mature Weight		Maintenance	Heifer Fert.		Cow Fert.		Longevity		Fertility
	Number	Dir EBV			Number	EBV		Number	EBV		Number	EBV	Number	EBV		Number	EBV	Number	EBV	Number	EBV	
2016	667	0.14	0.06	106	280	0.5	94	280	6.43	96	213	2.7	17	-11	110	777	-1.4	388	-0.8	6318	-0.5	102
2017	787	0.41	0.21	102	405	0.6	94	405	3.76	91	309	0.1	33	-9	111	791	-1.9	308	-0.6	10308	-0.4	102
2018	1180	0.44	0.12	103	815	-1.4	89	815	2.45	88	823	-0.9	19	-23	113	665	-4.6	407	-1.0	9232	2.0	106
2019	1379	0.55	0.15	102	901	0.1	93	901	1.30	86	896	0.6	27	-30	112	1006	-2.8	469	-0.6	11910	1.7	103
2020	2115	0.65	-0.03	102	556	2.3	98	556	7.29	97	273	6.2	24	-7	103	665	-4.3	269	-1.0	11395	1.2	106
2021	2374	0.55	-0.10	103	589	0.4	94	589	4.13	91	253	0.2	19	-6	112	405	-6.0	158	-1.5	9292	1.5	108
2022	2062	0.42	-0.18	105	461	2.0	98	461	1.65	87	246	2.4	15	15	110	306	-2.8	72	-0.6	4200	2.1	103
2023	1637	0.34	-0.31	107	461	2.0	98	461	1.21	86	160	2.0	5	-3	111	121	-6.6	11	-0.6			110
2024	1413	0.39	-0.30	107	311	2.5	99	311	1.86	87	36	14.0			97	15	-2.4					101
2025	1478	0.37	-0.14	106	386	2.5	99	386	0.24	84												
2026	307	0.25	-0.03	106																		

Genetic Trends for Carcass Traits



Herd

Birth Year	Carcass											
	IMF			Carcass weight			EMA			RibFat		
	Number	EBV	EBVi	Number	EBV	EBVi	Number	EBV	EBVi	Number	EBV	EBVi
2013												
2014	2	-0.6	89	2	-11.7	82	2	4.4	124			
2015	2	-1.5	82	2	-2.6	95	2	2.9	113			
2016	11	-1.3	83	9	1.3	101	10	-0.2	94	1	-0.6	95
2017	30	-0.7	88	25	-3.6	94	29	-0.7	90	4	-1.3	87
2018	50	0.9	100	51	-2.3	96	57	0.5	98	12	1.2	113
2019	23	-0.8	88	23	-0.7	98	21	-0.4	92	1	-0.9	91
2020	14	0.2	96	14	-8.0	88	14	-1.1	88			
2021	6	-0.5	90	7	-6.7	89	7	-0.8	90	7	-0.5	96
2022	20	0.7	100	20	-4.1	93	20	0.4	98	19	-0.1	100
2023	4	0.0	94	4	4.9	106	4	0.9	101	4	0.0	101

Breed

Birth Year	Carcass											
	IMF			Carcass weight			EMA			Rib Fat		
	Number	EBV	EBVi	Number	EBV	EBVi	Number	EBV	EBVi	Number	EBV	EBVi
2013	17	0.6	99	776	-0.1	99	361	0.8	100	346	0.2	103
2014	16	-1.0	86	541	-3.8	94	301	1.7	106	269	-0.1	100
2015	36	-0.5	90	589	-7.1	89	548	1.0	102	520	-0.1	100
2016	124	-0.8	87	588	-0.3	98	322	0.1	96	211	0.3	105
2017	732	-0.4	90	1244	-0.2	99	1116	0.1	95	272	0.0	102
2018	1946	0.0	94	1969	0.0	99	1940	0.0	95	87	0.0	101
2019	2812	0.3	96	2823	-1.3	97	2753	0.8	100	212	-0.5	96
2020	4627	0.7	99	4682	-0.6	98	4656	0.5	98	713	-0.3	98
2021	3444	0.9	101	3606	-0.3	98	3596	0.6	99	3275	-0.2	99
2022	3277	1.0	101	3324	-0.9	98	3275	0.4	97	3191	-0.3	97
2023	1839	1.1	103	1845	1.3	101	1836	0.6	99	1795	0.0	101
2024	17	-0.6	89	17	1.3	101	17	0.5	98	16	-0.5	96

WAGYU Sires

Sire			Growth						Carcass					Stats				
ID	Parentage	Sire ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Daughters with calves	Active 2yrs & older	Carcasses
Name	Gen. DNA	Dam ID																
SR Y13			101						107	97	113	96	101					
SR Y13 SANJI FB6193			1.18						1.7	-1.5	2.7	-0.4	-0.3	6	14	2	3	
			45%						20%	19%	16%	19%	14%					
AKAUSHI																		
AF320			106	138	135	138	124	88	74	137	89	99	99					
FB			0.64	18.4	28.0	37.3	40	2.2	-2.5	27.2	-0.9	-0.2	-0.6	9	35	12	9	4
HEARTBRAND B0066M			71%	50%	56%	51%	19%	20%	56%	56%	49%	34%	25%					
AF6914			94	120	120	124	111	87	87	95	119	75	95					
FB			1.82	11.2	18.7	25.9	22	1.8	-0.8	-2.9	3.8	-2.5	-1.3	7	37	10	6	4
HEARTBRAND T0001M			82%	75%	78%	79%	13%	27%	53%	51%	45%	30%	20%					
AW 200003			95	124	116	118	109	85	108	99	101	51	58					
FB			1.68	12.4	16.2	21.7	19	0.8	1.8	-0.1	0.9	-4.7	-7.1	2	58		13	
AW200003			60%	44%	55%	53%	40%	38%	74%	73%	67%	62%	51%					
BA 150368			111	136	129	128	120	85	86	119	90	79	80					
FB			0.16	17.5	24.1	29.2	35	0.8	-1.0	14.5	-0.8	-2.1	-3.6	26	275	52	57	81
WOODVIEW SAISHO-ET			94%	91%	92%	92%	90%	90%	96%	96%	95%	93%	91%					
BA 150369			93	108	103	106	93	82	143	99	121	104	65					
FB			1.94	6.1	8.1	12.6	-4	-0.9	6.2	0.0	3.9	0.3	-6.1	26	654	55	104	46
WOODVIEW MR MARBLING			96%	83%	69%	55%	35%	69%	89%	88%	84%	73%	51%					
BA 150382			97	146	133	131	117	73	81	121	102	120	115					
FB			1.48	21.3	26.5	32.0	31	-5.5	-1.6	15.9	1.0	1.8	1.8	20	174	73	41	44
WOODVIEW AKAI-ET			85%	47%	59%	68%	32%	53%	89%	88%	83%	73%	59%					
CCCFH0037			87	138	133	135	114	82	111	75	118	82	91					
FB			2.48	18.3	26.6	35.0	27	-0.8	2.2	-16.8	3.6	-1.8	-2.0	25	135	52	41	2
BALD RIDGE HENSHIN			96%	94%	95%	95%	94%	94%	95%	95%	94%	94%	94%					
HBCFV2139			106	109	104	109	91	88	101	90	86	83	85					
FB			0.64	6.8	8.8	14.6	-7	2.4	1.0	-6.1	-1.4	-1.7	-2.8	35	178	80	50	5
HEART BRAND RED EMPEROR (USA)			97%	94%	96%	95%	94%	94%	96%	96%	95%	95%	94%					
HSFV0010			104	149	142	142	135	91	101	111	140	107	96					
FB			0.87	22.6	32.1	40.4	56	3.7	0.9	8.5	7.0	0.5	-1.1	11	60	13	23	1
ASHWOOD PARK VIRILE (ET)			78%	55%	74%	62%	39%	49%	63%	62%	55%	50%	38%					
JAPANESE BLACK																		

WAGYU Sires

Sire			Growth					Carcass					Stats					
ID	Parentage	Sire ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Daughters with calves	Active 2yrs & older	Carcasses
Name	Gen. DNA	Dam ID																
JAPANESE BLACK																		
148BE		J10632	134	81	75	73	69	72	138	51	111	96	94	88	1670	582	199	34
FB		85H	-2.04	-4.9	-9.8	-13.4	-39	-6.1	5.6	-33.7	2.4	-0.5	-1.4					
ITOSHIGENAMI 148BE			99%	99%	99%	99%	99%	99%	99%	99%	99%	99%	99%					
AACFF0758		AACFB0545	68	149	138	132	135	75	101	157	87	134	93	17	180	63	61	19
FB		WESFZ0084	4.33	22.6	30.0	32.4	56	-4.7	1.0	40.8	-1.3	3.2	-1.5					
WESTHOLME HIRAMICHI TSURU			94%	82%	59%	71%	41%	54%	87%	87%	83%	78%	68%					
ADBFL0010		ADBFA0139	117	94	87	88	76	75	135	95	125	102	84	4	16	2	5	
FB		ADBFB0159	-0.42	0.7	-1.8	-1.9	-28	-4.6	5.2	-2.7	4.6	0.1	-3.0					
MAYURA L0010 (AI) (ET)			56%	44%	44%	34%	40%	40%	48%	47%	45%	47%	41%					
AW 180029		BA 150369	92	121	116	118	102	92	119	99	125	107	86	2	11		1	
PBD		BA 120775	1.96	11.3	16.1	21.2	10	4.4	3.2	0.3	4.7	0.6	-2.7					
AW180029			62%	50%	48%	43%	29%	45%	54%	54%	52%	49%	38%					
AW 190005		SMOFF0126	123	92	84	83	74	68	101	97	87	161	150	3	7		3	
FB		BA 130990	-1.02	-0.3	-4.1	-5.6	-31	-8.4	0.9	-1.4	-1.2	5.7	7.5					
FRED			89%	88%	88%	88%	87%	88%	88%	89%	88%	88%	87%					
AW 190027		SMOFF0126	123	89	80	80	71	72	83	79	69	161	160	1	43	1	4	
FB		BA 130990	-1.03	-1.6	-6.5	-8.2	-36	-6.3	-1.3	-13.8	-4.1	5.7	9.0					
AW190027			89%	88%	88%	88%	87%	87%	89%	89%	89%	89%	88%					
AW 190038		SMOFF0154	114	82	76	73	77	66	133	98	127	72	68	4	563	9	12	1
FB		CCOFD0218	-0.17	-4.4	-8.9	-13.6	-27	-9.6	5.0	-0.8	4.9	-2.8	-5.5					
AW190038			92%	88%	88%	87%	87%	87%	88%	88%	88%	88%	87%					
AW 190051		AACFF0758	87	118	110	109	106	85	96	140	102	77	72	2	44	1	2	
FB		AACFK1310	2.46	10.3	12.3	14.8	15	0.9	0.3	28.8	1.1	-2.3	-4.9					
ABSOLUTE GENETIC AW190051			84%	83%	82%	83%	82%	82%	86%	86%	85%	85%	84%					
AW 190100		PWYPM0775	113	96	88	89	82	75	87	52	79	60	120	2	25	1	2	
PBD		AW 160009	-0.04	1.2	-1.2	-0.9	-20	-4.7	-0.9	-33.0	-2.5	-3.9	2.7					
AW190100			86%	84%	85%	84%	84%	84%	86%	86%	86%	86%	85%					
AW 200010		BDWFM0477	119	90	88	91	83	77	123	91	95	151	120	2	17		7	
FB		CWBFBA 170420	-0.63	-1.2	-1.7	0.6	-19	-3.5	3.7	-5.2	-0.1	4.8	2.7					
AW200010			85%	85%	85%	84%	84%	84%	87%	87%	86%	85%	84%					
AW 200035		BDWFM0477	120	85	80	83	77	69	106	86	89	135	131	2	31		11	
FB		AW 170112	-0.67	-3.1	-6.3	-5.9	-26	-7.7	1.5	-9.2	-1.0	3.2	4.5					
AW200035			45%	36%	37%	32%	32%	34%	41%	41%	38%	38%	27%					

WAGYU Sires

Sire			Growth					Carcass					Stats					
ID	Parentage	Sire ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Daughters with calves	Active 2yrs & older	Carcasses
Name	Gen. DNA	Dam ID																
JAPANESE BLACK																		
AW 220004		ADBFL0010	115	100	94	95	84	72	107	94	114	120	116	2	13		1	
FB		AW 190008	-0.27	2.9	2.5	3.7	-16	-6.0	1.7	-3.5	2.9	1.8	2.1					
AW220004			40%	30%	31%	29%	28%	29%	35%	35%	33%	32%	26%					
BA 090327		IMUFM1615	147	76	67	71	55	39	118	80	123	99	110	11	357	68	43	102
PEN		KJDFB0075	-3.29	-6.7	-14.2	-15.5	-58	-23.4	3.1	-13.0	4.3	-0.2	1.2					
REPUBLIC MICH			97%	83%	73%	74%	66%	75%	94%	94%	92%	87%	54%					
BA 090337		148BE	121	67	66	71	57	73	115	56	121	100	115	12	128	27	23	23
FB		KJDFB0050	-0.79	-10.4	-15.1	-15.1	-55	-5.8	2.7	-30.3	4.1	-0.1	1.9					
PRIME INTEREST			94%	83%	75%	76%	56%	64%	82%	82%	77%	60%	49%					
BDWFM0477		BDWFY0408	110	98	97	100	98	81	118	113	99	142	109	4	19	8	8	1
FB		CCOFE0417	0.24	2.0	4.1	7.5	3	-1.5	3.1	10.0	0.6	3.9	1.0					
MACQUARIE WAGYU M0477 (AI)(ET)			93%	92%	93%	92%	92%	92%	92%	92%	92%	92%	92%					
BDWFM0495		BDWFY0408	126	57	54	62	57	75	120	101	97	115	104	39	333	88	100	71
FB			-1.26	-14.3	-22.9	-22.6	-55	-4.4	3.3	1.6	0.3	1.3	0.1					
MACQUARIE PRELUDE M0495			98%	97%	98%	97%	97%	97%	98%	98%	97%	97%	97%					
BDWFM0546		BDWFY0408	124	78	77	83	72	76	131	99	102	136	105	4	14	7	9	
FB			-1.08	-5.9	-8.2	-5.4	-34	-4.1	4.8	0.2	1.2	3.3	0.3					
MACQUARIE WAGYU M0546 (AI)(ET)			86%	85%	86%	84%	84%	84%	84%	84%	83%	83%	83%					
CLW 170004		BA 150382	107	117	105	104	101	69	92	113	93	119	117	1	4	2	1	2
PBD		PK 140007	0.59	9.6	9.1	10.5	7	-7.5	-0.2	10.2	-0.2	1.7	2.2					
CROWN LAKE DUKE			67%	32%	38%	40%	25%	35%	61%	60%	55%	54%	37%					
DELFN0095		PMGFL00013	115	82	77	77	74	76	119	107	116	81	82	6	17	2	9	
FB		DELFL0250	-0.20	-4.5	-8.2	-10.2	-31	-4.1	3.2	5.6	3.3	-1.9	-3.4					
DELTA ITO JNR N0095			90%	88%	89%	88%	88%	88%	89%	89%	89%	89%	88%					
DJV 140002		KJDFD0111	139	83	72	76	59	58	136	92	95	116	88	4	138	37	40	9
FB		KJDFE0003	-2.57	-3.8	-11.4	-11.1	-53	-13.8	5.4	-4.8	-0.1	1.4	-2.4					
DJV 140002			92%	44%	42%	36%	37%	37%	82%	81%	75%	79%	66%					
ETJ001		PR860014	98	103	98	104	87	76	56	104	103	70	112	51	328	154	31	4
FB		PR870015	1.44	4.3	4.9	10.3	-13	-4.0	-4.8	3.9	1.3	-2.9	1.4					
HIRASHIGETAYASU J2351 HONGEN			98%	96%	96%	96%	95%	96%	96%	97%	96%	96%	95%					
FGW 120001		IMUFQTF147	109	104	101	104	95	96	98	96	104	93	96	9	255	68	95	17
FB		BA 090339	0.39	4.4	7.0	10.8	-1	6.5	0.6	-1.7	1.4	-0.8	-1.2					
WASABI FGW 12-01			98%	96%	94%	93%	94%	95%	94%	94%	93%	92%	91%					

WAGYU Sires

Sire			Growth					Carcass					Stats					
ID	Parentage	Sire ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Daughters with calves	Active 2yrs & older	Carcasses
Name	Gen. DNA	Dam ID																
JAPANESE BLACK																		
KI 140006		OVE 080002	139	73	71	78	71	72	82	58	95	50	114	2	50	5	9	4
FB		BA 080212	-2.51	-8.0	-12.0	-9.9	-35	-5.9	-1.5	-29.1	0.0	-4.8	1.7					
KI 140006			92%	89%	89%	89%	88%	89%	90%	90%	90%	89%	88%					
KJDFC0086		IMUFM1615	123	78	74	74	66	64	89	107	131	111	127	17	97	32	18	18
FB		KJDFY0038	-1.01	-5.9	-10.3	-12.7	-43	-10.6	-0.6	5.6	5.5	0.9	3.8					
LAKE WAGYU C086			88%	72%	56%	54%	48%	68%	84%	84%	80%	69%	50%					
KJDFC0087		IMUFM1615	102	95	84	80	87	72	98	115	118	102	118	55	369	126	100	52
FB		KJDFY0034	1.04	0.9	-4.2	-8.4	-12	-6.1	0.6	11.6	3.5	0.1	2.4					
LAKE WAGYU C087			98%	97%	97%	97%	96%	97%	98%	98%	98%	97%	96%					
LFDFF0241		TWAFR0003	102	125	118	123	107	74	100	63	79	82	112	19	100	25	35	11
FB		LFDFZ1065	1.05	12.9	17.5	25.1	16	-5.2	0.8	-25.4	-2.4	-1.8	1.5					
LONGFORD FE0241			95%	92%	91%	88%	85%	87%	90%	90%	89%	88%	86%					
LP 180001		FB2892	92	114	111	113	98	81	95	79	106	94	112	2	43	4	12	
FB		FB21534	1.99	8.6	12.8	18.0	3	-1.2	0.2	-14.0	1.7	-0.6	1.4					
LP HERCULES			92%	90%	88%	88%	84%	85%	85%	86%	85%	86%	84%					
MOYFF0054		IMUFQ2599	121	48	47	56	47	72	98	117	129	116	100	31	142	58	17	24
FB		MOYFB0430	-0.84	-17.9	-26.7	-26.8	-70	-6.3	0.5	12.5	5.3	1.4	-0.5					
MOYHU F054			95%	92%	93%	91%	90%	92%	95%	95%	94%	92%	91%					
PB17438		BRCPG0052	117	105	98	99	89	70	91	70	115	109	125	9	24	3	9	1
PBD		PB10038	-0.37	5.1	5.0	7.1	-10	-7.2	-0.4	-20.1	3.1	0.8	3.6					
BAR R ARIMURA 30B			55%	41%	54%	35%	13%	41%	47%	56%	51%	52%	31%					
PK 130001		BA 090335	118	89	84	84	81	49	105	88	118	116	109	25	500	106	25	117
FB		CWBFPK 110001	-0.56	-1.5	-3.9	-5.1	-20	-18.3	1.5	-8.0	3.6	1.4	1.0					
FUTURE INVESTMENT			96%	90%	79%	55%	30%	70%	95%	95%	93%	78%	63%					
SMOFF0126		IMUFM1615	113	115	107	106	84	64	95	106	104	161	156	25	166	50	52	12
FB		SMOFC0152	0.01	8.9	10.6	12.5	-16	-10.5	0.1	4.9	1.4	5.7	8.5					
SUMO MICHIFUKU F126 (AI)			97%	96%	97%	97%	96%	96%	97%	97%	97%	97%	96%					
SMOFF0154		IMUFM1615	105	85	78	74	84	61	138	104	94	116	98	33	285	101	126	20
FB		SMOFC0016	0.73	-3.1	-7.4	-13.2	-17	-12.0	5.7	3.6	-0.2	1.4	-0.8					
SUMO CATTLE CO MICHIFUKU F154 (AI)			99%	98%	98%	98%	98%	98%	99%	99%	98%	98%	98%					
SWK 210153		CCOFG0113	117	96	97	93	99	85	130	100	107	113	91	9	311	5	100	
FB		SWK 190061	-0.47	1.4	4.5	2.2	5	0.5	4.6	0.5	1.8	1.2	-1.9					
ITOSHIGENAMI			97%	96%	95%	95%	95%	95%	95%	95%	94%	94%	94%					

WAGYU Sires

Sire			Growth							Carcass					Stats					
ID	Parentage		Sire ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Daughters with calves	Active 2yrs & older	Carcasses	
Name	Gen.	DNA	Dam ID																	
JAPANESE BLACK																				
TFWFW0629			IMJFMJ068	137	80	68	68	73	74	89	61	61	152	160	24	115	45	19	5	
FB			TFWFU0177	-2.36	-5.1	-13.8	-17.5	-32	-4.9	-0.6	-26.9	-5.3	4.9	9.0						
TAKEDA FARM FUKUTSURU 004			97%	96%	96%	95%	94%	95%	97%	97%	96%	95%	94%							
WKSFS0100			PR870930	156	64	58	57	60	67	134	72	115	107	109	21	129	38	6	1	
FB			PEDFQ5	-4.25	-11.4	-20.1	-26.0	-51	-8.8	5.1	-19.1	3.1	0.6	0.9						
WORLD KS YASUFUKU JR			71%	68%	70%	66%	18%	59%	51%	79%	69%	74%	33%							

WAGYU Dams

Dam			Growth					Carcass					Stats				
ID	Parentage	Sire ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name	Gen. DNA	Dam ID															
AKAUSHI																	
AW 170001		HBCFV2139	96	132	125	125	114	87	86	99	101	92	100	1	4	1	
FB		C421	1.61	15.6	21.4	26.7	26	1.9	-1.0	0.3	1.0	-0.8	-0.4				
ABSOLUTE GENETIC AW170001			84%	82%	83%	83%	81%	82%	84%	84%	84%	83%	83%				
AW 170048		HSFV0010	98	124	117	119	107	88	115	98	111	92	79	1	3	1	
FB		KALFF0139	1.43	12.5	16.9	22.5	17	2.6	2.7	-0.5	2.5	-0.9	-3.9				
ABSOLUTE GENETIC AW170048			82%	80%	81%	81%	80%	80%	81%	81%	80%	80%	80%				
AW 180031		CCCFH0037	101	113	108	112	95	85	108	80	107	73	84	1	5	3	
FB		KALFC0017	1.09	8.1	10.8	16.5	-1	0.9	1.8	-13.1	1.9	-2.7	-3.0				
AW180031			87%	85%	87%	85%	84%	84%	86%	86%	85%	85%	85%				
AW 210019		BA 150369	97	110	105	109	94	84	125	90	114	89	74	1	2	1	
FB		AW 180031	1.52	7.1	9.5	14.5	-3	0.0	4.0	-6.6	2.9	-1.2	-4.5				
AW210019			56%	45%	47%	36%	24%	39%	51%	50%	48%	43%	31%				
B563		IMUFN2124	103	110	107	108	103	87	108	96	131	95	90	8	18	4	1
FB		RWAFT0010	0.94	7.1	10.5	13.8	11	1.9	1.8	-2.1	5.6	-0.6	-2.0				
KALANGA SHIGEYUKO B563 (AI)			64%	44%	49%	29%	31%	40%	48%	52%	48%	46%	25%				
C421		HBCFV2141	91	149	143	140	134	81	67	114	115	102	118	9	13	2	1
FB		RWA38	2.08	22.6	33.2	38.8	55	-1.6	-3.4	10.4	3.2	0.1	2.4				
KALANGA F C421			60%	31%	52%	50%	18%	29%	66%	66%	62%	61%	49%				
KALFC0017		HBCFV2139	106	112	107	111	96	88	111	85	110	66	75	10	13	5	
FB		KALFV0009	0.69	7.7	10.2	16.4	0	2.5	2.1	-9.9	2.4	-3.4	-4.4				
KALANGA F C017			89%	87%	88%	88%	86%	86%	88%	88%	88%	88%	87%				
KALFF0139		B0125	100	113	109	111	103	88	113	91	115	80	77	4	4	2	
FB		B563	1.20	8.3	11.7	15.8	10	2.2	2.4	-5.7	3.0	-2.0	-4.1				
KALANGA KAJIYUKO F139			46%	31%	38%	31%	26%	28%	37%	38%	35%	34%	23%				
OHVFA0045		QW132	85	138	128	127	127	82	99	100	116	45	60	8	41	19	5
FB		VW45	2.71	18.1	23.6	28.8	45	-0.7	0.7	0.5	3.2	-5.3	-6.9				
HIDDEN VALE OHV45			91%	87%	89%	89%	87%	86%	90%	90%	89%	89%	86%				
RSS 190025		AF6914	97	128	123	125	114	86	91	100	112	74	86	2	4	2	
FB		WB 170009	1.53	14.1	20.7	26.9	27	1.2	-0.3	0.9	2.7	-2.5	-2.8				
RSS190025			55%	44%	47%	47%	18%	23%	38%	37%	34%	29%	24%				
RSS 190066		J251830R	99	133	128	128	120	86	94	107	108	79	88	1	3	2	
FB		1145Z	1.32	16.3	23.3	29.6	35	1.4	0.1	5.7	2.1	-2.1	-2.4				
RSS190066			56%	30%	41%	34%	20%	24%	42%	41%	37%	37%	28%				
RSS 190098		CCCFH0037	95	124	120	122	109	85	109	85	125	88	90	1	1		
FB		B563	1.71	12.7	18.6	24.4	19	0.6	2.0	-9.5	4.6	-1.2	-2.0				
RSS190098			55%	37%	48%	42%	33%	34%	46%	47%	44%	43%	29%				

WAGYU Dams

Dam			Growth					Carcass					Stats				
ID	Parentage	Sire ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name	Gen. DNA	Dam ID															
AKAUSHI																	
WB 170009		HBCFV2139	102	135	126	126	117	85	95	106	105	74	76	2	7	1	
FB		CCCFH0018	1.07	16.8	22.4	27.5	31	0.5	0.2	4.8	1.6	-2.6	-4.3				
WB 17-009			57%	45%	51%	49%	34%	37%	53%	53%	51%	51%	43%				
JAPANESE BLACK																	
AACFH0845		AACFB0460	119	86	81	81	77	75	121	89	99	97	92	1	1	1	
FB		WESFY0174	-0.62	-2.7	-5.6	-7.4	-26	-4.5	3.5	-7.0	0.6	-0.4	-1.8				
WESTHOLME H0845			29%	27%	28%	26%	24%	26%	29%	29%	28%	28%	25%				
AACFK1310		AACFG0413	107	87	88	90	82	89	95	105	107	66	84	1	4	2	1
FB		AACFH5283	0.55	-2.4	-1.6	-0.1	-19	3.0	0.1	4.5	1.8	-3.4	-3.0				
WESTHOLME K1310			24%	23%	23%	22%	20%	22%	44%	43%	38%	34%	29%				
AW 150056	✔	OVE 080002	103	85	87	89	92	106	78	108	88	103	115	1	2	1	1
F1			0.90	-3.1	-1.8	-0.7	-5	12.2	-2.0	6.6	-1.0	0.2	1.9				
ABSOLUTE GENETIC AW150056			49%	48%	46%	45%	32%	44%	56%	56%	53%	48%	38%				
AW 170052	✔	KI 140008	107	97	88	89	87	70	75	96	93	94	131	2	4	1	1
FB	✔	PK 140007	0.59	1.7	-1.2	-1.1	-13	-7.5	-2.4	-2.0	-0.4	-0.7	4.4				
AW170052			61%	43%	45%	36%	28%	37%	68%	69%	63%	66%	51%				
AW 170105		✔ BA 150369	92	128	122	124	110	96	117	96	124	87	78	1	4	3	
PBD	✔	✔ BA 120775	1.98	14.0	20.0	26.2	20	6.5	3.0	-2.3	4.5	-1.4	-4.0				
AW170105			85%	83%	85%	84%	81%	82%	83%	83%	83%	82%	81%				
AW 170118		✔ KI 140006	97	121	116	118	107	93	114	106	118	93	80	1	4		
PBD	✔	✔ BA 120775	1.53	11.5	16.1	21.5	16	5.1	2.6	4.7	3.6	-0.7	-3.7				
AW170118			84%	81%	82%	84%	81%	81%	82%	82%	82%	81%	81%				
AW 180076		✔ BA 130823	134	76	69	71	71	80	105	64	48	127	136	1	2	1	
FB	✔	✔ BA 130990	-2.09	-6.9	-13.1	-15.3	-36	-2.1	1.4	-24.4	-7.2	2.5	5.3				
AW180076			89%	87%	86%	86%	86%	86%	88%	88%	88%	88%	87%				
AW 180081		✔ AACFF0758	97	123	110	106	109	76	110	125	93	103	85	1	3	1	
FB	✔	✔ BA 090338	1.55	12.3	12.6	12.4	18	-3.9	2.0	18.3	-0.3	0.2	-2.8				
AW180081			88%	86%	86%	86%	85%	86%	87%	87%	87%	86%	86%				
AW 180153	✔	KI 140022	94	112	116	117	115	112	75	70	85	97	128	1	3	1	
F1	✔	CWBFAW 150038	1.86	8.0	16.0	20.5	27	14.9	-2.3	-20.2	-1.5	-0.4	3.9				
AW180153			40%	30%	19%	18%	18%	21%	37%	37%	34%	33%	26%				
AW 180175	✔	KI 140022	94	112	116	117	115	112	75	70	85	97	128	1	2	1	
F1	✔	CWBFAW 150046	1.86	8.0	16.0	20.5	27	14.9	-2.3	-20.2	-1.5	-0.4	3.9				
AW180175			40%	30%	19%	18%	18%	21%	37%	37%	34%	33%	26%				

WAGYU Dams

Dam			Growth					Carcass					Stats				
ID	Parentage	Sire ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name	Gen. DNA	Dam ID															
JAPANESE BLACK																	
AW 180179		KI 140022	94	112	116	117	115	112	75	70	85	97	128	1	3	1	
F1		CWBFAW 150042	1.86	8.0	16.0	20.5	27	14.9	-2.3	-20.2	-1.5	-0.4	3.9				
AW180179			40%	30%	19%	18%	18%	21%	37%	37%	34%	33%	26%				
AW 190008		SMOFF0126	114	105	101	102	93	70	80	93	103	137	148	1	7	1	
FB		PK 140017	-0.12	5.1	6.8	9.3	-3	-7.4	-1.8	-4.3	1.2	3.5	7.2				
AW190008			89%	87%	87%	88%	87%	87%	88%	88%	88%	88%	87%				
AW 190032		SMOFF0126	110	100	89	88	78	65	102	90	85	161	149	1	4	1	
FB		BA 130990	0.29	3.0	-0.8	-1.8	-25	-9.9	1.1	-6.5	-1.6	5.7	7.4				
AW190032			89%	87%	88%	87%	87%	87%	88%	88%	88%	88%	87%				
AW 190036		SMOFF0126	123	107	101	101	84	72	113	81	108	124	119	1	3	2	
FB		BA 130879	-1.00	5.8	6.8	8.0	-16	-5.9	2.5	-12.8	2.0	2.2	2.6				
AW190036			89%	87%	87%	87%	87%	87%	88%	88%	88%	88%	87%				
AW 190037		SMOFF0154	119	79	75	73	78	67	126	86	106	97	100	1	2		
FB		SMOFE0126	-0.61	-5.4	-9.8	-13.3	-25	-8.6	4.1	-9.3	1.6	-0.4	-0.5				
AW190037			88%	87%	87%	87%	86%	87%	88%	88%	87%	87%	87%				
AW 190039		SMOFF0126	118	110	104	105	88	68	98	76	123	121	133	1	4	1	
FB		BA 130879	-0.56	7.1	8.5	11.5	-12	-8.1	0.6	-16.4	4.3	1.9	4.8				
AW190039			89%	87%	87%	87%	87%	87%	88%	88%	88%	88%	87%				
AW 190046		SMOFC0151	116	95	88	87	89	77	106	78	92	142	138	1	5	1	
FB			-0.28	1.0	-1.3	-2.5	-10	-3.7	1.6	-14.7	-0.5	3.9	5.5				
AW190046			86%	85%	85%	85%	85%	85%	85%	85%	85%	85%	85%				
AW 190094		PWYPM0775	118	100	93	94	86	76	96	56	102	71	116	1	3	1	
PBD		BA 130879	-0.52	2.8	1.7	3.0	-14	-4.2	0.3	-30.5	1.1	-2.9	2.1				
AW190094			87%	85%	86%	86%	85%	85%	87%	87%	87%	87%	86%				
AW 190096		PWYPM0775	114	93	86	87	81	77	88	66	85	74	119	2	4	1	
PBD		AW 160009	-0.17	0.0	-2.8	-2.7	-21	-3.3	-0.8	-23.1	-1.5	-2.6	2.6				
AW190096			87%	85%	86%	85%	85%	85%	86%	86%	86%	86%	85%				
AW 200002		BDWFM0477	113	102	102	105	94	88	104	93	97	120	113	1	4		
FB		BA 130880	-0.04	3.7	7.0	11.7	-3	2.6	1.4	-3.9	0.4	1.8	1.6				
AW200002			86%	85%	85%	85%	85%	85%	85%	85%	85%	85%	84%				
AW 200007		BDWFM0477	117	91	86	87	84	78	115	77	90	135	123	1	3	1	
FB		CWBFBFA 170420	-0.45	-0.9	-2.9	-3.0	-17	-3.0	2.7	-15.6	-0.8	3.3	3.1				
AW200007			85%	84%	85%	84%	84%	84%	85%	85%	84%	84%	84%				
AW 200026		BDWFM0495	114	85	81	87	76	80	114	91	102	94	94	1	2		
PBD		AW 180031	-0.08	-3.1	-6.0	-3.0	-28	-1.7	2.6	-5.8	1.1	-0.7	-1.4				
AW200026			55%	44%	55%	48%	39%	42%	52%	52%	49%	46%	35%				

WAGYU Dams

Dam			Growth					Carcass					Stats				
ID	Parentage	Sire ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name	Gen. DNA	Dam ID															
JAPANESE BLACK																	
AW 200036		SMOFF0126	97	120	115	116	94	87	96	113	108	148	134	1	1	1	
FB		CCOFA0089	1.54	11.0	15.2	19.7	-2	2.1	0.2	9.7	2.0	4.4	5.0				
AW200036			88%	87%	87%	87%	87%	87%	87%	87%	87%	87%	86%				
AW 200039		SMOFF0154	118	75	68	65	69	61	144	87	97	110	92	1	2		
FB		AACFH0845	-0.54	-7.0	-13.7	-20.0	-37	-11.9	6.4	-8.6	0.3	0.9	-1.7				
AW200039			85%	85%	85%	85%	84%	84%	85%	85%	85%	85%	84%				
AW 200040		BA 150452	115	99	94	93	93	96	109	77	103	79	91	1	1	1	
PBD		AW 170118	-0.25	2.5	2.6	2.3	-3	6.4	2.0	-15.3	1.3	-2.1	-1.8				
AW200040			57%	52%	53%	57%	27%	44%	42%	42%	39%	31%	22%				
AW 200111		BA 150452	119	81	80	79	86	102	93	66	101	75	108	1	3	1	
F2		AW 150062	-0.56	-4.8	-6.4	-8.9	-14	10.0	-0.1	-23.4	1.0	-2.5	0.8				
AW200111			55%	54%	53%	52%	28%	45%	53%	53%	47%	40%	29%				
AW 200134		BA 150452	109	89	88	86	92	107	97	77	88	81	101	1	2	1	
F2		AW 170071	0.35	-1.4	-1.3	-3.1	-6	12.5	0.4	-15.6	-1.1	-1.9	-0.3				
AW200134			52%	50%	50%	49%	25%	41%	42%	42%	38%	29%	18%				
AW 210008		BA 150452	117	99	102	105	86	86	106	81	116	108	112	1	2		
F1		AW 190039	-0.42	2.6	7.5	11.2	-14	1.2	1.6	-12.6	3.2	0.7	1.5				
AW210008			30%	23%	24%	24%	22%	22%	27%	27%	26%	25%	20%				
AW 210013		BA 150369	113	92	86	89	82	81	124	82	84	116	100	1	1	1	
PBD		AW 180076	-0.07	-0.4	-2.5	-1.4	-20	-1.5	3.8	-12.2	-1.6	1.4	-0.4				
AW210013			58%	48%	40%	35%	23%	40%	54%	54%	51%	47%	35%				
AW 210021		BA 150369	110	101	99	103	98	90	111	108	100	108	90	1	3	2	
PBD		BA 150497	0.26	3.4	5.2	9.9	3	3.7	2.1	6.5	0.7	0.7	-2.1				
AW210021			55%	45%	39%	31%	24%	39%	49%	49%	47%	41%	29%				
AW 210037		PB17438	115	99	92	93	85	74	89	68	100	92	122	1	2		
PBD		AW 190096	-0.27	2.5	1.1	2.2	-15	-5.3	-0.6	-21.6	0.8	-0.9	3.1				
AW210037			39%	27%	34%	25%	14%	26%	35%	39%	36%	36%	24%				
AW 210107		AW 170040	115	79	79	81	82	93	92	82	90	86	111	1	2	2	
F2		AW 150055	-0.25	-5.4	-7.2	-7.5	-19	5.2	-0.2	-12.0	-0.8	-1.4	1.3				
AW210107			30%	28%	29%	36%	19%	26%	39%	39%	35%	33%	24%				
AW 210125		AW 190038	104	104	100	99	102	85	103	102	120	82	89	1	2	2	
F2		AW 190205	0.83	4.5	6.3	6.8	10	0.9	1.2	2.6	3.9	-1.9	-2.2				
AW210125			45%	33%	28%	27%	24%	26%	40%	40%	36%	38%	25%				
AW 220008		AW 190027	118	87	80	83	73	76	99	85	86	131	134	1	1		
PBD		AW 200026	-0.56	-2.4	-6.3	-5.6	-32	-4.0	0.6	-9.8	-1.5	2.9	5.0				
AW220008			41%	32%	37%	34%	28%	30%	41%	41%	39%	38%	30%				

WAGYU Dams

Dam			Growth					Carcass					Stats				
ID	Parentage	Sire ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name	Gen. DNA	Dam ID															
JAPANESE BLACK																	
AW 220021	✓	AW 190051	94	116	109	110	100	85	102	110	105	75	78	1	2		
PBD	✓	AW 180031	1.78	9.2	11.6	15.7	7	0.9	1.1	7.9	1.5	-2.5	-3.9				
AW220021			37%	28%	36%	30%	20%	23%	41%	41%	38%	38%	32%				
AW 220102	✓	AW 190038	104	97	96	95	96	89	104	84	106	85	98	1	1	1	
F2	✓	AW 180175	0.84	1.8	3.6	3.5	0	2.7	1.4	-10.5	1.7	-1.6	-0.8				
AW220102			47%	35%	28%	27%	24%	26%	33%	34%	32%	32%	27%				
AW 220112	✓	AW 190100	91	101	102	102	104	107	86	83	86	83	111	1	1	1	
F1	✓	CWBFAW 150063	2.06	3.4	7.6	9.1	12	12.4	-1.0	-11.4	-1.4	-1.7	1.2				
AW220112			27%	17%	21%	18%	13%	16%	30%	30%	27%	28%	22%				
BA 070154		BA 000024	124	91	93	96	102	102	65	102	81	87	124	1	10	5	1
FB		BA 010025	-1.09	-0.9	1.8	4.6	9	10.0	-3.6	2.1	-2.2	-1.3	3.4				
CASTLE 7 154			82%	49%	31%	31%	36%	58%	60%	60%	55%	34%	22%				
BA 080212	✓	IMJFAJ2810	113	94	92	95	84	76	81	48	87	53	122	5	19	1	
FB	✓	BA 010039	-0.05	0.6	1.0	3.9	-16	-3.8	-1.6	-36.0	-1.2	-4.6	3.0				
BA 080212			94%	92%	93%	92%	91%	92%	94%	94%	93%	93%	92%				
BA 090338	✓	148BE	123	85	79	78	78	71	109	82	109	83	99	5	53	12	3
FB	✓	TWAFT0462	-1.04	-3.2	-7.1	-9.8	-25	-6.8	1.9	-12.0	2.2	-1.7	-0.7				
TWA SATUKU 09338			95%	93%	92%	92%	92%	93%	94%	94%	93%	93%	92%				
BA 110480	✓	Y342	100	96	94	98	86	90	86	90	87	65	97	5	30	8	
FB	✓	CWBFBFA 080172	1.20	1.4	2.1	5.7	-14	3.2	-1.0	-6.1	-1.2	-3.5	-0.9				
LETTER 11 480			91%	88%	88%	89%	88%	88%	89%	89%	89%	89%	88%				
BA 120775	✓	148BE	92	134	129	129	112	102	98	102	122	87	92	4	24	7	1
PBD	✓	BA 100381	1.99	16.6	24.0	29.8	23	9.8	0.5	2.3	4.2	-1.4	-1.7				
CLEO			90%	87%	89%	88%	86%	87%	87%	88%	87%	87%	86%				
BA 130879	✓	148BE	120	107	101	101	92	76	109	49	125	67	98	4	19	7	1
FB	✓	BA 080165	-0.74	5.8	6.9	8.5	-5	-4.2	2.0	-35.3	4.7	-3.2	-0.8				
BA 130879			93%	91%	91%	91%	90%	91%	92%	92%	92%	92%	91%				
BA 130880	✓	BA 090335	134	92	91	93	91	93	89	86	106	86	107	4	12	5	
FB	✓	BA 110474	-2.05	-0.4	0.3	2.3	-6	4.8	-0.6	-9.1	1.7	-1.4	0.7				
BA 130880			92%	89%	89%	89%	89%	89%	89%	89%	89%	88%	88%				
BA 130990	✓	TFWFW0629	128	71	62	64	64	74	89	65	48	160	160	7	71	18	4
FB	✓	KJDFC0007	-1.52	-8.6	-17.7	-20.8	-45	-5.1	-0.6	-23.7	-7.3	5.7	9.0				
WOODVIEW TAJIMA			96%	95%	95%	94%	94%	94%	95%	95%	95%	95%	94%				
BA 150497	✓	IMUFP0036	127	94	94	100	103	99	78	117	79	113	115	4	14	4	
PBD	✓	CWBFBFA 100404	-1.43	0.6	2.3	7.3	11	8.2	-1.9	13.0	-2.5	1.1	1.9				
WOODVIEW BA15-497			84%	82%	82%	81%	81%	82%	83%	83%	82%	82%	81%				

WAGYU Dams

Dam			Growth					Carcass					Stats				
ID	Parentage	Sire ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name	Gen. DNA	Dam ID															
JAPANESE BLACK																	
BA 160664		IMUFP0036	115	103	99	100	99	89	88	107	89	137	134	3	7	3	
FB		BA 090321	-0.27	4.3	5.4	7.2	5	3.1	-0.7	5.4	-0.9	3.5	4.9				
WOODVIEW BA16-664			75%	52%	49%	43%	39%	47%	61%	61%	58%	55%	41%				
BA 160870		BA 090327	135	83	80	83	79	71	89	97	104	90	116	3	10	2	
FB		BA 070154	-2.13	-4.0	-6.2	-5.6	-24	-6.6	-0.6	-1.5	1.5	-1.1	2.1				
WOODVIEW BA160870			89%	85%	84%	84%	84%	85%	86%	86%	85%	85%	84%				
BA 180273		BA 090337	113	87	84	87	78	81	103	87	105	119	121	2	3		
FB		BA 160664	-0.01	-2.3	-3.8	-2.6	-25	-1.2	1.1	-8.2	1.6	1.7	2.8				
WOODVIEW BA180273			75%	49%	45%	44%	34%	39%	55%	55%	51%	47%	37%				
BA 180898		AACFF0758	81	128	121	118	120	96	112	118	94	115	93	1	3	2	
FB		BA 100410	3.04	14.3	19.1	21.5	35	6.5	2.3	13.5	-0.1	1.4	-1.5				
WOODVIEW BA180898			88%	86%	85%	85%	84%	85%	86%	86%	86%	86%	85%				
BB 150141		FB13429	87	138	140	141	135	120	59	113	81	119	133	3	12	12	
PBD		CWBFBFB 110007	2.49	18.2	31.2	39.3	57	19.5	-4.4	9.9	-2.1	1.8	4.8				
JUDO ICHIRO			58%	40%	39%	24%	44%	47%	41%	40%	36%	32%	20%				
BB 150163		FB13429	107	109	104	110	90	87	72	100	78	136	145	4	6	3	
PBD		BB 110006	0.57	6.7	8.7	15.0	-8	1.8	-2.7	1.0	-2.6	3.3	6.8				
JUDO ICHIRO			55%	40%	69%	64%	21%	42%	48%	48%	45%	37%	24%				
CC715Y(LE)		IMUFP0036	128	88	86	90	85	89	106	72	78	121	124	2	5	3	
FB		CC715Y	-1.52	-2.1	-2.6	-0.1	-15	2.7	1.6	-19.0	-2.6	1.9	3.3				
CC MS SANITOTANI 2 715Y			51%	42%	40%	36%	35%	40%	48%	48%	46%	43%	32%				
CCOFA0089		RJNFW0103	100	108	106	108	94	100	95	101	122	96	102	4	8	3	
FB		IMUFR3232	1.22	6.1	9.9	14.0	-3	9.0	0.1	1.7	4.2	-0.5	-0.1				
COATES NAMI A089			88%	87%	88%	87%	87%	87%	87%	88%	87%	87%	86%				
CLW 170001		KJDFC0087	107	81	75	75	75	76	96	97	110	113	123	2	3	1	
FB		WAP 150001	0.53	-4.9	-9.8	-12.3	-29	-4.3	0.3	-1.3	2.3	1.1	3.2				
CROWN LAKE QUEENIE			61%	49%	50%	47%	40%	49%	56%	56%	54%	50%	40%				
CLW 170005		KJDFC0087	105	80	73	74	67	74	96	118	121	100	108	2	5	1	
FB		EPW 150009	0.72	-5.3	-10.9	-12.9	-40	-5.2	0.3	13.6	4.0	-0.1	0.8				
CROWN LAKE FLOWER			67%	50%	51%	49%	40%	50%	59%	59%	57%	51%	41%				
CLW 180006		BA 150368	114	105	99	100	94	79	92	117	98	104	97	2	3	1	
PBD		DJV 150016	-0.13	4.8	5.6	7.3	-2	-2.2	-0.2	13.0	0.5	0.3	-0.9				
MARGIE			60%	34%	43%	41%	20%	32%	55%	55%	53%	48%	37%				
CLW 180008		AF4215	109	116	111	114	102	89	75	108	94	118	128	2	4		
PBD		BB 150138	0.33	9.5	12.7	18.3	9	2.8	-2.4	6.5	-0.1	1.7	3.9				
CROWN LAKE CLW180008			58%	23%	39%	29%	13%	20%	45%	45%	39%	37%	27%				

WAGYU Dams

Dam			Growth					Carcass					Stats				
ID	Parentage	Sire ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name	Gen. DNA	Dam ID															
JAPANESE BLACK																	
CLW 180014		148BE	106	86	79	78	69	72	117	94	117	108	107				
FB		RVK 150010	0.70	-2.6	-7.3	-9.9	-38	-6.2	3.0	-3.4	3.5	0.6	0.6	2	5	2	
MOLLY			70%	55%	55%	54%	49%	53%	60%	60%	58%	59%	52%				
CLW 180019		AF320	93	139	139	140	129	104	63	125	77	109	120				
PBD		BB 150141	1.89	18.7	30.2	39.1	48	11.0	-3.9	18.2	-2.8	0.8	2.7	2	3		
CLW180019			50%	32%	34%	28%	24%	25%	42%	42%	36%	34%	25%				
CLW 200007	🔗	BDWFM0495	94	83	86	89	92	108	102	107	95	110	103				
FB	🔗	CWBFCLW 170003	1.79	-3.9	-2.6	-0.9	-5	12.7	1.1	5.8	0.0	0.9	-0.1	2	4	1	
CLW200007			52%	40%	44%	42%	36%	39%	46%	46%	44%	40%	30%				
CLW 210003	🔗	CLW 170004	103	100	91	90	88	72	94	105	102	116	120				
PBD	🔗	CLW 170001	0.90	3.0	0.5	0.0	-11	-6.0	0.1	4.4	1.0	1.4	2.7	1	2	1	
CLW210003			65%	29%	31%	31%	23%	30%	41%	41%	39%	37%	27%				
DJV 150016		MOYFF0054	117	73	69	72	69	74	98	115	107	130	114				
FB		KSOFH0051AU	-0.46	-7.9	-13.0	-14.7	-38	-5.3	0.5	11.5	1.8	2.7	1.7	6	8	4	1
MOYF054'S			63%	45%	49%	40%	16%	47%	61%	61%	57%	48%	33%				
EPW 150009	🔗	MOYFF0054	121	60	58	64	48	74	94	121	124	98	99				
FB	🔗	KSOFH0053	-0.85	-13.0	-20.0	-20.2	-69	-5.1	0.0	15.7	4.5	-0.3	-0.7	6	18	7	3
MOYHU54'S SENAKA NO6			69%	46%	51%	52%	18%	47%	71%	70%	66%	53%	36%				
FB21116			121	87	88	92	80	92	113	86	107	101	99				
FB		FB5581	-0.82	-2.2	-1.2	1.0	-23	4.3	2.4	-9.0	1.9	0.0	-0.7	1	2	2	
STUD SHIG-YURIKO 148NC			29%	17%	36%	37%	8%	21%	12%	13%	12%	11%	8%				
FB21541		WESFZ0278	124	89	86	90	81	85	118	83	130	48	62				
FB		FB13513	-1.06	-1.7	-2.9	-0.2	-20	0.6	3.1	-11.3	5.4	-5.0	-6.5	1	2	1	
SYNERGY Z278 YURITANI 33			57%	47%	54%	49%	28%	41%	56%	56%	54%	47%	34%				
JR 150004	🔗	MOYFF0054	115	72	70	72	69	76	88	122	106	129	117				
FB	🔗	KSOFH0051AU	-0.22	-8.2	-12.6	-14.1	-38	-3.8	-0.7	16.4	1.7	2.6	2.2	4	10	3	1
JR 150004			70%	48%	49%	40%	16%	51%	65%	64%	60%	54%	38%				
JR 150008	🔗	MOYFF0054	125	68	64	70	59	76	93	104	99	109	111				
FB	🔗	KJDFE0004	-1.15	-10.1	-16.2	-16.2	-52	-4.3	-0.1	3.3	0.6	0.7	1.3	3	9	6	
JR 150008			72%	49%	49%	41%	18%	49%	59%	59%	56%	47%	34%				
KJDFC0007		ETJ001	117	84	75	79	72	66	92	98	97	105	115				
FB		KJDFY0011	-0.40	-3.6	-9.3	-9.3	-34	-9.6	-0.2	-0.6	0.3	0.4	2.0	6	10	3	
X LAKE WAGYU F C007			76%	62%	62%	51%	44%	54%	67%	67%	64%	58%	45%				
KJDFE0004		151BE	122	91	84	86	74	82	85	99	68	105	124				
FB		KJDFB0047	-0.94	-0.9	-3.7	-3.2	-31	-0.6	-1.1	0.0	-4.2	0.4	3.3	11	22	4	1
LAKE WAGYU E4			79%	61%	57%	48%	30%	58%	72%	72%	67%	48%	34%				

WAGYU Dams

Dam			Growth					Carcass					Stats				
ID	Parentage	Sire ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name	Gen. DNA	Dam ID															
JAPANESE BLACK																	
KSOF0036		151BE	110	99	93	94	80	79	93	108	119	85	99	5	8	1	
FB		KSOFD0011	0.24	2.4	1.5	2.5	-22	-2.5	0.0	6.7	3.7	-1.5	-0.6				
X OASIS SHINSETSU G36			62%	47%	47%	44%	33%	42%	55%	56%	52%	48%	36%				
LP 160001	✓	KF 120007	118	93	84	84	77	66	70	125	87	109	133	2	2	1	
FB	✓	KF 120004	-0.54	0.0	-4.0	-4.7	-26	-9.5	-3.0	18.1	-1.3	0.8	4.8				
LP160001			63%	48%	53%	43%	25%	50%	57%	57%	52%	46%	34%				
LP 180002	✓	WKSFS0100	147	72	67	69	67	75	126	77	122	78	85	2	5	2	
FB	✓	FB21541	-3.31	-8.5	-14.4	-16.6	-41	-4.5	4.1	-15.2	4.2	-2.2	-2.8				
LP ADA			55%	46%	62%	61%	17%	48%	38%	48%	44%	44%	24%				
LP 190001	✓	BA 150369	102	106	101	106	89	86	108	100	99	120	105	2	5	3	
PBD	✓	BB 150163	1.06	5.3	6.6	12.5	-10	1.1	1.8	0.5	0.7	1.8	0.3				
LP HANNAH			64%	56%	67%	47%	20%	63%	51%	50%	48%	41%	28%				
LP 190002	✓	BA 150369	102	98	91	92	82	73	102	107	102	114	109	2	4	2	
PBD	✓	LP 160001	1.05	1.9	0.3	1.0	-19	-5.8	1.1	6.0	1.0	1.2	1.0				
LP JERUSHA			65%	57%	65%	41%	21%	64%	56%	55%	52%	48%	35%				
LP 190008	✓	148BE	135	67	63	65	61	64	121	76	111	102	98	2	4	1	
FB	✓	RVK 150002	-2.14	-10.4	-17.0	-19.6	-50	-10.6	3.5	-15.8	2.5	0.1	-0.8				
NAOMI			63%	57%	54%	53%	46%	59%	55%	56%	55%	54%	48%				
PAL 190005	✓	PWYPM0775	116	91	85	84	80	76	106	63	91	72	104	1	3	1	
PBD	✓	BA 130851	-0.29	-0.5	-3.4	-5.3	-22	-4.2	1.6	-25.0	-0.7	-2.7	0.2				
PAL190005			60%	36%	43%	39%	31%	37%	55%	55%	52%	52%	42%				
PAL 190009	✓	PWYPM0775	116	91	85	84	80	76	106	63	91	72	104	1	3	1	
PBD	✓	BA 130851	-0.29	-0.5	-3.4	-5.3	-22	-4.2	1.6	-25.0	-0.7	-2.7	0.2				
PAL190009			60%	36%	43%	39%	31%	37%	55%	55%	52%	52%	42%				
PAL 190011	✓	PWYPM0775	112	103	95	95	89	70	95	54	102	62	113	1	2	1	
PBD	✓	AW 170012	0.10	4.0	3.2	3.8	-10	-7.2	0.2	-31.3	1.2	-3.7	1.7				
PAL190011			55%	32%	42%	35%	22%	29%	53%	53%	50%	49%	38%				
PAL 190012	✓	PWYPM0775	93	101	101	100	104	104	91	79	91	83	111	1	3	1	
PBD	✓	CWBFAW 170014	1.91	3.4	7.0	7.4	12	10.7	-0.4	-14.1	-0.7	-1.7	1.3				
PAL190012			44%	22%	34%	28%	15%	20%	44%	44%	41%	42%	32%				
PAL 190059	✓	PWYPM0775	124	84	77	77	76	67	99	54	104	65	110	1	3	1	
PBD	✓	BA 130854	-1.09	-3.5	-8.2	-10.4	-29	-8.6	0.7	-31.5	1.3	-3.5	1.2				
PAL190059			60%	37%	43%	44%	29%	38%	53%	54%	51%	51%	41%				
PK 140013		✓ KJDFC0087	99	101	93	92	97	71	81	123	91	126	134	3	32	10	5
FB		✓ PK 110002	1.29	3.5	1.6	1.3	2	-6.5	-1.7	17.3	-0.5	2.3	5.0				
PK 140013				91%	89%	89%	89%	89%	89%	91%	91%	91%	90%				

WAGYU Dams

Dam				Growth						Carcass					Stats			
ID	Parentage	Sire ID		Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name	Gen. DNA	Dam ID																
JAPANESE BLACK																		
RVK 150002		MOYFF0054		126	67	64	69	63	70	104	102	112	109	102				
FB		KJDF0011		-1.26	-10.6	-16.4	-16.4	-46	-7.3	1.3	2.0	2.6	0.7	-0.2	2	4	1	
FW0054'S LW F11-1				63%	46%	45%	39%	21%	46%	51%	51%	49%	44%	32%				
RVK 150026		MOYFF0054		117	73	70	74	62	74	101	110	144	93	92				
FB		KSOF0036		-0.38	-7.8	-12.9	-12.7	-48	-5.2	0.9	7.8	7.5	-0.8	-1.8	5	11	2	
F0054'S KSOFG036-3				56%	44%	46%	40%	19%	43%	57%	57%	54%	50%	38%				
SMOFD0133		TWAFR0007		115	90	87	88	85	89	117	103	102	105	90				
FB		SUMFV0231		-0.22	-1.3	-1.9	-1.5	-15	3.0	3.0	2.6	1.0	0.4	-2.1	1	1	1	
SUMO KAN D133				84%	84%	84%	84%	83%	83%	84%	84%	84%	84%	83%				
SMOFE0126		IMJFAJ2810		128	90	90	96	87	82	112	78	122	77	93				
FB		CCOFA0089		-1.46	-0.9	-0.3	4.1	-12	-0.7	2.3	-14.5	4.2	-2.3	-1.5	3	8	4	
SUMO DOI E126 (AI)(ET)				92%	90%	90%	90%	90%	90%	91%	91%	91%	91%	90%				
WAP 140026		WESFA0107		112	87	79	79	77	69	78	93	101	86	124				
FB		KJDFD0023		0.08	-2.3	-7.1	-8.6	-27	-7.5	-2.0	-4.3	0.9	-1.4	3.4	5	11	4	1
A107'S D023				71%	52%	50%	44%	35%	46%	62%	61%	58%	52%	38%				
WAP 180004		LDFDE0241		107	106	99	101	92	72	89	78	90	84	118				
FB		WAP 140026		0.55	5.2	5.2	8.2	-5	-6.4	-0.6	-14.9	-0.8	-1.6	2.4	2	3		
DEMI				63%	50%	48%	38%	20%	32%	50%	49%	46%	41%	30%				
WAP 180006		BA 150382		105	116	106	105	97	71	79	107	101	103	119				
PBD		WAP 140026		0.73	9.4	9.6	11.6	2	-6.5	-1.8	5.8	1.0	0.2	2.6	1	3	2	
MARNEEN WAP180006				65%	35%	39%	41%	24%	35%	54%	54%	51%	45%	35%				
WAP 180008		BA 150382		108	109	101	101	93	73	89	118	104	125	114				
PBD		DJV 150016		0.47	6.7	6.7	8.6	-4	-5.4	-0.6	13.7	1.4	2.3	1.8	2	2		
MARNEEN WAP180008				57%	33%	38%	39%	18%	35%	54%	54%	50%	44%	34%				

WAGYU Bulls

Inbreeding >6% is high				<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed															
Bull				Selection Value					Calf weight		Mother		Growth		Fertility			Carcass				
ID	%Inbreeding	Parentage		Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn. Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
Name		Genomic	DNA																			
AKAUSHI																						
AW 230046	12		AW 200003	99	126	85	88	148	96	126	104	85	121	112	147	144	124	99	99	107	63	72
FB			RSS 190025	40%	31%	22 %	22%	24%	1.60	13.3	-0.52	1.0	21.0	23	-30.4	-7.7	15.5	0.7	0.4	1.8	-3.6	-5.0
ABSOLUTE GENETIC AW230046									41 %	31 %	36%	22%	36%	22%	34%	14%	46 %	41 %	41 %	37 %	34 %	28 %
JAPANESE BLACK																						
AW 190051	5		AACFF0758	83	118	85	94	106	87	118	84	85	110	106	104	106	136	96	140	102	77	72
FB			AACFK1310	84%	83%	82 %	82%	82%	2.46	10.3	0.23	0.9	13.1	15	-5.2	-0.8	20.4	0.3	28.8	1.1	-2.3	-4.9
ABSOLUTE GENETIC AW190051									84 %	83 %	83%	82%	82%	82%	83%	81%	87 %	86 %	86 %	85 %	85 %	84 %
AW 192019				83	138	88	78	149	86	138	91	88	132	122	150	143	128	100	97	107	56	71
PEN			OHVFA0045	82%	80%	80 %	80%	80%	2.63	18.2	-0.04	2.3	29.0	38	-31.9	-7.8	17.1	0.8	-1.2	1.9	-4.3	-5.1
ABSOLUTE GENETIC AW192019									82 %	80 %	81%	80%	81%	80%	80%	79%	82 %	81 %	81 %	81 %	81 %	80 %
AW 200010			BDWFM0477	125	90	77	117	98	119	90	114	77	90	83	104	95	137	123	91	95	151	120
FB			CWBFBFA 170420	85%	85%	84 %	84%	84%	-0.63	-1.2	-0.90	-3.5	-0.9	-19	-5.5	1.3	21.0	3.7	-5.2	-0.1	4.8	2.7
ABSOLUTE GENETIC AW200010									85 %	85 %	85%	84%	84%	84%	85%	84%	87 %	87 %	87 %	86 %	85 %	84 %
AW 210018			SR Y13	121	93	87	113	101	114	93	107	87	92	87	103	101	99	107	84	95	109	113
FB			CC715Y(LE)	32%	21%	20 %	18%	16%	-0.17	0.0	-0.63	1.8	0.6	-13	-4.5	0.5	4.6	1.6	-10.2	0.0	0.7	1.5
ABSOLUTE GENETIC AW210018									34 %	21 %	24%	20%	19%	18%	22%	11%	37 %	26 %	26 %	25 %	24 %	17 %
AW 220001	2		ADBFL0010	114	95	82	119	110	109	95	110	82	92	81	108	112	115	110	93	106	84	91
FB			BA 110480	43%	28%	27 %	25%	24%	0.39	1.0	-0.74	-0.7	0.6	-21	-7.5	-1.7	11.6	2.1	-4.4	1.7	-1.7	-1.9
ABSOLUTE GENETIC AW220001									44 %	28 %	39%	27%	26%	25%	31%	18%	49 %	34 %	33 %	31 %	31 %	25 %
AW 220004	7		ADBFL0010	118	100	72	116	97	115	100	125	72	95	84	99	98	136	107	94	114	120	116
FB			AW 190008	39%	30%	29 %	28%	27%	-0.27	2.9	-1.31	-6.0	2.7	-16	-2.2	1.0	20.7	1.7	-3.5	2.9	1.8	2.1
ABSOLUTE GENETIC AW220004									40 %	30 %	36%	29%	30%	28%	34%	20%	50 %	35 %	35 %	33 %	32 %	26 %
AW 220005	7		DELFN0095	124	94	74	121	105	119	94	116	74	89	79	101	110	112	116	94	112	103	101
FB			AW 190036	42%	30%	27 %	28%	26%	-0.60	0.7	-0.99	-5.0	-1.3	-24	-3.6	-1.1	10.2	2.8	-3.6	2.6	0.2	-0.4
ABSOLUTE GENETIC AW220005									44 %	30 %	35%	27%	33%	28%	32%	19%	45 %	39 %	39 %	37 %	37 %	32 %
AW 220007	4		DELFN0095	121	87	79	119	103	116	87	102	79	82	81	104	104	113	109	84	105	107	114
FB			AW 190046	84%	83%	83 %	83%	83%	-0.29	-2.3	-0.47	-2.3	-6.3	-21	-5.1	-0.1	10.8	2.0	-10.3	1.5	0.6	1.7
ABSOLUTE GENETIC AW220007									84 %	83 %	84%	83%	84%	83%	83%	83%	85 %	84 %	84 %	84 %	84 %	83 %
AW 260001	26		AW 190051	87	117	85	97	118	91	117	84	85	110	103	117	117	147	99	125	103	76	75
PBD			AW 220021	29%	25%	18 %	15%	24%	2.12	9.8	0.23	0.9	13.2	11	-12.8	-2.8	25.4	0.7	18.4	1.3	-2.4	-4.4
ABSOLUTE GENETIC AW260001									30 %	25 %	26%	18%	24%	15%	33%	14%	42 %	39 %	38 %	35 %	36 %	31 %
AW 260005	2		AW 190051	105	99	76	108	98	103	99	100	76	92	92	93	102	125	111	113	104	87	86
FB			AW 190037	36%	32%	27 %	24%	28%	0.93	2.4	-0.37	-3.9	0.6	-5	0.9	0.1	16.0	2.2	9.8	1.3	-1.3	-2.7
ABSOLUTE GENETIC AW260005									37 %	32 %	33%	27%	30%	24%	37%	19%	46 %	43 %	42 %	39 %	40 %	35 %
AW 260007	5		AW 190051	107	114	77	103	107	103	114	106	77	107	97	105	108	132	97	108	112	99	103
FB			AW 190039	38%	31%	27 %	24%	29%	0.95	8.7	-0.61	-3.6	11.4	2	-5.6	-1.1	19.1	0.4	6.2	2.7	-0.2	0.0
ABSOLUTE GENETIC AW260007									39 %	31 %	35%	27%	30%	24%	37%	21%	47 %	43 %	42 %	39 %	39 %	33 %

WAGYU Bulls

Inbreeding >6% is high				<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed																
Bull				Selection Value					Calf weight		Mother		Growth		Fertility			Carcass					
ID	Name	%Inbreeding	Parentage		Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn. Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
			Genomic	Sire ID																			
JAPANESE BLACK																							
AW 260008	1		AW 190051		100	111	82	100	112	101	111	90	82	105	100	109	113	125	94	129	100	91	85
PBD			CLW 180006		38%	27%	22 %	15%	24%	1.17	7.6	-0.02	-0.7	9.6	7	-8.3	-2.0	16.1	0.0	20.9	0.8	-1.0	-2.9
ABSOLUTE GENETIC AW260008					39 %	27 %	22 %	15%	24%	39 %	27 %	36%	22%	28%	15%	34%	15%	46 %	43 %	43 %	40 %	39 %	32 %
AW 260011	4		AW 190051		101	103	83	108	108	100	103	97	83	98	92	106	110	127	99	114	103	98	96
FB			BA 180273		43%	32%	25 %	20%	26%	1.22	4.0	-0.28	-0.2	4.8	-5	-6.5	-1.4	16.6	0.7	10.3	1.3	-0.3	-1.0
ABSOLUTE GENETIC AW260011					45 %	32 %	25 %	20%	26%	45 %	32 %	36%	25%	28%	20%	33%	18%	46 %	43 %	42 %	39 %	38 %	32 %
AW 260013	2		AW 220004		114	103	72	112	97	111	103	123	72	97	88	94	101	124	98	86	102	102	117
FB			WAP 180004		36%	29%	22 %	18%	20%	0.14	4.1	-1.23	-6.2	4.5	-11	0.3	0.6	15.4	0.5	-9.2	1.1	0.1	2.3
ABSOLUTE GENETIC AW260013					37 %	29 %	22 %	18%	20%	37 %	29 %	34%	22%	26%	18%	27%	13%	39 %	30 %	30 %	28 %	26 %	20 %
AW 260019	1		AW 220004		109	91	90	112	94	105	91	105	90	91	88	93	98	121	105	101	104	115	109
FB			CLW 200007		33%	25%	24 %	23%	20%	0.76	-0.5	-0.58	3.3	0.2	-11	1.3	1.2	14.1	1.4	1.2	1.5	1.3	1.0
ABSOLUTE GENETIC AW260019					33 %	25 %	24 %	23%	20%	33 %	25 %	31%	24%	26%	23%	26%	14%	36 %	29 %	29 %	27 %	26 %	20 %
AW 260022	4		AW 220004		114	100	72	114	110	109	100	114	72	93	86	103	116	129	101	100	108	118	118
PBD			CLW 210003		36%	21%	21 %	18%	18%	0.31	3.0	-0.91	-6.0	1.3	-13	-4.4	-2.2	17.6	0.9	0.5	2.0	1.6	2.4
ABSOLUTE GENETIC AW260022					36 %	21 %	21 %	18%	18%	38 %	21 %	27%	21%	22%	18%	24%	13%	36 %	27 %	27 %	25 %	24 %	19 %
AW 260023			AW 220004		119	101	81	109	120	113	101	111	81	98	91	126	115	131	109	101	107	114	103
PBD			AW 210021		33%	27%	24 %	18%	22%	-0.01	3.1	-0.81	-1.2	4.9	-6	-18.1	-2.2	18.3	1.9	1.5	1.8	1.3	0.0
ABSOLUTE GENETIC AW260023					33 %	27 %	24 %	18%	22%	34 %	27 %	29%	24%	23%	18%	29%	15%	40 %	30 %	30 %	29 %	26 %	20 %

WAGYU Cows

Inbreeding >6% is high					<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed															
Cow					Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas				
ID	%Inbreeding	Parentage		Sire ID	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
Name		Genomic DNA	Dam ID																				
AKAUSHI																							
AW 170001	4		HBCFV2139		98	132	87	86	148	96	132	101	87	125	114	146	146	126	86	99	101	92	100
FB			C421		84 %	82 %	82 %	81 %	82 %	1.61	15.6	-0.43	1.9	23.6	26	-29.5	-7.8	16.4	-1.0	0.3	1.0	-0.8	-0.4
ABSOLUTE GENETIC AW170001					84 %	82 %	82 %	81 %	82 %	84 %	82 %	83 %	82 %	83 %	81%	83%	81%	86 %	84 %	84 %	84 %	83 %	83 %
AW 170048	7		HSFV0010		96	124	88	93	145	98	124	88	88	118	107	144	142	125	115	98	111	92	79
FB			KALFF0139		82 %	80 %	80 %	80 %	80 %	1.43	12.5	0.05	2.6	19.2	17	-28.4	-7.2	16.1	2.7	-0.5	2.5	-0.9	-3.9
ABSOLUTE GENETIC AW170048					82 %	80 %	80 %	80 %	80 %	82 %	80 %	81 %	80 %	81 %	80%	81%	79%	84 %	81 %	81 %	80 %	80 %	80 %
AW 180031	7		CCCFH0037		99	113	85	105	144	101	113	84	85	110	95	144	141	144	108	80	107	73	84
FB			KALFC0017		87 %	85 %	84 %	84 %	85 %	1.09	8.1	0.22	0.9	13.3	-1	-28.7	-6.9	24.1	1.8	-13.1	1.9	-2.7	-3.0
ABSOLUTE GENETIC AW180031					87 %	85 %	84 %	84 %	85 %	87 %	85 %	86 %	84 %	86 %	84%	86%	84%	88 %	86 %	86 %	85 %	85 %	85 %
RSS 190025	4		AF6914		98	128	86	86	145	97	128	100	86	124	114	146	141	121	91	100	112	74	86
FB			WB 170009		53 %	44 %	23 %	18 %	33 %	1.53	14.1	-0.39	1.2	23.4	27	-29.7	-7.0	14.2	-0.3	0.9	2.7	-2.5	-2.8
RISING SUN RSS190025					53 %	44 %	23 %	18 %	33 %	55 %	44 %	47 %	23 %	47 %	18%	47%	19%	57 %	38 %	37 %	34 %	29 %	24 %
RSS 190098	2		CCCFH0037		93	124	85	91	144	95	124	87	85	121	109	150	137	133	109	85	125	88	90
FB			B563		54 %	37 %	34 %	33 %	29 %	1.71	12.7	0.09	0.6	21.1	19	-31.9	-6.1	19.5	2.0	-9.5	4.6	-1.2	-2.0
RISING SUN RSS190098					54 %	37 %	34 %	33 %	29 %	55 %	37 %	50 %	34 %	45 %	33%	44%	14%	63 %	46 %	47 %	44 %	43 %	29 %
AW 220020	12		AW 200003		99	126	85	88	148	96	126	104	85	121	112	147	145	124	99	99	107	63	72
FB			RSS 190025		40 %	31 %	22 %	22 %	24 %	1.60	13.3	-0.52	1.0	21.0	23	-30.4	-7.7	15.5	0.7	0.4	1.8	-3.6	-5.0
ABSOLUTE GENETIC AW220020					40 %	31 %	22 %	22 %	24 %	41 %	31 %	36 %	22 %	36 %	22%	34%	14%	46 %	41 %	41 %	37 %	34 %	28 %
AW 220027	11		BA 150369		95	116	85	100	149	95	116	94	85	112	100	150	146	121	129	98	116	98	72
FB			AW 170048		51 %	44 %	37 %	21 %	29 %	1.68	9.3	-0.17	0.8	14.6	6	-31.9	-7.9	14.2	4.5	-0.3	3.2	-0.3	-5.0
ABSOLUTE GENETIC AW220027					51 %	44 %	37 %	21 %	29 %	53 %	44 %	43 %	37 %	36 %	21%	41%	17%	55 %	48 %	48 %	45 %	40 %	28 %
AW 230034	14		AW 200003		99	118	85	98	148	98	118	95	85	114	102	146	145	136	108	90	104	62	71
FB			AW 180031		40 %	28 %	26 %	26 %	24 %	1.38	10.3	-0.21	0.9	15.9	9	-29.9	-7.6	20.5	1.8	-6.6	1.4	-3.7	-5.1
ABSOLUTE GENETIC AW230034					40 %	28 %	26 %	26 %	24 %	41 %	28 %	37 %	26 %	40 %	26%	35%	13%	49 %	44 %	44 %	41 %	39 %	31 %
AW 230039	17		AW 200003		98	128	86	89	149	96	128	104	86	121	111	147	147	127	97	99	101	72	79
FB			AW 170001		40 %	29 %	27 %	26 %	26 %	1.64	14.0	-0.54	1.4	21.1	22	-30.3	-8.1	16.6	0.4	0.1	0.9	-2.8	-3.8
ABSOLUTE GENETIC AW230039					40 %	29 %	27 %	26 %	26 %	41 %	29 %	37 %	27 %	37 %	26%	35%	17%	49 %	47 %	47 %	43 %	41 %	35 %
AW 230042	10		AW 200003		97	128	86	86	143	97	128	95	86	123	114	140	141	125	101	103	105	65	73
FB			RSS 190066		40 %	26 %	22 %	22 %	22 %	1.50	14.4	-0.21	1.1	22.3	27	-26.4	-6.9	16.1	0.9	2.8	1.5	-3.4	-4.8
ABSOLUTE GENETIC AW230042					40 %	26 %	22 %	22 %	22 %	41 %	26 %	37 %	22 %	32 %	22%	32%	13%	48 %	42 %	42 %	38 %	36 %	29 %
AW 250048			AW 210019		97	99	93	111	130	106	99	58	93	105	89	122	133	109	120	88	111	92	83
F1					27 %	23 %	19 %	12 %	18 %	0.62	2.6	1.17	5.2	9.9	-10	-15.7	-5.4	9.2	3.3	-7.7	2.5	-0.9	-3.2
ABSOLUTE GENETIC AW250048					27 %	23 %	19 %	12 %	18 %	28 %	23 %	23 %	19 %	21 %	12%	25%	10%	30 %	25 %	25 %	24 %	22 %	16 %
AW 250049			RSS 190025		98	108	94	101	127	106	108	63	94	113	99	120	130	101	103	93	111	84	88
F1					26 %	22 %	12 %	9 %	16 %	0.63	6.1	1.02	5.8	15.8	5	-14.6	-4.9	5.6	1.1	-3.9	2.4	-1.6	-2.4
ABSOLUTE GENETIC AW250049					26 %	22 %	12 %	9 %	16 %	27 %	22 %	24 %	12 %	23 %	9 %	23%	9%	28 %	19 %	19 %	17 %	15 %	12 %

WAGYU Cows

Inbreeding >6% is high

<75

75 - 125

>125

Breeding values with an accuracy < 5% are not printed

Cow				Selection Values					Kalf gewig			Moeder		Groeï		Vrugbaarheid			Karkas				
ID	Inbreeding	Parentage		Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness	
Name	%	Genomic DNA	Sire ID Dam ID																				
JAPANESE BLACK																							
BA 130990 4  TFWFW0629				120	71	74	136	82	128	71	111	74	63	64	87	81	121	89	65	48	160	160	
FB  KJDFC0007				96 %	95 %	94 %	94 %	94 %	-1.52	-8.6	-0.78	-5.1	-19.7	-45	4.4	4.0	14.2	-0.6	-23.7	-7.3	5.7	9.0	
WOODVIEW TAJIMA				96 %	95 %	94 %	94 %	94 %	96 %	95 %	95 %	94 %	94 %	94 %	95 %	94 %	96 %	95 %	95 %	95 %	95 %	94 %	
JR 150008 1  MOYFF0054				121	68	76	141	110	125	68	120	76	67	59	106	114	111	93	104	99	109	111	
FB  KJDFF0004				72 %	49 %	49 %	18 %	38 %	-1.15	-10.1	-1.12	-4.3	-16.7	-52	-6.6	-1.9	10.1	-0.1	3.3	0.6	0.7	1.3	
DELAREY JR 150008				72 %	49 %	49 %	18 %	38 %	72 %	49 %	72 %	49 %	45 %	18 %	56 %	21 %	70 %	59 %	59 %	56 %	47 %	34 %	
RVK 150026 1  MOYFF0054				122	73	74	138	94	117	73	105	74	72	62	89	99	111	101	110	144	93	92	
FB  KSOF0036				55 %	44 %	43 %	19 %	36 %	-0.38	-7.8	-0.56	-5.2	-13.2	-48	3.4	0.7	9.8	0.9	7.8	7.5	-0.8	-1.8	
BOEKENHOUT F0054'S KSOFG036-3				55 %	44 %	43 %	19 %	36 %	56 %	44 %	52 %	43 %	43 %	19 %	50 %	21 %	69 %	57 %	57 %	54 %	50 %	38 %	
BA 160870 1  BA 090327				108	83	71	121	78	135	83	94	71	82	79	66	89	109	89	97	104	90	116	
FB  BA 070154				88 %	85 %	85 %	84 %	84 %	-2.13	-4.0	-0.15	-6.6	-6.3	-24	17.0	2.5	9.0	-0.6	-1.5	1.5	-1.1	2.1	
WOODVIEW BA160870				88 %	85 %	85 %	84 %	84 %	89 %	85 %	86 %	85 %	84 %	84 %	85 %	83 %	88 %	86 %	86 %	85 %	85 %	84 %	
AW 170105  BA 150369				93	128	96	90	133	92	128	101	96	123	110	133	131	138	117	96	124	87	78	
PBD  BA 120775				85 %	83 %	82 %	81 %	82 %	1.98	14.0	-0.41	6.5	22.7	20	-22.0	-5.1	21.4	3.0	-2.3	4.5	-1.4	-4.0	
ABSOLUTE GENETIC AW170105				85 %	83 %	82 %	81 %	82 %	85 %	83 %	83 %	82 %	84 %	81 %	83 %	81 %	86 %	83 %	83 %	83 %	82 %	81 %	
AW 170118 4  KI 140006				100	121	93	93	125	97	121	104	93	117	107	124	125	139	114	106	118	93	80	
PBD  BA 120775				84 %	81 %	81 %	81 %	81 %	1.53	11.5	-0.55	5.1	18.4	16	-16.9	-3.9	21.7	2.6	4.7	3.6	-0.7	-3.7	
ABSOLUTE GENETIC AW170118				84 %	81 %	81 %	81 %	81 %	84 %	81 %	82 %	81 %	83 %	81 %	82 %	80 %	85 %	82 %	82 %	82 %	81 %	81 %	
CLW 170005 6  KJDFC0087				110	80	74	133	109	105	80	111	74	73	67	87	124	120	96	118	121	100	108	
FB  EPW 150009				67 %	50 %	50 %	40 %	44 %	0.72	-5.3	-0.78	-5.2	-12.3	-40	4.8	-3.9	13.6	0.3	13.6	4.0	-0.1	0.8	
CROWN LAKE FLOWER				67 %	50 %	50 %	40 %	44 %	67 %	50 %	68 %	50 %	50 %	40 %	58 %	31 %	68 %	59 %	59 %	57 %	51 %	41 %	
AW 180081 7  AACFF0758				99	123	76	91	110	97	123	102	76	108	109	110	110	134	110	125	93	103	85	
FB  BA 090338				88 %	86 %	86 %	85 %	86 %	1.55	12.3	-0.45	-3.9	12.1	18	-8.7	-1.3	19.8	2.0	18.3	-0.3	0.2	-2.8	
ABSOLUTE GENETIC AW180081				88 %	86 %	86 %	85 %	86 %	88 %	86 %	87 %	86 %	86 %	85 %	87 %	85 %	89 %	87 %	87 %	87 %	86 %	86 %	
BA 180273 2  BA 090337				119	87	81	122	111	113	87	111	81	86	78	108	114	118	103	87	105	119	121	
FB  BA 160664				72 %	49 %	39 %	34 %	36 %	-0.01	-2.3	-0.80	-1.2	-3.6	-25	-7.7	-2.0	12.8	1.1	-8.2	1.6	1.7	2.8	
WOODVIEW BA180273				72 %	49 %	39 %	34 %	36 %	75 %	49 %	60 %	39 %	44 %	34 %	45 %	28 %	63 %	55 %	55 %	51 %	47 %	37 %	
CLW 180003 5  KJDFC0087				118	81	74	127	110	115	81	125	74	74	73	97	119	116	96	112	110	109	115	
FB  JR 150008				65 %	51 %	51 %	40 %	44 %	-0.27	-4.9	-1.33	-5.3	-12.1	-32	-1.2	-3.0	12.1	0.3	9.3	2.4	0.7	1.9	
CROWN LAKE JESS				65 %	51 %	51 %	40 %	44 %	65 %	51 %	66 %	51 %	48 %	40 %	57 %	30 %	65 %	57 %	56 %	55 %	50 %	41 %	
CLW 180006  BA 150368				117	105	79	106	119	114	105	97	79	99	94	115	121	115	92	117	98	104	97	
PBD  DJV 150016				60 %	34 %	32 %	20 %	34 %	-0.13	4.8	-0.26	-2.2	6.0	-2	-11.5	-3.3	11.8	-0.2	13.0	0.5	0.3	-0.9	
CROWN LAKE MARGIE				60 %	34 %	32 %	20 %	34 %	60 %	34 %	59 %	32 %	42 %	20 %	49 %	19 %	63 %	55 %	55 %	53 %	48 %	37 %	
CLW 180019 1  AF320				91	139	104	71	112	93	139	90	104	140	129	109	113	120	63	125	77	109	120	
PBD  BB 150141				49 %	32 %	25 %	24 %	30 %	1.89	18.7	0.00	11.0	34.2	48	-8.2	-1.8	13.6	-3.9	18.2	-2.8	0.8	2.7	
CROWN LAKE CLW180019				49 %	32 %	25 %	24 %	30 %	50 %	32 %	47 %	25 %	31 %	24 %	44 %	15 %	55 %	42 %	42 %	36 %	34 %	25 %	

WAGYU Cows

Inbreeding >6% is high

<75

75 - 125

>125

Breeding values with an accuracy < 5% are not printed

Cow			Selection Values					Kalf gewig		Moeder		Groeï		Vrugbaarheid			Karkas				
ID	%Inbreeding	Parentage	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
Name		Genomic DNA Sire ID Dam ID																			
JAPANESE BLACK																					
LP 180002	3	WKSFS0100	96	72	75	133	96	147	72	120	75	68	67	95	98	114	126	77	122	78	85
FB		FB21541	-3.31	-8.5	-1.12	-4.5	-15.9	-41	-0.1	0.8	11.0	4.1	-15.2	4.2	-2.2	-2.8	38 %	48 %	44 %	44 %	24 %
LP ADA			54 %	46 %	48 %	17 %	34 %	55 %	46 %	52 %	48 %	62 %	17 %	48 %	20 %	60 %					
LP 180009		ETJ001	109	98	81	116	87	108	98	95	81	95	84	80	94	124	91	101	108	89	99
FB		FB21116	0.49	2.2	-0.21	-1.4	2.8	-16	8.5	1.7	15.3	-0.4	1.8	2.1	-1.2	-0.6	-0.4	1.8	2.1	-1.2	-0.6
LP EVE			86 %	84 %	85 %	83 %	84 %	86 %	84 %	85 %	85 %	86 %	83 %	85 %	83 %	86 %	84 %	84 %	84 %	84 %	83 %
LP 180010		ETJ001	108	96	84	118	103	110	96	81	84	97	82	99	106	121	85	95	105	86	105
FB		FB21116	0.25	1.2	0.31	0.2	4.3	-19	0.25	1.2	0.31	4.3	-19	-2.2	-0.7	14.2	-1.2	-2.6	1.6	-1.5	0.4
LP GALILEE			56 %	45 %	45 %	39 %	42 %	56 %	45 %	57 %	45 %	62 %	39 %	53 %	32 %	59 %	45 %	45 %	44 %	41 %	33 %
WAP 180004		LDFDE0241	110	106	72	108	96	107	106	120	72	100	92	90	102	112	89	78	90	84	118
FB		WAP 140026	0.55	5.2	-1.14	-6.4	6.3	-5	2.9	0.2	10.2	-0.6	-14.9	-0.8	-1.6	2.4	-0.6	-14.9	-0.8	-1.6	2.4
MARNEEN DEMI			62 %	50 %	32 %	20 %	29 %	63 %	50 %	58 %	32 %	43 %	20 %	41 %	17 %	60 %	50 %	49 %	46 %	41 %	30 %
WAP 180005	2	PK 130001	123	81	61	128	101	118	81	103	61	78	72	105	100	96	103	99	131	105	101
FB		RVK 150026	-0.47	-4.6	-0.48	-11.7	-9.0	-34	-5.6	0.6	3.6	1.2	-0.1	5.5	0.3	-0.4	1.2	-0.1	5.5	0.3	-0.4
MARNEEN WAP180005			55 %	50 %	41 %	18 %	36 %	56 %	50 %	51 %	41 %	40 %	18 %	48 %	24 %	59 %	56 %	55 %	54 %	46 %	37 %
WAP 180008		BA 150382	109	109	73	107	143	108	109	92	73	101	93	132	148	120	89	118	104	125	114
PBD		DJV 150016	0.47	6.7	-0.08	-5.4	7.2	-4	-21.6	-8.2	13.7	-0.6	13.7	1.4	2.3	1.8	-0.6	13.7	1.4	2.3	1.8
MARNEEN WAP180008			57 %	33 %	35 %	18 %	30 %	57 %	33 %	56 %	35 %	38 %	18 %	42 %	17 %	62 %	54 %	54 %	50 %	44 %	34 %
AW 190036	2	SMOFF0126	121	107	72	116	110	123	107	126	72	101	84	104	116	113	113	81	108	124	119
FB		BA 130879	-1.00	5.8	-1.37	-5.9	7.0	-16	-4.9	-2.4	10.7	2.5	-12.8	2.0	2.2	2.6	2.5	-12.8	2.0	2.2	2.6
ABSOLUTE GENETIC AW190036			89 %	87 %	87 %	87 %	87 %	89 %	87 %	88 %	87 %	87 %	87 %	88 %	86 %	89 %	88 %	88 %	88 %	88 %	87 %
AW 190037	3	SMOFF0154	125	79	67	122	91	119	79	116	67	74	78	83	98	115	126	86	106	97	100
FB		SMOFE0126	-0.61	-5.4	-0.97	-8.6	-0.25	-25	7.1	0.9	11.5	4.1	-9.3	1.6	-0.4	-0.5	4.1	-9.3	1.6	-0.4	-0.5
ABSOLUTE GENETIC AW190037			88 %	87 %	87 %	86 %	86 %	88 %	87 %	87 %	87 %	87 %	86 %	87 %	86 %	89 %	88 %	88 %	87 %	87 %	87 %
AW 190039	2	SMOFF0126	120	110	68	112	108	118	110	128	68	105	88	105	110	129	98	76	123	121	133
FB		BA 130879	-0.56	7.1	-1.44	-8.1	9.6	-12	-6.0	-1.4	17.7	0.6	-16.4	4.3	1.9	4.8	0.6	-16.4	4.3	1.9	4.8
ABSOLUTE GENETIC AW190039			89 %	87 %	87 %	87 %	87 %	89 %	87 %	88 %	87 %	87 %	87 %	88 %	86 %	89 %	88 %	88 %	88 %	88 %	87 %
AW 190049	5	AACFF0758	89	116	80	95	103	88	116	101	80	107	105	106	101	125	93	125	96	94	92
FB		AACFK1310	2.38	9.4	-0.41	-2.0	11.0	14	-6.5	0.3	15.9	-0.1	18.4	0.1	-0.7	-1.7	-0.1	18.4	0.1	-0.7	-1.7
ABSOLUTE GENETIC AW190049			84 %	83 %	82 %	82 %	82 %	84 %	83 %	83 %	82 %	83 %	82 %	83 %	82 %	85 %	84 %	84 %	84 %	83 %	83 %
AW 190055	3	BDWFM0495	108	61	69	141	81	136	61	96	69	60	59	64	95	102	109	91	95	112	116
FB		BA 160870	-2.25	-12.9	-0.24	-7.9	-21.9	-52	17.9	1.5	6.2	2.0	-5.6	0.0	1.1	2.1	2.0	-5.6	0.0	1.1	2.1
ABSOLUTE GENETIC AW190055			88 %	86 %	86 %	85 %	86 %	88 %	86 %	86 %	86 %	86 %	85 %	86 %	85 %	88 %	87 %	87 %	86 %	86 %	85 %
LP 190001	1	BA 150369	103	106	86	111	140	102	106	98	86	104	89	135	141	120	108	100	99	120	105
PBD		BB 150163	1.06	5.3	-0.30	1.1	9.1	-10	-23.4	-6.8	13.6	1.8	0.5	0.7	1.8	0.3	1.8	0.5	0.7	1.8	0.3
LP HANNAH			64 %	56 %	63 %	20 %	36 %	64 %	56 %	62 %	63 %	57 %	20 %	49 %	22 %	61 %	51 %	50 %	48 %	41 %	28 %

WAGYU Cows

Inbreeding >6% is high				<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed															
Cow				Selection Values					Kalf gewig		Moeder		Groeï		Vrugbaarheid			Karkas				
ID	%Inbreeding	Parentage		Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
Name		Genomic DNA	Sire ID Dam ID																			
JAPANESE BLACK																						
LP 190002		BA 150369		105	98	73	118	137	102	98	104	73	91	82	133	137	113	102	107	102	114	109
PBD		LP 160001		65 %	57 %	64 %	21 %	36 %	1.05	1.9	-0.52	-5.8	0.2	-19	-22.1	-6.2	10.7	1.1	6.0	1.0	1.2	1.0
LP JERUSHA									65 %	57 %	64 %	64 %	53 %	21%	50%	23%	61 %	56 %	55 %	52 %	48 %	35 %
LP 190008	8	148BE		108	67	64	139	103	135	67	127	64	64	61	106	102	102	121	76	111	102	98
FB		RVK 150002		63 %	57 %	59 %	46 %	47 %	-2.14	-10.4	-1.40	-10.6	-18.7	-50	-6.3	0.2	6.0	3.5	-15.8	2.5	0.1	-0.8
EUREKA NAOMI									63 %	57 %	63 %	59 %	54 %	46%	54%	40%	63 %	55 %	56 %	55 %	54 %	48 %
AW 200002	4	BDWFM0477		117	102	88	106	89	113	102	99	88	104	94	89	91	131	104	93	97	120	113
FB		BA 130880		86 %	85 %	85 %	85 %	85 %	-0.04	3.7	-0.33	2.6	9.0	-3	3.4	2.1	18.4	1.4	-3.9	0.4	1.8	1.6
ABSOLUTE GENETIC AW200002									86 %	85 %	86 %	85 %	85 %	85%	86%	84%	87 %	85 %	85 %	85 %	85 %	84 %
AW 200005		AACFF0758		92	141	80	76	94	92	141	121	80	126	124	102	90	119	90	115	90	148	132
FB				85 %	84 %	83 %	83 %	84 %	2.02	19.6	-1.18	-1.9	24.9	40	-4.1	2.3	13.4	-0.5	11.3	-0.8	4.5	4.6
ABSOLUTE GENETIC AW200005									85 %	84 %	84 %	83 %	84 %	83%	84%	83%	86 %	85 %	85 %	84 %	84 %	84 %
AW 200007		BDWFM0477		124	91	78	116	102	117	91	112	78	86	84	104	101	119	115	77	90	135	123
FB		CWBFBFA 170420		85 %	84 %	84 %	84 %	84 %	-0.45	-0.9	-0.84	-3.0	-3.3	-17	-5.5	0.3	13.3	2.7	-15.6	-0.8	3.3	3.1
ABSOLUTE GENETIC AW200007									85 %	84 %	84 %	84 %	84 %	84%	85%	84%	86 %	85 %	85 %	84 %	84 %	84 %
AW 200008		BDWFM0477		124	91	81	113	92	125	91	112	81	89	87	94	92	121	104	79	80	133	131
FB		CWBFBFA 170420		85 %	84 %	84 %	84 %	84 %	-1.16	-0.6	-0.83	-1.4	-1.6	-12	0.4	1.9	14.0	1.3	-14.3	-2.3	3.0	4.5
ABSOLUTE GENETIC AW200008									85 %	84 %	84 %	84 %	84 %	84%	85%	83%	86 %	84 %	84 %	84 %	84 %	84 %
AW 200025	7	BDWFM0546		126	87	74	123	109	119	87	114	74	89	77	111	108	110	107	82	94	112	120
FB		BA 080212		88 %	87 %	86 %	86 %	86 %	-0.65	-2.1	-0.91	-5.2	-1.4	-26	-9.5	-0.9	9.4	1.7	-12.2	-0.1	1.1	2.7
ABSOLUTE GENETIC AW200025									88 %	87 %	87 %	86 %	87 %	86%	87%	86%	88 %	87 %	87 %	87 %	87 %	86 %
AW 200026		BDWFM0495		114	85	80	124	121	114	85	87	80	84	76	118	122	142	114	91	102	94	94
PBD		AW 180031		54 %	44 %	42 %	39 %	39 %	-0.08	-3.1	0.12	-1.7	-4.9	-28	-13.4	-3.5	23.2	2.6	-5.8	1.1	-0.7	-1.4
ABSOLUTE GENETIC AW200026									55 %	44 %	50 %	42 %	52 %	39%	54%	24%	58 %	52 %	52 %	49 %	46 %	35 %
AW 200036	4	SMOFF0126		99	120	87	106	104	97	120	104	87	115	94	87	117	134	96	113	108	148	134
FB		CCOFA0089		88 %	87 %	87 %	87 %	86 %	1.54	11.0	-0.54	2.1	17.0	-2	4.5	-2.6	19.6	0.2	9.7	2.0	4.4	5.0
ABSOLUTE GENETIC AW200036									88 %	87 %	87 %	87 %	87 %	87%	87%	86%	89 %	87 %	87 %	87 %	87 %	86 %
AW 200039	2	SMOFF0154		122	75	61	131	115	118	75	120	61	66	69	100	127	123	144	87	97	110	92
FB		AACFH0845		85 %	85 %	84 %	84 %	84 %	-0.54	-7.0	-1.14	-11.9	-17.3	-37	-2.7	-4.3	15.1	6.4	-8.6	0.3	0.9	-1.7
ABSOLUTE GENETIC AW200039									85 %	85 %	85 %	84 %	85 %	84%	85%	83%	86 %	85 %	85 %	85 %	85 %	84 %
CLW 200007		BDWFM0495		91	83	108	108	91	94	83	86	108	88	92	87	95	105	102	107	95	110	103
FB		CWBFCWLW 170003		52 %	40 %	39 %	36 %	30 %	1.79	-3.9	0.15	12.7	-2.2	-5	4.8	1.4	7.4	1.1	5.8	0.0	0.9	-0.1
CROWN LAKE CLW200007									52 %	40 %	50 %	39 %	43 %	36%	39%	20%	50 %	46 %	46 %	44 %	40 %	30 %
CLW 200008	2	FGW 120001		107	111	84	104	117	105	111	101	84	105	96	110	122	118	89	102	103	98	108
PBD		WAP 180006		69 %	50 %	47 %	41 %	40 %	0.78	7.3	-0.40	0.0	9.9	0	-8.4	-3.4	12.9	-0.6	2.0	1.2	-0.3	0.7
CROWN LAKE CLW200008									72 %	50 %	59 %	47 %	43 %	41%	52%	29%	60 %	49 %	49 %	45 %	36 %	27 %

WAGYU Cows

Inbreeding >6% is high				<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed															
Cow				Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas				
ID	%Inbreeding	Parentage		Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
Name		Genomic DNA	Sire ID Dam ID																			
JAPANESE BLACK																						
CLW 200012	9		FGW 120001	106	89	72	132	96	103	89	104	72	83	68	89	102	113	118	96	116	104	101
PEN			CLW 180014	86 %	84 %	84 %	83 %	83 %	0.96	-1.4	-0.53	-6.2	-5.6	-39	3.5	0.2	11.0	3.1	-2.1	3.3	0.3	-0.3
CROWN LAKE CLW200012									87 % 84 %		84 % 84 %		84 % 83%		84% 82% 85 %			84 % 84 % 84 % 83 % 82 %				
CLW 200020	8		DJV 140002	120	78	67	141	123	125	78	97	67	73	59	123	123	115	115	98	97	112	99
FB			JR 150008	69 %	33 %	31 %	20 %	32 %	-1.24	-6.1	-0.26	-8.7	-12.8	-52	-16.1	-3.7	11.6	2.7	-0.7	0.3	1.1	-0.6
CROWN LAKE CLW200020									73 % 33 %		55 % 31 %		30 % 20%		49% 15% 58 %			50 % 50 % 47 % 46 % 37 %				
CLW 200021	3		DJV 140002	121	94	73	121	121	126	94	102	73	88	79	123	121	123	112	99	92	127	111
FB			BA 160664	70 %	34 %	30 %	27 %	34 %	-1.24	0.7	-0.45	-5.5	-2.3	-24	-16.5	-3.2	15.0	2.4	0.3	-0.5	2.5	1.3
CROWN LAKE CLW200021									73 % 34 %		56 % 30 %		30 % 27%		50% 19% 57 %			51 % 51 % 48 % 48 % 39 %				
AW 210004	3		SMOFF0126	124	100	78	116	99	118	100	115	78	95	84	95	104	124	115	98	97	139	120
FB			SMOFD0133	87 %	86 %	86 %	85 %	86 %	-0.53	2.8	-0.94	-2.8	2.6	-17	0.1	-0.2	15.6	2.7	-0.7	0.3	3.7	2.7
ABSOLUTE GENETIC AW210004									87 % 86 %		86 % 86 %		86 % 85%		86% 85% 88 %			86 % 86 % 86 % 86 % 85 %				
AW 210008			AW 190039	115	99	86	114	98	117	99	77	86	104	86	88	107	121	106	81	116	108	112
F1				30 %	23 %	22 %	22 %	30 %	-0.42	2.6	0.49	1.2	8.9	-14	4.2	-0.7	14.3	1.6	-12.6	3.2	0.7	1.5
ABSOLUTE GENETIC AW210008									30 % 23 %		28 % 22 %		24 % 22%		41% 20% 43 %			27 % 27 % 26 % 25 % 20 %				
AW 210021			BA 150369	113	101	90	102	141	110	101	98	90	101	98	150	133	125	111	108	100	108	90
PBD			BA 150497	53 %	45 %	39 %	24 %	36 %	0.26	3.4	-0.30	3.7	7.2	3	-31.9	-5.4	16.0	2.1	6.5	0.7	0.7	-2.1
ABSOLUTE GENETIC AW210021									55 % 45 %		46 % 39 %		35 % 24%		48% 23% 61 %			49 % 49 % 47 % 41 % 29 %				
AW 210031	7		AW 190038	110	103	71	107	101	106	103	104	71	91	93	95	106	137	121	111	110	88	77
FB			AW 180081	50 %	41 %	32 %	29 %	36 %	0.69	4.0	-0.55	-6.7	0.2	-4	-0.2	-0.6	21.1	3.5	8.7	2.3	-1.3	-4.2
ABSOLUTE GENETIC AW210031									53 % 41 %		39 % 32 %		34 % 29%		49% 24% 57 %			40 % 41 % 39 % 38 % 33 %				
AW 210037	1		PB17438	121	99	74	115	96	115	99	116	74	93	85	77	110	133	89	68	100	92	122
PBD			AW 190096	37 %	27 %	26 %	14 %	28 %	-0.27	2.5	-0.97	-5.3	1.2	-15	10.3	-1.4	19.3	-0.6	-21.6	0.8	-0.9	3.1
ABSOLUTE GENETIC AW210037									39 % 27 %		27 % 26 %		30 % 14%		41% 16% 52 %			35 % 39 % 36 % 36 % 24 %				
CLW 210003	7		CLW 170004	107	100	72	112	123	103	100	103	72	91	88	106	133	122	94	105	102	116	120
PBD			CLW 170001	60 %	29 %	30 %	23 %	26 %	0.90	3.0	-0.50	-6.0	-0.2	-11	-6.6	-5.5	14.6	0.1	4.4	1.0	1.4	2.7
CROWN LAKE CLW210003									65 % 29 %		40 % 30 %		31 % 23%		33% 18% 52 %			41 % 41 % 39 % 37 % 27 %				
AW 220018			BA 150369	108	91	78	122	125	105	91	102	78	89	78	125	125	114	122	104	132	99	78
PBD			RVK 150026	54 %	47 %	41 %	20 %	31 %	0.78	-0.8	-0.47	-3.0	-1.6	-26	-17.4	-4.0	11.1	3.6	3.9	5.7	-0.2	-3.9
ABSOLUTE GENETIC AW220018									56 % 47 %		46 % 41 %		38 % 20%		44% 18% 58 %			53 % 52 % 50 % 44 % 32 %				
AW 220021			AW 190051	91	116	85	100	130	94	116	84	85	110	100	130	129	152	102	110	105	75	78
PBD			AW 180031	36 %	28 %	23 %	20 %	31 %	1.78	9.2	0.23	0.9	13.2	7	-20.4	-4.7	27.3	1.1	7.9	1.5	-2.5	-3.9
ABSOLUTE GENETIC AW220021									37 % 28 %		33 % 23 %		33 % 20%		45% 17% 51 %			41 % 41 % 38 % 38 % 32 %				
AW 220024	3		AW 180029	95	127	89	89	136	96	127	93	89	122	111	137	134	130	107	103	117	93	87
PBD			RSS 190066	41 %	29 %	25 %	18 %	24 %	1.64	13.8	-0.12	2.9	22.1	22	-24.4	-5.6	17.9	1.6	3.0	3.4	-0.8	-2.6
ABSOLUTE GENETIC AW220024									42 % 29 %		36 % 25 %		30 % 18%		32% 15% 46 %			34 % 34 % 32 % 31 % 24 %				

WAGYU Cows

Inbreeding >6% is high				<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed																
Cow				Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas					
ID	%Inbreeding	Parentage		Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness	
		Genomic DNA	Sire ID																				
Name			Dam ID																				
JAPANESE BLACK																							
AW 230002 1				120	87	89	119	95	113	87	109	89	84	81	98	94	112	78	109	72	149	148	
F2				39 %	33 %	31 %	25 %	28 %	-0.06	-2.4	-0.71	2.9	-4.7	-20	-1.9	1.6	10.5	-2.0	7.1	-3.6	4.6	7.1	
ABSOLUTE GENETIC AW230002									40 %	33 %	37 %	31 %	34 %	25%	36%	20%	47 %	63 %	62 %	54 %	60 %	48 %	
AW 230003				99	98	105	101	91	97	98	104	105	98	99	94	90	102	84	96	81	137	138	
F1				31 %	23 %	22 %	20 %	22 %	1.57	2.0	-0.52	11.6	4.8	4	0.4	2.3	6.1	-1.2	-1.8	-2.2	3.5	5.5	
ABSOLUTE GENETIC AW230003									31 %	23 %	29 %	22 %	24 %	20%	29%	15%	36 %	32 %	32 %	30 %	31 %	25 %	
AW 230011				119	103	78	106	114	115	103	100	78	100	94	107	119	118	98	98	103	71	87	
PBD				46 %	32 %	30 %	27 %	28 %	-0.23	4.2	-0.40	-2.9	6.1	-3	-7.1	-2.9	12.9	0.6	-0.8	1.2	-2.9	-2.5	
ABSOLUTE GENETIC AW230011									48 %	32 %	40 %	30 %	34 %	27%	37%	20%	50 %	47 %	47 %	43 %	40 %	31 %	
AW 230019 5				112	92	68	113	96	107	92	112	68	83	87	83	106	121	107	111	109	99	101	
FB				52 %	41 %	36 %	32 %	34 %	0.56	-0.5	-0.82	-8.0	-5.3	-13	7.1	-0.6	14.1	1.7	8.2	2.2	-0.2	-0.3	
ABSOLUTE GENETIC AW230019									55 %	41 %	41 %	36 %	36 %	32%	43%	24%	58 %	44 %	46 %	44 %	44 %	33 %	
AW 230020 3				97	105	81	101	102	98	105	90	81	97	99	96	107	126	123	108	111	94	81	
FB				50 %	39 %	31 %	25 %	30 %	1.43	5.0	-0.02	-1.5	4.1	4	-0.6	-0.8	16.5	3.7	6.3	2.4	-0.7	-3.5	
ABSOLUTE GENETIC AW230020									53 %	39 %	38 %	31 %	32 %	25%	39%	22%	53 %	38 %	38 %	36 %	36 %	30 %	
AW 230035 8				96	126	90	91	142	94	126	104	90	120	109	141	140	132	112	97	112	69	68	
PBD				42 %	33 %	29 %	25 %	27 %	1.83	13.2	-0.53	3.7	20.6	19	-26.6	-6.7	19.1	2.4	-1.2	2.7	-3.1	-5.6	
ABSOLUTE GENETIC AW230035									43 %	33 %	38 %	29 %	42 %	25%	36%	18%	49 %	45 %	45 %	42 %	39 %	31 %	
AW 230043				110	111	90	99	134	105	111	107	90	106	101	132	133	125	108	88	102	65	75	
PBD				40 %	34 %	29 %	24 %	26 %	0.71	7.5	-0.65	3.6	10.3	8	-21.3	-5.5	15.9	1.9	-7.7	1.1	-3.4	-4.5	
ABSOLUTE GENETIC AW230043									41 %	34 %	37 %	29 %	38 %	24%	36%	15%	48 %	42 %	42 %	39 %	35 %	28 %	
AW 230108				108	104	93	102	102	103	104	112	93	103	98	98	105	123	81	61	82	79	124	
F2				33 %	23 %	19 %	16 %	20 %	0.91	4.6	-0.82	5.1	8.2	4	-1.8	-0.4	15.0	-1.6	-26.6	-2.0	-2.1	3.3	
ABSOLUTE GENETIC AW230108									34 %	23 %	27 %	19 %	22 %	16%	28%	12%	43 %	35 %	35 %	32 %	33 %	26 %	
AW 230110				110	102	89	104	125	105	102	105	89	99	96	126	124	123	100	90	95	69	85	
F3				33 %	26 %	23 %	22 %	23 %	0.71	3.5	-0.58	3.0	5.4	0	-17.8	-3.8	14.9	0.8	-6.0	0.1	-3.1	-2.9	
ABSOLUTE GENETIC AW230110									34 %	26 %	31 %	23 %	32 %	22%	32%	14%	45 %	42 %	41 %	38 %	35 %	28 %	
LP 230002				88	109	84	107	126	89	109	95	84	108	93	122	128	123	101	89	103	107	109	
PBD				61 %	62 %	39 %	16 %	24 %	2.26	6.7	-0.18	0.1	11.9	-4	-15.8	-4.6	15.2	1.0	-6.8	1.2	0.6	0.9	
EUREKA RACHEL									67 %	62 %	39 %	39 %	46 %	16%	33%	16%	47 %	34 %	35 %	33 %	32 %	22 %	
LP 230007 1				120	90	72	121	108	113	90	111	72	88	79	107	109	112	108	78	109	98	105	
FB				50 %	48 %	36 %	26 %	29 %	-0.08	-0.9	-0.80	-5.9	-1.9	-24	-7.1	-1.0	10.2	1.8	-14.9	2.1	-0.3	0.3	
EUREKA LP230007									53 %	48 %	39 %	36 %	44 %	26%	35%	23%	46 %	36 %	37 %	36 %	36 %	29 %	
AW 240012 2				115	96	77	117	114	111	96	103	77	93	83	110	117	121	107	93	94	127	118	
F1				39 %	33 %	36 %	19 %	22 %	0.19	1.1	-0.48	-3.3	1.3	-18	-8.4	-2.5	14.1	1.6	-4.4	-0.2	2.5	2.4	
ABSOLUTE GENETIC AW240012									39 %	33 %	37 %	36 %	33 %	19%	30%	15%	42 %	32 %	32 %	30 %	28 %	19 %	

WAGYU Cows

Inbreeding >6% is high				<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed															
Cow				Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas				
ID	%Inbreeding	Parentage		Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
Name		Genomic DNA	Sire ID																			
JAPANESE BLACK																						
AW 240021				108	90	92	117	116	115	90	65	92	95	83	111	119	102	119	84	97	105	96
F1									-0.18	-1.1	0.95	4.4	2.9	-19	-9.5	-2.9	6.0	3.2	-10.5	0.3	0.4	-1.2
ABSOLUTE GENETIC AW240021				28 %	24 %	20 %	12 %	18 %	29 %	24 %	23 %	20 %	18 %	12 %	26 %	11 %	31 %	27 %	27 %	26 %	23 %	17 %
AW 240033				108	100	79	113	132	104	100	114	79	95	87	134	128	116	125	81	106	88	84
PEN									0.83	2.8	-0.92	-2.5	2.6	-13	-22.7	-4.6	12.2	3.9	-12.5	1.6	-1.2	-3.0
ABSOLUTE GENETIC AW240033				55 %	45 %	39 %	23 %	32 %	57 %	45 %	46 %	39 %	38 %	23 %	44 %	20 %	56 %	52 %	52 %	49 %	45 %	33 %
AW 240039				98	118	98	88	124	95	118	107	98	117	112	123	124	122	91	85	93	74	93
F2									1.77	10.2	-0.65	7.9	18.2	23	-16.2	-3.8	14.5	-0.3	-10.1	-0.3	-2.6	-1.6
ABSOLUTE GENETIC AW240039				35 %	26 %	22 %	22 %	20 %	36 %	26 %	31 %	22 %	28 %	22 %	27 %	12 %	45 %	41 %	41 %	37 %	35 %	28 %
AW 240040				99	92	101	104	96	96	92	105	101	95	96	95	98	86	87	110	112	108	114
PEN									1.57	-0.1	-0.57	9.4	2.7	1	-0.2	0.8	-0.6	-0.9	7.8	2.6	0.7	1.8
ABSOLUTE GENETIC AW240040				43 %	36 %	34 %	24 %	28 %	44 %	36 %	39 %	34 %	28 %	24 %	34 %	21 %	45 %	42 %	42 %	40 %	34 %	25 %
AW 240044				119	88	76	119	101	114	88	112	76	85	81	95	106	116	96	95	118	98	112
PEN									-0.09	-2.1	-0.83	-3.9	-4.4	-21	0.2	-0.7	12.2	0.4	-2.5	3.6	-0.3	1.5
ABSOLUTE GENETIC AW240044				48 %	40 %	37 %	27 %	32 %	50 %	40 %	42 %	37 %	30 %	27 %	39 %	24 %	53 %	45 %	45 %	43 %	38 %	28 %
AW 240047				127	90	76	113	103	121	90	115	76	86	87	100	107	119	115	77	105	89	101
F1									-0.78	-1.0	-0.94	-4.0	-3.4	-12	-3.0	-0.7	13.1	2.7	-15.5	1.6	-1.1	-0.4
ABSOLUTE GENETIC AW240047				51 %	46 %	32 %	25 %	27 %	54 %	46 %	38 %	32 %	42 %	25 %	36 %	18 %	45 %	35 %	35 %	33 %	34 %	28 %
AW 240049				115	100	85	99	106	111	100	101	85	97	101	106	107	117	117	101	114	98	90
PEN									0.18	3.0	-0.43	0.7	4.5	7	-6.3	-0.8	12.4	2.9	1.5	2.9	-0.3	-2.0
ABSOLUTE GENETIC AW240049				46 %	45 %	29 %	23 %	24 %	50 %	45 %	31 %	29 %	38 %	23 %	33 %	15 %	41 %	30 %	30 %	28 %	29 %	23 %
AW 240114				116	86	86	116	99	112	86	102	86	81	84	93	104	110	115	87	107	77	85
PEN									0.09	-2.9	-0.46	1.5	-7.1	-16	1.2	-0.3	9.6	2.7	-8.2	1.9	-2.3	-2.9
ABSOLUTE GENETIC AW240114				47 %	40 %	32 %	26 %	31 %	50 %	40 %	35 %	32 %	36 %	26 %	40 %	22 %	51 %	35 %	35 %	33 %	31 %	25 %
AW 240119				110	93	88	109	92	106	93	106	88	92	91	90	95	124	96	84	87	109	121
F2									0.69	0.2	-0.61	2.4	0.7	-7	3.1	1.4	15.4	0.3	-10.3	-1.2	0.8	2.8
ABSOLUTE GENETIC AW240119				25 %	20 %	19 %	17 %	16 %	26 %	20 %	23 %	19 %	20 %	17 %	22 %	11 %	36 %	25 %	25 %	23 %	24 %	17 %
AW 243004				120	98	75	111	97	114	98	109	75	92	89	95	100	123	116	95	96	137	120
FB									-0.09	2.2	-0.73	-4.7	0.6	-10	0.3	0.6	15.1	2.9	-3.0	0.1	3.5	2.8
ABSOLUTE GENETIC AW250004				52 %	48 %	34 %	28 %	28 %	55 %	48 %	40 %	34 %	43 %	28 %	37 %	19 %	47 %	36 %	36 %	34 %	35 %	28 %
AW 243015				111	108	86	103	102	107	108	103	86	105	97	94	108	127	113	106	107	130	113
FB									0.54	6.2	-0.51	1.3	10.0	1	0.7	-1.0	16.8	2.4	5.1	1.9	2.8	1.5
ABSOLUTE GENETIC AW250015				49 %	47 %	33 %	29 %	26 %	52 %	47 %	37 %	33 %	42 %	29 %	36 %	17 %	44 %	33 %	33 %	31 %	31 %	25 %
AW 243020				121	95	75	116	99	116	95	119	75	90	84	102	99	128	111	85	102	128	119
PEN									-0.36	1.0	-1.08	-4.5	-0.3	-16	-3.8	0.7	17.0	2.2	-9.5	1.0	2.5	2.6
ABSOLUTE GENETIC AW250020				24 %	20 %	19 %	19 %	20 %	25 %	20 %	22 %	19 %	20 %	19 %	26 %	14 %	34 %	22 %	21 %	20 %	20 %	16 %

WAGYU Cows

Inbreeding >6% is high				<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed															
Cow				Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas				
ID	%Inbreeding	Parentage		Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
Name		Genomic DNA	Sire ID																			
JAPANESE BLACK																						
AW 250009 7  AW 220004  AW 210008				121	100	79	115	98	116	100	101	79	99	85	93	102	129	107	88	115	114	114
F2 ABSOLUTE GENETIC AW250009				25 %	19 %	18 %	18 %	20 %	-0.35 25 %	2.8 19 %	-0.41 23 %	-2.4 18 %	5.8 20 %	-15 18%	1.0 27%	0.1 14%	17.5 33 %	1.6 22 %	-8.0 22 %	3.1 21 %	1.2 20 %	1.8 16 %
AW 250017 5  SWK 210153  CLW 170001				117	88	80	113	99	112	88	102	80	85	87	92	106	111	113	98	108	113	107
FB ABSOLUTE GENETIC AW250017				51 %	49 %	36 %	28 %	26 %	0.03 54 %	-1.7 49 %	-0.47 41 %	-1.9 36 %	-4.3 43 %	-12 28%	2.1 35%	-0.5 18%	10.0 44 %	2.5 36 %	-0.4 36 %	2.0 35 %	1.2 34 %	0.7 28 %
AW 250029 5  SWK 210153  AW 180081				111	110	80	96	104	107	110	102	80	102	104	105	105	127	120	112	100	108	88
FB ABSOLUTE GENETIC AW250029				52 %	50 %	34 %	27 %	29 %	0.54 55 %	6.9 50 %	-0.47 40 %	-1.7 34 %	7.5 42 %	12 27%	-5.9 38%	-0.3 20%	16.8 47 %	3.3 37 %	9.4 37 %	0.7 35 %	0.7 34 %	-2.3 29 %
AW 250031 2  SWK 210153  AW 220021				107	106	85	100	115	106	106	93	85	102	100	115	114	139	116	105	106	94	85
F1 ABSOLUTE GENETIC AW250031				45 %	45 %	29 %	22 %	23 %	0.66 49 %	5.3 45 %	-0.13 32 %	0.7 29 %	8.1 40 %	6 22%	-11.7 33%	-2.0 13%	22.1 41 %	2.9 31 %	4.2 31 %	1.6 29 %	-0.6 29 %	-2.9 25 %
AW 250034 3  AW 200035  LP 180002				113	78	72	128	92	133	78	114	72	75	72	90	95	118	116	82	105	106	108
FB ABSOLUTE GENETIC AW250034				35 %	29 %	29 %	18 %	22 %	-1.99 35 %	-5.8 29 %	-0.89 33 %	-6.1 29 %	-11.2 36 %	-34 18%	3.2 30%	1.4 14%	12.7 42 %	2.8 28 %	-12.2 32 %	1.6 29 %	0.5 29 %	0.8 18 %
AW 250035  PAL 190059				118	86	85	120	108	120	86	76	85	90	80	97	116	99	107	70	106	80	100
F1 ABSOLUTE GENETIC AW250035				29 %	19 %	19 %	14 %	21 %	-0.69 30 %	-2.7 19 %	0.52 26 %	0.9 19 %	-0.7 22 %	-23 14%	-1.2 27%	-2.4 15%	4.7 32 %	1.6 27 %	-20.1 27 %	1.7 26 %	-2.0 26 %	-0.4 20 %
AW 250037  PAL 190005				113	90	89	118	108	116	90	77	89	93	82	101	112	99	110	75	100	83	97
PEN ABSOLUTE GENETIC AW250037				29 %	18 %	18 %	16 %	20 %	-0.29 30 %	-1.2 18 %	0.48 26 %	3.1 18 %	1.7 20 %	-20 16%	-3.3 26%	-1.7 14%	4.6 31 %	2.1 28 %	-16.9 28 %	0.7 26 %	-1.7 26 %	-0.9 21 %
AW 250038  AW 170105				96	108	99	103	121	104	108	63	99	113	97	114	125	109	116	91	116	91	84
F1 ABSOLUTE GENETIC AW250038				30 %	25 %	22 %	15 %	21 %	0.85 31 %	6.1 25 %	1.01 26 %	8.4 22 %	15.4 32 %	1 15%	-10.7 27%	-4.0 15%	9.2 32 %	2.8 26 %	-5.5 26 %	3.3 25 %	-1.0 23 %	-3.0 17 %
AW 250039  PAL 190009				113	90	89	118	105	116	90	77	89	93	82	96	112	98	110	75	100	83	97
F1 ABSOLUTE GENETIC AW250039				29 %	18 %	18 %	16 %	20 %	-0.29 30 %	-1.2 18 %	0.48 26 %	3.1 18 %	1.7 20 %	-20 16%	-0.8 26%	-1.6 15%	4.4 31 %	2.1 28 %	-16.9 28 %	0.7 26 %	-1.7 26 %	-0.9 21 %
AW 250042  AW 170118				99	105	98	105	117	106	105	65	98	110	95	109	122	110	114	96	113	94	85
F1 ABSOLUTE GENETIC AW250042				28 %	20 %	19 %	15 %	19 %	0.62 29 %	4.8 20 %	0.94 24 %	7.7 19 %	13.3 26 %	-1 15%	-8.2 24%	-3.4 14%	9.4 32 %	2.6 21 %	-2.0 21 %	2.9 21 %	-0.7 20 %	-2.8 16 %
AW 250044  AW 190094				114	94	89	115	105	117	94	77	89	98	85	94	113	96	105	71	105	83	104
F1 ABSOLUTE GENETIC AW250044				29 %	18 %	17 %	15 %	22 %	-0.40 30 %	0.5 18 %	0.50 25 %	3.1 17 %	5.1 22 %	-16 15%	0.5 27%	-1.9 16%	3.6 32 %	1.4 28 %	-19.6 29 %	1.6 27 %	-1.7 27 %	0.1 21 %
AW 250045  RSS 190098				95	106	94	104	127	105	106	56	94	112	96	123	128	107	112	86	117	91	91
PEN ABSOLUTE GENETIC AW250045				27 %	19 %	17 %	17 %	14 %	0.71 28 %	5.4 19 %	1.26 25 %	5.5 17 %	14.7 22 %	1 17%	-16.2 22%	-4.5 7%	8.3 32 %	2.3 23 %	-9.1 24 %	3.4 22 %	-0.9 21 %	-2.0 15 %

WAGYU Cows

Inbreeding >6% is high				<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed															
Cow				Selection Values					Kalf gewig		Moeder		Groeï		Vrugbaarheid			Karkas				
ID	%Inbreeding	Parentage		Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
Name		Genomic DNA	Sire ID Dam ID																			
JAPANESE BLACK																						
AW 260002				98	102	83	109	114	100	102	85	83	97	91	111	115	139	105	115	102	86	83
PBD				36 %	31 %	26 %	23 %	26 %	1.19	3.6	0.17	-0.4	4.1	-7	-9.3	-2.2	21.8	1.4	11.5	1.1	-1.5	-3.2
ABSOLUTE GENETIC AW260002									37 %	31 %	32 %	26 %	31 %	23%	36%	17%	45 %	42 %	42 %	38 %	38 %	32 %
AW 260003				96	114	79	100	125	98	114	88	79	105	100	118	128	128	93	129	103	101	93
PBD				37 %	27 %	23 %	14 %	23 %	1.46	8.5	0.07	-2.3	10.2	6	-13.4	-4.5	17.1	-0.1	21.3	1.2	0.0	-1.6
ABSOLUTE GENETIC AW260003									37 %	27 %	35 %	23 %	26 %	14%	32%	14%	46 %	43 %	42 %	39 %	37 %	32 %
AW 260004				110	95	80	115	94	108	95	97	80	86	85	96	94	128	92	103	74	119	121
FB				48 %	38 %	30 %	21 %	33 %	0.47	0.8	-0.28	-2.1	-3.3	-15	-0.4	1.6	17.3	-0.2	2.6	-3.2	1.7	2.8
ABSOLUTE GENETIC AW260004									49 %	38 %	43 %	30 %	34 %	21%	44%	22%	56 %	51 %	51 %	47 %	48 %	40 %
AW 260009				113	101	85	106	119	110	101	100	85	99	94	118	120	120	119	100	103	117	98
PBD				52 %	51 %	41 %	22 %	24 %	0.30	3.4	-0.39	0.8	6.0	-2	-13.2	-3.1	13.8	3.2	0.5	1.2	1.5	-0.8
ABSOLUTE GENETIC AW260009									55 %	51 %	42 %	41 %	46 %	22%	34%	15%	44 %	34 %	34 %	32 %	30 %	24 %
AW 260010				87	129	95	82	109	90	129	87	95	125	118	107	110	128	79	132	89	93	96
PBD				34 %	27 %	19 %	16 %	24 %	2.17	14.5	0.11	6.0	23.7	32	-6.7	-1.3	17.0	-1.8	23.5	-0.9	-0.7	-1.1
ABSOLUTE GENETIC AW260010									35 %	27 %	31 %	19 %	23 %	16%	33%	14%	44 %	39 %	39 %	35 %	35 %	29 %
AW 260012				97	99	79	113	107	96	99	97	79	91	87	95	116	128	96	129	111	89	90
FB				41 %	33 %	29 %	23 %	28 %	1.59	2.5	-0.28	-2.2	0.4	-13	-0.2	-2.3	17.0	0.3	21.2	2.5	-1.2	-2.0
ABSOLUTE GENETIC AW260012									41 %	33 %	40 %	29 %	30 %	23%	38%	19%	48 %	44 %	44 %	41 %	40 %	34 %
AW 260014				121	87	73	127	96	116	87	115	73	83	73	94	98	124	104	102	129	106	104
FB				34 %	27 %	26 %	17 %	22 %	-0.33	-2.4	-0.94	-5.6	-5.3	-32	0.6	0.8	15.3	1.3	2.1	5.2	0.5	0.2
ABSOLUTE GENETIC AW260014									35 %	27 %	31 %	26 %	26 %	17%	30%	15%	43 %	33 %	33 %	31 %	30 %	23 %
AW 260015				120	101	80	111	93	114	101	112	80	99	89	94	94	133	106	94	105	120	115
FB				31 %	24 %	24 %	23 %	23 %	-0.16	3.3	-0.82	-1.7	5.8	-9	0.6	1.5	19.5	1.5	-3.7	1.6	1.8	1.9
ABSOLUTE GENETIC AW260015									32 %	24 %	29 %	24 %	23 %	23%	29%	17%	38 %	25 %	25 %	23 %	22 %	18 %
AW 260016				121	100	79	115	98	116	100	101	79	99	85	93	102	129	107	88	115	114	114
F2				25 %	19 %	18 %	18 %	20 %	-0.35	2.8	-0.41	-2.4	5.8	-15	1.0	0.1	17.5	1.6	-8.0	3.1	1.2	1.8
ABSOLUTE GENETIC AW260016									25 %	19 %	23 %	18 %	20 %	18%	27%	14%	33 %	22 %	22 %	21 %	20 %	16 %
AW 260017				124	98	79	108	98	116	98	109	79	94	92	89	105	127	110	84	103	103	107
PBD				45 %	44 %	29 %	21 %	22 %	-0.37	2.0	-0.72	-2.4	2.1	-5	3.6	-0.4	16.6	2.0	-10.6	1.3	0.1	0.6
ABSOLUTE GENETIC AW260017									49 %	44 %	31 %	29 %	38 %	21%	32%	13%	41 %	29 %	30 %	28 %	29 %	23 %
AW 260021				122	79	63	127	105	116	79	114	63	70	73	91	115	122	139	92	112	91	80
FB				47 %	38 %	32 %	30 %	31 %	-0.36	-5.7	-0.89	-10.7	-14.5	-32	2.3	-2.2	14.4	5.7	-4.7	2.6	-0.9	-3.6
ABSOLUTE GENETIC AW260021									50 %	38 %	35 %	32 %	34 %	30%	40%	22%	50 %	37 %	37 %	36 %	36 %	32 %
AW 260024				118	99	77	111	109	112	99	111	77	93	89	100	116	115	104	103	110	95	98
F1				49 %	33 %	26 %	23 %	29 %	0.08	2.5	-0.78	-3.4	1.7	-9	-2.8	-2.4	11.4	1.3	2.8	2.4	-0.6	-0.8
ABSOLUTE GENETIC AW260024									52 %	33 %	39 %	26 %	30 %	23%	38%	20%	52 %	36 %	36 %	33 %	33 %	27 %

WAGYU Cows

Inbreeding >6% is high				<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed																
Cow				Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas					
ID	%Inbreeding	Parentage		Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling	Fineness
		Genomic DNA	Sire ID																				
Name			Dam ID																				
JAPANESE BLACK																							
AW 260025		10	 AW 220004	119	83	68	127	100	125	83	126	68	79	73	102	100	119	114	85	113	111	107	
FB			 LP 190008	-1.21	-3.8	-1.36	-8.3	-3.8	-1.21	-3.8	-1.36	-8.3	-8.0	-33	-4.2	0.6	13.4	2.6	-9.7	2.7	1.0	0.7	
ABSOLUTE GENETIC AW260025				37 %	32 %	33 %	27 %	27 %	37 %	32 %	36 %	33 %	30 %	27%	32%	22%	40 %	33 %	33 %	32 %	31 %	27 %	



CWB

BREEDING VALUE REPORT

September 2026



ABSOLUTE WAGYU

Herd Number: 8191313


E-mail: drfaniesteyn@gmail.com
marietjie@absolutegenetics.co.za



WAGYU
SOCIETY
OF SOUTH AFRICA



**CERTIFICATE
OF QUALITY**
Valid up to
October 2029



CWB Dams

Dam			Growth					Carcass					Stats				
ID	Parentage	Sire ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name	Gen. DNA	Dam ID															
AKAUSHI																	
AW 170001		HBCFV2139	96	132	125	125	114	87	86	99	101	92	100	1	4	1	
FB		C421	1.61	15.6	21.4	26.7	26	1.9	-1.0	0.3	1.0	-0.8	-0.4				
ABSOLUTE GENETIC AW170001			84%	82%	83%	83%	81%	82%	84%	84%	84%	83%	83%				
AW 170048		HSFV0010	98	124	117	119	107	88	115	98	111	92	79	1	3	1	
FB		KALFF0139	1.43	12.5	16.9	22.5	17	2.6	2.7	-0.5	2.5	-0.9	-3.9				
ABSOLUTE GENETIC AW170048			82%	80%	81%	81%	80%	80%	81%	81%	80%	80%	80%				
AW 180031		CCCFH0037	101	113	108	112	95	85	108	80	107	73	84	1	5	3	
FB		KALFC0017	1.09	8.1	10.8	16.5	-1	0.9	1.8	-13.1	1.9	-2.7	-3.0				
AW180031			87%	85%	87%	85%	84%	84%	86%	86%	85%	85%	85%				
AW 210019		BA 150369	97	110	105	109	94	84	125	90	114	89	74	1	2	1	
FB		AW 180031	1.52	7.1	9.5	14.5	-3	0.0	4.0	-6.6	2.9	-1.2	-4.5				
AW210019			56%	45%	47%	36%	24%	39%	51%	50%	48%	43%	31%				
B563		IMUFN2124	103	110	107	108	103	87	108	96	131	95	90	8	18	4	1
FB		RWAFT0010	0.94	7.1	10.5	13.8	11	1.9	1.8	-2.1	5.6	-0.6	-2.0				
KALANGA SHIGEYUKO B563 (AI)			64%	44%	49%	29%	31%	40%	48%	52%	48%	46%	25%				
C421		HBCFV2141	91	149	143	140	134	81	67	114	115	102	118	9	13	2	1
FB		RWA38	2.08	22.6	33.2	38.8	55	-1.6	-3.4	10.4	3.2	0.1	2.4				
KALANGA F C421			60%	31%	52%	50%	18%	29%	66%	66%	62%	61%	49%				
CWBFAW 210022		BA 150369	94	120	114	116	103	84	114	99	111	98	82	1	1		
FB		AW 170001	1.77	10.9	14.8	19.6	11	0.5	2.6	0.1	2.5	-0.3	-3.3				
AW210022			56%	46%	43%	37%	24%	39%	53%	53%	50%	45%	35%				
KALFC0017		HBCFV2139	106	112	107	111	96	88	111	85	110	66	75	10	13	5	
FB		KALFV0009	0.69	7.7	10.2	16.4	0	2.5	2.1	-9.9	2.4	-3.4	-4.4				
KALANGA F C017			89%	87%	88%	88%	86%	86%	88%	88%	88%	88%	87%				
KALFF0139		B0125	100	113	109	111	103	88	113	91	115	80	77	4	4	2	
FB		B563	1.20	8.3	11.7	15.8	10	2.2	2.4	-5.7	3.0	-2.0	-4.1				
KALANGA KAJIYUKO F139			46%	31%	38%	31%	26%	28%	37%	38%	35%	34%	23%				
OHVFA0045		QW132	85	138	128	127	127	82	99	100	116	45	60	8	41	19	5
FB		VW45	2.71	18.1	23.6	28.8	45	-0.7	0.7	0.5	3.2	-5.3	-6.9				
HIDDEN VALE OHV45			91%	87%	89%	89%	87%	86%	90%	90%	89%	89%	86%				
RSS 190025		AF6914	97	128	123	125	114	86	91	100	112	74	86	2	4	2	
FB		WB 170009	1.53	14.1	20.7	26.9	27	1.2	-0.3	0.9	2.7	-2.5	-2.8				
RSS190025			55%	44%	47%	47%	18%	23%	38%	37%	34%	29%	24%				
RSS 190066		J251830R	99	133	128	128	120	86	94	107	108	79	88	1	3	2	
FB		1145Z	1.32	16.3	23.3	29.6	35	1.4	0.1	5.7	2.1	-2.1	-2.4				
RSS190066			56%	30%	41%	34%	20%	24%	42%	41%	37%	37%	28%				

CWB Dams

Dam			Growth					Carcass					Stats				
ID	Parentage	Sire ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name	Gen. DNA	Dam ID															
AKAUSHI																	
RSS 190098		CCCFH0037	95	124	120	122	109	85	109	85	125	88	90	1	1		
FB		B563	1.71	12.7	18.6	24.4	19	0.6	2.0	-9.5	4.6	-1.2	-2.0				
RSS190098				55%	37%	48%	42%	33%	34%	46%	47%	44%	43%				
WB 170009		HBCFV2139	102	135	126	126	117	85	95	106	105	74	76	2	7	1	
FB		CCCFH0018	1.07	16.8	22.4	27.5	31	0.5	0.2	4.8	1.6	-2.6	-4.3				
WB 17-009				57%	45%	51%	49%	34%	37%	53%	53%	51%	51%				
JAPANESE BLACK																	
AACFH0845		AACFB0460	119	86	81	81	77	75	121	89	99	97	92	1	1	1	
FB		WESFY0174	-0.62	-2.7	-5.6	-7.4	-26	-4.5	3.5	-7.0	0.6	-0.4	-1.8				
WESTHOLME H0845				29%	27%	28%	26%	24%	26%	29%	29%	28%	28%				
AACFK1310		AACFG0413	107	87	88	90	82	89	95	105	107	66	84	1	4	2	1
FB		AACFH5283	0.55	-2.4	-1.6	-0.1	-19	3.0	0.1	4.5	1.8	-3.4	-3.0				
WESTHOLME K1310				24%	23%	23%	22%	20%	22%	44%	43%	38%	34%				
AW 150056		OVE 080002	103	85	87	89	92	106	78	108	88	103	115	1	2	1	1
F1			0.90	-3.1	-1.8	-0.7	-5	12.2	-2.0	6.6	-1.0	0.2	1.9				
ABSOLUTE GENETIC AW150056				49%	48%	46%	45%	32%	44%	56%	56%	53%	48%				
AW 170052		KI 140008	107	97	88	89	87	70	75	96	93	94	131	2	4	1	1
FB		PK 140007	0.59	1.7	-1.2	-1.1	-13	-7.5	-2.4	-2.0	-0.4	-0.7	4.4				
AW170052				61%	43%	45%	36%	28%	37%	68%	69%	63%	66%				
AW 170105		BA 150369	92	128	122	124	110	96	117	96	124	87	78	1	4	3	
PBD		BA 120775	1.98	14.0	20.0	26.2	20	6.5	3.0	-2.3	4.5	-1.4	-4.0				
AW170105				85%	83%	85%	84%	81%	82%	83%	83%	83%	82%				
AW 170118		KI 140006	97	121	116	118	107	93	114	106	118	93	80	1	4		
PBD		BA 120775	1.53	11.5	16.1	21.5	16	5.1	2.6	4.7	3.6	-0.7	-3.7				
AW170118				84%	81%	82%	84%	81%	81%	82%	82%	82%	81%				
AW 180076		BA 130823	134	76	69	71	71	80	105	64	48	127	136	1	2	1	
FB		BA 130990	-2.09	-6.9	-13.1	-15.3	-36	-2.1	1.4	-24.4	-7.2	2.5	5.3				
AW180076				89%	87%	86%	86%	86%	86%	88%	88%	88%	88%				
AW 180081		AACFF0758	97	123	110	106	109	76	110	125	93	103	85	1	3	1	
FB		BA 090338	1.55	12.3	12.6	12.4	18	-3.9	2.0	18.3	-0.3	0.2	-2.8				
AW180081				88%	86%	86%	86%	85%	86%	87%	87%	87%	86%				
AW 180153		KI 140022	94	112	116	117	115	112	75	70	85	97	128	1	3	1	
F1		CWBFAW 150038	1.86	8.0	16.0	20.5	27	14.9	-2.3	-20.2	-1.5	-0.4	3.9				
AW180153				40%	30%	19%	18%	18%	21%	37%	37%	34%	33%				

CWB Dams

Dam			Growth					Carcass					Stats				
ID	Parentage	Sire ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name	Gen.	DNA Dam ID															
JAPANESE BLACK																	
AW 180175		✓ KI 140022	94	112	116	117	115	112	75	70	85	97	128	1	2	1	
F1		✓ CWBFAW 150046	1.86	8.0	16.0	20.5	27	14.9	-2.3	-20.2	-1.5	-0.4	3.9				
AW180175			40%	30%	19%	18%	18%	21%	37%	37%	34%	33%	26%				
AW 180179		✓ KI 140022	94	112	116	117	115	112	75	70	85	97	128	1	3	1	
F1		✓ CWBFAW 150042	1.86	8.0	16.0	20.5	27	14.9	-2.3	-20.2	-1.5	-0.4	3.9				
AW180179			40%	30%	19%	18%	18%	21%	37%	37%	34%	33%	26%				
AW 190008		✓ SMOFF0126	114	105	101	102	93	70	80	93	103	137	148	1	7	1	
FB		PK 140017	-0.12	5.1	6.8	9.3	-3	-7.4	-1.8	-4.3	1.2	3.5	7.2				
AW190008			89%	87%	87%	88%	87%	87%	88%	88%	88%	88%	87%				
AW 190032		✓ SMOFF0126	110	100	89	88	78	65	102	90	85	161	149	1	4	1	
FB		✓ BA 130990	0.29	3.0	-0.8	-1.8	-25	-9.9	1.1	-6.5	-1.6	5.7	7.4				
AW190032			89%	87%	88%	87%	87%	87%	88%	88%	88%	88%	87%				
AW 190036		✓ SMOFF0126	123	107	101	101	84	72	113	81	108	124	119	1	3	2	
FB		✓ BA 130879	-1.00	5.8	6.8	8.0	-16	-5.9	2.5	-12.8	2.0	2.2	2.6				
AW190036			89%	87%	87%	87%	87%	87%	88%	88%	88%	88%	87%				
AW 190037		✓ SMOFF0154	119	79	75	73	78	67	126	86	106	97	100	1	2		
FB		✓ SMOFE0126	-0.61	-5.4	-9.8	-13.3	-25	-8.6	4.1	-9.3	1.6	-0.4	-0.5				
AW190037			88%	87%	87%	87%	86%	87%	88%	88%	87%	87%	87%				
AW 190039		✓ SMOFF0126	118	110	104	105	88	68	98	76	123	121	133	1	4	1	
FB		✓ BA 130879	-0.56	7.1	8.5	11.5	-12	-8.1	0.6	-16.4	4.3	1.9	4.8				
AW190039			89%	87%	87%	87%	87%	87%	88%	88%	88%	88%	87%				
AW 190046		✓ SMOFC0151	116	95	88	87	89	77	106	78	92	142	138	1	5	1	
FB			-0.28	1.0	-1.3	-2.5	-10	-3.7	1.6	-14.7	-0.5	3.9	5.5				
AW190046			86%	85%	85%	85%	85%	85%	85%	85%	85%	85%	85%				
AW 190094		✓ PWYPM0775	118	100	93	94	86	76	96	56	102	71	116	1	3	1	
PBD		✓ BA 130879	-0.52	2.8	1.7	3.0	-14	-4.2	0.3	-30.5	1.1	-2.9	2.1				
AW190094			87%	85%	86%	86%	85%	85%	87%	87%	87%	87%	86%				
AW 190096		✓ PWYPM0775	114	93	86	87	81	77	88	66	85	74	119	2	4	1	
PBD		✓ AW 160009	-0.17	0.0	-2.8	-2.7	-21	-3.3	-0.8	-23.1	-1.5	-2.6	2.6				
AW190096			87%	85%	86%	85%	85%	85%	86%	86%	86%	86%	85%				
AW 200002		✓ BDWFM0477	113	102	102	105	94	88	104	93	97	120	113	1	4		
FB		✓ BA 130880	-0.04	3.7	7.0	11.7	-3	2.6	1.4	-3.9	0.4	1.8	1.6				
AW200002			86%	85%	85%	85%	85%	85%	85%	85%	85%	85%	84%				
AW 200007		✓ BDWFM0477	117	91	86	87	84	78	115	77	90	135	123	1	3	1	
FB		✓ CWBFBA 170420	-0.45	-0.9	-2.9	-3.0	-17	-3.0	2.7	-15.6	-0.8	3.3	3.1				
AW200007			85%	84%	85%	84%	84%	84%	85%	85%	84%	84%	84%				

CWB Dams

Dam			Growth					Carcass					Stats				
ID	Parentage	Sire ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name	Gen.	DNA Dam ID															
JAPANESE BLACK																	
AW 200026		BDWFM0495	114	85	81	87	76	80	114	91	102	94	94	1	2		
PBD		AW 180031	-0.08	-3.1	-6.0	-3.0	-28	-1.7	2.6	-5.8	1.1	-0.7	-1.4				
AW200026			55%	44%	55%	48%	39%	42%	52%	52%	49%	46%	35%				
AW 200036		SMOFF0126	97	120	115	116	94	87	96	113	108	148	134	1	1	1	
FB		CCOFA0089	1.54	11.0	15.2	19.7	-2	2.1	0.2	9.7	2.0	4.4	5.0				
AW200036			88%	87%	87%	87%	87%	87%	87%	87%	87%	87%	86%				
AW 200039		SMOFF0154	118	75	68	65	69	61	144	87	97	110	92	1	2		
FB		AACFH0845	-0.54	-7.0	-13.7	-20.0	-37	-11.9	6.4	-8.6	0.3	0.9	-1.7				
AW200039			85%	85%	85%	85%	84%	84%	85%	85%	85%	85%	84%				
AW 200040		BA 150452	115	99	94	93	93	96	109	77	103	79	91	1	1	1	
PBD		AW 170118	-0.25	2.5	2.6	2.3	-3	6.4	2.0	-15.3	1.3	-2.1	-1.8				
AW200040			57%	52%	53%	57%	27%	44%	42%	42%	39%	31%	22%				
AW 200111		BA 150452	119	81	80	79	86	102	93	66	101	75	108	1	3	1	
F2		AW 150062	-0.56	-4.8	-6.4	-8.9	-14	10.0	-0.1	-23.4	1.0	-2.5	0.8				
AW200111			55%	54%	53%	52%	28%	45%	53%	53%	47%	40%	29%				
AW 200134		BA 150452	109	89	88	86	92	107	97	77	88	81	101	1	2	1	
F2		AW 170071	0.35	-1.4	-1.3	-3.1	-6	12.5	0.4	-15.6	-1.1	-1.9	-0.3				
AW200134			52%	50%	50%	49%	25%	41%	42%	42%	38%	29%	18%				
AW 210008			117	99	102	105	86	86	106	81	116	108	112	1	2		
F1		AW 190039	-0.42	2.6	7.5	11.2	-14	1.2	1.6	-12.6	3.2	0.7	1.5				
AW210008			30%	23%	24%	24%	22%	22%	27%	27%	26%	25%	20%				
AW 210013		BA 150369	113	92	86	89	82	81	124	82	84	116	100	1	1	1	
PBD		AW 180076	-0.07	-0.4	-2.5	-1.4	-20	-1.5	3.8	-12.2	-1.6	1.4	-0.4				
AW210013			58%	48%	40%	35%	23%	40%	54%	54%	51%	47%	35%				
AW 210021		BA 150369	110	101	99	103	98	90	111	108	100	108	90	1	3	2	
PBD		BA 150497	0.26	3.4	5.2	9.9	3	3.7	2.1	6.5	0.7	0.7	-2.1				
AW210021			55%	45%	39%	31%	24%	39%	49%	49%	47%	41%	29%				
AW 210037		PB17438	115	99	92	93	85	74	89	68	100	92	122	1	2		
PBD		AW 190096	-0.27	2.5	1.1	2.2	-15	-5.3	-0.6	-21.6	0.8	-0.9	3.1				
AW210037			39%	27%	34%	25%	14%	26%	35%	39%	36%	36%	24%				
AW 210107		AW 170040	115	79	79	81	82	93	92	82	90	86	111	1	2	2	
F2		AW 150055	-0.25	-5.4	-7.2	-7.5	-19	5.2	-0.2	-12.0	-0.8	-1.4	1.3				
AW210107			30%	28%	29%	36%	19%	26%	39%	39%	35%	33%	24%				
AW 210125		AW 190038	104	104	100	99	102	85	103	102	120	82	89	1	2	2	
F2		AW 190205	0.83	4.5	6.3	6.8	10	0.9	1.2	2.6	3.9	-1.9	-2.2				
AW210125			45%	33%	28%	27%	24%	26%	40%	40%	36%	38%	25%				

CWB Dams

Dam			Growth					Carcass					Stats				
ID	Parentage	Sire ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name	Gen.	DNA Dam ID															
JAPANESE BLACK																	
AW 220008		AW 190027	118	87	80	83	73	76	99	85	86	131	134	1	1		
PBD		AW 200026	-0.56	-2.4	-6.3	-5.6	-32	-4.0	0.6	-9.8	-1.5	2.9	5.0				
AW220008			41%	32%	37%	34%	28%	30%	41%	41%	39%	38%	30%				
AW 220021		AW 190051	94	116	109	110	100	85	102	110	105	75	78	1	2		
PBD		AW 180031	1.78	9.2	11.6	15.7	7	0.9	1.1	7.9	1.5	-2.5	-3.9				
AW220021			37%	28%	36%	30%	20%	23%	41%	41%	38%	38%	32%				
AW 220102		AW 190038	104	97	96	95	96	89	104	84	106	85	98	1	1	1	
F2		AW 180175	0.84	1.8	3.6	3.5	0	2.7	1.4	-10.5	1.7	-1.6	-0.8				
AW220102			47%	35%	28%	27%	24%	26%	33%	34%	32%	32%	27%				
AW 220112		AW 190100	91	101	102	102	104	107	86	83	86	83	111	1	1	1	
F1		CWBFAW 150063	2.06	3.4	7.6	9.1	12	12.4	-1.0	-11.4	-1.4	-1.7	1.2				
AW220112			27%	17%	21%	18%	13%	16%	30%	30%	27%	28%	22%				
BA 070154		BA 000024	124	91	93	96	102	102	65	102	81	87	124	1	10	5	1
FB		BA 010025	-1.09	-0.9	1.8	4.6	9	10.0	-3.6	2.1	-2.2	-1.3	3.4				
CASTLE 7 154			82%	49%	31%	31%	36%	58%	60%	60%	55%	34%	22%				
BA 080212		IMJFAJ2810	113	94	92	95	84	76	81	48	87	53	122	5	19	1	
FB		BA 010039	-0.05	0.6	1.0	3.9	-16	-3.8	-1.6	-36.0	-1.2	-4.6	3.0				
BA 080212			94%	92%	93%	92%	91%	92%	94%	94%	93%	93%	92%				
BA 090338		148BE	123	85	79	78	78	71	109	82	109	83	99	5	53	12	3
FB		TWAFT0462	-1.04	-3.2	-7.1	-9.8	-25	-6.8	1.9	-12.0	2.2	-1.7	-0.7				
TWA SATUKU 09338			95%	93%	92%	92%	92%	93%	94%	94%	93%	93%	92%				
BA 110480		Y342	100	96	94	98	86	90	86	90	87	65	97	5	30	8	
FB		CWBFBFA 080172	1.20	1.4	2.1	5.7	-14	3.2	-1.0	-6.1	-1.2	-3.5	-0.9				
LETTER 11 480			91%	88%	88%	89%	88%	88%	89%	89%	89%	89%	88%				
BA 120775		148BE	92	134	129	129	112	102	98	102	122	87	92	4	24	7	1
PBD		BA 100381	1.99	16.6	24.0	29.8	23	9.8	0.5	2.3	4.2	-1.4	-1.7				
CLEO			90%	87%	89%	88%	86%	87%	87%	88%	87%	87%	86%				
BA 130879		148BE	120	107	101	101	92	76	109	49	125	67	98	4	19	7	1
FB		BA 080165	-0.74	5.8	6.9	8.5	-5	-4.2	2.0	-35.3	4.7	-3.2	-0.8				
BA 130879			93%	91%	91%	91%	90%	91%	92%	92%	92%	92%	91%				
BA 130880		BA 090335	134	92	91	93	91	93	89	86	106	86	107	4	12	5	
FB		BA 110474	-2.05	-0.4	0.3	2.3	-6	4.8	-0.6	-9.1	1.7	-1.4	0.7				
BA 130880			92%	89%	89%	89%	89%	89%	89%	89%	89%	88%	88%				
BA 130990		TFWFW0629	128	71	62	64	64	74	89	65	48	160	160	7	71	18	4
FB		KJDFC0007	-1.52	-8.6	-17.7	-20.8	-45	-5.1	-0.6	-23.7	-7.3	5.7	9.0				
WOODVIEW TAJIMA			96%	95%	95%	94%	94%	94%	95%	95%	95%	95%	94%				

CWB Dams

Dam			Growth					Carcass					Stats				
ID	Parentage	Sire ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name	Gen. DNA	Dam ID															
JAPANESE BLACK																	
BA 150497		IMUFP0036	127	94	94	100	103	99	78	117	79	113	115	4	14	4	
PBD		CWBFBA 100404	-1.43	0.6	2.3	7.3	11	8.2	-1.9	13.0	-2.5	1.1	1.9				
WOODVIEW BA15-497			84%	82%	82%	81%	81%	82%	83%	83%	82%	82%	81%				
BA 160664		IMUFP0036	115	103	99	100	99	89	88	107	89	137	134	3	7	3	
FB		BA 090321	-0.27	4.3	5.4	7.2	5	3.1	-0.7	5.4	-0.9	3.5	4.9				
WOODVIEW BA16-664			75%	52%	49%	43%	39%	47%	61%	61%	58%	55%	41%				
BA 160870		BA 090327	135	83	80	83	79	71	89	97	104	90	116	3	10	2	
FB		BA 070154	-2.13	-4.0	-6.2	-5.6	-24	-6.6	-0.6	-1.5	1.5	-1.1	2.1				
WOODVIEW BA160870			89%	85%	84%	84%	84%	85%	86%	86%	85%	85%	84%				
BA 180273		BA 090337	113	87	84	87	78	81	103	87	105	119	121	2	3		
FB		BA 160664	-0.01	-2.3	-3.8	-2.6	-25	-1.2	1.1	-8.2	1.6	1.7	2.8				
WOODVIEW BA180273			75%	49%	45%	44%	34%	39%	55%	55%	51%	47%	37%				
BA 180898		AACFF0758	81	128	121	118	120	96	112	118	94	115	93	1	3	2	
FB		BA 100410	3.04	14.3	19.1	21.5	35	6.5	2.3	13.5	-0.1	1.4	-1.5				
WOODVIEW BA180898			88%	86%	85%	85%	84%	85%	86%	86%	86%	86%	85%				
BB 150141		FB13429	87	138	140	141	135	120	59	113	81	119	133	3	12	12	
PBD		CWBFBB 110007	2.49	18.2	31.2	39.3	57	19.5	-4.4	9.9	-2.1	1.8	4.8				
JUDO ICHIRO			58%	40%	39%	24%	44%	47%	41%	40%	36%	32%	20%				
BB 150163		FB13429	107	109	104	110	90	87	72	100	78	136	145	4	6	3	
PBD		BB 110006	0.57	6.7	8.7	15.0	-8	1.8	-2.7	1.0	-2.6	3.3	6.8				
JUDO ICHIRO			55%	40%	69%	64%	21%	42%	48%	48%	45%	37%	24%				
CC715Y(LE)		IMUFP0036	128	88	86	90	85	89	106	72	78	121	124	2	5	3	
FB		CC715Y	-1.52	-2.1	-2.6	-0.1	-15	2.7	1.6	-19.0	-2.6	1.9	3.3				
CC MS SANITOTANI 2 715Y			51%	42%	40%	36%	35%	40%	48%	48%	46%	43%	32%				
CCOFA0089		RJNFW0103	100	108	106	108	94	100	95	101	122	96	102	4	8	3	
FB		IMUFR3232	1.22	6.1	9.9	14.0	-3	9.0	0.1	1.7	4.2	-0.5	-0.1				
COATES NAMI A089			88%	87%	88%	87%	87%	87%	87%	88%	87%	87%	86%				
CLW 170001		KJDFC0087	107	81	75	75	75	76	96	97	110	113	123	2	3	1	
FB		WAP 150001	0.53	-4.9	-9.8	-12.3	-29	-4.3	0.3	-1.3	2.3	1.1	3.2				
CROWN LAKE QUEENIE			61%	49%	50%	47%	40%	49%	56%	56%	54%	50%	40%				
CLW 170005		KJDFC0087	105	80	73	74	67	74	96	118	121	100	108	2	5	1	
FB		EPW 150009	0.72	-5.3	-10.9	-12.9	-40	-5.2	0.3	13.6	4.0	-0.1	0.8				
CROWN LAKE FLOWER			67%	50%	51%	49%	40%	50%	59%	59%	57%	51%	41%				
CLW 180006		BA 150368	114	105	99	100	94	79	92	117	98	104	97	2	3	1	
PBD		DJV 150016	-0.13	4.8	5.6	7.3	-2	-2.2	-0.2	13.0	0.5	0.3	-0.9				
MARGIE			60%	34%	43%	41%	20%	32%	55%	55%	53%	48%	37%				

CWB Dams

Dam			Growth					Carcass					Stats				
ID	Parentage	Sire ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name	Gen. DNA	Dam ID															
JAPANESE BLACK																	
CLW 180008		AF4215	109	116	111	114	102	89	75	108	94	118	128	2	4		
PBD		BB 150138	0.33	9.5	12.7	18.3	9	2.8	-2.4	6.5	-0.1	1.7	3.9				
CROWN LAKE CLW180008			58%	23%	39%	29%	13%	20%	45%	45%	39%	37%	27%				
CLW 180014		148BE	106	86	79	78	69	72	117	94	117	108	107	2	5	2	
FB		RVK 150010	0.70	-2.6	-7.3	-9.9	-38	-6.2	3.0	-3.4	3.5	0.6	0.6				
MOLLY			70%	55%	55%	54%	49%	53%	60%	60%	58%	59%	52%				
CLW 180019		AF320	93	139	139	140	129	104	63	125	77	109	120	2	3		
PBD		BB 150141	1.89	18.7	30.2	39.1	48	11.0	-3.9	18.2	-2.8	0.8	2.7				
CLW180019			50%	32%	34%	28%	24%	25%	42%	42%	36%	34%	25%				
CLW 200007	✓	BDWFM0495	94	83	86	89	92	108	102	107	95	110	103	2	4	1	
FB	✓	CWBFCLW 170003	1.79	-3.9	-2.6	-0.9	-5	12.7	1.1	5.8	0.0	0.9	-0.1				
CLW200007			52%	40%	44%	42%	36%	39%	46%	46%	44%	40%	30%				
CLW 210003	✓	CLW 170004	103	100	91	90	88	72	94	105	102	116	120	1	2	1	
PBD	✓	CLW 170001	0.90	3.0	0.5	0.0	-11	-6.0	0.1	4.4	1.0	1.4	2.7				
CLW210003			65%	29%	31%	31%	23%	30%	41%	41%	39%	37%	27%				
CWBFBA 170420	✓	148BE	131	80	73	73	70	74	113	50	81	135	136	2	5	3	1
FB	✓	BA 130990	-1.73	-5.0	-11.0	-13.7	-37	-5.2	2.5	-34.3	-2.2	3.3	5.2				
WOODVIEW BA17-420			91%	90%	90%	90%	89%	90%	91%	91%	91%	91%	90%				
CWBFCLW 170003	✓	KJDFC0087	104	88	81	82	81	74	89	112	121	110	120	2	4	1	
FB	✓	WAP 150001	0.85	-1.8	-5.6	-6.8	-21	-4.9	-0.6	9.1	4.1	0.9	2.7				
CROWN LAKE ROSE			87%	85%	85%	85%	84%	85%	86%	86%	86%	85%	85%				
DJV 150016		MOYFF0054	117	73	69	72	69	74	98	115	107	130	114	6	8	4	1
FB		KSOFH0051AU	-0.46	-7.9	-13.0	-14.7	-38	-5.3	0.5	11.5	1.8	2.7	1.7				
MOYF054'S			63%	45%	49%	40%	16%	47%	61%	61%	57%	48%	33%				
EPW 150009	✓	MOYFF0054	121	60	58	64	48	74	94	121	124	98	99	6	18	7	3
FB	✓	KSOFH0053	-0.85	-13.0	-20.0	-20.2	-69	-5.1	0.0	15.7	4.5	-0.3	-0.7				
MOYHU54'S SENAKA NO6			69%	46%	51%	52%	18%	47%	71%	70%	66%	53%	36%				
FB21116			121	87	88	92	80	92	113	86	107	101	99	1	2	2	
FB		FB5581	-0.82	-2.2	-1.2	1.0	-23	4.3	2.4	-9.0	1.9	0.0	-0.7				
STUD SHIG-YURIKO 148NC			29%	17%	36%	37%	8%	21%	12%	13%	12%	11%	8%				
FB21541		WESFZ0278	124	89	86	90	81	85	118	83	130	48	62	1	2	1	
FB		FB13513	-1.06	-1.7	-2.9	-0.2	-20	0.6	3.1	-11.3	5.4	-5.0	-6.5				
SYNERGY Z278 YURITANI 33			57%	47%	54%	49%	28%	41%	56%	56%	54%	47%	34%				
JR 150004	✓	MOYFF0054	115	72	70	72	69	76	88	122	106	129	117	4	10	3	1
FB	✓	KSOFH0051AU	-0.22	-8.2	-12.6	-14.1	-38	-3.8	-0.7	16.4	1.7	2.6	2.2				
JR 150004			70%	48%	49%	40%	16%	51%	65%	64%	60%	54%	38%				

CWB Dams

Dam				Growth					Carcass					Stats				
ID	Parentage	Sire ID		Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name		Gen. DNA	Dam ID															
JAPANESE BLACK																		
JR 150008		✓ MOYFF0054		125	68	64	70	59	76	93	104	99	109	111	3	9	6	
FB		✓ KJDFE0004		-1.15	-10.1	-16.2	-16.2	-52	-4.3	-0.1	3.3	0.6	0.7	1.3				
JR 150008				72%	49%	49%	41%	18%	49%	59%	59%	56%	47%	34%				
KJDFC0007		ETJ001		117	84	75	79	72	66	92	98	97	105	115	6	10	3	
FB		KJDFY0011		-0.40	-3.6	-9.3	-9.3	-34	-9.6	-0.2	-0.6	0.3	0.4	2.0				
X LAKE WAGYU F C007				76%	62%	62%	51%	44%	54%	67%	67%	64%	58%	45%				
KJDFE0004		151BE		122	91	84	86	74	82	85	99	68	105	124	11	22	4	1
FB		KJDFB0047		-0.94	-0.9	-3.7	-3.2	-31	-0.6	-1.1	0.0	-4.2	0.4	3.3				
LAKE WAGYU E4				79%	61%	57%	48%	30%	58%	72%	72%	67%	48%	34%				
KSOF0036		151BE		110	99	93	94	80	79	93	108	119	85	99	5	8	1	
FB		KSOFD0011		0.24	2.4	1.5	2.5	-22	-2.5	0.0	6.7	3.7	-1.5	-0.6				
X OASIS SHINSETSU G36				62%	47%	47%	44%	33%	42%	55%	56%	52%	48%	36%				
LP 160001		✓ KF 120007		118	93	84	84	77	66	70	125	87	109	133	2	2	1	
FB		✓ KF 120004		-0.54	0.0	-4.0	-4.7	-26	-9.5	-3.0	18.1	-1.3	0.8	4.8				
LP160001				63%	48%	53%	43%	25%	50%	57%	57%	52%	46%	34%				
LP 180002		✓ WKSFS0100		147	72	67	69	67	75	126	77	122	78	85	2	5	2	
FB		✓ FB21541		-3.31	-8.5	-14.4	-16.6	-41	-4.5	4.1	-15.2	4.2	-2.2	-2.8				
LP ADA				55%	46%	62%	61%	17%	48%	38%	48%	44%	44%	24%				
LP 190001		✓ BA 150369		102	106	101	106	89	86	108	100	99	120	105	2	5	3	
PBD		✓ BB 150163		1.06	5.3	6.6	12.5	-10	1.1	1.8	0.5	0.7	1.8	0.3				
LP HANNAH				64%	56%	67%	47%	20%	63%	51%	50%	48%	41%	28%				
LP 190002		✓ BA 150369		102	98	91	92	82	73	102	107	102	114	109	2	4	2	
PBD		✓ LP 160001		1.05	1.9	0.3	1.0	-19	-5.8	1.1	6.0	1.0	1.2	1.0				
LP JERUSHA				65%	57%	65%	41%	21%	64%	56%	55%	52%	48%	35%				
LP 190008		✓ 148BE		135	67	63	65	61	64	121	76	111	102	98	2	4	1	
FB		✓ RVK 150002		-2.14	-10.4	-17.0	-19.6	-50	-10.6	3.5	-15.8	2.5	0.1	-0.8				
NAOMI				63%	57%	54%	53%	46%	59%	55%	56%	55%	54%	48%				
PAL 190005		✓ PWYPM0775		116	91	85	84	80	76	106	63	91	72	104	1	3	1	
PBD		✓ BA 130851		-0.29	-0.5	-3.4	-5.3	-22	-4.2	1.6	-25.0	-0.7	-2.7	0.2				
PAL190005				60%	36%	43%	39%	31%	37%	55%	55%	52%	52%	42%				
PAL 190009		✓ PWYPM0775		116	91	85	84	80	76	106	63	91	72	104	1	3	1	
PBD		✓ BA 130851		-0.29	-0.5	-3.4	-5.3	-22	-4.2	1.6	-25.0	-0.7	-2.7	0.2				
PAL190009				60%	36%	43%	39%	31%	37%	55%	55%	52%	52%	42%				
PAL 190011		✓ PWYPM0775		112	103	95	95	89	70	95	54	102	62	113	1	2	1	
PBD		✓ AW 170012		0.10	4.0	3.2	3.8	-10	-7.2	0.2	-31.3	1.2	-3.7	1.7				
PAL190011				55%	32%	42%	35%	22%	29%	53%	53%	50%	49%	38%				

CWB Dams

Dam			Growth					Carcass					Stats				
ID	Parentage	Sire ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name	Gen.	DNA Dam ID															
JAPANESE BLACK																	
PAL 190012		 PWYPM0775	93	101	101	100	104	104	91	79	91	83	111	1	3	1	
PBD		 CWBFAW 170014	1.91	3.4	7.0	7.4	12	10.7	-0.4	-14.1	-0.7	-1.7	1.3				
PAL190012			44%	22%	34%	28%	15%	20%	44%	44%	41%	42%	32%				
PAL 190059		 PWYPM0775	124	84	77	77	76	67	99	54	104	65	110	1	3	1	
PBD		 BA 130854	-1.09	-3.5	-8.2	-10.4	-29	-8.6	0.7	-31.5	1.3	-3.5	1.2				
PAL190059			60%	37%	43%	44%	29%	38%	53%	54%	51%	51%	41%				
PK 140013		  KJDFC0087	99	101	93	92	97	71	81	123	91	126	134	3	32	10	5
FB		  PK 110002	1.29	3.5	1.6	1.3	2	-6.5	-1.7	17.3	-0.5	2.3	5.0				
PK 140013				91%	89%	89%	89%	89%	89%	91%	91%	91%	90%				
RVK 150002		MOYFF0054	126	67	64	69	63	70	104	102	112	109	102	2	4	1	
FB		KJDF0011	-1.26	-10.6	-16.4	-16.4	-46	-7.3	1.3	2.0	2.6	0.7	-0.2				
FW0054'S LW F11-1			63%	46%	45%	39%	21%	46%	51%	51%	49%	44%	32%				
RVK 150026		MOYFF0054	117	73	70	74	62	74	101	110	144	93	92	5	11	2	
FB		KSOFO036	-0.38	-7.8	-12.9	-12.7	-48	-5.2	0.9	7.8	7.5	-0.8	-1.8				
F0054'S KSOFG036-3			56%	44%	46%	40%	19%	43%	57%	57%	54%	50%	38%				
SMOFD0133		TWAFR0007	115	90	87	88	85	89	117	103	102	105	90	1	1	1	
FB		SUMFV0231	-0.22	-1.3	-1.9	-1.5	-15	3.0	3.0	2.6	1.0	0.4	-2.1				
SUMO KAN D133				84%	84%	84%	84%	83%	83%	84%	84%	84%	84%				
SMOFE0126		IMJFAJ2810	128	90	90	96	87	82	112	78	122	77	93	3	8	4	
FB		CCOFA0089	-1.46	-0.9	-0.3	4.1	-12	-0.7	2.3	-14.5	4.2	-2.3	-1.5				
SUMO DOI E126 (AI)(ET)				92%	90%	90%	90%	90%	90%	91%	91%	91%	91%				
WAP 140026		WESFA0107	112	87	79	79	77	69	78	93	101	86	124	5	11	4	1
FB		KJDFD0023	0.08	-2.3	-7.1	-8.6	-27	-7.5	-2.0	-4.3	0.9	-1.4	3.4				
A107'S D023			71%	52%	50%	44%	35%	46%	62%	61%	58%	52%	38%				
WAP 180004		LFDFO241	107	106	99	101	92	72	89	78	90	84	118	2	3		
FB		WAP 140026	0.55	5.2	5.2	8.2	-5	-6.4	-0.6	-14.9	-0.8	-1.6	2.4				
DEMI			63%	50%	48%	38%	20%	32%	50%	49%	46%	41%	30%				
WAP 180006		BA 150382	105	116	106	105	97	71	79	107	101	103	119	1	3	2	
PBD		WAP 140026	0.73	9.4	9.6	11.6	2	-6.5	-1.8	5.8	1.0	0.2	2.6				
MARNEEN WAP180006			65%	35%	39%	41%	24%	35%	54%	54%	51%	45%	35%				
WAP 180008		 BA 150382	108	109	101	101	93	73	89	118	104	125	114	2	2		
PBD		 DJV 150016	0.47	6.7	6.7	8.6	-4	-5.4	-0.6	13.7	1.4	2.3	1.8				
MARNEEN WAP180008			57%	33%	38%	39%	18%	35%	54%	54%	50%	44%	34%				

CWB Bulls

Inbreeding >6% is high					<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed															
Bull					Selection Value					Calf weight		Mother		Growth		Fertility			Carcass				
ID	%Inbreeding	Parentage			Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
Name		Genomic	DNA	Sire ID Dam ID																			
AKAUSHI																							
CWBMAW 240032				BA 150369	79	107	110	90	121	81	107	96	110	110	110	127	115	96	114	106	107	105	83
F1					46%	41%	35 %	17%	26%	3.05	5.9	-0.25	14.3	13.7	20	-18.5	-2.3	3.7	2.5	5.0	1.8	0.4	-3.2
ABSOLUTE GENETIC AW240032										48 %	41 %	38%	35%	30%	17%	36%	15%	46 %	44 %	44 %	42 %	37 %	26 %
CWBMAW 240038				AW 190005	115	101	76	116	119	110	101	106	76	95	84	118	118	134	113	93	100	126	112
F1				AW 210019	41%	33%	29 %	23%	28%	0.25	3.4	-0.61	-4.2	3.2	-17	-13.3	-3.0	19.9	2.5	-4.0	0.9	2.4	1.5
ABSOLUTE GENETIC AW240038										42 %	33 %	37%	29%	32%	23%	37%	18%	45 %	38 %	38 %	36 %	34 %	26 %
CWBMAW 250040				AW 170001	98	110	95	101	128	106	110	63	95	114	99	120	131	104	100	93	105	94	95
F1					28%	19%	18 %	16%	20%	0.66	6.9	1.00	6.1	15.9	4	-14.5	-5.3	6.7	0.8	-4.2	1.6	-0.7	-1.2
ABSOLUTE GENETIC AW250040										28 %	19 %	26%	18%	26%	16%	26%	13%	33 %	29 %	29 %	28 %	26 %	24 %
CWBMAW 250047				AW 180031	98	101	94	111	126	109	101	54	94	106	89	119	128	113	111	83	108	84	87
F1					27%	18%	17 %	17%	16%	0.41	3.2	1.32	5.6	10.8	-9	-14.0	-4.9	10.6	2.2	-10.9	2.0	-1.6	-2.5
ABSOLUTE GENETIC AW250047										28 %	18 %	25%	17%	28%	17%	25%	8%	32 %	25 %	25 %	23 %	23 %	18 %
CWBMAW 250050				RSS 190066	97	111	95	98	121	107	111	54	95	115	102	113	123	102	104	97	109	87	89
F1					27%	15%	12 %	10%	14%	0.52	7.3	1.32	5.9	17.1	9	-10.6	-4.2	6.2	1.3	-1.5	2.1	-1.4	-2.2
ABSOLUTE GENETIC AW250050										28 %	15 %	25%	12%	19%	10%	21%	8%	32 %	21 %	21 %	18 %	19 %	14 %
JAPANESE BLACK																							
CWBMAW 230022	2			AW 200010	122	83	78	123	93	127	83	111	78	80	77	99	90	129	114	78	71	139	128
FB				AW 180076	35%	28%	23 %	20%	24%	-1.36	-4.1	-0.80	-2.8	-7.8	-27	-2.4	2.2	17.6	2.6	-14.8	-3.6	3.6	4.0
ABSOLUTE GENETIC AW230022										36 %	28 %	30%	23%	24%	20%	32%	17%	42 %	42 %	42 %	38 %	31 %	25 %
CWBMAW 230024	2			AW 200010	117	93	73	115	106	113	93	117	73	89	85	108	106	119	99	94	94	123	126
FB				AW 170052	33%	25%	22 %	19%	22%	-0.02	0.2	-1.04	-5.5	-1.2	-16	-7.5	-0.6	13.5	0.7	-3.6	-0.2	2.1	3.6
ABSOLUTE GENETIC AW230024										34 %	25 %	31%	22%	24%	19%	29%	14%	42 %	45 %	45 %	40 %	35 %	27 %
CWBMAW 230047	3			AW 200035	117	95	77	110	101	112	95	104	77	91	90	98	103	118	104	94	105	108	110
F3				AW 210125	31%	24%	21 %	20%	22%	0.08	0.7	-0.53	-3.4	-0.2	-8	-1.5	-0.2	12.7	1.4	-3.3	1.5	0.7	1.1
ABSOLUTE GENETIC AW230047										32 %	24 %	25%	21%	22%	20%	28%	15%	39 %	28 %	28 %	26 %	27 %	18 %
CWBMAW 240004				AW 200003	86	126	90	85	131	88	126	90	90	118	115	129	130	130	110	108	98	83	76
F1				BA 180898	42%	32%	27 %	23%	26%	2.36	13.4	-0.02	3.7	19.2	27	-19.8	-4.9	18.0	2.0	6.7	0.4	-1.7	-4.3
ABSOLUTE GENETIC AW240004										43 %	32 %	38%	27%	33%	23%	34%	17%	49 %	45 %	45 %	41 %	38 %	31 %
CWBMAW 240008	8			AW 200003	102	111	79	104	144	99	111	105	79	104	96	141	143	120	105	103	101	83	84
F1				LP 190002	44%	36%	37 %	23%	25%	1.37	7.2	-0.58	-2.5	9.4	0	-26.6	-7.3	13.8	1.4	3.0	1.0	-1.8	-3.1
ABSOLUTE GENETIC AW240008										44 %	36 %	42%	37%	38%	23%	35%	15%	48 %	46 %	46 %	42 %	39 %	31 %
CWBMAW 240024	3			AW 200010	110	86	92	113	95	107	86	100	92	89	87	96	96	121	113	99	95	131	111
F1				CLW 200007	30%	24%	23 %	22%	18%	0.58	-2.6	-0.37	4.6	-1.5	-12	-0.3	1.4	14.2	2.4	0.3	0.0	2.8	1.3
ABSOLUTE GENETIC AW240024										30 %	24 %	28%	23%	25%	22%	23%	12%	35 %	37 %	37 %	32 %	23 %	17 %
CWBMAW 240025	2			AW 200010	122	81	77	124	103	117	81	103	77	80	76	103	105	128	106	107	100	140	118
F1				JR 150004	38%	27%	28 %	15%	20%	-0.42	-4.7	-0.49	-3.7	-7.4	-28	-4.4	-0.4	17.3	1.5	5.6	0.8	3.7	2.5
ABSOLUTE GENETIC AW240025										38 %	27 %	36%	28%	26%	15%	29%	12%	44 %	44 %	43 %	38 %	29 %	21 %

CWB Bulls

Inbreeding >6% is high					<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed																
Bull					Selection Value					Calf weight		Mother		Growth		Fertility			Carcass					
ID	%Inbreeding	Parentage			Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn. Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling	Fineness
Name		Genomic	DNA	Sire ID Dam ID																				
JAPANESE BLACK																								
CWBMAW 240035 PBD ABSOLUTE GENETIC AW240035					BA 150369 PAL 190009	108 55%	100 45%	79 39 %	113 23%	129 32%	104 0.83 57 %	100 2.8 45 %	114 -0.92 46%	79 -2.5 39%	95 2.6 38%	87 -13 23%	130 -20.2 44%	128 -4.5 21%	116 12.0 56 %	125 3.9 52 %	81 -12.5 52 %	106 1.6 49 %	88 -1.2 45 %	84 -3.0 33 %
CWBMAW 240045 F1 ABSOLUTE GENETIC AW240045					3 SWK 210153 AW 170105	108 52%	112 49%	90 35 %	96 25%	116 28%	105 0.76 55 %	112 7.7 49 %	102 -0.45 38%	90 3.5 35%	109 12.8 48%	104 12 25%	117 -12.6 36%	115 -2.2 19%	129 17.6 46 %	124 3.8 35 %	98 -0.9 35 %	115 3.1 33 %	100 -0.1 32 %	85 -2.9 26 %
CWBMAW 240046 F1 ABSOLUTE GENETIC AW240046					3 SWK 210153 PAL 190012	110 46%	99 44%	94 28 %	99 21%	101 24%	105 0.72 50 %	99 2.4 44 %	108 -0.68 33%	94 5.6 28%	98 4.9 38%	101 8 21%	102 -3.9 33%	101 0.3 14%	111 9.9 42 %	111 2.1 32 %	89 -6.8 32 %	99 0.6 30 %	98 -0.2 31 %	101 -0.3 25 %
CWBMAW 240048 F1 ABSOLUTE GENETIC AW240048					2 SWK 210153 BA 150497	124 49%	95 46%	92 32 %	99 26%	109 23%	122 -0.95 52 %	95 1.0 46 %	99 -0.35 38%	92 4.4 32%	96 3.7 40%	101 8 26%	114 -11.0 32%	107 -0.6 14%	111 9.8 46 %	104 1.4 31 %	108 6.8 31 %	93 -0.3 30 %	113 1.2 29 %	103 0.0 24 %
CWBMAW 240113 F3 ABSOLUTE GENETIC AW240113					1 AW 190038 AW 210107	121 43%	81 34%	79 27 %	120 24%	97 28%	115 -0.21 46 %	81 -4.9 34 %	105 -0.58 30%	79 -2.2 27%	77 -9.7 30%	80 -23 24%	93 1.4 37%	102 0.4 20%	119 13.4 48 %	113 2.4 34 %	90 -6.4 34 %	108 2.1 32 %	79 -2.1 32 %	90 -2.1 27 %
CWBMAW 240115 F3 ABSOLUTE GENETIC AW240115					3 AW 190038 AW 200111	123 48%	81 41%	84 33 %	119 26%	104 32%	117 -0.37 51 %	81 -4.6 41 %	107 -0.64 36%	84 0.2 33%	77 -9.8 36%	81 -20 26%	101 -3.4 41%	108 -0.8 22%	111 10.1 52 %	113 2.4 38 %	82 -12.1 38 %	114 3.0 36 %	74 -2.6 34 %	88 -2.4 28 %
CWBMAW 240116 F3 ABSOLUTE GENETIC AW240116					AW 190038 AW 200191	101 40%	90 31%	93 24 %	109 22%	96 24%	104 0.88 43 %	90 -1.2 31 %	83 0.25 27%	93 5.2 24%	92 0.6 26%	91 -7 22%	88 4.0 30%	102 0.3 17%	107 8.2 45 %	116 2.9 28 %	99 -0.1 28 %	114 2.9 27 %	86 -1.4 28 %	82 -3.3 24 %
CWBMAW 240117 F2 ABSOLUTE GENETIC AW240117					AW 190038 AW 180179	109 44%	97 35%	89 26 %	104 24%	96 26%	104 0.84 47 %	97 1.8 35 %	107 -0.65 30%	89 2.7 26%	95 3.1 28%	96 0 24%	92 1.7 34%	101 0.5 18%	114 11.1 49 %	104 1.4 33 %	84 -10.5 34 %	106 1.7 32 %	85 -1.6 32 %	98 -0.8 27 %
CWBMAW 243028 F1 ABSOLUTE GENETIC AW243028					AW 200035	96 22%	96 18%	104 17 %	98 16%	87 14%	95 1.74 23 %	96 1.3 18 %	100 -0.39 20%	104 10.9 17%	99 5.4 17%	102 9 16%	89 3.8 18%	86 2.9 10%	99 4.7 29 %	95 0.2 20 %	100 0.5 20 %	91 -0.6 19 %	120 1.8 19 %	116 2.1 13 %
CWBMAW 250013 F1 ABSOLUTE GENETIC AW250013					7 AW 200035 AW 220008	125 30%	86 24%	73 23 %	125 21%	101 22%	119 -0.61 31 %	86 -2.7 24 %	104 -0.53 28%	73 -5.8 23%	82 -6.4 24%	75 -29 21%	99 -2.1 30%	103 0.0 14%	135 20.4 38 %	102 1.1 29 %	85 -9.5 29 %	87 -1.2 27 %	133 3.1 27 %	133 4.7 20 %
CWBMAW 250036 F1 ABSOLUTE GENETIC AW250036					PAL 190012	98 21%	95 11%	103 10 %	106 7 %	106 16%	104 0.81 22 %	95 0.8 11 %	69 0.77 17%	103 10.5 10%	102 7.5 16%	94 -3 7 %	99 -2.1 22%	109 -1.5 9%	91 1.5 26 %	102 1.1 22 %	83 -11.4 22 %	100 0.7 21 %	89 -1.1 21 %	101 -0.3 16 %
CWBMAW 250046 F1 ABSOLUTE GENETIC AW250046					PAL 190011	111 27%	95 16%	87 14 %	114 11%	104 18%	114 -0.09 28 %	95 1.1 16 %	76 0.53 23%	87 1.6 14%	99 5.7 19%	86 -14 11%	92 1.6 25%	111 -1.7 11%	96 3.4 30 %	104 1.4 26 %	70 -20.0 26 %	106 1.6 25 %	78 -2.2 25 %	102 -0.1 19 %

CWB Bulls

Inbreeding >6% is high					<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed															
Bull					Selection Value					Calf weight		Mother		Growth		Fertility			Carcass				
ID	%Inbreeding	Parentage			Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
Name		Genomic	DNA	Sire ID																			
					Dam ID																		
JAPANESE BLACK																							
CWBMAW 260018  AW 190051					74	113	112	84	96	79	113	88	112	113	116	99	93	106	90	126	98	92	87
F1					23%	21%	15%	11%	18%	3.31	8.0	0.06	15.2	15.3	30	-2.1	1.6	7.7	-0.4	19.5	0.4	-0.9	-2.6
ABSOLUTE GENETIC AW260018										24%	21%	20%	15%	18%	11%	24%	11%	34%	33%	33%	30%	30%	27%
CWBMAW 260020  AW 220004					96	103	106	94	91	93	103	109	106	105	106	96	89	106	96	104	104	113	109
F1					20%	15%	15%	14%	14%	1.95	4.3	-0.72	11.7	10.0	14	-0.6	2.5	7.8	0.3	3.3	1.3	1.1	0.9
ABSOLUTE GENETIC AW2600202										20%	15%	18%	15%	14%	14%	17%	10%	25%	18%	17%	16%	16%	13%

CWB Cows

Inbreeding >6% is high				<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed																
Cow				Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas					
ID	%Inbreeding	Parentage		Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling	Fineness
		Genomic DNA	Sire ID																				
Name																							
JAPANESE BLACK																							
CWBFAW 230030																							
F1																							
ABSOLUTE GENETIC AW230030																							
CWBFAW 240027																							
PEN																							
ABSOLUTE GENETIC AW240027																							