



WAGYU

BREEDING VALUE REPORT

September 2026



GROUP EDITORS CO (PTY) LTD

Herd Number: 8212971


E-mail: andrew@greatbrakavos.co.za
zenda@greatbrakavos.co.za



WAGYU
SOCIETY
OF SOUTH AFRICA



CERTIFICATE
OF QUALITY
Valid up to
October 2029



Notes


GEBVi (GEBVindex): The average GEBVi of all the live animals in the breed is 100, and all EBVi values are expressed relative to this value. Values above 100 are mostly in a more desirable direction. Note that a very high index is not always desirable. For certain traits, such as birth weight, average values may be better. It is the top value in the list.

GEBV (Genomic Estimated Breeding Value) indicates the genetic potential of the animal for a specific trait. It is presented in the unit of measurement and relative to the average of animals born in the base year. It is the middle value in the list and not available for selection values.

Accuracy: This value gives an indication of how much information was available for breeding value estimation. It is the bottom value in the list.

Selection values combine similar breeding values in a scientific manner to simplify the selection of animals. For example, HF (Heifer Fertility), CF (Cow Fertility) and Longevity are

combined to form the Fertility Value by taking the heritability and economic importance in consideration.




* Depending on selection goal

GEBVi		Description / Measurement	Goal		General Guidelines*					
					80	90	100	110	120	
Selection V.	Calving Ease Value	Difficult calving due to high birth weight	Average birth weight	High						Low
	Calf Growth Value	Calf's genetic ability for prewean growth	Heavy weaner	Light						Heavy
	Milk Value	Cow's genetic mothering and milking ability	Enough milk for calf	Less						More
	Maintenance Value	Maintenance requirement of cow (weight and milk)	Low cow maintenance	High					*	Low
	Fertility Value	Fertility and retention of cows and heifers	Fertile cows	Low						High
Cow & Calf	Birth weight direct	Birth weight (Calf's genetic ability)	Average birth weight	Heavy						Light
	Birth weight mat	Birth weight (Dam's genetic ability)	Easy calving	Heavy						Light
	Weaning weight direct	Weaning weight (Calf's genetic ability)	Heavy weaners	Light						Heavy
	Weaning weight mat	Weaning weight (Dam's genetic ability)	Good mothers	Poor						Good
	Post-wean weight	Combination of EBVs for 12 and 18 month weights	Mature weight	Light				*	*	Heavy
	Mature Cow Weight	Cow weight at weaning of first three calves	Mature cow weight	Light				*	*	Heavy
Ferti.	Heifer Fertility	Age at first calving	Fertile heifers	Less						More
	Cow Fertility	First 3 inter-calving periods (ICPs)	Fertile cows	Less						More
	Longevity	Retention of progeny	Acceptable progeny	Poor						Good
Carcass	IMF	Intra-muscular-fat, Marbling	High quality carcass	Less						More
	Carcass weight	Weight of the carcass	High quality carcass	Light						Heavy
	EMA	Eye-muscle-area at the 12/13th rib of the dressed carcass	High quality carcass	Small						Large
	Rib Fat	Rib fat depth at the 12/13th rib of the dressed carcass	High quality carcass	Thin						Thick
	Marbling Fineness	Degree of fineness of marbling fat	High quality carcass	Low						High

Herd and Breed Averages

Number 20



Breeding Values (EBV):

Birth: Birth weight
Wean: Weaning weight
Birth.mat: Birth mat
Milk: Milk
Postwn: Postwean weight
Matwt: Mature weight
HF: Heifer Fertility
CF: Cow Fertility
LL: Longevity
IMF: Marbling
Carcwt: Carcass wt
EMA: Eye muscle area
RibFatt: Rib Fat thickness
MF: Marbling Fineness

Selection values:

CEaseV: Calving Ease Value
CGrowthV: Calf Growth Value
MilkV: Milk Value
MaintV: Maintenance Value
FertV: Fertility Value

	Trait	EBV Herd	EBV Index	EBV Breed
Prewean growth	Birth Weight	0.36	109	1.23
	Wean Weight	-1.4	89	2.9
	Birth Mat.	-0.63	107	-0.38
	Milk (Wn.Mat.)	10.0	102	8.7
Postwean growth	Postwean wt	0.0	91	6.4
	Mature weight	5	99	6
	Heifer Fertility	-0.9	97	-2.9
Fertility	Cow Fertility	2.1	91	0.5
	Longevity	2.7	94	5.2
Carcass	IMF	0.1	95	0.8
	Carcass weight	0.0	99	0.8
	EMA	1.3	103	0.8
	Rib Fat	-0.7	93	-0.1
	MF	-0.3	101	-0.5

Selection Value	Herd Avg
Calving Ease Value	109
Calf Growth Value	89
Milk Value	102
Maintenance Value	101
Fertility Value	95


- Average of live animals in the breed: 100
- Above 100: **more favourable**,
- Below 100: **less favourable**

What does a sub-selection value above breed average (100) mean?:

Calving ease: Smaller calf at birth - easier calving
Calf growth: Heavier calves at wean due to growth potential of the calf
Milk: Cows with more milk and better mothering ability
Maintenance: Animals with low maintenance requirements (lower mature weight).
Fertility: Cows/daughters that calve

Genetic Trends for On-Farm Traits

The graphs show the genetic gain of the herd relative to the breed. Only data of animals with measurements are included.




Herd

Birth Year	Calving Ease				Calf Growth			Milk		Maintenance					Fertility						
	Birth Weight			Calv. Ease	Weaning Weight		Calf Growth	Milk (Wn.Mat.)		Postwean Weight		Mature Weight		Mainte- nance	Heifer Fert.		Cow Fert.		Longevity		Ferti- lity
	Dir	Mat																			
	Number	EBV	EBV	Number	EBV	Number	EBV	Milk	Number	EBV	Number	EBV	Number	EBV	Number	EBV	Number	EBV	Number	EBV	
2016																					
2018																					

Breed

Birth Year	Calving Ease				Calf Growth			Milk			Maintenance					Fertility						
	Birth Weight		Mat EBV	Calv. Ease	Weaning Weight		Calf Growth	Milk (Wn.Mat.)		Milk	Postwean Weight		Mature Weight		Maintenance	Heifer Fert.		Cow Fert.		Longevity		Ferti- lity
	Number	Dir EBV			Number	EBV		Number	EBV		Number	EBV	Number	EBV		Number	EBV	Number	EBV	Number	EBV	
2016	667	0.14	0.06	106	280	0.5	94	280	6.43	96	213	2.7	17	-11	110	777	-1.4	388	-0.8	6318	-0.5	102
2017	787	0.41	0.21	102	405	0.6	94	405	3.76	91	309	0.1	33	-9	111	791	-1.9	308	-0.6	10308	-0.4	102
2018	1180	0.44	0.12	103	815	-1.4	89	815	2.45	88	823	-0.9	19	-23	113	665	-4.6	407	-1.0	9232	2.0	106
2019	1379	0.55	0.15	102	901	0.1	93	901	1.30	86	896	0.6	27	-30	112	1006	-2.8	469	-0.6	11910	1.7	103
2020	2115	0.65	-0.03	102	556	2.3	98	556	7.29	97	273	6.2	24	-7	103	665	-4.3	269	-1.0	11395	1.2	106
2021	2374	0.55	-0.10	103	589	0.4	94	589	4.13	91	253	0.2	19	-6	112	405	-6.0	158	-1.5	9292	1.5	108
2022	2062	0.42	-0.18	105	461	2.0	98	461	1.65	87	246	2.4	15	15	110	306	-2.8	72	-0.6	4200	2.1	103
2023	1637	0.34	-0.31	107	461	2.0	98	461	1.21	86	160	2.0	5	-3	111	121	-6.6	11	-0.6			110
2024	1413	0.39	-0.30	107	311	2.5	99	311	1.86	87	36	14.0			97	15	-2.4					101
2025	1478	0.37	-0.14	106	386	2.5	99	386	0.24	84												
2026	307	0.25	-0.03	106																		

Genetic Trends for Carcass Traits



Herd

Birth Year	Carcass														
	IMF			Carcass weight			EMA			RibFat			Marble Fineness		
	Number	EBV	EBVi	Number	EBV	EBVi	Number	EBV	EBVi	Number	EBV	EBVi	Number	EBV	EBVi
2015															
2016															
2018															

Breed

Birth Year	Carcass														
	IMF			Carcass weight			EMA			Rib Fat			Marble Fineness		
	Number	EBV	EBVi	Number	EBV	EBVi	Number	EBV	EBVi	Number	EBV	EBVi	Number	EBV	EBVi
2013	17	0.6	99	776	-0.1	99	361	0.8	100	346	0.2	103	5	-4.6	74
2014	16	-1.0	86	541	-3.8	94	301	1.7	106	269	-0.1	100	4	0.0	103
2015	36	-0.5	90	589	-7.1	89	548	1.0	102	520	-0.1	100	6	0.3	105
2016	124	-0.8	87	588	-0.3	98	322	0.1	96	211	0.3	105	5	2.1	117
2017	732	-0.4	90	1244	-0.2	99	1116	0.1	95	272	0.0	102	17	0.3	105
2018	1946	0.0	94	1969	0.0	99	1940	0.0	95	87	0.0	101	22	0.0	103
2019	2812	0.3	96	2823	-1.3	97	2753	0.8	100	212	-0.5	96	61	0.4	106
2020	4627	0.7	99	4682	-0.6	98	4656	0.5	98	713	-0.3	98	92	-1.2	95
2021	3444	0.9	101	3606	-0.3	98	3596	0.6	99	3275	-0.2	99	531	-0.6	99
2022	3277	1.0	101	3324	-0.9	98	3275	0.4	97	3191	-0.3	97	2749	-1.0	97
2023	1839	1.1	103	1845	1.3	101	1836	0.6	99	1795	0.0	101	1841	-1.0	96
2024	17	-0.6	89	17	1.3	101	17	0.5	98	16	-0.5	96	17	0.1	103

WAGYU Sires

Sire			Growth					Carcass					Stats					
ID	Parentage	Sire ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Daughters with calves	Active 2yrs & older	Carcasses
Name	Gen. DNA	Dam ID																
AKAUSHI																		
BA 150368		HBCFV2139	111	136	129	128	120	85	86	119	90	79	80	26	275	52	57	81
FB		C767	0.16	17.5	24.1	29.2	35	0.8	-1.0	14.5	-0.8	-2.1	-3.6					
WOODVIEW SAISHO-ET				94%	91%	92%	92%	90%	90%	96%	96%	95%	93%					
JAPANESE BLACK																		
BA 090335		148BE	142	95	89	91	85	63	119	68	121	98	105	19	262	97	43	8
FB		KJDFB0050	-2.82	0.9	-0.9	0.3	-15	-11.0	3.2	-21.6	4.0	-0.3	0.3					
FUTURE INVESTMENT				97%	91%	76%	82%	61%	90%	87%	87%	84%	75%					
FB11842		FB3685	128	69	71	74	73	86	83	125	112	95	100	7	39	9	17	4
FB		FB6032	-1.47	-9.6	-12.3	-12.8	-32	1.2	-1.3	18.8	2.7	-0.5	-0.5					
STONYRUN ID 151 ICHIRO 1				83%	72%	26%	21%	9%	47%	40%	40%	36%	39%					
FB2422		FB581	138	68	60	65		69	129	58	100	73	87	19	56	20	16	1
FB		FB2893	-2.41	-10.0	-19.1	-20.0		-7.7	4.5	-28.6	0.8	-2.7	-2.5					
WORLD K'S KITAGUNI JR				53%	19%	56%	10%		9%	69%	68%	64%	67%					
FB8092		FB2501	135	79	74	74	69	64	120	96	115	92	89	7	44	8	12	10
FB		FB6032	-2.21	-5.5	-10.3	-13.0	-38	-10.2	3.3	-1.9	3.1	-0.8	-2.3					
BPF MR SAN 4				58%	45%	42%	40%	30%	40%	71%	74%	70%	69%					
KKWFA0871		WESFX0179	125	73	70	75	79	55	67	50	112	48	127	19	132	65	24	9
FB		KKWFW0784	-1.19	-7.8	-12.6	-12.1	-23	-15.3	-3.4	-34.7	2.7	-5.0	3.8					
KURO KIN TERUAKITSUKI				95%	91%	90%	90%	90%	92%	92%	93%	92%	91%					

WAGYU Dams

Dam				Growth						Carcass					Stats				
ID	Parentage		Sire ID	Gen. DNA	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name			Dam ID																
JAPANESE BLACK																			
EPW 150007			MOYFF0054		122	66	61	65	56	75	91	89	114	98	116	9	29	13	1
FB			KSOFH0053		-0.91	-10.8	-18.1	-19.6	-56	-4.3	-0.3	-6.8	3.0	-0.3	2.0				
MOYHU 54'S SENAKA NO.4					73%	51%	47%	41%	23%	55%	66%	66%	62%	47%	33%				
FB12882			IMUFA103		120	89	90	92	96	85	71	111	103	96	118	1	5	5	
FB			FB10021		-0.75	-1.4	-0.5	1.5	1	0.6	-2.8	8.9	1.2	-0.5	2.4				
KR MS STRATEGY 123					15%	16%	15%	16%	13%	16%	10%	17%	14%	15%	7%				

WAGYU Bulls

Inbreeding >6% is high				<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed																
Bull				Selection Value					Calf weight		Mother		Growth		Fertility			Carcass					
ID	%Inbreeding	Parentage		Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling	Fineness
		Genomic	Sire ID																				
JAPANESE BLACK																							
VWS 170001		BA 150368		122	101	80	112	125	117	101	104	80	96	88	116	131	115	89	104	102	88	98	
PBD		EPW 150007		-0.38	3.3	-0.53	-1.7	-0.7	-0.38	3.3	-0.53	-1.7	3.5	-11	-12.4	-5.0	11.7	-0.7	3.8	1.1	-1.2	-0.8	
VOORBURG VWS170001				56%	36%	35 %	21%	29%	57 %	36 %	54%	35%	42%	21%	42%	16%	61 %	57 %	57 %	54 %	48 %	37 %	
VWS 180012		FB2422		118	79	77	123	99	129	79	104	77	77	77	92	109	110	100	85	101	84	102	
FB		FB12882		-1.58	-5.7	-0.54	-3.5	-1.58	-1.58	-5.7	-0.54	-3.5	-9.9	-27	1.9	-0.5	9.3	0.8	-9.8	1.0	-1.6	-0.1	
VOORBURG VWS180012				26%	12%	9 %	7 %	15%	27 %	12 %	22%	9 %	19%	7 %	25%	5%	42 %	35 %	35 %	33 %	34 %	31 %	
VWS 180015		FB2422		118	79	77	123	99	129	79	104	77	77	77	92	109	110	100	85	101	84	102	
FB		FB12882		-1.58	-5.7	-0.54	-3.5	-1.58	-1.58	-5.7	-0.54	-3.5	-9.9	-27	1.9	-0.5	9.3	0.8	-9.8	1.0	-1.6	-0.1	
VOORBURG VWS180015				26%	12%	9 %	7 %	15%	27 %	12 %	22%	9 %	19%	7 %	25%	5%	42 %	35 %	35 %	33 %	34 %	31 %	
VWS 180016		FB2422		118	79	77	123	99	129	79	104	77	77	77	92	109	110	100	85	101	84	102	
FB		FB12882		-1.58	-5.7	-0.54	-3.5	-1.58	-1.58	-5.7	-0.54	-3.5	-9.9	-27	1.9	-0.5	9.3	0.8	-9.8	1.0	-1.6	-0.1	
VOORBURG VWS180016				26%	12%	9 %	7 %	15%	27 %	12 %	22%	9 %	19%	7 %	25%	5%	42 %	35 %	35 %	33 %	34 %	31 %	

WAGYU Cows

Inbreeding >6% is high				<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed																
Cow				Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas					
ID	%Inbreeding	Parentage		Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling	Fineness
Name		Genomic DNA	Sire ID																				
JAPANESE BLACK																							
VWS 150027		KKWFA0871		101	90	97	97	112	97	90	106	97	94	103	115	109	82	76	81	103	77	114	
F1				45 %	37 %	41 %	29 %	26 %	1.49	-1.1	-0.61	7.0	2.3	11	-11.3	-1.2	-2.4	-2.3	-12.3	1.2	-2.3	1.8	
VOORBURG VWS150027				46 %	37 %	41 %	29 %	26 %	46 %	37 %	43 %	41 %	29 %	29%	36%	17%	46 %	41 %	41 %	39 %	33 %	20 %	
VWS 160002		BA 090335		111	101	101	94	88	106	101	107	101	103	106	99	82	84	102	91	107	102	103	
F1				48 %	45 %	45 %	30 %	35 %	0.67	3.3	-0.64	9.2	8.3	15	-2.1	3.8	-1.7	1.1	-5.8	1.9	0.1	0.0	
VOORBURG VWS160002				48 %	45 %	45 %	30 %	35 %	48 %	45 %	46 %	45 %	40 %	30%	42%	28%	48 %	43 %	43 %	42 %	38 %	30 %	
VWS 160014		FB8092		107	93	102	102	82	103	93	110	102	95	98	86	81	87	102	105	104	99	95	
F1				28 %	22 %	20 %	15 %	18 %	0.98	0.0	-0.76	9.6	2.7	3	5.5	3.9	-0.3	1.1	4.1	1.4	-0.2	-1.3	
VOORBURG VWS160014				28 %	22 %	20 %	15 %	18 %	29 %	22 %	26 %	20 %	20 %	15%	23%	13%	40 %	36 %	37 %	35 %	34 %	25 %	
VWS 160016		FB11842		102	88	112	100	99	99	88	105	112	94	100	105	95	91	84	119	103	101	101	
F1				38 %	36 %	23 %	5 %	16 %	1.35	-2.0	-0.57	15.3	2.2	6	-5.5	1.3	1.5	-1.2	14.4	1.2	0.0	-0.4	
VOORBURG VWS160016				38 %	36 %	23 %	5 %	16 %	41 %	36 %	28 %	23 %	12 %	5 %	24%	9%	37 %	20 %	20 %	18 %	19 %	15 %	
VWS 160017		FB11842		102	88	112	100	99	99	88	105	112	94	100	105	95	91	84	119	103	101	101	
F1				38 %	36 %	23 %	5 %	16 %	1.35	-2.0	-0.57	15.3	2.2	6	-5.5	1.3	1.5	-1.2	14.4	1.2	0.0	-0.4	
VOORBURG VWS160017				38 %	36 %	23 %	5 %	16 %	41 %	36 %	28 %	23 %	12 %	5 %	24%	9%	37 %	20 %	20 %	18 %	19 %	15 %	
VWS 160018		FB8092		107	93	102	102	82	103	93	110	102	95	98	86	81	87	102	105	104	99	95	
F1				28 %	22 %	20 %	15 %	18 %	0.98	0.0	-0.76	9.6	2.7	3	5.5	3.9	-0.3	1.1	4.1	1.4	-0.2	-1.3	
VOORBURG VWS160018				28 %	22 %	20 %	15 %	18 %	29 %	22 %	26 %	20 %	20 %	15%	23%	13%	40 %	36 %	37 %	35 %	34 %	25 %	
VWS 160019		FB8092		107	93	102	102	82	103	93	110	102	95	98	86	81	87	102	105	104	99	95	
F1				28 %	22 %	20 %	15 %	18 %	0.98	0.0	-0.76	9.6	2.7	3	5.5	3.9	-0.3	1.1	4.1	1.4	-0.2	-1.3	
VOORBURG VWS160019				28 %	22 %	20 %	15 %	18 %	29 %	22 %	26 %	20 %	20 %	15%	23%	13%	40 %	36 %	37 %	35 %	34 %	25 %	
VWS 180013		✓ FB2422		118	79	77	123	99	129	79	104	77	77	77	92	106	110	100	85	101	84	102	
FB		✓ FB12882		26 %	12 %	9 %	7 %	15 %	-1.58	-5.7	-0.54	-3.5	-9.9	-27	1.9	-0.5	9.3	0.8	-9.8	1.0	-1.6	-0.1	
VOORBURG VWS180013				26 %	12 %	9 %	7 %	15 %	27 %	12 %	22 %	9 %	19 %	7 %	25%	5%	42 %	35 %	35 %	33 %	34 %	31 %	
VWS 180017		✓ FB2422		118	79	77	123	99	129	79	104	77	77	77	92	106	110	100	85	101	84	102	
FB		✓ FB12882		26 %	12 %	9 %	7 %	15 %	-1.58	-5.7	-0.54	-3.5	-9.9	-27	1.9	-0.5	9.3	0.8	-9.8	1.0	-1.6	-0.1	
VOORBURG VWS180017				26 %	12 %	9 %	7 %	15 %	27 %	12 %	22 %	9 %	19 %	7 %	25%	5%	42 %	35 %	35 %	33 %	34 %	31 %	



CWB

BREEDING VALUE REPORT

September 2026



GROUP EDITORS CO (PTY) LTD

Herd Number: 8212971


E-mail: andrew@greatbrakavos.co.za
zenda@greatbrakavos.co.za



**WAGYU
SOCIETY**
OF SOUTH AFRICA



**CERTIFICATE
OF QUALITY**
Valid up to
October 2029



CWB Dams

Dam				Growth					Carcass					Stats				
ID	Parentage	Sire ID		Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name	Gen. DNA	Dam ID																
JAPANESE BLACK																		
EPW 150007		MOYFF0054		122	66	61	65	56	75	91	89	114	98	116	9	29	13	1
FB		KSOFH0053		-0.91	-10.8	-18.1	-19.6	-56	-4.3	-0.3	-6.8	3.0	-0.3	2.0				
MOYHU 54'S SENAKA NO.4				73%	51%	47%	41%	23%	55%	66%	66%	62%	47%	33%				
FB12882		IMUFA103		120	89	90	92	96	85	71	111	103	96	118	1	5	5	
FB		FB10021		-0.75	-1.4	-0.5	1.5	1	0.6	-2.8	8.9	1.2	-0.5	2.4				
KR MS STRATEGY 123				15%	16%	15%	16%	13%	16%	10%	17%	14%	15%	7%				

CWB Bulls

Inbreeding >6% is high

<75 75 - 125 >125

Breeding values with an accuracy < 5% are not printed

Bull				Selection Value					Calf weight		Mother		Growth		Fertility			Carcass				
ID	%Inbreeding	Parentage		Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn. Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
Name		Genomic	Sire ID																			
		DNA	Dam ID																			
JAPANESE BLACK																						
CWBMVWS 150024			KKWFA0871																			
F1				101	90	97	97	112	97	90	106	97	94	103	115	107	82	76	81	103	77	114
VOORBURG VWS150024				45%	37%	41 %	29%	26%	1.49	-1.1	-0.61	7.0	2.3	11	-11.3	-1.2	-2.4	-2.3	-12.3	1.2	-2.3	1.8
				46 %	37 %				46 %	37 %	43%	41%	29%	29%	36%	17%	46 %	41 %	41 %	39 %	33 %	20 %
CWBMVWS 160003			BA 090335																			
F1				111	101	101	94	88	106	101	107	101	103	106	99	84	84	102	91	107	102	103
VOORBURG VWS160003				48%	45%	45 %	30%	35%	0.67	3.3	-0.64	9.2	8.3	15	-2.1	3.8	-1.7	1.1	-5.8	1.9	0.1	0.0
				48 %	45 %				48 %	45 %	46%	45%	40%	30%	42%	28%	48 %	43 %	43 %	42 %	38 %	30 %
CWBMVWS 160015			FB8092																			
F1				107	93	102	102	82	103	93	110	102	95	98	86	82	87	102	105	104	99	95
VOORBURG VWS160015				28%	22%	20 %	15%	18%	0.98	0.0	-0.76	9.6	2.7	3	5.5	3.9	-0.3	1.1	4.1	1.4	-0.2	-1.3
				28 %	22 %				29 %	22 %	26%	20%	20%	15%	23%	13%	40 %	36 %	37 %	35 %	34 %	25 %
CWBMVWS 160020			FB8092																			
F1				107	93	102	102	82	103	93	110	102	95	98	86	82	87	102	105	104	99	95
VOORBURG VWS160020				28%	22%	20 %	15%	18%	0.98	0.0	-0.76	9.6	2.7	3	5.5	3.9	-0.3	1.1	4.1	1.4	-0.2	-1.3
				28 %	22 %				29 %	22 %	26%	20%	20%	15%	23%	13%	40 %	36 %	37 %	35 %	34 %	25 %
CWBMVWS 160022			FB11842																			
F1				102	88	112	100	99	99	88	105	112	94	100	105	96	91	84	119	103	101	101
VOORBURG VWS160022				38%	36%	23 %	5 %	16%	1.35	-2.0	-0.57	15.3	2.2	6	-5.5	1.3	1.5	-1.2	14.4	1.2	0.0	-0.4
				38 %	36 %				41 %	36 %	28%	23%	12%	5 %	24%	9%	37 %	20 %	20 %	18 %	19 %	15 %
CWBMVWS 160049			FB8092																			
F1				107	93	102	102	82	103	93	110	102	95	98	86	82	87	102	105	104	99	95
VOORBURG VWS160049				28%	22%	20 %	15%	18%	0.98	0.0	-0.76	9.6	2.7	3	5.5	3.9	-0.3	1.1	4.1	1.4	-0.2	-1.3
				28 %	22 %				29 %	22 %	26%	20%	20%	15%	23%	13%	40 %	36 %	37 %	35 %	34 %	25 %
CWBMVWS 160052			FB11842																			
F1				102	88	112	100	99	99	88	105	112	94	100	105	96	91	84	119	103	101	101
VOORBURG VWS160052				38%	36%	23 %	5 %	16%	1.35	-2.0	-0.57	15.3	2.2	6	-5.5	1.3	1.5	-1.2	14.4	1.2	0.0	-0.4
				38 %	36 %				41 %	36 %	28%	23%	12%	5 %	24%	9%	37 %	20 %	20 %	18 %	19 %	15 %

