



WAGYU

BREEDING VALUE REPORT

June 2026



SIMPLY WAGYU

Herd Number: 8432050


E-mail: miakoob@gorasgroup.co.za
emakomar3@gmail.com



WAGYU
SOCIETY
OF SOUTH AFRICA



**CERTIFICATE
OF QUALITY**
Valid up to
October 2029



Notes


GEBVi (GEBVindex): The average GEBVi of all the live animals in the breed is 100, and all EBVi values are expressed relative to this value. Values above 100 are mostly in a more desirable direction. Note that a very high index is not always desirable. For certain traits, such as birth weight, average values may be better. It is the top value in the list.

GEBV (Genomic Estimated Breeding Value) indicates the genetic potential of the animal for a specific trait. It is presented in the unit of measurement and relative to the average of animals born in the base year. It is the middle value in the list and not available for selection values.

Accuracy: This value gives an indication of how much information was available for breeding value estimation. It is the bottom value in the list.

Selection values combine similar breeding values in a scientific manner to simplify the selection of animals. For example, HF (Heifer Fertility), CF (Cow Fertility) and Longevity are

combined to form the Fertility Value by taking the heritability and economic importance in consideration.




* Depending on selection goal

GEBVi		Description / Measurement	Goal		General Guidelines*					
					80	90	100	110	120	
Selection V.	Calving Ease Value	Difficult calving due to high birth weight	Average birth weight	High						Low
	Calf Growth Value	Calf's genetic ability for prewean growth	Heavy weaner	Light						Heavy
	Milk Value	Cow's genetic mothering and milking ability	Enough milk for calf	Less						More
	Maintenance Value	Maintenance requirement of cow (weight and milk)	Low cow maintenance	High					*	Low
	Fertility Value	Fertility and retention of cows and heifers	Fertile cows	Low						High
Cow & Calf	Birth weight direct	Birth weight (Calf's genetic ability)	Average birth weight	Heavy						Light
	Birth weight mat	Birth weight (Dam's genetic ability)	Easy calving	Heavy						Light
	Weaning weight direct	Weaning weight (Calf's genetic ability)	Heavy weaners	Light						Heavy
	Weaning weight mat	Weaning weight (Dam's genetic ability)	Good mothers	Poor						Good
	Post-wean weight	Combination of EBVs for 12 and 18 month weights	Mature weight	Light				*	*	Heavy
	Mature Cow Weight	Cow weight at weaning of first three calves	Mature cow weight	Light				*	*	Heavy
Ferti.	Heifer Fertility	Age at first calving	Fertile heifers	Less						More
	Cow Fertility	First 3 inter-calving periods (ICPs)	Fertile cows	Less						More
	Longevity	Retention of progeny	Acceptable progeny	Poor						Good
Carcass	IMF	Intra-muscular-fat, Marbling	High quality carcass	Less						More
	Carcass weight	Weight of the carcass	High quality carcass	Light						Heavy
	EMA	Eye-muscle-area at the 12/13th rib of the dressed carcass	High quality carcass	Small						Large
	Rib Fat	Rib fat depth at the 12/13th rib of the dressed carcass	High quality carcass	Thin						Thick
	Marbling Fineness	Degree of fineness of marbling fat	High quality carcass	Low						High

Herd and Breed Averages

Number 98



Breeding Values (EBV):

Birth: Birth weight
Wean: Weaning weight
Birth.mat: Birth mat
Milk: Milk
Postwn: Postwean weight
Matwt: Mature weight
HF: Heifer Fertility
CF: Cow Fertility
LL: Longevity
IMF: Marbling
Carcwt: Carcass wt
EMA: Eye muscle area
RibFatt: Rib Fat thickness
MF: Marbling Fineness

Selection values:

CEaseV: Calving Ease Value
CGrowthV: Calf Growth Value
MilkV: Milk Value
MaintV: Maintenance Value
FertV: Fertility Value

	Trait	EBV Herd	EBV Index	EBV Breed
Prewean growth	Birth Weight	1.12	100	1.14
	Wean Weight	2.1	100	2.1
	Birth Mat.	-0.16	96	-0.34
	Milk (Wn.Mat.)	9.4	102	8.4
Postwean growth	Postwean wt	4.3	101	4.0
	Mature weight	6	100	6
	Heifer Fertility	-1.1	96	-3.0
Fertility	Cow Fertility	0.4	102	0.7
	Longevity	4.4	97	5.7
Carcass	IMF	0.2	96	0.7
	Carcass weight	1.1	101	0.6
	EMA	0.0	96	0.6
	Rib Fat	0.2	103	-0.2
	MF	0.3	105	-0.4

Selection Value	Herd Avg
Calving Ease Value	99
Calf Growth Value	100
Milk Value	102
Maintenance Value	100
Fertility Value	99


- Average of live animals in the breed: 100
- Above 100: **more favourable**,
- Below 100: **less favourable**

What does a sub-selection value above breed average (100) mean?:

Calving ease: Smaller calf at birth - easier calving
Calf growth: Heavier calves at wean due to growth potential of the calf
Milk: Cows with more milk and better mothering ability
Maintenance: Animals with low maintenance requirements (lower mature weight).
Fertility: Cows/daughters that calve

Genetic Trends for On-Farm Traits

The graphs show the genetic gain of the herd relative to the breed. Only data of animals with measurements are included.




Herd

Birth Year	Calving Ease				Calf Growth			Milk			Maintenance				Fertility							
	Birth Weight		Mat EBV	Calv. Ease	Weaning Weight		Calf Growth	Milk (Wn.Mat.)		Milk	Postwean Weight		Mature Weight		Maintenance	Heifer Fert.		Cow Fert.		Longevity		Fertility
	Number	Dir EBV			Number	EBV		Number	EBV		Number	EBV	Number	EBV		Number	EBV	Number	EBV	Number	EBV	
2017																						
2018	2	-0.58	-0.23	113	1	1.1	97	1	8.35	100	1	5.4	113		1	-1.0	1	1.4	7	0.7	95	
2019	2	1.10	-0.40	103											1	-4.3	1	-2.0	13	-0.5	111	
2020	2	-0.62	-0.32	123											1	3.7			15	2.5	103	
2022	1	0.29	1.39	98															9	-7.0		
2023	1	0.29	1.39	98																		
2024	1	0.29	1.39	98	1	0.1	95	1	11.92	106												
2025																						

Breed

Birth Year	Calving Ease				Calf Growth			Milk			Maintenance					Fertility						
	Birth Weight		Mat EBV	Calv. Ease	Weaning Weight		Calf Growth	Milk (Wn.Mat.)		Milk	Postwean Weight		Mature Weight		Maintenance	Heifer Fert.		Cow Fert.		Longevity		Fertility
	Number	Dir EBV			Number	EBV		Number	EBV		Number	EBV	Number	EBV		Number	EBV	Number	EBV	Number	EBV	
2016	667	0.14	0.02	106	280	0.5	96	280	6.17	96	213	1.9	17	-9	109	776	-1.2	388	-0.8	6283	-0.5	103
2017	787	0.38	0.22	102	405	0.6	96	405	3.81	92	309	0.3	33	-8	111	792	-1.4	308	-0.5	10269	-0.4	102
2018	1181	0.41	0.13	103	815	-1.5	91	815	2.61	90	823	-0.8	19	-20	113	664	-3.9	399	-0.9	9178	2.2	106
2019	1380	0.49	0.18	102	901	-0.1	94	901	1.36	87	896	0.7	27	-27	112	1006	-2.1	462	-0.4	11800	2.0	103
2020	2127	0.62	0.00	102	556	1.9	100	556	7.34	98	273	4.8	24	-8	103	663	-3.4	266	-0.7	11208	1.6	105
2021	2398	0.52	-0.06	103	592	0.1	95	592	4.25	93	254	0.2	21	-5	112	401	-4.8	137	-1.0	8891	1.5	107
2022	2092	0.47	-0.13	104	478	2.4	101	478	1.61	88	260	4.2	15	14	108	281	-1.8	51	-0.4	2264	1.9	102
2023	1685	0.41	-0.26	106	486	2.6	101	486	1.35	87	182	4.8	5	-1	107	85	-5.7	2	0.1			111
2024	1553	0.43	-0.23	106	310	3.6	104	310	2.16	89	66	18.9			90	1	-26.9					142
2025	1506	0.44	-0.05	105	260	3.3	103	260	1.32	87												
2026	103	0.30	-0.04	107																		

Genetic Trends for Carcass Traits



Herd

Birth Year	Carcass														
	IMF			Carcass weight			EMA			RibFat			Marble Fineness		
	Number	EBV	EBVi	Number	EBV	EBVi	Number	EBV	EBVi	Number	EBV	EBVi	Number	EBV	EBVi
2017	1	0.9	102	1	42.8	160	1	-0.3	94						
2018	1	1.4	105	1	-5.4	91	1	-3.5	71						
2019	4	1.4	105	4	8.5	111	4	-2.5	78						
2020	9	1.1	103	9	-3.6	94	9	3.1	118						
2022	11	0.9	102	11	0.8	100	11	1.7	108	11	-1.4	87	11	-2.8	85
2023	2	-0.4	92	2	9.5	113	2	5.0	131	2	-3.9	62	2	-5.2	71

Breed

Birth Year	Carcass														
	IMF			Carcass weight			EMA			Rib Fat			Marble Fineness		
	Number	EBV	EBVi	Number	EBV	EBVi	Number	EBV	EBVi	Number	EBV	EBVi	Number	EBV	EBVi
2013	17	0.5	99	776	-0.2	99	361	0.7	101	346	0.1	103	5	-4.5	75
2014	16	-1.0	87	541	-3.9	94	301	1.7	108	269	-0.1	100	4	-0.1	102
2015	36	-0.6	90	589	-7.1	89	548	1.0	103	520	-0.2	100	6	0.4	105
2016	124	-0.8	88	588	-0.5	98	322	0.1	96	211	0.4	105	5	2.1	115
2017	732	-0.5	91	1244	-0.2	99	1116	0.1	96	272	0.1	102	17	0.3	104
2018	1945	0.0	95	1968	0.0	99	1939	0.0	96	87	0.0	102	22	0.0	103
2019	2810	0.3	97	2821	-0.8	98	2751	0.8	101	210	-0.6	96	59	0.2	104
2020	4625	0.7	100	4680	0.4	100	4654	0.5	99	711	-0.3	99	91	-1.2	95
2021	3442	0.9	102	3604	-0.1	99	3594	0.5	99	3273	-0.3	99	529	-0.5	99
2022	3263	1.0	102	3310	-0.9	98	3261	0.3	98	3177	-0.4	98	2735	-1.1	96
2023	1740	1.2	104	1746	1.2	101	1737	0.5	99	1696	0.0	102	1743	-1.2	95
2024	16	-0.6	89	16	0.0	99	16	0.3	98	15	-0.5	97	16	0.2	104

WAGYU Sires

Sire			Growth						Carcass					Stats				
ID	Parentage	Sire ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Daughters with calves	Active 2yrs & older	Carcasses
Name	Gen. DNA	Dam ID																
AKAUSHI																		
FB14115		FB9979	102	131	130	134	112	92	83	110	88	108	109	2	10	8	3	2
FB		FB3375	0.98	13.8	21.1	30.3	24	4.2	-1.4	7.9	-1.1	0.7	1.0					
SOR KUNISAKI			60%	19%	43%	24%	21%	22%	58%	57%	51%	29%	16%					
JAPANESE BLACK																		
AACFF0758		AACFB0545	63	149	149	141	137	78	99	162	88	137	94	17	182	63	70	20
FB		WESFZ0084	4.53	20.7	32.2	35.8	58	-3.7	0.5	44.3	-1.1	3.5	-1.4					
WESTHOLME HIRAMICHI TSURU			94%	81%	59%	71%	41%	51%	88%	87%	83%	78%	68%					
BA 060107		BA 000024	117	103	106	109	109	117	82	122	84	102	108	3	167	72	11	6
FB		BA 010025	-0.40	3.1	7.2	11.2	18	18.0	-1.5	16.3	-1.7	0.0	0.8					
THUNDER BOL			97%	84%	56%	61%	64%	88%	69%	68%	61%	32%	19%					
BA 070152		BA 000024	113	104	107	109	105	106	87	118	95	96	104	1	5	2	1	
FB		BA 980001	-0.04	3.4	8.0	11.3	14	11.6	-1.0	13.1	-0.1	-0.5	0.2					
HEAVEN 7 152			72%	43%	30%	31%	31%	48%	41%	41%	38%	30%	20%					
BA 080168	✓	ETJ001	110	103	102	106	86	85	71	91	103	75	111	1	4	4	2	1
FB	✓	BA 010039	0.22	3.1	4.9	9.0	-13	0.2	-3.0	-5.6	1.0	-2.6	1.4					
FREEDOM 001			68%	57%	55%	51%	48%	55%	63%	63%	61%	52%	40%					
BA 090319	✓	IMUFQTF147	137	102	98	106	81	67	89	96	86	93	109	2	61	17	6	1
FB		KJDFB0075	-2.28	3.0	3.0	9.5	-20	-10.0	-0.7	-1.9	-1.3	-0.9	1.1					
REQUISITE TF147			92%	58%	56%	56%	47%	55%	61%	64%	60%	57%	38%					
BA 090328	✓	IMUFQTF147	113	105	100	105	94	81	90	100	91	91	102	4	55	17	13	
FB		KJDFB0075	-0.09	4.1	4.2	8.1	-2	-2.3	-0.6	0.3	-0.7	-1.1	-0.1					
RELIABLE TF 147			89%	60%	59%	59%	53%	58%	63%	65%	61%	61%	43%					
BA 090335		148BE	142	99	98	101	87	68	121	68	125	108	107	19	261	97	52	8
FB		KJDFB0050	-2.79	1.6	2.6	5.5	-13	-9.5	3.3	-22.0	4.1	0.6	0.8					
FUTURE INVESTMENT			97%	91%	76%	82%	64%	90%	86%	86%	83%	73%	58%					
BA 090337	✓	148BE	119	74	75	82	61	75	114	60	127	100	112	12	128	26	23	22
FB	✓	KJDFB0050	-0.66	-7.8	-10.2	-8.9	-49	-5.5	2.5	-27.8	4.5	-0.2	1.5					
PRIME INTEREST			94%	83%	75%	76%	56%	64%	82%	82%	76%	58%	49%					
BA 100427	✓	BA 030043	112	96	92	92	84	67	83	90	96	92	121	1	8	7	4	
F1		BA 070117	0.08	0.4	-0.4	-1.3	-17	-10.1	-1.5	-6.6	0.0	-1.0	3.0					
BIN LADEN 10 427			76%	43%	39%	39%	36%	46%	45%	46%	44%	40%	31%					

WAGYU Sires

Sire			Growth					Carcass					Stats					
ID	Parentage	Sire ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Daughters with calves	Active 2yrs & older	Carcasses
Name	Gen. DNA	Dam ID																
JAPANESE BLACK																		
BA 130823		148BE	132	94	91	93	79	87	124	69	48	100	102	13	445	53	130	81
FB		BA 090331	-1.79	-0.1	-1.4	-0.9	-22	1.2	3.7	-21.1	-6.8	-0.2	-0.1					
BA 130823			98%	92%	91%	91%	90%	91%	96%	96%	95%	94%	92%					
BA 130939		BA 090330	114	113	102	101	99	68	92	74	111	85	114	5	71	27	11	6
FB		BA 090338	-0.20	6.9	5.2	5.0	5	-9.5	-0.3	-18.0	2.1	-1.6	1.8					
BA 130939			92%	68%	50%	44%	50%	51%	72%	72%	66%	49%	37%					
BA 160915		BA 120781	88	103	103	103	105	105	107	111	76	106	89	1	12	4	4	4
PBD		CWBFBA 120739	2.29	3.3	5.9	6.9	13	11.1	1.6	8.2	-2.9	0.4	-2.2					
WOODVIEW BA160915			53%	32%	29%	30%	35%	31%	51%	50%	45%	32%	24%					
BB 110008		TFFWW0629	130	78	68	72	67	70	93	77	86	133	143	4	43	31	18	4
FB		KJDFC0007	-1.60	-6.1	-14.7	-16.5	-40	-8.1	-0.1	-15.7	-1.4	3.2	6.4					
BB 110008			86%	72%	69%	56%	36%	49%	65%	64%	60%	48%	36%					
ETJ001		PR860014	98	108	104	110	89	75	54	106	104	72	113	51	329	155	31	4
FB		PR870015	1.35	5.0	6.4	12.3	-10	-5.7	-5.1	4.5	1.2	-2.9	1.7					
HIRASHIGETAYASU J2351 HONGEN			98%	96%	96%	96%	95%	96%	96%	96%	96%	96%	95%					
HJ 130007		KJDFD0111	128	60	58	63	56	77	113	96	84	122	113	2	88	14	11	19
FB		KJDFD0133	-1.49	-13.2	-20.0	-23.0	-55	-4.2	2.3	-2.5	-1.6	2.0	1.7					
HJ 130007			89%	82%	59%	77%	30%	50%	79%	78%	72%	44%	33%					
IMJFAJ2810		1742	142	77	76	86	76	68	115	51	119	63	99	49	256	133	23	26
FB		601124	-2.79	-6.6	-10.0	-5.8	-27	-9.2	2.6	-33.8	3.3	-3.9	-0.6					
KITATERUYASUDOJ J2810 HONGEN			97%	96%	96%	95%	95%	95%	96%	97%	96%	96%	95%					
IMUFQTF147		J483	89	112	108	113	90	94	74	104	71	93	105	36	652	238	26	1
FB		J920752	2.20	6.8	8.9	14.5	-8	4.9	-2.6	3.5	-3.6	-0.9	0.3					
ITOSHIGEFUJI TF147			97%	98%	97%	98%	94%	95%	95%	98%	96%	96%	93%					
KJDFC0087		IMUFM1615	101	97	89	86	86	76	99	112	119	104	119	55	371	127	105	52
FB		KJDFY0034	1.06	1.0	-2.5	-6.1	-14	-5.0	0.6	9.0	3.3	0.3	2.6					
LAKE WAGYU C087			98%	97%	97%	96%	96%	97%	98%	98%	98%	97%	96%					
MCPFM1713		148BE	144	80	75	76	70	68	132	67	148	82	81	16	86	17	22	25
FB		MCPFD1223	-2.98	-5.5	-10.5	-13.5	-36	-9.5	4.7	-22.9	7.4	-2.0	-3.4					
CHOKYORI 1713 (AI)(ET)			83%	64%	58%	57%	47%	61%	81%	81%	76%	60%	52%					
TFFWW0629		IMJFMJ068	136	81	70	72	73	77	92	61	54	159	159	24	115	45	20	5
FB		TFWFU0177	-2.23	-5.3	-13.3	-16.5	-31	-4.5	-0.3	-27.0	-5.9	5.7	9.1					
TAKEDA FARM FUKUTSURU 004			97%	95%	96%	95%	94%	95%	96%	96%	96%	95%	94%					

WAGYU Sires

Sire			Growth						Carcass					Stats					
ID	Parentage	Sire ID	Gen. DNA	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Daughters with calves	Active 2yrs & older	Carcasses
Name		Dam ID																	
JAPANESE BLACK																			
WK 160194		OVE 100045		116	89	86	91	79	84	81	115	83	83	107					
PBD		 KF 120004		-0.36	-2.0	-3.8	-2.4	-23	-0.3	-1.7	10.8	-1.9	-1.9	0.7	5	58	19	33	2
WK160194				86%	66%	42%	34%	29%	59%	65%	65%	59%	55%	41%					

WAGYU Dams

Dam				Growth					Carcass					Stats				
ID	Parentage	Sire ID		Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name		Gen. DNA	Dam ID															
JAPANESE BLACK																		
BA 070151			ETJ001	84	131	128	129	105	93	70	110	91	87	114				
F2			BA 020082	2.59	13.8	19.9	26.7	14	4.3	-3.1	7.8	-0.7	-1.5	1.8	1	10	3	1
BA 070151				79%	58%	50%	47%	49%	67%	53%	53%	50%	43%	34%				
BA 070254			BA 000024	90	115	118	121	102	86	87	121	90	92	99				
F1			HR 980047	2.09	7.9	14.6	20.5	9	0.8	-1.0	15.4	-0.8	-0.9	-0.6	1	9	2	
BA070254				74%	49%	25%	45%	26%	62%	33%	33%	30%	24%	16%				
BA 080222			BA 050084	95	119	119	120	110	97	89	115	96	94	104				
F2			BA 020082	1.64	9.3	15.1	19.8	20	6.9	-0.7	10.9	0.1	-0.7	0.2	1	5	1	
8 222				76%	32%	23%	25%	23%	37%	29%	29%	26%	22%	16%				
BA 120763		✓	BA 090319	135	95	95	101	89	83	85	105	90	91	105				
FB		✓	BA 090238	-2.15	0.3	1.2	5.7	-9	-1.1	-1.2	4.0	-0.7	-1.0	0.4	2	5	2	
LOVELY				79%	44%	36%	36%	34%	50%	45%	45%	42%	35%	25%				
BA 130054			ETJ001	89	105	108	110	97	99	78	103	103	87	104				
F1			BA-ANGUS-44	2.16	3.8	8.4	12.4	2	7.7	-2.1	2.4	1.1	-1.5	0.2	2	3	1	
BA 130054				59%	45%	42%	42%	39%	44%	44%	45%	44%	41%	33%				
BA 130082				98						109	99	103						
F1			BA-ANGUS-51	1.31						1.8	0.0	1.0			2	6	3	1
BA 130082				46%						27%	27%	21%						
BA 130886			BA 100445	91	97	98	97	100	115	97	101	82	99	100				
F2		✓	CWBFBA 070256	1.95	1.0	2.8	2.4	6	16.8	0.3	1.4	-2.0	-0.3	-0.5	2	5	1	1
BA 130886				58%	24%	23%	18%	16%	24%	37%	37%	33%	22%	16%				
BA 130917		✓	BA 090315	113	90	89	87	101	97	92	105	102	103	108				
F2		✓	CWBFBA 100601	-0.07	-1.6	-2.1	-5.0	8	7.0	-0.3	4.0	0.9	0.1	0.8	2	3	1	
BA 130917				54%	35%	26%	26%	22%	43%	28%	29%	28%	25%	20%				
BA 150350		✓	BA 110544	111	95	95	98	87	93	90	97	105	84	99				
F2		✓	BA 130122	0.12	0.3	1.2	2.9	-12	4.3	-0.6	-1.7	1.3	-1.7	-0.6	1	2	1	1
BA 150350				71%	25%	22%	21%	24%	28%	38%	38%	33%	24%	17%				
BB 120019		✓	TFWFW0629	120	83	80	84	75	89	94	85	79	145	146				
FB		✓	KJDFC0099	-0.75	-4.5	-7.7	-7.1	-29	2.1	-0.1	-10.2	-2.4	4.3	6.9	5	17	7	1
GOGEKILE				70%	48%	69%	67%	29%	42%	65%	65%	61%	49%	34%				
CP 100026				99	111				125	93	126	100						
F1				1.22	6.3				22.1	-0.1	18.7	0.6			1	4	1	1
CP 100026				52%	13%				20%	28%	27%	22%						
CP 150054		✓	CP 130304	103	98	101	100	99	109	121	108	129	106	89				
F1			CP 100025	0.84	1.2	4.6	4.9	5	13.4	3.4	6.5	4.7	0.4	-2.1	2	5	2	1
15 54				73%	49%	32%	31%	23%	58%	47%	46%	42%	35%	28%				

WAGYU Dams

Dam				Growth						Carcass					Stats				
ID	Parentage		Sire ID	Gen. DNA	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name			Dam ID																
JAPANESE BLACK																			
KJDFC0007			ETJ001		118	84	78	83	72	67	91	101	100	109	116	6	10	4	
FB			KJDFY0011		-0.57	-4.1	-8.8	-8.2	-33	-10.2	-0.4	1.5	0.6	0.8	2.2				
X LAKE WAGYU F C007					76%	62%	62%	51%	44%	54%	67%	67%	64%	58%	45%				

WAGYU Bulls

Inbreeding >6% is high				<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed															
Bull				Selection Value					Calf weight		Mother		Growth		Fertility			Carcass				
ID	%Inbreeding	Parentage		Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
		Genomic	Sire ID																			
JAPANESE BLACK																						
BB 110008	4		TFWFW0629	115	78	70	133	93	130	78	132	70	70	67	84	100	134	93	77	86	133	143
FB			KJDFC0007	-1.60	-6.1	-1.64	-8.1	-16.0	-40	5.3	0.6	21.4	-0.1	-15.7	-1.4	3.2	6.4					
BEYOND BEEF BB 110008				82%	72%	49 %	36%	54%	86 %	72 %	66%	49%	62%	36%	70%	39%	82 %	65 %	64 %	60 %	48 %	36 %



CWB

BREEDING VALUE REPORT

June 2026



SIMPLY WAGYU

Herd Number: 8432050


E-mail: miakoob@gorasgroup.co.za
emakomar3@gmail.com



WAGYU
SOCIETY
OF SOUTH AFRICA



CERTIFICATE
OF QUALITY
Valid up to
October 2029



CWB Dams

Dam			Growth					Carcass					Stats				
ID	Parentage	Sire ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name	Gen. DNA	Dam ID															
JAPANESE BLACK																	
BA 070151		ETJ001	84	131	128	129	105	93	70	110	91	87	114				
F2		BA 020082	2.59	13.8	19.9	26.7	14	4.3	-3.1	7.8	-0.7	-1.5	1.8	1	10	3	1
BA 070151			79%	58%	50%	47%	49%	67%	53%	53%	50%	43%	34%				
BA 070254		BA 000024	90	115	118	121	102	86	87	121	90	92	99				
F1		HR 980047	2.09	7.9	14.6	20.5	9	0.8	-1.0	15.4	-0.8	-0.9	-0.6	1	9	2	
BA070254			74%	49%	25%	45%	26%	62%	33%	33%	30%	24%	16%				
BA 080222		BA 050084	95	119	119	120	110	97	89	115	96	94	104				
F2		BA 020082	1.64	9.3	15.1	19.8	20	6.9	-0.7	10.9	0.1	-0.7	0.2	1	5	1	
8 222			76%	32%	23%	25%	23%	37%	29%	29%	26%	22%	16%				
BA 120763	✓	BA 090319	135	95	95	101	89	83	85	105	90	91	105				
FB	✓	BA 090238	-2.15	0.3	1.2	5.7	-9	-1.1	-1.2	4.0	-0.7	-1.0	0.4	2	5	2	
LOVELY			79%	44%	36%	36%	34%	50%	45%	45%	42%	35%	25%				
BA 130054		ETJ001	89	105	108	110	97	99	78	103	103	87	104				
F1		BA-ANGUS-44	2.16	3.8	8.4	12.4	2	7.7	-2.1	2.4	1.1	-1.5	0.2	2	3	1	
BA 130054			59%	45%	42%	42%	39%	44%	44%	45%	44%	41%	33%				
BA 130082			98						109	99	103						
F1		BA-ANGUS-51	1.31						1.8	0.0	1.0			2	6	3	1
BA 130082			46%						27%	27%	21%						
BA 130886		BA 100445	91	97	98	97	100	115	97	101	82	99	100				
F2	✓	CWBFBA 070256	1.95	1.0	2.8	2.4	6	16.8	0.3	1.4	-2.0	-0.3	-0.5	2	5	1	1
BA 130886			58%	24%	23%	18%	16%	24%	37%	37%	33%	22%	16%				
BA 130917	✓	BA 090315	113	90	89	87	101	97	92	105	102	103	108				
F2	✓	CWBFBA 100601	-0.07	-1.6	-2.1	-5.0	8	7.0	-0.3	4.0	0.9	0.1	0.8	2	3	1	
BA 130917			54%	35%	26%	26%	22%	43%	28%	29%	28%	25%	20%				
BA 150350	✓	BA 110544	111	95	95	98	87	93	90	97	105	84	99				
F2	✓	BA 130122	0.12	0.3	1.2	2.9	-12	4.3	-0.6	-1.7	1.3	-1.7	-0.6	1	2	1	1
BA 150350			71%	25%	22%	21%	24%	28%	38%	38%	33%	24%	17%				
BB 120019	✓	TFWFW0629	120	83	80	84	75	89	94	85	79	145	146				
FB	✓	KJDFC0099	-0.75	-4.5	-7.7	-7.1	-29	2.1	-0.1	-10.2	-2.4	4.3	6.9	5	17	7	1
GOGEKILE			70%	48%	69%	67%	29%	42%	65%	65%	61%	49%	34%				
CP 100026			99	111				125	93	126	100						
F1			1.22	6.3				22.1	-0.1	18.7	0.6			1	4	1	1
CP 100026			52%	13%				20%	28%	27%	22%						
CP 150054	✓	CP 130304	103	98	101	100	99	109	121	108	129	106	89				
F1		CP 100025	0.84	1.2	4.6	4.9	5	13.4	3.4	6.5	4.7	0.4	-2.1	2	5	2	1
15 54			73%	49%	32%	31%	23%	58%	47%	46%	42%	35%	28%				

CWB Dams

Dam			Growth					Carcass					Stats				
ID	Parentage	Sire ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name	Gen. DNA	Dam ID															
JAPANESE BLACK																	
CWBFBA 070259		BA 000024	89	106	110	109	118	123	88	115	94	100	100	2	11	1	4
F1			2.14	4.3	9.9	11.1	32	21.5	-0.8	11.2	-0.2	-0.2	-0.4				
BA070259			48%	35%	25%	25%	26%	40%	33%	33%	30%	24%	16%				
CWBFBA 120682		IMUFQTF147	92	116	114	117	100	95	82	109	83	93	104	2	7	3	
F3		BA 080222	1.93	8.1	12.0	17.2	6	5.9	-1.6	7.2	-1.8	-0.8	0.3				
LINDI			73%	51%	49%	50%	43%	49%	46%	51%	48%	48%	31%				
CWBFBA 130015		BA 090328	103	101	104	106	100	101	96	100	97	96	98	2	7	2	1
F1		BA-ANGUS-28	0.85	2.6	6.2	8.9	6	9.0	0.1	0.3	0.1	-0.6	-0.7				
BA 130015			44%	30%	30%	30%	26%	29%	31%	33%	31%	31%	21%				
CWBFBA 130029		BA 100427	102	96	100	99	95	94	92	95	99	96	108	2	8	3	1
F1		BA-ANGUS-33	0.93	0.8	3.9	4.2	-1	5.1	-0.3	-3.1	0.5	-0.5	0.9				
BA 130029			38%	21%	19%	19%	18%	23%	22%	23%	22%	20%	15%				
CWBFBA 130052		BA 080168	101	100	104	106	96	103	86	95	102	88	103	2	10	3	2
F1		BA-ANGUS-43	1.00	2.1	6.6	9.4	1	10.3	-1.1	-2.6	1.0	-1.3	0.1				
BA 130052			34%	29%	27%	25%	24%	28%	32%	32%	30%	26%	20%				
CWBFBA 130080		BA 070152	103	101	107	108	106	113	94	109	99	99	100	2	8	2	1
F1		BA-ANGUS-50	0.88	2.3	8.1	10.5	14	15.9	-0.1	6.7	0.4	-0.3	-0.5				
BA 130080			36%	21%	15%	15%	15%	24%	21%	21%	19%	15%	10%				
CWBFBA 130124		BA 080168	101	100	104	106	96	103	89	112	112	93	95	2	5	2	
F1		BA-ANGUS-61	1.00	2.1	6.6	9.4	1	10.3	-0.7	9.2	2.4	-0.8	-1.2				
BA 130124			34%	29%	27%	25%	24%	28%	58%	54%	48%	26%	20%				
CWBFBA 130838	🔗	BA 090335	124	106	107	109	88	83	104	95	107	100	103	2	9	2	1
F2	🔗	BA 070261	-1.06	4.4	8.2	11.8	-10	-0.9	1.2	-3.3	1.6	-0.1	0.1				
BA 130838			72%	49%	40%	43%	63%	49%	46%	46%	44%	38%	30%				
CWBFBA 130951		BA 090335	118	98	102	104	96	95	111	84	113	104	101	2	9	5	1
F1		BA-ANGUS-65	-0.50	1.4	5.4	7.6	1	5.4	2.1	-10.8	2.5	0.3	-0.2				
WOODVIEW BA13-0951			48%	45%	38%	41%	32%	45%	43%	43%	41%	37%	29%				
CWBFBA 130979	🔗	BA 090319	110	117	113	118	93	80	80	103	89	90	112	2	6	1	1
F3	🔗	BA 070151	0.18	8.5	11.5	18.2	-3	-2.8	-1.9	2.9	-1.0	-1.2	1.4				
BA 130979			73%	41%	37%	36%	34%	43%	41%	42%	39%	36%	26%				
CWBFBA 140071		ETJ001	84	105	106	107	108	107	70	110	99	88	106	2	6	3	1
F2		CWBFBA 070259	2.59	4.2	7.7	10.0	18	12.3	-3.0	7.4	0.5	-1.3	0.5				
BA 140071			49%	45%	42%	42%	39%	44%	44%	45%	44%	41%	33%				
CWBFBA 160686	🔗	BA 130939	93	108	105	102	113	104	89	94	102	95	106	2	7	2	1
F3	🔗	CWBFBA 130838	1.82	5.1	7.1	6.3	25	10.4	-0.7	-3.8	0.9	-0.7	0.5				
WOODVIEW BA160686			46%	34%	25%	22%	25%	25%	36%	36%	33%	25%	18%				

CWB Dams

Dam			Growth					Carcass					Stats				
ID	Parentage	Sire ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name	Gen. DNA	Dam ID															
JAPANESE BLACK																	
CWBFBA 160978		BA 090337	114	90	93	98	81	81	100	90	109	96	105	1	5	1	1
F2		BA 070254	-0.16	-1.6	0.0	3.2	-20	-2.1	0.8	-6.2	1.8	-0.6	0.4				
WOODVIEW BA160978			72%	48%	39%	44%	31%	44%	44%	41%	31%	26%					
CWBFBA 170022		BA 130823	108	101	98	100	83	89	107	83	76	92	101	1	4	4	
F3		BA 150350	0.37	2.4	2.9	4.5	-17	2.4	1.6	-11.4	-2.8	-1.0	-0.3				
WOODVIEW BA170022			72%	40%	30%	35%	29%	31%	51%	50%	48%	45%	37%				
CWBFBA 170162		AACFF0758	67	135	129	123	132	109	93	138	91	121	96	1	6	3	1
F2		CWBFBA 130124	4.19	15.2	20.6	21.7	52	13.3	-0.2	27.3	-0.7	1.9	-1.1				
WOODVIEW BA170162			47%	41%	30%	36%	20%	26%	44%	44%	42%	39%	34%				
CWBFBA 170166		AACFF0758	60	140	130	125	118	96	98	132	85	118	97	1	5	3	
F3		BA 130886	4.86	17.1	21.5	23.7	32	6.2	0.4	22.9	-1.5	1.6	-0.9				
WOODVIEW BA170166			71%	43%	32%	37%	22%	28%	48%	47%	45%	41%	35%				
CWBFBA 170171		IMJFAJ2810	107	90	92	95	102	104	101	82	106	83	99	1	5	2	
PBD		CWBFBA 120682	0.52	-1.6	-0.5	0.9	9	10.5	0.8	-11.7	1.5	-1.8	-0.6				
WOODVIEW BA170171			46%	42%	41%	38%	32%	39%	44%	45%	43%	41%	32%				
CWBFBA 170362		HJ 130007	108	81	86	89	76	95	111	97	94	113	103	1	4	3	
F2		BA 130082	0.42	-5.2	-4.3	-4.0	-28	5.6	2.0	-1.2	-0.3	1.1	0.1				
WOODVIEW BA170362			69%	41%	30%	39%	15%	25%	42%	41%	38%	22%	17%				
CWBFCP 140035	👍	BA 060107	100	111	116	117	115	121	88	124	92	102	97	2	7	4	1
F1		CP 100026	1.15	6.1	13.2	17.3	28	19.9	-0.8	17.5	-0.5	0.0	-0.8				
14 35			70%	43%	28%	30%	32%	45%	37%	37%	32%	16%	10%				
CWBFSWB 180006		BA 130823	127	90	88	88	90	92	108	87	75	101	105	1	3	2	
F3		BA 130917	-1.36	-1.6	-2.8	-4.1	-7	4.2	1.7	-8.6	-3.0	0.0	0.4				
SWB 180006			65%	42%	31%	36%	28%	35%	49%	49%	47%	45%	37%				
CWBFSWB 180008		BA 130823	101	99	100	98	104	113	105	91	71	102	100	1	5	3	1
F2		CWBFBA 130124	1.02	1.6	3.8	3.4	12	15.7	1.4	-5.4	-3.5	0.1	-0.4				
SWB 180008			48%	38%	28%	33%	26%	27%	47%	47%	45%	44%	36%				
CWBFSWB 190001	👍	BA 160915	115	98	98	101	97	94	96	108	83	99	97	1	4	3	
PBD	👍	BA 120763	-0.26	1.2	2.7	5.4	2	5.1	0.2	6.1	-1.8	-0.3	-0.9				
SWB 19-0001			61%	27%	23%	23%	25%	29%	34%	34%	31%	24%	17%				
CWBFSWB 190008	👍	BA 160915	79	103	106	103	116	122	97	112	85	105	94	1	2	1	
PBD	👍	CWBFBA 170022	3.07	3.3	7.5	7.3	29	20.7	0.3	9.2	-1.6	0.3	-1.5				
SWB 19- 0008			26%	16%	14%	15%	18%	16%	25%	25%	23%	16%	12%				
CWBFSWB 190011	👍	BA 160915	79	103	106	103	116	122	97	112	85	105	94	1	3	3	
F2	👍	CWBFBA 130052	3.07	3.3	7.5	7.3	29	20.7	0.3	9.2	-1.6	0.3	-1.5				
SWB 19-0011			26%	16%	14%	15%	18%	16%	25%	25%	23%	16%	12%				

CWB Dams

Dam				Growth						Carcass					Stats			
ID	Parentage	Sire ID		Birth	Wean	12 mnth	18 mnth	Mature	Milk	IMF	Carcass	EMA	Rib Fat	Marble	Herds	Progeny	Active	
Name	Gen.	DNA	Dam ID	weight	weight	weight	weight	weight			weight			Fineness			2yrs & older	Carcasses
JAPANESE BLACK																		
CWBFSWB 190012		BA 160915		79	103	106	103	116	122	97	112	85	105	94				
F3		CWBFBA 170362		3.07	3.3	7.5	7.3	29	20.7	0.3	9.2	-1.6	0.3	-1.5	1	2	2	
SWB 19-0012				26%	16%	14%	15%	18%	16%	25%	25%	23%	16%	12%				
CWBFSWB 200005		MCPFM1713		108	92	92	90	99	103	109	90	121	93	90				
PBD		CWBFBA 120682		0.43	-1.1	-0.7	-2.9	5	10.4	1.8	-6.3	3.6	-0.8	-2.1	2	2	1	
SWB 20-0005				41%	32%	29%	28%	23%	31%	40%	40%	38%	30%	26%				
CWBFSWB 200008		WK 160194		94	96	98	97	104	112	84	114	88	94	103				
F1				1.74	0.7	2.6	2.6	11	15.0	-1.4	10.6	-1.0	-0.8	0.0	2	3	2	
SWB 20-0008				43%	33%	21%	17%	14%	30%	33%	32%	29%	28%	21%				
CWBFSWB 200015		BA 130082		107						112	92	107						
F1				0.53						2.2	-4.9	1.6			1	1	1	
SWB 20-0015				23%						14%	13%	11%						
CWBFSWB 200018		KJDFC0087		86	100	99	95	107	108	93	113	106	104	109				
F3		CWBFBA 170162		2.45	2.1	3.3	0.7	16	12.6	-0.2	9.7	1.5	0.3	1.0	2	2	1	
SWB 20-0018				48%	44%	44%	41%	39%	44%	48%	48%	47%	44%	38%				
KJDFC0007		ETJ001		118	84	78	83	72	67	91	101	100	109	116				
FB		KJDFY0011		-0.57	-4.1	-8.8	-8.2	-33	-10.2	-0.4	1.5	0.6	0.8	2.2	6	10	4	
X LAKE WAGYU F C007				76%	62%	62%	51%	44%	54%	67%	67%	64%	58%	45%				

CWB Bulls

Inbreeding >6% is high				<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed																
Bull				Selection Value					Calf weight		Mother		Growth		Fertility			Carcass					
ID	%Inbreeding	Parentage		Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling	Fineness
		Genomic	Sire ID																				
Name																							
JAPANESE BLACK																							
CWBMBB 150106		FB14115		114	107	91	107	119	111	107	101	91	107	93	108	122	122	88	97	83	126	127	
PBD		BB 120019		45%	26%	24 %	18%	25%	0.11	4.6	-0.37	3.2	8.7	-3	-7.4	-3.3	15.9	-0.8	-1.2	-1.8	2.5	4.0	
BEYOND BEEF BB15-106									46 %	26 %	42%	24%	38%	18%	34%	16%	58 %	44 %	43 %	40 %	28 %	19 %	
CWBMSWB 240002		✓ CWBMBB 150106		98	95	106	109	105	109	95	57	106	104	91	94	110	90	119	97	120	102	91	
F2		✓ CP 150054		35%	25%	29 %	11%	18%	0.29	0.1	1.39	11.9	6.8	-6	0.1	-1.3	1.2	3.0	-1.6	3.4	0.0	-1.9	
SIMPLY SWB 240002									36 %	25 %	32%	29%	16%	11%	24%	11%	34 %	24 %	23 %	21 %	18 %	14 %	
CWBMSWB 250008		✓ BB 110008		105	91	105	103	89	100	91	113	105	88	97	91	89	105	90	95	90	119	120	
F3		✓ CWBFSWB 220011		41%	36%	25 %	18%	27%	1.12	-1.4	-0.87	11.1	-4.0	3	1.6	2.5	8.1	-0.6	-2.7	-0.8	1.7	2.9	
SIMPLY SWB250008									43 %	36 %	33%	25%	31%	18%	35%	19%	41 %	32 %	32 %	30 %	24 %	18 %	

CWB Cows

Inbreeding >6% is high				<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed															
Cow				Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas				
ID	%Inbreeding	Parentage		Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
Name		Genomic DNA	Sire ID																			
JAPANESE BLACK																						
CWBFBA 120682	2		IMUFQTF147	85	116	95	100	109	92	116	79	95	116	100	96	119	107	82	109	83	93	104
F3			BA 080222						1.93	8.1	0.51	5.9	14.2	6	-1.2	-2.5	8.7	-1.6	7.2	-1.8	-0.8	0.3
WOODVIEW LINDI				70 %	51 %	49 %	43 %	50 %	73 %	51 %	57 %	49 %	50 %	43%	60%	39%	64 %	46 %	51 %	48 %	48 %	31 %
CWBFBA 130015			BA 090328	100	101	101	100	69	103	101	86	101	105	100	82	66	94	96	100	97	96	98
F1			BA-ANGUS-28	43 %	30 %	29 %	26 %	36 %	0.85	2.6	0.24	9.0	7.2	6	6.3	6.4	3.0	0.1	0.3	0.1	-0.6	-0.7
WOODVIEW BA 130015									44 %	30 %	37 %	29 %	30 %	26%	47%	25%	56 %	31 %	33 %	31 %	31 %	21 %
CWBFBA 130029			BA 100427	97	96	94	105	116	102	96	79	94	100	95	111	117	112	92	95	99	96	108
F1			BA-ANGUS-33	37 %	21 %	23 %	18 %	34 %	0.93	0.8	0.52	5.1	3.7	-1	-8.9	-2.2	11.4	-0.3	-3.1	0.5	-0.5	0.9
WOODVIEW BA 130029									38 %	21 %	33 %	23 %	19 %	18%	43%	26%	52 %	22 %	23 %	22 %	20 %	15 %
CWBFBA 130052			BA 080168	95	100	103	104	128	101	100	75	103	105	96	112	135	113	86	95	102	88	103
F1			BA-ANGUS-43	34 %	29 %	28 %	24 %	36 %	1.00	2.1	0.67	10.3	7.6	1	-9.3	-5.2	11.7	-1.1	-2.6	1.0	-1.3	0.1
WOODVIEW BA 130052									34 %	29 %	34 %	28 %	26 %	24%	44%	27%	52 %	32 %	32 %	30 %	26 %	20 %
CWBFBA 130080			BA 070152	94	101	113	94	117	103	101	67	113	108	106	97	127	117	94	109	99	99	100
F1			BA-ANGUS-50	35 %	21 %	24 %	15 %	34 %	0.88	2.3	0.99	15.9	8.9	14	-1.7	-3.9	13.5	-0.1	6.7	0.4	-0.3	-0.5
WOODVIEW BA 130080									36 %	21 %	30 %	24 %	15 %	15%	43%	26%	52 %	21 %	21 %	19 %	15 %	10 %
CWBFBA 130951			BA 090335	118	98	95	104	101	118	98	90	95	103	96	109	95	93	111	84	113	104	101
F1			BA-ANGUS-65	48 %	45 %	45 %	32 %	42 %	-0.50	1.4	0.06	5.4	6.1	1	-7.9	1.5	2.5	2.1	-10.8	2.5	0.3	-0.2
WOODVIEW BA13-0951									48 %	45 %	46 %	45 %	40 %	32%	50%	33%	59 %	43 %	43 %	41 %	37 %	29 %
CWBFBA 130979	1		BA 090319	114	117	80	107	85	110	117	102	80	116	93	78	92	105	80	103	89	90	112
F3			BA 070151	69 %	41 %	43 %	34 %	44 %	0.18	8.5	-0.42	-2.8	14.4	-3	8.4	1.9	8.0	-1.9	2.9	-1.0	-1.2	1.4
WOODVIEW BA 130979									73 %	41 %	55 %	43 %	36 %	34%	54%	33%	63 %	41 %	42 %	39 %	36 %	26 %
CWBFBA 140071			ETJ001	80	105	107	92	89	84	105	87	107	107	108	90	90	108	70	110	99	88	106
F2			CWBFBA 070259	49 %	45 %	44 %	39 %	38 %	2.59	4.2	0.20	12.3	8.5	18	2.1	2.4	9.6	-3.0	7.4	0.5	-1.3	0.5
WOODVIEW BA 140071									49 %	45 %	47 %	44 %	42 %	39%	46%	31%	55 %	44 %	45 %	44 %	41 %	33 %
CWBFBA 140035			BA 060107	93	111	121	85	118	100	111	74	121	117	115	101	126	93	88	124	92	102	97
F1			CP 100026	67 %	43 %	45 %	32 %	42 %	1.15	6.1	0.72	19.9	14.9	28	-3.8	-3.7	2.6	-0.8	17.5	-0.5	0.0	-0.8
GLENFINLAS 14 35									70 %	43 %	55 %	45 %	29 %	32%	51%	32%	59 %	37 %	37 %	32 %	16 %	10 %
CWBFBA 160686			BA 130939	97	108	104	87	94	93	108	112	104	104	113	96	94	102	89	94	102	95	106
F3			CWBFBA 130838	44 %	34 %	25 %	25 %	26 %	1.82	5.1	-0.84	10.4	6.3	25	-0.8	1.7	6.7	-0.7	-3.8	0.9	-0.7	0.5
WOODVIEW BA160686									46 %	34 %	35 %	25 %	24 %	25%	33%	18%	52 %	36 %	36 %	33 %	25 %	18 %
CWBFBA 160978	1		BA 090337	116	90	81	119	127	114	90	97	81	96	81	111	134	98	100	90	109	96	105
F2			BA 070254	68 %	48 %	44 %	31 %	36 %	-0.16	-1.6	-0.21	-2.1	1.2	-20	-8.8	-5.1	5.0	0.8	-6.2	1.8	-0.6	0.4
WOODVIEW BA160978									72 %	48 %	52 %	44 %	42 %	31%	44%	29%	60 %	44 %	44 %	41 %	31 %	26 %
CWBFBA 170022	3		BA 130823	110	101	89	117	107	108	101	98	89	99	83	104	109	110	107	83	76	92	101
F3			BA 150350	67 %	40 %	31 %	29 %	35 %	0.37	2.4	-0.25	2.4	3.3	-17	-5.1	-0.9	10.2	1.6	-11.4	-2.8	-1.0	-0.3
WOODVIEW BA170022									72 %	40 %	48 %	31 %	32 %	29%	45%	25%	60 %	51 %	50 %	48 %	45 %	37 %

CWB Cows

Inbreeding >6% is high				<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed															
Cow				Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas				
ID	%Inbreeding	Parentage		Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
Name		Genomic DNA	Sire ID																			
JAPANESE BLACK																						
CWBFBA 170162		AACFF0758		65	135	109	68	88	67	135	99	109	125	132	95	84	110	93	138	91	121	96
F2		CWBFBA 130124		45 %	41 %	26 %	20 %	30 %	4.19	15.2	-0.29	13.3	20.8	52	-0.4	3.3	10.1	-0.2	27.3	-0.7	1.9	-1.1
WOODVIEW BA170162									47 %	41 %	39 %	26 %	33 %	20%	39%	20%	54 %	44 %	44 %	42 %	39 %	34 %
CWBFBA 170166		AACFF0758		63	140	96	82	99	60	140	95	96	128	118	101	97	117	98	132	85	118	97
F3		BA 130886		66 %	43 %	28 %	22 %	34 %	4.86	17.1	-0.13	6.2	22.2	32	-3.7	1.2	13.5	0.4	22.9	-1.5	1.6	-0.9
WOODVIEW BA170166									71 %	43 %	49 %	28 %	34 %	22%	46%	23%	59 %	48 %	47 %	45 %	41 %	35 %
CWBFBA 170171		IMJFAJ2810		111	90	104	98	91	107	90	117	104	94	102	99	86	100	101	82	106	83	99
PBD		CWBFBA 120682		45 %	42 %	39 %	32 %	34 %	0.52	-1.6	-1.02	10.5	-0.2	9	-2.4	3.0	5.7	0.8	-11.7	1.5	-1.8	-0.6
WOODVIEW BA170171									46 %	42 %	42 %	39 %	40 %	32%	43%	26%	55 %	44 %	45 %	43 %	41 %	32 %
CWBFBA 170362		HJ 130007		100	81	95	124	92	108	81	69	95	87	76	85	100	116	111	97	94	113	103
F2		BA 130082		63 %	41 %	25 %	15 %	32 %	0.42	-5.2	0.91	5.6	-4.6	-28	4.8	0.7	13.2	2.0	-1.2	-0.3	1.1	0.1
WOODVIEW BA170362									69 %	41 %	39 %	25 %	34 %	15%	41%	22%	57 %	42 %	41 %	38 %	22 %	17 %
CWBFSWB 180006		1	BA 130823	121	90	92	110	95	127	90	123	92	88	90	96	96	93	108	87	75	101	105
F3			BA 130917	62 %	42 %	35 %	28 %	38 %	-1.36	-1.6	-1.24	4.2	-3.8	-7	-1.0	1.4	2.3	1.7	-8.6	-3.0	0.0	0.4
SIMPLY SWB 180006									65 %	42 %	48 %	35 %	34 %	28%	46%	29%	57 %	49 %	49 %	47 %	45 %	37 %
CWBFSWB 180008			BA 130823	103	99	113	96	99	101	99	101	113	99	104	100	98	87	105	91	71	102	100
F2			CWBFBA 130124	46 %	38 %	27 %	26 %	30 %	1.02	1.6	-0.37	15.7	3.2	12	-3.3	1.0	-0.1	1.4	-5.4	-3.5	0.1	-0.4
SIMPLY SWB 180008									48 %	38 %	39 %	27 %	30 %	26%	38%	23%	52 %	47 %	47 %	45 %	44 %	36 %
CWBFSWB 190001		4	BA 160915	120	98	94	103	111	115	98	107	94	100	97	102	116	90	96	108	83	99	97
PBD			BA 120763	57 %	27 %	29 %	25 %	32 %	-0.26	1.2	-0.61	5.1	3.7	2	-4.3	-2.0	1.1	0.2	6.1	-1.8	-0.3	-0.9
SIMPLY SWB 19-0001									61 %	27 %	41 %	29 %	23 %	25%	39%	24%	52 %	34 %	34 %	31 %	24 %	17 %
CWBFSWB 190008			BA 160915	78	103	122	84	96	79	103	99	122	105	116	103	92	86	97	112	85	105	94
PBD			CWBFBA 170022	25 %	16 %	16 %	18 %	15 %	3.07	3.3	-0.31	20.7	7.0	29	-4.6	2.1	-0.7	0.3	9.2	-1.6	0.3	-1.5
SIMPLY SWB 19- 0008									26 %	16 %	20 %	16 %	14 %	18%	18%	12%	40 %	25 %	25 %	23 %	16 %	12 %
CWBFSWB 190011			BA 160915	78	103	122	84	96	79	103	99	122	105	116	103	92	86	97	112	85	105	94
F2			CWBFBA 130052	25 %	16 %	16 %	18 %	15 %	3.07	3.3	-0.31	20.7	7.0	29	-4.6	2.1	-0.7	0.3	9.2	-1.6	0.3	-1.5
SIMPLY SWB 19-0011									26 %	16 %	20 %	16 %	14 %	18%	18%	12%	40 %	25 %	25 %	23 %	16 %	12 %
CWBFSWB 190012			BA 160915	78	103	122	84	96	79	103	99	122	105	116	103	92	86	97	112	85	105	94
F3			CWBFBA 170362	25 %	16 %	16 %	18 %	15 %	3.07	3.3	-0.31	20.7	7.0	29	-4.6	2.1	-0.7	0.3	9.2	-1.6	0.3	-1.5
SIMPLY SWB 19-0012									26 %	16 %	20 %	16 %	14 %	18%	18%	12%	40 %	25 %	25 %	23 %	16 %	12 %
CWBFSWB 200005			MCPFM1713	111	92	103	101	92	108	92	122	103	91	99	99	89	105	109	90	121	93	90
PBD			CWBFBA 120682	40 %	32 %	31 %	23 %	26 %	0.43	-1.1	-1.22	10.4	-2.2	5	-2.4	2.6	8.2	1.8	-6.3	3.6	-0.8	-2.1
SIMPLY SWB 20-0005									41 %	32 %	36 %	31 %	28 %	23%	31%	21%	48 %	40 %	40 %	38 %	30 %	26 %
CWBFSWB 200008			WK 160194	95	96	112	96	104	94	96	103	112	97	104	107	102	105	84	114	88	94	103
F1				41 %	33 %	30 %	14 %	20 %	1.74	0.7	-0.45	15.0	2.2	11	-6.4	0.4	7.8	-1.4	10.6	-1.0	-0.8	0.0
SIMPLY SWB 20-0008									43 %	33 %	35 %	30 %	19 %	14%	29%	11%	46 %	33 %	32 %	29 %	28 %	21 %

CWB Cows

Inbreeding >6% is high				<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed																			
Cow				Selection Values					Kalf gewig		Moeder		Groeï		Vrugbaarheid			Karkas								
ID	%Inbreeding	Parentage		Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness				
Name		Genomic DNA	Sire ID																				Dam ID			
JAPANESE BLACK																										
CWBFSWB 200015				95 23 %				103 15 %	107 0.53 23 %		37 2.21 24 %				87 3.7 19%	114 -1.6 11%	110 10.1 35 %	112 2.2 14 %	92 -4.9 13 %	107 1.6 11 %						
F1					BA 130082																					
SIMPLY SWB 20-0015																										
CWBFSWB 200017				89 48 %	100 44 %	108 44 %	93 39 %	89 36 %	86 2.45 48 %		100 2.1 44 %		109 -0.72 47 %	108 12.6 44 %	96 1.6 42 %	107 16 39%	80 7.4 44%	96 1.3 27%	93 2.5 48 %	93 -0.2 48 %	113 9.7 48 %	106 1.5 47 %	104 0.3 44 %	109 1.0 38 %		
F2									KJDFC0087		CWBFBFA 130951															
SIMPLY SWB 20-0017																										
CWBFSWB 200018				89 48 %	100 44 %	108 44 %	93 39 %	89 36 %	86 2.45 48 %		100 2.1 44 %		109 -0.72 47 %	108 12.6 44 %	96 1.6 42 %	107 16 39%	80 7.4 44%	96 1.3 27%	107 8.9 54 %	93 -0.2 48 %	113 9.7 48 %	106 1.5 47 %	104 0.3 44 %	109 1.0 38 %		
F3									KJDFC0087		CWBFBFA 170162															
SIMPLY SWB 20-0018																										
CWBFSWB 200019				122 50 %	92 39 %	83 38 %	116 31 %	95 34 %	117 -0.41 51 %		92 -0.9 39 %		106 -0.56 46 %	83 -0.9 38 %	92 -1.2 36 %	84 -17 31%	94 -0.1 41%	97 1.2 26%	103 6.9 52 %	105 1.3 46 %	85 -10.2 46 %	126 4.3 44 %	84 -1.7 37 %	93 -1.6 31 %		
F2									MCPFM1713		BA 130054															
SIMPLY SWB 20-0019																										
CWBFSWB 230001				98 35 %	95 25 %	106 29 %	109 11 %	105 18 %	109 0.29 36 %		95 0.1 25 %		57 1.39 32 %	106 11.9 29 %	104 6.8 16 %	91 -6 11%	94 0.1 24%	112 -1.3 11%	92 2.1 29 %	119 3.0 24 %	97 -1.6 23 %	120 3.4 21 %	102 0.0 18 %	91 -1.9 14 %		
F2									CWBMBB 150106		CP 150054															
SIMPLY SWB 230001																										
CWBFSWB 250005				105 41 %	91 36 %	105 25 %	103 18 %	89 27 %	100 1.12 43 %		91 -1.4 36 %		113 -0.87 33 %	105 11.1 25 %	88 -4.0 31 %	97 3 18%	91 1.6 35%	89 2.5 19%	105 8.1 41 %	90 -0.6 32 %	95 -2.7 32 %	90 -0.8 30 %	119 1.7 24 %	120 2.9 18 %		
F3									BB 110008		CWBFSWB 220013															
SIMPLY SWB250005																										
CWBFSWB 250012				105 41 %	91 36 %	105 25 %	103 18 %	89 27 %	100 1.12 43 %		91 -1.4 36 %		113 -0.87 33 %	105 11.1 25 %	88 -4.0 31 %	97 3 18%	91 1.6 35%	89 2.5 19%	105 8.1 41 %	90 -0.6 32 %	95 -2.7 32 %	90 -0.8 30 %	119 1.7 24 %	120 2.9 18 %		
PBD									BB 110008		CWBFSWB 220003															
SIMPLY SWB250012																										
CWBFSWB 250018				105 41 %	91 36 %	105 25 %	103 18 %	89 27 %	100 1.12 43 %		91 -1.4 36 %		113 -0.87 33 %	105 11.1 25 %	88 -4.0 31 %	97 3 18%	91 1.6 35%	89 2.5 19%	105 8.1 41 %	90 -0.6 32 %	95 -2.7 32 %	90 -0.8 30 %	119 1.7 24 %	120 2.9 18 %		
F3									BB 110008		CWBFSWB 220014															
SIMPLY SWB250018																										

