



WAGYU

BREEDING VALUE REPORT

September 2026



PFG BEZUIDENHOUT

Herd Number: 8523008


E-mail: fritz@bezgrp.com



**WAGYU
SOCIETY**
OF SOUTH AFRICA



**CERTIFICATE
OF QUALITY**
Valid up to
October 2029



Notes


GEBVi (GEBVindex): The average GEBVi of all the live animals in the breed is 100, and all EBVi values are expressed relative to this value. Values above 100 are mostly in a more desirable direction. Note that a very high index is not always desirable. For certain traits, such as birth weight, average values may be better. It is the top value in the list.

GEBV (Genomic Estimated Breeding Value) indicates the genetic potential of the animal for a specific trait. It is presented in the unit of measurement and relative to the average of animals born in the base year. It is the middle value in the list and not available for selection values.

Accuracy: This value gives an indication of how much information was available for breeding value estimation. It is the bottom value in the list.

Selection values combine similar breeding values in a scientific manner to simplify the selection of animals. For example, HF (Heifer Fertility), CF (Cow Fertility) and Longevity are

combined to form the Fertility Value by taking the heritability and economic importance in consideration.




* Depending on selection goal

GEBVi		Description / Measurement	Goal		General Guidelines*					
					80	90	100	110	120	
Selection V.	Calving Ease Value	Difficult calving due to high birth weight	Average birth weight	High						Low
	Calf Growth Value	Calf's genetic ability for prewean growth	Heavy weaner	Light						Heavy
	Milk Value	Cow's genetic mothering and milking ability	Enough milk for calf	Less						More
	Maintenance Value	Maintenance requirement of cow (weight and milk)	Low cow maintenance	High					*	Low
	Fertility Value	Fertility and retention of cows and heifers	Fertile cows	Low						High
Cow & Calf	Birth weight direct	Birth weight (Calf's genetic ability)	Average birth weight	Heavy						Light
	Birth weight mat	Birth weight (Dam's genetic ability)	Easy calving	Heavy						Light
	Weaning weight direct	Weaning weight (Calf's genetic ability)	Heavy weaners	Light						Heavy
	Weaning weight mat	Weaning weight (Dam's genetic ability)	Good mothers	Poor						Good
	Post-wean weight	Combination of EBVs for 12 and 18 month weights	Mature weight	Light				*	*	Heavy
	Mature Cow Weight	Cow weight at weaning of first three calves	Mature cow weight	Light				*	*	Heavy
Ferti.	Heifer Fertility	Age at first calving	Fertile heifers	Less						More
	Cow Fertility	First 3 inter-calving periods (ICPs)	Fertile cows	Less						More
	Longevity	Retention of progeny	Acceptable progeny	Poor						Good
Carcass	IMF	Intra-muscular-fat, Marbling	High quality carcass	Less						More
	Carcass weight	Weight of the carcass	High quality carcass	Light						Heavy
	EMA	Eye-muscle-area at the 12/13th rib of the dressed carcass	High quality carcass	Small						Large
	Rib Fat	Rib fat depth at the 12/13th rib of the dressed carcass	High quality carcass	Thin						Thick
	Marbling Fineness	Degree of fineness of marbling fat	High quality carcass	Low						High

Herd and Breed Averages

Number 192



Breeding Values (EBV):

Birth: Birth weight IMF: Marbling
 Wean: Weaning weight Carcwt: Carcass wt
 Birth.mat: Birth mat EMA: Eye muscle area
 Milk: Milk RibFatt: Rib Fat thickness
 Postwn: Postwean weight MF: Marbling Fineness
 Matwt: Mature weight
 HF: Heifer Fertility
 CF: Cow Fertility
 LL: Longevity

Selection values:

CEaseV Calving Ease Value
 CGrowthV Calf Growth Value
 MilkV: Milk Value
 MaintV: Maintenance Value
 FertV: Fertility Value

	Trait	EBV Herd	EBV Index	EBV Breed
Prewean growth	Birth Weight	0.84	104	1.23
	Wean Weight	2.7	99	2.9
	Birth Mat.	-0.48	103	-0.38
	Milk (Wn.Mat.)	7.4	98	8.7
Postwean growth	Postwean wt	6.6	100	6.4
	Mature weight	5	99	6
	Heifer Fertility	-6.7	107	-2.9
Fertility	Cow Fertility	-0.9	108	0.5
	Longevity	6.1	102	5.2
Carcass	IMF	-1.2	84	0.8
	Carcass weight	-5.8	91	0.8
	EMA	-0.3	93	0.8
	Rib Fat	-0.1	100	-0.1
	MF	2.5	119	-0.5

Selection Value	Herd Avg
Calving Ease Value	106
Calf Growth Value	99
Milk Value	98
Maintenance Value	101
Fertility Value	108


- Average of live animals in the breed: 100
- Above 100: **more favourable**,
- Below 100: **less favourable**

What does a sub-selection value above breed average (100) mean?:

Calving ease: Smaller calf at birth - easier calving
 Calf growth: Heavier calves at wean due to growth potential of the calf
 Milk: Cows with more milk and better mothering ability
 Maintenance: Animals with low maintenance requirements (lower mature weight).
 Fertility: Cows/daughters that calve

Genetic Trends for On-Farm Traits

The graphs show the genetic gain of the herd relative to the breed. Only data of animals with measurements are included.




Herd

Birth Year	Calving Ease				Calf Growth			Milk			Maintenance			Fertility									
	Birth Weight		Mat	Calv. Ease	Weaning Weight		Calf Growth	Milk (Wn.Mat.)		Milk	Postwean Weight		Mature Weight		Mainte-nance	Heifer Fert.		Cow Fert.		Longevity		Ferti- lity	
	Number	EBV			Dir	EBV		Number	EBV		Number	EBV	Number	EBV		Number	EBV	Number	EBV	Number	EBV		Number
2017																					3	-4.0	
2019																					37	2.0	
2020																					5	-0.3	
2021	5	-0.27	0.21	107													3	-12.3	1	-2.3	67	1.0	115
2022	6	-0.08	-0.54	113													2	-9.5	1	-4.0	22	0.9	120
2023	4	-0.13	-0.92	113													2	-9.1					117
2024	6	-0.07	-0.24	109	3	6.7	109	3	5.68	94							1	-15.0					127
2025	21	-0.32	-0.44	117	8	2.3	99	8	0.09	84													
2026	18	0.12	-0.27	111																			

Breed

Birth Year	Calving Ease				Calf Growth			Milk			Maintenance					Fertility						
	Birth Weight		Mat EBV	Calv. Ease	Weaning Weight		Calf Growth	Milk (Wn.Mat.)		Milk	Postwean Weight		Mature Weight		Mainte-nance	Heifer Fert.		Cow Fert.		Longevity		Ferti-ility
	Number	Dir EBV			Number	EBV		Number	EBV		Number	EBV	Number	EBV		Number	EBV	Number	EBV	Number	EBV	
2016	667	0.14	0.06	106	280	0.5	94	280	6.43	96	213	2.7	17	-11	110	777	-1.4	388	-0.8	6318	-0.5	102
2017	787	0.41	0.21	102	405	0.6	94	405	3.76	91	309	0.1	33	-9	111	791	-1.9	308	-0.6	10308	-0.4	102
2018	1180	0.44	0.12	103	815	-1.4	89	815	2.45	88	823	-0.9	19	-23	113	665	-4.6	407	-1.0	9232	2.0	106
2019	1379	0.55	0.15	102	901	0.1	93	901	1.30	86	896	0.6	27	-30	112	1006	-2.8	469	-0.6	11910	1.7	103
2020	2115	0.65	-0.03	102	556	2.3	98	556	7.29	97	273	6.2	24	-7	103	665	-4.3	269	-1.0	11395	1.2	106
2021	2374	0.55	-0.10	103	589	0.4	94	589	4.13	91	253	0.2	19	-6	112	405	-6.0	158	-1.5	9292	1.5	108
2022	2062	0.42	-0.18	105	461	2.0	98	461	1.65	87	246	2.4	15	15	110	306	-2.8	72	-0.6	4200	2.1	103
2023	1637	0.34	-0.31	107	461	2.0	98	461	1.21	86	160	2.0	5	-3	111	121	-6.6	11	-0.6			110
2024	1413	0.39	-0.30	107	311	2.5	99	311	1.86	87	36	14.0			97	15	-2.4					101
2025	1478	0.37	-0.14	106	386	2.5	99	386	0.24	84												
2026	307	0.25	-0.03	106																		

Genetic Trends for Carcass Traits



Herd

Birth Year	Carcass														
	IMF			Carcass weight			EMA			RibFat			Marble Fineness		
	Number	EBV	EBVi	Number	EBV	EBVi	Number	EBV	EBVi	Number	EBV	EBVi	Number	EBV	EBVi
2017															
2019	10	-1.8	79	12	7.5	109	12	0.6	99	5	2.0	122			
2020															
2021	3	-0.3	91	12	-8.0	88	12	-0.5	92	12	-2.2	78	3	-0.7	98
2022	19	-2.3	75	20	-24.0	65	20	-1.5	85	20	-2.9	70	19	2.9	121
2023	6	-3.4	67	6	-30.9	55	6	-1.2	87	6	-0.9	91	6	6.1	141

Breed

Birth Year	Carcass														
	IMF			Carcass weight			EMA			Rib Fat			Marble Fineness		
	Number	EBV	EBVi	Number	EBV	EBVi	Number	EBV	EBVi	Number	EBV	EBVi	Number	EBV	EBVi
2013	17	0.6	99	776	-0.1	99	361	0.8	100	346	0.2	103	5	-4.6	74
2014	16	-1.0	86	541	-3.8	94	301	1.7	106	269	-0.1	100	4	0.0	103
2015	36	-0.5	90	589	-7.1	89	548	1.0	102	520	-0.1	100	6	0.3	105
2016	124	-0.8	87	588	-0.3	98	322	0.1	96	211	0.3	105	5	2.1	117
2017	732	-0.4	90	1244	-0.2	99	1116	0.1	95	272	0.0	102	17	0.3	105
2018	1946	0.0	94	1969	0.0	99	1940	0.0	95	87	0.0	101	22	0.0	103
2019	2812	0.3	96	2823	-1.3	97	2753	0.8	100	212	-0.5	96	61	0.4	106
2020	4627	0.7	99	4682	-0.6	98	4656	0.5	98	713	-0.3	98	92	-1.2	95
2021	3444	0.9	101	3606	-0.3	98	3596	0.6	99	3275	-0.2	99	531	-0.6	99
2022	3277	1.0	101	3324	-0.9	98	3275	0.4	97	3191	-0.3	97	2749	-1.0	97
2023	1839	1.1	103	1845	1.3	101	1836	0.6	99	1795	0.0	101	1841	-1.0	96
2024	17	-0.6	89	17	1.3	101	17	0.5	98	16	-0.5	96	17	0.1	103

WAGYU Sires

Sire			Growth					Carcass					Stats					
ID	Parentage	Sire ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Daughters with calves	Active 2yrs & older	Carcasses
Name	Gen. DNA	Dam ID																
JAPANESE BLACK																		
AW 160023		HSFV0010	118	145	133	136	129	71	68	111	133	93	118	2	10	3	1	3
PBD		BA 110524	-0.48	21.2	26.6	35.3	48	-6.8	-3.2	8.2	5.9	-0.7	2.3					
ABSOLUTE GENETIC AW160023			55%	36%	41%	36%	34%	36%	51%	50%	44%	39%	26%					
AW 180077		AACFF0758	96	115	103	102	101	75	90	109	55	150	136	6	687	21	6	4
FB		BA 130990	1.63	9.1	7.8	8.9	7	-4.7	-0.5	6.8	-6.2	4.7	5.3					
AW180077			96%	91%	90%	89%	88%	89%	91%	91%	90%	90%	89%					
AW 190014		SMOFK0406	108	110	106	110	96	90	80	80	105	89	118	2	20	2	9	
PBD		BB 150134	0.44	6.9	9.8	15.0	0	3.5	-1.8	-13.1	1.6	-1.2	2.4					
AW190014			82%	81%	82%	81%	80%	80%	81%	81%	81%	81%	81%					
BB 180269		ADBFA0139	113	94	85	84	76	75	111	81	101	100	114	2	73	2	33	
FB		ADBFL0055	-0.01	0.7	-3.2	-5.2	-28	-4.4	2.1	-12.6	1.0	-0.1	1.7					
BB180269 (ET)			92%	91%	91%	91%	90%	91%	91%	91%	91%	91%	91%					
KI 140021		OVE 080002	123	83	80	84	72	75	76	37	84	38	124	6	131	36	25	13
FB		BA 080212	-1.04	-3.7	-6.2	-4.6	-34	-4.5	-2.2	-43.4	-1.7	-6.0	3.4					
ABSOLUTE GENETIC KI140021			94%	93%	93%	92%	92%	92%	94%	95%	94%	94%	93%					
KI 140022		FB13429	117	118	115	118	103	84	66	30	77	88	154	5	75	21	21	5
PBD		BA 080201	-0.45	10.3	15.6	21.9	10	0.4	-3.5	-50.4	-2.8	-1.2	8.1					
ABSOLUTE GENETIC KI140022			91%	88%	87%	86%	86%	87%	90%	90%	89%	88%	87%					
OVE 080002		IMJFAJ2810	137	63	58	64	58	74	84	81	98	77	115	43	761	155	134	154
FB		BYWFW0075	-2.36	-11.9	-20.0	-20.7	-54	-5.1	-1.2	-12.5	0.4	-2.3	2.0					
KITATERA			99%	98%	97%	97%	96%	97%	98%	98%	97%	97%	96%					
OVE 100045		IMUFQ2599	119	87	83	88	78	89	75	108	68	103	121	12	95	33	20	15
PBD		BYWFW0034	-0.60	-2.3	-4.3	-2.2	-26	2.9	-2.4	6.2	-4.1	0.2	2.8					
10045			87%	61%	50%	35%	18%	60%	82%	82%	74%	68%	43%					
PK 150001		KKWFA0871	117	88	80	83	85	60	76	83	101	89	136	7	46	10	11	24
FB		PK 110003	-0.39	-1.9	-6.2	-5.8	-15	-12.6	-2.2	-11.4	1.0	-1.1	5.3					
PK 150001			62%	48%	64%	48%	41%	52%	78%	78%	72%	57%	38%					
SMOFF0154		IMUFM1615	105	85	78	74	84	61	138	104	94	116	98	33	285	101	126	20
FB		SMOFC0016	0.73	-3.1	-7.4	-13.2	-17	-12.0	5.7	3.6	-0.2	1.4	-0.8					
SUMO CATTLE CO MICHIFUKU F154 (AI)			99%	98%	98%	98%	98%	98%	99%	99%	98%	98%	98%					
SWK 180010		SMOFF0126	101	117	111	111	85	83	93	118	125	151	135	2	55	17	17	6
FB		CCOFA0089	1.16	10.0	12.8	16.1	-16	-0.2	-0.1	13.3	4.6	4.8	5.2					
MICHIFUKU P010			82%	70%	71%	74%	50%	43%	57%	61%	55%	49%	32%					

WAGYU Sires

Sire			Growth								Carcass					Stats							
ID	Parentage	Sire ID		DNA	Dam ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Daughters with calves	Active 2yrs & older	Carcasses		
Name																							
JAPANESE BLACK																							
SWK 190029		SMOFF0154				131	68	62	65	71	67	104	78	90	109	122	3	78	7	10	3		
FB		HJ 140008				-1.73	-10.1	-17.6	-20.2	-35	-8.7	1.3	-14.4	-0.7	0.8	3.1							
MICHIFUKU Q029						93%	90%	90%	89%	89%	89%	89%	90%	89%	89%	89%						89%	
SWK 190035		SMOFF0154				111	97	88	86	72	84	96	90	75	104	123	3	61	29	32	5		
FB		BA 130992				0.16	1.8	-1.2	-3.4	-34	0.4	0.3	-6.0	-3.1	0.3	3.2							
MICHIFUKU Q035						90%	89%	89%	89%	88%	88%	89%	89%	89%	88%	87%							

WAGYU Dams

Dam				Growth						Carcass					Stats			
ID	Parentage	Sire ID		Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name	Gen.	DNA	Dam ID															
JAPANESE BLACK																		
BA 110480			Y342	100	96	94	98	86	90	86	90	87	65	97	5	30	8	
FB			CWBFBA 080172	1.20	1.4	2.1	5.7	-14	3.2	-1.0	-6.1	-1.2	-3.5	-0.9				
LETTER 11 480				91%	88%	88%	89%	88%	88%	89%	89%	89%	89%	88%				
BA 160993			BA 090330	116	92	84	86	86	70	88	91	104	94	112	2	5	1	
FB			BA 130968	-0.29	-0.4	-4.0	-3.2	-14	-7.0	-0.7	-5.5	1.5	-0.7	1.5				
WOODVIEW BA160993				75%	44%	37%	35%	35%	41%	47%	47%	44%	33%	24%				
HJ 140008			ETJ002	148	77	73	78	78	76	88	65	93	84	120	3	19	4	2
FB			BA 070123	-3.47	-6.2	-10.7	-9.3	-25	-4.0	-0.7	-24.1	-0.3	-1.6	2.7				
HJ 140008				94%	93%	93%	93%	93%	93%	93%	93%	93%	93%	92%				
PFG 190011			OVE 080002	117	100	97	101	97	90	74	113	101	103	118	2	3	1	
F1			CWBFJYJ 170017	-0.39	3.0	4.4	8.5	1	3.2	-2.4	10.0	0.9	0.2	2.4				
SOLDUS PFG190011				82%	80%	80%	80%	78%	80%	80%	80%	80%	79%	78%				
PFG 190012			OVE 080002	120	102	98	103	95	87	85	114	94	98	108	2	5	3	
F1			CWBFJYJ 170028	-0.74	3.8	5.1	9.5	-1	1.6	-1.1	10.4	-0.1	-0.2	0.8				
SOLDUS PFG190012				83%	81%	80%	80%	79%	80%	81%	81%	80%	80%	79%				
PFG 190013			OVE 080002	106	104	101	105	92	91	85	120	85	117	119	2	5	2	
F1			CWBFJYJ 170058	0.67	4.7	6.6	11.7	-5	3.9	-1.2	14.8	-1.6	1.5	2.6				
SOLDUS PFG190013				82%	80%	80%	79%	78%	79%	81%	81%	80%	80%	79%				
PFG 190015			OVE 080002	128	101	96	98	103	95	80	116	93	97	108	2	4		
F1			CWBFB DY 170032	-1.45	3.2	3.8	6.3	11	6.2	-1.8	12.3	-0.2	-0.4	0.9				
SOLDUS PFG190015				83%	82%	81%	81%	79%	82%	82%	82%	81%	81%	80%				
PFG 190016				106	116	112	116	111	97	71	120	102	108	116	2	2		
F1				0.61	9.3	13.7	20.0	23	6.9	-2.9	15.2	1.1	0.6	2.1				
SOLDUS PFG190016				76%	74%	74%	74%	74%	74%	74%	75%	74%	74%	74%				
PFG 190018			PK 150001	107	108	102	104	104	83	74	99	84	124	144	2	5	1	
F1				0.60	6.1	7.6	10.3	12	-0.5	-2.5	-0.2	-1.8	2.2	6.6				
SOLDUS PFG190018				78%	76%	77%	76%	76%	76%	78%	78%	78%	77%	76%				
PFG 190022			OVE 100045	101	116	112	116	106	92	61	108	93	88	119	2	3	1	
F1				1.18	9.4	13.9	20.1	14	4.3	-4.2	6.5	-0.4	-1.3	2.5				
SOLDUS PFG190022				79%	76%	76%	75%	75%	76%	78%	78%	77%	77%	76%				
PFG 190023			AW 160023	100	141	135	137	149	97	73	120	121	109	115	2	4	1	
F1				1.22	19.3	28.0	36.0	76	7.0	-2.7	14.8	4.0	0.8	2.0				
SOLDUS PFG190023				76%	75%	74%	74%	79%	77%	75%	75%	75%	75%	74%				
PFG 190024			AW 160023	107	132	129	129	130	98	76	117	116	113	117	1	2	1	
F1				0.58	15.7	23.9	30.5	49	7.7	-2.2	12.6	3.2	1.1	2.2				
SOLDUS PFG190024				75%	74%	74%	74%	74%	74%	74%	74%	74%	74%	74%				

WAGYU Dams

Dam				Growth					Carcass					Stats				
ID	Parentage	Sire ID		Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name	Gen. DNA	Dam ID																
JAPANESE BLACK																		
PFG 190025				105	115	111	115	106	93	71	119	100	103	116	2	3		1
BS				0.78	9.1	13.2	19.1	15	5.1	-2.9	14.3	0.8	0.2	2.1				
SOLDUS PFG190025				78%	76%	76%	75%	75%	75%	76%	77%	76%	77%	75%				
PFG 190026				108	114	111	115	104	91	76	118	93	111	116	1	2		
F1				0.44	8.7	13.2	19.0	12	4.0	-2.2	13.7	-0.3	0.9	2.1				
SOLDUS PFG190026				76%	75%	73%	73%	73%	76%	74%	74%	73%	73%	73%				
PFG 190029		✓ PK 150001		121	108	104	106	117	89	79	103	90	97	121	2	5	1	
F1				-0.79	6.3	8.8	12.5	31	2.8	-1.9	2.9	-0.8	-0.4	2.9				
SOLDUS PFG190029				79%	77%	76%	76%	75%	78%	77%	77%	77%	76%	75%				
PFG 190030				103	110	107	111	114	93	66	125	92	106	119	2	4	1	
BS				0.94	7.0	10.6	16.3	26	5.0	-3.5	18.4	-0.4	0.5	2.5				
SOLDUS PFG190030				77%	76%	75%	74%	74%	77%	75%	75%	75%	75%	74%				
PFG 190033				108	105	103	108	101	96	61	124	97	109	126	2	3	1	
F1				0.43	4.8	8.0	13.7	7	6.5	-4.1	18.1	0.3	0.8	3.7				
SOLDUS PFG190033				77%	75%	75%	75%	74%	75%	75%	75%	75%	75%	74%				
PFG 190034				108	101	97	100	94	90	70	104	92	98	122	2	5	2	1
BS				0.49	3.4	4.4	7.7	-2	3.3	-3.1	3.9	-0.4	-0.3	3.0				
SOLDUS PFG190034				78%	77%	76%	76%	76%	78%	77%	78%	77%	78%	76%				
PFG 190037				105	113	108	111	90	92	74	115	99	102	114	2	2		
F1				0.72	8.0	11.3	16.4	-8	4.4	-2.5	11.5	0.6	0.1	1.8				
SOLDUS PFG190037				76%	75%	74%	74%	74%	77%	74%	74%	74%	74%	74%				
PFG 190038				116	107	103	106	101	95	69	113	91	114	128	2	3	2	
F1				-0.32	5.6	8.0	12.2	8	6.3	-3.2	9.9	-0.7	1.2	3.9				
SOLDUS PFG190038				76%	75%	74%	74%	79%	76%	74%	74%	74%	74%	74%				
PFG 210031		✓ KI 140021		97	93	97	98	98	105	80	75	89	71	113	1	1		
F1				1.49	0.2	4.1	6.0	4	11.3	-1.7	-16.6	-1.0	-2.9	1.5				
PFG210031				46%	39%	29%	27%	24%	45%	42%	43%	41%	42%	36%				
PFG 210048		✓ KI 140021		103	93	96	98	99	106	80	75	89	71	113	1	1		
F1		CWBFJAJ 190081		0.92	0.1	3.9	5.8	5	12.1	-1.7	-16.6	-1.0	-2.9	1.5				
PFG2148				43%	29%	29%	27%	24%	27%	42%	43%	41%	42%	36%				
PFG 220006		✓ KI 140022		110	111	107	110	98	87	68	66	85	93	138	1	1		
F1		✓ PFG 190034		0.26	7.2	10.5	15.4	4	2.0	-3.3	-23.3	-1.6	-0.8	5.6				
PFG				48%	33%	19%	18%	18%	29%	37%	39%	36%	36%	26%				
PFG 220081		✓ KI 140021		97	95	98	100	99	107	80	75	89	71	113	1	1	1	
F1		CWBFBDM 170059		1.56	0.9	5.1	7.3	5	12.5	-1.7	-16.6	-1.0	-2.9	1.5				
PFG2281				39%	29%	29%	27%	24%	27%	42%	43%	41%	42%	36%				

WAGYU Dams

Dam			Growth					Carcass					Stats				
ID	Parentage	Sire ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name	Gen. DNA	Dam ID															
JAPANESE BLACK																	
PFG 220092	✓	KI 140022	94	112	116	117	115	112	75	70	85	97	128	1	1		
F2		CWBFPFG 210011	1.82	7.9	16.0	20.4	27	14.9	-2.3	-20.2	-1.5	-0.4	3.9				
PFG2292			47%	30%	19%	18%	18%	21%	37%	37%	34%	33%	26%				
PFG 220094	✓	KI 140022	107	115	111	113	103	83	63	53	72	119	160	2	2		
F2	✓	PFG 190018	0.54	9.0	12.7	17.4	11	-0.1	-3.9	-32.3	-3.6	1.7	9.0				
PFG2294			64%	32%	25%	22%	21%	25%	64%	63%	54%	61%	48%				
PFG 220104	✓	KI 140022	93	113	116	117	115	112	75	70	85	97	128	1	1		
F1		CWBFBDM 170062	1.92	8.0	16.2	20.7	27	14.9	-2.3	-20.2	-1.5	-0.4	3.9				
PFG220104			47%	30%	19%	18%	18%	21%	37%	37%	34%	33%	26%				
PFG 230024			94											1	1		
BS		CWBFLPL 210036	1.85														
PFG230024			30%														
PFG 230025	✓	KI 140022	97	112	115	116	115	111	75	70	85	97	128	1	1		
F2	✓	CWBFLPL 210059	1.55	7.6	15.4	19.8	27	14.7	-2.3	-20.2	-1.5	-0.4	3.9				
SOLDUS PFG230025			45%	30%	19%	18%	18%	21%	37%	37%	34%	33%	26%				
PFG 230055	✓	KI 140021	101	94	97	98	99	107	80	75	89	71	113	1	1		
F2	✓	CWBFLPL 210052	1.11	0.4	4.2	6.2	5	12.2	-1.7	-16.6	-1.0	-2.9	1.5				
PFG230055			44%	29%	29%	27%	24%	27%	42%	43%	41%	42%	36%				
PFG 230078	✓	KI 140022	93	113	116	117	115	112	75	70	85	97	128	1	1		
F2	✓	CWBFLPL 210039	1.93	8.0	16.2	20.7	27	15.0	-2.3	-20.2	-1.5	-0.4	3.9				
PFG230078			46%	30%	19%	18%	18%	21%	37%	37%	34%	33%	26%				
PFG 230106	✓	KI 140022	90	113	117	118	115	112	75	70	85	97	128	1	1		
F1			2.17	8.4	16.6	21.3	27	15.1	-2.3	-20.2	-1.5	-0.4	3.9				
PFG230106			46%	30%	19%	18%	18%	21%	37%	37%	34%	33%	26%				
PFG 230108	✓	KI 140022	111	112	109	112	100	87	70	70	89	95	136	1	1		
F2	✓	PFG 190011	0.16	7.8	11.5	16.9	6	1.6	-3.0	-20.2	-1.0	-0.5	5.3				
PFG			67%	38%	30%	29%	24%	31%	44%	44%	41%	39%	31%				
PFG 240008		KI 140022	91	113	117	117	115	112	75	70	85	97	128	1	1		
BS		CWBFPFG 210063	2.06	8.2	16.4	21.0	27	15.0	-2.3	-20.2	-1.5	-0.4	3.9				
PFG240008			47%	30%	19%	18%	18%	21%	37%	37%	34%	33%	26%				
PFG 240018	✓	AW 190014	111	110	106	109	106	90	79	92	98	93	119	1	1		
F2	✓	PFG 190029	0.12	7.0	9.9	14.4	15	3.3	-1.8	-5.1	0.4	-0.8	2.6				
PFG240018			39%	23%	24%	16%	12%	24%	25%	25%	23%	20%	13%				
PFG 240032	✓	AW 190014	86	109	112	113	111	115	82	97	99	97	110	1	1		
F1			2.58	6.6	13.7	17.7	22	16.6	-1.5	-1.5	0.7	-0.3	1.1				
PFG240032			30%	14%	17%	10%	6%	8%	16%	16%	15%	13%	9%				

WAGYU Bulls

Inbreeding >6% is high				<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed																	
Bull				Selection Value					Calf weight		Mother		Growth		Fertility			Carcass						
ID	Parentage	%Inbreeding	Genomic	Sire ID	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling	Fineness
Name	DNA	Dam ID																						
JAPANESE BLACK																								
SWK 190029	2		SMOFF0154		114	68	67	129	118	131	68	122	67	63	71	111	122	114	104	78	90	109	122	
FB			HJ 140008		-1.73	-10.1	-1.22	-8.7	-19.3	-35	-9.1	-3.7	11.1	1.3	-14.4	-0.7	0.8	3.1						
STELLA MICHIFUKU Q029					92%	90%	89 %	89%	88%	93 %	90 %	89%	89%	90%	89%	89%	88%	91 %	89 %	90 %	89 %	89 %	89 %	
PFG 210055	1		AW 180077		88	109	80	103	105	89	109	96	80	104	97	107	103	122	83	95	84	113	124	
FB			BA 110480		2.30	6.6	-0.25	-1.9	8.9	2	-6.9	-0.5	14.6	-1.3	-3.0	-1.7	1.1	3.3						
SOLDUS PFG2155					87%	85%	84 %	83%	84%	87 %	85 %	85%	84%	84%	83%	84%	83%	87 %	85 %	85 %	85 %	85 %	84 %	
PFG 230021	1		SMOFF0154		118	86	76	117	123	112	86	105	76	78	83	109	131	109	102	85	84	93	114	
FB			BA 110480		0.02	-2.8	-0.59	-4.1	-8.8	-17	-8.2	-5.4	9.1	1.1	-9.6	-1.7	-0.7	1.8						
SOLDUS PFG230021					88%	87%	87 %	86%	86%	88 %	87 %	88%	87%	87%	86%	87%	86%	88 %	87 %	87 %	87 %	87 %	87 %	
PFG 240072			KI 140022		101	122	89	96	118	99	122	101	89	119	104	108	124	130	74	58	79	89	135	
FB			BA 110480		1.37	11.7	-0.43	2.9	19.5	11	-7.3	-4.0	18.2	-2.5	-28.7	-2.4	-1.2	5.0						
SOLDUS PFG240072					86%	83%	82 %	82%	82%	86 %	83 %	84%	82%	82%	82%	83%	82%	85 %	84 %	84 %	83 %	83 %	82 %	

WAGYU Cows

Inbreeding >6% is high				<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed															
Cow				Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas				
ID	%Inbreeding	Parentage		Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
Name		Genomic DNA	Sire ID Dam ID																			
JAPANESE BLACK																						
PFG 190011			OVE 080002	119	100	90	103	121	117	100	93	90	99	97	123	120	97	74	113	101	103	118
F1			CWBFJYJ 170017						-0.39	3.0	-0.12	3.2	6.0	1	-16.0	-3.1	3.8	-2.4	10.0	0.9	0.2	2.4
SOLDUS PFG190011				82 %	80 %	80 %	78 %	78 %	82 %	80 %	82 %	80 %	80 %	78%	79%	78%	82 %	80 %	80 %	80 %	79 %	78 %
PFG 190012			OVE 080002	127	102	87	105	125	120	102	104	87	101	95	125	124	102	85	114	94	98	108
F1			CWBFJYJ 170028						-0.74	3.8	-0.54	1.6	6.9	-1	-17.7	-3.8	6.1	-1.1	10.4	-0.1	-0.2	0.8
SOLDUS PFG190012				83 %	81 %	80 %	79 %	79 %	83 %	81 %	83 %	80 %	80 %	79%	80%	78%	82 %	81 %	81 %	80 %	80 %	79 %
PFG 190013			OVE 080002	103	104	91	108	125	106	104	80	91	103	92	124	125	97	85	120	85	117	119
F1			CWBFJYJ 170058						0.67	4.7	0.37	3.9	8.7	-5	-17.0	-4.0	4.0	-1.2	14.8	-1.6	1.5	2.6
SOLDUS PFG190013				82 %	80 %	79 %	78 %	78 %	82 %	80 %	82 %	79 %	80 %	78%	79%	77%	82 %	81 %	81 %	80 %	80 %	79 %
PFG 190015			OVE 080002	119	101	95	97	118	128	101	101	95	97	103	119	117	97	80	116	93	97	108
F1			CWBFBDY 170032						-1.45	3.2	-0.43	6.2	4.6	11	-14.0	-2.6	3.7	-1.8	12.3	-0.2	-0.4	0.9
SOLDUS PFG190015				83 %	82 %	82 %	79 %	80 %	83 %	82 %	84 %	82 %	81 %	79%	80%	79%	83 %	82 %	82 %	81 %	81 %	80 %
PFG 190016				108	116	97	89	130	106	116	95	97	114	111	131	127	106	71	120	102	108	116
F1									0.61	9.3	-0.18	6.9	16.4	23	-20.6	-4.5	7.9	-2.9	15.2	1.1	0.6	2.1
SOLDUS SOLDUS PFG190016				76 %	74 %	74 %	74 %	74 %	76 %	74 %	76 %	74 %	74 %	74%	74%	74%	77 %	74 %	75 %	74 %	74 %	74 %
PFG 190018			PK 150001	111	108	83	96	126	107	108	105	83	103	104	116	132	94	74	99	84	124	144
F1									0.60	6.1	-0.59	-0.5	8.5	12	-12.3	-5.2	2.7	-2.5	-0.2	-1.8	2.2	6.6
SOLDUS PFG190018				78 %	76 %	76 %	76 %	76 %	78 %	76 %	79 %	76 %	76 %	76%	76%	75%	80 %	78 %	78 %	78 %	77 %	76 %
PFG 190022			OVE 100045	101	116	92	94	132	101	116	96	92	115	106	130	131	100	61	108	93	88	119
F1									1.18	9.4	-0.24	4.3	16.6	14	-20.2	-5.1	5.1	-4.2	6.5	-0.4	-1.3	2.5
SOLDUS SOLDUS PFG190022				79 %	76 %	76 %	75 %	76 %	79 %	76 %	78 %	76 %	76 %	75%	76%	75%	80 %	78 %	78 %	77 %	77 %	76 %
PFG 190023			AW 160023	103	141	97	51	129	100	141	102	97	136	149	125	131	108	73	120	121	109	115
F1									1.22	19.3	-0.44	7.0	31.6	76	-17.3	-5.1	8.5	-2.7	14.8	4.0	0.8	2.0
SOLDUS PFG190023				76 %	75 %	77 %	79 %	74 %	76 %	75 %	75 %	77 %	74 %	79%	74%	73%	77 %	75 %	75 %	75 %	75 %	74 %
PFG 190025				108	115	93	94	123	105	115	101	93	113	106	121	122	107	71	119	100	103	116
BS									0.78	9.1	-0.43	5.1	15.7	15	-15.0	-3.5	8.0	-2.9	14.3	0.8	0.2	2.1
SOLDUS PFG190025				78 %	76 %	75 %	75 %	75 %	78 %	76 %	78 %	75 %	76 %	75%	75%	75%	78 %	76 %	77 %	76 %	77 %	75 %
PFG 190026				110	114	91	96	130	108	114	95	91	113	104	129	130	112	76	118	93	111	116
F1									0.44	8.7	-0.19	4.0	15.7	12	-19.6	-4.9	10.4	-2.2	13.7	-0.3	0.9	2.1
SOLDUS SOLDUS PFG190026				76 %	75 %	76 %	73 %	73 %	76 %	75 %	76 %	76 %	73 %	73%	73%	73%	75 %	74 %	74 %	73 %	73 %	73 %
PFG 190029			PK 150001	124	108	89	83	122	121	108	124	89	105	117	113	128	105	79	103	90	97	121
F1									-0.79	6.3	-1.27	2.8	10.2	31	-10.4	-4.5	7.5	-1.9	2.9	-0.8	-0.4	2.9
SOLDUS PFG190029				79 %	77 %	78 %	75 %	76 %	79 %	77 %	80 %	78 %	76 %	75%	76%	75%	80 %	77 %	77 %	77 %	76 %	75 %
PFG 190030				102	110	93	86	127	103	110	88	93	110	114	120	131	116	66	125	92	106	119
BS									0.94	7.0	0.06	5.0	13.1	26	-14.4	-5.0	11.9	-3.5	18.4	-0.4	0.5	2.5
SOLDUS PFG190030				77 %	76 %	77 %	74 %	74 %	77 %	76 %	77 %	77 %	74 %	74%	75%	74%	77 %	75 %	75 %	75 %	75 %	74 %

WAGYU Cows

Inbreeding >6% is high				<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed																	
Cow				Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas						
ID	%Inbreeding	Parentage		Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling	Fineness	
		Genomic DNA	Sire ID																					
Name																								
JAPANESE BLACK																								
PFG 190033				108	105	96	99	123	108	105	89	96	106	101	122	122	110	61	124	97	109	126		
F1				77 %	75 %	75 %	74 %	74 %	0.43	4.8	0.03	6.5	10.5	7	-15.7	-3.5	9.4	-4.1	18.1	0.3	0.8	3.7		
SOLDUS SOLDUS PFG190033									77 %	75 %	77 %	75 %	75 %	74 %	75 %	74 %	77 %	75 %	75 %	75 %	75 %	74 %		
PFG 190034				109	101	90	106	129	108	101	94	90	99	94	128	129	101	70	104	92	98	122		
BS				78 %	77 %	78 %	76 %	76 %	0.49	3.4	-0.15	3.3	5.7	-2	-19.1	-4.7	5.8	-3.1	3.9	-0.4	-0.3	3.0		
SOLDUS PFG190034									78 %	77 %	79 %	78 %	76 %	76 %	76 %	79 %	77 %	77 %	77 %	78 %	76 %			
PFG 190037				108	113	92	110	123	105	113	100	92	110	90	122	122	106	74	115	99	102	114		
F1				76 %	75 %	77 %	74 %	74 %	0.72	8.0	-0.40	4.4	13.4	-8	-15.6	-3.5	7.6	-2.5	11.5	0.6	0.1	1.8		
SOLDUS SOLDUS PFG190037									76 %	75 %	76 %	77 %	74 %	74 %	74 %	76 %	74 %	74 %	74 %	74 %	74 %			
PFG 190038				120	107	95	99	129	116	107	99	95	105	101	125	130	104	69	113	91	114	128		
F1				76 %	75 %	76 %	79 %	74 %	-0.32	5.6	-0.35	6.3	9.7	8	-17.3	-4.9	7.0	-3.2	9.9	-0.7	1.2	3.9		
SOLDUS SOLDUS PFG190038									76 %	75 %	76 %	76 %	74 %	79 %	74 %	76 %	74 %	74 %	74 %	74 %	74 %	74 %		
PFG 210031				102	93	105	102	95	97	93	109	105	97	98	102	91	109	80	75	89	71	113		
F1				45 %	39 %	45 %	24 %	22 %	1.49	0.2	-0.73	11.3	4.6	4	-4.2	2.2	9.2	-1.7	-16.6	-1.0	-2.9	1.5		
SOLDUS PFG210031									46 %	39 %	43 %	45 %	28 %	24 %	29 %	15 %	48 %	42 %	43 %	41 %	42 %	36 %		
PFG 220006				115	111	87	102	120	110	111	104	87	109	98	115	122	113	68	66	85	93	138		
F1				47 %	33 %	29 %	18 %	18 %	0.26	7.2	-0.52	2.0	12.5	4	-11.3	-3.6	10.8	-3.3	-23.3	-1.6	-0.8	5.6		
SOLDUS PFG									48 %	33 %	44 %	29 %	18 %	18 %	24 %	11 %	48 %	37 %	39 %	36 %	36 %	26 %		
PFG 220092				97	112	112	85	98	94	112	108	112	116	115	97	98	112	75	70	85	97	128		
F2				46 %	30 %	21 %	18 %	18 %	1.82	7.9	-0.68	14.9	17.8	27	-1.3	0.8	10.2	-2.3	-20.2	-1.5	-0.4	3.9		
SOLDUS PFG2292									47 %	30 %	41 %	21 %	18 %	18 %	24 %	11 %	45 %	37 %	37 %	34 %	33 %	26 %		
PFG 220104				96	113	112	85	98	93	113	106	112	117	115	97	98	109	75	70	85	97	128		
F1				46 %	30 %	21 %	18 %	18 %	1.92	8.0	-0.62	14.9	18.0	27	-1.3	0.8	9.1	-2.3	-20.2	-1.5	-0.4	3.9		
SOLDUS PFG220104									47 %	30 %	41 %	21 %	18 %	18 %	24 %	11 %	44 %	37 %	37 %	34 %	33 %	26 %		
PFG 220105				121	124	91	84	119	115	124	112	91	122	116	111	123	114	71	72	96	100	135		
F2				45 %	31 %	23 %	20 %	24 %	-0.22	12.6	-0.84	3.9	22.0	29	-9.3	-3.7	11.1	-2.9	-18.9	0.2	-0.1	5.2		
SOLDUS PFG									46 %	31 %	39 %	23 %	21 %	20 %	35 %	12 %	49 %	40 %	39 %	36 %	34 %	27 %		
PFG 230024				83					94		60						88							
BS				30 %					1.85		1.10						0.0							
SOLDUS PFG230024									30 %		31 %						15 %							
PFG 230025				100	112	111	85	98	97	112	112	111	115	115	97	98	101	75	70	85	97	128		
F2				44 %	30 %	21 %	18 %	18 %	1.55	7.6	-0.85	14.7	17.2	27	-1.3	0.8	5.8	-2.3	-20.2	-1.5	-0.4	3.9		
SOLDUS PFG230025									45 %	30 %	41 %	21 %	18 %	18 %	24 %	11 %	40 %	37 %	37 %	34 %	33 %	26 %		
PFG 230055				104	94	107	101	95	101	94	116	107	98	99	102	91	93	80	75	89	71	113		
F2				44 %	29 %	27 %	24 %	22 %	1.11	0.4	-0.98	12.2	4.8	5	-3.9	2.2	2.4	-1.7	-16.6	-1.0	-2.9	1.5		
SOLDUS PFG230055									44 %	29 %	43 %	27 %	28 %	24 %	29 %	15 %	47 %	42 %	43 %	41 %	42 %	36 %		

WAGYU Cows

Inbreeding >6% is high				<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed															
Cow				Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas				
ID	%Inbreeding	Parentage		Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
Name		Genomic DNA	Sire ID																			
JAPANESE BLACK																						
PFG 230078				95	113	112	85	98	93	113	106	112	117	115	97	98	107	75	70	85	97	128
F2				45 %	30 %	21 %	18 %	18 %	1.93	8.0	-0.61	15.0	18.0	27	-1.3	0.8	8.2	-2.3	-20.2	-1.5	-0.4	3.9
SOLDUS PFG230078									46 %	30 %	40 %	21 %	18 %	18%	24%	11%	44 %	37 %	37 %	34 %	33 %	26 %
PFG 230106				91	113	112	85	98	90	113	102	112	117	115	97	98	106	75	70	85	97	128
F1				45 %	30 %	21 %	18 %	18 %	2.17	8.4	-0.46	15.1	18.5	27	-1.3	0.8	7.6	-2.3	-20.2	-1.5	-0.4	3.9
SOLDUS PFG230106									46 %	30 %	40 %	21 %	18 %	18%	24%	11%	44 %	37 %	37 %	34 %	33 %	26 %
PFG 230108				117	112	87	100	116	111	112	108	87	111	100	112	118	116	70	70	89	95	136
F2				64 %	38 %	31 %	24 %	25 %	0.16	7.8	-0.69	1.6	13.8	6	-9.8	-2.7	11.9	-3.0	-20.2	-1.0	-0.5	5.3
SOLDUS PFG									67 %	38 %	50 %	31 %	30 %	24%	33%	17%	52 %	44 %	44 %	41 %	39 %	31 %
TRIF230034				124	86	68	122	82	120	86	119	68	78	78	75	90	119	102	78	98	103	120
FB				87 %	84 %	84 %	84 %	84 %	-0.68	-2.7	-1.11	-8.4	-8.9	-26	11.8	2.3	13.3	1.1	-14.6	0.5	0.2	2.7
TRIFILL TRIF230034									87 %	84 %	85 %	84 %	84 %	84%	84%	84%	86 %	85 %	85 %	85 %	85 %	84 %
PFG 240008				93	113	112	85	98	91	113	104	112	117	115	97	98	109	75	70	85	97	128
BS				46 %	30 %	21 %	18 %	18 %	2.06	8.2	-0.53	15.0	18.3	27	-1.3	0.8	8.9	-2.3	-20.2	-1.5	-0.4	3.9
SOLDUS PFG240008									47 %	30 %	41 %	21 %	18 %	18%	24%	11%	44 %	37 %	37 %	34 %	33 %	26 %
PFG 240018				117	110	90	94	127	111	110	107	90	108	106	121	130	118	79	92	98	93	119
F2				40 %	23 %	24 %	12 %	21 %	0.12	7.0	-0.65	3.3	11.7	15	-15.0	-4.9	12.9	-1.8	-5.1	0.4	-0.8	2.6
SOLDUS PFG240018									39 %	23 %	43 %	24 %	20 %	12%	32%	10%	44 %	25 %	25 %	23 %	20 %	13 %
PFG 240020				97	112	112	85	98	94	112	107	112	116	115	97	98	102	75	70	85	97	128
F2				38 %	30 %	21 %	18 %	18 %	1.86	8.0	-0.66	14.9	17.9	27	-1.3	0.8	6.2	-2.3	-20.2	-1.5	-0.4	3.9
SOLDUS PFG240020									40 %	30 %	30 %	21 %	18 %	18%	24%	11%	42 %	37 %	37 %	34 %	33 %	26 %
PFG 240032				84	109	115	89	108	86	109	92	115	113	111	111	106	113	82	97	99	97	110
F1				31 %	14 %	8 %	6 %	12 %	2.58	6.6	-0.09	16.6	15.3	22	-9.1	-0.6	10.7	-1.5	-1.5	0.7	-0.3	1.1
SOLDUS PFG240032									30 %	14 %	35 %	8 %	14 %	6 %	17%	7%	35 %	16 %	16 %	15 %	13 %	9 %
PFG 240036				110	106	90	105	130	108	106	97	90	103	95	128	130	108	75	92	99	93	120
F1				27 %	20 %	21 %	6 %	12 %	0.47	5.2	-0.27	3.4	8.8	-1	-19.2	-5.0	8.4	-2.4	-4.6	0.6	-0.8	2.7
SOLDUS PFG240036									27 %	20 %	28 %	21 %	14 %	6 %	17%	7%	38 %	16 %	21 %	18 %	19 %	9 %
PFG 240037				88	108	115	89	108	89	108	97	115	112	111	111	106	99	82	97	99	97	110
F1				19 %	14 %	8 %	6 %	12 %	2.30	6.3	-0.26	16.5	14.7	22	-9.1	-0.6	4.9	-1.5	-1.5	0.7	-0.3	1.1
SOLDUS PFG240037									19 %	14 %	18 %	8 %	14 %	6 %	17%	7%	30 %	16 %	16 %	15 %	13 %	9 %
PFG 240038				107	125	93	73	130	104	125	101	93	122	127	126	131	116	76	100	113	99	117
F2				27 %	46 %	27 %	29 %	14 %	0.83	13.1	-0.42	5.3	21.8	45	-17.8	-5.2	11.9	-2.2	0.9	2.8	-0.2	2.2
SOLDUS PFG240038									27 %	46 %	26 %	27 %	17 %	29%	21%	8%	40 %	24 %	24 %	21 %	21 %	15 %
PFG 240040				110	107	93	102	127	108	107	95	93	107	98	125	127	120	70	102	101	99	122
BS				27 %	14 %	8 %	6 %	12 %	0.44	5.9	-0.18	5.0	11.2	4	-17.5	-4.4	13.7	-3.0	2.5	1.0	-0.2	3.0
SOLDUS PFG240040									27 %	14 %	27 %	8 %	14 %	6 %	17%	7%	39 %	16 %	16 %	15 %	13 %	9 %

WAGYU Cows

Inbreeding >6% is high				<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed															
Cow				Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas				
ID	%Inbreeding	Parentage		Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
		Genomic DNA	Sire ID																			
Name																						
JAPANESE BLACK																						
PFG 240047		✓ KI 140022		117	113	83	97	118	112	113	113	83	110	103	109	124	110	70	63	80	106	149
F2		✓ PFG 190018		45 %	32 %	25 %	21 %	20 %	0.08	8.2	-0.89	-0.1	13.4	11	-8.0	-3.8	9.6	-3.0	-25.3	-2.3	0.5	7.3
SOLDUS PFG240047				45 %	32 %	25 %	21 %	20 %	46 %	32 %	39 %	25 %	24 %	21%	28%	13%	48 %	44 %	43 %	40 %	38 %	29 %
PFG 240050		✓ KI 140022		115	117	88	96	121	109	117	109	88	116	104	116	124	113	63	68	85	88	136
F2		PFG 190022		45 %	34 %	26 %	19 %	21 %	0.37	9.8	-0.71	2.3	17.5	12	-11.9	-3.8	10.8	-3.9	-22.0	-1.6	-1.3	5.3
SOLDUS PFG240050				45 %	34 %	26 %	19 %	21 %	47 %	34 %	38 %	26 %	22 %	19%	29%	13%	48 %	44 %	44 %	40 %	39 %	30 %
PFG 240051		1 ✓ SWK 190035		110	101	88	118	121	108	101	96	88	95	82	114	125	107	90	105	80	110	121
F2		✓ PFG 190013		45 %	37 %	34 %	31 %	28 %	0.42	3.2	-0.23	2.2	3.0	-20	-11.0	-4.1	8.1	-0.4	4.4	-2.4	0.9	2.9
SOLDUS PFG240051				45 %	37 %	34 %	31 %	28 %	45 %	37 %	44 %	34 %	37 %	31%	36%	20%	47 %	41 %	42 %	40 %	38 %	30 %
PFG 240059		✓ SWK 190035		92	102	112	101	101	90	102	103	112	101	99	98	103	96	90	102	84	105	112
F2		✓ CWBFFPG 230004		33 %	28 %	26 %	26 %	22 %	2.16	3.7	-0.48	14.9	7.3	5	-2.0	-0.1	3.5	-0.4	2.0	-1.7	0.4	1.5
SOLDUS PFG2459				33 %	28 %	26 %	26 %	22 %	34 %	28 %	31 %	26 %	30 %	26%	28%	16%	37 %	32 %	33 %	31 %	29 %	23 %



CWB

BREEDING VALUE REPORT

September 2026



PFG BEZUIDENHOUT

Herd Number: 8523008


E-mail: fritz@bezgrp.com



**WAGYU
SOCIETY**
OF SOUTH AFRICA



**CERTIFICATE
OF QUALITY**
Valid up to
October 2029



CWB Dams

Dam			Growth					Carcass					Stats				
ID	Parentage	Sire ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name	Gen. DNA	Dam ID															
JAPANESE BLACK																	
BA 110480		Y342	100	96	94	98	86	90	86	90	87	65	97	5	30	8	
FB		CWBFBA 080172	1.20	1.4	2.1	5.7	-14	3.2	-1.0	-6.1	-1.2	-3.5	-0.9				
LETTER 11 480			91%	88%	88%	89%	88%	88%	89%	89%	89%	89%	88%				
BA 160993		BA 090330	116	92	84	86	86	70	88	91	104	94	112	2	5	1	
FB		BA 130968	-0.29	-0.4	-4.0	-3.2	-14	-7.0	-0.7	-5.5	1.5	-0.7	1.5				
WOODVIEW BA160993			75%	44%	37%	35%	35%	41%	47%	47%	44%	33%	24%				
CWBFLPL 210036		KI 140022	94	112	116	117	115	112	75	70	85	97	128	2	3	1	
F1			1.86	8.0	16.0	20.5	27	14.9	-2.3	-20.2	-1.5	-0.4	3.9				
LPL LPL210036			40%	30%	19%	18%	18%	21%	37%	37%	34%	33%	26%				
CWBFLPL 210039		KI 140021	97	95	98	100	99	107	80	75	89	71	113	2	2	1	
F1			1.56	0.9	5.1	7.3	5	12.5	-1.7	-16.6	-1.0	-2.9	1.5				
LPL LPL210039			39%	29%	29%	27%	24%	27%	42%	43%	41%	42%	36%				
CWBFLPL 210051		KI 140021	97	95	98	100	99	107	80	75	89	71	113	2	2	1	
F1			1.56	0.9	5.1	7.3	5	12.5	-1.7	-16.6	-1.0	-2.9	1.5				
LPL LPL210051			39%	29%	29%	27%	24%	27%	42%	43%	41%	42%	36%				
CWBFLPL 210052		KI 140021	97	95	98	100	99	107	80	75	89	71	113	2	3	2	
F1			1.56	0.9	5.1	7.3	5	12.5	-1.7	-16.6	-1.0	-2.9	1.5				
LPL LPL210052			39%	29%	29%	27%	24%	27%	42%	43%	41%	42%	36%				
CWBFLPL 210055		KI 140021	97	95	98	100	99	107	80	75	89	71	113	1	1		
F1			1.56	0.9	5.1	7.3	5	12.5	-1.7	-16.6	-1.0	-2.9	1.5				
LPL LPL210055			39%	29%	29%	27%	24%	27%	42%	43%	41%	42%	36%				
CWBFLPL 210059		KI 140021	97	95	98	100	99	107	80	75	89	71	113	2	3	1	
F1			1.56	0.9	5.1	7.3	5	12.5	-1.7	-16.6	-1.0	-2.9	1.5				
LPL LPL210059			39%	29%	29%	27%	24%	27%	42%	43%	41%	42%	36%				
CWBFLPL 210062		KI 140021	97	95	98	100	99	107	80	75	89	71	113	2	2	1	
F1			1.56	0.9	5.1	7.3	5	12.5	-1.7	-16.6	-1.0	-2.9	1.5				
LPL LPL210062			39%	29%	29%	27%	24%	27%	42%	43%	41%	42%	36%				
CWBFLPL 220037		KI 140022	94	112	116	117	115	112	75	70	85	97	128	1	1	1	
F1			1.86	8.0	16.0	20.5	27	14.9	-2.3	-20.2	-1.5	-0.4	3.9				
LPL220037			40%	30%	19%	18%	18%	21%	37%	37%	34%	33%	26%				
CWBFPFG 190004		OVE 080002	125	98	95	99	82	93	81	116	92	104	113	2	6	1	
F1		CWBFJYJ 170016	-1.15	2.0	3.1	6.4	-19	4.8	-1.6	12.1	-0.4	0.3	1.7				
SOLDUS PFG190004			80%	80%	80%	79%	78%	79%	80%	80%	80%	79%	78%				
CWBFPFG 210001		KI 140021	97	95	98	100	99	107	80	75	89	71	113	1	1	1	
F1		CWBFB DY 170005	1.56	0.9	5.1	7.3	5	12.5	-1.7	-16.6	-1.0	-2.9	1.5				
PFG210001			39%	29%	29%	27%	24%	27%	42%	43%	41%	42%	36%				

CWB Dams

Dam			Growth					Carcass					Stats				
ID	Parentage	Sire ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name	Gen. DNA	Dam ID															
JAPANESE BLACK																	
CWBFPFG 210011	✓	KI 140021	97	95	98	100	99	107	80	75	89	71	113	2	3	2	
F1		CWBFB DY 120016	1.56	0.9	5.1	7.3	5	12.5	-1.7	-16.6	-1.0	-2.9	1.5				
PFG210011			39%	29%	29%	27%	24%	27%	42%	43%	41%	42%	36%				
CWBFPFG 210027	✓	KI 140021	97	95	98	100	99	107	80	75	89	71	113	2	3		
F1			1.56	0.9	5.1	7.3	5	12.5	-1.7	-16.6	-1.0	-2.9	1.5				
PFG210027			39%	29%	29%	27%	24%	27%	42%	43%	41%	42%	36%				
CWBFPFG 210050	✓	KI 140021	112	112	108	111	115	86	75	79	102	73	120	1	2	1	
F2	✓	PFG 190023	0.09	7.8	10.9	15.7	28	1.3	-2.4	-14.3	1.2	-2.7	2.7				
PFG2150			43%	35%	31%	29%	37%	37%	46%	47%	44%	45%	38%				
CWBFPFG 210056	✓	KI 140021	97	95	98	100	99	107	80	75	89	71	113	2	2	1	
F1		CWBFB DY 170049	1.56	0.9	5.1	7.3	5	12.5	-1.7	-16.6	-1.0	-2.9	1.5				
PFG2156			39%	29%	29%	27%	24%	27%	42%	43%	41%	42%	36%				
CWBFPFG 210062	✓	KI 140021	97	95	98	100	77	107	80	75	89	71	113	2	3	1	
F1		CWBFB DY 120016	1.56	0.9	5.1	7.3	-27	12.5	-1.7	-16.6	-1.0	-2.9	1.5				
PFG2162			39%	29%	29%	27%	58%	27%	42%	43%	41%	42%	36%				
CWBFPFG 210063	✓	KI 140021	97	95	98	100	99	107	80	75	89	71	113	1	2	1	
F1		CWBFB DY 170023	1.56	0.9	5.1	7.3	5	12.5	-1.7	-16.6	-1.0	-2.9	1.5				
PFG2163			39%	29%	29%	27%	24%	27%	42%	43%	41%	42%	36%				
CWBFPFG 220069	✓	KI 140021	132	88	85	90	84	81	81	76	89	67	116	1	1	1	
F2	✓	PFG 190012	-1.89	-1.9	-3.0	-0.4	-17	-1.2	-1.7	-16.5	-0.9	-3.2	2.1				
PFG2269			66%	38%	37%	35%	29%	35%	48%	49%	47%	47%	40%				
CWBFPFG 220076	✓	KI 140021	97	95	98	100	99	107	80	75	89	71	113	1	1		
F1		CWBFB DM 170078	1.56	0.9	5.1	7.3	5	12.5	-1.7	-16.6	-1.0	-2.9	1.5				
PFG2276			39%	29%	29%	27%	24%	27%	42%	43%	41%	42%	36%				
CWBFPFG 220082	✓	KI 140021	97	95	98	100	99	107	80	75	89	71	113	2	3	1	
F1		CWBFB DM 170031	1.56	0.9	5.1	7.3	5	12.5	-1.7	-16.6	-1.0	-2.9	1.5				
PFG2282			39%	29%	29%	27%	24%	27%	42%	43%	41%	42%	36%				
CWBFPFG 220084	✓	KI 140021	97	95	98	100	99	107	80	75	89	71	113	1	2		
F1		CWBFB DM 170072	1.56	0.9	5.1	7.3	5	12.5	-1.7	-16.6	-1.0	-2.9	1.5				
PFG2284			39%	29%	29%	27%	24%	27%	42%	43%	41%	42%	36%				
CWBFPFG 220085	✓	KI 140021	97	95	98	100	98	107	76	35	68	87	148	1	1		
F1		CWBFB DM 170019	1.56	0.9	5.1	7.3	3	12.5	-2.2	-45.0	-4.1	-1.3	7.2				
PFG2285			39%	29%	29%	27%	24%	27%	64%	63%	56%	63%	52%				
CWBFPFG 220088	✓	KI 140021	97	95	98	100	99	107	80	75	89	71	113	1	1		
F1		CWBFB DM 170018	1.56	0.9	5.1	7.3	5	12.5	-1.7	-16.6	-1.0	-2.9	1.5				
PFG2288			39%	29%	29%	27%	24%	27%	42%	43%	41%	42%	36%				

CWB Dams

Dam			Growth					Carcass					Stats				
ID	Parentage	Sire ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name	Gen. DNA	Dam ID															
JAPANESE BLACK																	
CWBFPFG 220098	✓	KI 140021	97	95	98	100	99	107	80	75	89	71	113	1	2		
F1		CWBFPFG 170072	1.56	0.9	5.1	7.3	5	12.5	-1.7	-16.6	-1.0	-2.9	1.5				
PFG22298			39%	29%	29%	27%	24%	27%	42%	43%	41%	42%	36%				
CWBFPFG 220100	✓	KI 140021	97	95	98	100	99	107	80	75	89	71	113	1	1	1	
F1			1.56	0.9	5.1	7.3	5	12.5	-1.7	-16.6	-1.0	-2.9	1.5				
PFG22100			39%	29%	29%	27%	24%	27%	42%	43%	41%	42%	36%				
CWBFPFG 220103	✓	KI 140021	97	95	98	100	99	107	80	75	89	71	113	1	1		
F1			1.56	0.9	5.1	7.3	5	12.5	-1.7	-16.6	-1.0	-2.9	1.5				
PFG22103			39%	29%	29%	27%	24%	27%	42%	43%	41%	42%	36%				
CWBFPFG 230004	✓	KI 140021	97	95	98	100	99	107	80	75	89	71	113	2	2	1	
F1			1.56	0.9	5.1	7.3	5	12.5	-1.7	-16.6	-1.0	-2.9	1.5				
PFG2304			39%	29%	29%	27%	24%	27%	42%	43%	41%	42%	36%				
CWBFPFG 230007		KI 140022	120	111	107	109	101	87	66	57	88	73	134	1	2		
BS			-0.76	7.5	10.6	14.9	7	1.7	-3.5	-29.2	-1.0	-2.7	5.0				
PFG230007			80%	79%	78%	78%	78%	78%	79%	79%	79%	79%	78%				
CWBFPFG 230008	✓	KI 140022	94	112	116	117	115	112	75	70	85	97	128	1	1		
F1			1.86	8.0	16.0	20.5	27	14.9	-2.3	-20.2	-1.5	-0.4	3.9				
J230008			40%	30%	19%	18%	18%	21%	37%	37%	34%	33%	26%				
CWBFPFG 230023		PFG 190012	118	95	100	103	89	95	100	100	101	96	99	1	1		
BS			-0.51	1.0	5.8	10.2	-9	6.0	0.7	0.9	1.0	-0.4	-0.6				
PFG230023			31%	24%	23%	22%	16%	22%	24%	24%	23%	21%	17%				
HJ 140008		✓ ETJ002	148	77	73	78	78	76	88	65	93	84	120	3	19	4	2
FB		✓ BA 070123	-3.47	-6.2	-10.7	-9.3	-25	-4.0	-0.7	-24.1	-0.3	-1.6	2.7				
HJ 140008			94%	93%	93%	93%	93%	93%	93%	93%	93%	93%	92%				
PFG 190011		✓ OVE 080002	117	100	97	101	97	90	74	113	101	103	118	2	3	1	
F1		✓ CWBFJYJ 170017	-0.39	3.0	4.4	8.5	1	3.2	-2.4	10.0	0.9	0.2	2.4				
SOLDUS PFG190011			82%	80%	80%	80%	78%	80%	80%	80%	80%	79%	78%				
PFG 190012		✓ OVE 080002	120	102	98	103	95	87	85	114	94	98	108	2	5	3	
F1		✓ CWBFJYJ 170028	-0.74	3.8	5.1	9.5	-1	1.6	-1.1	10.4	-0.1	-0.2	0.8				
SOLDUS PFG190012			83%	81%	80%	80%	79%	80%	81%	81%	80%	80%	79%				
PFG 190013		✓ OVE 080002	106	104	101	105	92	91	85	120	85	117	119	2	5	2	
F1		✓ CWBFJYJ 170058	0.67	4.7	6.6	11.7	-5	3.9	-1.2	14.8	-1.6	1.5	2.6				
SOLDUS PFG190013			82%	80%	80%	79%	78%	79%	81%	81%	80%	80%	79%				
PFG 190015		✓ OVE 080002	128	101	96	98	103	95	80	116	93	97	108	2	4		
F1		✓ CWBFBYD 170032	-1.45	3.2	3.8	6.3	11	6.2	-1.8	12.3	-0.2	-0.4	0.9				
SOLDUS PFG190015			83%	82%	81%	81%	79%	82%	82%	82%	81%	81%	80%				

CWB Dams

Dam			Growth					Carcass					Stats				
ID	Parentage	Sire ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name	Gen. DNA	Dam ID															
JAPANESE BLACK																	
PFG 190016		F1	106	116	112	116	111	97	71	120	102	108	116	2	2		
F1			0.61	9.3	13.7	20.0	23	6.9	-2.9	15.2	1.1	0.6	2.1				
SOLDUS PFG190016			76%	74%	74%	74%	74%	74%	74%	75%	74%	74%	74%				
PFG 190018		✓ PK 150001	107	108	102	104	104	83	74	99	84	124	144	2	5	1	
F1			0.60	6.1	7.6	10.3	12	-0.5	-2.5	-0.2	-1.8	2.2	6.6				
SOLDUS PFG190018			78%	76%	77%	76%	76%	76%	78%	78%	78%	77%	76%				
PFG 190022		OVE 100045	101	116	112	116	106	92	61	108	93	88	119	2	3	1	
F1			1.18	9.4	13.9	20.1	14	4.3	-4.2	6.5	-0.4	-1.3	2.5				
SOLDUS PFG190022			79%	76%	76%	75%	75%	76%	78%	78%	77%	77%	76%				
PFG 190023		✓ AW 160023	100	141	135	137	149	97	73	120	121	109	115	2	4	1	
F1			1.22	19.3	28.0	36.0	76	7.0	-2.7	14.8	4.0	0.8	2.0				
SOLDUS PFG190023			76%	75%	74%	74%	79%	77%	75%	75%	75%	75%	74%				
PFG 190024		✓ AW 160023	107	132	129	129	130	98	76	117	116	113	117	1	2	1	
F1			0.58	15.7	23.9	30.5	49	7.7	-2.2	12.6	3.2	1.1	2.2				
SOLDUS PFG190024			75%	74%	74%	74%	74%	74%	74%	74%	74%	74%	74%				
PFG 190025		BS	105	115	111	115	106	93	71	119	100	103	116	2	3		1
BS			0.78	9.1	13.2	19.1	15	5.1	-2.9	14.3	0.8	0.2	2.1				
SOLDUS PFG190025			78%	76%	76%	75%	75%	75%	76%	77%	76%	77%	75%				
PFG 190026		F1	108	114	111	115	104	91	76	118	93	111	116	1	2		
F1			0.44	8.7	13.2	19.0	12	4.0	-2.2	13.7	-0.3	0.9	2.1				
SOLDUS PFG190026			76%	75%	73%	73%	73%	76%	74%	74%	73%	73%	73%				
PFG 190029		✓ PK 150001	121	108	104	106	117	89	79	103	90	97	121	2	5	1	
F1			-0.79	6.3	8.8	12.5	31	2.8	-1.9	2.9	-0.8	-0.4	2.9				
SOLDUS PFG190029			79%	77%	76%	76%	75%	78%	77%	77%	77%	76%	75%				
PFG 190030		BS	103	110	107	111	114	93	66	125	92	106	119	2	4	1	
BS			0.94	7.0	10.6	16.3	26	5.0	-3.5	18.4	-0.4	0.5	2.5				
SOLDUS PFG190030			77%	76%	75%	74%	74%	77%	75%	75%	75%	75%	74%				
PFG 190033		F1	108	105	103	108	101	96	61	124	97	109	126	2	3	1	
F1			0.43	4.8	8.0	13.7	7	6.5	-4.1	18.1	0.3	0.8	3.7				
SOLDUS PFG190033			77%	75%	75%	75%	74%	75%	75%	75%	75%	75%	74%				
PFG 190034		BS	108	101	97	100	94	90	70	104	92	98	122	2	5	2	1
BS			0.49	3.4	4.4	7.7	-2	3.3	-3.1	3.9	-0.4	-0.3	3.0				
SOLDUS PFG190034			78%	77%	76%	76%	76%	78%	77%	78%	77%	78%	76%				
PFG 190037		F1	105	113	108	111	90	92	74	115	99	102	114	2	2		
F1			0.72	8.0	11.3	16.4	-8	4.4	-2.5	11.5	0.6	0.1	1.8				
SOLDUS PFG190037			76%	75%	74%	74%	74%	77%	74%	74%	74%	74%	74%				

CWB Dams

Dam			Growth					Carcass					Stats				
ID	Parentage	Sire ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name	Gen. DNA	Dam ID															
JAPANESE BLACK																	
PFG 190038			116	107	103	106	101	95	69	113	91	114	128	2	3	2	
F1			-0.32	5.6	8.0	12.2	8	6.3	-3.2	9.9	-0.7	1.2	3.9				
SOLDUS PFG190038			76%	75%	74%	74%	79%	76%	74%	74%	74%	74%	74%				
PFG 210031		KI 140021	97	93	97	98	98	105	80	75	89	71	113	1	1		
F1			1.49	0.2	4.1	6.0	4	11.3	-1.7	-16.6	-1.0	-2.9	1.5				
PFG210031			46%	39%	29%	27%	24%	45%	42%	43%	41%	42%	36%				
PFG 210048		KI 140021	103	93	96	98	99	106	80	75	89	71	113	1	1		
F1		CWBFBJAJ 190081	0.92	0.1	3.9	5.8	5	12.1	-1.7	-16.6	-1.0	-2.9	1.5				
PFG2148			43%	29%	29%	27%	24%	27%	42%	43%	41%	42%	36%				
PFG 220006		KI 140022	110	111	107	110	98	87	68	66	85	93	138	1	1		
F1		PFG 190034	0.26	7.2	10.5	15.4	4	2.0	-3.3	-23.3	-1.6	-0.8	5.6				
PFG			48%	33%	19%	18%	18%	29%	37%	39%	36%	36%	26%				
PFG 220081		KI 140021	97	95	98	100	99	107	80	75	89	71	113	1	1	1	
F1		CWBFBDM 170059	1.56	0.9	5.1	7.3	5	12.5	-1.7	-16.6	-1.0	-2.9	1.5				
PFG2281			39%	29%	29%	27%	24%	27%	42%	43%	41%	42%	36%				
PFG 220092		KI 140022	94	112	116	117	115	112	75	70	85	97	128	1	1		
F2		CWBFPFG 210011	1.82	7.9	16.0	20.4	27	14.9	-2.3	-20.2	-1.5	-0.4	3.9				
PFG2292			47%	30%	19%	18%	18%	21%	37%	37%	34%	33%	26%				
PFG 220094		KI 140022	107	115	111	113	103	83	63	53	72	119	160	2	2		
F2		PFG 190018	0.54	9.0	12.7	17.4	11	-0.1	-3.9	-32.3	-3.6	1.7	9.0				
PFG2294			64%	32%	25%	22%	21%	25%	64%	63%	54%	61%	48%				
PFG 220104		KI 140022	93	113	116	117	115	112	75	70	85	97	128	1	1		
F1		CWBFBDM 170062	1.92	8.0	16.2	20.7	27	14.9	-2.3	-20.2	-1.5	-0.4	3.9				
PFG220104			47%	30%	19%	18%	18%	21%	37%	37%	34%	33%	26%				
PFG 230024		CWBFLPL 210036	94											1	1		
BS			1.85														
PFG230024			30%														
PFG 230025		KI 140022	97	112	115	116	115	111	75	70	85	97	128	1	1		
F2		CWBFLPL 210059	1.55	7.6	15.4	19.8	27	14.7	-2.3	-20.2	-1.5	-0.4	3.9				
SOLDUS PFG230025			45%	30%	19%	18%	18%	21%	37%	37%	34%	33%	26%				
PFG 230055		KI 140021	101	94	97	98	99	107	80	75	89	71	113	1	1		
F2		CWBFLPL 210052	1.11	0.4	4.2	6.2	5	12.2	-1.7	-16.6	-1.0	-2.9	1.5				
PFG230055			44%	29%	29%	27%	24%	27%	42%	43%	41%	42%	36%				
PFG 230078		KI 140022	93	113	116	117	115	112	75	70	85	97	128	1	1		
F2		CWBFLPL 210039	1.93	8.0	16.2	20.7	27	15.0	-2.3	-20.2	-1.5	-0.4	3.9				
PFG230078			46%	30%	19%	18%	18%	21%	37%	37%	34%	33%	26%				

CWB Dams

Dam			Growth					Carcass					Stats				
ID	Parentage	Sire ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name	Gen. DNA	Dam ID															
JAPANESE BLACK																	
PFG 230106		KI 140022	90	113	117	118	115	112	75	70	85	97	128	1	1		
F1			2.17	8.4	16.6	21.3	27	15.1	-2.3	-20.2	-1.5	-0.4	3.9				
PFG230106			46%	30%	19%	18%	18%	21%	37%	37%	34%	33%	26%				
PFG 230108	 	KI 140022	111	112	109	112	100	87	70	70	89	95	136	1	1		
F2		PFG 190011	0.16	7.8	11.5	16.9	6	1.6	-3.0	-20.2	-1.0	-0.5	5.3				
PFG			67%	38%	30%	29%	24%	31%	44%	44%	41%	39%	31%				
PFG 240008		KI 140022	91	113	117	117	115	112	75	70	85	97	128	1	1		
BS		CWBFPFG 210063	2.06	8.2	16.4	21.0	27	15.0	-2.3	-20.2	-1.5	-0.4	3.9				
PFG240008			47%	30%	19%	18%	18%	21%	37%	37%	34%	33%	26%				
PFG 240018	 	AW 190014	111	110	106	109	106	90	79	92	98	93	119	1	1		
F2		PFG 190029	0.12	7.0	9.9	14.4	15	3.3	-1.8	-5.1	0.4	-0.8	2.6				
PFG240018			39%	23%	24%	16%	12%	24%	25%	25%	23%	20%	13%				
PFG 240032		AW 190014	86	109	112	113	111	115	82	97	99	97	110	1	1		
F1			2.58	6.6	13.7	17.7	22	16.6	-1.5	-1.5	0.7	-0.3	1.1				
PFG240032			30%	14%	17%	10%	6%	8%	16%	16%	15%	13%	9%				

CWB Bulls

Inbreeding >6% is high				<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed																
Bull					Selection Value					Calf weight		Mother		Growth		Fertility			Carcass				
ID	%Inbreeding	Parentage		Sire ID	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn. Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
Name		Genomic	DNA																				
JAPANESE BLACK																							
CWBMPFG 230022					101	96	97	112	117	111	96	52	97	103	88	109	120	89	99	103	97	106	105
PEN					30%	24%	22 %	16%	17%	0.20	1.5	1.40	7.1	8.5	-11	-8.2	-3.4	0.5	0.7	3.0	0.3	0.4	0.3
SOLDUS PFG230022					30%	24%	22 %	16%	17%	30 %	24 %	30%	22%	22%	16%	22%	12%	28 %	26 %	26 %	25 %	24 %	19 %
CWBMPFG 240014					107	110	92	95	129	106	110	94	92	109	105	124	130	119	73	103	99	98	118
F1					28%	20%	21 %	6 %	13%	0.69	7.0	-0.17	4.3	12.5	13	-16.9	-5.1	13.4	-2.6	2.6	0.6	-0.3	2.5
SOLDUS PFG240014					28%	20%	21 %	6 %	13%	28 %	20 %	28%	21%	14%	6 %	19%	7%	36 %	16 %	16 %	15 %	13 %	9 %
CWBMPFG 240033					88	108	115	89	108	89	108	97	115	112	111	111	105	110	82	97	99	97	110
F1					19%	14%	8 %	6 %	12%	2.30	6.3	-0.26	16.5	14.7	22	-9.1	-0.6	9.6	-1.5	-1.5	0.7	-0.3	1.1
SOLDUS PFG240033					19%	14%	8 %	6 %	12%	19 %	14 %	18%	8 %	14%	6 %	17%	7%	35 %	16 %	16 %	15 %	13 %	9 %
CWBMPFG 240034					88	108	115	89	108	89	108	97	115	112	111	111	105	106	82	97	99	97	110
F2					19%	14%	8 %	6 %	12%	2.30	6.3	-0.26	16.5	14.7	22	-9.1	-0.6	7.8	-1.5	-1.5	0.7	-0.3	1.1
SOLDUS PFG240034					19%	14%	8 %	6 %	12%	19 %	14 %	18%	8 %	14%	6 %	17%	7%	35 %	16 %	16 %	15 %	13 %	9 %
CWBMPFG 240041					101	95	107	101	95	97	95	108	107	99	99	102	90	96	80	75	89	71	113
F2					38%	29%	27 %	24%	22%	1.56	0.9	-0.70	12.5	5.8	5	-3.9	2.2	3.3	-1.7	-16.6	-1.0	-2.9	1.5
SOLDUS PFG240041					38%	29%	27 %	24%	22%	39 %	29 %	33%	27%	28%	24%	29%	15%	46 %	42 %	43 %	41 %	42 %	36 %
CWBMPFG 240049					97	112	112	85	98	94	112	107	112	116	115	97	98	101	75	70	85	97	128
F3					38%	30%	21 %	18%	18%	1.86	8.0	-0.66	14.9	17.9	27	-1.3	0.8	5.8	-2.3	-20.2	-1.5	-0.4	3.9
SOLDUS PFG240049					38%	30%	21 %	18%	18%	40 %	30 %	30%	21%	18%	18%	24%	11%	40 %	37 %	37 %	34 %	33 %	26 %
CWBMPFG 240052					92	102	112	101	101	90	102	103	112	101	99	98	102	96	90	102	84	105	112
F2					33%	28%	26 %	26%	22%	2.16	3.7	-0.48	14.9	7.3	5	-2.0	-0.1	3.5	-0.4	2.0	-1.7	0.4	1.5
SOLDUS PFG240052					33%	28%	26 %	26%	22%	34 %	28 %	31%	26%	30%	26%	28%	16%	37 %	32 %	33 %	31 %	29 %	23 %
CWBMPFG 240054					97	112	112	85	98	94	112	107	112	116	115	97	98	111	75	70	85	97	128
F2					38%	30%	21 %	18%	18%	1.86	8.0	-0.66	14.9	17.9	27	-1.3	0.8	9.9	-2.3	-20.2	-1.5	-0.4	3.9
SOLDUS PFG2454					38%	30%	21 %	18%	18%	40 %	30 %	30%	21%	18%	18%	24%	11%	44 %	37 %	37 %	34 %	33 %	26 %
CWBMPFG 240070					104	87	103	101	102	100	87	108	103	89	99	102	101	95	94	96	92	108	112
PEN					40%	33%	25 %	26%	20%	1.21	-2.2	-0.67	10.3	-1.0	5	-4.0	0.2	3.0	0.1	-2.2	-0.5	0.6	1.4
SOLDUS PFG240070					40%	33%	25 %	26%	20%	43 %	33 %	29%	25%	30%	26%	26%	14%	35 %	29 %	31 %	29 %	30 %	23 %
CWBMPFG 240071					97	112	112	85	98	94	112	107	112	116	115	97	98	101	75	70	85	97	128
F1					38%	30%	21 %	18%	18%	1.86	8.0	-0.66	14.9	17.9	27	-1.3	0.8	5.8	-2.3	-20.2	-1.5	-0.4	3.9
SOLDUS PFG240071					38%	30%	21 %	18%	18%	40 %	30 %	30%	21%	18%	18%	24%	11%	40 %	37 %	37 %	34 %	33 %	26 %
CWBMPFG 240074					111	107	96	99	102	107	107	115	96	108	101	102	103	106	73	51	83	79	133
PEN					42%	33%	25 %	22%	21%	0.56	5.6	-0.95	6.4	12.1	8	-3.8	-0.1	7.6	-2.6	-33.5	-1.9	-2.1	4.8
SOLDUS PFG240074					42%	33%	25 %	22%	21%	44 %	33 %	34%	25%	24%	22%	28%	14%	46 %	43 %	43 %	39 %	39 %	31 %
CWBMPFG 250002					101	118	88	91	118	99	118	103	88	116	109	110	123	128	66	76	84	97	136
F1					60%	58%	30 %	18%	18%	1.36	10.1	-0.50	2.6	17.8	19	-8.7	-3.7	17.0	-3.5	-16.0	-1.6	-0.4	5.3
SOLDUS PFG 250002					60%	58%	30 %	18%	18%	66 %	58 %	37%	30%	18%	18%	25%	11%	45 %	37 %	37 %	34 %	33 %	26 %

CWB Bulls

Inbreeding >6% is high					<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed															
Bull					Selection Value					Calf weight		Mother		Growth		Fertility			Carcass				
ID	%Inbreeding	Parentage			Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
Name		Genomic	DNA	Sire ID Dam ID																			
JAPANESE BLACK																							
CWBMPFG 250003				KI 140022	97	112	112	85	98	94	112	107	112	116	115	97	98	101	75	70	85	97	128
PEN				CWBFPFG 220200	38%	30%	21 %	18%	18%	1.86	8.0	-0.66	14.9	17.9	27	-1.3	0.8	5.8	-2.3	-20.2	-1.5	-0.4	3.9
SOLDUS PFG250003										40 %	30 %	30%	21%	18%	18%	24%	11%	40 %	37 %	37 %	34 %	33 %	26 %
CWBMPFG 250004				SWK 190029	125	91	80	111	120	119	91	112	80	88	89	116	122	110	87	99	95	106	119
PEN				PFG 190025	57%	33%	25 %	26%	20%	-0.58	-0.7	-0.83	-1.8	-2.1	-10	-12.1	-3.6	9.5	-0.8	-0.1	0.0	0.5	2.6
SOLDUS PFG 250004										63 %	33 %	35%	25%	30%	26%	26%	14%	40 %	29 %	34 %	31 %	33 %	23 %
CWBMPFG 250005				SWK 190029	127	85	82	114	120	121	85	106	82	84	86	116	122	112	83	101	94	109	124
PEN				PFG 190033	57%	33%	25 %	26%	20%	-0.82	-3.0	-0.60	-1.1	-4.9	-14	-12.4	-3.6	10.2	-1.4	1.8	-0.2	0.8	3.4
SOLDUS PFG 250005										63 %	33 %	35%	25%	30%	26%	26%	14%	40 %	29 %	31 %	29 %	30 %	23 %
CWBMPFG 250008				SWK 190029	104	87	103	101	102	100	87	108	103	89	99	102	101	95	94	96	92	108	112
PEN				CWBFPFG 220098	40%	33%	25 %	26%	20%	1.21	-2.2	-0.67	10.3	-1.0	5	-4.0	0.2	3.0	0.1	-2.2	-0.5	0.6	1.4
SOLDUS PFG 250008										43 %	33 %	29%	25%	30%	26%	26%	14%	35 %	29 %	31 %	29 %	30 %	23 %
CWBMPFG 250015	1			SWK 190029	125	84	78	116	120	123	84	108	78	81	84	117	120	105	89	96	95	106	120
PEN				PFG 190011	63%	41%	34 %	31%	26%	-1.04	-3.5	-0.67	-2.8	-6.6	-17	-12.5	-3.4	7.4	-0.6	-2.2	0.1	0.5	2.7
SOLDUS PFG 250015										69 %	41 %	42%	34%	38%	31%	34%	19%	45 %	38 %	39 %	37 %	37 %	29 %
CWBMPFG 250018				SWK 190029	104	87	103	101	102	100	87	108	103	89	99	102	101	95	94	96	92	108	112
F2				CWBFLPL 210036	40%	33%	25 %	26%	20%	1.21	-2.2	-0.67	10.3	-1.0	5	-4.0	0.2	3.0	0.1	-2.2	-0.5	0.6	1.4
SOLDUS PFG2518										43 %	33 %	29%	25%	30%	26%	26%	14%	35 %	29 %	31 %	29 %	30 %	23 %
CWBMPFG 250020				SWK 190029	104	87	103	101	102	100	87	108	103	89	99	102	101	95	94	96	92	108	112
F2				CWBFPFG 220088	40%	33%	25 %	26%	20%	1.21	-2.2	-0.67	10.3	-1.0	5	-4.0	0.2	3.0	0.1	-2.2	-0.5	0.6	1.4
SOLDUS PFG250020										43 %	33 %	29%	25%	30%	26%	26%	14%	35 %	29 %	31 %	29 %	30 %	23 %
CWBMPFG 250024				SWK 190029	104	87	103	101	102	100	87	108	103	89	99	102	101	95	94	96	92	108	112
F2				CWBFLPL 210059	40%	33%	25 %	26%	20%	1.21	-2.2	-0.67	10.3	-1.0	5	-4.0	0.2	3.0	0.1	-2.2	-0.5	0.6	1.4
SOLDUS PFG 250024										43 %	33 %	29%	25%	30%	26%	26%	14%	35 %	29 %	31 %	29 %	30 %	23 %
CWBMPFG 250027				SWK 190029	104	87	103	101	102	100	87	108	103	89	99	102	101	95	94	96	92	108	112
F1				CWBFPFG 220025	40%	33%	25 %	26%	20%	1.21	-2.2	-0.67	10.3	-1.0	5	-4.0	0.2	3.0	0.1	-2.2	-0.5	0.6	1.4
SOLDUS PFG250027										43 %	33 %	29%	25%	30%	26%	26%	14%	35 %	29 %	31 %	29 %	30 %	23 %
CWBMPFG 250029				SWK 190029	104	87	103	101	102	100	87	108	103	89	99	102	101	95	94	96	92	108	112
F1				CWBFLPL 210039	40%	33%	25 %	26%	20%	1.21	-2.2	-0.67	10.3	-1.0	5	-4.0	0.2	3.0	0.1	-2.2	-0.5	0.6	1.4
SOLDUS PFG 250029										43 %	33 %	29%	25%	30%	26%	26%	14%	35 %	29 %	31 %	29 %	30 %	23 %
CWBMPFG 250031	1			SWK 190029	115	89	79	118	121	112	89	100	79	86	82	118	123	105	94	99	87	113	121
F2				PFG 190013	63%	41%	34 %	31%	26%	0.11	-1.5	-0.39	-2.6	-3.6	-20	-13.1	-3.8	7.5	0.1	0.2	-1.2	1.1	2.8
SOLDUS PFG 250031										69 %	41 %	42%	34%	38%	31%	34%	19%	45 %	39 %	41 %	38 %	38 %	30 %
CWBMPFG 250033				SWK 190029	104	87	103	101	102	100	87	108	103	89	99	102	101	95	94	96	92	108	112
F1				CWBFPFG 210025	40%	33%	25 %	26%	20%	1.21	-2.2	-0.67	10.3	-1.0	5	-4.0	0.2	3.0	0.1	-2.2	-0.5	0.6	1.4
SOLDUS PFG250033										43 %	33 %	29%	25%	30%	26%	26%	14%	35 %	29 %	31 %	29 %	30 %	23 %

CWB Bulls

Inbreeding >6% is high				<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed																	
Bull					Selection Value					Calf weight		Mother		Growth		Fertility			Carcass					
ID	%Inbreeding	Parentage			Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling	Fineness
Name		Genomic	DNA	Sire ID Dam ID																				
JAPANESE BLACK																								
CWBMPFG 250036				✓ SWK 190029						100	87	108	103	89	99	102	101	95	94	96	92	108	112	
F1				CWBFPFG 210137						1.21	-2.2	-0.67	10.3	-1.0	5	-4.0	0.2	3.0	0.1	-2.2	-0.5	0.6	1.4	
SOLDUS PFG250036					40%	33%	25 %	26%	20%	43 %	33 %	29%	25%	30%	26%	26%	14%	35 %	29 %	31 %	29 %	30 %	23 %	
CWBMPFG 250039				✓ SWK 190029						100	87	108	103	89	99	102	101	95	94	96	92	108	112	
F2				✓ CWBFPFG 220103						1.21	-2.2	-0.67	10.3	-1.0	5	-4.0	0.2	3.0	0.1	-2.2	-0.5	0.6	1.4	
SOLDUS 250039					40%	33%	25 %	26%	20%	43 %	33 %	29%	25%	30%	26%	26%	14%	35 %	29 %	31 %	29 %	30 %	23 %	
CWBMPFG 250041				✓ SWK 190029						100	87	108	103	89	99	102	101	95	94	96	92	108	112	
F1				CWBFPFG 230003						1.21	-2.2	-0.67	10.3	-1.0	5	-4.0	0.2	3.0	0.1	-2.2	-0.5	0.6	1.4	
SOLDUS 250041					40%	33%	25 %	26%	20%	43 %	33 %	29%	25%	30%	26%	26%	14%	35 %	29 %	31 %	29 %	30 %	23 %	
CWBMPFG 250043				✓ SWK 190029						117	91	109	79	88	89	120	126	107	82	93	91	98	121	
F2				✓ PFG 190022						-0.43	-0.6	-0.73	-2.2	-1.8	-10	-14.7	-4.4	8.1	-1.4	-4.0	-0.6	-0.2	2.8	
SOLDUS 250043					61%	36%	30 %	26%	24%	67 %	36 %	38%	30%	32%	26%	31%	16%	44 %	38 %	39 %	36 %	37 %	27 %	
CWBMPFG 250045	1			✓ SWK 190029						123	89	115	77	86	86	111	120	115	87	74	89	102	129	
F3				✓ PFG 230108						-0.98	-1.5	-0.96	-3.5	-3.3	-14	-9.5	-3.2	11.5	-0.8	-17.3	-0.8	0.1	4.2	
SOLDUS 250045					63%	38%	30 %	29%	24%	70 %	38 %	38%	30%	33%	29%	31%	17%	44 %	37 %	38 %	36 %	36 %	28 %	
CWBMPFG 250047				✓ SWK 190029						100	87	108	103	89	99	102	101	95	94	96	92	108	112	
F1				CWBFPFG 210068						1.21	-2.2	-0.67	10.3	-1.0	5	-4.0	0.2	3.0	0.1	-2.2	-0.5	0.6	1.4	
SOLDUS 250047					40%	33%	25 %	26%	20%	43 %	33 %	29%	25%	30%	26%	26%	14%	35 %	29 %	31 %	29 %	30 %	23 %	
CWBMPFG 250048				✓ SWK 190029						100	87	108	103	89	99	102	101	95	94	96	92	108	112	
F2				✓ CWBFLPL 210051						1.21	-2.2	-0.67	10.3	-1.0	5	-4.0	0.2	3.0	0.1	-2.2	-0.5	0.6	1.4	
SOLDUS 250048					40%	33%	25 %	26%	20%	43 %	33 %	29%	25%	30%	26%	26%	14%	35 %	29 %	31 %	29 %	30 %	23 %	
CWBMPFG 260002				✓ SWK 190029						116	91	114	89	90	93	104	110	110	90	74	88	103	125	
F3				✓ PFG 230078						0.18	-0.9	-0.91	3.1	-0.4	-4	-5.2	-1.4	9.6	-0.5	-17.3	-1.1	0.2	3.5	
SOLDUS 250050					58%	36%	28 %	28%	22%	64 %	36 %	35%	28%	31%	28%	29%	15%	41 %	35 %	36 %	34 %	34 %	27 %	
CWBMPFG 260003				✓ SWK 190029						100	87	108	103	89	99	102	101	95	94	96	92	108	112	
F1				CWBFPFG 230221						1.21	-2.2	-0.67	10.3	-1.0	5	-4.0	0.2	3.0	0.1	-2.2	-0.5	0.6	1.4	
SOLDUS 250051					40%	33%	25 %	26%	20%	43 %	33 %	29%	25%	30%	26%	26%	14%	35 %	29 %	31 %	29 %	30 %	23 %	
CWBMPFG 260004				✓ SWK 190029						123	89	105	80	86	92	115	126	115	85	102	91	108	121	
F1				✓ PFG 190030						-0.45	-1.6	-0.58	-1.9	-3.3	-5	-11.8	-4.4	11.5	-1.1	2.0	-0.6	0.6	2.8	
SOLDUS 250052					58%	36%	32 %	26%	20%	64 %	36 %	36%	32%	30%	26%	27%	14%	40 %	29 %	31 %	29 %	30 %	23 %	
CWBMPFG 260005	3			✓ SWK 190029						117	87	123	78	84	94	112	124	109	92	91	90	103	122	
F2				✓ PFG 190029						-1.47	-2.3	-1.25	-2.9	-5.1	-2	-9.8	-4.1	9.3	-0.3	-5.8	-0.7	0.2	3.0	
SOLDUS 260005					61%	38%	34 %	28%	23%	67 %	38 %	40%	34%	33%	28%	30%	16%	44 %	35 %	37 %	34 %	33 %	25 %	
CWBMPFG 260007	1			✓ SWK 190029						123	86	111	81	82	87	115	119	105	92	97	92	103	115	
F2				✓ PFG 190015						-1.21	-2.7	-0.81	-1.4	-6.3	-12	-11.6	-3.1	7.4	-0.2	-1.1	-0.5	0.2	2.0	
SOLDUS 260007					64%	42%	37 %	31%	26%	69 %	42 %	43%	37%	38%	31%	34%	19%	46 %	39 %	41 %	38 %	38 %	30 %	

CWB Bulls

Inbreeding >6% is high					<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed															
Bull					Selection Value					Calf weight		Mother		Growth		Fertility			Carcass				
ID	%Inbreeding	Parentage			Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
Name		Genomic	DNA	Sire ID Dam ID																			
JAPANESE BLACK																							
CWBMPFG 260008			✓	SWK 180010	86	112	111	94	91	85	112	104	111	113	106	89	93	101	89	115	109	129	118
F1				CWBFLPL 210062	38%	35%	21 %	25%	20%	2.66	7.8	-0.52	14.6	15.7	14	3.3	1.8	5.7	-0.6	11.7	2.2	2.6	2.4
SOLDUS 260008					38%	35%	21 %	25%	20%	41 %	35 %	28%	21%	36%	25%	26%	13%	36 %	29 %	30 %	27 %	25 %	16 %
CWBMPFG 260012			✓	SWK 180010	112	114	87	106	113	108	114	105	87	111	94	107	117	119	85	118	109	131	126
F2			✓	PFG 190026	59%	38%	29 %	25%	20%	0.49	8.7	-0.57	2.0	14.0	-2	-7.1	-2.6	13.5	-1.2	13.5	2.1	2.9	3.6
SOLDUS 260012					59%	38%	29 %	25%	20%	65 %	38 %	34%	29%	36%	25%	26%	13%	39 %	29 %	30 %	27 %	25 %	16 %
CWBMPFG 260013			✓	SWK 180010	108	116	88	105	109	103	116	108	88	112	95	103	114	116	82	118	112	127	126
F1			✓	PFG 190025	59%	35%	21 %	25%	20%	0.90	9.4	-0.67	2.5	14.7	0	-4.8	-1.9	12.3	-1.5	13.8	2.7	2.5	3.6
SOLDUS 260013					59%	35%	21 %	25%	20%	65 %	35 %	34%	21%	36%	25%	26%	13%	41 %	29 %	33 %	30 %	28 %	16 %
CWBMPFG 260014			✓	SWK 180010	86	112	111	94	91	85	112	104	111	113	106	89	93	101	89	115	109	129	118
F2			✓	CWBFPFG 230008	38%	35%	21 %	25%	20%	2.66	7.8	-0.52	14.6	15.7	14	3.3	1.8	5.7	-0.6	11.7	2.2	2.6	2.4
SOLDUS 260014					38%	35%	21 %	25%	20%	41 %	35 %	28%	21%	36%	25%	26%	13%	36 %	29 %	30 %	27 %	25 %	16 %
CWBMPFG 260015			✓	SWK 180010	86	112	111	94	91	85	112	104	111	113	106	89	93	101	89	115	109	129	118
F1				CWBFLPL 210036	38%	35%	21 %	25%	20%	2.66	7.8	-0.52	14.6	15.7	14	3.3	1.8	5.7	-0.6	11.7	2.2	2.6	2.4
SOLDUS 260015					38%	35%	21 %	25%	20%	41 %	35 %	28%	21%	36%	25%	26%	13%	36 %	29 %	30 %	27 %	25 %	16 %
CWBMPFG 260018			✓	SWK 190029	104	87	103	101	102	100	87	108	103	89	99	102	101	95	94	96	92	108	112
F2			✓	CWBFPFG 220082	40%	33%	25 %	26%	20%	1.21	-2.2	-0.67	10.3	-1.0	5	-4.0	0.2	3.0	0.1	-2.2	-0.5	0.6	1.4
SOLDUS 260018					40%	33%	25 %	26%	20%	43 %	33 %	29%	25%	30%	26%	26%	14%	35 %	29 %	31 %	29 %	30 %	23 %
CWBMPFG 260020				SWK 180010	86	112	111	94	91	85	112	104	111	113	106	89	93	101	89	115	109	129	118
PEN				CWBFPFG 220076	38%	35%	21 %	25%	20%	2.66	7.8	-0.52	14.6	15.7	14	3.3	1.8	5.7	-0.6	11.7	2.2	2.6	2.4
SOLDUS 260020					38%	35%	21 %	25%	20%	41 %	35 %	28%	21%	36%	25%	26%	13%	36 %	29 %	30 %	27 %	25 %	16 %
CWBMPFG 260021			✓	SWK 180010	116	111	89	107	112	110	111	107	89	107	93	105	118	115	81	115	108	133	132
F2			✓	PFG 190038	58%	36%	27 %	37%	20%	0.24	7.4	-0.64	3.1	11.4	-4	-5.9	-2.6	11.8	-1.7	11.6	2.0	3.0	4.5
SOLDUS 260021					58%	36%	27 %	37%	20%	65 %	36 %	32%	27%	36%	37%	26%	13%	40 %	29 %	30 %	27 %	25 %	16 %
CWBMPFG 260024			✓	SWK 180010	86	112	111	94	91	85	112	104	111	113	106	89	93	101	89	115	109	129	118
F2			✓	CWBFPFG 210027	38%	35%	21 %	25%	20%	2.66	7.8	-0.52	14.6	15.7	14	3.3	1.8	5.7	-0.6	11.7	2.2	2.6	2.4
SOLDUS 260024					38%	35%	21 %	25%	20%	41 %	35 %	28%	21%	36%	25%	26%	13%	36 %	29 %	30 %	27 %	25 %	16 %
CWBMPFG 260025			✓	PFG 190034	107	94	97			114	94	60	97					91		95	101	96	
PEN					53%	14%	20 %			-0.16	0.3	1.13	6.9					1.4	-2.4	0.9	-0.5		
SOLDUS 260025					53%	14%	20 %			61 %	14 %	23%	20%					19 %	14 %	11 %	14 %		
CWBMPFG 260026			✓	PFG 230025	107	97	107	101	103	112	97	69	107	107	99	96	107	91	95	78	97	96	109
PEN					53%	15%	11 %	9 %	9 %	0.06	1.8	0.77	12.7	11.2	5	-0.4	-1.0	1.4	0.1	-14.5	0.3	-0.5	1.0
SOLDUS 260026					53%	15%	11 %	9 %	9 %	61 %	15 %	21%	11%	10%	9 %	12%	6%	20 %	19 %	18 %	17 %	16 %	13 %
CWBMPFG 260028			✓	SWK 190029	104	87	103	101	102	100	87	108	103	89	99	102	101	95	94	96	92	108	112
F2			✓	CWBFPFG 220098	40%	33%	25 %	26%	20%	1.21	-2.2	-0.67	10.3	-1.0	5	-4.0	0.2	3.0	0.1	-2.2	-0.5	0.6	1.4
SOLDUS 260028					40%	33%	25 %	26%	20%	43 %	33 %	29%	25%	30%	26%	26%	14%	35 %	29 %	31 %	29 %	30 %	23 %

CWB Bulls

Inbreeding >6% is high				<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed																
Bull				Selection Value					Calf weight		Mother		Growth		Fertility			Carcass					
ID	%Inbreeding	Parentage		Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling	Fineness
Name		Genomic	DNA																				
JAPANESE BLACK																							
CWBMPFG 260033				119	89	81	114	120	114	89	105	81	87	86	116	122	112	83	101	94	109	124	
F2				-0.10	-1.6	-0.57	-1.2	-3.0	-14	-12.4	-3.6	10.2	-1.4	1.8	-0.2	0.8	3.4	29 %	31 %	29 %	30 %	23 %	
SOLDUS 260033				61%	33%	25 %	26%	20%	67 %	33 %	36%	25%	30%	26%	26%	14%	40 %						
CWBMPFG 260035				114	87	105	109	102	117	87	71	105	97	91	98	103	87	97	81	99	83	102	
PEN				-0.46	-2.4	0.68	11.5	4.2	-6	-1.7	-0.3	-0.3	0.5	-12.7	0.6	-1.7	-0.2	21 %	22 %	20 %	21 %	18 %	
SOLDUS 260035				53%	14%	14 %	12%	12%	61 %	14 %	22%	14%	14%	12%	15%	8%	24 %						

CWB Cows

Inbreeding >6% is high				<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed															
Cow				Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas				
ID	%Inbreeding	Parentage		Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
		Genomic DNA	Sire ID																			
JAPANESE BLACK																						
CWBFPFG 190004  OVE 080002				121	98	93	118	125	125	98	96	93	97	82	127	123	100	81	116	92	104	113
F1 CWBFJYJ 170016				80 %	80 %	79 %	78 %	78 %	-1.15	2.0	-0.23	4.8	4.3	-19	-18.8	-3.6	5.4	-1.6	12.1	-0.4	0.3	1.7
SOLDUS PFG190004									80 %	80 %	80 %	79 %	80 %	78%	79%	77%	81 %	80 %	80 %	80 %	79 %	78 %
CWBFLPL 210036 KI 140022				97	112	112	85	98	94	112	107	112	116	115	97	98	101	75	70	85	97	128
F1				38 %	30 %	21 %	18 %	18 %	1.86	8.0	-0.66	14.9	17.9	27	-1.3	0.8	5.8	-2.3	-20.2	-1.5	-0.4	3.9
LPL LPL210036									40 %	30 %	30 %	21 %	18 %	18%	24%	11%	40 %	37 %	37 %	34 %	33 %	26 %
CWBFLPL 210039  KI 140021				101	95	107	101	95	97	95	108	107	99	99	102	91	93	80	75	89	71	113
F1				38 %	29 %	27 %	24 %	22 %	1.56	0.9	-0.70	12.5	5.8	5	-3.9	2.2	2.1	-1.7	-16.6	-1.0	-2.9	1.5
LPL LPL210039									39 %	29 %	33 %	27 %	28 %	24%	29%	15%	47 %	42 %	43 %	41 %	42 %	36 %
CWBFLPL 210051  KI 140021				101	95	107	101	95	97	95	108	107	99	99	102	91	93	80	75	89	71	113
F1				38 %	29 %	27 %	24 %	22 %	1.56	0.9	-0.70	12.5	5.8	5	-3.9	2.2	2.1	-1.7	-16.6	-1.0	-2.9	1.5
LPL LPL210051									39 %	29 %	33 %	27 %	28 %	24%	29%	15%	47 %	42 %	43 %	41 %	42 %	36 %
CWBFLPL 210052  KI 140021				101	95	107	101	95	97	95	108	107	99	99	102	91	94	80	75	89	71	113
F1				38 %	29 %	27 %	24 %	22 %	1.56	0.9	-0.70	12.5	5.8	5	-3.9	2.2	2.5	-1.7	-16.6	-1.0	-2.9	1.5
LPL LPL210052									39 %	29 %	33 %	27 %	28 %	24%	29%	15%	48 %	42 %	43 %	41 %	42 %	36 %
CWBFLPL 210055  KI 140021				101	95	107	101	95	97	95	108	107	99	99	102	91	92	80	75	89	71	113
F1				38 %	29 %	27 %	24 %	22 %	1.56	0.9	-0.70	12.5	5.8	5	-3.9	2.2	1.8	-1.7	-16.6	-1.0	-2.9	1.5
LPL LPL210055									39 %	29 %	33 %	27 %	28 %	24%	29%	15%	47 %	42 %	43 %	41 %	42 %	36 %
CWBFLPL 210059  KI 140021				101	95	107	101	95	97	95	108	107	99	99	102	91	94	80	75	89	71	113
F1				38 %	29 %	27 %	24 %	22 %	1.56	0.9	-0.70	12.5	5.8	5	-3.9	2.2	2.7	-1.7	-16.6	-1.0	-2.9	1.5
LPL LPL210059									39 %	29 %	33 %	27 %	28 %	24%	29%	15%	48 %	42 %	43 %	41 %	42 %	36 %
CWBFLPL 210062  KI 140021				101	95	107	101	95	97	95	108	107	99	99	102	91	94	80	75	89	71	113
F1				38 %	29 %	27 %	24 %	22 %	1.56	0.9	-0.70	12.5	5.8	5	-3.9	2.2	2.5	-1.7	-16.6	-1.0	-2.9	1.5
LPL LPL210062									39 %	29 %	33 %	27 %	28 %	24%	29%	15%	48 %	42 %	43 %	41 %	42 %	36 %
CWBFLPL 210075  KI 140021				101	95	107	101	95	97	95	108	107	99	99	102	91	89	80	75	89	71	113
F1				38 %	29 %	27 %	24 %	22 %	1.56	0.9	-0.70	12.5	5.8	5	-3.9	2.2	0.6	-1.7	-16.6	-1.0	-2.9	1.5
LPL LPL210075									39 %	29 %	33 %	27 %	28 %	24%	29%	15%	42 %	42 %	43 %	41 %	42 %	36 %
CWBFPFG 210011  KI 140021				101	95	107	101	95	97	95	108	107	99	99	102	91	107	80	75	89	71	113
F1 CWBFB DY 120016				38 %	29 %	27 %	24 %	22 %	1.56	0.9	-0.70	12.5	5.8	5	-3.9	2.2	8.1	-1.7	-16.6	-1.0	-2.9	1.5
SOLDUS PFG210011									39 %	29 %	33 %	27 %	28 %	24%	29%	15%	47 %	42 %	43 %	41 %	42 %	36 %
CWBFPFG 210027  KI 140021				101	95	107	101	95	97	95	108	107	99	99	102	91	113	80	75	89	71	113
F1				38 %	29 %	27 %	24 %	22 %	1.56	0.9	-0.70	12.5	5.8	5	-3.9	2.2	10.7	-1.7	-16.6	-1.0	-2.9	1.5
SOLDUS PFG210027									39 %	29 %	33 %	27 %	28 %	24%	29%	15%	49 %	42 %	43 %	41 %	42 %	36 %
CWBFPFG 210056  KI 140021				101	95	107	101	95	97	95	108	107	99	99	102	91	115	80	75	89	71	113
F1 CWBFB DY 170049				38 %	29 %	27 %	24 %	22 %	1.56	0.9	-0.70	12.5	5.8	5	-3.9	2.2	11.8	-1.7	-16.6	-1.0	-2.9	1.5
SOLDUS PFG2156									39 %	29 %	33 %	27 %	28 %	24%	29%	15%	49 %	42 %	43 %	41 %	42 %	36 %

CWB Cows

Inbreeding >6% is high				<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed															
Cow				Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas				
ID	%Inbreeding	Parentage		Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
Name		Genomic DNA	Sire ID																			
JAPANESE BLACK																						
CWBFPFG 210062  KI 140021				101	95	107	123	95	97	95	108	107	99	77	102	91	115	80	75	89	71	113
F1 CWBFB DY 120016									1.56	0.9	-0.70	12.5	5.8	-27	-3.9	2.2	11.8	-1.7	-16.6	-1.0	-2.9	1.5
SOLDUS PFG2162				38 %	29 %	27 %	58 %	22 %	39 %	29 %	33 %	27 %	28 %	58%	29%	15%	49 %	42 %	43 %	41 %	42 %	36 %
CWBFLPL 220037 KI 140022				97	112	112	85	98	94	112	107	112	116	115	97	98	101	75	70	85	97	128
F1 LPL220037									1.86	8.0	-0.66	14.9	17.9	27	-1.3	0.8	5.8	-2.3	-20.2	-1.5	-0.4	3.9
				38 %	30 %	21 %	18 %	18 %	40 %	30 %	30 %	21 %	18 %	18%	24%	11%	40 %	37 %	37 %	34 %	33 %	26 %
CWBFPFG 220069 16  KI 140021				114	88	81	116	114	132	88	115	81	88	84	118	112	102	81	76	89	67	116
F2  PFG 190012									-1.89	-1.9	-0.96	-1.2	-2.1	-17	-13.3	-1.7	6.2	-1.7	-16.5	-0.9	-3.2	2.1
SOLDUS PFG2269				62 %	38 %	35 %	29 %	28 %	66 %	38 %	46 %	35 %	36 %	29%	37%	20%	53 %	48 %	49 %	47 %	47 %	40 %
CWBFPFG 220076  KI 140021				101	95	107	101	95	97	95	108	107	99	99	102	91	92	80	75	89	71	113
F1 CWBFB DM 170078									1.56	0.9	-0.70	12.5	5.8	5	-3.9	2.2	1.9	-1.7	-16.6	-1.0	-2.9	1.5
SOLDUS PFG2276				38 %	29 %	27 %	24 %	22 %	39 %	29 %	33 %	27 %	28 %	24%	29%	15%	47 %	42 %	43 %	41 %	42 %	36 %
CWBFPFG 220082  KI 140021				101	95	107	101	95	97	95	108	107	99	99	102	91	93	80	75	89	71	113
F1 CWBFB DM 170031									1.56	0.9	-0.70	12.5	5.8	5	-3.9	2.2	2.2	-1.7	-16.6	-1.0	-2.9	1.5
SOLDUS PFG2282				38 %	29 %	27 %	24 %	22 %	39 %	29 %	33 %	27 %	28 %	24%	29%	15%	47 %	42 %	43 %	41 %	42 %	36 %
CWBFPFG 220084  KI 140021				101	95	107	101	95	97	95	108	107	99	99	102	91	92	80	75	89	71	113
F1 CWBFB DM 170072									1.56	0.9	-0.70	12.5	5.8	5	-3.9	2.2	1.9	-1.7	-16.6	-1.0	-2.9	1.5
SOLDUS PFG2284				38 %	29 %	27 %	24 %	22 %	39 %	29 %	33 %	27 %	28 %	24%	29%	15%	47 %	42 %	43 %	41 %	42 %	36 %
CWBFPFG 220088  KI 140021				101	95	107	101	95	97	95	108	107	99	99	102	91	101	80	75	89	71	113
F1 CWBFB DM 170018									1.56	0.9	-0.70	12.5	5.8	5	-3.9	2.2	5.5	-1.7	-16.6	-1.0	-2.9	1.5
SOLDUS PFG2288				38 %	29 %	27 %	24 %	22 %	39 %	29 %	33 %	27 %	28 %	24%	29%	15%	46 %	42 %	43 %	41 %	42 %	36 %
CWBFPFG 220098  KI 140021				101	95	107	101	95	97	95	108	107	99	99	102	91	101	80	75	89	71	113
F1 CWBFPFG 170072									1.56	0.9	-0.70	12.5	5.8	5	-3.9	2.2	5.6	-1.7	-16.6	-1.0	-2.9	1.5
SOLDUS PFG2298				38 %	29 %	27 %	24 %	22 %	39 %	29 %	33 %	27 %	28 %	24%	29%	15%	47 %	42 %	43 %	41 %	42 %	36 %
CWBFPFG 220100  KI 140021				101	95	107	101	95	97	95	108	107	99	99	102	91	101	80	75	89	71	113
F1									1.56	0.9	-0.70	12.5	5.8	5	-3.9	2.2	5.5	-1.7	-16.6	-1.0	-2.9	1.5
SOLDUS PFG22100				38 %	29 %	27 %	24 %	22 %	39 %	29 %	33 %	27 %	28 %	24%	29%	15%	46 %	42 %	43 %	41 %	42 %	36 %
CWBFPFG 220103  KI 140021				101	95	107	101	95	97	95	108	107	99	99	102	91	98	80	75	89	71	113
F1									1.56	0.9	-0.70	12.5	5.8	5	-3.9	2.2	4.4	-1.7	-16.6	-1.0	-2.9	1.5
SOLDUS PFG22103				38 %	29 %	27 %	24 %	22 %	39 %	29 %	33 %	27 %	28 %	24%	29%	15%	46 %	42 %	43 %	41 %	42 %	36 %
CWBFPFG 230004  KI 140021				101	95	107	101	95	97	95	108	107	99	99	102	91	95	80	75	89	71	113
F1									1.56	0.9	-0.70	12.5	5.8	5	-3.9	2.2	3.1	-1.7	-16.6	-1.0	-2.9	1.5
SOLDUS PFG2304				38 %	29 %	27 %	24 %	22 %	39 %	29 %	33 %	27 %	28 %	24%	29%	15%	47 %	42 %	43 %	41 %	42 %	36 %
CWBFPFG 230007 KI 140022				127	111	87	99	116	120	111	113	87	108	101	114	116	107	66	57	88	73	134
BS									-0.76	7.5	-0.89	1.7	12.3	7	-11.2	-2.4	8.0	-3.5	-29.2	-1.0	-2.7	5.0
SOLDUS PFG230007				80 %	79 %	78 %	78 %	78 %	80 %	79 %	79 %	78 %	78 %	78%	78%	78%	77%	80 %	79 %	79 %	79 %	78 %

CWB Cows

Inbreeding >6% is high				<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed																			
Cow				Selection Values					Kalf gewig		Moeder		Groeï		Vrugbaarheid			Karkas								
ID	%Inbreeding	Parentage		Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling	Fineness			
Name		Genomic DNA	Sire ID																					Dam ID		
JAPANESE BLACK																										
CWBFPFG 230008 ✓ KI 140022				97	112	112	85	98	94	112	107	112	116	115	97	98	104	75	70	85	97	128				
F1				38 %	30 %	21 %	18 %	18 %	1.86	8.0	-0.66	14.9	17.9	27	-1.3	0.8	7.0	-2.3	-20.2	-1.5	-0.4	3.9				
SOLDUS J230008									40 %	30 %	30 %	21 %	18 %	18%	24%	11%	45 %	37 %	37 %	34 %	33 %	26 %				
CWBFPFG 230018				109	97	99	108		116	97	62	99	92				100									
BS				15 %	9 %	16 %	28 %		-0.30	1.9	1.04	8.4	-5				5.3									
SOLDUS PFG230018									15 %	9 %	16 %	16 %	28%			25 %										
CWBFPFG 230023				112	95	95	111	117	118	95	65	95	102	89	109	121	98	100	100	101	96	99				
BS				31 %	24 %	22 %	16 %	22 %	-0.51	1.0	0.94	6.0	7.6	-9	-8.4	-3.3	4.4	0.7	0.9	1.0	-0.4	-0.6				
SOLDUS PFG230023									31 %	24 %	32 %	22 %	22 %	16%	32%	12%	35 %	24 %	24 %	23 %	21 %	17 %				
CWBFPFG 240045				109	97	99	108		116	97	62	99	92				96									
BS				15 %	41 %	18 %	28 %		-0.30	1.9	1.04	8.4	-5				3.4									
SOLDUS PFG240045									15 %	41 %	16 %	18 %	28%			21 %										
CWBFPFG 240064				97	101	94	111	117	105	101	63	94	106	89	110	121	92	100	100	101	96	99				
BS				53 %	24 %	22 %	16 %	17 %	0.75	3.4	1.00	5.7	10.9	-9	-8.5	-3.3	1.6	0.7	0.9	1.0	-0.4	-0.6				
SOLDUS PFG2464									58 %	24 %	32 %	22 %	22 %	16%	22%	12%	29 %	24 %	24 %	23 %	21 %	17 %				
CWBFPFG 240069 ✓ SWK 190029 ✓ CWBFPFG 220100				104	87	103	101	102	100	87	108	103	89	99	102	102	95	94	96	92	108	112				
PEN				40 %	33 %	25 %	26 %	20 %	1.21	-2.2	-0.67	10.3	-1.0	5	-4.0	0.2	3.0	0.1	-2.2	-0.5	0.6	1.4				
SOLDUS PFG240069									43 %	33 %	29 %	25 %	30 %	26%	26%	14%	35 %	29 %	31 %	29 %	30 %	23 %				
CWBFPFG 250001 ✓ KI 140022 ✓ PFG 190026				116	116	88	97	120	111	116	108	88	115	103	115	123	131	71	73	85	99	135				
F2				57 %	58 %	30 %	18 %	18 %	0.19	9.2	-0.67	2.3	16.8	10	-11.7	-3.6	18.3	-2.9	-18.4	-1.6	-0.2	5.1				
SOLDUS PFG 250001									62 %	58 %	36 %	30 %	18 %	18%	24%	11%	44 %	37 %	37 %	34 %	33 %	26 %				
CWBFPFG 250006				126	78	79	121	124	123	78	107	79	76	79	120	126	109	87	91	91	103	122				
PEN				61 %	59 %	33 %	26 %	20 %	-1.01	-5.9	-0.66	-2.3	-10.2	-23	-14.6	-4.2	9.1	-0.9	-5.2	-0.6	0.2	3.1				
SOLDUS PFG 250006									67 %	59 %	36 %	33 %	30 %	26%	26%	14%	42 %	29 %	34 %	31 %	33 %	23 %				
CWBFPFG 250007 3				118	98	77	101	119	126	98	126	77	91	99	111	125	111	92	91	90	103	122				
PEN				62 %	59 %	35 %	28 %	23 %	-1.30	2.1	-1.34	-3.6	0.3	5	-9.0	-4.1	9.8	-0.3	-5.8	-0.7	0.2	3.0				
SOLDUS PFG 250007									68 %	59 %	40 %	35 %	33 %	28%	30%	16%	45 %	35 %	37 %	34 %	33 %	25 %				
CWBFPFG 250009				104	87	103	101	102	100	87	108	103	89	99	102	102	99	94	96	92	108	112				
PEN				40 %	33 %	25 %	26 %	20 %	1.21	-2.2	-0.67	10.3	-1.0	5	-4.0	0.2	4.8	0.1	-2.2	-0.5	0.6	1.4				
SOLDUS PFG 250009									43 %	33 %	29 %	25 %	30 %	26%	26%	14%	37 %	29 %	31 %	29 %	30 %	23 %				
CWBFPFG 250010 2 ✓ KI 140022 ✓ PFG 190023				118	130	90	69	120	113	130	113	90	127	131	113	123	116	69	74	99	99	135				
F2				60 %	59 %	34 %	34 %	20 %	-0.02	15.1	-0.86	3.6	25.2	51	-10.3	-3.7	12.3	-3.1	-17.8	0.6	-0.2	5.0				
SOLDUS PFG 250010									66 %	59 %	35 %	34 %	21 %	34%	27%	12%	47 %	42 %	41 %	37 %	37 %	28 %				
CWBFPFG 250011 1				117	84	81	113	118	130	84	112	81	80	87	115	120	106	92	97	92	103	115				
PEN				64 %	61 %	38 %	31 %	26 %	-1.70	-3.5	-0.83	-1.3	-7.4	-12	-11.6	-3.1	7.9	-0.2	-1.1	-0.5	0.2	2.0				
SOLDUS PFG 250011									69 %	61 %	43 %	38 %	38 %	31%	34%	19%	47 %	39 %	41 %	38 %	38 %	30 %				

CWB Cows

Inbreeding >6% is high				<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed															
Cow				Selection Values					Kalf gewig		Moeder		Groeï		Vrugbaarheid			Karkas				
ID	%Inbreeding	Parentage		Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
Name		Genomic DNA	Sire ID																			
JAPANESE BLACK																						
CWBFPFG 250012		SWK 190029		104	87	103	101	102	100	87	108	103	89	99	102	102	99	94	96	92	108	112
PEN		CWBFPFG 190004		40 %	33 %	25 %	26 %	20 %	1.21	-2.2	-0.67	10.3	-1.0	5	-4.0	0.2	4.8	0.1	-2.2	-0.5	0.6	1.4
SOLDUS PFG 250012									43 %	33 %	29 %	25 %	30 %	26%	26%	14%	37 %	29 %	31 %	29 %	30 %	23 %
CWBFPFG 250013		2	SWK 190029	121	77	86	117	107	115	77	115	86	78	83	107	107	112	92	77	89	90	118
PEN			PFG 210031	61 %	60 %	35 %	29 %	24 %	-0.26	-6.4	-0.95	1.5	-9.2	-18	-7.1	-0.7	10.5	-0.2	-15.5	-0.9	-1.0	2.3
SOLDUS PFG 250013									67 %	60 %	36 %	35 %	33 %	29%	30%	17%	44 %	36 %	38 %	35 %	37 %	29 %
CWBFPFG 250014			SWK 190029	124	88	80	120	120	117	88	111	80	85	80	117	123	111	89	97	95	106	118
PEN			✓ PFG 190037	59 %	59 %	33 %	26 %	20 %	-0.46	-1.9	-0.78	-2.0	-3.9	-22	-12.6	-3.6	9.9	-0.6	-1.5	0.0	0.5	2.4
SOLDUS PFG 250014									66 %	59 %	33 %	33 %	30 %	26%	26%	14%	40 %	29 %	31 %	29 %	30 %	23 %
CWBFPFG 250017			✓ SWK 190035	92	102	112	101	101	90	102	103	112	101	99	98	103	96	90	102	84	105	112
F2			✓ CWBFPFG 210062	33 %	28 %	26 %	26 %	22 %	2.16	3.7	-0.48	14.9	7.3	5	-2.0	-0.1	3.5	-0.4	2.0	-1.7	0.4	1.5
SOLDUS PFG2517									34 %	28 %	31 %	26 %	30 %	26%	28%	16%	37 %	32 %	33 %	31 %	29 %	23 %
CWBFPFG 250019			✓ SWK 190029	104	87	103	101	102	100	87	108	103	89	99	102	102	95	94	96	92	108	112
F2			✓ CWBFPFG 220084	40 %	33 %	25 %	26 %	20 %	1.21	-2.2	-0.67	10.3	-1.0	5	-4.0	0.2	3.0	0.1	-2.2	-0.5	0.6	1.4
SOLDUS PFG2519									43 %	33 %	29 %	25 %	30 %	26%	26%	14%	35 %	29 %	31 %	29 %	30 %	23 %
CWBFPFG 250021			✓ SWK 190029	104	87	103	101	102	100	87	108	103	89	99	102	102	95	94	96	92	108	112
F1			CWBFPFG 220008	40 %	33 %	25 %	26 %	20 %	1.21	-2.2	-0.67	10.3	-1.0	5	-4.0	0.2	3.0	0.1	-2.2	-0.5	0.6	1.4
SOLDUS PFG250021									43 %	33 %	29 %	25 %	30 %	26%	26%	14%	35 %	29 %	31 %	29 %	30 %	23 %
CWBFPFG 250022			✓ SWK 190029	104	87	103	101	102	100	87	108	103	89	99	102	102	95	94	96	92	108	112
F2			✓ CWBFPFG 210027	40 %	33 %	25 %	26 %	20 %	1.21	-2.2	-0.67	10.3	-1.0	5	-4.0	0.2	3.0	0.1	-2.2	-0.5	0.6	1.4
SOLDUS PFG250022									43 %	33 %	29 %	25 %	30 %	26%	26%	14%	35 %	29 %	31 %	29 %	30 %	23 %
CWBFPFG 250025			✓ SWK 190029	104	87	103	101	102	100	87	108	103	89	99	102	102	95	94	96	92	108	112
F1			CWBFPFG 200001	40 %	33 %	25 %	26 %	20 %	1.21	-2.2	-0.67	10.3	-1.0	5	-4.0	0.2	3.0	0.1	-2.2	-0.5	0.6	1.4
SOLDUS PFG250025									43 %	33 %	29 %	25 %	30 %	26%	26%	14%	35 %	29 %	31 %	29 %	30 %	23 %
CWBFPFG 250026			✓ PFG 220006	98	103	95	109	114	106	103	64	95	108	91	104	120	97	91	76	97	94	114
PEN				49 %	16 %	14 %	9 %	9 %	0.65	3.9	0.98	6.0	12.1	-7	-5.4	-3.2	3.9	-0.4	-16.0	0.3	-0.7	1.8
SOLDUS PFG 250026									56 %	16 %	22 %	14 %	10 %	9 %	12%	6%	24 %	19 %	20 %	18 %	18 %	13 %
CWBFPFG 250028			PFG 210048	117	85	105	109	102	122	85	73	105	95	91	98	105	93	97	81	99	83	102
PEN				49 %	14 %	14 %	12 %	12 %	-0.92	-3.2	0.61	11.5	3.0	-6	-1.7	-0.3	2.3	0.5	-12.7	0.6	-1.7	-0.2
SOLDUS PFG 250028									56 %	14 %	21 %	14 %	14 %	12%	15%	8%	24 %	21 %	22 %	20 %	21 %	18 %
CWBFPFG 250030			✓ SWK 190029	111	92	89	107	108	107	92	112	89	92	93	104	111	110	90	74	88	103	125
F2			✓ PFG 230106	58 %	36 %	28 %	28 %	22 %	0.60	-0.1	-0.82	3.1	0.6	-4	-5.2	-1.4	9.3	-0.5	-17.3	-1.1	0.2	3.5
SOLDUS PFG 250030									64 %	36 %	35 %	28 %	31 %	28%	29%	15%	41 %	35 %	36 %	34 %	34 %	27 %
CWBFPFG 250032			✓ SWK 190029	116	91	89	107	108	111	91	114	89	90	93	104	111	111	90	74	88	103	125
F2			✓ PFG 220104	60 %	36 %	28 %	28 %	22 %	0.17	-0.9	-0.91	3.1	-0.5	-4	-5.2	-1.4	10.1	-0.5	-17.3	-1.1	0.2	3.5
SOLDUS PFG 250032									67 %	36 %	35 %	28 %	31 %	28%	29%	15%	41 %	35 %	36 %	34 %	34 %	27 %

CWB Cows

Inbreeding >6% is high				<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed																
Cow				Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas					
ID	Parentage	%Inbreeding	Genomic DNA	Sire ID	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
Name	Dam ID																						
JAPANESE BLACK																							
CWBFPFG 250034	SWK 190029				104	87	103	101	102	100	87	108	103	89	99	102	102	95	94	96	92	108	112
PEN	CWBFPFG 210111				40 %	33 %	25 %	26 %	20 %	1.21	-2.2	-0.67	10.3	-1.0	5	-4.0	0.2	3.0	0.1	-2.2	-0.5	0.6	1.4
SOLDUS PFG250034										43 %	33 %	29 %	25 %	30 %	26%	26%	14%	35 %	29 %	31 %	29 %	30 %	23 %
CWBFPFG 250035	SWK 190029				104	87	103	101	102	100	87	108	103	89	99	102	102	95	94	96	92	108	112
F1	CWBFPFG 230007				40 %	33 %	25 %	26 %	20 %	1.21	-2.2	-0.67	10.3	-1.0	5	-4.0	0.2	3.0	0.1	-2.2	-0.5	0.6	1.4
SOLDUS PFG 250035										43 %	33 %	29 %	25 %	30 %	26%	26%	14%	35 %	29 %	31 %	29 %	30 %	23 %
CWBFPFG 250038	PFG 220094				102	103	93	106	114	109	103	68	93	108	94	103	122	94	89	70	90	107	130
PEN					55 %	16 %	12 %	11 %	12 %	0.40	4.1	0.82	5.1	12.2	-3	-4.6	-3.4	2.8	-0.6	-20.5	-0.7	0.5	4.2
SOLDUS PFG 250038										63 %	16 %	24 %	12 %	12 %	11%	18%	6%	26 %	32 %	31 %	27 %	31 %	24 %
CWBFPFG 250040	SWK 190029				114	82	94	112	108	113	82	91	94	86	88	102	111	101	102	89	96	105	109
F1	PFG 230024				59 %	33 %	25 %	26 %	20 %	-0.03	-4.3	-0.06	5.6	-3.6	-11	-4.2	-1.5	5.5	1.0	-6.9	0.1	0.4	1.0
SOLDUS 250040										66 %	33 %	33 %	25 %	30 %	26%	26%	14%	37 %	29 %	31 %	29 %	30 %	23 %
CWBFPFG 250042	SWK 190029				104	87	103	101	102	100	87	108	103	89	99	102	102	95	94	96	92	108	112
F1	CWBFLPL 210055				40 %	33 %	25 %	26 %	20 %	1.21	-2.2	-0.67	10.3	-1.0	5	-4.0	0.2	3.0	0.1	-2.2	-0.5	0.6	1.4
SOLDUS 250042										43 %	33 %	29 %	25 %	30 %	26%	26%	14%	35 %	29 %	31 %	29 %	30 %	23 %
CWBFPFG 250044	SWK 190029				104	87	103	101	102	100	87	108	103	89	99	102	102	95	94	96	92	108	112
F2	CWBFLPL 210052				40 %	33 %	25 %	26 %	20 %	1.21	-2.2	-0.67	10.3	-1.0	5	-4.0	0.2	3.0	0.1	-2.2	-0.5	0.6	1.4
SOLDUS 250044										43 %	33 %	29 %	25 %	30 %	26%	26%	14%	35 %	29 %	31 %	29 %	30 %	23 %
CWBFPFG 250046	SWK 190029				104	87	103	101	102	100	87	108	103	89	99	102	102	95	94	96	92	108	112
F2	CWBFPFG 210011				40 %	33 %	25 %	26 %	20 %	1.21	-2.2	-0.67	10.3	-1.0	5	-4.0	0.2	3.0	0.1	-2.2	-0.5	0.6	1.4
SOLDUS 250046										43 %	33 %	29 %	25 %	30 %	26%	26%	14%	35 %	29 %	31 %	29 %	30 %	23 %
CWBFPFG 260001	1 SWK 190029				122	85	77	117	121	126	85	113	77	82	83	118	123	108	95	96	92	104	115
F2	PFG 190012				61 %	41 %	34 %	31 %	26 %	-1.27	-3.2	-0.88	-3.5	-6.3	-18	-13.4	-3.7	8.6	0.1	-2.0	-0.4	0.3	2.0
SOLDUS 250049										66 %	41 %	43 %	34 %	38 %	31%	34%	19%	45 %	38 %	39 %	37 %	37 %	29 %
CWBFPFG 260006	SWK 190029				104	87	103	101	102	100	87	108	103	89	99	102	102	95	94	96	92	108	112
F2	CWBFPFG 190004				40 %	33 %	25 %	26 %	20 %	1.21	-2.2	-0.67	10.3	-1.0	5	-4.0	0.2	3.0	0.1	-2.2	-0.5	0.6	1.4
SOLDUS 260006										43 %	33 %	29 %	25 %	30 %	26%	26%	14%	35 %	29 %	31 %	29 %	30 %	23 %
CWBFPFG 260009	SWK 180010				86	112	111	94	91	85	112	104	111	113	106	89	93	101	89	115	109	129	118
F1	CWBFPFG 211001				38 %	35 %	21 %	25 %	20 %	2.66	7.8	-0.52	14.6	15.7	14	3.3	1.8	5.7	-0.6	11.7	2.2	2.6	2.4
SOLDUS PFG260009										41 %	35 %	28 %	21 %	36 %	25%	26%	13%	36 %	29 %	30 %	27 %	25 %	16 %
CWBFPFG 260010	1 SWK 180010				102	115	97	100	97	98	115	111	97	113	100	91	101	119	84	94	105	124	132
F3	PFG 220092				60 %	38 %	24 %	27 %	22 %	1.44	8.8	-0.80	7.4	15.8	6	2.1	0.2	13.4	-1.2	-3.5	1.5	2.2	4.5
SOLDUS 260010										66 %	38 %	35 %	24 %	38 %	27%	29%	14%	42 %	34 %	35 %	32 %	30 %	21 %
CWBFPFG 260011	1 SWK 180010				97	116	97	100	97	94	116	109	97	115	100	91	101	118	84	94	105	124	132
F1	PFG 240008				60 %	38 %	24 %	27 %	22 %	1.85	9.6	-0.71	7.4	16.8	6	2.1	0.2	12.7	-1.2	-3.5	1.5	2.2	4.5
SOLDUS 260011										66 %	38 %	35 %	24 %	38 %	27%	29%	14%	42 %	34 %	35 %	32 %	30 %	21 %

CWB Cows

Inbreeding >6% is high				<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed																
Cow				Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas					
ID	%Inbreeding	Parentage		Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling	Fineness
Name		Genomic DNA	Sire ID																				
JAPANESE BLACK																							
CWBFPFG 260019			SWK 180010	86	112	111	94	91	85	112	104	111	113	106	89	93	101	89	115	109	129	118	
F2			CWBFPFG 210062	38 %	35 %	21 %	25 %	20 %	2.66	7.8	-0.52	14.6	15.7	14	3.3	1.8	5.7	-0.6	11.7	2.2	2.6	2.4	
SOLDUS 260019									41 %	35 %	28 %	21 %	36 %	25%	26%	13%	36 %	29 %	30 %	27 %	25 %	16 %	
CWBFPFG 260023			SWK 180010	108	117	90	102	113	104	117	104	90	113	98	108	116	116	82	119	113	129	126	
F2			PFG 190016	58 %	35 %	21 %	25 %	20 %	0.86	9.6	-0.55	3.4	15.2	4	-7.6	-2.4	12.2	-1.5	14.3	2.8	2.7	3.6	
SOLDUS 260023									65 %	35 %	32 %	21 %	36 %	25%	26%	13%	40 %	29 %	30 %	27 %	25 %	16 %	
CWBFPFG 260027			SWK 190029	104	87	103	101	102	100	87	108	103	89	99	102	102	95	94	96	92	108	112	
F2			CWBFPFG 210056	40 %	33 %	25 %	26 %	20 %	1.21	-2.2	-0.67	10.3	-1.0	5	-4.0	0.2	3.0	0.1	-2.2	-0.5	0.6	1.4	
SOLDUS 260027									43 %	33 %	29 %	25 %	30 %	26%	26%	14%	35 %	29 %	31 %	29 %	30 %	23 %	
CWBFPFG 260029	1		SWK 190029	124	84	78	116	120	125	84	108	78	81	84	117	121	105	89	96	95	106	120	
F2			PFG 190011	63 %	41 %	34 %	31 %	26 %	-1.16	-3.7	-0.67	-2.7	-6.9	-17	-12.5	-3.4	7.4	-0.6	-2.2	0.1	0.5	2.7	
SOLDUS 260029									69 %	41 %	42 %	34 %	38 %	31%	34%	19%	45 %	38 %	39 %	37 %	37 %	29 %	
CWBFPFG 260030			PFG 240018	98	103	96	105	118	105	103	65	96	108	95	107	124	99	97	89	103	94	105	
PEN				53 %	11 %	12 %	6 %	10 %	0.72	4.1	0.93	6.7	12.1	-1	-7.2	-3.9	5.0	0.4	-6.9	1.3	-0.7	0.3	
SOLDUS 260030									61 %	11 %	22 %	12 %	10 %	6 %	16%	5%	22 %	13 %	13 %	12 %	10 %	7 %	
CWBFPFG 260036			PFG 240032	85	101			109	96	101	58		110		102		97	98	92	104	96	100	
PEN				51 %	7 %			6 %	1.66	3.4	1.19		13.1		-4.3		3.9	0.6	-5.1	1.4	-0.5	-0.4	
SOLDUS 260036									60 %	7 %	18 %		7 %		9%		18 %	8 %	8 %	7 %	7 %	5 %	

