



WAGYU

BREEDING VALUE REPORT

October 2025



GREYLING BROERS TRUST

Herd Number: 8636287


E-mail: stefan@greylinginc.com



**WAGYU
SOCIETY**
OF SOUTH AFRICA



CERTIFICATE
OF QUALITY
Valid up to
October 2029



Notes


GEBVi (GEBVindex): The average GEBVi of all the live animals in the breed is 100, and all EBVi values are expressed relative to this value. Values above 100 are mostly in a more desirable direction. Note that a very high index is not always desirable. For certain traits, such as birth weight, average values may be better. It is the top value in the list.

GEBV (Genomic Estimated Breeding Value) indicates the genetic potential of the animal for a specific trait. It is presented in the unit of measurement and relative to the average of animals born in the base year. It is the middle value in the list and not available for selection values.

Accuracy: This value gives an indication of how much information was available for breeding value estimation. It is the bottom value in the list.

Selection values combine similar breeding values in a scientific manner to simplify the selection of animals. For example, HF (Heifer Fertility), CF (Cow Fertility) and Longevity are

combined to form the Fertility Value by taking the heritability and economic importance in consideration.




* Depending on selection goal

GEBVi		Description / Measurement	Goal		General Guidelines*					
					80	90	100	110	120	
Selection V.	Calving Ease Value	Difficult calving due to high birth weight	Average birth weight	High						Low
	Calf Growth Value	Calf's genetic ability for prewean growth	Heavy weaner	Light						Heavy
	Milk Value	Cow's genetic mothering and milking ability	Enough milk for calf	Less						More
	Maintenance Value	Maintenance requirement of cow (weight and milk)	Low cow maintenance	High					*	Low
	Fertility Value	Fertility and retention of cows and heifers	Fertile cows	Low						High
Cow & Calf	Birth weight direct	Birth weight (Calf's genetic ability)	Average birth weight	Heavy						Light
	Birth weight mat	Birth weight (Dam's genetic ability)	Easy calving	Heavy						Light
	Weaning weight direct	Weaning weight (Calf's genetic ability)	Heavy weaners	Light						Heavy
	Weaning weight mat	Weaning weight (Dam's genetic ability)	Good mothers	Poor						Good
	Post-wean weight	Combination of EBVs for 12 and 18 month weights	Mature weight	Light				*	*	Heavy
	Mature Cow Weight	Cow weight at weaning of first three calves	Mature cow weight	Light				*	*	Heavy
Ferti.	Heifer Fertility	Age at first calving	Fertile heifers	Less						More
	Cow Fertility	First 3 inter-calving periods (ICPs)	Fertile cows	Less						More
	Longevity	Retention of progeny	Acceptable progeny	Poor						Good
Carcass	IMF	Intra-muscular-fat, Marbling	High quality carcass	Less						More
	Carcass weight	Weight of the carcass	High quality carcass	Light						Heavy
	EMA	Eye-muscle-area at the 12/13th rib of the dressed carcass	High quality carcass	Small						Large
	Rib Fat	Rib fat depth at the 12/13th rib of the dressed carcass	High quality carcass	Thin						Thick
	Marbling Fineness	Degree of fineness of marbling fat	High quality carcass	Low						High

Herd and Breed Averages

Number 42



Breeding Values (EBV):

Birth: Birth weight IMF: Marbling
 Wean: Weaning weight Carcwt: Carcass wt
 Birth.mat: Birth mat EMA: Eye muscle area
 Milk: Milk RibFatt: Rib Fat thickness
 Postwn: Postwean weight MF: Marbling Fineness
 Matwt: Mature weight
 HF: Heifer Fertility
 CF: Cow Fertility
 LL: Longevity

Selection values:

CEaseV: Calving Ease Value
 CGrowthV: Calf Growth Value
 MilkV: Milk Value
 MaintV: Maintenance Value
 FertV: Fertility Value

	Trait	EBV Herd	EBV Index	EBV Breed
Prewean growth	Birth Weight	0.10	111	1.21
	Wean Weight	-0.2	94	2.3
	Birth Mat.	-0.53	104	-0.38
	Milk (Wn.Mat.)	0.7	86	8.1
Postwean growth	Postwean wt	-1.3	92	4.1
	Mature weight	-8	90	6
Fertility	Heifer Fertility	2.0	89	-4.2
	Cow Fertility	0.6	101	0.8
	Longevity	10.0	109	5.8
Carcass	IMF	1.5	108	0.6
	Carcass weight	6.7	105	3.4
	EMA	1.7	108	0.6
	Rib Fat	-0.2	100	-0.1
	MF	-1.3	96	-0.6

Selection Value	Herd Avg
Calving Ease Value	112
Calf Growth Value	94
Milk Value	86
Maintenance Value	110
Fertility Value	96


- Average of live animals in the breed: 100
- Above 100: **more favourable**,
- Below 100: **less favourable**

What does a sub-selection value above breed average (100) mean?:

Calving ease: Smaller calf at birth - easier calving
 Calf growth: Heavier calves at wean due to growth potential of the calf
 Milk: Cows with more milk and better mothering ability
 Maintenance: Animals with low maintenance requirements (lower mature weight).
 Fertility: Cows/daughters that calve

Genetic Trends for On-Farm Traits

The graphs show the genetic gain of the herd relative to the breed. Only data of animals with measurements are included.



Herd

Birth Year	Calving Ease				Calf Growth			Milk		Maintenance					Fertility						
	Birth Weight		Dir	Mat	Calv. Ease	Weaning Weight		Calf Growth	Milk (Wn.Mat.)		Postwean Weight	Mature Weight		Mainte- nance	Heifer Fert.		Cow Fert.		Longevity		Ferti- lity
	Number	EBV				Number	EBV		Number	EBV		Milk	Number		EBV	Number	EBV	Number	EBV	Number	
	2023	6	-0.50	-0.47	114																
2024	7	-0.48	-0.44	119																	

Breed

Birth Year	Calving Ease				Calf Growth			Milk			Maintenance					Fertility						
	Birth Weight		Mat EBV	Calv. Ease	Weaning Weight		Calf Growth	Milk (Wn.Mat.)		Postwean Weight		Mature Weight		Mainte- nance	Heifer Fert.		Cow Fert.		Longevity		Ferti- lity	
	Number	Dir EBV			Number	EBV		Number	EBV	Milk	Number	EBV	Number		EBV	Number	EBV	Number	EBV	Number		EBV
2015	364	0.00	0.00	108	331	0.0	94	331	0.00	85	310	0.0	8	0	112	852	0.0	567	0.0	4847	0.0	99
2016	667	0.16	-0.01	106	280	0.5	96	280	6.16	96	213	2.1	17	-8	108	775	-0.9	388	-0.8	6274	-0.6	102
2017	787	0.41	0.17	103	405	0.5	96	405	3.83	92	309	0.3	32	-7	110	792	-1.4	306	-0.8	10224	-0.4	101
2018	1179	0.45	0.09	103	814	-1.6	90	814	2.59	90	823	-0.8	19	-19	112	661	-4.1	395	-1.2	9043	2.2	106
2019	1379	0.54	0.12	102	900	0.0	94	900	1.42	88	895	0.9	26	-26	111	989	-2.1	435	-0.6	11458	2.0	103
2020	2122	0.65	-0.06	102	555	2.5	101	555	7.51	99	273	5.4	22	-10	102	635	-3.2	213	-0.6	10699	1.4	104
2021	2394	0.55	-0.12	104	591	0.5	96	591	4.25	93	253	0.5	19	-3	111	344	-4.6	58	-1.5	6465	1.3	106
2022	2092	0.48	-0.18	105	477	2.4	100	477	1.02	87	259	4.6	3	14	107	125	-1.7	14	0.3			103
2023	1688	0.38	-0.32	107	485	2.7	101	485	1.03	87	181	4.8			106	37	0.4					99
2024	1499	0.40	-0.25	107	150	5.5	108	150	1.90	89	36	19.7			85							
2025	452	0.14	-0.23	107	5	-0.4	93	5	2.59	90												

Genetic Trends for Carcass Traits

Herd —
Breed —

Herd

Birth Year	Carcass														
	IMF			Carcass weight			EMA			RibFat			Marble Fineness		
	Number	EBV	EBVi	Number	EBV	EBVi	Number	EBV	EBVi	Number	EBV	EBVi	Number	EBV	EBVi

Breed

Birth Year	Carcass														
	IMF			Carcass weight			EMA			Rib Fat			Marble Fineness		
	Number	EBV	EBVi	Number	EBV	EBVi	Number	EBV	EBVi	Number	EBV	EBVi	Number	EBV	EBVi
2012	3	-0.6	89	3	11.8	113	3	-0.9	89						
2013	10	-0.6	89	10	0.8	96	9	0.6	100	1	0.2	102			
2014	9	-0.9	86	9	-12.0	77	9	1.3	105	2	0.7	108			
2015	22	-1.0	86	22	0.9	96	22	0.3	98	5	0.6	106			
2016	108	-0.8	87	104	1.9	98	105	-1.0	89	5	0.3	104	1	1.7	113
2017	561	-0.5	90	568	4.1	101	557	-0.4	93	25	-1.2	90			
2018	1591	0.0	94	1601	0.0	95	1517	0.0	96	65	0.0	101	12	0.0	103
2019	2646	0.3	97	2652	0.6	96	2594	0.8	102	191	-0.2	99	26	-0.3	101
2020	4421	0.6	99	4475	1.5	97	4456	0.4	99	742	-0.1	100	84	-1.5	95
2021	2894	0.9	103	3058	0.6	96	3051	0.4	99	2852	-0.1	100	538	-0.8	98
2022	683	0.8	102	710	1.2	97	710	0.1	96	708	0.1	102	629	-0.7	99
2023															

WAGYU Sires

Sire			Growth						Carcass					Stats				
ID	Parentage	Sire ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Daughters with calves	Active 2yrs & older	Carcasses
Name	Gen. DNA	Dam ID																
AKAUSHI																		
RSS 190087		TWAFS0348	110	146	139	140	122	78	93	124	117	75	88	3	4	1	2	
FB		WB 170003	0.18	20.8	27.9	36.3	38	-3.9	-0.1	19.4	3.0	-2.7	-2.6					
RSS190087			56%	36%	40%	31%	30%	32%	29%	32%	29%	27%	8%					
JAPANESE BLACK																		
AW 190038		SMOFF0154	110	89	86	85	82	70	132	105	133	83	69	4	555	7	23	1
FB		CCOFD0218	0.24	-2.1	-4.5	-7.2	-21	-8.4	4.3	6.6	5.3	-1.9	-5.8					
AW190038			86%	65%	52%	50%	44%	47%	52%	52%	48%	47%	29%					
DLB 190044		SMOFF0154	122	89	86	86	86	68	112	117	111	98	90	2	24		5	
PBD		AW 160008	-0.91	-2.1	-4.4	-6.5	-14	-9.7	2.0	14.5	2.1	-0.4	-2.3					
DE LA BLANC DLB190044			75%	42%	46%	44%	38%	40%	47%	47%	44%	42%	23%					
SWK 200078		CCOFG0113	111	124	126	125	105	76	120	107	108	85	84	7	216	15	116	
FB		BDWFC1430	0.09	12.0	19.8	24.5	13	-5.0	2.9	8.3	1.8	-1.6	-3.3					
SWK200078			97%	95%	91%	74%	21%	58%	36%	36%	33%	32%	21%					

WAGYU Dams

Dam				Growth					Carcass					Stats				
ID	Parentage	Sire ID		Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name		Gen. DNA	Dam ID															
JAPANESE BLACK																		
AW 190049			AACFF0758	93	120	113	112	106	81	97	147	99	109	92	2	2	2	
FB			AACFK1310	1.91	10.2	11.9	14.3	15	-2.4	0.3	34.2	0.5	0.9	-1.9				
ABSOLUTE GENETIC AW190049				83%	82%	81%	81%	80%	81%	82%	82%	82%	81%	80%				
LPB 200020			CCOFG0113	119	94	92	90	86	84	130	107	116	84	73	1	1		
FB			AACFF0122	-0.66	0.0	-0.8	-3.2	-14	-0.5	4.0	7.8	2.8	-1.8	-5.2				
MS MISAKO G113				51%	37%	51%	42%	18%	32%	39%	39%	35%	37%	25%				
LPB 200023			CCOFG0113	120	94	91	90	86	84	130	107	116	84	73	1	2	1	
FB			AACFF0122	-0.77	-0.2	-1.0	-3.4	-14	-0.6	4.0	7.8	2.8	-1.8	-5.2				
MS MISAKO G113				57%	37%	51%	42%	18%	32%	39%	39%	35%	37%	25%				
LPB 200024			AACFF0758	95	118	110	110	102	83	95	134	103	104	96	1	1	1	
FB			AACFG0170	1.75	9.6	10.1	12.5	9	-1.4	0.0	25.7	1.0	0.3	-1.2				
MS TSURU				54%	42%	37%	37%	22%	27%	46%	46%	42%	34%	24%				
LPB 200031			DELFN0095	121	81	77	79	73	78	110	95	104	104	104	1	1	1	
FB			BA 170050	-0.84	-5.2	-9.5	-11.3	-33	-4.2	1.8	0.2	1.2	0.3	0.1				
LPB200031				46%	35%	41%	33%	26%	29%	39%	39%	38%	38%	30%				
RSS 170004			KJDFC0087	104	88	84	86	76	79	108	124	130	109	96	2	3	2	
FB			JR 150005	0.82	-2.6	-5.4	-6.0	-29	-3.7	1.5	19.4	4.9	0.8	-1.2				
RSS170004				65%	49%	50%	46%	39%	49%	56%	56%	54%	48%	28%				
RSS 180029			TFWFW0629	131	88	80	83	75	82	90	87	76	112	127	1	3	2	
FB			KJDFE0004	-1.84	-2.5	-7.7	-8.3	-30	-2.1	-0.5	-5.1	-2.8	1.2	4.1				
RSS180029				62%	52%	53%	48%	32%	48%	57%	56%	54%	42%	22%				
RSS 190031			BYWFG0615	122	93	89	92	79	84	112	81	113	85	97	1	1		
FB			PRMFL384	-0.94	-0.7	-2.4	-1.8	-25	-0.7	2.0	-9.0	2.4	-1.7	-1.1				
RSS190031				49%	28%	38%	33%	25%	24%	26%	26%	23%	21%	8%				
RSS 190127			IMUFP0101	115	91	90	93	81	79	114	106	112	93	89	1	2		
FB			WSIFW056L	-0.29	-1.1	-2.1	-0.5	-22	-3.5	2.2	7.1	2.3	-0.9	-2.4				
RSS190127				39%	30%	30%	29%	25%	27%	25%	25%	23%	19%	12%				
RSS 190149			BYWFG0615	119	81	79	82	73	81	107	79	109	103	110	1	4	2	
FB			WAP 150001	-0.67	-5.2	-8.3	-9.3	-34	-2.1	1.5	-10.6	1.9	0.2	1.1				
RSS190149				59%	32%	42%	38%	23%	29%	36%	36%	32%	29%	10%				
RSS 210014			TFWFM0245	106	85	88	87	100	112	89	90	106	101		1	1		
F1				0.65	-3.6	-3.2	-5.5	6	15.1	-0.5	-3.3	1.4	0.0					
RSS210014				35%	18%	17%	15%	5%	18%	9%	9%	8%	5%					
RSS 210031			RSS 170004	104	94	98	100	80	90	109	116	124	98	88	1	1	1	
F1				0.82	0.0	2.8	5.0	-23	2.8	1.7	14.1	4.1	-0.3	-2.6				
RSS210031				65%	25%	25%	23%	20%	24%	28%	28%	27%	24%	14%				

WAGYU Dams

Dam			Growth					Carcass					Stats				
ID	Parentage	Sire ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name	Gen. DNA	Dam ID															
JAPANESE BLACK																	
SHS 210001			118	88	93	96	79	92	109	94	114	95	95				
F1		RSS 190149	-0.58	-2.7	-0.3	1.4	-25	3.8	1.7	-0.9	2.6	-0.6	-1.4	1	1	1	
THABANG			39%	16%	21%	19%	12%	14%	18%	18%	16%	14%	5%				
SHS 220001		AW 190038	102	104	99	98	94	76	115	126	116	96	81				
FB		AW 190049	1.04	4.0	3.6	3.4	-3	-5.4	2.3	20.4	2.9	-0.5	-3.8	1	1		
DRIEKIE			53%	39%	30%	31%	25%	27%	34%	34%	32%	28%	18%				

WAGYU Bulls

Inbreeding >6% is high				<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed																	
Bull				Selection Value					Calf weight		Mother		Growth		Fertility			Carcass						
ID	Name	%Inbreeding	Parentage		Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling	Fineness
			Genomic DNA	Sire ID Dam ID																				
JAPANESE BLACK																								
DLB 190044	5		SMOFF0154	129	89	68	114	100	122	89	112	68	86	86	88	109	112	112	117	111	98	90		
PBD			AW 160008	-0.91	-2.1	-0.86	-9.7	-5.8	-14	2.5	-0.7	11.3	2.0	14.5	2.1	-0.4	-2.3	2.0	14.5	2.1	-0.4	-2.3		
XW DE LA BLANC DE LA BLANC DLB190044				70%	42%	40 %	38%	36%	75 %	42 %	51%	40%	45%	38%	47%	26%	59 %	47 %	47 %	44 %	42 %	23 %		
SHS 220002			RSS 190087	128	117	80	101	117	121	117	112	80	111	99	111	118	124	92	106	97	94	108		
FB			RSS 180029	-0.83	9.1	-0.85	-3.0	11.7	4	-10.3	-2.8	17.1	-0.3	7.2	0.1	-0.8	0.8	-0.3	7.2	0.1	-0.8	0.8		
GREYLING BROERS BLACK JACK				41%	32%	29 %	22%	23%	42 %	32 %	36%	29%	30%	22%	31%	15%	42 %	32 %	32 %	31 %	25 %	12 %		
SHS 230001	7		BYWFJ0455	100	86	77	129	86	141	86	134	77	80	71	80	97	99	105	85	110	95	106		
FB			RSS 180029	-2.85	-3.4	-1.71	-4.6	-9.6	-35	6.9	2.3	5.5	1.3	-6.7	2.0	-0.6	0.5	1.3	-6.7	2.0	-0.6	0.5		
GREYLING BROERS ELI				47%	43%	33 %	21%	25%	50 %	43 %	36%	33%	36%	21%	34%	16%	45 %	36 %	36 %	33 %	24 %	12 %		
SHS 230010	16		SWK 200078	106	114	80	104	81	106	114	92	80	112	96	69	96	125	125	107	112	84	78		
FB			LPB 200023	0.63	7.8	-0.05	-3.0	12.2	-1	12.8	2.5	17.7	3.4	8.0	2.3	-1.7	-4.2	3.4	8.0	2.3	-1.7	-4.2		
GREYLING BROERS TROMPIE				64%	51%	33 %	14%	26%	70 %	51 %	42%	33%	47%	14%	38%	13%	42 %	27 %	26 %	24 %	24 %	16 %		
SHS 240006	2		DLB 190044	128	91	76	117	98	122	91	116	76	88	83	88	108	119	112	99	112	91	93		
PBD			RSS 190031	-0.92	-1.4	-1.02	-5.2	-4.1	-19	2.7	-0.3	14.8	2.0	2.7	2.3	-1.0	-1.7	2.0	2.7	2.3	-1.0	-1.7		
GREYLING BROERS EBEN				58%	25%	23 %	23%	22%	64 %	25 %	34%	23%	29%	23%	30%	14%	40 %	27 %	27 %	25 %	23 %	12 %		
SHS 250011	2		DLB 190044	127	85	75	121	100	120	85	108	75	83	79	89	109	115	109	98	110	100	100		
PBD			RSS 190149	-0.79	-3.7	-0.70	-5.9	-7.5	-24	2.1	-0.6	13.0	1.7	2.0	2.0	-0.1	-0.6	1.7	2.0	2.0	-0.1	-0.6		
GREYLING BROERS JAN- STEF				46%	26%	25 %	22%	23%	48 %	26 %	38%	25%	30%	22%	31%	15%	40 %	29 %	30 %	27 %	25 %	13 %		
SHS 250012	5		DLB 190044	125	90	73	116	99	118	90	108	73	89	84	88	110	112	113	111	111	95	89		
PBD			RSS 190127	-0.60	-1.6	-0.68	-6.6	-3.7	-18	2.7	-0.5	11.2	2.1	10.8	2.2	-0.6	-2.4	2.1	10.8	2.2	-0.6	-2.4		
GREYLING BROERS GREYT				40%	26%	24 %	23%	22%	42 %	26 %	32%	24%	26%	23%	28%	16%	38 %	26 %	27 %	25 %	23 %	13 %		

WAGYU Cows

Inbreeding >6% is high			<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed																
Cow				Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas				
ID	%Inbreeding	Parentage		Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
Name		Genomic DNA	Sire ID Dam ID																			
JAPANESE BLACK																						
RSS 170004	7		KJDFC0087	109	88	79	124	93	104	88	111	79	85	76	68	110	116	108	124	130	109	96
FB			JR 150005	0.82	2.6				0.82	-2.6	-0.82	-3.7	-6.0	-29	13.6	-1.1	13.5	1.5	19.4	4.9	0.8	-1.2
RISING SUN RSS170004				65 %	49 %	49 %	39 %	42 %	65 %	49 %	66 %	49 %	48 %	39%	56%	29%	63 %	56 %	56 %	54 %	48 %	28 %
RSS 180029	5		TFWFW0629	114	88	82	125	95	131	88	128	82	82	75	90	99	113	90	87	76	112	127
FB			KJDFF0004	-1.84	-2.5				-1.84	-2.5	-1.48	-2.1	-8.4	-30	1.6	1.0	11.8	-0.5	-5.1	-2.8	1.2	4.1
RISING SUN RSS180029				61 %	52 %	48 %	32 %	41 %	62 %	52 %	58 %	48 %	50 %	32%	54%	28%	63 %	57 %	56 %	54 %	42 %	22 %
RSS 190031	5		BYWFG0615	126	93	84	121	97	122	93	120	84	91	79	87	103	127	112	81	113	85	97
FB			PRMFL384	-0.94	-0.7				-0.94	-0.7	-1.17	-0.7	-2.4	-25	2.9	0.2	18.3	2.0	-9.0	2.4	-1.7	-1.1
RISING SUN RSS190031				48 %	28 %	24 %	25 %	25 %	49 %	28 %	45 %	24 %	36 %	25%	38%	12%	53 %	26 %	26 %	23 %	21 %	8 %
RSS 190149	2		BYWFG0615	125	81	81	127	100	119	81	104	81	81	73	90	107	119	107	79	109	103	110
FB			WAP 150001	-0.67	-5.2				-0.67	-5.2	-0.54	-2.1	-9.1	-34	1.6	-0.5	14.8	1.5	-10.6	1.9	0.2	1.1
RISING SUN RSS190149				59 %	32 %	29 %	23 %	28 %	59 %	32 %	57 %	29 %	40 %	23%	42%	14%	56 %	36 %	36 %	32 %	29 %	10 %
LPB 200020	5		CCOFG0113	120	94	84	114	85	119	94	89	84	91	86	79	90	116	130	107	116	84	73
FB			AACFF0122	-0.66	0.0				-0.66	0.0	0.06	-0.5	-2.3	-14	7.4	2.7	13.3	4.0	7.8	2.8	-1.8	-5.2
PURE MS MISAKO G113				50 %	37 %	32 %	18 %	32 %	51 %	37 %	47 %	32 %	46 %	18%	47%	18%	53 %	39 %	39 %	35 %	37 %	25 %
LPB 200023	5		CCOFG0113	122	94	84	114	82	120	94	90	84	90	86	75	89	116	130	107	116	84	73
FB			AACFF0122	-0.77	-0.2				-0.77	-0.2	-0.01	-0.6	-2.6	-14	9.7	3.0	13.3	4.0	7.8	2.8	-1.8	-5.2
PURE MS MISAKO G113				56 %	37 %	32 %	18 %	32 %	57 %	37 %	53 %	32 %	46 %	18%	47%	18%	53 %	39 %	39 %	35 %	37 %	25 %
LPB 200024	1		AACFF0758	94	118	83	98	101	95	118	96	83	110	102	94	105	122	95	134	103	104	96
FB			AACFG0170	1.75	9.6				1.75	9.6	-0.22	-1.4	10.9	9	-1.1	-0.2	16.3	0.0	25.7	1.0	0.3	-1.2
PURE MS TSURU				53 %	42 %	27 %	22 %	34 %	54 %	42 %	49 %	27 %	37 %	22%	49%	20%	56 %	46 %	46 %	42 %	34 %	24 %
LPB 200031	6		DELFN0095	129	81	78	127	101	121	81	111	78	78	73	103	100	126	110	95	104	104	104
FB			BA 170050	-0.84	-5.2				-0.84	-5.2	-0.81	-4.2	-10.8	-33	-5.7	0.9	18.1	1.8	0.2	1.2	0.3	0.1
PURE LPB200031				44 %	35 %	29 %	26 %	33 %	46 %	35 %	37 %	29 %	37 %	26%	44%	22%	49 %	39 %	39 %	38 %	38 %	30 %
RSS 210014			TFWFM0245	109	85	112	100	94	106	85	103	112	87	100	103	91	110	89	90	106	101	
F1				0.65	-3.6				0.65	-3.6	-0.50	15.1	-4.7	6	-6.0	2.6	10.7	-0.5	-3.3	1.4	0.0	
RISING SUN RSS210014				35 %	18 %	18 %	5 %	10 %	35 %	18 %	34 %	18 %	16 %	5 %	15%	6%	29 %	9 %	9 %	8 %	5 %	
RSS 210031			RSS 170004	98	94	90	120	102	104	94	73	90	99	80	77	117	105	109	116	124	98	88
F1				0.82	0.0				0.82	0.0	0.66	2.8	3.6	-23	8.4	-2.4	8.0	1.7	14.1	4.1	-0.3	-2.6
RISING SUN RSS210031				60 %	25 %	24 %	20 %	21 %	65 %	25 %	43 %	24 %	24 %	20%	28%	14%	34 %	28 %	28 %	27 %	24 %	14 %
SHS 210001			RSS 190149	113	88	92	121	105	118	88	69	92	94	79	88	115	100	109	94	114	95	95
F1				-0.58	-2.7				-0.58	-2.7	0.84	3.8	0.2	-25	2.4	-2.1	5.7	1.7	-0.9	2.6	-0.6	-1.4
GREYLING BROERS THABANG				39 %	16 %	14 %	12 %	14 %	39 %	16 %	40 %	14 %	20 %	12%	21%	7%	28 %	18 %	18 %	16 %	14 %	5 %
SHS 220001	4		AW 190038	107	104	76	106	99	102	104	111	76	99	94	88	106	118	115	126	116	96	81
FB			AW 190049	1.04	4.0				1.04	4.0	-0.79	-5.4	3.1	-3	2.2	-0.3	14.1	2.3	20.4	2.9	-0.5	-3.8
GREYLING BROERS DRIEKIE				51 %	39 %	27 %	25 %	27 %	53 %	39 %	43 %	27 %	30 %	25%	35%	19%	48 %	34 %	34 %	32 %	28 %	18 %

WAGYU Cows

Inbreeding >6% is high			<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed																
Cow				Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas				
ID	%Inbreeding	Parentage		Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
Name		Genomic DNA	Sire ID Dam ID																			
JAPANESE BLACK																						
SHS 230002	5		SWK 200078	121	103	77	111	91	116	103	103	77	102	89	83	97	131	115	101	106	95	94
FB			LPB 200031	-0.38	3.4	-0.50	-4.6	5.5	-10	5.1	1.5	20.1	2.3	4.3	1.5	-0.7	-1.6	27 %	27 %	25 %	25 %	18 %
GREYLING BROERS KIMMY				51 %	51 %	32 %	17 %	26 %	54 %	51 %	38 %	32 %	45 %	17%	37%	15%	41 %					
SHS 230004	3		BYWFJ0455	106	81	77	130	89	139	81	123	77	78	70	80	96	103	114	81	127	91	97
FB			RSS 190149	-2.61	-5.4	-1.26	-4.6	-10.8	-37	6.9	1.6	7.0	2.2	-9.4	4.4	-1.1	-1.0	28 %	28 %	25 %	18 %	6 %
GREYLING BROERS FAF				61 %	37 %	27 %	18 %	20 %	67 %	37 %	36 %	27 %	32 %	18%	30%	10%	42 %					
SHS 230005	6		DLB 190044	127	85	74	119	97	119	85	113	74	83	81	78	109	114	110	121	121	103	93
PBD			RSS 170004	-0.71	-3.6	-0.87	-6.5	-7.7	-22	8.0	-0.9	12.4	1.7	16.9	3.5	0.2	-1.8	36 %	37 %	35 %	32 %	18 %
GREYLING BROERS POLLY				62 %	32 %	32 %	27 %	28 %	67 %	32 %	42 %	32 %	33 %	27%	36%	19%	43 %					
SHS 230006			DLB 190044	98	96	103	93	93	95	96	104	103	96	107	96	94	94	100	104	99	108	102
F1				1.67	0.9	-0.52	10.1	1.4	16	-1.8	2.1	3.1	0.6	5.9	0.5	0.7	-0.2	35 %	21 %	20 %	19 %	18 %
GREYLING BROERS DAMY				35 %	21 %	20 %	19 %	18 %	37 %	21 %	25 %	20 %	22 %	19%	23%	13%	29 %					
SHS 230007	2		DLB 190044	105	106	75	106	100	102	106	104	75	100	94	91	107	117	103	125	107	101	93
PBD			LPB 200024	0.98	4.8	-0.52	-5.7	4.0	-3	0.7	-0.5	13.8	1.0	20.1	1.5	0.0	-1.7	33 %	33 %	31 %	27 %	17 %
GREYLING BROERS KARINA				60 %	30 %	24 %	22 %	25 %	66 %	30 %	35 %	24 %	29 %	22%	34%	16%	40 %					
SHS 230008	3		DLB 190044	118	90	79	117	101	116	90	93	79	91	83	83	112	108	111	117	118	98	89
F2			RSS 210031	-0.38	-1.7	-0.12	-3.4	-2.0	-18	5.5	-1.6	9.7	1.8	14.3	3.1	-0.3	-2.4	27 %	27 %	26 %	24 %	14 %
GREYLING BROERS COLBY				60 %	24 %	24 %	21 %	21 %	67 %	24 %	33 %	24 %	26 %	21%	27%	15%	34 %					
SHS 230009	1		DLB 190044	123	87	80	117	102	122	87	91	80	89	83	88	111	106	110	105	112	96	92
F2			SHS 210001	-0.93	-2.7	-0.02	-2.9	-3.3	-19	2.5	-1.4	8.5	1.8	6.8	2.3	-0.5	-1.8	25 %	25 %	23 %	22 %	12 %
GREYLING BROERS WILLEMINA				56 %	23 %	21 %	20 %	20 %	62 %	23 %	33 %	21 %	24 %	20%	26%	14%	33 %					
SHS 240001			LPB 200020	99	98	94	115	97	109	98	58	94	103	85	83	107	98	121	107	117	85	77
F1				0.35	1.6	1.27	4.6	6.0	-15	5.3	-0.5	4.9	3.0	8.3	3.0	-1.7	-4.5	50 %	18 %	16 %	9 %	16 %
GREYLING BROERS MAPIEMPS				57 %	18 %	24 %	16 %	57 %	18 %	24 %	16 %	23 %	9 %	23%	9%	26 %						
SHS 240002	9		DLB 190044	119	96	72	110	99	112	96	112	72	92	90	88	107	115	113	121	113	97	85
PBD			SHS 220001	0.00	0.8	-0.83	-7.5	-1.5	-8	2.4	-0.5	12.7	2.1	17.5	2.5	-0.4	-3.1	29 %	29 %	27 %	25 %	15 %
GREYLING BROERS KITZIE				56 %	29 %	24 %	23 %	22 %	62 %	29 %	33 %	24 %	27 %	23%	29%	16%	38 %					
SHS 240004			DLB 190044	98	96	103	93	93	95	96	104	103	96	107	96	94	94	100	104	99	108	102
PEN				1.67	0.9	-0.52	10.1	1.4	16	-1.8	2.1	3.1	0.6	5.9	0.5	0.7	-0.2	35 %	21 %	20 %	19 %	18 %
GREYLING BROERS FRANISIE				35 %	21 %	20 %	19 %	18 %	37 %	21 %	25 %	20 %	22 %	19%	23%	13%	29 %					
SHS 240005	2		DLB 190044	121	88	75	119	97	126	88	120	75	84	81	89	104	112	101	102	94	105	109
PBD			RSS 180029	-1.38	-2.3	-1.17	-5.9	-7.1	-22	2.1	0.1	11.6	0.7	4.7	-0.4	0.4	0.9	37 %	37 %	35 %	30 %	16 %
GREYLING BROERS SWYSIE				46 %	34 %	31 %	25 %	27 %	48 %	34 %	38 %	31 %	34 %	25%	35%	19%	43 %					
SHS 240007	2		DLB 190044	121	88	74	121	100	115	88	108	74	85	79	89	107	115	109	98	110	100	100
PBD			RSS 190149	-0.23	-2.6	-0.68	-6.0	-6.0	-24	2.1	-0.6	13.0	1.7	2.0	2.0	-0.1	-0.6	29 %	30 %	27 %	25 %	13 %
GREYLING BROERS SIYA				59 %	26 %	25 %	22 %	23 %	65 %	26 %	38 %	25 %	30 %	22%	31%	15%	40 %					

WAGYU Cows

Inbreeding >6% is high				<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed																
Cow				Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas					
ID	%Inbreeding	Parentage		Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling	Fineness
Name		Genomic DNA	Sire ID																				
JAPANESE BLACK																							
SHS 240009		DLB 190044		98	96	103	93	93	95	96	104	103	96	107	96	94	94	100	104	99	108	102	
F1				35 %	21 %	20 %	19 %	18 %	1.67	0.9	-0.52	10.1	1.4	16	-1.8	2.1	3.1	0.6	5.9	0.5	0.7	-0.2	
GREYLING BROERS STEPH									37 %	21 %	25 %	20 %	22 %	19%	23%	13%	29 %	23 %	24 %	22 %	21 %	12 %	
SHS 240010		DLB 190044		120	88	76	114	91	127	88	102	76	85	86	81	98	114	121	112	113	91	81	
BS		LPB 200023		59 %	28 %	26 %	21 %	24 %	-1.50	-2.4	-0.47	-5.0	-5.9	-14	6.1	1.1	12.3	3.0	11.1	2.5	-1.1	-3.7	
GREYLING BROERS DWAYNIE									65 %	28 %	37 %	26 %	32 %	21%	33%	16%	40 %	30 %	31 %	28 %	28 %	17 %	



CWB

BREEDING VALUE REPORT

October 2025



GREYLING BROERS TRUST

Herd Number: 8636287


E-mail: stefan@greylinginc.com



**WAGYU
SOCIETY**
OF SOUTH AFRICA



**CERTIFICATE
OF QUALITY**
Valid up to
October 2029



CWB Dams

Dam			Growth					Carcass					Stats				
ID	Parentage	Sire ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name	Gen. DNA	Dam ID															
JAPANESE BLACK																	
AW 190049		AACFF0758	93	120	113	112	106	81	97	147	99	109	92	2	2	2	
FB		AACFK1310	1.91	10.2	11.9	14.3	15	-2.4	0.3	34.2	0.5	0.9	-1.9				
ABSOLUTE GENETIC AW190049			83%	82%	81%	81%	80%	81%	82%	82%	82%	81%	80%				
LPB 200020		CCOFG0113	119	94	92	90	86	84	130	107	116	84	73	1	1		
FB		AACFF0122	-0.66	0.0	-0.8	-3.2	-14	-0.5	4.0	7.8	2.8	-1.8	-5.2				
MS MISAKO G113			51%	37%	51%	42%	18%	32%	39%	39%	35%	37%	25%				
LPB 200023		CCOFG0113	120	94	91	90	86	84	130	107	116	84	73	1	2	1	
FB		AACFF0122	-0.77	-0.2	-1.0	-3.4	-14	-0.6	4.0	7.8	2.8	-1.8	-5.2				
MS MISAKO G113			57%	37%	51%	42%	18%	32%	39%	39%	35%	37%	25%				
LPB 200024		AACFF0758	95	118	110	110	102	83	95	134	103	104	96	1	1	1	
FB		AACFG0170	1.75	9.6	10.1	12.5	9	-1.4	0.0	25.7	1.0	0.3	-1.2				
MS TSURU			54%	42%	37%	37%	22%	27%	46%	46%	42%	34%	24%				
LPB 200031		DELFN0095	121	81	77	79	73	78	110	95	104	104	104	1	1	1	
FB		BA 170050	-0.84	-5.2	-9.5	-11.3	-33	-4.2	1.8	0.2	1.2	0.3	0.1				
LPB200031			46%	35%	41%	33%	26%	29%	39%	39%	38%	38%	30%				
RSS 170004		KJDFC0087	104	88	84	86	76	79	108	124	130	109	96	2	3	2	
FB		JR 150005	0.82	-2.6	-5.4	-6.0	-29	-3.7	1.5	19.4	4.9	0.8	-1.2				
RSS170004			65%	49%	50%	46%	39%	49%	56%	56%	54%	48%	28%				
RSS 180029		TFWFW0629	131	88	80	83	75	82	90	87	76	112	127	1	3	2	
FB		KJDFE0004	-1.84	-2.5	-7.7	-8.3	-30	-2.1	-0.5	-5.1	-2.8	1.2	4.1				
RSS180029			62%	52%	53%	48%	32%	48%	57%	56%	54%	42%	22%				
RSS 190031		BYWFG0615	122	93	89	92	79	84	112	81	113	85	97	1	1		
FB		PRMFL384	-0.94	-0.7	-2.4	-1.8	-25	-0.7	2.0	-9.0	2.4	-1.7	-1.1				
RSS190031			49%	28%	38%	33%	25%	24%	26%	26%	23%	21%	8%				
RSS 190127		IMUFP0101	115	91	90	93	81	79	114	106	112	93	89	1	2		
FB		WSIFW056L	-0.29	-1.1	-2.1	-0.5	-22	-3.5	2.2	7.1	2.3	-0.9	-2.4				
RSS190127			39%	30%	30%	29%	25%	27%	25%	25%	23%	19%	12%				
RSS 190149		BYWFG0615	119	81	79	82	73	81	107	79	109	103	110	1	4	2	
FB		WAP 150001	-0.67	-5.2	-8.3	-9.3	-34	-2.1	1.5	-10.6	1.9	0.2	1.1				
RSS190149			59%	32%	42%	38%	23%	29%	36%	36%	32%	29%	10%				
RSS 210014		TFWFM0245	106	85	88	87	100	112	89	90	106	101		1	1		
F1			0.65	-3.6	-3.2	-5.5	6	15.1	-0.5	-3.3	1.4	0.0					
RSS210014			35%	18%	17%	15%	5%	18%	9%	9%	8%	5%					
RSS 210031			104	94	98	100	80	90	109	116	124	98	88	1	1	1	
F1		RSS 170004	0.82	0.0	2.8	5.0	-23	2.8	1.7	14.1	4.1	-0.3	-2.6				
RSS210031			65%	25%	25%	23%	20%	24%	28%	28%	27%	24%	14%				

CWB Dams

Dam				Growth								Carcass					Stats			
ID	Parentage		Sire ID	Gen. DNA	Dam ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name																				
JAPANESE BLACK																				
SHS 210001						118	88	93	96	79	92	109	94	114	95	95				
F1						-0.58	-2.7	-0.3	1.4	-25	3.8	1.7	-0.9	2.6	-0.6	-1.4	1	1	1	
THABANG						39%	16%	21%	19%	12%	14%	18%	18%	16%	14%	5%				
SHS 220001						102	104	99	98	94	76	115	126	116	96	81				
FB						1.04	4.0	3.6	3.4	-3	-5.4	2.3	20.4	2.9	-0.5	-3.8	1	1		
DRIEKIE						53%	39%	30%	31%	25%	27%	34%	34%	32%	28%	18%				

CWB Bulls

Inbreeding >6% is high					<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed																
Bull					Selection Value					Calf weight		Mother		Growth		Fertility			Carcass					
ID	Name	%Inbreeding	Parentage		Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling	Fineness
			Genomic DNA	Sire ID																				
JAPANESE BLACK																								
CWBMSHS 240008	1			DLB 190044	118	88	90	107	97	113	88	108	90	87	93	96	100	111	101	103	108	99	100	
F2				RSS 210014	-0.03	-2.7	-0.67	2.7	-0.67	2.7	-0.67	2.7	-0.67	2.7	-0.67	2.7	1.0	11.0	0.7	5.6	1.8	-0.2	-0.6	
GREYLING BROERS PIETER					56%	23%	22 %	19%	18%	62 %	23 %	31%	22%	24%	19%	24%	13%	33 %	24 %	24 %	22 %	21 %	12 %	
CWBMSHS 250001				DLB 190044	98	96	103	93	93	95	96	104	103	96	107	96	92	94	100	104	99	108	102	
PEN					1.67	0.9	-0.52	10.1	1.67	0.9	-0.52	10.1	1.4	16	-1.8	2.1	3.1	0.6	5.9	0.5	0.7	-0.2	-0.2	
GREYLING BROERS SHS 250001					35%	21%	20 %	19%	18%	37 %	21 %	25%	20%	22%	19%	23%	13%	29 %	23 %	24 %	22 %	21 %	12 %	
CWBMSHS 250002				DLB 190044	98	96	103	93	93	95	96	104	103	96	107	96	92	94	100	104	99	108	102	
PEN					1.67	0.9	-0.52	10.1	1.67	0.9	-0.52	10.1	1.4	16	-1.8	2.1	3.1	0.6	5.9	0.5	0.7	-0.2	-0.2	
GREYLING BROERS SHS 250002					35%	21%	20 %	19%	18%	37 %	21 %	25%	20%	22%	19%	23%	13%	29 %	23 %	24 %	22 %	21 %	12 %	
CWBMSHS 250003				DLB 190044	98	96	103	93	93	95	96	104	103	96	107	96	92	94	100	104	99	108	102	
PEN					1.67	0.9	-0.52	10.1	1.67	0.9	-0.52	10.1	1.4	16	-1.8	2.1	3.1	0.6	5.9	0.5	0.7	-0.2	-0.2	
GREYLING BROERS SHS 250003					35%	21%	20 %	19%	18%	37 %	21 %	25%	20%	22%	19%	23%	13%	29 %	23 %	24 %	22 %	21 %	12 %	
CWBMSHS 250004				DLB 190044	98	96	103	93	93	95	96	104	103	96	107	96	92	94	100	104	99	108	102	
PEN					1.67	0.9	-0.52	10.1	1.67	0.9	-0.52	10.1	1.4	16	-1.8	2.1	3.1	0.6	5.9	0.5	0.7	-0.2	-0.2	
GREYLING BROERS SHS 250004					35%	21%	20 %	19%	18%	37 %	21 %	25%	20%	22%	19%	23%	13%	29 %	23 %	24 %	22 %	21 %	12 %	
CWBMSHS 250006				DLB 190044	98	96	103	93	93	95	96	104	103	96	107	96	92	94	100	104	99	108	102	
PEN					1.67	0.9	-0.52	10.1	1.67	0.9	-0.52	10.1	1.4	16	-1.8	2.1	3.1	0.6	5.9	0.5	0.7	-0.2	-0.2	
GREYLING BROERS SHS 250006					35%	21%	20 %	19%	18%	37 %	21 %	25%	20%	22%	19%	23%	13%	29 %	23 %	24 %	22 %	21 %	12 %	

CWB Cows

Inbreeding >6% is high				<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed															
Cow				Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas				
ID	%Inbreeding	Parentage		Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
Name		Genomic DNA	Sire ID																			
JAPANESE BLACK																						
CWBFSHS 250005 DLB 190044				98	96	103	93	93	95	96	104	103	96	107	96	94	94	100	104	99	108	102
PEN				35 %	21 %	20 %	19 %	18 %	1.67	0.9	-0.52	10.1	1.4	16	-1.8	2.1	3.1	0.6	5.9	0.5	0.7	-0.2
GREYLING BROERS SHS 250005				37 %	21 %	20 %	19 %	18 %	37 %	21 %	25 %	20 %	22 %	19%	23%	13%	29 %	23 %	24 %	22 %	21 %	12 %
CWBFSHS 250007 DLB 190044				98	96	103	93	93	95	96	104	103	96	107	96	94	94	100	104	99	108	102
PEN				35 %	21 %	20 %	19 %	18 %	1.67	0.9	-0.52	10.1	1.4	16	-1.8	2.1	3.1	0.6	5.9	0.5	0.7	-0.2
GREYLING BROERS SHS 250007				35 %	21 %	20 %	19 %	18 %	37 %	21 %	25 %	20 %	22 %	19%	23%	13%	29 %	23 %	24 %	22 %	21 %	12 %
CWBFSHS 250008 DLB 190044				98	96	103	93	93	95	96	104	103	96	107	96	94	94	100	104	99	108	102
PEN				35 %	21 %	20 %	19 %	18 %	1.67	0.9	-0.52	10.1	1.4	16	-1.8	2.1	3.1	0.6	5.9	0.5	0.7	-0.2
GREYLING BROERS SHS 250008				35 %	21 %	20 %	19 %	18 %	37 %	21 %	25 %	20 %	22 %	19%	23%	13%	29 %	23 %	24 %	22 %	21 %	12 %