



WAGYU

BREEDING VALUE REPORT

June 2026



KALAHARI CATTLE CO

Herd Number: 8662118


E-mail: rpjknipe@gmail.com



**WAGYU
SOCIETY**
OF SOUTH AFRICA



**CERTIFICATE
OF QUALITY**
Valid up to
October 2029



Notes


GEBVi (GEBVindex): The average GEBVi of all the live animals in the breed is 100, and all EBVi values are expressed relative to this value. Values above 100 are mostly in a more desirable direction. Note that a very high index is not always desirable. For certain traits, such as birth weight, average values may be better. It is the top value in the list.

GEBV (Genomic Estimated Breeding Value) indicates the genetic potential of the animal for a specific trait. It is presented in the unit of measurement and relative to the average of animals born in the base year. It is the middle value in the list and not available for selection values.

Accuracy: This value gives an indication of how much information was available for breeding value estimation. It is the bottom value in the list.

Selection values combine similar breeding values in a scientific manner to simplify the selection of animals. For example, HF (Heifer Fertility), CF (Cow Fertility) and Longevity are

combined to form the Fertility Value by taking the heritability and economic importance in consideration.




* Depending on selection goal

GEBVi		Description / Measurement	Goal		General Guidelines*					
					80	90	100	110	120	
Selection V.	Calving Ease Value	Difficult calving due to high birth weight	Average birth weight	High						Low
	Calf Growth Value	Calf's genetic ability for prewean growth	Heavy weaner	Light						Heavy
	Milk Value	Cow's genetic mothering and milking ability	Enough milk for calf	Less						More
	Maintenance Value	Maintenance requirement of cow (weight and milk)	Low cow maintenance	High					*	Low
	Fertility Value	Fertility and retention of cows and heifers	Fertile cows	Low						High
Cow & Calf	Birth weight direct	Birth weight (Calf's genetic ability)	Average birth weight	Heavy						Light
	Birth weight mat	Birth weight (Dam's genetic ability)	Easy calving	Heavy						Light
	Weaning weight direct	Weaning weight (Calf's genetic ability)	Heavy weaners	Light						Heavy
	Weaning weight mat	Weaning weight (Dam's genetic ability)	Good mothers	Poor						Good
	Post-wean weight	Combination of EBVs for 12 and 18 month weights	Mature weight	Light				*	*	Heavy
	Mature Cow Weight	Cow weight at weaning of first three calves	Mature cow weight	Light				*	*	Heavy
Ferti.	Heifer Fertility	Age at first calving	Fertile heifers	Less						More
	Cow Fertility	First 3 inter-calving periods (ICPs)	Fertile cows	Less						More
	Longevity	Retention of progeny	Acceptable progeny	Poor						Good
Carcass	IMF	Intra-muscular-fat, Marbling	High quality carcass	Less						More
	Carcass weight	Weight of the carcass	High quality carcass	Light						Heavy
	EMA	Eye-muscle-area at the 12/13th rib of the dressed carcass	High quality carcass	Small						Large
	Rib Fat	Rib fat depth at the 12/13th rib of the dressed carcass	High quality carcass	Thin						Thick
	Marbling Fineness	Degree of fineness of marbling fat	High quality carcass	Low						High

Herd and Breed Averages

Number 89



Breeding Values (EBV):

Birth: Birth weight
 Wean: Weaning weight
 Birth.mat: Birth mat
 Milk: Milk
 Postwn: Postwean weight
 Matwt: Mature weight
 HF: Heifer Fertility
 CF: Cow Fertility
 LL: Longevity
 IMF: Marbling
 Carcwt: Carcass wt
 EMA: Eye muscle area
 RibFatt: Rib Fat thickness
 MF: Marbling Fineness

Selection values:

CEaseV Calving Ease Value
 CGrowthV Calf Growth Value
 MilkV: Milk Value
 MaintV: Maintenance Value
 FertV: Fertility Value

	Trait	EBV Herd	EBV Index	EBV Breed
Prewrite growth	Birth Weight	2.03	90	1.14
	Wean Weight	4.8	107	2.1
	Birth Mat.	-0.15	95	-0.34
	Milk (Wn.Mat.)	12.1	107	8.4
Postwean growth	Postwean wt	9.0	108	4.0
	Mature weight	19	109	6
Fertility	Heifer Fertility	-6.3	106	-3.0
	Cow Fertility	1.4	96	0.7
	Longevity	4.6	98	5.7
Carcass	IMF	-0.5	91	0.7
	Carcass weight	4.7	106	0.6
	EMA	0.6	100	0.6
	Rib Fat	-0.4	98	-0.2
	MF	-0.5	100	-0.4

Selection Value	Herd Avg
Calving Ease Value	89
Calf Growth Value	107
Milk Value	107
Maintenance Value	91
Fertility Value	103


- Average of live animals in the breed: 100
- Above 100: **more favourable**,
- Below 100: **less favourable**

What does a sub-selection value above breed average (100) mean?:

Calving ease: Smaller calf at birth - easier calving
 Calf growth: Heavier calves at wean due to growth potential of the calf
 Milk: Cows with more milk and better mothering ability
 Maintenance: Animals with low maintenance requirements (lower mature weight).
 Fertility: Cows/daughters that calve

Genetic Trends for On-Farm Traits

The graphs show the genetic gain of the herd relative to the breed. Only data of animals with measurements are included.



Herd

Birth Year	Calving Ease				Calf Growth			Milk		Maintenance				Fertility							
	Birth Weight		Mat	Calv. Ease	Weaning Weight		Calf Growth	Milk (Wn.Mat.)		Postwean Weight		Mature Weight		Mainte- nance	Heifer Fert.		Cow Fert.		Longevity		Ferti- lity
	Number	EBV			Number	EBV		Number	EBV	Number	EBV	Number	EBV		Number	EBV	Number	EBV	Number	EBV	
2023																					

Breed

Birth Year	Calving Ease				Calf Growth			Milk			Maintenance					Fertility						
	Birth Weight		Mat EBV	Calv. Ease	Weaning Weight		Calf Growth	Milk (Wn.Mat.)		Postwean Weight		Mature Weight		Mainte- nance	Heifer Fert.		Cow Fert.		Longevity		Ferti- lity	
	Number	Dir EBV			Number	EBV		Number	EBV	Number	EBV	Number	EBV		Number	EBV	Number	EBV	Number	EBV		
2016	667	0.14	0.02	106	280	0.5	96	280	6.17	96	213	1.9	17	-9	109	776	-1.2	388	-0.8	6283	-0.5	103
2017	787	0.38	0.22	102	405	0.6	96	405	3.81	92	309	0.3	33	-8	111	792	-1.4	308	-0.5	10269	-0.4	102
2018	1181	0.41	0.13	103	815	-1.5	91	815	2.61	90	823	-0.8	19	-20	113	664	-3.9	399	-0.9	9178	2.2	106
2019	1380	0.49	0.18	102	901	-0.1	94	901	1.36	87	896	0.7	27	-27	112	1006	-2.1	462	-0.4	11800	2.0	103
2020	2127	0.62	0.00	102	556	1.9	100	556	7.34	98	273	4.8	24	-8	103	663	-3.4	266	-0.7	11208	1.6	105
2021	2398	0.52	-0.06	103	592	0.1	95	592	4.25	93	254	0.2	21	-5	112	401	-4.8	137	-1.0	8891	1.5	107
2022	2092	0.47	-0.13	104	478	2.4	101	478	1.61	88	260	4.2	15	14	108	281	-1.8	51	-0.4	2264	1.9	102
2023	1685	0.41	-0.26	106	486	2.6	101	486	1.35	87	182	4.8	5	-1	107	85	-5.7	2	0.1			111
2024	1553	0.43	-0.23	106	310	3.6	104	310	2.16	89	66	18.9			90	1	-26.9					142
2025	1506	0.44	-0.05	105	260	3.3	103	260	1.32	87												
2026	103	0.30	-0.04	107																		

Genetic Trends for Carcass Traits

Herd —
Breed —

Herd

Birth Year	Carcass														
	IMF			Carcass weight			EMA			RibFat			Marble Fineness		
	Number	EBV	EBVi	Number	EBV	EBVi	Number	EBV	EBVi	Number	EBV	EBVi	Number	EBV	EBVi
2023															

Breed

Birth Year	Carcass														
	IMF			Carcass weight			EMA			Rib Fat			Marble Fineness		
	Number	EBV	EBVi	Number	EBV	EBVi	Number	EBV	EBVi	Number	EBV	EBVi	Number	EBV	EBVi
2013	17	0.5	99	776	-0.2	99	361	0.7	101	346	0.1	103	5	-4.5	75
2014	16	-1.0	87	541	-3.9	94	301	1.7	108	269	-0.1	100	4	-0.1	102
2015	36	-0.6	90	589	-7.1	89	548	1.0	103	520	-0.2	100	6	0.4	105
2016	124	-0.8	88	588	-0.5	98	322	0.1	96	211	0.4	105	5	2.1	115
2017	732	-0.5	91	1244	-0.2	99	1116	0.1	96	272	0.1	102	17	0.3	104
2018	1945	0.0	95	1968	0.0	99	1939	0.0	96	87	0.0	102	22	0.0	103
2019	2810	0.3	97	2821	-0.8	98	2751	0.8	101	210	-0.6	96	59	0.2	104
2020	4625	0.7	100	4680	0.4	100	4654	0.5	99	711	-0.3	99	91	-1.2	95
2021	3442	0.9	102	3604	-0.1	99	3594	0.5	99	3273	-0.3	99	529	-0.5	99
2022	3263	1.0	102	3310	-0.9	98	3261	0.3	98	3177	-0.4	98	2735	-1.1	96
2023	1740	1.2	104	1746	1.2	101	1737	0.5	99	1696	0.0	102	1743	-1.2	95
2024	16	-0.6	89	16	0.0	99	16	0.3	98	15	-0.5	97	16	0.2	104

WAGYU Sires

Sire			Growth					Carcass					Stats					
ID	Parentage	Sire ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Daughters with calves	Active 2yrs & older	Carcasses
Name	Gen. DNA	Dam ID																
AKAUSHI																		
733D		AF7291	100	118	115	122	98	83	114	103	89	95	78	6	81	29	38	10
PBD		3A55457	1.13	8.8	12.7	21.3	3	-1.1	2.4	2.7	-1.0	-0.7	-4.1					
EL PADRINO			80%	36%	67%	16%	11%	22%	75%	75%	67%	69%	53%					
AF6914		IMUFN2125	98	119	123	128	110	85	86	102	121	75	93	7	37	10	8	4
FB		AF113	1.31	9.4	17.2	25.5	21	0.0	-1.1	1.7	3.6	-2.6	-1.6					
HEARTBRAND T0001M			82%	75%	78%	79%	13%	27%	53%	51%	45%	30%	20%					
BA 150369		HBCFV2139	95	104	103	109	91	78	141	110	125	103	62	25	457	54	130	45
FB		B563	1.65	3.5	6.0	11.7	-6	-3.6	5.8	7.4	4.2	0.1	-6.5					
WOODVIEW MR MARBLING			96%	81%	69%	55%	33%	69%	89%	88%	84%	72%	50%					
CCCFH0037		B0125	90	117	117	124	102	85	99	76	94	79	95	25	133	50	50	3
FB		B218	2.07	8.6	14.0	22.7	8	0.0	0.6	-16.4	-0.3	-2.3	-1.3					
BALD RIDGE HENSHIN			96%	94%	95%	95%	94%	94%	95%	95%	95%	95%	94%					
FB12909		C0402	96	141	140	138	127	86	97	107	129	87	87	6	12	5	6	
FB		FB12108	1.51	17.5	26.9	33.0	43	0.4	0.3	5.6	4.7	-1.5	-2.6					
VBV ROA RED GALAXY			61%	43%	40%	38%	25%	31%	42%	42%	38%	36%	25%					
FB21961		HSFX0013	109	103	106	112	97	80	95	93	106	82	93	3	34	5	12	2
FB		KALFD0449	0.27	3.3	7.2	13.7	2	-2.8	0.1	-4.4	1.5	-2.0	-1.6					
SMX SUMAKU			74%	59%	32%	29%	18%	49%	39%	39%	35%	28%	23%					
TWAFS0348		J251830R	96	136	132	133	118	82	81	101	95	51	82	11	48	9	19	
FB		FB2120	1.51	15.8	22.3	29.3	32	-1.9	-1.8	1.2	-0.1	-5.0	-3.4					
TWA KOTSUKARI			71%	56%	63%	45%	46%	55%	61%	62%	56%	59%	48%					
ZEWB190087		733D	86	129	128	131	115	95	97	112	101	104	92	2	22		20	
PBD		S170709	2.44	13.2	20.1	28.0	27	5.6	0.3	9.3	0.7	0.2	-1.7					
ZEWB190087			84%	82%	83%	82%	82%	82%	83%	84%	83%	83%	82%					
JAPANESE BLACK																		
BOS 170018		D0550	129	73	74	78	67	85	103	94	98	97	105	6	137	17	83	
FB		SFWFE0109	-1.55	-8.1	-11.2	-11.6	-40	0.3	1.0	-3.4	0.3	-0.5	0.4					
AL5 YASUZANE S1718 (ET)(AUS)			95%	87%	26%	24%	16%	65%	54%	54%	52%	50%	39%					
CP 130307		TFWFW0629	126	120	109	109	103	80	94	107	99	133	125	7	211	62	48	24
FB		KJDFB0086	-1.25	9.7	9.4	11.5	10	-2.5	0.0	5.5	0.4	3.1	3.7					
CP 130307			95%	85%	63%	61%	30%	83%	76%	76%	70%	54%	34%					

WAGYU Sires

Sire			Growth					Carcass					Stats					
ID	Parentage	Sire ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Daughters with calves	Active 2yrs & older	Carcasses
Name	Gen. DNA	Dam ID																
JAPANESE BLACK																		
CP 130311		TFWFW0629	124	81	73	76	70	69	95	75	80	135	143	3	34	9	19	1
FB		KJDFC0007	-1.10	-5.2	-11.8	-13.2	-36	-8.9	0.1	-16.8	-2.3	3.3	6.5					
CP 130311			79%	56%	54%	49%	36%	57%	59%	59%	56%	48%	36%					
FGW 120001		IMUFQTF147	109	107	108	111	95	97	100	98	110	92	91	9	255	68	96	17
FB		BA 090339	0.29	4.8	8.5	13.0	-1	6.5	0.7	-0.8	2.0	-0.9	-2.0					
WASABI FGW 12-01			98%	96%	94%	93%	93%	95%	94%	94%	93%	92%	91%					
IMJFAJ2810		1742	142	77	76	86	76	68	115	51	119	63	99	49	256	133	23	26
FB		601124	-2.79	-6.6	-10.0	-5.8	-27	-9.2	2.6	-33.8	3.3	-3.9	-0.6					
KITATERUYASUDOI J2810 HONGEN			97%	96%	96%	95%	95%	95%	96%	97%	96%	96%	95%					
IMUFN2125		DAI5 96	110	118	119	124	106	84	90	86	124	91	105	14	83	46	12	
FB		J19461	0.22	9.0	15.1	23.0	14	-0.8	-0.6	-9.0	4.0	-1.1	0.4					
TAMAMARU (USA)			77%	47%	55%	54%	26%	32%	64%	63%	56%	53%	34%					
WF 160608		WESFA0107	110	93	88	89	81	65	79	64	125	42	105	3	69	2	32	21
FB		KSOFJ0071	0.20	-0.7	-3.1	-3.5	-20	-10.9	-2.0	-25.0	4.1	-5.9	0.4					
WINTERBERG 608			77%	72%	45%	42%	30%	47%	79%	78%	72%	47%	36%					
WK 160194		OVE 100045	116	89	86	91	79	84	81	115	83	83	107	5	58	19	33	2
PBD		KF 120004	-0.36	-2.0	-3.8	-2.4	-23	-0.3	-1.7	10.8	-1.9	-1.9	0.7					
WK160194			86%	66%	42%	34%	29%	59%	65%	65%	59%	55%	41%					
WK 170279		OVE 080002	107	90	88	89	96	95	85	96	97	95	110	2	43	7	27	
FB		CWBFKR 140017	0.53	-1.6	-2.7	-3.7	0	5.5	-1.2	-2.2	0.1	-0.7	1.2					
WK170279			83%	76%	46%	45%	32%	55%	48%	48%	47%	42%	33%					

WAGYU Dams

Dam				Growth						Carcass					Stats			
ID	Parentage	Sire ID		Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name	Gen. DNA	Dam ID																
AKAUSHI																		
1219Z		J251830R		93	122	123	126	112	88	96	110	100	84	86				
FB		AF1286		1.80	10.3	17.2	24.2	23	1.9	0.2	7.5	0.6	-1.8	-2.6	3	19	9	
HEARTBRAND 1219Z				68%	29%	36%	29%	21%	30%	38%	37%	34%	34%	25%				
AF2586		FB2998		100	123	122	127	112	86	85	116	105	87	93				
FB		AF101		1.12	10.8	16.9	24.8	23	0.7	-1.2	11.7	1.3	-1.4	-1.6	1	2	1	
HEARTBRAND B2324R				47%	25%	34%	27%	20%	19%	35%	35%	32%	30%	23%				
C647		HBCFV2141		102	135	135	133	127	82	84	93	119	112	118				
FB		VW95		0.97	15.4	23.9	29.9	44	-1.6	-1.3	-4.2	3.3	1.0	2.5	8	20	5	1
KALANGA F C647				54%	34%	59%	56%	21%	24%	53%	53%	47%	43%	33%				
S170709		FB14989		80	145	144	141	140	103	85	126	113	113	100				
FB		BA 150365		2.97	19.2	29.2	35.9	62	10.0	-1.2	18.5	2.4	1.1	-0.3	1	7	3	
S170709				60%	30%	45%	40%	29%	32%	53%	53%	49%	44%	32%				
WB 170003		C0402		94	147	142	142	126	79	99	110	132	82	81				
FB		KALFB0004		1.71	19.8	28.5	36.0	43	-3.3	0.6	7.7	5.1	-1.9	-3.5	1	14	9	
WB 17-003				60%	42%	47%	41%	28%	29%	44%	43%	40%	39%	27%				
JAPANESE BLACK																		
CP 170086		CP 130304		101	90	89	91	86	82	101	91	108	97	114				
PBD		✓ CP 130032		1.01	-1.9	-2.2	-2.0	-14	-1.4	0.8	-5.6	1.8	-0.5	1.8	1	2	2	
17 0086				75%	50%	36%	35%	28%	57%	42%	42%	39%	33%	26%				
CP 170088		✓ CP 130307		104	106	103	101	111	104	90	110	96	119	112				
F1				0.72	4.3	6.0	5.7	22	10.8	-0.5	7.9	0.1	1.7	1.5	1	3	2	
17 0088				61%	48%	32%	31%	15%	55%	38%	38%	35%	27%	17%				
CP 170117		✓ CP 130305		77	106	105	101	107	110	94	113	101	106	108				
F1				3.31	4.4	6.8	5.2	16	13.8	-0.1	9.4	0.7	0.5	0.9	1	1	1	
CP170117				47%	35%	26%	25%	23%	35%	29%	29%	28%	26%	22%				
CP 180013		✓ AL 150004		87	125	127	124	131	117	80	120	103	103	103				
F1				2.33	11.6	19.4	23.1	49	18.1	-1.8	14.5	1.0	0.1	0.0	1	1	1	
CP180013				40%	26%	20%	15%	17%	24%	33%	32%	28%	13%	10%				
KR 160023		OVE 080002		119	79	71	75	65	72	95	76	89	90	119				
FB		KR 140002		-0.66	-6.0	-12.9	-14.2	-43	-7.4	0.0	-16.0	-1.0	-1.2	2.6	2	5	5	
KR160023				67%	56%	56%	55%	39%	52%	57%	58%	56%	51%	38%				

WAGYU Bulls

Inbreeding >6% is high										Breeding values with an accuracy < 5% are not printed															
Bull					Selection Value					Calf weight		Mother		Growth		Fertility			Carcass						
ID	%Inbreeding	Parentage		Sire ID	Dam ID	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn. Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling	Fineness
		Genomic	DNA																						
AKAUSHI																									
ZEWB190087 4  733D					74	129	95	85	143	86	129	63	95	130	115	137	139	131	97	112	101	104	92		
PBD  S170709					84%	82%	82 %	82%	82%	2.44	13.2	1.17	5.6	23.6	27	-22.1	-6.4	19.8	0.3	9.3	0.7	0.2	-1.7		
EBUHLANTI ZEWB190087					84%	82%	82 %	82%	82%	84 %	82 %	83%	82%	82%	82%	83%	81%	86 %	83 %	84 %	83 %	83 %	82 %		
JAPANESE BLACK																									
KR 190106 13  IMJFAJ2810					114	78	70	130	94	131	78	132	70	77	70	98	94	101	105	64	104	76	109		
FB  KR 160023					56%	51%	46 %	38%	40%	-1.73	-6.3	-1.63	-8.3	-11.1	-35	-1.9	1.6	6.3	1.3	-24.9	1.2	-2.5	1.0		
KOBE KR190106					56%	51%	46 %	38%	40%	57 %	51 %	54%	46%	48%	38%	50%	30%	58 %	53 %	53%	52 %	48 %	38 %		



CWB

BREEDING VALUE REPORT

June 2026



KALAHARI CATTLE CO

Herd Number: 8662118


E-mail: rpjknipe@gmail.com



**WAGYU
SOCIETY**
OF SOUTH AFRICA



**CERTIFICATE
OF QUALITY**
Valid up to
October 2029



CWB Dams

Dam			Growth					Carcass					Stats				
ID	Parentage	Sire ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name	Gen. DNA	Dam ID															
AKAUSHI																	
1219Z		J251830R	93	122	123	126	112	88	96	110	100	84	86	3	19	9	
FB		AF1286	1.80	10.3	17.2	24.2	23	1.9	0.2	7.5	0.6	-1.8	-2.6				
HEARTBRAND 1219Z			68%	29%	36%	29%	21%	30%	38%	37%	34%	34%	25%				
AF2586		FB2998	100	123	122	127	112	86	85	116	105	87	93	1	2	1	
FB		AF101	1.12	10.8	16.9	24.8	23	0.7	-1.2	11.7	1.3	-1.4	-1.6				
HEARTBRAND B2324R			47%	25%	34%	27%	20%	19%	35%	35%	32%	30%	23%				
C647		HBCFV2141	102	135	135	133	127	82	84	93	119	112	118	8	20	5	1
FB		VW95	0.97	15.4	23.9	29.9	44	-1.6	-1.3	-4.2	3.3	1.0	2.5				
KALANGA F C647			54%	34%	59%	56%	21%	24%	53%	53%	47%	43%	33%				
CWBFCP 180060	✓	BA 150369	83	103	106	107	110	109	114	112	110	104	80	1	1	1	
F1			2.74	3.4	7.5	9.7	20	13.4	2.4	8.9	2.0	0.2	-3.6				
CP180060			48%	40%	34%	27%	16%	35%	44%	44%	42%	36%	25%				
S170709		FB14989	80	145	144	141	140	103	85	126	113	113	100	1	7	3	
FB		BA 150365	2.97	19.2	29.2	35.9	62	10.0	-1.2	18.5	2.4	1.1	-0.3				
S170709			60%	30%	45%	40%	29%	32%	53%	53%	49%	44%	32%				
WB 170003		C0402	94	147	142	142	126	79	99	110	132	82	81	1	14	9	
FB		KALFB0004	1.71	19.8	28.5	36.0	43	-3.3	0.6	7.7	5.1	-1.9	-3.5				
WB 17-003			60%	42%	47%	41%	28%	29%	44%	43%	40%	39%	27%				
JAPANESE BLACK																	
CP 170086		CP 130304	101	90	89	91	86	82	101	91	108	97	114	1	2	2	
PBD	✓	CP 130032	1.01	-1.9	-2.2	-2.0	-14	-1.4	0.8	-5.6	1.8	-0.5	1.8				
17 0086			75%	50%	36%	35%	28%	57%	42%	42%	39%	33%	26%				
CP 170088	✓	CP 130307	104	106	103	101	111	104	90	110	96	119	112	1	3	2	
F1			0.72	4.3	6.0	5.7	22	10.8	-0.5	7.9	0.1	1.7	1.5				
17 0088			61%	48%	32%	31%	15%	55%	38%	38%	35%	27%	17%				
CP 170117	✓	CP 130305	77	106	105	101	107	110	94	113	101	106	108	1	1	1	
F1			3.31	4.4	6.8	5.2	16	13.8	-0.1	9.4	0.7	0.5	0.9				
CP170117			47%	35%	26%	25%	23%	35%	29%	29%	28%	26%	22%				
CP 180013	✓	AL 150004	87	125	127	124	131	117	80	120	103	103	103	1	1	1	
F1			2.33	11.6	19.4	23.1	49	18.1	-1.8	14.5	1.0	0.1	0.0				
CP180013			40%	26%	20%	15%	17%	24%	33%	32%	28%	13%	10%				
CWBFCP 190006	✓	CP 130304	92	97	99	96	107	114	104	108	104	109	105	1	1	1	
F1			1.89	1.1	3.2	1.7	16	16.1	1.2	6.3	1.2	0.7	0.3				
190006			46%	40%	32%	31%	23%	40%	36%	36%	33%	28%	23%				

CWB Dams

Dam			Growth					Carcass					Stats				
ID	Parentage	Sire ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name	Gen. DNA	Dam ID															
JAPANESE BLACK																	
CWBFCP 200025	✓	FGW 120001	90	105	108	108	111	118	93	106	102	98	94	1	1	1	
F1			2.06	4.1	8.8	10.3	21	18.4	-0.2	4.8	0.9	-0.3	-1.3				
200025			49%	46%	40%	36%	62%	43%	40%	41%	37%	28%	20%				
CWBFCP 200082	✓	FGW 120001	90	105	108	108	109	118	93	106	102	98	94	1	1	1	
F1			2.06	4.1	8.8	10.3	18	18.4	-0.2	4.8	0.9	-0.3	-1.3				
200082			49%	46%	40%	36%	62%	43%	40%	41%	37%	28%	20%				
CWBFCP 200087	✓	WK 160194	94	96	98	97	107	112	84	114	88	94	103	1	1	1	
F1			1.74	0.7	2.6	2.6	17	15.0	-1.4	10.6	-1.0	-0.8	0.0				
200087			43%	33%	21%	17%	56%	30%	33%	32%	29%	28%	21%				
CWBFCP 200098	✓	FGW 120001	81	112	111	110	101	103	97	105	105	99	99	1	1	1	
F2	✓	CP 170117	2.90	6.7	10.4	12.3	8	9.9	0.3	4.3	1.4	-0.2	-0.5				
200098			69%	50%	42%	38%	41%	47%	43%	44%	40%	31%	23%				
CWBFCP 200100	✓	BA 150369	93	99	98	102	88	80	121	100	117	100	88	1	1	1	
PBD	✓	CP 170086	1.80	1.7	3.0	6.2	-10	-2.6	3.3	0.9	3.0	-0.2	-2.4				
200100			72%	48%	39%	33%	22%	45%	49%	49%	46%	40%	28%				
CWBFCP 200104	✓	CP 130307	98	112	109	107	115	110	90	110	96	119	112	1	1	1	
F1			1.30	6.5	9.2	9.6	28	13.9	-0.5	7.9	0.1	1.7	1.5				
CP200104			47%	43%	32%	31%	15%	41%	38%	38%	35%	27%	17%				
CWBFCP 200115	✓	WK 160194	94	96	98	97	104	112	84	114	88	94	103	1	1	1	
F1			1.74	0.7	2.6	2.6	11	15.0	-1.4	10.6	-1.0	-0.8	0.0				
CP200115			43%	33%	21%	17%	14%	30%	33%	32%	29%	28%	21%				
CWBFCP 200121	✓	CP 130307	98	112	109	107	115	110	90	110	96	119	112	1	1	1	
F1			1.30	6.5	9.2	9.6	28	13.9	-0.5	7.9	0.1	1.7	1.5				
200121			47%	43%	32%	31%	15%	41%	38%	38%	35%	27%	17%				
CWBFCP 200123	✓	CP 130311	98	92	91	90	99	104	91	95	87	119	121	1	1	1	
F1			1.37	-1.0	-1.4	-2.8	5	10.7	-0.5	-3.2	-1.2	1.8	2.9				
200123			39%	28%	27%	24%	18%	29%	29%	29%	28%	24%	18%				
CWBFCP 200141	✓	CP 130307	98	112	109	107	115	110	90	110	96	119	112	1	1	1	
F1			1.30	6.5	9.2	9.6	28	13.9	-0.5	7.9	0.1	1.7	1.5				
200141			47%	43%	32%	31%	15%	41%	38%	38%	35%	27%	17%				
CWBFCP 200144	✓	WK 160194	94	96	98	97	104	112	84	114	88	94	103	1	1	1	
F1			1.74	0.7	2.6	2.6	11	15.0	-1.4	10.6	-1.0	-0.8	0.0				
200144			43%	33%	21%	17%	14%	30%	33%	32%	29%	28%	21%				
CWBFCP 200156	✓	CP 130307	98	112	109	107	115	110	90	110	96	119	112	1	1	1	
F1			1.30	6.5	9.2	9.6	28	13.9	-0.5	7.9	0.1	1.7	1.5				
200156			47%	43%	32%	31%	15%	41%	38%	38%	35%	27%	17%				

CWB Dams

Dam			Growth					Carcass					Stats				
ID	Parentage	Sire ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name	Gen. DNA	Dam ID															
JAPANESE BLACK																	
CWBFCP 200165	✓	WK 160194	94	96	98	97	104	112	84	114	88	94	103	1	1	1	
F1			1.74	0.7	2.6	2.6	11	15.0	-1.4	10.6	-1.0	-0.8	0.0				
200165			43%	33%	21%	17%	14%	30%	33%	32%	29%	28%	21%				
CWBFCP 200170	✓	WK 160194	94	96	98	97	104	112	84	114	88	94	103	1	1	1	
F1			1.74	0.7	2.6	2.6	11	15.0	-1.4	10.6	-1.0	-0.8	0.0				
200170			43%	33%	21%	17%	14%	30%	33%	32%	29%	28%	21%				
CWBFCP 200193	✓	WK 160194	94	96	98	97	104	112	84	114	88	94	103	1	1	1	
F1			1.74	0.7	2.6	2.6	11	15.0	-1.4	10.6	-1.0	-0.8	0.0				
200193			43%	33%	21%	17%	14%	30%	33%	32%	29%	28%	21%				
KR 160023		OVE 080002	119	79	71	75	65	72	95	76	89	90	119	2	5	5	
FB		KR 140002	-0.66	-6.0	-12.9	-14.2	-43	-7.4	0.0	-16.0	-1.0	-1.2	2.6				
KR160023			67%	56%	56%	55%	39%	52%	57%	58%	56%	51%	38%				

CWB Bulls

Inbreeding >6% is high				<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed																
Bull				Selection Value					Calf weight		Mother		Growth		Fertility			Carcass					
ID	%Inbreeding	Parentage		Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling	Fineness
Name		Genomic	DNA																				
AKAUSHI																							
CWBMRSS 190047	7		AF6914	97	133	82	82	142	96	133	100	82	134	118	142	134	122	92	106	127	79	87	
FB			WB 170003	1.51	14.6				1.51	14.6	-0.35	-1.7	26.4	32	-25.1	-5.4	16.0	-0.3	4.7	4.4	-2.3	-2.6	
RISING SUN RSS190047				49%	43%	20 %	15%	23%	51 %	43 %	40%	20%	46%	15%	36%	10%	48 %	34 %	34 %	30 %	25 %	17 %	
CWBMRSS 190052			IMUFN2125	99	120	86	91	133	101	120	87	86	124	109	129	128	108	93	98	112	87	96	
FB			1219Z	1.01	9.6				1.01	9.6	0.19	0.6	19.5	18	-18.4	-4.5	9.2	-0.2	-0.7	2.3	-1.4	-1.1	
RISING SUN RSS190052				50%	28%	22 %	17%	30%	51 %	28 %	47%	22%	32%	17%	43%	17%	56 %	37 %	37 %	33 %	32 %	21 %	
CWBMRSS 190059	7		AF6914	97	133	82	82	142	96	133	100	82	134	118	142	134	122	92	106	127	79	87	
FB			WB 170003	1.51	14.6				1.51	14.6	-0.35	-1.7	26.4	32	-25.1	-5.4	16.0	-0.3	4.7	4.4	-2.3	-2.6	
RISING SUN RSS190059				49%	43%	20 %	15%	23%	51 %	43 %	40%	20%	46%	15%	36%	10%	48 %	34 %	34 %	30 %	25 %	17 %	
CWBMRSS 190065	7		AF6914	97	133	82	82	142	96	133	100	82	134	118	142	134	122	92	106	127	79	87	
FB			WB 170003	1.51	14.6				1.51	14.6	-0.35	-1.7	26.4	32	-25.1	-5.4	16.0	-0.3	4.7	4.4	-2.3	-2.6	
RISING SUN RSS190065				49%	43%	20 %	15%	23%	51 %	43 %	40%	20%	46%	15%	36%	10%	48 %	34 %	34 %	30 %	25 %	17 %	
CWBMRSS 190090	8		CCCFH0037	94	126	83	86	146	96	126	90	83	128	114	150	134	118	91	84	106	96	106	
FB			C647	1.52	12.0				1.52	12.0	0.08	-0.8	22.3	26	-29.2	-5.6	13.9	-0.4	-10.3	1.5	-0.6	0.6	
RISING SUN RSS190090				51%	35%	32 %	31%	27%	52 %	35 %	49%	32%	50%	31%	42%	12%	58 %	49 %	49 %	46 %	44 %	35 %	
CWBMRSS 190095	7		TWAFS0348	91	141	80	78	129	95	141	85	80	137	122	129	122	115	90	106	113	67	81	
FB			WB 170003	1.61	17.8				1.61	17.8	0.25	-2.6	28.6	37	-18.3	-3.6	12.5	-0.6	4.4	2.5	-3.5	-3.5	
RISING SUN RSS190095				46%	35%	31 %	27%	22%	47 %	35 %	42%	31%	35%	27%	33%	11%	51 %	38 %	38 %	34 %	35 %	27 %	
CWBMRSS 190097	7		TWAFS0348	91	141	80	78	129	95	141	85	80	137	122	129	122	115	90	106	113	67	81	
FB			WB 170003	1.61	17.8				1.61	17.8	0.25	-2.6	28.6	37	-18.3	-3.6	12.5	-0.6	4.4	2.5	-3.5	-3.5	
RISING SUN RSS190097				46%	35%	31 %	27%	22%	47 %	35 %	42%	31%	35%	27%	33%	11%	51 %	38 %	38 %	34 %	35 %	27 %	
CWBMRSS 190101			AF2586	98	107	95	102	117	108	107	62	95	116	98	107	119	94	100	101	108	93	92	
FB				0.43	4.9				0.43	4.9	1.20	5.5	14.8	3	-6.9	-3.0	2.9	0.7	1.0	1.7	-0.9	-1.6	
RISING SUN RSS190101				23%	12%	9 %	10%	15%	23 %	12 %	21%	9 %	16%	10%	22%	8%	28 %	18 %	17 %	16 %	15 %	12 %	
JAPANESE BLACK																							
CWBMCP 210033			BOS 170018	100	88	112	102	89	100	88	96	112	91	98	95	86	92	95	104	96	101	102	
F1				1.15	-2.4				1.15	-2.4	-0.17	15.3	-1.9	3	-0.6	3.0	2.0	0.0	3.5	0.0	-0.1	-0.1	
GLENFINLAS CP210033				44%	44%	32 %	8 %	18%	48 %	44 %	31%	32%	12%	8 %	30%	7%	36 %	27 %	27 %	26 %	25 %	20 %	
CWBMKCC 230102			ZEWB190087	71	116	117	79	115	78	116	78	117	118	121	117	108	106	92	113	97	104	95	
F2			CWBFCP 200121	3.14	8.3				3.14	8.3	0.54	17.9	15.8	36	-12.1	-1.1	8.7	-0.4	9.8	0.2	0.2	-1.2	
KALAHARI USHI KCC230102				24%	12%	10 %	8 %	12%	25 %	12 %	21%	10%	16%	8 %	17%	6%	31 %	23 %	23 %	21 %	20 %	15 %	
CWBMKCC 230104			ZEWB190087	71	116	117	79	115	78	116	78	117	118	121	117	108	103	92	113	97	104	95	
F1				3.14	8.3				3.14	8.3	0.54	17.9	15.8	36	-12.1	-1.1	7.3	-0.4	9.8	0.2	0.2	-1.2	
KALAHARI USHI KCC230104				24%	12%	10 %	8 %	12%	25 %	12 %	21%	10%	16%	8 %	17%	6%	28 %	23 %	23 %	21 %	20 %	15 %	
CWBMKCC 230106			ZEWB190087	71	116	117	79	115	78	116	78	117	118	121	117	108	106	92	113	97	104	95	
F2			CWBFCP 200165	3.14	8.3				3.14	8.3	0.54	17.9	15.8	36	-12.1	-1.1	8.7	-0.4	9.8	0.2	0.2	-1.2	
KALAHARI USHI KCC230106				24%	12%	10 %	8 %	12%	25 %	12 %	21%	10%	16%	8 %	17%	6%	31 %	23 %	23 %	21 %	20 %	15 %	

CWB Bulls

Inbreeding >6% is high

<75

75 - 125

>125

Breeding values with an accuracy < 5% are not printed

Bull					Selection Value					Calf weight		Mother		Growth		Fertility			Carcass				
ID	Name	%Inbreeding	Parentage		Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
			Genomic DNA	Sire ID																			
JAPANESE BLACK																							
CWBMKCC 230107			 ZEWB190087		71	116	117	79	115	78	116	78	117	118	121	117	108	106	92	113	97	104	95
F2		 CWBFCP 200193																					
KALAHARI USHI KCC230107					24%	12%	10 %	8 %	12%	3.14	8.3	0.54	17.9	15.8	36	-12.1	-1.1	8.7	-0.4	9.8	0.2	0.2	-1.2
					25 %	12 %				25 %	12 %	21%	10%	16%	8 %	17%	6%	31 %	23 %	23 %	21 %	20 %	15 %
CWBMKCC 230108			 ZEWB190087		71	116	117	79	115	78	116	78	117	118	121	117	108	106	92	113	97	104	95
F2		 CWBFCP 200087																					
KALAHARI USHI KCC230108					24%	12%	10 %	8 %	12%	3.14	8.3	0.54	17.9	15.8	36	-12.1	-1.1	8.7	-0.4	9.8	0.2	0.2	-1.2
					25 %	12 %				25 %	12 %	21%	10%	16%	8 %	17%	6%	31 %	23 %	23 %	21 %	20 %	15 %
CWBMKCC 230109			 ZEWB190087		71	116	117	79	115	78	116	78	117	118	121	117	108	106	92	113	97	104	95
F2		CWBFCP 200123																					
KALAHARI USHI KCC230109					24%	12%	10 %	8 %	12%	3.14	8.3	0.54	17.9	15.8	36	-12.1	-1.1	8.7	-0.4	9.8	0.2	0.2	-1.2
					24%	12%	10 %	8 %	12%	25 %	12 %	21%	10%	16%	8 %	17%	6%	31 %	23 %	23 %	21 %	20 %	15 %
CWBMKCC 230111			 FGW 120001		90	105	118	88	87	90	105	100	118	108	112	94	82	95	93	106	102	98	94
F2		CWBFCP 200082																					
KALAHARI USHI KCC230111					48%	46%	43 %	39%	32%	2.06	4.1	-0.32	18.4	9.2	22	0.3	3.2	3.5	-0.2	4.8	0.9	-0.3	-1.3
					49 %	46 %				49 %	46 %	44%	43%	38%	39%	41%	24%	46 %	40 %	41 %	37 %	28 %	20 %
CWBMKCC 230118			 ZEWB190087		71	116	117	79	115	78	116	78	117	118	121	117	108	106	92	113	97	104	95
F2		 CWBFCP 200104																					
KALAHARI USHI KCC230118					24%	12%	10 %	8 %	12%	3.14	8.3	0.54	17.9	15.8	36	-12.1	-1.1	8.7	-0.4	9.8	0.2	0.2	-1.2
					24%	12%	10 %	8 %	12%	25 %	12 %	21%	10%	16%	8 %	17%	6%	31 %	23 %	23 %	21 %	20 %	15 %
CWBMKCC 230123			 ZEWB190087		71	116	117	79	115	78	116	78	117	118	121	117	108	103	92	113	97	104	95
F1																							
KALAHARI USHI KCC230123					24%	12%	10 %	8 %	12%	3.14	8.3	0.54	17.9	15.8	36	-12.1	-1.1	7.3	-0.4	9.8	0.2	0.2	-1.2
					24%	12%	10 %	8 %	12%	25 %	12 %	21%	10%	16%	8 %	17%	6%	28 %	23 %	23 %	21 %	20 %	15 %

CWB Cows

Inbreeding >6% is high				<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed																
Cow				Selection Values					Kalf gewig		Moeder		Groeï		Vrugbaarheid			Karkas					
ID	Parentage	%Inbreeding	Genomic DNA	Sire ID	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
Name	Dam ID																						
AKAUSHI																							
CWBFCP 210039	FB21961				89	103	110	87	110	90	103	95	110	108	113	117	104	90	91	103	100	93	95
F2	CWBFCP 180060				35 %	30 %	24 %	9 %	14 %	2.05	3.3	-0.13	13.8	9.0	24	-11.9	0.1	1.1	-0.5	3.0	0.6	-0.9	-1.2
GLENFINLAS CP210039										37 %	30 %	26 %	24 %	16 %	9 %	20%	8%	39 %	20 %	19 %	17 %	14 %	11 %
CWBFCP 210099	FB12909				78	122	112	73	108	84	122	84	112	122	127	114	103	92	92	111	111	95	92
F1					29 %	22 %	16 %	12 %	13 %	2.67	10.4	0.29	15.3	18.7	44	-10.5	0.2	2.0	-0.4	8.0	2.2	-0.6	-1.7
GLENFINLAS CP210099										30 %	22 %	23 %	16 %	20 %	12%	20%	6%	36 %	21 %	21 %	19 %	18 %	12 %
JAPANESE BLACK																							
CWBFCP 200025	FGW 120001				90	105	118	89	87	90	105	100	118	108	111	94	85	98	93	106	102	98	94
F1					48 %	46 %	43 %	62 %	32 %	2.06	4.1	-0.32	18.4	9.2	21	0.3	3.2	4.7	-0.2	4.8	0.9	-0.3	-1.3
GLENFINLAS 200025										49 %	46 %	44 %	43 %	38 %	62%	41%	24%	48 %	40 %	41 %	37 %	28 %	20 %
CWBFCP 200082	FGW 120001				90	105	118	91	87	90	105	100	118	108	109	94	85	94	93	106	102	98	94
F1					48 %	46 %	43 %	62 %	32 %	2.06	4.1	-0.32	18.4	9.2	18	0.3	3.2	3.0	-0.2	4.8	0.9	-0.3	-1.3
GLENFINLAS 200082										49 %	46 %	44 %	43 %	38 %	62%	41%	24%	48 %	40 %	41 %	37 %	28 %	20 %
CWBFCP 200087	WK 160194				95	96	112	93	104	94	96	103	112	97	107	107	102	95	84	114	88	94	103
F1					41 %	33 %	30 %	56 %	20 %	1.74	0.7	-0.45	15.0	2.2	17	-6.4	0.4	3.5	-1.4	10.6	-1.0	-0.8	0.0
GLENFINLAS 200087										43 %	33 %	35 %	30 %	19 %	56%	29%	11%	43 %	33 %	32 %	29 %	28 %	21 %
CWBFCP 200095	CP 130307				103	112	110	85	88	98	112	112	110	108	115	86	91	85	90	110	96	119	112
F1					46 %	43 %	41 %	15 %	27 %	1.30	6.5	-0.84	13.9	9.0	28	4.1	2.2	-1.1	-0.5	7.9	0.1	1.7	1.5
GLENFINLAS 200095										47 %	43 %	43 %	41 %	32 %	15%	36%	18%	46 %	38 %	38 %	35 %	27 %	17 %
CWBFCP 200098	2 FGW 120001				80	112	103	99	90	81	112	98	103	111	101	89	93	103	97	105	105	99	99
F2	CP 170117				65 %	50 %	47 %	41 %	38 %	2.90	6.7	-0.27	9.9	10.9	8	2.7	1.9	7.0	0.3	4.3	1.4	-0.2	-0.5
GLENFINLAS 200098										69 %	50 %	50 %	47 %	40 %	41%	49%	26%	54 %	43 %	44 %	40 %	31 %	23 %
CWBFCP 200099	CP 130307				103	112	110	85	88	98	112	112	110	108	115	86	91	85	90	110	96	119	112
F1					46 %	43 %	41 %	15 %	27 %	1.30	6.5	-0.84	13.9	9.0	28	4.1	2.2	-1.1	-0.5	7.9	0.1	1.7	1.5
GLENFINLAS 200099										47 %	43 %	43 %	41 %	32 %	15%	36%	18%	46 %	38 %	38 %	35 %	27 %	17 %
CWBFCP 200100	BA 150369				92	99	80	112	137	93	99	96	80	100	88	135	133	112	121	100	117	100	88
PBD	CP 170086				67 %	48 %	45 %	22 %	34 %	1.80	1.7	-0.17	-2.6	4.2	-10	-21.3	-4.9	11.2	3.3	0.9	3.0	-0.2	-2.4
GLENFINLAS 200100										72 %	48 %	49 %	45 %	36 %	22%	49%	19%	58 %	49 %	49 %	46 %	40 %	28 %
CWBFCP 200103	CP 130307				103	112	110	85	88	98	112	112	110	108	115	86	91	85	90	110	96	119	112
F1					46 %	43 %	41 %	15 %	27 %	1.30	6.5	-0.84	13.9	9.0	28	4.1	2.2	-1.1	-0.5	7.9	0.1	1.7	1.5
GLENFINLAS 200103										47 %	43 %	43 %	41 %	32 %	15%	36%	18%	46 %	38 %	38 %	35 %	27 %	17 %
CWBFCP 200104	CP 130307				103	112	110	85	88	98	112	112	110	108	115	86	91	92	90	110	96	119	112
F1					46 %	43 %	41 %	15 %	27 %	1.30	6.5	-0.84	13.9	9.0	28	4.1	2.2	1.8	-0.5	7.9	0.1	1.7	1.5
GLENFINLAS CP200104										47 %	43 %	43 %	41 %	32 %	15%	36%	18%	50 %	38 %	38 %	35 %	27 %	17 %

CWB Cows

Inbreeding >6% is high				<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed																
Cow				Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas					
ID	Parentage	%Inbreeding	Genomic DNA	Sire ID	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
Name	Dam ID																						
JAPANESE BLACK																							
CWBFCP 200115  WK 160194				95	96	112	96	104	94	96	103	112	97	104	107	102	95	84	114	88	94	103	
F1				41 %	33 %	30 %	14 %	20 %	1.74	0.7	-0.45	15.0	2.2	11	-6.4	0.4	3.5	-1.4	10.6	-1.0	-0.8	0.0	
GLENFINLAS CP200115				43 %	33 %	35 %	30 %	19 %	14%	29%	11%	43 %	33 %	32 %	29 %	28 %	21 %						
CWBFCP 200121  CP 130307				103	112	110	85	88	98	112	112	110	108	115	86	91	92	90	110	96	119	112	
F1				46 %	43 %	41 %	15 %	27 %	1.30	6.5	-0.84	13.9	9.0	28	4.1	2.2	1.8	-0.5	7.9	0.1	1.7	1.5	
GLENFINLAS 200121				47 %	43 %	43 %	41 %	32 %	15%	36%	18%	50 %	38 %	38 %	35 %	27 %	17 %						
CWBFCP 200123  CP 130311				100	92	104	101	84	98	92	104	104	90	99	85	86	104	91	95	87	119	121	
F1				38 %	28 %	29 %	18 %	24 %	1.37	-1.0	-0.52	10.7	-2.5	5	5.0	3.1	7.7	-0.5	-3.2	-1.2	1.8	2.9	
GLENFINLAS 200123				39 %	28 %	33 %	29 %	26 %	18%	30%	17%	42 %	29 %	29 %	28 %	24 %	18 %						
CWBFCP 200134 CP 130311				100	92	104	101	84	98	92	104	104	90	99	85	86	99	91	95	87	119	121	
F1				38 %	28 %	29 %	18 %	24 %	1.37	-1.0	-0.52	10.7	-2.5	5	5.0	3.1	5.4	-0.5	-3.2	-1.2	1.8	2.9	
GLENFINLAS 200134				39 %	28 %	33 %	29 %	26 %	18%	30%	17%	37 %	29 %	29 %	28 %	24 %	18 %						
CWBFCP 200141  CP 130307				103	112	110	85	88	98	112	112	110	108	115	86	91	92	90	110	96	119	112	
F1				46 %	43 %	41 %	15 %	27 %	1.30	6.5	-0.84	13.9	9.0	28	4.1	2.2	1.8	-0.5	7.9	0.1	1.7	1.5	
GLENFINLAS 200141				47 %	43 %	43 %	41 %	32 %	15%	36%	18%	50 %	38 %	38 %	35 %	27 %	17 %						
CWBFCP 200144  WK 160194				95	96	112	96	104	94	96	103	112	97	104	107	102	95	84	114	88	94	103	
F1				41 %	33 %	30 %	14 %	20 %	1.74	0.7	-0.45	15.0	2.2	11	-6.4	0.4	3.5	-1.4	10.6	-1.0	-0.8	0.0	
GLENFINLAS 200144				43 %	33 %	35 %	30 %	19 %	14%	29%	11%	43 %	33 %	32 %	29 %	28 %	21 %						
CWBFCP 200146 WK 160194				95	96	112	96	104	94	96	103	112	97	104	107	102	89	84	114	88	94	103	
F1				41 %	33 %	30 %	14 %	20 %	1.74	0.7	-0.45	15.0	2.2	11	-6.4	0.4	0.8	-1.4	10.6	-1.0	-0.8	0.0	
GLENFINLAS 200146				41 %	33 %	30 %	14 %	20 %	43 %	33 %	35 %	30 %	19 %	14%	29%	11%	38 %	33 %	32 %	29 %	28 %	21 %	
CWBFCP 200156  CP 130307				103	112	110	85	88	98	112	112	110	108	115	86	91	92	90	110	96	119	112	
F1				46 %	43 %	41 %	15 %	27 %	1.30	6.5	-0.84	13.9	9.0	28	4.1	2.2	1.8	-0.5	7.9	0.1	1.7	1.5	
GLENFINLAS 200156				47 %	43 %	43 %	41 %	32 %	15%	36%	18%	50 %	38 %	38 %	35 %	27 %	17 %						
CWBFCP 200157  WK 160194				95	96	112	96	104	94	96	103	112	97	104	107	102	89	84	114	88	94	103	
F1				41 %	33 %	30 %	14 %	20 %	1.74	0.7	-0.45	15.0	2.2	11	-6.4	0.4	0.8	-1.4	10.6	-1.0	-0.8	0.0	
GLENFINLAS 200157				43 %	33 %	35 %	30 %	19 %	14%	29%	11%	38 %	33 %	32 %	29 %	28 %	21 %						
CWBFCP 200165  WK 160194				95	96	112	96	104	94	96	103	112	97	104	107	102	95	84	114	88	94	103	
F1				41 %	33 %	30 %	14 %	20 %	1.74	0.7	-0.45	15.0	2.2	11	-6.4	0.4	3.5	-1.4	10.6	-1.0	-0.8	0.0	
GLENFINLAS 200165				43 %	33 %	35 %	30 %	19 %	14%	29%	11%	43 %	33 %	32 %	29 %	28 %	21 %						
CWBFCP 200166  WK 160194				95	96	112	96	104	94	96	103	112	97	104	107	102	89	84	114	88	94	103	
F1				41 %	33 %	30 %	14 %	20 %	1.74	0.7	-0.45	15.0	2.2	11	-6.4	0.4	0.8	-1.4	10.6	-1.0	-0.8	0.0	
GLENFINLAS 200166				41 %	33 %	30 %	14 %	20 %	43 %	33 %	35 %	30 %	19 %	14%	29%	11%	38 %	33 %	32 %	29 %	28 %	21 %	
CWBFCP 200170  WK 160194				95	96	112	96	104	94	96	103	112	97	104	107	102	95	84	114	88	94	103	
F1				41 %	33 %	30 %	14 %	20 %	1.74	0.7	-0.45	15.0	2.2	11	-6.4	0.4	3.5	-1.4	10.6	-1.0	-0.8	0.0	
GLENFINLAS 200170				41 %	33 %	30 %	14 %	20 %	43 %	33 %	35 %	30 %	19 %	14%	29%	11%	43 %	33 %	32 %	29 %	28 %	21 %	

CWB Cows

Inbreeding >6% is high				<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed																
Cow				Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas					
ID	%Inbreeding	Parentage		Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness	
Name		Genomic DNA	Sire ID																				Dam ID
JAPANESE BLACK																							
CWBFCP 200174  CP 130311				100	92	104	101	84	98	92	104	104	90	99	85	86	99	91	95	87	119	121	
F1				38 %	28 %	29 %	18 %	24 %	1.37	-1.0	-0.52	10.7	-2.5	5	5.0	3.1	5.4	-0.5	-3.2	-1.2	1.8	2.9	
GLENFINLAS 200174									39 %	28 %	33 %	29 %	26 %	18%	30%	17%	37 %	29 %	29 %	28 %	24 %	18 %	
CWBFCP 200186 7  CP 130311				119	93	87	110	83	114	93	117	87	88	90	76	91	113	93	93	88	127	127	
F2  CP 170088				62 %	37 %	40 %	20 %	32 %	-0.16	-0.4	-1.04	1.0	-3.7	-7	9.5	2.2	11.7	-0.2	-4.5	-1.1	2.5	4.0	
GLENFINLAS 200186									67 %	37 %	45 %	40 %	30 %	20%	44%	19%	50 %	35 %	35 %	33 %	28 %	20 %	
CWBFCP 200193  WK 160194				95	96	112	96	104	94	96	103	112	97	104	107	102	95	84	114	88	94	103	
F1				41 %	33 %	30 %	14 %	20 %	1.74	0.7	-0.45	15.0	2.2	11	-6.4	0.4	3.5	-1.4	10.6	-1.0	-0.8	0.0	
GLENFINLAS 200193									43 %	33 %	35 %	30 %	19 %	14%	29%	11%	43 %	33 %	32 %	29 %	28 %	21 %	
CWBFCP 200198  WK 160194				95	96	112	96	104	94	96	103	112	97	104	107	102	89	84	114	88	94	103	
F1				41 %	33 %	30 %	14 %	20 %	1.74	0.7	-0.45	15.0	2.2	11	-6.4	0.4	0.8	-1.4	10.6	-1.0	-0.8	0.0	
GLENFINLAS 200198									43 %	33 %	35 %	30 %	19 %	14%	29%	11%	38 %	33 %	32 %	29 %	28 %	21 %	
CWBFCP 210021 2  FB12909				88	133	102	71	120	92	133	86	102	132	129	123	115	94	88	113	116	95	95	
F2  CP 180013				34 %	25 %	20 %	15 %	14 %	1.92	14.6	0.24	9.3	25.2	46	-15.0	-1.9	3.0	-0.8	10.1	2.9	-0.7	-1.3	
GLENFINLAS CP210021									36 %	25 %	27 %	20 %	22 %	15%	23%	6%	42 %	27 %	26 %	24 %	19 %	13 %	
CWBFCP 210037  BOS 170018				100	88	112	102	89	100	88	96	112	91	98	95	86	94	95	104	96	101	102	
F1				44 %	44 %	32 %	8 %	18 %	1.15	-2.4	-0.17	15.3	-1.9	3	-0.6	3.0	2.8	0.0	3.5	0.0	-0.1	-0.1	
GLENFINLAS CP210037									48 %	44 %	31 %	32 %	12 %	8 %	30%	7%	41 %	27 %	27 %	26 %	25 %	20 %	
CWBFCP 210053  FB12909				78	122	112	73	108	84	122	84	112	122	127	114	103	89	92	111	111	95	92	
F1				29 %	22 %	16 %	12 %	13 %	2.67	10.4	0.29	15.3	18.7	44	-10.5	0.2	0.7	-0.4	8.0	2.2	-0.6	-1.7	
GLENFINLAS CP210053									30 %	22 %	23 %	16 %	20 %	12%	20%	6%	36 %	21 %	21 %	19 %	18 %	12 %	
CWBFCP 210101  BA 150369				82	103	109	90	119	83	103	97	109	106	110	127	111	98	114	112	110	104	80	
F2  CWBFCP 190006				46 %	40 %	35 %	16 %	25 %	2.74	3.4	-0.22	13.4	8.2	20	-17.3	-1.1	4.6	2.4	8.9	2.0	0.2	-3.6	
GLENFINLAS CP210101									48 %	40 %	38 %	35 %	30 %	16%	36%	14%	49 %	44 %	44 %	42 %	36 %	25 %	
CWBFCP 210106  FGW 120001				90	105	118	88	87	90	105	100	118	108	112	94	85	93	93	106	102	98	94	
F1				48 %	46 %	43 %	39 %	32 %	2.06	4.1	-0.32	18.4	9.2	22	0.3	3.2	2.3	-0.2	4.8	0.9	-0.3	-1.3	
GLENFINLAS CP210106									49 %	46 %	44 %	43 %	38 %	39%	41%	24%	48 %	40 %	41 %	37 %	28 %	20 %	
CWBFCP 210110  WF 160608				91	98	102	96	96	91	98	100	102	97	104	99	95	89	83	89	109	73	102	
F1				36 %	36 %	24 %	15 %	18 %	2.02	1.3	-0.35	9.7	2.1	12	-2.3	1.5	0.7	-1.5	-7.3	1.9	-2.8	-0.2	
GLENFINLAS CP210110									38 %	36 %	26 %	24 %	22 %	15%	23%	12%	44 %	39 %	39 %	36 %	23 %	18 %	
CWBFCP 210111  WF 160608				91	98	102	96	96	91	98	100	102	97	104	99	95	89	83	89	109	73	102	
F1				36 %	36 %	24 %	15 %	18 %	2.02	1.3	-0.35	9.7	2.1	12	-2.3	1.5	0.7	-1.5	-7.3	1.9	-2.8	-0.2	
GLENFINLAS CP210111									38 %	36 %	26 %	24 %	22 %	15%	23%	12%	44 %	39 %	39 %	36 %	23 %	18 %	
CWBFCP 210114  WK 170279				90	97	117	88	89	89	97	102	117	97	112	101	82	86	86	86	105	95	100	104
F1				38 %	38 %	28 %	16 %	19 %	2.18	0.9	-0.44	17.9	2.2	23	-3.7	3.8	-0.7	-1.1	4.1	0.0	-0.2	0.2	
GLENFINLAS CP210114									41 %	38 %	28 %	28 %	22 %	16%	26%	12%	40 %	24 %	24 %	23 %	21 %	16 %	

CWB Cows

Inbreeding >6% is high				<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed															
Cow				Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas				
ID	Parentage	%Inbreeding	Sire ID	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
JAPANESE BLACK																						
CWBFCP 210118  WF 160608				91	98	102	96	96	91	98	100	102	97	104	99	95	89	83	89	109	73	102
F1				36 %	36 %	24 %	15 %	18 %	2.02	1.3	-0.35	9.7	2.1	12	-2.3	1.5	0.7	-1.5	-7.3	1.9	-2.8	-0.2
GLENFINLAS CP210118				36 %	36 %	24 %	15 %	18 %	38 %	36 %	26 %	24 %	22 %	15%	23%	12%	44 %	39 %	39 %	36 %	23 %	18 %
CWBFCP 210123  WF 160608				91	98	102	96	96	91	98	100	102	97	104	99	95	89	83	89	109	73	102
F1				36 %	36 %	24 %	15 %	18 %	2.02	1.3	-0.35	9.7	2.1	12	-2.3	1.5	0.7	-1.5	-7.3	1.9	-2.8	-0.2
GLENFINLAS CP210123				36 %	36 %	24 %	15 %	18 %	38 %	36 %	26 %	24 %	22 %	15%	23%	12%	44 %	39 %	39 %	36 %	23 %	18 %
CWBFCP 210126  FGW 120001				90	105	118	88	87	90	105	100	118	108	112	94	85	93	93	106	102	98	94
F1				48 %	46 %	43 %	39 %	32 %	2.06	4.1	-0.32	18.4	9.2	22	0.3	3.2	2.3	-0.2	4.8	0.9	-0.3	-1.3
GLENFINLAS CP210126				48 %	46 %	43 %	39 %	32 %	49 %	46 %	44 %	43 %	38 %	39%	41%	24%	48 %	40 %	41 %	37 %	28 %	20 %
CWBFCP 210136  WF 160608				91	98	102	96	96	91	98	100	102	97	104	99	95	89	83	89	109	73	102
F1				36 %	36 %	24 %	15 %	18 %	2.02	1.3	-0.35	9.7	2.1	12	-2.3	1.5	0.7	-1.5	-7.3	1.9	-2.8	-0.2
GLENFINLAS CP210136				36 %	36 %	24 %	15 %	18 %	38 %	36 %	26 %	24 %	22 %	15%	23%	12%	44 %	39 %	39 %	36 %	23 %	18 %
CWBFCP 210144  WF 160608				91	98	102	96	96	91	98	100	102	97	104	99	95	89	83	89	109	73	102
F1				36 %	36 %	24 %	15 %	18 %	2.02	1.3	-0.35	9.7	2.1	12	-2.3	1.5	0.7	-1.5	-7.3	1.9	-2.8	-0.2
GLENFINLAS CP210144				36 %	36 %	24 %	15 %	18 %	38 %	36 %	26 %	24 %	22 %	15%	23%	12%	44 %	39 %	39 %	36 %	23 %	18 %
CWBFCP 210145  BOS 170018				100	88	112	102	89	100	88	96	112	91	98	95	86	95	95	104	96	101	102
F1				44 %	44 %	32 %	8 %	18 %	1.15	-2.4	-0.17	15.3	-1.9	3	-0.6	3.0	3.5	0.0	3.5	0.0	-0.1	-0.1
GLENFINLAS CP210145				44 %	44 %	32 %	8 %	18 %	48 %	44 %	31 %	32 %	12 %	8 %	30%	7%	41 %	27 %	27 %	26 %	25 %	20 %
CWBFCP 210153 WK 170279				90	97	117	88	89	89	97	102	117	97	112	101	82	86	86	105	95	100	104
F1				38 %	38 %	28 %	16 %	19 %	2.18	0.9	-0.44	17.9	2.2	23	-3.7	3.8	-0.7	-1.1	4.1	0.0	-0.2	0.2
GLENFINLAS CP210153				38 %	38 %	28 %	16 %	19 %	41 %	38 %	28 %	28 %	22 %	16%	26%	12%	40 %	24 %	24 %	23 %	21 %	16 %
CWBFCP 210158  WK 170279				90	97	117	88	89	89	97	102	117	97	112	101	82	86	86	105	95	100	104
F1				38 %	38 %	28 %	16 %	19 %	2.18	0.9	-0.44	17.9	2.2	23	-3.7	3.8	-0.7	-1.1	4.1	0.0	-0.2	0.2
GLENFINLAS 210158				38 %	38 %	28 %	16 %	19 %	41 %	38 %	28 %	28 %	22 %	16%	26%	12%	40 %	24 %	24 %	23 %	21 %	16 %
CWBFCP 210160  WK 170279				90	97	117	88	89	89	97	102	117	97	112	101	82	86	86	105	95	100	104
F1				38 %	38 %	28 %	16 %	19 %	2.18	0.9	-0.44	17.9	2.2	23	-3.7	3.8	-0.7	-1.1	4.1	0.0	-0.2	0.2
GLENFINLAS CP210160				38 %	38 %	28 %	16 %	19 %	41 %	38 %	28 %	28 %	22 %	16%	26%	12%	40 %	24 %	24 %	23 %	21 %	16 %
CWBFCP 210166  WF 160608				91	98	102	96	96	91	98	100	102	97	104	99	95	89	83	89	109	73	102
F1				36 %	36 %	24 %	15 %	18 %	2.02	1.3	-0.35	9.7	2.1	12	-2.3	1.5	0.7	-1.5	-7.3	1.9	-2.8	-0.2
GLENFINLAS CP210166				36 %	36 %	24 %	15 %	18 %	38 %	36 %	26 %	24 %	22 %	15%	23%	12%	44 %	39 %	39 %	36 %	23 %	18 %
CWBFCP 210167  WF 160608				91	98	102	96	96	91	98	100	102	97	104	99	95	89	83	89	109	73	102
F1				36 %	36 %	24 %	15 %	18 %	2.02	1.3	-0.35	9.7	2.1	12	-2.3	1.5	0.7	-1.5	-7.3	1.9	-2.8	-0.2
GLENFINLAS CP210167				36 %	36 %	24 %	15 %	18 %	38 %	36 %	26 %	24 %	22 %	15%	23%	12%	44 %	39 %	39 %	36 %	23 %	18 %
CWBFCP 210171  WK 170279				90	97	117	88	89	89	97	102	117	97	112	101	82	86	86	105	95	100	104
F1				38 %	38 %	28 %	16 %	19 %	2.18	0.9	-0.44	17.9	2.2	23	-3.7	3.8	-0.7	-1.1	4.1	0.0	-0.2	0.2
GLENFINLAS CP210171				38 %	38 %	28 %	16 %	19 %	41 %	38 %	28 %	28 %	22 %	16%	26%	12%	40 %	24 %	24 %	23 %	21 %	16 %

CWB Cows

Inbreeding >6% is high				<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed															
Cow				Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas				
ID	%Inbreeding	Parentage		Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
Name		Genomic DNA	Sire ID Dam ID																			
JAPANESE BLACK																						
CWBFCP 210194  FGW 120001				90	105	118	88	87	90	105	100	118	108	112	94	85	88	93	106	102	98	94
F1				2.06	4.1	-0.32	18.4	2.06	4.1	-0.32	18.4	9.2	22	0.3	3.2	0.1	-0.2	4.8	0.9	-0.3	-1.3	
GLENFINLAS CP210194				48 %	46 %	43 %	39 %	32 %	49 %	46 %	44 %	43 %	38 %	39%	41%	24%	44 %	40 %	41 %	37 %	28 %	20 %
CWBFCP 210207  FGW 120001				90	105	118	88	87	90	105	100	118	108	112	94	85	93	93	106	102	98	94
F1				2.06	4.1	-0.32	18.4	2.06	4.1	-0.32	18.4	9.2	22	0.3	3.2	2.3	-0.2	4.8	0.9	-0.3	-1.3	
GLENFINLAS CP210207				48 %	46 %	43 %	39 %	32 %	49 %	46 %	44 %	43 %	38 %	39%	41%	24%	48 %	40 %	41 %	37 %	28 %	20 %
CWBFCP 210210  WK 170279				90	97	117	88	89	89	97	102	117	97	112	101	82	86	86	105	95	100	104
F1				2.18	0.9	-0.44	17.9	2.18	0.9	-0.44	17.9	2.2	23	-3.7	3.8	-0.7	-1.1	4.1	0.0	-0.2	0.2	
GLENFINLAS CP210210				38 %	38 %	28 %	16 %	19 %	41 %	38 %	28 %	28 %	22 %	16%	26%	12%	40 %	24 %	24 %	23 %	21 %	16 %
CWBFCP 210211  FGW 120001				90	105	118	88	87	90	105	100	118	108	112	94	85	93	93	106	102	98	94
F1				2.06	4.1	-0.32	18.4	2.06	4.1	-0.32	18.4	9.2	22	0.3	3.2	2.3	-0.2	4.8	0.9	-0.3	-1.3	
GLENFINLAS CP210211				48 %	46 %	43 %	39 %	32 %	49 %	46 %	44 %	43 %	38 %	39%	41%	24%	48 %	40 %	41 %	37 %	28 %	20 %
CWBFCP 210212  FGW 120001				90	105	118	88	87	90	105	100	118	108	112	94	85	93	93	106	102	98	94
F1				2.06	4.1	-0.32	18.4	2.06	4.1	-0.32	18.4	9.2	22	0.3	3.2	2.3	-0.2	4.8	0.9	-0.3	-1.3	
GLENFINLAS CP210212				48 %	46 %	43 %	39 %	32 %	49 %	46 %	44 %	43 %	38 %	39%	41%	24%	48 %	40 %	41 %	37 %	28 %	20 %
CWBFCP 210217  FGW 120001				90	105	118	88	87	90	105	100	118	108	112	94	85	93	93	106	102	98	94
F1				2.06	4.1	-0.32	18.4	2.06	4.1	-0.32	18.4	9.2	22	0.3	3.2	2.3	-0.2	4.8	0.9	-0.3	-1.3	
GLENFINLAS CP210217				48 %	46 %	43 %	39 %	32 %	49 %	46 %	44 %	43 %	38 %	39%	41%	24%	48 %	40 %	41 %	37 %	28 %	20 %
CWBFCP 210218  FGW 120001				90	105	118	88	87	90	105	100	118	108	112	94	85	93	93	106	102	98	94
F1				2.06	4.1	-0.32	18.4	2.06	4.1	-0.32	18.4	9.2	22	0.3	3.2	2.3	-0.2	4.8	0.9	-0.3	-1.3	
GLENFINLAS CP210218				48 %	46 %	43 %	39 %	32 %	49 %	46 %	44 %	43 %	38 %	39%	41%	24%	48 %	40 %	41 %	37 %	28 %	20 %
CWBFCP 210225  WK 170279				90	97	117	88	89	89	97	102	117	97	112	101	82	86	86	105	95	100	104
F1				2.18	0.9	-0.44	17.9	2.18	0.9	-0.44	17.9	2.2	23	-3.7	3.8	-0.7	-1.1	4.1	0.0	-0.2	0.2	
GLENFINLAS CP210225				38 %	38 %	28 %	16 %	19 %	41 %	38 %	28 %	28 %	22 %	16%	26%	12%	40 %	24 %	24 %	23 %	21 %	16 %
CWBFCP 210231  WK 170279				90	97	117	88	89	89	97	102	117	97	112	101	82	86	86	105	95	100	104
F1				2.18	0.9	-0.44	17.9	2.18	0.9	-0.44	17.9	2.2	23	-3.7	3.8	-0.7	-1.1	4.1	0.0	-0.2	0.2	
GLENFINLAS CP210231				38 %	38 %	28 %	16 %	19 %	41 %	38 %	28 %	28 %	22 %	16%	26%	12%	40 %	24 %	24 %	23 %	21 %	16 %
CWBFCP 210234  WK 160194				95	96	112	96	104	94	96	103	112	97	104	107	102	94	84	114	88	94	103
F1				1.74	0.7	-0.45	15.0	1.74	0.7	-0.45	15.0	2.2	11	-6.4	0.4	2.9	-1.4	10.6	-1.0	-0.8	0.0	
GLENFINLAS CP210234				41 %	33 %	30 %	14 %	20 %	43 %	33 %	35 %	30 %	19 %	14%	29%	11%	43 %	33 %	32 %	29 %	28 %	21 %
CWBFCP 210249  CP 130311				100	92	104	101	84	98	92	104	104	90	99	85	86	99	91	95	87	119	121
F1				1.37	-1.0	-0.52	10.7	1.37	-1.0	-0.52	10.7	-2.5	5	5.0	3.1	5.4	-0.5	-3.2	-1.2	1.8	2.9	
GLENFINLAS CP210249				38 %	28 %	29 %	18 %	24 %	39 %	28 %	33 %	29 %	26 %	18%	30%	17%	37 %	29 %	29 %	28 %	24 %	18 %
CWBFKCC 230101  ZEWB190087 CWBFCP 200156				71	116	117	79	115	78	116	78	117	118	121	117	110	107	92	113	97	104	95
F2				3.14	8.3	0.54	17.9	3.14	8.3	0.54	17.9	15.8	36	-12.1	-1.1	8.8	-0.4	9.8	0.2	0.2	-1.2	
KALAHARI USHI KCC230101				24 %	12 %	10 %	8 %	12 %	25 %	12 %	21 %	10 %	16 %	8 %	17%	6%	31 %	23 %	23 %	21 %	20 %	15 %

CWB Cows

Inbreeding >6% is high				<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed																
Cow				Selection Values					Kalf gewig		Moeder		Groeï		Vrugbaarheid			Karkas					
ID	%Inbreeding	Parentage		Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness	
Name		Genomic DNA	Sire ID																				Dam ID
JAPANESE BLACK																							
CWBFKCC 230103				🔗 ZEWB190087	71	116	117	79	115	78	116	78	117	118	121	117	110	107	92	113	97	104	95
F2				🔗 CWBFCP 200144	24 %	12 %	10 %	8 %	12 %	3.14	8.3	0.54	17.9	15.8	36	-12.1	-1.1	8.8	-0.4	9.8	0.2	0.2	-1.2
KALAHARI USHI KCC230103					24 %	12 %	10 %	8 %	12 %	25 %	12 %	21 %	10 %	16 %	8 %	17 %	6 %	31 %	23 %	23 %	21 %	20 %	15 %
CWBFKCC 230105				🔗 ZEWB190087	71	116	117	79	115	78	116	78	117	118	121	117	110	107	92	113	97	104	95
PBD				🔗 CWBFCP 200100	24 %	12 %	10 %	8 %	12 %	3.14	8.3	0.54	17.9	15.8	36	-12.1	-1.1	8.8	-0.4	9.8	0.2	0.2	-1.2
KALAHARI USHI KCC230105					24 %	12 %	10 %	8 %	12 %	25 %	12 %	21 %	10 %	16 %	8 %	17 %	6 %	31 %	23 %	23 %	21 %	20 %	15 %
CWBFKCC 230110				🔗 ZEWB190087	71	116	117	79	115	78	116	78	117	118	121	117	110	103	92	113	97	104	95
F1					24 %	12 %	10 %	8 %	12 %	3.14	8.3	0.54	17.9	15.8	36	-12.1	-1.1	7.3	-0.4	9.8	0.2	0.2	-1.2
KALAHARI USHI KCC230110					24 %	12 %	10 %	8 %	12 %	25 %	12 %	21 %	10 %	16 %	8 %	17 %	6 %	28 %	23 %	23 %	21 %	20 %	15 %
CWBFKCC 230113				🔗 ZEWB190087	71	116	117	79	115	78	116	78	117	118	121	117	110	103	92	113	97	104	95
F3				CWBFCP 200098	24 %	12 %	10 %	8 %	12 %	3.14	8.3	0.54	17.9	15.8	36	-12.1	-1.1	7.3	-0.4	9.8	0.2	0.2	-1.2
KALAHARI USHI KCC230113					24 %	12 %	10 %	8 %	12 %	25 %	12 %	21 %	10 %	16 %	8 %	17 %	6 %	28 %	23 %	23 %	21 %	20 %	15 %
CWBFKCC 230116				🔗 ZEWB190087	71	116	117	79	115	78	116	78	117	118	121	117	110	107	92	113	97	104	95
F2				🔗 CWBFCP 200115	24 %	12 %	10 %	8 %	12 %	3.14	8.3	0.54	17.9	15.8	36	-12.1	-1.1	8.8	-0.4	9.8	0.2	0.2	-1.2
KALAHARI USHI KCC230116					24 %	12 %	10 %	8 %	12 %	25 %	12 %	21 %	10 %	16 %	8 %	17 %	6 %	31 %	23 %	23 %	21 %	20 %	15 %
CWBFKCC 230117				🔗 ZEWB190087	71	116	117	79	115	78	116	78	117	118	121	117	110	107	92	113	97	104	95
F2				🔗 CWBFCP 200170	24 %	12 %	10 %	8 %	12 %	3.14	8.3	0.54	17.9	15.8	36	-12.1	-1.1	8.8	-0.4	9.8	0.2	0.2	-1.2
KALAHARI USHI KCC230117					24 %	12 %	10 %	8 %	12 %	25 %	12 %	21 %	10 %	16 %	8 %	17 %	6 %	31 %	23 %	23 %	21 %	20 %	15 %
CWBFKCC 230120				🔗 ZEWB190087	71	116	117	79	115	78	116	78	117	118	121	117	110	103	92	113	97	104	95
F1					24 %	12 %	10 %	8 %	12 %	3.14	8.3	0.54	17.9	15.8	36	-12.1	-1.1	7.3	-0.4	9.8	0.2	0.2	-1.2
KALAHARI USHI KCC230120					24 %	12 %	10 %	8 %	12 %	25 %	12 %	21 %	10 %	16 %	8 %	17 %	6 %	28 %	23 %	23 %	21 %	20 %	15 %
CWBFKCC 230121				🔗 ZEWB190087	71	116	117	79	115	78	116	78	117	118	121	117	110	107	92	113	97	104	95
F2				CWBFCP 200025	24 %	12 %	10 %	8 %	12 %	3.14	8.3	0.54	17.9	15.8	36	-12.1	-1.1	8.8	-0.4	9.8	0.2	0.2	-1.2
KALAHARI USHI KCC230121					24 %	12 %	10 %	8 %	12 %	25 %	12 %	21 %	10 %	16 %	8 %	17 %	6 %	31 %	23 %	23 %	21 %	20 %	15 %
CWBFKCC 230122				🔗 ZEWB190087	71	116	117	79	115	78	116	78	117	118	121	117	110	103	92	113	97	104	95
F2				🔗 CWBFCP 200141	24 %	12 %	10 %	8 %	12 %	3.14	8.3	0.54	17.9	15.8	36	-12.1	-1.1	7.3	-0.4	9.8	0.2	0.2	-1.2
KALAHARI USHI KCC230122					24 %	12 %	10 %	8 %	12 %	25 %	12 %	21 %	10 %	16 %	8 %	17 %	6 %	28 %	23 %	23 %	21 %	20 %	15 %
CWBFKCC 230124				🔗 ZEWB190087	71	116	117	79	115	78	116	78	117	118	121	117	110	103	92	113	97	104	95
F1					24 %	12 %	10 %	8 %	12 %	3.14	8.3	0.54	17.9	15.8	36	-12.1	-1.1	7.3	-0.4	9.8	0.2	0.2	-1.2
KALAHARI USHI KCC230124					24 %	12 %	10 %	8 %	12 %	25 %	12 %	21 %	10 %	16 %	8 %	17 %	6 %	28 %	23 %	23 %	21 %	20 %	15 %

