



WAGYU
BREEDING VALUE REPORT

September 2026



MBEU TRUST

Herd Number: 8795083


E-mail: isiah@mbeu.co.za



WAGYU
SOCIETY
OF SOUTH AFRICA



CERTIFICATE
OF QUALITY
Valid up to
October 2029



Notes


GEBVi (GEBVindex): The average GEBVi of all the live animals in the breed is 100, and all EBVi values are expressed relative to this value. Values above 100 are mostly in a more desirable direction. Note that a very high index is not always desirable. For certain traits, such as birth weight, average values may be better. It is the top value in the list.

GEBV (Genomic Estimated Breeding Value) indicates the genetic potential of the animal for a specific trait. It is presented in the unit of measurement and relative to the average of animals born in the base year. It is the middle value in the list and not available for selection values.

Accuracy: This value gives an indication of how much information was available for breeding value estimation. It is the bottom value in the list.

Selection values combine similar breeding values in a scientific manner to simplify the selection of animals. For example, HF (Heifer Fertility), CF (Cow Fertility) and Longevity are

combined to form the Fertility Value by taking the heritability and economic importance in consideration.




* Depending on selection goal

GEBVi		Description / Measurement	Goal		General Guidelines*					
					80	90	100	110	120	
Selection V.	Calving Ease Value	Difficult calving due to high birth weight	Average birth weight	High						Low
	Calf Growth Value	Calf's genetic ability for prewean growth	Heavy weaner	Light						Heavy
	Milk Value	Cow's genetic mothering and milking ability	Enough milk for calf	Less						More
	Maintenance Value	Maintenance requirement of cow (weight and milk)	Low cow maintenance	High					*	Low
	Fertility Value	Fertility and retention of cows and heifers	Fertile cows	Low						High
Cow & Calf	Birth weight direct	Birth weight (Calf's genetic ability)	Average birth weight	Heavy						Light
	Birth weight mat	Birth weight (Dam's genetic ability)	Easy calving	Heavy						Light
	Weaning weight direct	Weaning weight (Calf's genetic ability)	Heavy weaners	Light						Heavy
	Weaning weight mat	Weaning weight (Dam's genetic ability)	Good mothers	Poor						Good
	Post-wean weight	Combination of EBVs for 12 and 18 month weights	Mature weight	Light				*	*	Heavy
	Mature Cow Weight	Cow weight at weaning of first three calves	Mature cow weight	Light				*	*	Heavy
Ferti.	Heifer Fertility	Age at first calving	Fertile heifers	Less						More
	Cow Fertility	First 3 inter-calving periods (ICPs)	Fertile cows	Less						More
	Longevity	Retention of progeny	Acceptable progeny	Poor						Good
Carcass	IMF	Intra-muscular-fat, Marbling	High quality carcass	Less						More
	Carcass weight	Weight of the carcass	High quality carcass	Light						Heavy
	EMA	Eye-muscle-area at the 12/13th rib of the dressed carcass	High quality carcass	Small						Large
	Rib Fat	Rib fat depth at the 12/13th rib of the dressed carcass	High quality carcass	Thin						Thick
	Marbling Fineness	Degree of fineness of marbling fat	High quality carcass	Low						High

Herd and Breed Averages

Number 31



Breeding Values (EBV):

Birth:	Birth weight	IMF:	Marbling
Wean:	Weaning weight	Carcwt:	Carcass wt
Birth.mat:	Birth mat	EMA:	Eye muscle area
Milk:	Milk	RibFatt:	Rib Fat thickness
Postwn:	Postwean weight	MF:	Marbling Fineness
Matwt:	Mature weight		
HF:	Heifer Fertility		
CF:	Cow Fertility		
LL:	Longevity		

Selection values:

CEaseV	Calving Ease Value
CGrowthV	Calf Growth Value
MilkV:	Milk Value
MaintV:	Maintenance Value
FertV:	Fertility Value

	Trait	EBV Herd	EBV Index	EBV Breed
Prewean growth	Birth Weight	0.03	112	1.23
	Wean Weight	0.6	94	2.9
	Birth Mat.	-0.82	111	-0.38
	Milk (Wn.Mat.)	-0.5	83	8.7
Postwean growth	Postwean wt	-0.6	90	6.4
	Mature weight	-19	82	6
Fertility	Heifer Fertility	0.0	95	-2.9
	Cow Fertility	0.2	102	0.5
	Longevity	10.2	112	5.2
Carcass	IMF	2.9	117	0.8
	Carcass weight	-15.1	77	0.8
	EMA	0.5	98	0.8
	Rib Fat	0.5	107	-0.1
	MF	1.2	110	-0.5

Selection Value	Herd Avg
Calving Ease Value	113
Calf Growth Value	94
Milk Value	83
Maintenance Value	118
Fertility Value	99


- Average of live animals in the breed: 100
- Above 100: **more favourable**,
- Below 100: **less favourable**

What does a sub-selection value above breed average (100) mean?:

Calving ease:	Smaller calf at birth - easier calving
Calf growth:	Heavier calves at wean due to growth potential of the calf
Milk:	Cows with more milk and better mothering ability
Maintenance:	Animals with low maintenance requirements (lower mature weight).
Fertility:	Cows/daughters that calve

Genetic Trends for On-Farm Traits

The graphs show the genetic gain of the herd relative to the breed. Only data of animals with measurements are included.



Herd

Birth Year	Calving Ease				Calf Growth			Milk		Maintenance					Fertility						
	Birth Weight		Dir	Mat	Calv. Ease	Weaning Weight		Calf Growth	Milk (Wn.Mat.)		Postwean Weight	Mature Weight		Mainte- nance	Heifer Fert.		Cow Fert.		Longevity		Ferti- lity
	Number	EBV				Number	EBV		Number	EBV		Milk	Number		EBV	Number	EBV	Number	EBV	Number	
	2024	4	-0.29	-0.79	117																
2025	7	-0.78	-0.01	116																	
2026	3	-0.53	-1.03	120																	

Breed

Birth Year	Calving Ease				Calf Growth			Milk			Maintenance					Fertility						
	Birth Weight		Mat EBV	Calv. Ease	Weaning Weight		Calf Growth	Milk (Wn.Mat.)		Postwean Weight	Mature Weight		Mainte- nance	Heifer Fert.		Cow Fert.		Longevity		Ferti- lity		
	Number	Dir EBV			Number	EBV		Number	EBV		Number	EBV		Number	EBV	Number	EBV	Number	EBV		Number	EBV
2016	667	0.14	0.06	106	280	0.5	94	280	6.43	96	213	2.7	17	-11	110	777	-1.4	388	-0.8	6318	-0.5	102
2017	787	0.41	0.21	102	405	0.6	94	405	3.76	91	309	0.1	33	-9	111	791	-1.9	308	-0.6	10308	-0.4	102
2018	1180	0.44	0.12	103	815	-1.4	89	815	2.45	88	823	-0.9	19	-23	113	665	-4.6	407	-1.0	9232	2.0	106
2019	1379	0.55	0.15	102	901	0.1	93	901	1.30	86	896	0.6	27	-30	112	1006	-2.8	469	-0.6	11910	1.7	103
2020	2115	0.65	-0.03	102	556	2.3	98	556	7.29	97	273	6.2	24	-7	103	665	-4.3	269	-1.0	11395	1.2	106
2021	2374	0.55	-0.10	103	589	0.4	94	589	4.13	91	253	0.2	19	-6	112	405	-6.0	158	-1.5	9292	1.5	108
2022	2062	0.42	-0.18	105	461	2.0	98	461	1.65	87	246	2.4	15	15	110	306	-2.8	72	-0.6	4200	2.1	103
2023	1637	0.34	-0.31	107	461	2.0	98	461	1.21	86	160	2.0	5	-3	111	121	-6.6	11	-0.6			110
2024	1413	0.39	-0.30	107	311	2.5	99	311	1.86	87	36	14.0			97	15	-2.4					101
2025	1478	0.37	-0.14	106	386	2.5	99	386	0.24	84												
2026	307	0.25	-0.03	106																		

Genetic Trends for Carcass Traits

Herd —
Breed —

Herd

Birth Year	Carcass														
	IMF			Carcass weight			EMA			RibFat			Marble Fineness		
	Number	EBV	EBVi	Number	EBV	EBVi	Number	EBV	EBVi	Number	EBV	EBVi	Number	EBV	EBVi

Breed

Birth Year	Carcass														
	IMF			Carcass weight			EMA			Rib Fat			Marble Fineness		
	Number	EBV	EBVi	Number	EBV	EBVi	Number	EBV	EBVi	Number	EBV	EBVi	Number	EBV	EBVi
2013	17	0.6	99	776	-0.1	99	361	0.8	100	346	0.2	103	5	-4.6	74
2014	16	-1.0	86	541	-3.8	94	301	1.7	106	269	-0.1	100	4	0.0	103
2015	36	-0.5	90	589	-7.1	89	548	1.0	102	520	-0.1	100	6	0.3	105
2016	124	-0.8	87	588	-0.3	98	322	0.1	96	211	0.3	105	5	2.1	117
2017	732	-0.4	90	1244	-0.2	99	1116	0.1	95	272	0.0	102	17	0.3	105
2018	1946	0.0	94	1969	0.0	99	1940	0.0	95	87	0.0	101	22	0.0	103
2019	2812	0.3	96	2823	-1.3	97	2753	0.8	100	212	-0.5	96	61	0.4	106
2020	4627	0.7	99	4682	-0.6	98	4656	0.5	98	713	-0.3	98	92	-1.2	95
2021	3444	0.9	101	3606	-0.3	98	3596	0.6	99	3275	-0.2	99	531	-0.6	99
2022	3277	1.0	101	3324	-0.9	98	3275	0.4	97	3191	-0.3	97	2749	-1.0	97
2023	1839	1.1	103	1845	1.3	101	1836	0.6	99	1795	0.0	101	1841	-1.0	96
2024	17	-0.6	89	17	1.3	101	17	0.5	98	16	-0.5	96	17	0.1	103

WAGYU Sires

Sire			Growth						Carcass					Stats				
ID	Parentage	Sire ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Daughters with calves	Active 2yrs & older	Carcasses
Name	Gen. DNA	Dam ID																
JAPANESE BLACK																		
BB 170161		148BE	120	78	71	70	64	69	111	39	94	70	113	2	47	3	18	16
FB		PK 140003	-0.68	-6.1	-12.3	-15.8	-46	-7.7	2.3	-42.4	-0.2	-3.0	1.5					
BB170161			74%	55%	54%	53%	48%	52%	77%	76%	72%	64%	50%					
BB 180258		WESFZ0278	100	106	99	98	83	70	115	85	117	70	90	1	79	7	48	
FB		ADBFL0019	1.23	5.5	5.3	5.7	-18	-7.2	2.8	-10.0	3.4	-3.0	-2.1					
BB180258 (ET)			94%	89%	89%	88%	88%	88%	90%	90%	89%	90%	89%					
BB 180266		WESFZ0278	113	103	98	99	88	72	98	83	109	88	112	4	52	2	39	
FB		ADBFL0019	0.02	4.3	4.9	6.6	-11	-6.0	0.6	-11.0	2.1	-1.2	1.5					
BB180266 (ET)			93%	88%	88%	87%	87%	87%	88%	88%	88%	88%	87%					
BB 200060		BB 170161	121	84	77	79	68	76	117	44	90	100	123	2	11			
FB		BB 170017	-0.83	-3.6	-8.1	-9.3	-39	-4.1	3.0	-38.6	-0.8	-0.1	3.1					
BB200060			87%	83%	83%	83%	83%	83%	84%	84%	84%	83%	83%					
BYWFG0615		BYWFC0058	122	99	90	86	77	77	112	44	87	88	122	13	66	25	29	2
FB		BYWFY0377	-0.91	2.5	-0.4	-3.3	-26	-3.3	2.3	-38.7	-1.2	-1.3	3.1					
BLACKMORE DAI ICHI YASUCHIYO G615			80%	62%	70%	61%	48%	46%	63%	63%	54%	58%	39%					
BYWFH0224		IMJFQ3161	141	79	73	76	65	73	143	61	112	82	82	18	53	13	11	5
FB		BYWFY0385	-2.72	-5.7	-10.8	-11.1	-44	-5.7	6.3	-26.9	2.7	-1.9	-3.3					
BLACKMORE KINUSURUKIKU H224 (AI)			79%	59%	65%	46%	56%	66%	59%	58%	51%	49%	24%					
EPW 180513		BYWFG0615	126	90	83	82	74	82	99	61	88	86	118	1	1	1	1	
FB		BYWFE0256	-1.25	-1.0	-4.3	-6.2	-31	-1.0	0.7	-27.0	-1.1	-1.4	2.4					
EMBRIO PLUS KIKUHIME YASUCHIYO			45%	35%	39%	35%	27%	27%	35%	36%	31%	33%	22%					
SWK 190060		SMOFF0154	93	106	100	96	91	73	138	108	121	112	87	10	127	12	44	1
FB		GRSFF0149	1.92	5.2	5.9	4.2	-7	-5.8	5.7	6.3	4.0	1.0	-2.6					
MICHIFUKU Q060			98%	97%	96%	96%	95%	95%	96%	96%	96%	96%	95%					
SWK 200080		BDWFM0546	120	87	95	111	80	84	130	92	115	161	127	5	86	7	37	
FB		BDWFD1995	-0.67	-2.2	2.9	15.9	-22	0.1	4.6	-4.9	3.1	5.7	3.8					
KITATERUYASUDO I R080			97%	96%	96%	95%	95%	95%	95%	95%	95%	95%	94%					

WAGYU Dams

Dam			Growth					Carcass					Stats				
ID	Parentage	Sire ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name	Gen. DNA	Dam ID															
JAPANESE BLACK																	
BB 170012		WSI135Z	105	96	89	91	78	77	112	76	80	150	136	1	5	2	
FB		BB 120014	0.76	1.5	-1.0	0.1	-25	-3.6	2.3	-15.8	-2.4	4.6	5.3				
BB170012			88%	86%	86%	85%	85%	86%	86%	86%	86%	85%	85%				
BB 170017		WSI135Z	111	95	88	89	78	79	111	73	81	136	132	1	2	2	
FB		BB 120014	0.17	0.9	-1.7	-0.7	-25	-2.3	2.2	-18.0	-2.1	3.3	4.6				
BB170017			61%	44%	45%	37%	25%	45%	49%	48%	44%	36%	24%				
BB 190091		SMOFF0154	112	92	82	79	90	73	130	85	80	133	114	1	3	2	
FB		BB 120026	0.07	-0.5	-5.1	-9.0	-9	-5.4	4.6	-9.9	-2.3	3.1	1.8				
BB190091 (ET)			91%	88%	88%	88%	87%	87%	89%	89%	88%	88%	87%				
BYWFB0185		151BE	118	92	86	85	80	83	102	94	89	114	118	1	2	2	
FB		TFWFU0177	-0.51	-0.4	-2.9	-4.1	-23	-0.1	1.1	-3.1	-0.9	1.2	2.4				
BLACKMORE ITOCHIYO B185 (AI)(ET)			54%	46%	48%	42%	31%	44%	49%	50%	49%	45%	32%				
EPW 180501		BYWFG0615	112	106	96	93	86	82	115	64	90	115	125	2	4	2	
FB		BYWFB0185	0.02	5.2	3.4	1.7	-14	-0.8	2.7	-24.8	-0.7	1.3	3.6				
EMBRIO PLUS EPW180501			87%	86%	86%	86%	85%	85%	86%	86%	86%	86%	85%				
EPW 180503		BYWFG0615	114	99	91	89	82	75	106	69	85	96	118	2	5	1	
FB		BYWFB0185	-0.12	2.7	0.7	-1.4	-19	-4.5	1.5	-21.2	-1.5	-0.4	2.4				
EMBRIO PLUS ITOSHIYO			60%	45%	48%	37%	28%	46%	40%	40%	36%	36%	25%				
EPW 180509		BYWFH0017	121	86	81	84	75	88	110	115	106	96	85	1	1		
FB		BYWFM034	-0.82	-2.6	-5.6	-4.6	-29	2.2	2.0	11.7	1.7	-0.5	-2.9				
EMBRIO PLUS KINNTOU KIKUZAKURA			83%	81%	81%	81%	81%	81%	82%	82%	82%	82%	81%				
EPW 190515		BYWFK0733	124	87	79	77	71	78	119	89	98	106	107	1	2	1	
FB		PRMFL502	-1.10	-2.3	-7.3	-10.6	-36	-2.8	3.2	-7.0	0.5	0.5	0.6				
EMBRIO PLUS MICHIFUKU AIZAKURA			49%	42%	43%	32%	29%	49%	37%	38%	36%	35%	26%				
EPW 190516		BYWFK0733	128	84	78	76	73	84	109	93	95	120	121	2	4	3	
FB		PRMFL502	-1.53	-3.6	-7.7	-11.5	-32	0.5	1.9	-4.1	0.1	1.8	2.9				
MICHIFUKU AIZAKURA			88%	87%	87%	86%	86%	87%	87%	87%	87%	87%	86%				
EPW 190559		BYWFK0733	111	104	95	92	85	77	128	88	103	88	89	2	3	2	
FB		PRMFL502	0.14	4.4	2.9	1.1	-16	-3.6	4.4	-7.8	1.2	-1.2	-2.2				
KINUSURU ITOCHIYO			89%	87%	87%	87%	86%	87%	87%	87%	87%	87%	86%				
EPW 190561		BYWFH0224	132	74	69	70	61	78	130	44	93	89	106	2	5	1	
FB		PRMFL219	-1.85	-7.4	-13.3	-16.2	-49	-3.0	4.6	-38.6	-0.4	-1.1	0.4				
KINUSURU ITOCHIYO			88%	87%	87%	86%	86%	87%	86%	86%	86%	86%	85%				
EPW 220501		SWK 190060	102	105	97	94	87	80	130	77	92	121	114	1	1		
FB		EPW 180501	1.02	4.9	4.5	2.6	-13	-1.7	4.6	-15.1	-0.4	1.9	1.7				
EPW22-501			87%	87%	86%	86%	85%	86%	86%	86%	86%	86%	85%				

WAGYU Dams

Dam				Growth								Carcass					Stats			
ID	Parentage		Sire ID	Gen. DNA	Dam ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name																				
JAPANESE BLACK																				
EPW 220507			 EPW 180513			130	83	77	77	70	84	100	83	93	99	117	2	2		
FB			 EPW 190516			-1.68	-3.9	-8.0	-10.9	-37	0.1	0.8	-11.0	-0.3	-0.2	2.2				
EPW22-507						84%	83%	83%	82%	82%	83%	83%	83%	82%	82%	82%				
EPW 230502			 SWK 190060			106	103	99	95	94	74	120	88	97	96	99	1	1		
FB			 EPW 180503			0.67	4.0	5.4	3.7	-3	-4.9	3.4	-7.9	0.3	-0.5	-0.6				
EPW23-502						88%	87%	87%	85%	84%	85%	85%	85%	85%	85%	85%				
EPW 230506			 SWK 190060			103	104	99	96	87	73	135	101	115	105	87	1	1		
FB			 EPW 190559			0.96	4.6	5.5	4.5	-13	-5.5	5.3	1.2	3.2	0.4	-2.6				
EPW23-506						89%	88%	88%	87%	86%	87%	87%	87%	87%	87%	86%				
PRMFL219			BYWFC0058			129	79	73	72	67	80	111	59	87	101	121	2	2	1	
FB		BYWFE0488			-1.61	-5.4	-10.8	-14.3	-41	-1.9	2.2	-28.0	-1.2	0.0	2.8					
BLACKMORE ITOCHIYO L219					43%	34%	36%	31%	21%	34%	31%	36%	33%	33%	21%					

WAGYU Bulls

Inbreeding >6% is high				<75			75 - 125			>125			Breeding values with an accuracy < 5% are not printed												
Bull				Selection Value					Calf weight		Mother		Growth		Fertility			Carcass							
ID	Name	%Inbreeding	Parentage		Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling	Fineness	
			Genomic	Sire ID																					DNA
JAPANESE BLACK																									
BB 200060	3			BB 170161	126	84	76	132	97	121	84	118	76	78	68	94	101	120	117	44	90	100	123		
FB				BB 170017	-0.83	-3.6	-1.05	-4.1	-9.1	-39	0.6	0.4	13.9	3.0	-38.6	-0.8	-0.1	3.1	3.0	-38.6	-0.8	-0.1	3.1		
BEYOND BEEF BB200060					86%	83%	83 %	83%	82%	87 %	83 %	84%	83%	83%	83%	83%	82%	85 %	84 %	84 %	84 %	83 %	83 %		
CWBMWGY 240012	2			SWK 200080	119	95	80	118	99	114	95	104	80	96	82	97	103	112	129	76	98	142	122		
FB				EPW 180501	-0.09	1.0	-0.52	-1.8	-3.5	-19	-1.3	0.1	10.5	4.5	-16.0	0.5	3.9	3.1	4.5	-16.0	0.5	3.9	3.1		
MIKONO ZIGI					88%	87%	86 %	85%	86%	89 %	87 %	86%	86%	86%	85%	86%	85%	87 %	86 %	86 %	86 %	86 %	86 %		
WGY 250018	2			SWK 200080	109	98	79	119	103	106	98	102	79	101	81	102	105	110	118	80	100	134	122		
FB				EPW 180503	0.66	2.3	-0.46	-2.4	6.9	-20	-3.8	-0.4	9.3	3.1	-13.0	0.8	3.1	3.1	3.1	-13.0	0.8	3.1	3.1		
MIKONO WGY 250018					63%	49%	34 %	23%	22%	69 %	49 %	39%	34%	44%	23%	33%	11%	43 %	34 %	34 %	30 %	32 %	25 %		
WGY 250020	2			SWK 200080	116	82	86	122	99	130	82	103	86	90	78	100	100	102	120	104	111	134	106		
FB				EPW 180509	-1.71	-4.2	-0.50	1.4	-0.8	-25	-2.8	0.5	6.2	3.3	3.4	2.4	3.1	0.4	3.3	3.4	2.4	3.1	0.4		
MIKONO WGY 250020					60%	46%	28 %	23%	20%	67 %	46 %	34%	28%	41%	23%	27%	12%	40 %	33 %	33 %	29 %	32 %	24 %		

WAGYU Cows

Inbreeding >6% is high				<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed															
Cow				Selection Values					Kalf gewig		Moeder		Groeï		Vrugbaarheid			Karkas				
ID	%Inbreeding	Parentage		Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
Name		Genomic DNA	Sire ID																			
JAPANESE BLACK																						
EPW 180501	12		BYWFG0615	118	106	82	114	98	112	106	106	82	94	86	93	102	116	115	64	90	115	125
FB			BYWFB0185	0.02	5.2	-0.61	-0.8	2.7	87 %	86 %	86 %	85 %	2.1	-14	1.0	0.2	12.1	2.7	-24.8	-0.7	1.3	3.6
EMBRIO PLUS EPW180501				87 %	86 %	85 %	85 %	85 %	87 %	86 %	86 %	85 %	86 %	85 %	86 %	84 %	88 %	86 %	86 %	86 %	86 %	85 %
EPW 180503	12		BYWFG0615	120	99	75	118	104	114	99	112	75	90	82	103	106	105	106	69	85	96	118
FB			BYWFB0185	-0.12	2.7	-0.85	-4.5	2.4	60 %	45 %	-0.85	-4.5	-0.8	-19	-4.9	-0.6	7.4	1.5	-21.2	-1.5	-0.4	2.4
EMBRIO PLUS ITOSHIYO				60 %	45 %	46 %	28 %	34 %	60 %	45 %	59 %	46 %	42 %	28 %	51 %	17 %	59 %	40 %	40 %	36 %	36 %	25 %
EPW 190561	3		BYWFH0224	115	74	78	139	81	132	74	113	78	69	61	84	81	118	130	44	93	89	106
FB			PRMFL219	-1.85	-7.4	-0.89	-3.0	0.4	88 %	87 %	88 %	87 %	-15.1	-49	6.3	4.0	12.9	4.6	-38.6	-0.4	-1.1	0.4
EMBRIO PLUS KINUSURU ITOCHIYO				88 %	87 %	87 %	86 %	86 %	88 %	87 %	88 %	87 %	86 %	86 %	87 %	85 %	88 %	86 %	86 %	86 %	86 %	85 %
EPW 220501	3		SWK 190060	106	105	80	113	106	102	105	115	80	95	87	98	113	112	130	77	92	121	114
FB			EPW 180501	1.02	4.9	-0.93	-1.7	0.4	87 %	87 %	-0.93	-1.7	3.1	-13	-1.4	-1.9	10.3	4.6	-15.1	-0.4	1.9	1.7
EMBRIO PLUS EPW22-501				87 %	87 %	86 %	85 %	86 %	87 %	87 %	86 %	86 %	86 %	85 %	86 %	85 %	87 %	86 %	86 %	86 %	86 %	85 %
EPW 220503	6		SWK 190060	99	100	73	118	110	99	100	124	73	92	82	103	116	118	125	94	114	91	91
FB			EPW 190559	1.30	3.0	-1.30	-5.6	0.4	89 %	88 %	-1.30	-5.6	0.6	-20	-4.4	-2.4	12.9	4.0	-3.3	2.9	-0.9	-1.9
EMBRIO PLUS EPW22-503				89 %	88 %	87 %	87 %	87 %	89 %	88 %	88 %	87 %	88 %	87 %	88 %	86 %	89 %	87 %	88 %	87 %	87 %	87 %
EPW 220507	11		EPW 180513	112	83	84	130	100	130	83	129	84	77	70	101	101	121	100	83	93	99	117
FB			EPW 190516	-1.68	-3.9	-1.47	0.1	0.4	84 %	83 %	-1.47	0.1	-9.8	-37	-3.5	0.3	14.3	0.8	-11.0	-0.3	-0.2	2.2
EMBRIO PLUS EPW22-507				84 %	83 %	83 %	82 %	82 %	84 %	83 %	84 %	83 %	82 %	82 %	83 %	82 %	84 %	83 %	83 %	82 %	82 %	82 %
BB 230016			BB 180258	103	117	84	101	101	101	117	99	84	110	99	100	103	113	108	102	108	95	99
F2			CWBFB 180011	1.11	9.8	-0.36	0.2	0.4	82 %	80 %	-0.36	0.2	13.3	5	-2.8	-0.1	10.7	1.9	1.9	1.9	-0.6	-0.6
BEYOND BEEF BB23-0016				82 %	80 %	79 %	79 %	80 %	82 %	80 %	80 %	79 %	80 %	79 %	80 %	79 %	81 %	80 %	80 %	80 %	80 %	80 %
BB 230020	4		BB 180266	116	98	71	109	102	110	98	110	71	92	91	93	109	121	101	73	98	98	119
FB			BB 190091	0.27	2.1	-0.78	-6.7	0.4	89 %	85 %	-0.78	-6.7	1.0	-7	1.2	-1.2	14.3	1.0	-18.2	0.5	-0.3	2.6
BEYOND BEEF BB23-0020				88 %	85 %	84 %	84 %	84 %	89 %	85 %	85 %	84 %	84 %	84 %	85 %	83 %	86 %	85 %	85 %	85 %	85 %	84 %
BB 230061			BB 180258	118	104	71	109	88	112	104	106	71	95	91	83	94	108	113	89	89	78	97
FB			CWBFB 170041	0.03	4.4	-0.62	-6.8	0.4	85 %	83 %	-0.62	-6.8	2.7	-7	6.8	1.6	8.5	2.5	-7.2	-0.9	-2.2	-1.0
BEYOND BEEF BB23-0061				85 %	83 %	82 %	82 %	82 %	85 %	83 %	83 %	82 %	83 %	82 %	83 %	82 %	84 %	84 %	84 %	83 %	83 %	83 %
BB 230081	2		BB 180258	107	104	78	118	92	104	104	115	78	96	82	85	99	124	116	78	104	114	113
FB			BB 170012	0.86	4.7	-0.95	-3.0	0.4	88 %	84 %	-0.95	-3.0	3.7	-19	6.1	0.7	15.4	2.9	-14.9	1.3	1.2	1.6
BEYOND BEEF BB23-0081				87 %	84 %	84 %	83 %	84 %	88 %	84 %	85 %	84 %	84 %	83 %	84 %	83 %	85 %	85 %	85 %	84 %	84 %	83 %
EPW 230502	3		SWK 190060	107	103	74	106	119	106	103	124	74	97	94	112	123	104	120	88	97	96	99
FB			EPW 180503	0.67	4.0	-1.27	-4.9	0.4	88 %	87 %	-1.27	-4.9	4.1	-3	-10.1	-3.6	6.7	3.4	-7.9	0.3	-0.5	-0.6
EMBRIO PLUS EPW23-502				88 %	87 %	85 %	84 %	84 %	88 %	87 %	86 %	85 %	86 %	84 %	85 %	84 %	86 %	85 %	85 %	85 %	85 %	85 %
EPW 230505	6		SWK 190060	114	95	78	120	94	113	95	129	78	85	80	81	105	116	120	96	108	109	103
FB			EPW 190516	-0.05	1.0	-1.49	-3.2	0.4	89 %	88 %	-1.49	-3.2	-4.4	-23	8.2	-0.4	11.8	3.4	-2.0	2.1	0.7	0.0
EMBRIO PLUS EPW23-505				89 %	88 %	86 %	86 %	86 %	89 %	88 %	87 %	86 %	87 %	86 %	87 %	85 %	87 %	86 %	86 %	86 %	86 %	86 %

WAGYU Cows

Inbreeding >6% is high				<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed															
Cow				Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas				
ID	%Inbreeding	Parentage		Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
Name		Genomic DNA	Sire ID																			
JAPANESE BLACK																						
WGY 240014	1		SWK 200080	123	98	80	119	97	116	98	112	80	100	81	91	102	117	130	77	101	139	117
FB			EPW 190559	-0.36	2.1				-0.84	-1.7	6.7	-21	2.2	0.2	12.6	4.6	-15.2	0.9	3.6	2.3		
MIKONO WGY240014				89 %	87 %	86 %	86 %	86 %	89 %	87 %	87 %	86 %	87 %	86 %	86 %	85 %	87 %	86 %	86 %	86 %	86 %	86 %
WGY 250015			CWBMEPW 230503	116	92	89	111	114	118	92	75	89	97	89	103	121	92	117	87	103	95	95
FB			EPW 230502	-0.55	-0.3				0.55	2.9	4.2	-10	-4.8	-3.2	1.9	3.0	-8.3	1.2	-0.5	-1.3		
MIKONO WGY 250015				55 %	32 %	18 %	13 %	16 %	63 %	32 %	26 %	18 %	26 %	13 %	23 %	8 %	24 %	20 %	20 %	19 %	20 %	16 %
WGY 250028	6		BB 200060	123	95	79	123	97	117	95	112	79	86	77	94	101	118	116	54	90	107	124
FB			EPW 180501	-0.40	0.8				-0.83	-2.4	-3.5	-26	0.8	0.3	13.0	2.8	-31.7	-0.8	0.6	3.3		
MIKONO WGY 250028				42 %	26 %	23 %	20 %	23 %	44 %	26 %	32 %	23 %	26 %	20 %	31 %	15 %	38 %	30 %	30 %	28 %	26 %	19 %



CWB

BREEDING VALUE REPORT

September 2026



MBEU TRUST

Herd Number: 8795083


E-mail: isiah@mbeu.co.za



**WAGYU
SOCIETY**
OF SOUTH AFRICA



CERTIFICATE
OF QUALITY
Valid up to
October 2029



CWB Dams

Dam			Growth					Carcass					Stats				
ID	Parentage	Sire ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name	Gen.	DNA Dam ID															
JAPANESE BLACK																	
BB 170012		WSI135Z	105	96	89	91	78	77	112	76	80	150	136	1	5	2	
FB		BB 120014	0.76	1.5	-1.0	0.1	-25	-3.6	2.3	-15.8	-2.4	4.6	5.3				
BB170012			88%	86%	86%	85%	85%	86%	86%	86%	86%	85%	85%				
BB 170017		WSI135Z	111	95	88	89	78	79	111	73	81	136	132	1	2	2	
FB		BB 120014	0.17	0.9	-1.7	-0.7	-25	-2.3	2.2	-18.0	-2.1	3.3	4.6				
BB170017			61%	44%	45%	37%	25%	45%	49%	48%	44%	36%	24%				
BB 190091		SMOFF0154	112	92	82	79	90	73	130	85	80	133	114	1	3	2	
FB		BB 120026	0.07	-0.5	-5.1	-9.0	-9	-5.4	4.6	-9.9	-2.3	3.1	1.8				
BB190091 (ET)			91%	88%	88%	88%	87%	87%	89%	89%	88%	88%	87%				
BYWFB0185		151BE	118	92	86	85	80	83	102	94	89	114	118	1	2	2	
FB		TFWU0177	-0.51	-0.4	-2.9	-4.1	-23	-0.1	1.1	-3.1	-0.9	1.2	2.4				
BLACKMORE ITOCHIYO B185 (AI)(ET)			54%	46%	48%	42%	31%	44%	49%	50%	49%	45%	32%				
CWBFBB 170041		KI 140018	109	104	94	95	91	69	112	94	73	84	98	1	4	3	
FB		KI 140016	0.40	4.4	2.4	3.4	-7	-7.7	2.3	-3.6	-3.4	-1.6	-0.7				
BB170041			89%	87%	88%	87%	87%	87%	88%	88%	88%	87%	87%				
CWBFBB 180011		KSOFC0007	116	107	102	103	99	90	89	90	91	114	128	2	3	3	
F1			-0.29	5.7	7.5	10.1	5	3.6	-0.6	-6.2	-0.6	1.2	3.9				
BEYOND BEEF BB180011 (ET)			79%	78%	78%	78%	78%	78%	78%	78%	78%	78%	77%				
EPW 180501		BYWFG0615	112	106	96	93	86	82	115	64	90	115	125	2	4	2	
FB		BYWFB0185	0.02	5.2	3.4	1.7	-14	-0.8	2.7	-24.8	-0.7	1.3	3.6				
EMBRIO PLUS EPW180501			87%	86%	86%	86%	85%	85%	86%	86%	86%	86%	85%				
EPW 180503		BYWFG0615	114	99	91	89	82	75	106	69	85	96	118	2	5	1	
FB		BYWFB0185	-0.12	2.7	0.7	-1.4	-19	-4.5	1.5	-21.2	-1.5	-0.4	2.4				
EMBRIO PLUS ITOSHIYO			60%	45%	48%	37%	28%	46%	40%	40%	36%	36%	25%				
EPW 180509		BYWFH0017	121	86	81	84	75	88	110	115	106	96	85	1	1		
FB		BYWFM034	-0.82	-2.6	-5.6	-4.6	-29	2.2	2.0	11.7	1.7	-0.5	-2.9				
EMBRIO PLUS KINNTOU KIKUZAKURA			83%	81%	81%	81%	81%	81%	82%	82%	82%	82%	81%				
EPW 190515		BYWFK0733	124	87	79	77	71	78	119	89	98	106	107	1	2	1	
FB		PRMFL502	-1.10	-2.3	-7.3	-10.6	-36	-2.8	3.2	-7.0	0.5	0.5	0.6				
EMBRIO PLUS MICHIFUKU AIZAKURA			49%	42%	43%	32%	29%	49%	37%	38%	36%	35%	26%				
EPW 190516		BYWFK0733	128	84	78	76	73	84	109	93	95	120	121	2	4	3	
FB		PRMFL502	-1.53	-3.6	-7.7	-11.5	-32	0.5	1.9	-4.1	0.1	1.8	2.9				
MICHIFUKU AIZAKURA			88%	87%	87%	86%	86%	87%	87%	87%	87%	87%	86%				
EPW 190559		BYWFK0733	111	104	95	92	85	77	128	88	103	88	89	2	3	2	
FB		PRMFL502	0.14	4.4	2.9	1.1	-16	-3.6	4.4	-7.8	1.2	-1.2	-2.2				
KINUSURU ITOCHIYO			89%	87%	87%	87%	86%	87%	87%	87%	87%	87%	86%				

CWB Dams

Dam			Growth					Carcass					Stats				
ID	Parentage	Sire ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name	Gen. DNA	Dam ID															
JAPANESE BLACK																	
EPW 190561		 BYWFH0224	132	74	69	70	61	78	130	44	93	89	106	2	5	1	
FB		 PRMFL219	-1.85	-7.4	-13.3	-16.2	-49	-3.0	4.6	-38.6	-0.4	-1.1	0.4				
KINUSURU ITOCHIYO			88%	87%	87%	86%	86%	87%	86%	86%	86%	86%	85%				
EPW 220501		 SWK 190060	102	105	97	94	87	80	130	77	92	121	114	1	1		
FB		 EPW 180501	1.02	4.9	4.5	2.6	-13	-1.7	4.6	-15.1	-0.4	1.9	1.7				
EPW22-501			87%	87%	86%	86%	85%	86%	86%	86%	86%	86%	85%				
EPW 220507		 EPW 180513	130	83	77	77	70	84	100	83	93	99	117	2	2		
FB		 EPW 190516	-1.68	-3.9	-8.0	-10.9	-37	0.1	0.8	-11.0	-0.3	-0.2	2.2				
EPW22-507			84%	83%	83%	82%	82%	83%	83%	83%	82%	82%	82%				
EPW 230502		 SWK 190060	106	103	99	95	94	74	120	88	97	96	99	1	1		
FB		 EPW 180503	0.67	4.0	5.4	3.7	-3	-4.9	3.4	-7.9	0.3	-0.5	-0.6				
EPW23-502			88%	87%	87%	85%	84%	85%	85%	85%	85%	85%	85%				
EPW 230506		 SWK 190060	103	104	99	96	87	73	135	101	115	105	87	1	1		
FB		 EPW 190559	0.96	4.6	5.5	4.5	-13	-5.5	5.3	1.2	3.2	0.4	-2.6				
EPW23-506			89%	88%	88%	87%	86%	87%	87%	87%	87%	87%	86%				
PRMFL219		BYWFC0058	129	79	73	72	67	80	111	59	87	101	121	2	2	1	
FB		BYWFE0488	-1.61	-5.4	-10.8	-14.3	-41	-1.9	2.2	-28.0	-1.2	0.0	2.8				
BLACKMORE ITOCHIYO L219			43%	34%	36%	31%	21%	34%	31%	36%	33%	33%	21%				

CWB Bulls

Inbreeding >6% is high

<75 75 - 125 >125

Breeding values with an accuracy < 5% are not printed

Bull					Selection Value					Calf weight		Mother		Growth		Fertility			Carcass				
ID	%Inbreeding	Parentage			Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
Name		Genomic	DNA	Sire ID																			
JAPANESE BLACK																							
CWBMEPW 230503 6  SWK 190060 FB  EPW 190515					113	89	75	128	104	111 0.13	89 -1.6	126 -1.36	75 -4.4	77 -9.5	72 -34	95 0.0	112 -1.6	115 11.6	129 4.4	98 -0.4	110 2.3	109 0.8	97 -1.0
EMBRIO PLUS EPW23-503					62%	64%	38 %	26%	28%	68 %	64 %	41%	38%	53%	26%	36%	19%	46 %	40 %	40 %	37 %	39 %	33 %
CWBMEPW 240003 2   SWK 190060 FB   EPW 190561					106	101	81	117	101	105 0.78	101 3.4	123 -1.24	81 -1.4	94 2.4	83 -17	94 0.9	106 -0.7	112 10.4	133 5.0	77 -15.3	101 0.9	100 -0.1	95 -1.2
EMBRIO PLUS EPW24-003					88%	87%	86 %	85%	86%	89 %	87 %	86%	86%	86%	85%	86%	87 %	86 %	86 %	86 %	86 %	85 %	
CWBMEPW 240004 6   SWK 190060 FB   EPW 190516					117	91	77	122	103	115 -0.23	91 -0.8	125 -1.31	77 -3.6	85 -4.0	78 -26	96 -0.7	109 -1.0	116 12.1	122 3.6	99 0.3	116 3.3	116 1.4	104 0.2
EMBRIO PLUS EPW24-004					89%	87%	86 %	86%	86%	89 %	87 %	87%	86%	87%	86%	87%	85%	87 %	87 %	86 %	87 %	86 %	
CWBWMGY 250016  CWBMEPW 230503 FB  EPW 230506					115	89	89	115	105	125 -1.18	89 -1.5	79 0.39	89 2.8	94 2.4	85 -15	94 0.9	112 -1.9	97 3.8	125 3.9	94 -3.8	112 2.6	100 -0.1	89 -2.3
MIKONO WGY 250016					55%	31%	19 %	13%	16%	63 %	31 %	25%	19%	26%	13%	23%	9%	24 %	20 %	20 %	19 %	20 %	17 %
CWBWMGY 250021 6  BB 200060 FB  EPW 190516					121	84	80	129	98	125 -1.18	84 -3.6	119 -1.10	80 -1.8	77 -9.6	71 -36	93 1.3	103 0.1	122 14.8	113 2.4	69 -21.4	93 -0.4	110 0.9	122 3.0
MIKONO WGY250021					42%	27%	30 %	20%	24%	44 %	27 %	36%	30%	26%	20%	31%	17%	38 %	29 %	30 %	28 %	25 %	19 %
CWBWMGY 250022 5  BB 200060 FB  EPW 220501					116	94	78	122	102	112 0.10	94 0.6	116 -0.99	78 -2.9	87 -3.0	78 -26	96 -0.4	107 -0.7	116 12.1	124 3.8	61 -26.9	91 -0.6	111 0.9	118 2.4
MIKONO WGY250022					41%	30%	23 %	19%	22%	44 %	30 %	29%	23%	28%	19%	29%	15%	36 %	30 %	30 %	28 %	27 %	21 %
CWBWMGY 250024  BB 200060					98	95	107	103	91	96 1.67	95 1.0	105 -0.59	107 12.7	97 4.1	97 3	94 0.8	90 2.2	98 4.4	101 0.9	79 -14.3	92 -0.5	103 0.2	112 1.4
F1					32%	18%	17 %	14%	15%	35 %	18 %	21%	17%	17%	14%	18%	12%	26 %	23 %	23 %	21 %	18 %	14 %
MIKONO WGY 250024																							
CWBWMGY 250025  BB 200060					98	95	107	103	91	96 1.67	95 1.0	105 -0.59	107 12.7	97 4.1	97 3	94 0.8	90 2.2	98 4.4	101 0.9	79 -14.3	92 -0.5	103 0.2	112 1.4
F1					32%	18%	17 %	14%	15%	35 %	18 %	21%	17%	17%	14%	18%	12%	26 %	23 %	23 %	21 %	18 %	14 %
MIKONO WGY 250025																							
CWBWMGY 250027 5  BB 200060 FB  EPW 220507					119	83	80	131	99	126 -1.26	83 -3.7	123 -1.26	80 -2.0	77 -9.5	69 -38	98 -1.5	101 0.4	121 14.1	109 1.9	64 -24.8	91 -0.5	100 -0.1	120 2.7
MIKONO WGY 250027					39%	22%	22 %	17%	20%	41 %	22 %	30%	22%	22%	17%	27%	14%	34 %	26 %	26 %	24 %	22 %	16 %
CWBWMGY 260031 4  BB 200060 FB  EPW 190561					122	80	77	135	89	126 -1.25	80 -5.3	116 -0.97	77 -3.5	74 -11.9	65 -44	89 3.4	91 2.2	119 13.4	124 3.8	44 -38.6	91 -0.6	95 -0.6	114 1.8
MIKONO WGY 260031					58%	27%	30 %	20%	22%	63 %	27 %	37%	30%	24%	20%	29%	15%	38 %	28 %	28 %	26 %	23 %	16 %

CWB Cows

Inbreeding >6% is high				<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed																
Cow				Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas					
ID	%Inbreeding	Parentage		Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling	Fineness
Name		Genomic DNA	Sire ID																				
JAPANESE BLACK																							
CWBFWGY 250023  BB 200060				98	95	107	103	91	96	95	105	107	97	97	94	91	98	101	79	92	103	112	
F1				32 %	18 %	17 %	14 %	15 %	1.67	1.0	-0.59	12.7	4.1	3	0.8	2.2	4.4	0.9	-14.3	-0.5	0.2	1.4	
MIKONO WGY 250023				35 %	18 %	21 %	17 %	17 %	35 %	18 %	21 %	17 %	17 %	14%	18%	12%	26 %	23 %	23 %	21 %	18 %	14 %	
CWBFWGY 250026  BB 200060				98	95	107	103	91	96	95	105	107	97	97	94	91	98	101	79	92	103	112	
F1				32 %	18 %	17 %	14 %	15 %	1.67	1.0	-0.59	12.7	4.1	3	0.8	2.2	4.4	0.9	-14.3	-0.5	0.2	1.4	
MIKONO WGY 250026				35 %	18 %	21 %	14 %	15 %	35 %	18 %	21 %	17 %	17 %	14%	18%	12%	26 %	23 %	23 %	21 %	18 %	14 %	

