

logix



SA STAMBOEK
STUD BOOK

Logix *Melk/Milk*

Kudde Gesondheids Verslag / Herd Health Report

HYDE

POSTNET SUITE 508
PRIVATE BAG H607
HEIDELBERG
1438

firnhyde@gmail.com

Test-day: 2025-04-22

Jersey Cows

LogixMilk Technical Advisor:

SURETHA FRANCIS

083 584 0814

suretha@studbook.co.za

May 7, 2025

List of Tables

1	Summary for Test-day 2025-04-22 (Number of Samples Tested: 9)	2
2	Quantification of Specific Cases (% of herd) and Loss in Production on 2025-04-22	2
3	Benchmark: Herd with the Top 25%, Average and Bottom 25% for different traits tested the last month of for Jersey Cows	2
4	Summary of Somatic Cell Counts per Lactation Group in the herd for 9 Jersey Cows	3
5	Somatic Cell Count (SCC) Analysis: Percentage (Number) of Cows within Stage of Lactation and Lactation Group for SCC > 200k and SCC > 750k for 9 Jersey Cows	3
6	Bulk Tank Results for 2025-04-22 (Number of Samples Tested: 0)	3
7	Somatic Cell Count (SSC) distribution and Milk Loss Monitor 2025-04-22	5
8	Cows Under Pressure (SCC > 500k and Lactose % < 4.6)	6
9	Cows with Somatic Cell Counts > 200k (Status: N=New -, C=Chronic -, R=Recurring - and CR=Chronic and Recurring Infections)	7
10	Possible Ketosis Cases; Cows under 100 days in milk (Prot. Fat Ratio < 0.68 for Jerseys and < 0.74 for other Breeds)	8
11	Possible Acidosis Cases (Protein % > Butterfat %)	9
12	Dry Cows with a Dry Period more than 55 Days	10
13	Cows with an active Inter-Calving Period (ICP) > 400 days	11

List of Figures

1	Somatic Cell Count (SCC) Trend	3
2	Percentage (%) of Cows with Somatic Cell Counts (SCC) more than 200k and 750k, respectively, per Test-day	4
3	Somatic Cell Count (SCC) Monitor Trend	4
4	Average Somatic Cell Counts (SCC, x1000/ml) per Day In Milk (DIM)	5
5	Somatic Cell Count (SCC) Distribution for Test-day (2025-04-22)	5

HERD HEALTH SUMMARY REPORT

HYDE - Jersey Cows

Table 1: Summary for Test-day 2025-04-22 (Number of Samples Tested: 9)

Analysis	Results	Norms*	% Cows outside norms*
Milk Production (kg)	Avg.: 21.9 Median: 23.0		
Butterfat (%)	Avg.: 4.21 Median: 4.36	3.5 % - 6.0 %	Too Low: 22 % Too High: 0 %
Protein (%)	Avg.: 3.85 Median: 3.87	3.0 % - 4.5 %	Too Low: 11 % Too High: 11 %
Lactose (%)	Avg.: 4.44 Median: 4.50	> 4.7 %	Too Low: 89 %
MUN (mg/dl)	Avg.: 19.76 Median: 20.40	8 - 16 mg/dl	Too Low: 0 % Too High: 89 %
SCC (x1000/ml)	Avg.: 109 Median: 45 % < 100 : 66.7 % % < 200 : 88.9 % % < 500 : 88.9 % % > 750 : 0.0 % % > 1 000 : 0.0 % % > 1 500 : 0.0 %	< 200 > 64 % > 75 % > 92 % < 4.8 % < 1 % NONE	Too High: 0 % Too High: 0 % Too High: 3.1 % Too High: 0 % Too High: 0 % Too High: 0.0 %
Butterfat Protein ratio	Average: 1.1	> 1.0	Too High: 11.1 %

Table 2: Quantification of Specific Cases (% of herd) and Loss in Production on 2025-04-22

Loss in Production due to:		Avg/Median SCC (Number (n)):	
SSC (kg per day):	5.9 (3.0 %)	1st Lact Cows:	56/37 (4)
DIM (kg per day):	0 (0.0 %)	2nd Lact Cows:	109/109 (1)
		3rd Lact Cows:	32/32 (2)
No. of Cows Under Pressure:	1 (11.1 %)	4th Lact Cows:	45/45 (1)
No. Cows with SCC > 200k:	1 (11.1 %)	5th Lact Cows:	0/ (0)
No. Cows with SCC > 750k:	0 (0.0 %)	6+ Lact Cows:	539/539 (1)
No. New Infections:	1 (11.1 %)		
No. Recurring Infections:	0 (0.0 %)	Avg. SCC for SCC > 750k (n):	(0)
Cure Rate for SCC > 200k:	0.0 % (0)		
Cure Rate for SCC > 750k:	- % (0)	Avg. Days In Milk (DIM) for Herd:	142
No. Chronic Infections (SCC > 200k):	0 (0.0 %)	Median of DIM for Herd:	105
No. Chronic Infections (SCC > 750k):	0 (0.0 %)		
		Avg. DIM for SCC < 200k (n):	130 (8)
No. of Possible Ketosis Cases:	0	Avg. DIM for SCC > 200k and < 750k (n):	279 (1)
No. of Possible Acidosis Cases:	1	Avg. DIM for SCC > 750k (n):	(0)
Avg. Age at First Calf (Months):	26	Avg. Parity for Herd:	3
Avg. Inter-Calf Period (Days):	568	Avg. Parity for SCC < 200k:	2
No. Flushings:	NA	Avg. Parity for SCC > 200k and < 750k:	9
No. Embrios:	NA	Avg. Parity for SCC > 750k:	

Table 3: Benchmark: Herd with the Top 25%, Average and Bottom 25% for different traits tested the last month of for Jersey Cows

	Milk Production (kg)	Butterfat (%)	Protein (%)	Lactose (%)	SCC (x1000/ml)	MUN (mg/dl)
Herd	21.9	4.21	3.85	4.44	109	19.76
Top 25%	23.3	5.82	4.27	4.78	43	16.80
Breed Avg	19.2	5.20	3.95	4.57	317	12.32
Bottom 25%	14.2	4.63	3.64	4.41	266	7.80

*** PLEASE CONSULT YOUR VETERINARIAN, PROFESSIONAL ANIMAL SCIENTIST or LogixMilk TECHNICAL ADVISOR for the interpretation of these results and professional advisory services.**

Table 4: Summary of Somatic Cell Counts per Lactation Group in the herd for 9 Jersey Cows


Lactation Group	% of Herd	Early Lactation	Mid Lactation	Late Lactation	% SCC > 200k	% SCC > 750k
1	44.4% (4)	11.1% (1)	11.1% (1)	22.2% (2)	0.0% ()	0.0% ()
2	11.1% (1)	11.1% (1)	0.0% (0)	0.0% (0)	0.0% ()	0.0% ()
3	22.2% (2)	11.1% (1)	11.1% (1)	0.0% (0)	0.0% ()	0.0% ()
4	11.1% (1)	11.1% (1)	0.0% (0)	0.0% (0)	0.0% ()	0.0% ()
5	0.0% (0)	0.0% (0)	0.0% (0)	0.0% (0)	0.0% ()	0.0% ()
6+	11.1% (1)	0.0% (0)	0.0% (0)	11.1% (1)	11.1% (1)	0.0% ()
Herd	99.9% (9)	44.4% (4)	22.2% (2)	33.3% (3)	11.1% (1)	0% (0)

Table 5: Somatic Cell Count (SCC) Analysis: Percentage (Number) of Cows within Stage of Lactation and Lactation Group for SCC > 200k and SCC > 750k for 9 Jersey Cows

Lactation Group	Early Lactation		Mid Lactation		Late Lactation	
	% SCC > 200k	% SCC > 750k	% SCC > 200k	% SCC > 750k	% SCC > 200k	% SCC > 750k
1	0.0% ()	0.0% ()	0.0% ()	0.0% ()	0.0% ()	0.0% ()
2	0.0% ()	0.0% ()	0% ()	0% ()	0% ()	0% ()
3	0.0% ()	0.0% ()	0.0% ()	0.0% ()	0% ()	0% ()
4	0.0% ()	0.0% ()	0% ()	0% ()	0% ()	0% ()
5	0% ()	0% ()	0% ()	0% ()	0% ()	0% ()
6+	0% ()	0% ()	0% ()	0% ()	100.0% (1)	0.0% ()

Table 6: Bulk Tank Results for 2025-04-22 (Number of Samples Tested: 0)

Tank No	Butterfat (%)	Protein (%)	Lactose (%)	SCC (x1000/ml)	MUN (mg/dl)	pH
Calculated Tank	4.06	3.74	4.46	104	20	

**Figure 1:** Somatic Cell Count (SCC) Trend

The average Somatic Cell Count (SCC) and the trend over time is shown in the graph. The ideal is a herd with an average count of less than 200 000. A higher SCC results in lower milk production and possible udder infection. If animals with high SCC can be identified early, they can be treated in time, thereby preventing production loss and permanent udder damage resulting in lower herd life.




Figure 2: Percentage (%) of Cows with Somatic Cell Counts (SCC) more than 200k and 750k, respectively, per Test-day

The graph presents the trend of the % of cows with Somatic Cell Counts (SCC) more then 200k and 500k, respectively. The ideal is to have as few cows as possible with a SCC of more than 200K and none with a SCC of more than 750k.




Figure 3: Somatic Cell Count (SCC) Monitor Trend

The graph shows the percentage of cows within certain Somatic Cell Count (SCC) levels. Ideally, at least 64% of the cows of a herd should have a SCC of less than 100 000 and 80% a SCC of less than 250 000. The danger zone is indicated in red, where ideally no cows should be indicated.




Figure 4: Average Somatic Cell Counts (SCC, x1000/ml) per Day In Milk (DIM)

This graph indicates the average Somatic Cell Counts (SCC, x1000/ml) per day in milk (DIM) for the complete herd, as well as for Lactation 1, 2, 3 and 4+ cows, separately.




Figure 5: Somatic Cell Count (SCC) Distribution for Test-day (2025-04-22)

The graph depicts the number of animals within certain levels of Somatic Cell Counts (SCC). If the cows with SCCs higher than 600 000 can be identified early, they can be treated or even culled from the herd, preventing economic losses due to penalties paid for high SCCs in the milk.

Table 7: Somatic Cell Count (SCC) distribution and Milk Loss Monitor 2025-04-22

SSC Levels	< 100k	100k - 200k	200k - 500k	500k - 800k	800k - 1 500k	> 1 500k
Number Cows	6	2	0	1	0	0
% Cows	66.7 %	22.2 %	0.0 %	11.1 %	0.0 %	0.0 %
Milk Quality	Excellent	Very Good	Needs Improvement	Poor	Serious	BAD
% Milk Loss	< 2 %	2 - 4 %	4 - 8 %	8 - 10 %	10 - 35 %	> 35 %
% Quarters Infected	< 1 %	1 - 6 %	6 - 16 %	16 - 26 %	26 - 48 %	> 48 %

The average Somatic Cell Count (SCC) on 2025-04-22 for the herd, was 109 000. This figure places the herd in the "Light Green" SCC Zone and the milk quality is Very Good. Milk loss due to SCC is between 2 and 4 %.

Udder Health: You do not have a major mastitis problem but there may be problems with individual cows. Assess your mastitis control procedures.

Table 8: Cows Under Pressure (SCC > 500k and Lactose % < 4.6)

Cow ID	Name	SCC	Lactose %	DIM	Parity	Production
HRD3102	VALENTINO MERIDA	539	4.17	279	9	20.4

Table 9: Cows with Somatic Cell Counts > 200k (Status: N=New -, C=Chronic -, R=Recurring - and CR=Chronic and Recurring Infections)

Cow ID	Name	SCC 2025-04-22	SCC 2025-03-24	SCC 2025-02-25	Production	DIM	Parity	Status
HRD3102	VALENTINO MERIDA	539	413	107	20.4	279	9	N

Table 10: Possible Ketosis Cases; Cows under 100 days in milk (Prot. Fat Ratio < 0.68 for Jerseys and < 0.74 for other Breeds)

Cow ID	Name	Production	DIM	Parity	Prot % to Fat %	Breed
--------	------	------------	-----	--------	-----------------	-------

Table 11: Possible Acidosis Cases (Protein % > Butterfat %)

Cow ID	Name	Production	DIM	Parity	Prot % to Fat %
HRG005	GLISTEN BLINKERS III	29	90	3	1.10

Table 12: Dry Cows with a Dry Period more than 55 Days

Cow ID	Name	Breed	Last ICP	Avg. ICP	No. ICPs	Days Since Last Calf	Days Open
HRG 210020	WHISTLER BLINKERS II	JSE	-	-	-	702	380
HRG118	BIONIC PRINCESS I	JSE	-	-	-	477	155
HRG008	OCTAVIUS BOKKIE	JSE	512	512	1	488	155
HRD 110066	BRIAR	JSE	1200	543	7	464	100
HRG112	WHISTLER FIONA	JSE	376	376	1	305	81
HRG303	MERCEDES BLUEBELL	JSE	-	-	-	237	81
HRG803	DURABLE PRINCESS II	JSE	590	726	2	387	68

Table 13: Cows with an active Inter-Calving Period (ICP) > 400 days

Cow ID	Name	Breed	Last ICP	Avg. ICP	No. ICPs	Days Since Last Calf	Production
HRG 210020	WHISTLER BLINKERS II	JSE	-	-	-	702	-
HRG008	OCTAVIUS BOKKIE	JSE	512	512	1	488	-
HRG118	BIONIC PRINCESS I	JSE	-	-	-	477	-
HRD 110066	BRIAR	JSE	1200	543	7	464	-