



DOHNE MERINO GENETIC REPORT



20 September 2026

MR M. MNINAWA QOTOYI

FDM : MQ



CERTIFICATE
OF QUALITY

Valid up to
October 2029



Information

This Report gives a summary of the genetic levels of the flock with regards to production and fertility. Breeders can easily see if genetic progress occurred in their flocks.

EBV (Estimated Breeding Value)

The breeding value indicates an animal's genetic ability for a specific trait. It is indicated in the unit of measurement and relative to that of an average animal born in the base year, i.e. five years ago. A higher breeding value is desirable for all traits, except Fibre Diameter (thinner fibres are better), AFL (early sexual maturity) and ILP (easy conceptions – shorter Interlambing Periods).

EBVi (EBVindex)

The base of a breeding value index is 100, where 100 is the average of the active animals in the breed. Values above 100 are always in the more desirable direction, also for AFL (early sexual maturity) and ILP (shorter intervals). However, for FD values below 100 indicate thinner (more desirable) fibres.

Selection Indices

This is the combination of breeding values into a single value. It indicates of the genetic value of the combined traits of the animal with regards to the breed. Traits cannot simply be summed, as they are expressed in different units, their genetic variation differ and because negative values are more desirable for certain traits. Traits are also weighted differently according to economic importance. All these factors are taken into account when selection indices are constructed. The selection indices currently available for the Dohne Merino breed, is the General Merit (GM) and the within-test-group selection index (SIP). The GM and SIP indices are only published for animals with wean and wool measurements.

General Merit (GM)

$$GM = (EBV \text{ BWeight} * 2.30) + (EBV \text{ CFW} * 22.0) + (EBV \text{ FD} * -5.0) + (EBV \text{ TWW} * 5.0)$$

Within-Test-Group Selection Index (SIP)

$$SIP = (GM_{dier} / \text{Average GM of wool contemporary group}) * 100$$

This is a lifetime value for the animal, allocated on the basis of the animal's own measurements. This value is not updated when the animal's EBVs are estimated more accurately due to the inclusion of progeny and other relatives' information in the Genetic Evaluation.

Genetic Windows and Averages

The flock's average genetic levels are compared to the active breed average, where active breed average is set to 100.

Genetic Trends

The Genetic Trends indicate the genetic changes that occurred in the flock over time in comparison to that of the breed. This is based only on the animals that were measured for the relevant trait.

Inbreeding

The average inbreeding of the flock per year of birth is compared to that of the breed. Inbreeding levels should stay below 6.25% and rate of inbreeding less than 0.1-0.2% per year to maintain genetic diversity.

The active population is defined as the lambs born in the last 36 months and their parents, regardless if they were measured for the trait or not, excluding the animals that are already cancelled on Logix.

Abbreviations

WnD:	Weaning Weight Direct
WnM	Weaning Weight Maternal
BW:	Body Weight
CFW:	Clean Fleece Weight
FD:	Fibre Diameter
SL:	Staple Length
AFL:	Age First Lambing
ILP:	Interlambing Period
NLW:	Number of Lambs Weaned
TWW:	Total Weight of Lambs Weaned

The data used in this evaluation has been obtained from LOGIX, as supplied by breeders. Everything possible had been done to present the information correctly. SA Stud Book does not take any responsibility for the use and interpretation of the information from this publication.

Genetic Windows

Average Breeding Value Indices (EBVi)

(Lambs born in the last 36 months and their parents)

Number: 1173


Genetic Linkage

(Based on the youngest measured generation)

Level	Nr of Link Rams
Sterk / Strong	6

A link ram should have at least 20 measured progeny in your flock and at least another 20 measured progeny in at least one more flock.

Try to use at least 5 link rams in a 5-year period to obtain strong genetic linkages within the breed.



Abbr.	Trait	Interpretation of Index	
		<100 (Worse)	>100 (Better)
WnD	Weaning Weight Direct	Lighter	Heavier
WnM	Weaning Weight Maternal	Less	More
BW	Body Weight	Lighter	Heavier
CFW	Clean Fleece Weight	Less	More
FD	Fibre Diameter	Thinner	Thicker
SL	Staple Length	Shorter	Longer
AFL	Age at First Lambing	Later	Earlier
ILP	Interlambing Period	Longer	Shorter
NLW	Number of Lambs Weaned	Less	More
TWW	Total Weight of Lambs Weaned	Lighter	Heavier
AM	General Merit	Poor	Good
SIP	Within-Test Group Selection Index	Poor	Good

* The Genetic Windows provide a quick overview of the flock's genetic status compared to the breed.


* The values presented here are the average breeding value indices and selection indices of all the lambs born in the past 36 months and their parents in the flock compared to the breed.

* An index of 100 equals the average of the lambs born in the past 36 months and their parents in the breed.


* The breeding value indices for AFL and ILP are expressed in such a way that an index above 100 indicates the better animals, thus the animals with a genetic ability for a short AFL and ILP. See accompanying table for interpretation of other Indices.

Genetic Windows


Sires of lambs born in the last 36 months Number : 11



Dams of lambs born in the last 36 months Number : 294



Lambs born in the last 36 months Number : 607



Average Genetic Levels

Average Breeding Values

Averages of all lambs born in the last 36 months and their parents

Trait	Flock			Breed		
	All	Rams	Ewes	All	Rams	Ewe
Breeding Values for Production Traits						
Weaning Weight Direct	-0.25	-0.11	-0.34	0.54	0.66	0.47
Weaning Weight Mat	-0.02	-0.03	-0.02	0.01	0.00	0.01
Body Weight	-0.14	0.04	-0.26	0.56	0.96	0.41
Clean Fleece Weight	-0.07	-0.06	-0.07	0.03	0.06	0.02
Fibre Diameter	-0.19	-0.32	-0.10	-0.14	-0.22	-0.12
Staple Length	-1.86	-1.99	-1.78	0.50	0.68	0.43
Breeding Values for Fertility						
Age First Lambing	-5.23	-4.95	-5.42	1.48	2.04	1.17
Interlambing Period	-1.95	-1.92	-1.97	0.36	0.44	0.31
Lambs Weaned	1.23	1.42	1.11	0.46	0.56	0.39
Total Weight Weaned	0.41	0.43	0.40	0.27	0.32	0.24
Selection Indices						
General Merit Index	0.98	2.12	0.36	2.81	4.45	2.23
SIP	100.3	100.4	100.3	100.7	100.4	100.8
Inbreeding						
Inbreeding (%)	2.29	2.47	2.17	3.00	3.13	2.92
Number of Animals						
Number of Animals	1175	456	719	125905	45967	79938









Average Breeding Value Indices

Average EBVi of all active measured animals, where breed average of active measured animals = 100.

Trait	Flock		
	All	Rams	Ewes
Breeding value Indices for Production Traits			
Weaning Weight Direct	92.5	93.9	91.7
Weaning Weight Mat	99.4	99.3	99.4
Body Weight	95.5	96.7	94.8
Clean Fleece Weight	93.8	94.2	93.5
Fibre Diameter	99.3	97.2	100.6
Staple Length	93.8	93.5	94.0
Breeding Value Indices for Fertility			
Age First Lambing	107.5	107.2	107.8
Interlambing Period	107.7	107.6	107.8
Lambs Weaned	102.9	103.6	102.5
Total Weight Weaned	101.7	101.9	101.6
Selectopn Indices			
General Merit Index	96.9	98.8	95.9
SIP	100.3	100.4	100.3
Inbreeding			
Inbreeding (%)	2.29	2.47	2.17
Number of Animals			
Number of Animals	1175	456	719

Genetic Trends




Average breeding value per year of birth for animals in the breed and flock. Genetic trends are based on measured animals that were bred by the relevant breeder.



For FD, AFL and ILP, flock trends below breed averages are desirable

Genetic Trends: Fertility Traits

Average breeding value per year of birth in the breed and flock. Genetic trends are based on measured animals that were bred by the relevant breeder.



Genetic Trends: Breed and Flock

Average breeding value per year of birth for animals in the breed and flock. Genetic trends are based on measured animals that were bred by the relevant breeder.

Genetic Trends of Breed


Birth Year	Weaning Weight			Body Weight		CFW		FD		SL		AFL		ILP		NLW		TWW		General Merit	
	Nr	Dir	Mat	Nr	EBV	Nr	EBV	Nr	EBV	Nr	EBV	Nr	EBV	Nr	EBV	Nr	EBV	Nr	EBV	Nr	Ind
2014	34600	-1.62	-0.08	23613	-2.43	23477	-0.20	23511	0.33	23404	-1.65	6513	-4.96	4764	-1.69	8149	-0.57	6758	-0.41	25195	-9.76
2015	36007	-1.44	-0.05	25062	-2.12	24975	-0.18	24990	0.28	24511	-1.51	6856	-4.79	5313	-1.43	8627	-0.57	7110	-0.42	26207	-8.59
2016	33764	-1.17	-0.03	24799	-1.74	24614	-0.15	24664	0.22	24080	-1.07	7054	-4.46	5449	-1.38	8681	-0.41	7293	-0.27	25836	-6.81
2017	33408	-0.95	0.00	24007	-1.39	23924	-0.13	23948	0.19	23487	-1.19	7125	-3.04	5498	-0.77	9139	-0.30	7020	-0.19	24328	-5.48
2018	34871	-0.67	0.00	24937	-0.96	24789	-0.10	24807	0.17	24087	-0.72	7421	-2.86	5764	-0.67	8663	0.09	7374	0.04	25402	-3.35
2019	34833	-0.46	0.02	25157	-0.74	25034	-0.06	25045	0.07	24985	-0.63	7016	-1.62	5333	-0.50	8420	-0.19	6949	-0.05	25370	-2.61
2020	35032	-0.26	0.03	24234	-0.34	24298	-0.04	24310	0.04	24213	-0.20	6557	-0.74	4885	-0.15	8732	0.34	6476	0.18	24153	-0.71
2021	33757	0.00	0.00	23306	0.00	23200	0.00	23217	0.00	23156	0.00	6425	0.00	4779	0.00	8439	0.00	6245	0.00	23180	0.17
2022	32965	0.20	-0.02	22207	0.34	22115	0.01	22136	-0.05	22041	0.27	5933	0.83	3883	0.50	7685	0.48	5658	0.21	22071	1.75
2023	32993	0.44	-0.06	21947	0.60	21831	0.04	21880	-0.16	21853	0.46	5361	1.77	1851	1.14	5554	0.35	4743	0.22	21836	2.88
2024	34418	0.50	-0.04	22757	0.76	22780	0.06	22790	-0.16	22746	0.74	2626	4.31	147	0.21	2149	0.65	2008	0.48	22746	3.82
2025	28497	0.77	0.02	8675	1.57	9028	0.07	9040	-0.38	9011	0.95	60	10.56							8597	6.80

Genetic Trends of Flock

Birth Year	Weaning Weight			Body Weight		CFW		FD		SL		AFL		ILP		NLW		TWW		General Merit	
	Nr	Dir	Mat	Nr	EBV	Nr	EBV	Nr	EBV	Nr	EBV	Nr	EBV	Nr	EBV	Nr	EBV	Aantal	EBV	Nr	EBV
2014																4	1.35				
2015																8	1.19				
2016	97	-1.69	0.03	75	-2.56	75	-0.14	75	0.91	75	-0.02	28	-5.16	10	2.95	66	0.90	25	0.32	75	-8.03
2017	70	-1.84	-0.06	67	-3.07	52	-0.18	52	0.59	52	-0.04	8	-4.65	6	2.58	45	0.70	7	0.58	69	-7.66
2018	118	-1.53	0.17	1	-3.01	1	-0.24	1	0.69	1	-2.59	13	-9.80	12	-1.07	89	0.28	13	0.22	26	-5.59
2019	113	-1.39	-0.21	52	-2.20	52	-0.15	52	0.58	51	-0.17					99	0.50			52	-5.53
2020	163	-1.28	0.40	149	-0.73	149	-0.22	149	-0.46	145	-3.80	56	-4.70	36	-1.23	73	-0.45	51	0.39	149	-1.41
2021	187	-0.59	-0.05	118	-0.80	118	-0.07	118	0.19	118	-3.37	25	-7.53	18	-1.90	41	0.64	24	0.26	118	-1.23
2022	228	-0.51	0.05	197	-0.55	197	-0.06	197	-0.03	197	-2.63	58	-5.71	53	-1.94	82	1.83	57	0.99	197	1.08
2023	221	-0.20	-0.16	184	0.02	184	0.00	184	-0.04	183	-0.59	63	-4.17	40	-1.06	76	1.35	54	0.41	184	1.59
2024	204	-0.22	-0.15	152	-0.19	152	-0.04	152	-0.02	152	-1.59	25	-8.75							152	0.26
2025	271	0.06	-0.01	193	0.55	192	-0.06	192	-0.23	191	-1.23									192	2.82

Inbreeding

Inbreeding in Flock and Breed



Pedigree Information

	Number	%
Known Sires	1038	88
Known Dams	1038	88

Please Note : When pedigree information is incomplete, inbreeding is under-estimated.

The effects of inbreeding can be observed from 6.25% onwards. Inbreeding primarily leads to decreased fertility and low survivability of lambs.

Inbreeding % is dependent on the accuracy of pedigree information. It is therefore highly recommended to record pedigrees as accurately and completely as possible and not to mate related animals.

Incomplete and incorrect pedigree information can be reported to SA Stud Book

Inbreeding Level and Rate

Year of Birth	Level* (%)	Rate (% / year)
2004 - 2026	2.33	0.09
Recommendations	< 6.25	< 0.1 - 0.2

*Of last birth year

Inbreeding Levels for Specific Matings

Progeny with Parents :	25%
Full Brother x Full Sister :	25%
Half Brother x Half Sister :	12.5%
One Common Grandparent :	6.25%
One Common Great-Grandparent :	3.125%

Percentiles of Breeding Values : All Active Animals

Percentile	Wean Dir	Wean Mat	Body Weight	CFW	FD	SL	NLW	TWW	AFL	ILP	Gen. Merit
Gemid/Avg	0.43	0.00	0.58	0.04	-0.15	0.46	0.47	0.26	1.30	0.30	2.53
SA/SD	1.29	0.56	1.84	0.17	0.69	3.92	2.99	0.93	-10.19	-3.48	7.11
MIN	-4.90	-3.44	-9.56	-0.75	3.11	-18.57	-17.30	-5.29	68.72	22.49	-25.62
1%	-2.32	-1.35	-3.42	-0.38	1.49	-8.80	-7.64	-2.17	33.49	9.02	-13.42
5%	-1.58	-0.89	-2.30	-0.25	0.95	-5.86	-4.59	-1.30	18.37	6.15	-8.27
10%	-1.19	-0.67	-1.72	-0.19	0.69	-4.38	-3.19	-0.87	13.14	4.69	-6.12
20%	-0.68	-0.43	-0.98	-0.11	0.41	-2.72	-1.72	-0.43	8.52	3.05	-3.50
30%	-0.30	-0.27	-0.43	-0.05	0.20	-1.54	-0.76	-0.11	5.14	1.87	-1.46
40%	0.05	-0.13	0.05	0.00	0.02	-0.54	0.06	0.10	2.16	0.90	0.38
50%	0.38	0.00	0.50	0.04	-0.14	0.39	0.45	0.21	0.19	0.13	1.99
60%	0.72	0.13	0.96	0.08	-0.31	1.32	1.08	0.41	-1.46	-0.57	3.85
70%	1.09	0.27	1.48	0.13	-0.49	2.34	1.79	0.65	-3.58	-1.45	6.03
80%	1.54	0.44	2.11	0.18	-0.72	3.60	2.66	0.96	-5.70	-2.39	8.71
90%	2.13	0.69	2.98	0.26	-1.03	5.43	4.08	1.41	-9.18	-3.66	12.22
95%	2.62	0.93	3.73	0.32	-1.29	7.03	5.33	1.81	-12.92	-4.88	14.90
99%	3.57	1.41	5.08	0.45	-1.80	10.22	7.78	2.59	-23.99	-8.36	19.40
MAX	5.84	2.39	8.39	0.84	-3.43	19.74	16.55	5.29	-43.24	-17.72	31.42

SD = Standard Deviation = Indicates the spread around the average

Percentiles of Indices : All Active Animals

Percentile	Wean Dir	Wean Mat	Body Weight	CFW	FD	SL	NLW	TWW	AFB	ILP	Gen. Merit
Gemid/Avg	100	100	100	100	100	100	100	100	100	100	100
SA/SD	12	12	12	12	12	12	12	12	12	12	12
MIN	49	24	35	52	149	50	33	33	24	30	53
1%	73	71	73	72	128	73	68	69	63	70	72
5%	81	81	81	80	120	80	80	80	80	80	80
10%	85	85	85	85	115	85	85	85	86	85	85
20%	90	91	90	90	110	90	91	91	92	91	90
30%	93	94	94	94	106	94	95	95	95	95	94
40%	97	97	97	97	103	97	98	97	99	98	97
50%	100	100	100	100	100	100	100	100	101	100	100
60%	103	103	103	103	97	103	103	103	103	103	103
70%	106	106	106	106	94	106	106	106	106	106	106
80%	110	109	110	110	90	110	109	109	108	109	110
90%	116	115	115	115	85	115	115	115	112	114	116
95%	120	120	120	120	80	120	119	120	117	118	120
99%	129	130	130	128	72	129	129	129	130	130	128
MAX	150	150	150	150	49	150	160	160	150	160	147

Rams with Progeny



Genotyped

*Inbreeding in red is high

EBV - Estimated Breeding Value

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding values

Breeding values with accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of lambs born in the past 36 months and their parents in the breed

Animal Information		Parents & Progeny					Selection Indices			EBV - Weights			EBV - Wool			EBV - Fertility				Rank
Animal ID Regnr	% In- breeding	Sire ID Dam ID	Wean		Wool test		SIP	GM		Weaning Weight		Body Weight	CFW	FD	SL	NLW	TWW	DAM		
			Progeny weaned	Nr flocks	Progeny tested	Nr flocks		EBV	Index	EBV	Mat							EBV	Index	
			Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index
		Active Breed Average :					101	2.8	100	0.54	0.01	0.56	0.03	-0.14	0.50	0.46	0.27			
GF 21 1163 93173078	3.98	GF 19 1347 GF 16 1140	31	1	25	1	109	-0.60	94	-0.25 87 93	0.32 55 107	-0.30 86 95	-0.17 84 87	-1.07 91 86	-3.13 87 91	-1.18 38 94	-0.37 38 92	116	6	15
MQ 21 0010 93051142	1.87	SD 18 0448 MQ 18 1017	76	1	58	1	110	0.19	96	-0.26 93 92	0.48 47 110	-0.11 91 96	-0.33 90 78	-1.03 95 86	-6.42 92 82	1.17 24 103	0.49 24 103	94	3	1
MQ 21 0029 93051324	1.89	FS 17 0424 MQ 19 1031	25	1	18	1	101	-8.64	81	-1.58 85 80	-0.35 57 93	-1.81 83 85	-0.09 81 93	0.62 88 112	1.72 84 103	-1.31 45 93	-0.63 44 89	122	6	33
MQ 22 0046 94614203	1.02	GF 17 1216 MQ 16 0108	39	1	28	1	111	8.12	109	1.55 89 110	-0.56 54 88	-0.37 87 94	0.34 85 119	-0.38 91 96	1.66 88 103	3.99 37 113	0.52 37 103	168	5	6
MQ 22 0156 94615879	1.89	GF 17 1216 MQ 19 1096	10	1	7	1	100	7.58	108	1.52 78 109	-0.37 51 92	2.39 76 112	0.21 74 111	0.19 83 105	1.00 78 101	2.47 31 108	0.25 31 100	138	5	44
MQ 22 0195 94670411	1.87	GF 17 1216 MQ 18 1026	21	1	16	1	101	-7.81	83	-1.15 84 84	0.45 53 109	-1.39 82 88	-0.36 80 76	-0.09 88 101	-10.23 84 72	1.16 32 103	-0.10 32 96	154	6	40
MQ 23 0017 97163257	1.89	SD 20 0581 MQ 19 1052	24	1	12	1	102	1.43	98	0.08 84 96	0.19 54 104	0.70 80 101	0.04 78 101	0.79 86 114	5.92 82 114	3.28 31 111	0.64 31 104	144	6	35
MQ 23 0024 97163299	1.49	SD 20 0094 MQ 20 0045					106	8.00	109	-0.64 67 89	-0.35 48 93	-0.07 68 96	0.05 66 101	-0.41 76 96	-0.19 70 98	2.50 36 108	1.58 36 116	96	5	15
MQ 23 0028 97163356	1.89	RA 19 0914 MQ 19 1079	26	1	14	1	103	2.48	99	-0.07 85 94	0.54 53 111	1.15 81 104	-0.05 79 95	0.08 87 103	2.82 79 106	0.22 34 99	0.40 34 102	119	5	28
MQ 23 0045 97163455	1.61	SD 20 0581 MQ 20 0085	12	1	10	1	108	7.32	107	1.14 80 106	0.19 54 104	1.70 80 107	0.06 78 102	-0.21 86 99	0.61 81 100	2.62 38 108	0.75 38 106	89	2	8
MQ 23 0108 97164156	1.87	RA 19 0914 MQ 18 1013	67	1	48	1	114	10.44	113	1.16 92 106	-0.10 57 98	1.95 91 109	0.08 89 103	-1.20 94 84	-1.56 91 95	1.37 35 103	0.42 35 102	120	5	2
MQ 23 0151 97164594	1.54	RA 20 0008 MQ 20 0169	55	1	43	1	110	10.66	113	1.77 91 112	-0.39 54 92	2.97 90 115	0.04 89 100	-0.67 93 92	1.25 91 102	2.42 39 107	0.74 38 106	128	5	4
MQ 24 0068 107266355	1.87	RA 20 0008 MQ 18 1074					106	4.65	103	-0.52 67 90	-0.48 47 90	-0.25 67 95	0.01 65 99	-1.01 75 87	-1.04 69 96	1.40 30 104	0.32 30 101	134	5	9
MQ 24 0088 107266470	1.89	MQ 22 0046 MQ 19 1104					111	7.20	107	1.19 64 106	-0.05 39 99	0.32 64 99	0.10 61 104	-1.00 74 87	-4.46 67 87	2.09 19 106	0.37 19 101	122	4	1
RA 19 0914 85526457	1.27	RA 17 0736 RA 15 0858	348	5	281	5	119	10.99	113	1.84 98 112	0.27 86 106	2.30 98 111	0.13 98 106	-0.80 99 90	4.75 98 111	-0.01 67 98	0.59 67 104	121	6	1
RA 20 0008 90119439	0.93	SD 15 0015 EN 16 0255	130	1	100	1	111	8.18	109	1.70 96 111	-1.13 72 76	2.44 95 112	0.26 94 114	0.44 97 109	2.10 95 104	2.71 59 109	0.43 59 102	112	4	9

Rams with Progeny



Genotyped

*Inbreeding in red is high

EBV - Estimated Breeding Value

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding values
Breeding values with accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of lambs born in the past 36 months and their parents in the breed

Animal Information		Parents & Progeny					Selection Indices			EBV - Weights			EBV - Wool			EBV - Fertility				Rank
Animal ID Regnr	% In- brding	Sire ID Dam ID	Wean		Wool test		SIP	GM		Weaning Weight		Body Weight	CFW	FD	SL	NLW	TWW	DAM		
			Progeny weaned	Nr flocks	Progeny tested	Nr flocks		EBV	Index	Acc	Index							Acc	Index	
							Active Breed Average :					101	2.8	100	0.54	0.01	0.56			0.03
SD 18 0732 82507336	2.80	SD 16 0175 SD 15 0809	503	2	339	2	107	0.90	97	1.13 99 106	0.05 88 101	1.24 98 104	0.02 98 100	-0.06 99 101	1.61 98 103	-4.06 70 83	-0.53 70 90	113	4	21
SD 20 0581 90431370	1.78	SD 17 0272 SD 16 1064	861	6	544	6	114	12.54	116	2.61 99 119	0.14 86 103	2.92 99 115	0.13 99 106	-0.60 99 93	7.11 99 117	6.48 62 123	0.96 61 108	135	5	1
SD 20 0904 90430638	1.69	SD 18 0426 SD 16 0512	118	3	87	3	107	0.15	96	0.19 95 97	-1.52 71 68	0.28 94 98	0.30 94 116	-0.38 96 96	4.76 95 111	-0.72 49 96	-1.83 48 75	100	3	23
Rams with Progeny Average :							108	4.4	103	0.60	-0.14	0.85	0.04	-0.36	0.44	1.40	0.26			

Young Rams



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding value

Breeding values with an accuracy of below 5% are not printed

Young rams, born since 2020 with a weaning weight, and wool test, but no progeny, both parents known.

Animal Information		Parents		Rank	Selection Indices			EBV - Weights			EBV - Wool			EBV - Fertility			
Animal ID Regnr	% In- breeding	Sire ID	Dam ID		SIP	GM		Weaning Dir	Weight Mat	Body Weight	CFW	FD	SL	NLW	TWW	EPI	DAM Lambcd
						EBV	Index	EBV	Acc	Index	EBV	Acc	Index	EBV	Acc	Index	Phenotype
		Active Breed Average :			101	2.8	100	0.54	0.01	0.56	0.03	-0.14	0.50	0.46	0.27		
MQ 23 0024 97163299	1.49	SD 20 0094	MQ 20 0045	15	106	8.00	109	-0.64 67 89	-0.35 48 93	-0.07 68 96	0.05 66 101	-0.41 76 96	-0.19 70 98	2.50 36 108	1.58 36 116	96	5
MQ 24 0007 107266090	1.32	RA 20 0008	MQ 20 0100	7	107	4.50	103	1.00 66 104	-0.56 49 88	1.15 66 104	0.07 68 102	0.15 72 104	1.01 67 101	2.04 39 106	0.51 39 103	120	5
MQ 24 0012 107266108	3.03	GF 21 1163	MQ 20 0201	27	100	0.29	96	-0.07 68 94	0.70 43 115	0.72 68 101	-0.21 65 85	-0.26 76 98	-0.90 70 96	3.34 28 111	0.37 27 101	112	4
MQ 24 0014 107266116	1.89	MQ 22 0156	MQ 19 1116	21	102	0.91	97	-0.41 62 91	-0.75 38 84	-0.12 63 96	0.04 59 101	0.16 73 105	3.31 65 107	1.46 15 104	0.23 15 100	104	3
MQ 24 0020 107266124	1.54	RA 20 0008	MQ 20 0169	3	109	7.09	107	0.81 70 103	-0.27 50 94	1.41 70 105	-0.08 68 93	-0.89 77 89	-3.30 72 90	2.42 39 107	0.74 38 106	128	5
MQ 24 0028 107266140	1.89	MQ 22 0156	MQ 19 1021	16	105	3.82	102	0.66 61 101	-0.16 37 97	0.45 61 99	0.19 58 109	0.37 72 108	-0.06 63 99	2.14 16 106	0.37 16 101	110	4
MQ 24 0033 107266173	1.89	MQ 21 0029	MQ 19 1079	33	97	-1.88	92	-0.31 64 92	-0.19 40 96	-0.21 64 95	-0.01 61 97	0.20 74 105	-2.75 66 92	-0.43 22 97	-0.21 22 94	119	5
MQ 24 0038 107266181	1.89	MQ 21 0029	MQ 19 1054	42	94	-3.75	89	-1.13 65 84	-0.21 42 95	-1.34 65 88	-0.08 62 93	-0.10 74 101	-7.52 67 79	-0.43 22 97	-0.21 22 94	144	6
MQ 24 0043 107266207	1.32	RA 20 0008	MQ 20 0058	24	101	0.89	97	-1.33 69 82	-0.84 49 82	-1.51 69 87	0.06 67 102	-0.19 77 99	-2.61 71 92	1.23 38 103	0.44 38 102	107	5
MQ 24 0048 107266223	5.09	GF 21 1163	MQ 20 0088	39	95	-2.93	91	-0.48 67 90	0.30 43 106	-0.70 67 92	-0.18 64 87	-0.21 76 99	-2.53 69 92	-0.87 31 95	0.03 31 97	111	4
MQ 24 0050 107266249	1.87	RA 20 0008	MQ 18 1018	29	99	-1.10	94	0.62 67 101	-0.27 48 94	0.87 67 102	0.10 64 104	1.33 75 123	2.69 69 106	0.65 31 101	0.15 30 99	145	6
MQ 24 0055 107266272	1.42	MQ 22 0046	MQ 20 0073	10	106	3.31	101	0.36 67 98	-0.35 42 92	-1.15 67 89	0.29 65 116	0.04 76 103	3.09 70 107	-0.43 29 97	0.15 29 99	101	3
MQ 24 0057 107266280	2.08	MQ 22 0195	MQ 22 0308	41	94	-4.73	88	-0.98 61 86	0.29 34 106	-0.65 62 92	-0.25 59 83	0.03 72 103	-5.98 64 83	0.80 16 101	0.05 16 97	102	3
MQ 24 0059 107265118	1.89	MQ 22 0156	MQ 19 1082	4	109	5.70	105	1.21 61 106	-0.46 37 90	0.71 62 101	0.09 59 104	-0.59 73 93	2.86 65 106	1.46 15 104	0.23 15 100	121	6
MQ 24 0060 107266298	1.89	GF 21 1163	MQ 19 1045	43	94	-5.19	87	-0.96 66 86	0.29 42 106	0.17 66 98	-0.18 63 87	0.52 75 110	-1.97 69 94	0.18 20 99	-0.28 20 93	147	5

Young Rams



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding value

Breeding values with an accuracy of below 5% are not printed

Young rams, born since 2020 with a weaning weight, and wool test, but no progeny, both parents known.

Animal Information		Parents		Rank	Selection Indices			EBV - Weights			EBV - Wool			EBV - Fertility		
Animal ID Regnr	% In- breeding	Sire ID	Dam ID		SIP	GM		Weaning Weight Dir	Mat	Body Weight	CFW	FD	SL	NLW	TWW	DAM EPI Lambled
					EBV	Index		Acc	Index	Acc	Acc	Index	Acc	Acc	Index	Phenotype
Active Breed Average :					101	2.8	100	0.54	0.01	0.56	0.03	-0.14	0.50	0.46	0.27	
MQ 24 0061 107266306	1.89	GF 21 1163	MQ 19 1045	49	87	-10.08	79	-2.29 66 73	0.64 42 113	-1.89 66 84	-0.44 63 71	-0.24 75 99	-2.12 69 93	0.18 20 99	-0.28 20 93	147 5
MQ 24 0068 107266355	1.87	RA 20 0008	MQ 18 1074	9	106	4.65	103	-0.52 67 90	-0.48 47 90	-0.25 67 95	0.01 65 99	-1.01 75 87	-1.04 69 96	1.40 30 104	0.32 30 101	134 5
MQ 24 0069 107266363	1.87	RA 20 0008	MQ 18 1074	2	110	7.03	107	1.41 67 108	-0.85 47 82	1.03 67 103	0.18 65 109	-0.32 75 97	-2.55 69 92	1.40 30 104	0.32 30 101	134 5
MQ 24 0074 107266397	2.21	RA 20 0008	MQ 21 0243	18	104	3.11	101	0.85 64 103	-0.49 44 90	1.65 65 107	-0.03 63 96	0.13 74 104	-0.55 68 97	1.58 30 104	0.32 30 101	107 4
MQ 24 0075 107266405	2.21	RA 20 0008	MQ 21 0238	20	103	2.02	99	-0.01 65 95	-0.15 45 97	1.36 66 105	-0.05 64 95	0.20 75 105	6.54 68 116	1.58 30 104	0.32 30 101	118 4
MQ 24 0088 107266470	1.89	MQ 22 0046	MQ 19 1104	1	111	7.20	107	1.19 64 106	-0.05 39 99	0.32 64 99	0.10 61 104	-1.00 74 87	-4.46 67 87	2.09 19 106	0.37 19 101	122 4
MQ 24 0090 107266496	2.00	RA 20 0008	MQ 20 0232	14	105	3.07	100	0.98 67 104	-0.50 47 89	0.96 67 103	0.05 65 101	0.16 75 105	0.24 69 99	1.58 30 104	0.32 30 101	124 5
MQ 24 0093 107266512	2.13	MQ 22 0046	MQ 20 0112	36	97	-2.22	92	-1.27 67 83	0.13 42 103	-2.32 68 82	-0.03 65 96	-0.52 76 94	-1.74 70 94	-0.45 31 97	0.00 31 97	90 5
MQ 24 0094 107266520	1.38	RA 20 0008	MQ 21 0024	37	96	-1.66	93	-0.05 68 94	-0.38 46 92	0.69 68 101	-0.11 66 91	0.73 76 113	-2.07 71 93	1.30 35 103	0.40 34 102	103 4
MQ 24 0095 107266538	2.21	RA 20 0008	MQ 21 0239	13	105	4.06	102	1.42 64 108	-0.78 44 83	0.85 65 102	0.24 63 113	0.67 74 113	0.19 68 99	1.58 30 104	0.32 30 101	109 4
MQ 24 0104 107266561	1.87	MQ 22 0046	MQ 18 1015	23	101	0.76	97	-0.85 64 87	-0.70 39 85	-2.26 65 82	0.24 62 113	0.20 74 105	6.69 67 116	2.05 20 106	0.35 19 101	109 6
MQ 24 0105 107266579	1.59	MQ 22 0046	MQ 21 0141	17	104	2.34	99	0.59 67 101	-0.38 42 92	-0.18 67 95	0.27 65 115	0.75 76 114	3.34 70 107	2.66 28 108	0.27 28 100	105 4
MQ 24 0115 107266629	2.08	MQ 21 0010	MQ 22 0310	44	94	-3.12	90	-0.25 61 93	0.38 29 108	-0.50 63 93	-0.20 60 86	0.15 72 105	-4.17 65 88	0.81 12 101	0.35 12 101	96 3
MQ 24 0123 107266678	2.21	RA 20 0008	MQ 21 0237	19	104	2.30	99	-0.24 64 93	-0.84 44 82	-0.87 65 91	0.23 63 112	0.34 74 107	3.32 68 107	1.58 30 104	0.32 30 101	107 4
MQ 24 0138 107266710	1.87	RA 20 0008	MQ 18 1054	8	107	4.97	104	0.62 68 101	-0.80 48 83	0.70 68 101	0.07 65 102	-0.44 76 96	4.66 70 111	1.48 30 104	0.30 30 100	143 7
MQ 24 0145 107314858	1.54	RA 20 0008	MQ 20 0003	5	108	5.84	105	0.74 69 102	-0.26 50 95	2.04 70 110	-0.15 67 89	-0.63 77 93	-10.27 72 72	2.36 38 107	0.67 38 105	122 4

Young Rams



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding value
Breeding values with an accuracy of below 5% are not printed

Young rams, born since 2020 with a weaning weight, and wool test, but no progeny, both parents known.

Animal Information		Parents		Rank	Selection Indices			EBV - Weights			EBV - Wool			EBV - Fertility		
Animal ID Regnr	% In- breeding	Sire ID	Dam ID		SIP	GM		Weaning Weight Dir	Weight Mat	Body Weight	CFW	FD	SL	NLW	TWW	DAM EPI Lambled
					EBV	Index		Acc	Index	Acc	Acc	Index	Acc	Acc	Index	Phenotype
Active Breed Average :					101	2.8	100	0.54	0.01	0.56	0.03	-0.14	0.50	0.46	0.27	
MQ 24 0147 107266736	2.13	MQ 22 0046	MQ 20 0143	12	105	3.42	101	-1.12 68	-0.59 44	-3.15 87	0.13 66	-1.44 76	-1.40 95	1.30 31	0.35 101	113 5
MQ 24 0150 107266744	2.00	MQ 22 0046	MQ 20 0213	22	102	0.75	97	-0.19 65	0.04 41	-0.93 101	0.02 61	-0.15 74	-4.93 86	1.96 20	0.36 101	121 5
MQ 24 0152 107266751	2.08	MQ 21 0029	MQ 22 0321	50	80	-13.29	74	-2.53 62	0.03 38	-2.78 101	-0.21 60	1.34 73	1.13 102	-0.43 22	-0.21 94	109 3
MQ 24 0153 107266769	1.33	RA 20 0008	MQ 21 0051	6	108	4.68	103	0.35 69	-0.73 48	0.95 84	0.06 68	-0.24 77	0.99 101	3.64 36	0.32 101	102 4
MQ 24 0164 107266793	2.09	MQ 22 0046	MQ 20 0147	11	106	4.18	102	-0.32 68	-0.14 44	-1.39 97	0.14 65	-0.66 76	-1.72 94	1.13 31	0.51 103	112 5
MQ 24 0165 107266801	2.08	MQ 21 0010	MQ 22 0314	47	90	-5.37	87	-2.05 63	0.37 32	-1.05 108	-0.36 61	-0.16 73	-1.52 95	0.81 12	0.35 101	99 3
MQ 24 0167 107266819	2.08	MQ 21 0010	MQ 22 0319	46	92	-4.18	89	-1.14 63	0.42 32	-0.78 109	-0.19 61	0.36 73	-2.53 92	0.81 12	0.35 101	102 3
MQ 24 0172 107266850	2.00	RA 20 0008	MQ 20 0212	34	97	-1.99	92	-0.95 65	-0.69 44	-0.67 85	0.07 62	0.90 73	-3.79 89	1.58 30	0.32 101	105 3
MQ 24 0173 107266868	1.42	MQ 22 0046	MQ 20 0108	15	105	3.23	101	0.59 67	-0.19 42	0.35 96	0.28 65	0.72 76	4.59 111	-0.64 30	0.20 99	113 5
MQ 24 0177 107266876	1.87	MQ 22 0046	MQ 18 1053	28	99	-0.77	94	-0.68 66	0.11 42	-1.76 102	-0.03 63	-0.32 74	0.52 100	2.61 20	0.36 101	136 5
MQ 24 0183 107266900	1.60	MQ 21 0010	MQ 22 0004	30	99	0.04	95	-0.96 67	0.09 37	-0.71 102	-0.26 65	-1.06 76	-6.47 82	1.96 21	0.38 101	94 1
MQ 24 0187 107266918	1.71	MQ 21 0010	MQ 22 0044	31	98	1.69	98	-1.37 68	-0.21 40	-2.31 96	-0.19 66	-1.15 76	-10.26 72	4.88 23	1.17 111	110 3
MQ 24 0193 107266959	2.08	GF 21 1163	MQ 22 0304	40	95	-3.68	89	-1.25 61	0.17 35	-1.74 103	-0.12 60	-0.34 73	-4.51 87	-0.37 19	-0.08 96	106 4
MQ 24 0194 107266967	2.08	MQ 22 0195	MQ 22 0297	48	89	-8.13	82	-2.42 61	-0.05 34	-2.35 99	-0.39 58	-0.45 71	-12.67 66	0.80 16	0.05 97	96 2
MQ 24 0212 107267031	1.41	MQ 21 0010	MQ 22 0188	32	98	-0.59	94	-0.17 68	0.22 39	-0.61 104	-0.27 66	-0.68 77	-4.41 87	2.39 24	0.57 104	109 3
MQ 24 0213 107267049	2.08	MQ 21 0010	MQ 22 0312	45	93	-4.12	89	-1.04 63	0.41 32	-0.60 109	-0.35 61	-0.26 73	-5.62 84	0.81 12	0.35 101	102 3

Young Rams



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding value
Breeding values with an accuracy of below 5% are not printed

Young rams, born since 2020 with a weaning weight, and wool test, but no progeny, both parents known.

Animal Information		Parents		Rank	Selection Indices			EBV - Weights			EBV - Wool			EBV - Fertility		
Animal ID Regnr	% In- breeding	Sire ID	Dam ID		SIP	GM		Weaning Weight Dir	Weight Mat	Body Weight	CFW	FD	SL	NLW	TWW	DAM EPI Lambled
								EBV Acc	Index	EBV Acc	Index	EBV Acc	Index	EBV Acc	Index	Phenotype
Active Breed Average :					101	2.8	100	0.54	0.01	0.56	0.03	-0.14	0.50	0.46	0.27	
MQ 24 0214 107267056	1.50	GF 21 1163	MQ 22 0096	26	100	-0.79	94	-1.07 65	-0.03 85	-0.79 91	-0.20 64	-0.80 75	-5.43 69	0.66 26	0.17 26	90 2
MQ 24 0219 107267080	2.08	MQ 21 0010	MQ 22 0315	38	96	-1.94	92	-0.08 63	0.49 32	0.05 97	-0.42 60	-0.89 72	-7.87 65	0.81 12	0.35 12	103 3
MQ 24 0227 107267114	1.58	MQ 22 0195	MQ 22 0103	35	97	-1.63	93	-0.50 66	0.17 42	-0.94 90	-0.28 64	-0.24 76	-9.35 69	3.68 26	0.94 26	113 3
MQ 24 0237 107267171	1.38	GF 21 1163	MQ 22 0146	25	100	1.39	98	0.74 66	0.19 40	-0.36 94	-0.10 64	-0.19 76	-0.19 69	2.61 28	0.76 27	97 1
MQ 25 0001 111217766	4.71	MQ 23 0045	MQ 22 0039	20	105	6.76	107	-0.30 65	-0.53 42	-0.29 95	0.06 64	-0.56 75	0.46 69	4.42 28	1.14 28	107 3
MQ 25 0002 111217774	4.71	MQ 23 0045	MQ 22 0039	31	103	4.91	103	-0.72 65	-0.04 42	0.24 98	-0.22 64	-1.07 75	0.07 69	4.42 28	1.14 28	107 3
MQ 25 0009 111217790	2.08	MQ 23 0045	MQ 22 0317	69	98	1.27	97	-0.18 60	-0.17 35	-0.92 96	0.00 58	-0.26 72	-1.96 64	1.53 19	0.48 19	102 3
MQ 25 0010 111217808	1.66	MQ 23 0045	MQ 22 0121	10	108	9.12	110	0.93 64	0.13 40	1.80 103	0.18 63	0.08 75	2.37 68	1.36 27	0.96 27	108 2
MQ 25 0011 111217816	1.76	MQ 23 0108	MQ 21 0043	24	104	6.18	106	0.17 68	0.60 42	1.87 113	0.14 66	0.32 76	0.93 70	0.91 26	0.54 26	121 4
MQ 25 0014 111217824	1.75	MQ 23 0151	MQ 22 0109	1	113	13.07	117	0.96 67	-0.35 41	2.88 93	0.09 66	-0.99 76	2.21 70	2.35 28	0.89 28	104 3
MQ 25 0015 111217832	1.75	MQ 23 0151	MQ 22 0109	9	108	9.35	111	-0.03 67	-0.24 41	1.28 95	-0.02 66	-1.18 76	-3.64 70	2.35 28	0.89 28	104 3
MQ 25 0019 111217840	1.89	MQ 23 0045	MQ 19 1014	63	98	1.61	98	-0.51 63	-0.07 40	-0.12 98	0.00 61	0.01 74	-0.25 66	1.53 19	0.48 19	126 6
MQ 25 0020 111217857	1.87	MQ 23 0045	MQ 18 1041	90	93	-2.61	91	0.05 62	-0.05 39	-0.03 99	-0.04 59	1.26 73	4.86 65	2.32 20	0.67 20	106 6
MQ 25 0022 111217873	1.87	RA 20 0008	MQ 18 1054	89	93	-2.27	92	-0.61 68	-0.53 48	-0.86 89	-0.08 65	0.23 76	0.62 70	1.48 30	0.30 30	143 7
MQ 25 0023 111217881	3.04	MQ 23 0151	MQ 22 0105	2	113	12.50	116	2.44 67	-0.17 40	5.10 96	-0.11 65	-0.47 76	-0.48 70	2.68 28	1.10 28	103 3
MQ 25 0024 111217899	26.17	RA 20 0008	MQ 23 0130	14	106	7.75	108	1.88 68	-0.96 45	1.56 80	0.21 67	-0.04 77	1.66 71	1.87 34	0.43 34	104 1

Young Rams



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding value
Breeding values with an accuracy of below 5% are not printed

Young rams, born since 2020 with a weaning weight, and wool test, but no progeny, both parents known.

Animal Information		Parents		Rank	Selection Indices			EBV - Weights			EBV - Wool			EBV - Fertility			
Animal ID Regnr	% In- breeding	Sire ID	Dam ID		SIP	GM		Weaning Weight Dir	Weight Mat	Body Weight	CFW	FD	SL	NLW	TWW	DAM EPI	Lambled
					EBV	Index		Acc	Index	Acc	Acc	Index	Acc	Acc	Index	Acc	Index
Active Breed Average :					101	2.8	100	0.54	0.01	0.56	0.03	-0.14	0.50	0.46	0.27		
MQ 25 0027 111217915	1.89	MQ 23 0108	MQ 19 1022	38	101	3.74	102	-0.05 65 95	-0.16 41 97	-0.09 65 96	0.05 63 101	-0.59 74 93	1.87 68 104	0.75 19 101	0.24 18 100	115	4
MQ 25 0031 111217931	1.89	MQ 23 0151	MQ 19 1054	65	98	1.51	98	0.23 67 97	-0.12 41 97	0.49 67 100	-0.04 64 95	0.14 75 104	-5.06 69 85	1.44 19 104	0.48 19 103	144	6
MQ 25 0035 111217956	1.48	MQ 21 0010	MQ 20 0009	99	86	-7.37	83	-1.02 70 85	0.45 43 110	0.15 70 97	-0.24 67 84	1.71 77 129	0.26 72 99	0.81 28 101	0.57 28 104	124	4
MQ 25 0040 111217972	1.89	MQ 21 0010	MQ 19 1079	92	92	-3.08	90	-1.17 66 84	0.48 37 110	-1.28 66 88	-0.26 63 82	-0.47 75 95	-4.69 68 86	0.81 12 101	0.35 12 101	119	5
MQ 25 0042 111217980	2.08	MQ 21 0010	MQ 22 0306	78	97	0.51	96	-0.39 63 91	-0.01 32 100	-0.88 63 91	-0.10 60 92	-0.58 73 93	-1.38 66 95	0.81 12 101	0.35 12 101	102	3
MQ 25 0045 111218004	2.00	MQ 23 0108	MQ 20 0226	13	107	7.99	109	0.78 65 102	0.25 39 105	1.78 65 108	0.03 63 100	-0.92 74 88	3.06 68 107	0.91 18 102	0.31 17 101	120	3
MQ 25 0046 111218012	1.85	MQ 23 0108	MQ 20 0051	30	103	4.84	103	0.56 68 100	0.61 44 113	1.71 69 107	-0.19 66 86	-0.83 76 89	-4.44 71 87	-1.09 31 94	0.52 31 103	119	5
MQ 25 0048 111218020	1.62	MQ 21 0010	MQ 20 0025	83	95	-0.60	94	-1.02 68 85	0.49 41 110	-0.04 69 96	-0.35 67 76	-0.81 77 90	-0.68 71 97	0.58 27 101	0.53 27 103	99	5
MQ 25 0054 111218053	7.79	MQ 23 0151	MQ 20 0053	5	110	11.24	114	0.64 68 101	0.04 43 101	1.98 68 109	0.05 66 101	-1.36 76 81	-4.31 70 87	2.02 31 106	0.63 31 104	110	5
MQ 25 0059 111218079	14.08	MQ 21 0010	MQ 21 0005	23	105	6.45	106	0.51 68 100	0.08 39 102	0.36 68 99	0.05 66 101	-0.70 76 91	0.93 70 101	1.63 22 104	0.66 21 105	114	4
MQ 25 0067 111218095	2.08	MQ 23 0108	MQ 22 0322	26	104	5.46	104	1.94 61 113	0.56 33 112	3.14 63 117	-0.19 60 86	-0.57 72 93	-1.66 65 94	0.91 18 102	0.31 17 101	95	3
MQ 25 0068 111218103	1.80	MQ 23 0108	MQ 22 0015	4	111	11.19	114	0.57 67 100	0.12 41 102	0.34 68 99	0.20 66 110	-1.14 76 85	0.13 70 99	0.71 26 101	0.91 26 108	105	3
MQ 25 0070 111218111	1.88	MQ 23 0151	MQ 22 0030	12	107	8.33	109	1.30 67 107	-0.07 40 98	2.51 68 113	0.00 65 98	-0.21 76 99	-2.98 70 91	1.39 27 104	0.91 27 108	99	3
MQ 25 0075 111218145	1.87	MQ 21 0010	MQ 18 1026	97	87	-6.28	85	-0.80 68 87	0.53 41 111	-1.40 68 88	-0.32 66 78	-0.23 76 99	-2.44 70 92	-0.67 15 96	0.01 15 97	154	6
MQ 25 0077 111218152	1.89	MQ 23 0151	MQ 19 1073	25	104	6.01	105	0.38 66 99	-0.17 41 96	0.80 66 102	0.09 64 104	-0.42 75 96	-1.93 69 94	1.28 20 103	0.45 20 102	137	6
MQ 25 0078 111218160	1.84	MQ 23 0151	MQ 21 0050	18	105	6.86	107	0.53 67 100	-0.22 40 95	0.89 68 102	-0.06 66 95	-1.34 76 82	-0.28 70 98	3.00 27 110	0.38 27 101	93	4

Young Rams



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding value

Breeding values with an accuracy of below 5% are not printed

Young rams, born since 2020 with a weaning weight, and wool test, but no progeny, both parents known.

Animal Information		Parents		Rank	Selection Indices			EBV - Weights			EBV - Wool			EBV - Fertility			
Animal ID Regnr	% In- breeding	Sire ID	Dam ID		SIP	GM		Weaning Weight Dir	Weight Mat	Body Weight	CFW	FD	SL	NLW	TWW	DAM EPI	Lambled
								EBV Acc	Index	EBV Acc	Index	EBV Acc	Index	EBV Acc	Index	EBV Acc	Index
Active Breed Average :					101	2.8	100	0.54	0.01	0.56	0.03	-0.14	0.50	0.46	0.27		
MQ 25 0079 111218178	1.84	MQ 23 0151	MQ 21 0050	21	105	6.69	106	0.17 67	-0.38 40	0.43 92	0.09 66	-0.85 76	2.55 105	3.00 27	0.38 101	93	4
MQ 25 0080 111218186	1.49	MQ 21 0010	MQ 20 0201	53	100	2.74	100	-0.23 69	0.54 41	-0.05 96	-0.19 67	-0.78 77	-2.76 92	4.51 23	0.80 106	112	4
MQ 25 0081 111218194	1.49	MQ 21 0010	MQ 20 0201	85	94	-1.16	93	-0.42 69	0.79 41	-0.03 96	-0.32 67	-0.27 77	-4.35 87	4.51 23	0.80 106	112	4
MQ 25 0082 111218202	1.88	MQ 23 0108	MQ 20 0143	32	103	4.68	103	-0.97 69	-0.15 45	-0.92 91	-0.12 67	-1.89 77	-3.45 90	-0.01 31	0.30 100	113	5
MQ 25 0084 111218210	2.08	MQ 21 0010	MQ 22 0312	88	93	-2.38	91	-0.31 63	0.36 32	0.08 97	-0.35 61	-0.44 73	-5.66 84	0.81 12	0.35 101	102	3
MQ 25 0085 111218228	1.64	MQ 23 0108	MQ 21 0155	8	109	9.45	111	1.01 68	-0.63 42	0.58 100	0.27 66	-0.60 76	-7.44 70	0.94 28	0.54 103	117	4
MQ 25 0094 111218251	2.08	MQ 23 0151	MQ 22 0305	75	97	0.76	97	-0.83 62	-0.58 35	-0.12 96	-0.03 61	0.11 73	4.01 109	1.44 19	0.48 103	96	3
MQ 25 0097 111218277	1.74	MQ 23 0108	MQ 22 0033	7	109	9.67	111	0.18 67	-0.58 42	0.32 99	0.28 66	-0.66 76	-1.45 95	0.72 26	0.63 104	99	3
MQ 25 0098 111218285	1.59	MQ 21 0010	MQ 20 0033	62	98	1.77	98	-0.24 69	0.49 41	0.03 97	-0.30 66	-1.22 77	-4.36 87	1.36 28	0.53 103	119	5
MQ 25 0106 111216826	2.00	MQ 23 0108	MQ 20 0223	33	102	4.56	103	0.77 65	0.07 40	1.54 101	-0.06 63	-0.48 74	-2.75 92	0.77 18	0.29 100	104	5
MQ 25 0110 111218343	7.76	MQ 23 0151	MQ 20 0147	19	105	6.74	106	0.22 68	-0.04 44	1.26 99	0.01 66	-0.58 77	0.81 101	0.34 31	0.62 104	112	5
MQ 25 0117 111218376	4.74	MQ 23 0151	MQ 22 0221	74	97	0.85	97	0.42 67	0.16 39	1.68 103	-0.24 65	0.05 76	-4.50 87	0.53 26	0.53 103	104	3
MQ 25 0121 111218392	1.72	MQ 21 0010	MQ 21 0141	86	94	-1.53	93	-0.05 68	-0.04 40	-0.72 99	-0.03 66	0.27 77	-4.01 88	1.24 24	0.25 100	105	4
MQ 25 0122 111218400	1.69	MQ 21 0010	MQ 22 0185	70	98	1.27	97	-1.07 67	-0.61 37	-2.86 87	0.05 65	-0.62 76	-6.57 82	1.90 22	0.78 106	100	3
MQ 25 0129 111218459	1.71	MQ 21 0010	MQ 22 0069	15	106	7.14	107	1.51 68	0.25 39	2.86 105	-0.26 66	-0.75 76	-5.37 85	3.63 23	1.03 109	102	3
MQ 25 0130 111218467	7.79	MQ 23 0151	MQ 20 0115	48	100	2.78	100	-0.13 67	0.22 42	1.21 105	-0.28 66	-0.84 76	-5.58 84	-0.39 31	0.57 104	101	3

Young Rams



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding value

Breeding values with an accuracy of below 5% are not printed

Young rams, born since 2020 with a weaning weight, and wool test, but no progeny, both parents known.

Animal Information		Parents		Rank	Selection Indices			EBV - Weights			EBV - Wool			EBV - Fertility			
Animal ID Regnr	% In- breeding	Sire ID	Dam ID		SIP	GM		Weaning Weight Dir Mat		Body Weight	CFW	FD	SL	NLW	TWW	EPI	DAM Lambd
						EBV	Index	EBV	Acc	Index	Acc	Index	A	Index	Acc	Index	Acc
		Active Breed Average :			101	2.8	100	0.54	0.01	0.56	0.03	-0.14	0.50	0.46	0.27		
MQ 25 0132 111218475	1.87	MQ 23 0108	MQ 18 1004	54	99	2.43	99	-0.64 67	-0.12 42	-1.41 67	-0.04 64	-1.12 75	-2.53 69	0.72 18	0.35 18	132	6
MQ 25 0133 111218483	2.21	MQ 21 0010	MQ 21 0237	93	91	-3.84	89	-0.97 64	0.01 34	-2.22 65	-0.12 62	-0.10 74	-5.11 67	0.81 12	0.35 12	107	4
MQ 25 0134 111218491	2.00	MQ 23 0108	MQ 20 0230	51	100	2.74	100	-0.84 64	-0.26 38	-1.22 65	0.09 62	-0.57 74	-9.48 67	0.91 18	0.31 17	95	4
MQ 25 0138 111218517	2.21	MQ 23 0151	MQ 21 0238	60	99	1.88	98	0.58 64	0.11 38	1.75 65	-0.12 62	0.26 74	1.61 68	1.44 19	0.48 19	118	4
MQ 25 0140 111218525	1.89	MQ 23 0108	MQ 19 1028	37	101	3.70	101	0.72 66	-0.10 42	1.49 66	-0.05 64	-0.19 75	3.17 69	0.69 19	0.33 18	129	6
MQ 25 0142 111218533	2.08	MQ 21 0010	MQ 22 0300	94	90	-4.26	88	-0.08 64	0.72 34	-0.19 65	-0.28 62	0.28 74	-6.95 67	0.81 12	0.35 12	113	2
MQ 25 0145 111218541	1.89	MQ 23 0151	MQ 19 1045	67	98	1.28	97	0.67 67	0.06 42	2.29 67	-0.24 64	-0.04 76	-4.54 69	1.98 21	0.28 21	147	5
MQ 25 0146 111218558	1.89	MQ 23 0151	MQ 19 1045	68	98	1.27	97	0.82 67	-0.07 42	1.64 67	-0.17 64	-0.02 76	1.47 69	1.98 21	0.28 21	147	5
MQ 25 0147 111218566	2.30	MQ 23 0017	MQ 23 1007	98	87	-6.85	84	-0.32 59	0.33 32	-0.69 61	-0.12 57	1.53 71	2.24 63	1.86 16	0.42 16	101	1
MQ 25 0150 111218574	1.33	RA 20 0008	MQ 23 0195	56	99	2.67	100	-0.51 67	-0.84 45	-0.78 69	0.17 66	0.02 76	-1.88 71	2.42 34	0.32 34	101	2
MQ 25 0152 111218582	1.33	RA 20 0008	MQ 23 0180	27	103	5.38	104	0.71 68	-0.56 46	0.54 69	0.03 67	-0.69 77	-7.10 71	3.61 34	0.38 34	103	2
MQ 25 0159 111218632	2.30	RA 20 0008	MQ 23 1026	95	90	-4.50	88	-0.49 63	-0.59 42	-0.26 64	-0.01 61	1.47 73	-3.43 66	1.58 30	0.32 30	106	2
MQ 25 0169 111218707	3.25	MQ 23 0151	MQ 23 0042	6	110	10.03	112	1.38 67	-0.25 40	1.62 68	0.20 66	-0.25 76	0.39 70	3.97 26	0.87 26	112	1
MQ 25 0170 111218715	2.59	MQ 23 0017	MQ 23 0192	36	101	3.97	102	-0.25 65	-0.03 38	-0.20 66	0.05 63	-0.17 75	-1.29 68	4.34 21	0.77 21	111	2
MQ 25 0171 111218723	2.59	MQ 23 0017	MQ 23 0192	72	97	0.97	97	-0.20 65	0.24 38	0.73 66	0.00 63	0.87 75	6.05 68	4.34 21	0.77 21	111	2
MQ 25 0175 111218756	1.83	MQ 23 0028	MQ 23 0040	66	98	1.18	97	0.19 66	0.61 40	1.05 66	-0.14 63	0.27 75	7.27 68	2.90 24	0.70 24	111	2

Young Rams



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding value
Breeding values with an accuracy of below 5% are not printed

Young rams, born since 2020 with a weaning weight, and wool test, but no progeny, both parents known.

Animal Information		Parents		Rank	Selection Indices			EBV - Weights			EBV - Wool			EBV - Fertility			
Animal ID Regnr	% In- breeding	Sire ID	Dam ID		SIP	GM		Weaning Weight Dir	Weight Mat	Body Weight	CFW	FD	SL	NLW	TWW	DAM EPI	Lambled
					EBV	Index		Acc	Index	Acc	Acc	Index	Acc	Acc	Index	Acc	Index
Active Breed Average :					101	2.8	100	0.54	0.01	0.56	0.03	-0.14	0.50	0.46	0.27		
MQ 25 0178 111218780	2.30	MQ 23 0017	MQ 23 1011	76	97	0.73	97	0.00 59 95	0.18 32 104	0.04 61 97	-0.02 57 97	0.18 71 105	1.62 63 103	1.86 16 105	0.42 16 102	101	2
MQ 25 0179 111218798	14.10	MQ 23 0017	MQ 23 0029	39	101	3.69	101	0.48 65 99	0.25 39 105	1.03 66 103	-0.03 63 96	0.00 75 102	4.40 68 110	3.10 23 110	0.67 23 105	102	2
MQ 25 0195 111218830	4.51	RA 20 0008	MQ 23 0066	42	101	3.68	101	0.52 68 100	-0.40 47 91	1.45 70 106	0.02 67 99	0.45 77 109	1.71 71 103	3.10 36 110	0.70 36 105	101	2
MQ 25 0196 111218848	2.30	RA 20 0008	MQ 23 1004	50	100	3.05	100	1.27 62 107	-0.01 40 100	3.88 64 121	-0.19 61 87	0.48 73 110	-3.69 66 89	1.58 30 104	0.32 30 101	102	2
MQ 25 0197 111218855	1.89	MQ 23 0108	MQ 19 1031	87	93	-2.52	91	-1.39 66 82	0.04 40 101	-0.52 67 93	-0.20 64 86	-0.04 75 102	-1.27 69 95	0.91 18 102	0.31 17 101	122	6
MQ 25 0198 111218863	1.78	MQ 23 0028	MQ 23 0018	82	96	-0.32	95	0.53 65 100	0.62 39 113	2.01 66 109	-0.07 63 94	1.33 75 123	6.54 68 116	1.57 24 104	0.57 24 104	103	2
MQ 25 0202 111218871	2.30	MQ 23 0028	MQ 23 1022	71	97	0.86	97	-0.28 59 92	0.45 32 109	1.13 61 104	-0.18 58 87	-0.18 71 100	-1.53 63 95	0.33 17 100	0.31 17 100	100	2
MQ 25 0203 111218889	2.30	RA 20 0008	MQ 23 1025	16	105	7.19	107	1.14 62 106	-0.48 40 90	1.19 64 104	0.11 61 105	-0.61 73 93	-6.17 66 83	1.58 30 104	0.32 30 101	103	2
MQ 25 0206 111218897	1.89	MQ 23 0028	MQ 23 0141	57	99	2.42	99	-0.14 65 94	0.20 38 104	1.13 66 104	-0.14 63 89	-0.41 75 96	0.11 68 99	0.67 24 101	0.32 24 101	100	2
MQ 25 0208 111218913	1.74	MQ 23 0017	MQ 23 0121	77	97	0.42	96	0.60 66 101	0.27 41 106	0.61 66 100	-0.01 63 98	0.90 75 116	8.09 68 120	3.22 25 110	0.72 24 106	110	2
MQ 25 0210 111218921	4.55	RA 20 0008	MQ 23 0198	64	98	1.81	98	0.03 68 95	-0.70 45 85	0.67 69 101	0.14 66 107	0.91 77 116	6.69 71 116	3.21 33 110	0.45 33 102	107	1
MQ 25 0216 111218939	2.00	MQ 23 0108	MQ 20 0232	58	99	1.92	99	-0.46 67 91	0.00 42 100	-0.75 66 92	-0.01 64 97	-0.57 75 94	-2.99 69 91	0.91 18 102	0.31 17 101	124	5
MQ 25 0218 111218947	1.72	MQ 23 0108	MQ 22 0176	43	101	3.33	101	1.20 67 106	-0.15 40 97	1.36 68 105	-0.02 65 97	0.51 76 110	-1.23 70 96	1.77 25 105	0.86 25 107	105	3
MQ 25 0222 111218988	4.73	MQ 23 0151	MQ 22 0210	79	96	0.23	96	-0.26 67 93	0.14 38 103	0.03 68 97	-0.19 65 87	-0.40 76 96	-4.25 70 88	-0.24 27 97	0.42 27 102	106	3
MQ 25 0229 111219010	1.64	MQ 23 0028	MQ 23 0065	22	105	6.52	106	0.61 65 101	0.03 39 101	1.26 66 105	0.02 63 100	-0.04 75 102	0.69 68 101	1.48 23 104	1.05 23 109	101	2
MQ 25 0232 111219028	1.71	RA 20 0008	MQ 23 0090	17	105	6.97	107	0.30 68 98	-0.76 47 84	0.78 70 101	0.25 67 114	0.00 77 102	4.37 71 110	0.87 37 102	0.43 37 102	101	2

Young Rams



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding value
Breeding values with an accuracy of below 5% are not printed

Young rams, born since 2020 with a weaning weight, and wool test, but no progeny, both parents known.

Animal Information		Parents		Rank	Selection Indices			EBV - Weights			EBV - Wool			EBV - Fertility												
Animal ID Regnr	% In- breeding	Sire ID	Dam ID		SIP	GM		Weaning Weight		Body Weight	CFW	FD	SL	NLW	TWW	EPI	DAM Lambd									
					EBV		Index	EBV	Acc	Index	Acc	EBV	Acc	Index	Acc	EBV	Acc	Index	Phenotype							
		Active Breed Average :			101	2.8	100		0.54		0.01		0.56		0.03		-0.14		0.50	0.46	0.27					
MQ 25 0233 111219036	1.68	MQ 21 0010	MQ 21 0140	91	92	-2.56	91		0.05 68		0.08 38		-0.43 68		-0.05 66		0.49 76		-4.29 71		-0.50 23		0.16 23		104	4
MQ 25 0243 111219069	1.51	MQ 21 0010	MQ 20 0100	96	88	-5.95	86		-1.06 69		0.59 41		-1.29 69		-0.41 67		-0.16 77		-4.57 71		1.27 28		0.54 28		120	5
MQ 25 0249 111219077	1.89	MQ 23 0108	MQ 19 1001	46	100	3.16	101		0.10 66		0.12 42		0.62 67		0.34 64		1.39 75		7.43 69		1.08 19		0.44 19		133	6
MQ 25 0257 111219119	2.08	MQ 23 0045	MQ 22 0321	35	102	4.31	102		0.54 61		0.01 36		0.56 62		-0.14 59		-1.04 73		-6.33 65		1.53 19		0.48 19		109	3
MQ 25 0259 111219135	1.68	MQ 23 0108	MQ 21 0117	34	102	4.47	103		0.65 68		-0.07 42		0.38 69		-0.05 66		-0.31 77		0.08 71		2.58 26		0.95 25		110	4
MQ 25 0261 111219150	1.62	MQ 21 0010	MQ 20 0059	47	100	2.84	100		-0.41 68		0.46 41		0.40 69		-0.24 66		-1.23 77		-0.74 71		-0.96 28		0.40 27		111	5
MQ 25 0262 111219168	1.87	MQ 23 0151	MQ 18 1009	41	101	3.67	101		0.32 65		-0.28 39		-1.21 66		0.19 63		-0.22 75		-1.18 68		1.44 19		0.48 19		116	5
MQ 25 0263 111219176	2.08	MQ 21 0010	MQ 22 0298	80	96	0.27	96		-0.60 61		0.07 29		-1.37 63		-0.07 60		-0.62 73		0.68 66		0.81 12		0.35 12		94	2
MQ 25 0267 111219218	1.73	MQ 21 0010	MQ 22 0099	81	96	-0.12	95		-0.66 68		0.63 38		0.29 68		-0.27 66		-0.51 76		-9.17 70		0.83 21		0.48 21		98	3
MQ 25 0270 111219234	1.77	MQ 23 0108	MQ 20 0058	52	100	2.70	100		-0.82 69		-0.35 44		-1.34 68		-0.07 66		-1.21 76		-6.93 71		0.55 30		0.43 29		107	5
MQ 25 0271 111219242	1.67	MQ 23 0108	MQ 22 0182	3	111	11.14	114		1.40 67		-0.08 41		2.75 68		0.07 65		-0.26 76		2.51 70		2.68 26		1.25 26		105	3
MQ 25 0273 111219267	1.76	MQ 21 0010	MQ 22 0085	61	98	1.92	99		-0.33 68		0.08 39		0.61 68		-0.29 66		-0.50 76		-3.41 70		2.45 25		1.01 25		99	2
MQ 25 0274 111219275	1.72	MQ 21 0010	MQ 22 0023	29	103	4.93	104		-0.08 67		0.02 38		-0.50 68		-0.08 65		-0.71 76		-3.94 70		4.65 23		1.21 22		102	3
MQ 25 0275 111219283	1.76	MQ 21 0010	MQ 22 0150	73	97	0.99	97		-0.78 67		0.56 36		-0.73 68		-0.05 65		-0.35 76		-4.01 70		1.02 21		0.45 21		94	3
MQ 25 0276 111219291	2.00	MQ 23 0108	MQ 20 1002	40	101	3.61	101		-0.23 65		-0.05 39		0.46 64		-0.06 61		-0.72 73		-8.30 66		0.91 18		0.31 17		102	5
MQ 25 0277 111219309	1.60	MQ 21 0010	MQ 21 0051	84	94	-1.20	93		-1.15 68		0.02 40		-1.08 69		-0.13 67		-0.34 77		3.44 71		2.86 24		0.34 23		102	4

Young Rams



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding value
Breeding values with an accuracy of below 5% are not printed

Young rams, born since 2020 with a weaning weight, and wool test, but no progeny, both parents known.

Animal Information		Parents		Rank	Selection Indices			EBV - Weights			EBV - Wool			EBV - Fertility			
Animal ID Regnr	% In- brding	Sire ID	Dam ID		SIP	GM		Weaning Dir	Weight Mat	Body Weight	CFW	FD	SL	NLW	TWW	DAM EPI	Lambcd
						EBV	Index	EBV Acc	EBV Index	A EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	Phenotype
		Active Breed Average :			101	2.8	100	0.54	0.01	0.56	0.03	-0.14	0.50	0.46	0.27		
MQ 25 0279 111219325	2.08	MQ 23 0108	MQ 22 0290	44	101	3.32	101	-0.49 63 90	-0.25 36 95	-1.01 64 90	-0.07 61 94	-1.33 73 82	-1.43 66 95	0.91 18 102	0.31 17 101	99	3
MQ 25 0281 111219333	1.89	MQ 23 0151	MQ 19 1096	11	108	9.03	110	2.00 67 114	-0.37 41 92	2.13 67 110	0.11 64 105	-0.54 75 94	5.64 69 114	1.27 20 103	0.49 20 103	138	5
MQ 25 0287 111219366	1.77	MQ 23 0108	MQ 22 0128	28	103	5.11	104	0.34 68 98	-0.33 42 93	0.41 68 99	0.15 65 107	0.33 76 107	1.79 70 103	3.38 26 111	0.86 26 107	98	2
MQ 25 0288 111219374	1.87	MQ 23 0108	MQ 18 1044	59	99	1.81	98	-0.49 66 90	-0.40 42 92	-1.19 65 89	-0.13 63 90	-1.19 74 84	-0.52 68 97	0.76 19 101	0.39 18 101	120	6
MQ 25 0294 111219390	1.52	MQ 23 0108	MQ 21 0046	45	101	3.43	101	1.14 68 106	0.61 42 113	2.69 69 114	-0.19 66 87	-0.09 77 101	-9.80 71 73	0.38 28 100	0.40 27 102	108	4
MQ 25 0296 111219408	1.89	MQ 23 0108	MQ 19 1082	55	99	2.37	99	-0.26 65 92	0.12 39 102	0.55 65 100	-0.10 63 92	-0.49 74 95	6.17 68 115	0.91 18 102	0.31 17 101	121	6
MQ 25 0297 111219416	1.75	MQ 23 0108	MQ 22 0227	49	100	2.72	100	-0.23 67 93	0.30 40 106	0.55 68 100	-0.20 66 86	-1.00 76 87	-5.91 70 83	-0.69 26 96	0.33 25 101	103	3
Young rams (with known parents) average :					100	2.11	99	-0.03	-0.05	0.20	-0.05	-0.22	-1.41	1.52	0.47		

Ewes with Progeny



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high



Indices in top 10%



Above breed average



Indices in bottom 10%

Acc: Accuracy of the breeding values

Breeding values with an accuracy of less than 5% are not printed

Ewes with progeny and measured at weaning, with both parents known.

Animal Information		Parents			Progeny		Selection Indices			EBV - Weights			EBV - Wool			EBV - Fertility				Rank
Animal ID Regnr	% In- breeding	Sire ID Dam ID	DAM : EPI Times lambd	Generation Progeny Weaned	1st	2nd	SIP	GM		Weaning Dir	Weight Mat	Body Weight	SVG	VD	SL	Lammers gespeen	TWW	EPI	Times lambd	
										EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	
										Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	
Active Breed Average :							100.7	2.8	100	0.54	0.01	0.56	0.03	-0.14	0.50	0.46	0.27			
MQ 20 0003 90670035	1.87	GF 15 1162 MQ 18 1036	96 3	5			99	1.66	98	-1.05 73 85	0.72 68 115	0.81 72 102	-0.54 70 65	-1.50 80 79	-14.39 75 61	2.01 49 106	0.91 49 108	122	4	33
MQ 20 0009 90670092	1.29	WW 16 219 MQ 16 0012	125 4	6	1		99	-4.50	88	-0.73 76 88	-0.23 70 95	-0.06 76 96	0.07 74 102	2.25 82 137	4.69 78 111	0.45 52 100	0.65 51 105	124	4	34
MQ 20 0013 90670134	1.87	GF 15 1162 MQ 18 1025	89 1	2			106	6.22	106	0.46 66 99	1.33 59 128	2.23 67 111	-0.28 64 81	-1.27 75 83	-5.88 69 83	-2.21 46 90	0.63 45 104	94	3	7
MQ 20 0025 90670258	1.87	GF 15 1162 MQ 18 1016	115 4	3	1		98	-2.04	92	-1.61 72 80	0.31 66 106	-0.76 72 92	-0.33 70 78	-0.63 79 93	-3.00 74 91	-0.01 48 98	0.57 48 104	99	5	41
MQ 20 0033 90670357	1.75	GF 15 1162 MQ 17 0278	91 3	5			102	-0.22	95	-0.08 72 94	0.73 67 115	1.47 72 106	-0.28 70 81	0.15 79 104	-0.43 74 98	1.56 50 104	0.58 49 104	119	5	20
MQ 20 0045 90670456	1.87	GF 15 1162 MQ 18 1010	89 1	2			102	-1.33	93	-1.47 66 81	0.08 59 102	-1.19 66 89	-0.17 64 88	-0.83 75 89	-4.91 69 86	-1.01 49 95	0.03 49 97	96	5	18
MQ 20 0051 90670530	1.78	GF 15 1162 MQ 18 0129	99 3	4			96	-1.89	92	-0.88 72 87	1.29 66 127	0.84 71 102	-0.38 69 75	-0.09 79 101	-5.81 73 83	-3.55 52 85	0.63 51 104	119	5	53
MQ 20 0053 90670571	1.87	GF 15 1162 MQ 18 1039	91 1	4			108	5.83	105	-0.85 70 87	0.68 65 114	-0.23 70 95	-0.03 68 96	-1.33 78 82	-2.12 73 93	1.61 49 104	0.51 48 103	110	5	4
MQ 20 0058 90670613	1.43	GF 15 1162 MQ 13 0046	126 4	4			97	-2.61	91	-2.34 73 73	-0.44 67 91	-2.61 70 80	-0.23 68 84	-1.00 78 87	-8.07 73 78	-0.26 48 97	0.45 47 102	107	5	50
MQ 20 0059 90670639	1.87	GF 15 1162 MQ 18 1011	94 3	4	1		107	4.12	102	-0.94 71 86	0.37 66 108	-0.01 72 96	-0.14 69 89	-1.40 79 81	0.04 74 99	-3.08 50 87	0.32 49 101	111	5	5
MQ 20 0062 90670654	1.87	GF 15 1162 MQ 18 1012	109 5	4	1		100	-3.12	90	-1.93 72 77	-0.05 67 99	-1.28 70 88	-0.38 68 75	-1.21 78 83	-9.61 73 74	-3.03 50 87	0.13 49 98	110	5	32
MQ 20 0073 90670795	1.75	WW 16 219 MQ 17 0233	94 3	3	1		100	-4.11	89	-1.33 70 82	0.07 63 101	-2.14 70 83	0.13 68 106	0.58 78 111	2.19 73 104	-4.85 45 80	-0.21 45 94	101	3	29
MQ 20 0078 90670852	1.43	GF 15 1162 MQ 13 0052	120 5	1			97	-5.95	86	-1.63 67 80	1.02 58 121	-1.28 66 88	-0.35 63 76	-0.59 74 93	-7.21 68 80	1.22 48 103	-0.16 47 95	84	3	51
MQ 20 0088 90670951	1.43	GF 15 1162 MQ 13 0030	113 5	4			93	-5.69	86	-1.93 72 77	0.45 66 109	-1.75 69 85	-0.24 67 84	0.23 77 106	0.02 71 99	-0.56 50 96	0.44 49 102	111	4	62
MQ 20 0100 90671074	1.43	GF 15 1162 MQ 13 0045	135 5	5	1		100	-2.07	92	-0.79 74 88	0.22 67 105	-0.87 73 91	-0.20 72 86	-0.07 80 101	-0.50 75 97	1.37 51 103	0.59 51 104	120	5	28
MQ 20 0101 90671090	1.43	GF 15 1162 MQ 13 0015	105 5	3			102	-0.24	95	-0.46 70 91	0.77 64 116	-0.47 71 93	-0.16 69 88	-0.17 79 100	1.50 73 103	1.12 48 103	0.63 47 104	101	4	16

Ewes with Progeny



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding values
Breeding values with an accuracy of less than 5% are not printed

Ewes with progeny and measured at weaning, with both parents known.

Animal Information		Parents			Progeny		Selection Indices			EBV - Weights			EBV - Wool			EBV - Fertility			Rank				
Animal ID Regnr	% In- breeding	Sire ID Dam ID	DAM :		Generation Progeny Weaned 1st 2nd	SIP	GM	Weaning Weight			Body Weight			SVG		VD		SL	Lammers gespeen	TWW	EPI	Times lambded	
			EPI	Times lambded				Dir	Mat	Weight	EBV Acc	EBV Index	EBV Acc	EBV Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Phenotype
		Active Breed Average :				100.7	2.8	100	0.54	0.01	0.56	0.03	-0.14	0.50	0.46	0.27							
MQ 20 0107 90671199	1.75	WW 16 2191 MQ 17 0237	125	4	3	104	-0.80	94	-0.61 72	-0.32 65	-0.04 93	0.04 69	0.06 79	-4.26 103	-5.43 47	-0.34 46	98	4	10				
MQ 20 0108 90671215	1.75	WW 16 2191 MQ 17 0241	91	1	4	102	-1.26	93	-0.60 70	0.12 64	-0.19 102	0.14 69	0.81 79	1.57 103	-5.28 47	-0.11 46	113	5	17				
MQ 20 0112 90671231	1.87	GF 15 1162 MQ 18 1026	154	6	2	95	-8.65	81	-2.43 72	0.81 64	-1.66 117	-0.36 70	-0.39 79	-2.38 96	-4.90 49	-0.53 49	90	5	57				
MQ 20 0115 90671272	1.87	GF 15 1162 MQ 18 1034	90	1	3 1	99	-2.06	92	-1.61 69	0.57 64	-0.60 112	-0.46 67	-1.27 77	-9.04 71	-3.19 48	0.40 48	101	3	36				
MQ 20 0142 90669870	1.75	GF 15 1162 MQ 17 0245	113	4	5	99	-1.72	93	-1.00 73	0.36 68	-0.05 108	-0.31 70	-0.02 80	-1.80 102	2.36 49	0.86 49	119	5	35				
MQ 20 0143 91126235	1.87	GF 15 1162 MQ 18 1045	130	4	5 1	104	0.10	96	-2.12 75	-0.32 69	-2.15 93	-0.20 73	-1.65 82	-6.30 77	-1.39 50	0.19 50	113	5	11				
MQ 20 0146 90049172	1.75	GF 15 1162 MQ 17 0271	98	3	3 1	98	-3.81	89	-0.92 70	0.09 64	-0.45 102	-0.22 69	0.87 78	-0.84 116	1.18 46	0.92 46	94	3	15				
MQ 20 0147 90049115	1.78	GF 15 1162 MQ 16 0156	156	7	4	99	0.01	95	-1.99 73	0.57 68	-0.68 112	-0.14 71	-0.40 80	-2.56 96	-1.74 50	0.51 49	112	5	14				
MQ 20 0151 90049164	1.75	GF 15 1162 MQ 17 0249	91	3	3 1	103	2.41	99	-0.33 69	1.52 64	1.25 132	-0.34 67	-0.58 77	-8.93 93	-0.09 46	0.99 46	99	2	5				
MQ 20 0158 90049123	1.75	GF 15 1162 MQ 17 0231	99	3	4	104	0.64	96	-1.26 71	0.52 66	-1.52 111	0.00 68	0.04 78	0.47 103	2.10 48	0.88 47	107	4	3				
MQ 20 0161 90049099	1.10	GF 15 1162 MQ 16 0142	106	4	3 1	108	2.27	99	-1.10 73	-0.11 66	0.08 98	-0.31 70	-1.62 79	-4.38 77	0.35 52	0.32 52	94	4	1				
MQ 20 0169 90049271	1.87	GF 15 1162 MQ 18 1079	120	4	6	102	3.26	101	-1.22 77	0.65 70	-0.37 114	-0.35 75	-1.55 82	-7.62 78	2.14 50	1.05 49	128	5	9				
MQ 20 0197 91516187	1.02	GF 17 1216 MQ 16 0076	141	4	2 1	99	0.76	97	-0.74 72	-0.54 61	-1.56 89	0.09 68	-0.11 78	-3.90 101	4.10 43	0.37 42	91	3	13				
MQ 20 0201 91516161	1.43	GF 17 1216 MQ 13 0181	136	5	5	98	1.40	98	-0.68 73	0.78 66	-0.44 116	-0.13 71	-0.02 80	-1.71 102	7.86 40	1.11 40	112	4	17				
MQ 20 0202 91516302	1.75	GF 17 1216 MQ 17 0264	99	1	3	100	0.59	96	-1.33 68	-0.25 59	-0.68 95	-0.16 63	-1.01 74	-8.35 87	0.29 40	0.11 40	97	5	12				
MQ 21 0005 93051191	1.89	SD 18 0448 MQ 19 1001	133	6	4	104	6.23	106	0.76 71	0.11 61	1.02 102	0.20 66	0.49 77	-0.62 110	2.08 36	0.83 36	114	4	15				

Ewes with Progeny



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding values
Breeding values with an accuracy of less than 5% are not printed

Ewes with progeny and measured at weaning, with both parents known.

Animal Information		Parents			Progeny		Selection Indices			EBV - Weights			EBV - Wool			EBV - Fertility			Rank
Animal ID Regnr	% In- breeding	Sire ID Dam ID	DAM : EPI Times lambd	Generation Progeny Weaned 1st 2nd	SIP	GM	EBV	Index	Weaning Dir	Weight Mat	Body Weight	SVG	VD	SL	Lammers gespeen	TWW	EPI	Times lambd	
									EBV Acc	Index Index	EBV Acc	Index Index	EBV Acc	Index Index	EBV Acc	Index Index	Phenotype		
Active Breed Average :					100.7	2.8	100		0.54	0.01	0.56	0.03	-0.14	0.50	0.46	0.27			
MQ 21 0024 93051431	1.89	SD 18 0448 MQ 19 1114	89 1	3	100	-2.89	91		-0.17 66	-0.11 55	-0.42 94	-0.30 63	-0.30 75	-0.39 68	-0.11 36	0.38 35	103	4	25
MQ 21 0040 93051266	1.89	SD 18 0502 MQ 19 1017	121 6	2	92	-7.96	82		0.03 68	0.80 57	0.58 117	-0.21 66	1.15 77	1.82 71	-1.68 40	-0.44 40	97	3	45
MQ 21 0043 93051217	1.89	SD 18 0502 MQ 19 1002	91 2	4 1	92	3.82	102		0.85 69	1.39 61	3.38 129	0.04 67	1.38 78	1.10 72	0.45 38	0.66 38	121	4	44
MQ 21 0046 94421625	1.29	MQ 19 0035 MQ 17 0066	98 4	3	97	-4.07	89		0.03 72	1.07 60	0.63 122	-0.33 70	0.41 80	-11.34 74	-0.60 43	0.39 42	108	4	33
MQ 21 0050 94421666	1.87	GF 17 1216 MQ 18 1065	93 3	2	106	1.34	98		-0.91 68	-0.23 58	-1.46 95	0.03 67	-0.86 77	-2.08 72	3.57 38	0.01 38	93	4	9
MQ 21 0051 94421682	1.87	GF 17 1216 MQ 18 1013	120 5	3	104	1.70	98		-0.84 72	-0.57 63	-0.99 88	0.03 71	-0.58 80	3.20 75	4.56 41	0.20 40	102	4	13
MQ 21 0062 94421781	1.67	MQ 19 0035 MQ 18 0141	100 3	3	106	0.01	95		0.11 70	-0.09 60	-0.41 98	0.06 68	-0.05 78	-3.33 73	-2.76 42	-0.18 42	102	4	7
MQ 21 0070 94421906	1.87	GF 17 1216 MQ 18 1037	104 4	2	102	-3.90	89		-0.89 69	0.01 58	-2.11 100	-0.06 64	-0.42 75	-2.65 69	-0.67 40	-0.30 40	96	4	17
MQ 21 0096 94422102	1.87	MQ 19 0035 MQ 18 1053	136 5	2	108	-0.42	95		-0.07 70	-0.33 58	-1.47 93	0.02 64	-0.66 75	-5.83 68	-1.47 36	-0.22 36	95	3	3
MQ 21 0117 94422169	1.75	MQ 19 0034 MQ 17 0235	104 4	4	93	-2.52	91		-0.65 70	-0.11 60	-1.45 98	-0.07 68	1.26 79	-0.33 74	3.80 37	1.49 37	110	4	43
MQ 21 0130 94422284	1.89	GF 17 1216 MQ 19 1045	147 5	1	106	-1.12	94		-0.54 69	-0.19 56	0.23 96	-0.19 66	-0.66 76	-4.63 70	2.62 38	-0.27 38	89	3	6
MQ 21 0138 94422367	1.78	GF 15 1162 MQ 16 0097	96 3	2 1	100	-2.38	91		-0.67 69	0.90 61	0.34 119	-0.29 68	0.01 77	-5.69 72	-1.80 46	0.41 46	95	3	24
MQ 21 0140 94422383	1.89	MQ 19 0035 MQ 19 1032	90 2	3	96	-5.89	86		-0.60 68	-0.07 58	-1.93 98	0.05 67	0.83 78	0.02 72	-2.16 39	-0.18 39	104	4	36
MQ 21 0141 94422409	1.87	SD 18 0038 MQ 18 1049	107 4	3 1	104	-0.76	94		-0.26 70	-0.24 63	-0.57 95	0.11 68	0.49 79	2.87 73	1.32 42	0.01 42	105	4	14
MQ 21 0155 94467396	1.60	MQ 19 0052 MQ 18 0117	103 4	3	93	-0.97	94		0.93 70	-0.25 60	1.00 95	0.08 66	1.77 77	-4.18 72	0.51 43	0.66 43	117	4	42
MQ 21 0160 94471612	1.24	MQ 19 0027 MQ 16 0012	125 4	1	90	-7.16	84		-0.26 69	0.16 51	-0.48 103	-0.09 64	1.16 76	3.00 69	-2.13 38	-0.27 38	95	2	47

Ewes with Progeny



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding values
Breeding values with an accuracy of less than 5% are not printed

Ewes with progeny and measured at weaning, with both parents known.

Animal Information		Parents			Progeny		Selection Indices			EBV - Weights			EBV - Wool			EBV - Fertility				Rank			
Animal ID Regnr	% In- breeding	Sire ID Dam ID	DAM :		Generation Progeny Weaned	1st	2nd	SIP	GM	Weaning		Body Weight	SVG	VD		SL	Lammers gespeen	TWW	EPI	Times lambded			
			EPI	Times lambded						Dir	Mat			EBV	EBV							EBV	EBV
Active Breed Average :						100.7	2.8	100				0.54	0.01	0.56	0.03	-0.14	0.50	0.46	0.27				
MQ 21 0188 94471687	1.75	MQ 19 0027 MQ 17 0278	91	3	2			94	-6.19	85	-0.23 65	0.34 93	0.51 65	100	-0.28 62	0.40 74	-3.95 108	88	-1.71 33	-0.36 32	103	4	40
MQ 22 0001 94615853	1.89	MQ 19 0052 MQ 19 1094	113	3	1			95	-1.32	93	-0.34 65	-0.43 92	-0.94 63	90	-0.04 63	0.76 72	-2.37 114	93	2.26 36	0.98 36	107	3	89
MQ 22 0004 94615168	1.87	GF 17 1216 MQ 18 1072	121	5	1			99	-0.96	94	-0.61 68	-0.27 89	-0.20 55	94	-0.18 65	-0.31 76	-4.50 97	87	2.75 34	0.27 34	109	1	63
MQ 22 0011 94615127	1.87	MQ 19 0052 MQ 18 1065	93	3	1			109	4.24	102	0.39 65	-0.78 51	-1.00 64	90	0.22 62	-0.03 74	-0.68 102	97	0.72 37	0.61 37	101	3	10
MQ 22 0014 94614195	1.02	GF 17 1216 MQ 16 0076	141	4	1			97	-4.04	89	-1.24 71	-0.07 83	-2.80 57	79	0.00 67	0.09 77	0.49 104	71	1.70 42	0.21 42	105	3	81
MQ 22 0015 94615283	1.89	SD 19 0192 MQ 19 1010	89	3	2			111	9.11	110	-0.48 67	0.65 90	-0.45 57	94	0.22 66	-0.34 77	1.39 97	71	0.06 39	1.39 39	114	3	4
MQ 22 0017 94614963	1.87	SD 19 0054 MQ 18 1046	99	3	2			108	13.33	117	2.28 69	0.84 116	4.26 60	124	-0.04 67	-0.15 77	-5.63 100	84	2.98 41	1.75 41	118	3	14
MQ 22 0018 94614278	1.10	SD 18 0732 MQ 17 0002	98	4	2			101	-1.49	93	-0.02 71	0.02 95	-1.79 62	85	0.08 70	0.02 79	4.61 103	74	-2.15 45	0.04 45	97	3	49
MQ 22 0021 94614674	1.87	SD 19 0181 MQ 18 1015	109	6	2			105	8.69	110	0.04 69	-0.86 95	-0.58 59	93	0.29 66	0.18 76	0.37 105	70	6.11 39	1.54 39	121	3	26
MQ 22 0023 94615440	1.89	SD 19 0181 MQ 19 1035	89	2	2			109	10.54	113	0.56 67	-0.34 100	0.00 57	96	0.07 64	-0.67 75	-6.94 92	81	8.13 38	1.94 38	129	3	12
MQ 22 0024 94615754	1.89	SD 19 0054 MQ 19 1085	108	5	2			109	9.85	112	0.02 69	-0.61 95	0.73 60	101	-0.03 62	-0.98 73	-3.14 87	91	5.79 41	1.54 41	120	3	11
MQ 22 0030 94615531	1.89	SD 19 0192 MQ 19 1046	108	4	2			106	6.28	106	0.11 68	0.14 96	1.61 59	103	0.12 64	0.65 75	-2.08 112	69	0.36 39	1.08 39	100	3	18
MQ 22 0033 94615887	1.89	SD 19 0190 MQ 19 1098	105	3	2			99	4.94	104	-1.26 68	-0.78 83	-1.26 59	88	0.34 66	0.43 77	-1.83 109	71	0.07 40	0.84 39	99	3	66
MQ 22 0039 94614658	1.87	SD 19 0054 MQ 18 1013	120	5	3			105	7.78	108	-0.51 72	-0.94 90	0.15 64	97	-0.12 71	-1.04 80	1.04 86	75	6.23 41	1.53 41	122	3	28
MQ 22 0043 94614971	1.87	SD 19 0181 MQ 18 1048	96	3	1			107	9.78	111	-0.50 67	-0.67 90	-0.66 56	92	0.12 63	-0.84 74	-7.55 89	79	7.06 37	1.64 36	125	3	16
MQ 22 0044 94614989	1.87	SD 19 0181 MQ 18 1048	96	3	3			104	6.92	107	-0.97 70	-0.83 86	-1.67 62	86	-0.02 68	-0.90 78	-8.25 88	73	8.58 39	1.84 39	131	3	32

Ewes with Progeny



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding values
Breeding values with an accuracy of less than 5% are not printed

Ewes with progeny and measured at weaning, with both parents known.

Animal Information		Parents			Progeny		Selection Indices			EBV - Weights			EBV - Wool			EBV - Fertility			Rank									
Animal ID Regnr	% In- breeding	Sire ID Dam ID	DAM :		Generation Progeny Weaned 1st 2nd	SIP	GM	Weaning Weight			SVG	VD		SL	Lammers gespeen	TWW	EPI	Times lambded										
			EPI	Times lambded				Dir	Mat	Body Weight		Acc	Index							Acc	Index	Acc	Index	Acc	Index	Acc	Index	Phenotype
								EBV	Index	EBV		Index	EBV							Index	EBV	Index	EBV	Index	EBV	Index	EBV	Index
		Active Breed Average :				100.7	2.8	100	0.54	0.01	0.56	0.03	-0.14	0.50	0.46	0.27												
MQ 22 0049 94614880	1.87	MQ 19 0052 MQ 18 1041	106	6	3	93	0.50	96	0.04 69	0.18 59	0.03 69	-0.13 67	1.03 78	0.07 72	4.95 36	1.69 36	114	3	99									
MQ 22 0052 94614179	1.35	MQ 20 0001 MQ 16 0012	125	4	2	95	-0.48	95	-0.86 67	-0.01 55	-0.03 66	0.01 63	0.92 76	3.09 68	1.27 38	0.71 38	102	3	90									
MQ 22 0059 94614906	1.87	SD 19 0192 MQ 18 1042	93	3	2	112	8.23	109	-0.97 68	-0.95 59	-0.71 67	0.24 65	-0.58 76	-3.36 70	0.38 39	0.95 39	98	3	2									
MQ 22 0062 94614641	1.87	SD 19 0192 MQ 18 1012	109	5	1	101	0.30	96	-2.21 67	-0.28 56	-2.64 68	0.24 65	0.65 76	6.71 70	-0.31 40	0.86 39	94	3	57									
MQ 22 0066 94614617	1.87	SD 19 0190 MQ 18 1005	86	4	2	109	8.50	109	-0.09 67	-0.43 58	0.74 67	0.18 65	-0.31 76	-0.77 70	0.22 39	0.88 39	100	3	8									
MQ 22 0069 94615192	1.87	SD 19 0181 MQ 18 1074	134	5	2	106	9.58	111	1.28 70	-0.29 60	1.78 69	-0.01 66	-0.30 77	-5.17 71	6.09 39	1.57 39	102	3	19									
MQ 22 0070 94615580	1.89	SD 19 0181 MQ 19 1053	93	2	1	106	9.30	111	0.38 65	0.45 53	0.94 64	-0.06 62	-0.65 73	-7.90 67	6.36 36	1.72 35	97	3	20									
MQ 22 0074 94615325	1.89	SD 19 0054 MQ 19 1018	100	3	2	104	6.43	106	-0.04 68	-0.75 59	-0.47 66	-0.04 64	-0.80 74	0.19 68	3.33 41	1.36 41	101	3	34									
MQ 22 0085 94614484	1.78	SD 19 0054 MQ 18 0017	98	2	2	91	1.16	97	-0.72 69	-0.57 60	0.46 68	-0.04 66	1.26 76	-0.71 70	3.73 44	1.52 43	99	2	106									
MQ 22 0086 94615358	1.89	SD 19 0181 MQ 19 1022	115	4	1	113	12.19	115	1.33 68	-0.32 55	1.12 66	0.11 63	-1.02 74	-1.17 68	6.17 39	1.36 39	94	3	1									
MQ 22 0096 94615564	1.89	MQ 19 0052 MQ 19 1049	105	5	1	105	4.67	103	0.04 66	-0.87 51	-0.02 66	0.05 63	-0.36 75	-1.79 69	2.49 36	0.71 36	90	2	29									
MQ 22 0099 94614351	1.75	SD 19 0016 MQ 17 0244	128	6	2	101	-0.76	94	-1.78 70	0.58 58	-1.39 68	-0.14 65	-0.53 76	-8.58 70	0.50 34	0.47 34	98	3	48									
MQ 22 0103 94615226	1.87	SD 19 0054 MQ 18 1079	120	4	3	101	6.26	106	0.47 72	-0.06 64	0.57 72	-0.22 70	-0.44 79	-7.63 74	6.20 42	1.98 42	113	3	51									
MQ 22 0105 94615507	1.89	SD 19 0054 MQ 19 1043	88	2	2	97	4.72	103	0.59 67	0.05 58	2.23 69	-0.29 66	-0.06 77	-3.81 71	2.93 41	1.45 41	103	3	78									
MQ 22 0107 94614344	1.75	SD 19 0190 MQ 17 0237	125	4	2	103	6.92	107	0.02 70	-0.45 61	0.42 68	0.27 66	0.37 76	-2.10 71	-0.51 40	0.88 40	102	2	37									
MQ 22 0109 94614237	1.78	SD 19 0190 MQ 16 0156	156	7	2	107	9.62	111	-0.60 71	-0.38 61	0.47 70	0.17 68	-0.68 78	1.55 73	2.27 40	1.03 40	104	3	17									

Ewes with Progeny



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding values
Breeding values with an accuracy of less than 5% are not printed

Ewes with progeny and measured at weaning, with both parents known.

Animal Information		Parents			Progeny		Selection Indices			EBV - Weights			EBV - Wool			EBV - Fertility			Rank
Animal ID Regnr	% In- breeding	Sire ID Dam ID	DAM :		Generation Progeny Weaned	SIP	GM	Weaning Weight			SVG	VD		SL	Lammers gespeen	TWW	EPI	Times lambded	
			EPI	Times lambded				Dir	Mat	Body Weight		Acc	Index						
		Active Breed Average :				100.7	2.8	100	0.54	0.01	0.56	0.03	-0.14	0.50	0.46	0.27			
MQ 22 0121 94615051	1.87	SD 19 0190 MQ 18 1056	91	2	2	103	8.26	109	0.05 68	0.29 58	1.14 106	0.17 66	0.18 77	5.43 71	0.10 39	1.18 111	108	2	41
MQ 22 0123 94614799	1.87	SD 19 0181 MQ 18 1029	100	4	1	109	9.70	111	0.76 67	-0.06 55	-0.57 99	0.10 64	-0.80 76	-7.59 69	6.38 36	1.69 117	97	2	9
MQ 22 0125 94614450	1.75	SD 18 0732 MQ 17 0254	125	4	1	102	-0.56	94	-0.41 67	-0.54 57	0.04 89	-0.04 64	-0.21 74	-4.56 68	-1.86 38	-0.23 94	93	1	47
MQ 22 0128 94614708	1.87	SD 19 0181 MQ 18 1018	145	6	2	104	4.30	102	0.58 70	-0.60 60	-0.05 87	0.13 66	0.70 76	0.02 71	5.40 39	1.31 113	98	2	35
MQ 22 0135 94615770	1.89	SD 19 0054 MQ 19 1086	97	2	3	97	-0.03	95	-1.10 70	-1.20 62	-1.31 75	-0.29 64	-0.45 75	-1.31 69	5.87 41	1.39 114	102	3	79
MQ 22 0141 94615135	1.87	SD 19 0192 MQ 18 1066	95	4	2	104	3.37	101	-0.48 67	0.30 58	-0.62 106	-0.05 64	-0.17 75	-5.25 68	2.79 39	1.25 112	103	2	30
MQ 22 0146 94614559	1.62	SD 19 0181 MQ 18 0156	111	4	1	103	6.67	106	0.71 69	-0.03 57	-0.18 99	0.12 65	0.48 76	2.06 70	6.39 40	1.88 120	97	1	40
MQ 22 0150 94614724	1.87	SD 19 0016 MQ 18 1020	102	4	1	99	-0.05	95	-0.83 67	0.89 53	-0.83 119	0.04 65	0.26 76	-1.50 69	0.87 34	0.41 102	94	3	69
MQ 22 0152 94615044	1.87	GF 17 1216 MQ 18 1054	143	7	2	101	0.03	95	-1.10 71	-0.45 60	-1.12 90	-0.11 69	-0.80 79	-3.50 73	2.35 38	0.17 99	99	3	56
MQ 22 0161 94616018	1.55	MQ 20 0097 MQ 20 0100	120	5	2	96	-2.31	92	-1.11 69	0.57 56	-0.30 112	-0.28 67	-0.36 78	-5.13 72	-1.45 39	0.32 101	102	3	85
MQ 22 0176 94615705	1.89	MQ 19 0052 MQ 19 1075	99	4	2	95	0.79	97	0.20 68	-0.25 56	0.18 95	-0.13 65	0.66 77	-2.28 71	2.17 36	1.31 113	105	3	95
MQ 22 0182 94615556	1.89	SD 19 0018 MQ 19 1048	93	2	2	105	10.88	113	0.70 66	-0.25 57	1.93 95	0.14 63	0.60 74	3.41 68	4.00 39	2.09 122	105	3	24
MQ 22 0185 94615895	1.89	MQ 19 0052 MQ 19 1100	102	3	2	98	1.42	98	-1.01 68	-1.07 56	-2.46 77	0.16 63	0.31 75	-0.60 68	2.63 36	1.07 110	100	3	74
MQ 22 0188 94670395	1.03	GF 17 1216 MQ 17 0051	106	3	2	99	-0.36	95	-0.46 72	-0.06 60	-0.92 99	-0.16 70	-0.33 79	-4.01 74	3.61 42	0.65 105	109	3	68
MQ 22 0190 94670429	1.87	GF 17 1216 MQ 18 1044	120	6	2	100	2.03	99	-0.94 70	-0.39 59	-1.26 92	0.02 66	-0.57 76	-2.11 71	2.19 38	0.46 102	110	3	60
MQ 22 0208 94670569	1.32	MQ 20 0077 MQ 20 0009	124	4	2	94	-1.41	93	-0.33 70	0.59 57	0.11 112	-0.04 68	1.03 79	3.86 73	-1.00 41	0.71 105	110	3	96

Ewes with Progeny



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding values
Breeding values with an accuracy of less than 5% are not printed

Ewes with progeny and measured at weaning, with both parents known.

Animal Information		Parents			Progeny		Selection Indices			EBV - Weights			EBV - Wool			EBV - Fertility				Rank						
Animal ID Regnr	% In- breeding	Sire ID Dam ID	DAM :		Generation Progeny Weaned	1st	2nd	SIP	GM	Weaning Weight		Body Weight	SVG	VD		SL	Lammers gespeen	TWW		EPI	Times lambded					
			EPI	Times lambded						Dir	Mat			Acc	Index			Acc	Index				Acc	Index	Acc	Index
		Active Breed Average :						100.7	2.8	100		0.54	0.01	0.56		0.03	-0.14	0.50		0.46	0.27					
MQ 22 0210 94670668	1.68	MQ 20 0097 MQ 20 0068	85	2	2			95	-3.31	90		-0.95 67	0.61 86	0.38 69	99		-0.28 66	0.03 78	-3.50 71	90		-2.91 38	0.10 38	106	3	93
MQ 22 0221 94670965	2.00	MQ 20 0077 MQ 20 0213	121	5	2			94	-6.54	85		-0.78 67	0.34 88	-0.73 55	92		-0.34 63	0.37 75	-5.59 108	84		-1.36 34	0.32 33	101	3	98
MQ 22 0227 94670676	1.68	MQ 20 0097 MQ 20 0069	88	1	2			98	-3.71	89		-0.68 67	0.60 89	0.15 54	97		-0.41 66	-0.40 78	-7.18 96	80		-2.75 37	0.25 37	100	3	70
MQ 22 0234 94671021	2.00	MQ 20 0077 MQ 20 0223	104	5	1			91	-7.23	83		-1.99 64	0.28 76	-1.69 49	86		-0.28 63	0.34 75	-5.50 108	84		-1.24 29	0.26 29	100	3	101
MQ 22 0254 94948569	1.89	MQ 19 0052 MQ 19 1028	129	6	2			91	-1.58	93		-0.27 68	0.07 92	-0.08 57	96		-0.19 67	0.79 78	3.94 114	109		1.94 36	1.19 36	111	3	105
MQ 22 0263 94948577	1.89	MQ 19 0052 MQ 19 1081	130	4	2			102	4.66	103		1.12 68	-0.15 105	2.10 56	110		-0.24 63	-0.12 75	-8.08 100	78		4.29 36	1.22 36	112	3	45
MQ 23 0002 97160691	1.87	SD 20 0094 MQ 18 1051	89	4	1			99	5.65	105		-0.03 65	-0.63 95	-0.44 52	94		0.17 64	0.68 75	-2.51 113	92		2.74 32	1.69 31	117	2	57
MQ 23 0010 97160758	2.00	RA 19 0914 MQ 20 0221	108	6	1			98	2.93	100		-0.16 67	0.43 93	-0.30 56	95		0.09 65	-0.12 75	0.56 100	100		-0.24 37	0.40 37	102	2	69
MQ 23 0013 97160790	1.87	SD 20 0581 MQ 18 1021	98	3	1			101	3.03	100		-0.16 67	-0.63 93	-0.37 55	94		-0.03 63	-0.60 74	-5.99 93	83		3.01 35	0.52 35	103	2	35
MQ 23 0018 97160857	1.89	SD 20 0581 MQ 19 1052	144	6	1			94	-2.03	92		0.21 70	0.52 97	0.81 57	102		-0.05 68	1.52 77	9.60 126	124		2.91 35	0.73 35	106	2	84
MQ 23 0021 97160915	1.69	SD 20 0581 MQ 20 0036	89	1	1			100	3.51	101		2.01 69	0.94 114	2.68 56	120		0.06 69	1.35 78	8.27 123	120		3.58 40	0.78 40	106	2	47
MQ 23 0029 97160972	1.75	SD 20 0581 MQ 17 0247	110	4	1			101	4.29	102		0.90 68	0.19 103	1.03 57	104		0.01 67	0.06 77	6.43 103	116		2.92 35	0.70 35	105	2	38
MQ 23 0035 97161053	1.67	SD 20 0581 MQ 20 0115	101	3	1			106	5.82	105		1.06 71	0.31 105	1.79 58	106		-0.18 69	-0.83 78	1.06 73	101		1.34 42	0.71 42	105	2	11
MQ 23 0037 97161079	1.89	SD 20 0581 MQ 19 1001	133	6	1			103	6.34	106		1.28 69	0.10 107	1.06 58	102		0.30 68	0.77 77	6.60 114	116		3.27 35	0.71 35	105	1	27
MQ 23 0040 97161111	2.00	SD 20 0581 MQ 20 1005	111	4	2			99	3.38	101		0.99 68	0.36 104	1.10 59	107		-0.13 66	0.05 76	2.71 103	106		5.58 35	1.01 35	109	2	52
MQ 23 0042 97161152	1.89	SD 20 0581 MQ 19 1021	110	4	2			104	7.76	108		0.77 69	0.38 102	0.36 59	99		0.02 67	-0.89 77	-2.46 71	92		5.51 35	1.00 35	109	1	17

Ewes with Progeny



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding values
Breeding values with an accuracy of less than 5% are not printed

Ewes with progeny and measured at weaning, with both parents known.

Animal Information		Parents			Progeny		Selection Indices			EBV - Weights			EBV - Wool			EBV - Fertility			Rank						
Animal ID Regnr	% In- breeding	Sire ID Dam ID	DAM :		Generation Progeny Weaned 1st 2nd	SIP	GM	Weaning Weight			SVG	VD		SL	Lammers gespeen	TWW		EPI	Times lambded						
			EPI	Times lambded				Dir	Mat	Body Weight		Acc	Index			Acc	Index				Acc	Index	Acc	Index	Phenotype
								EBV	Index	EBV		Index	EBV			Index	EBV				Index	EBV	Index	EBV	Index
		Active Breed Average :				100.7	2.8	100	0.54	0.01	0.56	0.03	-0.14	0.50	0.46	0.27									
MQ 23 0047 97161210	1.89	RA 19 0914 MQ 19 1104	122	4	1	106	6.95	107	0.51 67	0.20 100	0.87 56	0.87 104	0.87 67	102	0.00 65	-1.08 75	-6.14 69	-6.14 83	-0.18 37	0.42 37	100	1	8		
MQ 23 0048 97161236	1.75	SD 20 0135 MQ 17 0235	104	4	1	99	2.04	99	-0.42 67	-0.63 91	-0.18 52	-0.18 87	-0.18 68	95	0.18 65	0.34 109	-3.54 76	-3.54 108	-0.83 31	0.17 31	99	102	2	63	
MQ 23 0053 97161293	1.46	SD 20 0581 MQ 20 0161	94	4	1	109	8.20	109	0.53 71	-0.10 100	1.38 59	1.38 98	1.38 70	105	-0.13 69	-1.55 77	0.51 72	0.51 100	3.09 43	0.66 43	105	101	2	3	
MQ 23 0065 97161459	1.89	SD 20 0094 MQ 19 1096	138	5	1	102	10.99	113	1.49 68	-0.55 109	1.60 55	1.60 88	1.60 69	107	0.15 66	0.06 107	-1.05 77	-1.05 103	2.74 32	1.70 31	117	101	2	30	
MQ 23 0066 97161475	1.61	SD 20 0581 MQ 20 0146	94	3	1	98	0.39	96	-0.05 71	0.06 95	-0.25 58	-0.25 101	-0.25 72	95	-0.14 70	0.15 89	1.70 78	1.70 105	3.48 41	0.97 41	109	101	2	68	
MQ 23 0077 97161558	0.99	RA 19 0914 MQ 20 0197	91	3	1	112	9.53	111	1.25 71	-0.39 107	0.99 58	0.99 92	0.99 70	103	0.23 68	-0.64 112	-0.89 77	-0.89 92	1.73 42	0.51 42	103	101	2	1	
MQ 23 0090 97161632	1.88	RA 19 0914 MQ 20 0143	113	5	1	103	4.47	103	-0.47 71	-0.22 91	-0.48 60	-0.48 95	-0.48 72	93	0.08 70	-0.66 103	1.06 79	1.06 92	-0.96 44	0.43 44	102	101	2	21	
MQ 23 0095 97161673	2.00	SD 20 0581 MQ 20 1001	111	5	1	103	6.29	106	0.90 68	0.29 103	1.19 56	1.19 106	1.19 66	104	-0.06 63	-0.67 95	1.43 74	1.43 92	2.91 35	0.74 35	106	104	2	25	
MQ 23 0098 97161715	2.00	SD 20 0135 MQ 20 0213	121	5	1	105	6.38	106	-0.21 68	-0.85 93	0.98 53	0.98 82	0.98 66	103	0.25 63	-0.10 113	-5.11 74	-5.11 101	-1.19 31	0.11 31	98	100	2	13	
MQ 23 0112 97161756	1.87	SD 20 0904 MQ 18 1026	154	6	1	95	-6.00	86	-1.38 70	-0.78 82	-2.47 54	-2.47 84	-2.47 69	81	0.02 67	-0.49 99	1.41 76	1.41 95	-1.84 31	-1.15 30	83	99	2	81	
MQ 23 0121 97161855	1.75	RA 19 0914 MQ 17 0245	113	4	2	100	2.09	99	1.38 70	0.31 108	1.31 61	1.31 107	1.31 69	105	-0.07 67	0.55 94	4.36 76	4.36 111	3.16 38	0.81 38	107	110	2	46	
MQ 23 0125 97161897	2.21	MQ 21 0146 MQ 21 0225	93	2	1	95	-0.68	94	-0.99 61	-0.04 86	-1.82 43	-1.82 99	-1.82 60	85	-0.12 57	-0.97 91	-5.27 71	-5.27 87	-0.78 24	0.14 24	98	101	1	79	
MQ 23 0130 97161913	1.87	RA 20 0008 MQ 18 1004	132	6	1	102	6.20	106	1.29 69	-0.60 107	0.91 53	0.91 87	0.91 69	102	0.16 67	-0.14 108	4.92 77	4.92 100	1.03 34	0.43 34	102	104	1	31	
MQ 23 0138 97161996	2.81	GF 17 1216 MQ 20 0059	111	5	1	108	5.19	104	-1.19 70	-0.15 84	-0.70 57	-0.70 97	-0.70 70	92	-0.02 68	-1.59 97	-3.00 77	-3.00 78	0.58 42	0.24 42	100	100	2	5	
MQ 23 0139 97162010	1.89	RA 20 0008 MQ 19 1018	100	3	1	101	4.88	103	0.09 66	-1.02 96	-0.82 51	-0.82 78	-0.82 67	91	0.22 65	-0.47 112	0.00 76	0.00 95	1.07 34	0.27 34	100	101	2	40	
MQ 23 0141 97162036	1.89	RA 20 0008 MQ 19 1073	137	6	1	105	6.22	106	0.59 69	-0.60 101	0.84 53	0.84 87	0.84 69	102	-0.04 67	-1.23 96	-6.88 77	-6.88 83	1.12 34	0.25 34	100	100	2	15	

Ewes with Progeny



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding values
Breeding values with an accuracy of less than 5% are not printed

Ewes with progeny and measured at weaning, with both parents known.

Animal Information		Parents			Progeny		Selection Indices			EBV - Weights			EBV - Wool			EBV - Fertility			Rank			
Animal ID Regnr	% In- breeding	Sire ID Dam ID	DAM :		Generation Progeny Weaned	1st	2nd	SIP	GM	Weaning Weight		Body Weight	SVG	VD	SL	Lammers gespeen	TWW	EPI	Times lambded			
			EPI	Times lambded						Dir	Mat										Acc	Index
		Active Breed Average :						100.7	2.8	100		0.54	0.01	0.56	0.03	-0.14	0.50	0.46	0.27			
MQ 23 0143 97162051	1.89	GF 17 1216 MQ 19 1098	105	3	1			104	3.02	100		-0.45 67 91	-0.48 55 90	-0.17 66 95	-0.11 64 91	-1.13 74 85	-9.42 68 74	2.05 35 106	0.23 35 100	102	2	18
MQ 23 0146 97162093	1.89	RA 20 0008 MQ 19 1107	97	3	2			100	4.10	102		1.20 68 106	-0.69 55 85	1.33 65 105	0.13 62 106	0.70 73 113	-2.26 67 93	3.74 34 112	0.62 34 104	109	2	43
MQ 23 0159 99286874	1.48	RA 20 0008 MQ 20 0151	99	2	1			105	5.83	105		0.86 70 103	0.00 54 100	2.55 71 113	-0.02 68 97	0.13 78 104	-6.01 73 83	1.01 40 102	0.65 40 105	100	1	16
MQ 23 0162 97162234	1.87	RA 20 0008 MQ 18 1057	113	4	1			99	3.02	100		0.80 68 102	-0.79 52 83	-0.05 67 96	0.22 64 112	0.42 75 109	-1.43 69 95	1.10 34 102	0.28 34 100	101	2	50
MQ 23 0180 97162457	1.87	GF 17 1216 MQ 18 1053	136	5	1			100	1.45	98		-0.61 69 89	0.09 56 102	-0.80 69 91	-0.09 67 92	-0.82 77 90	-7.06 71 80	4.50 35 115	0.33 35 101	103	2	41
MQ 23 0190 97162531	2.21	MQ 21 0022 MQ 21 0232	94	1	1			90	-6.71	84		-1.42 62 82	0.00 44 100	-1.19 62 89	-0.32 59 78	0.32 73 107	-1.33 65 95	1.32 22 103	0.36 22 101	100	1	89
MQ 23 0192 97162572	1.71	MQ 21 0022 MQ 21 0002	90	1	2			96	1.90	99		-0.85 67 87	0.23 52 105	-0.57 68 93	-0.15 66 89	-0.52 77 94	-2.14 71 93	5.39 28 119	0.90 28 108	111	2	75
MQ 23 0195 97164958	1.87	GF 17 1216 MQ 18 1006	92	3	1			95	-3.43	90		-1.37 66 82	-0.13 53 97	-1.47 67 87	-0.14 65 89	-0.07 75 101	-5.05 69 86	2.13 34 106	0.21 34 99	101	2	82
MQ 23 0198 97162630	1.70	MQ 21 0022 MQ 21 0141	105	4	2			93	-2.95	91		-1.20 68 84	-0.38 54 92	-1.33 67 88	-0.04 64 96	0.56 76 111	2.18 70 104	3.70 30 112	0.46 30 102	107	1	85
MQ 23 0199 97162655	1.89	SD 20 0581 MQ 19 1015	98	3	1			104	5.42	104		0.75 67 102	-0.02 55 100	1.06 66 103	0.02 63 99	-0.28 74 98	2.11 68 104	2.91 35 109	0.60 35 104	102	2	20
MQ 23 0214 97162754	1.54	RA 20 0008 MQ 20 0062	110	5	1			100	0.91	97		-0.55 70 90	-0.60 55 87	-0.05 71 96	-0.09 69 92	-0.38 78 96	-3.51 73 90	-0.45 41 97	0.26 41 100	101	2	45
MQ 23 0218 97165252	1.54	RA 20 0008 MQ 20 0025	99	5	1			101	3.86	102		0.43 70 99	-0.44 55 91	1.69 71 107	-0.03 69 96	0.09 78 104	-3.84 73 89	1.04 41 102	0.47 41 102	100	2	34
MQ 23 0222 97162796	1.64	RA 20 0008 MQ 20 0073	101	3	1			100	0.72	97		-0.47 70 91	-0.86 54 82	-0.59 69 93	0.19 67 110	0.39 77 108	2.12 71 104	-1.30 40 93	0.00 40 97	98	2	49
MQ 23 0227 97162853	1.89	RA 20 0008 MQ 19 1088	106	3	1			97	0.54	96		-0.17 68 93	-0.92 52 80	0.26 66 98	-0.05 63 95	0.05 74 103	-1.94 68 94	1.11 34 103	0.27 34 100	100	1	71
MQ 23 0231 97162879	14.13	MQ 21 0146 MQ 21 0043	121	4	1			96	1.91	99		1.27 66 107	0.67 47 114	1.84 65 108	-0.01 62 98	0.60 75 112	-4.77 68 86	-0.66 30 96	0.28 30 100	101	2	76
MQ 23 0237 97162911	1.60	GF 17 1216 MQ 18 0117	103	4	1			96	-4.50	88		-0.30 69 92	0.15 56 103	0.37 69 99	-0.17 67 87	0.74 77 114	-4.81 71 86	1.19 39 103	0.04 39 97	101	1	74

Ewes with Progeny



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high



Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding values
Breeding values with an accuracy of less than 5% are not printed

Ewes with progeny and measured at weaning, with both parents known.

Animal Information		Parents			Progeny		Selection Indices			EBV - Weights			EBV - Wool			EBV - Fertility				Rank
Animal ID Regnr	% In- breeding	Sire ID Dam ID	DAM :		Generation Progeny Weaned 1st 2nd	SIP	GM	Weaning Weight			Body Weight	SVG	VD	SL	Lammers gespeen	TWW	EPI	Times lambd		
			EPI	Times lambd				Dir	Mat											
								EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	Phenotype		
		Active Breed Average :				100.7	2.8	100	0.54	0.01	0.56	0.03	-0.14	0.50	0.46	0.27				
MQ 23 0245 97162978	1.87	GF 17 1216 MQ 18 1073	112	5	1	97	-3.15	90	-1.11 67	0.17 84	-0.49 66	-0.23 64	-0.14 75	-5.11 69	2.08 34	0.17 34	102	1	73	
MQ 23 0250 97163034	1.89	GF 17 1216 MQ 19 1087	96	3	1	98	-0.66	94	-0.61 66	0.42 53	-0.29 68	-0.16 65	-0.43 76	-6.96 70	2.06 34	0.20 34	102	1	70	
MQ 23 0252 97163075	2.21	MQ 21 0112 MQ 21 0234	94	2	1	92	-8.50	81	-0.81 62	-0.24 45	-0.23 63	-0.25 59	1.12 73	-3.25 65	0.49 24	-0.10 24	101	1	86	
Ewes with progeny average :						100.7	1.7	98	-0.32	-0.01	-0.10	-0.06	-0.11	-2.15	1.41	0.63				

Young Ewes



EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding values
Breeding values with an accuracy of less than 5% are not

Ewes born since 2020 with a weaning weight and wool test, no progeny, with both parents known.

Animal Information		Parents			Selection Indices			EBV - Weights						EBV - Wol						EBV - Fertility				Rank
Animal ID Regnr	% In- breeding	Sire ID Dam ID	DAM REPROD :		SIP	GM	Weaning Weight		Body Weight		CFW		FD		SL		NLW		TWW					
			EPI	Times lambded			Dir	Mat	Weight	Weight	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index		Acc	Index	
							EBV	Index	EBV	Index	EBV	Index	EBV	Index	EBV	Index	EBV	Index	EBV	Index				
		Active Breed Average :			100.7	2.8	100	0.54		0.01	0.56		0.03	-0.14	0.50		0.46		0.27					
MQ 22 0058 94614914	1.87	SD 19 0192 MQ 18 1042	93	3	105	5.23	104	-1.85 65	-0.34 49	-1.15 66	89	0.25 63	0.04 74	-2.10 68	93	0.43 36	0.90 36	100	108	25				
MQ 22 0116 94614948	1.87	SD 19 0054 MQ 18 1045	130	4	103	1.73	98	-0.92 69	-0.27 54	-0.89 69	91	0.00 66	0.08 76	3.75 71	109	2.90 39	0.95 39	109	108	39				
MQ 22 0193 94670551	1.89	MQ 19 0027 MQ 19 1109	83	2	96	-6.42	85	-1.88 60	-0.50 34	-3.08 62	77	-0.08 59	-0.49 72	4.28 64	110	-1.86 28	-0.54 27	91	90	87				
MQ 22 0194 94670403	1.75	GF 17 1216 MQ 17 0235	104	4	101	0.86	97	-0.57 66	-0.16 49	-0.25 67	95	0.04 64	0.17 75	-0.52 69	97	2.79 32	0.30 31	109	100	50				
MQ 22 0247 94670437	1.87	GF 17 1216 MQ 18 1049	107	4	102	-2.47	91	-1.09 66	0.10 50	-1.03 67	90	-0.21 64	-0.93 75	-1.21 69	96	2.18 38	-0.24 38	107	94	44				
MQ 23 0022 97160931	1.89	SD 20 0581 MQ 19 1069	96	3	106	6.10	105	0.73 65	-0.09 49	0.74 66	101	0.06 64	-0.74 74	4.59 68	111	3.11 35	0.33 35	110	101	12				
MQ 23 0044 97161178	1.89	SD 20 0581 MQ 19 1041	105	3	104	5.50	104	1.53 65	0.37 49	1.89 66	109	0.09 63	0.25 74	5.82 68	114	5.84 35	0.47 35	120	103	19				
MQ 23 0059 97161392	1.87	SD 20 0135 MQ 18 1076	113	5	99	2.42	99	-0.10 65	-0.47 44	0.29 64	98	0.38 61	1.02 73	5.31 66	113	-0.93 31	-0.14 30	95	95	64				
MQ 23 0071 97161491	1.89	RA 19 0914 MQ 19 1045	147	5	101	1.85	98	0.61 68	0.33 54	1.76 69	108	-0.15 67	-0.21 76	-1.04 71	96	2.41 38	0.13 38	107	98	33				
MQ 23 0114 97161772	1.87	SD 20 0094 MQ 18 1054	143	7	103	8.16	109	0.38 67	-0.55 50	0.74 67	101	0.02 65	-0.17 75	1.14 69	102	3.13 28	1.64 27	110	117	28				
MQ 23 0118 97161814	1.87	RA 19 0914 MQ 18 1066	95	4	103	3.34	101	-0.11 65	-0.21 50	-0.61 65	93	0.14 63	-0.37 74	5.01 68	112	0.73 38	0.18 38	101	99	22				
MQ 23 0123 97161871	1.87	RA 19 0914 MQ 18 1045	130	4	99	-0.41	95	-0.52 69	0.13 54	-0.76 69	92	0.15 67	0.29 76	11.22 71	128	-2.40 38	-0.18 38	89	95	59				
MQ 23 0134 97161954	1.89	RA 20 0008 MQ 19 1071	94	4	99	2.76	100	0.83 65	-0.60 44	1.09 66	103	0.05 63	0.30 74	-1.14 68	96	1.58 30	0.32 30	104	101	55				
MQ 23 0155 97162135	1.32	GF 17 1216 MQ 20 0107	98	4	110	5.61	105	0.13 69	-0.41 52	0.50 70	100	0.04 68	-1.17 77	-6.32 72	82	-0.30 38	-0.04 38	97	96	2				
MQ 23 0160 97162192	1.87	RA 20 0008 MQ 18 1063	102	4	99	1.76	98	0.87 65	-0.35 45	1.17 66	104	-0.03 63	-0.05 74	1.81 68	103	1.24 34	0.00 34	103	97	53				
MQ 23 0170 97162358	1.89	RA 20 0008 MQ 19 1046	108	4	98	1.92	99	1.47 66	-0.04 46	2.42 66	112	-0.01 63	0.87 74	4.33 68	110	1.53 30	0.27 30	104	100	65				

Young Ewes



EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding values
Breeding values with an accuracy of less than 5% are not

Ewes born since 2020 with a weaning weight and wool test, no progeny, with both parents known.

Animal Information		Parents			Selection Indices			EBV - Weights						EBV - Wol						EBV - Fertility				Rank
Animal ID Regnr	% In- breeding	Sire ID Dam ID	DAM REPROD :		SIP	GM		Weaning Weight		Body Weight		CFW	FD		SL	NLW	TWW							
			EPI	Times lambded		Dir	Mat	Weight	Weight	Acc	Index		Acc	Index			Acc	Index		Acc	Index	Acc	Index	
						EBV	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index					
		Active Breed Average :			100.7	2.8	100		0.54	0.01	0.56		0.03	-0.14	0.50		0.46	0.27						
MQ 23 0172 97162390	1.89	RA 20 0008 MQ 19 1074	104	3	100	4.42	103	66	0.70 102	46	-0.60 87	66	0.79 102	63	0.03 100	74	-0.37 97	68	1.57 103	30	1.58 104	30	0.32 101	42
MQ 23 0174 97162416	1.87	GF 17 1216 MQ 18 1079	120	4	99	-0.10	95	68	-0.58 90	51	-0.04 99	68	-0.45 94	66	-0.17 87	76	-0.61 93	70	-7.68 79	36	3.69 112	36	0.30 100	51
MQ 23 0181 97162473	1.87	GF 17 1216 MQ 18 1053	136	5	100	0.67	96	68	0.24 97	51	0.04 101	68	0.78 101	65	-0.05 95	75	0.23 106	70	-4.63 87	31	3.02 110	31	0.24 100	48
MQ 23 0209 97162739	2.32	MQ 21 0112 MQ 21 0138	95	3	95	-5.72	86	64	-0.86 87	41	0.35 107	66	-0.37 94	63	-0.11 91	75	0.88 116	68	-4.43 87	33	-0.33 97	33	-0.11 95	80
MQ 23 0219 97165278	1.16	GF 17 1216 MQ 20 0035	90	2	102	0.46	96	68	-0.69 88	50	-0.02 99	69	-0.76 92	67	-0.14 89	77	-0.94 88	71	-1.79 94	37	0.78 101	37	0.12 98	32
MQ 23 0239 97165518	0.96	GF 17 1216 MQ 20 0009	124	4	99	-2.91	91	70	-0.25 93	53	-0.07 98	71	0.50 100	69	-0.04 96	77	1.38 124	72	-0.92 96	40	2.64 108	40	0.46 102	62
MQ 23 0247 97162994	1.89	RA 20 0008 MQ 19 1058	121	5	98	1.57	98	65	0.55 100	45	-0.45 90	64	1.03 103	61	-0.04 96	73	0.22 106	66	1.19 102	30	1.58 104	30	0.32 101	67
MQ 24 0001 107264764	2.00	RA 20 0008 MQ 20 0208	105	5	103	2.34	99	65	0.91 103	45	-0.48 90	66	0.32 98	64	0.12 105	75	0.38 108	68	4.63 111	30	1.58 104	30	0.32 101	37
MQ 24 0003 107264780	1.40	RA 20 0008 MQ 21 0155	117	4	101	1.96	99	69	0.93 104	47	-0.53 89	69	1.82 108	67	0.12 106	77	1.42 124	71	2.05 104	37	1.61 104	36	0.55 103	49
MQ 24 0004 107264798	1.61	MQ 21 0029 MQ 20 0033	119	5	91	-5.06	87	67	-0.21 93	44	0.24 105	67	0.40 99	64	-0.17 87	76	0.85 115	69	7.50 118	33	0.13 99	33	-0.03 97	92
MQ 24 0006 107264806	1.87	RA 20 0008 MQ 18 1072	121	5	100	0.11	96	66	0.16 96	46	-0.49 90	66	0.81 102	63	-0.07 94	74	0.41 109	68	-1.52 95	30	1.62 104	30	0.33 101	54
MQ 24 0009 107264822	1.32	RA 20 0008 MQ 20 0100	120	5	103	1.62	98	66	-0.10 94	49	-0.35 93	66	0.42 99	68	-0.02 97	72	0.22 106	67	0.59 100	39	2.04 106	39	0.51 103	34
MQ 24 0010 107264830	1.89	GF 21 1163 MQ 19 1001	133	6	96	-2.24	92	65	-0.84 87	42	0.29 106	66	-1.47 87	63	0.16 108	75	0.73 114	68	2.72 106	21	-0.20 98	21	0.05 97	70
MQ 24 0011 107264848	1.89	GF 21 1163 MQ 19 1001	133	6	99	-0.68	94	65	0.25 97	42	0.40 108	66	0.30 98	63	0.08 103	75	0.78 114	68	2.13 104	21	-0.20 98	21	0.05 97	62
MQ 24 0013 107264855	3.03	GF 21 1163 MQ 20 0201	112	4	97	-1.67	93	68	-0.88 87	43	0.66 114	68	-0.65 92	65	-0.24 83	76	-0.46 95	70	-8.02 78	28	3.34 111	27	0.37 101	67
MQ 24 0015 107264863	1.89	MQ 22 0156 MQ 19 1116	104	3	100	-0.36	95	62	-0.47 91	38	-0.62 87	63	0.40 99	60	-0.03 96	73	0.43 109	65	-3.23 90	15	1.46 104	15	0.23 100	55

Young Ewes



EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding values
Breeding values with an accuracy of less than 5% are not

Ewes born since 2020 with a weaning weight and wool test, no progeny, with both parents known.

Animal Information		Parents			Selection Indices			EBV - Weights						EBV - Wol						EBV - Fertility				Rank
Animal ID Regnr	% In- breeding	Sire ID Dam ID	DAM REPROD :		SIP	GM		Weaning Weight		Body Weight		CFW	FD		SL	NLW		TWW						
			EPI	Times lambded		Dir	Mat	Weight	Weight	Acc	Index		Acc	Index	Acc	Index	Acc	Index	Acc		Index			
			EBV	Index	EBV	Index	EBV	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index				
		Active Breed Average :			100.7	2.8	100	0.54		0.01		0.56		0.03		-0.14		0.50		0.46		0.27		
MQ 24 0016 107264871	1.44	GF 21 1163 MQ 21 0043	121	4	106	3.77	102	-0.20 67	0.74 42	1.17 67	104	0.05 65	-0.12 76	5.05 70	112	-0.37 27	0.14 27	0.97 27	0.99			29		
MQ 24 0017 107264889	1.44	GF 21 1163 MQ 21 0043	121	4	111	7.21	107	1.81 67	0.51 42	2.83 67	115	0.10 65	-0.11 76	0.25 70	99	-0.37 27	0.14 27	0.97 27	0.99			4		
MQ 24 0021 107264897	1.54	RA 20 0008 MQ 20 0169	128	5	110	7.63	108	0.11 70	-0.38 50	0.58 70	100	0.00 68	-1.08 77	-4.08 72	88	2.42 39	0.74 38	107 38	106			5		
MQ 24 0022 107264905	5.09	GF 21 1163 MQ 20 0101	101	4	103	2.26	99	0.48 67	0.44 43	0.07 68	97	-0.19 65	-1.26 76	-3.76 70	89	-0.03 31	0.13 30	0.98 30	0.98			40		
MQ 24 0027 107264947	1.89	GF 21 1163 MQ 19 1046	108	4	98	-1.87	92	0.44 64	0.34 39	-0.06 64	96	-0.06 61	0.16 73	-1.63 66	94	-0.41 20	-0.13 20	0.97 20	0.95			64		
MQ 24 0029 107264954	1.89	GF 21 1163 MQ 19 1016	95	4	101	0.10	96	-1.41 62	0.05 37	-1.93 64	84	-0.19 61	-1.77 73	-9.35 66	74	-0.37 19	-0.08 19	0.97 19	0.96			50		
MQ 24 0031 107264962	2.32	MQ 22 0156 MQ 20 0142	119	5	104	3.19	101	0.37 66	0.00 43	1.48 66	106	-0.05 63	0.18 75	-0.76 68	97	2.42 29	0.56 29	107 29	104			32		
MQ 24 0034 107264970	1.15	RA 20 0008 MQ 21 0046	108	4	100	0.08	96	0.85 69	-0.13 47	1.11 70	104	0.04 67	1.14 77	-3.47 72	90	1.06 36	0.41 36	102 36	102			53		
MQ 24 0035 107264988	1.89	MQ 22 0156 MQ 19 1024	128	5	103	2.23	99	1.30 62	0.16 38	0.64 61	101	0.08 58	0.29 72	-1.01 64	96	1.46 15	0.23 15	104 15	100			33		
MQ 24 0037 107265001	1.88	MQ 21 0029 MQ 18 1057	113	4	92	-4.80	87	-1.39 64	-0.28 41	-2.54 64	80	0.07 61	0.30 74	-3.79 67	89	-0.59 23	-0.22 23	0.96 23	0.94			87		
MQ 24 0039 107265019	1.89	MQ 21 0029 MQ 19 1054	144	6	92	-5.18	87	-0.79 65	-0.27 42	-1.13 65	89	-0.02 62	0.69 74	-6.22 68	82	-0.43 22	-0.21 22	0.97 22	0.94			88		
MQ 24 0044 107265043	1.82	MQ 21 0029 MQ 17 0244	128	6	93	-4.49	88	-0.73 64	-0.17 42	-0.51 64	93	-0.14 61	0.18 74	-1.58 66	95	-0.49 23	-0.27 23	0.97 23	0.94			86		
MQ 24 0046 107265068	1.87	RA 20 0008 MQ 18 1013	120	5	110	6.68	106	0.87 68	-0.67 48	1.55 68	106	0.09 66	-0.40 76	1.82 70	103	2.72 31	0.34 31	109 31	101			7		
MQ 24 0051 107265076	1.43	GF 21 1163 MQ 21 0117	110	4	96	-2.87	91	-0.80 67	0.20 41	-1.05 68	90	-0.18 65	0.13 76	-4.95 70	86	1.31 27	0.56 26	103 26	104			73		
MQ 24 0052 107266256	1.43	GF 21 1163 MQ 21 0117	110	4	97	-2.34	92	-0.13 67	0.19 41	-0.41 68	94	-0.16 65	0.38 76	-0.17 70	98	1.31 27	0.56 26	103 26	104			69		
MQ 24 0054 107265084	1.48	RA 20 0008 MQ 20 0151	99	2	110	6.97	107	1.23 68	0.14 48	2.60 69	113	-0.01 67	-0.06 77	-3.20 71	90	1.31 38	0.71 37	103 37	105			6		

Young Ewes



EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding values
Breeding values with an accuracy of less than 5% are not

Ewes born since 2020 with a weaning weight and wool test, no progeny, with both parents known.

Animal Information		Parents			Selection Indices			EBV - Weights						EBV - Wol						EBV - Fertility				Rank
Animal ID Regnr	% In- breeding	Sire ID Dam ID	DAM REPROD :		SIP	GM		Weaning Weight		Body Weight		CFW	FD		SL	NLW		TWW						
			EPI	Times lambded		Dir	Mat	Weight	Weight	Acc	Index		Acc	Index	Acc	Index	Acc	Index	Acc		Index			
						EBV	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index					
		Active Breed Average :			100.7	2.8	100	0.54	0.01	0.56	0.03	-0.14	0.50	0.46	0.27									
MQ 24 0056 107265092	1.88	MQ 22 0156 MQ 18 1044	120	6	101	0.86	97	0.70 63	-0.62 40	0.57 62	100	0.03 59	0.52 73	0.24 65	99	1.31 17	0.30 16	100		47				
MQ 24 0058 107265100	1.87	RA 20 0008 MQ 18 1030	156	6	109	6.43	106	1.06 68	-0.37 48	0.36 68	99	0.28 65	-0.05 76	1.87 70	104	1.58 30	0.32 30	101		9				
MQ 24 0063 107265126	1.89	MQ 21 0029 MQ 19 1087	96	3	95	-2.83	91	-0.06 62	-0.03 38	-1.15 63	89	-0.05 60	-0.15 73	-0.99 66	96	-0.62 23	-0.22 23	94		77				
MQ 24 0067 107265134	1.89	RA 20 0008 MQ 19 1088	106	3	107	4.55	103	0.51 66	-0.96 46	1.05 65	103	0.07 63	-0.15 74	-7.33 68	80	1.42 30	0.30 30	100		21				
MQ 24 0070 107265142	2.00	GF 21 1163 MQ 20 0221	108	6	108	5.84	105	0.76 63	0.04 39	-0.25 64	95	0.05 61	-1.57 74	-0.32 67	98	-0.52 20	-0.08 19	96		13				
MQ 24 0078 107265167	1.89	RA 20 0008 MQ 19 1036	112	5	108	5.23	104	0.89 65	-0.67 45	1.01 66	103	0.20 64	0.25 75	2.15 68	104	1.58 30	0.32 30	101		16				
MQ 24 0081 107265183	2.13	MQ 22 0046 MQ 20 0053	110	5	112	9.34	111	1.31 67	-0.11 43	0.63 68	101	0.24 65	-0.69 76	0.75 70	101	2.80 31	0.51 30	103		2				
MQ 24 0084 107265191	1.89	RA 20 0008 MQ 19 1022	115	4	107	4.57	103	0.24 66	-0.74 46	-0.23 66	95	0.13 64	-0.54 75	4.62 69	111	1.43 30	0.25 30	100		18				
MQ 24 0086 107265209	2.00	RA 20 0008 MQ 20 0231	120	5	102	2.12	99	0.65 66	-0.06 46	1.02 67	103	0.08 64	0.57 75	-7.03 69	80	1.58 30	0.32 30	101		43				
MQ 24 0097 107265233	2.00	RA 20 0008 MQ 20 0226	120	3	106	4.64	103	0.78 65	-0.38 45	1.13 66	104	0.19 64	0.43 75	5.23 68	112	1.58 30	0.32 30	101		27				
MQ 24 0098 107265241	2.00	RA 20 0008 MQ 20 0226	120	3	106	4.71	103	0.67 65	-0.21 45	1.98 66	109	0.11 64	0.46 75	1.49 68	103	1.58 30	0.32 30	101		26				
MQ 24 0099 107265258	1.51	MQ 22 0046 MQ 21 0140	104	4	103	1.84	98	0.82 67	-0.32 40	-0.70 67	92	0.20 65	0.26 76	2.52 70	105	0.92 27	0.17 27	99		38				
MQ 24 0100 107265266	2.21	RA 20 0008 MQ 21 0242	98	4	106	4.29	102	0.09 63	-0.50 42	-0.48 65	93	0.30 62	0.24 74	5.49 67	113	1.58 30	0.32 30	101		28				
MQ 24 0101 107265274	1.54	RA 20 0008 MQ 20 0059	111	5	111	7.49	108	0.75 69	-0.45 49	1.90 70	109	0.11 67	-0.33 77	-0.55 72	97	-0.19 39	0.38 38	101		3				
MQ 24 0102 107265282	1.87	MQ 22 0046 MQ 18 1076	113	5	109	6.28	106	1.63 64	-0.25 38	0.04 63	97	0.38 60	0.26 73	4.71 66	111	2.14 19	0.28 19	100		10				
MQ 24 0106 107265290	1.87	MQ 22 0046 MQ 18 1004	132	6	106	4.28	102	-0.21 66	-0.19 41	-1.25 66	88	-0.02 63	-1.43 75	-3.01 68	91	2.04 19	0.40 19	102		23				

Young Ewes



EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding values
Breeding values with an accuracy of less than 5% are not

Ewes born since 2020 with a weaning weight and wool test, no progeny, with both parents known.

Animal Information		Parents			Selection Indices			EBV - Weights			EBV - Wool			EBV - Fertility		Rank
Animal ID Regnr	% In- breeding	Sire ID Dam ID	DAM REPROD : EPI Times lambd		SIP	GM		Weaning Weight Dir	Mat	Body Weight	CFW	FD	SL	NLW	TWW	
								EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	
					EBV	Index		Acc	Index	Acc	Index	Acc	Index	Acc	Index	
Active Breed Average :					100.7	2.8	100	0.54	0.01	0.56	0.03	-0.14	0.50	0.46	0.27	
MQ 24 0110 107265308	1.66	MQ 21 0029 MQ 22 0121	108 2		98	0.15	96	-0.03 65	0.00 41	0.48 100	0.03 64	0.64 75	6.61 69	-0.61 30	0.28 100	63
MQ 24 0112 107265316	1.87	MQ 22 0046 MQ 18 1026	154 6		97	-1.76	92	0.25 67	0.08 43	-0.71 102	-0.02 65	0.13 76	-3.82 69	0.75 21	0.02 97	66
MQ 24 0113 107265324	1.15	RA 20 0008 MQ 20 0161	94 4		109	6.60	106	-0.03 69	-0.61 49	1.10 87	-0.04 67	-1.09 77	-0.57 72	1.53 39	0.38 101	11
MQ 24 0114 107265332	1.44	RA 20 0008 MQ 21 0062	102 4		109	6.33	106	1.19 69	-0.64 47	1.71 86	0.20 67	0.05 77	1.78 71	-0.02 36	0.13 98	12
MQ 24 0118 107265357	7.71	RA 20 0008 MQ 21 0040	97 3		102	1.16	97	1.67 68	-0.26 46	2.41 94	0.11 67	1.31 77	5.89 71	0.52 36	0.00 97	44
MQ 24 0121 107265365	1.87	MQ 22 0046 MQ 18 1073	112 5		100	-0.49	95	0.47 64	-0.08 39	-0.20 98	-0.01 61	0.38 74	-2.18 67	2.03 19	0.34 101	56
MQ 24 0126 107265399	1.54	RA 20 0008 MQ 20 0013	94 3		117	12.29	116	2.81 68	-0.04 47	4.10 99	-0.01 66	-1.04 76	-4.03 71	0.25 37	0.53 103	1
MQ 24 0127 107265407	1.89	MQ 22 0046 MQ 19 1031	122 6		99	-0.88	94	0.11 65	-0.40 39	-0.54 91	0.03 63	0.54 75	0.12 68	2.22 19	0.36 101	58
MQ 24 0128 107265415	2.00	RA 20 0008 MQ 20 0222	96 3		102	1.43	98	0.50 64	-0.47 44	1.74 90	0.08 63	1.10 74	4.71 68	1.58 30	0.32 101	42
MQ 24 0130 107265423	1.89	RA 20 0008 MQ 19 1090	89 4		99	-0.88	94	-0.82 65	-1.31 44	-0.91 72	0.08 62	0.54 74	1.08 67	1.58 30	0.32 101	60
MQ 24 0131 107265431	1.89	RA 20 0008 MQ 19 1017	121 6		96	-2.64	91	0.47 66	-0.55 46	0.78 88	0.01 64	1.43 75	-0.56 69	1.25 30	0.22 100	72
MQ 24 0132 107265449	1.66	MQ 22 0195 MQ 22 0066	100 3		95	-3.38	90	-1.22 65	0.26 40	-0.77 105	-0.24 63	-0.02 75	-9.11 68	0.69 25	0.39 102	80
MQ 24 0133 107265456	1.48	RA 20 0008 MQ 20 0158	107 4		110	6.94	107	1.35 69	-0.54 49	0.51 89	0.17 67	-0.25 77	1.57 71	2.40 38	0.66 105	8
MQ 24 0134 107265464	1.48	RA 20 0008 MQ 20 0158	107 4		101	1.20	97	-0.60 69	-0.12 49	0.02 97	0.08 67	0.74 77	3.07 71	2.40 38	0.66 105	45
MQ 24 0136 107265472	1.89	MQ 22 0046 MQ 19 1025	114 4		106	3.96	102	0.83 64	-0.32 39	-0.44 93	0.05 62	-0.69 74	-0.19 67	2.22 19	0.36 101	24
MQ 24 0140 107265498	1.89	MQ 22 0046 MQ 19 1052	144 6		99	-0.76	94	0.62 66	-0.17 41	-0.11 96	0.13 63	1.20 75	3.83 68	2.04 19	0.41 102	57

Young Ewes



EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding values
Breeding values with an accuracy of less than 5% are not

Ewes born since 2020 with a weaning weight and wool test, no progeny, with both parents known.

Animal Information		Parents			Selection Indices			EBV - Weights						EBV - Wol						EBV - Fertility				Rank
Animal ID Regnr	% In- breeding	Sire ID Dam ID	DAM REPROD :		SIP	GM	Weaning Weight				Body Weight		CFW	FD		SL	NLW		TWW					
			EPI	Times lambded			Dir	Mat	Weight	Weight	Acc	Index		Acc	Index	Acc	Index	Acc	Index	Acc		Index	Acc	Index
			EBV	Index	EBV	Index	EBV	Index	EBV	Index	EBV	Index	EBV	Index	EBV	Index	EBV	Index	EBV	Index	EBV	Index		
		Active Breed Average :			100.7	2.8	100	0.54		0.01		0.56		0.03		-0.14		0.50		0.46		0.27		
MQ 24 0141 107265506	1.89	MQ 22 0046 MQ 19 1049	105	5	106	3.70	101	0.24 64	-0.48 97	-0.89 39	90	-0.89 64	91	0.16 61	-0.49 73	-0.95 95	66	2.19 20	0.22 107	19	100	25		
MQ 24 0142 107265514	1.89	MQ 22 0046 MQ 19 1073	137	6	108	5.52	104	1.56 66	-0.22 110	0.42 41	95	0.42 66	99	0.18 63	-0.16 75	-1.79 100	68	2.07 19	0.34 106	19	101	14		
MQ 24 0144 107314866	1.54	RA 20 0008 MQ 20 0003	122	4	108	5.34	104	0.24 69	-0.24 97	1.10 50	95	1.10 70	104	-0.17 68	-1.02 77	-8.06 86	72	2.36 38	0.67 107	38	105	17		
MQ 24 0146 107265522	2.13	MQ 22 0046 MQ 20 0143	113	5	103	1.55	98	-0.82 68	-0.11 87	-1.54 44	98	-1.54 68	87	-0.16 66	-1.45 76	-7.07 80	70	1.30 31	0.35 103	31	101	39		
MQ 24 0148 107265530	2.00	MQ 22 0046 MQ 20 0223	104	5	103	2.38	99	0.45 64	-0.21 99	-0.31 39	95	-0.31 64	94	0.14 62	0.21 74	2.61 105	67	2.08 19	0.34 106	19	101	35		
MQ 24 0151 107265555	2.08	MQ 21 0029 MQ 22 0321	109	3	89	-6.60	85	-1.27 62	-0.23 83	-1.68 38	95	-1.68 63	86	-0.15 60	0.24 73	-1.26 106	65	-0.43 22	-0.21 97	22	94	95		
MQ 24 0155 107265563	2.08	MQ 22 0195 MQ 22 0317	102	3	89	-7.88	82	-1.88 60	0.20 77	-2.62 34	104	-2.62 62	80	-0.32 59	-0.32 72	-5.46 97	65	0.80 16	0.05 101	16	97	96		
MQ 24 0156 107265571	1.97	MQ 22 0195 MQ 22 0210	106	3	95	-3.88	89	-1.11 65	0.37 85	-1.01 38	108	-1.01 66	90	-0.25 64	-0.45 76	-7.42 95	69	-0.88 25	0.00 95	25	97	79		
MQ 24 0160 107265589	1.89	MQ 22 0046 MQ 19 1014	126	6	105	3.79	102	0.11 65	-0.46 96	-0.56 40	90	-0.56 65	93	0.12 63	-0.40 75	-2.36 96	68	2.22 19	0.36 107	18	101	31		
MQ 24 0161 107265597	1.89	RA 20 0008 MQ 19 1028	129	6	100	0.52	96	0.25 67	-0.48 97	1.06 47	90	1.06 67	103	-0.04 65	0.55 75	3.46 111	70	1.36 30	0.34 103	30	101	52		
MQ 24 0162 107265605	1.87	MQ 22 0046 MQ 18 1031	98	4	101	0.81	97	0.05 64	-0.64 95	-0.79 38	86	-0.79 64	91	0.06 61	0.06 74	6.01 103	67	2.22 19	0.36 107	18	101	46		
MQ 24 0163 107265613	1.89	MQ 22 0046 MQ 19 1106	101	4	103	1.68	98	0.25 62	-0.07 97	-1.28 35	98	-1.28 62	88	0.13 59	-0.10 72	0.71 101	65	2.22 19	0.36 107	18	101	41		
MQ 24 0166 107265621	1.58	MQ 21 0010 MQ 22 0161	102	3	96	-1.30	93	-0.35 67	0.51 92	-0.37 37	111	-0.37 68	94	-0.35 66	-0.88 77	-6.84 89	71	-0.14 23	0.41 98	23	102	71		
MQ 24 0171 107265639	1.72	MQ 21 0010 MQ 22 0015	105	3	107	7.48	108	0.14 67	0.53 96	0.70 38	111	0.70 68	101	-0.04 66	-0.98 76	-3.27 87	70	0.61 23	0.94 101	23	108	20		
MQ 24 0175 107265654	1.89	MQ 22 0046 MQ 19 1096	138	5	108	5.63	105	1.75 66	-0.43 111	0.35 41	91	0.35 66	99	0.25 63	0.11 75	0.79 104	68	2.06 19	0.37 106	19	101	15		
MQ 24 0176 107265662	1.87	MQ 22 0046 MQ 18 1053	136	5	105	3.39	101	-0.01 66	-0.34 95	-1.55 42	93	-1.55 65	87	0.24 63	-0.19 75	2.42 99	68	2.61 20	0.36 108	20	101	30		

Young Ewes



EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding values
Breeding values with an accuracy of less than 5% are not

Ewes born since 2020 with a weaning weight and wool test, no progeny, with both parents known.

Animal Information		Parents			Selection Indices			EBV - Weights						EBV - Wol						EBV - Fertility				Rank
Animal ID Regnr	% In- breeding	Sire ID Dam ID	DAM REPROD :		SIP	GM		Weaning Weight				Body Weight		CFW		FD		SL		NLW		TWW		
			EPI	Times lambded				Dir	Mat															
			EBV	Index	EBV	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	
		Active Breed Average :			100.7	2.8	100	0.54		0.01		0.56		0.03		-0.14		0.50		0.46		0.27		
MQ 24 0182 107265696	1.69	MQ 21 0010 MQ 22 0254	100	3	94	-2.25	92	-0.55 67	0.43 38	0.00 96	-0.34 66	0.03 77	-2.52 76	1.56 22	0.84 104								81	
MQ 24 0186 107265704	1.69	MQ 21 0010 MQ 22 0176	105	3	99	0.31	96	0.02 67	0.11 37	-0.05 96	-0.24 66	-0.24 76	-5.28 70	1.67 22	0.90 105								61	
MQ 24 0195 107265738	1.94	MQ 21 0010 MQ 22 0033	99	3	97	-0.19	95	-1.42 67	0.06 38	-0.95 90	-0.11 66	-0.14 76	-7.48 70	0.62 23	0.67 101								68	
MQ 24 0196 107265746	3.45	GF 21 1163 MQ 22 0234	93	3	90	-7.14	84	-2.02 65	0.45 37	-1.75 85	-0.28 64	-0.07 76	-5.33 69	-1.21 24	-0.05 94								94	
MQ 24 0197 107265753	1.60	MQ 21 0029 MQ 22 0039	107	3	96	-1.12	94	-1.17 66	-0.62 43	-1.22 89	-0.15 65	-0.40 76	-1.20 69	2.46 30	0.45 108								75	
MQ 24 0198 107265761	2.08	MQ 21 0029 MQ 22 0299	100	3	91	-5.76	86	-0.73 61	-0.02 36	-0.25 95	-0.25 58	0.24 72	-3.03 64	-0.43 22	-0.21 97								93	
MQ 24 0200 107265787	1.58	MQ 22 0195 MQ 22 0017	108	3	107	5.85	105	1.43 65	0.57 40	2.54 113	-0.17 64	-0.36 75	-7.70 69	2.07 26	0.82 106								19	
MQ 24 0205 107265803	1.71	MQ 21 0010 MQ 22 0021	101	3	103	4.90	103	-0.23 67	-0.13 38	-0.02 96	-0.05 66	-0.56 76	-5.56 70	3.64 23	1.02 112								36	
MQ 24 0207 107265829	1.39	GF 21 1163 MQ 22 0107	102	2	106	4.31	102	0.45 66	-0.06 41	1.01 103	0.04 64	-0.25 76	-3.27 69	-0.84 28	0.25 95								22	
MQ 24 0209 107265837	2.08	GF 21 1163 MQ 22 0292	101	3	96	-3.36	90	-0.45 61	-0.08 35	-0.84 91	-0.07 59	0.22 72	-0.19 64	-0.37 19	-0.08 97								74	
MQ 24 0215 107265845	2.08	GF 21 1163 MQ 22 0303	99	3	93	-5.24	87	-1.22 61	0.20 35	-1.12 89	-0.33 59	-0.56 72	-2.36 64	-0.37 19	-0.08 97								85	
MQ 24 0218 107265852	1.39	MQ 22 0195 MQ 22 0018	102	3	94	-4.60	88	-0.50 66	0.23 41	-1.60 86	-0.15 64	-0.10 76	-3.75 69	-0.50 28	-0.03 96								83	
MQ 24 0220 107265860	1.59	MQ 22 0195 MQ 22 0105	103	3	93	-3.60	89	-0.83 65	0.32 40	-0.35 94	-0.37 64	-0.07 75	-8.97 69	2.05 26	0.67 106								84	
MQ 24 0221 107265878	1.50	GF 21 1163 MQ 22 0263	100	3	101	0.55	96	0.09 66	0.22 40	0.55 100	-0.29 64	-0.73 76	-5.25 69	1.55 26	0.42 104								48	
MQ 24 0223 107265894	2.08	MQ 21 0029 MQ 22 0313	93	1	85	-10.00	79	-2.06 59	-0.10 33	-1.65 86	-0.28 58	0.64 72	1.32 64	-0.43 22	-0.21 97								100	
MQ 24 0226 107265902	1.58	MQ 22 0195 MQ 22 0103	113	3	97	-1.40	93	0.05 66	0.31 42	0.33 99	-0.35 64	-0.03 76	-10.56 69	3.68 26	0.94 112								65	

Young Ewes



EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding values
Breeding values with an accuracy of less than 5% are not

Ewes born since 2020 with a weaning weight and wool test, no progeny, with both parents known.

Animal Information		Parents			Selection Indices			EBV - Weights						EBV - Wol						EBV - Fertility				Rank
Animal ID Regnr	% In- breeding	Sire ID Dam ID	DAM REPROD :		SIP	GM	Weaning Weight				Body Weight		CFW		FD		SL		NLW		TWW			
			EPI	Times lambded			Dir	Mat	Weight	Weight	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index		Acc
					EBV	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index		
		Active Breed Average :			100.7	2.8	100				0.54	0.01	0.56		0.03	-0.14	0.50		0.46	0.27				
MQ 24 0228 107267122	14.20	MQ 22 0195 MQ 22 0190	110	3	100	-0.38	95	-0.12 66	94	-0.18 40	96	-0.83 66	91	-0.06 63	95	-0.30 75	-1.94 69	94	1.68 25	105	0.18 24	99	51	
MQ 24 0231 107265910	2.08	MQ 21 0029 MQ 22 0301	101	3	88	-7.64	83	-1.31 61	83	0.01 36	100	-1.40 62	88	-0.15 59	89	0.69 72	0.96 65	101	-0.43 22	97	-0.21 22	94	97	
MQ 24 0233 107265928	2.08	MQ 22 0195 MQ 22 0300	113	2	88	-9.10	80	-1.19 62	84	0.78 36	116	-1.11 63	89	-0.26 60	82	1.00 73	-3.83 65	89	0.80 16	101	0.05 16	97	99	
MQ 24 0235 107265936	1.60	MQ 21 0029 MQ 22 0227	103	3	88	-8.29	82	-1.37 65	82	0.28 40	106	-0.82 67	91	-0.33 64	78	0.34 76	-5.84 69	83	-2.03 29	91	-0.19 29	95	98	
MQ 24 0236 107265944	2.08	MQ 21 0029 MQ 22 0305	96	3	85	-10.27	78	-2.48 61	72	-0.52 36	89	-2.73 62	79	-0.15 59	89	0.81 72	1.45 65	103	-0.43 22	97	-0.21 22	94	101	
MQ 24 0239 107265951	2.08	MQ 22 0195 MQ 22 0316	97	2	81	-13.30	73	-2.67 61	70	0.12 34	102	-3.11 61	77	-0.30 58	79	1.05 72	-7.74 64	78	0.80 16	101	0.05 16	97	102	
MQ 24 0240 107265969	14.20	MQ 22 0195 MQ 22 0152	99	3	91	-6.63	84	-1.89 66	77	0.17 40	103	-2.40 67	81	-0.36 64	76	-0.75 76	-7.57 69	79	1.75 25	105	0.03 24	97	91	
MQ 24 0256 107265993	1.61	MQ 21 0029 MQ 20 0033	119	5	92	-4.46	88	-0.69 67	88	0.18 44	104	0.32 67	99	-0.14 64	90	0.81 76	0.94 69	101	0.13 33	99	-0.03 33	97	90	
MQ 24 0257 107266009	1.67	MQ 22 0195 MQ 22 0049	114	3	95	-3.52	90	-0.40 66	91	0.28 40	106	-0.70 66	92	-0.23 64	84	0.51 75	-4.34 69	87	3.05 24	110	0.79 24	106	78	
MQ 24 0258 107266017	1.67	MQ 22 0195 MQ 22 0049	114	3	96	-3.24	90	0.21 66	97	0.35 40	107	0.32 66	99	-0.26 64	82	0.75 75	-4.14 69	88	3.05 24	110	0.79 24	106	76	
MQ 24 0259 107266025	2.00	GF 21 1163 MQ 20 0216	109	5	94	-4.67	88	-0.53 64	90	0.48 40	110	-0.39 65	94	-0.32 62	78	-0.33 74	-7.00 67	80	-0.37 19	97	-0.08 19	96	82	
MQ 24 0260 107266033	2.00	GF 21 1163 MQ 20 0216	109	5	99	-1.13	94	-0.68 64	89	0.12 40	103	-1.34 65	88	-0.11 62	91	-0.83 74	-0.49 67	97	-0.37 19	97	-0.08 19	96	59	
MQ 24 0275 107266058	1.55	MQ 21 0029 MQ 22 0208	110	3	92	-4.39	88	-0.73 66	88	0.06 41	101	-0.96 67	90	-0.04 64	95	0.68 76	3.57 69	108	-1.15 30	94	0.04 30	97	89	
MQ 25 0003 111216354	2.00	RA 20 0008 MQ 20 0231	120	5	104	5.99	105	1.10 66	105	-0.40 46	91	0.45 67	99	0.22 64	112	-0.13 75	-3.39 69	90	1.58 30	104	0.32 30	101	18	
MQ 25 0004 111216362	2.00	RA 20 0008 MQ 20 0231	120	5	103	5.16	104	1.36 66	108	-0.29 46	94	1.49 67	106	0.18 64	109	0.41 75	-6.93 69	81	1.58 30	104	0.32 30	101	24	
MQ 25 0006 111217782	1.69	MQ 23 0045 MQ 20 0107	98	4	97	-0.07	95	-0.76 65	88	0.19 42	104	0.14 66	97	-0.07 64	93	0.00 75	-3.77 68	89	-1.40 30	93	0.20 30	99	69	

Young Ewes



EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding values
Breeding values with an accuracy of less than 5% are not

Ewes born since 2020 with a weaning weight and wool test, no progeny, with both parents known.

Animal Information		Parents			Selection Indices			EBV - Weights			EBV - Wool			EBV - Fertility		Rank
Animal ID Regnr	% In- breeding	Sire ID Dam ID	DAM REPROD : EPI Times lambd		SIP	GM		Weaning Weight Dir	Mat	Body Weight	CFW	FD	SL	NLW	TWW	
								EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	
					EBV	Index		Acc	Index	Acc	Index	Acc	Index	Acc	Index	
Active Breed Average :					100.7	2.8	100	0.54	0.01	0.56	0.03	-0.14	0.50	0.46	0.27	
MQ 25 0007 111216388	1.70	MQ 23 0017 MQ 22 0052	102	3	100	2.78	100	0.39 65	0.06 39	1.32 101	0.02 62	0.64 75	3.87 109	2.28 25	0.67 105	50
MQ 25 0013 111216412	2.57	MQ 23 0017 MQ 22 0123	97	2	113	11.82	115	1.32 65	-0.26 39	0.91 102	0.22 63	-0.73 75	-1.99 94	4.83 24	1.16 111	1
MQ 25 0016 111216420	3.38	MQ 23 0151 MQ 22 0044	110	3	110	9.90	112	0.67 68	-0.72 42	0.68 101	0.08 66	-0.78 76	-0.39 98	5.50 28	1.29 112	3
MQ 25 0017 111216438	3.38	MQ 23 0151 MQ 22 0044	110	3	104	5.83	105	-0.23 68	-0.37 42	0.38 99	-0.10 66	-0.56 76	-2.87 91	5.50 28	1.29 112	17
MQ 25 0018 111216446	1.89	MQ 23 0045 MQ 19 1014	126	6	101	3.40	101	-0.01 63	-0.37 40	0.04 97	0.20 61	0.47 74	2.47 105	1.53 19	0.48 103	41
MQ 25 0025 111216453	1.79	MQ 23 0108 MQ 22 0059	98	3	108	8.82	110	0.22 67	-0.39 41	0.99 103	0.08 65	-0.94 76	-3.55 89	0.87 26	0.68 105	6
MQ 25 0028 111216461	1.88	MQ 23 0108 MQ 20 0169	128	5	111	10.80	113	0.77 70	0.07 46	1.50 101	-0.03 67	-1.70 77	-1.94 94	1.75 30	0.73 106	2
MQ 25 0030 111216479	1.89	MQ 23 0151 MQ 19 1054	144	6	96	-0.34	95	-0.56 67	-0.13 41	-0.39 97	0.01 64	0.46 75	-3.36 90	1.44 19	0.48 103	71
MQ 25 0032 111216487	1.85	MQ 23 0108 MQ 20 0142	119	5	105	5.89	105	0.53 69	0.01 45	1.22 100	-0.05 66	-0.64 77	-0.70 97	1.86 30	0.64 105	16
MQ 25 0034 111216495	1.48	MQ 21 0010 MQ 20 0009	124	4	96	-0.62	94	-0.15 70	0.14 43	-0.06 103	-0.21 67	-0.16 77	-2.45 100	0.81 28	0.57 101	77
MQ 25 0036 111216503	2.08	MQ 21 0010 MQ 22 0301	101	3	93	-2.70	91	-0.41 63	0.29 32	-1.11 106	-0.25 61	-0.47 73	-4.25 95	0.81 12	0.35 101	83
MQ 25 0037 111216511	2.00	MQ 23 0108 MQ 20 0221	108	6	106	6.90	107	0.63 65	0.12 40	0.64 102	0.06 62	-1.03 74	-3.11 86	0.75 18	0.31 101	12
MQ 25 0041 111216537	2.08	MQ 23 0108 MQ 22 0308	102	3	98	1.20	97	0.26 63	0.24 36	0.85 105	-0.19 61	-0.43 73	-3.14 96	0.91 18	0.31 101	62
MQ 25 0044 111216545	1.89	MQ 23 0151 MQ 19 1036	112	5	100	2.63	100	0.03 64	0.08 38	1.16 102	-0.10 62	-0.13 74	-2.17 100	1.44 19	0.48 103	52
MQ 25 0047 111216552	1.62	MQ 21 0010 MQ 20 0025	99	5	96	-0.67	94	-0.76 68	0.39 41	0.17 108	-0.29 67	-0.44 77	-3.62 95	0.58 27	0.53 101	76
MQ 25 0049 111216560	1.89	MQ 21 0010 MQ 19 1025	114	4	90	-4.61	88	-0.84 65	0.54 37	-0.94 111	-0.49 63	-0.91 75	-7.19 88	0.81 12	0.35 101	90

Young Ewes



EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding values
Breeding values with an accuracy of less than 5% are not

Ewes born since 2020 with a weaning weight and wool test, no progeny, with both parents known.

Animal Information		Parents			Selection Indices			EBV - Weights			EBV - Wool			EBV - Fertility		Rank
Animal ID Regnr	% In- breeding	Sire ID Dam ID	DAM REPROD : EPI Times lambd		SIP	GM		Weaning Weight Dir	Mat	Body Weight	CFW	FD	SL	NLW	TWW	
								EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	
					EBV	Index		Acc	Index	Acc	Index	Acc	Index	Acc	Index	
Active Breed Average :					100.7	2.8	100	0.54	0.01	0.56	0.03	-0.14	0.50	0.46	0.27	
MQ 25 0050 111216578	1.89	MQ 21 0010 MQ 19 1025	114 4		95	-0.99	94	-0.74 65	0.36 37	-0.62 66	-0.40 63	-1.37 75	-10.37 68	0.81 12	0.35 12	79
MQ 25 0057 111216602	2.30	MQ 23 0028 MQ 23 1024	99 2		91	-3.93	89	-0.94 59	0.37 32	-0.21 61	-0.19 58	0.52 71	0.14 63	0.33 17	0.31 17	87
MQ 25 0061 111216628	2.00	MQ 23 0151 MQ 20 0220	89 4		102	4.16	102	1.10 62	0.16 35	2.05 64	-0.20 61	-0.60 73	0.18 66	1.44 19	0.48 19	30
MQ 25 0062 111216636	2.00	MQ 23 0151 MQ 20 0220	89 4		102	4.13	102	0.69 62	0.07 35	1.57 64	-0.16 61	-0.62 73	-3.62 66	1.44 19	0.48 19	32
MQ 25 0066 111216651	2.21	MQ 23 0151 MQ 21 0226	105 4		96	-0.04	95	0.01 63	-0.22 37	0.56 64	0.04 61	0.95 73	4.20 66	1.44 19	0.48 19	70
MQ 25 0069 111216669	1.79	MQ 23 0151 MQ 22 0066	100 3		109	9.59	111	1.13 67	-0.31 40	2.04 68	0.02 65	-0.80 76	0.97 70	1.32 28	0.81 27	4
MQ 25 0071 111216677	2.08	MQ 23 0108 MQ 22 0304	106 4		103	4.42	103	0.21 63	-0.19 36	-0.02 64	0.08 61	-0.55 73	-1.88 66	0.91 18	0.31 17	26
MQ 25 0074 111216685	1.87	MQ 21 0010 MQ 18 1026	154 6		89	-5.43	86	-1.09 68	0.60 41	-1.32 68	-0.39 66	-0.76 76	-8.09 70	-0.67 15	0.01 15	91
MQ 25 0076 111216693	1.89	MQ 23 0151 MQ 19 1073	137 6		101	3.35	101	0.26 66	0.02 41	0.77 66	-0.03 64	-0.20 75	-3.34 69	1.28 20	0.45 20	42
MQ 25 0083 111216701	1.89	MQ 23 0151 MQ 19 1052	144 6		96	-0.53	95	-0.40 66	-0.31 41	-0.37 66	0.12 64	1.09 75	3.57 69	1.25 20	0.53 20	75
MQ 25 0086 111216719	2.21	MQ 23 0151 MQ 21 0247	94 4		104	5.22	104	0.21 62	-0.57 35	-0.16 63	0.17 60	-0.28 72	4.21 65	1.44 19	0.48 19	23
MQ 25 0088 111216727	2.21	MQ 23 0151 MQ 21 0227	93 3		100	2.77	100	-0.60 62	-0.61 35	-1.06 63	-0.03 60	-0.87 72	3.57 65	1.44 19	0.48 19	48
MQ 25 0090 111216735	1.87	MQ 21 0010 MQ 18 1018	145 6		91	-4.04	89	-0.01 67	0.41 39	-0.44 66	-0.18 63	0.38 75	-5.05 68	-0.12 14	0.18 14	88
MQ 25 0091 111216743	1.62	MQ 21 0010 MQ 20 0112	90 5		93	-2.46	91	-1.03 68	0.47 40	-1.06 69	-0.26 67	-0.92 77	-1.15 71	-1.87 28	-0.02 27	81
MQ 25 0093 111216750	1.87	MQ 23 0151 MQ 22 0062	94 3		101	3.23	101	-0.40 66	-0.33 39	-0.26 68	0.17 65	0.57 76	7.29 70	1.06 28	0.80 28	46
MQ 25 0095 111218269	2.08	MQ 23 0151 MQ 22 0309	101 3		102	4.40	103	0.92 62	-0.10 35	1.87 63	-0.17 60	-0.61 72	-11.35 65	1.44 19	0.48 19	28

Young Ewes



EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding values
Breeding values with an accuracy of less than 5% are not

Ewes born since 2020 with a weaning weight and wool test, no progeny, with both parents known.

Animal Information		Parents			Selection Indices			EBV - Weights						EBV - Wol						EBV - Fertility				Rank
Animal ID Regnr	% In- breeding	Sire ID Dam ID	DAM REPROD :		SIP	GM	Weaning Weight				Body Weight		CFW	FD		SL	NLW		TWW					
			EPI	Times lambded			Dir	Mat	Weight	Weight	Acc	Index		Acc	Index	Acc	Index	Acc	Index	Acc		Index	Acc	Index
			EBV	Index	EBV	Index	EBV	Index	EBV	Index	EBV	Index	EBV	Index	EBV	Index	EBV	Index	EBV	Index	EBV	Index		
		Active Breed Average :			100.7	2.8	100	0.54		0.01		0.56		0.03		-0.14		0.50		0.46		0.27		
MQ 25 0096 111216768	1.72	MQ 23 0108 MQ 22 0001	90	3	103	4.54	103	-0.10 66	94	-0.10 39	98	0.17 67	98	-0.07 65	93	-0.78 76	90	1.07 69	102	1.81 25	105	0.70 25	105	25
MQ 25 0101 111216776	2.00	MQ 23 0108 MQ 20 1001	111	5	101	3.58	101	-0.43 65	91	0.12 40	102	0.19 64	98	-0.16 61	88	-1.21 73	83	-6.27 66	82	0.72 18	101	0.37 18	101	37
MQ 25 0102 111216784	1.62	MQ 23 0108 MQ 20 0108	113	5	104	5.37	104	0.33 68	98	-0.08 43	98	0.86 69	102	0.15 66	107	-0.26 77	98	-2.51 71	92	-1.96 29	91	0.15 29	99	21
MQ 25 0103 111216792	1.67	MQ 21 0010 MQ 21 0040	97	3	92	-3.09	90	-0.17 67	93	0.54 38	111	0.05 68	97	-0.22 66	84	-0.01 76	102	-2.86 70	91	-0.26 23	97	0.02 23	97	86
MQ 25 0111 111216834	4.71	RA 20 0008 MQ 23 0037	101	1	107	7.57	108	1.17 68	106	-0.57 46	88	0.87 69	102	0.26 67	114	0.02 77	103	2.16 71	104	2.99 34	110	0.57 34	104	10
MQ 25 0112 111216842	2.00	MQ 21 0010 MQ 20 0216	109	5	94	-1.55	93	-0.47 65	91	0.17 37	104	-1.06 66	90	-0.19 63	86	-0.51 75	94	-7.49 68	79	0.81 12	101	0.35 12	101	80
MQ 25 0113 111216859	2.08	MQ 21 0010 MQ 22 0319	102	3	97	0.65	96	0.08 63	96	0.19 32	104	0.46 64	99	-0.09 61	93	0.03 73	103	-1.72 66	94	0.81 12	101	0.35 12	101	68
MQ 25 0114 111218350	1.89	MQ 23 0108 MQ 19 1017	121	6	99	1.91	99	1.08 65	105	0.07 41	101	1.92 65	109	-0.19 63	86	-0.24 74	99	-4.03 68	88	0.58 19	100	0.21 19	99	57
MQ 25 0115 111216867	2.21	MQ 23 0108 MQ 21 0243	107	4	101	2.99	100	0.10 64	96	-0.34 38	93	-0.13 65	96	0.12 62	106	0.01 74	102	-2.51 67	92	0.91 18	102	0.31 17	101	47
MQ 25 0119 111216875	1.58	MQ 21 0010 MQ 22 0161	102	3	95	-0.82	94	-1.11 67	84	0.48 37	110	-0.95 68	90	-0.29 66	80	-1.04 77	86	-4.86 71	86	-0.14 23	98	0.41 23	102	78
MQ 25 0120 111216883	1.64	MQ 23 0151 MQ 22 0254	100	3	104	5.79	105	1.21 67	106	-0.32 40	93	2.10 68	110	0.07 66	102	0.64 76	112	5.21 70	112	2.18 27	107	0.96 26	108	19
MQ 25 0126 111216891	1.89	MQ 21 0010 MQ 19 1072	94	3	101	3.25	101	-0.10 64	94	-0.04 34	99	-0.47 63	93	-0.28 60	81	-1.97 72	72	-7.30 66	80	0.81 12	101	0.35 12	101	45
MQ 25 0131 111216917	2.08	MQ 23 0108 MQ 22 0314	99	3	104	5.25	104	0.65 63	101	-0.20 36	96	1.80 64	108	-0.10 61	92	-0.71 73	91	-7.24 66	80	0.91 18	102	0.31 17	101	22
MQ 25 0136 111216925	1.84	MQ 23 0151 MQ 22 0152	99	3	107	7.70	108	0.68 67	101	-0.51 41	89	1.36 68	105	0.00 66	98	-1.02 76	86	-1.60 70	95	2.38 27	107	0.46 27	102	9
MQ 25 0137 111216933	2.21	MQ 23 0151 MQ 21 0238	118	4	105	6.36	106	1.72 64	111	-0.24 38	95	2.10 65	110	0.01 62	99	-0.25 74	98	1.11 68	102	1.44 19	104	0.48 19	103	14
MQ 25 0139 111216941	1.89	MQ 23 0108 MQ 19 1028	129	6	99	1.53	98	-0.09 66	94	-0.09 42	98	0.06 66	97	-0.04 64	95	-0.21 75	99	7.64 69	119	0.69 19	101	0.33 18	101	60

Young Ewes



EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding values
Breeding values with an accuracy of less than 5% are not

Ewes born since 2020 with a weaning weight and wool test, no progeny, with both parents known.

Animal Information		Parents			Selection Indices			EBV - Weights						EBV - Wol						EBV - Fertility				Rank
Animal ID Regnr	% In- breeding	Sire ID Dam ID	DAM REPROD :		SIP	GM		Weaning Weight				Body Weight		CFW	FD		SL	NLW		TWW				
			EPI	Times lambded		Dir	Mat	Weight	Weight	Acc	Index	Acc	Index		Acc	Index	Acc	Index	Acc	Index	Acc		Index	
			EBV	Index	EBV	Index	EBV	Index	EBV	Index	EBV	Index	EBV	Index	EBV	Index	EBV	Index	EBV	Index	EBV	Index		
		Active Breed Average :			100.7	2.8	100	0.54		0.01		0.56		0.03		-0.14		0.50		0.46		0.27		
MQ 25 0141 111216958	2.08	MQ 21 0010 MQ 22 0300	113	2	98	0.92	97	0.79 64		0.50 102		1.34 65		-0.12 62		0.23 74		-5.04 106		0.81 12		0.35 101		66
MQ 25 0151 111216982	1.63	MQ 23 0028 MQ 23 0002	101	2	102	3.83	102	-0.06 65		-0.14 94		0.32 65		0.15 63		0.82 75		2.14 104		1.48 23		1.04 109		35
MQ 25 0154 111216990	2.02	MQ 23 0017 MQ 23 0190	100	1	88	-6.42	85	-1.05 64		0.34 85		-0.21 65		-0.24 62		1.21 75		2.31 105		2.30 19		0.50 103		93
MQ 25 0156 111217006	2.30	RA 20 0008 MQ 23 1003	100	2	100	2.47	99	0.36 62		-0.62 87		0.57 64		0.17 61		0.70 73		5.39 113		1.58 30		0.32 101		53
MQ 25 0161 111217014	4.51	RA 20 0008 MQ 23 0021	107	2	106	7.13	107	2.91 68		-0.23 95		3.65 69		0.25 67		1.42 77		5.80 114		3.15 36		0.61 104		13
MQ 25 0164 111217022	2.30	MQ 23 0017 MQ 23 1009	99	2	93	-2.94	91	-0.61 59		0.19 89		-0.66 61		-0.15 57		0.31 71		1.11 102		1.86 16		0.42 102		84
MQ 25 0167 111217030	26.00	RA 20 0008 MQ 23 0214	101	2	100	3.01	100	0.27 68		-0.84 82		0.56 69		0.05 67		0.01 77		-2.62 92		1.13 36		0.35 101		49
MQ 25 0168 111218699	3.25	MQ 23 0151 MQ 23 0042	112	1	108	8.26	109	1.12 67		0.03 101		1.64 68		-0.02 66		-0.72 76		-6.82 70		3.97 26		0.87 107		8
MQ 25 0174 111217048	1.83	MQ 23 0028 MQ 23 0040	111	2	100	2.70	100	0.67 66		0.31 101		0.58 66		-0.03 63		0.11 75		3.27 104		2.90 24		0.70 105		51
MQ 25 0181 111217055	2.30	MQ 23 0028 MQ 23 1027	98	2	101	3.34	101	-1.06 59		0.09 85		0.28 61		-0.01 58		-0.52 71		-4.32 87		0.33 17		0.31 100		40
MQ 25 0185 111217089	2.30	RA 20 0008 MQ 23 1006	101	1	101	3.66	101	1.14 62		-0.14 97		3.96 64		-0.07 61		0.86 73		1.74 103		1.58 30		0.32 101		39
MQ 25 0191 111217139	2.30	RA 20 0008 MQ 23 1013	100	2	96	-0.41	95	0.50 62		-0.30 94		1.21 64		-0.11 61		0.57 73		1.59 103		1.58 30		0.32 101		73
MQ 25 0192 111217147	1.89	MQ 23 0028 MQ 23 0139	101	2	104	5.56	105	0.02 65		-0.37 92		-0.34 66		0.11 63		-0.83 75		0.91 101		0.65 24		0.33 101		20
MQ 25 0199 111217162	1.34	RA 20 0008 MQ 23 0250	102	1	102	4.35	103	0.60 67		-0.38 92		0.89 69		0.03 67		-0.30 77		-2.65 92		2.39 34		0.32 101		31
MQ 25 0200 111217170	1.77	RA 20 0008 MQ 23 0252	101	1	89	-5.45	86	0.20 67		-0.26 95		1.86 68		-0.15 66		1.92 76		2.34 105		1.60 32		0.17 99		92
MQ 25 0205 111217204	1.64	MQ 23 0028 MQ 23 0048	102	2	98	0.88	97	0.04 65		0.04 101		0.87 66		0.03 63		0.60 75		-0.86 96		-0.31 23		0.29 100		65

Young Ewes



EBV - Estimated Breeding Value

*Inbreeding in red is high


Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding values
Breeding values with an accuracy of less than 5% are not

Ewes born since 2020 with a weaning weight and wool test, no progeny, with both parents known.

Animal Information		Parents			Selection Indices			EBV - Weights						EBV - Wol						EBV - Fertility				Rank
Animal ID Regnr	% In- breeding	Sire ID Dam ID	DAM REPROD :		SIP	GM	Weaning Weight				Body Weight		CFW		FD		SL		NLW		TWW			
			EPI	Times lambded			Dir	Mat	Weight	Weight	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index		Acc
							EBV	Index	Acc	EBV	Index	Acc	EBV	Index	Acc	EBV	Index	Acc	EBV	Index	Acc	EBV	Index	
		Active Breed Average :			100.7	2.8	100			0.54	0.01	0.56			0.03	-0.14	0.50			0.46	0.27			
MQ 25 0209 111217212	1.78	MQ 23 0028 MQ 23 0035	101	2	101	3.16	101			0.47 65	99	0.54 40	111	1.52 66	106	-0.18 64	-0.39 75	1.96 68	104	0.78 27	101	0.56 27	104	44
MQ 25 0215 111217261	3.23	MQ 23 0017 MQ 23 0159	100	1	100	2.31	99			0.04 65	95	0.18 39	104	1.96 66	109	0.05 63	1.18 75	2.61 68	106	2.15 25	106	0.64 25	105	54
MQ 25 0217 111217279	2.00	MQ 23 0108 MQ 20 0232	124	5	98	0.94	97			-0.45 67	91	0.19 42	104	-0.33 66	94	-0.12 64	-0.57 75	-3.66 69	89	0.91 18	102	0.31 17	101	64
MQ 25 0223 111217287	1.20	RA 20 0008 MQ 23 0237	101	1	93	-2.45	91			0.33 68	98	-0.29 46	94	0.78 69	101	-0.06 67	1.07 77	0.93 71	101	1.95 36	106	0.24 35	100	82
MQ 25 0230 111217329	2.30	MQ 23 0028 MQ 23 1018	98	1	96	-0.61	94			-1.04 59	85	0.16 32	103	-0.54 61	93	-0.06 58	0.02 71	-1.54 63	95	0.33 17	100	0.31 17	100	72
MQ 25 0231 111217337	1.89	MQ 23 0028 MQ 23 0218	100	2	102	3.93	102			-0.11 65	94	-0.11 39	98	0.76 66	101	0.05 64	-0.04 75	-0.25 68	98	0.63 26	101	0.43 26	102	36
MQ 25 0238 111217360	1.89	MQ 23 0108 MQ 19 1071	94	4	99	1.74	98			0.04 64	95	-0.11 38	98	0.11 65	97	0.01 62	-0.05 74	-2.99 67	91	0.91 18	102	0.31 17	101	59
MQ 25 0240 111217378	1.78	MQ 21 0010 MQ 22 0017	108	3	109	9.36	111			2.00 67	114	0.58 39	112	3.44 68	118	-0.15 66	-0.52 76	-6.53 71	82	2.08 24	106	1.12 24	110	5
MQ 25 0241 111217386	2.08	MQ 23 0108 MQ 22 0302	104	3	101	3.19	101			0.63 63	101	0.03 36	101	1.05 63	103	0.05 60	0.16 72	4.39 65	110	0.91 18	102	0.31 17	101	43
MQ 25 0244 111217402	1.56	MQ 23 0108 MQ 22 0208	110	3	108	8.62	110			1.42 68	108	0.09 41	102	2.27 68	111	0.13 66	-0.21 76	6.21 71	115	0.18 27	99	0.56 27	104	7
MQ 25 0245 111217410	1.78	MQ 21 0010 MQ 22 0103	113	3	98	1.42	98			0.30 68	98	0.23 40	105	0.11 69	97	-0.28 67	-0.32 77	-5.96 71	83	3.68 24	112	1.24 24	112	61
MQ 25 0246 111217428	1.69	MQ 23 0045 MQ 22 0049	114	3	103	4.41	103			0.68 65	101	0.08 40	102	0.54 66	100	-0.01 63	0.25 75	-1.56 68	95	3.78 26	113	1.22 26	112	27
MQ 25 0247 111217436	2.30	MQ 23 0017 MQ 23 1014	101	2	98	1.02	97			0.12 59	96	0.31 32	107	0.46 61	99	-0.15 57	-0.28 71	-3.70 63	89	1.86 16	105	0.42 16	102	63
MQ 25 0254 111217469	1.51	MQ 23 0151 MQ 21 0024	103	4	106	7.33	107			1.50 67	109	-0.23 39	95	2.34 67	111	-0.18 65	-1.17 76	1.47 70	103	1.16 26	103	0.56 26	104	11
MQ 25 0255 111217477	1.85	MQ 23 0108 MQ 21 0138	95	3	99	1.81	98			-0.17 67	93	0.47 42	110	0.49 68	100	-0.16 66	-0.52 76	-6.93 70	81	-0.22 29	98	0.41 29	102	58
MQ 25 0256 111217485	2.21	MQ 23 0108 MQ 21 0239	109	4	102	3.95	102			-0.04 64	95	-0.23 38	95	-0.57 65	93	0.16 62	-0.31 74	-1.41 67	95	0.91 18	102	0.31 17	101	34

Young Ewes



EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding values
Breeding values with an accuracy of less than 5% are not

Ewes born since 2020 with a weaning weight and wool test, no progeny, with both parents known.

Animal Information		Parents			Selection Indices			EBV - Weights			EBV - Wool			EBV - Fertility		Rank
Animal ID Regnr	% In- breeding	Sire ID Dam ID	DAM REPROD :		SIP	GM		Weaning Weight		Body Weight	CFW	FD	SL	NLW	TWW	
			EPI	Times lambded				Dir	Mat							
								EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	
								Acc	Index	Acc	Index	Acc	Index	Acc	Index	
Active Breed Average :					100.7	2.8	100	0.54	0.01	0.56	0.03	-0.14	0.50	0.46	0.27	
MQ 25 0278 111219317	2.00	MQ 23 0151 MQ 20 0208	105	5	102	4.12	102	0.52 64	0.01 100	0.65 65	-0.03 62	-0.48 74	6.18 115	1.44 19	0.48 103	33
MQ 25 0280 111217501	2.08	MQ 23 0108 MQ 22 0290	99	3	101	3.48	101	-0.15 63	-0.13 94	-0.11 64	-0.10 61	-1.11 73	1.90 104	0.91 18	0.31 101	38
MQ 25 0285 111217527	1.68	MQ 21 0010 MQ 22 0018	102	3	99	2.42	99	0.14 68	0.19 96	-0.40 69	-0.10 67	-0.98 77	0.44 100	-0.49 26	0.27 100	55
MQ 25 0286 111217535	1.87	MQ 23 0151 MQ 18 1030	156	6	97	0.68	97	-0.13 67	0.47 94	0.12 67	-0.05 64	0.18 75	-2.71 92	1.44 19	0.48 103	67
MQ 25 0290 111217550	2.08	MQ 23 0151 MQ 22 0295	96	2	99	2.01	99	0.97 61	0.15 104	1.60 63	-0.22 60	-0.29 72	-1.47 95	1.44 19	0.48 103	56
MQ 25 0292 111217568	1.89	MQ 21 0010 MQ 19 1059	104	5	90	-4.52	88	-1.19 65	0.20 84	-1.59 65	-0.09 62	0.52 74	1.68 103	0.81 12	0.35 101	89
MQ 25 0293 111217576	1.53	MQ 23 0151 MQ 22 0188	109	3	102	4.31	102	0.52 68	-0.23 100	0.25 69	-0.09 66	-0.74 76	0.82 101	3.02 28	0.70 105	29
MQ 25 0300 111217618	1.79	MQ 23 0108 MQ 22 0141	103	2	105	6.21	106	1.56 67	0.12 110	2.34 68	0.01 65	0.26 76	-7.82 78	2.08 26	0.83 107	15
MQ 25 0314 111217667	1.89	MQ 21 0010 MQ 19 1008	111	4	92	-2.98	90	-0.46 65	0.47 91	-0.20 64	-0.30 61	-0.17 73	-3.60 89	0.81 12	0.35 101	85
MQ 25 0317 111217691	1.62	MQ 21 0010 MQ 21 0062	102	4	96	-0.36	95	0.24 68	0.34 97	0.22 69	-0.22 66	-0.57 77	-2.66 93	-0.80 24	0.15 99	74
Young Ewes (with known parents) average :					100.1	1.4	98	0.07	-0.06	0.24	-0.04	-0.07	-1.14	1.21	0.36	