



WAGYU
BREEDING VALUE REPORT

September 2026



WATSON AND SEARLE (PTY) LTD

Herd Number: 8428570


E-mail: raquelknott5@gmail.com



WAGYU
SOCIETY
OF SOUTH AFRICA



CERTIFICATE
OF QUALITY
Valid up to
October 2029



Notes


GEBVi (GEBVindex): The average GEBVi of all the live animals in the breed is 100, and all EBVi values are expressed relative to this value. Values above 100 are mostly in a more desirable direction. Note that a very high index is not always desirable. For certain traits, such as birth weight, average values may be better. It is the top value in the list.

GEBV (Genomic Estimated Breeding Value) indicates the genetic potential of the animal for a specific trait. It is presented in the unit of measurement and relative to the average of animals born in the base year. It is the middle value in the list and not available for selection values.

Accuracy: This value gives an indication of how much information was available for breeding value estimation. It is the bottom value in the list.

Selection values combine similar breeding values in a scientific manner to simplify the selection of animals. For example, HF (Heifer Fertility), CF (Cow Fertility) and Longevity are

combined to form the Fertility Value by taking the heritability and economic importance in consideration.




* Depending on selection goal

GEBVi		Description / Measurement	Goal		General Guidelines*					
					80	90	100	110	120	
Selection V.	Calving Ease Value	Difficult calving due to high birth weight	Average birth weight	High						Low
	Calf Growth Value	Calf's genetic ability for prewean growth	Heavy weaner	Light						Heavy
	Milk Value	Cow's genetic mothering and milking ability	Enough milk for calf	Less						More
	Maintenance Value	Maintenance requirement of cow (weight and milk)	Low cow maintenance	High					*	Low
	Fertility Value	Fertility and retention of cows and heifers	Fertile cows	Low						High
Cow & Calf	Birth weight direct	Birth weight (Calf's genetic ability)	Average birth weight	Heavy						Light
	Birth weight mat	Birth weight (Dam's genetic ability)	Easy calving	Heavy						Light
	Weaning weight direct	Weaning weight (Calf's genetic ability)	Heavy weaners	Light						Heavy
	Weaning weight mat	Weaning weight (Dam's genetic ability)	Good mothers	Poor						Good
	Post-wean weight	Combination of EBVs for 12 and 18 month weights	Mature weight	Light				*	*	Heavy
	Mature Cow Weight	Cow weight at weaning of first three calves	Mature cow weight	Light				*	*	Heavy
Ferti.	Heifer Fertility	Age at first calving	Fertile heifers	Less						More
	Cow Fertility	First 3 inter-calving periods (ICPs)	Fertile cows	Less						More
	Longevity	Retention of progeny	Acceptable progeny	Poor						Good
Carcass	IMF	Intra-muscular-fat, Marbling	High quality carcass	Less						More
	Carcass weight	Weight of the carcass	High quality carcass	Light						Heavy
	EMA	Eye-muscle-area at the 12/13th rib of the dressed carcass	High quality carcass	Small						Large
	Rib Fat	Rib fat depth at the 12/13th rib of the dressed carcass	High quality carcass	Thin						Thick
	Marbling Fineness	Degree of fineness of marbling fat	High quality carcass	Low						High

Herd and Breed Averages

Number 42



Breeding Values (EBV):

Birth: Birth weight IMF: Marbling
 Wean: Weaning weight Carcwt: Carcass wt
 Birth.mat: Birth mat EMA: Eye muscle area
 Milk: Milk RibFatt: Rib Fat thickness
 Postwn: Postwean weight MF: Marbling Fineness
 Matwt: Mature weight
 HF: Heifer Fertility
 CF: Cow Fertility
 LL: Longevity

Selection values:

CEaseV Calving Ease Value
 CGrowthV Calf Growth Value
 MilkV: Milk Value
 MaintV: Maintenance Value
 FertV: Fertility Value

	Trait	EBV Herd	EBV Index	EBV Breed
Prewean growth	Birth Weight	1.50	97	1.23
	Wean Weight	4.5	104	2.9
	Birth Mat.	-0.64	107	-0.38
	Milk (Wn.Mat.)	15.5	113	8.7
Postwean growth	Postwean wt	9.4	104	6.4
	Mature weight	19	109	6
	Heifer Fertility	0.7	94	-2.9
Fertility	Cow Fertility	2.1	91	0.5
	Longevity	2.7	94	5.2
Carcass	IMF	-1.6	81	0.8
	Carcass weight	-1.2	97	0.8
	EMA	-0.5	92	0.8
	Rib Fat	-0.4	97	-0.1
	MF	1.4	112	-0.5

Selection Value	Herd Avg
Calving Ease Value	99
Calf Growth Value	104
Milk Value	113
Maintenance Value	91
Fertility Value	91


- Average of live animals in the breed: 100
- Above 100: **more favourable**,
- Below 100: **less favourable**

What does a sub-selection value above breed average (100) mean?:

Calving ease: Smaller calf at birth - easier calving
 Calf growth: Heavier calves at wean due to growth potential of the calf
 Milk: Cows with more milk and better mothering ability
 Maintenance: Animals with low maintenance requirements (lower mature weight).
 Fertility: Cows/daughters that calve

Genetic Trends for On-Farm Traits

The graphs show the genetic gain of the herd relative to the breed. Only data of animals with measurements are included.




Herd

Birth Year	Calving Ease				Calf Growth			Milk			Maintenance					Fertility						
	Birth Weight		Mat EBV	Calv. Ease	Weaning Weight		Calf Growth	Milk (Wn.Mat.)			Postwean Weight		Mature Weight		Mainte- nance	Heifer Fert.		Cow Fert.		Longevity		Ferti- lity
	Number	EBV			Number	EBV		Number	EBV	Milk	Number	EBV	Number	EBV		Number	EBV	Number	EBV	Number	EBV	
2018	9	1.21	-0.52	102												4	0.6	2	0.0	5	3.1	96
2019	5	1.26	-0.77	103	5	4.1	103	5	14.50	111	4	8.0		93		5	0.2	2	2.6	5	3.0	91
2020	10	0.82	-0.87	107	6	3.9	102	6	14.48	111						1	6.4			4	1.3	86
2021	11	1.52	-0.64	99																8	1.3	
2022																						
2023	5	0.96	-0.91	106																		
2024	11	1.33	-0.76	102																		

Breed

Birth Year	Calving Ease				Calf Growth			Milk			Maintenance					Fertility						
	Birth Weight		Mat EBV	Calv. Ease	Weaning Weight		Calf Growth	Milk (Wn.Mat.)		Milk	Postwean Weight		Mature Weight		Maintenance	Heifer Fert.		Cow Fert.		Longevity		Fertility
	Number	Dir EBV			Number	EBV		Number	EBV		Number	EBV	Number	EBV		Number	EBV	Number	EBV	Number	EBV	
2016	667	0.14	0.06	106	280	0.5	94	280	6.43	96	213	2.7	17	-11	110	777	-1.4	388	-0.8	6318	-0.5	102
2017	787	0.41	0.21	102	405	0.6	94	405	3.76	91	309	0.1	33	-9	111	791	-1.9	308	-0.6	10308	-0.4	102
2018	1180	0.44	0.12	103	815	-1.4	89	815	2.45	88	823	-0.9	19	-23	113	665	-4.6	407	-1.0	9232	2.0	106
2019	1379	0.55	0.15	102	901	0.1	93	901	1.30	86	896	0.6	27	-30	112	1006	-2.8	469	-0.6	11910	1.7	103
2020	2115	0.65	-0.03	102	556	2.3	98	556	7.29	97	273	6.2	24	-7	103	665	-4.3	269	-1.0	11395	1.2	106
2021	2374	0.55	-0.10	103	589	0.4	94	589	4.13	91	253	0.2	19	-6	112	405	-6.0	158	-1.5	9292	1.5	108
2022	2062	0.42	-0.18	105	461	2.0	98	461	1.65	87	246	2.4	15	15	110	306	-2.8	72	-0.6	4200	2.1	103
2023	1637	0.34	-0.31	107	461	2.0	98	461	1.21	86	160	2.0	5	-3	111	121	-6.6	11	-0.6			110
2024	1413	0.39	-0.30	107	311	2.5	99	311	1.86	87	36	14.0			97	15	-2.4					101
2025	1478	0.37	-0.14	106	386	2.5	99	386	0.24	84												
2026	307	0.25	-0.03	106																		

Genetic Trends for Carcass Traits



Herd

Birth Year	Carcass														
	IMF			Carcass weight			EMA			RibFat			Marble Fineness		
	Number	EBV	EBVi	Number	EBV	EBVi	Number	EBV	EBVi	Number	EBV	EBVi	Number	EBV	EBVi
2018															
2019															
2020															
2021															
2022															
2023															

Breed

Birth Year	Carcass														
	IMF			Carcass weight			EMA			Rib Fat			Marble Fineness		
	Number	EBV	EBVi	Number	EBV	EBVi	Number	EBV	EBVi	Number	EBV	EBVi	Number	EBV	EBVi
2013	17	0.6	99	776	-0.1	99	361	0.8	100	346	0.2	103	5	-4.6	74
2014	16	-1.0	86	541	-3.8	94	301	1.7	106	269	-0.1	100	4	0.0	103
2015	36	-0.5	90	589	-7.1	89	548	1.0	102	520	-0.1	100	6	0.3	105
2016	124	-0.8	87	588	-0.3	98	322	0.1	96	211	0.3	105	5	2.1	117
2017	732	-0.4	90	1244	-0.2	99	1116	0.1	95	272	0.0	102	17	0.3	105
2018	1946	0.0	94	1969	0.0	99	1940	0.0	95	87	0.0	101	22	0.0	103
2019	2812	0.3	96	2823	-1.3	97	2753	0.8	100	212	-0.5	96	61	0.4	106
2020	4627	0.7	99	4682	-0.6	98	4656	0.5	98	713	-0.3	98	92	-1.2	95
2021	3444	0.9	101	3606	-0.3	98	3596	0.6	99	3275	-0.2	99	531	-0.6	99
2022	3277	1.0	101	3324	-0.9	98	3275	0.4	97	3191	-0.3	97	2749	-1.0	97
2023	1839	1.1	103	1845	1.3	101	1836	0.6	99	1795	0.0	101	1841	-1.0	96
2024	17	-0.6	89	17	1.3	101	17	0.5	98	16	-0.5	96	17	0.1	103

WAGYU Sires

Sire			Growth						Carcass					Stats					
ID	Parentage		Sire ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Daughters with calves	Active 2yrs & older	Carcasses
Name	Gen.	DNA	Dam ID																
JAPANESE BLACK																			
ETJ002			J1555	113	112	99	102	91	95	64	90	85	95	129	18	85	44	16	2
FB			J565554	-0.06	7.7	5.6	9.0	-6	6.0	-3.8	-6.3	-1.6	-0.5	4.2					
ITOMORITAKA J2703 HONGEN (JAP)				87%	64%	64%	55%	48%	57%	76%	77%	72%	62%	43%					
GWW 150001			ETJ002	101	106	105	106	109	116	79	91	98	92	111	3	85	12	36	1
FB			CWBFBA 130820	1.10	5.5	9.2	11.9	19	17.0	-1.9	-5.6	0.5	-0.9	1.3					
L0001				91%	69%	32%	53%	24%	32%	43%	47%	39%	31%	21%					
KF 120012	✓		TFWFW0629	124	100	91	92	90	75	68	102	75	113	144	4	278	100	100	101
FB	✓		KJDFB0086	-1.14	2.9	0.5	1.3	-8	-4.3	-3.3	2.1	-3.0	1.2	6.5					
FUKUTSURU-04				72%	57%	51%	48%	29%	59%	93%	92%	89%	78%	45%					
KF 120018	✓		TFWFW0629	126	92	82	87	80	69	98	78	54	92	116	6	349	98	94	169
FB	✓		KJDFC0143	-1.30	-0.4	-5.0	-2.8	-23	-7.6	0.6	-15.0	-6.3	-0.9	2.0					
FUKUTSURU-06				77%	55%	55%	53%	37%	52%	95%	95%	93%	68%	44%					

WAGYU Dams

Dam				Growth					Carcass					Stats				
ID	Parentage	Sire ID		Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name	Gen.	DNA	Dam ID															
JAPANESE BLACK																		
GWW 160097		✓	KF 120018	88	102	103	104	103	105	91	95	74	99	108	1	3	3	
F1				2.44	3.9	7.7	10.6	11	11.5	-0.3	-2.4	-3.3	-0.2	0.9				
M0097				52%	27%	28%	27%	19%	26%	48%	48%	46%	34%	22%				
GWW 160098		✓	KF 120018	99	99	99	101	103	104	91	95	74	99	108	1	3	2	
F1				1.37	2.5	5.6	8.1	11	10.9	-0.3	-2.4	-3.3	-0.2	0.9				
160098				55%	27%	28%	27%	19%	26%	48%	48%	46%	34%	22%				
GWW 160101			KF 120012	103	102	102	102	109	108	76	107	84	110	123	1	5	2	
F1				0.94	3.7	7.5	8.8	18	12.8	-2.2	6.1	-1.7	0.8	3.1				
M0101				55%	44%	25%	35%	15%	55%	46%	46%	45%	39%	22%				
GWW 160119		✓	KF 120012	99	98	99	99	104	101	76	107	84	110	123	1	6	3	
F1				1.28	2.1	5.3	6.5	13	9.1	-2.2	6.1	-1.7	0.8	3.1				
M0119				59%	38%	25%	24%	15%	46%	46%	46%	45%	39%	22%				
GWW 160123		✓	KF 120018	90	102	102	103	103	105	91	95	74	99	108	1	3	1	
F1				2.24	3.6	7.3	10.1	11	11.4	-0.3	-2.4	-3.3	-0.2	0.9				
M0123				49%	27%	28%	27%	19%	26%	48%	48%	46%	34%	22%				
GWW 160148		✓	KF 120012	90	108	108	108	110	109	76	107	84	110	123	1	5	2	
F1				2.19	6.0	11.0	13.6	20	13.6	-2.2	6.1	-1.7	0.8	3.1				
160148				62%	44%	25%	35%	15%	55%	46%	46%	45%	39%	22%				
GWW 160187		✓	KF 120012	99	104	104	104	109	108	76	107	84	110	123	1	6	3	
F1				1.38	4.5	8.7	10.5	19	13.1	-2.2	6.1	-1.7	0.8	3.1				
M0187				58%	44%	25%	24%	15%	55%	46%	46%	45%	39%	22%				
GWW 160218		✓	KF 120012	103	104	105	104	110	110	76	107	84	110	123	1	5	1	
F1				0.96	4.7	9.0	10.8	21	14.2	-2.2	6.1	-1.7	0.8	3.1				
M0218				62%	38%	25%	24%	15%	46%	46%	46%	45%	39%	22%				
GWW 160222		✓	KF 120018	108	93	93	95	102	100	91	95	74	99	108	1	5	2	
F1				0.49	0.1	2.0	3.4	9	8.8	-0.3	-2.4	-3.3	-0.2	0.9				
M0222				63%	44%	28%	37%	19%	54%	48%	48%	46%	34%	22%				
GWW 160401		✓	BA 110546	88	96	99	99	102	104	89	97	115	81	96	1	5	3	
F1				2.35	1.4	5.3	6.7	8	11.0	-0.6	-1.2	3.1	-1.9	-1.0				
160401				58%	35%	21%	32%	15%	42%	44%	44%	42%	21%	15%				
WSW 180341		✓	GWW 150001	107	103	103	103	110	113	77	99	91	101	117	1	1	1	
F2		✓	GWW 160218	0.60	4.3	8.0	10.1	20	15.7	-2.1	0.3	-0.6	0.0	2.2				
0341				72%	39%	21%	29%	14%	28%	32%	33%	30%	25%	15%				
WSW 190339		✓	GWW 150001	98	103	104	104	107	110	84	94	106	86	104	1	1	1	
F2		✓	GWW 160401	1.42	4.0	8.4	10.7	16	14.1	-1.3	-3.4	1.8	-1.4	0.1				
339				70%	59%	19%	58%	14%	28%	31%	32%	29%	19%	13%				

WAGYU Dams

Dam				Growth						Carcass					Stats			
ID	Parentage	Sire ID		Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name	Gen. DNA	Dam ID																
JAPANESE BLACK																		
WSW 190342		GWW 150001		98	103	103	104	106	110	85	93	86	95	110				
F2		GWW 160123		1.42	4.3	7.8	10.4	15	14.1	-1.1	-4.0	-1.4	-0.6	1.1	1	2	1	
342				59%	37%	21%	30%	15%	21%	32%	33%	30%	23%	15%				
WSW 190926		GWW 150001		101	105	106	107	108	113	77	99	91	101	117				
F2		GWW 160148		1.15	5.0	9.8	13.0	18	15.5	-2.1	0.3	-0.6	0.0	2.2	1	1	1	
926				71%	60%	21%	58%	14%	33%	32%	33%	30%	25%	15%				
WSW 190929		GWW 150001		101	102	102	102	107	108	77	99	91	101	117				
F2		GWW 160119		1.15	3.8	7.2	9.1	16	13.1	-2.1	0.3	-0.6	0.0	2.2	1	2	1	
929				58%	39%	21%	29%	14%	28%	32%	33%	30%	25%	15%				
WSW 200931		GWW 150001		94	105	104	105	106	111	85	93	86	95	110				
F2		GWW 160123		1.84	4.8	8.6	11.4	15	14.3	-1.1	-4.0	-1.4	-0.6	1.1	1	1	1	
931				55%	37%	21%	30%	15%	21%	32%	33%	30%	23%	15%				
WSW 200933		GWW 150001		100	100	100	101	105	109	84	94	106	86	104				
F2		GWW 160401		1.25	2.9	6.4	8.2	14	13.7	-1.3	-3.4	1.8	-1.4	0.1	1	1	1	
933				69%	39%	19%	31%	14%	26%	31%	32%	29%	19%	13%				
WSW 210581		GWW 150001		79	111	110	110	106	110	85	93	86	95	110				
F2		GWW 160097		3.24	7.5	12.1	15.4	15	13.9	-1.1	-4.0	-1.4	-0.6	1.1	1	1	1	
581				68%	37%	21%	30%	15%	21%	32%	33%	30%	23%	15%				

WAGYU Bulls

Inbreeding >6% is high				<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed															
Bull				Selection Value					Calf weight		Mother		Growth		Fertility			Carcass				
ID	Parentage	%Inbreeding	Sire ID	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
JAPANESE BLACK																						
GWW 150001																						
FB																						
GLEN WALTON L0001																						

WAGYU Cows

Inbreeding >6% is high				<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed															
Cow				Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas				
ID	%Inbreeding	Parentage		Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
Name		Genomic DNA	Sire ID																			
JAPANESE BLACK																						
GWW 160097  KF 120018				80	102	105	97	93	88	102	72	105	103	103	88	98	111	91	95	74	99	108
F1				52 %	27 %	26 %	19 %	26 %	2.44	3.9	0.66	11.5	8.7	11	4.1	0.9	9.7	-0.3	-2.4	-3.3	-0.2	0.9
GLEN WALTON M0097				52 %	27 %	26 %	19 %	26 %	52 %	27 %	53 %	26 %	28 %	19%	33%	19%	56 %	48 %	48 %	46 %	34 %	22 %
GWW 160119  KF 120012				103	98	101	96	92	99	98	113	101	99	104	95	91	108	76	107	84	110	123
F1				59 %	38 %	46 %	15 %	24 %	1.28	2.1	-0.87	9.1	5.5	13	0.0	2.2	8.8	-2.2	6.1	-1.7	0.8	3.1
GLEN WALTON M0119				59 %	38 %	46 %	15 %	24 %	59 %	38 %	61 %	46 %	24 %	15%	31%	16%	58 %	46 %	46 %	45 %	39 %	22 %
GWW 160148  KF 120012				91	108	109	90	86	90	108	102	109	108	110	85	88	109	76	107	84	110	123
F1				62 %	44 %	55 %	15 %	23 %	2.19	6.0	-0.45	13.6	11.9	20	6.1	2.6	9.0	-2.2	6.1	-1.7	0.8	3.1
GLEN WALTON 160148				62 %	44 %	55 %	15 %	23 %	62 %	44 %	64 %	55 %	30 %	15%	31%	15%	57 %	46 %	46 %	45 %	39 %	22 %
GWW 160218  KF 120012				105	104	110	90	87	103	104	120	110	104	110	84	90	110	76	107	84	110	123
F1				63 %	38 %	46 %	15 %	24 %	0.96	4.7	-1.15	14.2	9.5	21	6.2	2.4	9.7	-2.2	6.1	-1.7	0.8	3.1
GLEN WALTON M0218				63 %	38 %	46 %	15 %	24 %	62 %	38 %	65 %	46 %	24 %	15%	31%	16%	57 %	46 %	46 %	45 %	39 %	22 %
GWW 160222  KF 120018				111	93	100	98	99	108	93	102	100	94	102	97	101	100	91	95	74	99	108
F1				63 %	44 %	54 %	19 %	28 %	0.49	0.1	-0.44	8.8	2.3	9	-0.9	0.3	5.0	-0.3	-2.4	-3.3	-0.2	0.9
GLEN WALTON M0222				63 %	44 %	54 %	19 %	28 %	63 %	44 %	64 %	54 %	32 %	19%	38%	19%	58 %	48 %	48 %	46 %	34 %	22 %
WSW 190339  GWW 150001				101	103	110	93	87	98	103	104	110	104	107	87	89	93	84	94	106	86	104
F2				65 %	59 %	28 %	14 %	26 %	1.42	4.0	-0.52	14.1	9.1	16	4.5	2.6	2.2	-1.3	-3.4	1.8	-1.4	0.1
THAKASILE 339				65 %	59 %	28 %	14 %	26 %	70 %	59 %	48 %	28 %	38 %	14%	40%	11%	51 %	31 %	32 %	29 %	19 %	13 %
WSW 190342  GWW 150001				99	103	110	94	84	98	103	99	110	103	106	86	84	94	85	93	86	95	110
F2				58 %	37 %	21 %	15 %	29 %	1.42	4.3	-0.34	14.1	8.7	15	5.3	3.5	2.4	-1.1	-4.0	-1.4	-0.6	1.1
THAKASILE 342				58 %	37 %	21 %	15 %	29 %	59 %	37 %	52 %	21 %	26 %	15%	42%	16%	52 %	32 %	33 %	30 %	23 %	15 %
WSW 190925  GWW 150001				108	98	108	95	96	103	98	107	108	97	105	98	95	93	85	93	86	95	110
F2				64 %	60 %	33 %	15 %	28 %	0.89	2.1	-0.66	12.9	4.3	13	-1.7	1.3	2.3	-1.1	-4.0	-1.4	-0.6	1.1
THAKASILE 925				64 %	60 %	33 %	15 %	28 %	69 %	60 %	43 %	33 %	40 %	15%	42%	13%	52 %	32 %	33 %	30 %	23 %	15 %
WSW 190928  GWW 150001				103	103	112	91	88	100	103	116	112	102	109	89	88	97	77	99	91	101	117
F2				62 %	60 %	33 %	14 %	21 %	1.20	4.0	-0.97	15.0	7.6	18	3.6	2.7	3.8	-2.1	0.3	-0.6	0.0	2.2
THAKASILE 928				62 %	60 %	33 %	14 %	21 %	68 %	60 %	40 %	33 %	40 %	14%	30%	12%	49 %	32 %	33 %	30 %	25 %	15 %
WSW 200933  GWW 150001				103	100	109	95	92	100	100	113	109	101	105	94	91	93	84	94	106	86	104
F2				65 %	39 %	26 %	14 %	20 %	1.25	2.9	-0.89	13.7	6.9	14	0.4	2.1	2.1	-1.3	-3.4	1.8	-1.4	0.1
THAKASILE 933				65 %	39 %	26 %	14 %	20 %	69 %	39 %	48 %	26 %	25 %	14%	30%	11%	46 %	31 %	32 %	29 %	19 %	13 %
WSW 210581  GWW 150001				76	111	110	94	93	79	111	91	110	110	106	94	94	111	85	93	86	95	110
F2				63 %	37 %	21 %	15 %	22 %	3.24	7.5	-0.05	13.9	13.3	15	0.8	1.6	10.1	-1.1	-4.0	-1.4	-0.6	1.1
THAKASILE 581				63 %	37 %	21 %	15 %	22 %	68 %	37 %	46 %	21 %	26 %	15%	31%	13%	50 %	32 %	33 %	30 %	23 %	15 %
WSW 210584  GWW 150001				105	102	110	94	93	102	102	102	110	102	106	94	94	88	85	93	86	95	110
F2				61 %	37 %	21 %	15 %	22 %	1.02	3.6	-0.46	14.0	7.7	15	0.8	1.6	0.2	-1.1	-4.0	-1.4	-0.6	1.1
THAKASILE 584				61 %	37 %	21 %	15 %	22 %	66 %	37 %	40 %	21 %	26 %	15%	31%	13%	46 %	32 %	33 %	30 %	23 %	15 %

WAGYU Cows

Inbreeding >6% is high				<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed															
Cow				Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas				
ID	%Inbreeding	Parentage		Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
Name		Genomic DNA	Sire ID Dam ID																			
JAPANESE BLACK																						
WSW 210728	25	✓	GWW 150001	106	105	114	91	92	103	105	115	114	105	109	96	91	91	78	95	95	96	114
F3		✓	WSW 180341	0.95	5.1				0.95	5.1	-0.95	16.4	9.7	20	-0.3	2.2	1.1	-2.0	-2.6	0.0	-0.5	1.7
THAKASILE 728				63 %	40 %	21 %	14 %	22 %	70 %	40 %	38 %	21 %	24 %	14%	33%	12%	44 %	27 %	29 %	25 %	20 %	13 %
WSW 220536		✓	GWW 150001	86	107	127	82	89	86	107	103	127	111	118	96	85	81	82	102	96	99	106
F1				42 %	35 %	16 %	12 %	18 %	2.63	5.6	-0.51	23.2	13.8	32	-0.7	3.2	-2.9	-1.5	2.3	0.1	-0.2	0.5
THAKASILE WSW220536				42 %	35 %	16 %	12 %	18 %	45 %	35 %	28 %	16 %	22 %	12%	26%	9%	36 %	22 %	23 %	20 %	16 %	11 %
WSW 220540		✓	GWW 150001	86	107	127	82	89	86	107	103	127	111	118	96	85	81	82	102	96	99	106
F1				42 %	35 %	16 %	12 %	18 %	2.63	5.6	-0.51	23.2	13.8	32	-0.7	3.2	-2.9	-1.5	2.3	0.1	-0.2	0.5
THAKASILE WSW220540				42 %	35 %	16 %	12 %	18 %	45 %	35 %	28 %	16 %	22 %	12%	26%	9%	36 %	22 %	23 %	20 %	16 %	11 %
WSW 230213		✓	GWW 150001	115	98	108	95	96	109	98	108	108	98	105	98	95	93	85	93	86	95	110
F2		✓	GWW 160222	0.32	1.9				0.32	1.9	-0.69	13.0	5.0	14	-1.8	1.3	2.1	-1.1	-4.0	-1.4	-0.6	1.1
THAKASILE WSW230213				64 %	41 %	31 %	15 %	22 %	69 %	41 %	43 %	31 %	26 %	15%	32%	13%	46 %	32 %	33 %	30 %	23 %	15 %
WSW 240075	25	✓	GWW 150001	92	109	113	92	93	90	109	102	113	108	108	97	92	99	82	92	92	93	110
F3		✓	WSW 210581	2.17	6.5				2.17	6.5	-0.48	15.5	11.8	17	-0.9	2.0	4.7	-1.5	-4.8	-0.4	-0.7	1.2
THAKASILE WSW240075				62 %	39 %	19 %	14 %	20 %	69 %	39 %	37 %	19 %	25 %	14%	30%	11%	44 %	27 %	29 %	25 %	19 %	13 %
WSW 240214		✓	GWW 150001	94	104	110	94	93	94	104	93	110	104	106	94	94	98	85	93	86	95	110
F2		✓	GWW 160097	1.77	4.7				1.77	4.7	-0.12	14.3	9.4	15	0.8	1.6	4.5	-1.1	-4.0	-1.4	-0.6	1.1
THAKASILE WSW240214				49 %	37 %	21 %	15 %	22 %	52 %	37 %	39 %	21 %	26 %	15%	31%	13%	46 %	32 %	33 %	30 %	23 %	15 %
WSW 240440	25	✓	GWW 150001	102	105	113	92	88	99	105	106	113	105	108	93	87	90	82	92	92	93	110
F3		✓	WSW 190342	1.37	5.1				1.37	5.1	-0.62	15.5	9.7	17	1.4	2.9	0.9	-1.5	-4.8	-0.4	-0.7	1.2
THAKASILE WSW240440				62 %	39 %	19 %	14 %	22 %	68 %	39 %	39 %	19 %	25 %	14%	33%	12%	44 %	27 %	29 %	25 %	19 %	13 %
WSW 244216		✓	GWW 150001	98	101	110	95	92	95	101	106	110	102	105	94	91	93	84	94	106	86	104
F2		✓	GWW 160401	1.72	3.5				1.72	3.5	-0.60	14.0	7.9	14	0.4	2.1	2.1	-1.3	-3.4	1.8	-1.4	0.1
THAKASILE WSW244216				51 %	39 %	26 %	14 %	20 %	54 %	39 %	41 %	26 %	25 %	14%	30%	11%	46 %	31 %	32 %	29 %	19 %	13 %
WSW 244217		✓	GWW 150001	104	106	113	90	90	102	106	117	113	105	110	92	90	98	77	99	91	101	117
F2		✓	GWW 160218	1.05	5.2				1.05	5.2	-1.02	15.6	9.9	20	1.8	2.4	4.5	-2.1	0.3	-0.6	0.0	2.2
THAKASILE WSW2404217				64 %	39 %	28 %	14 %	21 %	69 %	39 %	43 %	28 %	25 %	14%	30%	12%	46 %	32 %	33 %	30 %	25 %	15 %
WSW 245218		✓	GWW 150001	102	103	108	93	93	99	103	113	108	103	107	97	90	97	77	99	91	101	117
F2		✓	GWW 160119	1.31	4.0				1.31	4.0	-0.88	13.0	8.2	16	-1.3	2.3	4.0	-2.1	0.3	-0.6	0.0	2.2
THAKASILE WSW245218				63 %	39 %	28 %	14 %	21 %	69 %	39 %	42 %	28 %	25 %	14%	30%	12%	46 %	32 %	33 %	30 %	25 %	15 %



CWB

BREEDING VALUE REPORT

September 2026



WATSON AND SEARLE (PTY) LTD

Herd Number: 8428570


E-mail: raquelknott5@gmail.com



**WAGYU
SOCIETY**
OF SOUTH AFRICA



CERTIFICATE
OF QUALITY
Valid up to
October 2029



CWB Dams

Dam			Growth					Carcass					Stats				
ID	Parentage	Sire ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name	Gen. DNA	Dam ID															
JAPANESE BLACK																	
CWBFBA 130820	✓	148BE	102	94	96	94	98	106	111	82	102	101	98				
F1		CWBFBA 080172	1.06	0.4	3.3	2.9	3	11.7	2.2	-11.8	1.1	0.0	-0.9	1	3	2	1
BA 130820			49%	49%	49%	49%	44%	48%	48%	49%	49%	49%	45%				
GWW 160097	✓	KF 120018	88	102	103	104	103	105	91	95	74	99	108				
F1			2.44	3.9	7.7	10.6	11	11.5	-0.3	-2.4	-3.3	-0.2	0.9	1	3	3	
M0097			52%	27%	28%	27%	19%	26%	48%	48%	46%	34%	22%				
GWW 160098	✓	KF 120018	99	99	99	101	103	104	91	95	74	99	108				
F1			1.37	2.5	5.6	8.1	11	10.9	-0.3	-2.4	-3.3	-0.2	0.9	1	3	2	
160098			55%	27%	28%	27%	19%	26%	48%	48%	46%	34%	22%				
GWW 160101		KF 120012	103	102	102	102	109	108	76	107	84	110	123				
F1			0.94	3.7	7.5	8.8	18	12.8	-2.2	6.1	-1.7	0.8	3.1	1	5	2	
M0101			55%	44%	25%	35%	15%	55%	46%	46%	45%	39%	22%				
GWW 160119	✓	KF 120012	99	98	99	99	104	101	76	107	84	110	123				
F1			1.28	2.1	5.3	6.5	13	9.1	-2.2	6.1	-1.7	0.8	3.1	1	6	3	
M0119			59%	38%	25%	24%	15%	46%	46%	46%	45%	39%	22%				
GWW 160123	✓	KF 120018	90	102	102	103	103	105	91	95	74	99	108				
F1			2.24	3.6	7.3	10.1	11	11.4	-0.3	-2.4	-3.3	-0.2	0.9	1	3	1	
M0123			49%	27%	28%	27%	19%	26%	48%	48%	46%	34%	22%				
GWW 160148	✓	KF 120012	90	108	108	108	110	109	76	107	84	110	123				
F1			2.19	6.0	11.0	13.6	20	13.6	-2.2	6.1	-1.7	0.8	3.1	1	5	2	
160148			62%	44%	25%	35%	15%	55%	46%	46%	45%	39%	22%				
GWW 160187	✓	KF 120012	99	104	104	104	109	108	76	107	84	110	123				
F1			1.38	4.5	8.7	10.5	19	13.1	-2.2	6.1	-1.7	0.8	3.1	1	6	3	
M0187			58%	44%	25%	24%	15%	55%	46%	46%	45%	39%	22%				
GWW 160218	✓	KF 120012	103	104	105	104	110	110	76	107	84	110	123				
F1			0.96	4.7	9.0	10.8	21	14.2	-2.2	6.1	-1.7	0.8	3.1	1	5	1	
M0218			62%	38%	25%	24%	15%	46%	46%	46%	45%	39%	22%				
GWW 160222	✓	KF 120018	108	93	93	95	102	100	91	95	74	99	108				
F1			0.49	0.1	2.0	3.4	9	8.8	-0.3	-2.4	-3.3	-0.2	0.9	1	5	2	
M0222			63%	44%	28%	37%	19%	54%	48%	48%	46%	34%	22%				
GWW 160401	✓	BA 110546	88	96	99	99	102	104	89	97	115	81	96				
F1			2.35	1.4	5.3	6.7	8	11.0	-0.6	-1.2	3.1	-1.9	-1.0	1	5	3	
160401			58%	35%	21%	32%	15%	42%	44%	44%	42%	21%	15%				
WSW 180341	✓	GWW 150001	107	103	103	103	110	113	77	99	91	101	117				
F2	✓	GWW 160218	0.60	4.3	8.0	10.1	20	15.7	-2.1	0.3	-0.6	0.0	2.2	1	1	1	
0341			72%	39%	21%	29%	14%	28%	32%	33%	30%	25%	15%				

CWB Dams

Dam			Growth					Carcass					Stats				
ID	Parentage	Sire ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name	Gen. DNA	Dam ID															
JAPANESE BLACK																	
WSW 190339		GWW 150001	98	103	104	104	107	110	84	94	106	86	104	1	1	1	
F2		GWW 160401	1.42	4.0	8.4	10.7	16	14.1	-1.3	-3.4	1.8	-1.4	0.1				
339			70%	59%	19%	58%	14%	28%	31%	32%	29%	19%	13%				
WSW 190342		GWW 150001	98	103	103	104	106	110	85	93	86	95	110	1	2	1	
F2		GWW 160123	1.42	4.3	7.8	10.4	15	14.1	-1.1	-4.0	-1.4	-0.6	1.1				
342			59%	37%	21%	30%	15%	21%	32%	33%	30%	23%	15%				
WSW 190926		GWW 150001	101	105	106	107	108	113	77	99	91	101	117	1	1	1	
F2		GWW 160148	1.15	5.0	9.8	13.0	18	15.5	-2.1	0.3	-0.6	0.0	2.2				
926			71%	60%	21%	58%	14%	33%	32%	33%	30%	25%	15%				
WSW 190929		GWW 150001	101	102	102	102	107	108	77	99	91	101	117	1	2	1	
F2		GWW 160119	1.15	3.8	7.2	9.1	16	13.1	-2.1	0.3	-0.6	0.0	2.2				
929			58%	39%	21%	29%	14%	28%	32%	33%	30%	25%	15%				
WSW 200931		GWW 150001	94	105	104	105	106	111	85	93	86	95	110	1	1	1	
F2		GWW 160123	1.84	4.8	8.6	11.4	15	14.3	-1.1	-4.0	-1.4	-0.6	1.1				
931			55%	37%	21%	30%	15%	21%	32%	33%	30%	23%	15%				
WSW 200933		GWW 150001	100	100	100	101	105	109	84	94	106	86	104	1	1	1	
F2		GWW 160401	1.25	2.9	6.4	8.2	14	13.7	-1.3	-3.4	1.8	-1.4	0.1				
933			69%	39%	19%	31%	14%	26%	31%	32%	29%	19%	13%				
WSW 210581		GWW 150001	79	111	110	110	106	110	85	93	86	95	110	1	1	1	
F2		GWW 160097	3.24	7.5	12.1	15.4	15	13.9	-1.1	-4.0	-1.4	-0.6	1.1				
581			68%	37%	21%	30%	15%	21%	32%	33%	30%	23%	15%				

CWB Bulls

Inbreeding >6% is high

<75

75 - 125

>125

Breeding values with an accuracy < 5% are not printed

Bull					Selection Value					Calf weight		Mother		Growth		Fertility			Carcass				
ID	Parentage				Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn. Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
Name	%Inbreeding	Genomic	DNA	Sire ID Dam ID																			
JAPANESE BLACK																							
CWBMWSW 180676				✓ GWW 150001	96	103	111	94	93	97	103	93	111	103	106	94	92	98	85	93	86	95	110
F2				✓ GWW 160097	63%	37%	21 %	15%	22%	1.54	4.3	-0.13	14.3	8.8	15	0.8	1.6	4.5	-1.1	-4.0	-1.4	-0.6	1.1
THAKASILE 0676					63%	37%	21 %	15%	22%	69 %	37 %	39%	21%	26%	15%	31%	13%	46 %	32 %	33 %	30 %	23 %	15 %
CWBMWSW 190930				✓ GWW 150001	103	106	112	90	90	99	106	114	112	106	110	92	88	98	77	99	91	101	117
F2				✓ GWW 160187	51%	60%	33 %	14%	20%	1.29	5.5	-0.89	15.0	10.4	20	1.7	2.5	4.2	-2.1	0.3	-0.6	0.0	2.2
THAKASILE 930					51%	60%	33 %	14%	20%	54 %	60 %	41%	33%	25%	14%	29%	12%	46 %	32 %	33 %	30 %	25 %	15 %
CWBMWSW 200576				✓ GWW 150001	93	112	112	87	89	90	112	108	112	110	113	91	88	97	77	99	91	101	117
F2				✓ GWW 160148	64%	60%	33 %	14%	21%	2.17	7.8	-0.68	15.0	13.7	25	2.3	2.5	4.1	-2.1	0.3	-0.6	0.0	2.2
THAKASILE 576					64%	60%	33 %	14%	21%	69 %	60 %	43%	33%	26%	14%	30%	12%	47 %	32 %	33 %	30 %	25 %	15 %
CWBMWSW 200577				✓ GWW 150001	101	95	109	98	93	97	95	111	109	97	102	99	89	97	77	99	91	101	117
F2				✓ GWW 160119	63%	60%	30 %	14%	21%	1.50	0.9	-0.79	13.6	4.4	9	-2.0	2.3	4.0	-2.1	0.3	-0.6	0.0	2.2
THAKASILE 577					63%	60%	30 %	14%	21%	69 %	60 %	42%	30%	25%	14%	30%	12%	48 %	32 %	33 %	30 %	25 %	15 %
CWBMWSW 200579				✓ GWW 150001	121	94	113	91	90	126	94	117	113	95	109	93	88	98	77	99	91	101	117
F2				✓ GWW 160187	62%	60%	33 %	14%	20%	-1.27	0.4	-1.00	15.6	3.2	19	1.4	2.5	4.2	-2.1	0.3	-0.6	0.0	2.2
THAKASILE 0579					62%	60%	33 %	14%	20%	67 %	60 %	41%	33%	25%	14%	29%	12%	48 %	32 %	33 %	30 %	25 %	15 %
CWBMWSW 200932				✓ GWW 150001	100	109	111	90	87	98	109	117	111	108	110	88	87	97	77	99	91	101	117
F2				✓ GWW 160101	63%	60%	33 %	14%	21%	1.42	6.7	-1.01	14.6	11.7	20	4.0	2.7	3.9	-2.1	0.3	-0.6	0.0	2.2
THAKASILE 932					63%	60%	33 %	14%	21%	69 %	60 %	40%	33%	26%	14%	30%	12%	48 %	32 %	33 %	30 %	25 %	15 %
CWBMWSW 200934				✓ GWW 150001	99	104	110	94	93	97	104	101	110	104	106	94	92	88	85	93	86	95	110
F2				✓ GWW 160098	61%	37%	21 %	15%	22%	1.50	4.5	-0.44	13.9	9.0	15	0.8	1.6	0.2	-1.1	-4.0	-1.4	-0.6	1.1
THAKASILE 934					61%	37%	21 %	15%	22%	66 %	37 %	40%	21%	26%	15%	31%	13%	46 %	32 %	33 %	30 %	23 %	15 %
CWBMWSW 210585				✓ GWW 150001	108	101	108	93	93	104	101	114	108	101	107	97	89	97	77	99	91	101	117
F2				✓ GWW 160119	63%	39%	28 %	14%	21%	0.83	3.1	-0.90	13.2	6.9	16	-1.3	2.3	4.0	-2.1	0.3	-0.6	0.0	2.2
THAKASILE 585					63%	39%	28 %	14%	21%	69 %	39 %	42%	28%	25%	14%	30%	12%	46 %	32 %	33 %	30 %	25 %	15 %
CWBMWSW 220535				✓ GWW 150001	86	107	127	82	89	86	107	103	127	111	118	96	84	81	82	102	96	99	106
F1					42%	35%	16 %	12%	18%	2.63	5.6	-0.51	23.2	13.8	32	-0.7	3.2	-2.9	-1.5	2.3	0.1	-0.2	0.5
THAKASILE WSW220535					42%	35%	16 %	12%	18%	45 %	35 %	28%	16%	22%	12%	26%	9%	36 %	22 %	23 %	20 %	16 %	11 %
CWBMWSW 220539				✓ GWW 150001	86	107	127	82	89	86	107	103	127	111	118	96	84	81	82	102	96	99	106
F1					42%	35%	16 %	12%	18%	2.63	5.6	-0.51	23.2	13.8	32	-0.7	3.2	-2.9	-1.5	2.3	0.1	-0.2	0.5
THAKASILE WSW220539					42%	35%	16 %	12%	18%	45 %	35 %	28%	16%	22%	12%	26%	9%	36 %	22 %	23 %	20 %	16 %	11 %
CWBMWSW 230734				✓ GWW 150001	86	107	127	82	89	86	107	103	127	111	118	96	84	81	82	102	96	99	106
F1					42%	35%	16 %	12%	18%	2.63	5.6	-0.51	23.2	13.8	32	-0.7	3.2	-2.9	-1.5	2.3	0.1	-0.2	0.5
THAKASILE WSW230734					42%	35%	16 %	12%	18%	45 %	35 %	28%	16%	22%	12%	26%	9%	36 %	22 %	23 %	20 %	16 %	11 %
CWBMWSW 240441	25			✓ GWW 150001	106	105	114	92	92	102	105	111	114	106	108	96	88	92	78	95	95	96	114
F3				✓ WSW 190926	63%	46%	23 %	14%	22%	1.04	5.1	-0.81	16.3	10.3	18	-0.5	2.4	1.6	-2.0	-2.6	0.0	-0.5	1.7
THAKASILE WSW240441					63%	46%	23 %	14%	22%	69 %	46 %	38%	23%	29%	14%	33%	11%	44 %	27 %	29 %	25 %	20 %	13 %

CWB Bulls

Inbreeding >6% is high					<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed																
Bull					Selection Value					Calf weight		Mother		Growth		Fertility			Carcass					
ID	Name	%Inbreeding	Parentage		Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling	Fineness
			Genomic	DNA																				
JAPANESE BLACK																								
CWBMWSW 240442	F3	25	✓	GWW 150001	96	107	113	92	90	94	107	102	113	106	108	92	88	87	82	92	92	93	110	
THAKASILE WSW240442					61%	39%	19 %	14%	22%	1.78	5.8	-0.48	15.6	10.7	17	1.9	2.5	-0.3	-1.5	-4.8	-0.4	-0.7	1.2	
										67 %	39 %	37%	19%	25%	14%	33%	11%	44 %	27 %	29 %	25 %	19 %	13 %	
CWBMWSW 240443	F2		✓	GWW 150001	99	107	112	91	90	95	107	108	112	107	109	92	88	98	77	99	91	101	117	
THAKASILE WSW240443					64%	41%	32 %	14%	21%	1.69	5.8	-0.68	15.3	11.1	20	1.8	2.5	4.1	-2.1	0.3	-0.6	0.0	2.2	
										69 %	41 %	43%	32%	26%	14%	30%	12%	46 %	32 %	33 %	30 %	25 %	15 %	
CWBMWSW 240464	F2		✓	GWW 150001	103	105	112	91	90	100	105	113	112	105	109	92	88	98	77	99	91	101	117	
THAKASILE WSW240464					63%	41%	32 %	14%	20%	1.23	5.0	-0.89	15.0	9.6	19	1.6	2.5	4.2	-2.1	0.3	-0.6	0.0	2.2	
										69 %	41 %	41%	32%	25%	14%	29%	12%	46 %	32 %	33 %	30 %	25 %	15 %	
CWBMWSW 240465	F3	25	✓	GWW 150001	99	106	113	92	90	96	106	108	113	106	108	93	88	90	81	93	102	89	107	
THAKASILE WSW240465					63%	45%	21 %	14%	22%	1.65	5.5	-0.69	15.5	10.7	17	1.0	2.5	0.8	-1.6	-4.5	1.1	-1.2	0.7	
										69 %	45 %	38%	21%	29%	14%	33%	10%	44 %	27 %	28 %	24 %	18 %	12 %	
CWBMWSW 240467	F3	25	✓	GWW 150001	114	99	113	93	93	109	99	115	113	100	107	97	89	90	81	93	102	89	107	
THAKASILE WSW240467					62%	40%	21 %	14%	20%	0.32	2.6	-0.93	15.6	6.2	17	-1.1	2.2	0.7	-1.6	-4.5	1.1	-1.2	0.7	
										69 %	40 %	37%	21%	25%	14%	30%	10%	43 %	27 %	28 %	24 %	18 %	12 %	
CWBMWSW 246072	F3	25	✓	GWW 150001	105	104	112	92	97	102	104	114	112	103	108	105	90	92	78	95	95	96	114	
THAKASILE WSW2406072					61%	40%	21 %	14%	22%	1.05	4.5	-0.91	15.1	8.8	18	-5.5	2.0	1.6	-2.0	-2.6	0.0	-0.5	1.7	
										67 %	40 %	38%	21%	24%	14%	33%	12%	45 %	27 %	29 %	25 %	20 %	13 %	

CWB Cows

Inbreeding >6% is high					<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed																
Cow					Selection Values					Kalf gewig		Moeder		Groeï		Vrugbaarheid			Karkas					
ID	%Inbreeding	Parentage			Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling	Fineness
Name		Genomic DNA	Sire ID Dam ID																					
JAPANESE BLACK																								
CWBFSW 240499 GWW 150001					86	107	127	82	89	86	107	103	127	111	118	96	85	81	82	102	96	99	106	
PEN					42 %	35 %	16 %	12 %	18 %	2.63	5.6	-0.51	23.2	13.8	32	-0.7	3.2	-2.9	-1.5	2.3	0.1	-0.2	0.5	
THAKASILE WSW240499					42 %	35 %	16 %	12 %	18 %	45 %	35 %	28 %	16 %	22 %	12%	26%	9%	36 %	22 %	23 %	20 %	16 %	11 %	

