



WAGYU
BREEDING VALUE REPORT

September 2026



D VAN DEN BERG

Herd Number: 8469281


E-mail: Wianvandenbergo@gmail.com



WAGYU
SOCIETY
OF SOUTH AFRICA



CERTIFICATE
OF QUALITY
Valid up to
October 2029



Notes


GEBVi (GEBVindex): The average GEBVi of all the live animals in the breed is 100, and all EBVi values are expressed relative to this value. Values above 100 are mostly in a more desirable direction. Note that a very high index is not always desirable. For certain traits, such as birth weight, average values may be better. It is the top value in the list.

GEBV (Genomic Estimated Breeding Value) indicates the genetic potential of the animal for a specific trait. It is presented in the unit of measurement and relative to the average of animals born in the base year. It is the middle value in the list and not available for selection values.

Accuracy: This value gives an indication of how much information was available for breeding value estimation. It is the bottom value in the list.

Selection values combine similar breeding values in a scientific manner to simplify the selection of animals. For example, HF (Heifer Fertility), CF (Cow Fertility) and Longevity are

combined to form the Fertility Value by taking the heritability and economic importance in consideration.




* Depending on selection goal

GEBVi		Description / Measurement	Goal		General Guidelines*					
					80	90	100	110	120	
Selection V.	Calving Ease Value	Difficult calving due to high birth weight	Average birth weight	High						Low
	Calf Growth Value	Calf's genetic ability for prewean growth	Heavy weaner	Light						Heavy
	Milk Value	Cow's genetic mothering and milking ability	Enough milk for calf	Less						More
	Maintenance Value	Maintenance requirement of cow (weight and milk)	Low cow maintenance	High					*	Low
	Fertility Value	Fertility and retention of cows and heifers	Fertile cows	Low						High
Cow & Calf	Birth weight direct	Birth weight (Calf's genetic ability)	Average birth weight	Heavy						Light
	Birth weight mat	Birth weight (Dam's genetic ability)	Easy calving	Heavy						Light
	Weaning weight direct	Weaning weight (Calf's genetic ability)	Heavy weaners	Light						Heavy
	Weaning weight mat	Weaning weight (Dam's genetic ability)	Good mothers	Poor						Good
	Post-wean weight	Combination of EBVs for 12 and 18 month weights	Mature weight	Light				*	*	Heavy
	Mature Cow Weight	Cow weight at weaning of first three calves	Mature cow weight	Light				*	*	Heavy
Ferti.	Heifer Fertility	Age at first calving	Fertile heifers	Less						More
	Cow Fertility	First 3 inter-calving periods (ICPs)	Fertile cows	Less						More
	Longevity	Retention of progeny	Acceptable progeny	Poor						Good
Carcass	IMF	Intra-muscular-fat, Marbling	High quality carcass	Less						More
	Carcass weight	Weight of the carcass	High quality carcass	Light						Heavy
	EMA	Eye-muscle-area at the 12/13th rib of the dressed carcass	High quality carcass	Small						Large
	Rib Fat	Rib fat depth at the 12/13th rib of the dressed carcass	High quality carcass	Thin						Thick
	Marbling Fineness	Degree of fineness of marbling fat	High quality carcass	Low						High

Herd and Breed Averages

Number 50



Breeding Values (EBV):

Birth:	Birth weight	IMF:	Marbling
Wean:	Weaning weight	Carcwt:	Carcass wt
Birth.mat:	Birth mat	EMA:	Eye muscle area
Milk:	Milk	RibFatt:	Rib Fat thickness
Postwn:	Postwean weight	MF:	Marbling Fineness
Matwt:	Mature weight		
HF:	Heifer Fertility		
CF:	Cow Fertility		
LL:	Longevity		

Selection values:

CEaseV	Calving Ease Value
CGrowthV	Calf Growth Value
MilkV:	Milk Value
MaintV:	Maintenance Value
FertV:	Fertility Value

	Trait	EBV Herd	EBV Index	EBV Breed
Prewean growth	Birth Weight	-0.26	115	1.23
	Wean Weight	-1.1	90	2.9
	Birth Mat.	-0.30	98	-0.38
	Milk (Wn.Mat.)	-1.2	81	8.7
Postwean growth	Postwean wt	-2.4	88	6.4
	Mature weight	-20	82	6
Fertility	Heifer Fertility	-3.3	101	-2.9
	Cow Fertility	-1.4	111	0.5
	Longevity	10.0	111	5.2
Carcass	IMF	1.1	102	0.8
	Carcass weight	-4.9	92	0.8
	EMA	0.7	100	0.8
	Rib Fat	-0.4	97	-0.1
	MF	0.4	105	-0.5

Selection Value	Herd Avg
Calving Ease Value	114
Calf Growth Value	90
Milk Value	81
Maintenance Value	118
Fertility Value	106


- Average of live animals in the breed: 100
- Above 100: **more favourable**,
- Below 100: **less favourable**

What does a sub-selection value above breed average (100) mean?:

Calving ease:	Smaller calf at birth - easier calving
Calf growth:	Heavier calves at wean due to growth potential of the calf
Milk:	Cows with more milk and better mothering ability
Maintenance:	Animals with low maintenance requirements (lower mature weight).
Fertility:	Cows/daughters that calve

Genetic Trends for On-Farm Traits

The graphs show the genetic gain of the herd relative to the breed. Only data of animals with measurements are included.




Herd

Birth Year	Calving Ease				Calf Growth			Milk		Maintenance					Fertility						
	Birth Weight		Dir	Mat	Calv. Ease	Weaning Weight		Calf Growth	Milk (Wn.Mat.)		Postwean Weight	Mature Weight		Maintenance	Heifer Fert.		Cow Fert.		Longevity		Fertility
	Number	EBV				Number	EBV		Number	EBV		Milk	Number		EBV	Number	EBV	Number	EBV	Number	
2019	4	0.38	0.10	108											6	-0.9			10	2.4	100
2020	4	0.80	0.25	102															7	7.2	
2021	1	1.05	0.23	99																	
2022	8	0.18	0.32	108															4	3.6	

Breed

Birth Year	Calving Ease				Calf Growth			Milk			Maintenance						Fertility					
	Birth Weight		Mat EBV	Calv. Ease	Weaning Weight		Calf Growth	Milk (Wn.Mat.)		Milk	Postwean Weight		Mature Weight		Maintenance	Heifer Fert.		Cow Fert.		Longevity		Fertility
	Number	Dir EBV			Number	EBV		Number	EBV		Number	EBV	Number	EBV		Number	EBV	Number	EBV	Number	EBV	
2016	667	0.14	0.06	106	280	0.5	94	280	6.43	96	213	2.7	17	-11	110	777	-1.4	388	-0.8	6318	-0.5	102
2017	787	0.41	0.21	102	405	0.6	94	405	3.76	91	309	0.1	33	-9	111	791	-1.9	308	-0.6	10308	-0.4	102
2018	1180	0.44	0.12	103	815	-1.4	89	815	2.45	88	823	-0.9	19	-23	113	665	-4.6	407	-1.0	9232	2.0	106
2019	1379	0.55	0.15	102	901	0.1	93	901	1.30	86	896	0.6	27	-30	112	1006	-2.8	469	-0.6	11910	1.7	103
2020	2115	0.65	-0.03	102	556	2.3	98	556	7.29	97	273	6.2	24	-7	103	665	-4.3	269	-1.0	11395	1.2	106
2021	2374	0.55	-0.10	103	589	0.4	94	589	4.13	91	253	0.2	19	-6	112	405	-6.0	158	-1.5	9292	1.5	108
2022	2062	0.42	-0.18	105	461	2.0	98	461	1.65	87	246	2.4	15	15	110	306	-2.8	72	-0.6	4200	2.1	103
2023	1637	0.34	-0.31	107	461	2.0	98	461	1.21	86	160	2.0	5	-3	111	121	-6.6	11	-0.6			110
2024	1413	0.39	-0.30	107	311	2.5	99	311	1.86	87	36	14.0			97	15	-2.4					101
2025	1478	0.37	-0.14	106	386	2.5	99	386	0.24	84												
2026	307	0.25	-0.03	106																		

Genetic Trends for Carcass Traits



Herd

Birth Year	Carcass														
	IMF			Carcass weight			EMA			RibFat			Marble Fineness		
	Number	EBV	EBVi	Number	EBV	EBVi	Number	EBV	EBVi	Number	EBV	EBVi	Number	EBV	EBVi
2015															
2019															
2020															
2021															
2022															

Breed

Birth Year	Carcass														
	IMF			Carcass weight			EMA			Rib Fat			Marble Fineness		
	Number	EBV	EBVi	Number	EBV	EBVi	Number	EBV	EBVi	Number	EBV	EBVi	Number	EBV	EBVi
2013	17	0.6	99	776	-0.1	99	361	0.8	100	346	0.2	103	5	-4.6	74
2014	16	-1.0	86	541	-3.8	94	301	1.7	106	269	-0.1	100	4	0.0	103
2015	36	-0.5	90	589	-7.1	89	548	1.0	102	520	-0.1	100	6	0.3	105
2016	124	-0.8	87	588	-0.3	98	322	0.1	96	211	0.3	105	5	2.1	117
2017	732	-0.4	90	1244	-0.2	99	1116	0.1	95	272	0.0	102	17	0.3	105
2018	1946	0.0	94	1969	0.0	99	1940	0.0	95	87	0.0	101	22	0.0	103
2019	2812	0.3	96	2823	-1.3	97	2753	0.8	100	212	-0.5	96	61	0.4	106
2020	4627	0.7	99	4682	-0.6	98	4656	0.5	98	713	-0.3	98	92	-1.2	95
2021	3444	0.9	101	3606	-0.3	98	3596	0.6	99	3275	-0.2	99	531	-0.6	99
2022	3277	1.0	101	3324	-0.9	98	3275	0.4	97	3191	-0.3	97	2749	-1.0	97
2023	1839	1.1	103	1845	1.3	101	1836	0.6	99	1795	0.0	101	1841	-1.0	96
2024	17	-0.6	89	17	1.3	101	17	0.5	98	16	-0.5	96	17	0.1	103

WAGYU Sires

Sire			Growth					Carcass					Stats					
ID	Parentage	Sire ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Daughters with calves	Active 2yrs & older	Carcasses
Name	Gen. DNA	Dam ID																
AKAUSHI																		
AF4215		IMUFN2125	91	126	120	122	107	86	92	105	107	99	98	12	32	8	9	1
FB		AF213	2.07	13.3	18.5	24.9	16	1.1	-0.2	4.5	1.9	-0.2	-0.7					
HEARTBRAND TERMINATOR T3810S			68%	26%	42%	40%	17%	19%	51%	51%	44%	37%	27%					
BB 170160	✓	2142A	97	125	123	126	109	92	85	86	114	80	107	2	4		1	
FB	✓	V7297U	1.50	12.9	20.1	27.9	19	4.4	-1.1	-9.2	2.9	-2.0	0.6					
BB170160			50%	25%	36%	34%	7%	8%	39%	39%	35%	29%	14%					
CCCFH0037		B0125	87	138	133	135	114	82	111	75	118	82	91	25	135	52	41	2
FB		B218	2.48	18.3	26.6	35.0	27	-0.8	2.2	-16.8	3.6	-1.8	-2.0					
BALD RIDGE HENSHIN			96%	94%	95%	95%	94%	94%	95%	95%	94%	94%	94%					
HBCFV2139		AL502	106	109	104	109	91	88	101	90	86	83	85	35	178	80	50	5
FB		J19461	0.64	6.8	8.8	14.6	-7	2.4	1.0	-6.1	-1.4	-1.7	-2.8					
HEART BRAND RED EMPEROR (USA)			97%	94%	96%	95%	94%	94%	96%	96%	95%	95%	94%					
JAPANESE BLACK																		
148BE		J10632	134	81	75	73	69	72	138	51	111	96	94	88	1670	582	199	34
FB		85H	-2.04	-4.9	-9.8	-13.4	-39	-6.1	5.6	-33.7	2.4	-0.5	-1.4					
ITOSHIGENAMI 148BE			99%	99%	99%	99%	99%	99%	99%	99%	99%	99%	99%					
BA 170276	✓	148BE	116	92	88	88	82	82	109	79	94	91	101	1	10		1	
PBD	✓	BA 110458	-0.33	-0.1	-1.6	-1.9	-19	-0.6	1.9	-13.8	-0.1	-0.9	-0.3					
WOODVIEW BA170276			78%	54%	52%	52%	49%	54%	53%	54%	53%	53%	47%					
BDWFM0495		BDWFY0408	126	57	54	62	57	75	120	101	97	115	104	39	333	88	100	71
FB			-1.26	-14.3	-22.9	-22.6	-55	-4.4	3.3	1.6	0.3	1.3	0.1					
MACQUARIE PRELUDE M0495			98%	97%	98%	97%	97%	97%	98%	98%	97%	97%	97%					
BYWFH0017		IMUFQTF147	112	92	86	90	80	92	88	136	97	76	79	13	36	9	9	3
FB		BYWFB0132	0.03	-0.4	-2.6	-0.1	-22	4.6	-0.7	25.9	0.3	-2.4	-3.7					
BLACKMORE DAI ICHI KIKUZAKURA H017 (AI)			76%	53%	54%	57%	45%	49%	64%	68%	63%	63%	41%					
CCOFG0113		SMOFC0158	130	84	84	78	88	86	134	105	99	121	89	12	77	25	41	3
FB		CCOFC0446	-1.64	-3.7	-4.1	-10.0	-10	1.4	5.1	4.5	0.6	1.9	-2.3					
COATES ITOSHIGENAMI			97%	97%	97%	97%	96%	96%	97%	97%	97%	97%	96%					
CLW 180015		148BE	109	90	83	82	75	76	115	85	116	97	103	1	6		3	
FB		RVK 150010	0.37	-1.0	-4.7	-6.8	-29	-3.9	2.7	-9.6	3.2	-0.4	0.0					
TERROR			67%	55%	55%	54%	49%	53%	56%	57%	56%	55%	50%					

WAGYU Sires

Sire			Growth						Carcass					Stats				
ID	Parentage	Sire ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Daughters with calves	Active 2yrs & older	Carcasses
Name	Gen. DNA	Dam ID																
JAPANESE BLACK																		
CLW 190001		GINFB0901	140	67	66	70	75	82	87	110	120	102	105	1	15	1	3	
FB		WAP 150002	-2.61	-10.3	-15.1	-16.2	-29	-1.0	-0.9	8.2	3.9	0.1	0.3					
CLW190001			74%	35%	38%	38%	25%	37%	53%	54%	48%	47%	34%					
CWJ 160001		KJDFC0087	107	85	77	76	76	66	101	123	121	103	105	3	20	5	7	
FB		MOYFH0079	0.56	-3.2	-8.0	-11.2	-28	-9.6	1.0	16.9	4.0	0.2	0.3					
CRADLE MOYFH079'S C087			65%	50%	50%	44%	45%	52%	56%	56%	53%	47%	39%					
DJV 140002		KJDFD0111	139	83	72	76	59	58	136	92	95	116	88	4	138	37	40	9
FB		KJDFE0003	-2.57	-3.8	-11.4	-11.1	-53	-13.8	5.4	-4.8	-0.1	1.4	-2.4					
DJV 140002			92%	44%	42%	36%	37%	37%	82%	81%	75%	79%	66%					
ETJ001		PR860014	98	103	98	104	87	76	56	104	103	70	112	51	328	154	31	4
FB		PR870015	1.44	4.3	4.9	10.3	-13	-4.0	-4.8	3.9	1.3	-2.9	1.4					
HIRASHIGETAYASU J2351 HONGEN			98%	96%	96%	96%	95%	96%	96%	97%	96%	96%	95%					
FGW 120001		IMUFQTF147	109	104	101	104	95	96	98	96	104	93	96	9	255	68	95	17
FB		BA 090339	0.39	4.4	7.0	10.8	-1	6.5	0.6	-1.7	1.4	-0.8	-1.2					
WASABI FGW 12-01			98%	96%	94%	93%	94%	95%	94%	94%	93%	92%	91%					
IMJFAJ2810		1742	142	74	71	80	76	66	114	53	115	53	94	49	256	133	22	26
FB		601124	-2.88	-7.6	-11.8	-8.3	-29	-9.1	2.6	-32.4	3.2	-4.6	-1.4					
KITATERUYASUDOJ J2810 HONGEN			97%	96%	96%	96%	95%	96%	97%	97%	96%	96%	95%					
IMUFP0036		J1185	122	98	103	110	104	115	79	100	57	152	144	36	152	80	34	5
FB		DAI2	-0.88	2.3	7.8	15.6	12	16.7	-1.8	0.7	-5.9	4.9	6.5					
TF ITOMICHI 1/2			96%	94%	93%	93%	93%	94%	95%	95%	95%	94%	93%					
MOYFF0054		IMUFQ2599	121	48	47	56	47	72	98	117	129	116	100	31	142	58	17	24
FB		MOYFB0430	-0.84	-17.9	-26.7	-26.8	-70	-6.3	0.5	12.5	5.3	1.4	-0.5					
MOYHU F054			95%	92%	93%	91%	90%	92%	95%	95%	94%	92%	91%					
PK 140001		TFWWF0629	127	85	74	73	73	75	102	56	65	131	152	11	51	8	7	7
FB		KJDFD0023	-1.38	-3.1	-10.2	-13.6	-32	-4.3	1.0	-30.3	-4.6	2.9	7.8					
FUKUTSURU HIGH STEAK			78%	55%	54%	48%	37%	53%	77%	77%	73%	53%	38%					
PK 140005		KJDFD0111	107	81	77	79	65	69	113	69	65	84	109	11	58	11	16	18
FB		KJDFD0030	0.59	-4.9	-8.4	-9.1	-44	-7.7	2.4	-21.0	-4.6	-1.6	1.0					
SHIKIKAN SIR LOIN			81%	56%	71%	41%	38%	47%	83%	83%	78%	66%	54%					
SMOFC0151		148BE	148	61	56	55	71	78	122	71	89	133	122	23	96	32	35	3
FB		SUMFU2208	-3.42	-12.8	-21.3	-27.3	-36	-3.1	3.6	-19.9	-1.0	3.1	3.0					
SUMO ITOSHIGENAMI C0151 (AI)			95%	93%	93%	93%	93%	93%	93%	93%	93%	93%	92%					

WAGYU Sires

Sire			Growth						Carcass					Stats				
ID	Parentage	Sire ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Daughters with calves	Active 2yrs & older	Carcasses
Name	Gen. DNA	Dam ID																
JAPANESE BLACK																		
SMOFD0233		TWAFR0007	131	80	78	79	80	79	136	81	111	91	79	9	56	10	8	
FB		SUMFW0079	-1.74	-5.1	-7.4	-8.5	-23	-2.5	5.4	-12.9	2.5	-1.0	-3.8					
SUMO SHIKIKAN D233 (AI)(ET)			91%	90%	90%	89%	89%	90%	90%	90%	90%	90%	89%					
SMOFF0126		IMUFM1615	113	115	107	106	84	64	95	106	104	161	156	25	166	50	52	12
FB		SMOFC0152	0.01	8.9	10.6	12.5	-16	-10.5	0.1	4.9	1.4	5.7	8.5					
SUMO MICHIFUKU F126 (AI)			97%	96%	97%	97%	96%	96%	97%	97%	97%	97%	96%					
SMOFF0154		IMUFM1615	105	85	78	74	84	61	138	104	94	116	98	33	285	101	126	20
FB		SMOFC0016	0.73	-3.1	-7.4	-13.2	-17	-12.0	5.7	3.6	-0.2	1.4	-0.8					
SUMO CATTLE CO MICHIFUKU F154 (AI)			99%	98%	98%	98%	98%	98%	99%	99%	98%	98%	98%					
SWK 190060		SMOFF0154	93	106	100	96	91	73	138	108	121	112	87	10	127	12	44	1
FB		GRSFF0149	1.92	5.2	5.9	4.2	-7	-5.8	5.7	6.3	4.0	1.0	-2.6					
MICHIFUKU Q060			98%	97%	96%	96%	95%	95%	96%	96%	96%	96%	95%					
SWK 200078		CCOFG0113	115	119	120	119	106	85	98	120	89	115	102	7	224	22	99	
FB		BDWFC1430	-0.21	10.4	18.6	22.2	15	0.7	0.6	15.1	-0.9	1.3	-0.2					
SWK200078			98%	97%	96%	94%	93%	94%	93%	93%	93%	93%	93%					
SWSFB0119		151BE	111	94	88	90	82	87	105	106	116	66	80	9	55	8	21	12
FB		BYWFY0224	0.16	0.3	-1.3	-0.6	-20	2.1	1.5	4.8	3.2	-3.4	-3.7					
SHER ZURUSHIGE B119 (AI)(ET)			75%	62%	68%	50%	35%	51%	77%	77%	72%	61%	46%					
TF930038		PR900026	106	93	92	97	88	103	84	109	76	114	120	23	81	44	17	2
FB		PR870018	0.67	0.1	1.3	4.9	-11	10.5	-1.3	7.2	-2.9	1.2	2.7					
TF ITOHANA 2			73%	37%	51%	48%	33%	40%	49%	50%	44%	35%	19%					
WESFZ0278		ETJ001	106	108	105	110	96	85	99	93	104	46	77	40	146	35	35	11
FB		0001	0.61	6.2	9.4	15.5	1	1.0	0.6	-4.0	1.5	-5.2	-4.2					
WESTHOLME HIRASHIGETAYASU Z278			96%	95%	94%	93%	93%	93%	95%	95%	94%	94%	93%					
WL 200103			124	85	89	92		90	112	84	102	92	95	1	1		1	
FB		FB16813	-1.10	-3.1	-1.0	1.5		3.3	2.3	-10.8	1.1	-0.9	-1.2					
SHIGEGUNI			27%	7%	15%	6%		6%	18%	18%	17%	18%	16%					

WAGYU Dams

Dam			Growth					Carcass					Stats				
ID	Parentage	Sire ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name	Gen. DNA	Dam ID															
AKAUSHI																	
KALFC0012		HBCFV2139	111	97	93	98	87	88	98	90	102	88	94	6	9	4	
FB		RWAFT0010	0.12	1.7	1.6	5.9	-12	2.5	0.6	-6.5	1.1	-1.3	-1.4				
KALANGA F C012			60%	39%	59%	53%	33%	37%	51%	51%	49%	48%	40%				
KALFG0006		B0125	107	119	115	116	108	88	104	94	121	79	84	3	3	1	
FB		KALFB0005	0.54	10.6	15.6	20.1	18	2.6	1.4	-3.2	4.0	-2.1	-3.1				
KALANGA SHIGEYUKO G0006			38%	24%	43%	41%	21%	21%	31%	33%	30%	31%	21%				
RSS 180004		HBCFV2139	107	114	110	113	99	88	103	92	103	81	85	2	2	1	
FB		KALFG0006	0.59	8.7	12.2	17.4	5	2.5	1.2	-4.7	1.3	-1.9	-2.9				
RSS180004			50%	38%	49%	47%	33%	36%	47%	48%	46%	46%	39%				
JAPANESE BLACK																	
777180460	✓	AF4215	91	128	123	125	107	87	79	101	89	115	124	1	1	1	
PBD	✓	BB 150143	2.14	14.4	20.2	27.2	16	1.8	-1.9	1.7	-1.0	1.4	3.4				
PB 1 ERU			52%	28%	38%	37%	13%	19%	37%	37%	33%	29%	19%				
AACFB0603		148BE	121	83	75	74	70	69	123	65	109	102	111	2	3	3	
FB		GOSFV0092	-0.79	-3.8	-9.2	-13.0	-37	-7.6	3.7	-24.1	2.1	0.1	1.3				
WESTHOLME SHIIGEFUKU 3 (AI)(ET)			58%	56%	55%	55%	50%	54%	54%	56%	55%	56%	49%				
AACFE0637		WKSFS0100	140	79	75	77	74	72	116	81	107	92	103	1	1	1	
FB		WESFW0135	-2.61	-5.5	-9.8	-10.7	-31	-6.0	2.8	-12.3	1.8	-0.9	0.0				
WESTHOLME E0637 (AI)(ET)			42%	40%	41%	38%	19%	36%	34%	46%	41%	42%	23%				
AACFG0170		PEDFU999	129	73	69	73	67	83	101	65	99	83	114	3	5	3	2
FB		AACFD0245	-1.54	-7.8	-13.3	-13.9	-41	-0.2	0.9	-23.7	0.7	-1.7	1.7				
WESTHOLME G0170 (AI)			32%	23%	45%	21%	18%	21%	41%	41%	36%	35%	18%				
AACFJ0532		6892	135	80	77	78	78	83	86	95	119	82	108	5	12	5	1
FB		AACFG0120	-2.14	-5.0	-8.4	-9.8	-25	-0.3	-1.0	-3.0	3.7	-1.8	0.8				
WESTHOLME J0532 (AI)			45%	22%	42%	19%	14%	23%	38%	38%	33%	33%	12%				
BA 010039	✓	ETJ003	129	93	92	93	83	94	84	67	92	70	113	6	63	10	3
FB	✓	BA 980016	-1.58	0.1	0.9	2.1	-19	5.6	-1.3	-22.7	-0.5	-2.9	1.6				
MEGAN 4TH			90%	72%	71%	55%	57%	67%	84%	83%	80%	65%	46%				
BB 150143		FB13429	94	130	124	127	106	88	66	97	70	131	150	6	19	6	1
PBD		BB 120014	1.82	15.0	21.2	28.6	15	2.3	-3.5	-1.2	-3.8	2.9	7.5				
JUDO ICHIRO			71%	50%	64%	62%	21%	32%	54%	54%	50%	45%	27%				
BYWFL00234		IMJFMJ068	128	81	73	75	72	79	104	73	84	108	120	2	6	4	
FB		BYWFD0166	-1.52	-4.6	-10.9	-12.2	-34	-2.6	1.4	-18.5	-1.7	0.7	2.6				
BLACKMORE CHIYOTAKE L234 (AI) (ET)			38%	33%	33%	29%	22%	30%	34%	35%	33%	30%	22%				

WAGYU Dams

Dam			Growth					Carcass					Stats				
ID	Parentage	Sire ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name	Gen. DNA	Dam ID															
JAPANESE BLACK																	
CLW 170005		KJDFC0087	105	80	73	74	67	74	96	118	121	100	108	2	5	1	
FB		EPW 150009	0.72	-5.3	-10.9	-12.9	-40	-5.2	0.3	13.6	4.0	-0.1	0.8				
CROWN LAKE FLOWER			67%	50%	51%	49%	40%	50%	59%	59%	57%	51%	41%				
DJV 150003		WESFA0107	108	91	86	88	79	74	76	113	82	94	116	8	21	10	2
FB		KJDFF0004	0.41	-0.8	-2.9	-1.7	-23	-5.1	-2.2	10.1	-2.0	-0.7	2.1				
A107'S E004			70%	50%	57%	54%	30%	45%	65%	65%	60%	44%	33%				
EPW 160001		MOYFF0054	122	63	59	64	55	73	92	101	135	94	108	6	19	10	1
FB		KSOFH0053	-0.86	-12.0	-19.6	-21.0	-58	-5.7	-0.3	1.3	6.1	-0.6	0.8				
EMBRIO PLUS MOYHU 54'S SENA			71%	45%	46%	41%	18%	46%	61%	61%	57%	47%	34%				
EPW 180002		LDFDE0241	112	96	91	94	84	73	92	88	99	94	113	1	2	1	
FB		EPW 150006	0.05	1.4	0.3	3.1	-17	-5.5	-0.2	-7.9	0.6	-0.7	1.6				
EMBRIO PLUS EPW180002			67%	48%	48%	40%	14%	32%	50%	50%	46%	40%	28%				
EPW 180550		148BE	115	90	83	82	78	77	122	80	108	101	100	1	1	1	
FB		GO 160001	-0.23	-1.1	-4.3	-6.6	-25	-3.6	3.6	-13.6	2.1	0.0	-0.4				
EMBRIO PLUS EPW180550			59%	54%	54%	54%	49%	53%	56%	57%	56%	54%	49%				
EPW 190521		BYWFH0224	129	78	71	73	69	73	116	74	100	99	109	1	1	1	
FB		WAP 160010	-1.59	-5.8	-11.9	-13.7	-38	-5.5	2.8	-17.9	0.8	-0.2	1.0				
EMBRIO PLUS KINUSURUKIKU 224			52%	35%	38%	31%	31%	37%	40%	40%	35%	31%	17%				
EPW 190550	✓	TF930038	107	92	89	92	83	89	80	111	79	104	118	1	1	1	
FB	✓	DJV 150003	0.54	-0.3	-0.8	1.6	-17	2.7	-1.7	8.7	-2.5	0.3	2.4				
ITOHANA SHIGETA			51%	31%	38%	36%	22%	30%	41%	41%	37%	28%	19%				
EPW 190555	✓	SMOFF0154	111	92	85	84	85	66	105	114	90	103	105	1	1	1	
FB	✓	WAP 150008	0.19	-0.4	-3.2	-5.2	-15	-9.1	1.4	10.7	-0.7	0.2	0.3				
SUMOMICHI SHIGETA			57%	48%	51%	50%	41%	46%	55%	55%	53%	50%	44%				
EPW 190556	✓	SMOFF0154	113	74	69	69	70	67	115	102	114	105	103	1	1	1	
FB	✓	EPW 160001	-0.06	-7.5	-13.5	-17.1	-37	-8.9	2.7	2.5	3.0	0.4	0.0				
SUMOMICHI SENA			59%	47%	50%	47%	39%	46%	55%	55%	53%	50%	44%				
FB16813		FB2422	127	84	79	82	74	76	110	81	95	89	100	1	3	2	
FB		FB10023	-1.38	-3.3	-7.1	-6.2	-31	-3.8	2.1	-12.9	0.1	-1.1	-0.4				
CC MS KITASITO			31%	15%	31%	12%	7%	11%	36%	36%	34%	35%	31%				
GO 160001		KJDFC0087	101	98	91	89	88	81	106	108	106	106	107	3	14	4	2
FB		SFWFG0037	1.10	2.1	0.2	-0.9	-10	-1.5	1.6	6.5	1.7	0.5	0.6				
SKILLS C087'S SFWFG0037			58%	45%	47%	43%	39%	45%	58%	57%	54%	45%	38%				
HJ 130013	✓	TFWFW0629	121	92	84	88	83	77	70	80	56	96	136	4	25	7	
FB	✓	KJDFC0143	-0.80	-0.1	-3.7	-1.7	-18	-3.7	-3.0	-13.0	-6.0	-0.5	5.3				
HJ 130013			69%	54%	55%	53%	37%	50%	66%	65%	63%	58%	42%				

WAGYU Dams

Dam			Growth						Carcass					Stats			
ID	Parentage	Sire ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name	Gen. DNA	Dam ID															
JAPANESE BLACK																	
HJ 160006		KKWFA0871	113	79	75	80	84	64	84	77	115	69	111				
FB		BA 110586	-0.04	-5.4	-9.3	-8.1	-16	-10.4	-1.3	-15.3	3.1	-3.1	1.4	2	2	1	
HJ 160006			61%	51%	44%	41%	37%	49%	57%	57%	54%	47%	33%				
HJ 160011		KKWFA0871	113	79	75	80	84	64	84	77	115	69	111				
FB		BA 110586	-0.04	-5.4	-9.3	-8.1	-16	-10.4	-1.3	-15.3	3.1	-3.1	1.4	1	1	1	
HJ 160011			61%	51%	44%	41%	37%	49%	57%	57%	54%	47%	33%				
HJ 160015		KKWFA0871	115	79	75	80	84	64	84	77	115	69	111				
FB		BA 110586	-0.19	-5.6	-9.6	-8.5	-16	-10.4	-1.3	-15.3	3.1	-3.1	1.4	1	3	3	
HJ 160015			62%	51%	44%	41%	37%	49%	57%	57%	54%	47%	33%				
KJDFD0030		151BE	107	81	76	77	64	76	111	76	88	79	109				
FB		CAMFU0303	0.59	-4.8	-8.8	-10.7	-46	-3.9	2.2	-16.0	-1.1	-2.1	0.9	9	25	5	1
X LAKE WAGYU F D0300			82%	69%	67%	55%	60%	62%	81%	81%	78%	68%	55%				
KSOFH0051AU		KSOFC0001	109	98	93	88	90	79	96	113	88	142	128				
FB		KSOFD0013	0.31	2.1	1.4	-1.5	-7	-2.3	0.3	10.2	-1.0	3.9	4.0	10	19	5	
OASIS SONY H051			77%	52%	59%	42%	25%	58%	71%	71%	66%	55%	33%				
MC3FE0003		IMUFR3258	103	107	102	104	97	96	91	143	101	129	107				
FB		SUMFU2141	0.98	5.6	7.6	10.5	1	6.7	-0.4	31.0	0.9	2.7	0.6	2	4	1	
MA MA CREEK F E3 (AI)(ET)			41%	38%	41%	38%	29%	37%	37%	45%	42%	42%	25%				
PK 150009		KJDFC0086	111	82	83	83	78	81	108	90	119	88	97				
FB		CWBFPK 110001	0.20	-4.3	-4.7	-5.7	-25	-1.1	1.8	-5.9	3.7	-1.2	-1.0	4	24	6	
PK 150009			70%	41%	28%	27%	24%	44%	48%	47%	44%	38%	29%				
RVK 150010		KJDFC0087	92	96	88	87	82	81	93	119	120	99	112				
FB		KJDFC0098	2.00	1.4	-1.6	-2.5	-19	-1.5	-0.1	14.5	3.9	-0.2	1.5	2	5	2	
C087'S LW C098-2			65%	50%	49%	45%	39%	46%	58%	58%	55%	51%	42%				
VDB0010			98														
BS			1.44											1	1	1	
GENOMICA VDB0010			22%														
VDB030			94														
BS			1.78											1	1	1	
GENOMICA VDB030			27%														
VDB307			90														
BS			2.20											1	2	1	
GENOMICA VDB307			27%														
WAP 150008		WESFA0107	116	99	92	94	86	72	72	124	87	91	112				
FB		KJDFE0004	-0.35	2.4	1.1	2.7	-14	-6.2	-2.8	17.7	-1.2	-1.0	1.4	6	9	4	1
A107'S E004			65%	50%	52%	54%	30%	45%	61%	60%	57%	46%	34%				

WAGYU Dams

Dam				Growth						Carcass					Stats			
ID	Parentage	Sire ID		Birth	Wean	12 mnth	18 mnth	Mature	Milk	IMF	Carcass	EMA	Rib Fat	Marble	Herds	Progeny	Active	
Name	Gen.	DNA	Dam ID	weight	weight	weight	weight	weight			weight			Fineness			2yrs & older	Carcasses
JAPANESE BLACK																		
WAP 180006			BA 150382	105	116	106	105	97	71	79	107	101	103	119				
PBD			WAP 140026	0.73	9.4	9.6	11.6	2	-6.5	-1.8	5.8	1.0	0.2	2.6	1	3	2	
MARNEEN WAP180006				65%	35%	39%	41%	24%	35%	54%	54%	51%	45%	35%				
WL 190100			IMUFP0036	128	95	96	101	93	104	82	83	74	111	129				
FB			BA 010039	-1.50	0.9	3.9	8.2	-3	11.0	-1.5	-11.0	-3.2	1.0	4.1	1	1	1	
ITOFUKU				66%	51%	49%	41%	43%	49%	60%	60%	57%	50%	36%				
WL 190101			CWBMBMA 130891	116	91	93	97	83	90	92	83	82	95	113				
FB			HJ 130013	-0.34	-0.7	1.8	5.0	-18	3.5	-0.2	-10.9	-1.9	-0.5	1.7	1	1	1	
SURUNAMI 101				42%	27%	28%	26%	19%	25%	33%	33%	31%	29%	21%				
WL 190102			CWBMBMA 130891	121	89	92	95	83	90	92	83	82	95	113				
FB			HJ 130013	-0.83	-1.3	0.8	3.9	-18	3.2	-0.2	-10.9	-1.9	-0.5	1.7	1	1	1	
SURUNAMI 102				40%	27%	28%	26%	19%	25%	33%	33%	31%	29%	21%				
WL 190107			BA 090335	114	97	100	101	95	92	109	84	111	99	100				
F1			VDB0011	-0.16	1.8	5.8	8.3	0	4.6	2.0	-10.5	2.5	-0.2	-0.4	1	1	1	
WL190107				66%	45%	38%	41%	30%	45%	43%	43%	42%	38%	30%				

WAGYU Bulls

Inbreeding >6% is high					<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed															
Bull					Selection Value					Calf weight		Mother		Growth		Fertility			Carcass				
ID	Parentage	%Inbreeding	Genomic	Sire ID	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn. Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
Name	DNA		Dam ID																				
JAPANESE BLACK																							
CLW 180015	1			148BE	113	90	76	125	99	109	90	116	76	82	75	95	104	121	115	85	116	97	103
FB				RVK 150010	0.37	-1.0				0.37	-1.0	-0.99	-3.9	-6.2	-29	0.2	-0.2	14.2	2.7	-9.6	3.2	-0.4	0.0
CROWN LAKE TERROR					65%	55%	53 %	49%	48%	67 %	55 %	55%	53%	54%	49%	55%	42%	65 %	56 %	57 %	56 %	55 %	50 %
WL 190104			✓	CWBMB 130891	112	90	90	117	98	118	90	61	90	95	83	87	105	100	92	83	82	95	113
FB			✓	HJ 130013	-0.54	-1.0				-0.54	-1.0	1.08	3.3	2.6	-18	4.5	-0.8	5.1	-0.2	-10.9	-1.9	-0.5	1.7
GENOMICA SURUNAMI 104					35%	27%	25 %	19%	23%	35 %	27 %	34%	25%	27%	19%	29%	17%	39 %	33 %	33 %	31 %	29 %	21 %
EPW 200001	1		✓	IMJFAJ2810	111	68	70	135	98	132	68	128	70	69	65	93	105	117	103	77	125	74	101
FB			✓	EPW 160001	-1.87	-9.8				-1.87	-9.8	-1.42	-7.4	-15.6	-43	1.2	-0.1	12.7	1.2	-15.5	4.7	-2.6	-0.3
EMBRIO PLUS SENEKA H53'S ETJ003					57%	48%	45 %	34%	40%	58 %	48 %	55%	45%	45%	34%	51%	28%	61 %	54 %	54 %	52 %	47 %	37 %
EPW 200009	2		✓	PK 140005	115	80	67	125	109	110	80	111	67	78	75	104	113	115	98	73	90	76	110
FB			✓	HJ 160011	0.28	-5.2				0.28	-5.2	-0.80	-9.0	-9.1	-30	-4.9	-1.9	11.5	0.6	-18.1	-0.7	-2.3	1.2
EMBRIO PLUS HIRASHIGE INSURANCE					50%	38%	34 %	27%	27%	51 %	38 %	44%	34%	36%	27%	37%	17%	55 %	50 %	50 %	47 %	40 %	32 %
EPW 200014	2		✓	PK 140001	126	82	70	121	115	120	82	116	70	76	79	110	118	108	93	67	90	100	132
FB			✓	HJ 160006	-0.71	-4.3				-0.71	-4.3	-0.97	-7.3	-10.7	-24	-8.5	-2.9	8.4	-0.1	-22.8	-0.7	-0.1	4.6
EMBRIO PLUS KURO FUKUTSURU					48%	38%	36 %	26%	30%	49 %	38 %	44%	36%	33%	26%	40%	20%	56 %	48 %	48 %	45 %	35 %	25 %
EPW 200029	2		✓	PK 140005	116	80	66	125	109	111	80	112	66	78	75	104	113	120	98	73	90	76	110
FB			✓	HJ 160015	0.20	-5.3				0.20	-5.3	-0.85	-9.1	-9.3	-30	-4.9	-1.9	13.7	0.6	-18.1	-0.7	-2.3	1.2
EMBRIO PLUS INSURE SIR LOIN					50%	38%	34 %	27%	27%	51 %	38 %	44%	34%	36%	27%	37%	17%	56 %	50 %	50 %	47 %	40 %	32 %
WL 200102	6		✓	BYWFH0017	128	87	85	124	97	120	87	108	85	81	76	94	100	109	96	104	91	92	99
FB			✓	BYWFL00234	-0.74	-2.5				-0.74	-2.5	-0.68	1.0	-6.9	-28	0.5	0.2	9.0	0.3	3.7	-0.7	-0.9	-0.5
GENOMICA DAI ICHIKIKUTAKE					41%	31%	29 %	25%	27%	43 %	31 %	35%	29%	32%	25%	35%	19%	48 %	36 %	38 %	35 %	35 %	23 %
WL 200116	1		✓	CCOFG0113	117	79	85	122	91	129	79	100	85	76	78	92	94	116	117	85	99	102	101
FB			✓	AACFG0170	-1.59	-5.7				-1.59	-5.7	-0.37	0.6	-10.7	-26	1.9	2.0	11.9	3.0	-9.6	0.7	0.1	-0.3
GENOMICA FUKUNAMI					44%	39%	36 %	22%	28%	45 %	39 %	40%	36%	45%	22%	39%	17%	48 %	44 %	44 %	40 %	42 %	33 %
EPW 210552	1		✓	SMOFD0233	118	79	76	126	96	130	79	111	76	75	74	96	98	106	126	77	106	95	94
FB			✓	EPW 190521	-1.67	-5.4				-1.67	-5.4	-0.78	-4.0	-10.8	-30	-0.2	1.1	7.8	4.1	-15.4	1.7	-0.6	-1.4
EMBRIO PLUS EPW21-552					42%	35%	30 %	23%	26%	43 %	35 %	37%	30%	31%	23%	36%	15%	49 %	29 %	30 %	28 %	27 %	20 %
EPW 220550	4		✓	SWK 200078	120	96	76	112	96	114	96	106	76	94	88	83	108	113	107	111	102	110	102
FB			✓	EPW 190556	-0.14	1.5				-0.14	1.5	-0.60	-4.1	2.1	-11	6.8	-0.7	10.9	1.6	8.8	1.0	0.8	-0.1
EMBRIO PLUS EPW22-550					55%	53%	42 %	27%	32%	57 %	53 %	46%	42%	48%	27%	45%	18%	48 %	41 %	40 %	37 %	39 %	33 %
WL 220102	1		✓	WESFZ0278	110	94	81	120	89	107	94	102	81	92	80	85	95	113	105	85	96	63	93
FB			✓	KJDFD0030	0.60	0.7				0.60	0.7	-0.48	-1.4	0.9	-22	6.0	1.8	10.8	1.4	-10.0	0.2	-3.6	-1.6
GENOMICA Z278					60%	54%	44 %	40%	36%	62 %	54 %	54%	44%	48%	40%	48%	25%	62 %	58 %	58 %	56 %	48 %	38 %
WL 220103			✓	FB16813	115	86	90		106	121	86	64	90	92		94	114	99	112	84	102	92	95
FB					-0.83	-2.6				-0.83	-2.6	0.96	3.3	0.6		0.5		4.7	2.3	-10.8	1.1	-0.9	-1.2
GENOMICA SHIGEGUNI					14%	7 %	6 %		8 %	15 %	7 %	12%	6 %	10%		12%		21 %	18 %	18 %	17 %	18 %	16 %

WAGYU Bulls

Inbreeding >6% is high				<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed															
Bull				Selection Value					Calf weight		Mother		Growth		Fertility			Carcass				
ID	%Inbreeding	Parentage		Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn. Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
Name		Genomic	DNA																			
JAPANESE BLACK																						
WL 220108	1		CLW 180015	110	92	83	121	101	110	92	87	83	90	79	94	105	110	104	84	99	96	108
FB			WL 190101	0.26	-0.4	0.11	-0.3	-1.0	-23	0.4	-0.7	9.7	1.3	-10.2	0.6	-0.4	0.9	33 %	-10.2 33 %	0.6 32 %	-0.4 31 %	0.9 27 %
GENOMICA ITO				55%	31%	29 %	26%	28%	60 %	31 %	35%	-0.3 29%	-1.0 30%	-23 26%	0.4 34%	-0.7 22%	9.7 39 %					
WL 220111			WL 200103	110	86	90	119	100	126	86	65	90	91	81	88	109	99	102	83	92	94	104
FB			WL 190102	-1.32	-2.9	0.91	3.3	-1.32	-2.9	0.91	3.3	0.0	-21	4.0	-1.3	4.9	1.1	-10.9	-0.4	-0.7	0.2	
GENOMICA SHIG				43%	14%	13 %	9 %	14%	49 %	14 %	22%	13%	15%	9 %	20%	8%	24 %	19 %	19 %	18 %	17 %	13 %

WAGYU Cows

Inbreeding >6% is high			<75		75 - 125	>125	Breeding values with an accuracy < 5% are not printed														
Cow			Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas				
ID	%Inbreeding	Parentage Sire ID	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
Name		Genomic DNA Dam ID																			
AKAUSHI																					
RSS 180004	6	HBCFV2139	107	114	88	101	142	107	114	90	88	111	99	137	143	128	103	92	103	81	85
FB		KALFG0006	49 %	38 %	36 %	33 %	32 %	0.59	8.7	-0.01	2.5	14.4	5	-24.4	-7.2	17.2	1.2	-4.7	1.3	-1.9	-2.9
RISING SUN RSS180004								50 %	38 %	47 %	36 %	48 %	33%	44%	19%	60 %	47 %	48 %	46 %	46 %	39 %
WL 210103	5	CCCFH0037	98	118	85	99	146	99	118	88	85	115	101	145	144	126	105	82	110	85	92
FB		KALFC0012	53 %	36 %	34 %	34 %	30 %	1.30	10.0	0.08	0.9	16.9	7	-29.0	-7.4	16.2	1.4	-11.7	2.3	-1.5	-1.7
GENOMICA HENSHEROR								54 %	36 %	50 %	34 %	50 %	34%	45%	15%	57 %	47 %	47 %	44 %	44 %	34 %
WL 210118	3	BB 170160	99	120	90	96	144	102	120	83	90	118	104	139	145	114	94	89	109	81	96
FB		RSS 180004	34 %	23 %	18 %	17 %	20 %	1.05	10.8	0.23	3.4	19.0	12	-25.4	-7.6	11.3	0.0	-6.9	2.1	-1.9	-1.2
GENOMICA WL210118								35 %	23 %	31 %	18 %	30 %	17%	27%	12%	42 %	31 %	31 %	29 %	27 %	21 %
JAPANESE BLACK																					
WAP 150002		MOYFF0054	119	70	72	131	106	127	70	102	72	70	69	96	114	102	89	110	110	115	114
FB		KSOFH0051AU	74 %	45 %	47 %	16 %	38 %	-1.41	-9.0	-0.47	-5.9	-14.9	-38	-0.6	-2.0	6.2	-0.6	8.0	2.4	1.3	1.8
ANISMAR MOYF054'S								74 %	45 %	73 %	47 %	59 %	16%	54%	21%	74 %	60 %	60 %	57 %	51 %	35 %
777180460	1	AF4215	91	128	87	93	126	91	128	99	87	124	107	118	131	127	79	101	89	115	124
PBD		BB 150143	50 %	28 %	19 %	13 %	24 %	2.14	14.4	-0.36	1.8	23.3	16	-13.6	-5.1	16.6	-1.9	1.7	-1.0	1.4	3.4
777 PB 1 ERU								52 %	28 %	44 %	19 %	38 %	13%	34%	14%	55 %	37 %	37 %	33 %	29 %	19 %
EPW 180550	5	148BE	121	90	77	122	98	115	90	111	77	82	78	95	102	111	122	80	108	101	100
FB		GO 160001	59 %	54 %	53 %	49 %	50 %	-0.23	-1.1	-0.79	-3.6	-5.9	-25	-0.1	0.1	9.9	3.6	-13.6	2.1	0.0	-0.4
EMBRIO PLUS EPW180550								59 %	54 %	57 %	53 %	54 %	49%	60%	41%	64 %	56 %	57 %	56 %	54 %	49 %
EPW 190550	3	TF930038	108	92	89	117	109	107	92	94	89	91	83	106	112	112	80	111	79	104	118
FB		DJV 150003	49 %	31 %	30 %	22 %	34 %	0.54	-0.3	-0.16	2.7	0.0	-17	-6.2	-1.7	10.4	-1.7	8.7	-2.5	0.3	2.4
EMBRIO PLUS ITOHANA SHIGETA								51 %	31 %	42 %	30 %	37 %	22%	51%	16%	59 %	41 %	41 %	37 %	28 %	19 %
EPW 190552	3	TF930038	108	92	89	117	108	107	92	94	89	91	83	104	112	107	80	111	79	104	118
FB		DJV 150003	49 %	31 %	30 %	22 %	30 %	0.54	-0.3	-0.16	2.7	0.0	-17	-5.2	-1.6	8.1	-1.7	8.7	-2.5	0.3	2.4
EMBRIO PLUS ITOHANA SHIGETA								51 %	31 %	42 %	30 %	37 %	22%	44%	16%	56 %	41 %	41 %	37 %	28 %	19 %
EPW 190555	1	SMOFF0154	113	92	66	115	111	111	92	123	66	84	85	102	118	104	105	114	90	103	105
FB		WAP 150008	56 %	48 %	46 %	41 %	42 %	0.19	-0.4	-1.24	-9.1	-4.6	-15	-4.1	-2.8	6.9	1.4	10.7	-0.7	0.2	0.3
EMBRIO PLUS SUMOMICHI SHIGETA								57 %	48 %	54 %	46 %	50 %	41%	56%	28%	59 %	55 %	55 %	53 %	50 %	44 %
EPW 190556	5	SMOFF0154	119	74	67	130	109	113	74	114	67	68	70	90	123	112	115	102	114	105	103
FB		EPW 160001	59 %	47 %	46 %	39 %	42 %	-0.06	-7.5	-0.91	-8.9	-15.7	-37	2.9	-3.6	10.4	2.7	2.5	3.0	0.4	0.0
EMBRIO PLUS SUMOMICHI SENAKA								59 %	47 %	57 %	46 %	48 %	39%	56%	27%	60 %	55 %	55 %	53 %	50 %	44 %
WL 190100		IMUFP0036	117	95	104	107	120	128	95	98	104	99	93	126	115	108	82	83	74	111	129
FB		BA 010039	66 %	51 %	49 %	43 %	44 %	-1.50	0.9	-0.31	11.0	5.6	-3	-17.9	-2.3	8.6	-1.5	-11.0	-3.2	1.0	4.1
GENOMICA ITOFUKU								66 %	51 %	64 %	49 %	45 %	43%	59%	30%	67 %	60 %	60 %	57 %	50 %	36 %

WAGYU Cows

Inbreeding >6% is high				<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed															
Cow				Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas				
ID	%Inbreeding	Parentage		Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
Name		Genomic DNA	Sire ID Dam ID																			
JAPANESE BLACK																						
WL 190101		✓	CWBMB A 130891	108	91	90	117	103	116	91	58	90	95	83	94	109	100	92	83	82	95	113
FB		✓	HJ 130013	-0.34	-0.7	1.20	3.5	42 %	42 %	27 %	43 %	25 %	27 %	19 %	39 %	17 %	44 %	-0.2	-10.9	-1.9	-0.5	1.7
GENOMICA SURUNAMI 101				42 %	27 %	25 %	19 %	28 %										33 %	33 %	31 %	29 %	21 %
WL 190102		✓	CWBMB A 130891	116	89	90	117	95	121	89	66	90	94	83	82	105	100	92	83	82	95	113
FB		✓	HJ 130013	-0.83	-1.3	0.90	3.2	40 %	40 %	27 %	41 %	25 %	27 %	19 %	39 %	17 %	44 %	-0.2	-10.9	-1.9	-0.5	1.7
GENOMICA SURUNAMI 102				40 %	27 %	25 %	19 %	28 %										33 %	33 %	31 %	29 %	21 %
WL 190106		✓	CWJ 160001	96	91	93	110	97	99	91	85	93	93	90	87	106	100	100	111	111	102	101
F1			VDB307	1.38	-0.5	0.20	5.2	35 %	35 %	25 %	0.20	5.2	1.7	-7	4.8	-0.5	5.4	0.8	8.8	2.5	0.1	-0.4
GENOMICA WL190106				35 %	25 %	26 %	22 %	20 %			36 %	26 %	24 %	22 %	25 %	15 %	42 %	28 %	28 %	27 %	24 %	20 %
WL 190114	5	✓	SMOFF0126	113	111	80	110	105	108	111	111	80	105	90	98	111	112	93	124	102	149	132
FB		✓	MC3FE0003	0.49	7.2	-0.79	-1.9	49 %	50 %	40 %	-0.79	-1.9	9.9	-8	-1.7	-1.4	10.4	-0.1	17.9	1.1	4.5	4.6
GENOMICA MICHATERUHANA03				49 %	40 %	39 %	38 %	35 %			47 %	39 %	43 %	38 %	45 %	25 %	53 %	45 %	46 %	44 %	42 %	31 %
EPW 200003	7	✓	IMJFAJ2810	115	85	70	120	94	127	85	130	70	84	80	91	98	118	103	70	107	73	104
FB		✓	EPW 180002	-1.42	-3.1	-1.51	-7.3	55 %	56 %	48 %	-1.51	-7.3	-4.6	-23	2.6	0.8	12.8	1.2	-20.2	1.9	-2.6	0.1
EMBRIO PLUS TERUYASU TAISHA				55 %	48 %	42 %	33 %	40 %			49 %	42 %	46 %	33 %	54 %	27 %	59 %	51 %	51 %	49 %	46 %	36 %
EPW 200028	2	✓	PK 140001	126	82	70	121	115	121	82	117	70	75	79	110	119	109	93	67	90	100	132
FB		✓	HJ 160015	-0.79	-4.4	-1.02	-7.4	49 %	50 %	38 %	-1.02	-7.4	-10.9	-24	-8.5	-2.9	9.2	-0.1	-22.8	-0.7	-0.1	4.6
EMBRIO PLUS INSURE FUKUTSU				49 %	38 %	36 %	26 %	30 %			44 %	36 %	33 %	26 %	40 %	20 %	56 %	48 %	48 %	45 %	35 %	25 %
WL 200104		✓	FB16813	115	86	90		106	121	86	64	90	92		94		99	112	84	102	92	95
FB				-0.83	-2.6	0.96	3.3	15 %	15 %	7 %	0.96	3.3	0.6		0.5		4.7	2.3	-10.8	1.1	-0.9	-1.2
GENOMICA SHIGEGUNI				14 %	7 %	6 %		8 %			12 %	6 %	10 %		12 %		21 %	18 %	18 %	17 %	18 %	16 %
WL 200106		✓	ETJ001	105	93	79	117	97	104	93	92	79	92	83	85	106	104	82	97	111	79	104
FB		✓	PK 150009	0.82	0.0	-0.10	-2.6	60 %	60 %	49 %	-0.10	-2.6	0.7	-19	5.6	-0.5	6.8	-1.5	-1.0	2.5	-2.1	0.2
GENOMICA HIRASHIGEC862				60 %	49 %	49 %	41 %	42 %			59 %	49 %	44 %	41 %	51 %	34 %	60 %	50 %	51 %	49 %	45 %	36 %
WL 200107		✓	BA 170276	105	94	102	106	105	107	94	85	102	98	94	105	105	112	104	90	98	96	98
F1		✓	VDB030	0.58	0.5	0.20	9.6	55 %	61 %	27 %	0.20	9.6	4.8	-3	-5.9	-0.4	10.5	1.3	-6.6	0.4	-0.5	-0.7
GENOMICA WL200107				55 %	27 %	27 %	25 %	24 %			34 %	27 %	26 %	25 %	28 %	21 %	37 %	26 %	27 %	26 %	26 %	23 %
EPW 210002	6	✓	BYWFH0017	128	87	85	124	97	120	87	108	85	81	76	94	102	113	96	104	91	92	99
FB		✓	BYWFL00234	-0.74	-2.5	-0.68	1.0	43 %	43 %	31 %	-0.68	1.0	-6.9	-28	0.5	0.2	10.9	0.3	3.7	-0.7	-0.9	-0.5
EMBRIO PLUS KIKU CHIYOTAKE				41 %	31 %	29 %	25 %	27 %			35 %	29 %	32 %	25 %	35 %	19 %	51 %	36 %	38 %	35 %	35 %	23 %
EPW 210004	6	✓	BYWFH0017	128	87	85	124	97	120	87	108	85	81	76	94	102	113	96	104	91	92	99
FB		✓	BYWFL00234	-0.74	-2.5	-0.68	1.0	43 %	43 %	31 %	-0.68	1.0	-6.9	-28	0.5	0.2	10.9	0.3	3.7	-0.7	-0.9	-0.5
EMBRIO PLUS KIKU CHIYOTAKE				41 %	31 %	29 %	25 %	27 %			35 %	29 %	32 %	25 %	35 %	19 %	51 %	36 %	38 %	35 %	35 %	23 %
EPW 210018	6	✓	SWK 190060	101	100	74	115	106	99	100	120	74	92	85	99	112	112	130	94	115	106	93
FB		✓	EPW 180550	1.28	2.9	-1.14	-4.8	61 %	65 %	52 %	-1.14	-4.8	0.5	-16	-2.2	-1.7	10.4	4.6	-3.6	3.0	0.5	-1.5
EMBRIO PLUS EPW210018				61 %	52 %	38 %	32 %	34 %			44 %	38 %	48 %	32 %	43 %	26 %	50 %	45 %	46 %	43 %	44 %	39 %

WAGYU Cows

Inbreeding >6% is high				<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed															
Cow				Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas				
ID	%Inbreeding	Parentage		Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
Name		Genomic DNA	Sire ID																			
JAPANESE BLACK																						
EPW 210550	1	✓	SMOFD0233	122	86	84	118	108	119	86	95	84	85	82	105	111	112	108	96	95	97	98
FB		✓	EPW 190550	-0.60	-2.7				-0.60	-2.7	-0.19	0.1	-4.2	-20	-5.8	-1.5	10.5	1.8	-2.1	0.0	-0.4	-0.7
EMBRIO PLUS EPW21-550				42 %	34 %	28 %	21 %	26 %	43 %	34 %	36 %	28 %	32 %	21%	37%	15%	50 %	29 %	31 %	29 %	26 %	21 %
EPW 210551	5	✓	SMOFC0151	118	76	72	122	110	129	76	106	72	70	78	109	111	116	114	92	89	118	113
FB		✓	EPW 190555	-1.61	-6.6				-1.61	-6.6	-0.60	-6.1	-14.7	-25	-8.0	-1.5	12.2	2.5	-4.6	-0.8	1.6	1.7
EMBRIO PLUS EPW21-551				50 %	42 %	42 %	39 %	38 %	51 %	42 %	48 %	42 %	44 %	39%	46%	29%	52 %	44 %	44 %	42 %	41 %	36 %
WL 210101	4	✓	BDWFM0495	114	68	74	135	97	133	68	104	74	67	65	87	104	108	118	91	102	103	103
FB		✓	AACFE0637	-1.93	-9.9				-1.93	-9.9	-0.53	-5.2	-16.9	-43	4.6	-0.3	8.5	3.0	-5.4	1.1	0.2	0.1
GENOMICA YASULUDE				51 %	45 %	42 %	37 %	34 %	52 %	45 %	46 %	42 %	48 %	37%	45%	22%	51 %	49 %	51 %	48 %	45 %	32 %
WL 210102	3	✓	CCOFG0113	113	82	85	117	82	132	82	99	85	79	83	86	82	113	110	100	109	102	98
FB		✓	AACFJ0532	-1.89	-4.3				-1.89	-4.3	-0.36	0.5	-8.5	-18	5.3	3.7	10.8	2.1	0.8	2.2	0.1	-0.7
GENOMICA TAKEFUKUG113				47 %	39 %	36 %	22 %	28 %	48 %	39 %	43 %	36 %	44 %	22%	40%	17%	51 %	43 %	43 %	40 %	41 %	32 %
EPW 220002	2	✓	BDWFM0495	123	60	74	144	100	124	60	101	74	60	56	84	112	110	106	101	116	105	106
FB		✓	EPW 160001	-1.06	-13.1				-1.06	-13.1	-0.42	-5.1	-21.9	-57	6.6	-1.7	9.7	1.5	1.5	3.2	0.3	0.5
LELIEPAN EMBRIO PLUS EPW22-002				58 %	46 %	45 %	37 %	36 %	59 %	46 %	56 %	45 %	48 %	37%	48%	23%	57 %	55 %	55 %	52 %	46 %	35 %
WL 220100	3	✓	FGW 120001	124	97	100	106	107	123	97	102	100	99	94	111	105	105	90	90	89	102	112
FB		✓	WL 190100	-1.04	1.7				-1.04	1.7	-0.45	8.9	5.8	-2	-9.2	-0.4	7.2	-0.5	-6.3	-0.9	0.1	1.4
GENOMICA ITOFUJI				64 %	53 %	50 %	45 %	40 %	67 %	53 %	54 %	50 %	44 %	45%	51%	28%	56 %	50 %	51 %	47 %	38 %	27 %
WL 220101	6	✓	SWSFB0119	122	88	78	124	94	116	88	111	78	82	76	98	93	111	114	85	112	84	95
FB		✓	AACFB0603	-0.31	-1.7				-0.31	-1.7	-0.79	-2.7	-6.5	-29	-1.7	1.8	9.8	2.6	-9.7	2.7	-1.6	-1.2
GENOMICA ITOZURUNAMI				46 %	42 %	37 %	30 %	34 %	47 %	42 %	42 %	37 %	40 %	30%	41%	26%	50 %	47 %	48 %	45 %	41 %	34 %
WL 220109	1	✓	CLW 180015	100	111	81	109	113	96	111	107	81	104	91	107	117	124	97	93	102	106	114
PBD		✓	777180460	1.61	7.4				1.61	7.4	-0.66	-1.1	9.5	-6	-6.7	-2.6	15.4	0.4	-4.0	1.1	0.5	1.7
GENOMICA WL220109				53 %	31 %	28 %	25 %	27 %	58 %	31 %	36 %	28 %	33 %	25%	32%	22%	43 %	34 %	34 %	33 %	31 %	27 %
WL 220110	8	✓	CLW 180015	112	95	84	115	97	109	95	101	84	92	85	98	98	104	112	85	113	98	102
F2		✓	WL 190107	0.38	0.9				0.38	0.9	-0.41	0.3	1.0	-15	-1.6	0.9	6.9	2.4	-10.0	2.8	-0.3	-0.2
GENOMICA WL220110				63 %	36 %	35 %	29 %	31 %	63 %	36 %	39 %	35 %	34 %	29%	37%	25%	43 %	36 %	36 %	35 %	33 %	29 %
CLW 230123	2		CLW 190001	120	93	76	114	125	119	93	89	76	88	86	117	130	123	83	109	111	103	112
PBD		✓	WAP 180006	-0.58	0.2				-0.58	0.2	0.03	-3.9	-2.0	-14	-13.0	-4.8	15.1	-1.3	7.0	2.4	0.1	1.5
CROWN LAKE CLW230123				63 %	25 %	26 %	17 %	24 %	68 %	25 %	44 %	26 %	28 %	17%	32%	15%	46 %	38 %	38 %	35 %	32 %	24 %



CWB

BREEDING VALUE REPORT

September 2026



D VAN DEN BERG

Herd Number: 8469281


E-mail: Wianvandenbergo@gmail.com



**WAGYU
SOCIETY**
OF SOUTH AFRICA



**CERTIFICATE
OF QUALITY**
Valid up to
October 2029



CWB Dams

Dam			Growth					Carcass					Stats				
ID	Parentage	Sire ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name	Gen. DNA	Dam ID															
AKAUSHI																	
KALFC0012		HBCFV2139	111	97	93	98	87	88	98	90	102	88	94	6	9	4	
FB		RWAFT0010	0.12	1.7	1.6	5.9	-12	2.5	0.6	-6.5	1.1	-1.3	-1.4				
KALANGA F C012			60%	39%	59%	53%	33%	37%	51%	51%	49%	48%	40%				
KALFG0006		B0125	107	119	115	116	108	88	104	94	121	79	84	3	3	1	
FB		KALFB0005	0.54	10.6	15.6	20.1	18	2.6	1.4	-3.2	4.0	-2.1	-3.1				
KALANGA SHIGEYUKO G0006			38%	24%	43%	41%	21%	21%	31%	33%	30%	31%	21%				
RSS 180004		HBCFV2139	107	114	110	113	99	88	103	92	103	81	85	2	2	1	
FB		KALFG0006	0.59	8.7	12.2	17.4	5	2.5	1.2	-4.7	1.3	-1.9	-2.9				
RSS180004			50%	38%	49%	47%	33%	36%	47%	48%	46%	46%	39%				
JAPANESE BLACK																	
777180460	✓ AF4215		91	128	123	125	107	87	79	101	89	115	124	1	1	1	
PBD	✓ BB 150143		2.14	14.4	20.2	27.2	16	1.8	-1.9	1.7	-1.0	1.4	3.4				
PB 1 ERU			52%	28%	38%	37%	13%	19%	37%	37%	33%	29%	19%				
AACFB0603		148BE	121	83	75	74	70	69	123	65	109	102	111	2	3	3	
FB		GOSFV0092	-0.79	-3.8	-9.2	-13.0	-37	-7.6	3.7	-24.1	2.1	0.1	1.3				
WESTHOLME SHIIGEFUKU 3 (AI)(ET)			58%	56%	55%	55%	50%	54%	54%	56%	55%	56%	49%				
AACFE0637		WKSFS0100	140	79	75	77	74	72	116	81	107	92	103	1	1	1	
FB		WESFW0135	-2.61	-5.5	-9.8	-10.7	-31	-6.0	2.8	-12.3	1.8	-0.9	0.0				
WESTHOLME E0637 (AI)(ET)			42%	40%	41%	38%	19%	36%	34%	46%	41%	42%	23%				
AACFG0170		PEDFU999	129	73	69	73	67	83	101	65	99	83	114	3	5	3	2
FB		AACFD0245	-1.54	-7.8	-13.3	-13.9	-41	-0.2	0.9	-23.7	0.7	-1.7	1.7				
WESTHOLME G0170 (AI)			32%	23%	45%	21%	18%	21%	41%	41%	36%	35%	18%				
AACFJ0532		6892	135	80	77	78	78	83	86	95	119	82	108	5	12	5	1
FB		AACFG0120	-2.14	-5.0	-8.4	-9.8	-25	-0.3	-1.0	-3.0	3.7	-1.8	0.8				
WESTHOLME J0532 (AI)			45%	22%	42%	19%	14%	23%	38%	38%	33%	33%	12%				
BA 010039	✓ ETJ003		129	93	92	93	83	94	84	67	92	70	113	6	63	10	3
FB	✓ BA 980016		-1.58	0.1	0.9	2.1	-19	5.6	-1.3	-22.7	-0.5	-2.9	1.6				
MEGAN 4TH			90%	72%	71%	55%	57%	67%	84%	83%	80%	65%	46%				
BB 150143		FB13429	94	130	124	127	106	88	66	97	70	131	150	6	19	6	1
PBD		BB 120014	1.82	15.0	21.2	28.6	15	2.3	-3.5	-1.2	-3.8	2.9	7.5				
JUDO ICHIRO			71%	50%	64%	62%	21%	32%	54%	54%	50%	45%	27%				
BYWFL00234		IMJFMJ068	128	81	73	75	72	79	104	73	84	108	120	2	6	4	
FB		BYWFD0166	-1.52	-4.6	-10.9	-12.2	-34	-2.6	1.4	-18.5	-1.7	0.7	2.6				
BLACKMORE CHIYOTAKE L234 (AI) (ET)			38%	33%	33%	29%	22%	30%	34%	35%	33%	30%	22%				

CWB Dams

Dam				Growth					Carcass					Stats				
ID	Parentage	Sire ID		Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name	Gen. DNA	Dam ID																
JAPANESE BLACK																		
CLW 170005		KJDFC0087		105	80	73	74	67	74	96	118	121	100	108	2	5	1	
FB		EPW 150009		0.72	-5.3	-10.9	-12.9	-40	-5.2	0.3	13.6	4.0	-0.1	0.8				
CROWN LAKE FLOWER				67%	50%	51%	49%	40%	50%	59%	59%	57%	51%	41%				
CWBFCLW 170008	✓	KJDFC0087		95	102	92	90	98	78	92	108	108	101	123	2	4	1	1
FB	✓	PK 110003		1.71	3.7	1.4	-0.4	3	-3.2	-0.2	6.6	1.9	0.0	3.2				
CROWN LAKE ABBY				88%	87%	87%	87%	88%	87%	88%	88%	88%	87%	86%				
DJV 150003		WESFA0107		108	91	86	88	79	74	76	113	82	94	116	8	21	10	2
FB		KJDFE0004		0.41	-0.8	-2.9	-1.7	-23	-5.1	-2.2	10.1	-2.0	-0.7	2.1				
A107'S E004				70%	50%	57%	54%	30%	45%	65%	65%	60%	44%	33%				
EPW 160001		MOYFF0054		122	63	59	64	55	73	92	101	135	94	108	6	19	10	1
FB		KSOFH0053		-0.86	-12.0	-19.6	-21.0	-58	-5.7	-0.3	1.3	6.1	-0.6	0.8				
EMBRIO PLUS MOYHU 54'S SENAKA				71%	45%	46%	41%	18%	46%	61%	61%	57%	47%	34%				
EPW 180002		LDFDE0241		112	96	91	94	84	73	92	88	99	94	113	1	2	1	
FB		EPW 150006		0.05	1.4	0.3	3.1	-17	-5.5	-0.2	-7.9	0.6	-0.7	1.6				
EMBRIO PLUS EPW180002				67%	48%	48%	40%	14%	32%	50%	50%	46%	40%	28%				
EPW 180550		148BE		115	90	83	82	78	77	122	80	108	101	100	1	1	1	
FB		GO 160001		-0.23	-1.1	-4.3	-6.6	-25	-3.6	3.6	-13.6	2.1	0.0	-0.4				
EMBRIO PLUS EPW180550				59%	54%	54%	54%	49%	53%	56%	57%	56%	54%	49%				
EPW 190521		BYWFH0224		129	78	71	73	69	73	116	74	100	99	109	1	1	1	
FB		WAP 160010		-1.59	-5.8	-11.9	-13.7	-38	-5.5	2.8	-17.9	0.8	-0.2	1.0				
EMBRIO PLUS KINUSURUKIKU 224				52%	35%	38%	31%	31%	37%	40%	40%	35%	31%	17%				
EPW 190550	✓	TF930038		107	92	89	92	83	89	80	111	79	104	118	1	1	1	
FB	✓	DJV 150003		0.54	-0.3	-0.8	1.6	-17	2.7	-1.7	8.7	-2.5	0.3	2.4				
ITOHANA SHIGETA				51%	31%	38%	36%	22%	30%	41%	41%	37%	28%	19%				
EPW 190555	✓	SMOFF0154		111	92	85	84	85	66	105	114	90	103	105	1	1	1	
FB	✓	WAP 150008		0.19	-0.4	-3.2	-5.2	-15	-9.1	1.4	10.7	-0.7	0.2	0.3				
SUMOMICHI SHIGETA				57%	48%	51%	50%	41%	46%	55%	55%	53%	50%	44%				
EPW 190556	✓	SMOFF0154		113	74	69	69	70	67	115	102	114	105	103	1	1	1	
FB	✓	EPW 160001		-0.06	-7.5	-13.5	-17.1	-37	-8.9	2.7	2.5	3.0	0.4	0.0				
SUMOMICHI SENAKA				59%	47%	50%	47%	39%	46%	55%	55%	53%	50%	44%				
FB16813		FB2422		127	84	79	82	74	76	110	81	95	89	100	1	3	2	
FB		FB10023		-1.38	-3.3	-7.1	-6.2	-31	-3.8	2.1	-12.9	0.1	-1.1	-0.4				
CC MS KITASITO				31%	15%	31%	12%	7%	11%	36%	36%	34%	35%	31%				
GO 160001		KJDFC0087		101	98	91	89	88	81	106	108	106	106	107	3	14	4	2
FB		SFWFG0037		1.10	2.1	0.2	-0.9	-10	-1.5	1.6	6.5	1.7	0.5	0.6				
SKILLS C087'S SFWFG0037				58%	45%	47%	43%	39%	45%	58%	57%	54%	45%	38%				

CWB Dams

Dam			Growth					Carcass					Stats				
ID	Parentage	Sire ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name	Gen. DNA	Dam ID															
JAPANESE BLACK																	
HJ 130013	 TFWFW0629		121	92	84	88	83	77	70	80	56	96	136	4	25	7	
FB	 KJDFC0143		-0.80	-0.1	-3.7	-1.7	-18	-3.7	-3.0	-13.0	-6.0	-0.5	5.3				
HJ 130013			69%	54%	55%	53%	37%	50%	66%	65%	63%	58%	42%				
HJ 160006	KKWFA0871		113	79	75	80	84	64	84	77	115	69	111	2	2	1	
FB	BA 110586		-0.04	-5.4	-9.3	-8.1	-16	-10.4	-1.3	-15.3	3.1	-3.1	1.4				
HJ 160006			61%	51%	44%	41%	37%	49%	57%	57%	54%	47%	33%				
HJ 160011	KKWFA0871		113	79	75	80	84	64	84	77	115	69	111	1	1	1	
FB	BA 110586		-0.04	-5.4	-9.3	-8.1	-16	-10.4	-1.3	-15.3	3.1	-3.1	1.4				
HJ 160011			61%	51%	44%	41%	37%	49%	57%	57%	54%	47%	33%				
HJ 160015	KKWFA0871		115	79	75	80	84	64	84	77	115	69	111	1	3	3	
FB	BA 110586		-0.19	-5.6	-9.6	-8.5	-16	-10.4	-1.3	-15.3	3.1	-3.1	1.4				
HJ 160015			62%	51%	44%	41%	37%	49%	57%	57%	54%	47%	33%				
KJDFD0030	151BE		107	81	76	77	64	76	111	76	88	79	109	9	25	5	1
FB	CAMFU0303		0.59	-4.8	-8.8	-10.7	-46	-3.9	2.2	-16.0	-1.1	-2.1	0.9				
X LAKE WAGYU F D0300			82%	69%	67%	55%	60%	62%	81%	81%	78%	68%	55%				
KSOFH0051AU	KSOFC0001		109	98	93	88	90	79	96	113	88	142	128	10	19	5	
FB	KSOFD0013		0.31	2.1	1.4	-1.5	-7	-2.3	0.3	10.2	-1.0	3.9	4.0				
OASIS SONY H051			77%	52%	59%	42%	25%	58%	71%	71%	66%	55%	33%				
MC3FE0003	IMUFR3258		103	107	102	104	97	96	91	143	101	129	107	2	4	1	
FB	SUMFU2141		0.98	5.6	7.6	10.5	1	6.7	-0.4	31.0	0.9	2.7	0.6				
MA MA CREEK F E3 (AI)(ET)			41%	38%	41%	38%	29%	37%	37%	45%	42%	42%	25%				
PK 150009	KJDFC0086		111	82	83	83	78	81	108	90	119	88	97	4	24	6	
FB	CWBFPK 110001		0.20	-4.3	-4.7	-5.7	-25	-1.1	1.8	-5.9	3.7	-1.2	-1.0				
PK 150009			70%	41%	28%	27%	24%	44%	48%	47%	44%	38%	29%				
RVK 150010	KJDFC0087		92	96	88	87	82	81	93	119	120	99	112	2	5	2	
FB	KJDFC0098		2.00	1.4	-1.6	-2.5	-19	-1.5	-0.1	14.5	3.9	-0.2	1.5				
C087'S LW C098-2			65%	50%	49%	45%	39%	46%	58%	58%	55%	51%	42%				
VDB0010			98											1	1	1	
BS			1.44														
GENOMICA VDB0010			22%														
VDB030			94											1	1	1	
BS			1.78														
GENOMICA VDB030			27%														
VDB307			90											1	2	1	
BS			2.20														
GENOMICA VDB307			27%														

CWB Dams

Dam				Growth						Carcass					Stats			
ID	Parentage	Sire ID		Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name	Gen. DNA	Dam ID																
JAPANESE BLACK																		
WAP 150008		WESFA0107		116	99	92	94	86	72	72	124	87	91	112				
FB		KJDFE0004		-0.35	2.4	1.1	2.7	-14	-6.2	-2.8	17.7	-1.2	-1.0	1.4	6	9	4	1
A107'S E004				65%	50%	52%	54%	30%	45%	61%	60%	57%	46%	34%				
WAP 180006		BA 150382		105	116	106	105	97	71	79	107	101	103	119				
PBD		WAP 140026		0.73	9.4	9.6	11.6	2	-6.5	-1.8	5.8	1.0	0.2	2.6	1	3	2	
MARNEEN WAP180006				65%	35%	39%	41%	24%	35%	54%	54%	51%	45%	35%				
WL 190100		IMUFP0036		128	95	96	101	93	104	82	83	74	111	129				
FB		BA 010039		-1.50	0.9	3.9	8.2	-3	11.0	-1.5	-11.0	-3.2	1.0	4.1	1	1	1	
ITOFUKU				66%	51%	49%	41%	43%	49%	60%	60%	57%	50%	36%				
WL 190101		CWBMBMA 130891		116	91	93	97	83	90	92	83	82	95	113				
FB		HJ 130013		-0.34	-0.7	1.8	5.0	-18	3.5	-0.2	-10.9	-1.9	-0.5	1.7	1	1	1	
SURUNAMI 101				42%	27%	28%	26%	19%	25%	33%	33%	31%	29%	21%				
WL 190102		CWBMBMA 130891		121	89	92	95	83	90	92	83	82	95	113				
FB		HJ 130013		-0.83	-1.3	0.8	3.9	-18	3.2	-0.2	-10.9	-1.9	-0.5	1.7	1	1	1	
SURUNAMI 102				40%	27%	28%	26%	19%	25%	33%	33%	31%	29%	21%				
WL 190107		BA 090335		114	97	100	101	95	92	109	84	111	99	100				
F1		VDB0011		-0.16	1.8	5.8	8.3	0	4.6	2.0	-10.5	2.5	-0.2	-0.4	1	1	1	
WL190107				66%	45%	38%	41%	30%	45%	43%	43%	42%	38%	30%				

CWB Bulls

Inbreeding >6% is high				<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed															
Bull				Selection Value					Calf weight		Mother		Growth		Fertility			Carcass				
ID	Parentage			Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
Name	%Inbreeding	Genomic DNA	Sire ID Dam ID																			
JAPANESE BLACK																						
CWBMCLW 210013	6		DJV 140002	126	83	66	137	122	120	83	102	66	75	63	112	128	117	116	105	108	108	98
FB			CLW 170005	-0.71	-4.1	-0.45	-9.6	-11.4	-0.79	-4.1	-0.45	-9.6	-11.4	-46	-10.0	-4.6	12.7	2.8	4.4	2.0	0.7	-0.8
CROWN LAKE CLW210013				65%	33%	31 %	27%	32%	70 %	33 %	48%	31%	32%	27%	44%	19%	54 %	51 %	50 %	47 %	47 %	39 %
CWBMCLW 210021			DJV 140002	105	95	98	107	110	105	95	93	98	95	93	115	106	116	126	95	103	83	70
FB			CWBFCLW 170008	0.79	0.9	-0.13	7.8	2.9	0.9	0.9	-0.13	7.8	2.9	-4	-11.9	-0.7	11.9	4.0	-2.4	1.2	-1.7	-5.2
CROWN LAKE CLW210021				43%	22%	19 %	18%	22%	46 %	22 %	33%	19%	20%	18%	32%	11%	46 %	63 %	62 %	54 %	62 %	33 %

CWB Cows

Inbreeding >6% is high				<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed																
Cow				Selection Values					Kalf gewig		Moeder		Groei		Vrugaarheid			Karkas					
ID	%Inbreeding	Parentage		Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling	Fineness
		Genomic DNA	Sire ID																				
Name			Dam ID																				
JAPANESE BLACK																							
CWBFWL 220104									114		47												
BS				104					-0.11		1.61												
GENOMICA WL220104				46 %					54 %		16 %												
VDB0010																							

