



DORPER GENETIC REPORT

21 September 2026



MR I.L. & L.M. LEROY PHILLIPS

FDM : 1700



**CERTIFICATE
OF QUALITY**

Valid up to
October 2029

General Information

This **Genetic Report** of your flock enables you to determine the genetic merit and potential of the animals in your herd relative to that of the breed. An animal's performance is determined by two factors, namely the environment and genetics. Good nutrition and management can improve performance, but an animal cannot perform better than its genetic potential. Superior performance due to the environment cannot be carried over to the next generation. It is therefore extremely important not to neglect genetic progress of your flock. Due to the interaction between environment and genetics, it is difficult to identify genetically superior animals on performance data. Estimated Breeding Values (EBVs) are therefore predicted for every animal to determine its genetic potential, as well its worth as a parent for the next generation. Through the use of EBVs, animals can be compared fairly **within the breed**, therefore across herds, years and production systems. Results presented in this report allow the breeder to identify the underlying genetics of the animals.

Genetic parameters

Genetic parameters (heritability and genetic correlations) are estimated on a breed-basis and are required for the prediction of breeding values. The **heritability** refers to the portion of the variation of a trait in a population that is due to transferrable genetics (the rest of the variation can be attributed to the environment and non-transferrable genetics). Some traits are genetically correlated, which means that a change in one trait will lead to changes in other traits. The strength of this association amongst traits is referred to as a **genetic correlations** and can be desirable or undesirable.

Breeding Values

The prediction of EBVs makes use of performance recordings of the animal as well as those of its relatives, pedigree information and genetic parameters. The deviation of the animal's measurement relative to the average of its contemporary group, forms the basis for identifying the animal's genetic potential for the trait. A **contemporary group** is a group of animals that have been exposed to the same environmental and biological effects, including herd, year, sex and age effects. After adjusting for differences in these effects, animals can fairly be compared and the difference in performance that still persist are then assumed to be due to differences in the genetic merit of the animals.

The EBV predicted for an animal at birth and until it has been measured, is the average EBV of its parents, since the animal received half of its genes from each parent. This mid-parent value makes the assumption that the same half of the parents' genes are carried over to all their offspring.

In reality, each offspring receives a random sample of each parent's genes, therefore mid-parent EBVs are still of low accuracy, but it does indicate the genetic level that can be expected due its parental history. An animal's true genetic merit can be predicted more accurately as more information becomes available, eg. when the animal has been measured or when the number of relatives with measurements increases. Estimated breeding values therefore change over time as more information becomes available. EBVs of animals are published with an **accuracy** (%), which indicates how much information was available for the estimation of breeding values and therefore the confidence with which a breeder can use it. Factors that influence the accuracy of an EBV are the heritability of the trait, the number of measured relatives, the size of the contemporary group, the precision with which the measurements were taken and the completeness of pedigree information. An EBV with an accuracy of 85% or more is less likely to change significantly with subsequent genetic analyses.

Interpretation of breeding values

EBVs are expressed around a **base year** (5 years ago), which means that the average breeding value of the base year is set as zero and all breeding values are expressed relative to this average. An animal with an EBV of +1kg for weaning weight is therefore genetically superior by 1kg compared to an average animal born in the base year. EBVs therefore express genetic merit of animals relative to each other. The true performance of an animal cannot be calculated from the EBV, but it enables the breeder to know which animals will make a better contribution to the next generation. For easier interpretation EBVs are also expressed as breeding value indices. For these indices the average value of the **active population** is set as 100 with a standard deviation of 12. An index of 76 therefore indicates that the animal is 2 standard deviations below the average and an index of 112 indicates that the animal is 1 standard deviation above the average of the active population for the specific trait. Please note that negative EBVs are favourable for Inter-Lambing Period and Age at First Lambing, therefore shorter inter-lambing periods and younger ages at first lambing indicates better fertility. However, breeding value indices are expressed in the same way for all traits, therefore higher indices indicates desirability for the traits and lower indices are undesirable. This makes it easy to identify superior animals for all traits.

The data used in this evaluation has been obtained from LOGIX, as supplied by breeders. Everything possible had been done to present the information correctly. SA Stud Book does not take any responsibility for the use and interpretation of the information from this publication.

Selection Indices

It is easy to select on a single trait, but that is not the best approach to follow. Selecting on only one trait can lead to the deterioration of performance in other traits due to genetic correlations. There are different traits that are important, some being more important than others. A selection index combines multiple traits, each with an economic weight to take the different levels of importance into account. EBVs for different traits cannot simply be added together, since the unit of measurement and range of the values differ and in some cases negative values are favoured. These factors are accounted for in the compilation of a selection index. An overall selection index includes EBVs of all the traits of economic importance, while other selection indices are more focused on specific breeding objectives. Selection indices are expressed around 100, with 100 being the average of the active population, with a standard deviation of 12. A selection index of 124 is therefore 2 standard deviations above the average and an index of 88 is one standard deviation below the average of the active animals of the population.

Three Indices are constructed for the Dorper breed, namely the Dorper Logix Merit Index (DLMI), the Dorper Growth Index (DGI) and the Dorper Reproduction Index (DRI). These indices, their purpose and the contribution of the different traits to the indices are summarised as follows :


Dorper Logix Merit Index (DLMI)

This index combines all the traits to select for a balanced, profitable animal that is fertile and delivers a desirable level of production. Selection based on the DLMI will lead to breeding of balanced animals that will have the genetic potential to wean at a heavier weight (both due to its own potential and having dams that produce sufficient milk), lambs at an early age, lambs regularly and give multiple lambs. This value is especially important for sustainability, which requires the selection of good, productive replacement animals for the flock.

The DLMI is constructed as follows :

$$DLMI = (0.30 * Wean Dir) + (0.04 * Post-Wean) + (0.21 * Wean Mat) + (0.12 * ILP) + (0.13 * AFL) + (0.20 * NLS)$$

Schematically the DLMI can be explained as follows :



Dorper Growth Index (DGI)

Breeding values for Direct and Maternal Weaning Weight, as well as Post-weaning weight are included in this index. This index can be used to identify animals with good pre-weaning and post-weaning growth potential.

The DGI is constructed as follows :

$$DGI = (0.5518 * Wean Dir) + (0.0682 * Post-Wean) + (0.38 * Wean Mat)$$

Reproduction Index (DRI)

This index includes Weaning Maternal, Number of Lambs Weaned, Age at First Lambing and Inter-lambing Period. This is especially an important index to consider in the development of a dam line.

The DRI is constructed as follows :

$$(0.2 * AFL) + (0.2 * ILP) + (0.2 * Wean Mat) + (0.4 * NLW)$$

It is always important to consider the traits that contribute to the index individually when selection of animals is based on indices. It sometimes happen that an animal receives a good index due to its exceptional genetic merit of a specific trait, while some of the other traits of the animal in the index might be at undesirable levels for the specific flock's breeding objective, but masked in the index due to the exceptionality of that trait. A sound procedure is to rank animals based on the relevant selection index and then eliminate animals from the list that do not conform towards the flock's breeding objectives when considering the individual traits. Make use of all the available information.

Dorper

Average Genetic Levels : EBVs

Trait	Flock **			Breed		
	All	Rams	Ewes	All	Rams	Ewes
Wean Direct	-0.91	-0.99	-0.86	0.00	0.04	-0.02
Wean Maternal	-0.44	-0.68	-0.29	0.14	0.12	0.16
Wean Combined	-0.89	-1.17	-0.72	0.14	0.13	0.15
Post-Wean	-2.13	-2.62	-1.82	-0.25	-0.21	-0.27
Number of Lambs Weaned	-1.05	-1.02	-1.08	0.10	0.11	0.09
Total Weight Weaned	-1.98	-2.28	-1.80	0.21	0.22	0.20
Age at First Lambing	1.40	1.64	1.17	0.27	0.41	0.19
Inter-lambing Period	3.64	3.60	3.68	1.10	1.20	1.05
Selection Indices						
Dorper Logix Merit Index	87	87	88	99	99	100
Dorper Growth Index	91	89	92	100	100	100
Dorper Reproduction Index	90	90	90	99	99	99
Inteling						
Inbreeding (%)	2.36	2.43	2.32	3.50	3.79	3.35
Number of Animals						
Number of animals	2010	785	1225	35778	12454	23129

** Averages of all active animals in the herd.

Average Genetic Levels : Indices

Trait	Flock **			Breed		
	All	Rams	Ewes	All	Rams	Ewes
Wean Direct	91.5	90.8	91.9	100	99.5	99.0
Wean Maternal	94.2	91.7	95.8	100	100.1	100.5
Wean Combined	91.4	89.2	92.9	100	99.8	99.9
Post-Wean	92.3	90.3	93.5	100	100.0	99.8
Number of Lambs Weaned	92.9	93.1	92.8	100	98.9	98.8
Total Weight Weaned	90.0	88.8	90.8	100	99.3	99.2
Age at First Lambing	97.1	96.4	97.7	100	99.6	100.2
Inter-lambing Period	92.4	92.5	92.3	100	98.7	99.1
Selection Indices						
Dorper Logix Merit Index	87	87	88	99	99	100
Dorper Growth Index	91	89	92	100	100	100
Dorper Reproduction Index	90	90	90	99	99	99
Inbreeding						
Inbreeding (%)	2.36	2.43	2.32	3.50	3.79	3.35
Number of Animals						
Number of animals	2010	785	1225	35778	12454	23129

** Averages of all active animals in the flock.

ACTIVE ANIMALS

Animals born in the last 24 months and their parents, are defined as the active population, unless cancelled on Logix.

Inbreeding

- Inbreeding primarily leads to decreased fertility and low survivability of lambs.
- The effects of inbreeding can be observed from 6.25% onwards.
- It is therefore highly recommended to record pedigree information as accurately and completely as possible and to use a selection programme for selection of unrelated rams.
- Incomplete or incorrect pedigree information can be reported to SA Stud Book. Inbreeding is dependent on pedigree information. Conventional methods for the Calculation of inbreeding coefficients usually assume that unknown parents are unrelated. However, this is usually far from the truth. An algorithm is used for the calculation of inbreeding, where the average inbreeding coefficient is assigned to unknown parents based on the generation in which they were born. This result is a more accurate reflection of inbreeding of the herd and breed.

Inbreeding Levels for Specific Matings


Progeny with Parents :	25%
Full Brother x Full Sister :	25%
Half Brother x Half Sister :	12.5%
One Common Grandparent :	6.25%
One Common Great-Grandparent :	3.125%

Level and Rate of Inbreeding

Year of Birth	Level* (%)	Rate (% / year)
2000 - 2025	2.44	0.06
Recommended:	< 6.25	< 0.1 - 0.2

*Of the last year of birth

Rate of Inbreeding



Pedigree Information

	Nr Animals	% Animals
Known sires	1466	73
Known dams	1475	73

Note : Inbreeding can be under-estimated if pedigree information is incomplete or incorrect.

Genetic Windows

Genetic Linkage of Flock

(Based on the youngest measured generation)

Level	Nr of Link Rams
Geen / None	0


A link ram should have at least 20 measured progeny in your flock and at least another 20 measured progeny in at least one more flock.

Try to use at least 5 link rams in a 5 year period to obtain strong genetic linkage within the breed.

WnD:	Wean Direct
WnM:	Wean Maternal
WnC:	Wean Combined
PostWn:	Post-Wean Weight
NLW:	Number of Lambs Weaned
TWW:	Total Weight Weaned
AFL:	Age at First Lambing
ILP:	Inter-lambing Period
DRI:	Dorper Reproduction Index
DLMI:	Dorper Logix Merit Index
DGI:	Dorper Growth Index

All animals in the flock

Number : 2038




The genetic windows allow a quick overview of the genetic status of the flock compared to the breed. The values presented here are the average EBV indices of all the active animals of the flock, of the dams and sires of the active animals of the flock, as well as of the ewes and rams that are less than two years old. An index of 100 is equal to the average of the active measured population. Due to the higher selection intensity on rams (selection is more strict since a much smaller percentage of young animals are retained in the flock), the expectation is for the average index of the sires to be higher than that of the dams. Remember that the EBV index for AFL and ILP are presented in such a way that an index above 100 indicates animals that have a lower EBV for these traits.

Genetic Windows


Dams of Lambs < 24 months

Number: 473




Sires of Lambs < 24 months

Number: 7




Ewes < 24 months

Number: 521




Rams < 24 months

Number: 544




Genetic Trends


Weaning Weight Direct




Weaning Weight Maternal




Weaning Weight Combined




Post-Weaning Weight



Number of Lambs Weaned




Total Weight Weaned (TWW)







Genetic trends are based on measured animals bred by the relevant breeder

Genetic Trends



For AFL and ILP flock genetic trends below breed averages are desirable.



Genetic Trends of Breed

Birth yr	Weaning Weight EBV			Post-Wean		NLW		TWW		AFL		ILP		DRI	DGI	DLMI
	Number	Dir	Mat	Number	EBV	Number	EBV	Number	EBV	Number	EBV	Number	EBV	Index	Index	Index
2014	10616	-0.75	-0.31	1723	-1.71	2567	0.18	10616	94	1815	2.67	1310	0.09	97.4	92.2	93.3
2015	9178	-0.61	-0.19	2199	-2.07	2380	0.07	9178	95	1770	1.57	1282	0.27	96.9	93.8	94.0
2016	8648	-0.64	-0.18	2168	-2.11	2851	0.05	8648	95	1887	1.08	1361	0.42	98.3	93.7	94.8
2017	9591	-0.43	-0.17	2442	-1.27	2361	0.19	9591	96	2136	1.45	1584	-0.05	98.6	95.1	96.0
2018	8658	-0.42	-0.15	2216	-0.96	2334	0.30	8658	97	1845	1.17	1345	-0.02	99.5	95.3	96.6
2019	8660	-0.25	-0.15	1784	-0.76	1966	0.13	8660	97	1740	-0.12	1314	-0.17	99.8	96.3	97.6
2020	7900	-0.18	-0.07	1820	-0.61	2135	-0.01	7900	98	1738	0.66	1328	-0.33	100.2	97.2	98.4
2021	9083	0.00	0.00	2527	0.00	2732	0.01	9083	99	2313	0.00	1597	0.00	100.4	98.8	99.6
2022	8777	-0.01	0.14	2174	-0.19	2444	0.20	8777	101	1866	0.36	1241	-0.45	102.1	99.4	100.7
2023	7691	0.09	0.12	1828	0.94	1984	0.14	7691	100	1533	-0.35	767	0.33	100.9	100.0	100.5
2024	8002	0.06	0.05	1612	1.09	1162	0.15	8002	100	1115	-0.48	155	0.16	100.0	99.4	99.7
2025	8602	0.02	0.19	1782	1.14	22	-0.19	8602	100	62	1.32	2	-2.08	100.0	99.9	99.9

Genetic Trends of Flock

Birth yr	Weaning Weight EBV			Post-wean		NLW		TWW		AFL		ILP		DRI	DGI	DLMI
	Number	Dir	Mat	Number	EBV	Number	EBV	Number	EBV	Number	EBV	Number	EBV	Index	Index	Numbe Index
2014										5	10.44					
2015										1	2.28					
2016										2	1.93					
2017																
2018																
2019										1	7.18					
2020										1	4.93	1	9.29			
2021																
2022																
2023																
2024	337	-0.76	-1.08											89.8	88.2	337 87.6
2025	515	-1.10	-0.68											89.2	88.2	515 86.1

Breeding Values and Selection Indices Percentiles

The percentiles indicate the ranking of the animals' EBVs and Selection Indices within the active population.

For example, if an animal's EBV for a specific trait falls between the maximum and 99% percentile of the trait, it means that this animal ranks in the top 1% of the active population, or this animal's genetic merit for the trait is better than 99% of that of the active population.

Should the EBV for a specific trait falls between the 5% and 10% percentile, it means that the animal ranks in the bottom 10% of the active population for the specific trait, or the animal's genetic merit is worse than 90% of the active population.

Note that the percentiles for Age at First Lambing and Inter-lambing Period EBVs work on the reverse scale.

Percentile	Wean Dir	Wean Mat	Wean Comb	Post Wean	NLW	TWW	AFL	ILP	DGI	DRI	DLMI
Gemid/Avg	0.01	0.15	0.15	-0.24	0.10	0.21	0.26	1.11	99.67	99.27	99.43
SA/SD	1.34	1.06	1.40	2.83	2.12	2.69	-4.79	-5.11	11.48	11.66	11.77
MIN	-6.40	-4.87	-5.73	-10.91	-9.90	-12.32	104.15	24.50	58.80	51.80	54.90
1%	-2.69	-2.69	-2.72	-6.05	-4.40	-4.76	12.59	15.06	77.20	70.60	77.00
5%	-1.89	-1.69	-1.87	-4.18	-2.80	-3.23	7.35	10.51	84.30	80.40	83.00
10%	-1.50	-1.16	-1.44	-3.37	-2.10	-2.54	5.14	7.78	87.30	84.30	86.40
20%	-1.11	-0.61	-0.90	-2.45	-1.20	-1.78	3.22	4.19	90.90	90.40	90.00
30%	-0.82	-0.28	-0.57	-1.83	-1.20	-1.21	1.96	3.55	93.20	93.30	92.60
40%	-0.50	-0.03	-0.31	-1.19	-0.70	-0.89	0.94	1.89	95.60	96.20	94.80
50%	-0.15	0.17	-0.03	-0.55	-0.20	-0.40	0.35	0.96	97.60	99.30	97.40
60%	0.18	0.36	0.25	0.02	0.20	0.21	-0.70	-0.32	100.30	101.60	100.30
70%	0.59	0.58	0.62	0.80	0.80	0.96	-1.27	-1.60	103.50	104.90	103.80
80%	1.09	0.92	1.14	1.86	1.60	2.04	-2.58	-2.95	107.90	108.70	108.70
90%	1.83	1.46	2.04	3.51	2.90	4.10	-4.62	-4.91	115.30	114.20	116.20
95%	2.49	1.93	2.90	5.09	4.10	5.80	-6.92	-6.70	122.70	119.10	122.60
99%	3.68	2.69	4.18	8.05	6.40	8.19	-13.63	-9.96	134.30	127.50	131.50
MAX	6.10	5.19	7.21	14.14	16.10	12.93	-61.56	-16.75	144.60	138.90	146.10

SA/SD = Standard deviation : An indicator of how far breeding values/selection indices are distributed around the average.

Rams with Progeny



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed avg
Indices <= 76

Acc: Accuracy of the breeding value

Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of all active animals of the breed

Animal Information			Parents & Progeny						Selection Indices			EBV - Weights				EBV - Fertility						
Animal ID BDate	Birth Status	% In- breeding	Sire ID Dam ID	1st generation		2nd generation		DLMI	DGI	DRI	Weaning Weight		Comb	Post-Wean	Lambs Weaned	TWW	AFL		ILP		Dam EPI	T Lamber N Weaned
				Progeny weaned	Nr flocks	Progeny weaned	Nr flocks				Dir EBV Acc Index	Mat EBV Acc Index					EBV Index	EBV Index	EBV Index	EBV Index		
			Active Breed Average:						100	100	100	0.00	0.14	0.14	-0.25	0.10	0.21	0.27	1.10			
1700 22 0149 2022/03/10	1	2.34		1	1				101		-0.05 20 99	0.36 5 103	0.34 102	0.61 5 103	-1.20 5 92	-0.41 10 97						0
1700 22 0267 2022/10/10	1	2.34																			0	
1700 22 2761 2022/03/25	1	1.47	2817 20 0149 1700 16 8330	545	1	3	1	83	79	88	-0.92 98 91	-2.62 77 71	-3.09 74	-5.61 15 78	-0.70 17 95	-3.97 71 82	-2.62 78 108	3.13 14 94			1 0	
1700 22 6098 2022/02/15	1	2.34		2	1	1	1		101		0.27 31 102	0.08 17 100	0.21 101	0.73 5 104	-1.20 5 92	-0.37 18 97	-5.38 18 115				0	
1700 22 9565 2022/05/01	1	11.23	2817 20 0149 1700 19 6394	18	1			76	83	74	-0.43 70 96	-2.50 44 72	-2.72 77	-4.28 29 84	-1.80 29 89	-4.02 51 82	6.54 40 83	7.45 25 83			3 2	
1700 22 9584 2022/03/10	1	2.34		47	1				91		-1.96 82 83	0.72 32 107	-0.26 97	-2.00 5 93	-1.20 5 92	-1.96 44 90	5.19 19 87				0	
1700 23 0001 2023/01/02	1	2.35																			0	
1700 23 0462 2023/10/10	1	2.35																			0	
1700 24 5057 2024/10/10	1	2.34	1700 22 2761 1700 22 2762					88	88	91	-0.80 51 92	-1.07 39 88	-1.47 87	-2.93 8 89	-0.90 8 94	-2.41 36 88	-0.85 39 103	3.55 7 93			1 1	
1700 24 5071 2024/01/01	1	2.52		5	1				103		0.40 41 103	0.28 10 102	0.48 103	1.22 5 106	-1.20 5 92	-0.04 20 98	0.54 37 99				0	
Ram Flock Average								82	92	84	-0.50	-0.68	-0.93	-1.75	-1.17	-1.88	0.57	4.71				
Number of rams with progeny in the flock: 10																						

Active rams, born since Jan 2022, with progeny in the flock

Young Rams



EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed avg
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information				Parents		Selection Index			EBV - Weights						EBV - Fertility								
Animal ID BDate	Birth Status	% In- breeding		Sire ID		DLMI	DGI	DRI	Weaning Weight				Lambs Weaned	TWW	AFL		ILP		Dam				
				Dam ID	Dir				Mat	Comb	Post-Wean	Acc			Index	Acc	Index	Acc	Index	Acc	Index	EPI	T Lamed N Weaned
					EBV Acc				EBV Index	EBV Acc	EBV Index												
Active Breed Average:						100	100	100	0.00	0.14	0.14	-0.25	0.10	0.21	0.27	1.10							
1	1700 24 0480 2024/10/15	1	2.26	1700 22 2761 1700 21 5310		88	88	91	-0.89 49	-1.06 39	-1.50 87	-3.05 8	-0.90 8	-2.49 36	-0.84 39	3.55 7	82	2 0					
2	1700 24 0482 2024/10/15	1	2.52	1700 22 2761 - - -		82	87	81	-0.53 49	-1.52 39	-1.79 84	-3.10 8	-0.60 8	-2.41 36	0.74 39	13.37 7		0					
3	1700 24 0485 2024/10/15	1	2.33	1700 22 2761 1700 20 2886		87	86	91	-1.03 51	-1.16 44	-1.68 85	-3.43 8	-0.90 8	-2.73 38	-0.84 39	3.55 7	103	3 2					
4	1700 24 0486 2024/10/15	1	2.33	1700 22 2761 1700 20 5231		88	88	91	-0.89 49	-1.06 39	-1.50 87	-3.05 8	-0.90 8	-2.49 36	-0.84 39	3.55 7	90	1 0					
5	1700 24 0487 2024/10/15	1	2.34	1700 22 9584 1700 21 2706		90	94	92	-1.28 41	0.59 16	-0.05 98	-1.08 5	-1.20 5	-1.41 22	3.06 10	3.90 5	82	2 0					
6	1700 24 0488 2024/10/25	2	2.04	1700 22 2761 1700 18 1002		92	86	99	-0.95 50	-1.28 39	-1.75 84	-3.99 8	-0.20 8	-2.35 36	-4.63 39	-0.51 7	75	3 0					
7	1700 24 0491 2024/10/15	1	2.34	1700 22 9584 1700 20 8385		92	97	93	-1.19 44	0.99 26	0.39 102	-0.38 5	-1.20 5	-0.93 27	3.06 10	3.90 5	106	2 2					
8	1700 24 0492 2024/10/15	1	2.26	1700 22 2761 1700 21 0490		88	88	91	-0.86 50	-1.00 42	-1.43 87	-2.92 8	-0.90 8	-2.40 37	-0.84 39	3.55 7	98	2 1					
9	1700 24 0493 2024/10/15	2	2.26	1700 22 2761 1700 21 0463		88	88	91	-0.86 51	-1.00 44	-1.43 87	-2.92 8	-0.90 8	-2.40 38	-0.84 39	3.55 7	104	3 2					
10	1700 24 0495 2024/10/15	2	2.34	1700 22 9584 1700 21 2664		91	96	93	-1.26 42	0.88 23	0.25 101	-0.63 5	-1.20 5	-1.09 25	3.06 10	3.90 5	99	2 1					
11	1700 24 0497 2024/10/15	1	1.67	1700 22 2761 1700 17 9643		92	85	99	-1.05 49	-1.26 39	-1.79 84	-4.12 8	-0.20 8	-2.43 36	-4.63 39	-0.51 7	82	2 0					
12	1700 24 0498 2024/10/15	1	2.04	1700 22 2761 1700 18 8657		92	85	99	-1.05 49	-1.26 39	-1.79 84	-4.12 8	-0.20 8	-2.43 36	-4.63 39	-0.51 7	82	2 0					
13	1700 24 0499 2024/10/15	1	2.34	1700 22 9584 1700 20 9558		92	97	93	-1.21 42	0.96 23	0.35 102	-0.45 5	-1.20 5	-0.98 25	3.06 10	3.90 5	100	2 1					
14	1700 24 0502 2024/10/15	2	2.35	1700 22 9584 1700 23 5147		89	94	92	-1.39 42	0.64 23	-0.05 98	-1.19 5	-1.20 5	-1.47 25	3.06 10	3.90 5	98	2 1					
15	1700 24 0504 2024/10/15	2	2.04	1700 22 2761 1700 19 9651		88	88	91	-0.89 49	-1.06 39	-1.50 87	-3.05 8	-0.90 8	-2.49 36	-0.84 39	3.55 7	82	2 0					
16	1700 24 0508 2024/10/15	1	2.33	1700 22 2761 1700 20 5280		88	88	91	-0.89 49	-1.06 39	-1.50 87	-3.05 8	-0.90 8	-2.49 36	-0.84 39	3.55 7	90	1 0					
17	1700 24 0510 2024/10/15	1	2.26	1700 22 2761 1700 21 1545		88	88	91	-0.89 49	-1.06 39	-1.50 87	-3.05 8	-0.90 8	-2.49 36	-0.84 39	3.55 7	82	2 0					
18	1700 24 0511 2024/10/15	1	2.34	1700 22 9584 1700 21 2662		87	93	89	-1.46 44	0.52 27	-0.21 97	-1.46 5	-1.20 5	-1.66 27	6.22 13	3.82 5	104	3 2					



Young Rams



EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed avg
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information				Parents		Selection Index			EBV - Weights				EBV - Fertility				Dam	
Animal ID BDate	Birth Status	% In- breeding		Sire ID Dam ID		DLMI	DGI	DRI	Weaning Weight				Lambs Weaned	TWW	AFL	ILP	EPI	T Lamed N Weaned
									Dir	Mat	Comb	Post-Wean						
									EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index		
Active Breed Average:						100	100	100	0.00	0.14	0.14	-0.25	0.10	0.21	0.27	1.10		
19	1700 24 0513 2024/10/15	1	2.33	1700 22 2761 1700 20 9571		88	88	91	-0.89 49 92	-1.06 39 88	-1.50 87	-3.05 8 89	-0.90 8 94	-2.49 36 88	-0.84 39 103	3.55 7 93		2 0
20	1700 24 0514 2024/10/15	1	2.34	1700 22 9584 1700 22 8433		89	94	92	-1.48 44 87	0.70 26 106	-0.04 98	-1.24 5 96	-1.20 5 92	-1.50 27 92	3.06 10 93	3.90 5 92	103	3 2
21	1700 24 0515 2024/10/15	2	2.33	1700 22 2761 1700 20 0688		89	89	91	-0.80 50 92	-0.90 42 89	-1.30 88	-2.68 8 90	-0.90 8 94	-2.24 37 89	-0.84 39 103	3.55 7 93	99	2 1
22	1700 24 0519 2024/10/15	1	2.34	1700 22 2761 1700 22 6242		83	82	89	-1.25 50 89	-1.68 42 81	-2.31 80	-4.51 8 83	-0.90 8 94	-3.47 37 84	-0.84 39 103	3.55 7 93	95	2 2
23	1700 24 0522 2024/10/15	1	2.35	1700 22 2761 1700 23 5207		90	90	92	-0.71 50 93	-0.74 42 91	-1.10 90	-2.32 8 92	-0.90 8 94	-1.99 37 90	-0.84 39 103	3.55 7 93	99	2 1
24	1700 24 0525 2024/10/15	1	2.35	1700 22 9584 1700 23 0572		89	94	92	-1.41 41 87	0.62 16 105	-0.09 98	-1.25 5 96	-1.20 5 92	-1.51 22 92	3.06 10 93	3.90 5 92	90	1 0
25	1700 24 0526 2024/10/15	1	2.26	1700 22 2761 1700 21 5203		87	87	92	-1.29 51 88	-0.77 44 91	-1.41 87	-3.30 8 88	-0.90 8 94	-2.60 38 87	-0.84 39 103	3.55 7 93	105	4 2
26	1700 24 0528 2024/10/15	1	2.26	1700 22 2761 1700 21 2682		88	88	91	-0.89 49 92	-1.06 39 88	-1.50 87	-3.05 8 89	-0.90 8 94	-2.49 36 88	-0.84 39 103	3.55 7 93	90	1 0
27	1700 24 0530 2024/10/15	2	2.33	1700 22 2761 1700 20 2874		86	88	89	-0.83 51 92	-0.95 43 89	-1.37 88	-2.81 8 90	-0.90 8 94	-2.32 38 89	2.51 40 94	3.46 7 93	100	3 1
28	1700 24 0532 2024/10/15	1	2.04	1700 22 2761 1700 18 4194		92	85	99	-1.05 49 90	-1.26 39 85	-1.79 84	-4.12 8 84	-0.20 8 97	-2.43 36 88	-4.63 39 113	-0.51 7 103		2 0
29	1700 24 0534 2024/10/15	1	2.04	1700 22 2761 1700 19 6236		86	85	90	-1.02 50 91	-1.29 42 85	-1.80 84	-3.59 8 86	-0.90 8 94	-2.85 37 86	-0.84 39 103	3.55 7 93	97	2 1
30	1700 24 0535 2024/10/15	1	2.34	1700 22 9584 1700 22 1007		89	94	92	-1.41 41 87	0.62 16 105	-0.09 98	-1.25 5 96	-1.20 5 92	-1.51 22 92	3.06 10 93	3.90 5 92	90	1 0
31	1700 24 0537 2024/10/15	1	2.34	1700 22 9584 1700 20 5252		89	93	92	-1.47 44 87	0.52 26 104	-0.22 97	-1.48 5 95	-1.20 5 92	-1.67 27 91	3.06 10 93	3.90 5 92	103	2 2
32	1700 24 0538 2024/10/15	2	2.33	1700 22 2761 1700 20 8393		90	90	92	-0.71 51 93	-0.75 44 91	-1.10 90	-2.33 8 91	-0.90 8 94	-2.00 38 90	-0.84 39 103	3.55 7 93	105	3 2
33	1700 24 0540 2024/10/15	2	2.34	1700 22 9584 1700 19 0895		89	94	92	-1.41 41 87	0.62 16 105	-0.09 98	-1.25 5 96	-1.20 5 92	-1.51 22 92	3.06 10 93	3.90 5 92	90	1 0
34	1700 24 0543 2024/10/15	1	2.26	1700 22 2761 1700 21 2731		82	80	88	-1.34 50 88	-1.83 42 79	-2.50 78	-4.87 8 81	-0.90 8 94	-3.71 37 83	-0.84 39 103	3.55 7 93	95	3 1
35	1700 24 0544 2024/10/15	1	2.33	1700 22 2761 1700 20 8401		87	87	91	-0.93 52 91	-1.13 44 87	-1.60 86	-3.23 8 88	-0.90 8 94	-2.60 39 87	-0.84 39 103	3.55 7 93	111	2 3
36	1700 24 0545 2024/10/15	1	2.34	1700 22 2761 1700 22 8329		88	88	91	-0.86 50 92	-1.01 42 88	-1.44 87	-2.95 8 89	-0.90 8 94	-2.41 37 88	-0.84 39 103	3.55 7 93	99	2 1



Young Rams



EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed avg
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information				Parents		Selection Index			EBV - Weights				EBV - Fertility							
Animal ID BDate	Birth Status	% In- breeding	Sire ID Dam ID		DLMI	DGI	DRI	Weaning Weight				Lambs Weaned	TWW	AFL		ILP		Dam EPI T Lamed N Weaned		
								Dir	Mat	Comb	Post-Wean			EBV		EBV				
								Acc	Index	Acc	Index			EBV	Index	EBV	Index			
Active Breed Average:					100	100	100	0.00	0.14	0.14	-0.25	0.10	0.21	0.27	1.10					
37	1700 24 0546 2024/10/15	2	2.34	1700 22 9584 1700 21 1562	88	92	91	-1.52 42	0.43 23	-0.33 96	-1.69 5	-1.20 5	-1.81 25	3.06 10	3.90 5	97	2 1			
38	1700 24 0550 2024/10/15	2	2.26	1700 22 2761 1700 21 0528	91	92	92	-0.64 51	-0.62 44	-0.94 91	-2.04 8	-0.90 8	-1.80 38	-0.84 39	3.55 7	106	3 2			
39	1700 24 0552 2024/10/15	1	2.34	1700 22 9584 1700 21 2007	91	95	93	-1.29 42	0.82 23	0.18 100	-0.76 5	-1.20 5	-1.19 25	3.06 10	3.90 5	99	3 1			
40	1700 24 0553 2024/10/15	2	1.67	1700 22 2761 1700 17 1818	95	90	101	-0.77 51	-0.78 44	-1.16 89	-2.99 8	-0.20 8	-1.67 38	-4.63 39	-0.51 7	104	3 2			
41	1700 24 0555 2024/10/15	1	2.34	1700 22 9584 1700 22 6265	89	94	92	-1.41 41	0.62 16	-0.09 98	-1.25 5	-1.20 5	-1.51 22	3.06 10	3.90 5		2 0			
42	1700 24 0556 2024/10/15	1	2.34	1700 22 9584 1700 20 8494	89	94	92	-1.41 41	0.62 16	-0.09 98	-1.25 5	-1.20 5	-1.51 22	3.06 10	3.90 5		3 0			
43	1700 24 0557 2024/10/15	1	2.34	1700 22 9584 1700 22 8313	89	94	92	-1.41 41	0.62 16	-0.09 98	-1.25 5	-1.20 5	-1.51 22	3.06 10	3.90 5	90	1 0			
44	1700 24 0558 2024/10/15	1	2.34	1700 22 9584 1700 18 5244	93	91	100	-1.57 41	0.41 16	-0.37 96	-2.31 5	-0.40 5	-1.40 22	-0.73 10	-0.16 5	90	1 0			
45	1700 24 0559 2024/10/15	2	2.34	1700 22 2761 1700 22 6149	88	88	91	-0.89 49	-1.06 39	-1.50 87	-3.05 8	-0.90 8	-2.49 36	-0.84 39	3.55 7	82	2 0			
46	1700 24 0561 2024/10/15	2	2.34	1700 22 2761 1700 22 2720	90	91	92	-0.68 50	-0.69 42	-1.03 90	-2.20 8	-0.90 8	-1.91 37	-0.84 39	3.55 7	100	2 1			
47	1700 24 0562 2024/10/15	2	2.34	1700 22 2761 1700 22 2720	90	91	92	-0.68 50	-0.69 42	-1.03 90	-2.20 8	-0.90 8	-1.91 37	-0.84 39	3.55 7	100	2 1			
48	1700 24 0565 2024/10/15	1	2.34	1700 22 9584 1700 21 5223	91	96	93	-1.24 44	0.91 26	0.29 101	-0.57 5	-1.20 5	-1.05 27	3.06 10	3.90 5	105	3 2			
49	1700 24 0566 2024/10/15	1	2.34	1700 22 2761 1700 22 8320	87	87	91	-0.95 50	-1.16 42	-1.64 85	-3.30 8	-0.90 8	-2.65 37	-0.84 39	3.55 7	98	2 1			
50	1700 24 0567 2024/10/15	1	2.52	1700 22 - - -	82	87	81	-0.53 49	-1.52 39	-1.79 84	-3.10 8	-0.60 8	-2.41 36	0.74 39	13.37 7		0			
51	1700 24 0568 2024/10/15	1	2.34	1700 22 2761 1700 22 1049	88	88	91	-0.89 49	-1.06 39	-1.50 87	-3.05 8	-0.90 8	-2.49 36	-0.84 39	3.55 7		3 0			
52	1700 24 0569 2024/10/15	1	2.34	1700 22 9584 1700 22 6095	89	94	92	-1.41 41	0.62 16	-0.09 98	-1.25 5	-1.20 5	-1.51 22	3.06 10	3.90 5		3 0			
53	1700 24 0571 2024/10/15	3	2.33	1700 22 2761 1700 20 5232	88	88	91	-0.89 49	-1.06 39	-1.50 87	-3.05 8	-0.90 8	-2.49 36	-0.84 39	3.55 7	90	2 0			
54	1700 24 0574 2024/10/15	3	2.34	1700 22 2761 1700 22 6247	88	88	91	-0.85 49	-1.06 39	-1.49 87	-3.00 8	-0.90 8	-2.45 36	-0.84 39	3.55 7	82	2 0			



Young Rams



EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed avg
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information				Parents		Selection Index			EBV - Weights				EBV - Fertility							
Animal ID BDate	Birth Status	% In- breeding	Sire ID Dam ID		DLMI	DGI	DRI	Weaning Weight		Comb	Post-Wean	Lambs Weaned	TWW	AFL		ILP		Dam EPI T Lamed N Weaned		
								Dir	Mat					Acc	Index	Acc	Index			Acc
								EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV
Active Breed Average:					100	100	100	0.00	0.14	0.14	-0.25	0.10	0.21	0.27	1.10					
55	1700 24 0575 2024/10/15	3	2.34	1700 22 2761 1700 22 6247	88	88	91	-0.85 49	-1.06 39	-1.49 87	-3.00 8	-0.90 8	-2.45 36	-0.84 39	3.55 7	93	82	2 0		
56	1700 24 0576 2024/10/15	3	2.34	1700 22 2761 1700 22 6247	88	88	91	-0.85 49	-1.06 39	-1.49 87	-3.00 8	-0.90 8	-2.45 36	-0.84 39	3.55 7	93	82	2 0		
57	1700 24 0577 2024/10/15	2	2.35	1700 22 9584 1700 23 5205	89	94	92	-1.41 41	0.62 16	-0.09 98	-1.25 5	-1.20 5	-1.51 22	3.06 10	3.90 5	92	90	1 0		
58	1700 24 0578 2024/10/15	2	2.35	1700 22 9584 1700 23 5205	89	94	92	-1.41 41	0.62 16	-0.09 98	-1.25 5	-1.20 5	-1.51 22	3.06 10	3.90 5	92	90	1 0		
59	1700 24 2001 2024/02/15	1	2.26	1700 20 0149 1700 21 2098	84	92	85	-1.41 49	0.31 35	-0.39 96	-1.67 5	-1.20 5	-1.81 32	10.81 15	3.69 5	92	106	3 2		
60	1700 24 2006 2024/02/15	1	2.34	1700 20 0149 1700 22 8336	81	88	83	-1.63 47	-0.07 28	-0.89 92	-2.56 5	-1.20 5	-2.42 29	10.81 15	3.69 5	92	82	2 0		
61	1700 24 2008 2024/02/15	1	2.34	1700 22 6098 1700 17 9643	100	97	104	-0.45 15	0.09 9	-0.14 98	-0.95 5	-0.40 5	-0.60 9	-6.01 9	-0.01 5	102	82	2 0		
62	1700 24 2009 2024/02/15	1	2.26	1700 20 0149 1700 21 0463	81	89	84	-1.60 49	-0.01 35	-0.81 92	-2.43 5	-1.20 5	-2.33 32	10.81 15	3.69 5	92	104	3 2		
63	1700 24 2010 2024/02/15	1	2.34	1700 20 0149 1700 22 6149	81	88	83	-1.63 47	-0.07 28	-0.89 92	-2.56 5	-1.20 5	-2.42 29	10.81 15	3.69 5	92	82	2 0		
64	1700 24 2011 2024/02/15	1	2.33	1700 20 0149 1700 19 9651	81	88	83	-1.63 47	-0.07 28	-0.89 92	-2.56 5	-1.20 5	-2.42 29	10.81 15	3.69 5	92	82	2 0		
65	1700 24 2013 2024/02/15	1	2.26	1700 20 0149 1700 21 5223	83	91	84	-1.46 49	0.22 35	-0.51 95	-1.88 5	-1.20 5	-1.96 32	10.81 15	3.69 5	92	105	3 2		
66	1700 24 2016 2024/02/15	1	2.34	1700 20 0149 1700 22 1049	81	88	83	-1.63 47	-0.07 28	-0.89 92	-2.56 5	-1.20 5	-2.42 29	10.81 15	3.69 5	92		3 0		
67	1700 24 2017 2024/02/15	1	2.26	1700 20 0149 1700 21 0528	84	92	85	-1.38 49	0.36 35	-0.32 96	-1.55 5	-1.20 5	-1.73 32	10.81 15	3.69 5	92	106	3 2		
68	1700 24 2021 2024/02/15	1	2.34	1700 20 0149 1700 22 6095	81	88	83	-1.63 47	-0.07 28	-0.89 92	-2.56 5	-1.20 5	-2.42 29	10.81 15	3.69 5	92		3 0		
69	1700 24 2022 2024/02/15	1	2.34	1700 22 6098 1700 21 2007	98	101	96	-0.17 19	0.50 18	0.42 102	0.60 5	-1.20 5	-0.39 14	-2.22 9	4.05 5	91	99	3 1		
70	1700 24 2023 2024/02/15	1	2.34	1700 22 6098 1700 19 6253	96	99	95	-0.29 15	0.30 9	0.15 100	0.12 5	-1.20 5	-0.72 9	-2.22 9	4.05 5	91	90	1 0		
71	1700 24 2024 2024/02/15	1	2.33	1700 20 0149 1700 20 8478	81	88	83	-1.63 47	-0.07 28	-0.89 92	-2.56 5	-1.20 5	-2.42 29	10.81 15	3.69 5	92	82	2 0		
72	1700 24 2025 2024/02/15	2	2.26	1700 20 0149 1700 21 5203	80	87	84	-2.03 49	0.22 35	-0.79 92	-2.80 5	-1.20 5	-2.53 32	10.81 15	3.69 5	92	105	4 2		

Young Rams



EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed avg
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information				Parents		Selection Index			EBV - Weights				EBV - Fertility				Dam	
Animal ID	Birth Date	Birth Status	% In-breeding	Sire ID	Dam ID	DLMI	DGI	DRI	Weaning Weight		Comb	Post-Wean	Lambs Weaned	TWW	AFL	ILP	EPI	T Lamed N Weaned
									Dir	Mat								
									EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV		
									Acc	Index	Acc	Index	Acc	Index	Acc	Index		
Active Breed Average:						100	100	100	0.00	0.14	0.14	-0.25	0.10	0.21	0.27	1.10		
73	1700 24 2027 2024/02/15	1	2.33	1700 20 0149 1700 20 9511		82	90	83	-1.25 49	-0.14 29	-0.77 93	-2.05 5	-1.20 5	-2.11 30	10.81 15	3.69 5		1 0
74	1700 24 2030 2024/02/15	1	2.26	1700 20 0149 1700 21 1545		81	88	83	-1.63 47	-0.07 28	-0.89 92	-2.56 5	-1.20 5	-2.42 29	10.81 15	3.69 5	82	2 0
75	1700 24 2032 2024/02/15	1	2.26	1700 20 0149 1700 21 2700		81	88	83	-1.63 47	-0.07 28	-0.89 92	-2.56 5	-1.20 5	-2.42 29	10.81 15	3.69 5	90	1 0
76	1700 24 2034 2024/02/15	1	2.34	1700 22 6098 1700 22 9484		96	99	95	-0.29 15	0.30 9	0.15 100	0.12 5	-1.20 5	-0.72 9	-2.22 9	4.05 5	90	1 0
77	1700 24 2035 2024/02/15	2	2.34	1700 22 6098 1700 17 1825		101	96	106	-0.51 16	-0.01 12	-0.27 97	-1.19 5	-0.40 5	-0.76 11	-9.17 13	0.08 5	90	2 0
78	1700 24 2037 2024/02/15	2	2.34	1700 20 0149 1700 22 2007		81	88	83	-1.63 47	-0.07 28	-0.89 92	-2.56 5	-1.20 5	-2.42 29	10.81 15	3.69 5	90	1 0
79	1700 24 2038 2024/02/15	2	2.34	1700 20 0149 1700 22 2007		81	88	83	-1.63 47	-0.07 28	-0.89 92	-2.56 5	-1.20 5	-2.42 29	10.81 15	3.69 5	90	1 0
80	1700 24 2039 2024/02/15	2	2.33	1700 20 0149 1700 17 1731		85	86	92	-1.72 47	-0.29 28	-1.15 89	-3.54 5	-0.40 5	-2.25 29	7.02 15	-0.37 5	90	2 0
81	1700 24 2041 2024/02/15	1	2.33	1700 20 0149 1700 20 8393		83	91	84	-1.45 49	0.24 35	-0.49 95	-1.84 5	-1.20 5	-1.93 32	10.81 15	3.69 5	105	3 2
82	1700 24 2042 2024/02/15	2	2.34	1700 22 6098 1700 17 2091		100	97	104	-0.45 15	0.09 9	-0.14 98	-0.95 5	-0.40 5	-0.60 9	-6.01 9	-0.01 5	90	1 0
83	1700 24 2044 2024/02/15	2	2.33	1700 20 0149 1700 18 1002		85	87	92	-1.69 47	-0.30 28	-1.14 90	-3.49 5	-0.40 5	-2.22 29	7.02 15	-0.37 5	75	3 0
84	1700 24 2046 2024/02/15	2	2.33	1700 20 0149 1700 20 8494		81	88	83	-1.63 47	-0.07 28	-0.89 92	-2.56 5	-1.20 5	-2.42 29	10.81 15	3.69 5		3 0
85	1700 24 2047 2024/02/15	2	2.33	1700 20 0149 1700 20 8494		81	88	83	-1.63 47	-0.07 28	-0.89 92	-2.56 5	-1.20 5	-2.42 29	10.81 15	3.69 5		3 0
86	1700 24 2048 2024/02/15	1	2.26	1700 20 0149 1700 21 2731		75	81	81	-2.08 48	-0.85 33	-1.89 83	-4.38 5	-1.20 5	-3.65 31	10.81 15	3.69 5	95	3 1
87	1700 24 2050 2024/02/15	1	2.34	1700 20 0149 1700 22 6100		81	88	83	-1.63 47	-0.07 28	-0.89 92	-2.56 5	-1.20 5	-2.42 29	10.81 15	3.69 5		3 0
88	1700 24 2590 2024/12/15	1	2.34	1700 20 0149 1700 22 8339		81	88	83	-1.63 47	-0.07 28	-0.89 92	-2.56 5	-1.20 5	-2.42 29	10.81 15	3.69 5		2 0
89	1700 24 2591 2024/12/15	1	2.34	1700 22 2761 1700 22 8370		88	88	91	-0.89 49	-1.06 39	-1.50 87	-3.05 8	-0.90 8	-2.49 36	-0.84 39	3.55 7		1 0
90	1700 24 2592 2024/12/15	1	2.33	1700 20 0149 1700 19 9796		80	87	83	-1.71 48	-0.22 33	-1.07 90	-2.91 5	-1.20 5	-2.65 31	10.81 15	3.69 5	97	2 1

Young Rams



EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed avg
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information				Parents		Selection Index			EBV - Weights				EBV - Fertility					
Animal ID BDate	Birth Status	% In- breeding		Sire ID Dam ID		DLMI	DGI	DRI	Weaning Weight		Post-Wean	Lambs Weaned	TWW	AFL		ILP	Dam	
				Dir EBV Acc Index	Mat EBV Acc Index				Comb EBV Index	Acc Index				Acc Index	Acc Index		Acc Index	EPI
Active Breed Average:						100	100	100	0.00	0.14	0.14	-0.25	0.10	0.21	0.27	1.10		
91	1700 24 2596 2024/12/15	1	2.35	1700 22 2761 1700 23 0417		88	88	91	-0.89 49 92	-1.06 39 88	-1.50 87	-3.05 8 89	-0.90 8 94	-2.49 36 88	-0.84 39 103	3.55 7 93	1 0	
92	1700 24 2598 2024/12/15	1	2.35	1700 20 0149 1700 23 8329		81	88	83	-1.63 47 85	-0.07 28 98	-0.89 92	-2.56 5 91	-1.20 5 92	-2.42 29 88	10.81 15 72	3.69 5 92	1 0	
93	1700 24 2599 2024/12/15	1	2.34	1700 20 0149 1700 22 8330		85	94	86	-1.26 48 89	0.58 33 105	-0.05 98	-1.06 5 97	-1.20 5 92	-1.40 31 93	10.81 15 72	3.69 5 92	3 1	
94	1700 24 2600 2024/12/15	1	2.34	1700 22 2761 1700 22 6100		88	88	91	-0.89 49 92	-1.06 39 88	-1.50 87	-3.05 8 89	-0.90 8 94	-2.49 36 88	-0.84 39 103	3.55 7 93	3 0	
95	1700 24 2601 2024/12/15	1	2.26	1700 22 2761 1700 21 3147		91	92	93	-0.61 50 94	-0.57 42 93	-0.87 92	-1.92 8 93	-0.90 8 94	-1.72 37 91	-0.84 39 103	3.55 7 93	3 1	
96	1700 24 2602 2024/12/15	1	2.34	1700 22 2761 1700 22 2751		89	89	91	-0.80 51 92	-0.90 44 89	-1.30 88	-2.69 8 90	-0.90 8 94	-2.24 38 89	-0.84 39 103	3.55 7 93	3 2	
97	1700 24 2603 2024/12/15	1	2.34	1700 22 2761 1700 22 2704		84	82	89	-1.24 50 89	-1.66 42 81	-2.28 80	-4.46 8 83	-0.90 8 94	-3.44 37 84	-0.84 39 103	3.55 7 93	95	2 1
98	1700 24 2609 2024/12/15	1	2.34	1700 22 2761 1700 22 2750		88	88	91	-0.88 50 92	-1.04 42 88	-1.49 87	-3.03 8 89	-0.90 8 94	-2.47 37 88	-0.84 39 103	3.55 7 93	3 1	
99	1700 24 2611 2024/12/15	1	2.34	1700 22 2761 1700 22 2697		89	89	92	-0.79 51 92	-0.89 43 89	-1.29 88	-2.66 8 90	-0.90 8 94	-2.22 38 89	-0.97 40 103	3.55 7 93	3 1	
100	1700 24 2614 2024/12/15	1	2.26	1700 20 0149 1700 21 2754		81	88	83	-1.63 47 85	-0.07 28 98	-0.89 92	-2.56 5 91	-1.20 5 92	-2.42 29 88	10.81 15 72	3.69 5 92	1 0	
101	1700 24 2615 2024/12/15	1	2.35	1700 20 0149 1700 23 5242		81	88	83	-1.63 47 85	-0.07 28 98	-0.89 92	-2.56 5 91	-1.20 5 92	-2.42 29 88	10.81 15 72	3.69 5 92	2 0	
102	1700 24 2616 2024/12/15	1	2.33	1700 20 0149 1700 19 0955		81	89	84	-1.61 48 86	-0.04 33 98	-0.85 92	-2.49 5 91	-1.20 5 92	-2.37 31 88	10.81 15 72	3.69 5 92	3 1	
103	1700 24 2620 2024/12/15	1	2.34	1700 22 2761 1700 22 8432		89	90	92	-0.77 50 93	-0.84 42 90	-1.22 89	-2.55 8 91	-0.90 8 94	-2.14 37 89	-0.84 39 103	3.55 7 93	99	2 1
104	1700 24 2626 2024/12/15	1	2.34	1700 20 0149 1700 22 0602		79	86	83	-1.77 48 84	-0.32 33 95	-1.21 89	-3.15 5 88	-1.20 5 92	-2.81 31 87	10.81 15 72	3.69 5 92	96	2 1
105	1700 24 2629 2024/12/15	1	2.34	1700 22 2761 1700 22 9579		93	94	93	-0.45 51 95	-0.30 43 96	-0.53 95	-1.29 8 96	-0.90 8 94	-1.29 38 93	-0.84 39 103	3.55 7 93	3 2	
106	1700 24 2635 2024/12/15	1	2.33	1700 22 2761 1700 20 5234		88	88	91	-0.89 49 92	-1.06 39 88	-1.50 87	-3.05 8 89	-0.90 8 94	-2.49 36 88	-0.84 39 103	3.55 7 93	2 0	
107	1700 24 2638 2024/12/15	1	2.35	1700 20 0149 1700 23 5265		81	88	83	-1.63 47 85	-0.07 28 98	-0.89 92	-2.56 5 91	-1.20 5 92	-2.42 29 88	10.81 15 72	3.69 5 92	2 0	
108	1700 24 2639 2024/12/15	1	2.34	1700 20 0149 1700 22 1051		80	87	83	-1.72 48 85	-0.23 34 97	-1.08 90	-2.92 5 89	-1.20 5 92	-2.66 32 87	10.69 18 72	3.69 5 92	3 1	

Young Rams



EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed avg
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information				Parents		Selection Index			EBV - Weights						EBV - Fertility								
Animal ID BDate	Birth Status	% In- breeding		Sire ID		DLMI	DGI	DRI	Weaning Weight				Lambs Weaned	TWW	AFL		ILP		Dam				
				Dam ID	Dir				Mat	Comb	Post-Wean	Acc			Index	Acc	Index	Acc	Index	Acc	Index	EPI	T Lamed N Weaned
					EBV Acc				EBV Index	EBV Index	EBV Index												
Active Breed Average:						100	100	100	0.00	0.14	0.14	-0.25	0.10	0.21	0.27	1.10							
109	1700 24 2641 2024/12/15	1	2.33	1700 20 0149 1700 18 5401		86	88	92	-1.69 49	-0.11 85	-0.95 35	-3.23 98	-0.40 5	-2.03 90	7.02 15	-0.37 82	-103	5	104	2 2			
110	1700 24 2642 2024/12/15	1	2.35	1700 20 0149 1700 23 8366		81	88	83	-1.63 47	-0.07 85	-0.89 28	-2.56 98	-1.20 5	-2.42 88	10.81 15	3.69 72	92	5		1 0			
111	1700 24 2644 2024/12/15	1	2.35	1700 20 0149 1700 23 3002		81	88	83	-1.63 47	-0.07 85	-0.89 28	-2.56 98	-1.20 5	-2.42 88	10.81 15	3.69 72	92	5		1 0			
112	1700 24 2646 2024/12/15	1	2.35	1700 20 0149 1700 23 3090		81	88	83	-1.63 47	-0.07 85	-0.89 28	-2.56 98	-1.20 5	-2.42 88	10.81 15	3.69 72	92	5		3 1			
113	1700 24 2647 2024/12/15	1	2.33	1700 20 0149 1700 20 1058		81	89	84	-1.59 48	0.00 86	-0.80 33	-2.40 99	-1.20 5	-2.31 89	10.81 15	3.69 72	92	5	97	2 1			
114	1700 24 2649 2024/12/15	1	2.35	1700 22 2761 1700 23 0550		88	88	91	-0.89 49	-1.06 92	-1.50 39	-3.05 88	-0.90 8	-2.49 88	-0.84 39	3.55 103	93	7		2 0			
115	1700 24 2650 2024/12/15	2	2.26	1700 20 0149 1700 21 1567		81	91	83	-1.47 48	0.21 87	-0.53 33	-1.92 101	-1.20 5	-1.98 90	13.04 18	3.63 66	92	5		3 1			
116	1700 24 2651 2024/12/15	2	2.26	1700 20 0149 1700 21 1567		81	91	83	-1.47 48	0.21 87	-0.53 33	-1.92 101	-1.20 5	-1.98 90	13.04 18	3.63 66	92	5		3 1			
117	1700 24 2652 2024/12/15	2	2.35	1700 20 0149 1700 23 8328		81	88	83	-1.63 47	-0.07 85	-0.89 28	-2.56 98	-1.20 5	-2.42 88	10.81 15	3.69 72	92	5		1 0			
118	1700 24 2653 2024/12/15	2	2.35	1700 20 0149 1700 23 8328		81	88	83	-1.63 47	-0.07 85	-0.89 28	-2.56 98	-1.20 5	-2.42 88	10.81 15	3.69 72	92	5		1 0			
119	1700 24 2656 2024/12/15	2	2.35	1700 22 2761 1700 23 0499		88	88	91	-0.89 49	-1.06 92	-1.50 39	-3.05 88	-0.90 8	-2.49 88	-0.84 39	3.55 103	93	7		1 0			
120	1700 24 2658 2024/12/15	2	2.26	1700 20 0149 1700 21 3155		80	87	83	-1.70 48	-0.20 85	-1.05 33	-2.86 97	-1.20 5	-2.62 87	10.72 18	3.69 72	92	5	95	2 1			
121	1700 24 2660 2024/12/15	2	2.35	1700 20 0149 1700 23 0423		81	88	83	-1.63 47	-0.07 85	-0.89 28	-2.56 98	-1.20 5	-2.42 88	10.81 15	3.69 72	92	5		2 0			
122	1700 24 2664 2024/12/15	2	2.26	1700 22 2761 1700 21 3110		88	88	91	-0.89 49	-1.06 92	-1.50 39	-3.05 88	-0.90 8	-2.49 88	-0.84 39	3.55 103	93	7		1 0			
123	1700 24 2665 2024/12/15	2	2.26	1700 22 2761 1700 21 3110		88	88	91	-0.89 49	-1.06 92	-1.50 39	-3.05 88	-0.90 8	-2.49 88	-0.84 39	3.55 103	93	7		1 0			
124	1700 24 2666 2024/12/15	2	2.35	1700 22 2761 1700 23 8347		88	88	91	-0.89 49	-1.06 92	-1.50 39	-3.05 88	-0.90 8	-2.49 88	-0.84 39	3.55 103	93	7		2 0			
125	1700 24 2668 2024/12/15	2	2.52	1700 20 0149 - -		75	88	74	-1.27 47	-0.54 88	-1.17 28	-2.61 93	-0.90 5	-2.34 89	12.39 15	13.51 67	67	5		0			
126	1700 24 2670 2024/12/15	2	2.34	1700 20 0149 1700 22 8371		87	96	86	-1.15 49	0.75 89	0.18 35	-0.64 107	-0.64 5	-1.12 94	10.81 15	3.69 72	92	5		3 2			



Young Rams



EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed avg
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information				Parents		Selection Index			EBV - Weights				EBV - Fertility				Dam	
Animal ID	Birth Date	Birth Status	% In-breeding	Sire ID	Dam ID	DLMI	DGI	DRI	Weaning Weight		Post-Wean		Lambs Weaned	TWW	AFL	ILP	EPI	T Lamed N Weaned
									Dir	Mat	Comb							
									EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV		
									Acc	Acc	Acc	Acc	Acc	Acc	Acc	Acc		
									Index	Index	Index	Index	Index	Index	Index	Index		
Active Breed Average:						100	100	100	0.00	0.14	0.14	-0.25	0.10	0.21	0.27	1.10		
127	1700 24 2671 2024/12/15	2	2.34	1700 20 0149 1700 22 8371		87	96	86	-1.15 49	0.75 35	0.18 100	-0.64 5	-1.20 5	-1.12 32	10.81 15	3.69 5	3	2
128	1700 24 2672 2024/12/15	2	2.26	1700 20 0149 1700 21 1577		78	84	82	-1.89 48	-0.53 33	-1.48 87	-3.63 5	-1.20 5	-3.14 31	10.81 15	3.69 5	3	1
129	1700 24 2678 2024/12/15	2	2.26	1700 20 0149 1700 21 2721		81	88	83	-1.63 47	-0.07 28	-0.89 92	-2.56 5	-1.20 5	-2.42 29	10.81 15	3.69 5	2	0
130	1700 24 2679 2024/12/15	2	2.26	1700 20 0149 1700 21 2721		81	88	83	-1.63 47	-0.07 28	-0.89 92	-2.56 5	-1.20 5	-2.42 29	10.81 15	3.69 5	2	0
131	1700 24 2680 2024/12/15	2	2.34	1700 22 2761 1700 22 2721		84	82	89	-1.24 50	-1.66 42	-2.28 80	-4.46 8	-0.90 8	-3.44 37	-0.84 39	3.55 7	95	2
132	1700 24 2681 2024/12/15	2	2.34	1700 22 2761 1700 22 2721		84	82	89	-1.24 50	-1.66 42	-2.28 80	-4.46 8	-0.90 8	-3.44 37	-0.84 39	3.55 7	95	2
133	1700 24 2684 2024/12/15	1	2.26	1700 22 2761 1700 21 3108		89	89	91	-0.81 50	-0.92 42	-1.32 88	-2.72 8	-0.90 8	-2.26 37	-0.84 39	3.55 7	3	1
134	1700 24 2687 2024/12/15	2	2.34	1700 20 0149 1700 22 6263		86	94	86	-1.25 48	0.58 33	-0.04 98	-1.03 5	-1.20 5	-1.39 31	10.59 18	3.71 5	3	1
135	1700 24 2688 2024/12/15	2	2.34	1700 20 0149 1700 22 6263		86	94	86	-1.25 48	0.58 33	-0.04 98	-1.03 5	-1.20 5	-1.39 31	10.59 18	3.71 5	3	1
136	1700 24 2691 2024/12/15	2	2.04	1700 22 2761 1700 19 6423		88	88	91	-0.89 50	-1.06 42	-1.51 87	-3.06 8	-0.90 8	-2.49 37	-0.84 39	3.55 7	98	2
137	1700 24 2692 2024/12/15	2	2.04	1700 22 2761 1700 19 6423		88	88	91	-0.89 50	-1.06 42	-1.51 87	-3.06 8	-0.90 8	-2.49 37	-0.84 39	3.55 7	98	2
138	1700 24 2700 2024/12/15	2	2.35	1700 22 2761 1700 23 8368		88	88	91	-0.89 49	-1.06 39	-1.50 87	-3.05 8	-0.90 8	-2.49 36	-0.84 39	3.55 7	2	0
139	1700 24 2701 2024/12/15	2	2.33	1700 20 0149 1700 20 9596		83	92	85	-1.41 49	0.30 35	-0.41 95	-1.70 5	-1.20 5	-1.83 32	10.81 15	3.69 5	3	2
140	1700 24 2702 2024/12/15	2	2.33	1700 20 0149 1700 20 9596		83	92	85	-1.41 49	0.30 35	-0.41 95	-1.70 5	-1.20 5	-1.83 32	10.81 15	3.69 5	3	2
141	1700 24 2705 2024/12/15	2	2.35	1700 20 0149 1700 23 0486		81	88	83	-1.63 47	-0.07 28	-0.89 92	-2.56 5	-1.20 5	-2.42 29	10.81 15	3.69 5	1	0
142	1700 24 2706 2024/12/15	2	2.35	1700 20 0149 1700 23 0486		81	88	83	-1.63 47	-0.07 28	-0.89 92	-2.56 5	-1.20 5	-2.42 29	10.81 15	3.69 5	1	0
143	1700 24 2707 2024/12/15	2	2.35	1700 20 0149 1700 23 3013		81	88	83	-1.63 47	-0.07 28	-0.89 92	-2.56 5	-1.20 5	-2.42 29	10.81 15	3.69 5	2	0
144	1700 24 2709 2024/12/15	2	2.35	1700 20 0149 1700 23 8353		81	88	83	-1.63 47	-0.07 28	-0.89 92	-2.56 5	-1.20 5	-2.42 29	10.81 15	3.69 5	2	0

Young Rams



EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed avg
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information				Parents		Selection Index			EBV - Weights				EBV - Fertility						
Animal ID	BDate	Birth Status	% In-breeding	Sire ID		DLMI	DGI	DRI	Weaning Weight		Comb	Post-Wean	Lambs Weaned	TWW	AFL	ILP	EPI	T Lamed N Weaned	
				Dam ID	Dir				Mat	EBV Index									EBV Index
					Acc				Index										
Active Breed Average:						100	100	100	0.00	0.14	0.14	-0.25	0.10	0.21	0.27	1.10			
145	1700 24 2710 2024/12/15	2	2.35	1700 20 0149 1700 23 8353		81	88	83	-1.63 47	-0.07 28	-0.89 92	-2.56 5	-1.20 5	-2.42 29	10.81 15	3.69 5	2 0		
146	1700 24 2711 2024/12/15	3	2.52	1700 20 0149 - - -		75	88	74	-1.27 47	-0.54 28	-1.17 89	-2.61 5	-0.90 5	-2.34 29	12.39 15	13.51 5	0		
147	1700 24 2712 2024/12/15	3	2.52	1700 20 0149 - - -		75	88	74	-1.27 47	-0.54 28	-1.17 89	-2.61 5	-0.90 5	-2.34 29	12.39 15	13.51 5	0		
148	1700 24 2714 2024/12/15	3	2.34	1700 20 0149 1700 22 8423		82	90	84	-1.54 48	0.08 33	-0.69 93	-2.21 5	-1.20 5	-2.18 31	10.81 15	3.69 5	3 1		
149	1700 24 2715 2024/12/15	3	2.34	1700 20 0149 1700 22 8423		82	90	84	-1.54 48	0.08 33	-0.69 93	-2.21 5	-1.20 5	-2.18 31	10.81 15	3.69 5	3 1		
150	1700 24 5051 2024/05/15	2	2.34	1700 22 6098 1700 22 9579		104	110	97	0.87 42	0.92 23	1.35 110	2.88 5	-1.20 5	1.07 25	-2.22 9	4.05 5	3 2		
151	1700 24 5058 2024/05/15	1	2.35	1700 22 2761 1700 23 3066		84	83	90	-1.50 58	-1.22 42	-1.97 83	-4.28 8	-0.90 8	-3.26 40	-0.84 39	3.55 7	96	1 1	
152	1700 24 5060 2024/05/15	2	2.34	1700 22 2761 1700 22 0628		94	96	92	0.13 60	-0.71 45	-0.65 94	-0.92 8	-0.90 8	-1.12 42	-0.84 39	3.55 7	1 2		
153	1700 24 5062 2024/05/15	2	2.34	770 21 0295 1700 22 8440		80	85	76	-0.20 58	-2.40 47	-2.50 78	-3.49 20	-3.80 30	-4.88 47	-4.57 41	8.86 22	100	2 2	
154	1700 24 5066 2024/05/15	2	2.04	1700 22 2761 1700 19 6287		85	85	91	-1.26 60	-1.16 44	-1.79 84	-3.80 8	-0.90 8	-2.96 42	-0.84 39	3.55 7	2 2		
155	1700 24 5070 2024/05/15	2	2.26	1700 22 9565 1700 21 2073		87	93	84	-0.29 51	-0.77 31	-0.91 91	-1.50 14	-1.50 14	-1.96 35	3.74 20	5.71 13	105	2 2	
156	1700 24 5072 2024/05/15	2	2.04	1700 22 9565 1700 18 5401		90	90	92	-0.51 51	-1.07 31	-1.32 88	-2.79 14	-0.70 14	-2.00 35	-0.05 20	1.65 13	104	2 2	
157	1700 24 5074 2024/05/15	2	2.34	1700 22 2761 1700 22 2751		88	88	92	-0.99 59	-0.87 44	-1.36 88	-2.95 8	-0.90 8	-2.40 41	-0.84 39	3.55 7	3 2		
158	1700 24 5075 2024/05/15	2	2.34	1700 22 2761 1700 22 2751		91	91	91	-0.33 59	-0.99 44	-1.15 89	-2.05 8	-0.90 8	-1.86 41	-0.84 39	3.55 7	3 2		
159	1700 24 5076 2024/05/15	2	1.67	770 21 0295 1700 17 8429		77	76	80	-1.06 58	-2.92 48	-3.45 71	-6.13 20	-3.00 30	-5.78 48	-4.80 40	4.71 22	99	1 2	
160	1700 24 5078 2024/05/15	2	2.34	1700 22 2761 1700 22 2712		85	84	91	-1.50 59	-1.06 44	-1.81 84	-4.06 8	-0.90 8	-3.11 41	-0.84 39	3.55 7	2 2		
161	1700 24 5080 2024/05/15	2	2.34	1700 22 9584 1700 20 1058		90	94	92	-1.37 42	0.69 23	0.00 99	-1.09 5	-1.20 5	-1.40 25	3.06 10	3.90 5	97	2 1	
162	1700 24 5082 2024/05/15	1	2.34	1700 22 2761 1700 22 0638		84	82	90	-1.50 59	-1.37 43	-2.12 82	-4.48 8	-0.90 8	-3.41 41	-0.84 39	3.55 7	1 1		

Young Rams



EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed avg
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information				Parents		Selection Index			EBV - Weights				EBV - Fertility				Dam	
Animal ID	Birth Date	Birth Status	% In-breeding	Sire ID	Dam ID	DLMI	DGI	DRI	Weaning Weight		Comb	Post-Wean	Lambs Weaned	TWW	AFL	ILP	EPI	T Lamed N Weaned
									Dir	Mat								
									EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV		
									Acc	Index	Acc	Index	Acc	Index	Acc	Index		
Active Breed Average:						100	100	100	0.00	0.14	0.14	-0.25	0.10	0.21	0.27	1.10		
163	1700 24 5083 2024/05/15	1	2.04	770 21 0295 1700 19 0909		86	96	74	1.28 58 110	-2.08 46 77	-1.44 87	-0.64 20 98	-3.80 30 79	-3.08 47 85	-1.02 40 104	8.77 22 79		1 1
164	1700 24 5084 2024/05/15	1	2.34	1700 22 9584 1700 20 8462		90	94	92	-1.29 53 88	0.65 24 106	0.01 99	-1.01 5 97	-1.20 5 92	-1.36 30 93	3.06 10 93	3.90 5 92	98	2 1
165	1700 24 5090 2024/05/15	1	2.26	770 21 0295 1700 21 3128		85	94	74	1.02 58 108	-2.17 46 76	-1.66 85	-1.19 20 96	-3.80 30 79	-3.43 47 84	-1.02 40 104	8.77 22 79		1 1
166	1700 24 5093 2024/05/15	1	2.34	770 21 0295 1700 22 6169		78	85	73	-0.09 58 98	-2.43 46 73	-2.48 79	-3.36 20 87	-3.80 30 79	-4.80 47 78	-1.02 40 104	8.77 22 79		1 1
167	1700 24 5095 2024/05/15	1	2.34	770 21 0295 1700 22 2707		74	79	72	-0.84 59 92	-2.61 46 71	-3.03 74	-4.82 20 81	-3.80 30 79	-5.73 47 74	-1.02 40 104	8.77 22 79		1 1
168	1700 24 5096 2024/05/15	1	2.26	770 21 0295 1700 21 2711		81	90	74	0.41 59 103	-2.21 46 75	-2.00 82	-2.23 20 92	-3.80 30 79	-4.08 47 81	-1.02 40 104	8.77 22 79		2 1
169	1700 24 5100 2024/05/15	1	2.04	1700 22 2761 1700 19 0902		94	96	92	0.21 59 101	-0.73 43 91	-0.63 94	-0.82 8 98	-0.90 8 94	-1.07 41 94	-0.84 39 103	3.55 7 93		1 1
170	1700 24 5102 2024/05/15	1	2.34	1700 22 9584 1700 20 1010		97	104	93	0.05 54 100	0.77 24 107	0.80 105	1.33 5 106	-1.20 5 92	0.10 30 99	3.06 10 93	3.90 5 92		1 1
171	1700 24 5104 2024/05/15	1	1.67	1700 22 9565 1700 17 4239		86	85	92	-1.13 49 90	-1.29 28 85	-1.86 84	-4.12 14 84	-0.70 14 95	-2.84 33 86	-0.05 20 101	1.65 13 98	97	1 1
172	1700 24 5105 2024/05/15	1	2.26	1700 22 9565 1700 21 2058		82	87	83	-0.95 49 91	-1.08 28 87	-1.55 86	-3.00 14 89	-1.50 14 91	-2.93 33 86	3.74 20 91	5.71 13 87	97	1 1
173	1700 24 5107 2024/05/15	1	2.34	770 21 0295 1700 22 1014		86	96	74	1.31 58 110	-2.09 46 77	-1.43 87	-0.61 20 98	-3.80 30 79	-3.06 47 86	-1.02 40 104	8.77 22 79		1 1
174	1700 24 5108 2024/05/15	1	2.34	770 21 0295 1700 22 8330		91	102	75	2.01 57 116	-1.75 46 80	-0.75 93	1.01 20 105	-3.80 30 79	-2.02 47 90	-1.02 40 104	8.77 22 79		3 1
175	1700 24 5110 2024/05/15	1	2.34	1700 22 2761 1700 22 2724		83	81	90	-1.76 58 84	-1.29 42 85	-2.18 81	-4.80 8 81	-0.90 8 94	-3.60 40 83	-0.84 39 103	3.55 7 93	96	1 1
176	1700 24 5111 2024/05/15	1	2.33	1700 22 9565 1700 20 1059		79	83	83	-1.52 49 86	-1.24 28 86	-2.00 83	-4.15 14 84	-1.50 14 91	-3.66 33 83	3.74 20 91	5.71 13 87	97	1 1
177	1700 24 5113 2024/05/15	1	2.34	1700 22 2761 1700 22 2726		84	83	90	-1.47 58 87	-1.21 42 86	-1.95 83	-4.21 8 84	-0.90 8 94	-3.23 40 85	-0.84 39 103	3.55 7 93		3 1
178	1700 24 5116 2024/05/15	1	2.33	1700 22 2761 1700 20 2831		87	87	91	-0.95 58 91	-1.07 42 88	-1.55 86	-3.18 8 88	-0.90 8 94	-2.57 40 88	-0.84 39 103	3.55 7 93	98	2 1
179	1700 24 5119 2024/05/15	1	2.33	1700 22 9565 1700 20 2857		85	91	84	-0.49 49 95	-0.95 28 89	-1.20 89	-2.07 14 93	-1.50 14 91	-2.34 33 89	3.74 20 91	5.71 13 87		3 1
180	1700 24 5121 2024/05/15	1	2.35	1700 22 2761 1700 23 3070		88	88	91	-0.89 49 92	-1.06 39 88	-1.50 87	-3.05 8 89	-0.90 8 94	-2.49 36 88	-0.84 39 103	3.55 7 93		3 1

Young Rams



EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed avg
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information				Parents		Selection Index			EBV - Weights				EBV - Fertility				Dam	
Animal ID	Birth Date	Birth Status	% In-breeding	Sire ID	Dam ID	DLMI	DGI	DRI	Weaning Weight		Comb	Post-Wean	Lambs Weaned	TWW	AFL	ILP	EPI	T Lambded N Weaned
									Dir	Mat								
									EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV		
									Acc	Index	Acc	Index	Acc	Index	Acc	Index		
Active Breed Average:						100	100	100	0.00	0.14	0.14	-0.25	0.10	0.21	0.27	1.10		
181	1700 24 5123 2024/05/15	1	2.34	770 21 0295 1700 22 6143		77	84	73	-0.39 58 96	-2.38 46 74	-2.58 78	-3.78 20 86	-3.80 30 79	-5.06 47 77	-1.02 40 104	8.77 22 79		2 1
182	1700 24 5124 2024/05/15	1	2.26	1700 22 9565 1700 21 1577		78	81	83	-1.76 49 84	-1.30 28 85	-2.18 81	-4.61 14 82	-1.50 14 91	-3.95 33 82	3.74 20 91	5.71 13 87		3 1
183	1700 24 5127 2024/05/15	1	2.34	770 21 0295 1700 22 1006		80	88	73	0.20 58 101	-2.33 46 74	-2.23 81	-2.74 20 90	-3.80 30 79	-4.41 47 80	-1.02 40 104	8.77 22 79		1 1
184	1700 24 5129 2024/05/15	1	2.26	770 21 0295 1700 21 3147		89	99	75	1.63 57 113	-1.86 46 79	-1.04 90	0.24 20 102	-3.80 30 79	-2.51 47 88	-1.02 40 104	8.77 22 79		3 1
185	1700 24 5131 2024/05/15	1	2.34	770 21 0295 1700 22 9550		85	94	74	1.04 58 108	-2.10 46 77	-1.58 86	-1.05 20 97	-3.80 30 79	-3.33 47 84	-1.02 40 104	8.77 22 79		1 1
186	1700 24 5132 2024/05/15	1	2.34	770 21 0295 1700 22 8423		84	93	74	0.82 57 106	-2.08 46 77	-1.66 85	-1.38 20 95	-3.80 30 79	-3.53 47 84	-1.02 40 104	8.77 22 79		3 1
187	1700 24 5135 2024/05/15	1	2.26	1700 22 2761 1700 21 2674		83	82	90	-1.69 59 85	-1.21 42 86	-2.06 82	-4.57 8 82	-0.90 8 94	-3.44 41 84	-0.84 39 103	3.55 7 93		1 1
188	1700 24 5136 2024/05/15	1	2.34	1700 22 9584 1700 18 8571		100	100	101	-0.55 54 95	0.76 24 107	0.48 103	-0.17 5 100	-0.40 5 96	-0.03 30 98	-0.73 10 103	-0.16 5 102		1 1
189	1700 24 5137 2024/05/15	1	2.34	1700 22 9584 1700 20 1044		87	90	91	-1.73 54 85	0.41 24 103	-0.45 95	-2.06 5 93	-1.20 5 92	-2.04 30 90	3.06 10 93	3.90 5 92		1 1
190	1700 24 5140 2024/05/15	1	2.33	1700 22 9565 1700 20 8457		88	94	84	0.04 51 100	-0.91 28 89	-0.89 92	-1.16 14 96	-1.50 14 91	-1.77 34 91	3.74 20 91	5.71 13 87		2 1
191	1700 24 5142 2024/05/15	1	2.04	1700 22 9565 1700 19 6423		84	89	84	-0.66 49 94	-1.00 28 88	-1.33 88	-2.41 14 91	-1.50 14 91	-2.55 33 88	3.74 20 91	5.71 13 87	98	2 1
192	1700 24 5146 2024/05/15	1	2.34	770 21 0295 1700 22 2721		73	79	73	-1.00 57 91	-2.57 46 72	-3.07 74	-5.03 20 81	-3.80 30 79	-5.85 47 74	-1.02 40 104	8.77 22 79	95	2 1
193	1700 24 5151 2024/05/15	1	2.04	770 21 0295 1700 19 8460		78	85	73	-0.15 59 98	-2.43 46 73	-2.51 78	-3.45 20 87	-3.80 30 79	-4.86 47 78	-1.02 40 104	8.77 22 79		1 1
194	1700 24 5152 2024/05/15	1	2.34	1700 22 9584 1700 21 0519		82	84	91	-2.59 53 77	0.29 24 102	-1.00 91	-3.62 5 86	-1.20 5 92	-3.02 30 86	3.06 10 93	3.90 5 92	96	2 1
195	1700 24 5158 2024/05/15	1	2.34	770 21 0295 1700 22 8427		80	88	74	0.21 58 101	-2.25 46 75	-2.14 81	-2.62 20 90	-3.80 30 79	-4.32 47 80	-1.02 40 104	8.77 22 79		1 1
196	1700 24 5159 2024/05/15	1	2.34	1700 22 9584 1700 20 5245		85	88	91	-2.12 53 81	0.42 24 103	-0.64 94	-2.67 5 90	-1.20 5 92	-2.42 30 88	3.06 10 93	3.90 5 92		2 1
197	1700 24 8161 2024/08/15	1	2.33	1700 22 2761 1700 20 5324		90	91	91	-0.29 59 97	-1.08 42 87	-1.22 89	-2.11 8 92	-0.90 8 94	-1.91 41 90	-0.84 39 103	3.55 7 93		1 1
198	1700 24 8162 2024/08/15	1	2.04	1700 22 2761 1700 18 2098		90	83	99	-1.54 59 86	-1.12 43 87	-1.89 83	-4.72 8 82	-0.20 8 97	-2.78 41 87	-4.63 39 113	-0.51 7 103		1 1

Young Rams



EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed avg
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information				Parents		Selection Index			EBV - Weights				EBV - Fertility					
Animal ID BDate	Birth Status	% In- breeding		Sire ID Dam ID		DLMI	DGI	DRI	Weaning Weight		Comb EBV Index	Post-Wean EBV Index	Lambs Weaned EBV Index	TWW EBV Index	AFL EBV Index	ILP EBV Index	Dam EPI	T Lamed N Weaned
				Dir EBV Acc Index	Mat EBV Acc Index													
Active Breed Average:						100	100	100	0.00	0.14	0.14	-0.25	0.10	0.21	0.27	1.10		
199	1700 24 8163 2024/08/15	1	2.04	1700 22 2761 1700 19 6245		84	83	91	-1.56 59	-1.19 86	-1.97 83	-4.33 8	-0.90 8	-3.29 41	-0.84 39	3.55 7	1 1	
200	1700 24 8164 2024/08/15	1	2.52	1700 22 2761 - - -		82	87	81	-0.53 49	-1.52 95	-1.79 84	-3.10 8	-0.60 8	-2.41 36	0.74 39	13.37 7	0	
201	1700 24 8167 2024/08/15	1	2.04	1700 22 2761 1700 19 9597		85	85	91	-1.24 59	-1.19 42	-1.81 84	-3.81 8	-0.90 8	-2.97 41	-0.84 39	3.55 7	1 1	
202	1700 24 8168 2024/08/15	1	2.04	1700 22 2761 1700 19 9694		81	78	90	-2.06 58	-1.38 42	-2.41 79	-5.40 8	-0.90 8	-3.98 40	-0.84 39	3.55 7	2 1	
203	1700 24 8172 2024/08/15	1	2.26	1700 22 2761 1700 21 5255		83	81	90	-1.72 59	-1.23 42	-2.09 82	-4.64 8	-0.90 8	-3.49 41	-0.84 39	3.55 7	1 1	
204	1700 24 8173 2024/08/15	1	2.34	1700 22 2761 1700 22 6127		88	88	91	-0.87 58	-1.05 42	-1.48 87	-3.00 8	-0.90 8	-2.45 40	-0.84 39	3.55 7	99	1 1
205	1700 24 8174 2024/08/15	1	2.04	1700 22 2761 1700 18 9816		91	84	99	-1.18 59	-1.27 42	-1.86 84	-4.35 8	-0.20 8	-2.57 41	-4.63 39	-0.51 7	1 1	
206	1700 24 8176 2024/08/15	1	2.04	1700 22 2761 1700 19 0886		84	83	90	-1.48 59	-1.20 42	-1.94 83	-4.22 8	-0.90 8	-3.22 41	-0.84 39	3.55 7	1 1	
207	1700 24 8180 2024/08/15	1	2.04	1700 22 2761 1700 18 2920		92	86	100	-1.03 60	-1.08 46	-1.60 86	-3.84 8	-0.20 8	-2.23 43	-4.63 39	-0.51 7	2 3	
208	1700 24 8182 2024/08/15	1	2.26	1700 22 2761 1700 21 2045		84	82	90	-1.57 58	-1.24 42	-2.02 82	-4.40 8	-0.90 8	-3.34 40	-0.84 39	3.55 7	2 1	
209	1700 24 8183 2024/08/15	1	2.04	1700 22 2761 1700 19 0966		84	82	90	-1.58 59	-1.25 42	-2.04 82	-4.45 8	-0.90 8	-3.38 41	-0.84 39	3.55 7	1 1	
210	1700 24 8184 2024/08/15	1	2.35	1700 22 2761 1700 23 3007		80	78	90	-2.14 58	-1.40 42	-2.47 79	-5.56 8	-0.90 8	-4.08 40	-0.84 39	3.55 7	96	1 1
211	1700 24 8185 2024/08/15	1	2.26	1700 22 2761 1700 21 2698		93	94	91	0.03 59	-0.93 42	-0.91 91	-1.38 8	-0.90 8	-1.44 41	-0.84 39	3.55 7	2 1	
212	1700 24 8188 2024/08/15	1	2.26	1700 22 2761 1700 21 2723		90	91	91	-0.46 58	-0.94 42	-1.17 89	-2.20 8	-0.90 8	-1.94 40	-0.84 39	3.55 7	100	1 1
213	1700 24 8190 2024/08/15	1	2.35	1700 22 2761 1700 23 3084		89	90	91	-0.65 59	-0.96 42	-1.28 88	-2.51 8	-0.90 8	-2.14 41	-0.84 39	3.55 7	2 1	
214	1700 24 8193 2024/08/15	1	2.04	1700 22 2761 1700 19 9565		88	89	91	-0.69 50	-1.09 39	-1.44 87	-2.78 8	-0.90 8	-2.33 36	-0.84 39	3.55 7	0	
215	1700 24 8195 2024/08/15	1	2.26	1700 22 2761 1700 21 3144		91	92	91	-0.28 59	-0.93 42	-1.07 90	-1.88 8	-0.90 8	-1.75 41	-0.84 39	3.55 7	1 1	
216	1700 24 8197 2024/08/15	1	2.04	1700 22 2761 1700 18 2969		100	97	100	0.51 59	-0.95 42	-0.70 93	-1.16 8	-0.20 8	-0.56 41	-4.63 39	-0.51 7	2 1	

Young Rams



EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed avg
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information				Parents		Selection Index			EBV - Weights				EBV - Fertility				Dam	
Animal ID	Birth Date	Birth Status	% In-breeding	Sire ID	Dam ID	DLMI	DGI	DRI	Weaning Weight		Comb	Post-Wean	Lambs Weaned	TWW	AFL	ILP	EPI	T Lamed N Weaned
									Dir	Mat								
									EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV		
									Acc	Index	Acc	Index	Acc	Index	Acc	Index		
Active Breed Average:						100	100	100	0.00	0.14	0.14	-0.25	0.10	0.21	0.27	1.10		
217	1700 24 8198 2024/08/15	1	2.34	1700 22 2761 1700 22 6134		87	86	91	-1.08 59	-1.10 43	-1.64 85	-3.42 8	-0.90 8	-2.72 41	-0.84 39	3.55 7		1
218	1700 24 8199 2024/08/15	1	2.04	1700 22 2761 1700 19 6331		81	78	90	-2.05 58	-1.37 42	-2.40 79	-5.38 8	-0.90 8	-3.96 40	-0.84 39	3.55 7	97	1
219	1700 24 8202 2024/08/15	1	2.26	1700 22 2761 1700 21 2663		87	87	91	-0.95 59	-1.06 43	-1.53 86	-3.15 8	-0.90 8	-2.55 41	-0.84 39	3.55 7		1
220	1700 24 8203 2024/08/15	1	2.04	1700 22 2761 1700 19 1007		92	94	92	-0.09 58	-0.84 42	-0.88 92	-1.45 8	-0.90 8	-1.47 40	-0.84 39	3.55 7	101	1
221	1700 24 8205 2024/08/15	1	2.04	1700 22 2761 1700 19 0842		88	88	91	-0.85 59	-0.93 42	-1.36 88	-2.82 8	-0.90 8	-2.33 41	-0.84 39	3.55 7		1
222	1700 24 8207 2024/08/15	1	2.34	1700 22 2761 1700 22 6141		92	94	93	-0.40 59	-0.52 44	-0.72 93	-1.51 8	-0.90 8	-1.46 41	-0.84 39	3.55 7	100	2
223	1700 24 8208 2024/08/15	1	2.33	1700 22 2761 1700 20 9598		85	84	91	-1.37 60	-1.19 43	-1.87 84	-4.01 8	-0.90 8	-3.10 41	-0.84 39	3.55 7		1
224	1700 24 8209 2024/08/15	1	2.04	1700 22 2761 1700 19 1979		92	93	92	-0.24 58	-0.88 42	-1.00 91	-1.74 8	-0.90 8	-1.65 40	-0.84 39	3.55 7		1
225	1700 24 8212 2024/08/15	1	2.33	1700 22 2761 1700 20 8394		85	84	91	-1.40 59	-1.18 42	-1.88 83	-4.05 8	-0.90 8	-3.12 41	-0.84 39	3.55 7		1
226	1700 24 8214 2024/08/15	1	2.52	- - - 1700 18 5375		102	96	109	-0.62 41	0.19 18	-0.12 98	-1.63 5	0.70 5	-0.01 23	-4.62 5	-2.95 5		1
227	1700 24 8215 2024/08/15	1	2.52	- - - 1700 18 2944		98	90	108	-1.56 41	0.14 18	-0.64 94	-3.21 5	0.70 5	-1.00 23	-4.62 5	-2.95 5		1
228	1700 24 8217 2024/08/15	1	2.35	1700 22 2761 1700 23 5195		87	87	91	-1.02 59	-1.01 42	-1.52 86	-3.20 8	-0.90 8	-2.57 41	-0.84 39	3.55 7		1
229	1700 24 8218 2024/08/15	1	2.34	1700 22 2761 1700 22 0593		91	92	92	-0.40 59	-0.77 42	-0.97 91	-1.86 8	-0.90 8	-1.71 41	-0.84 39	3.55 7		1
230	1700 24 8219 2024/08/15	1	2.52	- - - 1700 20 2854		78	70	98	-5.27 40	-0.29 18	-2.92 75	-9.30 5	0.00 5	-5.55 22	-0.83 5	1.11 5	93	1
231	1700 24 8220 2024/08/15	1	2.04	1700 22 2761 1700 19 1022		88	88	91	-0.79 58	-1.03 42	-1.43 87	-2.86 8	-0.90 8	-2.36 40	-0.84 39	3.55 7	99	1
232	1700 24 8221 2024/08/15	1	2.34	1700 22 2761 1700 22 9477		91	91	91	-0.42 59	-0.91 42	-1.12 90	-2.09 8	-0.90 8	-1.87 41	-0.84 39	3.55 7		1
233	1700 24 8223 2024/08/15	1	2.34	1700 22 2761 1700 22 6197		82	80	90	-1.85 58	-1.32 42	-2.24 81	-4.98 8	-0.90 8	-3.71 40	-0.84 39	3.55 7	97	1
234	1700 24 8225 2024/08/15	1	2.04	1700 22 2761 1700 19 0911		92	94	92	-0.10 58	-0.84 42	-0.89 92	-1.47 8	-0.90 8	-1.48 40	-0.84 39	3.55 7		1



Young Rams



EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed avg
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information				Parents		Selection Index			EBV - Weights				EBV - Fertility				Dam	
Animal ID BDate	Birth Status	% In- breeding		Sire ID Dam ID		DLMI	DGI	DRI	Weaning Weight				Lambs Weaned	TWW	AFL	ILP	EPI	T Lamed N Weaned
									Dir	Mat	Comb	Post-Wean						
									EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index		
Active Breed Average:						100	100	100	0.00	0.14	0.14	-0.25	0.10	0.21	0.27	1.10		
235	1700 24 8226 2024/08/15	1	2.34	1700 22 2761 1700 22 2737		86	85	91	-1.27 59 88	-1.00 43 88	-1.63 85	-3.59 8 86	-0.90 8 94	-2.81 41 87	-0.84 39 103	3.55 7 93		1 1
236	1700 24 8227 2024/08/15	1	2.26	1700 22 2761 1700 21 8410		87	87	91	-0.86 59 92	-1.14 43 87	-1.57 86	-3.12 8 88	-0.90 8 94	-2.54 41 88	-0.84 39 103	3.55 7 93		2 1
237	1700 24 8229 2024/08/15	1	2.34	1700 22 2761 1700 22 6160		86	86	91	-1.16 59 89	-1.09 42 87	-1.67 85	-3.55 8 87	-0.90 8 94	-2.80 41 87	-0.84 39 103	3.55 7 93		2 1
238	1700 24 8230 2024/08/15	1	2.26	1700 22 2761 1700 21 5240		90	91	91	-0.46 58 95	-0.94 42 89	-1.17 89	-2.20 8 92	-0.90 8 94	-1.94 40 90	-0.84 39 103	3.55 7 93	100	1 1
239	1700 24 8231 2024/08/15	1	2.04	1700 22 2761 1700 19 6254		81	78	90	-2.06 58 82	-1.38 42 84	-2.41 79	-5.40 8 79	-0.90 8 94	-3.98 40 82	-0.84 39 103	3.55 7 93		2 1
240	1700 24 8232 2024/08/15	1	2.34	1700 22 2761 1700 22 1063		85	84	91	-1.31 59 88	-1.19 42 86	-1.85 84	-3.92 8 85	-0.90 8 94	-3.04 41 86	-0.84 39 103	3.55 7 93		2 1
241	1700 24 8236 2024/08/15	1	2.04	1700 22 2761 1700 18 8592		94	88	99	-0.52 59 95	-1.35 42 85	-1.61 86	-3.38 8 87	-0.20 8 97	-1.99 41 90	-4.63 39 113	-0.51 7 103		1 1
242	1700 24 8238 2024/08/15	1	2.04	1700 22 2761 1700 18 5396		86	77	98	-2.04 58 82	-1.53 42 83	-2.55 78	-6.10 8 76	-0.20 8 97	-3.69 40 83	-4.63 39 113	-0.51 7 103	97	1 1
243	1700 24 8239 2024/08/15	1	2.26	1700 22 2761 1700 21 2729		86	85	91	-1.26 59 88	-1.06 42 88	-1.69 85	-3.66 8 86	-0.90 8 94	-2.86 41 86	-0.84 39 103	3.55 7 93		2 1
244	1700 24 8240 2024/08/15	1	2.04	1700 22 2761 1700 18 2917		93	87	99	-0.78 58 93	-1.19 42 86	-1.58 86	-3.59 8 86	-0.20 8 97	-2.09 40 90	-4.63 39 113	-0.51 7 103	99	1 1
245	1700 24 8241 2024/08/15	1	2.35	1700 22 2761 1700 23 5189		93	94	91	0.05 59 100	-0.97 43 89	-0.95 91	-1.41 8 95	-0.90 8 94	-1.46 41 92	-0.84 39 103	3.55 7 93		2 1
246	1700 24 8243 2024/08/15	1	2.52	- - - 1700 20 5222		94	93	100	-1.27 41 88	0.33 18 102	-0.31 96	-1.96 5 93	0.00 5 98	-0.94 23 94	-0.83 5 103	1.11 5 99		1 1
247	1700 24 8246 2024/08/15	1	2.33	1700 22 2761 1700 20 5306		86	85	90	-1.11 60 90	-1.34 46 85	-1.89 83	-3.80 8 86	-0.90 8 94	-2.99 43 86	-0.84 39 103	3.55 7 93	103	2 3
248	1700 24 8249 2024/08/15	1	2.34	1700 22 2761 1700 22 6185		89	90	91	-0.65 59 94	-0.93 43 89	-1.25 89	-2.48 8 91	-0.90 8 94	-2.12 41 90	-0.84 39 103	3.55 7 93		2 1
249	1700 24 8257 2024/08/15	1	2.26	1700 22 2761 1700 21 2746		89	90	91	-0.56 59 94	-1.00 43 88	-1.28 88	-2.44 8 91	-0.90 8 94	-2.10 41 90	-0.84 39 103	3.55 7 93		2 1
250	1700 24 8260 2024/08/15	1	2.26	1700 22 2761 1700 21 1641		84	82	90	-1.58 58 86	-1.25 42 86	-2.04 82	-4.44 8 83	-0.90 8 94	-3.37 40 84	-0.84 39 103	3.55 7 93	98	1 1
251	1700 24 8267 2024/08/15	1	2.35	1700 22 2761 1700 23 3048		91	92	92	-0.42 59 96	-0.84 42 90	-1.05 90	-1.99 8 93	-0.90 8 94	-1.80 41 91	-0.84 39 103	3.55 7 93		1 1
252	1700 24 8268 2024/08/15	1	2.04	1700 22 2761 1700 19 1989		85	83	91	-1.53 59 86	-1.07 42 88	-1.83 84	-4.10 8 84	-0.90 8 94	-3.13 41 85	-0.84 39 103	3.55 7 93		1 1



Young Rams



EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed avg
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information				Parents		Selection Index			EBV - Weights				EBV - Fertility					
Animal ID BDate	Birth Status	% In- breeding		Sire ID Dam ID		DLMI	DGI	DRI	Weaning Weight		Comb EBV Index	Post-Wean EBV Index	Lambs Weaned EBV Index	TWW EBV Index	AFL EBV Index	ILP EBV Index	EPI	T Lamed N Weaned
				Dir EBV Acc Index	Mat EBV Acc Index													
Active Breed Average:						100	100	100	0.00	0.14	0.14	-0.25	0.10	0.21	0.27	1.10		
253	1700 24 8269 2024/08/15	1	2.04	1700 22 2761 1700 18 9706		91	85	100	-1.31 60 88	-1.09 46 87	-1.74 85	-4.30 8 84	-0.20 8 97	-2.52 43 88	-4.63 39 113	-0.51 7 103	100	2 4
254	1700 24 8271 2024/08/15	1	2.35	1700 22 2761 1700 23 3101		92	94	91	-0.06 59 99	-0.93 45 89	-0.96 91	-1.54 8 95	-0.90 8 94	-1.53 42 92	-0.84 39 103	3.55 7 93	98	2 2
255	1700 24 8272 2024/08/15	1	2.35	1700 22 2761 1700 23 5169		81	79	90	-2.10 59 81	-1.26 43 86	-2.30 80	-5.29 8 80	-0.90 8 94	-3.89 41 82	-0.84 39 103	3.55 7 93		1 1
256	1700 24 8274 2024/08/15	1	2.35	1700 22 2761 1700 23 3083		91	92	92	-0.28 58 97	-0.89 42 89	-1.03 90	-1.84 8 94	-0.90 8 94	-1.71 40 91	-0.84 39 103	3.55 7 93		2 1
257	1700 24 8276 2024/08/15	1	2.34	1700 22 2761 1700 22 8417		94	96	92	0.14 58 100	-0.77 42 91	-0.70 93	-0.98 8 97	-0.90 8 94	-1.17 40 93	-0.84 39 103	3.55 7 93		2 1
258	1700 24 8280 2024/08/15	1	2.04	1700 22 2761 1700 18 5268		93	87	99	-0.81 58 92	-1.20 42 86	-1.60 86	-3.63 8 86	-0.20 8 97	-2.12 40 89	-4.63 39 113	-0.51 7 103		2 1
259	1700 24 8282 2024/08/15	1	2.35	1700 22 2761 1700 23 5199		87	87	91	-1.03 50 90	-1.03 39 88	-1.55 86	-3.25 8 88	-0.90 8 94	-2.60 36 87	-0.84 39 103	3.55 7 93		1 0
260	1700 24 8289 2024/08/15	1	2.34	1700 22 2761 1700 22 6140		87	87	91	-1.01 58 91	-1.09 42 87	-1.60 86	-3.30 8 88	-0.90 8 94	-2.64 40 87	-0.84 39 103	3.55 7 93	98	1 1
261	1700 24 8291 2024/08/15	1	2.35	1700 22 2761 1700 23 5230		88	89	91	-0.75 58 93	-1.02 42 88	-1.39 87	-2.77 8 90	-0.90 8 94	-2.31 40 89	-0.84 39 103	3.55 7 93	98	1 1
262	1700 24 8296 2024/08/15	1	2.34	1700 22 2761 1700 22 8384		90	90	91	-0.60 59 94	-0.94 43 89	-1.24 89	-2.41 8 91	-0.90 8 94	-2.07 41 90	-0.84 39 103	3.55 7 93		2 1
263	1700 24 8297 2024/08/15	1	2.04	1700 22 2761 1700 18 8600		85	77	99	-2.32 59 80	-1.37 42 84	-2.53 78	-6.33 8 75	-0.20 8 97	-3.81 41 82	-4.63 39 113	-0.51 7 103		2 1
264	1700 24 8298 2024/08/15	1	2.34	1700 22 2761 1700 22 9557		82	80	91	-2.03 59 82	-1.18 43 86	-2.19 81	-5.07 8 80	-0.90 8 94	-3.74 41 83	-0.84 39 103	3.55 7 93		2 1
265	1700 24 8299 2024/08/15	1	2.34	1700 22 2761 1700 22 1052		88	88	90	-0.63 60 94	-1.34 46 85	-1.66 85	-3.04 8 89	-0.90 8 94	-2.52 43 88	-0.84 39 103	3.55 7 93	102	2 3
266	1700 24 8301 2024/08/15	1	2.26	1700 22 2761 1700 21 5247		79	77	90	-2.29 58 80	-1.44 42 84	-2.58 78	-5.85 8 77	-0.90 8 94	-4.26 40 80	-0.84 39 103	3.55 7 93	96	1 1
267	1700 24 8304 2024/08/15	1	2.52	- - - 1700 20 0654		87	82	100	-2.68 40 76	0.10 18 100	-1.24 89	-4.57 5 82	0.00 5 98	-2.58 22 88	-0.83 5 103	1.11 5 99	97	1 1
268	1700 24 8305 2024/08/15	1	2.26	1700 22 2761 1700 21 2056		88	88	91	-0.75 60 93	-1.05 46 88	-1.43 87	-2.82 8 90	-0.90 8 94	-2.34 43 89	-0.84 39 103	3.55 7 93	104	2 3
269	1700 24 8309 2024/08/15	1	2.33	1700 22 2761 1700 20 8444		72	66	88	-3.61 58 69	-1.80 42 80	-3.60 69	-8.50 8 67	-0.90 8 94	-5.95 40 73	-0.84 39 103	3.55 7 93	94	1 1
270	1700 24 8310 2024/08/15	1	2.33	1700 22 2761 1700 20 2855		83	82	90	-1.63 59 85	-1.27 43 85	-2.08 82	-4.54 8 83	-0.90 8 94	-3.44 41 84	-0.84 39 103	3.55 7 93		1 1

Young Rams



EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed avg
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information				Parents		Selection Index			EBV - Weights				EBV - Fertility				Dam	
Animal ID	BDate	Birth Status	% In-breeding	Sire ID	Dam ID	DLMI	DGI	DRI	Weaning Weight		Comb	Post-Wean	Lambs Weaned	TWW	AFL	ILP	EPI	T Lamed N Weaned
									Dir	Mat								
									EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV		
									Acc	Index	Acc	Index	Acc	Index	Acc	Index		
Active Breed Average:						100	100	100	0.00	0.14	0.14	-0.25	0.10	0.21	0.27	1.10		
271	1700 24 8312 2024/08/15	3	2.34	1700 22 2761 1700 22 1061		92	93	90	0.09 58 100	-1.24 39 86	-1.19 89	-1.72 8 94	-0.90 8 94	-1.69 39 91	-0.84 39 103	3.55 7 93		1 3
272	1700 24 8317 2024/08/15	1	2.35	1700 22 2761 1700 23 5176		87	87	91	-1.00 59 91	-1.08 43 87	-1.59 86	-3.27 8 88	-0.90 8 94	-2.63 41 87	-0.84 39 103	3.55 7 93		1 1
273	1700 24 8319 2024/08/15	1	2.04	1700 22 2761 1700 19 0859		83	82	90	-1.63 58 85	-1.26 42 86	-2.07 82	-4.54 8 83	-0.90 8 94	-3.43 40 84	-0.84 39 103	3.55 7 93	98	1 1
274	1700 24 8320 2024/08/15	1	2.52	- - - 1700 22 6126		92	90	100	-1.65 40 85	0.25 18 102	-0.58 94	-2.70 5 90	0.00 5 98	-1.41 22 92	-0.83 5 103	1.11 5 99	98	1 1
275	1700 24 8321 2024/08/15	1	2.52	- - - 1700 21 8374		101	102	101	0.03 40 99	0.49 18 104	0.51 103	0.38 5 102	0.00 5 98	0.52 22 101	-0.83 5 103	1.11 5 99		2 1
276	1700 24 8322 2024/08/15	1	2.04	1700 22 2761 1700 18 8619		92	85	99	-1.05 49 90	-1.26 39 85	-1.79 84	-4.12 8 84	-0.20 8 97	-2.43 36 88	-4.63 39 113	-0.51 7 103	90	1 0
277	1700 24 8323 2024/08/15	1	2.04	1700 22 2761 1700 19 9679		88	88	91	-0.79 51 93	-1.08 39 87	-1.47 87	-2.91 8 89	-0.90 8 94	-2.40 36 88	-0.84 39 103	3.55 7 93		2 0
278	1700 24 8324 2024/08/15	1	2.52	- - - 1700 18 8583		105	100	109	-0.05 41 99	0.20 19 101	0.18 100	-0.68 5 98	0.70 5 102	0.57 23 101	-4.62 5 113	-2.95 5 109		1 1
279	1700 24 8325 2024/08/15	1	2.04	1700 22 2761 1700 18 5312		96	91	100	-0.36 58 96	-1.07 42 87	-1.26 89	-2.75 8 90	-0.20 8 97	-1.56 40 92	-4.63 39 113	-0.51 7 103	100	1 1
280	1700 24 8326 2024/08/15	1	2.04	1700 22 2761 1700 19 6366		86	86	91	-1.06 59 90	-1.16 43 87	-1.69 85	-3.48 8 87	-0.90 8 94	-2.76 41 87	-0.84 39 103	3.55 7 93		2 1
281	1700 24 8327 2024/08/15	3	2.34	1700 22 2761 1700 22 1061		86	85	91	-1.37 58 88	-0.97 39 89	-1.65 85	-3.71 8 86	-0.90 8 94	-2.88 39 86	-0.84 39 103	3.55 7 93		1 3
282	1700 24 8329 2024/08/15	2	2.52	- - - 1700 20 1012		85	80	99	-2.70 42 76	-0.24 22 96	-1.59 86	-5.07 5 80	0.00 5 98	-2.93 25 86	-0.83 5 103	1.11 5 99		1 2
283	1700 24 8333 2024/08/15	2	2.26	1700 22 2761 1700 21 2667		79	76	89	-2.25 60 80	-1.58 45 82	-2.71 77	-5.99 8 77	-0.90 8 94	-4.37 42 80	-0.84 39 103	3.55 7 93		2 2
284	1700 24 8335 2024/08/15	2	2.04	1700 22 2761 1700 18 2993		92	85	99	-1.05 49 90	-1.26 39 85	-1.79 84	-4.12 8 84	-0.20 8 97	-2.43 36 88	-4.63 39 113	-0.51 7 103		2 0
285	1700 24 8337 2024/08/15	2	2.34	1700 22 2761 1700 22 8429		80	78	90	-2.03 60 82	-1.49 46 83	-2.50 78	-5.50 8 79	-0.90 8 94	-4.05 43 81	-0.84 39 103	3.55 7 93	97	2 3
286	1700 24 8338 2024/08/15	2	2.34	1700 22 2761 1700 22 8429		85	84	89	-0.84 60 92	-1.71 46 81	-2.13 81	-3.87 8 85	-0.90 8 94	-3.08 43 85	-0.84 39 103	3.55 7 93	97	2 3
287	1700 24 8339 2024/08/15	2	2.34	1700 22 2761 1700 22 6167		92	93	92	-0.20 58 98	-0.87 42 90	-0.97 91	-1.68 8 94	-0.90 8 94	-1.61 40 92	-0.84 39 103	3.55 7 93	98	1 1
288	1700 24 8340 2024/08/15	2	2.34	1700 22 2761 1700 22 6167		90	90	92	-0.73 50 93	-0.77 42 91	-1.13 90	-2.39 8 91	-0.90 8 94	-2.04 37 90	-0.84 39 103	3.55 7 93	98	1 1

Young Rams



EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed avg
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information				Parents		Selection Index			EBV - Weights				EBV - Fertility				Dam	
Animal ID	Birth Date	Birth Status	% In-breeding	Sire ID	Dam ID	DLMI	DGI	DRI	Weaning Weight		Post-Wean		Lambs Weaned	TWW	AFL	ILP	EPI	T Lamed N Weaned
									Dir	Mat	Comb							
									EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV		
									Acc	Index	Acc	Index	Acc	Index	Acc	Index		
Active Breed Average:						100	100	100	0.00	0.14	0.14	-0.25	0.10	0.21	0.27	1.10		
289	1700 24 8341 2024/08/15	2	2.33	1700 22 2761 1700 20 2860		92	93	91	-0.15 59	-0.89 44	-0.97 91	-1.62 8	-0.90 8	-1.58 41	-0.84 39	3.55 7	106	1 2
290	1700 24 8343 2024/08/15	2	2.52	- - - 1700 17 4348		107	102	109	0.22 40	0.34 18	0.45 102	-0.06 5	0.70 5	0.98 22	-4.62 5	-2.95 5	99	1 1
291	1700 24 8345 2024/08/15	2	2.34	1700 22 2761 1700 22 8309		87	87	91	-0.97 51	-1.04 39	-1.53 86	-3.16 8	-0.90 8	-2.55 36	-0.84 39	3.55 7		2 0
292	1700 24 8347 2024/08/15	2	2.33	1700 22 2761 1700 20 8366		88	87	91	-0.90 52	-1.07 45	-1.52 86	-3.09 8	-0.90 8	-2.51 39	-0.84 39	3.55 7	105	2 3
293	1700 24 8349 2024/08/15	2	2.33	1700 22 2761 1700 20 8427		87	87	91	-0.93 60	-1.08 45	-1.55 86	-3.15 8	-0.90 8	-2.55 42	-0.84 39	3.55 7		2 2
294	1700 24 8351 2024/08/15	2	2.35	1700 22 2761 1700 23 3014		88	88	91	-0.89 49	-1.06 39	-1.50 87	-3.05 8	-0.90 8	-2.49 36	-0.84 39	3.55 7	90	1 0
295	1700 24 8355 2024/08/15	2	2.04	1700 22 2761 1700 19 1014		92	93	92	-0.27 60	-0.73 45	-0.86 92	-1.58 8	-0.90 8	-1.53 42	-0.84 39	3.55 7		1 2
296	1700 24 8357 2024/08/15	2	2.26	1700 22 2761 1700 21 1598		80	78	90	-2.17 58	-1.40 42	-2.49 79	-5.61 8	-0.90 8	-4.11 40	-0.84 39	3.55 7	95	1 1
297	1700 24 8359 2024/08/15	2	2.33	1700 22 2761 1700 20 9589		92	93	92	-0.16 59	-0.85 42	-0.93 91	-1.58 8	-0.90 8	-1.55 41	-0.84 39	3.55 7		1 1
298	1700 24 8361 2024/08/15	2	7.14	1700 22 2761 1700 19 6394		81	83	82	-0.65 64	-2.24 50	-2.56 78	-4.45 26	-1.30 25	-3.67 50	1.15 47	6.21 22		3 2
299	1700 24 8363 2024/08/15	2	2.33	1700 22 2761 1700 20 5219		80	77	89	-2.07 60	-1.67 45	-2.71 77	-5.83 8	-0.90 8	-4.28 42	-0.84 39	3.55 7		1 2
300	1700 24 8365 2024/08/15	2	2.26	1700 22 2761 1700 21 0530		87	86	91	-1.09 51	-1.02 39	-1.56 86	-3.32 8	-0.90 8	-2.65 36	-0.84 39	3.55 7		2 0
301	1700 24 8367 2024/08/15	2	2.34	1700 22 2761 1700 22 6123		88	88	91	-0.87 50	-1.02 42	-1.46 87	-2.97 8	-0.90 8	-2.43 37	-0.84 39	3.55 7	98	2 1
302	1700 24 8368 2024/08/15	2	2.34	1700 22 2761 1700 22 6123		88	88	91	-0.87 50	-1.02 42	-1.46 87	-2.97 8	-0.90 8	-2.43 37	-0.84 39	3.55 7	98	2 1
303	1700 24 8369 2024/08/15	2	2.34	1700 22 2761 1700 22 8301		82	80	90	-2.00 59	-1.21 44	-2.21 81	-5.07 8	-0.90 8	-3.75 41	-0.84 39	3.55 7	99	2 2
304	1700 24 8371 2024/08/15	2	16.85	1700 22 2761 1700 22 9543		77	75	84	-1.29 62	-2.89 47	-3.53 70	-6.41 16	-0.90 16	-4.72 46	-0.56 43	4.86 14		2 2
305	1700 24 8373 2024/08/15	2	2.52	- - - 1700 19 9639		94	92	100	-1.31 5	0.30 5	-0.36 96	-2.08 5	0.00 5		-0.83 5	1.11 5	90	1 0
306	1700 24 8375 2024/08/15	2	2.34	1700 22 2761 1700 22 1088		87	87	92	-1.14 51	-0.84 42	-1.41 87	-3.15 8	-0.90 8	-2.51 38	-0.84 39	3.55 7		1 1

Young Rams



EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed avg
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information				Parents		Selection Index			EBV - Weights				EBV - Fertility					
Animal ID BDate	Birth Status	% In- breeding		Sire ID Dam ID		DLMI	DGI	DRI	Weaning Weight		Comb EBV Index	Post-Wean EBV Index	Lambs Weaned EBV Index	TWW EBV Index	AFL EBV Index	ILP EBV Index	Dam EPI	T Lamed N Weaned
				Dir EBV Acc Index	Mat EBV Acc Index													
Active Breed Average:						100	100	100	0.00	0.14	0.14	-0.25	0.10	0.21	0.27	1.10		
307	1700 24 8377 2024/08/15	2	2.34	1700 22 2761 1700 22 8338		87	87	91	-1.02 50	-1.03 39	-1.54 86	-3.22 88	-0.90 8	-2.59 36	-0.84 39	3.55 7		2 0
308	1700 24 8379 2024/08/15	2	2.52	- - - 1700 22 1057		91	88	99	-1.59 15	-0.18 21	-0.97 91	-3.18 5	0.00 5	-1.76 14	-0.83 5	1.11 5	101	2 2
309	1700 24 8381 2024/08/15	2	2.04	1700 22 2761 1700 18 0850		88	80	99	-1.79 59	-1.28 44	-2.18 81	-5.35 8	-0.20 8	-3.19 41	-4.63 39	-0.51 7		2 2
310	1700 24 8383 2024/08/15	2	2.52	- - - 1700 18 0849		98	90	108	-1.47 5	0.09 5	-0.65 94	-3.15 5	0.70 5		-4.62 5	-2.95 5	90	1 0
311	1700 24 8385 2024/08/15	2	2.34	1700 22 2761 1700 22 2738		88	88	91	-0.77 59	-1.14 44	-1.53 86	-2.98 8	-0.90 8	-2.45 41	-0.84 39	3.55 7	104	1 2
312	1700 24 8387 2024/08/15	2	2.04	1700 22 2761 1700 19 2003		86	86	91	-1.20 51	-1.00 39	-1.60 86	-3.47 8	-0.90 8	-2.74 36	-0.84 39	3.55 7		2 0
313	1700 24 8388 2024/08/15	2	2.04	1700 22 2761 1700 19 2003		86	86	91	-1.20 51	-1.00 39	-1.60 86	-3.47 8	-0.90 8	-2.74 36	-0.84 39	3.55 7		2 0
314	1700 24 8389 2024/08/15	2	2.26	1700 22 2761 1700 21 3113		80	77	89	-2.05 60	-1.56 46	-2.59 78	-5.65 8	-0.90 8	-4.16 43	-0.84 39	3.55 7	98	2 3
315	1700 24 8390 2024/08/15	2	2.26	1700 22 2761 1700 21 3113		81	78	89	-1.93 60	-1.59 46	-2.55 78	-5.47 8	-0.90 8	-4.05 43	-0.84 39	3.55 7	98	2 3
316	1700 24 8393 2024/08/15	2	2.26	1700 22 2761 1700 21 2067		89	89	92	-0.78 50	-0.86 42	-1.25 89	-2.60 8	-0.90 8	-2.18 37	-0.84 39	3.55 7	99	2 1
317	1700 24 8394 2024/08/15	2	2.26	1700 22 2761 1700 21 2067		89	89	92	-0.78 50	-0.86 42	-1.25 89	-2.60 8	-0.90 8	-2.18 37	-0.84 39	3.55 7	99	2 1
318	1700 24 8397 2024/08/15	2	2.04	1700 22 2761 1700 18 8563		85	77	97	-1.86 60	-1.86 45	-2.78 76	-6.26 8	-0.20 8	-3.83 42	-4.63 39	-0.51 7		2 2
319	1700 24 8399 2024/08/15	2	2.33	1700 22 2761 1700 20 1053		90	90	91	-0.51 59	-0.98 42	-1.23 89	-2.33 8	-0.90 8	-2.03 41	-0.84 39	3.55 7		1 1
320	1700 24 8400 2024/08/15	2	2.33	1700 22 2761 1700 20 1053		89	89	91	-0.76 51	-0.93 42	-1.31 88	-2.66 8	-0.90 8	-2.23 38	-0.84 39	3.55 7		1 1
321	1700 24 8401 2024/08/15	2	2.35	1700 22 2761 1700 23 5124		83	81	92	-2.11 60	-0.77 45	-1.82 84	-4.63 8	-0.90 8	-3.42 42	-0.84 39	3.55 7		1 2
322	1700 24 8405 2024/08/15	2	2.04	1700 22 2761 1700 19 9823		90	91	91	-0.29 59	-1.14 44	-1.28 88	-2.18 8	-0.90 8	-1.96 41	-0.84 39	3.55 7	97	2 2
323	1700 24 8407 2024/08/15	2	2.04	1700 22 2761 1700 18 2908		91	85	99	-1.07 51	-1.25 42	-1.78 84	-4.13 8	-0.20 8	-2.44 38	-4.63 39	-0.51 7		1 1
324	1700 24 8408 2024/08/15	2	2.04	1700 22 2761 1700 18 2908		92	85	99	-1.05 59	-1.25 42	-1.78 84	-4.11 8	-0.20 8	-2.42 41	-4.63 39	-0.51 7		1 1

Young Rams



EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed avg
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information				Parents		Selection Index			EBV - Weights				EBV - Fertility				Dam	
Animal ID	BDate	Birth Status	% In-breeding	Sire ID	Dam ID	DLMI	DGI	DRI	Weaning Weight		Post-Wean		Lambs Weaned	TWW	AFL	ILP	EPI	T Lamed N Weaned
									Dir	Mat	Comb							
									EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV		
									Acc	Acc	Acc	Acc	Acc	Acc	Acc	Acc		
									Index	Index	Index	Index	Index	Index	Index	Index		
Active Breed Average:						100	100	100	0.00	0.14	0.14	-0.25	0.10	0.21	0.27	1.10		
325	1700 24 8409 2024/08/15	2	2.34	1700 22 2761 1700 22 9570		88	88	91	-0.89 49 92	-1.06 39 88	-1.50 87	-3.05 8 89	-0.90 8 94	-2.49 36 88	-0.84 39 103	3.55 7 93	90	1 0
326	1700 24 8411 2024/08/15	2	2.26	1700 22 2761 1700 21 2745		86	85	91	-1.20 59 89	-1.16 42 87	-1.76 84	-3.70 8 86	-0.90 8 94	-2.90 41 86	-0.84 39 103	3.55 7 93		2 1
327	1700 24 8412 2024/08/15	2	2.26	1700 22 2761 1700 21 2745		87	86	90	-0.94 51 91	-1.20 42 86	-1.68 85	-3.34 8 87	-0.90 8 94	-2.69 38 87	-0.84 39 103	3.55 7 93		2 1
328	1700 24 8413 2024/08/15	2	2.26	1700 22 2761 1700 21 1639		88	89	91	-0.70 51 93	-1.09 39 87	-1.44 87	-2.79 8 90	-0.90 8 94	-2.33 36 89	-0.84 39 103	3.55 7 93		1 0
329	1700 24 8415 2024/08/15	2	2.33	1700 22 2761 1700 20 9593		86	85	91	-1.30 50 88	-0.98 39 88	-1.63 86	-3.61 8 86	-0.90 8 94	-2.82 36 87	-0.84 39 103	3.55 7 93		1 0
330	1700 24 8416 2024/08/15	2	2.33	1700 22 2761 1700 20 9593		86	85	91	-1.30 50 88	-0.98 39 88	-1.63 86	-3.61 8 86	-0.90 8 94	-2.82 36 87	-0.84 39 103	3.55 7 93		1 0
331	1700 24 8419 2024/08/15	2	2.34	1700 22 2761 1700 22 9566		82	80	90	-1.87 60 83	-1.22 46 86	-2.15 81	-4.86 8 81	-0.90 8 94	-3.62 43 83	-0.84 39 103	3.55 7 93	104	2 3
332	1700 24 8421 2024/08/15	2	2.04	1700 22 2761 1700 19 2095		97	100	92	0.83 59 106	-0.77 43 91	-0.36 96	0.13 8 101	-0.90 8 94	-0.49 41 96	-0.84 39 103	3.55 7 93		1 1
333	1700 24 8422 2024/08/15	2	2.04	1700 22 2761 1700 19 2095		93	95	92	-0.17 52 98	-0.59 42 93	-0.67 93	-1.23 8 96	-0.90 8 94	-1.30 38 93	-0.84 39 103	3.55 7 93		1 1
334	1700 24 8423 2024/08/15	2	2.04	1700 22 2761 1700 19 9640		84	83	91	-1.63 59 85	-1.12 43 87	-1.93 83	-4.33 8 83	-0.90 8 94	-3.28 41 85	-0.84 39 103	3.55 7 93		2 1
335	1700 24 8425 2024/08/15	2	2.34	1700 22 2761 1700 22 8292		88	88	91	-0.85 51 92	-1.11 42 87	-1.53 86	-3.06 8 89	-0.90 8 94	-2.50 38 88	-0.84 39 103	3.55 7 93		2 1
336	1700 24 8427 2024/08/15	2	2.52	- - - 1700 18 2105		101	94	109	-0.96 40 91	0.16 18 101	-0.32 96	-2.21 5 92	0.70 5 102	-0.38 22 97	-4.62 5 113	-2.95 5 109	97	1 1
337	1700 24 8430 2024/08/15	2	2.33	1700 22 2761 1700 20 1049		89	87	94	-0.94 50 91	-1.05 39 88	-1.52 86	-3.11 8 88	-0.90 8 94	-2.52 36 88	-4.20 40 112	3.64 7 92		2 0
338	1700 24 8434 2024/08/15	2	2.04	1700 22 2761 1700 19 6301		88	85	94	-1.39 51 87	-0.96 39 89	-1.66 85	-3.73 8 86	-0.90 8 94	-2.89 36 86	-4.20 40 112	3.64 7 92		2 0
339	1700 24 8439 2024/08/15	2	2.26	1700 22 2761 1700 21 5272		88	88	91	-0.85 51 92	-0.98 44 89	-1.40 87	-2.87 8 89	-0.90 8 94	-2.36 38 88	-0.73 40 103	3.53 7 93	100	3 2
340	1700 24 8441 2024/08/15	2	2.33	1700 22 2761 1700 20 1771		86	85	91	-1.37 59 88	-0.91 44 89	-1.60 86	-3.62 8 86	-0.90 8 94	-2.82 41 87	-0.83 40 103	3.54 7 93	100	2 2
341	1700 24 8445 2024/08/15	2	2.26	1700 22 2761 1700 21 6179		85	84	91	-1.33 58 88	-1.18 42 86	-1.84 84	-3.93 8 85	-0.90 8 94	-3.05 40 86	-0.84 39 103	3.55 7 93	96	1 1
342	1700 24 8447 2024/08/15	2	2.33	1700 22 2761 1700 20 0684		88	88	91	-0.90 51 92	-0.96 42 89	-1.41 87	-2.94 8 89	-0.90 8 94	-2.40 38 88	-0.84 39 103	3.55 7 93		2 1

Young Rams



EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed avg
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information				Parents		Selection Index			EBV - Weights				EBV - Fertility				Dam	
Animal ID	BDate	Birth Status	% In-breeding	Sire ID	Dam ID	DLMI	DGI	DRI	Weaning Weight		Comb	Post-Wean	Lambs Weaned	TWW	AFL	ILP	EPI	T Lamed N Weaned
									Dir	Mat								
									EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV		
									Acc	Index	Acc	Index	Acc	Index	Acc	Index		
Active Breed Average:						100	100	100	0.00	0.14	0.14	-0.25	0.10	0.21	0.27	1.10		
343	1700 24 8448 2024/08/15	2	2.33	1700 22 2761 1700 20 0684		89	89	91	-0.75 59	-0.99 42	-1.37 88	-2.73 8	-0.90 8	-2.28 41	-0.84 39	3.55 7		2 1
344	1700 24 8451 2024/08/15	2	2.04	1700 22 2761 1700 18 2083		90	83	99	-1.36 59	-1.24 44	-1.92 83	-4.59 8	-0.20 8	-2.72 41	-4.63 39	-0.51 7	104	1 2
345	1700 24 8453 2024/08/15	2	2.04	1700 22 2761 1700 19 9599		88	88	91	-0.83 58	-1.04 42	-1.46 87	-2.94 8	-0.90 8	-2.41 40	-0.84 39	3.55 7		2 1
346	1700 24 8457 2024/08/15	2	2.04	1700 22 2761 1700 18 2906		94	88	100	-0.87 50	-0.96 42	-1.40 87	-3.41 8	-0.20 8	-1.95 37	-4.45 40	-0.52 7	91	2 1
347	1700 24 8459 2024/08/15	1	2.04	1700 22 2761 1700 18 9772		86	79	98	-1.90 58	-1.50 42	-2.45 79	-5.83 8	-0.20 8	-3.52 40	-4.63 39	-0.51 7	97	1 1
348	1700 24 8460 2024/08/15	2	2.04	1700 22 2761 1700 19 6398		85	84	90	-1.10 60	-1.43 45	-1.99 83	-3.93 8	-0.90 8	-3.08 42	-0.84 39	3.55 7		2 2
349	1700 24 8466 2024/08/15	1	2.52	- - - 1700 21 3122		86	82	100	-2.74 41	0.06 18	-1.31 88	-4.72 5	0.00 5	-2.68 23	-0.83 5	1.11 5		1 1
350	1700 24 8473 2024/08/15	1	2.04	1700 22 2761 1700 19 0861		88	88	91	-0.89 49	-1.06 39	-1.50 87	-3.05 8	-0.90 8	-2.49 36	-0.84 39	3.55 7	90	1 0
351	1700 24 8474 2024/08/15	2	2.33	1700 22 2761 1700 20 2848		87	86	90	-0.75 60	-1.43 45	-1.80 84	-3.35 8	-0.90 8	-2.72 42	-0.84 39	3.55 7		2 2
352	1700 24 8475 2024/08/15	2	2.33	1700 22 2761 1700 20 2848		83	81	90	-1.68 60	-1.25 45	-2.09 82	-4.61 8	-0.90 8	-3.47 42	-0.84 39	3.55 7		2 2
353	1700 25 0535 2025/10/10	2	2.26	1700 20 0149 1700 21 2045		79	86	82	-1.79 48	-0.35 33	-1.24 89	-3.21 5	-1.20 5	-2.86 31	10.81 15	3.69 5		2 1
354	1700 25 0538 2025/10/10	2	2.34	770 14 0314 1700 22 8371		94	102	87	0.59 52	-0.14 53	0.15 100	1.14 47	-1.40 46	-0.39 51	0.57 48	8.86 41		3 2
355	1700 25 0540 2025/10/10	2	2.35	1700 22 2761 1700 23 5265		88	88	91	-0.89 49	-1.06 39	-1.50 87	-3.05 8	-0.90 8	-2.49 36	-0.84 39	3.55 7		2 0
356	1700 25 0542 2025/10/10	1	2.35	1700 23 0462 1700 24 8469		96	96	97	-0.32 29	-0.20 21	-0.36 96	-1.03 5	-0.70 5	-0.94 20	-1.66 25	1.72 5		1 0
357	1700 25 0543 2025/10/10	1	2.26	1700 22 2761 1700 21 1577		84	83	89	-1.16 50	-1.52 42	-2.09 82	-4.13 8	-0.90 8	-3.21 37	-0.84 39	3.55 7		3 1
358	1700 25 0544 2025/10/10	1	2.34	1700 22 2761 1700 22 2750		88	88	91	-0.88 50	-1.04 42	-1.49 87	-3.03 8	-0.90 8	-2.47 37	-0.84 39	3.55 7		3 1
359	1700 25 0547 2025/10/10	1	2.35	1700 23 0462 1700 24 8204		92	95	92	-0.53 29	-0.18 21	-0.44 95	-1.09 5	-1.10 5	-1.37 20	0.07 25	3.75 5		1 0
360	1700 25 0549 2025/10/10	2	2.35	1700 22 2761 1700 23 3076		88	88	91	-0.89 49	-1.06 39	-1.50 87	-3.05 8	-0.90 8	-2.49 36	-0.84 39	3.55 7		1 0



Young Rams



EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed avg
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information				Parents		Selection Index			EBV - Weights				EBV - Fertility					
Animal ID	BDate	Birth Status	% In-breeding	Sire ID		DLMI	DGI	DRI	Weaning Weight		Comb	Post-Wean	Lambs Weaned	TWW	AFL	ILP	Dam	
									Dir	Mat								
									Acc	Index	Acc	Index	Acc	Index	Acc	Index		
Active Breed Average:						100	100	100	0.00	0.14	0.14	-0.25	0.10	0.21	0.27	1.10		
361	1700 25 0550 2025/10/10	2	2.35	1700 22 2761 1700 23 3076		88	88	91	-0.89 49	-1.06 39	-1.50 87	-3.05 8	-0.90 8	-2.49 36	-0.84 39	3.55 7	1 0	
362	1700 25 0553 2025/10/10	2	2.35	1700 23 0462 1700 24 8169		93	95	93	-0.46 29	-0.12 21	-0.35 96	-0.88 5	-1.10 5	-1.23 20	0.03 25	3.75 5	1 0	
363	1700 25 0555 2025/10/10	2	2.35	1700 23 0462 1700 24 8431		93	92	96	-0.90 25	-0.27 19	-0.72 93	-1.81 5	-1.10 5	-1.82 18	-5.00 25	3.89 5	1 0	
364	1700 25 0557 2025/10/10	2	2.35	1700 22 2761 1700 23 0445		88	88	91	-0.89 49	-1.06 39	-1.50 87	-3.05 8	-0.90 8	-2.49 36	-0.84 39	3.55 7	2 0	
365	1700 25 0562 2025/10/10	1	2.35	1700 22 2761 1700 23 8353		88	88	91	-0.89 49	-1.06 39	-1.50 87	-3.05 8	-0.90 8	-2.49 36	-0.84 39	3.55 7	2 0	
366	1700 25 0565 2025/10/10	1	2.35	1700 20 0149 1700 23 2638		81	88	83	-1.63 47	-0.07 28	-0.89 92	-2.56 5	-1.20 5	-2.42 29	10.81 15	3.69 5	1 0	
367	1700 25 0568 2025/10/10	1	2.35	1700 23 0462 1700 24 8438		93	96	92	-0.34 30	-0.21 22	-0.38 96	-0.82 5	-1.10 5	-1.21 21	0.01 25	3.76 5	1 0	
368	1700 25 0570 2025/10/10	1	2.35	1700 23 0462 1700 24 8166		95	98	93	-0.06 29	-0.08 21	-0.11 98	-0.18 5	-1.10 5	-0.80 20	-0.04 25	3.76 5	1 0	
369	1700 25 0575 2025/10/10	4	2.30	1700 24 5057 1700 21 5337		90	92	92	-0.83 26	-0.28 19	-0.69 93	-1.71 5	-1.10 5	-1.77 18	0.04 19	3.75 5	1 0	
370	1700 25 0576 2025/10/10	4	2.30	1700 24 5057 1700 21 5337		90	92	92	-0.83 26	-0.28 19	-0.69 93	-1.71 5	-1.10 5	-1.77 18	0.04 19	3.75 5	1 0	
371	1700 25 0579 2025/10/10	2	2.18	1700 22 2761 - - -		82	87	81	-0.53 49	-1.52 39	-1.79 84	-3.10 8	-0.60 8	-2.41 36	0.74 39	13.37 7	0	
372	1700 25 0580 2025/10/10	2	2.18	1700 22 2761 - - -		82	87	81	-0.53 49	-1.52 39	-1.79 84	-3.10 8	-0.60 8	-2.41 36	0.74 39	13.37 7	0	
373	1700 25 0581 2025/10/10	2	2.34	1700 22 2761 1700 22 8423		89	89	91	-0.80 50	-0.90 42	-1.31 88	-2.70 8	-0.90 8	-2.25 37	-0.84 39	3.55 7	3 1	
374	1700 25 0582 2025/10/10	2	2.34	1700 22 2761 1700 22 8423		89	89	91	-0.80 50	-0.90 42	-1.31 88	-2.70 8	-0.90 8	-2.25 37	-0.84 39	3.55 7	3 1	
375	1700 25 0585 2025/10/10	2	2.35	1700 24 5057 1700 23 0468		90	92	92	-0.83 26	-0.28 19	-0.69 93	-1.71 5	-1.10 5	-1.77 18	0.04 19	3.75 5	1 0	
376	1700 25 0586 2025/10/10	2	2.35	1700 24 5057 1700 23 0468		90	92	92	-0.83 26	-0.28 19	-0.69 93	-1.71 5	-1.10 5	-1.77 18	0.04 19	3.75 5	1 0	
377	1700 25 0587 2025/10/10	2	2.35	1700 20 0149 1700 23 2667		81	88	83	-1.63 47	-0.07 28	-0.89 92	-2.56 5	-1.20 5	-2.42 29	10.81 15	3.69 5	1 0	
378	1700 25 0593 2025/10/10	1	2.35	1700 23 0462 1700 24 8458		94	94	96	-0.59 29	-0.27 21	-0.57 94	-1.58 5	-0.70 5	-1.28 20	-1.58 25	1.71 5	1 0	

Young Rams



EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed avg
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information				Parents		Selection Index			EBV - Weights				EBV - Fertility					
Animal ID	BDate	Birth Status	% In-breeding	Sire ID		DLMI	DGI	DRI	Weaning Weight		Comb	Post-Wean	Lambs Weaned	TWW	AFL	ILP	EPI	T Lamed N Weaned
				Dir	Mat				Acc	Index								
Active Breed Average:						100	100	100	0.00	0.14	0.14	-0.25	0.10	0.21	0.27	1.10		
379	1700 25 0594 2025/10/10	1	2.33	1700 20 0149 1700 24 5099		77	85	79	-1.52 55 86	-0.82 35 90	-1.58 86	-3.58 5 86	-1.10 5 93	-3.00 36 86	13.32 30 64	3.39 5 93		1 0
380	1700 25 0596 2025/10/10	2	2.35	1700 22 2761 1700 23 3028		92	94	93	-0.51 50 95	-0.40 42 95	-0.65 93	-1.52 8 95	-0.90 8 94	-1.45 37 92	-0.88 40 103	3.55 7 93		2 1
381	1700 25 0599 2025/10/10	2	2.35	1700 24 5057 1700 23 0501		90	92	92	-0.83 26 92	-0.28 19 96	-0.69 93	-1.71 5 94	-1.10 5 93	-1.77 18 91	0.04 19 101	3.75 5 92		1 0
382	1700 25 0601 2025/10/10	2	2.35	1700 24 5057 1700 23 2616		90	92	92	-0.83 26 92	-0.28 19 96	-0.69 93	-1.71 5 94	-1.10 5 93	-1.77 18 91	0.04 19 101	3.75 5 92		1 0
383	1700 25 0603 2025/10/10	2	2.34	770 14 0314 1700 22 8354		92	99	86	0.40 52 103	-0.47 53 94	-0.27 97	0.37 47 102	-1.40 46 91	-0.91 51 95	0.59 49 99	8.86 41 79		3 2
384	1700 25 0604 2025/10/10	2	2.34	770 14 0314 1700 22 8354		92	99	86	0.40 52 103	-0.47 53 94	-0.27 97	0.37 47 102	-1.40 46 91	-0.91 51 95	0.59 49 99	8.86 41 79		3 2
385	1700 25 0605 2025/10/10	2	2.35	1700 23 0462 1700 24 8302		94	97	93	-0.16 29 98	-0.13 21 98	-0.21 97	-0.41 5 99	-1.10 5 93	-0.94 20 94	0.00 25 101	3.76 5 92		1 0
386	1700 25 0607 2025/10/10	2	2.35	1700 22 2761 1700 23 8324		88	88	91	-0.89 49 92	-1.06 39 88	-1.50 87	-3.05 8 89	-0.90 8 94	-2.49 36 88	-0.84 39 103	3.55 7 93		1 0
387	1700 25 0608 2025/10/10	2	2.35	1700 22 2761 1700 23 8324		88	88	91	-0.89 49 92	-1.06 39 88	-1.50 87	-3.05 8 89	-0.90 8 94	-2.49 36 88	-0.84 39 103	3.55 7 93		1 0
388	1700 25 0609 2025/10/10	2	2.33	1700 24 5057 1700 20 8495		92	95	93	-0.66 30 94	0.02 28 99	-0.32 96	-1.03 5 97	-1.10 5 93	-1.31 23 93	0.02 22 101	3.76 5 92		3 2
389	1700 25 0610 2025/10/10	2	2.33	1700 24 5057 1700 20 8495		92	95	93	-0.66 30 94	0.02 28 99	-0.32 96	-1.03 5 97	-1.10 5 93	-1.31 23 93	0.02 22 101	3.76 5 92		3 2
390	1700 25 0611 2025/10/10	2	2.35	1700 23 0462 1700 24 8233		92	96	90	-0.02 31 99	-0.60 23 93	-0.61 94	-0.94 8 97	-1.20 8 92	-1.34 23 93	0.89 26 98	3.70 7 92		1 0
391	1700 25 0613 2025/10/10	1	2.26	1700 22 2761 1700 21 5185		90	90	92	-0.71 50 93	-0.74 42 91	-1.09 90	-2.31 8 92	-0.90 8 94	-1.99 37 90	-0.84 39 103	3.55 7 93		3 1
392	1700 25 0614 2025/10/10	3	2.35	770 14 0314 1700 23 8282		88	95	84	0.11 50 100	-0.96 49 89	-0.91 91	-0.78 47 98	-1.40 46 91	-1.69 49 91	0.57 48 99	8.86 41 79		2 0
393	1700 25 0615 2025/10/10	3	2.35	770 14 0314 1700 23 8282		88	95	84	0.11 50 100	-0.96 49 89	-0.91 91	-0.78 47 98	-1.40 46 91	-1.69 49 91	0.57 48 99	8.86 41 79		2 0
394	1700 25 0617 2025/10/10	1	2.34	770 14 0314 1700 22 8330		93	101	86	0.49 51 103	-0.32 51 96	-0.08 98	0.73 47 104	-1.40 46 91	-0.67 50 96	0.57 48 99	8.86 41 79		3 1
395	1700 25 0618 2025/10/10	2	2.34	770 14 0314 1700 22 1010		88	95	84	0.11 50 100	-0.96 49 89	-0.91 91	-0.78 47 98	-1.40 46 91	-1.69 49 91	0.57 48 99	8.86 41 79		2 0
396	1700 25 0623 2025/10/10	1	2.35	1700 23 0462 1700 24 8222		90	94	87	-0.07 32 99	-0.78 25 91	-0.81 92	-1.18 14 96	-1.70 13 90	-1.87 25 91	0.84 28 99	4.47 12 90		1 0



Young Rams



EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed avg
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information				Parents		Selection Index			EBV - Weights				EBV - Fertility				Dam	
Animal ID	Birth Date	Birth Status	% In-breeding	Sire ID	Dam ID	DLMI	DGI	DRI	Weaning Weight		Comb	Post-Wean	Lambs Weaned	TWW	AFL	ILP	EPI	T Lamed N Weaned
									Dir	Mat	EBV	EBV	EBV	EBV	EBV	EBV		
									Acc	Index	Acc	Index	Acc	Index	Acc	Index		
Active Breed Average:						100	100	100	0.00	0.14	0.14	-0.25	0.10	0.21	0.27	1.10		
397	1700 25 0625 2025/10/10	1	2.35	1700 22 2761 1700 23 3090		88	88	91	-0.89 49	-1.06 39	-1.50 87	-3.05 8	-0.90 8	-2.49 36	-0.84 39	3.55 7	3	1
398	1700 25 0627 2025/10/10	3	2.33	1700 24 5057 1700 20 8484		90	92	92	-0.83 26	-0.28 19	-0.69 93	-1.71 5	-1.10 5	-1.77 18	0.04 19	3.75 5	1	0
399	1700 25 0630 2025/10/10	1	2.34	1700 22 2761 1700 22 1015		89	89	92	-0.78 50	-0.85 42	-1.24 89	-2.58 8	-0.90 8	-2.17 37	-0.79 40	3.54 7	2	1
400	1700 25 0631 2025/10/10	3	2.35	1700 22 2761 1700 23 0527		88	88	91	-0.89 49	-1.06 39	-1.50 87	-3.05 8	-0.90 8	-2.49 36	-0.84 39	3.55 7	2	0
401	1700 25 0637 2025/10/10	2	2.26	770 14 0314 1700 21 1567		89	97	83	0.27 51	-0.69 51	-0.55 94	-0.14 47	-1.40 46	-1.26 50	2.80 49	8.80 41	3	1
402	1700 25 0638 2025/10/10	2	2.26	770 14 0314 1700 21 1567		89	97	83	0.27 51	-0.69 51	-0.55 94	-0.14 47	-1.40 46	-1.26 50	2.80 49	8.80 41	3	1
403	1700 25 0639 2025/10/10	1	2.04	1700 22 2761 1700 19 9694		84	83	89	-1.17 50	-1.54 42	-2.13 81	-4.18 8	-0.90 8	-3.25 37	-0.84 39	3.55 7	2	1
404	1700 25 0641 2025/10/10	1	2.35	1700 23 0462 1700 24 8395		93	96	92	-0.34 30	-0.19 23	-0.36 96	-0.79 5	-1.10 5	-1.19 21	0.05 25	3.75 5	1	0
405	1700 25 0642 2025/10/10	1	2.35	1700 22 2761 1700 23 3088		83	81	89	-1.28 50	-1.73 42	-2.38 79	-4.64 8	-0.90 8	-3.56 37	-0.84 39	3.55 7	2	1
406	1700 25 0644 2025/10/10	1	2.35	1700 22 2761 1700 23 3070		88	88	91	-0.89 49	-1.06 39	-1.50 87	-3.05 8	-0.90 8	-2.49 36	-0.84 39	3.55 7	3	1
407	1700 25 0645 2025/10/10	1	2.35	1700 23 0462 1700 24 8248		92	94	91	-0.36 30	-0.46 23	-0.64 94	-1.21 5	-1.10 5	-1.48 21	0.01 25	3.76 5	1	0
408	1700 25 0647 2025/10/10	1	2.33	1700 20 0149 1700 24 5150		78	87	81	-1.88 54	-0.01 31	-0.95 91	-2.89 5	-1.20 5	-2.61 33	15.06 24	3.57 5	1	0
409	1700 25 0649 2025/10/10	1	2.19	1700 24 5057 1700 19 1979		92	95	93	-0.67 28	-0.01 25	-0.35 96	-1.08 5	-1.10 5	-1.34 21	0.04 19	3.75 5	2	1
410	1700 25 0653 2025/10/10	2	2.34	1700 22 2761 1700 22 2726		86	85	90	-1.03 50	-1.30 42	-1.81 84	-3.61 8	-0.90 8	-2.87 37	-0.84 39	3.55 7	3	1
411	1700 25 0657 2025/10/10	2	2.35	1700 23 0462 1700 24 8429		90	93	92	-0.81 29	-0.25 21	-0.66 93	-1.65 5	-1.10 5	-1.72 20	0.15 25	3.74 5	1	0
412	1700 25 0659 2025/10/10	2	2.26	770 14 0314 1700 21 2721		88	95	84	0.11 50	-0.96 49	-0.91 91	-0.78 47	-1.40 46	-1.69 49	0.57 48	8.86 41	2	0
413	1700 25 0661 2025/10/10	2	2.35	770 14 0315 1700 23 8368		97	94	102	-1.02 5	0.31 5	-0.20 97	-1.56 5	-0.40 5		-2.86 5	-0.10 5	2	0
414	1700 25 0664 2025/10/10	1	2.43	1700 23 0462 1700 24 8258		96	101	94	-0.23 22	0.59 9	0.48 103	0.64 5	-1.20 5	-0.35 12	0.73 20	3.96 5	1	0



Young Rams



EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed avg
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information				Parents		Selection Index			EBV - Weights				EBV - Fertility				Dam	
Animal ID	Birth Date	Birth Status	% In-breeding	Sire ID	Dam ID	DLMI	DGI	DRI	Weaning Weight		Comb	Post-Wean	Lambs Weaned	TWW	AFL	ILP	EPI	T Lamed N Weaned
									Dir	Mat								
									EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV		
									Acc	Index	Acc	Index	Acc	Index	Acc	Index		
Active Breed Average:						100	100	100	0.00	0.14	0.14	-0.25	0.10	0.21	0.27	1.10		
415	1700 25 0665 2025/10/10	1	2.43	1700 23 0462 1700 24 8224		96	101	94	-0.22 22 97	0.59 10 105	0.48 103	0.65 5 104	-1.20 5 92	-0.35 12 97	0.73 20 99	3.96 5 92		1 0
416	1700 25 0666 2025/10/10	2	2.34	1700 22 2761 1700 22 2751		89	89	91	-0.80 51 92	-0.90 44 89	-1.30 88	-2.69 8 90	-0.90 8 94	-2.24 38 89	-0.84 39 103	3.55 7 93		3 2
417	1700 25 0667 2025/10/10	2	2.34	1700 22 2761 1700 22 2751		89	89	91	-0.80 51 92	-0.90 44 89	-1.30 88	-2.69 8 90	-0.90 8 94	-2.24 38 89	-0.84 39 103	3.55 7 93		3 2
418	1700 25 0668 2025/10/10	2	2.35	1700 22 0267 1700 23 8352		93	96	93	-0.86 5 92	0.51 5 104	0.09 99	-0.50 5 99	-1.20 5 92		0.93 5 98	3.96 5 92		2 0
419	1700 25 0669 2025/10/10	2	2.35	1700 20 0267 1700 23 8352		93	96	93	-0.86 5 92	0.51 5 104	0.09 99	-0.50 5 99	-1.20 5 92		0.93 5 98	3.96 5 92		2 0
420	1700 25 0670 2025/10/10	2	2.19	1700 24 5057 1700 18 0846		98	95	102	-0.68 28 93	0.04 25 99	-0.30 96	-1.55 5 95	-0.30 5 97	-0.82 21 95	-3.62 22 111	-0.31 5 103		3 1
421	1700 25 0672 2025/10/10	2	2.30	1700 20 0149 1700 24 5145		78	86	80	-1.31 55 88	-0.77 35 91	-1.42 87	-3.17 5 88	-1.10 5 93	-2.74 36 87	13.27 30 65	3.40 5 93		1 0
422	1700 25 0673 2025/10/10	2	2.30	1700 20 0149 1700 24 5147		73	81	76	-1.88 53 83	-1.05 33 88	-1.99 83	-4.41 7 83	-1.40 7 91	-3.77 35 83	15.44 25 64	4.46 6 90		1 0
423	1700 25 0674 2025/10/10	2	2.35	1700 23 0462 1700 20 0417		93	96	93	-0.86 5 92	0.51 5 104	0.09 99	-0.50 5 99	-1.20 5 92		0.93 5 98	3.96 5 92		1 0
424	1700 25 0675 2025/01/02	1	2.35	1700 23 0001 1700 24 8477		90	92	92	-0.87 24 92	-0.27 19 96	-0.71 93	-1.77 5 94	-1.10 5 93	-1.81 17 91	0.04 19 101	3.75 5 92		1 0
425	1700 25 0676 2025/10/10	1	2.35	1700 20 0149 1700 23 0401		81	88	83	-1.63 47 85	-0.07 28 98	-0.89 92	-2.56 5 91	-1.20 5 92	-2.42 29 88	10.81 15 72	3.69 5 92		1 0
426	1700 25 0677 2025/10/10	2	2.33	1700 20 0149 1700 20 9596		83	92	85	-1.41 49 87	0.30 35 102	-0.41 95	-1.70 5 94	-1.20 5 92	-1.83 32 91	10.81 15 72	3.69 5 92		3 2
427	1700 25 0679 2025/10/10	2	2.35	1700 23 0462 1700 24 8196		97	101	93	0.37 30 102	-0.03 21 99	0.16 100	0.58 5 103	-1.10 5 93	-0.32 21 97	-0.13 25 101	3.78 5 92		1 0
428	1700 25 0681 2025/10/10	3	2.35	770 14 0314 1700 23 5122		88	95	84	0.11 50 100	-0.96 49 89	-0.91 91	-0.78 47 98	-1.40 46 91	-1.69 49 91	0.57 48 99	8.86 41 79		2 0
429	1700 25 0682 2025/10/10	3	2.35	770 14 0314 1700 23 5122		88	95	84	0.11 50 100	-0.96 49 89	-0.91 91	-0.78 47 98	-1.40 46 91	-1.69 49 91	0.57 48 99	8.86 41 79		2 0
430	1700 25 0684 2025/10/10	1	2.35	1700 23 0462 1700 24 8278		93	95	92	-0.43 29 96	-0.18 21 97	-0.40 96	-0.93 5 97	-1.10 5 93	-1.27 20 93	0.07 25 101	3.75 5 92		1 0
431	1700 25 0685 2025/10/10	1	2.35	1700 23 0462 1700 24 8265		93	96	93	-0.47 30 95	-0.07 22 98	-0.31 96	-0.84 5 98	-1.10 5 93	-1.20 21 93	0.07 25 101	3.75 5 92		1 0
432	1700 25 0686 2025/10/10	1	2.33	1700 22 2761 1700 20 5323		88	88	91	-0.87 50 92	-1.02 42 88	-1.46 87	-2.98 8 89	-0.90 8 94	-2.43 37 88	-0.84 39 103	3.55 7 93		2 1

Young Rams



EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed avg
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information				Parents		Selection Index			EBV - Weights				EBV - Fertility									
Animal ID BDate		Birth Status	% In- breeding	Sire ID Dam ID		DLMI	DGI	DRI	Weaning Weight		Comb	Post-Wean	Lambs Weaned		TWW	AFL		ILP		Dam		
									Dir	Mat			Acc	Index		Acc	Index	Acc	Index	Acc	Index	EPI
									EBV	EBV	EBV	EBV			EBV							
Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	
Active Breed Average:						100	100	100	0.00	0.14	0.14	-0.25	0.10	0.21	0.27	1.10						
433	1700 25 0688 2025/10/10	2	14.44	1700 24 5057 1700 24 8354		96	98	93	0.28 39	-0.51 29	-0.38 96	-0.40 5	-0.90 6	-0.78 28	-1.03 32	3.57 5			1 0			
434	1700 25 0689 2025/10/10	2	14.44	1700 24 5057 1700 24 8354		96	98	93	0.28 39	-0.51 29	-0.38 96	-0.40 5	-0.90 6	-0.78 28	-1.03 32	3.57 5			1 0			
435	1700 25 0690 2025/10/10	1	2.33	1700 24 5057 1700 20 9571		90	92	92	-0.83 26	-0.28 19	-0.69 93	-1.71 5	-1.10 5	-1.77 18	0.04 19	3.75 5			2 0			
436	1700 25 0691 2025/10/10	1	2.35	1700 23 0462 1700 24 8211		92	94	92	-0.64 29	-0.17 21	-0.49 95	-1.26 5	-1.10 5	-1.47 20	0.09 25	3.74 5			1 0			
437	1700 25 0692 2025/10/10	2	2.35	770 14 0314 1700 23 3013		88	95	84	0.11 50	-0.96 49	-0.91 91	-0.78 47	-1.40 46	-1.69 49	0.57 48	8.86 41			2 0			
438	1700 25 0693 2025/10/10	2	2.35	770 14 0314 1700 23 3013		88	95	84	0.11 50	-0.96 49	-0.91 91	-0.78 47	-1.40 46	-1.69 49	0.57 48	8.86 41			2 0			
439	1700 25 0694 2025/10/10	2	2.52	1700 23 0462 1700 24 8480		93	96	93	-0.86 5	0.51 5	0.09 99	-0.50 5	-1.20 5		0.93 5	3.96 5			1 0			
440	1700 25 0696 2025/10/10	1	2.35	1700 23 0462 1700 24 8259		96	100	93	0.16 29	0.01 21	0.09 99	0.29 5	-1.10 5	-0.50 20	-0.09 25	3.77 5			1 0			
441	1700 25 0697 2025/10/10	2	2.34	1700 24 5057 1700 22 9488		89	90	91	-0.95 28	-0.48 25	-0.96 91	-2.19 5	-1.10 5	-2.09 21	0.04 19	3.75 5			3 1			
442	1700 25 0701 2025/10/10	1	2.34	1700 22 2761 1700 22 6263		92	94	93	-0.51 50	-0.40 42	-0.66 93	-1.53 8	-0.90 8	-1.45 37	-1.06 40	3.56 7			3 1			
443	1700 25 0705 2025/10/10	2	2.04	1700 22 2761 1700 18 0850		91	84	98	-1.13 51	-1.41 44	-1.97 83	-4.45 8	-0.20 8	-2.66 38	-4.63 39	-0.51 7			2 2			
444	1700 25 0706 2025/10/10	2	2.04	1700 22 2761 1700 18 0850		91	84	98	-1.13 51	-1.41 44	-1.97 83	-4.45 8	-0.20 8	-2.66 38	-4.63 39	-0.51 7			2 2			
445	1700 25 0707 2025/10/10	1	2.34	1700 20 0149 1700 22 6095		81	88	83	-1.63 47	-0.07 28	-0.89 92	-2.56 5	-1.20 5	-2.42 29	10.81 15	3.69 5			3 0			
446	1700 25 0708 2025/10/10	2	2.33	1700 24 5057 1700 20 8357		88	89	91	-1.05 28	-0.65 25	-1.18 89	-2.59 5	-1.10 5	-2.36 21	0.04 19	3.75 5			2 1			
447	1700 25 0709 2025/10/10	2	2.33	1700 24 5057 1700 20 8357		88	89	91	-1.05 28	-0.65 25	-1.18 89	-2.59 5	-1.10 5	-2.36 21	0.04 19	3.75 5			2 1			
448	1700 25 0710 2025/10/10	1	2.43	1700 23 0462 1700 24 8288		95	99	93	-0.44 22	0.47 9	0.25 101	0.12 5	-1.20 5	-0.69 12	0.81 20	3.95 5			1 0			
449	1700 25 0713 2025/10/10	1	2.35	1700 22 2761 1700 23 0423		88	88	91	-0.89 49	-1.06 39	-1.50 87	-3.05 8	-0.90 8	-2.49 36	-0.84 39	3.55 7			2 0			
450	1700 25 0714 2025/10/10	1	2.35	1700 23 0462 1700 24 8228		97	97	97	-0.15 29	-0.16 21	-0.23 97	-0.70 5	-0.70 5	-0.73 20	-1.70 25	1.73 5			1 0			



Young Rams



EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed avg
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information				Parents		Selection Index			EBV - Weights				EBV - Fertility				Dam	
Animal ID	BDate	Birth Status	% In-breeding	Sire ID	Dam ID	DLMI	DGI	DRI	Weaning Weight		Comb	Post-Wean	Lambs Weaned	TWW	AFL	ILP	EPI	T Lamed N Weaned
									Dir	Mat								
									EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV		
									Acc	Index	Acc	Index	Acc	Index	Acc	Index		
Active Breed Average:						100	100	100	0.00	0.14	0.14	-0.25	0.10	0.21	0.27	1.10		
451	1700 25 0715 2025/10/10	1	2.35	1700 22 2761 1700 23 8347		88	88	91	-0.89 49 92	-1.06 39 88	-1.50 87	-3.05 8 89	-0.90 8 94	-2.49 36 88	-0.84 39 103	3.55 7 93		2 0
452	1700 25 0719 2025/10/10	1	2.35	1700 23 0462 1700 24 8270		93	96	92	-0.38 29 96	-0.13 21 97	-0.32 96	-0.78 5 98	-1.10 5 93	-1.17 20 93	0.03 25 101	3.75 5 92		1 0
453	1700 25 0720 2025/10/10	2	2.35	1700 23 0462 1700 24 8200		95	99	93	-0.05 29 99	-0.04 21 99	-0.06 98	-0.11 5 100	-1.10 5 93	-0.75 20 95	-0.07 25 101	3.77 5 92		1 0
454	1700 25 0723 2025/10/10	1	2.04	1700 22 2761 1700 19 6309		88	88	91	-0.89 49 92	-1.06 39 88	-1.50 87	-3.05 8 89	-0.90 8 94	-2.49 36 88	-0.84 39 103	3.55 7 93		2 0
455	1700 25 0724 2025/10/24	1	2.26	1700 22 2761 1700 21 2698		91	91	92	-0.47 51 95	-0.84 42 90	-1.07 90	-2.05 8 93	-0.90 8 94	-1.84 38 91	-0.84 39 103	3.55 7 93		2 1
456	1700 25 0725 2025/10/24	1	2.18	1700 23 0462 - - -		87	96	84	-0.50 5 95	0.05 5 99	-0.20 97	-0.55 5 99	-0.90 5 94		2.51 5 94	13.78 5 66		0
457	1700 25 0731 2025/10/10	1	2.33	1700 24 5057 1700 20 2857		91	93	92	-0.79 28 93	-0.21 25 97	-0.61 94	-1.56 5 95	-1.10 5 93	-1.67 21 91	0.04 19 101	3.75 5 92		3 1
458	1700 25 0733 2025/10/24	1	2.35	1700 23 0462 1700 24 8435		92	91	96	-1.12 26 90	-0.22 19 97	-0.79 92	-2.11 5 92	-1.10 5 93	-2.01 18 90	-5.00 25 114	3.89 5 92		1 0
459	1700 25 0736 2025/10/24	1	2.34	1700 22 2761 1700 22 6190		87	87	90	-0.82 51 92	-1.23 42 86	-1.64 85	-3.19 8 88	-0.90 8 94	-2.59 38 88	-0.84 39 103	3.55 7 93		2 1
460	1700 25 0744 2025/10/24	2	2.26	1700 22 2761 1700 21 2745		87	86	90	-0.94 51 91	-1.20 42 86	-1.68 85	-3.34 8 87	-0.90 8 94	-2.69 38 87	-0.84 39 103	3.55 7 93		2 1
461	1700 25 0745 2025/10/24	2	2.26	1700 22 2761 1700 21 2745		87	86	90	-0.94 51 91	-1.20 42 86	-1.68 85	-3.34 8 87	-0.90 8 94	-2.69 38 87	-0.84 39 103	3.55 7 93		2 1
462	1700 25 0746 2025/10/24	2	2.33	1700 22 2761 1700 20 2102		88	87	91	-0.79 51 92	-1.17 42 86	-1.57 86	-3.06 8 89	-0.90 8 94	-2.51 38 88	-0.84 39 103	3.55 7 93		2 1
463	1700 25 0747 2025/10/24	2	2.33	1700 22 2761 1700 20 2102		88	87	91	-0.79 51 92	-1.17 42 86	-1.57 86	-3.06 8 89	-0.90 8 94	-2.51 38 88	-0.84 39 103	3.55 7 93		2 1
464	1700 25 0748 2025/10/24	2	2.26	1700 22 2761 1700 21 8410		88	88	91	-0.72 52 93	-1.17 42 86	-1.53 86	-2.94 8 89	-0.90 8 94	-2.43 38 88	-0.84 39 103	3.55 7 93		2 1
465	1700 25 0749 2025/10/24	2	2.26	1700 22 2761 1700 21 8410		88	88	91	-0.72 52 93	-1.17 42 86	-1.53 86	-2.94 8 89	-0.90 8 94	-2.43 38 88	-0.84 39 103	3.55 7 93		2 1
466	1700 25 0750 2025/10/24	4	2.26	1700 22 2761 1700 21 2667		81	79	89	-1.75 53 84	-1.67 44 81	-2.55 78	-5.31 8 79	-0.90 8 94	-3.96 39 82	-0.84 39 103	3.55 7 93		2 2
467	1700 25 0751 2025/10/24	4	2.26	1700 22 2761 1700 21 2667		81	79	89	-1.75 53 84	-1.67 44 81	-2.55 78	-5.31 8 79	-0.90 8 94	-3.96 39 82	-0.84 39 103	3.55 7 93		2 2
468	1700 25 0754 2025/10/24	2	2.35	1700 22 2761 1700 23 2609		88	88	91	-0.89 49 92	-1.06 39 88	-1.50 87	-3.05 8 89	-0.90 8 94	-2.49 36 88	-0.84 39 103	3.55 7 93		1 0

Young Rams



EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed avg
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information				Parents		Selection Index			EBV - Weights				EBV - Fertility				Dam	
Animal ID	Birth Date	Birth Status	% In-breeding	Sire ID	Dam ID	DLMI	DGI	DRI	Weaning Weight		Comb	Post-Wean	Lambs Weaned	TWW	AFL	ILP	EPI	T Lamed N Weaned
									Dir	Mat								
									EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV		
									Acc	Index	Acc	Index	Acc	Index	Acc	Index		
Active Breed Average:						100	100	100	0.00	0.14	0.14	-0.25	0.10	0.21	0.27	1.10		
469	1700 25 0755 2025/10/24	2	2.35	1700 22 2761 1700 23 2609		88	88	91	-0.89 49 92	-1.06 39 88	-1.50 87	-3.05 8 89	-0.90 8 94	-2.49 36 88	-0.84 39 103	3.55 7 93		1 0
470	1700 25 0757 2025/10/24	1	2.35	1700 23 0462 1700 21 2668		92	96	93	-0.83 18 92	0.42 16 103	0.01 99	-0.58 5 99	-1.20 5 92	-1.13 13 94	0.93 5 98	3.96 5 92		2 1
471	1700 25 0759 2025/10/24	1	2.26	1700 22 2761 1700 21 2686		87	87	91	-0.97 51 91	-1.06 42 88	-1.55 86	-3.19 8 88	-0.90 8 94	-2.57 38 88	-0.84 39 103	3.55 7 93		2 1
472	1700 25 0760 2025/10/24	1	2.35	1700 23 0462 1700 23 0531		93	97	93	-0.71 11 93	0.49 5 104	0.13 100	-0.29 5 100	-1.20 5 92	-0.94 5 94	0.93 5 98	3.96 5 92		1 0
473	1700 25 0762 2025/10/24	1	2.04	1700 22 2761 1700 19 6287		88	88	90	-0.58 52 94	-1.29 44 85	-1.58 86	-2.87 8 89	-0.90 8 94	-2.41 39 88	-0.84 39 103	3.55 7 93		2 2
474	1700 25 0763 2025/10/24	1	2.35	1700 23 0462 1700 23 8354		92	96	93	-0.97 10 91	0.53 5 105	0.05 99	-0.64 5 98	-1.20 5 92	-1.15 5 94	0.93 5 98	3.96 5 92		1 0
475	1700 25 0765 2025/10/24	2	2.35	1700 22 2761 1700 23 8318		88	89	91	-0.70 50 93	-1.09 39 87	-1.44 87	-2.79 8 90	-0.90 8 94	-2.33 36 89	-0.84 39 103	3.55 7 93		1 0
476	1700 25 0766 2025/10/24	2	2.35	1700 22 2761 1700 23 8318		88	89	91	-0.70 50 93	-1.09 39 87	-1.44 87	-2.79 8 90	-0.90 8 94	-2.33 36 89	-0.84 39 103	3.55 7 93		1 0
477	1700 25 0771 2025/10/24	1	2.26	1700 22 2761 1700 21 2729		86	86	91	-1.15 51 89	-1.08 42 87	-1.65 85	-3.50 8 87	-0.90 8 94	-2.77 38 87	-0.84 39 103	3.55 7 93		2 1
478	1700 25 0772 2025/10/24	1	2.35	1700 22 2761 1700 23 0413		88	88	91	-0.89 49 92	-1.06 39 88	-1.50 87	-3.05 8 89	-0.90 8 94	-2.49 36 88	-0.84 39 103	3.55 7 93		1 0
479	1700 25 0773 2025/10/24	2	2.35	1700 23 0462 1700 22 8439		95	99	93	-0.46 18 95	0.53 16 105	0.30 101	0.17 5 102	-1.20 5 92	-0.65 13 96	0.93 5 98	3.96 5 92		2 1
480	1700 25 0776 2025/10/24	1	2.35	1700 23 0462 1700 23 0435		92	96	93	-0.98 11 91	0.54 5 105	0.05 99	-0.67 5 98	-1.20 5 92	-1.17 5 94	0.93 5 98	3.96 5 92		1 0
481	1700 25 0777 2025/10/24	1	2.04	1700 22 2761 1700 18 2993		92	85	99	-1.05 49 90	-1.26 39 85	-1.79 84	-4.12 8 84	-0.20 8 97	-2.43 36 88	-4.63 39 113	-0.51 7 103		2 0
482	1700 25 0778 2025/10/24	2	2.35	1700 23 0462 1700 22 8292		93	96	93	-0.82 15 92	0.46 16 104	0.05 99	-0.50 5 99	-1.20 5 92	-1.07 12 94	0.93 5 98	3.96 5 92		2 1
483	1700 25 0780 2025/10/24	1	2.35	1700 23 0462 1700 23 2598		95	99	93	-0.34 15 96	0.42 5 103	0.25 101	0.21 5 102	-1.20 5 92	-0.64 7 96	0.93 5 98	3.96 5 92		1 0
484	1700 25 0781 2025/10/24	1	2.35	1700 23 0462 1700 23 2700		93	97	93	-0.76 10 93	0.50 5 104	0.12 100	-0.37 5 99	-1.20 5 92	-0.99 5 94	0.93 5 98	3.96 5 92		1 0
485	1700 25 0782 2025/10/24	1	6.27	1700 22 2761 1700 18 8670		85	88	84	-0.14 58 98	-1.87 49 79	-1.94 83	-3.29 25 88	-1.20 25 92	-2.73 47 87	0.02 46 101	7.40 22 83		3 2
486	1700 25 0783 2025/10/24	2	2.33	1700 22 2761 1700 20 8457		90	91	91	-0.55 52 95	-0.91 42 89	-1.18 89	-2.30 8 92	-0.90 8 94	-2.00 38 90	-0.84 39 103	3.55 7 93		2 1



Young Rams



EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed avg
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information				Parents		Selection Index			EBV - Weights				EBV - Fertility				Dam	
Animal ID	BDate	Birth Status	% In-breeding	Sire ID	Dam ID	DLMI	DGI	DRI	Weaning Weight		Comb	Post-Wean	Lambs Weaned	TWW	AFL	ILP	EPI	T Lamed N Weaned
									Dir	Mat								
									EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV		
									Acc	Index	Acc	Index	Acc	Index	Acc	Index		
Active Breed Average:						100	100	100	0.00	0.14	0.14	-0.25	0.10	0.21	0.27	1.10		
487	1700 25 0785 2025/10/24	2	2.33	1700 22 2761 1700 20 2848		86	85	90	-0.93 52	-1.39 44	-1.86 84	-3.59 8	-0.90 8	-2.86 39	-0.84 39	3.55 7	2 2	
488	1700 25 0786 2025/10/24	2	2.33	1700 22 2761 1700 20 2848		86	85	90	-0.93 52	-1.39 44	-1.86 84	-3.59 8	-0.90 8	-2.86 39	-0.84 39	3.55 7	2 2	
489	1700 25 0787 2025/10/24	1	2.34	1700 22 2761 1700 22 2759		87	86	92	-1.23 51	-0.88 42	-1.50 87	-3.36 8	-0.90 8	-2.65 38	-0.84 39	3.55 7	2 1	
490	1700 25 0788 2025/10/24	1	2.35	1700 23 0462 1700 23 5189		96	101	94	-0.36 18	0.68 16	0.51 103	0.56 5	-1.20 5	-0.39 13	0.93 5	3.96 5	2 1	
491	1700 25 0789 2025/10/24	1	2.04	1700 22 2761 1700 19 0830		86	85	90	-1.15 51	-1.27 42	-1.84 84	-3.77 8	-0.90 8	-2.96 38	-0.84 39	3.55 7	2 1	
492	1700 25 0790 2025/10/24	1	2.35	1700 22 2761 1700 23 0409		87	87	91	-1.07 50	-1.02 39	-1.56 86	-3.29 8	-0.90 8	-2.63 36	-0.84 39	3.55 7	1 0	
493	1700 25 0791 2025/10/24	2	2.33	1700 22 2761 1700 20 1074		86	85	90	-1.06 51	-1.31 42	-1.84 84	-3.69 8	-0.90 8	-2.92 38	-0.84 39	3.55 7	2 1	
494	1700 25 0793 2025/10/24	3	2.34	1700 22 2761 1700 22 6143		85	84	90	-1.14 51	-1.37 42	-1.94 83	-3.90 8	-0.90 8	-3.05 38	-0.84 39	3.55 7	2 1	
495	1700 25 0798 2025/10/24	1	2.35	1700 23 0462 1700 18 2944		96	93	102	-1.19 14	0.37 16	-0.22 97	-1.75 5	-0.40 5	-1.05 12	-2.86 5	-0.10 5	2 1	
496	1700 25 0800 2025/10/24	2	2.04	1700 22 2761 1700 19 8462		88	88	91	-0.78 52	-1.03 42	-1.42 87	-2.84 8	-0.90 8	-2.35 38	-0.84 39	3.55 7	2 1	
497	1700 25 0802 2025/10/24	2	2.35	1700 23 0462 1700 23 8276		93	97	93	-0.76 10	0.50 5	0.12 100	-0.37 5	-1.20 5	-0.99 5	0.93 5	3.96 5	1 0	
498	1700 25 0806 2025/10/24	2	2.04	1700 22 2761 1700 18 8563		88	80	97	-1.25 52	-1.97 44	-2.59 78	-5.43 8	-0.20 8	-3.34 39	-4.63 39	-0.51 7	2 2	
499	1700 25 0812 2025/10/24	2	2.04	1700 22 2761 1700 18 9793		92	85	99	-1.05 49	-1.26 39	-1.79 84	-4.12 8	-0.20 8	-2.43 36	-4.63 39	-0.51 7	2 0	
500	1700 25 0815 2025/10/24	1	2.34	1700 22 2761 1700 22 8309		87	87	91	-0.97 51	-1.04 39	-1.53 86	-3.16 8	-0.90 8	-2.55 36	-0.84 39	3.55 7	2 0	
501	1700 25 0818 2025/10/24	1	2.35	1700 23 0462 1700 21 5215		92	98	90	-0.28 24	0.06 23	-0.08 98	-0.36 14	-1.40 14	-1.05 21	2.86 18	3.84 12	3 1	
502	1700 25 0822 2025/10/24	2	2.35	1700 23 0462 1700 21 2064		94	98	92	-0.35 18	0.19 16	0.01 99	-0.13 5	-1.20 5	-0.89 13	0.93 5	3.96 5	2 1	
503	1700 25 0824 2025/10/24	2	2.04	1700 22 2761 1700 19 2003		86	86	91	-1.20 51	-1.00 39	-1.60 86	-3.47 8	-0.90 8	-2.74 36	-0.84 39	3.55 7	2 0	
504	1700 25 0826 2025/10/24	2	2.04	1700 22 2761 1700 19 0884		88	87	90	-0.78 52	-1.22 42	-1.61 86	-3.09 8	-0.90 8	-2.53 38	-0.84 39	3.55 7	2 1	

Young Rams



EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed avg
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information				Parents		Selection Index			EBV - Weights				EBV - Fertility				Dam	
Animal ID	BDate	Birth Status	% In-breeding	Sire ID	Dam ID	DLMI	DGI	DRI	Weaning Weight		Comb	Post-Wean	Lambs Weaned	TWW	AFL	ILP	EPI	T Lamed N Weaned
									Dir	Mat								
									EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV		
									Acc	Index	Acc	Index	Acc	Index	Acc	Index		
Active Breed Average:						100	100	100	0.00	0.14	0.14	-0.25	0.10	0.21	0.27	1.10		
505	1700 25 0830 2025/10/24	1	2.35	1700 23 0462 1700 23 2582		92	96	93	-0.97 10 91	0.53 5 105	0.05 99	-0.64 5 98	-1.20 5 92	-1.15 5 94	0.93 5 98	3.96 5 92		1 0
506	1700 25 0835 2025/10/24	2	2.35	1700 23 0462 1700 22 8338		92	96	93	-0.98 11 91	0.54 5 105	0.05 99	-0.67 5 98	-1.20 5 92	-1.17 5 94	0.93 5 98	3.96 5 92		2 0
507	1700 25 0838 2025/10/24	3	2.34	1700 22 2761 1700 22 8324		92	93	92	-0.37 51 96	-0.60 42 93	-0.79 92	-1.57 8 95	-0.90 8 94	-1.51 38 92	-0.87 40 103	3.55 7 93		2 1
508	1700 25 0839 2025/10/24	3	2.34	1700 22 2761 1700 22 8324		92	93	92	-0.37 51 96	-0.60 42 93	-0.79 92	-1.57 8 95	-0.90 8 94	-1.51 38 92	-0.87 40 103	3.55 7 93		2 1
509	1700 25 0841 2025/10/24	2	2.35	1700 23 0462 1700 22 9485		93	97	94	-0.90 15 92	0.69 16 106	0.24 101	-0.32 5 100	-1.20 5 92	-0.93 12 94	0.93 5 98	3.96 5 92		2 1
510	1700 25 0842 2025/10/24	2	2.35	1700 23 0462 1700 22 9485		93	97	94	-0.90 15 92	0.69 16 106	0.24 101	-0.32 5 100	-1.20 5 92	-0.93 12 94	0.93 5 98	3.96 5 92		2 1
511	1700 25 0847 2025/10/24	2	2.35	1700 23 0462 1700 21 2001		94	98	93	-0.59 15 94	0.43 16 103	0.14 100	-0.17 5 100	-1.20 5 92	-0.88 12 95	0.93 5 98	3.96 5 92		2 1
512	1700 25 0848 2025/10/24	2	2.35	1700 23 0462 1700 21 2001		94	98	93	-0.59 15 94	0.43 16 103	0.14 100	-0.17 5 100	-1.20 5 92	-0.88 12 95	0.93 5 98	3.96 5 92		2 1
513	1700 25 0850 2025/10/24	2	2.35	1700 23 0462 1700 23 0392		92	96	93	-0.97 10 91	0.53 5 105	0.05 99	-0.64 5 98	-1.20 5 92	-1.15 5 94	0.93 5 98	3.96 5 92		1 0
514	1700 25 0852 2025/10/24	2	2.33	1700 22 2761 1700 20 1822		88	87	91	-0.93 50 91	-1.05 39 88	-1.51 86	-3.11 8 88	-0.90 8 94	-2.52 36 88	-0.84 39 103	3.55 7 93		2 0
515	1700 25 0854 2025/10/24	1	2.18	- - - 1700 19 6398		92	90	99	-1.39 18 87	-0.11 21 98	-0.80 92	-2.76 5 90	0.00 5 98	-1.49 15 92	-0.83 5 103	1.11 5 99		2 2
516	1700 25 0858 2025/10/24	1	2.35	1700 23 0462 1700 19 6366		92	96	93	-0.80 18 92	0.37 16 103	-0.03 99	-0.61 5 98	-1.20 5 92	-1.16 13 94	0.93 5 98	3.96 5 92		2 1
517	1700 25 0860 2025/10/24	1	2.34	1700 22 2761 1700 22 6185		88	88	92	-0.94 52 91	-0.87 42 90	-1.34 88	-2.88 8 89	-0.90 8 94	-2.35 38 89	-0.84 39 103	3.55 7 93		2 1
518	1700 25 0861 2025/10/24	1	2.35	1700 23 0462 1700 23 0543		93	96	93	-0.89 11 92	0.52 5 104	0.08 99	-0.54 5 99	-1.20 5 92	-1.09 5 94	0.93 5 98	3.96 5 92		1 0
519	1700 25 0863 2025/10/24	1	2.35	1700 23 0462 1700 20 8427		93	97	93	-0.67 20 94	0.45 21 104	0.11 100	-0.29 5 100	-1.20 5 92	-0.95 16 94	0.93 5 98	3.96 5 92		2 2
520	1700 25 0864 2025/10/24	1	2.33	1700 22 2761 1700 20 5245		86	85	90	-1.06 50 90	-1.35 42 85	-1.88 83	-3.74 8 86	-0.90 8 94	-2.95 37 86	-0.84 39 103	3.55 7 93		2 1
521	1700 25 0865 2025/10/24	1	2.33	1700 22 2761 1700 20 0684		88	88	91	-0.90 51 92	-0.96 42 89	-1.41 87	-2.94 8 89	-0.90 8 94	-2.40 38 88	-0.84 39 103	3.55 7 93		2 1
522	1700 25 0866 2025/10/24	2	2.35	1700 23 0462 1700 23 5195		92	96	94	-1.02 15 91	0.56 16 105	0.05 99	-0.69 5 98	-1.20 5 92	-1.18 12 93	0.93 5 98	3.96 5 92		2 1

Young Rams



EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed avg
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information				Parents		Selection Index			EBV - Weights				EBV - Fertility				Dam	
Animal ID	Birth Date	Birth Status	% In-breeding	Sire ID	Dam ID	DLMI	DGI	DRI	Weaning Weight		Post-Wean		Lambs Weaned	TWW	AFL	ILP	EPI	T Lamed N Weaned
									Dir	Mat	Comb							
									EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV		
									Acc	Index	Acc	Index	Acc	Index	Acc	Index		
Active Breed Average:						100	100	100	0.00	0.14	0.14	-0.25	0.10	0.21	0.27	1.10		
523	1700 25 0868 2025/10/24	2	2.35	1700 23 0462 1700 20 2897		100	107	96	0.07 18 100	1.29 16 113	1.32 110	2.09 5 109	-1.20 5 92	0.64 13 101	0.82 10 99	3.98 5 92		2 1
524	1700 25 0869 2025/10/24	2	2.35	1700 23 0462 1700 20 2897		100	107	96	0.07 18 100	1.29 16 113	1.32 110	2.09 5 109	-1.20 5 92	0.64 13 101	0.82 10 99	3.98 5 92		2 1
525	1700 25 0870 2025/10/24	1	2.35	1700 23 0462 1700 22 8384		93	97	94	-0.85 18 92	0.69 16 106	0.26 101	-0.25 5 100	-1.20 5 92	-0.89 13 95	0.93 5 98	3.96 5 92		2 1
526	1700 25 3001 2025/03/10	1	2.34	1700 22 2761 1700 22 0628		94	96	92	0.17 61 101	-0.72 45 91	-0.63 94	-0.86 8 97	-0.90 8 94	-1.09 43 94	-0.84 39 103	3.55 7 93		1 2
527	1700 25 3003 2025/03/10	1	2.34	1700 20 0149 1700 22 1014		86	95	84	-0.57 58 94	-0.02 34 99	-0.30 96	-0.77 5 98	-1.20 5 92	-1.31 35 93	10.81 15 72	3.69 5 92		1 1
528	1700 25 3004 2025/03/10	5	2.34	1700 22 2761 1700 22 9501		94	96	90	0.76 62 106	-1.36 40 84	-0.98 91	-0.81 8 98	-0.90 8 94	-1.14 41 94	-0.84 39 103	3.55 7 93		0 0
529	1700 25 3007 2025/03/10	5	2.34	1700 22 2761 1700 22 9501		94	96	90	0.69 62 105	-1.35 40 85	-1.00 91	-0.89 8 97	-0.90 8 94	-1.20 41 93	-0.84 39 103	3.55 7 93		0 0
530	1700 25 3008 2025/03/10	5	2.34	1700 22 2761 1700 22 9501		91	92	90	-0.03 62 99	-1.22 40 86	-1.23 89	-1.88 8 93	-0.90 8 94	-1.78 41 91	-0.84 39 103	3.55 7 93		0 0
531	1700 25 3010 2025/03/10	1	2.35	1700 22 2761 1700 23 0531		89	90	91	-0.43 59 96	-1.14 39 87	-1.36 88	-2.43 8 91	-0.90 8 94	-2.11 40 90	-0.84 39 103	3.55 7 93		1 0
532	1700 25 3012 2025/03/10	1	2.35	1700 22 9584 1700 23 8337		94	100	91	-0.29 54 97	0.41 19 103	0.27 101	0.28 5 102	-1.20 5 92	-0.60 28 96	3.06 10 93	3.90 5 92		1 0
533	1700 25 3015 2025/03/10	1	2.33	1700 20 0149 1700 20 2102		82	90	83	-1.23 58 89	-0.24 34 96	-0.86 92	-2.17 5 92	-1.20 5 92	-2.20 35 89	10.81 15 72	3.69 5 92		2 1
534	1700 25 3016 2025/03/10	1	2.34	1700 20 0149 1700 22 6206		86	95	83	-0.38 57 96	-0.30 30 96	-0.49 95	-0.87 5 97	-1.20 5 92	-1.41 33 93	10.81 15 72	3.69 5 92		1 0
535	1700 25 3021 2025/03/10	1	2.33	1700 20 0149 1700 20 9520		86	95	85	-0.95 58 91	0.33 35 102	-0.14 98	-0.89 5 97	-1.20 5 92	-1.33 36 93	10.57 18 72	3.71 5 92	100	1 1
536	1700 25 3022 2025/03/10	1	2.34	1700 20 0149 1700 22 6133		82	91	83	-1.22 57 89	-0.15 30 97	-0.76 93	-2.01 5 93	-1.20 5 92	-2.09 33 90	10.81 15 72	3.69 5 92		0 0
537	1700 25 3023 2025/03/10	1	2.34	1700 22 0149 1700 19 6287		98	104	92	0.67 43 105	0.06 23 99	0.39 102	1.34 5 106	-1.20 5 92	0.01 25 98	0.93 5 98	3.96 5 92		2 2
538	1700 25 3026 2025/03/10	1	2.35	1700 22 9584 1700 23 8360		95	101	91	-0.06 54 99	0.37 19 103	0.34 102	0.59 5 103	-1.20 5 92	-0.41 28 97	3.06 10 93	3.90 5 92		0 0
539	1700 25 3030 2025/03/10	1	2.35	1700 22 9584 1700 23 0431		89	94	92	-1.35 54 88	0.61 19 105	-0.07 98	-1.17 5 96	-1.20 5 92	-1.47 28 92	3.06 10 93	3.90 5 92		0 0
540	1700 25 3032 2025/03/10	1	2.34	1700 20 0149 1700 22 6143		78	84	82	-1.99 58 82	-0.37 34 95	-1.36 88	-3.56 5 87	-1.20 5 92	-3.07 35 85	10.81 15 72	3.69 5 92		2 1

Young Rams



EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed avg
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information				Parents		Selection Index			EBV - Weights				EBV - Fertility										
Animal ID	BDate	Birth Status	% In-breeding	Sire ID		DLMI	DGI	DRI	Weaning Weight		Comb	Post-Wean	Lambs Weaned	TWW	AFL	ILP	Dam						
				Dam ID	Dir				Mat	EBV Index									EBV Index	EBV Index	EBV Index	EBV Index	EBV Index
					Acc				Index														
Active Breed Average:						100	100	100	0.00	0.14	0.14	-0.25	0.10	0.21	0.27	1.10							
541	1700 25 3033 2025/03/10	1	2.35	1700 22 9584 1700 23 2615		85	88	93	-2.48 54	0.82 19	-0.42 95	-2.70 5	-1.20 5	-2.38 28	3.06 10	3.90 5	0 0						
542	1700 25 3038 2025/03/10	1	2.35	1700 22 2761 1700 23 0535		86	86	91	-1.19 59	-1.00 39	-1.59 86	-3.45 8	-0.90 8	-2.73 40	-0.84 39	3.55 7	0 0						
543	1700 25 3041 2025/03/10	1	2.35	1700 22 9584 1700 23 2589		88	92	92	-1.73 54	0.68 19	-0.19 97	-1.68 5	-1.20 5	-1.77 28	3.06 10	3.90 5	0 0						
544	1700 25 3043 2025/03/10	1	2.35	1700 22 2761 1700 23 0557		87	87	91	-1.04 59	-1.03 39	-1.55 86	-3.25 8	-0.90 8	-2.60 40	-0.84 39	3.55 7	0 0						
545	1700 25 3045 2025/03/10	1	2.35	1700 22 2761 1700 23 8344		79	76	92	-2.99 59	-0.67 39	-2.16 81	-5.91 8	-0.90 8	-4.19 40	-0.84 39	3.55 7	0 0						
546	1700 25 3047 2025/03/10	1	2.35	1700 22 9584 1700 23 2607		90	95	92	-1.12 54	0.56 19	0.00 99	-0.86 5	-1.20 5	-1.28 28	3.06 10	3.90 5	0 0						
547	1700 25 3051 2025/03/10	2	2.33	1700 20 0149 1700 20 1010		87	97	84	-0.51 59	0.15 34	-0.11 98	-0.45 5	-1.20 5	-1.08 36	10.81 15	3.69 5	1 1						
548	1700 25 3053 2025/03/10	2	2.35	1700 22 2761 1700 23 0443		89	89	91	-0.55 60	-1.12 40	-1.39 87	-2.59 8	-0.90 8	-2.21 40	-0.84 39	3.55 7	1 0						
549	1700 25 3055 2025/03/10	2	2.35	1700 22 9584 1700 23 8293		91	95	92	-1.05 55	0.55 19	0.03 99	-0.75 5	-1.20 5	-1.22 28	3.06 10	3.90 5	0 0						
550	1700 25 3057 2025/03/10	2	2.33	1700 20 0149 1700 20 0660		85	94	83	-0.60 58	-0.26 30	-0.56 94	-1.16 5	-1.20 5	-1.58 34	10.81 15	3.69 5	1 0						
551	1700 25 3059 2025/03/10	2	2.35	1700 22 2761 1700 23 8315		90	90	91	-0.42 60	-1.14 40	-1.35 88	-2.41 8	-0.90 8	-2.10 40	-0.84 39	3.55 7	0 0						
552	1700 25 3060 2025/03/10	2	2.35	1700 22 2761 1700 23 8315		91	92	90	-0.03 60	-1.22 40	-1.23 89	-1.88 8	-0.90 8	-1.78 40	-0.84 39	3.55 7	0 0						
553	1700 25 3065 2025/03/10	2	2.33	1700 20 0149 1700 20 8457		85	94	84	-0.74 59	-0.02 34	-0.39 96	-1.05 5	-1.20 5	-1.48 36	10.81 15	3.69 5	2 1						
554	1700 25 3067 2025/03/10	2	2.35	1700 22 9584 1700 23 2677		84	86	93	-2.82 55	0.88 19	-0.53 94	-3.17 5	-1.20 5	-2.66 28	3.06 10	3.90 5	1 0						
555	1700 25 3071 2025/03/10	2	2.26	1700 22 2761 1700 21 0473		90	90	91	-0.34 60	-1.16 40	-1.33 88	-2.30 8	-0.90 8	-2.03 40	-0.84 39	3.55 7	1 0						
556	1700 25 3072 2025/03/10	2	2.26	1700 22 2761 1700 21 0473		87	87	91	-1.05 60	-1.03 40	-1.55 86	-3.26 8	-0.90 8	-2.61 40	-0.84 39	3.55 7	1 0						
557	1700 25 3073 2025/03/10	2	2.35	1700 22 2761 1700 23 2641		82	80	92	-2.27 60	-0.80 40	-1.93 83	-4.93 8	-0.90 8	-3.61 40	-0.84 39	3.55 7	0 0						
558	1700 25 3074 2025/03/10	2	2.35	1700 22 2761 1700 23 2641		85	84	91	-1.55 60	-0.93 40	-1.71 85	-3.95 8	-0.90 8	-3.02 40	-0.84 39	3.55 7	0 0						

Young Rams



EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed avg
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information				Parents		Selection Index			EBV - Weights				EBV - Fertility					
Animal ID BDate	Birth Status	% In- breeding		Sire ID Dam ID		DLMI	DGI	DRI	Weaning Weight		Comb EBV Index	Post-Wean EBV Index	Lambs Weaned EBV Index	TWW EBV Index	AFL EBV Index	ILP EBV Index	EPI	Dam T Lamed N Weaned
				Dir EBV Acc Index	Mat EBV Acc Index													
Active Breed Average:						100	100	100	0.00	0.14	0.14	-0.25	0.10	0.21	0.27	1.10		
559	1700 25 3075 2025/03/10	2	2.35	1700 22 2761 1700 23 2576		87	86	91	-1.12 60	-1.01 40	-1.57 86	-3.37 8	-0.90 8	-2.67 40	-0.84 39	3.55 7		1 0
560	1700 25 3076 2025/03/10	2	2.35	1700 22 2761 1700 23 2576		87	86	91	-1.12 60	-1.01 40	-1.57 86	-3.37 8	-0.90 8	-2.67 40	-0.84 39	3.55 7		1 0
561	1700 25 3077 2025/03/10	2	2.34	1700 20 0149 1700 22 1017		75	81	82	-2.45 49	-0.48 33	-1.71 85	-4.48 5	-1.20 5	-3.66 32	10.78 18	3.68 5	96	1 1
562	1700 25 3081 2025/03/10	2	2.34	1700 20 0149 1700 22 0638		81	88	82	-1.27 59	-0.56 34	-1.20 89	-2.67 5	-1.20 5	-2.56 36	10.81 15	3.69 5		1 1
563	1700 25 3085 2025/03/10	1	2.35	1700 22 2761 1700 23 2584		84	83	92	-1.79 59	-0.89 39	-1.78 84	-4.27 8	-0.90 8	-3.22 40	-0.84 39	3.55 7		0 0
564	1700 25 3086 2025/03/10	2	2.33	1700 20 0149 1700 18 9800		90	93	91	-0.40 58	-0.54 30	-0.73 93	-1.74 5	-0.40 5	-1.17 34	7.02 15	-0.37 5		1 0
565	1700 25 3088 2025/03/10	2	2.33	1700 20 0149 1700 19 8460		81	89	82	-1.12 59	-0.53 34	-1.09 90	-2.38 5	-1.20 5	-2.37 36	10.81 15	3.69 5		1 1
566	1700 25 3090 2025/03/10	2	2.33	1700 20 0149 1700 19 8462		82	90	83	-1.36 59	-0.08 34	-0.76 93	-2.13 5	-1.20 5	-2.15 36	10.81 15	3.69 5		2 1
567	1700 25 3092 2025/03/10	2	2.35	1700 22 2761 1700 23 2598		92	94	90	0.24 60	-1.27 40	-1.15 89	-1.51 8	-0.90 8	-1.56 40	-0.84 39	3.55 7		1 0
568	1700 25 3094 2025/03/10	1	2.35	1700 22 9584 1700 23 0567		78	79	94	-4.44 54	1.18 19	-1.04 90	-5.38 5	-1.20 5	-3.98 28	3.06 10	3.90 5		1 0
569	1700 25 3095 2025/03/10	1	2.35	1700 22 2761 1700 23 2647		87	87	91	-0.96 59	-1.04 39	-1.52 86	-3.15 8	-0.90 8	-2.54 40	-0.84 39	3.55 7		0 0
570	1700 25 3096 2025/03/25	1	2.04	1700 22 2761 1700 19 3153		91	93	92	-0.29 60	-0.83 43	-0.97 91	-1.76 8	-0.90 8	-1.66 41	-0.82 40	3.54 7		2 1
571	1700 25 3101 2025/03/25	1	2.35	1700 20 0149 1700 23 5195		79	86	84	-2.13 58	0.04 34	-1.02 90	-3.22 5	-1.20 5	-2.81 35	10.81 15	3.69 5		2 1
572	1700 25 3102 2025/03/25	1	2.34	1700 20 0149 1700 22 8292		81	89	83	-1.45 58	-0.15 34	-0.87 92	-2.38 5	-1.20 5	-2.32 35	10.81 15	3.69 5		2 1
573	1700 25 3103 2025/03/25	1	2.33	1700 22 2761 1700 20 8435		89	89	91	-0.68 60	-1.03 42	-1.37 88	-2.67 8	-0.90 8	-2.25 41	-0.86 40	3.54 7		2 1
574	1700 25 3104 2025/03/25	1	2.33	1700 22 2761 1700 20 5324		93	95	90	0.39 60	-1.21 43	-1.01 91	-1.18 8	-0.90 8	-1.35 41	-0.84 39	3.55 7		1 1
575	1700 25 3108 2025/03/25	1	2.34	1700 20 0149 1700 22 6179		83	91	83	-1.13 57	-0.16 30	-0.73 93	-1.88 5	-1.20 5	-2.01 33	10.81 15	3.69 5		1 0
576	1700 25 3110 2025/03/25	1	2.33	1700 22 2761 1700 20 2848		87	87	90	-0.65 60	-1.45 45	-1.77 84	-3.20 8	-0.90 8	-2.63 42	-0.84 39	3.55 7		2 2

Young Rams



EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed avg
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information				Parents		Selection Index			EBV - Weights				EBV - Fertility				Dam	
Animal ID	Birth Date	Birth Status	% In-breeding	Sire ID	Dam ID	DLMI	DGI	DRI	Weaning Weight		Comb	Post-Wean	Lambs Weaned	TWW	AFL	ILP	EPI	T Lamed N Weaned
									Dir	Mat								
									EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV		
									Acc	Index	Acc	Index	Acc	Index	Acc	Index		
Active Breed Average:						100	100	100	0.00	0.14	0.14	-0.25	0.10	0.21	0.27	1.10		
577	1700 25 3111 2025/03/25	1	2.26	1700 22 2761 1700 21 2745		87	87	90	-0.88 60 92	-1.22 43 86	-1.66 85	-3.26 8 88	-0.90 8 94	-2.64 41 87	-0.84 39 103	3.55 7 93		2 1
578	1700 25 3112 2025/03/25	1	2.33	1700 20 0149 1700 20 9516		84	93	85	-1.33 58 88	0.38 34 103	-0.28 96	-1.45 5 95	-1.20 5 92	-1.67 35 91	10.79 18 72	3.69 5 92		2 1
579	1700 25 3116 2025/03/25	1	2.04	1700 22 2761 1700 19 9565		90	91	91	-0.30 59 97	-1.17 39 87	-1.32 88	-2.24 8 92	-0.90 8 94	-2.00 40 90	-0.84 39 103	3.55 7 93		1 0
580	1700 25 3117 2025/03/25	1	2.34	1700 22 2761 1700 22 8420		94	95	93	-0.12 60 98	-0.51 43 93	-0.57 94	-1.05 8 97	-0.90 8 94	-1.17 41 93	-0.90 40 103	3.55 7 93		1 1
581	1700 25 3118 2025/03/25	1	2.33	1700 22 2761 1700 20 5219		85	84	88	-0.72 60 93	-1.92 45 78	-2.28 80	-3.99 8 85	-0.90 8 94	-3.18 42 85	-0.84 39 103	3.55 7 93		1 2
582	1700 25 3119 2025/03/25	1	2.04	1700 22 2761 1700 19 0830		85	83	90	-1.39 60 87	-1.22 43 86	-1.92 83	-4.10 8 84	-0.90 8 94	-3.15 41 85	-0.84 39 103	3.55 7 93		2 1
583	1700 25 3122 2025/03/25	1	2.04	1700 22 2761 1700 19 9597		87	87	90	-0.76 60 93	-1.28 43 85	-1.66 85	-3.15 8 88	-0.90 8 94	-2.58 41 88	-0.84 39 103	3.55 7 93		1 1
584	1700 25 3125 2025/03/25	1	2.04	1700 22 2761 1700 19 8429		85	84	90	-1.23 60 89	-1.39 43 84	-2.00 82	-4.06 8 85	-0.90 8 94	-3.15 41 85	-0.84 39 103	3.55 7 93		1 1
585	1700 25 3126 2025/03/25	1	2.34	1700 22 2761 1700 22 1038		79	76	88	-1.88 60 83	-2.06 43 77	-2.99 74	-6.05 8 76	-0.90 8 94	-4.47 41 80	-0.84 39 103	3.55 7 93		1 1
586	1700 25 3128 2025/03/25	3	2.33	1700 20 0149 1700 20 9598		83	91	82	-0.87 59 92	-0.43 34 94	-0.87 92	-1.84 5 93	-1.20 5 92	-2.02 36 90	10.81 15 72	3.69 5 92		1 1
587	1700 25 3130 2025/03/25	1	2.33	1700 20 0149 1700 19 6398		80	87	82	-1.41 59 87	-0.53 36 93	-1.23 89	-2.85 5 89	-1.20 5 92	-2.66 37 87	10.81 15 72	3.69 5 92		2 2
588	1700 25 3131 2025/03/25	1	2.34	1700 20 0149 1700 22 8324		87	97	85	-0.65 58 94	0.30 34 102	-0.02 99	-0.46 5 99	-1.20 5 92	-1.07 35 94	10.78 18 72	3.69 5 92		2 1
589	1700 25 3132 2025/03/25	1	2.33	1700 22 2761 1700 20 1012		83	81	89	-1.30 60 88	-1.77 44 80	-2.42 79	-4.71 8 82	-0.90 8 94	-3.61 42 83	-0.84 39 103	3.55 7 93		1 2
590	1700 25 3134 2025/03/25	1	2.26	1700 22 2761 1700 21 2686		87	86	91	-1.12 60 90	-1.03 43 88	-1.59 86	-3.39 8 87	-0.90 8 94	-2.69 41 87	-0.84 39 103	3.55 7 93		2 1
591	1700 25 3136 2025/03/25	1	2.26	1700 20 0149 1700 21 2762		82	90	84	-1.49 58 87	0.11 34 100	-0.63 94	-2.08 5 93	-1.20 5 92	-2.10 35 90	10.77 18 72	3.69 5 92		1 1
592	1700 25 3138 2025/03/25	1	2.34	1700 20 0149 1700 22 6160		79	86	83	-1.92 58 83	-0.10 34 98	-1.06 90	-3.08 5 88	-1.20 5 92	-2.74 35 87	10.81 15 72	3.69 5 92		2 1
593	1700 25 3140 2025/03/25	1	2.33	1700 20 0149 1700 19 1997		81	88	85	-1.99 58 82	0.29 34 102	-0.71 93	-2.65 5 90	-1.20 5 92	-2.42 35 88	10.84 18 72	3.68 5 92		1 1
594	1700 25 3142 2025/03/25	1	2.33	1700 20 0149 1700 19 0886		79	86	83	-1.86 58 83	-0.28 34 96	-1.21 89	-3.24 5 88	-1.20 5 92	-2.86 35 86	10.81 15 72	3.69 5 92		1 1

Young Rams



EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed avg
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information				Parents		Selection Index			EBV - Weights				EBV - Fertility				Dam	
Animal ID	Birth Date	Birth Status	% In-breeding	Sire ID	Dam ID	DLMI	DGI	DRI	Weaning Weight		Comb	Post-Wean	Lambs Weaned	TWW	AFL	ILP	EPI	T Lamed N Weaned
									Dir	Mat								
									EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV		
									Acc	Index	Acc	Index	Acc	Index	Acc	Index		
Active Breed Average:						100	100	100	0.00	0.14	0.14	-0.25	0.10	0.21	0.27	1.10		
595	1700 25 3143 2025/03/25	1	2.34	1700 22 2761 1700 22 8413		88	88	91	-0.89 59 92	-1.06 39 88	-1.50 87	-3.05 8 89	-0.90 8 94	-2.48 40 88	-0.84 39 103	3.55 7 93		1 0
596	1700 25 3144 2025/03/25	1	2.35	1700 20 0149 1700 23 3084		81	88	84	-1.77 58 84	0.10 34 100	-0.78 92	-2.55 5 91	-1.20 5 92	-2.39 35 88	10.81 15 72	3.69 5 92		2 1
597	1700 25 3149 2025/03/25	1	2.35	1700 22 2761 1700 23 3092		88	87	93	-1.33 60 88	-0.56 43 93	-1.23 89	-3.08 8 88	-0.90 8 94	-2.43 41 88	-0.83 40 103	3.54 7 93		2 1
598	1700 25 3152 2025/03/25	1	2.35	1700 22 9584 1700 23 2601		89	94	92	-1.41 54 87	0.62 19 105	-0.09 98	-1.25 5 96	-1.20 5 92	-1.51 28 92	3.06 10 93	3.90 5 92		0 0
599	1700 25 3153 2025/03/25	1	2.34	1700 22 2761 1700 22 2759		84	82	92	-2.04 60 82	-0.73 43 91	-1.75 85	-4.45 8 83	-0.90 8 94	-3.31 41 85	-0.84 39 103	3.55 7 93		2 1
600	1700 25 3155 2025/03/25	1	16.85	1700 22 2761 1700 22 9543		74	70	84	-2.17 62 81	-2.72 47 70	-3.81 68	-7.61 16 70	-0.90 16 94	-5.43 46 76	-0.56 43 102	4.86 14 89		2 2
601	1700 25 3157 2025/03/25	1	2.33	1700 20 0149 1700 18 2944		83	83	92	-2.33 58 79	-0.14 34 97	-1.31 88	-4.32 5 83	-0.40 5 96	-2.71 35 87	7.02 15 82	-0.37 5 103		2 1
602	1700 25 3160 2025/03/25	1	2.26	1700 20 0149 1700 21 5255		78	84	83	-2.11 58 81	-0.31 34 96	-1.37 88	-3.68 5 86	-1.20 5 92	-3.14 35 85	10.81 15 72	3.69 5 92		1 1
603	1700 25 3164 2025/03/25	3	2.34	1700 20 0149 1700 22 6234		80	87	85	-2.23 59 80	0.43 34 103	-0.68 93	-2.83 5 89	-1.20 5 92	-2.51 36 88	10.74 18 72	3.69 5 92		1 1
604	1700 25 3165 2025/03/25	3	2.34	1700 20 0149 1700 22 6234		86	95	84	-0.87 59 92	0.18 34 101	-0.26 97	-0.98 5 97	-1.20 5 92	-1.41 36 92	10.74 18 72	3.69 5 92		1 1
605	1700 25 3167 2025/03/25	2	2.26	1700 22 2761 1700 21 2667		80	77	89	-2.08 61 82	-1.61 45 82	-2.65 77	-5.75 8 78	-0.90 8 94	-4.23 43 81	-0.84 39 103	3.55 7 93		2 2
606	1700 25 3168 2025/03/25	2	2.26	1700 22 2761 1700 21 2667		79	76	89	-2.34 61 79	-1.56 45 82	-2.73 77	-6.11 8 76	-0.90 8 94	-4.44 43 80	-0.84 39 103	3.55 7 93		2 2
607	1700 25 3169 2025/03/25	2	2.33	1700 20 0149 1700 20 8427		80	87	83	-1.81 59 84	-0.07 36 98	-0.98 91	-2.86 5 89	-1.20 5 92	-2.60 37 87	10.81 15 72	3.69 5 92		2 2
608	1700 25 3171 2025/03/25	1	2.34	1700 20 0149 1700 22 1061		81	88	83	-1.63 49 85	-0.07 29 98	-0.89 92	-2.56 5 91	-1.20 5 92	-2.42 30 88	10.81 15 72	3.69 5 92		1 3
609	1700 25 3174 2025/03/25	2	2.26	1700 22 2761 1700 21 2663		86	86	91	-1.22 60 89	-1.01 43 88	-1.62 86	-3.52 8 87	-0.90 8 94	-2.77 41 87	-0.84 39 103	3.55 7 93		1 1
610	1700 25 3176 2025/03/25	2	2.04	1700 22 2761 1700 19 2003		85	84	91	-1.47 60 87	-0.95 40 89	-1.68 85	-3.85 8 85	-0.90 8 94	-2.96 40 86	-0.84 39 103	3.55 7 93		2 0
611	1700 25 3178 2025/03/25	2	2.35	1700 22 2761 1700 23 5124		86	85	92	-1.47 61 87	-0.89 45 89	-1.62 86	-3.76 8 86	-0.90 8 94	-2.90 43 86	-0.84 39 103	3.55 7 93		1 2
612	1700 25 3180 2025/03/25	2	2.34	1700 20 0149 1700 22 6185		81	89	84	-1.75 59 84	0.13 34 100	-0.75 93	-2.49 5 91	-1.20 5 92	-2.35 36 89	10.81 15 72	3.69 5 92		2 1

Young Rams



EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed avg
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information				Parents		Selection Index			EBV - Weights				EBV - Fertility					
Animal ID BDate	Birth Status	% In- breeding		Sire ID Dam ID		DLMI	DGI	DRI	Weaning Weight		Comb EBV Index	Post-Wean EBV Index	Lambs Weaned EBV Index	TWW EBV Index	AFL EBV Index	ILP EBV Index	Dam EPI	T Lamed N Weaned
				Dir EBV Acc Index	Mat EBV Acc Index													
Active Breed Average:						100	100	100	0.00	0.14	0.14	-0.25	0.10	0.21	0.27	1.10		
613	1700 25 3181 2025/03/25	2	2.34	1700 20 0149 1700 22 6185		81	88	84	-1.88 59	0.15 34	-0.79 92	-2.67 5	-1.20 5	-2.45 36	10.81 15	3.69 5	2 1	
614	1700 25 3182 2025/03/25	2	2.35	1700 20 0149 1700 23 5169		79	86	82	-1.67 59	-0.49 34	-1.32 88	-3.21 5	-1.20 5	-2.87 36	10.81 15	3.69 5	1 1	
615	1700 25 3186 2025/03/25	2	2.04	1700 22 2761 1700 19 6301		84	80	95	-2.27 60	-0.80 40	-1.94 83	-4.94 8	-0.90 8	-3.61 40	-4.20 40	3.64 7	2 0	
616	1700 25 3188 2025/03/25	2	2.33	1700 22 2761 1700 20 2855		87	86	90	-0.75 60	-1.43 43	-1.81 84	-3.36 8	-0.90 8	-2.73 41	-0.84 39	3.55 7	1 1	
617	1700 25 3189 2025/03/25	2	2.33	1700 22 2761 1700 20 2855		85	84	90	-1.27 60	-1.34 43	-1.97 83	-4.06 8	-0.90 8	-3.15 41	-0.84 39	3.55 7	1 1	
618	1700 25 3190 2025/03/25	2	2.34	1700 20 0149 1700 22 2737		79	86	84	-2.13 59	0.01 34	-1.05 90	-3.26 5	-1.20 5	-2.83 36	10.81 15	3.69 5	1 1	
619	1700 25 3191 2025/03/25	2	2.34	1700 20 0149 1700 22 2737		77	83	84	-2.58 59	0.10 34	-1.19 89	-3.87 5	-1.20 5	-3.20 36	10.81 15	3.69 5	1 1	
620	1700 25 3192 2025/03/25	2	2.04	1700 22 2761 1700 18 2098		91	84	99	-1.27 60	-1.17 43	-1.81 84	-4.36 8	-0.20 8	-2.57 41	-4.63 39	-0.51 7	1 1	
621	1700 25 3194 2025/03/25	2	2.04	1700 22 2761 1700 19 6366		89	89	90	-0.45 60	-1.27 43	-1.50 87	-2.64 8	-0.90 8	-2.26 41	-0.84 39	3.55 7	2 1	
622	1700 25 3195 2025/03/25	2	2.04	1700 22 2761 1700 19 6366		87	86	91	-0.97 60	-1.18 43	-1.66 85	-3.35 8	-0.90 8	-2.68 41	-0.84 39	3.55 7	2 1	
623	1700 25 3196 2025/03/25	2	2.26	1700 22 2761 1700 21 2064		91	93	89	0.31 60	-1.51 43	-1.36 88	-1.74 8	-0.90 8	-1.74 41	-0.84 39	3.55 7	2 1	
624	1700 25 3198 2025/03/25	2	2.35	1700 20 0149 1700 23 5176		82	89	83	-1.38 59	-0.17 34	-0.85 92	-2.29 5	-1.20 5	-2.26 36	10.81 15	3.69 5	1 1	
625	1700 25 3202 2025/03/25	3	2.33	1700 20 0149 1700 20 9598		79	86	83	-1.91 60	-0.24 34	-1.20 89	-3.26 5	-1.20 5	-2.87 36	10.81 15	3.69 5	1 1	
626	1700 25 3203 2025/03/25	3	2.33	1700 20 0149 1700 20 9598		77	83	83	-2.43 60	-0.14 34	-1.36 88	-3.96 5	-1.20 5	-3.29 36	10.81 15	3.69 5	1 1	
627	1700 25 3204 2025/03/25	2	2.33	1700 22 2761 1700 20 8400		88	88	91	-0.79 60	-1.08 40	-1.47 87	-2.91 8	-0.90 8	-2.40 40	-0.84 39	3.55 7	0 0	
628	1700 25 3206 2025/03/25	2	2.33	1700 20 0149 1700 19 9679		80	87	84	-1.81 58	-0.04 30	-0.94 91	-2.81 5	-1.20 5	-2.56 34	10.81 15	3.69 5	2 0	
629	1700 25 3207 2025/03/25	2	2.33	1700 20 0149 1700 19 9679		83	92	83	-1.03 58	-0.18 30	-0.70 93	-1.75 5	-1.20 5	-1.93 34	10.81 15	3.69 5	2 0	
630	1700 25 3208 2025/03/25	2	2.26	1700 22 2761 1700 21 2020		90	90	91	-0.39 60	-1.15 40	-1.34 88	-2.37 8	-0.90 8	-2.08 40	-0.84 39	3.55 7	2 0	

Young Rams



EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed avg
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information				Parents		Selection Index			EBV - Weights				EBV - Fertility					
Animal ID BDate	Birth Status	% In- breeding		Sire ID Dam ID		DLMI	DGI	DRI	Weaning Weight		Comb EBV Index	Post-Wean EBV Index	Lambs Weaned EBV Index	TWW EBV Index	AFL EBV Index	ILP EBV Index	Dam EPI	T Lamed N Weaned
				Dir EBV Acc Index	Mat EBV Acc Index													
Active Breed Average:						100	100	100	0.00	0.14	0.14	-0.25	0.10	0.21	0.27	1.10		
631	1700 25 3210 2025/03/25	2	2.34	1700 22 2761 1700 22 8309		88	88	91	-0.85 60 92	-1.06 40 88	-1.49 87	-3.00 8 89	-0.90 8 94	-2.45 40 88	-0.84 39 103	3.55 7 93	2 0	
632	1700 25 3212 2025/03/25	2	2.33	1700 20 0149 1700 19 1026		83	91	82	-0.84 59 92	-0.48 34 94	-0.90 91	-1.85 5 93	-1.20 5 92	-2.04 36 90	10.81 15 72	3.69 5 92	2 1	
633	1700 25 3213 2025/03/25	2	2.33	1700 20 0149 1700 19 1026		79	86	83	-1.74 59 84	-0.31 34 96	-1.18 89	-3.08 5 88	-1.20 5 92	-2.77 36 87	10.81 15 72	3.69 5 92	2 1	
634	1700 25 3216 2025/03/25	2	2.26	1700 22 2761 1700 21 8410		90	91	90	-0.18 60 98	-1.27 43 85	-1.36 88	-2.20 8 92	-0.90 8 94	-1.99 41 90	-0.84 39 103	3.55 7 93	2 1	
635	1700 25 3217 2025/03/25	2	2.26	1700 22 2761 1700 21 8410		88	87	91	-0.83 60 92	-1.15 43 87	-1.56 86	-3.08 8 88	-0.90 8 94	-2.52 41 88	-0.84 39 103	3.55 7 93	2 1	
636	1700 25 3218 2025/03/25	2	2.33	1700 20 0149 1700 20 5228		78	84	84	-2.47 58 78	0.09 30 100	-1.15 89	-3.71 5 86	-1.20 5 92	-3.11 34 85	10.81 15 72	3.69 5 92	0 0	
637	1700 25 3226 2025/03/25	2	2.26	1700 20 0149 1700 21 2746		83	91	84	-1.17 59 89	-0.04 34 98	-0.63 94	-1.78 5 94	-1.20 5 92	-1.93 36 90	10.81 15 72	3.69 5 92	2 1	
638	1700 25 3228 2025/03/25	2	2.34	1700 22 2761 1700 22 9561		84	83	90	-1.46 60 87	-1.30 43 85	-2.03 82	-4.31 8 83	-0.90 8 94	-3.30 41 85	-0.84 39 103	3.55 7 93	1 1	
639	1700 25 3230 2025/03/25	2	2.04	1700 22 2761 1700 19 9640		86	86	90	-1.05 60 90	-1.23 43 86	-1.75 85	-3.54 8 87	-0.90 8 94	-2.81 41 87	-0.84 39 103	3.55 7 93	2 1	
640	1700 25 3231 2025/03/25	2	2.04	1700 22 2761 1700 19 9640		82	80	91	-2.16 60 81	-1.02 43 88	-2.10 82	-5.05 8 80	-0.90 8 94	-3.71 41 83	-0.84 39 103	3.55 7 93	2 1	
641	1700 25 3232 2025/03/25	2	2.34	1700 20 0149 1700 22 8439		86	95	83	-0.49 59 95	-0.19 34 97	-0.44 95	-0.88 5 97	-1.20 5 92	-1.40 36 93	10.81 15 72	3.69 5 92	2 1	
642	1700 25 3236 2025/03/25	2	2.26	1700 22 2761 1700 21 2742		90	91	91	-0.37 60 96	-1.05 43 88	-1.23 89	-2.19 8 92	-0.90 8 94	-1.96 41 90	-0.84 39 103	3.55 7 93	1 1	
643	1700 25 3238 2025/03/25	2	2.34	1700 22 2761 1700 22 9534		82	80	91	-2.01 60 82	-1.19 43 86	-2.20 81	-5.06 8 80	-0.90 8 94	-3.74 41 83	-0.84 39 103	3.55 7 93	2 1	
644	1700 25 3240 2025/03/25	2	2.34	1700 20 0149 1700 22 6132		75	80	82	-2.56 59 78	-0.48 36 94	-1.76 84	-4.65 5 82	-1.20 5 92	-3.76 37 83	10.81 15 72	3.69 5 92	1 2	
645	1700 25 3242 2025/03/25	2	2.33	1700 22 2761 1700 20 5298		89	89	91	-0.56 59 95	-1.12 39 87	-1.40 87	-2.60 8 90	-0.90 8 94	-2.21 40 89	-0.84 39 103	3.55 7 93	0 0	
646	1700 25 3243 2025/03/25	2	2.33	1700 22 2761 1700 20 5298		88	88	91	-0.78 50 93	-1.08 39 87	-1.47 87	-2.90 8 89	-0.90 8 94	-2.40 36 88	-0.84 39 103	3.55 7 93	0 0	
647	1700 25 3244 2025/03/25	2	2.34	1700 22 2761 1700 22 8384		89	89	91	-0.71 60 93	-0.92 43 89	-1.27 88	-2.56 8 91	-0.90 8 94	-2.16 41 89	-0.84 39 103	3.55 7 93	2 1	
648	1700 25 3246 2025/03/25	2	2.33	1700 22 2761 1700 20 8347		88	88	91	-0.88 60 92	-1.06 40 88	-1.50 87	-3.03 8 89	-0.90 8 94	-2.48 40 88	-0.84 39 103	3.55 7 93	2 0	



Young Rams



EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed avg
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information				Parents		Selection Index			EBV - Weights						EBV - Fertility									
Animal ID BDate		Birth Status	% In- breeding	Sire ID Dam ID		DLMI	DGI	DRI	Weaning Weight				Post-Wean		Lambs Weaned		TWW		AFL		ILP		Dam EPI T Lamed N Weaned	
									Dir	Mat	Comb													
Active Breed Average:						100	100	100	0.00	0.14	0.14	-0.25	0.10	0.21	0.27	1.10								
649	1700 25 3247 2025/03/25	2	2.33	1700 22 2761 1700 20 8347	80	77	92	-2.89 60 75	-0.68 40 92	-2.13 81	-5.78 8 78	-0.90 8 94	-4.11 40 81	-0.84 39 103	3.55 7 93	2 0								
650	1700 25 3248 2025/03/25	2	2.33	1700 22 2761 1700 20 1077	86	85	92	-1.58 61 86	-0.65 45 92	-1.44 87	-3.60 8 86	-0.90 8 94	-2.77 43 87	-0.80 40 103	3.54 7 93	2 2								
651	1700 25 3255 2025/03/25	2	6.27	1700 22 2761 1700 18 8670	83	86	84	-0.53 64 95	-1.80 50 80	-2.06 82	-3.82 25 85	-1.20 25 92	-3.04 50 86	0.02 46 101	7.40 22 83	3 2								
652	1700 25 5256 2025/05/15	1	2.33	1700 22 2761 1700 20 8394	86	85	90	-1.09 60 90	-1.24 43 86	-1.78 84	-3.64 8 86	-0.90 8 94	-2.87 41 86	-0.84 39 103	3.55 7 93	1 1								
653	1700 25 5257 2025/05/15	1	2.35	1700 22 2761 1700 23 2712	89	89	91	-0.63 59 94	-1.10 39 87	-1.42 87	-2.70 8 90	-0.90 8 94	-2.28 40 89	-0.84 39 103	3.55 7 93	0 0								
654	1700 25 5259 2025/05/15	1	2.30	1700 22 2761 1700 24 2026	71	69	88	-4.04 63 64	-0.73 43 91	-2.75 76	-7.70 8 70	-0.90 8 94	-5.30 43 76	4.09 40 90	3.41 7 93	0 0								
655	1700 25 5260 2025/05/15	6	8.43	1700 14 5002 1700 12 5099	84	100	72	1.14 58 109	-1.14 40 87	-0.57 94	-0.04 36 101	-2.10 32 88	-1.26 45 93	16.04 38 64	7.47 27 83	0 0								
656	1700 25 5261 2025/05/15	6	8.43	1700 14 5002 1700 12 5099	85	101	71	1.38 58 111	-1.19 40 86	-0.49 95	0.30 36 102	-2.10 32 88	-1.06 45 94	16.04 38 64	7.47 27 83	0 0								
657	1700 25 5262 2025/05/15	6	8.43	1700 14 5002 1700 12 5099	86	103	71	1.70 58 114	-1.24 40 86	-0.40 96	0.72 36 104	-2.10 32 88	-0.81 45 95	16.04 38 64	7.47 27 83	0 0								
658	1700 25 5264 2025/05/15	2	7.55	1700 14 5002 1700 10 8351	83	99	71	1.00 57 108	-1.23 41 86	-0.73 93	-0.45 37 99	-2.50 32 85	-1.73 45 91	16.08 39 64	6.28 28 86	0 0								
659	1700 25 5265 2025/05/15	2	2.34	1700 22 2761 1700 22 2762	86	85	91	-1.37 60 88	-0.97 40 89	-1.65 85	-3.70 8 86	-0.90 8 94	-2.87 40 86	-0.85 39 103	3.55 7 93	1 1								
660	1700 25 5267 2025/05/15	2	7.55	1700 14 5002 1700 10 8351	85	101	71	1.38 57 111	-1.30 41 85	-0.61 94	0.07 37 101	-2.50 32 85	-1.42 45 92	16.08 39 64	6.28 28 86	0 0								
661	1700 25 5269 2025/05/15	1	2.33	1700 20 0149 1700 20 1765	81	88	83	-1.61 57 86	-0.07 30 98	-0.88 92	-2.54 5 91	-1.20 5 92	-2.41 33 88	10.81 15 72	3.69 5 92	0 0								
662	1700 25 5271 2025/05/15	1	2.34	1700 22 2761 1700 22 6187	93	95	91	0.25 60 101	-1.04 43 88	-0.91 91	-1.18 8 96	-0.90 8 94	-1.33 41 93	-0.84 39 103	3.55 7 93	1 1								
663	1700 25 5273 2025/05/15	1	2.35	1700 22 2761 1700 23 0452	83	82	92	-2.01 59 82	-0.85 39 90	-1.85 84	-4.58 8 82	-0.90 8 94	-3.40 40 84	-0.84 39 103	3.55 7 93	0 0								
664	1700 25 5275 2025/05/15	6	8.43	1700 14 5002 1700 12 5099	82	97	72	0.51 58 104	-1.02 40 88	-0.77 93	-0.89 36 97	-2.10 32 88	-1.77 45 91	16.04 38 64	7.47 27 83	0 0								
665	1700 25 5276 2025/05/15	1	2.34	1700 22 2761 1700 22 6255	90	91	91	-0.50 60 95	-0.96 43 89	-1.21 89	-2.28 8 92	-0.90 8 94	-1.99 41 90	-0.84 39 103	3.55 7 93	1 1								
666	1700 25 5281 2025/05/15	1	2.35	1700 22 2761 1700 23 2665	91	92	90	0.02 59 99	-1.22 39 86	-1.22 89	-1.82 8 94	-0.90 8 94	-1.75 40 91	-0.84 39 103	3.55 7 93	0 0								



Young Rams



EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed avg
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information				Parents		Selection Index			EBV - Weights				EBV - Fertility				Dam	
Animal ID	Birth Date	Birth Status	% In-breeding	Sire ID	Dam ID	DLMI	DGI	DRI	Weaning Weight		Comb	Post-Wean	Lambs Weaned	TWW	AFL	ILP	EPI	T Lamed N Weaned
									Dir	Mat								
									EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV		
									Acc	Index	Acc	Index	Acc	Index	Acc	Index		
Active Breed Average:						100	100	100	0.00	0.14	0.14	-0.25	0.10	0.21	0.27	1.10		
667	1700 25 5282 2025/05/15	1	2.35	1700 22 2761 1700 23 0512		91	92	90	-0.12 59	-1.20 39	-1.26 89	-2.00 8	-0.90 8	-1.86 40	-0.84 39	3.55 7	0 0	
668	1700 25 5284 2025/05/15	1	2.34	1700 22 2761 1700 22 6169		88	88	89	-0.38 60	-1.51 43	-1.70 85	-2.85 8	-0.90 8	-2.43 41	-0.84 39	3.55 7	1 1	
669	1700 25 5285 2025/05/15	1	2.33	1700 20 0149 1700 19 0909		86	95	84	-0.66 58	0.00 34	-0.33 96	-0.89 5	-1.20 5	-1.38 35	10.81 15	3.69 5	1 1	
670	1700 25 5288 2025/05/15	1	2.34	1700 22 2761 1700 22 1006		89	89	90	-0.46 60	-1.34 43	-1.56 86	-2.74 8	-0.90 8	-2.33 41	-0.84 39	3.55 7	1 1	
671	1700 25 5292 2025/05/15	1	2.33	1700 20 0149 1700 19 1014		81	89	85	-1.95 59	0.44 36	-0.54 94	-2.37 5	-1.20 5	-2.23 37	10.81 15	3.69 5	1 2	
672	1700 25 5294 2025/05/15	1	2.34	1700 22 2761 1700 22 2722		91	92	90	0.00 59	-1.22 39	-1.22 89	-1.84 8	-0.90 8	-1.76 40	-0.84 39	3.55 7	1 0	
673	1700 25 5296 2025/05/15	1	2.04	1700 22 2761 1700 18 4170		91	85	99	-1.11 59	-1.25 39	-1.80 84	-4.20 8	-0.20 8	-2.48 40	-4.63 39	-0.51 7	0 0	
674	1700 25 5297 2025/05/15	1	2.35	1700 22 2761 1700 23 2688		86	85	91	-1.42 59	-0.96 39	-1.67 85	-3.78 8	-0.90 8	-2.92 40	-0.84 39	3.55 7	0 0	
675	1700 25 5298 2025/05/15	1	2.34	1700 22 2761 1700 22 8427		87	87	91	-0.93 60	-1.16 43	-1.63 86	-3.27 8	-0.90 8	-2.64 41	-0.84 39	3.55 7	1 1	
676	1700 25 5299 2025/05/15	1	2.33	1700 22 2761 1700 20 1069		95	97	91	0.65 60	-1.07 43	-0.75 93	-0.58 8	-0.90 8	-0.96 41	-0.84 39	3.55 7	1 1	
677	1700 25 5300 2025/05/15	2	2.34	1700 22 2761 1700 22 2762		91	92	90	-0.06 60	-1.21 40	-1.24 89	-1.91 8	-0.90 8	-1.81 40	-0.85 39	3.55 7	1 1	
678	1700 25 5306 2025/05/15	1	2.26	1700 22 2761 1700 21 0527		91	92	91	-0.13 60	-1.15 43	-1.22 89	-1.95 8	-0.90 8	-1.82 41	-0.84 39	3.55 7	1 1	
679	1700 25 5307 2025/05/15	1	2.18	1700 20 0149 - - -		75	88	74	-1.27 47	-0.54 28	-1.17 89	-2.61 5	-0.90 5	-2.34 29	12.39 15	13.51 5	0 67	
680	1700 25 5308 2025/05/15	1	2.34	1700 22 2761 1700 22 2690		86	85	91	-1.39 60	-1.00 43	-1.69 85	-3.79 8	-0.90 8	-2.93 41	-0.84 39	3.55 7	1 1	
681	1700 25 5309 2025/05/15	1	2.26	1700 22 2761 1700 21 0461		85	83	91	-1.51 60	-1.07 43	-1.83 84	-4.09 8	-0.90 8	-3.13 41	-0.84 39	3.55 7	1 1	
682	1700 25 5310 2025/05/15	1	2.35	1700 22 2761 1700 23 0560		90	90	91	-0.35 59	-1.16 39	-1.33 88	-2.31 8	-0.90 8	-2.04 40	-0.84 39	3.55 7	0 0	
683	1700 25 5312 2025/05/15	1	2.33	1700 20 0149 1700 20 1049		82	88	86	-1.76 57	-0.05 30	-0.93 91	-2.75 5	-1.20 5	-2.53 33	7.45 18	3.78 5	2 0	
684	1700 25 5313 2025/05/15	1	2.00	1700 22 2761 1700 24 2040		85	84	90	-0.99 62	-1.52 42	-2.01 82	-4.12 8	-0.60 8	-2.87 42	2.20 40	1.38 7	0 98	

Young Rams



EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed avg
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information				Parents		Selection Index			EBV - Weights				EBV - Fertility				Dam	
Animal ID	Birth Date	Birth Status	% In-breeding	Sire ID	Dam ID	DLMI	DGI	DRI	Weaning Weight		Comb	Post-Wean	Lambs Weaned	TWW	AFL	ILP	EPI	T Lamed N Weaned
									Dir	Mat								
									EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV		
									Acc	Index	Acc	Index	Acc	Index	Acc	Index		
Active Breed Average:						100	100	100	0.00	0.14	0.14	-0.25	0.10	0.21	0.27	1.10		
685	1700 25 5314 2025/05/15	1	2.04	1700 22 2761 1700 19 0842		86	85	92	-1.55 60	-0.81 43	-1.58 86	-3.77 8	-0.90 8	-2.89 41	-0.84 39	3.55 7		1 1
686	1700 25 5316 2025/05/15	1	2.26	1700 22 2761 1700 21 2029		89	89	93	-1.17 60	-0.54 43	-1.13 90	-2.78 8	-0.90 8	-2.25 41	-0.86 40	3.55 7		1 1
687	1700 25 5320 2025/05/15	1	2.34	1700 22 2761 1700 22 1088		85	84	92	-1.81 60	-0.71 43	-1.62 86	-4.07 8	-0.90 8	-3.06 41	-0.84 39	3.55 7		1 1
688	1700 25 5322 2025/05/15	1	2.35	1700 22 2761 1700 23 3055		84	83	90	-1.37 60	-1.37 45	-2.05 82	-4.26 8	-0.90 8	-3.27 42	-0.84 39	3.55 7		1 2
689	1700 25 5323 2025/05/15	1	2.35	1700 22 2761 1700 23 2679		88	88	91	-0.89 49	-1.06 39	-1.50 87	-3.05 8	-0.90 8	-2.49 36	-0.84 39	3.55 7		0 0
690	1700 25 5324 2025/05/15	1	2.33	1700 20 0149 1700 20 9593		76	82	84	-2.85 57	0.16 30	-1.27 88	-4.23 5	-1.20 5	-3.42 33	10.81 15	3.69 5		1 0
691	1700 25 5326 2025/05/15	1	2.04	1700 22 2761 1700 19 1989		83	81	91	-2.03 60	-0.97 43	-1.99 83	-4.78 8	-0.90 8	-3.54 41	-0.84 39	3.55 7		1 1
692	1700 25 5327 2025/05/15	1	2.04	1700 22 2761 1700 18 8443		94	88	98	-0.27 60	-1.67 43	-1.80 84	-3.43 8	-0.20 8	-2.06 41	-4.63 39	-0.51 7		1 1
693	1700 25 5329 2025/05/15	1	2.33	1700 22 2761 1700 24 2014		80	81	86	-1.85 63	-1.21 43	-2.13 81	-4.81 8	-0.90 8	-3.59 43	4.09 40	3.41 7		0 0
694	1700 25 5332 2025/05/15	2	2.34	1700 22 2761 1700 22 8396		89	89	91	-0.64 60	-1.10 40	-1.42 87	-2.71 8	-0.90 8	-2.28 40	-0.84 39	3.55 7		0 0
695	1700 25 5334 2025/05/15	2	2.26	1700 20 0149 1700 21 1639		83	92	83	-1.03 58	-0.18 30	-0.70 93	-1.75 5	-1.20 5	-1.93 34	10.81 15	3.69 5		1 0
696	1700 25 5335 2025/05/15	2	2.26	1700 20 0149 1700 21 1639		82	89	83	-1.46 58	-0.10 30	-0.83 92	-2.34 5	-1.20 5	-2.28 34	10.81 15	3.69 5		1 0
697	1700 25 5336 2025/05/15	2	2.19	1700 22 2761 1700 24 2045		85	84	90	-1.07 63	-1.50 42	-2.04 82	-4.23 8	-0.60 8	-2.93 42	2.20 40	1.38 7		0 0
698	1700 25 5337 2025/05/15	2	2.19	1700 22 2761 1700 24 2045		85	84	90	-0.95 63	-1.53 42	-2.00 82	-4.07 8	-0.60 8	-2.84 42	2.20 40	1.38 7		0 0
699	1700 25 5340 2025/05/15	2	2.04	1700 22 2761 1700 19 0902		90	91	93	-0.75 60	-0.56 43	-0.93 91	-2.12 8	-0.90 8	-1.84 41	-0.84 39	3.55 7		1 1
700	1700 25 5342 2025/05/15	2	2.35	1700 22 2761 1700 23 2619		87	86	91	-1.18 59	-1.00 39	-1.59 86	-3.45 8	-0.90 8	-2.72 40	-0.84 39	3.55 7		0 0
701	1700 25 5346 2025/05/15	2	2.35	1700 22 2761 1700 23 2698		84	83	92	-1.80 60	-0.89 40	-1.79 84	-4.29 8	-0.90 8	-3.23 40	-0.84 39	3.55 7		0 0
702	1700 25 5348 2025/05/15	2	2.34	1700 22 2761 1700 22 2707		86	86	89	-0.52 60	-1.80 43	-2.06 82	-3.49 8	-0.90 8	-2.86 41	-0.84 39	3.55 7		1 1



Young Rams



EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed avg
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information				Parents		Selection Index			EBV - Weights				EBV - Fertility				Dam	
Animal ID	BDate	Birth Status	% In-breeding	Sire ID	Dam ID	DLMI	DGI	DRI	Weaning Weight		Comb	Post-Wean	Lambs Weaned	TWW	AFL	ILP	EPI	T Lamed N Weaned
									Dir	Mat								
									EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV		
									Acc	Index	Acc	Index	Acc	Index	Acc	Index		
Active Breed Average:						100	100	100	0.00	0.14	0.14	-0.25	0.10	0.21	0.27	1.10		
703	1700 25 5354 2025/05/15	2	2.35	1700 22 2761 1700 23 0568		85	84	91	-1.50 60 86	-0.94 40 89	-1.69 85	-3.89 8 85	-0.90 8 94	-2.98 40 86	-0.84 39 103	3.55 7 93		0 0
704	1700 25 5356 2025/05/15	2	2.35	1700 22 2761 1700 23 2621		94	97	90	0.80 60 106	-1.37 40 84	-0.97 91	-0.75 8 98	-0.90 8 94	-1.11 40 94	-0.84 39 103	3.55 7 93		0 0
705	1700 25 5358 2025/05/15	2	2.26	1700 22 2761 1700 21 5249		93	94	90	0.37 60 102	-1.29 40 85	-1.11 90	-1.34 8 96	-0.90 8 94	-1.46 40 92	-0.84 39 103	3.55 7 93		0 0
706	1700 25 5364 2025/05/15	2	2.35	1700 22 2761 1700 23 3029		94	96	92	0.28 60 102	-0.81 43 90	-0.67 93	-0.81 8 98	-0.90 8 94	-1.07 41 94	-0.84 39 103	3.55 7 93		1 1
707	1700 25 5368 2025/05/15	2	2.33	1700 22 2761 1700 20 9511		92	94	90	0.27 60 102	-1.27 40 85	-1.14 90	-1.47 8 95	-0.90 8 94	-1.54 40 92	-0.84 39 103	3.55 7 93		1 0
708	1700 25 5369 2025/05/15	2	2.33	1700 22 2761 1700 20 9511		89	89	91	-0.55 60 95	-1.12 40 87	-1.39 87	-2.58 8 90	-0.90 8 94	-2.21 40 89	-0.84 39 103	3.55 7 93		1 0
709	1700 25 5370 2025/05/15	2	2.04	1700 22 2761 1700 19 6245		85	84	90	-1.27 60 88	-1.25 43 86	-1.88 83	-3.93 8 85	-0.90 8 94	-3.05 41 86	-0.84 39 103	3.55 7 93		1 1
710	1700 25 5371 2025/05/15	2	2.04	1700 22 2761 1700 19 6245		85	84	90	-1.20 60 89	-1.26 43 86	-1.86 84	-3.84 8 85	-0.90 8 94	-3.00 41 86	-0.84 39 103	3.55 7 93		1 1
711	1700 25 5374 2025/05/15	2	2.33	1700 22 2761 1700 20 8461		87	86	91	-1.14 60 90	-1.01 40 88	-1.58 86	-3.39 8 87	-0.90 8 94	-2.69 40 87	-0.84 39 103	3.55 7 93		0 0
712	1700 25 5380 2025/05/15	1	2.19	1700 22 2761 1700 24 2015		77	73	91	-3.08 62 73	-1.13 42 87	-2.67 77	-6.97 8 73	-0.60 8 95	-4.57 42 79	2.20 40 95	1.38 7 98		0 0
713	1700 25 5382 2025/05/15	1	2.35	1700 22 2761 1700 23 2587		85	84	91	-1.65 59 85	-0.91 39 89	-1.74 85	-4.08 8 84	-0.90 8 94	-3.10 40 85	-0.84 39 103	3.55 7 93		0 0
714	1700 25 5383 2025/05/15	1	2.04	1700 22 2761 1700 18 9788		88	80	100	-1.97 59 83	-1.09 39 87	-2.08 82	-5.37 8 79	-0.20 8 97	-3.18 40 85	-4.63 39 113	-0.51 7 103		0 0
715	1700 25 8384 2025/08/10	1	2.34	1700 22 2761 1700 22 2720		93	94	92	-0.01 58 99	-0.81 42 90	-0.82 92	-1.28 8 96	-0.90 8 94	-1.36 40 93	-0.84 39 103	3.55 7 93	100	2 1
716	1700 25 8399 2025/08/10	1	2.26	1700 20 0149 1700 21 2664		85	93	84	-0.99 56 91	0.10 34 100	-0.39 96	-1.28 5 96	-1.20 5 92	-1.60 35 92	10.81 15 72	3.69 5 92	99	2 1
717	1700 25 8400 2025/08/10	1	2.26	1700 20 0149 1700 21 1562		78	85	83	-2.09 56 82	-0.20 34 97	-1.24 89	-3.48 5 87	-1.20 5 92	-3.00 35 86	10.81 15 72	3.69 5 92	97	2 1
718	1700 25 8402 2025/08/10	1	2.33	1700 22 2761 1700 20 8399		86	85	90	-0.91 59 92	-1.44 45 84	-1.90 83	-3.62 8 86	-0.90 8 94	-2.89 42 86	-0.92 40 103	3.54 7 93	98	2 2
719	1700 25 8408 2025/08/10	1	2.26	1700 20 0149 1700 21 3158		85	94	85	-1.15 57 89	0.39 36 103	-0.19 97	-1.15 5 96	-1.20 5 92	-1.48 36 92	10.81 15 72	3.69 5 92	99	2 2
720	1700 25 8409 2025/08/10	1	2.33	1700 17 4310 1700 20 2874		97	98	99	-0.46 50 95	0.32 24 102	0.09 100	-0.65 5 98	-0.40 5 96	-0.38 28 97	0.50 9 99	-0.19 5 102	100	3 1

Young Rams



EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed avg
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information				Parents		Selection Index			EBV - Weights				EBV - Fertility				Dam	
Animal ID	Birth Date	Birth Status	% In-breeding	Sire ID	Dam ID	DLMI	DGI	DRI	Weaning Weight		Comb	Post-Wean	Lambs Weaned	TWW	AFL	ILP	EPI	T Lamed N Weaned
									Dir	Mat								
									EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV		
									Acc	Index	Acc	Index	Acc	Index	Acc	Index		
Active Breed Average:						100	100	100	0.00	0.14	0.14	-0.25	0.10	0.21	0.27	1.10		
721	1700 25 8411 2025/08/10	1	2.34	1700 22 2761 1700 22 9510		93	94	92	-0.07 58 99	-0.83 42 90	-0.87 92	-1.42 8 95	-0.90 8 94	-1.45 40 92	-0.84 39 103	3.55 7 93	100	1
722	1700 25 8412 2025/08/10	1	1.97	1700 17 4310 1700 24 5109		92	92	93	-0.31 56 97	-0.88 30 90	-1.04 90	-2.09 10 93	-1.70 15 90	-2.22 37 89	-4.06 26 112	2.32 11 96	97	1
723	1700 25 8414 2025/08/10	1	2.26	1700 22 2761 1700 21 2067		90	91	91	-0.42 58 96	-0.93 42 89	-1.14 89	-2.12 8 92	-0.90 8 94	-1.89 40 90	-0.84 39 103	3.55 7 93	99	2
724	1700 25 8416 2025/08/10	1	2.33	1700 20 0149 1700 20 0664		81	88	83	-1.63 47 85	-0.07 28 98	-0.89 92	-2.56 5 91	-1.20 5 92	-2.42 29 88	10.81 15 72	3.69 5 92	90	1
725	1700 25 8417 2025/08/10	2	2.33	1700 22 2761 1700 20 8366		90	91	91	-0.24 60 97	-1.19 46 86	-1.32 88	-2.19 8 92	-0.90 8 94	-1.98 43 90	-0.84 39 103	3.55 7 93	105	2
726	1700 25 8420 2025/08/10	1	2.35	1700 22 2761 1700 23 5147		88	88	91	-0.83 58 92	-1.04 42 88	-1.45 87	-2.93 8 89	-0.90 8 94	-2.41 40 88	-0.84 39 103	3.55 7 93	98	2
727	1700 25 8423 2025/08/10	1	2.34	1700 20 0149 1700 22 8320		79	86	83	-1.88 56 83	-0.14 34 97	-1.08 90	-3.07 5 89	-1.20 5 92	-2.74 35 87	10.81 15 72	3.69 5 92	98	2
728	1700 25 8424 2025/08/10	1	2.34	1700 22 2761 1700 22 1046		84	83	90	-1.46 58 87	-1.21 42 86	-1.94 83	-4.18 8 84	-0.90 8 94	-3.21 40 85	-0.84 39 103	3.55 7 93	97	1
729	1700 25 8428 2025/08/10	1	2.01	1700 17 4310 1700 24 5063		91	86	96	-0.98 54 91	-1.15 30 87	-1.64 85	-3.53 10 87	-1.70 15 90	-3.15 36 85	-9.16 26 125	2.45 11 95	96	1
730	1700 25 8429 2025/08/10	1	2.34	1700 17 4310 1700 22 9583		99	97	102	-0.73 50 93	0.54 22 105	0.17 100	-0.79 5 98	-0.40 5 96	-0.44 28 97	-2.86 5 108	-0.10 5 102	99	1
731	1700 25 8430 2025/08/10	1	2.35	1700 17 4310 1700 23 0470		101	100	103	-0.37 50 96	0.64 22 106	0.45 102	-0.05 5 101	-0.40 5 96	0.03 28 99	-2.86 5 108	-0.10 5 102	99	1
732	1700 25 8431 2025/08/10	1	2.33	1700 20 0149 1700 19 6233		84	92	83	-0.90 57 92	-0.20 36 97	-0.65 93	-1.57 5 95	-1.20 5 92	-1.82 36 91	10.81 15 72	3.69 5 92	99	2
733	1700 25 8438 2025/08/10	2	2.26	1700 22 2761 1700 21 2764		81	78	88	-1.67 59 85	-1.83 44 79	-2.67 77	-5.41 8 79	-0.90 8 94	-4.05 41 81	-0.84 39 103	3.55 7 93	100	2
734	1700 25 8440 2025/08/10	2	4.77	1700 22 2761 1700 24 5112		84	87	81	0.20 64 101	-2.42 49 73	-2.32 80	-3.18 13 88	-2.20 17 87	-3.54 47 84	-2.02 47 106	5.96 13 86	102	1
735	1700 25 8441 2025/08/10	2	4.77	1700 22 2761 1700 24 5112		82	84	82	-0.33 64 96	-2.32 49 74	-2.49 79	-3.90 13 85	-2.20 17 87	-3.97 47 82	-2.02 47 106	5.96 13 86	102	1
736	1700 25 8444 2025/08/10	2	2.34	1700 22 2761 1700 22 9566		84	83	90	-1.48 60 87	-1.29 46 85	-2.03 82	-4.33 8 83	-0.90 8 94	-3.31 43 84	-0.84 39 103	3.55 7 93	104	2
737	1700 25 8445 2025/08/10	1	2.26	1700 22 2761 1700 21 2731		77	73	89	-2.77 58 76	-1.57 42 82	-2.95 75	-6.81 8 73	-0.90 8 94	-4.88 40 78	-0.84 39 103	3.55 7 93	95	3
738	1700 25 8448 2025/08/10	2	2.26	1700 22 2761 1700 21 5206		80	79	88	-1.83 60 84	-1.47 46 83	-2.38 79	-5.15 8 80	-0.90 8 94	-3.83 43 82	1.31 40 97	3.48 7 93	102	2

Young Rams



EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed avg
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information				Parents		Selection Index			EBV - Weights				EBV - Fertility							
Animal ID BDate	Birth Status	% In- breeding	Sire ID Dam ID		DLMI	DGI	DRI	Weaning Weight		Comb	Post-Wean	Lambs Weaned	TWW	AFL		ILP		Dam EPI T Lamed N Weaned		
								Dir	Mat					EBV	EBV	EBV	EBV			EBV
								Acc	Index	Acc	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index
Active Breed Average:					100	100	100	0.00	0.14	0.14	-0.25	0.10	0.21	0.27	1.10					
739	1700 25 8450 2025/08/10	2	2.26	1700 22 2761 1700 21 0463	85	84	92	-1.57 59 86	-0.87 44 90	-1.65 85	-3.88 8 85	-0.90 8 94	-2.97 41 86	-0.84 39 103	3.55 7 93	104	3 2			
740	1700 25 8451 2025/08/10	2	2.26	1700 22 2761 1700 21 0463	91	92	91	-0.05 59 99	-1.15 44 87	-1.17 89	-1.82 8 94	-0.90 8 94	-1.74 41 91	-0.84 39 103	3.55 7 93	104	3 2			
741	1700 25 8456 2025/08/10	2	2.34	1700 22 2761 1700 22 2689	88	88	92	-0.97 60 91	-0.89 47 89	-1.38 88	-2.95 8 89	-0.90 8 94	-2.40 43 88	-0.98 40 103	3.55 7 93	104	2 3			
742	1700 25 8458 2025/08/10	2	2.34	1700 20 0149 1700 22 6242	72	77	82	-3.13 56 73	-0.48 34 94	-2.05 82	-5.58 5 78	-1.20 5 92	-4.34 35 80	10.81 15 72	3.69 5 92	95	2 2			
743	1700 25 8462 2025/08/10	2	2.33	1700 20 0149 1700 17 1818	91	94	93	-0.90 58 92	0.09 36 100	-0.36 96	-1.67 5 94	-0.40 5 96	-1.05 36 94	7.02 15 82	-0.37 5 103	104	3 2			
744	1700 25 8466 2025/08/10	2	2.34	1700 20 0149 1700 22 1057	81	89	81	-1.02 58 91	-0.71 36 91	-1.21 89	-2.46 5 91	-1.20 5 92	-2.44 36 88	10.81 15 72	3.69 5 92	101	2 2			
745	1700 25 8467 2025/08/10	2	2.34	1700 20 0149 1700 22 1057	71	75	83	-3.64 58 68	-0.22 36 97	-2.04 82	-6.03 5 77	-1.20 5 92	-4.58 36 79	10.81 15 72	3.69 5 92	101	2 2			
746	1700 25 8468 2025/08/10	3	2.33	1700 20 0149 1700 18 9706	88	90	92	-1.16 59 89	-0.27 38 96	-0.85 92	-2.61 5 90	-0.40 5 96	-1.67 37 91	7.02 15 82	-0.37 5 103	100	2 4			
747	1700 25 8470 2025/08/10	2	4.77	1700 22 2761 1700 24 5085	81	83	82	-0.65 64 94	-2.17 48 76	-2.50 78	-4.21 13 84	-2.20 17 87	-4.14 47 81	-2.01 47 106	5.95 13 86	102	1 2			
748	1700 25 8471 2025/08/10	2	4.77	1700 22 2761 1700 24 5085	87	90	81	0.74 64 106	-2.43 48 73	-2.06 82	-2.32 13 92	-2.20 17 87	-3.01 47 86	-2.01 47 106	5.95 13 86	102	1 2			
749	1700 25 8474 2025/08/10	2	2.26	1700 20 0149 1700 21 2056	82	90	83	-1.34 58 88	-0.09 38 98	-0.76 93	-2.13 5 92	-1.20 5 92	-2.16 37 89	10.81 15 72	3.69 5 92	104	2 3			
750	1700 25 8476 2025/08/10	2	1.67	1700 17 4310 1700 18 8453	92	93	93	-0.50 57 95	-0.51 36 94	-0.76 93	-1.86 26 93	-1.60 25 90	-1.97 42 90	-1.19 28 104	1.35 22 98	102	3 3			
751	1700 25 8477 2025/08/10	2	1.67	1700 17 4310 1700 18 8453	92	93	93	-0.50 57 95	-0.51 36 94	-0.76 93	-1.86 26 93	-1.60 25 90	-1.97 42 90	-1.19 28 104	1.35 22 98	102	3 3			
752	1700 25 8478 2025/08/10	2	2.33	1700 20 0149 1700 18 1128	84	85	92	-1.95 58 83	-0.31 38 96	-1.28 88	-3.93 5 85	-0.40 5 96	-2.49 37 88	7.02 15 82	-0.37 5 103	102	3 3			
753	1700 25 8480 2025/08/10	2	2.33	1700 22 2761 1700 20 2886	85	84	91	-1.36 59 88	-1.10 44 87	-1.78 84	-3.88 8 85	-0.90 8 94	-3.00 41 86	-0.84 39 103	3.55 7 93	103	3 2			
754	1700 25 8488 2025/08/10	2	2.04	1700 17 4310 1700 18 1108	97	87	110	-2.02 52 82	0.17 28 101	-0.84 92	-3.90 5 85	0.30 5 100	-1.66 31 91	-6.64 5 119	-4.15 5 112	101	2 3			
755	1700 25 8490 2025/08/10	2	1.97	1700 17 4310 1700 24 5088	89	88	92	-0.84 46 92	-1.02 26 88	-1.44 87	-3.13 10 88	-1.70 15 90	-2.88 31 86	-3.97 26 111	2.31 11 96	90	1 0			
756	1700 25 8492 2025/08/10	2	2.34	1700 20 0149 1700 22 1052	77	84	83	-2.23 58 80	-0.20 38 97	-1.31 88	-3.72 5 86	-1.20 5 92	-3.15 37 85	10.81 15 72	3.69 5 92	102	2 3			



Young Rams



EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed avg
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information				Parents		Selection Index			EBV - Weights				EBV - Fertility								
Animal ID BDate	Birth Status	% In- breeding		Sire ID		DLMI	DGI	DRI	Weaning Weight		Comb	Post-Wean	Lambs Weaned	TWW	AFL		ILP		Dam		
				Dam ID	Dir				Mat	EBV Index					EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EPI	T Lamed N Weaned
					Acc				Index												
Active Breed Average:						100	100	100	0.00	0.14	0.14	-0.25	0.10	0.21	0.27	1.10					
757	1700 25 8494 2025/08/10	2	2.26	1700 20 0149 1700 21 2662		77	86	81	-2.03 58	-0.10 37	-1.11 90	-3.25 5	-1.20 5	-2.85 37	13.97 18	3.60 5	93	104	3 2		
758	1700 25 8496 2025/08/10	2	2.33	1700 22 2761 1700 20 8393		90	91	92	-0.59 59	-0.77 44	-1.07 90	-2.17 8	-0.90 8	-1.90 41	-0.84 39	3.55 7	93	105	3 2		
759	1700 25 8497 2025/08/10	2	2.33	1700 22 2761 1700 20 8393		92	93	92	-0.27 59	-0.83 44	-0.96 91	-1.73 8	-0.90 8	-1.64 41	-0.84 39	3.55 7	93	105	3 2		
760	1700 25 8498 2025/08/10	2	2.26	1700 22 2761 1700 21 0528		92	93	92	-0.34 59	-0.68 44	-0.85 92	-1.62 8	-0.90 8	-1.55 41	-0.84 39	3.55 7	93	106	3 2		
761	1700 25 8501 2025/08/10	2	2.04	1700 22 2761 1700 18 2920		92	86	100	-1.02 60	-1.08 46	-1.59 86	-3.82 8	-0.20 8	-2.22 43	-4.63 39	-0.51 7	103	104	2 3		
762	1700 25 8503 2025/08/10	2	2.33	1700 20 0149 1700 20 5252		81	88	83	-1.55 58	-0.20 36	-0.97 91	-2.61 5	-1.20 5	-2.46 36	10.81 15	3.69 5	92	103	2 2		
763	1700 25 8505 2025/08/10	2	2.33	1700 20 0149 1700 20 2133		80	87	83	-1.80 58	-0.08 38	-0.98 91	-2.85 5	-1.20 5	-2.60 37	10.81 15	3.69 5	92	103	2 3		
764	1700 25 8507 2025/08/10	2	2.34	1700 22 2761 1700 22 8365		95	97	93	0.03 59	-0.45 44	-0.44 95	-0.72 8	-0.90 8	-0.96 41	-0.84 39	3.55 7	93	107	1 2		
765	1700 25 8509 2025/08/10	2	2.26	1700 20 0149 1700 21 2075		85	93	84	-1.05 58	0.18 38	-0.35 96	-1.28 5	-1.20 5	-1.60 37	10.81 15	3.69 5	92	105	2 3		
766	1700 25 8511 2025/08/10	3	2.33	1700 22 2761 1700 20 8401		85	84	91	-1.39 60	-1.05 45	-1.74 85	-3.85 8	-0.90 8	-2.98 42	-0.84 39	3.55 7	93	111	2 3		
767	1700 25 8513 2025/08/10	2	2.34	1700 22 2761 1700 22 9566		88	88	90	-0.43 60	-1.48 46	-1.70 85	-2.90 8	-0.90 8	-2.45 43	-0.84 39	3.55 7	93	104	2 3		
768	1700 25 8514 2025/08/10	1	2.33	1700 22 2761 1700 20 8387		89	89	91	-0.68 58	-1.00 42	-1.34 88	-2.62 8	-0.90 8	-2.21 40	-0.84 39	3.55 7	93	99	1 1		
769	1700 25 8515 2025/08/10	2	2.26	1700 22 2761 1700 21 2098		92	94	92	-0.15 59	-0.77 44	-0.84 92	-1.45 8	-0.90 8	-1.46 41	-0.84 39	3.55 7	93	106	3 2		
770	1700 25 8517 2025/08/10	2	2.34	1700 17 4310 1700 22 8433		98	96	102	-0.67 51	0.31 25	-0.02 99	-0.99 5	-0.40 5	-0.59 29	-2.86 5	-0.10 5	102	103	3 2		
771	1700 25 8518 2025/08/10	2	2.34	1700 17 4310 1700 22 8433		93	89	103	-2.04 51	0.57 25	-0.45 95	-2.87 5	-0.40 5	-1.71 29	-2.86 5	-0.10 5	102	103	3 2		
772	1700 25 8519 2025/08/10	2	2.34	1700 22 2761 1700 22 8274		87	87	91	-0.98 59	-1.08 44	-1.57 86	-3.23 8	-0.90 8	-2.60 41	-0.84 39	3.55 7	93	104	3 2		
773	1700 25 8523 2025/08/10	2	2.26	1700 22 2761 1700 21 2066		94	96	92	0.20 59	-0.72 44	-0.63 94	-0.83 8	-0.90 8	-1.07 41	-0.84 39	3.55 7	93	107	1 2		
774	1700 25 8525 2025/08/10	1	2.35	1700 17 4310 1700 23 5126		94	90	102	-1.61 50	0.30 22	-0.51 95	-2.55 5	-0.40 5	-1.56 28	-2.86 5	-0.10 5	102	97	2 1		

Young Rams



EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed avg
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information				Parents		Selection Index			EBV - Weights				EBV - Fertility					
Animal ID BDate	Birth Status	% In- breeding		Sire ID	DLMI	DGI	DRI	Weaning Weight				Lambs Weaned	TWW	AFL	ILP	Dam T Lambed N Weaned		
				Dir				Mat	Comb	Post-Wean								
				Acc				EBV Index	Acc	EBV Index	EBV Index	Acc	EBV Index	Acc	EBV Index			Acc
Active Breed Average:					100	100	100	0.00	0.14	0.14	-0.25	0.10	0.21	0.27	1.10			
775	1700 25 8527 2025/08/10	1	2.33	1700 20 0149 1700 19 9823	79	86	84	-2.15 57	0.06 36	-1.02 91	-3.22 5	-1.20 5	-2.81 36	10.81 15	3.69 5	97	2 2	
776	1700 25 8529 2025/08/10	1	2.26	1700 17 4310 1700 21 0490	96	93	102	-1.21 50	0.41 22	-0.20 97	-1.74 5	-0.40 5	-1.04 28	-2.86 5	-0.10 5	98	2 1	
Ram Flock Average :					87	89	90	-0.99	-0.68	-1.17	-2.62	-1.02	-2.28	1.64	3.60			
Total number of young rams :				776														

Ewes with Progeny



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information				Parents		Selection Index			EBV - Weights						EBV - Fertility								
Animal ID BDate	Birth Status	% In- breeding	Sire ID Dam ID		DLMI	DGI	DRI	Weaning Weight				Lambs Weaned		TWW		AFL		ILP		EPI	Times Lambded Nr Weaned		
								Dir	Mat	Comb	Post-wean	Acc	Index	Acc	Index	Acc	Index	Acc	Index			Acc	Index
								EBV Acc	EBV Index	EBV Acc	EBV Index												
Active Breed Average :					100	100	100	0.00	0.14	0.14	-0.25	0.10	0.21	0.27	1.10								
1	1700 10 8351 2010/03/01	5	0.85	770 07 0308 1700 03 0040	77	91	67	0.20 60	-1.66 101	-1.56 55	-2.39 81	-5.30 44	-4.64 54	9.30 52	2.27 38					0	0		
2	1700 12 5099 2012/03/01	1	1.07	770 07 0308 1700 10 8184	78	93	68	0.25 65	-1.44 101	-1.32 52	-1.89 84	-4.60 42	-3.96 55	9.22 49	4.65 36					0	0		
3	1700 18 8453 2018/08/10	1	2.39	770 14 0314 1700 14 9289	86	97	75	0.76 62	-1.22 106	-0.85 65	-0.30 86	-3.50 50	-2.57 60	4.26 56	6.84 45					102	3		
4	1700 18 8670 2018/03/25	1	1.85	770 14 0314 1700 11 5080	87	97	79	0.65 61	-1.12 105	-0.79 61	-0.97 87	-1.70 47	-1.49 58	2.67 50	11.67 42						3	2	
5	1700 19 6394 2019/10/10	1	2.63	770 14 0314 1700 12 8172	82	91	75	0.42 61	-2.00 103	-1.79 61	-2.21 78	-2.00 47	-2.78 58	4.93 51	9.29 42					3	2		
6	1700 21 5215 2021/03/25	1	4.23	770 18 0010 1700 18 9705	91	99	86	0.31 48	-0.39 102	-0.24 45	-0.21 95	-1.60 29	-1.04 42	4.80 37	3.73 25					3	1		
7	1700 22 9543 2022/03/25	1	10.61	2817 20 0149 1700 17 8514	71	70	79	-1.84 50	-3.12 84	-4.04 52	-7.46 66	-1.20 28	-5.68 46	1.51 35	6.60 25					2	2		
8	1700 24 2012 2024/02/10	1	2.34	1700 20 0149 1700 22 6094	74	82	79	-2.05 52	-0.81 82	-1.84 48	-4.29 90	-1.20 5	-3.59 39	20.88 38	3.42 5					100	1		
9	1700 24 2018 2024/02/10	1	2.33	1700 20 0149 1700 20 2874	75	83	79	-1.97 53	-0.66 83	-1.64 49	-3.93 92	-1.20 5	-3.34 39	20.88 38	3.42 5						2	1	
10	1700 24 2033 2024/02/15	1	2.26	1700 20 0149 1700 21 2662	78	86	81	-1.76 51	-0.30 84	-1.17 45	-3.08 96	-1.20 5	-2.77 37	20.29 38	3.43 5					97	1		
11	1700 24 2036 2024/08/10	1	2.34	1700 22 6098 1700 17 1825	102	94	108	-0.63 25	-0.22 94	-0.53 32	-1.67 97	-0.40 5	-1.09 22	-15.48 36	0.25 5					97	1		
12	1700 24 5053 2024/05/15	1	2.34	770 21 0295 1700 22 6217	91	102	73	2.70 62	-2.56 122	-1.21 55	0.99 72	-3.80 30	-2.14 52	-1.69 52	8.82 22					98	1		
13	1700 24 5063 2024/08/10	1	2.34	770 21 0295 1700 22 8440	85	86	81	0.22 52	-2.58 101	-2.47 52	-3.06 71	-3.80 30	-4.64 47	-11.68 52	9.06 22					96	1		
14	1700 24 5085 2024/05/15	1	2.34	770 21 0295 1700 22 2697	85	94	75	0.82 61	-1.94 106	-1.53 57	-1.19 78	-3.80 30	-3.40 52	-1.39 52	8.78 22					102	1		
15	1700 24 5087 2024/08/10	1	2.33	770 21 0295 1700 20 8396	89	92	84	0.45 52	-1.88 103	-1.65 50	-1.71 79	-3.80 30	-3.71 46	-11.68 52	9.06 22					98	1		
16	1700 24 5088 2024/05/15	1	2.26	770 21 0295 1700 21 3155	80	88	74	0.15 57	-2.26 100	-2.19 46	-2.73 75	-3.80 30	-4.39 47	-1.29 52	8.76 22					90	1		

Ewes with Progeny



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information				Parents			Selection Index			EBV - Weights				EBV - Fertility				EPI Times Lambed	
Animal ID	BDate	Birth Status	% In-breding	Sire ID	Dam ID		DLMI	DGI	DRI	Weaning Weight		Post-wean		Lambs Weaned	TWW	AFL	ILP	Nr Weaned	
										Dir	Mat	Comb							
										EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV		
										Acc	Index	Acc	Index	Acc	Index	Acc	Index		
Active Breed Average :							100	100	100	0.00	0.14	0.14	-0.25	0.10	0.21	0.27	1.10		
17	1700 24 5094 2024/05/15	1	2.26	770 21 0295 1700 21 2015			85	93	74	0.94	-2.14	-1.67	-1.28	-3.80	-3.48	-1.49	8.79	97	1
										59 107	53 76	85	20 96	30 79	50 84	52 105	22 79		1
18	1700 24 5097 2024/05/15	1	2.34	1700 22 2761 1700 22 1051			84	83	89	-1.13	-1.63	-2.19	-4.23	-0.90	-3.29	-1.19	3.55	100	1
										61 90	55 82	81	8 84	8 94	47 85	51 104	7 93		2
19	1700 24 5099 2024/05/15	1	2.34	1700 22 2761 1700 22 9551			85	90	86	-0.64	-0.99	-1.30	-2.54	-0.90	-2.16	5.96	3.36		1
										58 94	42 88	88	8 91	8 94	40 89	51 85	7 93		0
20	1700 24 5103 2024/08/10	1	2.52	770 21 0295 - - -			80	92	68	0.96	-2.40	-1.92	-1.60	-3.50	-3.54	0.56	18.59	98	1
										51 107	50 73	83	20 94	30 80	46 84	40 99	22 64		1
21	1700 24 5109 2024/05/15	1	2.26	770 21 0295 1700 21 0443			86	95	75	1.03	-1.96	-1.45	-0.88	-3.80	-3.21	-1.49	8.79	97	1
										59 108	53 78	87	20 97	30 79	50 85	52 105	22 79		1
22	1700 24 5112 2024/05/15	1	2.34	770 21 0295 1700 22 2689			84	93	74	0.84	-2.13	-1.70	-1.41	-3.80	-3.56	-1.41	8.78	102	1
										62 106	59 76	85	20 95	30 79	53 83	52 105	22 79		2
23	1700 24 5125 2024/05/15	1	2.33	1700 22 2761 1700 20 9520			95	96	92	0.48	-1.03	-0.79	-0.79	-0.90	-1.09	-1.55	3.60	97	1
										60 103	50 88	92	8 98	8 94	44 94	51 105	7 93		1
24	1700 24 5126 2024/05/15	1	2.34	770 21 0295 1700 22 6263			92	103	76	2.00	-1.64	-0.63	1.15	-3.80	-1.91	-1.67	8.82	98	1
										59 116	53 82	94	20 106	30 79	50 90	52 105	22 79		1
25	1700 24 5134 2024/05/15	1	2.34	770 21 0295 1700 22 1017			72	77	72	-1.23	-2.68	-3.29	-5.55	-3.80	-6.19	-1.10	8.74	96	1
										60 89	53 70	72	20 78	30 79	50 72	52 104	22 79		1
26	1700 24 5143 2024/05/15	1	2.33	770 21 0295 1700 20 8399			74	80	71	-0.41	-2.98	-3.19	-4.64	-3.80	-5.67	-1.24	8.76	95	1
										60 96	54 67	73	20 82	30 79	51 75	52 104	22 79		1
27	1700 24 5144 2024/05/15	1	2.34	1700 22 2761 1700 22 9587			82	80	89	-1.46	-1.83	-2.56	-5.06	-0.90	-3.83	-1.13	3.54	95	1
										60 87	50 79	78	8 80	8 94	44 82	51 104	7 93		1
28	1700 24 5145 2024/05/15	1	2.26	1700 22 2761 1700 21 1567			88	93	86	-0.23	-0.87	-0.99	-1.72	-0.90	-1.64	5.85	3.38		1
										58 97	42 90	91	8 94	8 94	40 92	51 85	7 93		0
29	1700 24 5147 2024/05/15	1	2.26	1700 22 9565 1700 21 5206			75	82	77	-1.37	-1.45	-2.13	-4.19	-1.50	-3.71	10.19	5.51		1
										52 88	33 84	81	14 84	14 91	36 83	41 73	13 88		0
30	1700 24 5150 2024/05/15	1	2.34	1700 22 9584 1700 20 8439			86	94	87	-1.36	0.63	-0.05	-1.15	-1.20	-1.45	9.44	3.73		1
										53 88	24 106	98	5 96	5 92	30 92	38 75	5 92		0
31	1700 24 5153 2024/05/15	1	2.34	770 21 0295 1700 22 8321			73	78	72	-1.06	-2.65	-3.18	-5.22	-3.80	-5.98	-1.06	8.73	97	1
										60 90	53 71	73	20 80	30 79	50 73	52 104	22 79		1
32	1700 24 8160 2024/10/10	1	2.33	1700 22 2761 1700 20 9516			94	96	92	0.22	-0.76	-0.64	-0.83	-0.90	-1.07	-0.91	3.55		1
										59 101	42 91	94	8 98	8 94	41 94	51 103	7 93		0

Ewes with Progeny



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information				Parents		Selection Index			EBV - Weights						EBV - Fertility							
Animal ID BDate		Birth Status	% In- breeding	Sire ID Dam ID		DLMI	DGI	DRI	Weaning Weight				Lambs Weaned		TWW		AFL		ILP		EPI	Times Lambed Nr Weaned
									Dir	Mat	Comb	Post-wean										
Active Breed Average :							100	100	100	0.00	0.14	0.14	-0.25	0.10	0.21	0.27	1.10					
33	1700 24 8166 2024/10/10	1	2.34	1700 22 2761 1700 22 8420	97	100	92	0.74 59	-0.67 106	-0.30 42	0.13 92	-0.90 8	-0.47 41	-1.00 51	3.57 7			1 0				
34	1700 24 8169 2024/10/10	1	2.26	1700 22 2761 1700 21 2029	93	95	92	-0.06 59	-0.75 99	-0.78 42	-1.27 91	-0.90 8	-1.34 41	-0.88 51	3.55 7			1 0				
35	1700 24 8191 2024/10/10	1	2.26	1700 22 2761 1700 21 5222	96	98	92	0.43 58	-0.70 103	-0.48 42	-0.41 92	-0.90 8	-0.81 40	-0.96 51	3.56 7			1 0				
36	1700 24 8196 2024/10/10	1	2.33	1700 22 2761 1700 20 2897	102	106	93	1.60 59	-0.57 113	0.23 43	1.66 93	-0.90 8	0.49 41	-1.19 51	3.59 7			1 0				
37	1700 24 8200 2024/10/10	1	2.26	1700 22 2761 1700 21 3150	98	101	93	0.76 59	-0.59 106	-0.21 42	0.28 93	-0.90 8	-0.37 41	-1.07 51	3.58 7			1 0				
38	1700 24 8204 2024/10/10	1	2.33	1700 22 2761 1700 20 2890	92	93	92	-0.21 58	-0.87 97	-0.97 42	-1.69 90	-0.90 8	-1.62 40	-0.79 51	3.54 7			1 0				
39	1700 24 8211 2024/10/10	1	2.04	1700 22 2761 1700 19 1997	91	92	92	-0.43 59	-0.85 96	-1.07 42	-2.02 90	-0.90 8	-1.82 41	-0.74 51	3.53 7			1 0				
40	1700 24 8222 2024/10/10	1	6.48	1700 22 2761 1700 18 8453	87	92	81	0.72 64	-2.07 105	-1.71 51	-1.86 77	-2.10 26	-2.61 50	0.74 56	4.98 24			1 0				
41	1700 24 8228 2024/10/10	1	2.04	1700 22 2761 1700 18 5341	101	98	100	0.55 58	-0.82 104	-0.55 42	-0.91 90	-0.20 8	-0.39 40	-4.32 51	-0.51 7			1 0				
42	1700 24 8233 2024/10/10	1	4.45	1700 22 2761 1700 21 5215	92	95	87	0.82 61	-1.72 106	-1.31 45	-1.37 81	-1.10 17	-1.56 45	0.86 53	3.44 14			1 0				
43	1700 24 8248 2024/10/10	1	2.33	1700 22 2761 1700 20 9567	91	92	90	0.13 60	-1.44 100	-1.37 46	-1.92 84	-0.90 8	-1.84 43	-0.91 51	3.55 7			1 0				
44	1700 24 8254 2024/10/10	1	2.35	1700 22 2761 1700 23 3028	97	100	92	0.69 58	-0.62 105	-0.28 42	0.12 92	-0.90 8	-0.47 40	-0.95 51	3.56 7			1 0				
45	1700 24 8255 2024/10/10	1	2.35	1700 22 2761 1700 23 3092	92	93	92	-0.21 59	-0.77 97	-0.88 42	-1.55 91	-0.90 8	-1.52 41	-0.79 51	3.54 7			1 0				
46	1700 24 8258 2024/10/10	1	2.52	1700 24 5071 1700 22 2004	100	105	94	0.41 43	0.67 103	0.87 19	1.77 106	-1.20 5	0.36 24	0.52 41	3.97 5			1 0				
47	1700 24 8259 2024/10/10	1	2.35	1700 22 2761 1700 23 3115	100	104	93	1.17 59	-0.50 109	0.08 42	1.07 94	-0.90 8	0.13 41	-1.11 51	3.58 7			1 0				
48	1700 24 8265 2024/10/10	1	2.34	1700 22 2761 1700 22 8354	93	95	92	-0.08 59	-0.66 99	-0.70 44	-1.18 92	-0.90 8	-1.28 41	-0.79 51	3.54 7			1 0				

Ewes with Progeny



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information				Parents		Selection Index			EBV - Weights						EBV - Fertility								
Animal ID BDate	Birth Status	% In- breeding	Sire ID Dam ID		DLMI	DGI	DRI	Weaning Weight				Lambs Weaned		TWW		AFL		ILP		EPI	Times Lambed Nr Weaned		
								Dir	Mat	Comb	Post-wean	Acc	Index	Acc	Index	Acc	Index	Acc	Index			Acc	Index
								EBV Acc	EBV Index	EBV Acc	EBV Index												
Active Breed Average :					100	100	100	0.00	0.14	0.14	-0.25	0.10	0.21	0.27	1.10								
49	1700 24 8270 2024/10/10	1	2.04	1700 22 2761 1700 19 9575	94	95	92	0.11 58	-0.78 100	-0.73 42	-1.05 91	8	97	-0.90 8	-1.22 94	-0.86 40	3.55 93	7	93	1	0		
50	1700 24 8278 2024/10/10	1	2.04	1700 22 2761 1700 19 3153	93	94	92	-0.01 59	-0.88 99	-0.88 42	-1.37 90	8	95	-0.90 8	-1.43 94	-0.78 41	3.54 92	7	93	1	0		
51	1700 24 8286 2024/10/10	1	2.52	1700 24 5071 1700 21 2762	98	103	94	0.23 43	0.52 101	0.64 19	1.28 104	5	106	-1.20 5	0.03 92	0.61 24	3.95 99	5	92	1	0		
52	1700 24 8287 2024/10/10	1	2.35	1700 22 2761 1700 23 3109	91	92	92	-0.32 59	-0.82 97	-0.98 43	-1.79 90	8	94	-0.90 8	-1.68 94	-0.75 41	3.53 91	7	93	1	0		
53	1700 24 8288 2024/10/10	1	2.52	1700 24 5071 1700 20 8435	96	101	93	-0.02 43	0.43 99	0.42 19	0.74 103	5	104	-1.20 5	-0.32 92	0.70 24	3.94 97	5	99	1	0		
54	1700 24 8302 2024/10/10	1	2.34	1700 22 2761 1700 22 8324	96	98	92	0.55 59	-0.77 104	-0.50 42	-0.32 91	8	100	-0.90 8	-0.76 94	-0.92 41	3.56 95	7	103	1	0		
55	1700 24 8318 2024/10/10	1	2.34	1700 22 2761 1700 22 1015	90	91	91	-0.41 58	-0.92 96	-1.13 42	-2.08 89	8	93	-0.90 8	-1.87 94	-0.69 40	3.52 91	7	103	1	0		
56	1700 24 8353 2024/10/10	2	2.33	1700 22 2761 1700 20 1802	101	106	95	0.96 59	0.12 107	0.60 44	1.59 100	8	107	-0.90 8	0.54 94	-1.11 41	3.58 101	7	104	1	0		
57	1700 24 8354 2024/10/10	2	2.33	1700 22 2761 1700 20 1802	103	108	95	1.36 59	0.05 111	0.72 44	2.13 99	8	110	-0.90 8	0.86 94	-1.21 41	3.60 102	7	104	1	0		
58	1700 24 8395 2024/10/10	1	2.35	1700 22 2761 1700 23 3073	93	95	91	0.18 60	-0.90 101	-0.80 46	-1.09 89	8	97	-0.90 8	-1.25 94	-0.84 43	3.54 93	7	103	1	0		
59	1700 24 8429 2024/10/10	1	2.33	1700 22 2761 1700 20 1759	88	89	91	-0.76 58	-1.02 93	-1.40 42	-2.80 88	8	90	-0.90 8	-2.33 94	-0.63 40	3.51 89	7	103	1	0		
60	1700 24 8431 2024/10/10	1	2.33	1700 22 2761 1700 20 1049	93	87	99	-0.94 50	-1.05 91	-1.52 39	-3.11 88	8	88	-0.90 8	-2.52 94	-10.92 36	3.82 88	7	130	1	0		
61	1700 24 8435 2024/10/24	1	2.04	1700 22 2761 1700 19 6301	92	85	99	-1.39 51	-0.96 87	-1.66 39	-3.73 89	8	86	-0.90 8	-2.89 94	-10.92 36	3.82 86	7	130	1	0		
62	1700 24 8438 2024/10/10	1	2.33	1700 22 2761 1700 20 8495	93	95	91	0.17 59	-0.93 101	-0.84 44	-1.15 89	8	96	-0.90 8	-1.30 94	-0.92 41	3.56 93	7	103	1	0		
63	1700 24 8440 2024/10/10	1	2.26	1700 22 2761 1700 21 5272	86	86	91	-1.27 59	-0.90 88	-1.53 44	-3.44 89	8	87	-0.90 8	-2.71 94	-0.49 41	3.49 87	7	102	1	0		
64	1700 24 8442 2024/10/10	1	2.33	1700 22 2761 1700 20 1771	90	91	91	-0.27 59	-1.12 97	-1.25 44	-2.13 87	8	92	-0.90 8	-1.92 94	-0.80 41	3.54 90	7	103	1	0		

Ewes with Progeny

 Genotyped
 EBV - Estimated Breeding Value
 Indices >= 124
 Above breed average
 Indices <= 76
 Acc: Accuracy of the breeding value
 Breeding values with an accuracy below 5% are not printed
 Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

*Inbreeding in red is high

Animal Information				Parents		Selection Index			EBV - Weights						EBV - Fertility										
Animal ID BDate	Birth Status	% In- breeding	Sire ID Dam ID	DLMI	DGI	DRI	Weaning Weight								Lambs Weaned		TWW		AFL		ILP		EPI	Times Lambed Nr Weaned	
							Dir		Mat		Comb		Post-wean												
							EBV Acc	Index	EBV Acc	Index	EBV Index	Acc	EBV Index	EBV Acc	Index	EBV Acc	Index	EBV Acc	Index	EBV Acc	Index	EBV Acc			Index
Active Breed Average :						100	100	100	0.00		0.14		0.14		-0.25		0.10		0.21		0.27		1.10		
65	1700 24 8458 2024/10/10	1	2.04	1700 22 2761 1700 18 2906	96	91	99	-0.32		-1.06		-1.22		-2.65		-0.20		-1.50		-4.09		-0.54		1	
								58	97	42	88	89		8	90	8	97	40	92	51	112	7	103	0	
66	1700 24 8468 2024/10/10	1	2.33	1700 22 2761 1700 20 1077	90	90	92	-0.64		-0.83		-1.15		-2.33		-0.90		-2.01		-0.72		3.53		1	
								60	94	45	90	89		8	92	8	94	42	90	51	103	7	93	0	
67	1700 24 8469 2024/10/10	1	2.04	1700 22 2761 1700 18 0846	99	95	100	0.22		-0.91		-0.80		-1.57		-0.20		-0.81		-4.25		-0.52		1	
								58	101	42	89	92		8	95	8	97	40	95	51	112	7	103	0	
68	1700 24 8476 2024/10/10	1	2.04	1700 22 2761 1700 18 2970	96	91	99	-0.29		-1.05		-1.20		-2.59		-0.20		-1.46		-4.09		-0.54		1	
								58	97	42	88	89		8	90	8	97	40	92	51	112	7	103	0	
69	1700 24 8477 2024/01/02	1	2.26	1700 22 2761 1700 21 5216	88	88	91	-0.89		-1.06		-1.50		-3.05		-0.90		-2.49		-0.84		3.55		1	
								49	92	39	88	87		8	89	8	94	36	88	39	103	7	93	0	
Ewe Flock Average						88	92	90	-0.86		-0.29		-0.72		-1.82		-1.08		-1.80		1.17		3.68		
Number of ewes with progeny in the flock: 69																									

Active ewes with progeny born since Jan 2024.

Young Ewes



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed avg
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information				Parents		Selection Indices			EBV - Weights				EBV - Fertility									
Animal ID BDate		Birth Status	% In- breeding	Sire ID Dam ID		DLMI	DGI	DRI	Weaning Weight		Comb	Post-Wean		Lambs weaned	TWW		AFL		ILP		Dam T Lamberd N Weaned	
									Dir	Mat		Acc	Index		Acc	Index	Acc	Index	Acc	Index		
									EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index
Active Breed Average:						100	100	100	0.00	0.14	0.14	-0.25	0.10	0.21	0.27	1.10						
1	1700 24 0481 2024/10/15	1	2.34	1700 22 9584 1700 21 2764	83	86	89	-1.89 44	-0.22 83 26 97	-1.16 89	-3.19 5 88	-1.20 5 92	-2.83 27 87	3.06 10 93	3.90 5 92	100	2 2					
2	1700 24 0483 2024/10/15	1	2.35	1700 22 2761 1700 23 5126	87	87	91	-0.95 50	-1.17 91 42 87	-1.64 85	-3.31 8 88	-0.90 8 94	-2.66 37 87	-0.84 39 103	3.55 7 93	97	2 1					
3	1700 24 0484 2024/10/15	1	2.34	1700 22 2761 1700 22 6111	88	88	91	-0.82 50	-1.07 92 39 88	-1.48 87	-2.96 8 89	-0.90 8 94	-2.43 36 88	-0.84 39 103	3.55 7 93	82	2 0					
4	1700 24 0489 2024/10/25	2	2.04	1700 22 2761 1700 18 1002	92	86	99	-0.95 50	-1.28 91 39 85	-1.75 84	-3.99 8 85	-0.20 8 97	-2.35 36 89	-4.63 39 113	-0.51 7 103	75	3 0					
5	1700 24 0490 2024/10/15	1	2.34	1700 22 2761 1700 22 8336	88	88	91	-0.89 49	-1.06 92 39 88	-1.50 87	-3.05 8 89	-0.90 8 94	-2.49 36 88	-0.84 39 103	3.55 7 93	82	2 0					
6	1700 24 0494 2024/10/15	2	2.26	1700 22 2761 1700 21 0463	88	88	91	-0.86 51	-1.00 92 44 88	-1.43 87	-2.92 8 89	-0.90 8 94	-2.40 38 88	-0.84 39 103	3.55 7 93	104	3 2					
7	1700 24 0496 2024/10/15	2	2.34	1700 22 9584 1700 21 2664	91	96	93	-1.26 42	0.88 89 23 108	0.25 101	-0.63 5 98	-1.20 5 92	-1.09 25 94	3.06 10 93	3.90 5 92	99	2 1					
8	1700 24 0500 2024/10/15	2	2.26	1700 22 2761 1700 21 2098	90	91	92	-0.67 51	-0.67 94 44 92	-1.01 91	-2.16 8 92	-0.90 8 94	-1.88 38 91	-0.84 39 103	3.55 7 93	106	3 2					
9	1700 24 0501 2024/10/15	2	2.26	1700 22 2761 1700 21 2098	90	91	92	-0.67 51	-0.67 94 44 92	-1.01 91	-2.16 8 92	-0.90 8 94	-1.88 38 91	-0.84 39 103	3.55 7 93	106	3 2					
10	1700 24 0503 2024/10/15	2	2.35	1700 22 9584 1700 23 5147	89	94	92	-1.39 42	0.64 87 23 106	-0.05 98	-1.19 5 96	-1.20 5 92	-1.47 25 92	3.06 10 93	3.90 5 92	98	2 1					
11	1700 24 0506 2024/10/15	1	2.26	1700 22 2761 1700 21 5292	88	88	91	-0.89 49	-1.06 92 39 88	-1.50 87	-3.05 8 89	-0.90 8 94	-2.49 36 88	-0.84 39 103	3.55 7 93	90	1 0					
12	1700 24 0507 2024/10/15	1	2.52	1700 22 2761 - - -	82	87	81	-0.53 49	-1.52 95 39 83	-1.79 84	-3.10 8 88	-0.60 8 95	-2.41 36 88	0.74 39 99	13.37 7 67		0					
13	1700 24 0509 2024/10/15	1	2.34	1700 22 2761 1700 22 1059	88	88	91	-0.89 49	-1.06 92 39 88	-1.50 87	-3.05 8 89	-0.90 8 94	-2.49 36 88	-0.84 39 103	3.55 7 93	90	1 0					
14	1700 24 0512 2024/10/15	1	2.34	1700 22 9584 1700 22 8391	90	95	92	-1.33 42	0.75 88 23 107	0.09 99	-0.93 5 97	-1.20 5 92	-1.30 25 93	3.06 10 93	3.90 5 92	99	2 1					
15	1700 24 0516 2024/10/15	2	2.33	1700 22 2761 1700 20 0688	89	89	91	-0.80 50	-0.90 92 42 89	-1.30 88	-2.68 8 90	-0.90 8 94	-2.24 37 89	-0.84 39 103	3.55 7 93	99	2 1					

Young Ewes



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed avg
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information				Parents	Selection Indices			EBV - Weights					EBV - Fertility									
Animal ID BDate		Birth Status	% In- breeding	Sire ID Dam ID		DLMI	DGI	DRI	Weaning Weight		Comb	Post-Wean		Lambs weaned	TWW		AFL		ILP		Dam T Lamberd N Weaned	
									Dir	Mat		Acc	Index		Acc	Index	Acc	Index	Acc	Index		
Active Breed Average:						100	100	100	0.00	0.14	0.14	-0.25	0.10	0.21	0.27	1.10						
16	1700 24 0517 2024/10/15	2	2.34	1700 22 2761 1700 22 8274	87	86	91	-1.12 51	-1.06 44 90	-1.61 86	-3.42 8 87	-0.90 8 94	-2.71 38 87	-0.84 39 103	3.55 7 93	104	3 2					
17	1700 24 0518 2024/10/15	2	2.34	1700 22 2761 1700 22 8274	87	86	91	-1.12 51	-1.06 44 88	-1.61 86	-3.42 8 87	-0.90 8 94	-2.71 38 87	-0.84 39 103	3.55 7 93	104	3 2					
18	1700 24 0520 2024/10/15	1	2.34	1700 22 9584 1700 18 0892	93	91	100	-1.55 44	0.44 26 104	-0.34 96	-2.25 5 92	-0.40 5 96	-1.35 27 93	-0.73 10 103	-0.16 5 102	103	2 2					
19	1700 24 0521 2024/10/15	1	2.26	1700 22 2761 1700 21 8355	88	88	91	-0.89 49	-1.06 39 88	-1.50 87	-3.05 8 89	-0.90 8 94	-2.49 36 88	-0.84 39 103	3.55 7 93	90	1 0					
20	1700 24 0523 2024/10/15	1	2.35	1700 22 9584 1700 23 5249	89	94	92	-1.40 42	0.64 23 106	-0.06 98	-1.19 5 96	-1.20 5 92	-1.47 25 92	3.06 10 93	3.90 5 92	98	2 1					
21	1700 24 0524 2024/10/15	1	2.34	1700 22 9584 1700 20 5296	89	94	92	-1.41 41	0.62 16 105	-0.09 98	-1.25 5 96	-1.20 5 92	-1.51 22 92	3.06 10 93	3.90 5 92	90	1 0					
22	1700 24 0527 2024/10/15	1	2.34	1700 22 9584 1700 19 1009	92	97	93	-1.22 44	0.95 26 109	0.34 102	-0.47 5 99	-1.20 5 92	-0.99 27 94	3.06 10 93	3.90 5 92	105	2 2					
23	1700 24 0529 2024/10/15	1	2.34	1700 22 9584 1700 18 9755	93	91	100	-1.57 41	0.41 16 103	-0.37 96	-2.31 5 92	-0.40 5 96	-1.40 22 93	-0.73 10 103	-0.16 5 102	90	1 0					
24	1700 24 0531 2024/10/15	2	2.33	1700 22 2761 1700 20 2874	86	88	89	-0.83 51	-0.95 43 89	-1.37 88	-2.81 8 90	-0.90 8 94	-2.32 38 89	2.51 40 94	3.46 7 93	100	3 1					
25	1700 24 0533 2024/10/15	1	2.34	1700 22 9584 1700 22 6094	86	91	88	-1.55 42	0.37 19 103	-0.41 95	-1.82 5 94	-1.20 5 92	-1.90 23 90	6.42 13 84	3.81 5 92	82	2 0					
26	1700 24 0536 2024/10/15	1	2.04	1700 22 2761 1700 18 0865	92	86	99	-0.98 50	-1.14 42 87	-1.63 86	-3.83 8 85	-0.20 8 97	-2.24 37 89	-4.63 39 113	-0.51 7 103	98	2 1					
27	1700 24 0539 2024/10/15	2	2.33	1700 22 2761 1700 20 8393	90	90	92	-0.71 51	-0.75 44 91	-1.10 90	-2.33 8 91	-0.90 8 94	-2.00 38 90	-0.84 39 103	3.55 7 93	105	3 2					
28	1700 24 0541 2024/10/15	2	2.34	1700 22 9584 1700 19 0895	89	94	92	-1.41 41	0.62 16 105	-0.09 98	-1.25 5 96	-1.20 5 92	-1.51 22 92	3.06 10 93	3.90 5 92	90	1 0					
29	1700 24 0542 2024/10/15	1	2.34	1700 22 9584 1700 21 2704	89	94	92	-1.41 41	0.62 16 105	-0.09 98	-1.25 5 96	-1.20 5 92	-1.51 22 92	3.06 10 93	3.90 5 92	90	1 0					
30	1700 24 0547 2024/10/15	2	2.34	1700 22 9584 1700 21 1562	88	92	91	-1.52 42	0.43 23 103	-0.33 96	-1.69 5 94	-1.20 5 92	-1.81 25 91	3.06 10 93	3.90 5 92	97	2 1					

Young Ewes



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed avg
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information				Parents		Selection Indices			EBV - Weights				EBV - Fertility									
Animal ID BDate		Birth Status	% In- breeding	Sire ID Dam ID		DLMI	DGI	DRI	Weaning Weight		Comb	Post-Wean	Lambs weaned		TWW		AFL		ILP		Dam T Lamberd N Weaned	
									Dir	Mat			Acc	Index	Acc	Index	Acc	Index	Acc	Index		
Active Breed Average:						100	100	100	0.00	0.14	0.14	-0.25	0.10	0.21	0.27	1.10						
31	1700 24 0548 2024/10/15	2	2.34	1700 22 9584 1700 21 5314	89	94	92	-1.41 41	0.62 87 16 105	-0.09 98	-1.25 5 96	-1.20 5 92	-1.51 22 92	3.06 10 93	3.90 5 92	90	1 0					
32	1700 24 0549 2024/10/15	2	2.34	1700 22 9584 1700 21 5314	89	94	92	-1.41 41	0.62 87 16 105	-0.09 98	-1.25 5 96	-1.20 5 92	-1.51 22 92	3.06 10 93	3.90 5 92	90	1 0					
33	1700 24 0551 2024/10/15	2	2.26	1700 22 2761 1700 21 0528	91	92	92	-0.64 51	-0.62 94 44 92	-0.94 91	-2.04 8 93	-0.90 8 94	-1.80 38 91	-0.84 39 103	3.55 7 93	106	3 2					
34	1700 24 0554 2024/10/15	2	1.67	1700 22 2761 1700 17 1818	95	90	101	-0.77 51	-0.78 93 44 91	-1.16 89	-2.99 8 89	-0.20 8 97	-1.67 38 91	-4.63 39 113	-0.51 7 103	104	3 2					
35	1700 24 0560 2024/10/15	2	2.34	1700 22 2761 1700 22 6149	88	88	91	-0.89 49	-1.06 92 39 88	-1.50 87	-3.05 8 89	-0.90 8 94	-2.49 36 88	-0.84 39 103	3.55 7 93	82	2 0					
36	1700 24 0563 2024/10/15	1	2.34	1700 22 9584 1700 22 2722	90	95	92	-1.11 42	0.56 90 16 105	0.01 99	-0.84 5 98	-1.20 5 92	-1.27 22 93	3.06 10 93	3.90 5 92		0					
37	1700 24 0564 2024/10/15	1	2.34	1700 22 9584 1700 22 8363	89	94	92	-1.41 41	0.62 87 16 105	-0.09 98	-1.25 5 96	-1.20 5 92	-1.51 22 92	3.06 10 93	3.90 5 92	90	1 0					
38	1700 24 0570 2024/10/15	1	1.67	1700 22 2761 1700 17 1735	92	85	99	-1.05 49	-1.26 90 39 85	-1.79 84	-4.12 8 84	-0.20 8 97	-2.43 36 88	-4.63 39 113	-0.51 7 103	90	1 0					
39	1700 24 0573 2024/10/15	3	2.33	1700 22 2761 1700 20 5232	88	88	91	-0.89 49	-1.06 92 39 88	-1.50 87	-3.05 8 89	-0.90 8 94	-2.49 36 88	-0.84 39 103	3.55 7 93	90	2 0					
40	1700 24 2003 2024/02/15	1	2.33	1700 20 0149 1700 18 9800	87	89	91	-1.16 49	-0.39 89 29 95	-0.97 91	-2.77 5 90	-0.40 5 96	-1.79 30 91	7.02 15 82	-0.37 5 103		0					
41	1700 24 2012 2024/02/10	1	2.34	1700 20 0149 1700 22 6094	74	82	79	-2.05 52	-0.81 82 48 90	-1.84 84	-4.29 5 84	-1.20 5 92	-3.59 39 83	20.88 38 64	3.42 5 93	82	2 0					
42	1700 24 2018 2024/02/10	1	2.33	1700 20 0149 1700 20 2874	75	83	79	-1.97 53	-0.66 83 49 92	-1.64 85	-3.93 5 85	-1.20 5 92	-3.34 39 84	20.88 38 64	3.42 5 93	100	3 1					
43	1700 24 2019 2024/02/15	1	2.33	1700 20 0149 1700 18 8657	85	86	92	-1.79 47	-0.28 84 28 96	-1.17 89	-3.63 5 86	-0.40 5 96	-2.30 29 89	7.02 15 82	-0.37 5 103	82	2 0					
44	1700 24 2031 2024/02/15	1	2.26	1700 20 0149 1700 21 5310	81	88	83	-1.63 47	-0.07 85 28 98	-0.89 92	-2.56 5 91	-1.20 5 92	-2.42 29 88	10.81 15 72	3.69 5 92	82	2 0					
45	1700 24 2033 2024/02/15	1	2.26	1700 20 0149 1700 21 2662	78	86	81	-1.76 51	-0.30 84 45 96	-1.17 89	-3.08 5 88	-1.20 5 92	-2.77 37 87	20.29 38 64	3.43 5 93	104	3 2					

Young Ewes



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed avg
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information					Parents		Selection Indices			EBV - Weights						EBV - Fertility									
Animal ID BDate			Birth Status	% In- breeding	Sire ID Dam ID		DLMI	DGI	DRI	Weaning Weight		Comb	Post-Wean		Lambs weaned		TWW		AFL		ILP		Dam T Lambed N Weaned		
										Dir	Mat		Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index			Acc
Active Breed Average:							100	100	100	0.00		0.14		0.14		-0.25		0.10		0.21		0.27		1.10	
46	1700 24 2036 2024/08/10	1	2.34	1700 22 6098 1700 17 1825	102	94	108	-0.63 25 94	-0.22 32 97	-0.53 94	-1.67 5 94	-0.40 5 96	-1.09 22 94	-15.48 36 136	0.25 5 101	90	2 0								
47	1700 24 2043 2024/02/15	2	2.34	1700 22 6098 1700 17 2091	100	97	104	-0.45 15 95	0.09 9 100	-0.14 98	-0.95 5 97	-0.40 5 96	-0.60 9 96	-6.01 9 117	-0.01 5 102	90	1 0								
48	1700 24 2593 2024/12/15	1	2.35	1700 22 2761 1700 23 8341	88	88	91	-0.89 49 92	-1.06 39 88	-1.50 87	-3.05 8 89	-0.90 8 94	-2.49 36 88	-0.84 39 103	3.55 7 93		2 0								
49	1700 24 2594 2024/12/15	1	2.35	1700 22 2761 1700 23 0469	88	88	91	-0.89 49 92	-1.06 39 88	-1.50 87	-3.05 8 89	-0.90 8 94	-2.49 36 88	-0.84 39 103	3.55 7 93		1 0								
50	1700 24 2595 2024/12/15	1	2.04	1700 22 2761 1700 18 2935	92	85	99	-1.05 49 90	-1.26 39 85	-1.79 84	-4.12 8 84	-0.20 8 97	-2.43 36 88	-4.63 39 113	-0.51 7 103		1 0								
51	1700 24 2597 2024/12/15	1	2.33	1700 22 2761 1700 20 2831	88	87	91	-0.91 50 92	-1.08 42 87	-1.53 86	-3.11 8 88	-0.90 8 94	-2.53 37 88	-0.84 39 103	3.55 7 93	98	2 1								
52	1700 24 2604 2024/12/15	1	2.26	1700 22 2761 1700 21 5185	90	90	92	-0.71 50 93	-0.74 42 91	-1.09 90	-2.31 8 92	-0.90 8 94	-1.99 37 90	-0.84 39 103	3.55 7 93		3 1								
53	1700 24 2605 2024/12/15	1	2.34	1700 20 0149 1700 22 1010	81	88	83	-1.63 47 85	-0.07 28 98	-0.89 92	-2.56 5 91	-1.20 5 92	-2.42 29 88	10.81 15 72	3.69 5 92		2 0								
54	1700 24 2606 2024/12/15	1	2.35	1700 20 0149 1700 23 8282	81	88	83	-1.63 47 85	-0.07 28 98	-0.89 92	-2.56 5 91	-1.20 5 92	-2.42 29 88	10.81 15 72	3.69 5 92		2 0								
55	1700 24 2608 2024/12/15	1	2.34	1700 22 2761 1700 22 9547	88	88	91	-0.89 49 92	-1.06 39 88	-1.50 87	-3.05 8 89	-0.90 8 94	-2.49 36 88	-0.84 39 103	3.55 7 93		2 0								
56	1700 24 2610 2024/12/15	1	2.35	1700 22 2761 1700 23 5122	88	88	91	-0.89 49 92	-1.06 39 88	-1.50 87	-3.05 8 89	-0.90 8 94	-2.49 36 88	-0.84 39 103	3.55 7 93		2 0								
57	1700 24 2612 2024/12/15	1	2.35	1700 20 0149 1700 23 8323	81	88	83	-1.63 47 85	-0.07 28 98	-0.89 92	-2.56 5 91	-1.20 5 92	-2.42 29 88	10.81 15 72	3.69 5 92		1 0								
58	1700 24 2613 2024/12/15	1	2.35	1700 22 2761 1700 23 8352	88	88	91	-0.89 49 92	-1.06 39 88	-1.50 87	-3.05 8 89	-0.90 8 94	-2.49 36 88	-0.85 39 103	3.55 7 93		2 0								
59	1700 24 2617 2024/12/15	1	2.35	1700 22 2761 1700 23 5262	88	88	91	-0.89 49 92	-1.06 39 88	-1.50 87	-3.05 8 89	-0.90 8 94	-2.49 36 88	-0.84 39 103	3.55 7 93		1 0								
60	1700 24 2618 2024/12/15	1	2.35	1700 20 0149 1700 23 8355	81	88	83	-1.63 47 85	-0.07 28 98	-0.89 92	-2.56 5 91	-1.20 5 92	-2.42 29 88	10.81 15 72	3.69 5 92		2 0								

Young Ewes



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed avg
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information					Parents		Selection Indices			EBV - Weights						EBV - Fertility									
Animal ID BDate			Birth Status	% In-breeding	Sire ID Dam ID		DLMI	DGI	DRI	Weaning Weight		Comb	Post-Wean		Lambs weaned		TWW		AFL		ILP		Dam T Lamberd N Weaned		
										Dir	Mat		Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index			Acc
Active Breed Average:							100	100	100	0.00		0.14		0.14		-0.25		0.10		0.21		0.27		1.10	
61	1700 24 2619 2024/12/15	1	2.52	1700 20 0149 - - -	75	88	74	-1.27 47 88	-0.54 28 93	-1.17 89	-2.61 5 90	-0.90 5 94	-2.34 29 89	12.39 15 67	13.51 5 67			0							
62	1700 24 2621 2024/12/15	1	2.34	1700 20 0149 1700 22 6241	81	88	83	-1.63 47 85	-0.07 28 98	-0.89 92	-2.56 5 91	-1.20 5 92	-2.42 29 88	10.81 15 72	3.69 5 92			1 0							
63	1700 24 2622 2024/12/15	1	2.04	1700 22 2761 1700 19 6387	88	88	91	-0.89 49 92	-1.06 39 88	-1.50 87	-3.05 8 89	-0.90 8 94	-2.49 36 88	-0.84 39 103	3.55 7 93			1 0							
64	1700 24 2623 2024/12/15	1	2.26	1700 20 0149 1700 21 2015	82	90	84	-1.52 48 86	0.12 33 100	-0.64 94	-2.12 5 92	-1.20 5 92	-2.12 31 90	10.65 18 72	3.70 5 92	98	2 1								
65	1700 24 2624 2024/12/15	1	2.35	1700 20 0149 1700 23 3070	81	88	83	-1.63 47 85	-0.07 28 98	-0.89 92	-2.56 5 91	-1.20 5 92	-2.42 29 88	10.81 15 72	3.69 5 92			3 1							
66	1700 24 2625 2024/12/15	1	2.33	1700 20 0149 1700 19 1058	81	88	83	-1.63 47 85	-0.07 28 98	-0.89 92	-2.56 5 91	-1.20 5 92	-2.42 29 88	10.81 15 72	3.69 5 92			2 0							
67	1700 24 2627 2024/12/15	1	2.33	1700 20 0149 1700 19 2069	81	88	83	-1.63 47 85	-0.07 28 98	-0.89 92	-2.56 5 91	-1.20 5 92	-2.42 29 88	10.81 15 72	3.69 5 92			2 0							
68	1700 24 2628 2024/12/15	1	2.35	1700 22 2761 1700 23 0527	88	88	91	-0.89 49 92	-1.06 39 88	-1.50 87	-3.05 8 89	-0.90 8 94	-2.49 36 88	-0.84 39 103	3.55 7 93			2 0							
69	1700 24 2630 2024/12/15	1	2.33	1700 22 2761 1700 20 8462	88	88	91	-0.86 50 92	-1.01 42 88	-1.44 87	-2.94 8 89	-0.90 8 94	-2.41 37 88	-0.84 39 103	3.55 7 93	98	2 1								
70	1700 24 2631 2024/12/15	1	2.33	1700 20 0149 1700 19 8461	81	88	83	-1.63 47 85	-0.07 28 98	-0.89 92	-2.56 5 91	-1.20 5 92	-2.42 29 88	10.81 15 72	3.69 5 92			1 0							
71	1700 24 2632 2024/12/15	1	2.33	1700 20 0149 1700 19 9762	81	88	83	-1.63 47 85	-0.07 28 98	-0.89 92	-2.56 5 91	-1.20 5 92	-2.42 29 88	10.81 15 72	3.69 5 92			1 0							
72	1700 24 2633 2024/12/15	1	2.33	1700 22 2761 1700 20 2857	88	88	91	-0.85 50 92	-0.99 42 88	-1.42 87	-2.90 8 89	-0.90 8 94	-2.38 37 88	-0.84 39 103	3.55 7 93			3 1							
73	1700 24 2634 2024/12/15	1	2.35	1700 20 0149 1700 23 0502	81	88	83	-1.63 47 85	-0.07 28 98	-0.89 92	-2.56 5 91	-1.20 5 92	-2.42 29 88	10.81 15 72	3.69 5 92			2 0							
74	1700 24 2636 2024/12/15	1	2.34	1700 22 2761 1700 22 8325	88	88	91	-0.89 49 92	-1.06 39 88	-1.50 87	-3.05 8 89	-0.90 8 94	-2.49 36 88	-0.84 39 103	3.55 7 93			1 0							
75	1700 24 2637 2024/12/15	1	2.04	1700 22 2761 1700 19 6247	88	88	91	-0.89 49 92	-1.06 39 88	-1.50 87	-3.05 8 89	-0.90 8 94	-2.49 36 88	-0.84 39 103	3.55 7 93			1 0							

Young Ewes



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed avg
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information					Parents		Selection Indices			EBV - Weights						EBV - Fertility							
Animal ID BDate		Birth Status	% In- breeding	Sire ID Dam ID	DLMI	DGI	DRI	Weaning Weight		Comb	Post-Wean		Lambs weaned		TWW		AFL		ILP		Dam T Lambed N Weaned		
								Dir	Mat		Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index			Acc
Active Breed Average:					100	100	100	0.00		0.14		0.14		-0.25		0.10		0.21		0.27		1.10	
76	1700 24 2640 2024/12/15	1	2.35	1700 22 2761 1700 23 0447	88	88	91	-0.89 49 92	-1.06 39 88	-1.50 87	-3.05 8 89	-0.90 8 94	-2.49 36 88	-0.84 39 103	3.55 7 93						1 0		
77	1700 24 2643 2024/12/15	1	2.33	1700 20 0149 1700 20 8468	81	88	83	-1.63 47 85	-0.07 28 98	-0.89 92	-2.56 5 91	-1.20 5 92	-2.42 29 88	10.81 15 72	3.69 5 92						1 0		
78	1700 24 2645 2024/12/15	1	2.33	1700 20 0149 1700 18 1128	85	86	92	-1.82 50 84	-0.33 37 95	-1.24 89	-3.75 5 86	-0.40 5 96	-2.38 33 88	7.02 15 82	-0.37 5 103	102					3 3		
79	1700 24 2648 2024/12/15	1	2.26	1700 22 2761 1700 21 0519	84	83	89	-1.17 50 89	-1.55 42 82	-2.13 81	-4.20 8 84	-0.90 8 94	-3.26 37 85	-0.84 39 103	3.55 7 93	96					2 1		
80	1700 24 2654 2024/12/15	2	2.33	1700 20 0149 1700 19 9657	77	84	82	-1.92 48 83	-0.58 33 93	-1.53 86	-3.74 5 86	-1.20 5 92	-3.21 31 85	10.81 15 72	3.69 5 92	96					2 1		
81	1700 24 2655 2024/12/15	2	2.33	1700 20 0149 1700 19 9657	77	84	82	-1.92 48 83	-0.58 33 93	-1.53 86	-3.74 5 86	-1.20 5 92	-3.21 31 85	10.81 15 72	3.69 5 92	96					2 1		
82	1700 24 2657 2024/12/15	2	2.35	1700 22 2761 1700 23 0499	88	88	91	-0.89 49 92	-1.06 39 88	-1.50 87	-3.05 8 89	-0.90 8 94	-2.49 36 88	-0.84 39 103	3.55 7 93						1 0		
83	1700 24 2659 2024/12/15	2	2.26	1700 20 0149 1700 21 3155	80	87	83	-1.70 48 85	-0.20 33 97	-1.05 90	-2.86 5 89	-1.20 5 92	-2.62 31 87	10.72 18 72	3.69 5 92	95					2 1		
84	1700 24 2661 2024/12/15	2	2.35	1700 20 0149 1700 23 0423	81	88	83	-1.63 47 85	-0.07 28 98	-0.89 92	-2.56 5 91	-1.20 5 92	-2.42 29 88	10.81 15 72	3.69 5 92						2 0		
85	1700 24 2662 2024/12/15	2	2.34	1700 22 2761 1700 22 9551	87	89	89	-0.83 50 92	-0.95 42 89	-1.37 88	-2.81 8 90	-0.90 8 94	-2.32 37 89	1.43 40 97	3.49 7 93	96					2 1		
86	1700 24 2663 2024/12/15	2	2.34	1700 22 2761 1700 22 9551	87	89	89	-0.83 50 92	-0.95 42 89	-1.37 88	-2.81 8 90	-0.90 8 94	-2.32 37 89	1.43 40 97	3.49 7 93	96					2 1		
87	1700 24 2669 2024/12/15	2	2.52	1700 20 0149 - - -	75	88	74	-1.27 47 88	-0.54 28 93	-1.17 89	-2.61 5 90	-0.90 5 94	-2.34 29 89	12.39 15 67	13.51 5 67						0		
88	1700 24 2673 2024/12/15	2	2.26	1700 20 0149 1700 21 1577	78	84	82	-1.89 48 83	-0.53 33 93	-1.48 87	-3.63 5 86	-1.20 5 92	-3.14 31 85	10.81 15 72	3.69 5 92						3 1		
89	1700 24 2674 2024/12/15	2	2.33	1700 20 0149 1700 19 6309	81	88	83	-1.63 47 85	-0.07 28 98	-0.89 92	-2.56 5 91	-1.20 5 92	-2.42 29 88	10.81 15 72	3.69 5 92						2 0		
90	1700 24 2675 2024/12/15	2	2.33	1700 20 0149 1700 19 6309	81	88	83	-1.63 47 85	-0.07 28 98	-0.89 92	-2.56 5 91	-1.20 5 92	-2.42 29 88	10.81 15 72	3.69 5 92						2 0		

Young Ewes



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed avg
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information					Parents		Selection Indices			EBV - Weights						EBV - Fertility								
Animal ID BDate		Birth Status	% In- breeding	Sire ID Dam ID		DLMI	DGI	DRI	Weaning Weight		Comb	Post-Wean		Lambs weaned		TWW		AFL		ILP		Dam T Lamberd N Weaned		
									Dir	Mat		Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index			Acc
Active Breed Average:						100	100	100	0.00		0.14		0.14		-0.25		0.10		0.21		0.27		1.10	
91	1700 24 2676 2024/12/15	2	2.33	1700 20 0149 1700 20 8478	81	88	83	-1.63 47	85	-0.07 28	98	-0.89 92	-2.56 5	91	-1.20 5	92	-2.42 29	88	10.81 15	72	3.69 5	92	82	2 0
92	1700 24 2677 2024/12/15	2	2.33	1700 20 0149 1700 20 8478	81	88	83	-1.63 47	85	-0.07 28	98	-0.89 92	-2.56 5	91	-1.20 5	92	-2.42 29	88	10.81 15	72	3.69 5	92	82	2 0
93	1700 24 2682 2024/12/15	1	2.34	1700 22 2761 1700 22 2726	86	85	90	-1.03 50	90	-1.30 42	85	-1.81 84	-3.61 8	86	-0.90 8	94	-2.87 37	86	-0.84 39	103	3.55 7	93		3 1
94	1700 24 2683 2024/12/15	1	2.34	1700 22 2761 1700 22 9587	86	85	90	-1.07 50	90	-1.36 42	84	-1.90 83	-3.77 8	86	-0.90 8	94	-2.97 37	86	-0.94 40	103	3.55 7	93	95	2 1
95	1700 24 2685 2024/12/15	1	2.35	1700 20 0149 1700 23 0445	81	88	83	-1.63 47	85	-0.07 28	98	-0.89 92	-2.56 5	91	-1.20 5	92	-2.42 29	88	10.81 15	72	3.69 5	92		2 0
96	1700 24 2686 2024/12/15	1	2.35	1700 22 2761 1700 23 0508	88	88	91	-0.89 49	92	-1.06 39	88	-1.50 87	-3.05 8	89	-0.90 8	94	-2.49 36	88	-0.84 39	103	3.55 7	93	90	2 0
97	1700 24 2689 2024/12/15	2	2.34	1700 22 2761 1700 22 8382	86	86	90	-0.99 50	91	-1.23 42	86	-1.73 85	-3.46 8	87	-0.90 8	94	-2.76 37	87	-0.84 39	103	3.55 7	93	97	2 1
98	1700 24 2690 2024/12/15	2	2.34	1700 22 2761 1700 22 8382	86	86	90	-0.99 50	91	-1.23 42	86	-1.73 85	-3.46 8	87	-0.90 8	94	-2.76 37	87	-0.84 39	103	3.55 7	93	97	2 1
99	1700 24 2693 2024/12/15	2	2.26	1700 22 2761 1700 21 2073	90	90	92	-0.74 51	93	-0.79 44	91	-1.16 89	-2.43 8	91	-0.90 8	94	-2.07 38	90	-0.84 39	103	3.55 7	93	105	2 2
100	1700 24 2694 2024/12/15	2	2.26	1700 22 2761 1700 21 2073	90	90	92	-0.74 51	93	-0.79 44	91	-1.16 89	-2.43 8	91	-0.90 8	94	-2.07 38	90	-0.84 39	103	3.55 7	93	105	2 2
101	1700 24 2695 2024/12/15	2	2.34	1700 22 2761 1700 22 9488	86	86	90	-1.01 50	91	-1.26 42	86	-1.76 84	-3.53 8	87	-0.90 8	94	-2.81 37	87	-0.84 39	103	3.55 7	93		3 1
102	1700 24 2696 2024/12/15	2	2.34	1700 22 2761 1700 22 9488	86	86	90	-1.01 50	91	-1.26 42	86	-1.76 84	-3.53 8	87	-0.90 8	94	-2.81 37	87	-0.84 39	103	3.55 7	93		3 1
103	1700 24 2697 2024/12/15	2	2.34	1700 22 2761 1700 22 2730	88	88	91	-0.89 49	92	-1.06 39	88	-1.50 87	-3.05 8	89	-0.90 8	94	-2.49 36	88	-0.84 39	103	3.55 7	93		1 0
104	1700 24 2698 2024/12/15	2	2.34	1700 22 2761 1700 22 2730	88	88	91	-0.89 49	92	-1.06 39	88	-1.50 87	-3.05 8	89	-0.90 8	94	-2.49 36	88	-0.84 39	103	3.55 7	93		1 0
105	1700 24 2699 2024/12/15	2	2.35	1700 22 2761 1700 23 8368	88	88	91	-0.89 49	92	-1.06 39	88	-1.50 87	-3.05 8	89	-0.90 8	94	-2.49 36	88	-0.84 39	103	3.55 7	93		2 0

Young Ewes



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed avg
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information				Parents		Selection Indices			EBV - Weights						EBV - Fertility									
Animal ID BDate		Birth Status	% In- breeding	Sire ID Dam ID		DLMI	DGI	DRI	Weaning Weight		Comb	Post-Wean		Lambs weaned		TWW		AFL		ILP		Dam T Lamberd N Weaned		
									Dir	Mat		Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index			Acc
Active Breed Average:						100	100	100	0.00		0.14		0.14		-0.25		0.10		0.21		0.27		1.10	
106	1700 24 2703 2024/12/15	2	2.33	1700 20 0149 1700 20 2140	83	91	84	-1.45 48	0.24 87 33 101	-0.49 95	-1.84 5 94	-1.20 5 92	-1.93 31 90	10.81 15 72	3.69 5 92	99	2 1							
107	1700 24 2704 2024/12/15	2	2.33	1700 20 0149 1700 20 2140	83	91	84	-1.45 48	0.24 87 33 101	-0.49 95	-1.84 5 94	-1.20 5 92	-1.93 31 90	10.81 15 72	3.69 5 92	99	2 1							
108	1700 24 2708 2024/12/15	2	2.35	1700 20 0149 1700 23 3013	81	88	83	-1.63 47	-0.07 85 28 98	-0.89 92	-2.56 5 91	-1.20 5 92	-2.42 29 88	10.81 15 72	3.69 5 92		2 0							
109	1700 24 2713 2024/12/15	3	2.52	1700 20 0149 - - -	75	88	74	-1.27 47	-0.54 88 28 93	-1.17 89	-2.61 5 90	-0.90 5 94	-2.34 29 89	12.39 15 67	13.51 5 67		0							
110	1700 24 2716 2024/12/15	3	2.34	1700 20 0149 1700 22 8423	82	90	84	-1.54 48	0.08 86 33 100	-0.69 93	-2.21 5 92	-1.20 5 92	-2.18 31 89	10.81 15 72	3.69 5 92		3 1							
111	1700 24 5052 2024/05/15	2	2.34	1700 22 6098 1700 22 9579	104	109	97	0.81 42	0.93 106 23 109	1.33 110	2.78 5 112	-1.20 5 92	1.02 25 103	-2.22 9 107	4.05 5 91		3 2							
112	1700 24 5053 2024/05/15	1	2.34	770 21 0295 1700 22 6217	91	102	73	2.70 62	-2.56 122 55 72	-1.21 89	0.99 20 105	-3.80 30 79	-2.14 52 89	-1.69 52 105	8.82 22 79	100	2 3							
113	1700 24 5054 2024/05/15	1	2.34	1700 22 2761 1700 22 6216	97	100	92	0.72 58	-0.61 105 42 92	-0.25 97	0.18 8 102	-0.90 8 94	-0.43 40 97	-0.84 39 103	3.55 7 93	100	1 1							
114	1700 24 5055 2024/05/15	2	2.34	770 21 0295 1700 22 8371	90	101	76	1.60 58	-1.48 113 48 83	-0.68 93	0.72 20 104	-3.80 30 79	-2.16 48 89	-1.02 40 104	8.77 22 79		3 2							
115	1700 24 5056 2024/05/15	2	2.34	770 21 0295 1700 22 8371	91	102	76	1.77 58	-1.51 114 48 83	-0.63 94	0.94 20 105	-3.80 30 79	-2.02 48 90	-1.02 40 104	8.77 22 79		3 2							
116	1700 24 5059 2024/05/15	2	2.35	1700 22 2761 1700 23 3116	87	87	91	-0.86 59	-1.16 92 44 87	-1.59 86	-3.15 8 88	-0.90 8 94	-2.56 41 88	-0.84 39 103	3.55 7 93	102	1 2							
117	1700 24 5061 2024/05/15	2	2.34	1700 22 2761 1700 22 0628	95	97	92	0.39 60	-0.76 103 45 91	-0.57 94	-0.57 8 99	-0.90 8 94	-0.91 42 95	-0.84 39 103	3.55 7 93		2							
118	1700 24 5063 2024/08/10	1	2.34	770 21 0295 1700 22 8440	85	86	81	0.22 52	-2.58 101 52 71	-2.47 79	-3.06 20 89	-3.80 30 79	-4.64 47 79	-11.68 52 132	9.06 22 78	100	2 2							
119	1700 24 5064 2024/05/15	2	2.33	770 21 0295 1700 20 9596	85	94	75	0.77 58	-1.82 106 48 80	-1.44 87	-1.12 20 96	-3.80 30 79	-3.34 48 84	-1.02 40 104	8.77 22 79		3 2							
120	1700 24 5065 2024/05/15	2	2.33	770 21 0295 1700 20 9596	87	97	75	1.25 58	-1.91 110 48 79	-1.29 88	-0.46 20 99	-3.80 30 79	-2.94 48 86	-1.02 40 104	8.77 22 79		3 2							

Young Ewes



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed avg
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information				Parents		Selection Indices			EBV - Weights						EBV - Fertility									
Animal ID BDate		Birth Status	% In- breeding	Sire ID Dam ID		DLMI	DGI	DRI	Weaning Weight		Comb	Post-Wean		Lambs weaned		TWW		AFL		ILP		Dam T Lamed N Weaned		
									Dir	Mat		Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index			Acc
Active Breed Average:						100	100	100	0.00		0.14		0.14		-0.25		0.10		0.21		0.27		1.10	
121	1700 24 5067 2024/05/15	2	2.04	1700 22 2761 1700 19 6287	90	90	90	-0.19 60	98	-1.36 44	84	-1.45 87	-2.34 8	91	-0.90 8	94	-2.09 42	90	-0.84 39	103	3.55 7	93	2	
122	1700 24 5068 2024/05/15	2	2.34	1700 22 9584 1700 19 9697	93	98	93	-0.85 55	92	0.78 28	107	0.36 102	-0.11 5	101	-1.20 5	92	-0.79 32	95	3.06 10	93	3.90 5	92	2	
123	1700 24 5069 2024/05/15	2	2.34	1700 22 9584 1700 19 9697	93	98	93	-0.85 55	92	0.78 28	107	0.36 102	-0.11 5	101	-1.20 5	92	-0.79 32	95	3.06 10	93	3.90 5	92	2	
124	1700 24 5071 2024/05/15	2	2.26	1700 22 9565 1700 21 2073	87	93	84	-0.20 51	98	-0.78 31	91	-0.88 92	-1.37 14	95	-1.50 14	91	-1.88 35	90	3.74 20	91	5.71 13	87	105 2	
125	1700 24 5073 2024/05/15	2	2.04	1700 22 9565 1700 18 5401	90	89	93	-0.59 51	94	-1.05 31	88	-1.35 88	-2.90 14	89	-0.70 14	95	-2.06 35	90	-0.05 20	101	1.65 13	98	104 2	
126	1700 24 5077 2024/05/15	2	1.67	770 21 0295 1700 17 8429	79	79	80	-0.48 58	95	-3.03 48	67	-3.27 72	-5.34 20	79	-3.00 30	83	-5.31 48	76	-4.80 40	114	4.71 22	90	99 2	
127	1700 24 5079 2024/05/15	2	2.34	1700 22 2761 1700 22 2712	88	88	90	-0.60 59	94	-1.23 44	86	-1.53 86	-2.83 8	89	-0.90 8	94	-2.37 41	88	-0.84 39	103	3.55 7	93	2 2	
128	1700 24 5081 2024/05/15	2	2.34	1700 22 9584 1700 20 1058	90	95	92	-1.24 53	89	0.66 24	106	0.04 99	-0.91 5	97	-1.20 5	92	-1.30 30	93	3.06 10	93	3.90 5	92	97 2	
129	1700 24 5085 2024/05/15	1	2.34	770 21 0295 1700 22 2697	85	94	75	0.82 61	106	-1.94 57	78	-1.53 86	-1.19 20	96	-3.80 30	79	-3.40 52	84	-1.39 52	105	8.78 22	79	3 1	
130	1700 24 5086 2024/05/15	1	2.04	1700 22 9565 1700 19 0955	85	90	84	-0.58 49	94	-0.98 28	89	-1.26 88	-2.25 14	92	-1.50 14	91	-2.45 33	88	3.74 20	91	5.71 13	87	3 1	
131	1700 24 5087 2024/08/10	1	2.33	770 21 0295 1700 20 8396	89	92	84	0.45 52	103	-1.88 50	79	-1.65 85	-1.71 20	94	-3.80 30	79	-3.71 46	83	-11.68 52	132	9.06 22	78	1	
132	1700 24 5088 2024/05/15	1	2.26	770 21 0295 1700 21 3155	80	88	74	0.15 57	100	-2.26 46	75	-2.19 81	-2.73 20	90	-3.80 30	79	-4.39 47	80	-1.29 52	104	8.76 22	79	95 2	
133	1700 24 5089 2024/05/15	1	2.33	1700 22 9565 1700 20 2140	89	95	84	0.10 49	100	-0.79 28	91	-0.74 93	-0.89 14	97	-1.50 14	91	-1.59 33	92	3.74 20	91	5.71 13	87	99 2	
134	1700 24 5091 2024/05/15	1	2.26	770 21 0295 1700 21 5185	86	96	75	1.22 57	110	-1.97 46	78	-1.36 88	-0.58 20	99	-3.80 30	79	-3.03 47	86	-1.02 40	104	8.77 22	79	3 1	
135	1700 24 5092 2024/05/15	1	2.34	1700 22 2761 1700 22 2690	87	86	91	-1.13 59	90	-1.05 42	88	-1.61 86	-3.42 8	87	-0.90 8	94	-2.71 41	87	-0.84 39	103	3.55 7	93	1	

Young Ewes



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed avg
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information				Parents		Selection Indices			EBV - Weights						EBV - Fertility									
Animal ID BDate		Birth Status	% In- breeding	Sire ID Dam ID		DLMI	DGI	DRI	Weaning Weight		Comb	Post-Wean		Lambs weaned		TWW		AFL		ILP		Dam T Lamberd N Weaned		
									Dir	Mat		Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index			Acc
Active Breed Average:						100	100	100	0.00		0.14		0.14		-0.25		0.10		0.21		0.27		1.10	
136	1700 24 5094 2024/05/15	1	2.26	770 21 0295 1700 21 2015	85	93	74	0.94 59	-2.14 107	53	76	-1.67 85	-1.28 20	96	-3.80 30	-3.48 50	-1.49 52	8.79 22	79	98	2	1		
137	1700 24 5097 2024/05/15	1	2.34	1700 22 2761 1700 22 1051	84	83	89	-1.13 61	-1.63 90	55	82	-2.19 81	-4.23 8	84	-0.90 8	-3.29 47	-1.19 51	3.55 7	93		3	1		
138	1700 24 5098 2024/05/15	1	2.34	1700 22 9584 1700 21 3108	91	96	92	-1.07 53	0.71 90	24	106	0.17 100	-0.57 5	99	-1.20 5	-1.08 30	3.06 10	3.90 5	92		3	1		
139	1700 24 5099 2024/05/15	1	2.34	1700 22 2761 1700 22 9551	85	90	86	-0.64 58	-0.99 94	42	88	-1.30 88	-2.54 8	91	-0.90 8	-2.16 40	5.96 51	3.36 7	93	96	2	1		
140	1700 24 5101 2024/05/15	1	2.34	1700 22 9584 1700 21 3158	96	102	93	-0.40 54	0.98 96	28	109	0.78 105	0.89 5	105	-1.20 5	-0.15 32	3.06 10	3.90 5	92	99	2	2		
141	1700 24 5103 2024/08/10	1	2.52	770 21 0295 - - -	80	92	68	0.96 51	-2.40 107	50	73	-1.92 83	-1.60 20	94	-3.50 30	-3.54 46	0.56 40	18.59 22	64		0			
142	1700 24 5106 2024/05/15	1	2.34	1700 22 2761 1700 22 8382	85	84	91	-1.32 58	-1.17 88	42	86	-1.83 84	-3.90 8	85	-0.90 8	-3.03 40	-0.84 39	3.55 7	93	97	2	1		
143	1700 24 5109 2024/05/15	1	2.26	770 21 0295 1700 21 0443	86	95	75	1.03 59	-1.96 108	53	78	-1.45 87	-0.88 20	97	-3.80 30	-3.21 50	-1.49 52	8.79 22	79	99	1	1		
144	1700 24 5112 2024/05/15	1	2.34	770 21 0295 1700 22 2689	84	93	74	0.84 62	-2.13 106	59	76	-1.70 85	-1.41 20	95	-3.80 30	-3.56 53	-1.41 52	8.78 22	79	104	2	3		
145	1700 24 5114 2024/05/15	1	2.04	770 21 0295 1700 19 9657	75	81	73	-0.76 57	-2.51 93	46	72	-2.89 75	-4.55 20	83	-3.80 30	-5.55 47	-1.02 40	8.77 22	79	96	2	1		
146	1700 24 5115 2024/05/15	1	2.34	1700 22 2761 1700 22 9488	85	84	91	-1.38 58	-1.19 87	42	86	-1.88 83	-4.04 8	85	-0.90 8	-3.11 40	-0.84 39	3.55 7	93		3	1		
147	1700 24 5117 2024/05/15	1	2.26	1700 22 9565 1700 21 2001	85	90	83	-0.43 50	-1.07 96	28	88	-1.28 88	-2.14 14	92	-1.50 14	-2.40 33	3.74 20	5.71 13	87		1			
148	1700 24 5118 2024/05/15	1	2.34	1700 22 2761 1700 22 2750	88	88	91	-0.86 58	-1.05 92	42	88	-1.48 87	-3.00 8	89	-0.90 8	-2.45 40	-0.84 39	3.55 7	93		3	1		
149	1700 24 5120 2024/05/15	1	2.34	770 21 0295 1700 22 8354	87	97	75	1.12 58	-1.75 109	48	80	-1.20 89	-0.45 20	99	-3.80 30	-2.92 48	-1.00 42	8.76 22	79		3	2		
150	1700 24 5122 2024/05/15	1	2.04	1700 22 9565 1700 19 8462	85	91	84	-0.46 51	-0.99 95	28	88	-1.22 89	-2.08 14	93	-1.50 14	-2.35 34	3.74 20	5.71 13	87		1			

Young Ewes



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed avg
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information				Parents		Selection Indices			EBV - Weights						EBV - Fertility									
Animal ID BDate		Birth Status	% In- breeding	Sire ID Dam ID		DLMI	DGI	DRI	Weaning Weight		Comb	Post-Wean		Lambs weaned		TWW		AFL		ILP		Dam T Lamberd N Weaned		
									Dir	Mat		Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index			Acc
Active Breed Average:						100	100	100	0.00		0.14		0.14		-0.25		0.10		0.21		0.27		1.10	
151	1700 24 5125 2024/05/15	1	2.33	1700 22 2761 1700 20 9520	95	96	92	0.48 60 103		-1.03 50 88		-0.79 92 8 98		-0.79 8 94		-1.09 44 94		-1.55 51 105		3.60 7 93		100	1 1	
152	1700 24 5126 2024/05/15	1	2.34	770 21 0295 1700 22 6263	92	103	76	2.00 59 116		-1.64 53 82		-0.63 94 20 106		-3.80 30 79		-1.91 50 90		-1.67 52 105		8.82 22 79			3 1	
153	1700 24 5128 2024/05/15	1	2.34	770 21 0295 1700 22 8432	85	94	74	0.98 57 108		-2.03 46 77		-1.55 86 20 97		-3.80 30 79		-3.34 47 84		-1.02 40 104		8.77 22 79		99	2 1	
154	1700 24 5130 2024/05/15	1	2.34	1700 22 2761 1700 22 0602	84	83	90	-1.50 58 87		-1.22 42 86		-1.97 83 8 84		-0.90 8 94		-3.26 40 85		-0.84 39 103		3.55 7 93		96	2 1	
155	1700 24 5133 2024/05/15	1	2.33	770 21 0295 1700 20 2102	81	89	74	0.39 58 103		-2.26 46 75		-2.07 82 20 91		-3.80 30 79		-4.16 47 81		-1.02 40 104		8.77 22 79			1	
156	1700 24 5134 2024/05/15	1	2.34	770 21 0295 1700 22 1017	72	77	72	-1.23 60 89		-2.68 53 70		-3.29 72 20 78		-3.80 30 79		-6.19 50 72		-1.10 52 104		8.74 22 79		96	1 1	
157	1700 24 5138 2024/05/15	1	2.34	1700 22 2761 1700 22 2704	79	76	90	-2.35 58 79		-1.45 42 83		-2.63 77 8 77		-0.90 8 94		-4.34 40 80		-0.84 39 103		3.55 7 93		95	2 1	
158	1700 24 5139 2024/05/15	1	2.04	770 21 0295 1700 19 9796	80	87	74	0.10 57 100		-2.27 46 75		-2.23 81 20 89		-3.80 30 79		-4.46 47 80		-1.02 40 104		8.77 22 79		97	2 1	
159	1700 24 5141 2024/05/15	1	2.34	1700 22 9584 1700 19 2041	85	87	91	-2.20 53 81		0.40 24 103		-0.70 93 5 89		-1.20 5 92		-2.52 30 88		3.06 10 93		3.90 5 92		96	1 1	
160	1700 24 5143 2024/05/15	1	2.33	770 21 0295 1700 20 8399	74	80	71	-0.41 60 96		-2.98 54 67		-3.19 73 20 82		-3.80 30 79		-5.67 51 75		-1.24 52 104		8.76 22 79		98	2 2	
161	1700 24 5144 2024/05/15	1	2.34	1700 22 2761 1700 22 9587	82	80	89	-1.46 60 87		-1.83 50 79		-2.56 78 8 80		-0.90 8 94		-3.83 44 82		-1.13 51 104		3.54 7 93		95	2 1	
162	1700 24 5145 2024/05/15	1	2.26	1700 22 2761 1700 21 1567	88	93	86	-0.23 58 97		-0.87 42 90		-0.99 91 8 94		-0.90 8 94		-1.64 40 92		5.85 51 85		3.38 7 93			3 1	
163	1700 24 5147 2024/05/15	1	2.26	1700 22 9565 1700 21 5206	75	82	77	-1.37 52 88		-1.45 33 84		-2.13 81 14 84		-1.50 14 91		-3.71 36 83		10.19 41 73		5.51 13 88		102	2 3	
164	1700 24 5148 2024/05/15	1	2.35	1700 22 2761 1700 23 3090	88	88	91	-0.89 49 92		-1.06 39 88		-1.50 87 8 89		-0.90 8 94		-2.49 36 88		-0.84 39 103		3.55 7 93			3 1	
165	1700 24 5149 2024/05/15	1	2.34	1700 22 9584 1700 18 9739	87	83	99	-2.58 53 77		0.13 24 100		-1.16 89 5 83		-0.40 5 96		-2.69 30 87		-0.73 10 103		-0.16 5 102			2 1	

Young Ewes



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed avg
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information				Parents		Selection Indices			EBV - Weights						EBV - Fertility									
Animal ID BDate		Birth Status	% In- breeding	Sire ID Dam ID		DLMI	DGI	DRI	Weaning Weight		Comb	Post-Wean		Lambs weaned		TWW		AFL		ILP		Dam T Lamberd N Weaned		
									Dir	Mat		Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index			Acc
Active Breed Average:						100	100	100	0.00		0.14		0.14		-0.25		0.10		0.21		0.27		1.10	
166	1700 24 5150 2024/05/15	1	2.34	1700 22 9584 1700 20 8439	86	94	87	-1.36 53	0.63 24	88	106	-0.05 98	-1.15 5	96	-1.20 5	92	-1.45 30	92	9.44 38	75	3.73 5	92	98	1 1
167	1700 24 5153 2024/05/15	1	2.34	770 21 0295 1700 22 8321	73	78	72	-1.06 60	-2.65 53	90	71	-3.18 73	-5.22 20	80	-3.80 30	79	-5.98 50	73	-1.06 52	104	8.73 22	79	96	1 1
168	1700 24 5154 2024/05/15	1	2.33	1700 22 9565 1700 20 2133	84	90	84	-0.58 52	-1.05 33	94	88	-1.34 88	-2.36 14	91	-1.50 14	91	-2.53 36	88	3.74 20	91	5.71 13	87	103	2 3
169	1700 24 5155 2024/05/15	2	2.35	1700 22 2761 1700 23 3116	86	85	91	-1.18 59	-1.10 44	89	87	-1.69 85	-3.59 8	86	-0.90 8	94	-2.82 41	87	-0.84 39	103	3.55 7	93	102	1 2
170	1700 24 5156 2024/05/15	1	2.34	770 21 0295 1700 22 6230	70	74	72	-1.58 57	-2.73 46	86	70	-3.52 70	-6.19 20	76	-3.80 30	79	-6.59 47	71	-1.02 40	104	8.77 22	79	94	1 1
171	1700 24 5157 2024/05/15	1	2.04	1700 22 9565 1700 18 1128	89	88	92	-0.60 52	-1.30 33	94	85	-1.60 86	-3.26 14	88	-0.70 14	95	-2.31 36	89	-0.05 20	101	1.65 13	98	102	3 3
172	1700 24 8160 2024/10/10	1	2.33	1700 22 2761 1700 20 9516	94	96	92	0.22 59	-0.76 42	101	91	-0.64 94	-0.83 8	98	-0.90 8	94	-1.07 41	94	-0.91 51	103	3.55 7	93		1
173	1700 24 8165 2024/08/15	1	2.33	1700 22 2761 1700 20 8357	82	80	90	-1.80 58	-1.30 42	84	85	-2.20 81	-4.87 8	81	-0.90 8	94	-3.64 40	83	-0.84 39	103	3.55 7	93		2 1
174	1700 24 8166 2024/10/10	1	2.34	1700 22 2761 1700 22 8420	97	100	92	0.74 59	-0.67 42	106	92	-0.30 96	0.13 8	101	-0.90 8	94	-0.47 41	96	-1.00 51	103	3.57 7	93		1
175	1700 24 8169 2024/10/10	1	2.26	1700 22 2761 1700 21 2029	93	95	92	-0.06 59	-0.75 42	99	91	-0.78 92	-1.27 8	96	-0.90 8	94	-1.34 41	93	-0.88 51	103	3.55 7	93		1
176	1700 24 8170 2024/08/15	1	2.26	1700 22 2761 1700 21 2710	86	86	91	-1.19 59	-1.08 42	89	87	-1.67 85	-3.56 8	87	-0.90 8	94	-2.80 41	87	-0.84 39	103	3.55 7	93		1
177	1700 24 8171 2024/08/15	1	2.26	1700 22 2761 1700 21 5207	72	67	90	-3.79 60	-1.48 46	67	83	-3.38 71	-8.35 8	67	-0.90 8	94	-5.81 43	74	-0.84 39	103	3.55 7	93	104	2 3
178	1700 24 8175 2024/08/15	1	2.04	1700 22 2761 1700 19 0884	87	86	91	-1.01 59	-1.17 43	91	86	-1.68 85	-3.41 8	87	-0.90 8	94	-2.72 41	87	-0.84 39	103	3.55 7	93		1
179	1700 24 8177 2024/08/15	1	2.04	1700 22 2761 1700 19 0830	84	82	91	-1.58 59	-1.19 42	86	86	-1.98 83	-4.35 8	83	-0.90 8	94	-3.31 41	85	-0.84 39	103	3.55 7	93		1
180	1700 24 8178 2024/08/15	1	2.26	1700 22 2761 1700 21 2668	87	86	91	-1.01 59	-1.12 43	91	87	-1.62 86	-3.33 8	87	-0.90 8	94	-2.66 41	87	-0.84 39	103	3.55 7	93		1

Young Ewes



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed avg
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information				Parents		Selection Indices			EBV - Weights						EBV - Fertility									
Animal ID BDate		Birth Status	% In- breeding	Sire ID Dam ID		DLMI	DGI	DRI	Weaning Weight		Comb	Post-Wean		Lambs weaned		TWW		AFL		ILP		Dam T Lambed N Weaned		
									Dir	Mat		Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index			Acc
Active Breed Average:						100	100	100	0.00	0.14	0.14	-0.25	0.10	0.21	0.27	1.10								
181	1700 24 8179 2024/08/15	1	2.35	1700 22 2761 1700 23 3016	90	91	91	-0.48 58	95	-0.94 42	89	-1.19 89	-2.23 8	92	-0.90 8	94	-1.97 40	90	-0.84 39	103	3.55 7	93	99	1 1
182	1700 24 8181 2024/08/15	1	2.33	1700 22 2761 1700 20 1069	93	95	91	0.17 59	101	-0.98 42	88	-0.90 91	-1.23 8	96	-0.90 8	94	-1.35 41	93	-0.84 39	103	3.55 7	93		1
183	1700 24 8186 2024/08/15	1	2.52	1700 22 2761 - - -	82	87	81	-0.53 49	95	-1.52 39	83	-1.79 84	-3.10 8	88	-0.60 8	95	-2.41 36	88	0.74 39	99	13.37 7	67		0
184	1700 24 8187 2024/08/15	1	2.04	1700 22 2761 1700 19 8429	82	81	90	-1.79 59	84	-1.28 42	85	-2.18 81	-4.83 8	81	-0.90 8	94	-3.61 41	83	-0.84 39	103	3.55 7	93		1
185	1700 24 8189 2024/08/15	1	2.26	1700 22 2761 1700 21 2742	90	90	91	-0.48 59	95	-1.03 43	88	-1.27 88	-2.35 8	91	-0.90 8	94	-2.05 41	90	-0.84 39	103	3.55 7	93		1
186	1700 24 8191 2024/10/10	1	2.26	1700 22 2761 1700 21 5222	96	98	92	0.43 58	103	-0.70 42	92	-0.48 95	-0.41 8	99	-0.90 8	94	-0.81 40	95	-0.96 51	103	3.56 7	93	2 1	
187	1700 24 8192 2024/08/15	1	2.33	1700 22 2761 1700 20 5323	88	88	91	-0.81 58	92	-1.03 42	88	-1.44 87	-2.89 8	89	-0.90 8	94	-2.39 40	88	-0.84 39	103	3.55 7	93	2 1	
188	1700 24 8194 2024/08/15	1	2.33	1700 22 2761 1700 20 1040	83	81	90	-1.67 58	85	-1.27 42	85	-2.10 82	-4.61 8	82	-0.90 8	94	-3.47 40	84	-0.84 39	103	3.55 7	93	97	1 1
189	1700 24 8196 2024/10/10	1	2.33	1700 22 2761 1700 20 2897	102	106	93	1.60 59	113	-0.57 43	93	0.23 101	1.66 8	108	-0.90 8	94	0.49 41	100	-1.19 51	104	3.59 7	93		1
190	1700 24 8200 2024/10/10	1	2.26	1700 22 2761 1700 21 3150	98	101	93	0.76 59	106	-0.59 42	93	-0.21 97	0.28 8	102	-0.90 8	94	-0.37 41	97	-1.07 51	104	3.58 7	93		1
191	1700 24 8204 2024/10/10	1	2.33	1700 22 2761 1700 20 2890	92	93	92	-0.21 58	97	-0.87 42	90	-0.97 91	-1.69 8	94	-0.90 8	94	-1.62 40	92	-0.79 51	103	3.54 7	93	98	1 1
192	1700 24 8206 2024/08/15	1	2.33	1700 22 2761 1700 20 1074	84	82	90	-1.54 59	86	-1.22 42	86	-1.99 83	-4.34 8	83	-0.90 8	94	-3.31 41	85	-0.84 39	103	3.55 7	93		1
193	1700 24 8210 2024/08/15	1	2.52	- - - 1700 21 5225	96	95	100	-0.95 41	91	0.35 23	103	-0.13 98	-1.41 5	95	0.00 5	98	-0.60 25	96	-0.83 5	103	1.11 5	99	99	2 2
194	1700 24 8211 2024/10/10	1	2.04	1700 22 2761 1700 19 1997	91	92	92	-0.43 59	96	-0.85 42	90	-1.07 90	-2.02 8	93	-0.90 8	94	-1.82 41	91	-0.74 51	103	3.53 7	93		1
195	1700 24 8213 2024/08/15	1	2.52	- - - 1700 18 2988	97	88	108	-1.68 40	85	0.06 18	100	-0.78 92	-3.52 5	87	0.70 5	102	-1.20 22	93	-4.62 5	113	-2.95 5	109	98	1 1

Young Ewes



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed avg
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information				Parents	Selection Indices			EBV - Weights						EBV - Fertility										
Animal ID BDate		Birth Status	% In- breeding	Sire ID Dam ID		DLMI	DGI	DRI	Weaning Weight		Comb	Post-Wean		Lambs weaned		TWW		AFL		ILP		Dam T Lambed N Weaned		
									Dir	Mat		Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index			Acc
Active Breed Average:						100	100	100	0.00		0.14		0.14		-0.25		0.10		0.21		0.27		1.10	
196	1700 24 8216 2024/08/15	1	2.04	1700 22 2761 1700 19 6233	85	84	91	-1.61 59	86	-0.92 44	89	-1.72 85	-4.03 8	85	-0.90 8	94	-3.07 41	86	-0.84 39	103	3.55 7	93	99	2 2
197	1700 24 8222 2024/10/10	1	6.48	1700 22 2761 1700 18 8453	87	92	81	0.72 64	105	-2.07 51	77	-1.71 85	-1.86 28	93	-2.10 26	88	-2.61 50	87	0.74 56	99	4.98 24	89	102	3 3
198	1700 24 8228 2024/10/10	1	2.04	1700 22 2761 1700 18 5341	101	98	100	0.55 58	104	-0.82 42	90	-0.55 94	-0.91 8	97	-0.20 8	97	-0.39 40	97	-4.32 51	112	-0.51 7	103	99	1 1
199	1700 24 8233 2024/10/10	1	4.45	1700 22 2761 1700 21 5215	92	95	87	0.82 61	106	-1.72 45	81	-1.31 88	-1.37 16	95	-1.10 17	93	-1.56 45	92	0.86 53	98	3.44 14	93		1
200	1700 24 8234 2024/08/15	1	2.26	1700 22 2761 1700 21 2020	89	89	91	-0.64 51	94	-1.10 39	87	-1.42 87	-2.71 8	90	-0.90 8	94	-2.28 36	89	-0.84 39	103	3.55 7	93		0
201	1700 24 8235 2024/08/15	1	2.34	1700 22 2761 1700 22 8317	88	88	91	-0.89 49	92	-1.06 39	88	-1.50 87	-3.05 8	89	-0.90 8	94	-2.49 36	88	-0.84 39	103	3.55 7	93	90	1 0
202	1700 24 8237 2024/08/15	1	2.34	1700 22 2761 1700 22 8366	86	85	91	-1.40 59	87	-0.96 42	89	-1.66 85	-3.75 8	86	-0.90 8	94	-2.90 41	86	-0.84 39	103	3.55 7	93		1
203	1700 24 8242 2024/08/15	1	2.35	1700 22 2761 1700 23 3098	89	90	91	-0.62 58	94	-0.98 42	88	-1.29 88	-2.51 8	91	-0.90 8	94	-2.14 40	89	-0.84 39	103	3.55 7	93	99	1 1
204	1700 24 8244 2024/08/15	1	2.52	- - - 1700 21 1566	90	87	99	-1.86 41	83	0.05 23	99	-0.89 92	-3.32 5	88	0.00 5	98	-1.82 25	91	-0.83 5	103	1.11 5	99	98	2 2
205	1700 24 8245 2024/08/15	1	2.35	1700 22 2761 1700 23 5157	88	88	91	-0.97 59	91	-0.96 42	89	-1.44 87	-3.05 8	89	-0.90 8	94	-2.47 41	88	-0.84 39	103	3.55 7	93		1
206	1700 24 8247 2024/08/15	1	2.34	1700 22 2761 1700 22 6124	88	88	91	-0.89 49	92	-1.06 39	88	-1.50 87	-3.05 8	89	-0.90 8	94	-2.49 36	88	-0.84 39	103	3.55 7	93	90	1 0
207	1700 24 8248 2024/10/10	1	2.33	1700 22 2761 1700 20 9567	91	92	90	0.13 60	100	-1.44 46	84	-1.37 88	-1.92 8	93	-0.90 8	94	-1.84 43	91	-0.91 51	103	3.55 7	93	101	2 3
208	1700 24 8250 2024/08/15	1	2.04	1700 22 2761 1700 18 1108	93	87	98	-0.68 60	93	-1.42 46	84	-1.76 84	-3.74 8	86	-0.20 8	97	-2.22 43	89	-4.63 39	113	-0.51 7	103	101	2 3
209	1700 24 8251 2024/08/15	1	2.33	1700 22 2761 1700 20 2900	82	80	90	-1.80 58	84	-1.31 42	85	-2.21 81	-4.88 8	81	-0.90 8	94	-3.65 40	83	-0.84 39	103	3.55 7	93		1
210	1700 24 8252 2024/08/15	1	2.34	1700 22 2761 1700 22 6225	90	91	91	-0.46 59	95	-0.96 42	89	-1.19 89	-2.22 8	92	-0.90 8	94	-1.96 41	90	-0.84 39	103	3.55 7	93		1

Young Ewes



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed avg
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information				Parents		Selection Indices			EBV - Weights						EBV - Fertility									
Animal ID BDate		Birth Status	% In- breeding	Sire ID Dam ID		DLMI	DGI	DRI	Weaning Weight		Comb	Post-Wean		Lambs weaned	TWW		AFL		ILP		Dam T Lambed N Weaned			
									Dir	Mat		Acc	Index		Acc	Index	Acc	Index	Acc	Index			Acc	Index
Active Breed Average:						100	100	100	0.00		0.14		0.14		-0.25		0.10		0.21		0.27		1.10	
211	1700 24 8253 2024/08/15	1	2.34	1700 22 2761 1700 22 9485	89	90	91	-0.66 59	94	-0.93 42	89	-1.26 89	-2.50 8	91	-0.90 8	94	-2.13 41	89	-0.84 39	103	3.55 7	93	1	
212	1700 24 8254 2024/10/10	1	2.35	1700 22 2761 1700 23 3028	97	100	92	0.69 58	105	-0.62 42	92	-0.28 97	0.12 8	101	-0.90 8	94	-0.47 40	96	-0.95 51	103	3.56 7	93	2 1	
213	1700 24 8255 2024/10/10	1	2.35	1700 22 2761 1700 23 3092	92	93	92	-0.21 59	97	-0.77 42	91	-0.88 92	-1.55 8	95	-0.90 8	94	-1.52 41	92	-0.79 51	103	3.54 7	93	1	
214	1700 24 8256 2024/08/15	1	2.34	1700 22 2761 1700 22 6190	86	86	91	-1.09 59	90	-1.18 42	86	-1.73 85	-3.56 8	87	-0.90 8	94	-2.82 41	87	-0.84 39	103	3.55 7	93	1	
215	1700 24 8258 2024/10/10	1	2.52	1700 24 5071 1700 22 2004	100	105	94	0.41 43	103	0.67 19	106	0.87 106	1.77 5	108	-1.20 5	92	0.36 24	100	0.52 41	99	3.97 5	92	1	
216	1700 24 8259 2024/10/10	1	2.35	1700 22 2761 1700 23 3115	100	104	93	1.17 59	109	-0.50 42	94	0.08 99	1.07 8	105	-0.90 8	94	0.13 41	99	-1.11 51	104	3.58 7	93	1	
217	1700 24 8261 2024/08/15	1	2.26	1700 22 2761 1700 21 2686	87	87	91	-1.00 59	91	-1.05 42	88	-1.56 86	-3.23 8	88	-0.90 8	94	-2.60 41	87	-0.84 39	103	3.55 7	93	1	
218	1700 24 8262 2024/08/15	1	2.35	1700 22 2761 1700 23 3029	95	98	92	0.54 59	104	-0.86 43	90	-0.59 94	-0.45 8	99	-0.90 8	94	-0.86 41	95	-0.84 39	103	3.55 7	93	1	
219	1700 24 8263 2024/08/15	1	2.34	1700 22 2761 1700 22 8439	90	91	91	-0.34 59	96	-1.07 43	88	-1.24 89	-2.18 8	92	-0.90 8	94	-1.95 41	90	-0.84 39	103	3.55 7	93	1	
220	1700 24 8264 2024/08/15	1	2.34	1700 22 2761 1700 22 9498	90	91	92	-0.54 59	95	-0.89 42	89	-1.16 89	-2.26 8	92	-0.90 8	94	-1.97 41	90	-0.84 39	103	3.55 7	93	1	
221	1700 24 8265 2024/10/10	1	2.34	1700 22 2761 1700 22 8354	93	95	92	-0.08 59	99	-0.66 44	92	-0.70 93	-1.18 8	96	-0.90 8	94	-1.28 41	93	-0.79 51	103	3.54 7	93	3 2	
222	1700 24 8266 2024/08/15	1	2.34	1700 22 2761 1700 22 6255	90	91	91	-0.41 59	96	-0.97 42	89	-1.18 89	-2.16 8	92	-0.90 8	94	-1.93 41	90	-0.84 39	103	3.55 7	93	1	
223	1700 24 8270 2024/10/10	1	2.04	1700 22 2761 1700 19 9575	94	95	92	0.11 58	100	-0.78 42	91	-0.73 93	-1.05 8	97	-0.90 8	94	-1.22 40	93	-0.86 51	103	3.55 7	93	99 1	
224	1700 24 8273 2024/08/15	1	2.04	1700 22 2761 1700 18 8443	89	82	98	-1.31 59	88	-1.47 42	83	-2.13 81	-4.84 8	81	-0.20 8	97	-2.91 41	86	-4.63 39	113	-0.51 7	103	1	
225	1700 24 8275 2024/08/15	1	2.35	1700 22 2761 1700 23 3051	91	92	91	-0.29 59	97	-1.02 42	88	-1.16 89	-2.02 8	93	-0.90 8	94	-1.85 41	91	-0.84 39	103	3.55 7	93	1	

Young Ewes



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed avg
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information				Parents		Selection Indices			EBV - Weights						EBV - Fertility									
Animal ID BDate		Birth Status	% In- breeding	Sire ID Dam ID		DLMI	DGI	DRI	Weaning Weight		Comb	Post-Wean		Lambs weaned		TWW		AFL		ILP		Dam T Lamberd N Weaned		
									Dir	Mat		Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index			Acc
Active Breed Average:						100	100	100	0.00		0.14		0.14		-0.25		0.10		0.21		0.27		1.10	
226	1700 24 8277 2024/08/15	1	2.26	1700 22 2761 1700 21 2064	87	87	90	-0.77 59	93	-1.31 43	85	-1.70 85	-3.22 8	88	-0.90 8	94	-2.62 41	87	-0.84 39	103	3.55 7	93	1	
227	1700 24 8278 2024/10/10	1	2.04	1700 22 2761 1700 19 3153	93	94	92	-0.01 59	99	-0.88 42	90	-0.88 92	-1.37 8	95	-0.90 8	94	-1.43 41	92	-0.78 51	103	3.54 7	93	1	
228	1700 24 8279 2024/08/15	1	2.35	1700 22 2761 1700 23 3088	78	75	89	-2.53 58	78	-1.50 42	83	-2.77 76	-6.33 8	75	-0.90 8	94	-4.57 40	79	-0.84 39	103	3.55 7	93	2 1	
229	1700 24 8281 2024/08/15	1	2.35	1700 22 2761 1700 23 5248	96	99	92	0.56 59	104	-0.72 42	91	-0.44 95	-0.23 8	100	-0.90 8	94	-0.70 41	95	-0.84 39	103	3.55 7	93	1	
230	1700 24 8283 2024/08/15	1	2.52	- - - 1700 19 1026	91	88	100	-1.86 42	83	0.14 19	100	-0.79 92	-3.19 5	88	0.00 5	98	-1.72 23	91	-0.83 5	103	1.11 5	99	1	
231	1700 24 8284 2024/08/15	1	2.35	1700 22 2761 1700 23 5191	88	88	91	-0.89 49	92	-1.06 39	88	-1.50 87	-3.05 8	89	-0.90 8	94	-2.49 36	88	-0.84 39	103	3.55 7	93	2 0	
232	1700 24 8285 2024/08/15	1	2.35	1700 22 2761 1700 23 5142	85	84	90	-1.32 59	88	-1.23 42	86	-1.89 83	-3.99 8	85	-0.90 8	94	-3.09 41	85	-0.84 39	103	3.55 7	93	1	
233	1700 24 8286 2024/10/10	1	2.52	1700 24 5071 1700 21 2762	98	103	94	0.23 43	101	0.52 19	104	0.64 104	1.28 5	106	-1.20 5	92	0.03 24	99	0.61 41	99	3.95 5	92	1	
234	1700 24 8287 2024/10/10	1	2.35	1700 22 2761 1700 23 3109	91	92	92	-0.32 59	97	-0.82 43	90	-0.98 91	-1.79 8	94	-0.90 8	94	-1.68 41	91	-0.75 51	103	3.53 7	93	1	
235	1700 24 8288 2024/10/10	1	2.52	1700 24 5071 1700 20 8435	96	101	93	-0.02 43	99	0.43 19	103	0.42 102	0.74 5	104	-1.20 5	92	-0.32 24	97	0.70 41	99	3.94 5	92	1	
236	1700 24 8290 2024/08/15	1	2.26	1700 22 2761 1700 21 0527	89	90	91	-0.55 59	95	-1.07 42	87	-1.35 88	-2.52 8	91	-0.90 8	94	-2.16 41	89	-0.84 39	103	3.55 7	93	1	
237	1700 24 8292 2024/08/15	1	2.34	1700 22 2761 1700 22 9561	83	81	90	-1.72 59	85	-1.25 43	86	-2.11 82	-4.66 8	82	-0.90 8	94	-3.51 41	84	-0.84 39	103	3.55 7	93	1	
238	1700 24 8293 2024/08/15	1	2.35	1700 22 2761 1700 23 3103	89	89	91	-0.59 59	94	-1.11 43	87	-1.40 87	-2.64 8	90	-0.90 8	94	-2.24 41	89	-0.84 39	103	3.55 7	93	1	
239	1700 24 8294 2024/08/15	1	2.33	1700 22 2761 1700 20 2116	84	83	90	-1.50 59	87	-1.23 42	86	-1.98 83	-4.28 8	84	-0.90 8	94	-3.27 41	85	-0.84 39	103	3.55 7	93	1	
240	1700 24 8295 2024/08/15	1	2.26	1700 22 2761 1700 21 0461	85	84	91	-1.37 59	88	-1.10 42	87	-1.78 84	-3.88 8	85	-0.90 8	94	-3.01 41	86	-0.84 39	103	3.55 7	93	1	

Young Ewes



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed avg
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information				Parents		Selection Indices			EBV - Weights						EBV - Fertility									
Animal ID BDate		Birth Status	% In- breeding	Sire ID Dam ID		DLMI	DGI	DRI	Weaning Weight		Comb	Post-Wean		Lambs weaned		TWW		AFL		ILP		Dam T Lambed N Weaned		
									Dir	Mat		Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index			Acc
Active Breed Average:						100	100	100	0.00		0.14		0.14		-0.25		0.10		0.21		0.27		1.10	
241	1700 24 8300 2024/08/15	1	2.34	1700 22 2761 1700 22 9534	83	81	90	-1.79 59	-1.23 84 43 86	-2.13 81	-4.76 8 82	-0.90 8 94	-3.57 41 83	-0.84 39 103	3.55 7 93									
242	1700 24 8302 2024/10/10	1	2.34	1700 22 2761 1700 22 8324	96	98	92	0.55 59 104	-0.77 42 91	-0.50 95	-0.32 8 100	-0.90 8 94	-0.76 41 95	-0.92 51 103	3.56 7 93									
243	1700 24 8303 2024/08/15	1	2.34	1700 22 2761 1700 22 6187	92	93	91	-0.06 59 99	-0.98 42 88	-1.01 91	-1.60 8 94	-0.90 8 94	-1.58 41 92	-0.84 39 103	3.55 7 93									
244	1700 24 8306 2024/08/15	1	2.33	1700 22 2761 1700 20 8384	86	85	91	-1.22 59 89	-1.16 43 87	-1.76 84	-3.72 8 86	-0.90 8 94	-2.91 41 86	-0.84 39 103	3.55 7 93									
245	1700 24 8307 2024/08/15	1	2.34	1700 22 2761 1700 22 6150	88	87	91	-0.90 50 92	-1.07 42 88	-1.52 86	-3.08 8 88	-0.90 8 94	-2.50 37 88	-0.84 39 103	3.55 7 93	98	2 1							
246	1700 24 8308 2024/08/15	1	2.35	1700 22 2761 1700 23 3001	88	88	91	-0.89 49 92	-1.06 39 88	-1.50 87	-3.05 8 89	-0.90 8 94	-2.49 36 88	-0.84 39 103	3.55 7 93	90	1 0							
247	1700 24 8311 2024/08/15	1	2.34	1700 22 2761 1700 22 1038	72	67	89	-3.59 59 69	-1.74 42 80	-3.53 70	-8.39 8 67	-0.90 8 94	-5.87 41 74	-0.84 39 103	3.55 7 93									
248	1700 24 8313 2024/08/15	1	2.34	1700 22 2761 1700 22 6154	88	88	91	-0.88 58 92	-1.05 42 88	-1.49 87	-3.03 8 89	-0.90 8 94	-2.47 40 88	-0.84 39 103	3.55 7 93	99	1 1							
249	1700 24 8314 2024/08/15	1	2.34	1700 22 2761 1700 22 2759	88	87	91	-1.04 59 90	-0.91 42 89	-1.44 87	-3.10 8 88	-0.90 8 94	-2.50 41 88	-0.84 39 103	3.55 7 93									
250	1700 24 8315 2024/08/15	1	2.52	1700 24 5071 1700 17 4340	95	92	101	-1.03 42 90	0.01 19 99	-0.50 95	-2.00 5 93	-0.40 5 96	-1.26 23 93	-3.05 18 109	-0.10 5 102	97	1 1							
251	1700 24 8316 2024/08/15	1	2.35	1700 22 2761 1700 23 5220	90	90	91	-0.57 58 94	-0.97 42 89	-1.25 89	-2.41 8 91	-0.90 8 94	-2.08 40 90	-0.84 39 103	3.55 7 93									
252	1700 24 8318 2024/10/10	1	2.34	1700 22 2761 1700 22 1015	90	91	91	-0.41 58 96	-0.92 42 89	-1.13 90	-2.08 8 93	-0.90 8 94	-1.87 40 91	-0.69 51 103	3.52 7 93									
253	1700 24 8328 2024/08/15	3	2.34	1700 22 2761 1700 22 1061	86	85	91	-1.39 58 87	-0.96 39 89	-1.66 85	-3.73 8 86	-0.90 8 94	-2.89 39 86	-0.84 39 103	3.55 7 93									
254	1700 24 8330 2024/08/15	2	2.52	- - - 1700 20 1012	85	80	99	-2.72 42 76	-0.23 22 96	-1.59 86	-5.09 5 80	0.00 5 98	-2.95 25 86	-0.83 5 103	1.11 5 99									
255	1700 24 8331 2024/08/15	2	2.04	1700 22 2761 1700 18 9793	92	85	99	-1.05 49 90	-1.26 39 85	-1.79 84	-4.12 8 84	-0.20 8 97	-2.43 36 88	-4.63 39 113	-0.51 7 103									

Young Ewes



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed avg
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information				Parents		Selection Indices			EBV - Weights						EBV - Fertility									
Animal ID BDate		Birth Status	% In- breeding	Sire ID Dam ID		DLMI	DGI	DRI	Weaning Weight		Comb	Post-Wean		Lambs weaned		TWW		AFL		ILP		Dam T Lamberd N Weaned		
									Dir	Mat		Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index			Acc
Active Breed Average:						100	100	100	0.00		0.14		0.14		-0.25		0.10		0.21		0.27		1.10	
256	1700 24 8332 2024/08/15	2	2.04	1700 22 2761 1700 18 9793	92	85	99	-1.05 49	90	-1.26 39	85	-1.79 84	-4.12 8	84	-0.20 8	97	-2.43 36	88	-4.63 39	113	-0.51 7	103	2 0	
257	1700 24 8334 2024/08/15	2	2.26	1700 22 2761 1700 21 2667	78	74	89	-2.54 60	78	-1.53 45	83	-2.79 76	-6.38 8	75	-0.90 8	94	-4.60 42	79	-0.84 39	103	3.55 7	93	2	
258	1700 24 8336 2024/08/15	2	2.04	1700 22 2761 1700 18 2993	92	85	99	-1.05 49	90	-1.26 39	85	-1.79 84	-4.12 8	84	-0.20 8	97	-2.43 36	88	-4.63 39	113	-0.51 7	103	2 0	
259	1700 24 8342 2024/08/15	2	2.33	1700 22 2761 1700 20 2860	89	90	92	-0.83 59	92	-0.77 44	91	-1.18 89	-2.55 8	91	-0.90 8	94	-2.13 41	89	-0.84 39	103	3.55 7	93	106 1 2	
260	1700 24 8344 2024/08/15	2	2.52	- - - 1700 17 4348	101	95	110	-1.18 9	89	0.60 16	105	0.01 99	-1.96 5	93	0.70 5	102	-0.16 10	98	-4.62 5	113	-2.95 5	109	99 1 1	
261	1700 24 8346 2024/08/15	2	2.34	1700 22 2761 1700 22 8309	87	87	91	-0.97 51	91	-1.04 39	88	-1.53 86	-3.16 8	88	-0.90 8	94	-2.55 36	88	-0.84 39	103	3.55 7	93	0	
262	1700 24 8348 2024/08/15	2	2.33	1700 22 2761 1700 20 8366	85	84	91	-1.52 60	86	-0.96 46	89	-1.72 85	-3.93 8	85	-0.90 8	94	-3.01 43	86	-0.84 39	103	3.55 7	93	105 2 3	
263	1700 24 8350 2024/08/15	2	2.33	1700 22 2761 1700 20 8427	89	89	91	-0.53 60	95	-1.16 45	87	-1.42 87	-2.61 8	90	-0.90 8	94	-2.23 42	89	-0.84 39	103	3.55 7	93	2	
264	1700 24 8352 2024/08/15	2	2.35	1700 22 2761 1700 23 3014	88	88	91	-0.89 49	92	-1.06 39	88	-1.50 87	-3.05 8	89	-0.90 8	94	-2.49 36	88	-0.84 39	103	3.55 7	93	90 1 0	
265	1700 24 8353 2024/10/10	2	2.33	1700 22 2761 1700 20 1802	101	106	95	0.96 59	107	0.12 44	100	0.60 104	1.59 8	107	-0.90 8	94	0.54 41	101	-1.11 52	104	3.58 7	93	108 1 2	
266	1700 24 8354 2024/10/10	2	2.33	1700 22 2761 1700 20 1802	103	108	95	1.36 59	111	0.05 44	99	0.72 105	2.13 8	110	-0.90 8	94	0.86 41	102	-1.21 52	104	3.60 7	93	108 1 2	
267	1700 24 8356 2024/08/15	2	2.04	1700 22 2761 1700 19 1014	90	91	92	-0.68 60	93	-0.65 45	92	-0.99 91	-2.14 8	92	-0.90 8	94	-1.87 42	91	-0.84 39	103	3.55 7	93	2	
268	1700 24 8358 2024/08/15	2	2.26	1700 22 2761 1700 21 1598	84	83	89	-1.20 50	89	-1.59 42	82	-2.18 81	-4.29 8	84	-0.90 8	94	-3.32 37	84	-0.84 39	103	3.55 7	93	95 1 1	
269	1700 24 8360 2024/08/15	2	2.33	1700 22 2761 1700 20 9589	90	90	92	-0.73 51	93	-0.74 42	91	-1.11 90	-2.35 8	91	-0.90 8	94	-2.01 38	90	-0.84 39	103	3.55 7	93	1	
270	1700 24 8362 2024/08/15	2	7.14	1700 22 2761 1700 19 6394	83	86	82	0.00 64	99	-2.36 50	74	-2.36 80	-3.56 26	87	-1.30 25	92	-3.14 50	85	1.15 47	98	6.21 22	86	3 2	

Young Ewes



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed avg
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information				Parents		Selection Indices			EBV - Weights						EBV - Fertility								
Animal ID BDate		Birth Status	% In- breeding	Sire ID Dam ID		DLMI	DGI	DRI	Weaning Weight		Comb	Post-Wean		Lambs weaned		TWW		AFL		ILP		Dam T Lambed EPI N Weaned	
									Dir	Mat		Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index		
Active Breed Average:						100	100	100	0.00	0.14	0.14	-0.25	0.10	0.21	0.27	1.10							
271	1700 24 8364 2024/08/15	2	2.33	1700 22 2761 1700 20 5219	82	79	89	-1.56 60	-1.77 86 45	-2.55 78	-5.13 8 80	-0.90 8	-3.87 42 82	-0.84 39 103	3.55 7 93					2			
272	1700 24 8366 2024/08/15	2	2.26	1700 22 2761 1700 21 0530	87	86	91	-1.09 51	-1.02 90 39	-1.56 86	-3.32 8 87	-0.90 8	-2.65 36 87	-0.84 39 103	3.55 7 93					0			
273	1700 24 8370 2024/08/15	2	2.34	1700 22 2761 1700 22 8301	85	85	90	-1.08 51	-1.38 90 44	-1.92 83	-3.82 8 85	-0.90 8	-3.00 38 86	-0.84 39 103	3.55 7 93	99	2	2					
274	1700 24 8376 2024/08/15	2	2.34	1700 22 2761 1700 22 1088	89	89	92	-0.85 59	-0.89 92 42	-1.32 88	-2.76 8 90	-0.90 8	-2.28 41 89	-0.84 39 103	3.55 7 93					1			
275	1700 24 8378 2024/08/15	2	2.34	1700 22 2761 1700 22 8338	87	87	91	-1.02 50	-1.03 91 39	-1.54 86	-3.22 8 88	-0.90 8	-2.59 36 88	-0.84 39 103	3.55 7 93					0			
276	1700 24 8380 2024/08/15	2	2.52	- - - 1700 22 1057	91	88	99	-1.59 15	-0.18 86 21	-0.97 91	-3.18 5 88	0.00 5	-1.76 14 91	-0.83 5 103	1.11 5 99	101	2	2					
277	1700 24 8382 2024/08/15	2	2.04	1700 22 2761 1700 18 0850	92	86	98	-0.74 59	-1.48 93 44	-1.85 84	-3.92 8 85	-0.20 8	-2.34 41 89	-4.63 39 113	-0.51 7 103					2			
278	1700 24 8386 2024/08/15	2	2.34	1700 22 2761 1700 22 2738	86	86	91	-1.19 59	-1.07 89 44	-1.66 85	-3.54 8 87	-0.90 8	-2.79 41 87	-0.84 39 103	3.55 7 93	104	1	2					
279	1700 24 8391 2024/08/15	2	2.26	1700 22 2761 1700 21 5294	85	84	90	-1.10 59	-1.42 90 44	-1.97 83	-3.89 8 85	-0.90 8	-3.05 41 86	-0.84 39 103	3.55 7 93	102	1	2					
280	1700 24 8392 2024/08/15	2	2.26	1700 22 2761 1700 21 5294	83	81	90	-1.76 59	-1.29 84 44	-2.18 81	-4.80 8 82	-0.90 8	-3.60 41 83	-0.84 39 103	3.55 7 93	102	1	2					
281	1700 24 8395 2024/10/10	1	2.35	1700 22 2761 1700 23 3073	93	95	91	0.18 60	-0.90 101 46	-0.80 92	-1.09 8 97	-0.90 8	-1.25 43 93	-0.84 51 103	3.54 7 93	104	3	3					
282	1700 24 8396 2024/08/15	2	2.35	1700 22 2761 1700 23 3073	90	91	92	-0.70 52	-0.73 93 45	-1.08 90	-2.29 8 92	-0.90 8	-1.97 39 90	-0.84 40 103	3.55 7 93	104	3	3					
283	1700 24 8398 2024/08/15	2	2.04	1700 22 2761 1700 18 8563	85	77	97	-1.87 60	-1.85 83 45	-2.79 76	-6.28 8 76	-0.20 8	-3.84 42 82	-4.63 39 113	-0.51 7 103					2			
284	1700 24 8402 2024/08/15	2	2.35	1700 22 2761 1700 23 5124	92	93	91	0.14 60	-1.19 100 45	-1.12 90	-1.56 8 95	-0.90 8	-1.58 42 92	-0.84 39 103	3.55 7 93					2			
285	1700 24 8403 2024/08/15	2	1.67	1700 22 2761 1700 17 4261	92	85	99	-1.05 49	-1.26 90 39	-1.79 84	-4.12 8 84	-0.20 8	-2.43 36 88	-4.63 39 113	-0.51 7 103	90	1	0					

Young Ewes



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed avg
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information				Parents		Selection Indices			EBV - Weights						EBV - Fertility							
Animal ID BDate		Birth Status	% In- breeding	Sire ID Dam ID		DLMI	DGI	DRI	Weaning Weight		Comb	Post-Wean		Lambs weaned	TWW		AFL		ILP		Dam T Lamberd N Weaned	
									Dir	Mat		Acc	Index		Acc	Index	Acc	Index	Acc	Index		
									EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index
Active Breed Average:						100	100	100	0.00	0.14	0.14	-0.25	0.10	0.21	0.27	1.10						
286	1700 24 8404 2024/08/15	2	1.67	1700 22 2761 1700 17 4261	92	85	99	-1.05 49	-1.26 39	90	85	-1.79 84	-4.12 8	84	-0.20 8	-2.43 36	-4.63 39	-0.51 7	103	90	1 0	
287	1700 24 8406 2024/08/15	2	2.04	1700 22 2761 1700 19 9823	88	88	91	-0.87 51	-1.03 44	92	88	-1.46 87	-2.99 8	89	-0.90 8	-2.44 38	-0.84 39	3.55 7	93	97	2 2	
288	1700 24 8410 2024/08/15	2	2.34	1700 22 2761 1700 22 9570	88	88	91	-0.89 49	-1.06 39	92	88	-1.50 87	-3.05 8	89	-0.90 8	-2.49 36	-0.84 39	3.55 7	93	90	1 0	
289	1700 24 8414 2024/08/15	2	2.26	1700 22 2761 1700 21 1639	88	89	91	-0.70 51	-1.09 39	93	87	-1.44 87	-2.79 8	90	-0.90 8	-2.33 36	-0.84 39	3.55 7	93		0	
290	1700 24 8417 2024/08/15	2	2.34	1700 22 2761 1700 22 6132	78	74	90	-2.79 60	-1.29 45	76	85	-2.68 77	-6.46 8	75	-0.90 8	-4.62 42	-0.84 39	3.55 7	93		2	
291	1700 24 8418 2024/08/15	2	2.34	1700 22 2761 1700 22 6132	83	81	89	-1.46 60	-1.53 45	87	83	-2.26 80	-4.64 8	82	-0.90 8	-3.53 42	-0.84 39	3.55 7	93		2	
292	1700 24 8420 2024/08/15	2	2.34	1700 22 2761 1700 22 9566	86	85	90	-1.07 52	-1.36 45	90	84	-1.90 83	-3.77 8	86	-0.90 8	-2.97 39	-0.84 39	3.55 7	93	104	2 3	
293	1700 24 8424 2024/08/15	2	2.04	1700 22 2761 1700 19 9640	85	84	91	-1.30 52	-1.18 42	88	86	-1.83 84	-3.88 8	85	-0.90 8	-3.02 38	-0.84 39	3.55 7	93		1	
294	1700 24 8426 2024/08/15	2	2.34	1700 22 2761 1700 22 8292	87	87	91	-0.92 59	-1.09 42	91	87	-1.56 86	-3.16 8	88	-0.90 8	-2.56 41	-0.84 39	3.55 7	93		1	
295	1700 24 8428 2024/08/15	2	2.52	- - - 1700 18 2105	99	91	109	-1.38 9	0.24 16	87	101	-0.45 95	-2.79 5	90	0.70 5	-0.72 10	-4.62 5	-2.95 5	109	97	1 1	
296	1700 24 8429 2024/10/10	1	2.33	1700 22 2761 1700 20 1759	88	89	91	-0.76 58	-1.02 42	93	88	-1.40 87	-2.80 8	90	-0.90 8	-2.33 40	-0.63 51	3.51 7	93	97	1 1	
297	1700 24 8431 2024/10/10	1	2.33	1700 22 2761 1700 20 1049	93	87	99	-0.94 50	-1.05 39	91	88	-1.52 86	-3.11 8	88	-0.90 8	-2.52 36	-10.92 50	3.82 7	92		0	
298	1700 24 8432 2024/08/15	2	2.35	1700 22 2761 1700 23 5209	89	89	93	-1.16 51	-0.41 42	89	95	-0.99 91	-2.59 8	90	-0.90 8	-2.11 38	-0.84 39	3.55 7	93		1	
299	1700 24 8433 2024/08/15	2	2.35	1700 22 2761 1700 23 5209	93	95	92	-0.17 59	-0.59 42	98	93	-0.68 93	-1.24 8	96	-0.90 8	-1.31 41	-0.84 39	3.55 7	93		1	
300	1700 24 8435 2024/10/24	1	2.04	1700 22 2761 1700 19 6301	92	85	99	-1.39 51	-0.96 39	87	89	-1.66 85	-3.73 8	86	-0.90 8	-2.89 36	-10.92 50	3.82 7	92		0	

Young Ewes



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed avg
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information					Parents		Selection Indices			EBV - Weights						EBV - Fertility							
Animal ID BDate		Birth Status	% In- breeding	Sire ID Dam ID		DLMI	DGI	DRI	Weaning Weight		Comb	Post-Wean		Lambs weaned		TWW		AFL		ILP		Dam T Lambed N Weaned	
									Dir	Mat		Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index		
Active Breed Average:						100	100	100	0.00	0.14	0.14	-0.25	0.10	0.21	0.27	1.10							
301	1700 24 8436 2024/08/15	2	2.33	1700 22 2761 1700 20 8495	88	88	92	-1.08 59	-0.70 44	-1.23 89	-2.85 8	-0.90 8	-2.31 41	-0.87 40	3.55 7			3 2					
302	1700 24 8438 2024/10/10	1	2.33	1700 22 2761 1700 20 8495	93	95	91	0.17 59	-0.93 44	-0.84 92	-1.15 8	-0.90 8	-1.30 41	-0.92 51	3.56 7			3 2					
303	1700 24 8440 2024/10/10	1	2.26	1700 22 2761 1700 21 5272	86	86	91	-1.27 59	-0.90 44	-1.53 86	-3.44 8	-0.90 8	-2.71 41	-0.49 51	3.49 7	100		3 2					
304	1700 24 8442 2024/10/10	1	2.33	1700 22 2761 1700 20 1771	90	91	91	-0.27 59	-1.12 44	-1.25 89	-2.13 8	-0.90 8	-1.92 41	-0.80 51	3.54 7	100		2 2					
305	1700 24 8444 2024/08/15	2	6.27	1700 22 2761 1700 18 8670	86	90	83	0.26 64	-1.94 50	-1.82 84	-2.75 25	-1.20 25	-2.41 50	0.02 46	7.40 22			2					
306	1700 24 8446 2024/08/15	2	2.26	1700 22 2761 1700 21 6179	86	86	90	-1.00 50	-1.24 42	-1.74 85	-3.48 8	-0.90 8	-2.77 37	-0.84 39	3.55 7	96		1 1					
307	1700 24 8449 2024/08/15	2	2.33	1700 22 2761 1700 20 1822	88	87	91	-0.93 50	-1.05 39	-1.51 86	-3.11 8	-0.90 8	-2.52 36	-0.84 39	3.55 7			0					
308	1700 24 8450 2024/08/15	2	2.33	1700 22 2761 1700 20 1822	88	87	91	-0.93 50	-1.05 39	-1.51 86	-3.11 8	-0.90 8	-2.52 36	-0.84 39	3.55 7			0					
309	1700 24 8452 2024/08/15	2	2.04	1700 22 2761 1700 18 2083	92	86	99	-0.84 59	-1.34 44	-1.76 84	-3.89 8	-0.20 8	-2.30 41	-4.63 39	-0.51 7	104		1 2					
310	1700 24 8454 2024/08/15	2	2.04	1700 22 2761 1700 19 9599	88	88	91	-0.88 50	-1.03 42	-1.47 87	-3.00 8	-0.90 8	-2.45 37	-0.84 39	3.55 7			2 1					
311	1700 24 8455 2024/08/15	2	2.33	1700 22 2761 1700 20 8347	86	85	91	-1.39 51	-0.96 39	-1.66 85	-3.73 8	-0.90 8	-2.89 36	-0.84 39	3.55 7			0					
312	1700 24 8456 2024/08/15	2	2.33	1700 22 2761 1700 20 8347	86	85	91	-1.39 51	-0.96 39	-1.66 85	-3.73 8	-0.90 8	-2.89 36	-0.84 39	3.55 7			0					
313	1700 24 8458 2024/10/10	1	2.04	1700 22 2761 1700 18 2906	96	91	99	-0.32 58	-1.06 42	-1.22 89	-2.65 8	-0.20 8	-1.50 40	-4.09 51	-0.54 7	91		2 1					
314	1700 24 8465 2024/08/15	2	2.04	1700 22 2761 1700 19 6398	83	82	90	-1.52 60	-1.36 45	-2.12 82	-4.49 8	-0.90 8	-3.41 42	-0.84 39	3.55 7			2					
315	1700 24 8467 2024/08/15	2	2.33	1700 22 2761 1700 20 1077	90	90	92	-0.71 60	-0.81 45	-1.17 89	-2.42 8	-0.90 8	-2.06 42	-0.80 40	3.54 7			2					

Young Ewes



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed avg
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information				Parents		Selection Indices			EBV - Weights				EBV - Fertility									
Animal ID BDate		Birth Status	% In- breeding	Sire ID Dam ID		DLMI	DGI	DRI	Weaning Weight		Comb	Post-Wean		Lambs weaned	TWW		AFL		ILP		Dam T Lamberd N Weaned	
									Dir	Mat		Acc	Index		Acc	Index	Acc	Index	Acc	Index		
Active Breed Average:						100	100	100	0.00	0.14	0.14	-0.25	0.10	0.21	0.27	1.10						
316	1700 24 8468 2024/10/10	1	2.33	1700 22 2761 1700 20 1077	90	90	92	-0.64 60	-0.83 45 94	-1.15 89	-2.33 8 92	-0.90 8 94	-2.01 42 90	-0.72 51 103	3.53 7 93					2		
317	1700 24 8469 2024/10/10	1	2.04	1700 22 2761 1700 18 0846	99	95	100	0.22 58 101	-0.91 42 89	-0.80 92	-1.57 8 95	-0.20 8 97	-0.81 40 95	-4.25 51 112	-0.52 7 103					3 1		
318	1700 24 8470 2024/08/15	2	2.04	1700 22 2761 1700 18 0846	95	90	101	-0.74 50 93	-0.73 42 91	-1.11 90	-2.89 8 89	-0.20 8 97	-1.60 37 92	-4.51 40 113	-0.51 7 103					3 1		
319	1700 24 8471 2024/08/15	2	2.35	1700 22 2761 1700 23 3055	85	83	90	-1.25 60 89	-1.39 45 84	-2.01 82	-4.10 8 84	-0.90 8 94	-3.18 42 85	-0.84 39 103	3.55 7 93					2		
320	1700 24 8472 2024/08/15	2	2.35	1700 22 2761 1700 23 3055	82	81	90	-1.79 60 84	-1.29 45 85	-2.18 81	-4.83 8 81	-0.90 8 94	-3.61 42 83	-0.84 39 103	3.55 7 93					2		
321	1700 24 8476 2024/10/10	1	2.04	1700 22 2761 1700 18 2970	96	91	99	-0.29 58 97	-1.05 42 88	-1.20 89	-2.59 8 90	-0.20 8 97	-1.46 40 92	-4.09 51 112	-0.54 7 103	98			1 1			
322	1700 24 8477 2024/01/02	1	2.26	1700 22 2761 1700 21 5216	88	88	91	-0.89 49 92	-1.06 39 88	-1.50 87	-3.05 8 89	-0.90 8 94	-2.49 36 88	-0.84 39 103	3.55 7 93	93			2 1			
323	1700 24 8478 2024/08/15	2	2.26	1700 22 2761 1700 21 5216	88	88	91	-0.89 49 92	-1.06 39 88	-1.50 87	-3.05 8 89	-0.90 8 94	-2.49 36 88	-0.84 39 103	3.55 7 93	93			2 1			
324	1700 25 0533 2025/10/10	2	2.34	1700 20 0149 1700 22 6100	81	88	83	-1.63 47 85	-0.07 28 98	-0.89 92	-2.56 5 91	-1.20 5 92	-2.42 29 88	10.81 15 72	3.69 5 92					3 0		
325	1700 25 0534 2025/10/10	2	2.34	1700 20 0149 1700 22 6100	81	88	83	-1.63 47 85	-0.07 28 98	-0.89 92	-2.56 5 91	-1.20 5 92	-2.42 29 88	10.81 15 72	3.69 5 92					3 0		
326	1700 25 0536 2025/10/10	2	2.26	1700 20 0149 1700 21 2045	79	86	82	-1.79 48 84	-0.35 33 95	-1.24 89	-3.21 5 88	-1.20 5 92	-2.86 31 86	10.81 15 72	3.69 5 92					2 1		
327	1700 25 0537 2025/10/10	1	2.34	1700 20 0149 1700 22 1049	81	88	83	-1.63 47 85	-0.07 28 98	-0.89 92	-2.56 5 91	-1.20 5 92	-2.42 29 88	10.81 15 72	3.69 5 92					3 0		
328	1700 25 0539 2025/10/10	2	2.34	770 14 0314 1700 22 8371	94	102	87	0.59 52 104	-0.14 53 97	0.15 100	1.14 47 106	-1.40 46 91	-0.39 51 97	0.57 48 99	8.86 41 79					3 2		
329	1700 25 0541 2025/10/10	2	2.35	1700 22 2761 1700 23 5265	88	88	91	-0.89 49 92	-1.06 39 88	-1.50 87	-3.05 8 89	-0.90 8 94	-2.49 36 88	-0.84 39 103	3.55 7 93					2 0		
330	1700 25 0545 2025/10/10	1	2.19	1700 24 5057 1700 19 6254	87	88	90	-1.11 28 90	-0.76 25 91	-1.32 88	-2.84 5 89	-1.10 5 93	-2.53 21 88	0.04 19 101	3.75 5 92					2 1		

Young Ewes



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed avg
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information				Parents		Selection Indices			EBV - Weights						EBV - Fertility									
Animal ID BDate		Birth Status	% In- breeding	Sire ID Dam ID		DLMI	DGI	DRI	Weaning Weight		Comb	Post-Wean		Lambs weaned		TWW		AFL		ILP		Dam T Lamberd N Weaned		
									Dir	Mat		Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index			Acc
Active Breed Average:						100	100	100	0.00		0.14		0.14		-0.25		0.10		0.21		0.27		1.10	
331	1700 25 0546 2025/10/10	1	2.43	1700 23 0462 1700 24 8286	95	100	94	-0.31 22	0.52 9	0.36 102	0.39 5	-1.20 5	-0.52 12	0.77 20	3.96 5	1	0							
332	1700 25 0548 2025/10/10	1	2.34	1700 22 2761 1700 22 2712	87	87	91	-0.95 51	-1.17 44	-1.64 85	-3.31 8	-0.90 8	-2.66 38	-0.84 39	3.55 7	2	2							
333	1700 25 0551 2025/10/10	2	2.34	770 14 0314 1700 22 8339	88	95	84	0.11 50	-0.96 49	-0.91 91	-0.78 47	-1.40 46	-1.69 49	0.57 48	8.86 41	2	0							
334	1700 25 0552 2025/10/10	2	2.34	770 14 0314 1700 22 8339	88	95	84	0.11 50	-0.96 49	-0.91 91	-0.78 47	-1.40 46	-1.69 49	0.57 48	8.86 41	2	0							
335	1700 25 0554 2025/10/10	2	2.35	1700 23 0462 1700 24 8169	93	95	93	-0.46 29	-0.12 21	-0.35 96	-0.88 5	-1.10 5	-1.23 20	0.03 25	3.75 5	1	0							
336	1700 25 0556 2025/10/10	2	2.35	1700 23 0462 1700 24 8431	93	92	96	-0.90 25	-0.27 19	-0.72 93	-1.81 5	-1.10 5	-1.82 18	-5.00 25	3.89 5	1	0							
337	1700 25 0559 2025/10/10	1	2.35	1700 22 2761 1700 23 0502	88	88	91	-0.89 49	-1.06 39	-1.50 87	-3.05 8	-0.90 8	-2.49 36	-0.84 39	3.55 7	2	0							
338	1700 25 0560 2025/10/10	1	2.35	1700 22 2761 1700 23 8341	88	88	91	-0.89 49	-1.06 39	-1.50 87	-3.05 8	-0.90 8	-2.49 36	-0.84 39	3.55 7	2	0							
339	1700 25 0563 2025/10/10	1	2.35	1700 22 2761 1700 23 5242	88	88	91	-0.89 49	-1.06 39	-1.50 87	-3.05 8	-0.90 8	-2.49 36	-0.84 39	3.55 7	2	0							
340	1700 25 0564 2025/10/10	1	2.35	1700 22 2761 1700 23 0550	88	88	91	-0.89 49	-1.06 39	-1.50 87	-3.05 8	-0.90 8	-2.49 36	-0.84 39	3.55 7	2	0							
341	1700 25 0566 2025/10/10	1	2.35	1700 23 0462 1700 24 8442	91	94	92	-0.56 30	-0.30 22	-0.58 94	-1.31 5	-1.10 5	-1.52 21	0.07 25	3.75 5	1	0							
342	1700 25 0569 2025/10/10	1	2.34	1700 24 5057 1700 22 9579	96	99	94	-0.39 29	0.48 28	0.28 101	0.05 5	-1.10 5	-0.57 23	0.04 19	3.75 5	3	2							
343	1700 25 0571 2025/10/10	1	2.35	1700 23 0462 1700 24 8254	95	98	93	-0.08 29	-0.05 21	-0.10 98	-0.19 5	-1.10 5	-0.80 20	-0.01 25	3.76 5	1	0							
344	1700 25 0574 2025/10/10	3	2.19	1700 24 5057 1700 18 5268	95	91	101	-0.93 28	-0.39 25	-0.85 92	-2.55 5	-0.30 5	-1.49 21	-3.74 19	-0.30 5	2	1							
345	1700 25 0577 2025/10/10	4	2.30	1700 24 5057 1700 21 5337	90	92	92	-0.83 26	-0.28 19	-0.69 93	-1.71 5	-1.10 5	-1.77 18	0.04 19	3.75 5	1	0							

Young Ewes



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed avg
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information				Parents		Selection Indices			EBV - Weights						EBV - Fertility								
Animal ID BDate		Birth Status	% In- breeding	Sire ID Dam ID		DLMI	DGI	DRI	Weaning Weight		Comb	Post-Wean		Lambs weaned		TWW		AFL		ILP		Dam T Lambed N Weaned	
									Dir	Mat		Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index		
Active Breed Average:						100	100	100	0.00	0.14	0.14	-0.25	0.10	0.21	0.27	1.10							
346	1700 25 0578 2025/10/10	4	2.30	1700 24 5057 1700 21 5337	90	92	92	-0.83 26 92	-0.28 19 96	-0.69 93	-1.71 5 94	-1.10 5 93	-1.77 18 91	0.04 19 101	3.75 5 92	1	0						
347	1700 25 0583 2025/10/10	2	2.35	1700 23 0462 1700 24 8191	94	97	93	-0.22 29 97	-0.09 21 98	-0.20 97	-0.46 5 99	-1.10 5 93	-0.97 20 94	-0.01 25 101	3.76 5 92	1	0						
348	1700 25 0584 2025/10/10	2	2.35	1700 23 0462 1700 24 8191	94	97	93	-0.22 29 97	-0.09 21 98	-0.20 97	-0.46 5 99	-1.10 5 93	-0.97 20 94	-0.01 25 101	3.76 5 92	1	0						
349	1700 25 0588 2025/10/10	2	2.35	1700 20 0149 1700 23 2667	81	88	83	-1.63 47 85	-0.07 28 98	-0.89 92	-2.56 5 91	-1.20 5 92	-2.42 29 88	10.81 15 72	3.69 5 92	1	0						
350	1700 25 0589 2025/10/10	2	2.34	1700 20 0149 1700 22 6265	81	88	83	-1.63 47 85	-0.07 28 98	-0.89 92	-2.56 5 91	-1.20 5 92	-2.42 29 88	10.81 15 72	3.69 5 92	2	0						
351	1700 25 0590 2025/10/10	2	2.34	1700 20 0149 1700 22 6265	81	88	83	-1.63 47 85	-0.07 28 98	-0.89 92	-2.56 5 91	-1.20 5 92	-2.42 29 88	10.81 15 72	3.69 5 92	2	0						
352	1700 25 0591 2025/10/10	1	2.35	1700 23 0462 1700 24 8476	94	94	96	-0.57 29 94	-0.27 21 96	-0.56 94	-1.54 5 95	-0.70 5 95	-1.26 20 93	-1.58 25 105	1.71 5 97	1	0						
353	1700 25 0592 2025/10/10	1	2.35	1700 23 0462 1700 24 8353	97	101	94	0.05 30 100	0.32 22 102	0.34 102	0.55 5 103	-1.10 5 93	-0.29 21 97	-0.09 26 101	3.77 5 92	1	0						
354	1700 25 0595 2025/10/10	1	2.35	1700 24 5057 1700 23 5220	91	93	92	-0.75 28 93	-0.15 25 97	-0.52 95	-1.40 5 95	-1.10 5 93	-1.56 21 92	0.04 19 101	3.75 5 92	2	1						
355	1700 25 0597 2025/10/10	2	2.35	1700 22 2761 1700 23 3028	92	94	93	-0.51 50 95	-0.40 42 95	-0.65 93	-1.52 8 95	-0.90 8 94	-1.45 37 92	-0.88 40 103	3.55 7 93	2	1						
356	1700 25 0598 2025/10/10	1	2.04	1700 22 2761 1700 18 4194	92	85	99	-1.05 49 90	-1.26 39 85	-1.79 84	-4.12 8 84	-0.20 8 97	-2.43 36 88	-4.63 39 113	-0.51 7 103	2	0						
357	1700 25 0600 2025/10/10	2	2.35	1700 24 5057 1700 23 0501	90	92	92	-0.83 26 92	-0.28 19 96	-0.69 93	-1.71 5 94	-1.10 5 93	-1.77 18 91	0.04 19 101	3.75 5 92	1	0						
358	1700 25 0602 2025/10/10	2	2.35	1700 24 5057 1700 23 2616	90	92	92	-0.83 26 92	-0.28 19 96	-0.69 93	-1.71 5 94	-1.10 5 93	-1.77 18 91	0.04 19 101	3.75 5 92	1	0						
359	1700 25 0606 2025/10/10	2	2.35	1700 23 0462 1700 24 8302	94	97	93	-0.16 29 98	-0.13 21 98	-0.21 97	-0.41 5 99	-1.10 5 93	-0.94 20 94	0.00 25 101	3.76 5 92	1	0						
360	1700 25 0612 2025/10/10	2	2.35	1700 23 0462 1700 24 8233	92	96	90	-0.02 31 99	-0.60 23 93	-0.61 94	-0.94 8 97	-1.20 8 92	-1.34 23 93	0.89 26 98	3.70 7 92	1	0						

Young Ewes



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed avg
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information				Parents		Selection Indices			EBV - Weights						EBV - Fertility							
Animal ID BDate		Birth Status	% In- breeding	Sire ID Dam ID		DLMI	DGI	DRI	Weaning Weight		Comb	Post-Wean		Lambs weaned	TWW		AFL		ILP		Dam T Lamberd N Weaned	
									Dir	Mat		Acc	Index		Acc	Index	Acc	Index	Acc	Index		
Active Breed Average:						100	100	100	0.00	0.14	0.14	-0.25	0.10	0.21	0.27	1.10						
361	1700 25 0616 2025/10/10	3	2.35	770 14 0314 1700 23 8282	88	95	84	0.11 50	-0.96 49	-0.91 91	-0.78 47	46	-1.40 91	-1.69 49	0.57 48	8.86 41	2 0					
362	1700 25 0619 2025/10/10	2	2.34	770 14 0314 1700 22 1010	88	95	84	0.11 50	-0.96 49	-0.91 91	-0.78 47	46	-1.40 91	-1.69 49	0.57 48	8.86 41	2 0					
363	1700 25 0620 2025/10/10	2	2.33	1700 22 2761 1700 20 5234	88	88	91	-0.89 49	-1.06 39	-1.50 87	-3.05 8	8	-0.90 94	-2.49 36	-0.84 39	3.55 7	2 0					
364	1700 25 0621 2025/10/10	2	2.33	1700 22 2761 1700 20 5234	88	88	91	-0.89 49	-1.06 39	-1.50 87	-3.05 8	8	-0.90 94	-2.49 36	-0.84 39	3.55 7	2 0					
365	1700 25 0622 2025/10/10	1	2.35	1700 23 0462 1700 24 8318	91	94	92	-0.63 29	-0.20 21	-0.52 95	-1.29 5	5	-1.10 93	-1.50 20	0.12 25	3.74 5	1 0					
366	1700 25 0624 2025/10/10	1	2.33	1700 20 0149 1700 19 9599	81	89	84	-1.61 48	-0.05 33	-0.85 92	-2.51 5	5	-1.20 92	-2.38 31	10.81 15	3.69 5	2 1					
367	1700 25 0626 2025/10/10	1	2.34	1700 22 2761 1700 22 9547	88	88	91	-0.89 49	-1.06 39	-1.50 87	-3.05 8	8	-0.90 94	-2.49 36	-0.84 39	3.55 7	2 0					
368	1700 25 0628 2025/10/10	2	2.33	1700 24 5057 1700 20 8494	90	92	92	-0.83 26	-0.28 19	-0.69 93	-1.71 5	5	-1.10 93	-1.77 18	0.04 19	3.75 5	3 0					
369	1700 25 0629 2025/10/10	2	2.33	1700 24 5057 1700 20 8494	90	92	92	-0.83 26	-0.28 19	-0.69 93	-1.71 5	5	-1.10 93	-1.77 18	0.04 19	3.75 5	3 0					
370	1700 25 0632 2025/10/10	3	2.35	1700 22 2761 1700 23 0527	88	88	91	-0.89 49	-1.06 39	-1.50 87	-3.05 8	8	-0.90 94	-2.49 36	-0.84 39	3.55 7	2 0					
371	1700 25 0634 2025/10/10	3	2.04	1700 22 2761 1700 18 9739	89	81	98	-1.29 50	-1.68 42	-2.33 80	-5.10 8	8	-0.20 97	-3.09 37	-4.63 39	-0.51 7	2 1					
372	1700 25 0635 2025/10/10	3	2.04	1700 22 2761 1700 18 9739	89	81	98	-1.29 50	-1.68 42	-2.33 80	-5.10 8	8	-0.20 97	-3.09 37	-4.63 39	-0.51 7	2 1					
373	1700 25 0636 2025/10/10	3	2.04	1700 22 2761 1700 18 9739	89	81	98	-1.29 50	-1.68 42	-2.33 80	-5.10 8	8	-0.20 97	-3.09 37	-4.63 39	-0.51 7	2 1					
374	1700 25 0640 2025/10/10	1	2.35	1700 23 0462 1700 24 8255	92	95	92	-0.54 29	-0.13 21	-0.40 96	-1.03 5	5	-1.10 93	-1.32 20	0.07 25	3.75 5	1 0					
375	1700 25 0643 2025/10/10	1	2.35	1700 23 0462 1700 24 8440	89	91	92	-1.06 29	-0.19 22	-0.72 93	-1.97 5	5	-1.10 93	-1.91 21	0.22 25	3.73 5	1 0					

Young Ewes



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed avg
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information				Parents		Selection Indices			EBV - Weights						EBV - Fertility									
Animal ID BDate		Birth Status	% In- breeding	Sire ID Dam ID		DLMI	DGI	DRI	Weaning Weight		Comb	Post-Wean		Lambs weaned		TWW		AFL		ILP		Dam T Lambed N Weaned		
									Dir	Mat		Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index			Acc
Active Breed Average:						100	100	100	0.00		0.14		0.14		-0.25		0.10		0.21		0.27		1.10	
376	1700 25 0646 2025/10/18	1	2.35	1700 22 2761 1700 23 8355	88	88	91	-0.89 49	92	-1.06 39	88	-1.50 87	-3.05 8	89	-0.90 8	94	-2.49 36	88	-0.84 39	103	3.55 7	93	2 0	
377	1700 25 0651 2025/10/10	3	2.26	770 14 0314 1700 21 3108	89	96	85	0.20 51	101	-0.82 51	90	-0.73 93	-0.45 47	99	-1.40 46	91	-1.47 50	92	0.57 48	99	8.86 41	79	3 1	
378	1700 25 0652 2025/10/10	3	2.26	770 14 0314 1700 21 3108	89	96	85	0.20 51	101	-0.82 51	90	-0.73 93	-0.45 47	99	-1.40 46	91	-1.47 50	92	0.57 48	99	8.86 41	79	3 1	
379	1700 25 0654 2025/10/10	2	2.34	1700 22 2761 1700 22 2726	86	85	90	-1.03 50	90	-1.30 42	85	-1.81 84	-3.61 8	86	-0.90 8	94	-2.87 37	86	-0.84 39	103	3.55 7	93	3 1	
380	1700 25 0655 2025/10/10	2	2.34	1700 22 2761 1700 22 8417	91	91	92	-0.64 50	94	-0.63 42	92	-0.95 91	-2.05 8	93	-0.90 8	94	-1.81 37	91	-0.84 39	103	3.55 7	93	2 1	
381	1700 25 0656 2025/10/10	2	2.34	1700 22 2761 1700 22 8417	91	91	92	-0.64 50	94	-0.63 42	92	-0.95 91	-2.05 8	93	-0.90 8	94	-1.81 37	91	-0.84 39	103	3.55 7	93	2 1	
382	1700 25 0658 2025/10/10	2	2.35	1700 23 0462 1700 24 8429	90	93	92	-0.81 29	92	-0.25 21	96	-0.66 93	-1.65 5	94	-1.10 5	93	-1.72 20	91	0.15 25	100	3.74 5	92	1 0	
383	1700 25 0671 2025/10/10	2	2.19	1700 24 5057 1700 18 0846	98	95	102	-0.68 28	93	0.04 25	99	-0.30 96	-1.55 5	95	-0.30 5	97	-0.82 21	95	-3.62 22	111	-0.31 5	103	3 1	
384	1700 25 0678 2025/10/10	2	2.33	1700 20 0149 1700 20 9596	83	92	85	-1.41 49	87	0.30 35	102	-0.41 95	-1.70 5	94	-1.20 5	92	-1.83 32	91	10.81 15	72	3.69 5	92	3 2	
385	1700 25 0680 2025/10/10	2	2.35	1700 23 0462 1700 24 8196	97	101	93	0.37 30	102	-0.03 21	99	0.16 100	0.58 5	103	-1.10 5	93	-0.32 21	97	-0.13 25	101	3.78 5	92	1 0	
386	1700 25 0683 2025/10/10	3	2.35	770 14 0314 1700 23 5122	88	95	84	0.11 50	100	-0.96 49	89	-0.91 91	-0.78 47	98	-1.40 46	91	-1.69 49	91	0.57 48	99	8.86 41	79	2 0	
387	1700 25 0687 2025/10/10	1	2.34	1700 24 5057 1700 22 1051	89	91	92	-0.92 28	91	-0.43 27	94	-0.89 92	-2.07 5	93	-1.10 5	93	-2.01 22	90	-0.07 22	101	3.75 5	92	3 1	
388	1700 25 0698 2025/10/10	2	2.34	1700 24 5057 1700 22 9488	89	90	91	-0.95 28	91	-0.48 25	94	-0.96 91	-2.19 5	92	-1.10 5	93	-2.09 21	90	0.04 19	101	3.75 5	92	3 1	
389	1700 25 0699 2025/10/10	2	2.04	1700 22 2761 1700 19 2069	88	88	91	-0.89 49	92	-1.06 39	88	-1.50 87	-3.05 8	89	-0.90 8	94	-2.49 36	88	-0.84 39	103	3.55 7	93	2 0	
390	1700 25 0700 2025/10/10	2	2.04	1700 22 2761 1700 19 2069	88	88	91	-0.89 49	92	-1.06 39	88	-1.50 87	-3.05 8	89	-0.90 8	94	-2.49 36	88	-0.84 39	103	3.55 7	93	2 0	

Young Ewes



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed avg
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information				Parents		Selection Indices			EBV - Weights				EBV - Fertility										
Animal ID BDate		Birth Status	% In- breeding	Sire ID Dam ID		DLMI	DGI	DRI	Weaning Weight		Comb	Post-Wean		Lambs weaned	TWW		AFL		ILP		Dam T Lamberd N Weaned		
									Dir	Mat		Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc			Index
Active Breed Average:						100	100	100	0.00	0.14	0.14	-0.25	0.10	0.21	0.27	1.10							
391	1700 25 0702 2025/10/10	1	2.35	1700 24 5057 1700 23 3083	92	95	93	-0.68 28	93	-0.03 25	99	-0.37 96	-1.13 5	96	-1.10 5	93	-1.37 21	93	0.04 19	101	3.75 5	92	2 1
392	1700 25 0703 2025/10/10	2	2.04	770 14 0314 1700 19 1058	88	95	84	0.11 50	100	-0.96 49	89	-0.91 91	-0.78 47	98	-1.40 46	91	-1.69 49	91	0.57 48	99	8.86 41	79	2 0
393	1700 25 0704 2025/10/10	2	2.04	770 14 0314 1700 19 1058	88	95	84	0.11 50	100	-0.96 49	89	-0.91 91	-0.78 47	98	-1.40 46	91	-1.69 49	91	0.57 48	99	8.86 41	79	2 0
394	1700 25 0711 2025/10/10	1	2.30	1700 24 5057 1700 21 3147	94	97	94	-0.55 28	95	0.21 25	101	-0.07 98	-0.58 5	99	-1.10 5	93	-1.00 21	94	0.04 19	101	3.75 5	92	3 1
395	1700 25 0712 2025/10/10	1	2.35	1700 23 0462 1700 24 8468	91	93	92	-0.75 30	93	-0.16 22	97	-0.53 94	-1.41 5	95	-1.10 5	93	-1.57 21	92	0.11 25	101	3.74 5	92	1 0
396	1700 25 0716 2025/10/10	1	2.30	1700 24 5057 1700 21 5222	94	97	94	-0.52 28	95	0.27 25	102	0.01 99	-0.44 5	99	-1.10 5	93	-0.91 21	95	0.01 22	101	3.76 5	92	2 1
397	1700 25 0717 2025/10/10	1	2.26	1700 20 0149 1700 21 8374	84	92	85	-1.39 47	87	0.33 33	102	-0.36 96	-1.62 5	94	-1.20 5	92	-1.78 31	91	10.81 15	72	3.69 5	92	2 1
398	1700 25 0718 2025/10/10	1	2.35	1700 24 5057 1700 23 8307	90	92	92	-0.83 26	92	-0.28 19	96	-0.69 93	-1.71 5	94	-1.10 5	93	-1.77 18	91	0.04 19	101	3.75 5	92	2 0
399	1700 25 0721 2025/10/10	2	2.35	1700 23 0462 1700 24 8200	95	99	93	-0.05 29	99	-0.04 21	99	-0.06 98	-0.11 5	100	-1.10 5	93	-0.75 20	95	-0.07 25	101	3.77 5	92	1 0
400	1700 25 0722 2025/10/10	1	7.14	1700 22 2761 1700 19 6394	82	85	82	-0.25 58	97	-2.31 49	74	-2.44 79	-3.91 26	85	-1.30 25	92	-3.35 47	84	1.15 47	98	6.21 22	86	3 2
401	1700 25 0726 2025/10/24	1	2.34	1700 22 2761 1700 22 8413	88	88	91	-0.89 50	92	-1.06 39	88	-1.50 87	-3.05 8	89	-0.90 8	94	-2.49 36	88	-0.84 39	103	3.55 7	93	0
402	1700 25 0727 2025/10/24	1	2.34	1700 22 2761 1700 22 9498	89	89	92	-0.93 51	91	-0.82 42	90	-1.28 88	-2.78 8	90	-0.90 8	94	-2.28 38	89	-0.84 39	103	3.55 7	93	1
403	1700 25 0728 2025/10/24	1	2.04	1700 22 2761 1700 19 1026	87	87	90	-0.79 52	93	-1.33 42	85	-1.73 85	-3.28 8	88	-0.90 8	94	-2.66 38	87	-0.84 39	103	3.55 7	93	1
404	1700 25 0729 2025/10/24	1	2.33	1700 22 2761 1700 20 8384	87	86	90	-0.95 52	91	-1.21 42	86	-1.68 85	-3.36 8	87	-0.90 8	94	-2.70 38	87	-0.84 39	103	3.55 7	93	1
405	1700 25 0730 2025/10/24	1	2.34	1700 22 2761 1700 22 9477	89	89	92	-0.81 51	92	-0.84 42	90	-1.24 89	-2.62 8	90	-0.90 8	94	-2.19 38	89	-0.84 39	103	3.55 7	93	1

Young Ewes



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed avg
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information				Parents		Selection Indices			EBV - Weights						EBV - Fertility									
Animal ID BDate		Birth Status	% In- breeding	Sire ID Dam ID		DLMI	DGI	DRI	Weaning Weight		Comb	Post-Wean		Lambs weaned		TWW		AFL		ILP		Dam T Lambded N Weaned		
									Dir	Mat		Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index			Acc
Active Breed Average:						100	100	100	0.00		0.14		0.14		-0.25		0.10		0.21		0.27		1.10	
406	1700 25 0732 2025/10/24	1	2.35	1700 23 0462 1700 21 2711	93	96	93	-0.83 17	92	0.47 16	104	0.05 99	-0.52 5	99	-1.20 5	92	-1.08 13	94	0.93 5	98	3.96 5	92	1	
407	1700 25 0734 2025/10/24	1	2.26	1700 22 2761 1700 21 2710	87	86	91	-1.05 51	90	-1.10 42	87	-1.63 85	-3.39 8	87	-0.90 8	94	-2.70 38	87	-0.84 39	103	3.55 7	93	1	
408	1700 25 0735 2025/10/24	1	2.35	1700 23 0462 1700 23 8337	94	98	93	-0.48 10	95	0.45 5	104	0.20 100	0.01 5	101	-1.20 5	92	-0.76 5	95	0.93 5	98	3.96 5	92	0	
409	1700 25 0737 2025/10/24	1	2.04	1700 22 2761 1700 18 2969	96	92	101	-0.48 51	95	-0.77 42	91	-1.01 91	-2.51 8	91	-0.20 8	97	-1.37 38	93	-4.63 39	113	-0.51 7	103	1	
410	1700 25 0738 2025/10/24	1	2.35	1700 22 2761 1700 23 3092	89	90	92	-0.89 51	92	-0.64 42	92	-1.09 90	-2.48 8	91	-0.90 8	94	-2.08 38	90	-0.83 40	103	3.54 7	93	1	
411	1700 25 0741 2025/10/24	2	2.04	1700 22 2761 1700 19 9640	85	84	91	-1.30 52	88	-1.18 42	86	-1.83 84	-3.88 8	85	-0.90 8	94	-3.02 38	86	-0.84 39	103	3.55 7	93	1	
412	1700 25 0742 2025/10/24	2	2.04	1700 22 2761 1700 19 9640	85	84	91	-1.30 52	88	-1.18 42	86	-1.83 84	-3.88 8	85	-0.90 8	94	-3.02 38	86	-0.84 39	103	3.55 7	93	1	
413	1700 25 0752 2025/10/24	4	2.26	1700 22 2761 1700 21 2667	81	79	89	-1.75 53	84	-1.67 44	81	-2.55 78	-5.31 8	79	-0.90 8	94	-3.96 39	82	-0.84 39	103	3.55 7	93	2	
414	1700 25 0753 2025/10/24	4	2.26	1700 22 2761 1700 21 2667	81	79	89	-1.75 53	84	-1.67 44	81	-2.55 78	-5.31 8	79	-0.90 8	94	-3.96 39	82	-0.84 39	103	3.55 7	93	2	
415	1700 25 0756 2025/10/24	1	2.35	1700 23 0462 1700 23 5142	92	95	93	-0.87 15	92	0.27 16	102	-0.17 97	-0.86 5	97	-1.20 5	92	-1.32 12	93	0.93 5	98	3.96 5	92	1	
416	1700 25 0758 2025/10/24	1	2.26	1700 22 2761 1700 21 2746	89	89	91	-0.75 52	93	-0.97 42	89	-1.34 88	-2.70 8	90	-0.90 8	94	-2.26 38	89	-0.84 39	103	3.55 7	93	1	
417	1700 25 0761 2025/10/24	1	2.04	1700 22 2761 1700 19 3153	90	91	92	-0.57 51	94	-0.77 42	91	-1.06 90	-2.14 8	92	-0.90 8	94	-1.89 38	90	-0.82 40	103	3.54 7	93	1	
418	1700 25 0764 2025/10/24	1	2.35	1700 23 0462 1700 23 0559	93	97	93	-0.71 10	93	0.49 5	104	0.13 100	-0.30 5	100	-1.20 5	92	-0.95 5	94	0.93 5	98	3.96 5	92	0	
419	1700 25 0767 2025/10/24	2	2.35	1700 23 0462 1700 23 0500	94	98	93	-0.61 10	94	0.47 5	104	0.16 100	-0.16 5	100	-1.20 5	92	-0.87 5	95	0.93 5	98	3.96 5	92	0	
420	1700 25 0768 2025/10/24	2	2.35	1700 23 0462 1700 23 0500	94	98	93	-0.61 10	94	0.47 5	104	0.16 100	-0.16 5	100	-1.20 5	92	-0.87 5	95	0.93 5	98	3.96 5	92	0	

Young Ewes



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed avg
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information				Parents		Selection Indices			EBV - Weights						EBV - Fertility									
Animal ID BDate		Birth Status	% In- breeding	Sire ID Dam ID		DLMI	DGI	DRI	Weaning Weight		Comb	Post-Wean		Lambs weaned		TWW		AFL		ILP		Dam T Lambed N Weaned		
									Dir	Mat		Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index			Acc
Active Breed Average:						100	100	100	0.00		0.14		0.14		-0.25		0.10		0.21		0.27		1.10	
421	1700 25 0769 2025/10/24	2	2.35	1700 23 0462 1700 23 3084	93	97	94	-0.86 15	92	0.66 16	106	0.23 101	-0.29 5	100	-1.20 5	92	-0.92 12	95	0.93 5	98	3.96 5	92	1	
422	1700 25 0770 2025/10/24	2	2.35	1700 23 0462 1700 23 3084	93	97	94	-0.86 15	92	0.66 16	106	0.23 101	-0.29 5	100	-1.20 5	92	-0.92 12	95	0.93 5	98	3.96 5	92	1	
423	1700 25 0774 2025/10/24	2	2.35	1700 23 0462 1700 22 8439	95	99	93	-0.46 18	95	0.53 16	105	0.30 101	0.17 5	102	-1.20 5	92	-0.65 13	96	0.93 5	98	3.96 5	92	1	
424	1700 25 0775 2025/10/24	1	2.35	1700 23 0462 1700 22 6160	92	95	93	-0.99 15	91	0.45 16	104	-0.04 98	-0.79 5	98	-1.20 5	92	-1.26 12	93	0.93 5	98	3.96 5	92	1	
425	1700 25 0779 2025/10/24	2	2.35	1700 23 0462 1700 22 8292	93	96	93	-0.82 15	92	0.46 16	104	0.05 99	-0.50 5	99	-1.20 5	92	-1.07 12	94	0.93 5	98	3.96 5	92	1	
426	1700 25 0784 2025/10/24	2	2.33	1700 22 2761 1700 20 8457	90	91	91	-0.55 52	95	-0.91 42	89	-1.18 89	-2.30 8	92	-0.90 8	94	-2.00 38	90	-0.84 39	103	3.55 7	93	1	
427	1700 25 0792 2025/10/24	2	2.33	1700 22 2761 1700 20 1074	86	85	90	-1.06 51	90	-1.31 42	85	-1.84 84	-3.69 8	86	-0.90 8	94	-2.92 38	86	-0.84 39	103	3.55 7	93	1	
428	1700 25 0794 2025/10/24	3	2.34	1700 22 2761 1700 22 6143	85	84	90	-1.14 51	90	-1.37 42	84	-1.94 83	-3.90 8	85	-0.90 8	94	-3.05 38	86	-0.84 39	103	3.55 7	93	1	
429	1700 25 0795 2025/10/24	3	2.34	1700 22 2761 1700 22 6143	85	84	90	-1.14 51	90	-1.37 42	84	-1.94 83	-3.90 8	85	-0.90 8	94	-3.05 38	86	-0.84 39	103	3.55 7	93	1	
430	1700 25 0796 2025/10/24	1	2.35	1700 23 0462 1700 22 9534	90	93	92	-1.19 18	89	0.23 16	101	-0.37 96	-1.43 5	95	-1.20 5	92	-1.68 13	91	0.93 5	98	3.96 5	92	1	
431	1700 25 0797 2025/10/24	1	2.35	1700 23 0462 1700 23 5157	92	96	94	-1.08 15	90	0.64 16	106	0.10 100	-0.68 5	98	-1.20 5	92	-1.16 12	94	0.93 5	98	3.96 5	92	1	
432	1700 25 0801 2025/10/24	2	2.04	1700 22 2761 1700 19 8462	88	88	91	-0.78 52	93	-1.03 42	88	-1.42 87	-2.84 8	89	-0.90 8	94	-2.35 38	89	-0.84 39	103	3.55 7	93	1	
433	1700 25 0803 2025/10/24	2	2.35	1700 23 0462 1700 23 8276	93	97	93	-0.76 10	93	0.50 5	104	0.12 100	-0.37 5	99	-1.20 5	92	-0.99 5	94	0.93 5	98	3.96 5	92	0	
434	1700 25 0804 2025/10/24	2	2.35	1700 23 0462 1700 23 0403	93	96	93	-0.86 10	92	0.52 5	104	0.08 99	-0.51 5	99	-1.20 5	92	-1.07 5	94	0.93 5	98	3.96 5	92	0	
435	1700 25 0805 2025/10/24	2	2.35	1700 23 0462 1700 23 0403	93	96	93	-0.86 10	92	0.52 5	104	0.08 99	-0.51 5	99	-1.20 5	92	-1.07 5	94	0.93 5	98	3.96 5	92	0	

Young Ewes



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed avg
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information				Parents		Selection Indices			EBV - Weights						EBV - Fertility									
Animal ID BDate		Birth Status	% In- breeding	Sire ID Dam ID		DLMI	DGI	DRI	Weaning Weight		Comb	Post-Wean		Lambs weaned		TWW		AFL		ILP		Dam T Lamberd N Weaned		
									Dir	Mat		Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index			Acc
Active Breed Average:						100	100	100	0.00		0.14		0.14		-0.25		0.10		0.21		0.27		1.10	
436	1700 25 0807 2025/10/24	2	2.04	1700 22 2761 1700 18 8563	88	80	97	-1.25 52	89	-1.97 44	78	-2.59 78	-5.43 8	79	-0.20 8	97	-3.34 39	84	-4.63 39	113	-0.51 7	103	2	
437	1700 25 0808 2025/10/24	2	2.35	1700 23 0462 1700 23 2677	91	94	94	-1.40 15	87	0.62 5	105	-0.09 98	-1.23 5	96	-1.20 5	92	-1.50 7	92	0.93 5	98	3.96 5	92	0	
438	1700 25 0810 2025/10/24	2	2.34	1700 22 2761 1700 22 6206	89	90	91	-0.48 50	95	-1.13 39	87	-1.37 88	-2.49 8	91	-0.90 8	94	-2.15 36	89	-0.84 39	103	3.55 7	93	0	
439	1700 25 0811 2025/10/24	2	2.34	1700 22 2761 1700 22 6206	89	90	91	-0.48 50	95	-1.13 39	87	-1.37 88	-2.49 8	91	-0.90 8	94	-2.15 36	89	-0.84 39	103	3.55 7	93	0	
440	1700 25 0814 2025/10/24	1	2.35	1700 23 0462 1700 23 0415	93	97	93	-0.76 11	93	0.50 5	104	0.12 100	-0.36 5	99	-1.20 5	92	-0.98 5	94	0.93 5	98	3.96 5	92	0	
441	1700 25 0816 2025/10/24	2	2.35	1700 23 0462 1700 19 0911	95	99	94	-0.67 11	94	0.84 16	108	0.51 103	0.27 5	102	-1.20 5	92	-0.55 10	96	0.93 5	98	3.96 5	92	2 1	
442	1700 25 0817 2025/10/24	2	2.35	1700 23 0462 1700 19 0911	95	99	94	-0.67 11	94	0.84 16	108	0.51 103	0.27 5	102	-1.20 5	92	-0.55 10	96	0.93 5	98	3.96 5	92	2 1	
443	1700 25 0820 2025/10/24	2	2.33	1700 22 2761 1700 20 0660	90	90	91	-0.41 51	96	-1.14 39	87	-1.35 88	-2.40 8	91	-0.90 8	94	-2.09 36	90	-0.84 39	103	3.55 7	93	0	
444	1700 25 0823 2025/10/24	2	2.35	1700 23 0462 1700 21 2064	94	98	92	-0.35 18	96	0.19 16	101	0.01 99	-0.13 5	100	-1.20 5	92	-0.89 13	95	0.93 5	98	3.96 5	92	1	
445	1700 25 0825 2025/10/24	2	2.04	1700 22 2761 1700 19 2003	86	86	91	-1.20 51	89	-1.00 39	88	-1.60 86	-3.47 8	87	-0.90 8	94	-2.74 36	87	-0.84 39	103	3.55 7	93	0	
446	1700 25 0827 2025/10/24	2	2.04	1700 22 2761 1700 19 0884	88	87	90	-0.78 52	93	-1.22 42	86	-1.61 86	-3.09 8	88	-0.90 8	94	-2.53 38	88	-0.84 39	103	3.55 7	93	1	
447	1700 25 0828 2025/10/24	1	2.35	1700 23 0462 1700 20 9516	96	101	95	-0.58 15	94	0.97 16	109	0.68 104	0.59 5	103	-1.20 5	92	-0.33 12	97	0.91 10	98	3.96 5	92	1	
448	1700 25 0832 2025/10/24	1	2.26	1700 22 2761 1700 21 0530	87	86	91	-1.09 51	90	-1.02 39	88	-1.56 86	-3.32 8	87	-0.90 8	94	-2.65 36	87	-0.84 39	103	3.55 7	93	0	
449	1700 25 0833 2025/10/24	1	2.26	1700 22 2761 1700 21 0473	88	88	91	-0.79 51	93	-1.07 39	87	-1.47 87	-2.92 8	89	-0.90 8	94	-2.41 36	88	-0.84 39	103	3.55 7	93	0	
450	1700 25 0834 2025/10/24	1	2.34	1700 22 2761 1700 22 9557	84	83	90	-1.48 52	87	-1.28 42	85	-2.02 82	-4.32 8	83	-0.90 8	94	-3.30 38	85	-0.84 39	103	3.55 7	93	1	

Young Ewes



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed avg
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information				Parents		Selection Indices			EBV - Weights						EBV - Fertility									
Animal ID BDate		Birth Status	% In- breeding	Sire ID Dam ID		DLMI	DGI	DRI	Weaning Weight		Comb	Post-Wean		Lambs weaned		TWW		AFL		ILP		Dam T Lamed N Weaned		
									Dir	Mat		Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index			Acc
Active Breed Average:						100	100	100	0.00		0.14		0.14		-0.25		0.10		0.21		0.27		1.10	
451	1700 25 0837 2025/10/24	1	2.35	1700 22 2761 1700 23 0462	1700 23 0462 1700 22 2004	87	86	91	-1.14 51 90	-1.01 39 88	-1.58 86	-3.40 8 87	-0.90 8 94	-2.69 36 87	-0.84 39 103	3.55 7 93							0	
452	1700 25 0843 2025/10/24	2	2.35	1700 23 0462 1700 22 2004	1700 23 0462 1700 22 2004	94	99	95	-0.87 14 92	0.91 16 109	0.47 103	0.03 5 101	-1.20 5 92	-0.69 12 96	0.86 10 98	3.96 5 92							1	
453	1700 25 0844 2025/10/24	2	2.35	1700 23 0462 1700 22 2004	1700 23 0462 1700 22 2004	94	99	95	-0.87 14 92	0.91 16 109	0.47 103	0.03 5 101	-1.20 5 92	-0.69 12 96	0.86 10 98	3.96 5 92							1	
454	1700 25 0845 2025/10/24	2	2.35	1700 23 0462 1700 20 8347	1700 23 0462 1700 20 8347	91	94	94	-1.35 15 88	0.61 5 105	-0.07 98	-1.17 5 96	-1.20 5 92	-1.47 7 92	0.93 5 98	3.96 5 92							0	
455	1700 25 0846 2025/10/24	2	2.35	1700 23 0462 1700 20 8347	1700 23 0462 1700 20 8347	91	94	94	-1.35 15 88	0.61 5 105	-0.07 98	-1.17 5 96	-1.20 5 92	-1.47 7 92	0.93 5 98	3.96 5 92							0	
456	1700 25 0849 2025/10/24	1	2.26	1700 22 2761 1700 21 3150	1700 22 2761 1700 21 3150	92	94	93	-0.53 51 95	-0.35 42 95	-0.61 94	-1.47 8 95	-0.90 8 94	-1.42 38 92	-0.92 40 103	3.56 7 93							1	
457	1700 25 0851 2025/10/24	2	2.35	1700 23 0462 1700 23 0392	1700 23 0462 1700 23 0392	92	96	93	-0.97 10 91	0.53 5 105	0.05 99	-0.64 5 98	-1.20 5 92	-1.15 5 94	0.93 5 98	3.96 5 92							0	
458	1700 25 0853 2025/10/24	2	2.33	1700 22 2761 1700 20 1822	1700 22 2761 1700 20 1822	88	87	91	-0.93 50 91	-1.05 39 88	-1.51 86	-3.11 8 88	-0.90 8 94	-2.52 36 88	-0.84 39 103	3.55 7 93							0	
459	1700 25 0855 2025/10/24	1	2.33	1700 22 2761 1700 20 8435	1700 22 2761 1700 20 8435	88	88	91	-0.80 51 92	-1.01 42 88	-1.40 87	-2.83 8 89	-0.90 8 94	-2.34 38 89	-0.86 40 103	3.54 7 93							1	
460	1700 25 0856 2025/10/24	1	2.35	1700 23 0462 1700 23 0567	1700 23 0462 1700 23 0567	89	91	94	-1.87 10 83	0.70 5 106	-0.23 97	-1.87 5 93	-1.20 5 92	-1.89 5 90	0.93 5 98	3.96 5 92							0	
461	1700 25 0857 2025/10/24	1	2.35	1700 23 0462 1700 21 2020	1700 23 0462 1700 21 2020	94	98	93	-0.61 15 94	0.47 5 104	0.17 100	-0.15 5 100	-1.20 5 92	-0.86 7 95	0.93 5 98	3.96 5 92							0	
462	1700 25 0862 2025/10/24	1	2.35	1700 23 0462 1700 22 6179	1700 23 0462 1700 22 6179	93	97	93	-0.69 11 93	0.48 5 104	0.14 100	-0.27 5 100	-1.20 5 92	-0.93 5 95	0.93 5 98	3.96 5 92							0	
463	1700 25 0867 2025/10/24	2	2.35	1700 23 0462 1700 23 5195	1700 23 0462 1700 23 5195	92	96	94	-1.02 15 91	0.56 16 105	0.05 99	-0.69 5 98	-1.20 5 92	-1.18 12 93	0.93 5 98	3.96 5 92							1	
464	1700 25 0871 2025/10/24	1	2.35	1700 23 0462 1700 23 2613	1700 23 0462 1700 23 2613	92	96	93	-0.94 10 91	0.53 5 105	0.06 99	-0.61 5 98	-1.20 5 92	-1.13 5 94	0.93 5 98	3.96 5 92							0	
465	1700 25 0872 2025/10/24	1	2.04	1700 22 2761 1700 19 9679	1700 22 2761 1700 19 9679	88	88	91	-0.79 51 93	-1.08 39 87	-1.47 87	-2.91 8 89	-0.90 8 94	-2.40 36 88	-0.84 39 103	3.55 7 93							0	

Young Ewes



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed avg
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information				Parents		Selection Indices			EBV - Weights						EBV - Fertility										
Animal ID BDate		Birth Status	% In- breeding	Sire ID Dam ID		DLMI	DGI	DRI	Weaning Weight		Comb	Post-Wean		Lambs weaned		TWW		AFL		ILP		Dam T Lamberd N Weaned			
									Dir	Mat		Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index			Acc	Index
Active Breed Average:						100	100	100	0.00		0.14		0.14		-0.25		0.10		0.21		0.27		1.10		
466	1700 25 3002 2025/03/10	2	2.34	1700 22 2761 1700 22 6217	95	97	90	0.88 62 107		-1.31 46 85		-0.87 92 8 99		-0.53 8 99		-0.90 8 94		-0.96 43 94		-1.07 40 104		3.56 7 93		100	2 3
467	1700 25 3005 2025/03/10	2	2.34	1700 22 2761 1700 22 6217	95	98	90	0.95 62 107		-1.32 46 85		-0.84 92 8 99		-0.44 8 99		-0.90 8 94		-0.91 43 95		-1.07 40 104		3.56 7 93		100	2 3
468	1700 25 3006 2025/03/10	5	2.34	1700 22 2761 1700 22 9501	93	94	90	0.37 62 102		-1.29 40 85		-1.11 90 8 96		-1.34 8 96		-0.90 8 94		-1.46 41 92		-0.84 39 103		3.55 7 93			0
469	1700 25 3009 2025/03/10	5	2.34	1700 22 2761 1700 22 9501	93	95	90	0.43 62 103		-1.30 40 85		-1.09 90 8 96		-1.25 8 96		-0.90 8 94		-1.41 41 92		-0.84 39 103		3.55 7 93			0
470	1700 25 3011 2025/03/10	1	2.26	1700 20 0149 1700 21 2001	84	93	83	-0.78 58 93		-0.26 34 96		-0.65 93 5 95		-1.45 5 95		-1.20 5 92		-1.76 35 91		10.81 15 72		3.69 5 92			1
471	1700 25 3013 2025/03/10	1	2.35	1700 22 9584 1700 23 8318	92	97	92	-0.83 54 92		0.51 19 104		0.10 100		-0.46 5 99		-1.20 5 92		-1.04 28 94		3.06 10 93		3.90 5 92			0
472	1700 25 3014 2025/03/10	1	2.33	1700 22 2761 1700 20 5242	87	87	91	-0.96 59 91		-1.04 39 88		-1.52 86 8 88		-3.15 8 88		-0.90 8 94		-2.54 40 88		-0.84 39 103		3.55 7 93			0
473	1700 25 3017 2025/03/10	1	2.35	1700 22 9584 1700 23 0500	92	97	92	-0.68 54 93		0.48 19 104		0.14 100 5 100		-0.25 5 100		-1.20 5 92		-0.92 28 95		3.06 10 93		3.90 5 92			0
474	1700 25 3018 2025/03/10	1	2.35	1700 22 9584 1700 23 2582	88	92	92	-1.73 54 85		0.68 19 106		-0.19 97 5 94		-1.68 5 94		-1.20 5 92		-1.77 28 91		3.06 10 93		3.90 5 92			0
475	1700 25 3020 2025/03/10	1	2.35	1700 22 9584 1700 23 0392	88	92	92	-1.73 54 85		0.68 19 106		-0.19 97 5 94		-1.68 5 94		-1.20 5 92		-1.77 28 91		3.06 10 93		3.90 5 92			0
476	1700 25 3024 2025/03/10	1	2.35	1700 22 2761 1700 23 0415	89	89	91	-0.59 59 94		-1.11 39 87		-1.41 87 8 90		-2.64 8 90		-0.90 8 94		-2.24 40 89		-0.84 39 103		3.55 7 93			0
477	1700 25 3025 2025/03/10	1	2.35	1700 22 9584 1700 23 8354	88	92	92	-1.73 54 85		0.68 19 106		-0.19 97 5 94		-1.68 5 94		-1.20 5 92		-1.77 28 91		3.06 10 93		3.90 5 92			0
478	1700 25 3027 2025/03/10	1	2.35	1700 22 9584 1700 23 8276	90	95	92	-1.13 54 90		0.56 19 105		0.00 99 5 97		-0.87 5 97		-1.20 5 92		-1.28 28 93		3.06 10 93		3.90 5 92			0
479	1700 25 3028 2025/03/10	1	2.35	1700 22 2761 1700 23 0435	86	86	91	-1.26 59 88		-0.99 39 88		-1.62 86 8 87		-3.56 8 87		-0.90 8 94		-2.79 40 87		-0.84 39 103		3.55 7 93			0
480	1700 25 3029 2025/03/10	1	2.35	1700 22 2761 1700 23 2644	88	88	91	-0.89 59 92		-1.06 39 88		-1.50 87 8 89		-3.05 8 89		-0.90 8 94		-2.48 40 88		-0.84 39 103		3.55 7 93			0

Young Ewes



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed avg
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information				Parents		Selection Indices			EBV - Weights				EBV - Fertility										
Animal ID BDate		Birth Status	% In- breeding	Sire ID Dam ID		DLMI	DGI	DRI	Weaning Weight		Comb	Post-Wean		Lambs weaned		TWW		AFL		ILP		Dam T Lamberd N Weaned	
									Dir	Mat		Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index		
Active Breed Average:						100	100	100	0.00	0.14	0.14	-0.25	0.10	0.21	0.27	1.10							
481	1700 25 3031 2025/03/10	1	2.35	1700 22 9584 1700 23 2613	88	92	92	-1.65 54	0.66 85 19 106	-0.17 97	-1.58 5 95	-1.20 5 92	-1.71 28 91	3.06 10 93	3.90 5 92								
482	1700 25 3034 2025/03/10	1	2.35	1700 22 2761 1700 23 8308	87	87	91	-0.96 59	-1.04 39 88	-1.52 86	-3.15 8 88	-0.90 8 94	-2.55 40 88	-0.84 39 103	3.55 7 93								
483	1700 25 3035 2025/03/10	1	2.35	1700 22 9584 1700 23 2700	90	95	92	-1.13 54	0.56 19 105	0.00 99	-0.87 5 97	-1.20 5 92	-1.28 28 93	3.06 10 93	3.90 5 92								
484	1700 25 3036 2025/03/10	1	2.35	1700 22 9584 1700 23 0391	88	92	92	-1.65 54	0.66 85 19 106	-0.17 97	-1.58 5 95	-1.20 5 92	-1.71 28 91	3.06 10 93	3.90 5 92								
485	1700 25 3037 2025/03/10	1	2.35	1700 22 9584 1700 23 0559	91	96	92	-0.98 54	0.54 19 105	0.05 99	-0.66 5 98	-1.20 5 92	-1.16 28 94	3.06 10 93	3.90 5 92								
486	1700 25 3039 2025/03/10	1	2.34	1700 22 2761 1700 22 9495	85	84	91	-1.51 59	-0.94 39 89	-1.70 85	-3.89 8 85	-0.90 8 94	-2.99 40 86	-0.84 39 103	3.55 7 93								
487	1700 25 3040 2025/03/10	1	2.35	1700 22 9584 1700 23 0505	91	96	92	-0.90 54	0.52 19 104	0.07 99	-0.56 5 99	-1.20 5 92	-1.10 28 94	3.06 10 93	3.90 5 92								
488	1700 25 3044 2025/03/10	1	2.35	1700 22 9584 1700 23 0412	90	94	92	-1.28 54	0.59 88 19 105	-0.05 98	-1.07 5 97	-1.20 5 92	-1.41 28 92	3.06 10 93	3.90 5 92								
489	1700 25 3046 2025/03/10	1	2.35	1700 22 2761 1700 23 2609	88	88	91	-0.89 49	-1.06 39 88	-1.50 87	-3.05 8 89	-0.90 8 94	-2.49 36 88	-0.84 39 103	3.55 7 93								
490	1700 25 3049 2025/03/10	1	2.35	1700 22 9584 1700 23 2716	86	89	92	-2.18 54	0.76 81 19 107	-0.33 96	-2.30 5 92	-1.20 5 92	-2.14 28 89	3.06 10 93	3.90 5 92								
491	1700 25 3050 2025/03/10	1	2.35	1700 22 2761 1700 23 0409	86	85	91	-1.41 59	-0.96 87 39 89	-1.67 85	-3.77 8 86	-0.90 8 94	-2.91 40 86	-0.84 39 103	3.55 7 93								
492	1700 25 3052 2025/03/10	2	2.33	1700 20 0149 1700 20 1010	88	98	84	-0.19 59	0.09 98 34 100	-0.01 99	-0.01 5 101	-1.20 5 92	-0.82 36 95	10.81 15 72	3.69 5 92	1							
493	1700 25 3054 2025/03/10	2	2.35	1700 22 2761 1700 23 0443	89	89	91	-0.55 60	-1.12 95 40 87	-1.40 87	-2.59 8 90	-0.90 8 94	-2.21 40 89	-0.84 39 103	3.55 7 93	0							
494	1700 25 3058 2025/03/10	2	2.33	1700 20 0149 1700 20 0660	84	93	83	-0.73 58	-0.24 93 30 96	-0.60 94	-1.34 5 96	-1.20 5 92	-1.69 34 91	10.81 15 72	3.69 5 92	0							
495	1700 25 3061 2025/03/10	2	2.34	1700 22 9584 1700 21 2711	91	96	92	-0.92 56	0.49 91 25 104	0.03 99	-0.64 5 98	-1.20 5 92	-1.15 31 94	3.06 10 93	3.90 5 92	1							

Young Ewes



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed avg
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information				Parents		Selection Indices			EBV - Weights						EBV - Fertility									
Animal ID BDate		Birth Status	% In- breeding	Sire ID Dam ID		DLMI	DGI	DRI	Weaning Weight		Comb	Post-Wean		Lambs weaned		TWW		AFL		ILP		Dam T Lambed N Weaned		
									Dir	Mat		Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index			Acc
Active Breed Average:						100	100	100	0.00		0.14		0.14		-0.25		0.10		0.21		0.27		1.10	
496	1700 25 3062 2025/03/10	2	2.34	1700 22 9584 1700 21 2711	88	91	92	-1.76 56	0.64 84 25 106	-0.24 97	-1.78 5 94	-1.20 5 92	-1.84 31 91	3.06 10 93	3.90 5 92							1		
497	1700 25 3063 2025/03/10	2	2.35	1700 22 9584 1700 23 0462	88	91	92	-1.85 55	0.70 84 19 106	-0.23 97	-1.85 5 93	-1.20 5 92	-1.87 28 91	3.06 10 93	3.90 5 92							0		
498	1700 25 3064 2025/03/10	2	2.35	1700 22 9584 1700 23 0462	87	90	92	-1.98 55	0.72 82 19 107	-0.27 97	-2.02 5 93	-1.20 5 92	-1.98 28 90	3.06 10 93	3.90 5 92							0		
499	1700 25 3066 2025/03/10	2	2.33	1700 20 0149 1700 20 8457	83	91	84	-1.39 59	0.10 87 34 100	-0.60 94	-1.94 5 93	-1.20 5 92	-2.01 36 90	10.81 15 72	3.69 5 92							1		
500	1700 25 3068 2025/03/10	2	2.35	1700 22 9584 1700 23 2677	86	89	92	-2.17 55	0.76 81 19 107	-0.33 96	-2.28 5 92	-1.20 5 92	-2.13 28 89	3.06 10 93	3.90 5 92							0		
501	1700 25 3069 2025/03/10	2	2.35	1700 22 2761 1700 23 2610	90	90	91	-0.39 60	-1.15 96 40 87	-1.34 88	-2.37 8 91	-0.90 8 94	-2.08 40 90	-0.84 39 103	3.55 7 93							0		
502	1700 25 3078 2025/03/10	2	2.34	1700 20 0149 1700 22 1017	71	75	83	-3.52 58	-0.29 69 35 96	-2.04 82	-5.93 5 77	-1.20 5 92	-4.52 36 79	10.78 18 72	3.68 5 92	96	1	1						
503	1700 25 3079 2025/03/10	2	2.34	1700 20 0149 1700 22 8321	76	82	82	-2.17 59	-0.58 81 35 93	-1.67 85	-4.16 5 84	-1.20 5 92	-3.47 36 84	10.80 18 72	3.68 5 92	96	1	1						
504	1700 25 3080 2025/03/10	2	2.34	1700 20 0149 1700 22 8321	74	80	82	-2.63 59	-0.50 77 35 94	-1.81 84	-4.77 5 82	-1.20 5 92	-3.84 36 82	10.80 18 72	3.68 5 92	96	1	1						
505	1700 25 3082 2025/03/10	2	2.34	1700 20 0149 1700 22 0638	81	89	82	-1.15 59	-0.59 89 34 93	-1.16 89	-2.50 5 91	-1.20 5 92	-2.45 36 88	10.81 15 72	3.69 5 92							1		
506	1700 25 3083 2025/03/10	2	2.35	1700 22 9584 1700 23 5178	93	99	91	-0.36 55	0.42 96 19 103	0.24 101	0.18 5 102	-1.20 5 92	-0.66 28 96	3.06 10 93	3.90 5 92							0		
507	1700 25 3084 2025/03/10	2	2.35	1700 22 9584 1700 23 5178	93	99	91	-0.36 55	0.42 96 19 103	0.24 101	0.18 5 102	-1.20 5 92	-0.66 28 96	3.06 10 93	3.90 5 92							0		
508	1700 25 3089 2025/03/10	2	2.33	1700 20 0149 1700 19 8460	79	86	82	-1.77 59	-0.41 84 34 95	-1.29 88	-3.26 5 88	-1.20 5 92	-2.90 36 86	10.81 15 72	3.69 5 92							1		
509	1700 25 3097 2025/03/25	1	2.35	1700 22 2761 1700 23 5142	88	87	90	-0.66 60	-1.35 94 43 85	-1.68 85	-3.09 8 88	-0.90 8 94	-2.55 41 88	-0.84 39 103	3.55 7 93							1		
510	1700 25 3098 2025/03/25	1	2.26	1700 22 2761 1700 21 3150	92	93	93	-0.61 60	-0.33 94 43 95	-0.64 94	-1.59 8 95	-0.90 8 94	-1.48 41 92	-0.92 40 103	3.56 7 93							1		

Young Ewes



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed avg
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information				Parents		Selection Indices			EBV - Weights				EBV - Fertility										
Animal ID BDate		Birth Status	% In- breeding	Sire ID Dam ID		DLMI	DGI	DRI	Weaning Weight		Comb	Post-Wean		Lambs weaned	TWW		AFL		ILP		Dam T Lambed N Weaned		
									Dir	Mat		Acc	Index		Acc	Index	Acc	Index	Acc	Index			Acc
Active Breed Average:						100	100	100	0.00	0.14	0.14	-0.25	0.10	0.21	0.27	1.10							
511	1700 25 3099 2025/03/25	1	2.04	1700 22 2761 1700 18 2908	91	85	99	-1.12 60	90	-1.24 43	86	-1.80 84	-4.21 8	84	-0.20 8	97	-2.48 41	88	-4.63 39	113	-0.51 7	103	1
512	1700 25 3100 2025/03/25	1	2.33	1700 22 2761 1700 20 1053	89	90	91	-0.65 60	94	-0.95 43	89	-1.28 88	-2.52 8	91	-0.90 8	94	-2.14 41	89	-0.84 39	103	3.55 7	93	1
513	1700 25 3105 2025/03/25	1	4.45	1700 22 2761 1700 21 5215	86	87	87	-0.57 62	94	-1.46 45	83	-1.74 85	-3.26 16	88	-1.10 17	93	-2.69 45	87	1.09 43	98	3.43 14	93	1
514	1700 25 3106 2025/03/25	1	2.04	1700 22 2761 1700 18 8592	98	93	98	0.47 60	103	-1.53 43	83	-1.30 88	-2.04 8	93	-0.20 8	97	-1.18 41	93	-4.63 39	113	-0.51 7	103	1
515	1700 25 3107 2025/03/25	1	2.33	1700 20 0149 1700 18 8596	83	84	92	-2.20 57	81	-0.20 30	97	-1.30 88	-4.19 5	84	-0.40 5	96	-2.64 33	87	7.02 15	82	-0.37 5	103	0
516	1700 25 3109 2025/03/25	1	2.35	1700 22 2761 1700 23 5157	85	84	92	-1.63 60	85	-0.83 43	90	-1.65 85	-3.95 8	85	-0.90 8	94	-3.01 41	86	-0.84 39	103	3.55 7	93	1
517	1700 25 3113 2025/03/25	1	2.34	1700 22 2761 1700 22 6190	88	89	90	-0.51 60	95	-1.29 43	85	-1.55 86	-2.77 8	90	-0.90 8	94	-2.34 41	89	-0.84 39	103	3.55 7	93	1
518	1700 25 3115 2025/03/25	1	2.34	1700 22 2761 1700 22 8338	86	86	91	-1.27 59	88	-0.99 39	88	-1.62 86	-3.56 8	87	-0.90 8	94	-2.79 40	87	-0.84 39	103	3.55 7	93	0
519	1700 25 3120 2025/03/25	1	2.33	1700 20 0149 1700 20 2116	79	86	82	-1.69 58	85	-0.35 34	95	-1.20 89	-3.06 5	89	-1.20 5	92	-2.76 35	87	10.81 15	72	3.69 5	92	1
520	1700 25 3121 2025/03/25	1	2.26	1700 22 2761 1700 21 2729	85	83	91	-1.60 60	86	-0.99 43	88	-1.79 84	-4.11 8	84	-0.90 8	94	-3.13 41	85	-0.84 39	103	3.55 7	93	1
521	1700 25 3123 2025/03/25	1	2.26	1700 22 2761 1700 21 2710	86	85	91	-1.30 60	88	-1.06 43	88	-1.71 85	-3.72 8	86	-0.90 8	94	-2.90 41	86	-0.84 39	103	3.55 7	93	1
522	1700 25 3124 2025/03/25	1	2.04	1700 22 2761 1700 18 2969	98	94	100	0.04 60	100	-0.87 43	90	-0.85 92	-1.80 8	94	-0.20 8	97	-0.94 41	94	-4.63 39	113	-0.51 7	103	1
523	1700 25 3127 2025/03/25	1	2.26	1700 22 2761 1700 21 2698	93	94	91	0.08 60	100	-0.94 43	89	-0.90 91	-1.32 8	96	-0.90 8	94	-1.40 41	93	-0.84 39	103	3.55 7	93	1
524	1700 25 3129 2025/03/25	1	2.34	1700 20 0149 1700 22 9477	82	90	84	-1.63 58	85	0.16 34	101	-0.65 93	-2.24 5	92	-1.20 5	92	-2.19 35	89	10.81 15	72	3.69 5	92	1
525	1700 25 3135 2025/03/25	1	2.04	1700 22 2761 1700 18 8563	89	82	96	-0.87 60	92	-2.04 45	77	-2.47 79	-4.91 8	81	-0.20 8	97	-3.03 42	86	-4.63 39	113	-0.51 7	103	2

Young Ewes



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed avg
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information				Parents		Selection Indices			EBV - Weights						EBV - Fertility									
Animal ID BDate		Birth Status	% In- breeding	Sire ID Dam ID		DLMI	DGI	DRI	Weaning Weight		Comb	Post-Wean		Lambs weaned		TWW		AFL		ILP		Dam EPI T Lambed N Weaned		
									Dir	Mat		Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index			Acc
Active Breed Average:						100	100	100	0.00		0.14		0.14		-0.25		0.10		0.21		0.27		1.10	
526	1700 25 3137 2025/03/25	1	2.34	1700 22 2761 1700 22 1063	87	87	90	-0.84 60	92	-1.28 43	85	-1.70 85	-3.28 8	88	-0.90 8	94	-2.66 41	87	-0.84 39	103	3.55 7	93	1	
527	1700 25 3139 2025/03/25	1	2.33	1700 22 2761 1700 20 1822	87	87	91	-1.02 59	91	-1.03 39	88	-1.54 86	-3.23 8	88	-0.90 8	94	-2.59 40	88	-0.84 39	103	3.55 7	93	0	
528	1700 25 3141 2025/03/25	1	2.35	1700 22 2761 1700 23 5199	86	85	91	-1.32 59	88	-0.98 39	89	-1.64 85	-3.64 8	86	-0.90 8	94	-2.84 40	86	-0.84 39	103	3.55 7	93	0	
529	1700 25 3145 2025/03/25	1	2.35	1700 22 2761 1700 23 2600	86	85	91	-1.32 59	88	-0.98 39	89	-1.64 85	-3.64 8	86	-0.90 8	94	-2.84 40	86	-0.84 39	103	3.55 7	93	0	
530	1700 25 3146 2025/03/25	1	2.04	1700 22 2761 1700 18 9816	91	84	99	-1.22 60	89	-1.27 43	85	-1.88 83	-4.41 8	83	-0.20 8	97	-2.61 41	87	-4.63 39	113	-0.51 7	103	1	
531	1700 25 3147 2025/03/25	1	2.35	1700 22 2761 1700 23 5247	91	92	90	-0.12 59	98	-1.20 39	86	-1.26 89	-2.00 8	93	-0.90 8	94	-1.86 40	91	-0.84 39	103	3.55 7	93	0	
532	1700 25 3148 2025/03/25	1	2.33	1700 20 0149 1700 20 0684	81	88	84	-1.75 58	84	0.04 34	99	-0.83 92	-2.60 5	90	-1.20 5	92	-2.42 35	88	10.81 15	72	3.69 5	92	1	
533	1700 25 3150 2025/03/25	1	2.34	1700 22 2761 1700 22 9498	87	87	92	-1.24 60	89	-0.76 43	91	-1.38 88	-3.20 8	88	-0.90 8	94	-2.54 41	88	-0.84 39	103	3.55 7	93	1	
534	1700 25 3151 2025/03/25	1	2.33	1700 22 2761 1700 20 2900	85	84	90	-1.11 50	90	-1.43 42	84	-1.99 83	-3.94 8	85	-0.90 8	94	-3.08 37	85	-0.84 39	103	3.55 7	93	1	
535	1700 25 3154 2025/03/25	1	2.04	1700 22 2761 1700 18 8600	83	74	99	-2.80 60	75	-1.28 43	85	-2.68 77	-6.99 8	73	-0.20 8	97	-4.20 41	81	-4.63 39	113	-0.51 7	103	1	
536	1700 25 3156 2025/03/25	1	2.34	1700 20 0149 1700 22 0593	79	86	85	-2.39 58	79	0.44 34	104	-0.75 93	-3.08 5	88	-1.20 5	92	-2.67 35	87	10.81 15	72	3.69 5	92	1	
537	1700 25 3161 2025/03/25	1	2.26	1700 22 2761 1700 21 3144	90	91	91	-0.48 60	95	-0.89 43	89	-1.13 90	-2.16 8	92	-0.90 8	94	-1.91 41	90	-0.84 39	103	3.55 7	93	1	
538	1700 25 3162 2025/03/25	1	2.33	1700 20 0149 1700 20 1774	81	88	83	-1.64 57	85	-0.07 30	98	-0.89 92	-2.58 5	91	-1.20 5	92	-2.43 33	88	10.81 15	72	3.69 5	92	0	
539	1700 25 3163 2025/03/25	1	2.35	1700 20 0149 1700 23 0543	81	88	83	-1.72 57	85	-0.05 30	98	-0.91 91	-2.68 5	90	-1.20 5	92	-2.49 33	88	10.81 15	72	3.69 5	92	0	
540	1700 25 3170 2025/03/25	2	2.33	1700 20 0149 1700 20 8427	85	93	83	-0.66 59	94	-0.29 36	96	-0.61 94	-1.29 5	96	-1.20 5	92	-1.66 37	91	10.81 15	72	3.69 5	92	2	

Young Ewes



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed avg
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information				Parents		Selection Indices			EBV - Weights						EBV - Fertility									
Animal ID BDate		Birth Status	% In- breeding	Sire ID Dam ID		DLMI	DGI	DRI	Weaning Weight		Comb	Post-Wean		Lambs weaned		TWW		AFL		ILP		Dam T Lamberd N Weaned		
									Dir	Mat		Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index			Acc
Active Breed Average:						100	100	100	0.00		0.14		0.14		-0.25		0.10		0.21		0.27		1.10	
541	1700 25 3172 2025/03/25	2	2.33	1700 20 0149 1700 20 2897	91	102	86	0.03 59	99	0.57 34	105	0.58 104	1.01 5	105	-1.20 5	92	-0.13 36	98	10.70 18	72	3.70 5	92	1	
542	1700 25 3173 2025/03/25	2	2.33	1700 20 0149 1700 20 2897	89	99	86	-0.56 59	95	0.68 34	106	0.40 102	0.22 5	102	-1.20 5	92	-0.60 36	96	10.70 18	72	3.70 5	92	1	
543	1700 25 3175 2025/03/25	2	2.26	1700 22 2761 1700 21 2663	88	88	91	-0.71 60	93	-1.10 43	87	-1.46 87	-2.82 8	90	-0.90 8	94	-2.35 41	89	-0.84 39	103	3.55 7	93	1	
544	1700 25 3179 2025/03/25	2	2.35	1700 22 2761 1700 23 5124	88	88	91	-0.96 61	91	-0.98 45	88	-1.46 87	-3.06 8	89	-0.90 8	94	-2.48 43	88	-0.84 39	103	3.55 7	93	2	
545	1700 25 3183 2025/03/25	2	2.35	1700 20 0149 1700 23 5169	73	78	83	-3.17 59	72	-0.21 34	97	-1.79 84	-5.25 5	80	-1.20 5	92	-4.09 36	81	10.81 15	72	3.69 5	92	1	
546	1700 25 3184 2025/03/25	2	2.26	1700 22 2761 1700 21 0530	87	86	91	-1.16 60	89	-1.01 40	88	-1.59 86	-3.42 8	87	-0.90 8	94	-2.71 40	87	-0.84 39	103	3.55 7	93	0	
547	1700 25 3187 2025/03/25	2	2.04	1700 22 2761 1700 19 6301	87	84	94	-1.49 60	87	-0.94 40	89	-1.69 85	-3.87 8	85	-0.90 8	94	-2.98 40	86	-4.20 40	112	3.64 7	92	0	
548	1700 25 3193 2025/03/25	2	2.04	1700 22 2761 1700 18 2098	83	74	100	-3.16 60	72	-0.82 43	90	-2.40 79	-6.93 8	73	-0.20 8	97	-4.10 41	81	-4.63 39	113	-0.51 7	103	1	
549	1700 25 3197 2025/03/25	2	2.26	1700 22 2761 1700 21 2064	91	92	90	0.18 60	101	-1.49 43	83	-1.40 87	-1.92 8	93	-0.90 8	94	-1.85 41	91	-0.84 39	103	3.55 7	93	1	
550	1700 25 3199 2025/03/25	2	2.35	1700 20 0149 1700 23 5176	79	86	83	-1.96 59	83	-0.06 34	98	-1.04 90	-3.08 5	88	-1.20 5	92	-2.74 36	87	10.81 15	72	3.69 5	92	1	
551	1700 25 3200 2025/03/25	2	2.33	1700 20 0149 1700 20 8384	81	89	83	-1.44 59	87	-0.27 34	96	-0.99 91	-2.53 5	91	-1.20 5	92	-2.42 36	88	10.81 15	72	3.69 5	92	1	
552	1700 25 3201 2025/03/25	2	2.33	1700 20 0149 1700 20 8384	79	86	83	-1.89 59	83	-0.18 34	97	-1.13 90	-3.14 5	88	-1.20 5	92	-2.79 36	87	10.81 15	72	3.69 5	92	1	
553	1700 25 3205 2025/03/25	2	2.33	1700 22 2761 1700 20 8400	90	91	91	-0.27 60	97	-1.17 40	86	-1.31 88	-2.21 8	92	-0.90 8	94	-1.98 40	90	-0.84 39	103	3.55 7	93	0	
554	1700 25 3209 2025/03/25	2	2.26	1700 22 2761 1700 21 2020	90	90	91	-0.39 60	96	-1.15 40	87	-1.34 88	-2.37 8	91	-0.90 8	94	-2.08 40	90	-0.84 39	103	3.55 7	93	0	
555	1700 25 3211 2025/03/25	2	2.34	1700 22 2761 1700 22 8309	86	86	91	-1.24 60	89	-0.99 40	88	-1.61 86	-3.53 8	87	-0.90 8	94	-2.77 40	87	-0.84 39	103	3.55 7	93	0	

Young Ewes



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed avg
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information				Parents		Selection Indices			EBV - Weights						EBV - Fertility						Dam EPI T Lambed N Weaned	
Animal ID BDate		Birth Status	% In- breeding	Sire ID Dam ID		DLMI	DGI	DRI	Weaning Weight		Comb	Post-Wean		Lambs weaned		TWW		AFL		ILP		
									Dir	Mat		Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc		Index
Active Breed Average:						100	100	100	0.00	0.14	0.14	-0.25	0.10	0.21	0.27	1.10						
556	1700 25 3215 2025/03/25	2	2.35	1700 22 2761 1700 23 5189	93	94	91	0.08 60 100	-0.97 43 89	-0.94 91	-1.37 8 95	-0.90 8 94	-1.44 41 92	-0.84 39 103	3.55 7 93	1						
557	1700 25 3219 2025/03/25	2	2.33	1700 20 0149 1700 20 5228	77	83	84	-2.68 58 76	0.13 30 100	-1.22 89	-4.00 5 85	-1.20 5 92	-3.28 34 85	10.81 15 72	3.69 5 92	0						
558	1700 25 3220 2025/03/25	2	2.26	1700 20 0149 1700 21 2668	82	90	83	-1.21 59 89	-0.23 34 96	-0.84 92	-2.11 5 92	-1.20 5 92	-2.16 36 89	10.81 15 72	3.69 5 92	1						
559	1700 25 3221 2025/03/25	2	2.26	1700 20 0149 1700 21 2668	80	87	83	-1.85 59 84	-0.11 34 98	-1.04 90	-2.99 5 89	-1.20 5 92	-2.69 36 87	10.81 15 72	3.69 5 92	1						
560	1700 25 3222 2025/03/25	2	2.35	1700 22 2761 1700 23 3109	87	86	92	-1.54 60 86	-0.59 43 93	-1.36 88	-3.47 8 87	-0.90 8 94	-2.68 41 87	-0.81 40 103	3.54 7 93	1						
561	1700 25 3224 2025/03/25	2	2.33	1700 20 0149 1700 19 0884	82	90	83	-1.13 59 90	-0.30 34 96	-0.87 92	-2.08 5 93	-1.20 5 92	-2.15 36 89	10.81 15 72	3.69 5 92	1						
562	1700 25 3227 2025/03/25	2	2.26	1700 20 0149 1700 21 2746	81	89	84	-1.62 59 85	0.04 34 99	-0.77 93	-2.40 5 91	-1.20 5 92	-2.30 36 89	10.81 15 72	3.69 5 92	1						
563	1700 25 3229 2025/03/25	2	2.34	1700 22 2761 1700 22 9561	86	85	90	-0.95 60 91	-1.40 43 84	-1.87 84	-3.61 8 86	-0.90 8 94	-2.88 41 86	-0.84 39 103	3.55 7 93	1						
564	1700 25 3233 2025/03/25	2	2.34	1700 20 0149 1700 22 8439	83	91	83	-1.27 59 88	-0.05 34 98	-0.68 93	-1.94 5 93	-1.20 5 92	-2.04 36 90	10.81 15 72	3.69 5 92	1						
565	1700 25 3234 2025/03/25	2	2.34	1700 22 2761 1700 22 9557	81	78	91	-2.32 60 80	-1.12 43 87	-2.28 80	-5.47 8 79	-0.90 8 94	-3.98 41 82	-0.84 39 103	3.55 7 93	1						
566	1700 25 3235 2025/03/25	2	2.34	1700 22 2761 1700 22 9557	84	83	90	-1.47 60 87	-1.28 43 85	-2.01 82	-4.31 8 84	-0.90 8 94	-3.29 41 85	-0.84 39 103	3.55 7 93	1						
567	1700 25 3237 2025/03/25	2	2.26	1700 22 2761 1700 21 2742	89	90	91	-0.56 60 94	-1.01 43 88	-1.30 88	-2.46 8 91	-0.90 8 94	-2.12 41 90	-0.84 39 103	3.55 7 93	1						
568	1700 25 3239 2025/03/25	2	2.34	1700 22 2761 1700 22 9534	87	87	90	-0.72 60 93	-1.43 43 84	-1.79 84	-3.30 8 88	-0.90 8 94	-2.69 41 87	-0.84 39 103	3.55 7 93	1						
569	1700 25 3241 2025/03/25	2	2.34	1700 20 0149 1700 22 6132	73	77	82	-3.09 59 73	-0.38 36 95	-1.93 83	-5.37 5 79	-1.20 5 92	-4.19 37 81	10.81 15 72	3.69 5 92	2						
570	1700 25 3245 2025/03/25	2	2.34	1700 22 2761 1700 22 8384	87	87	92	-1.23 60 89	-0.82 43 90	-1.43 87	-3.27 8 88	-0.90 8 94	-2.59 41 88	-0.84 39 103	3.55 7 93	1						

Young Ewes



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed avg
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information				Parents		Selection Indices			EBV - Weights						EBV - Fertility									
Animal ID BDate		Birth Status	% In- breeding	Sire ID Dam ID		DLMI	DGI	DRI	Weaning Weight		Comb	Post-Wean		Lambs weaned		TWW		AFL		ILP		Dam T Lamberd N Weaned		
									Dir	Mat		Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index			Acc
Active Breed Average:						100	100	100	0.00		0.14		0.14		-0.25		0.10		0.21		0.27		1.10	
571	1700 25 3249 2025/03/25	2	2.33	1700 22 2761 1700 20 1077	90	91	92	-0.55 61	95	-0.85 45	90	-1.12 90	-2.20 8	92	-0.90 8	94	-1.93 43	90	-0.80 40	103	3.54 7	93	2	
572	1700 25 3250 2025/03/25	2	2.35	1700 22 2761 1700 23 3103	90	91	91	-0.27 60	97	-1.17 43	86	-1.30 88	-2.20 8	92	-0.90 8	94	-1.98 41	90	-0.84 39	103	3.55 7	93	1	
573	1700 25 3251 2025/03/25	2	2.35	1700 22 2761 1700 23 3103	90	91	91	-0.33 60	96	-1.16 43	87	-1.32 88	-2.29 8	92	-0.90 8	94	-2.03 41	90	-0.84 39	103	3.55 7	93	1	
574	1700 25 3252 2025/03/25	1	2.34	1700 22 2761 1700 22 9485	87	87	92	-1.19 60	89	-0.83 43	90	-1.43 87	-3.23 8	88	-0.90 8	94	-2.56 41	88	-0.84 39	103	3.55 7	93	1	
575	1700 25 3253 2025/03/25	1	2.34	1700 20 0149 1700 22 2004	81	88	85	-2.08 58	82	0.41 34	103	-0.64 94	-2.63 5	90	-1.20 5	92	-2.40 35	88	10.74 18	72	3.69 5	92	1	
576	1700 25 3254 2025/03/25	1	2.35	1700 22 2761 1700 23 5209	84	83	94	-2.31 60	80	-0.20 43	97	-1.35 88	-4.16 8	84	-0.90 8	94	-3.05 41	86	-0.84 39	103	3.55 7	93	1	
577	1700 25 5258 2025/05/15	1	2.35	1700 22 2761 1700 23 0411	86	85	91	-1.28 59	88	-0.98 39	88	-1.62 86	-3.58 8	86	-0.90 8	94	-2.80 40	87	-0.84 39	103	3.55 7	93	0	
578	1700 25 5263 2025/05/15	6	8.43	1700 14 5002 1700 12 5099	81	96	72	0.34 58	102	-0.99 40	88	-0.82 92	-1.13 36	96	-2.10 32	88	-1.91 45	90	16.04 38	64	7.47 27	83	0	
579	1700 25 5268 2025/05/15	1	2.26	1700 22 2761 1700 21 3122	86	85	89	-0.89 59	92	-1.56 42	82	-2.00 82	-3.75 8	86	-0.90 8	94	-2.98 41	86	-0.84 39	103	3.55 7	93	1	
580	1700 25 5270 2025/05/15	1	2.18	1700 22 2761 1700 24 2007	85	88	85	-0.38 62	96	-1.51 42	83	-1.70 85	-2.87 8	89	-0.90 8	94	-2.43 42	88	4.09 40	90	3.41 7	93	0	
581	1700 25 5272 2025/05/15	1	2.26	1700 20 0149 1700 21 3128	85	94	83	-0.63 58	94	-0.14 34	97	-0.46 95	-1.05 5	97	-1.20 5	92	-1.49 35	92	10.81 15	72	3.69 5	92	1	
582	1700 25 5274 2025/05/15	1	2.00	1700 22 2761 1700 24 2029	85	85	91	-1.21 55	89	-1.21 42	86	-1.82 84	-4.05 8	85	-0.60 8	95	-2.78 39	87	2.20 40	95	1.38 7	98	0	
583	1700 25 5277 2025/05/15	1	2.33	1700 20 0149 1700 20 8396	82	87	87	-2.07 58	82	0.11 31	100	-0.93 91	-3.03 5	89	-1.20 5	92	-2.68 34	87	7.25 18	81	3.79 5	92	1	
584	1700 25 5278 2025/05/15	1	2.35	1700 22 2761 1700 23 8330	84	83	91	-1.72 59	85	-0.90 39	89	-1.76 84	-4.18 8	84	-0.90 8	94	-3.16 40	85	-0.84 39	103	3.55 7	93	0	
585	1700 25 5279 2025/05/15	1	2.35	1700 22 2761 1700 23 3048	87	87	92	-1.27 60	88	-0.69 43	92	-1.32 88	-3.14 8	88	-0.90 8	94	-2.49 41	88	-0.84 39	103	3.55 7	93	1	

Young Ewes



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed avg
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information				Parents		Selection Indices			EBV - Weights						EBV - Fertility								
Animal ID BDate		Birth Status	% In- breeding	Sire ID Dam ID		DLMI	DGI	DRI	Weaning Weight		Comb	Post-Wean		Lambs weaned		TWW		AFL		ILP		Dam T Lamberd N Weaned	
									Dir	Mat		Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index		
Active Breed Average:						100	100	100	0.00	0.14	0.14	-0.25	0.10	0.21	0.27	1.10							
586	1700 25 5280 2025/05/15	1	2.33	1700 22 2761 1700 20 2910	91	92	90	-0.05 59	99	-1.21 39	86	-1.24 89	-1.90 8	93	-0.90 8	94	-1.80 40	91	-0.84 39	103	3.55 7	93	0
587	1700 25 5283 2025/05/15	1	2.35	1700 22 2761 1700 23 0426	84	83	92	-1.79 59	84	-0.89 39	89	-1.78 84	-4.28 8	84	-0.90 8	94	-3.22 40	85	-0.84 39	103	3.55 7	93	0
588	1700 25 5286 2025/05/15	1	2.30	1700 22 2761 1700 24 2004	85	87	86	-0.59 62	94	-1.48 42	83	-1.77 84	-3.15 8	88	-0.90 8	94	-2.60 42	87	4.09 40	90	3.41 7	93	0
589	1700 25 5289 2025/05/15	1	2.35	1700 22 2761 1700 23 2629	88	88	91	-0.89 49	92	-1.06 39	88	-1.50 87	-3.05 8	89	-0.90 8	94	-2.49 36	88	-0.84 39	103	3.55 7	93	0
590	1700 25 5290 2025/05/15	1	2.26	1700 22 2761 1700 21 2689	87	87	91	-1.08 59	90	-1.02 39	88	-1.56 86	-3.31 8	88	-0.90 8	94	-2.64 40	87	-0.84 39	103	3.55 7	93	0
591	1700 25 5295 2025/05/15	1	2.26	1700 22 2761 1700 21 2674	84	83	90	-1.45 60	87	-1.26 43	86	-1.98 83	-4.24 8	84	-0.90 8	94	-3.24 41	85	-0.84 39	103	3.55 7	93	1
592	1700 25 5301 2025/05/15	1	2.34	1700 22 2761 1700 22 9567	91	92	90	0.01 59	99	-1.22 39	86	-1.22 89	-1.83 8	94	-0.90 8	94	-1.76 40	91	-0.84 39	103	3.55 7	93	0
593	1700 25 5302 2025/05/15	1	2.33	1700 22 2761 1700 24 2005	88	86	92	-1.03 60	91	-1.15 41	87	-1.67 85	-3.41 8	87	-0.90 8	94	-2.72 41	87	-2.42 39	107	3.59 7	93	0
594	1700 25 5303 2025/05/15	1	2.26	1700 20 0149 1700 21 5186	78	84	84	-2.43 57	79	0.08 30	100	-1.14 90	-3.65 5	86	-1.20 5	92	-3.07 33	86	10.81 15	72	3.69 5	92	0
595	1700 25 5304 2025/05/15	1	2.33	1700 22 2761 1700 24 2002	83	85	86	-1.05 62	90	-1.39 42	84	-1.92 83	-3.78 8	86	-0.90 8	94	-2.98 42	86	4.09 40	90	3.41 7	93	0
596	1700 25 5315 2025/05/15	1	2.33	1700 22 2761 1700 20 9589	90	90	92	-0.77 60	93	-0.74 43	91	-1.12 90	-2.40 8	91	-0.90 8	94	-2.04 41	90	-0.84 39	103	3.55 7	93	1
597	1700 25 5317 2025/05/15	1	2.34	1700 22 2761 1700 22 9550	91	92	91	-0.27 60	97	-0.98 43	88	-1.12 90	-1.94 8	93	-0.90 8	94	-1.79 41	91	-0.84 39	103	3.55 7	93	1
598	1700 25 5318 2025/05/15	1	2.35	1700 22 2761 1700 23 0433	88	89	91	-0.70 59	93	-1.09 39	87	-1.44 87	-2.79 8	90	-0.90 8	94	-2.33 40	89	-0.84 39	103	3.55 7	93	0
599	1700 25 5319 2025/05/15	1	2.04	1700 22 2761 1700 19 9697	92	93	91	-0.17 60	98	-0.92 44	89	-1.00 91	-1.69 8	94	-0.90 8	94	-1.63 42	92	-0.84 39	103	3.55 7	93	2
600	1700 25 5321 2025/05/15	1	2.34	1700 22 2761 1700 22 0628	95	97	92	0.31 61	102	-0.75 45	91	-0.59 94	-0.67 8	98	-0.90 8	94	-0.97 43	94	-0.84 39	103	3.55 7	93	2

Young Ewes



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed avg
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information				Parents		Selection Indices			EBV - Weights						EBV - Fertility									
Animal ID BDate		Birth Status	% In- breeding	Sire ID Dam ID		DLMI	DGI	DRI	Weaning Weight		Comb	Post-Wean		Lambs weaned		TWW		AFL		ILP		Dam T Lamed N Weaned		
									Dir	Mat		Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index			Acc
Active Breed Average:						100	100	100	0.00		0.14		0.14		-0.25		0.10		0.21		0.27		1.10	
601	1700 25 5328 2025/05/15	1	2.04	1700 22 2761 1700 18 5375	94	89	100	-0.69 59	-1.07 42	-1.42 87	-3.27 8	-0.20 8	-1.88 41	-4.63 39	-0.51 7							1		
602	1700 25 5330 2025/05/15	1	2.35	1700 22 2761 1700 23 2714	84	82	92	-1.85 59	-0.88 39	-1.80 84	-4.36 8	-0.90 8	-3.27 40	-0.84 39	3.55 7							0		
603	1700 25 5331 2025/05/15	1	2.04	1700 22 2761 1700 18 2061	94	88	99	-0.51 59	-1.36 39	-1.62 86	-3.38 8	-0.20 8	-1.99 40	-4.63 39	-0.51 7							0		
604	1700 25 5333 2025/05/15	2	2.34	1700 22 2761 1700 22 8396	87	87	91	-0.94 60	-1.05 40	-1.52 86	-3.12 8	-0.90 8	-2.53 40	-0.84 39	3.55 7							0		
605	1700 25 5338 2025/05/15	2	2.35	1700 22 2761 1700 23 2706	84	82	92	-1.90 59	-0.87 39	-1.82 84	-4.42 8	-0.90 8	-3.30 40	-0.84 39	3.55 7							0		
606	1700 25 5339 2025/05/15	2	2.35	1700 22 2761 1700 23 2706	86	86	91	-1.23 50	-0.99 39	-1.61 86	-3.51 8	-0.90 8	-2.76 36	-0.84 39	3.55 7							0		
607	1700 25 5343 2025/05/15	2	2.35	1700 22 2761 1700 23 2619	87	87	91	-0.99 50	-1.04 39	-1.53 86	-3.18 8	-0.90 8	-2.56 36	-0.84 39	3.55 7							0		
608	1700 25 5344 2025/05/15	2	2.34	1700 22 2761 1700 22 6134	90	91	90	-0.26 60	-1.25 43	-1.38 88	-2.30 8	-0.90 8	-2.05 41	-0.84 39	3.55 7							1		
609	1700 25 5349 2025/05/15	2	2.34	1700 22 2761 1700 22 2707	83	82	89	-1.27 60	-1.66 43	-2.29 80	-4.51 8	-0.90 8	-3.47 41	-0.84 39	3.55 7							1		
610	1700 25 5350 2025/05/15	2	2.35	1700 22 2761 1700 23 2692	86	85	91	-1.43 60	-0.96 40	-1.67 85	-3.79 8	-0.90 8	-2.92 40	-0.84 39	3.55 7							0		
611	1700 25 5352 2025/05/15	2	2.04	1700 22 2761 1700 19 2095	95	97	92	0.23 60	-0.66 43	-0.55 94	-0.69 8	-0.90 8	-0.97 41	-0.84 39	3.55 7							1		
612	1700 25 5353 2025/05/15	2	2.04	1700 22 2761 1700 19 2095	95	97	92	0.23 60	-0.66 43	-0.55 94	-0.69 8	-0.90 8	-0.97 41	-0.84 39	3.55 7							1		
613	1700 25 5355 2025/05/15	2	2.35	1700 22 2761 1700 23 0568	83	82	92	-2.00 60	-0.85 40	-1.85 84	-4.57 8	-0.90 8	-3.39 40	-0.84 39	3.55 7							0		
614	1700 25 5357 2025/05/15	2	2.35	1700 22 2761 1700 23 2621	88	88	91	-0.82 60	-1.07 40	-1.48 87	-2.95 8	-0.90 8	-2.42 40	-0.84 39	3.55 7							0		
615	1700 25 5360 2025/05/15	2	2.33	1700 22 2761 1700 24 2028	82	84	86	-1.13 63	-1.37 42	-1.94 83	-3.89 8	-0.90 8	-3.05 42	4.09 40	3.41 7							0		

Young Ewes



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed avg
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information				Parents		Selection Indices			EBV - Weights						EBV - Fertility									
Animal ID BDate		Birth Status	% In- breeding	Sire ID Dam ID		DLMI	DGI	DRI	Weaning Weight		Comb	Post-Wean		Lambs weaned		TWW		AFL		ILP		Dam T Lamberd N Weaned		
									Dir	Mat		Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index			Acc
Active Breed Average:						100	100	100	0.00		0.14		0.14		-0.25		0.10		0.21		0.27		1.10	
616	1700 25 5361 2025/05/15	2	2.33	1700 22 2761 1700 24 2028	83	85	86	-0.95 63	91	-1.41 42	84	-1.88 83	-3.64 8	86	-0.90 8	94	-2.90 42	86	4.09 40	90	3.41 7	93	0	
617	1700 25 5362 2025/05/15	2	2.35	1700 22 2761 1700 23 2701	87	86	91	-1.18 60	89	-1.00 40	88	-1.59 86	-3.45 8	87	-0.90 8	94	-2.72 40	87	-0.84 39	103	3.55 7	93	0	
618	1700 25 5363 2025/05/15	2	2.35	1700 22 2761 1700 23 2701	85	83	91	-1.67 60	85	-0.91 40	89	-1.75 85	-4.12 8	84	-0.90 8	94	-3.12 40	85	-0.84 39	103	3.55 7	93	0	
619	1700 25 5365 2025/05/15	2	2.35	1700 22 2761 1700 23 3029	94	95	92	0.10 60	100	-0.78 43	91	-0.72 93	-1.05 8	97	-0.90 8	94	-1.21 41	93	-0.84 39	103	3.55 7	93	1	
620	1700 25 5366 2025/05/15	2	2.04	1700 22 2761 1700 18 8666	95	90	98	-0.22 60	97	-1.42 40	84	-1.53 86	-2.99 8	89	-0.20 8	97	-1.76 40	91	-4.63 39	113	-0.51 7	103	0	
621	1700 25 5367 2025/05/15	2	2.04	1700 22 2761 1700 18 8666	94	88	99	-0.53 60	95	-1.36 40	84	-1.62 86	-3.42 8	87	-0.20 8	97	-2.01 40	90	-4.63 39	113	-0.51 7	103	0	
622	1700 25 5372 2025/05/15	2	2.33	1700 20 0149 1700 20 1044	83	91	82	-0.86 59	92	-0.48 34	94	-0.91 91	-1.88 5	93	-1.20 5	92	-2.05 36	90	10.81 15	72	3.69 5	92	1	
623	1700 25 5373 2025/05/15	2	2.33	1700 20 0149 1700 20 1044	80	87	83	-1.66 59	85	-0.33 34	95	-1.16 89	-2.98 5	89	-1.20 5	92	-2.71 36	87	10.81 15	72	3.69 5	92	1	
624	1700 25 5375 2025/05/15	2	2.33	1700 22 2761 1700 20 8461	86	86	91	-1.26 60	89	-0.99 40	88	-1.62 86	-3.55 8	87	-0.90 8	94	-2.78 40	87	-0.84 39	103	3.55 7	93	0	
625	1700 25 5377 2025/05/15	2	2.04	1700 22 2761 1700 18 8583	98	93	100	0.06 60	100	-1.09 43	87	-1.06 90	-2.09 8	92	-0.20 8	97	-1.16 41	94	-4.63 39	113	-0.51 7	103	1	
626	1700 25 5378 2025/05/15	1	2.35	1700 22 2761 1700 23 3051	92	93	91	0.04 60	100	-1.08 43	87	-1.06 90	-1.58 8	95	-0.90 8	94	-1.58 41	92	-0.84 39	103	3.55 7	93	1	
627	1700 25 5379 2025/05/15	1	2.34	1700 22 2761 1700 22 6225	89	90	91	-0.64 60	94	-0.93 43	89	-1.25 89	-2.47 8	91	-0.90 8	94	-2.11 41	90	-0.84 39	103	3.55 7	93	1	
628	1700 25 5381 2025/05/15	1	2.33	1700 22 2761 1700 24 2020	77	77	87	-2.41 63	79	-1.16 43	87	-2.36 80	-5.66 8	78	-0.90 8	94	-4.11 43	81	4.09 40	90	3.41 7	93	0	
629	1700 25 8387 2025/08/10	1	2.26	1700 22 2761 1700 21 5225	88	89	91	-0.84 59	92	-0.95 44	89	-1.36 88	-2.81 8	90	-0.90 8	94	-2.32 41	89	-0.84 39	103	3.55 7	93	99 2 2	
630	1700 25 8388 2025/08/10	1	2.35	1700 22 2761 1700 23 5249	88	88	91	-0.83 58	92	-1.04 42	88	-1.46 87	-2.93 8	89	-0.90 8	94	-2.41 40	88	-0.84 39	103	3.55 7	93	98 2 1	

Young Ewes



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed avg
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information					Parents		Selection Indices			EBV - Weights						EBV - Fertility								
Animal ID BDate		Birth Status	% In- breeding	Sire ID Dam ID		DLMI	DGI	DRI	Weaning Weight		Comb	Post-Wean		Lambs weaned		TWW		AFL		ILP		Dam T Lamberd N Weaned		
									Dir	Mat		Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index			Acc
Active Breed Average:						100	100	100	0.00		0.14		0.14		-0.25		0.10		0.21		0.27		1.10	
631	1700 25 8389 2025/08/10	1	2.34	1700 22 2761 1700 22 8329	88	88	91	-0.78 58	93	-1.03 42	88	-1.42 87	-2.83 8	89	-0.90 8	94	-2.35 40	89	-0.84 39	103	3.55 7	93	99	2 1
632	1700 25 8390 2025/08/10	1	2.33	1700 20 0149 1700 20 5232	81	88	83	-1.63 47	85	-0.07 28	98	-0.89 92	-2.56 5	91	-1.20 5	92	-2.42 29	88	10.81 15	72	3.69 5	92	90	2 0
633	1700 25 8391 2025/08/10	1	4.73	1700 22 2761 1700 24 5094	83	85	82	-0.14 63	98	-2.36 47	74	-2.43 79	-3.64 13	86	-2.20 17	87	-3.81 46	82	-2.05 47	106	5.96 13	86	97	1 1
634	1700 25 8392 2025/08/10	1	2.34	1700 22 2761 1700 22 6150	88	87	91	-0.92 58	91	-1.06 42	88	-1.52 86	-3.10 8	88	-0.90 8	94	-2.52 40	88	-0.84 39	103	3.55 7	93	98	2 1
635	1700 25 8393 2025/08/10	1	2.34	1700 20 0149 1700 22 6123	81	89	83	-1.55 56	86	-0.05 34	98	-0.82 92	-2.40 5	91	-1.20 5	92	-2.32 35	89	10.81 15	72	3.69 5	92	98	2 1
636	1700 25 8394 2025/08/10	1	2.33	1700 22 2761 1700 20 9558	93	94	92	-0.07 58	99	-0.83 42	90	-0.87 92	-1.41 8	95	-0.90 8	94	-1.44 40	92	-0.84 39	103	3.55 7	93	100	2 1
637	1700 25 8395 2025/08/10	1	2.34	1700 22 2761 1700 22 8301	87	86	90	-0.76 59	93	-1.44 44	84	-1.82 84	-3.38 8	87	-0.90 8	94	-2.74 41	87	-0.84 39	103	3.55 7	93	99	2 2
638	1700 25 8397 2025/08/10	1	4.77	1700 22 2761 1700 24 5053	87	90	81	0.81 64	106	-2.58 48	71	-2.17 81	-2.41 13	91	-2.20 17	87	-3.09 47	85	-2.15 47	107	5.98 13	86	98	1 1
639	1700 25 8398 2025/08/10	1	2.26	1700 20 0149 1700 21 3113	77	84	81	-1.76 58	84	-0.77 38	91	-1.65 85	-3.75 5	86	-1.20 5	92	-3.25 37	85	10.81 15	72	3.69 5	92	98	2 3
640	1700 25 8401 2025/08/10	1	2.33	1700 20 0149 1700 20 0688	83	91	84	-1.24 56	89	0.03 34	99	-0.59 94	-1.79 5	94	-1.20 5	92	-1.93 35	90	10.81 15	72	3.69 5	92	99	2 1
641	1700 25 8404 2025/08/10	1	2.04	1700 17 4310 1700 18 0865	101	92	110	-1.21 50	89	0.24 22	101	-0.36 96	-2.48 5	91	0.30 5	100	-0.78 28	95	-6.64 5	119	-4.15 5	112	98	2 1
642	1700 25 8405 2025/08/10	1	2.35	1700 22 2761 1700 23 3101	88	89	92	-0.98 59	91	-0.76 45	91	-1.25 89	-2.78 8	90	-0.90 8	94	-2.28 42	89	-0.84 39	103	3.55 7	93	98	2 2
643	1700 25 8407 2025/08/10	1	2.26	1700 22 2761 1700 21 1566	84	83	90	-1.41 59	87	-1.31 44	85	-2.02 82	-4.26 8	84	-0.90 8	94	-3.26 41	85	-0.84 39	103	3.55 7	93	98	2 2
644	1700 25 8410 2025/08/10	1	4.77	1700 22 2761 1700 24 5153	77	77	81	-1.23 63	89	-2.59 47	71	-3.21 73	-5.74 13	78	-2.20 17	87	-5.14 46	77	-1.84 47	106	5.93 13	87	97	1 1
645	1700 25 8413 2025/08/10	1	2.35	1700 22 2761 1700 23 2643	87	87	91	-0.97 58	91	-1.08 42	87	-1.56 86	-3.21 8	88	-0.90 8	94	-2.58 40	88	-0.84 39	103	3.55 7	93	98	1 1

Young Ewes



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed avg
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information					Parents		Selection Indices			EBV - Weights						EBV - Fertility								
Animal ID BDate		Birth Status	% In- breeding	Sire ID Dam ID		DLMI	DGI	DRI	Weaning Weight		Comb	Post-Wean		Lambs weaned		TWW		AFL		ILP		Dam T Lambed N Weaned		
									Dir	Mat		Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index			Acc
Active Breed Average:						100	100	100	0.00		0.14		0.14		-0.25		0.10		0.21		0.27		1.10	
646	1700 25 8415 2025/08/10	1	2.34	1700 20 0149 1700 22 6141	88	98	85	-0.43 57	0.33 96	0.12 36	-0.05 102	0.12 100	-0.05 5	101	-1.20 5	-0.82 92	36	95	10.81 15	3.69 72	5	92	100	2 2
647	1700 25 8418 2025/08/10	2	2.33	1700 22 2761 1700 20 8366	87	87	91	-0.97 60	91	-1.06 46	88	-1.54 86	-3.18 8	88	-0.90 8	-2.57 94	43	88	-0.84 39	3.55 103	7	93	105	2 3
648	1700 25 8419 2025/08/10	1	2.35	1700 22 2761 1700 23 0508	88	88	91	-0.89 49	92	-1.06 39	88	-1.50 87	-3.05 8	89	-0.90 8	-2.49 94	36	88	-0.84 39	3.55 103	7	93	90	2 0
649	1700 25 8421 2025/08/10	1	4.76	1700 22 2761 1700 24 5087	87	87	86	0.09 62	100	-2.31 47	74	-2.27 80	-3.21 13	88	-2.20 17	-3.54 87	46	84	-7.15 47	6.09 120	13	86	98	1 1
650	1700 25 8425 2025/08/10	1	2.35	1700 22 2761 1700 23 0393	87	86	91	-1.04 58	90	-1.10 42	87	-1.61 86	-3.34 8	87	-0.90 8	-2.67 94	40	87	-0.84 39	3.55 103	7	93	98	1 1
651	1700 25 8426 2025/08/10	1	4.86	1700 22 2761 1700 24 5103	81	87	76	0.32 62	102	-2.57 47	72	-2.41 79	-3.20 13	88	-2.10 17	-3.51 88	46	84	-1.03 44	10.86 104	13	74	98	1 1
652	1700 25 8427 2025/08/10	1	4.77	1700 22 2761 1700 24 5134	76	75	81	-1.49 63	87	-2.57 47	72	-3.32 72	-6.14 13	76	-2.20 17	-5.38 87	46	76	-1.86 47	5.93 106	13	87	96	1 1
653	1700 25 8432 2025/08/10	1	2.35	1700 17 4310 1700 23 5207	100	98	103	-0.58 50	94	0.58 22	105	0.29 101	-0.49 5	99	-0.40 5	-0.25 96	28	97	-2.86 5	-0.10 108	5	102	99	2 1
654	1700 25 8433 2025/08/10	3	2.33	1700 20 0149 1700 18 9706	85	86	92	-1.83 59	84	-0.14 38	97	-1.06 90	-3.52 5	87	-0.40 5	-2.22 96	37	89	7.02 15	-0.37 82	5	103	100	2 4
655	1700 25 8434 2025/08/10	2	2.34	1700 20 0149 1700 22 6217	82	90	84	-1.42 60	87	-0.03 39	99	-0.74 93	-2.17 5	92	-1.20 5	-2.17 92	38	89	10.58 18	3.71 72	5	92	100	2 3
656	1700 25 8435 2025/08/10	2	2.34	1700 20 0149 1700 22 6217	83	91	84	-1.16 60	89	-0.08 39	98	-0.66 93	-1.82 5	94	-1.20 5	-1.96 92	38	90	10.58 18	3.71 72	5	92	100	2 3
657	1700 25 8436 2025/08/10	1	2.34	1700 20 0149 1700 22 8429	74	80	82	-2.61 58	77	-0.53 38	93	-1.84 84	-4.80 5	82	-1.20 5	-3.86 92	37	82	10.81 15	3.69 72	5	92	97	2 3
658	1700 25 8437 2025/08/10	3	2.33	1700 22 2761 1700 20 8401	89	89	90	-0.48 60	95	-1.22 45	86	-1.46 87	-2.61 8	90	-0.90 8	-2.23 94	42	89	-0.84 39	3.55 103	7	93	111	2 3
659	1700 25 8442 2025/08/10	2	2.35	1700 22 2761 1700 23 3073	90	90	92	-0.71 60	93	-0.73 46	91	-1.09 90	-2.31 8	92	-0.90 8	-1.98 94	43	90	-0.84 40	3.55 103	7	93	104	3 3
660	1700 25 8443 2025/08/10	2	2.35	1700 22 2761 1700 23 3073	89	89	92	-0.98 60	91	-0.68 46	92	-1.17 89	-2.67 8	90	-0.90 8	-2.20 94	43	89	-0.84 40	3.55 103	7	93	104	3 3

Young Ewes



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed avg
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information					Parents		Selection Indices			EBV - Weights						EBV - Fertility							
Animal ID BDate		Birth Status	% In- breeding	Sire ID Dam ID		DLMI	DGI	DRI	Weaning Weight		Comb	Post-Wean		Lambs weaned		TWW		AFL		ILP		Dam T Lamberd N Weaned	
									Dir	Mat		Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index		
Active Breed Average:						100	100	100	0.00	0.14	0.14	-0.25	0.10	0.21	0.27	1.10							
661	1700 25 8446 2025/08/10	2	2.33	1700 22 2761 1700 20 8385	92	94	92	-0.20 59	-0.77 98 44 91	-0.87 92	-1.54 8 95	-0.90 8 94	-1.51 41 92	-0.84 39 103	3.55 7 93	106	2 2						
662	1700 25 8447 2025/08/10	2	2.33	1700 22 2761 1700 20 8385	91	92	92	-0.47 59	-0.72 95 44 91	-0.96 91	-1.90 8 93	-0.90 8 94	-1.73 41 91	-0.84 39 103	3.55 7 93	106	2 2						
663	1700 25 8449 2025/08/10	2	2.26	1700 22 2761 1700 21 5206	83	83	87	-1.11 60	-1.60 90 46 82	-2.16 81	-4.17 8 84	-0.90 8 94	-3.25 43 85	1.31 40 97	3.48 7 93	102	2 3						
664	1700 25 8452 2025/08/10	2	2.26	1700 22 2761 1700 21 5207	85	84	88	-0.64 60	-2.07 94 46 77	-2.39 79	-4.06 8 85	-0.90 8 94	-3.24 43 85	-0.84 39 103	3.55 7 93	104	2 3						
665	1700 25 8453 2025/08/10	2	2.26	1700 22 2761 1700 21 5207	82	80	88	-1.36 60	-1.93 88 46 78	-2.61 78	-5.04 8 81	-0.90 8 94	-3.83 43 82	-0.84 39 103	3.55 7 93	104	2 3						
666	1700 25 8455 2025/08/10	2	2.04	1700 17 4310 1700 18 0892	99	90	110	-1.62 51	0.22 85 25 101	-0.59 94	-3.19 5 88	0.30 5 100	-1.22 29 93	-6.64 5 119	-4.15 5 112	103	2 2						
667	1700 25 8457 2025/08/10	2	2.34	1700 22 2761 1700 22 2689	89	89	91	-0.71 60	-0.94 93 47 89	-1.30 88	-2.60 8 90	-0.90 8 94	-2.19 43 89	-0.98 40 103	3.55 7 93	104	2 3						
668	1700 25 8459 2025/08/10	2	2.34	1700 20 0149 1700 22 6242	77	83	81	-1.99 48	-0.70 82 33 92	-1.69 85	-4.02 5 85	-1.20 5 92	-3.40 31 84	10.81 15 72	3.69 5 92	95	2 2						
669	1700 25 8460 2025/08/10	2	2.26	1700 20 0149 1700 21 5223	85	94	84	-0.93 58	0.12 91 36 100	-0.34 96	-1.16 5 96	-1.20 5 92	-1.53 36 92	10.81 15 72	3.69 5 92	105	3 2						
670	1700 25 8461 2025/08/10	2	2.26	1700 20 0149 1700 21 5223	83	91	84	-1.46 58	0.22 87 36 101	-0.51 95	-1.88 5 93	-1.20 5 92	-1.96 36 90	10.81 15 72	3.69 5 92	105	3 2						
671	1700 25 8463 2025/08/10	2	2.33	1700 20 0149 1700 17 1818	89	92	93	-1.23 58	0.16 89 36 101	-0.46 95	-2.12 5 92	-0.40 5 96	-1.31 36 93	7.02 15 82	-0.37 5 103	104	3 2						
672	1700 25 8464 2025/08/10	2	2.26	1700 20 0149 1700 21 5203	81	88	84	-1.95 58	0.20 83 36 101	-0.77 93	-2.69 5 90	-1.20 5 92	-2.46 36 88	10.81 15 72	3.69 5 92	105	4 2						
673	1700 25 8465 2025/08/10	2	2.26	1700 20 0149 1700 21 5203	81	89	84	-1.75 58	0.17 84 36 101	-0.71 93	-2.43 5 91	-1.20 5 92	-2.30 36 89	10.81 15 72	3.69 5 92	105	4 2						
674	1700 25 8469 2025/08/10	3	2.33	1700 20 0149 1700 18 9706	86	88	92	-1.63 59	-0.18 85 38 97	-1.00 91	-3.24 5 88	-0.40 5 96	-2.05 37 90	7.02 15 82	-0.37 5 103	100	2 4						
675	1700 25 8472 2025/08/10	2	2.01	1700 17 4310 1700 24 5097	91	85	100	-1.58 57	-0.68 86 31 92	-1.47 87	-4.02 5 85	-0.30 5 97	-2.45 35 88	-3.92 25 111	-0.30 5 103	100	1 2						

Young Ewes



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed avg
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information				Parents		Selection Indices			EBV - Weights						EBV - Fertility									
Animal ID BDate		Birth Status	% In- breeding	Sire ID Dam ID		DLMI	DGI	DRI	Weaning Weight		Comb	Post-Wean		Lambs weaned		TWW		AFL		ILP		Dam T Lamberd N Weaned		
									Dir	Mat		Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index			Acc
Active Breed Average:						100	100	100	0.00		0.14		0.14		-0.25		0.10		0.21		0.27		1.10	
676	1700 25 8475 2025/08/10	2	2.26	1700 20 0149 1700 21 2056	80	87	84	-1.95 58	0.02 83	-0.95 91	-2.96 5	89	-1.20 5	-2.65 92	37	87	10.81 15	72	3.69 5	92	104	2 3		
677	1700 25 8479 2025/08/10	2	2.33	1700 20 0149 1700 18 1128	84	85	92	-2.02 58	-0.29 82	-1.30 88	-4.02 5	85	-0.40 5	-2.55 96	37	88	7.02 15	82	-0.37 5	103	102	3 3		
678	1700 25 8481 2025/08/10	2	2.33	1700 22 2761 1700 20 2886	87	87	91	-0.92 59	-1.18 91	-1.64 85	-3.27 8	88	-0.90 8	-2.64 94	41	87	-0.84 39	103	3.55 7	93	103	3 2		
679	1700 25 8482 2025/08/10	2	2.33	1700 22 2761 1700 24 2018	75	78	81	-2.01 62	-1.54 82	-2.54 78	-5.54 8	79	-0.90 8	-4.09 94	43	81	9.13 43	76	3.27 7	93	100	1 2		
680	1700 25 8483 2025/08/10	2	2.33	1700 22 2761 1700 24 2018	74	77	81	-2.14 62	-1.51 81	-2.58 78	-5.72 8	78	-0.90 8	-4.19 94	43	81	9.13 43	76	3.27 7	93	100	1 2		
681	1700 25 8484 2025/08/10	2	2.04	1700 17 4310 1700 19 1009	98	96	103	-1.08 51	0.69 25	0.15 100	-1.13 5	96	-0.40 5	-0.63 96	29	96	-2.86 5	108	-0.10 5	102	105	2 2		
682	1700 25 8486 2025/08/10	2	2.33	1700 20 0149 1700 20 5306	78	84	83	-2.03 58	-0.32 82	-1.33 88	-3.56 5	87	-1.20 5	-3.07 92	37	86	10.81 15	72	3.69 5	92	103	2 3		
683	1700 25 8487 2025/08/10	2	2.33	1700 20 0149 1700 20 5306	78	84	83	-2.03 58	-0.32 82	-1.33 88	-3.56 5	87	-1.20 5	-3.07 92	37	86	10.81 15	72	3.69 5	92	103	2 3		
684	1700 25 8491 2025/08/10	2	1.97	1700 17 4310 1700 24 5088	89	88	92	-0.84 46	-1.02 92	-1.44 87	-3.13 10	88	-1.70 15	-2.88 90	31	86	-3.97 26	111	2.31 11	96	90	1 0		
685	1700 25 8493 2025/08/10	2	2.34	1700 20 0149 1700 22 1052	78	85	83	-2.04 58	-0.23 82	-1.25 89	-3.46 5	87	-1.20 5	-3.00 92	37	86	10.81 15	72	3.69 5	92	102	2 3		
686	1700 25 8495 2025/08/10	2	2.26	1700 20 0149 1700 21 2662	80	89	81	-1.38 58	-0.22 87	-0.91 91	-2.37 5	91	-1.20 5	-2.32 92	37	89	13.97 18	64	3.60 5	93	104	3 2		
687	1700 25 8499 2025/08/10	2	2.26	1700 22 2761 1700 21 0528	93	94	92	-0.15 59	-0.71 98	-0.79 92	-1.37 8	95	-0.90 8	-1.40 94	41	93	-0.84 39	103	3.55 7	93	106	3 2		
688	1700 25 8500 2025/08/10	1	2.26	1700 20 0149 1700 21 2007	84	92	84	-1.13 56	0.07 90	-0.50 95	-1.56 5	95	-1.20 5	-1.78 92	35	91	10.81 15	72	3.69 5	92	99	3 1		
689	1700 25 8502 2025/08/10	2	2.04	1700 22 2761 1700 18 2920	94	89	99	-0.50 60	-1.18 95	-1.43 87	-3.12 8	88	-0.20 8	-1.80 97	43	91	-4.63 39	113	-0.51 7	103	104	2 3		
690	1700 25 8504 2025/08/10	2	2.33	1700 20 0149 1700 20 5252	79	86	83	-2.01 58	-0.11 82	-1.12 90	-3.24 5	88	-1.20 5	-2.84 92	36	86	10.81 15	72	3.69 5	92	103	2 2		

Young Ewes



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed avg
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information				Parents		Selection Indices			EBV - Weights					EBV - Fertility									
Animal ID BDate		Birth Status	% In-breeding	Sire ID Dam ID		DLMI	DGI	DRI	Weaning Weight		Comb	Post-Wean		Lambs weaned		TWW		AFL		ILP		Dam T Lambded N Weaned	
									Dir	Mat		Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index		
									Acc	EBV Index	Acc	EBV Index	EBV Index	Acc	EBV Index	Acc	EBV Index	Acc	EBV Index	Acc	EBV Index	Acc	EBV Index
Active Breed Average:						100	100	100	0.00	0.14	0.14	-0.25	0.10	0.21	0.27	1.10							
691	1700 25 8506 2025/08/10	2	2.33	1700 20 0149 1700 20 2133	81	88	83	-1.67 58	-0.11 85 38 98	-0.94 91	-2.68 5 90	-1.20 5 92	-2.50 37 88	10.81 15 72	3.69 5 92	103	2 3						
692	1700 25 8508 2025/08/10	2	2.34	1700 22 2761 1700 22 8365	96	98	93	0.28 59 102	-0.50 44 94	-0.36 96	-0.37 8 99	-0.90 8 94	-0.76 41 95	-0.84 39 103	3.55 7 93	107	1 2						
693	1700 25 8510 2025/08/10	2	2.26	1700 20 0149 1700 21 2075	84	92	84	-1.32 58	0.23 38 101	-0.44 95	-1.65 5 94	-1.20 5 92	-1.82 37 91	10.81 15 72	3.69 5 92	105	2 3						
694	1700 25 8512 2025/08/10	3	2.33	1700 22 2761 1700 20 8401	87	86	91	-1.07 60	-1.11 45 87	-1.64 85	-3.41 8 87	-0.90 8 94	-2.72 42 87	-0.84 39 103	3.55 7 93	111	2 3						
695	1700 25 8521 2025/08/10	2	2.33	1700 20 0149 1700 20 9567	77	84	83	-2.28 58	-0.14 80 38 97	-1.28 88	-3.71 5 86	-1.20 5 92	-3.14 37 85	10.79 18 72	3.69 5 92	101	2 3						
696	1700 25 8524 2025/08/10	2	2.26	1700 22 2761 1700 21 2066	91	92	92	-0.54 59	-0.59 44 93	-0.86 92	-1.83 8 94	-0.90 8 94	-1.67 41 91	-0.84 39 103	3.55 7 93	107	1 2						
697	1700 25 8526 2025/08/10	1	2.00	1700 17 4310 1700 24 5143	83	79	92	-2.07 56	-1.20 31 86	-2.24 81	-5.38 10 79	-1.70 15 90	-4.29 37 80	-3.94 26 111	2.30 11 96	95	1 1						
698	1700 25 8528 2025/08/10	1	2.01	1700 17 4310 1700 24 5144	86	79	100	-2.54 56	-0.64 29 92	-1.91 83	-5.51 5 79	-0.30 5 97	-3.36 34 84	-3.89 25 111	-0.31 5 103	95	1 1						
699	1700 25 8531 2025/08/10	2	2.33	1700 22 2761 1700 24 2012	74	77	81	-2.01 62	-1.62 46 82	-2.63 77	-5.65 8 78	-0.90 8 94	-4.17 43 81	9.13 43 76	3.27 7 93	100	1 2						
700	1700 25 8532 2025/08/10	2	2.33	1700 22 2761 1700 24 2012	75	78	81	-1.88 62	-1.65 46 81	-2.59 78	-5.48 8 79	-0.90 8 94	-4.06 43 81	9.13 43 76	3.27 7 93	100	1 2						
Ewe Flock Average:						87.6	89.6	-0.86	-0.29	-0.72	-1.82	-1.08	-1.80	1.17	3.68								
Total number of young ewes:						700																	

Ewes born since Jan 2024, with at least one known parent