



ILE DE FRANCE GENETIC REPORT

04 September 2026



TAPPS INVESTMENTS

FDM : CS



**CERTIFICATE
OF QUALITY**

Valid up to
October 2029

General Information

This **Genetic Report** of your flock enables you to determine the genetic merit and potential of the animals in your herd relative to that of the breed. An animal's performance is determined by two factors, namely the environment and genetics. Good nutrition and management can improve performance, but an animal cannot perform better than its genetic potential. Superior performance due to the environment cannot be carried over to the next generation. It is therefore extremely important not to neglect genetic progress of your flock. Due to the interaction between environment and genetics, it is difficult to identify genetically superior animals on performance data. Estimated Breeding Values (EBVs) are therefore predicted for every animal to determine its genetic potential, as well its worth as a parent for the next generation. Through the use of EBVs, animals can be compared fairly **within the breed**, therefore across herds, years and production systems. Results presented in this report allow the breeder to identify the underlying genetics of the animals.

Genetic parameters

Genetic parameters (heritability and genetic correlations) are estimated on a breed-basis and are required for the prediction of breeding values. The **heritability** refers to the portion of the variation of a trait in a population that is due to transferrable genetics (the rest of the variation can be attributed to the environment and non-transferrable genetics). Some traits are genetically correlated, which means that a change in one trait will lead to changes in other traits. The strength of this association amongst traits is referred to as a **genetic correlations** and can be desirable or undesirable.

Breeding Values

The prediction of EBVs makes use of performance recordings of the animal as well as those of its relatives, pedigree information and genetic parameters. The deviation of the animal's measurement relative to the average of its contemporary group, forms the basis for identifying the animal's genetic potential for the trait. A **contemporary group** is a group of animals that have been exposed to the same environmental and biological effects, including herd, year, sex and age effects. After adjusting for differences in these effects, animals can fairly be compared and the difference in performance that still persist are then assumed to be due to differences in the genetic merit of the animals.

The EBV predicted for an animal at birth and until it has been measured, is the average EBV of its parents, since the animal received half of its genes from each parent. This mid-parent value makes the assumption that the same half of the parents' genes are carried over to all their offspring. In reality, each offspring receives a random sample of each parent's genes,

therefore mid-parent EBVs are still of low accuracy, but it does indicate the genetic level that can be expected due its parental history. An animal's true genetic merit can be predicted more accurately as more information becomes available, eg. when the animal has been measured or when the number of relatives with measurements increases. Estimated breeding values therefore change over time as more information becomes available. EBVs of animals are published with an **accuracy** (%), which indicates how much information was available for the estimation of breeding values and therefore the confidence with which a breeder can use it. Factors that influence the accuracy of an EBV are the heritability of the trait, the number of measured relatives, the size of the contemporary group, the precision with which the measurements were taken and the completeness of pedigree information. An EBV with an accuracy of 85% or more is less likely to change significantly with subsequent genetic analyses.

Interpretation of breeding values

EBVs are expressed around a **base year** (5 years ago), which means that the average breeding value of the base year is set as zero and all breeding values are expressed relative to this average. An animal with an EBV of +1kg for weaning weight is therefore genetically superior by 1kg compared to an average animal born in the base year. EBVs therefore express genetic merit of animals relative to each other. The true performance of an animal cannot be calculated from the EBV, but it enables the breeder to know which animals will make a better contribution to the next generation. For easier interpretation EBVs are also expressed as breeding value indices. For these indices the average value of the **active population** is set as 100 with a standard deviation of 12. An index of 76 therefore indicates that the animal is 2 standard deviations below the average and an index of 112 indicates that the animal is 1 standard deviation above the average of the active population for the specific trait. Please note that negative EBVs are favourable for Inter-Lambing Period and Age at First Lambing, therefore shorter inter-lambing periods and younger ages at first lambing indicates better fertility. However, breeding value indices are expressed in the same way for all traits, therefore higher indices indicates desirability for the traits and lower indices are undesirable. This makes it easy to identify superior animals for all traits.

The data used in this evaluation has been obtained from LOGIX, as supplied by breeders. Everything possible had been done to present the information correctly. SA Stud Book does not take any responsibility for the use and interpretation of the information from this publication.


Selection Indices

It is easy to select on a single trait, but that is not the best approach to follow. Selecting on only one trait can lead to the deterioration of performance in other traits due to genetic correlations. There are different traits that are important, some being more important than others. A selection index combines multiple traits, each with an economic weight to take the different levels of importance into account. EBVs for different traits cannot simply be added together, since the unit of measurement and range of the values differ and in some cases negative values are favoured. These factors are accounted for in the compilation of a selection index. An overall selection index includes EBVs of all the traits of economic importance, while other selection indices are more focused on specific breeding objectives. Selection indices are expressed around 100, with 100 being the average of the active population, with a standard deviation of 12. A selection index of 124 is therefore 2 standard deviations above the average and an index of 88 is one standard deviation below the average of the active animals of the population.

The available selection indices, their purpose and the contribution of the different traits to the indices are summarised below:


Logix Merit Index (LMI)

This index combines all the traits to select for a balanced, profitable animal that is fertile and delivers a desirable level of production while not reaching very large adult weights. Very large animals require more feed to meet their maintenance requirements, which makes them more expensive to keep and more likely to struggle during difficult times. Since large animals in a breeding flock are unfavourable, a penalty is placed on Post-Wean Weight EBV (indicated by the negative value) in the index. Selection based on the LMI will lead to breeding of balanced animals that will have the genetic potential to wean at a heavier weight (both due to its own potential and having dams that produce sufficient milk), lambs at an early age, lambs regularly, give multiple lambs and has lower maintenance requirements. This value is especially important for sustainability, which requires the selection of good, productive replacement animals for the flock.




Growth Index (GI)

This encompasses growth for the period up until weaning and is especially important to farmers who sell lambs at or near the time of weaning. Strong emphasis is placed on direct weights, while still allowing the breeding of daughters that will have the ability to raise lambs more efficiently to reach their own genetic potential.



Reproduction Index (RI)

This includes Weaning Weight (Direct and Maternal), combined with Number of Lambs Weaned as indication of Total Weight Weaned (TWW) and therefore the ewe's overall productivity. More emphasis is placed on the Maternal compared to the Direct Weaning Weight EBV. Age at First Lambing and Inter-lambing Period are included to select for ewes that lamb earlier and regularly. This is especially an important index to consider in the development of a dam line.



It is always important to consider the traits that contribute to the index individually when selection of animals is based on indices. It sometimes happen that an animal receives a good index due to its exceptional genetic merit of a specific trait, while some of the other traits of the animal in the index might be at undesirable levels for the specific flock's breeding objective, but masked in the index due to the exceptionality of that trait. A sound procedure is to rank animals based on the relevant selection index and then eliminate animals from the list that do not conform towards the flock's breeding objectives when considering the individual traits. Make use of all the available information.

Ile de France

Genetic Averages of Animals

Trait	Flock			Breed		
	All	Rams	Ewes	All	Rams	Ewes
Pre-wean Direct	0.37	0.40	0.37	0.30	0.33	0.28
Pre-wean Maternal	0.13	0.19	0.11	0.05	0.06	0.05
Pre-wean Combined	0.32	0.39	0.29	0.20	0.22	0.19
Weaning Weight Direct	0.82	0.93	0.77	0.51	0.60	0.47
Weaning Weight Mat	0.19	0.26	0.17	0.09	0.10	0.09
Weaning Weight Comb	0.60	0.73	0.55	0.35	0.40	0.32
Post-wean Weight	0.44	0.53	0.40	0.24	0.35	0.19
Lambs Weaned	1.52	1.73	1.43	0.12	0.25	0.07
Total Weight Weaned	1.92	2.23	1.80	0.67	0.85	0.60
Age at First Lambing	-0.50	-0.70	-0.41	0.32	0.28	0.33
Inter-lambing Period	-0.70	-1.16	-0.51	0.62	0.68	0.59
Selection Index						
Logix Merit Index	107	109	106	100	101	100
Growth Index	104	106	103	100	101	99
Reproduction Index	107	110	106	100	101	100
Inbreeding						
Inbreeding coefficient (%)	5.96	4.94	6.38	6.67	6.80	6.62
Number of Animals						
Number of animals	1167	338	829	11172	3121	8031

** Averages of all active animals in the flock.

Breeding Value Indices

Trait	Flock **		
	All	Rams	Ewes
Pre-wean Direct	100.9	101.3	100.8
Pre-wean Maternal	103.0	105.2	102.0
Pre-wean Combined	102.9	104.8	102.1
Weaning Weight Direct	102.9	104.2	102.4
Weaning Weight Mat	103.5	105.9	102.6
Weaning Weight Comb	104.2	106.4	103.3
Post-wean weight	102.0	103.1	101.6
Lambs Weaned	105.4	106.2	105.1
Total Weight Weaned	106.9	108.6	106.2
Age First Lambing	102.4	103.1	102.2
Inter-lambing Period	103.1	104.2	102.6
Selection Indices			
Logix Merit Index	107.0	109.3	106.0
Growth Index	103.6	105.6	102.8
Reproduction Index	107.2	109.8	106.1
Inbreeding			
Inbreeding (%)	5.96	4.94	6.38
Number of Animals			
Number of animals	1167	338	829

** Averages of all active animals in the flock.

Inbreeding

Notes

- Inbreeding primarily leads to decreased fertility and low survivability of lambs.
- The effects of inbreeding can be observed from 6.25% onwards.
- It is therefore highly recommended to record pedigree information as accurately and completely as possible and to use a selection programme for selection of unrelated rams.
- Incomplete or incorrect pedigree information can be reported to SA Stud Book. Inbreeding is dependent on pedigree information. Conventional methods for the calculation of inbreeding coefficients usually assume that unknown parents are unrelated. However, this is usually far from the truth. An algorithm is used for the calculation of inbreeding, where the average inbreeding coefficient is assigned to unknown parents based on the generation in which they were born. This result is a more accurate reflection of inbreeding of the herd and breed.

Inbreeding Levels for Specific Matings


Progeny with Parents :	25%
Full Brother x Full Sister :	25%
Half Brother x Half Sister :	12.5%
One Common Grandparent :	6.25%
One Common Great-Grandparent :	3.125%

Level and Rate of Inbreeding

Year of Birth	Level* (%)	Rate (% / year)
2015 - 2026	4.65	-0.52
Recommended:	< 6.25	< 0.1 - 0.2

*Of the last year of birth

Rate of Inbreeding



Pedigree Information

	Animals	%
Known sires	1167	100
Known dams	1163	100

Note: Inbreeding can be under-estimated if pedigree information is incomplete or incorrect

Genetic Windows

Genetic Linkage of Flock

(Based on the youngest measured generation)

Level	Nr of Link Rams
Geen / None	0


A link ram should have at least 20 measured progeny in your flock and at least another 20 measured progeny in at least one more flock.

Try to use at least 5 link rams in a 5 year period to obtain strong genetic linkage within the breed.

PrWd:	Pre-Wean Direct
PrWm:	Pre-Wean maternal
PrWc:	Pre-Wean Combined
WWd:	Weaning Weight Direct
WWm:	Weaning Weight Maternal
WWc:	Weaning Weight Combined
PoW:	Post-Wean Weight
L-wean:	Number of Lambs Weaned
TWW:	Total Weight Weaned
AFL:	Age at First Lambing
ILP:	Inter-lambing Period
GI:	Growth Index
RI:	Reproduction Index

All animals in flock

Number: 1167




The genetic windows allow a quick overview of the genetic status of the flock compared to the breed. The values presented here are the average EBV indices of all the active animals of the flock, of the dams and sires of the active animals of the flock, as well as of the ewes and rams younger than 2 years old. An index of 100 is equal to the average of the active measured population. Due to the higher selection intensity on rams (selection is more strict since a much smaller percentage of young animals are retained in the flock), the expectation is for the average index of the sires to be higher than that of the dams.

Remember that the EBV index for AFL and ILP are presented in such a way that an index above 100 indicates animals that have a lower EBV for these traits.

Genetic Windows


Dams

Number: 689




Sires

Number: 184




Young Ewes

Number: 829



Young Rams

Number: 338



Genetic Trends

Genetic trends are based on measured animals that were bred by the specific breeder.

Genetic Trends

Genetic trends are based on measured animals that were bred by the specific breeder.

For AFL and ILP flock
genetic trends below breed
averages are desirable.

Genetic Trends of Breed

Birth Year	Pre-Wean EBV			Weaning Weight EBV			Post Wean		Lambs Weaned		TWW		AFL		ILP	
	Anim	Dir	Mat	Anim	Dir	Mat	Anim	EBV	Anim	EBV	Anim	EBV	Anim	EBV	Anim	EBV
2014	1572	-0.35	0.10	1722	-0.56	0.07	94	-0.62	877	0.26	1722	95	944	0.22	678	0.12
2015	2521	-0.38	0.02	2767	-0.53	-0.02	80	-0.91	1045	0.18	2767	94	1142	0.58	793	-0.08
2016	2430	-0.33	0.00	2668	-0.40	-0.03	11	-0.69	957	0.25	2668	93	960	0.94	662	-0.34
2017	3278	-0.26	-0.04	3670	-0.40	-0.07	74	-0.40	1018	0.05	3670	94	1033	0.70	741	-0.40
2018	3211	-0.24	0.03	3362	-0.35	0.03	224	-0.57	1049	0.61	3362	94	952	0.71	716	0.15
2019	3092	-0.16	0.04	3203	-0.13	0.03	614	-0.05	931	0.37	3200	97	911	-0.08	672	-0.42
2020	2897	0.01	-0.03	2962	-0.08	-0.02	540	-0.18	829	-0.40	2962	95	864	0.51	635	0.88
2021	3261	0.00	0.00	3316	0.00	0.00	505	0.00	944	0.00	3316	96	1062	0.00	727	0.00
2022	4008	0.16	0.04	4208	0.34	0.06	474	0.19	989	0.01	4208	98	1154	0.26	734	0.52
2023	3548	0.26	0.03	3676	0.38	0.06	289	0.38	756	0.10	3676	99	984	-0.05	470	0.42
2024	3664	0.28	0.04	3824	0.45	0.07	778	0.36	442	0.21	3824	99	758	-0.17	103	1.09
2025	3543	0.43	0.04	3625	0.75	0.09	701	0.51	5	5.84	3625	101	66	0.81		

Genetic Trends of Flock

Birth Year	Pre-Wean EBV			Weaning Weight EBV			Post Wean		Lambs Weaned		TWW		AFL		ILP	
	Anim	Dir	Mat	Anim	Dir	Mat	Anim	EBV	Anim	EBV	Anim	EBV	Anim	EBV	Anim	EBV

Breeding Value & Selection Index Percentiles

The percentiles indicate the ranking of the animals' EBVs and Selection Indices within the active population.

For example, if an animal's EBV for a specific trait falls between the maximum and 99% percentile of the trait, it means that this animal ranks in the top 1% of the active population, or this animal's genetic merit for the trait is better than 99% of that of the active population.

Should the EBV for a specific trait falls between the 5% and 10% percentile, it means that the animal ranks in the bottom 10% of the active population for the specific trait, or the animal's genetic merit is worse than 90% of the active population.

Note that the percentiles for Age at First Lambing and Inter-lambing Period EBVs work on the reverse scale.

All Active Animals

Traits	AVG	SA*	Min	Percentiles (%)																Max
				1	5	10	20	25	30	40	50	60	70	75	80	90	95	99		
Pre-wean Weight Direct	0.30	0.74	-2.65	-1.40	-0.91	-0.63	-0.30	-0.19	-0.08	0.10	0.27	0.46	0.67	0.78	0.90	1.23	1.56	2.13	3.63	
Pre-wean WEigh Maternal	0.05	0.32	-1.52	-0.77	-0.47	-0.34	-0.20	-0.15	-0.10	-0.02	0.06	0.13	0.21	0.26	0.31	0.44	0.56	0.86	1.56	
Weaning Weight Direct	0.51	1.07	-3.60	-1.99	-1.24	-0.85	-0.37	-0.19	-0.03	0.26	0.52	0.77	1.04	1.18	1.36	1.86	2.28	3.12	4.99	
Weaning Weight Maternal	0.09	0.34	-1.50	-0.78	-0.47	-0.33	-0.18	-0.12	-0.07	0.02	0.09	0.17	0.26	0.31	0.36	0.51	0.62	0.93	1.70	
Weaning weight Combined	0.35	0.66	-2.63	-1.31	-0.77	-0.50	-0.19	-0.08	0.03	0.20	0.36	0.52	0.70	0.80	0.90	1.18	1.40	1.80	2.90	
Post-Wean Weight	0.24	1.04	-3.77	-2.26	-1.54	-1.13	-0.62	-0.44	-0.29	-0.01	0.27	0.52	0.79	0.93	1.10	1.55	1.88	2.73	5.23	
Number of Lambs Weaned	0.12	3.24	-14.90	-7.70	-5.20	-4.00	-2.50	-2.00	-1.50	-0.70	0.10	0.90	1.70	2.20	2.70	4.10	5.40	8.10	16.50	
Total Weight Weaned	0.67	2.16	-8.06	-4.27	-2.84	-2.05	-1.14	-0.80	-0.48	0.09	0.64	1.20	1.84	2.16	2.51	3.42	4.13	5.64	12.86	
Age at First Lambing	0.32	-3.83	31.68	9.57	6.03	4.56	3.11	2.59	2.13	1.32	0.53	-0.28	-1.21	-1.70	-2.30	-4.16	-6.16	-10.99	-32.17	
Interlambing Period	0.62	-4.65	29.49	12.61	8.89	6.74	4.41	3.42	2.65	1.34	0.24	-0.82	-1.85	-2.40	-3.10	-4.84	-6.47	-9.94	-19.33	
Growth Index	100	12	56	72	80	84	90	92	94	97	100	103	106	108	110	115	118	127	154	
Reproduction Index	100	12	52	69	81	85	91	93	94	97	100	103	106	108	110	114	118	127	154	
Logix Merit Index	100	12	55	72	81	85	90	92	94	97	100	103	106	108	110	115	119	127	156	

*SD : Standard Deviation. An indicator of how far breeding values/selection indices are distributed around the average.

All Active Rams


Trait	AVG	SA*	Min	Percentiles (%)																Max
				1	5	10	20	25	30	40	50	60	70	75	80	90	95	99		
Pre-wean Weight Direct	0.33	0.77	-2.26	-1.45	-0.91	-0.62	-0.27	-0.16	-0.05	0.12	0.30	0.50	0.71	0.82	0.95	1.31	1.66	2.27	3.63	
Pre-wean Weight Maternal	0.06	0.29	-1.16	-0.67	-0.43	-0.32	-0.18	-0.13	-0.08	0.00	0.07	0.13	0.20	0.25	0.30	0.42	0.50	0.72	1.06	
Weanweight Direct	0.60	1.12	-3.60	-1.96	-1.23	-0.84	-0.33	-0.15	0.01	0.34	0.61	0.90	1.16	1.30	1.50	2.02	2.46	3.29	4.96	
Weanweight Maternal	0.10	0.30	-1.14	-0.66	-0.41	-0.29	-0.15	-0.09	-0.05	0.04	0.10	0.17	0.25	0.30	0.35	0.47	0.57	0.83	1.12	
Weanweight Combined	0.40	0.65	-2.35	-1.09	-0.71	-0.46	-0.17	-0.04	0.06	0.25	0.42	0.59	0.77	0.86	0.95	1.23	1.42	1.81	2.90	
Post-Wean Weight	0.35	1.05	-3.21	-2.08	-1.47	-1.06	-0.54	-0.37	-0.20	0.14	0.41	0.65	0.90	1.04	1.22	1.65	1.96	2.83	4.04	
Number of Lambs Weaned	0.25	3.09	-11.60	-7.50	-4.80	-3.60	-2.20	-1.80	-1.30	-0.50	0.30	1.00	1.80	2.30	2.70	4.10	5.40	7.80	11.30	
Total Weight Weaned	0.85	2.08	-6.83	-3.93	-2.66	-1.88	-0.96	-0.55	-0.24	0.31	0.86	1.47	2.03	2.31	2.69	3.48	4.16	5.35	8.60	
Age at First Lambing	0.28	-3.51	13.51	9.08	5.52	4.19	2.86	2.36	1.91	1.16	0.43	-0.32	-1.21	-1.63	-2.08	-3.67	-5.44	-10.20	-24.33	
Interlambing Period	0.68	-4.27	21.89	11.78	8.45	6.48	4.18	3.25	2.55	1.31	0.25	-0.71	-1.65	-2.19	-2.79	-4.19	-5.67	-8.51	-13.16	
Growth Index	101	12	56	73	81	85	91	93	95	99	102	105	107	109	111	116	120	128	142	
Reproduction Index	101	11	59	71	82	86	91	93	95	99	101	104	107	108	110	114	118	125	134	
Logix Merit Index	101	12	55	73	82	86	91	93	95	98	101	104	107	109	111	116	119	127	143	

All Active Ewes

Trait	AVG	SA*	Min	Percentiles (%)																Max
				1	5	10	20	25	30	40	50	60	70	75	80	90	95	99		
Pre-wean Weight Direct	0.28	0.73	-2.65	-1.38	-0.92	-0.63	-0.31	-0.20	-0.09	0.10	0.26	0.45	0.65	0.76	0.89	1.20	1.50	2.06	3.19	
Pre-wean Weight Maternal	0.05	0.33	-1.52	-0.79	-0.48	-0.36	-0.21	-0.16	-0.11	-0.03	0.05	0.13	0.22	0.27	0.32	0.45	0.58	0.88	1.56	
Weanweight Direct	0.47	1.05	-3.28	-2.04	-1.24	-0.85	-0.39	-0.21	-0.05	0.24	0.49	0.73	0.99	1.14	1.31	1.80	2.20	2.99	4.99	
Weanweight Maternal	0.09	0.35	-1.50	-0.82	-0.50	-0.35	-0.19	-0.13	-0.08	0.01	0.09	0.18	0.27	0.31	0.37	0.52	0.65	0.96	1.70	
Weanweight Combined	0.33	0.66	-2.63	-1.37	-0.80	-0.52	-0.20	-0.09	0.01	0.18	0.33	0.50	0.67	0.77	0.88	1.16	1.38	1.79	2.71	
Post-Wean Weight	0.20	1.04	-3.77	-2.28	-1.56	-1.14	-0.65	-0.47	-0.32	-0.05	0.21	0.46	0.73	0.88	1.06	1.51	1.84	2.65	5.23	
Number of Lambs Weaned	0.07	3.29	-14.90	-7.80	-5.30	-4.10	-2.60	-2.00	-1.60	-0.70	0.10	0.90	1.70	2.10	2.60	4.10	5.50	8.40	16.50	
Total Weight Weaned	0.60	2.18	-8.06	-4.38	-2.95	-2.13	-1.21	-0.89	-0.58	0.03	0.56	1.12	1.75	2.09	2.44	3.38	4.12	5.76	12.86	
Age at First Lambing	0.33	-3.95	31.68	9.65	6.24	4.73	3.21	2.68	2.22	1.40	0.59	-0.27	-1.21	-1.74	-2.39	-4.35	-6.56	-11.20	-32.17	
Interlambing Period	0.59	-4.79	29.49	13.00	9.02	6.86	4.50	3.49	2.68	1.35	0.23	-0.89	-1.94	-2.50	-3.18	-5.04	-6.81	-10.38	-19.33	
Growth Index	99	12	58	71	80	84	90	92	93	97	100	102	105	107	109	114	118	126	154	
Reproction Index	100	12	52	69	80	85	90	92	94	97	100	103	106	108	110	114	118	127	154	
Logix Merit Index	100	12	55	72	80	85	90	92	93	97	99	102	106	108	110	114	119	127	156	

*SD : Standard Deviation. An indicator of how far breeding values/selection indices are distributed around the average.

Rams



*Inbreeding in red is high

EBV - Estimated Breeding Value

Indices above 124
Above breed average
Indices below 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal			Selection Indices			EBV - Weights								EBV - Fertility					
Animal	Parents		% In-breeding	Logix	Growth	Repro-	PreW	PreW	PreW	Wean	Wean	Wean	Post	Lambs	TWW	AFL	ILP	Dam	
Regnumber	Sires	Dams		Merit	Index	duction	Dir	Mat	Comb	Dir	Mat	Comb	Wean	Weaned	EBV	EBV	EBV	EPI	Times
				Index		Index	Acc	Index	Acc	Index	Acc	Index	Acc	Acc	Index	Index	Index	Lamb	Lamb
Active breed average:				100	100	100	0.30	0.05	0.20	0.51	0.09	0.35	0.24	0.12	0.67	0.32	0.62		
BS 21 0617	BS 19 0349		3.67	102	106	104	0.18	0.39	0.49	0.53	0.46	0.72	0.08	-1.20	0.27	0.61	0.92	95	4
93433100	BS 18 0087						70 98	54 113	107	68 100	49 113	106	25 98	48 96	56 98	45 99	37 99		
BS 22 0121	BS 19 0120		6.16	112	99	115	-0.36	0.09	-0.09	1.03	0.04	0.55	0.50	6.10	4.72	-1.93	-0.80	92	1
95353462	BS 19 0006						77 90	55 102	92	76 105	49 98	103	19 103	46 122	59 122	45 107	35 103		
BS 22 0155	BS 19 0120		6.09	119	124	107	2.04	-0.15	0.87	3.43	-0.05	1.67	3.04	-0.40	3.14	2.92	-1.76	91	1
94245180	BS 20 0061						91 127	64 93	117	90 132	55 95	123	28 132	54 99	68 114	53 92	40 106		
BS 22 1004	BS 19 0120		4.72	102	107	104	0.09	0.17	0.22	1.54	0.20	0.97	1.03	-2.30	0.36	0.27	-3.43	101	4
96282413	BS 21 0363						88 97	56 104	100	87 111	48 104	111	19 109	45 92	62 98	50 100	34 110		
BEZ 23 0002	JC 18 0107		7.11	73	91	66	0.23	-0.70	-0.59	1.41	-0.72	-0.01	1.07	-4.70	-2.13	2.28	13.00	107	3
99506750	DW 21 0058						69 99	52 73	79	68 109	46 72	93	52 109	43 83	54 85	35 94	34 69		
CJW 23 0036	RN 21 0031		5.65	89	102	86	0.66	-0.20	0.13	1.19	-0.08	0.51	0.72	-5.00	-1.89	0.93	3.28	116	5
97973093	WW 20 0074						61 105	43 91	98	60 107	37 94	103	45 105	34 82	45 86	28 98	28 93		
H 23 0062	EL 21 0012		5.02	130	122	125	1.63	0.46	1.27	1.65	0.58	1.41	1.03	3.60	4.40	-0.74	-3.95	109	6
99927824	EL 19 0103						71 121	44 115	128	69 112	39 117	118	27 109	37 113	50 121	31 103	29 111		
DTC 23 0092	DTC 22 0030		7.75	93	118	84	1.55	-0.05	0.73	2.46	0.15	1.38	2.85	-7.00	-1.59	3.58	9.58	94	3
97658678	DTC 20 0177						59 119	44 97	114	58 121	39 102	118	48 130	37 75	46 88	31 90	28 78		
BS 23 0117	BS 19 0655		2.33	107	87	120	-1.48	0.60	-0.14	-1.42	0.50	-0.21	-1.61	8.10	3.94	-4.08	0.27	94	2
96910484	BS 19 0199						83 72	43 120	91	81 78	35 114	90	16 79	32 129	52 118	33 113	28 101		
HW 23 0120	LR 20 0019		5.88	88	85	86	-0.13	-0.59	-0.66	0.48	-0.62	-0.38	0.37	1.10	0.53	-0.31	3.18	113	4
98209877	JC 17 0202						64 93	50 77	78	63 99	44 76	87	28 101	40 104	50 99	39 102	32 93		
BS 23 0139	BS 21 0222		5.92	110	103	117	-0.36	0.56	0.38	0.10	0.57	0.62	-0.37	2.80	2.34	-1.02	-3.38	94	2
96933882	BS 19 0108						69 89	52 119	105	67 95	46 116	104	24 93	42 110	53 109	40 104	32 110		
BS 23 0144	HL 20 0067		3.16	109	115	111	0.31	0.25	0.40	2.22	0.36	1.47	1.60	-1.30	1.80	0.27	-2.88	97	1
96933965	BS 21 0482						76 100	47 107	105	74 118	40 109	120	24 115	37 95	52 106	35 100	26 109		
JC 23 0161	DTC 17 0462		7.40	107	118	103	1.50	0.34	1.09	1.34	0.55	1.22	2.03	-2.00	0.68	1.86	4.54	94	1
96919832	JC 21 0190						64 119	50 110	123	63 109	45 116	115	33 120	42 93	51 100	38 95	32 90		
BS 23 0420	HL 20 0067		2.36	107	108	109	0.40	0.29	0.50	0.86	0.43	0.86	0.73	0.20	1.42	-1.19	-0.62	100	3
99212722	BS 18 0186						66 101	50 109	107	65 103	44 112	109	28 105	42 101	52 104	39 105	32 103		
BS 23 0602	BS 21 0222		10.37	121	115	124	0.60	0.59	0.89	0.97	0.73	1.22	0.45	2.40	3.14	-1.36	-4.88	91	2
100135029	BS 22 0627						64 105	47 120	118	63 105	41 122	115	16 102	39 109	49 114	37 105	29 114		
ROS 24 0006	DTC 22 0101		7.14	112	137	100	2.48	0.42	1.66	3.26	0.69	2.32	3.41	-6.90	-0.19	-0.02	6.58	115	4
98978943	DTC 21 0038						74 134	44 114	136	72 130	38 121	135	62 136	36 75	51 95	31 101	27 85		
BS 24 0012	BS 21 0366		8.29	116	118	107	1.27	0.06	0.70	2.37	0.29	1.47	1.54	2.60	4.21	-0.62	8.96	116	3
109118935	BS 19 0629						64 115	43 101	113	63 120	36 107	120	15 115	33 109	46 120	31 103	24 79		

Rams



*Inbreeding in red is high

EBV - Estimated Breeding Value

Indices above 124
Above breed average
Indices below 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal				Selection Indices			EBV - Weights								EBV - Fertility					
Animal	Parents		% In-breeding	Logix	Growth	Repro-	PreW	PreW	PreW	Wean	Wean	Wean	Wean	Post	Lambs	TWW	AFL	ILP	Dam	
Regnumber	Sires	Dams		Merit	Index	duction	Dir	Mat	Comb	Dir	Mat	Comb	Comb	Wean	Weaned				EPI	Times
				Index		Index	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	Acc	Acc	Acc	Acc	Lamb	Lamb
							Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Index	Index		
Active breed average:				100	100	100	0.30	0.05	0.20	0.51	0.09	0.35	0.24		0.12	0.67	0.32	0.62		
CJW 24 0034	WCN	20	0019	29.51	96	91	0.22	-0.08	0.03	-0.42	-0.04	-0.25	-0.04	0.15	1.50	0.44	3.45	-1.66	96	1
99801540	CJW	22	0014																	
JC 24 0039	BS	21	0486	2.74	102	105	0.70	0.39	0.74	0.00	0.43	0.43	0.16	0.31	0.00	0.43	-1.19	5.79	116	4
100138833	JC	21	0204																	
FJ 24 0088	FJ	22	0027	6.89	123	108	1.31	0.00	0.65	1.03	0.10	0.61	0.44	0.22	6.50	5.02	1.77	-3.27	129	5
99944183	FJ	20	0179																	
ROS 24 0155	DTC	22	0238	7.14	103	115	1.34	0.02	0.69	1.97	0.24	1.22	0.63	0.49	-3.10	0.35	4.25	5.98	121	5
100606763	WW	20	0040																	
LR 24 0185	LR	22	0017	19.09	115	115	1.54	-0.18	0.59	2.22	0.08	1.19	2.36	0.18	2.70	3.92	-4.33	7.01	114	3
106816531	LR	22	0009																	
LR 24 0186	LR	22	0017	19.09	116	116	1.50	-0.19	0.56	2.37	0.08	1.26	2.45	0.18	2.70	4.07	-4.33	7.01	114	3
106816101	LR	22	0009																	
GW 24 0248	GE	20	0047	4.86	96	91	1.06	-0.71	-0.18	0.69	-0.64	-0.30	1.08	0.55	3.00	1.85	2.39	5.11	181	10
99607848	GW	15	0133																	
BS 24 0424	HIS	00	0070	3.89	96	102	0.50	-0.15	0.10	1.24	-0.05	0.57	1.09	0.40	-1.30	0.41	1.26	4.26	144	5
99871741	BS	21	0174																	
BS 24 0724	BS	19	0349	9.20	111	106	-0.01	0.36	0.35	0.98	0.37	0.86	0.35	0.28	3.40	3.38	-1.82	1.87	117	3
99871865	BS	23	0438																	
H 25 0003	HIS	00	0070	2.59	108	113	0.86	0.32	0.75	1.21	0.43	1.03	1.24	0.44	-0.40	1.40	0.90	1.49	110	2
109184044	H	24	0006																	
H 25 0005	HIS	00	0070	6.98	103	116	1.55	0.13	0.91	1.66	0.25	1.08	1.44	0.41	-3.20	-0.02	5.32	4.58	89	2
109184069	H	23	0016																	
CIDF 25 0011	BS	22	1004	5.95	98	105	0.34	0.14	0.32	1.05	0.15	0.67	0.75	0.21	-2.30	-0.19	0.92	-0.18	109	3
107516643	BS	23	0310																	
CIDF 25 0015	BS	22	0121	3.43	106	94	-0.39	0.25	0.05	-0.28	0.21	0.07	-0.66	0.17	4.10	2.39	2.36	-5.04	101	4
107516684	JC	22	0030																	
H 25 0015	HIS	00	0070	4.48	111	124	1.60	0.48	1.27	1.82	0.65	1.56	1.29	0.40	-4.30	-0.12	-1.53	1.84	89	3
109184127	EL	22	0063																	
CIDF 25 0017	BS	22	1004	4.42	102	102	0.00	0.15	0.15	0.90	0.17	0.62	0.55	0.16	-0.80	0.59	0.48	-3.73	108	2
107709925	BS	23	0193																	
H 25 0019	HIS	00	0070	3.81	90	99	0.70	-0.27	0.08	0.99	-0.24	0.26	0.65	0.43	-3.00	-1.05	3.86	3.32	93	1
109184283	H	23	0009																	
CIDF 25 0020	BS	22	0155	5.73	139	130	1.77	-0.04	0.85	4.09	0.17	2.21	3.08	0.17	7.00	8.45	2.09	-2.66	216	3
108939984	BS	22	0661																	



Rams



*Inbreeding in red is high

EBV - Estimated Breeding Value

Indices above 124
Above breed average
Indices below 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal				Selection Indices			EBV - Weights								EBV - Fertility					
Animal	Parents			% In-breeding	Logix	Growth	Repro-	PreW	PreW	PreW	Wean	Wean	Wean	Post	Lambs	TWW	AFL	ILP	Dam	
Regnumber	Sires	Dams			Merit	Index	duction	Dir	Mat	Comb	Dir	Mat	Comb	Wean	Weaned				EPI	Times
					Index		Index	EBV	EBV	EBV	EBV	EBV	EBV	EBV	Acc	Acc	Acc	Acc	Lamb	
								Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	
Active breed average:					100	100	100	0.30	0.05	0.20	0.51	0.09	0.35	0.24	0.12	0.67	0.32	0.62		
CIDF 25 0027	BS	22	1004	6.84	111	105	114	0.14	0.29	0.36	0.86	0.31	0.74	0.39	1.40	2.01	-2.62	-5.53	109	4
110254059	BS	23	0179					63 97	42 109	104	63 103	36 108	107 15	101	34 105	46 107	33 109	24 115		
CIDF 25 0029	DTC	20	0229	6.21	97	81	106	-1.10	0.03	-0.52	-1.01	-0.05	-0.55	-1.56	5.20	2.06	-0.12	-2.25	100	5
110260056	ROS	20	0087					63 78	43 99	81	63 83	36 95	84 43	79	34 119	46 108	28 101	26 107		
ROS 25 0050	DTC	20	0229	6.06	86	79	92	-0.61	-0.17	-0.47	-1.25	-0.26	-0.89	-1.33	-0.10	-1.57	-2.05	-3.32	109	5
108939240	ROS	21	0098					65 85	41 92	82	63 80	34 88	78 40	82	32 100	45 88	27 107	23 110		
ROS 25 0055	DTC	20	0229	7.06	86	83	88	-0.45	-0.34	-0.57	-0.26	-0.38	-0.51	-0.74	0.70	-0.22	-0.47	2.82	120	3
108939372	ROS	21	0115					64 88	42 86	80	63 91	34 84	85 40	89	31 103	44 95	26 102	23 94		
ROS 25 0059	DTC	22	0101	7.20	98	112	99	0.64	0.51	0.83	0.76	0.59	0.97	0.95	-6.10	-2.31	-4.66	0.32	109	2
108939208	ROS	24	0095					61 105	38 117	116	61 102	31 117	111 46	108	30 78	42 84	26 115	22 101		
CIDF 25 0070	BS	22	1004	4.13	97	105	96	0.18	-0.27	-0.18	2.28	-0.17	0.97	2.14	-2.10	0.86	-0.84	0.67	118	3
109873828	LR	23	0038					63 98	39 88	90	62 119	33 91	111 17	121	32 92	44 101	32 104	24 100		
CIDF 25 0075	BS	22	0121	3.96	119	115	112	0.80	0.09	0.49	2.31	0.20	1.36	1.59	4.60	5.27	-2.99	6.29	116	2
109873844	LR	23	0110					58 108	37 102	107	57 119	32 104	118 17	115	30 117	41 125	30 110	23 86		
CIDF 25 0097	BS	22	1004	4.21	107	112	105	0.92	0.20	0.66	1.36	0.31	0.99	1.56	-0.80	1.19	1.68	0.10	108	4
109937672	JC	22	0084					63 110	42 106	112	62 109	36 108	111 17	115	33 97	45 103	31 96	26 101		
CIDF 25 0144	MW	00	0081	2.20	108	86	113	-0.61	0.04	-0.26	-0.74	-0.02	-0.39	-1.18	8.50	4.35	1.55	-2.06	160	5
110260130	BS	19	0087					67 86	55 100	88	66 86	50 96	87 26	84	47 131	55 120	41 96	40 107		
CIDF 25 0158	BS	19	0120	3.94	112	109	114	0.21	0.33	0.44	1.19	0.40	1.00	0.90	2.40	3.03	1.69	-0.85	131	4
110300704	BS	22	0759					60 98	55 110	106	59 107	50 111	111 20	107	47 109	53 113	45 96	37 104		
CIDF 25 0160	BS	19	0120	6.24	115	116	112	0.72	0.07	0.43	2.62	0.18	1.49	1.99	1.10	3.46	-0.94	-0.84	108	2
110300746	BS	22	0930					66 106	54 101	106	64 123	49 103	120 20	120	46 104	54 115	44 104	36 103		
BS 25 0163	BS	19	0349	10.24	122	115	120	0.60	0.37	0.67	1.77	0.47	1.35	1.07	4.50	4.94	-2.79	1.34	100	3
109216861	BS	22	0533					64 104	53 112	112	64 113	48 113	117 26	109	46 116	54 123	44 109	36 98		
CIDF 25 0167	BS	19	0120	5.98	105	106	104	0.29	0.00	0.15	1.77	0.02	0.90	1.19	0.80	2.27	2.07	-0.27	117	6
110300829	BS	19	0090					67 100	55 98	99	65 113	50 98	110 20	111	47 103	55 109	44 95	36 102		
CIDF 25 0169	MW	00	0081	3.67	109	97	110	0.05	-0.07	-0.05	0.60	-0.04	0.27	0.03	4.90	3.51	-0.05	-1.55	154	4
110300803	BS	22	0528					66 96	53 96	93	64 101	49 96	98 27	97	46 118	54 116	42 101	40 105		
CIDF 25 0175	MW	16	0051	4.22	107	101	112	-0.12	0.04	-0.02	1.19	0.07	0.67	0.50	0.80	1.74	-0.82	-8.79	115	4
110308798	BS	22	0380					65 93	48 100	94	63 107	42 99	105 18	103	38 103	49 106	36 103	29 123		
BS 25 0178	BS	23	0199	6.10	125	120	121	1.37	0.27	0.96	2.00	0.49	1.49	1.70	2.90	4.23	-1.12	-2.39	126	3
109216887	BS	22	0354					65 117	42 108	119	64 116	35 114	120 20	116	32 110	45 120	28 104	23 107		
CIDF 25 0181	MW	00	0081	3.65	98	78	107	-1.12	0.00	-0.56	-1.38	-0.16	-0.85	-1.65	6.00	2.06	-3.19	-3.92	107	3
111894697	BS	21	0555					65 78	54 98	80	64 79	50 91	79 30	78	46 122	54 108	42 111	41 111		

Rams



*Inbreeding in red is high

EBV - Estimated Breeding Value

Indices above 124
Above breed average
Indices below 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal				Selection Indices			EBV - Weights							EBV - Fertility					
Animal	Parents			% In-breeding	Logix Merit Index	Growth Index	Reproduction Index	PreW Dir	PreW Mat	PreW Comb	Wean Dir	Wean Mat	Wean Comb	Post Wean	Lambs Weaned	TWW	AFL	ILP	Dam
Regnumber	Sires	Dams						EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EPI
								Acc	Index	Acc	Index	Acc	Index	Acc	Acc	Acc	Acc	Acc	Times Lambded
Active breed average:					100	100	100	0.30	0.05	0.20	0.51	0.09	0.35	0.24	0.12	0.67	0.32	0.62	
BS 25 0182	BS	23	0117	5.43	114	105	116	0.11	0.42	0.48	0.49	0.44	0.69	0.13	4.30	3.51	-0.20	-0.48	110
109216929	BS	22	0520					60 97	37 114	107	60 99	32 112	106	14 99	31 116	43 116	28 102	24 103	2
CIDF 25 0184	BS	22	1004	3.99	109	114	104	0.84	-0.04	0.38	2.45	0.08	1.30	1.84	-1.00	1.93	0.00	-0.24	96
110308723	LR	24	0070					62 108	38 97	105	60 121	32 100	117	19 118	30 96	42 107	32 101	23 102	1
CIDF 25 0188	MW	16	0051	4.38	118	112	120	0.40	0.18	0.37	2.00	0.29	1.29	1.16	1.50	3.19	-1.77	-7.71	120
110308889	BS	22	0858					64 101	49 105	104	62 116	43 107	116	19 110	40 105	50 114	38 106	31 121	4
CIDF 25 0194	BS	19	0120	5.58	109	106	110	0.21	0.01	0.12	1.74	0.05	0.92	1.20	2.10	3.04	2.99	-3.48	133
110308913	BS	22	0198					66 98	54 99	98	65 113	49 99	110	20 111	46 108	54 113	44 92	36 110	3
CIDF 25 0195	BS	19	0120	5.58	106	100	107	0.26	0.05	0.18	0.71	0.06	0.41	0.50	2.10	2.02	2.99	-3.48	133
110308830	BS	22	0198					66 99	54 100	99	65 102	49 99	101	20 103	46 108	54 108	44 92	36 110	3
GW 25 0238	DTC	05	0056	6.00	106	95	108	-0.34	-0.20	-0.36	1.10	-0.18	0.37	0.48	3.90	3.26	-2.07	-2.77	119
109181651	GW	22	0005					64 90	46 91	85	62 106	40 91	100	39 102	37 114	48 114	32 107	31 108	4
CIDF 25 0277	BS	23	0144	4.89	111	111	114	0.11	0.33	0.39	1.67	0.41	1.25	1.01	0.70	2.50	0.27	-2.70	99
111895009	BS	22	0863					61 97	39 110	105	59 112	34 111	116	19 109	31 103	43 110	29 100	24 108	2
CIDF 25 0291	JC	23	0136	5.49	100	98	100	0.38	0.28	0.47	-0.47	0.32	0.09	-0.08	1.60	0.82	1.37	4.67	98
111901146	JC	24	0047					58 101	38 109	107	56 89	33 108	95	22 96	29 106	41 101	27 97	23 90	1
CIDF 25 0295	WW	24	0045	7.06	88	90	93	0.12	0.19	0.25	-1.25	0.23	-0.40	-1.10	-3.30	-3.01	-2.57	-0.93	119
111901179	WW	20	0095					60 97	37 105	101	58 80	31 105	87	22 85	30 88	41 80	21 109	23 104	6
FJ 26 0001	FJ	24	0234	9.20	111	104	110	0.53	0.08	0.34	0.94	0.11	0.58	0.41	2.70	2.67	0.52	-2.97	100
114220627	FJ	24	0299					47 103	33 101	103	46 104	28 101	104	16 102	26 110	34 111	26 99	18 109	1
CIDF 26 0002	GW	23	0088	4.66	126	123	112	2.13	-0.06	1.01	2.69	0.16	1.51	1.22	3.60	5.01	5.83	1.80	96
111907168	HL	23	0005					65 128	41 96	121	63 123	33 103	120	49 111	30 113	44 124	32 83	24 97	3
CIDF 26 0009	JES	06	0026	2.35	121	114	128	0.11	1.04	1.10	0.06	1.12	1.15	-0.56	2.40	2.62	-3.53	-3.67	166
112236849	EL	22	0010					67 97	53 136	123	66 95	49 135	114	39 91	45 109	55 111	39 112	37 111	5
CIDF 26 0012	MW	15	0052	2.81	107	99	105	0.62	-0.20	0.11	0.69	-0.07	0.28	0.25	4.10	3.08	1.36	1.25	138
112244009	EL	21	0007					66 105	57 91	97	65 102	54 95	98	28 100	52 115	58 113	48 97	43 98	6
CIDF 26 0013	MW	15	0052	2.72	111	108	106	0.86	-0.11	0.32	1.60	0.09	0.88	1.11	3.50	3.78	-0.37	5.78	73
112244090	EL	19	0057					65 109	55 94	103	64 111	52 100	109	30 110	50 113	56 117	47 102	44 87	4
CIDF 26 0014	BS	23	0602	10.25	110	106	114	-0.03	0.29	0.28	1.01	0.38	0.89	0.42	1.60	2.35	-0.28	-3.51	78
112244041	BS	21	0024					56 95	36 109	102	54 105	31 110	109	16 102	30 106	40 109	29 102	23 110	2
CIDF 26 0015	JES	06	0026	2.35	119	111	126	0.15	1.06	1.14	-0.53	1.12	0.86	-0.96	2.40	2.04	-3.53	-3.67	166
112244025	EL	22	0010					67 98	53 136	124	66 88	49 136	109	39 86	45 109	55 108	39 112	37 111	5
CIDF 26 0021	MW	15	0052	2.72	112	110	106	1.04	-0.13	0.39	1.73	0.08	0.95	1.26	3.50	3.92	-0.37	5.78	73
112244108	EL	19	0057					66 111	55 93	105	65 113	52 100	110	30 111	50 113	57 118	47 102	44 87	4



Rams



*Inbreeding in red is high

EBV - Estimated Breeding Value

Indices above 124
Above breed average
Indices below 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal					Selection Indices			EBV - Weights								EBV - Fertility							
Animal	Parents			% In-breeding	Logix Merit Index	Growth Index	Repro-duction Index	PreW Dir	PreW Mat	PreW Comb	Wean Dir	Wean Mat	Wean Comb	Post Wean	Lambs Weaned	TWW	AFL	ILP	Dam				
Regnumber	Sires	Dams	Acc					EBV Index	Acc	EBV Index	Acc	EBV Index	Acc	EBV Index	Acc	EBV Index	Acc	EBV Index	Acc	EBV Index	Acc	EBV Index	EPI
Active breed average:					100	100	100	0.30	0.05	0.20	0.51	0.09	0.35	0.24	0.12	0.67	0.32	0.62					
CIDF 26 0022 112244033	JES EL	06 22	0026 0010	2.35	124	117	129	0.32 67	1.01 53	1.17 135	0.46 66	1.11 49	1.34 117	-0.23 39	2.40 45	3.01 109	-3.53 55	-3.67 113	166	5			
CIDF 26 0027 112247382	JES EL	06 22	0026 0010	2.35	128	122	130	0.82 67	0.97 108	1.38 53	0.78 66	1.11 49	1.50 120	0.14 39	2.40 45	3.32 109	-3.53 55	-3.67 112	166	5			
CIDF 26 0030 112247515	JES EL	06 22	0026 0010	2.35	128	122	130	0.83 67	0.96 108	1.38 53	0.90 66	1.10 49	1.55 121	0.22 39	2.40 45	3.44 109	-3.53 55	-3.67 112	166	5			
CIDF 26 0032 112247481	JES EL	06 22	0026 0010	2.35	129	124	131	0.93 67	0.95 110	1.41 53	1.09 66	1.10 49	1.64 123	0.38 39	2.40 45	3.63 109	-3.53 55	-3.67 112	166	5			
CIDF 26 0037 112247549	AAA GW	05 23	0003 0013	1.53	113	105	121	-0.57 66	0.48 86	0.20 53	0.85 65	0.49 50	0.92 110	0.05 50	2.70 46	2.96 110	-3.88 46	-5.94 113	114	3			
CIDF 26 0042 112247937	AAA GW	05 23	0003 0041	1.57	107	96	117	-0.93 66	0.48 80	0.01 54	-0.14 95	0.39 51	0.32 99	-0.51 50	3.40 46	2.30 112	-3.22 55	-5.56 109	112	2			
CIDF 26 0043 112247945	AAA GW	05 23	0003 0041	1.57	107	95	116	-0.74 66	0.48 83	0.11 54	-0.46 97	0.39 51	0.17 97	-0.68 50	3.40 46	1.98 112	-3.22 55	-5.56 107	112	2			
CIDF 26 0045 112247952	AAA DTC	05 20	0003 0059	1.35	83	99	90	-0.35 66	0.33 90	0.16 55	0.30 110	0.32 99	0.47 102	0.24 54	-8.20 49	-4.31 70	-2.38 56	-1.56 73	103	7			
CIDF 26 0046 112247903	AAA WW	05 20	0003 0010	2.53	94	96	109	-1.45 66	0.87 72	0.14 54	-0.86 98	0.84 51	0.41 101	-1.43 49	-2.40 48	-1.47 91	-1.71 56	-3.53 88	117	6			
CIDF 26 0047 112247895	AAA GW	05 23	0003 0031	1.44	107	109	114	-0.24 65	0.47 91	0.35 53	1.28 108	0.53 50	1.17 114	1.02 51	-0.30 46	1.63 99	-0.78 55	-3.05 105	120	3			
CIDF 26 0049 112247978	AAA GW	05 21	0003 0001	3.00	106	108	119	-0.83 65	0.96 82	0.55 53	0.25 64	0.97 49	1.09 113	-0.08 50	-1.50 45	0.32 95	-3.21 54	-4.80 98	100	5			
CIDF 26 0057 112274014	AAA GE	05 18	0003 0045	1.38	96	97	108	-0.88 66	0.68 81	0.24 54	-0.55 65	0.60 51	0.33 99	-0.66 47	-2.20 48	-1.27 92	-1.11 56	-5.35 90	111	10			
CIDF 26 0059 112274063	AAA ROS	05 21	0003 0103	2.44	93	94	100	-0.57 65	0.18 86	-0.10 53	0.04 64	0.13 49	0.15 96	-0.17 46	-2.60 46	-1.39 91	-4.73 54	-4.94 89	102	4			
CIDF 26 0061 112274055	AAA ROS	05 21	0003 0103	2.44	89	88	99	-1.00 65	0.24 79	-0.27 53	-0.59 64	0.14 49	-0.16 91	-0.73 46	-2.60 46	-2.01 91	-4.73 54	-4.94 85	102	4			
CIDF 26 0062 112274089	AAA GW	05 21	0003 0093	1.77	102	98	113	-0.92 66	0.62 81	0.16 54	-0.25 99	0.59 65	0.47 102	-0.38 50	0.10 47	0.41 100	-6.46 55	-3.45 99	136	5			
CIDF 26 0064 112273990	AAA DTC	05 18	0003 0713	1.44	100	98	105	-0.45 67	0.32 88	0.10 55	0.18 66	0.29 52	0.38 100	-0.34 51	0.40 49	0.71 101	-3.12 57	-0.48 100	133	6			
CIDF 26 0067 112274006	AAA DTC	05 18	0003 0821	1.43	93	94	108	-1.31 66	0.68 75	0.02 55	-0.68 66	0.63 52	0.30 99	-1.04 51	-2.00 49	-1.24 93	0.75 46	-5.42 99	133	8			



Rams



*Inbreeding in red is high

EBV - Estimated Breeding Value

Indices above 124
Above breed average
Indices below 76


Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal					Selection Indices			EBV - Weights								EBV - Fertility							
Animal	Parents			% In-breeding	Logix Merit Index	Growth Index	Repro-duction Index	PreW Dir	PreW Mat	PreW Comb	Wean Dir	Wean Mat	Wean Comb	Post Wean	Lambs Weaned	TWW	AFL	ILP	Dam				
Regnumber	Sires	Dams	EBV					EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EPI	Times Lambed
			Acc					Index	Acc	Index	Index	Acc	Index	Acc	Index	Index	Acc	Index	Acc	Index	Acc	Index	Index
Active breed average:					100	100	100	0.30	0.05	0.20	0.51	0.09	0.35	0.24	0.12	0.67	0.32	0.62					
CIDF 26 0068 112274113	AAA DTC	05 18	0003 0821	1.43	93	94	108	-1.43 66	0.68 73	-0.04 94	-0.54 66	0.63 52	0.36 119	-0.98 51	-2.00 49	-1.11 57	0.75 46	-5.42 43	133	8			
CIDF 26 0070 112274030	AAA ROS	05 22	0003 0035	1.41	95	102	103	-0.21 65	0.44 92	0.34 103	0.33 64	0.43 49	0.60 112	0.30 104	-5.00 46	-2.24 54	-3.39 45	-5.81 111	101	2			
CIDF 26 0071 112274097	AAA GW	05 23	0003 0228	1.53	92	95	103	-1.28 62	0.25 75	-0.39 85	0.62 61	0.21 101	0.52 47	-0.09 104	-2.10 44	-0.43 92	-3.06 43	-3.09 110	100	2			
CIDF 26 0072 112291026	AAA ROS	05 21	0003 0017	1.37	90	81	103	-1.63 66	0.19 70	-0.63 78	-0.86 65	-0.01 52	-0.43 97	-0.83 86	1.30 49	-0.08 105	-4.81 47	-4.92 116	129	4			
CIDF 26 0078 112291117	AAA GW	05 17	0003 0192	2.00	87	83	103	-1.61 66	0.25 70	-0.55 80	-0.89 65	0.17 51	-0.27 103	-1.17 89	-2.20 48	-2.04 56	-4.93 46	-8.91 116	118	8			
CIDF 26 0079 112291059	AAA DTC	05 22	0003 0258	1.46	97	102	109	-0.84 64	0.81 82	0.39 105	-0.19 64	0.75 49	0.65 123	-0.15 105	-3.50 45	-1.54 54	-2.89 43	-4.29 110	120	3			
CIDF 26 0084 112291133	AAA DTC	05 21	0003 0129	1.44	93	98	98	-0.55 66	0.45 86	0.17 99	-0.07 65	0.39 51	0.35 110	-0.39 100	-1.00 47	-0.28 55	3.20 46	3.44 42	111	3			
CIDF 26 0090 112357835	AAA GW	05 23	0003 0123	2.49	100	91	114	-1.39 64	0.59 73	-0.11 92	-0.83 64	0.52 49	0.11 115	-2.05 95	-0.60 45	-0.67 54	-9.12 44	-8.91 129	110	3			
CIDF 26 0091 112357843	AAA GW	05 23	0003 0123	2.49	99	90	114	-1.42 64	0.60 73	-0.11 92	-1.00 64	0.52 49	0.02 115	-2.18 94	-0.60 45	-0.84 54	-9.12 44	-8.91 129	110	3			
CIDF 26 0092 112357827	AAA ROS	05 23	0003 0096	1.56	92	86	104	-1.09 65	0.44 78	-0.11 92	-1.37 64	0.32 79	-0.36 48	-1.48 108	-0.80 44	-1.52 97	-4.51 44	-5.82 115	106	2			
CIDF 26 0095 112688510	ROS BS	24 24	0155 0054	3.23	112	114	107	1.11 46	0.15 112	0.70 30	1.55 111	0.34 25	1.12 109	0.68 113	0.60 25	2.26 102	0.93 32	2.68 109	100	1			
CIDF 26 0099 112688379	GW CIDF	24 24	0248 0011	5.54	99	100	97	0.47 45	-0.09 102	0.15 31	0.71 95	-0.02 98	0.33 44	0.78 102	0.60 26	1.04 33	1.59 25	3.00 96	97	1			
CIDF 26 0100 112688528	BS ROS	24 24	0424 0156	2.39	94	100	91	0.39 56	-0.14 101	0.05 36	0.97 93	-0.04 96	0.45 55	0.50 105	-1.20 30	0.21 40	2.65 28	5.70 93	108	1			
CIDF 26 0101 112688221	BS ROS	24 24	0424 0156	2.39	98	106	92	0.93 47	-0.20 110	0.27 36	1.48 91	-0.05 102	0.69 46	1.01 110	-1.20 30	0.71 37	2.65 28	5.70 93	108	1			
CIDF 26 0108 112688429	FJ H	24 24	0088 0006	3.80	124	110	125	0.81 60	0.45 108	0.86 40	0.49 115	0.54 117	0.78 58	0.15 99	5.60 32	4.38 120	-0.11 28	-4.84 101	110	2			
CIDF 26 0111 112688403	ROS BS	24 24	0155 0007	3.36	102	105	100	0.40 56	0.11 101	0.31 35	1.00 102	0.17 103	0.67 54	0.15 105	-0.10 28	1.11 39	0.95 26	3.29 98	102	1			
CIDF 26 0112 112688254	ROS BS	24 24	0155 0007	3.36	106	109	101	0.76 46	0.07 107	0.45 35	1.43 101	0.16 106	0.88 45	0.55 110	-0.10 28	1.53 35	0.95 26	3.29 98	102	1			



Rams



*Inbreeding in red is high

EBV - Estimated Breeding Value

Indices above 124
Above breed average
Indices below 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal					Selection Indices			EBV - Weights								EBV - Fertility								
Animal	Parents			% In-breeding	Logix Merit Index	Growth Index	Repro-duction Index	PreW Dir	PreW Mat	PreW Comb	Wean Dir	Wean Mat	Wean Comb	Post Wean	Lambs Weaned	TWW	AFL	ILP	Dam					
Regnumber	Sires	Dams	Acc					EBV	Acc	EBV	Acc	EBV	Acc	EBV	Acc	EBV	Acc	EBV	Acc	EBV	Acc	EBV	EPI	Times Lambded
			Index					Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index
Active breed average:					100	100	100	0.30	0.05	0.20	0.51	0.09	0.35	0.24	0.12	0.67	0.32	0.62						
CIDF 26 0113 112688338	JC	23	0161	2.61	108	110	107	0.79	0.29	0.68	0.88	0.42	0.87	1.00	0.70	1.73	1.35	2.09	117	3				
	BS	23	0438					47	107	40	109	112	46	104	36	112	109	24	108					
CIDF 26 0114 112688593	JC	23	0161	2.61	108	110	107	0.79	0.29	0.68	0.88	0.42	0.87	1.00	0.70	1.73	1.35	2.09	117	3				
	BS	23	0438					47	107	40	109	112	46	104	36	112	109	24	108					
CIDF 26 0116 112688585	BS	23	0349	5.22	111	107	109	0.62	0.08	0.40	1.15	0.20	0.78	0.71	2.40	2.80	-0.70	0.20	100	2				
	P	23	0055					41	105	26	101	105	40	107	22	104	107	10	105					
CIDF 26 0119 112688452	FJ	24	0088	2.73	122	114	116	1.58	0.26	1.04	0.92	0.37	0.83	0.70	3.90	3.63	0.12	-0.61	95	2				
	BS	23	1121					59	120	38	108	122	57	104	32	110	108	16	105					
CIDF 26 0122 112688478	ROS	24	0155	3.16	100	100	102	-0.08	0.20	0.16	0.37	0.25	0.43	-0.40	1.60	1.57	1.24	4.56	112	2				
	H	24	0015					58	94	36	105	99	55	98	31	105	101	32	93					
CIDF 26 0123 112688346	ROS	24	0155	3.16	106	106	103	0.62	0.13	0.44	0.95	0.23	0.71	0.20	1.60	2.14	1.24	4.56	112	2				
	H	24	0015					46	105	35	103	106	45	104	31	105	106	32	99					
CIDF 26 0125 112688296	BS	23	0139	2.36	102	96	106	-0.13	0.03	-0.04	0.34	0.07	0.24	0.56	1.20	1.13	-5.44	-2.93	155	4				
	P	21	0297					48	93	38	99	94	47	98	33	99	98	26	103					
CIDF 26 0126 112688361	BS	23	0139	2.36	103	97	106	-0.06	0.02	-0.01	0.38	0.07	0.26	0.61	1.20	1.17	-5.44	-2.93	155	4				
	P	21	0297					59	94	38	99	94	57	98	33	99	98	26	104					
CIDF 26 0130 112688635	FJ	24	0088	2.22	123	117	122	1.18	0.65	1.24	0.66	0.76	1.09	-0.20	1.70	2.44	-2.53	-4.50	89	3				
	EL	22	0063					59	114	37	122	127	57	101	31	123	113	15	95					
CIDF 26 0131 112688692	H	23	0062	7.23	126	114	125	0.89	0.43	0.88	1.11	0.50	1.06	0.52	4.30	4.19	-3.13	-5.79	109	4				
	BS	23	0179					60	109	39	114	117	58	106	33	114	112	18	103					
CIDF 26 0132 112688239	BS	23	0117	2.69	102	77	105	-0.67	-0.33	-0.66	-0.92	-0.44	-0.90	-1.04	9.60	4.40	-2.98	1.32	119	6				
	DTC	19	0013					56	85	39	86	77	55	84	33	82	78	31	85					
CIDF 26 0134 112688494	BS	23	0144	3.76	103	106	99	1.02	-0.16	0.35	1.50	-0.07	0.68	1.34	-2.30	0.05	-1.17	-3.20	109	5				
	ROS	21	0098					61	111	38	93	104	59	110	32	95	106	20	112					
CIDF 26 0135 112688411	BEZ	23	0002	3.12	99	103	97	0.34	-0.10	0.07	1.32	-0.02	0.64	0.91	0.20	1.42	-0.35	4.90	126	3				
	BS	22	0354					60	100	42	95	97	58	108	36	96	105	30	107					
CIDF 26 0137 112688130	BS	23	0349	6.07	112	122	100	2.09	0.15	1.20	2.03	0.32	1.34	2.35	-1.30	1.57	1.54	6.48	100	1				
	ROS	24	0237					55	128	33	104	126	54	116	27	108	117	26	124					
CIDF 26 0138 112688387	BS	23	0144	3.77	104	104	103	0.37	-0.10	0.08	1.43	0.00	0.72	1.17	0.80	1.91	-1.32	0.33	108	2				
	P	23	0267					46	101	32	94	97	45	110	26	97	106	18	110					
CIDF 26 0139 112688502	BS	23	0144	3.77	104	104	103	0.37	-0.10	0.08	1.43	0.00	0.72	1.17	0.80	1.91	-1.32	0.33	108	2				
	P	23	0267					46	101	32	94	97	45	110	26	97	106	18	110					
CIDF 26 0140 112688213	BS	23	0144	3.77	99	98	102	-0.24	-0.05	-0.17	0.99	0.01	0.51	0.69	0.80	1.48	-1.32	0.33	108	2				
	P	23	0267					56	91	32	97	90	54	105	26	97	103	18	105					

Rams



*Inbreeding in red is high

EBV - Estimated Breeding Value

Indices above 124
Above breed average
Indices below 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal					Selection Indices			EBV - Weights								EBV - Fertility								
Animal	Parents			% In-breeding	Logix Merit Index	Growth Index	Repro-duction Index	PreW Dir	PreW Mat	PreW Comb	Wean Dir	Wean Mat	Wean Comb	Post Wean	Lambs Weaned	TWW	AFL	ILP	Dam					
Regnumber	Sires	Dams	EBV					EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EPI	Times Lambded
			Acc					Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index
Active breed average:					100	100	100	0.30	0.05	0.20	0.51	0.09	0.35	0.24	0.12	0.67	0.32	0.62						
CIDF 26 0141 112688205	BEZ	23	0002	7.16	82	96	77	0.25 57	-0.65 36	-0.52 75	2.06 55	-0.62 31	0.41 101	2.10 36	-4.30 29	-1.14 40	1.44 25	6.31 23	101	1				
CIDF 26 0144 112688577	ROS	24	0183		104	97	106	-0.08 47	0.05 34	0.01 100	0.54 46	0.05 30	0.32 99	0.47 16	2.80 30	2.27 110	-3.63 36	1.09 109	98	2				
CIDF 26 0149 112688312	BS	22	0121	3.63				1.52 55	0.02 35	0.78 115	0.55 54	0.15 29	0.43 101	0.76 29	1.20 26	1.42 38	1.37 24	0.64 97	82	3				
CIDF 26 0151 112688601	GW	22	0248	3.78	109	107	103	0.24 44	0.10 31	0.23 100	0.20 43	0.16 96	0.26 28	0.55 102	1.40 27	1.20 34	-2.11 26	-1.21 107	101	4				
CIDF 26 0154 112723796	P	23	0139	2.46	103	99	105	0.87 51	0.29 37	0.72 109	2.29 50	0.45 119	1.59 31	1.75 112	-2.10 29	1.48 38	1.17 105	-2.68 23	115	3				
CIDF 26 0155 112723796	DTC	22	0144	3.87	112	119	111	1.01 51	0.25 37	0.76 109	2.91 58	0.44 126	1.90 31	2.23 112	-2.10 29	2.10 41	1.17 108	-2.68 22	115	3				
CIDF 26 0155 112723804	BS	23	0144	3.87	115	123	112	1.01 60	0.25 37	0.76 107	2.91 58	0.44 126	1.90 31	2.23 112	-2.10 29	2.10 41	1.17 108	-2.68 22	115	3				
CIDF 26 0162 112723903	DTC	22	0263	3.87	115	123	112	1.01 60	0.25 37	0.76 107	2.91 58	0.44 126	1.90 31	2.23 112	-2.10 29	2.10 41	1.17 108	-2.68 22	115	3				
CIDF 26 0162 112723903	BS	22	1004	3.94	105	106	99	0.75 52	-0.19 37	0.19 100	1.72 52	-0.08 113	0.78 32	1.24 94	1.10 32	2.30 40	-1.73 32	4.75 106	100	5				
CIDF 26 0164 112723812	P	21	0140	3.94	105	106	99	0.75 52	-0.19 37	0.19 100	1.72 52	-0.08 113	0.78 32	1.24 94	1.10 32	2.30 40	-1.73 32	4.75 106	100	5				
CIDF 26 0164 112723812	BS	22	0155	3.38	105	111	95	1.32 63	-0.30 39	0.36 87	2.44 62	-0.23 121	0.99 34	1.87 89	-1.10 34	1.55 45	1.36 31	2.30 97	147	3				
CIDF 26 0165 112723887	WCN	22	0109	3.38	105	111	95	1.32 63	-0.30 39	0.36 87	2.44 62	-0.23 121	0.99 34	1.87 89	-1.10 34	1.55 45	1.36 31	2.30 97	147	3				
CIDF 26 0165 112723887	BS	24	0424	1.97	89	87	90	0.02 46	-0.25 37	-0.24 89	-0.28 45	-0.26 91	-0.40 33	0.03 88	-0.10 31	-0.60 37	0.35 28	0.77 100	110	2				
CIDF 26 0166 112723853	ROS	24	0072	1.97	89	87	90	0.02 46	-0.25 37	-0.24 89	-0.28 45	-0.26 91	-0.40 33	0.03 88	-0.10 31	-0.60 37	0.35 28	0.77 100	110	2				
CIDF 26 0166 112723853	BS	24	0424	1.97	85	83	89	-0.39 58	-0.21 37	-0.40 91	-0.76 56	-0.25 86	-0.63 33	-0.42 88	-0.10 31	-1.07 41	0.35 28	0.77 100	110	2				
CIDF 26 0168 112723846	ROS	24	0055	2.83	106	111	102	0.82 44	0.12 33	0.53 103	1.56 43	0.26 111	1.04 30	0.61 106	-1.00 30	1.22 35	0.37 103	3.08 26	100	1				
CIDF 26 0168 112723846	BS	24	0055	2.83	106	111	102	0.82 44	0.12 33	0.53 103	1.56 43	0.26 111	1.04 30	0.61 106	-1.00 30	1.22 35	0.37 103	3.08 26	100	1				
CIDF 26 0169 112723770	ROS	24	0155	2.83	106	111	102	0.82 44	0.12 33	0.53 103	1.56 43	0.26 111	1.04 30	0.61 106	-1.00 30	1.22 35	0.37 103	3.08 26	100	1				
CIDF 26 0169 112723770	BS	24	0055	2.83	106	111	102	0.82 44	0.12 33	0.53 103	1.56 43	0.26 111	1.04 30	0.61 106	-1.00 30	1.22 35	0.37 103	3.08 26	100	1				
CIDF 26 0171 112723762	GW	23	0107	2.60	114	100	117	-0.04 61	0.30 39	0.28 109	0.22 59	0.33 96	0.44 34	-1.42 108	2.80 32	2.23 43	-6.30 28	-5.33 120	109	4				
CIDF 26 0171 112723762	BS	23	0179	2.60	114	100	117	-0.04 61	0.30 39	0.28 109	0.22 59	0.33 96	0.44 34	-1.42 108	2.80 32	2.23 43	-6.30 28	-5.33 120	109	4				
CIDF 26 0172 112725155	BS	17	0111	3.10	104	107	99	1.06 65	0.03 54	0.56 99	1.11 64	0.08 106	0.64 49	0.83 100	-0.70 45	0.77 54	0.05 40	1.78 101	129	5				
CIDF 26 0172 112725155	GE	21	0059	3.10	104	107	99	1.06 65	0.03 54	0.56 99	1.11 64	0.08 106	0.64 49	0.83 100	-0.70 45	0.77 54	0.05 40	1.78 101	129	5				
CIDF 26 0173 112725320	JES	06	0026	11.67	112	104	120	-0.22 65	0.68 52	0.57 123	-0.20 64	0.70 48	0.60 121	-0.49 104	1.10 47	1.16 54	-5.53 40	-6.91 118	109	4				
CIDF 26 0173 112725320	EL	20	0100		122	115	129	0.06 67	1.04 53	1.07 136	0.28 66	1.12 49	1.26 135	-0.42 92	2.40 45	2.84 109	-3.53 55	-3.67 112	166	5				
CIDF 26 0175 112725221	JES	06	0026	2.35	122	115	129	0.06 67	1.04 53	1.07 122	0.28 66	1.12 49	1.26 135	-0.42 92	2.40 45	2.84 109	-3.53 55	-3.67 112	166	5				
CIDF 26 0175 112725221	EL	22	0010	2.35	122	115	129	0.06 67	1.04 53	1.07 122	0.28 66	1.12 49	1.26 135	-0.42 92	2.40 45	2.84 109	-3.53 55	-3.67 112	166	5				
CIDF 26 0176 112725239	AAA	05	0003	7.51	111	103	122	-0.75 64	0.73 53	0.36 125	0.07 63	0.71 95	0.74 50	-0.15 121	2.80 45	2.46 110	-1.33 54	-4.91 105	135	4				
CIDF 26 0176 112725239	EL	20	0027		111	103	122	-0.75 64	0.73 53	0.36 104	0.07 63	0.71 95	0.74 50	-0.15 121	2.80 45	2.46 110	-1.33 45	-4.91 105	135	4				



Rams



*Inbreeding in red is high

EBV - Estimated Breeding Value

Indices above 124
Above breed average
Indices below 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal				Selection Indices			EBV - Weights								EBV - Fertility					
Animal	Parents			% In-breeding	Logix	Growth	Repro-	PreW	PreW	PreW	Wean	Wean	Wean	Post	Lambs	TWW	AFL	ILP	Dam	
Regnumber	Sires	Dams			Merit	Index	duction	Dir	Mat	Comb	Dir	Mat	Comb	Wean	Weaned				EPI	Times
					Index		Index	EBV	EBV	EBV	EBV	EBV	EBV	EBV	Acc	Acc	Acc	Acc	Lamb	Lamb
Active breed average:					100	100	100	0.30	0.05	0.20	0.51	0.09	0.35	0.24	0.12	0.67	0.32	0.62		
CIDF 26 0177	JES	06	0026	11.67	116	109	121	0.33	0.62	0.79	0.30	0.69	0.84	0.02	1.10	1.65	-5.53	-6.91	109	4
112725205	EL	20	0100					65	100	52	121	115	64	97	48	121	108	41	97	
CIDF 26 0180	ROS	24	0155	3.38	110	110	108	0.64	0.23	0.55	1.20	0.35	0.95	0.43	1.00	2.15	1.27	1.23	101	1
112725262	BS	24	0083					46	105	29	107	109	44	107	25	109	110	26	102	
CIDF 26 0183	BS	23	0117	14.50	108	93	112	-0.50	0.23	-0.03	-0.28	0.21	0.07	-0.81	6.80	4.01	-1.45	2.45	98	2
112725270	P	23	0084					51	87	30	106	94	50	91	25	104	95	15	88	
CIDF 26 0189	BS	24	0424	2.05	92	97	93	0.03	-0.02	0.00	0.58	-0.02	0.27	0.38	-2.10	-0.70	-0.54	2.08	100	1
112725288	ROS	24	0231					46	96	38	97	95	47	100	35	96	98	33	101	
CIDF 26 0191	BS	22	0121	4.24	94	98	92	0.10	-0.12	-0.07	0.93	-0.13	0.34	0.55	-0.50	0.51	1.55	4.08	102	1
112742184	WH	24	0004					50	97	37	94	93	49	104	32	93	100	18	103	
CIDF 26 0196	BS	23	0602	4.87	115	112	116	0.70	0.48	0.83	0.89	0.57	1.02	0.48	1.40	2.30	1.16	-3.05	110	2
112742150	BS	22	0520					57	106	38	116	116	55	104	34	117	112	14	102	
CIDF 26 0197	BS	24	0424	1.86	85	95	84	0.29	-0.22	-0.07	0.42	-0.16	0.05	0.59	-2.50	-1.24	6.00	4.56	99	3
112742218	P	22	0148					58	100	37	90	93	57	99	33	92	95	23	104	
CIDF 26 0198	GW	24	0248	3.88	103	97	101	0.36	-0.17	0.01	0.66	-0.18	0.15	0.63	3.20	2.40	-0.04	1.64	100	1
112742168	BS	24	0166					47	101	35	92	95	46	101	31	91	96	30	104	
CIDF 26 0199	GW	24	0248	3.88	103	97	101	0.36	-0.17	0.01	0.66	-0.18	0.15	0.63	3.20	2.40	-0.04	1.64	100	1
112811559	BS	24	0166					47	101	35	92	95	46	101	31	91	96	30	104	
CIDF 26 0201	BS	22	0212	3.17	107	104	106	0.54	0.17	0.44	0.62	0.25	0.55	0.16	1.80	1.94	1.40	1.63	101	3
112750641	DTC	22	0126					58	104	39	104	106	56	101	34	105	103	28	99	
CIDF 26 0202	BS	22	0121	3.41	110	104	109	0.21	0.05	0.16	1.31	0.07	0.73	0.69	3.50	3.48	-1.49	1.49	101	3
112750732	DTC	22	0126					61	98	41	100	99	59	108	35	100	106	28	105	
CIDF 26 0211	JES	06	0026	11.67	116	109	121	0.47	0.62	0.85	0.11	0.69	0.75	-0.08	1.10	1.46	-5.53	-6.91	109	4
112750674	EL	20	0100					65	102	52	121	117	64	95	48	121	107	41	96	
CIDF 26 0212	GW	23	0107	3.04	103	92	109	-0.37	0.17	-0.02	-0.47	0.18	-0.05	-1.93	2.00	0.92	-2.72	-4.95	102	1
112750625	BS	24	0029					58	89	33	104	94	56	89	28	103	93	26	75	
CIDF 26 0214	FJ	24	0088	2.20	117	112	115	0.95	0.31	0.78	1.03	0.45	0.96	0.56	3.50	3.57	3.72	0.02	89	2
112750773	EL	20	0025					57	110	39	109	115	56	105	34	112	111	16	103	
CIDF 26 0220	JES	06	0026	11.67	112	105	121	-0.34	0.67	0.50	0.12	0.70	0.76	-0.30	1.10	1.48	-5.53	-6.91	109	4
112750609	EL	20	0100					65	90	52	123	108	64	95	48	121	107	41	94	
CIDF 26 0221	JES	06	0026	2.35	120	112	128	0.02	1.06	1.06	-0.15	1.12	1.05	-0.74	2.40	2.41	-3.53	-3.67	166	5
112750740	EL	22	0010					67	95	53	136	122	66	92	49	136	112	39	89	
CIDF 26 0223	AAA	05	0003	7.51	111	104	122	-0.71	0.72	0.37	0.22	0.71	0.82	-0.03	2.80	2.61	-1.33	-4.91	135	4
112750658	EL	20	0027					64	84	53	125	104	63	96	50	121	108	46	97	

Rams



*Inbreeding in red is high

EBV - Estimated Breeding Value

Indices above 124
Above breed average
Indices below 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal				Selection Indices			EBV - Weights								EBV - Fertility					
Animal	Parents			% In-breeding	Logix	Growth	Repro-	PreW	PreW	PreW	Wean	Wean	Wean	Post	Lambs	TWW	AFL	ILP	Dam	
Regnumber	Sires	Dams			Merit	Index	duction	Dir	Mat	Comb	Dir	Mat	Comb	Wean	Weaned				EPI	Times
					Index		Index	EBV	EBV	EBV	EBV	EBV	EBV	EBV	Acc	Acc	Acc	Acc	Lamb	Lamb
Active breed average:					100	100	100	0.30	0.05	0.20	0.51	0.09	0.35	0.24	0.12	0.67	0.32	0.62		
CIDF 26 0227 112764451	JES EL	06 22	0026 0010	2.35	125	118	129	0.48 61	1.00 103	1.24 53	0.49 135	1.11 127	1.36 66	-0.16 99	2.40 45	3.04 109	-3.53 55	-3.67 113	166	5
CIDF 26 0228 112764295	BS P	23 21	0139 0290	2.69	109	99	112	-0.10 46	0.17 94	0.13 36	0.28 105	0.23 98	0.37 46	-0.22 97	3.80 31	2.79 114	-4.65 37	-0.74 112	105	5
CIDF 26 0232 112764337	JES EL	06 22	0026 0010	2.35	125	118	129	0.65 67	0.99 105	1.32 53	0.37 135	1.11 129	1.29 66	-0.20 98	2.40 45	2.92 109	-3.53 55	-3.67 112	166	5
CIDF 26 0235 112764360	AAA EL	05 20	0003 0027	7.51	113	106	122	-0.47 64	0.70 88	0.47 53	0.29 124	0.70 107	0.85 63	0.09 97	2.80 45	2.67 110	-1.33 54	-4.91 111	135	4
CIDF 26 0236 112764444	H BS	23 22	0062 0508	5.55	127	116	122	1.43 59	0.27 117	0.98 38	1.41 108	0.41 120	1.11 58	0.92 109	4.70 33	4.64 117	-2.16 43	-2.82 122	121	3
CIDF 26 0237 112764311	BS P	23 23	0144 0323	3.62	97	105	99	0.17 57	0.15 98	0.23 32	1.12 104	0.24 101	0.80 55	0.88 106	-3.30 24	-0.62 88	-1.46 37	-0.26 93	93	2
CIDF 26 0240 112764329	JES EL	06 22	0026 0010	2.35	124	117	129	0.37 67	1.01 101	1.20 53	0.37 135	1.11 126	1.30 66	-0.28 98	2.40 45	2.92 109	-3.53 55	-3.67 112	166	5
CIDF 26 0241 112764303	BS P	23 21	0139 0232	2.69	99	90	104	-0.23 46	-0.05 92	-0.17 35	-0.17 96	-0.05 90	-0.14 45	-0.28 92	1.50 28	0.68 105	-3.02 36	-4.93 100	99	5
CIDF 26 0244 112776026	JES EL	06 22	0026 0010	2.35	124	117	129	0.39 61	1.01 101	1.21 53	0.32 135	1.11 126	1.28 60	-0.30 98	2.40 45	2.88 109	-3.53 52	-3.67 112	166	5
CIDF 26 0248 112776042	H BS	23 22	0062 0508	5.55	136	128	126	2.16 59	0.17 129	1.25 38	2.81 104	0.39 127	1.79 58	2.10 125	4.70 33	6.01 117	-2.16 43	-2.82 129	121	3
CIDF 26 0266 112809181	JES EL	06 22	0026 0010	2.35	122	115	129	0.19 67	1.03 98	1.12 53	0.21 136	1.12 124	1.22 66	-0.44 96	2.40 45	2.77 109	-3.53 55	-3.67 112	166	5
CIDF 26 0274 112809421	BS GW	23 22	0117 0005	3.15	101	88	113	-1.20 53	0.43 76	-0.17 36	-1.01 114	0.39 90	-0.12 52	-1.57 83	4.00 28	1.78 114	-2.43 38	-2.74 106	119	4
CIDF 26 0275 112809546	BS GW	23 22	0117 0005	3.15	100	87	112	-1.25 62	0.45 76	-0.18 36	-1.30 115	0.39 90	-0.26 60	-1.78 80	4.00 28	1.50 114	-2.43 41	-2.74 105	119	4
CIDF 26 0276 112809488	BS P	23 23	0139 0248	2.62	108	100	112	0.11 44	0.25 97	0.30 33	0.16 107	0.32 102	0.40 43	0.79 96	3.00 28	2.28 111	-2.86 34	-1.76 109	98	2
CIDF 26 0277 112809447	BS P	23 23	0139 0248	2.62	108	100	112	0.11 44	0.25 97	0.30 33	0.16 107	0.32 102	0.40 43	0.79 96	3.00 28	2.28 111	-2.86 34	-1.76 109	98	2
CIDF 26 0278 112809462	BS P	23 23	0349 0109	4.01	112	111	105	1.11 42	-0.02 112	0.53 28	1.67 97	0.13 109	0.97 41	1.25 112	2.20 25	3.12 108	-0.48 31	4.67 114	101	2
CIDF 26 0281 112809520	JES EL	06 22	0026 0010	2.35	121	114	128	0.21 67	1.04 98	1.14 53	0.02 124	1.12 66	1.13 94	-0.56 49	2.40 45	2.58 109	-3.53 55	-3.67 112	166	5



Rams



*Inbreeding in red is high

EBV - Estimated Breeding Value

Indices above 124
Above breed average
Indices below 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal					Selection Indices			EBV - Weights								EBV - Fertility								
Animal	Parents			% In-breeding	Logix Merit Index	Growth Index	Repro-duction Index	PreW Dir	PreW Mat	PreW Comb	Wean Dir	Wean Mat	Wean Comb	Post Wean	Lambs Weaned	TWW	AFL	ILP	Dam					
Regnumber	Sires	Dams	EBV					EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EPI	Times Lambed
			Acc					Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index
Active breed average:					100	100	100	0.30	0.05	0.20	0.51	0.09	0.35	0.24	0.12	0.67	0.32	0.62						
CIDF 26 0283 112809504	AAA EL	05 20	0003 0027	7.51	110	102	121	-0.73 64	0.74 53	0.38 125	-0.21 63	0.71 50	0.61 121	-0.34 46	2.80 45	2.18 54	-1.33 45	-4.91 41	135	4				
CIDF 26 0285 112811443	BS DTC	23 22	0144 0364	4.08	102	102	99	0.58 49	-0.26 104	0.03 95	1.46 48	-0.20 110	0.53 90	1.06 109	0.10 28	1.32 36	1.82 22	-1.34 95	107	2				
CIDF 26 0289 112823711	JES EL	06 22	0026 0010	2.35	120	114	128	-0.03 67	1.05 53	1.04 122	0.07 66	1.12 49	1.16 136	-0.60 90	2.40 45	2.63 109	-3.53 55	-3.67 111	166	5				
CIDF 26 0290 112823703	BS P	23 22	0349 0266	4.17	114	111	114	0.80 44	0.31 108	0.71 30	0.98 110	0.45 113	0.94 43	0.54 105	0.00 25	1.43 32	-5.62 26	-4.32 118	114	3				
CIDF 26 0292 112840251	BS P	23 21	0117 0047	2.33	101	88	106	-0.40 60	-0.06 89	-0.26 34	-0.39 96	-0.07 88	-0.26 59	-0.58 90	3.90 25	1.89 114	-4.15 39	-1.96 107	120	5				
CIDF 26 0298 112855713	FJ BS	24 24	0088 0149	2.48	120	112	116	1.05 48	0.17 111	0.69 33	1.33 104	0.30 113	0.97 48	0.53 109	4.40 27	4.27 116	1.85 35	-1.10 120	102	1				
CIDF 26 0302 112863394	BS WH	22 24	0155 0056	3.88	96	107	89	1.27 62	-0.23 115	0.41 40	1.73 90	-0.18 105	0.68 61	1.56 113	-3.40 34	-0.49 88	4.66 44	2.41 94	93	3				
CIDF 26 0303 112863410	BS P	22 22	1004 0289	4.95	105	105	105	0.40 51	0.09 101	0.29 35	1.20 101	0.16 102	0.76 50	1.02 107	0.80 30	1.84 103	-0.37 38	0.71 102	104	3				
CIDF 26 0307 112863428	BS P	22 22	1004 0169	4.07	103	109	102	0.10 53	0.12 97	0.17 34	1.81 103	0.22 99	1.13 53	1.10 114	-0.10 29	1.98 114	-2.08 15	6.31 110	95	4				
CIDF 26 0313 112865985	BS P	23 22	0117 0191	2.35	91	84	98	-0.71 59	-0.08 84	-0.43 32	-0.68 95	-0.11 83	-0.45 58	-0.41 87	1.90 24	0.35 107	-0.29 38	-0.85 98	105	4				
CIDF 26 0315 112866058	BS P	22 22	0155 0028	3.71	114	111	105	1.25 56	-0.20 115	0.43 43	2.07 91	-0.10 106	0.94 55	1.77 117	2.50 36	3.47 109	-2.52 44	2.12 115	113	4				
CIDF 26 0328 113748040	BS LR	23 21	0117 0045	2.43	112	99	119	-0.55 54	0.52 86	0.25 37	-0.16 117	0.54 101	0.46 53	-0.33 92	5.90 30	3.93 121	-5.27 39	2.08 118	113	4				
CIDF 26 0331 113765010	BS H	22 23	0155 0012	7.01	122	121	117	1.42 54	0.49 117	1.20 41	1.72 116	0.56 126	1.42 54	0.91 113	-0.30 34	2.10 99	-3.03 42	-4.08 108	102	2				
CIDF 26 0333 113764963	FJ CIDF	24 25	0088 0024	2.70	134	119	125	1.68 49	-0.03 122	0.82 34	2.49 97	0.13 116	1.38 48	1.75 121	7.90 28	7.36 129	1.88 36	-2.97 137	100	1				
CIDF 26 0334 113764674	FJ CIDF	24 25	0088 0024	2.70	134	119	125	1.68 49	-0.03 122	0.82 34	2.49 97	0.13 116	1.38 48	1.75 121	7.90 28	7.36 129	1.88 36	-2.97 137	100	1				
CIDF 26 0335 113765028	BS BS	24 22	0424 0198	7.53	100	100	103	0.10 49	0.03 97	0.08 41	0.66 99	0.12 97	0.45 48	0.33 101	0.60 35	1.14 102	3.53 41	-1.27 103	133	3				
CIDF 26 0336 113764773	BS BS	24 22	0424 0198	7.53	100	100	103	0.10 49	0.03 97	0.08 41	0.66 99	0.12 97	0.45 48	0.33 101	0.60 35	1.14 102	3.53 41	-1.27 103	133	3				



Rams



*Inbreeding in red is high

EBV - Estimated Breeding Value

Indices above 124
Above breed average
Indices below 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal				Selection Indices			EBV - Weights								EBV - Fertility					
Animal	Parents			% In-breeding	Logix	Growth	Repro-	PreW	PreW	PreW	Wean	Wean	Wean	Post	Lambs	TWW	AFL	ILP	Dam	
Regnumber	Sires	Dams			Merit	Index	duction	Dir	Mat	Comb	Dir	Mat	Comb	Wean	Weaned				EPI	Times
					Index		Index	EBV	EBV	EBV	EBV	EBV	EBV	EBV	Acc	Acc	Acc	Acc	Lamb	Lamb
Active breed average:					100	100	100	0.30	0.05	0.20	0.51	0.09	0.35	0.24	0.12	0.67	0.32	0.62		
CIDF 26 0341	BS	23	0602	2.24	107	101	107	0.55	-0.04	0.24	0.59	0.07	0.36	0.56	2.60	2.22	-1.38	-1.10	104	3
113764708	LR	22	0081					47	104	38	97		101	46	100	33	99	100	14	103
CIDF 26 0342	BS	23	0144	4.03	104	109	104	0.45	-0.03	0.19	1.91	0.13	1.09	1.76	-1.30	1.26	0.03	-0.94	107	2
113764849	LR	23	0015					51	102	37	97		100	50	115	32	101	113	19	117
CIDF 26 0345	FJ	24	0088	3.03	111	109	108	0.82	0.10	0.51	1.25	0.20	0.83	0.68	1.70	2.47	3.01	-0.55	109	3
113764997	BS	23	0539					48	108	36	102		108	47	108	31	104	108	14	105
CIDF 26 0347	BS	24	0424	4.46	100	99	103	0.00	0.27	0.27	0.04	0.32	0.34	-0.04	0.10	0.42	-1.58	0.94	103	2
113764922	H	24	0031					48	95	39	108		102	47	94	36	108	100	29	97
CIDF 26 0349	BS	23	0602	4.72	120	109	117	0.73	0.20	0.57	1.02	0.33	0.84	0.29	6.00	4.95	-0.71	1.84	105	3
113764641	P	23	0093					43	107	29	106		109	42	105	25	108	108	12	100
CIDF 26 0350	BS	23	0602	4.72	120	109	117	0.73	0.20	0.57	1.02	0.33	0.84	0.29	6.00	4.95	-0.71	1.84	105	3
113764989	P	23	0093					43	107	29	106		109	42	105	25	108	108	12	100
CIDF 26 0351	BS	23	0602	4.72	120	109	117	0.73	0.20	0.57	1.02	0.33	0.84	0.29	6.00	4.95	-0.71	1.84	105	3
113764930	P	23	0093					43	107	29	106		109	42	105	25	108	108	12	100
CIDF 26 0352	BS	24	0424	4.81	109	103	108	0.31	0.11	0.27	0.93	0.13	0.60	0.64	3.20	2.99	-0.82	1.34	105	1
113764682	BS	24	0001					48	100	38	102		102	48	104	35	102	104	24	104
CIDF 26 0356	FJ	24	0088	2.98	113	106	109	0.89	0.00	0.45	1.12	0.11	0.67	0.66	3.20	3.15	0.57	-0.03	100	4
113764740	EL	21	0026					45	109	35	98		106	45	106	31	101	105	19	105
CIDF 26 0359	FJ	24	0088	1.96	118	106	121	0.39	0.53	0.72	0.03	0.60	0.61	-0.51	5.60	3.99	1.38	-1.00	147	3
113764625	BS	23	0122					48	101	37	118		113	47	94	32	118	104	14	91
CIDF 26 0360	FJ	24	0088	1.96	118	106	121	0.39	0.53	0.72	0.03	0.60	0.61	-0.51	5.60	3.99	1.38	-1.00	147	3
113764807	BS	23	0122					48	101	37	118		113	47	94	32	118	104	14	91
CIDF 26 0370	FJ	24	0088	3.53	116	107	110	1.05	-0.06	0.46	1.37	0.01	0.70	1.00	4.20	3.90	0.49	-0.44	93	3
113764658	BS	22	0110					50	111	39	96		107	49	109	34	97	106	15	108
CIDF 26 0377	BS	22	0155	7.32	123	119	114	1.66	-0.05	0.78	2.64	0.09	1.41	2.17	2.70	4.35	-0.33	-1.72	121	3
114153802	BS	22	0508					58	121	44	96		115	57	123	39	100	118	19	122
CIDF 26 0380	BS	23	0144	3.80	102	96	107	-0.29	0.02	-0.13	0.54	0.02	0.29	0.12	1.20	1.28	-1.27	-5.06	112	6
113764864	ROS	19	0062					52	91	40	99		91	51	100	34	98	99	26	98
CIDF 26 0383	BS	23	0117	3.12	96	79	105	-1.14	-0.09	-0.66	-0.85	-0.24	-0.66	-0.83	5.30	2.09	-1.70	-3.61	95	4
113775910	ROS	21	0027					54	77	38	95		77	53	85	34	89	82	21	88
CIDF 26 0387	FJ	24	0088	2.93	122	100	121	0.72	0.06	0.42	0.11	0.09	0.15	-0.27	8.50	5.30	-0.48	-4.99	120	3
114189186	BS	22	0937					51	106	41	100		106	50	95	36	100	96	16	94
CIDF 26 0389	BS	24	0424	14.63	101	98	103	0.18	0.00	0.09	0.51	0.02	0.27	0.21	0.60	0.89	0.45	-2.50	130	4
113776058	BS	22	0038					50	98	42	98		97	49	100	37	98	98	23	99

Rams



*Inbreeding in red is high

EBV - Estimated Breeding Value

Indices above 124
Above breed average
Indices below 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal					Selection Indices			EBV - Weights								EBV - Fertility								
Animal	Parents			% In-breeding	Logix Merit Index	Growth Index	Repro-duction Index	PreW Dir	PreW Mat	PreW Comb	Wean Dir	Wean Mat	Wean Comb	Post Wean	Lambs Weaned	TWW	AFL	ILP	Dam					
Regnumber		Sires	Dams					EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EPI	Times Lambded
								Acc	Index	Acc	Index	Index	Acc	Index	Acc	Index	Index	Acc	Index	Acc	Index	Acc	Index	Acc
Active breed average:					100	100	100	0.30	0.05	0.20	0.51	0.09	0.35	0.24	0.12	0.67	0.32	0.62						
CIDF 26 0392 113775969	BS	23	0602	2.27	109	111	104	0.96	0.04	0.52	1.57	0.23	1.02	1.32	1.00	2.40	-2.85	5.16	108	4				
	LR	22	0091					46	110	37	100	108	45	111	32	105	112	15			112	31	104	37
CIDF 26 0393 113775712	BS	24	0424	9.42	94	95	93	0.30	-0.26	-0.11	0.67	-0.20	0.14	0.53	-0.80	-0.01	0.39	0.90	106	3				
	BS	22	0861					47	100	40	89	92	46	101	36	90	96	24			103	35	97	40
CIDF 26 0398 113776033	FJ	24	0088	2.97	120	110	117	0.91	0.12	0.57	1.36	0.24	0.92	0.74	4.10	4.06	0.35	-3.43	108	2				
	BS	22	0491					50	109	38	103	110	49	109	32	105	110	14			105	31	115	38
CIDF 26 0408 113775753	BS	23	0144	3.55	97	105	97	0.39	0.01	0.20	1.34	0.09	0.75	1.13	-1.70	0.40	2.84	2.30	104	1				
	JC	24	0140					51	101	35	98	100	50	109	30	100	107	21			110	29	94	37
CIDF 26 0412 113775951	BS	23	0602	2.28	109	109	112	0.52	0.48	0.74	0.50	0.58	0.83	0.14	-0.30	0.90	-0.98	-2.32	142	5				
	ROS	20	0033					48	103	40	116	114	47	99	35	117	108	26			99	34	99	39
CIDF 26 0417 113776025	FJ	24	0088	2.08	111	99	111	0.39	0.17	0.37	-0.07	0.19	0.15	-0.57	4.70	2.94	2.55	-2.00	97	3				
	BS	23	0175					47	101	36	105	104	46	93	31	103	96	12			91	29	117	36
CIDF 26 0419 113775787	BS	23	0602	2.32	103	107	97	1.09	-0.09	0.46	1.28	0.04	0.68	1.03	-1.40	0.48	-0.81	2.45	101	1				
	WH	24	0012					45	112	32	95	107	44	108	28	98	106	17			109	28	95	34
CIDF 26 0425 114186935	BS	23	0144	3.92	111	112	109	0.73	0.06	0.43	1.87	0.21	1.15	1.27	0.00	2.08	-0.67	-2.00	104	2				
	GW	23	0191					50	106	35	100	106	49	114	30	104	114	27			112	30	100	37
CIDF 26 0426 114189061	BS	23	0144	3.92	111	112	109	0.73	0.06	0.43	1.87	0.21	1.15	1.27	0.00	2.08	-0.67	-2.00	104	2				
	GW	23	0191					50	106	35	100	106	49	114	30	104	114	27			112	30	100	37
CIDF 26 0430 113801328	BS	23	0144	3.82	103	103	105	0.05	-0.09	-0.07	1.68	-0.01	0.83	1.53	0.00	1.67	-0.53	-3.05	125	7				
	DTC	19	0098					52	96	40	95	93	51	112	35	97	108	32			114	34	100	41
CIDF 26 0431 113801237	BS	23	0144	3.82	103	103	105	0.05	-0.09	-0.07	1.68	-0.01	0.83	1.53	0.00	1.67	-0.53	-3.05	125	7				
	DTC	19	0098					52	96	40	95	93	51	112	35	97	108	32			114	34	100	41
CIDF 26 0434 113801344	FJ	24	0088	2.51	121	112	117	1.15	0.24	0.82	1.10	0.37	0.92	0.68	4.40	4.11	-0.77	0.07	92	3				
	BS	23	0917					47	113	37	107	116	47	106	31	110	110	16			105	26	116	36
CIDF 26 0435 113801542	BS	22	0155	28.40	116	120	110	1.46	0.15	0.88	2.36	0.24	1.42	1.96	0.10	2.66	2.56	-1.46	98	2				
	BS	24	0965					55	118	38	104	117	54	120	33	105	119	16			119	33	100	41
CIDF 26 0438 113801559	BS	24	0424	6.29	108	110	103	0.90	-0.07	0.39	1.91	0.04	1.00	1.57	0.50	2.25	0.51	1.45	110	2				
	BS	24	0994					48	109	37	96	105	47	115	33	98	111	22			115	32	102	38
CIDF 26 0440 113801435	BS	23	0144	3.83	96	93	105	-0.33	0.05	-0.11	-0.07	0.06	0.03	-0.21	-2.10	-1.27	-1.31	-11.10	98	3				
	LR	21	0020					51	90	39	100	92	50	93	34	99	94	23			95	33	92	40
CIDF 26 0443 113801393	BS	23	0144	3.66	114	108	115	0.12	0.36	0.42	1.06	0.44	0.98	-0.12	2.70	3.13	-1.38	-0.69	155	10				
	GW	17	0024					53	97	41	111	105	52	106	36	112	111	32			96	36	110	42
CIDF 26 0446 113801443	BS	23	0117	2.61	101	94	103	-0.18	0.16	0.07	-0.13	0.12	0.06	-0.84	2.60	1.56	-1.78	2.25	115	2				
	CJW	24	0013					52	92	32	104	96	51	93	27	101	95	24			88	26	109	36

Rams



*Inbreeding in red is high

EBV - Estimated Breeding Value

Indices above 124
Above breed average
Indices below 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal					Selection Indices			EBV - Weights								EBV - Fertility								
Animal	Parents			% In-breeding	Logix Merit Index	Growth Index	Repro-duction Index	PreW Dir	PreW Mat	PreW Comb	Wean Dir	Wean Mat	Wean Comb	Post Wean	Lambs Weaned	TWW	AFL	ILP	Dam					
Regnumber	Sires	Dams	EBV					EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EPI	Times Lambded
			Acc					Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index
Active breed average:					100	100	100	0.30	0.05	0.20	0.51	0.09	0.35	0.24	0.12	0.67	0.32	0.62						
CIDF 26 0449 113801534	FJ BS	24 22	0088 0224	3.14	103	98	101	0.46 50	-0.09 102	0.14 41	0.67 95	-0.12 98	0.22 36	0.23 93	1.40 34	1.39 105	2.25 41	-1.99 104	119	4				
CIDF 26 0451 113801377	BS BS	24 22	0424 0913	3.88	107	106	106	0.51 50	0.14 103	0.40 41	0.98 103	0.22 105	0.71 106	0.71 25	1.00 36	1.81 104	-0.02 33	0.77 101	102	4				
CIDF 26 0455 113801526	BS DTC	23 18	0144 0620	3.44	107	111	112	0.18 52	0.52 98	0.61 40	0.99 117	0.60 110	1.09 51	0.65 105	-0.40 34	1.35 99	3.70 104	-1.94 26	131	8				
CIDF 26 0456 113801294	FJ CIDF	24 25	0088 0019	2.70	131	120	122	1.73 49	-0.03 122	0.83 34	2.58 97	0.13 116	1.42 48	1.83 122	6.00 28	6.31 122	1.98 36	-2.89 131	102	1				
CIDF 26 0457 113801245	FJ CIDF	24 25	0088 0019	2.70	131	120	122	1.73 49	-0.03 122	0.83 34	2.58 97	0.13 116	1.42 48	1.83 122	6.00 28	6.31 122	1.98 36	-2.89 131	102	1				
CIDF 26 0460 113801260	BS ROS	23 20	0117 0087	2.26	104	84	114	-1.25 53	0.32 76	-0.30 38	-1.36 110	0.24 87	-0.45 52	-1.65 79	7.70 31	3.49 128	-1.42 40	-0.56 116	100	5				
CIDF 26 0461 113801252	BS ROS	23 20	0117 0087	2.26	104	84	114	-1.25 53	0.32 76	-0.30 38	-1.36 110	0.24 87	-0.45 52	-1.65 79	7.70 31	3.49 128	-1.42 40	-0.56 116	100	5				
CIDF 26 0462 114154123	BS WCN	22 22	0155 0109	3.38	108	115	97	1.62 56	-0.34 120	0.47 38	2.90 86	-0.24 107	1.21 56	2.28 126	-1.10 34	2.00 96	1.36 42	2.30 107	147	3				
CIDF 26 0464 113802342	BS BS	24 22	0424 0380	9.10	102	104	101	0.56 49	-0.07 104	0.21 39	1.27 96	0.02 100	0.66 49	1.04 108	-0.60 33	0.93 98	0.17 40	-0.33 102	115	4				
CIDF 26 0466 113802508	BS WW	22 20	0155 0095	2.98	107	106	106	0.76 57	0.01 107	0.39 44	1.20 98	0.05 105	0.65 56	0.96 107	-0.10 37	1.19 100	0.87 45	-4.86 103	119	6				
CIDF 26 0467 113802409	BS WW	22 20	0155 0095	2.98	107	106	106	0.76 57	0.01 107	0.39 44	1.20 98	0.05 105	0.65 56	0.96 107	-0.10 37	1.19 100	0.87 45	-4.86 103	119	6				
CIDF 26 0473 113802300	BS LR	23 22	0144 0003	3.39	111	108	113	0.30 52	0.20 100	0.34 38	1.29 105	0.31 104	0.95 50	0.99 108	1.10 31	2.26 104	-1.03 39	-3.52 109	127	4				
CIDF 26 0475 113802466	FJ BS	24 22	0088 0539	3.00	109	100	107	0.60 50	-0.03 104	0.27 40	0.61 97	0.01 102	0.31 49	0.01 101	3.10 50	2.48 104	1.84 40	-1.95 97	139	4				
CIDF 26 0476 113802441	FJ BS	24 22	0088 0539	3.00	109	100	107	0.60 50	-0.03 104	0.27 40	0.61 97	0.01 102	0.31 49	0.01 101	3.10 50	2.48 104	1.84 40	-1.95 97	139	4				
CIDF 26 0477 113802458	BS BS	22 21	0155 0480	14.59	117	111	114	0.91 57	0.08 109	0.54 45	1.69 101	0.09 109	0.94 56	1.35 113	3.00 38	3.59 111	-0.48 45	-3.67 116	133	4				
CIDF 26 0478 113802540	BS BS	22 21	0155 0480	14.59	117	111	114	0.91 57	0.08 109	0.54 45	1.69 101	0.09 109	0.94 56	1.35 113	3.00 38	3.59 111	-0.48 45	-3.67 116	133	4				
CIDF 26 0481 113802490	BS ROS	24 22	0424 0081	2.15	85	91	86	-0.02 49	-0.31 95	-0.32 38	0.54 87	-0.30 86	-0.03 48	0.57 100	-3.40 33	-1.80 88	-1.65 30	0.62 106	110	3				



Rams



*Inbreeding in red is high

EBV - Estimated Breeding Value

Indices above 124
Above breed average
Indices below 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal					Selection Indices			EBV - Weights								EBV - Fertility								
Animal	Parents			% In-breeding	Logix Merit Index	Growth Index	Repro-duction Index	PreW Dir	PreW Mat	PreW Comb	Wean Dir	Wean Mat	Wean Comb	Post Wean	Lambs Weaned	TWW	AFL	ILP	Dam					
Regnumber	Sires	Dams	EBV					EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EPI	Times Lambed
			Acc					Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index
Active breed average:					100	100	100	0.30	0.05	0.20	0.51	0.09	0.35	0.24	0.12	0.67	0.32	0.62						
CIDF 26 0483 114154131	BS	22	0155	5.07	114	118	113	1.07	0.31	0.84	1.91	0.41	1.37	1.39	-3.10	0.46	-3.37	-7.59	109	4				
	EL	20	0100					56	112	43	110	117	56	115	37	111	118	22	113					
CIDF 26 0485 113802474	BS	24	0424	5.81	97	101	98	0.28	-0.01	0.13	0.94	0.06	0.53	0.59	-1.60	0.04	0.58	0.25	91	2				
	BS	22	0926					48	99	38	98	98	47	104	35	99	103	23	104					
CIDF 26 0487 114189202	FJ	24	0088	2.54	120	106	120	0.51	0.23	0.48	0.74	0.28	0.65	0.31	6.10	4.68	0.02	-3.14	109	1				
	BS	24	0084					48	103	33	106	107	48	102	28	107	105	15	101					
CIDF 26 0488 114189210	FJ	24	0088	2.54	120	106	120	0.51	0.23	0.48	0.74	0.28	0.65	0.31	6.10	4.68	0.02	-3.14	109	1				
	BS	24	0084					48	103	33	106	107	48	102	28	107	105	15	101					
CIDF 26 0490 113802359	FJ	24	0088	2.18	112	100	111	0.53	-0.06	0.21	0.60	0.00	0.30	0.14	4.00	3.00	-0.58	-3.99	108	3				
	BS	22	0855					50	103	40	96	100	49	101	35	97	99	17	99					
CIDF 26 0491 113802375	FJ	24	0088	3.20	117	112	113	0.97	0.16	0.65	1.54	0.29	1.06	1.05	3.20	3.75	2.20	0.19	129	3				
	BS	22	0015					50	110	40	104	111	49	111	35	107	112	15	109					
CIDF 26 0492 113802557	FJ	24	0088	3.20	117	112	113	0.97	0.16	0.65	1.54	0.29	1.06	1.05	3.20	3.75	2.20	0.19	129	3				
	BS	22	0015					50	110	40	104	111	49	111	35	107	112	15	109					
CIDF 26 0495 113802433	BS	24	0424	7.32	105	108	103	0.70	0.07	0.42	1.34	0.21	0.89	1.04	-0.60	1.20	0.18	1.31	117	3				
	BS	23	0272					49	106	38	101	105	48	109	34	104	109	23	109					
CIDF 26 0496 113802326	BS	24	0424	7.32	105	108	103	0.70	0.07	0.42	1.34	0.21	0.89	1.04	-0.60	1.20	0.18	1.31	117	3				
	BS	23	0272					49	106	38	101	105	48	109	34	104	109	23	109					
CS 26 0502 113856389	FJ	24	0088	2.70	133	121	123	1.82	-0.04	0.87	2.64	0.13	1.45	1.90	6.80	6.85	1.88	-2.16	99	1				
	CIDF	25	0023					49	124	34	97	117	48	123	29	101	119	14	119					
CS 26 0510 113856066	FJ	24	0088	1.75	117	104	117	0.74	0.17	0.54	0.49	0.20	0.45	0.11	4.20	3.21	-0.39	-5.92	123	3				
	BS	23	0042					50	107	39	105	109	49	99	33	104	102	15	98					
CS 26 0512 113856124	BS	22	0155	3.36	113	110	105	1.53	-0.23	0.53	1.90	-0.12	0.83	1.87	1.80	2.85	-0.16	-0.80	92	4				
	P	22	0019					53	119	38	90	108	52	115	33	93	108	19	118					
CS 26 0513 113856298	BS	22	0155	3.36	113	110	105	1.53	-0.23	0.53	1.90	-0.12	0.83	1.87	1.80	2.85	-0.16	-0.80	92	4				
	P	22	0019					53	119	38	90	108	52	115	33	93	108	19	118					
CS 26 0517 113856108	BS	24	0424	2.43	102	94	100	0.46	-0.29	-0.06	0.47	-0.23	0.01	0.38	2.70	1.86	-1.48	0.54	124	2				
	LR	24	0077					48	102	37	88	93	47	99	33	89	94	22	101					
CS 26 0521 113856165	FJ	24	0088	2.42	117	104	117	0.70	0.20	0.55	0.35	0.23	0.41	-0.12	5.30	3.77	1.05	-3.77	108	2				
	CIDF	23	0010					49	106	38	106	109	48	98	33	105	101	13	96					
CS 26 0522 113856207	FJ	24	0088	2.42	117	104	117	0.70	0.20	0.55	0.35	0.23	0.41	-0.12	5.30	3.77	1.05	-3.77	108	2				
	CIDF	23	0010					49	106	38	106	109	48	98	33	105	101	13	96					
CS 26 0523 113855878	BS	23	0117	14.40	108	97	115	-0.62	0.49	0.18	-0.35	0.49	0.31	-0.57	5.20	3.26	-1.31	1.30	102	2				
	P	23	0008					50	85	27	116	99	49	90	22	114	99	11	91					

Rams



*Inbreeding in red is high

EBV - Estimated Breeding Value

Indices above 124
Above breed average
Indices below 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal				Selection Indices			EBV - Weights								EBV - Fertility					
Animal	Parents			% In-breeding	Logix Merit Index	Growth Index	Reproduction Index	PreW Dir	PreW Mat	PreW Comb	Wean Dir	Wean Mat	Wean Comb	Post Wean	Lambs Weaned	TWW	AFL	ILP	Dam	
Regnumber	Sires	Dams						EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EPI	Times Lambded
								Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	
Active breed average:					100	100	100	0.30	0.05	0.20	0.51	0.09	0.35	0.24	0.12	0.67	0.32	0.62		
CS 26 0525	BS	22	0155	3.55	111	113	108	0.95	0.13	0.60	1.84	0.24	1.16	1.49	-0.40	1.83	-0.59	-1.48	101	1
113856074	P	23	0210					54	110	38	103	110	54	114	33	105	114	18	114	
CS 26 0527	BS	24	0424	5.65	107	109	106	0.58	0.12	0.41	1.42	0.25	0.96	1.10	0.10	1.73	-0.79	0.75	120	4
113855886	BS	22	0858					48	104	40	103	105	47	110	37	106	111	23	110	
CS 26 0534	FJ	24	0088	2.62	118	109	114	1.05	0.07	0.59	1.33	0.13	0.80	0.89	3.20	3.38	0.97	-4.75	95	2
113856199	BS	24	0980					48	112	36	101	110	48	109	30	102	108	14	107	
CS 26 0535	FJ	24	0088	2.62	118	109	114	1.05	0.07	0.59	1.33	0.13	0.80	0.89	3.20	3.38	0.97	-4.75	95	2
113855910	BS	24	0980					48	112	36	101	110	48	109	30	102	108	14	107	
CS 26 0536	BS	23	0117	2.47	108	96	109	-0.22	0.10	-0.01	0.27	0.11	0.24	-0.20	5.40	3.62	-4.90	3.98	114	2
113856306	LR	24	0099					53	92	34	102	94	52	97	28	101	98	17	95	
CS 26 0539	BS	23	0117	2.49	108	90	115	-0.67	0.37	0.03	-1.02	0.32	-0.19	-0.10	9.10	4.76	-4.24	5.42	106	4
113856314	ROS	18	0066					55	85	39	112	95	54	83	34	108	90	24	96	
CS 26 0540	BS	23	0602	2.33	107	102	104	0.55	0.04	0.31	0.61	0.12	0.43	-0.25	1.90	1.87	-0.51	1.07		4
113856470	P	21	0328					43	104	32	100	103	42	101	28	101	101	19	94	
CS 26 0541	BS	23	0117	2.56	98	85	106	-0.90	0.08	-0.37	-0.74	0.00	-0.37	-0.75	4.60	2.02	-2.65	-1.17	131	7
113855936	DTC	17	1171					54	81	37	101	85	53	86	31	97	87	13	88	
CS 26 0544	BS	22	0155	7.82	108	110	105	0.82	-0.08	0.33	2.07	-0.01	1.03	1.64	0.10	2.12	1.86	-1.94	78	2
113899967	BS	21	0024					56	108	41	95	103	56	117	36	97	112	20	116	
CS 26 0545	FJ	24	0088	2.45	120	111	121	0.61	0.38	0.69	0.85	0.54	0.96	0.32	4.80	4.27	2.49	-2.40	131	4
113856413	BS	22	0759					51	105	41	112	113	50	103	36	115	111	15	101	
CS 26 0548	BS	23	0602	2.32	112	106	108	0.83	-0.04	0.38	1.10	0.10	0.65	1.06	3.70	3.42	-1.02	2.15	109	3
113856116	LR	22	0076					47	108	38	97	104	46	106	33	100	105	15	109	
CS 26 0549	BS	23	0144	3.64	103	107	105	-0.10	0.36	0.31	1.00	0.43	0.93	0.65	0.40	1.67	0.36	4.16	138	5
113856231	P	19	0060					51	94	38	111	103	49	105	32	112	110	19	104	
CS 26 0550	BS	23	0144	3.64	103	107	105	-0.10	0.36	0.31	1.00	0.43	0.93	0.65	0.40	1.67	0.36	4.16	138	5
113856132	P	19	0060					51	94	38	111	103	49	105	32	112	110	19	104	
CS 26 0551	BS	23	0602	3.42	116	110	118	0.60	0.31	0.60	0.97	0.43	0.92	0.43	0.60	1.77	-6.10	-7.42	122	6
113856017	GW	19	0143					47	104	39	109	110	46	105	34	112	110	27	102	
CS 26 0552	BS	23	0602	3.42	116	110	118	0.60	0.31	0.60	0.97	0.43	0.92	0.43	0.60	1.77	-6.10	-7.42	122	6
113855985	GW	19	0143					47	104	39	109	110	46	105	34	112	110	27	102	
CS 26 0555	BS	23	0602	2.36	105	100	108	0.15	0.13	0.21	0.42	0.22	0.43	0.33	1.30	1.42	-1.88	-2.20	90	4
113856041	WCN	21	0096					45	98	36	103	100	44	99	32	105	101	19	101	
CS 26 0560	BS	22	0155	9.36	110	108	105	1.07	-0.16	0.37	1.77	-0.12	0.76	1.51	0.70	2.06	-1.53	-2.94	111	4
113855837	BS	22	0733					57	112	44	92	104	56	113	39	93	107	23	114	

Rams



*Inbreeding in red is high

EBV - Estimated Breeding Value

Indices above 124
Above breed average
Indices below 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal				Selection Indices			EBV - Weights								EBV - Fertility									
Animal	Parents			% In-breeding	Logix Merit Index	Growth Index	Repro-duction Index	PreW Dir	PreW Mat	PreW Comb	Wean Dir	Wean Mat	Wean Comb	Post Wean	Lambs Weaned	TWW	AFL	ILP	Dam					
Regnumber	Sires	Dams	EBV					EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EPI	Times Lambed
			Acc					Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index
Active breed average:				100	100	100	0.30	0.05	0.20	0.51	0.09	0.35	0.24		0.12	0.67	0.32	0.62						
CS 26 0562 113855860	BS BS	24 23	0424 0615	9.86	95	98	97	0.03 48	-0.10 95	-0.09 92	0.84 47	-0.05 33	0.37 100	0.45 22	102	-1.20 32	0.06 97	0.68 28	-0.90 26	95	2			
CS 26 0563 113856348	BS BS	24 24	0424 0792	7.97	106	102	104	0.53 48	-0.14 103	0.13 98	1.24 47	-0.10 34	0.52 103	1.00 22	108	1.50 32	2.04 108	0.57 30	-2.06 26	111	2			
CS 26 0566 113856355	BS LR	22 20	0155 0111	3.41	118	120	112	1.17 55	0.40 113	0.98 120	1.95 54	0.49 37	1.47 119	1.52 16	114	1.90 36	3.58 43	0.76 31	4.84 25	142	5			
CS 26 0568 113855993	BS DTC	22 21	0155 0172	3.98	97	105	97	0.34 56	0.01 100	0.18 99	1.48 56	0.07 37	0.81 108	0.68 31	105	-3.40 37	-0.49 44	2.76 33	-2.22 26	120	5			
CS 26 0570 113855845	BS HN	23 23	0602 0048	3.40	111	112	113	0.50 47	0.44 103	0.69 113	1.06 46	0.54 32	1.07 113	0.62 21	104	-0.20 28	1.48 36	-1.67 25	-2.45 106	136	3			
CS 26 0571 113856280	BS HN	23 23	0602 0048	3.40	111	112	113	0.50 47	0.44 103	0.69 113	1.06 46	0.54 32	1.07 113	0.62 21	104	-0.20 28	1.48 36	-1.67 25	-2.45 106	136	3			
CS 26 0572 113855977	BS BS	22 22	0155 0106	21.27	114	115	110	1.03 56	0.10 111	0.62 111	2.23 56	0.14 39	1.25 116	1.89 21	119	0.20 37	2.49 45	0.04 36	-3.04 101	104	3			
CS 26 0580 113856439	BS CJW	23 24	0117 0024	2.59	98	86	106	-0.70 52	0.33 31	-0.03 94	-1.42 51	0.19 26	-0.52 85	-1.92 25	75	2.80 25	0.46 35	-1.14 22	-3.88 104	100	2			
CS 26 0583 114021157	BS BS	24 19	0424 0099	2.23	90	88	92	-0.35 50	-0.21 90	-0.38 85	0.09 49	-0.28 38	-0.24 89	0.00 26	97	-0.20 37	-0.32 42	-2.77 33	0.30 109	106	5			
CS 26 0586 114188691	BS BS	22 22	0155 0520	20.37	116	119	109	1.41 57	0.09 117	0.80 115	2.53 57	0.18 39	1.44 119	2.06 18	121	0.00 38	2.71 46	3.30 35	-1.49 28	110	2			
CS 26 0587 114188717	BS BS	22 22	0155 0520	20.37	116	119	109	1.41 57	0.09 117	0.80 115	2.53 57	0.18 39	1.44 119	2.06 18	121	0.00 38	2.71 46	3.30 35	-1.49 28	110	2			
CS 26 0590 114021082	BS BS	23 22	0602 0472	8.85	119	110	119	0.58 47	0.32 104	0.61 111	0.97 46	0.45 34	0.94 110	0.47 14	102	3.60 32	3.58 113	-2.33 38	-2.89 108	114	4			
CS 26 0592 114021462	BS BS	23 22	0602 0528	8.71	120	113	119	0.71 48	0.28 106	0.63 111	1.54 47	0.42 34	1.19 115	0.90 14	107	3.50 32	4.07 113	-0.54 39	-1.98 103	154	4			
CS 26 0597 114021348	BS BS	23 22	0602 0319	6.94	114	104	118	0.23 45	0.38 99	0.50 108	0.25 44	0.45 28	0.58 104	0.05 12	98	2.90 27	2.44 110	0.06 27	-6.45 101	100	2			
CS 26 0598 114021249	BS BS	23 22	0602 0528	8.71	120	113	119	0.71 48	0.28 106	0.63 111	1.54 47	0.42 34	1.19 115	0.90 14	107	3.50 32	4.07 113	-0.54 39	-1.98 103	154	4			
CS 26 0602 114188709	BS BS	23 23	0139 0007	8.88	111	104	113	0.07 48	0.31 96	0.34 104	0.66 47	0.38 36	0.71 106	0.10 18	98	3.30 34	3.01 112	-0.64 40	-0.25 103	93	3			
CS 26 0604 114021256	BS BS	23 22	0602 0319	6.94	114	104	118	0.23 45	0.38 99	0.50 108	0.25 44	0.45 28	0.58 104	0.05 12	98	2.90 27	2.44 110	0.06 27	-6.45 101	100	2			



Rams



*Inbreeding in red is high

EBV - Estimated Breeding Value

Indices above 124
Above breed average
Indices below 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal					Selection Indices			EBV - Weights												EBV - Fertility											
Animal	Parents			% In-breeding	Logix Merit Index	Growth Index	Repro-duction Index	PreW Dir	PreW Mat	PreW Comb	Wean Dir	Wean Mat	Wean Comb	Post Wean	Lambs Weaned	TWW	AFL	ILP	Dam												
Regnumber	Sires	Dams	Acc					EBV	Index	Acc	EBV	Index	Acc	EBV	Index	Acc	EBV	Index	Acc	EBV	Index	Acc	EBV	EPI	Times Lambed						
			Index					Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index					
Active breed average:					100	100	100	0.30	0.05	0.20	0.51	0.09	0.35	0.24	0.12	0.67	0.32	0.62													
CS 26 0611 114021389	BS	23 0117 22 0215	6.17	105	96	110	-0.54 53	0.30 36	0.03 109	0.00	0.23 32	0.24 105	-0.24 15	4.30 29	2.82 116	-2.46 39	1.10 108	1													
CS 26 0612 114021074	H	23 0062 22 0739	8.71	116	114	113	1.09 48	0.26 112	0.80 35	1.48 108	0.35 30	1.09 109	0.90 107	0.80 28	2.31 103	0.07 36	-3.41 109	94													
CS 26 0613 114021124	H	23 0062 22 0739	8.71	116	114	113	1.09 48	0.26 112	0.80 35	1.48 108	0.35 30	1.09 109	0.90 107	0.80 28	2.31 103	0.07 36	-3.41 109	94													
CS 26 0614 114021314	H	23 0062 22 0739	8.71	116	114	113	1.09 48	0.26 112	0.80 35	1.48 108	0.35 30	1.09 109	0.90 107	0.80 28	2.31 103	0.07 36	-3.41 109	94													
CS 26 0615 114021421	BS	23 0144 22 0474	5.63	113	110	115	0.31 51	0.30 100	0.45 39	1.32 109	0.41 34	1.07 111	0.81 106	1.50 31	2.63 105	-2.28 39	-2.90 108	94													
CS 26 0616 114021439	BS	23 0144 22 0474	5.63	113	110	115	0.31 51	0.30 100	0.45 39	1.32 109	0.41 34	1.07 111	0.81 106	1.50 31	2.63 105	-2.28 39	-2.90 108	94													
CS 26 0617 114021207	BS	23 0144 22 0845	6.90	109	105	111	0.13 51	0.13 97	0.20 38	1.25 103	0.20 33	0.82 104	0.76 106	1.20 31	2.16 104	-1.91 39	-3.43 108	98													
CS 26 0618 114021280	BS	23 0144 22 0090	6.58	117	111	116	0.48 52	0.12 103	0.36 40	1.95 103	0.21 35	1.18 104	1.47 114	3.80 32	4.44 114	-0.02 40	-1.27 121	101													
CS 26 0622 114021397	BS	23 0144 22 0090	6.58	117	111	116	0.48 52	0.12 103	0.36 40	1.95 103	0.21 35	1.18 104	1.47 114	3.80 32	4.44 114	-0.02 40	-1.27 121	101													
CS 26 0623 114021355	BS	23 0144 22 0090	6.58	117	111	116	0.48 52	0.12 103	0.36 40	1.95 103	0.21 35	1.18 104	1.47 114	3.80 32	4.44 114	-0.02 40	-1.27 121	101													
CS 26 0624 114021298	H	23 0062 22 0754	5.11	121	118	118	1.15 48	0.36 113	0.94 34	1.64 111	0.50 29	1.32 114	1.03 109	1.70 28	3.16 106	-1.47 36	-3.13 114	103													
CS 26 0625 114021447	H	23 0062 22 0754	5.11	121	118	118	1.15 48	0.36 113	0.94 34	1.64 111	0.50 29	1.32 114	1.03 109	1.70 28	3.16 106	-1.47 36	-3.13 114	103													
CS 26 0630 114037765	BS	23 0144 22 0845	6.90	109	105	111	0.13 51	0.13 97	0.20 38	1.25 103	0.20 33	0.82 104	0.76 106	1.20 31	2.16 104	-1.91 39	-3.43 108	98													
CS 26 0631 114037609	BS	23 0602 22 0528	8.71	120	113	119	0.71 48	0.28 106	0.63 39	1.54 108	0.42 34	1.19 111	0.90 107	3.50 32	4.07 113	-0.54 39	-1.98 119	154													
CS 26 0634 114037666	BS	23 0602 22 0528	8.71	120	113	119	0.71 48	0.28 106	0.63 39	1.54 108	0.42 34	1.19 111	0.90 107	3.50 32	4.07 113	-0.54 39	-1.98 119	154													
CS 26 0635 114037310	BS	23 0602 22 0528	8.71	120	113	119	0.71 48	0.28 106	0.63 39	1.54 108	0.42 34	1.19 111	0.90 107	3.50 32	4.07 113	-0.54 39	-1.98 119	154													
CS 26 0636 114037393	BS CIDF	23 0602 25 0039	8.21	125	116	124	0.74 47	0.38 107	0.74 36	1.64 112	0.51 32	1.33 114	0.87 107	5.10 30	5.21 118	0.23 37	-2.01 125	1													

Rams



*Inbreeding in red is high

EBV - Estimated Breeding Value

Indices above 124
Above breed average
Indices below 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal				Selection Indices			EBV - Weights								EBV - Fertility					
Animal	Parents			% In-breeding	Logix Merit Index	Growth Index	Reproduction Index	PreW Dir	PreW Mat	PreW Comb	Wean Dir	Wean Mat	Wean Comb	Post Wean	Lambs Weaned	TWW	AFL	ILP	Dam	
Regnumber	Sires	Dams						EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EPI	Times Lambded
								Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	
Active breed average:					100	100	100	0.30	0.05	0.20	0.51	0.09	0.35	0.24	0.12	0.67	0.32	0.62		
CS 26 0637	BS	23	0144	6.58	117	111	116	0.48	0.12	0.36	1.95	0.21	1.18	1.47	3.80	4.44	-0.02	-1.27	101	2
114037773	BS	22	0090					52	103	40	103	104	51	115	35	104	114	16	114	
CS 26 0638	BS	23	0602	8.71	120	113	119	0.71	0.28	0.63	1.54	0.42	1.19	0.90	3.50	4.07	-0.54	-1.98	154	4
114037534	BS	22	0528					48	106	39	108	111	47	111	34	111	115	14	107	
CS 26 0640	BS	23	0602	8.24	130	122	127	1.23	0.28	0.89	2.37	0.45	1.63	1.66	4.70	5.64	0.45	-4.92		1
114037435	CIDF	25	0026					46	114	33	109	118	45	120	28	112	122	12	116	
CS 26 0641	BS	23	0602	8.24	130	122	127	1.23	0.28	0.89	2.37	0.45	1.63	1.66	4.70	5.64	0.45	-4.92		1
114037401	CIDF	25	0026					46	114	33	109	118	45	120	28	112	122	12	116	
CS 26 0643	BS	23	0602	8.71	120	113	119	0.71	0.28	0.63	1.54	0.42	1.19	0.90	3.50	4.07	-0.54	-1.98	154	4
114037708	BS	22	0528					48	106	39	108	111	47	111	34	111	115	14	107	
CS 26 0644	BS	23	0602	8.71	120	113	119	0.71	0.28	0.63	1.54	0.42	1.19	0.90	3.50	4.07	-0.54	-1.98	154	4
114037302	BS	22	0528					48	106	39	108	111	47	111	34	111	115	14	107	
CS 26 0645	BS	23	0117	6.17	105	96	110	-0.54	0.30	0.03	0.00	0.23	0.24	-0.24	4.30	2.82	-2.46	1.10		1
114037625	BS	22	0215					53	87	36	109	95	52	94	32	105	98	15	94	
CS 26 0646	BS	23	0144	6.58	117	111	116	0.48	0.12	0.36	1.95	0.21	1.18	1.47	3.80	4.44	-0.02	-1.27	101	2
114037815	BS	22	0090					52	103	40	103	104	51	115	35	104	114	16	114	
CS 26 0647	BS	23	0602	8.71	120	113	119	0.71	0.28	0.63	1.54	0.42	1.19	0.90	3.50	4.07	-0.54	-1.98	154	4
114037336	BS	22	0528					48	106	39	108	111	47	111	34	111	115	14	107	
CS 26 0648	FJ	24	0088	2.27	123	109	121	0.92	0.21	0.67	0.95	0.32	0.79	0.52	6.80	5.35	3.19	-1.73	135	4
114037617	EL	20	0027					49	110	40	106	112	48	104	34	108	108	17	103	
CS 26 0649	FJ	24	0088	1.83	115	97	115	0.29	0.00	0.15	0.28	-0.03	0.11	-0.20	6.70	4.26	-2.12	-3.55	107	3
114037781	BS	21	0555					51	100	41	98	98	50	97	36	96	95	20	95	
CS 26 0650	FJ	24	0088	1.83	115	97	115	0.29	0.00	0.15	0.28	-0.03	0.11	-0.20	6.70	4.26	-2.12	-3.55	107	3
114037567	BS	21	0555					51	100	41	98	98	50	97	36	96	95	20	95	
CS 26 0653	BS	24	0424	2.68	94	97	94	0.27	-0.02	0.12	0.34	0.03	0.20	0.25	-1.10	-0.29	3.79	1.24		2
114037633	JC	24	0171					48	99	37	98	98	48	98	33	98	97	24	100	
CS 26 0660	JC	24	0039	4.05	116	110	113	0.78	0.28	0.67	1.07	0.36	0.89	0.67	3.90	3.77	0.34	2.75		1
114037724	CIDF	25	0037					47	107	37	108	112	46	106	33	109	109	22	105	
CS 26 0661	BS	23	0117	6.17	105	96	110	-0.54	0.30	0.03	0.00	0.23	0.24	-0.24	4.30	2.82	-2.46	1.10		1
114037690	BS	22	0215					53	87	36	109	95	52	94	32	105	98	15	94	
CS 26 0663	BS	22	0155	3.60	113	111	108	0.99	-0.05	0.44	1.93	0.05	1.02	1.67	1.60	2.94	-1.32	0.05		1
114037732	P	23	0115					51	111	36	96	106	51	115	31	99	112	18	116	
CS 26 0665	BS	23	0144	6.90	109	105	111	0.13	0.13	0.20	1.25	0.20	0.82	0.76	1.20	2.16	-1.91	-3.43	98	3
114037500	BS	22	0845					51	97	38	103	100	50	108	33	104	108	17	106	

Rams



*Inbreeding in red is high

EBV - Estimated Breeding Value


Indices above 124
Above breed average
Indices below 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal					Selection Indices			EBV - Weights								EBV - Fertility								
Animal	Parents			% In-breeding	Logix Merit Index	Growth Index	Repro-duction Index	PreW Dir	PreW Mat	PreW Comb	Wean Dir	Wean Mat	Wean Comb	Post Wean	Lambs Weaned	TWW	AFL	ILP	Dam					
Regnumber	Sires	Dams	Acc					EBV	Acc	EBV	Acc	EBV	Acc	EBV	Acc	EBV	Acc	EBV	Acc	EBV	Acc	EBV	EPI	Times Lambded
			Index					Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index	Index
Active breed average:					100	100	100	0.30	0.05	0.20	0.51	0.09	0.35	0.24	0.12	0.67	0.32	0.62						
CS 26 0666 114037518	BS P	22 23	0155 0115	3.60	113	111	108	0.99 51	-0.05 111	0.44 36	1.93 96	0.05 115	1.02 112	1.67 18	1.60 30	2.94 106	38	-1.32 113	0.05 31	0.05 105	24	101	1	
CS 26 0667 114037542	BS BS	23 22	0602 0528	8.71	120	113	119	0.71 48	0.28 106	0.63 39	1.54 108	0.42 111	1.19 115	0.90 14	3.50 32	4.07 113	39	-0.54 119	-1.98 31	-1.98 103	25	106	154 4	
CS 26 0669 114037328	BS BS	23 22	0117 0661	4.23	132	108	134	0.04 57	0.36 96	0.37 38	1.18 111	0.45 104	1.03 112	0.42 12	11.30 29	8.40 136	41	-1.41 142	-1.65 26	-1.65 105	20	106	216 3	
CS 26 0672 114037799	BS BS	23 22	0117 0235	8.87	113	102	118	-0.39 53	0.42 89	0.22 35	0.35 114	0.47 100	0.65 52	-0.23 98	6.50 27	4.72 124	38	-0.01 122	3.00 27	3.00 101	23	94	108 2	
CS 26 0673 114037716	FJ EL	24 22	0088 0010	2.20	127	122	127	1.08 52	0.74 112	1.27 40	1.31 125	0.90 128	1.56 51	0.26 108	1.60 28	3.17 106	39	-1.94 114	-5.11 25	-5.11 107	18	114	166 5	
CS 26 0675 114037674	FJ EL	24 22	0088 0010	2.20	127	122	127	1.08 52	0.74 112	1.27 40	1.31 125	0.90 128	1.56 51	0.26 108	1.60 28	3.17 106	39	-1.94 114	-5.11 25	-5.11 107	18	114	166 5	
CS 26 0677 114037740	BS P	22 23	0155 0115	3.60	113	111	108	0.99 51	-0.05 111	0.44 36	1.93 96	0.05 115	1.02 112	1.67 18	1.60 30	2.94 106	38	-1.32 113	0.05 31	0.05 105	24	101	1	
CS 26 0678 114037385	BS BS	23 22	0144 0090	6.58	117	111	116	0.48 52	0.12 103	0.36 40	1.95 103	0.21 104	1.18 114	1.47 16	3.80 32	4.44 114	40	-0.02 121	-1.27 31	-1.27 101	25	105	101 2	
CS 26 0683 114121866	BS BS	23 22	0144 0845	6.90	109	105	111	0.13 51	0.13 97	0.20 38	1.25 103	0.20 100	0.82 50	0.76 108	1.20 31	2.16 104	39	-1.91 108	-3.43 29	-3.43 107	23	110	98 3	
CS 26 0684 114121916	BS BS	23 22	0144 0845	6.90	109	105	111	0.13 51	0.13 97	0.20 38	1.25 103	0.20 100	0.82 50	0.76 108	1.20 31	2.16 104	39	-1.91 108	-3.43 29	-3.43 107	23	110	98 3	
CS 26 0685 114121908	BS BS	23 22	0144 0845	6.90	109	105	111	0.13 51	0.13 97	0.20 38	1.25 103	0.20 100	0.82 50	0.76 108	1.20 31	2.16 104	39	-1.91 108	-3.43 29	-3.43 107	23	110	98 3	
CS 26 0686 114121858	BS BS	23 22	0144 0090	6.58	117	111	116	0.48 52	0.12 103	0.36 40	1.95 103	0.21 104	1.18 114	1.47 16	3.80 32	4.44 114	40	-0.02 121	-1.27 31	-1.27 101	25	105	101 2	
CS 26 0688 114121817	FJ BS	24 21	0088 0476	2.17	117	105	116	0.73 51	0.05 106	0.41 40	0.83 100	0.15 105	0.57 50	0.38 103	4.30 32	3.56 116	40	-2.14 116	-4.90 29	-4.90 107	23	114	107 2	
CS 26 0689 114121924	FJ BS	24 21	0088 0476	2.17	117	105	116	0.73 51	0.05 106	0.41 40	0.83 100	0.15 105	0.57 50	0.38 103	4.30 32	3.56 116	40	-2.14 116	-4.90 29	-4.90 107	23	114	107 2	
CS 26 0692 114121825	BS CIDF	23 25	0349 0032	6.07	101	102	100	0.36 45	-0.02 101	0.17 30	1.02 98	0.03 99	0.54 44	0.66 105	0.00 24	1.05 100	32	0.39 102	0.59 22	0.59 100	19	100	1	
Ram Herd Average: Total rams in herd: 338					109	106	110	0.40	0.19	0.39	0.93	0.26	0.73	0.53	1.73	2.23	-0.70	-1.16						

Ewes



*Inbreeding in red is high

EBV - Estimated Breeding Value


Indices above 124
Above breed average
Indices below 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal				Selection Indices			EBV - Weights								EBV - Fertility						
Animal	Parents		% In-breeding	Logix Merit Index	Growth Index	Reproduction Index	PreW Dir	PreW Mat	PreW Comb	Wean Dir	Wean Mat	Wean Comb	Post Wean	Lambs Weaned	TWW	AFL	ILP	EPI	Times Lambed		
Comp.no.	Sire	Dam					EBV Acc Index	EBV Acc Index	EBV Index	EBV Acc Index	EBV Acc Index	EBV Index	EBV Acc Index	EBV Acc Index	EBV Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	Phenotype
Active breed average:				100	100	100	0.30	0.05	0.20	0.51	0.09	0.35	0.24	0.12	0.67	0.32	0.62				
DTC 16 0324 77897395	KR DTC	12 0051 14 0348	5.02	105	98	113	-0.14 70 93	0.63 63 121	0.56 109	-1.09 68 82	0.67 55 120	0.12 96	-0.47 29 92	1.50 50 105	0.48 59 99	-3.27 43 111	-2.59 41 108	95	4		
GW 17 0024 79452207	GW GW	15 0131 14 0184	3.01	118	102	120	-0.07 75 94	0.47 67 115	0.43 106	-0.09 73 93	0.53 60 115	0.48 102	-1.84 59 76	6.80 61 125	4.52 65 121	-3.03 46 110	1.49 46 98	155	10		
BS 17 0078 80247950	AB EL	12 0025 10 0023	4.17	107	114	109	0.58 84 104	0.36 71 112	0.66 112	1.44 82 110	0.51 64 115	1.23 115	0.38 33 101	-2.70 62 90	0.33 70 98	7.20 51 79	-5.05 46 114	174	10		
GW 17 0244 80139454	GW LP	15 0112 11 0010	1.93	79	91	87	-0.28 64 91	0.31 61 110	0.18 99	-1.07 63 82	0.24 53 105	-0.29 88	-0.77 40 88	-7.80 55 72	-5.51 57 66	1.32 35 97	-5.38 39 115	95	8		
DTC 17 1171 80662588	ROS DTC	15 0003 15 0277	6.36	90	83	93	-0.32 69 90	-0.43 61 82	-0.59 79	-0.05 67 93	-0.50 52 80	-0.53 84	0.11 20 98	1.20 49 104	0.17 57 97	-1.23 37 105	-2.61 36 108	131	7		
DTC 17 1370 80610736	DTC DTC	15 0104 14 0368	5.83	75	92	63	0.98 71 110	-1.00 63 64	-0.51 81	1.66 69 112	-0.91 55 66	-0.08 92	1.90 41 119	-5.30 53 81	-2.43 60 83	-0.06 43 101	11.68 42 72	118	6		
BS 18 0024 82207754	MW AAA	15 0052 14 0007	2.38	95	99	94	0.10 71 97	-0.18 66 92	-0.13 91	1.13 70 106	-0.05 61 95	0.52 103	0.41 23 102	0.00 59 100	1.08 64 102	5.17 53 85	4.77 48 90	94	6		
GE 18 0045 81214041	ROS GE	16 0048 14 0048	2.53	96	103	98	0.39 72 101	0.28 64 109	0.48 107	0.27 70 97	0.33 56 108	0.46 102	0.07 33 98	-2.80 53 90	-1.08 61 91	5.06 33 86	-1.06 39 104	111	10		
DTC 18 0045 81838989	JC DTC	15 0077 13 0077	3.90	100	106	104	0.08 73 96	0.49 66 116	0.53 108	0.30 72 97	0.58 58 117	0.73 107	-0.13 58 96	-0.90 57 97	0.34 63 98	2.23 43 94	3.29 43 93	109	7		
ROS 18 0066 81508749	GE DTC	13 0086 16 0078	6.63	109	93	110	0.14 71 97	0.13 65 103	0.20 100	-0.61 69 87	0.13 58 101	-0.18 90	1.41 45 113	10.10 55 136	5.58 62 127	-4.40 42 114	10.58 45 75	106	4		
GW 18 0117 81090003	FJ GW	13 0042 15 0182	8.37	95	110	87	1.31 72 116	-0.11 64 94	0.55 109	1.65 71 112	0.04 57 98	0.86 109	1.09 48 109	-6.10 57 78	-1.97 62 86	-4.99 42 116	5.72 42 87	161	8		
BS 18 0126 82213455	MW AAA	15 0052 14 0042	2.67	95	104	98	-0.04 72 94	0.25 68 108	0.23 101	0.68 71 101	0.41 62 111	0.75 107	0.29 25 100	-1.30 59 95	0.31 65 98	4.29 52 88	5.51 47 88	108	5		
BS 18 0129 82213489	MW BS	15 0052 15 0072	2.95	131	115	134	0.47 82 102	0.65 74 122	0.89 118	0.78 81 103	0.86 67 127	1.25 116	0.33 35 101	8.30 64 130	6.62 72 133	0.52 58 99	-1.15 50 104	129	6		
DTC 18 0167 82658675	DTC DTC	17 0167 16 0885	8.34	90	102	93	0.13 71 97	0.31 63 109	0.37 104	0.18 70 96	0.38 54 110	0.47 102	-0.49 58 91	-5.80 55 79	-2.92 60 80	1.36 35 97	-0.45 39 103	109	7		
DTC 18 0620 82575630	JC DTC	15 0077 13 0078	7.94	106	107	112	0.06 72 96	0.78 65 127	0.81 116	-0.25 71 91	0.84 57 126	0.72 106	-0.29 51 94	0.50 57 102	0.90 62 101	7.14 39 79	-1.00 43 104	131	8		
DTC 18 0713 82576117	JC DTC	15 0060 14 0527	5.51	91	87	87	0.04 75 96	-0.26 67 89	-0.25 88	-0.35 74 90	-0.28 60 87	-0.45 86	-1.08 53 85	2.40 56 109	0.81 64 101	1.05 45 98	8.68 44 80	133	6		
DTC 18 0821 82577867	JC DTC	15 0077 15 0675	5.83	87	93	97	-0.84 73 82	0.33 66 110	-0.09 92	-0.42 72 89	0.40 58 111	0.19 97	-1.09 52 85	-2.60 57 91	-1.58 63 88	8.77 44 74	-1.21 43 104	133	8		
DTC 19 0013 82925173	JC DTC	17 0009 17 0371	5.44	97	68	90	0.14 75 97	-1.26 65 64	-1.19 64	-0.42 73 89	-1.38 56 64	-1.59 66	-0.46 59 92	11.10 54 136	4.86 62 123	-1.89 36 107	2.36 40 96	119	6		

Ewes



*Inbreeding in red is high

EBV - Estimated Breeding Value

Indices above 124
Above breed average
Indices below 76


Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal				Selection Indices			EBV - Weights								EBV - Fertility								
Animal	Parents			% In-breeding	Logix Merit Index	Growth Index	Repro-duction Index	PreW Dir	PreW Mat	PreW Comb	Wean Dir	Wean Mat	Wean Comb	Post Wean	Lambs Weaned	TWW	AFL	ILP	EPI	Times Lambded			
Comp.no.	Sire	Dam	EBV					EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	Phenotype
	Acc	Index	Acc					Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	
Active breed average:				100	100	100	0.30	0.05	0.20	0.51	0.09	0.35	0.24		0.12	0.67	0.32	0.62					
EL 19 0057 83465070	JES AB	06 0026 16 0037	2.90	113	108	106	1.17 70 113	0.03 53 99	0.61 111	1.16 68 107	0.12 49 101	0.69 106	1.11 41 110		4.10 47 115	3.73 56 117	-2.10 44 107	6.75 44 85	73	4			
ROS 19 0058 85244580	GNF DTC	16 0043 17 0608	5.69	87	90	90	-0.25 72 91	-0.07 65 96	-0.20 89	-0.14 71 92	-0.05 56 95	-0.12 91	-0.76 45 88		-2.80 52 90	-1.87 61 86	-1.93 40 107	1.23 41 98	107	5			
P 19 0060 83314930	DTC DTC	17 0998 12 0378	11.55	96	99	100	-0.50 67 87	0.48 59 116	0.23 101	-0.21 65 92	0.50 50 114	0.40 101	-0.30 30 94		2.20 48 108	1.61 55 105	0.45 35 100	11.19 39 74	138	5			
ROS 19 0062 85244747	GNF ROS	16 0043 17 0024	3.72	95	77	103	-0.88 70 81	-0.21 64 90	-0.65 78	-1.13 69 82	-0.32 56 86	-0.89 78	-1.36 46 82		3.80 54 114	0.83 61 101	-2.82 39 110	-7.25 41 119	112	6			
BS 19 0090 83156323	BS AAA	17 0014 14 0057	3.58	104	106	104	0.42 72 102	0.12 63 102	0.33 103	1.08 70 106	0.22 56 105	0.76 107	0.36 20 101		0.00 53 100	1.30 61 104	3.96 43 89	-0.37 37 102	117	6			
DTC 19 0098 83614123	DTC DTC	17 0351 17 0217	6.67	97	92	100	-0.21 72 92	-0.43 64 82	-0.54 81	1.14 70 106	-0.38 57 84	0.19 97	1.46 60 114		1.40 56 105	1.60 62 105	-1.33 46 105	-3.22 42 109	125	7			
BS 19 0099 83156521	BS BS	17 0151 13 0054	15.95	84	73	91	-1.19 70 76	-0.27 63 88	-0.87 72	-1.07 68 82	-0.51 56 79	-1.05 75	-1.08 31 85		0.90 56 103	-1.04 61 91	-6.79 46 122	-3.66 42 111	106	5			
P 19 0117 83311274	DTC DTC	17 1096 13 0758	6.48	80	81	78	0.46 67 102	-0.96 55 64	-0.74 76	0.24 67 97	-0.92 49 65	-0.80 80	0.47 26 102		-3.20 47 88	-2.60 55 82	-0.09 40 101	-4.30 38 112	119	6			
DTC 19 0129 83614503	DTC DTC	17 0339 15 0048	8.33	95	115	85	1.91 68 125	-0.11 58 94	0.85 117	1.92 66 115	0.05 50 99	1.01 111	2.72 54 128		-6.50 52 76	-1.93 57 86	1.07 38 98	5.75 40 87	86	5			
GW 19 0143 84327303	GW GW	16 0152 15 0182	5.08	111	104	113	0.59 68 104	0.02 61 99	0.32 103	0.98 67 105	0.13 53 101	0.62 105	0.41 52 102		-1.10 53 96	0.45 58 99	-10.84 37 134	-9.97 43 126	122	6			
BS 19 0462 89427801	BS BS	18 0014 18 0013	14.69	126	118	119	1.05 82 112	0.01 71 99	0.54 109	2.67 81 123	0.21 62 104	1.54 121	1.78 18 117		7.20 59 126	7.19 69 136	3.87 51 89	4.60 42 90	259	5			
WW 20 0010 87965869	DTC WW	15 0980 18 0098	3.40	93	103	101	-0.48 71 88	0.64 64 122	0.40 105	-0.19 70 92	0.79 56 124	0.69 106	-1.29 43 82		-3.40 55 88	-1.44 61 89	3.86 37 89	2.57 42 95	117	6			
LR 20 0014 89960975	DTC DTC	18 0882 17 0966	6.75	85	80	89	-0.29 66 91	-0.26 56 89	-0.40 84	-1.14 64 82	-0.29 48 87	-0.86 78	-1.18 31 84		-0.30 42 99	-1.61 53 88	3.00 38 92	-2.92 33 109	91	4			
EL 20 0025 89473540	BS EL	18 0144 12 0254	4.46	113	118	113	0.71 60 106	0.59 58 120	0.95 119	1.32 61 108	0.79 51 124	1.45 119	0.93 25 108		0.60 44 102	2.47 53 110	5.67 38 84	3.31 33 93	89	2			
EL 20 0027 89473771	BS EL	18 0144 17 0064	3.45	122	111	124	0.53 64 103	0.42 60 114	0.69 113	0.87 63 103	0.55 52 116	0.98 111	0.61 27 104		7.10 44 126	5.67 54 128	4.62 41 87	-0.19 38 102	135	4			
ROS 20 0033 89388755	GNF ROS	16 0043 16 0026	4.87	98	103	100	0.44 70 102	0.37 65 112	0.59 110	0.02 69 94	0.44 57 112	0.45 102	-0.17 49 95		-2.90 55 89	-1.28 61 89	-0.59 39 103	0.24 41 101	142	5			
EL 20 0044 89404883	EL EL	18 0040 15 0219	5.98	101	99	107	-0.05 57 94	0.32 50 110	0.30 102	-0.15 56 92	0.37 42 110	0.29 99	-0.86 29 87		-2.20 44 92	-1.11 48 90	-3.35 32 111	-7.58 33 120	90	4			
LR 20 0054 90020231	DTC DTC	18 0882 17 0646	7.52	86	91	88	0.19 66 98	-0.17 50 92	-0.08 93	-0.24 64 91	-0.09 44 94	-0.21 90	0.14 31 99		-2.30 42 92	-1.70 51 87	4.02 35 89	0.97 34 99		3			



Ewes



*Inbreeding in red is high

EBV - Estimated Breeding Value


Indices above 124
Above breed average
Indices below 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal			Selection Indices			EBV - Weights								EBV - Fertility					
Animal	Parents		% In-breeding	Logix Merit Index	Growth Index	Reproduction Index	PreW Dir	PreW Mat	PreW Comb	Wean Dir	Wean Mat	Wean Comb	Post Wean	Lambs Weaned	TWW	AFL	ILP	EPI	Times Lambled
Comp.no.	Sire	Dam					EBV Acc Index	EBV Acc Index	EBV Index	EBV Acc Index	EBV Acc Index	EBV Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	Phenotype	
Active breed average:				100	100	100	0.30	0.05	0.20	0.51	0.09	0.35	0.24	0.12	0.67	0.32	0.62		
DTC 20 0059 89296362	DTC 17	0361 0293	10.16	71	108	61	1.57 71 120	-0.41 64 83	0.38 104	1.83 70 114	-0.25 57 89	0.67 105	1.79 63 117	-14.90 58 64	-7.36 62 56	2.53 43 93	6.51 45 85	103	7
ROS 20 0087 90065723	GNF 16 DTC 15	0043 0856	4.51	100	80	108	-1.01 67 79	0.04 63 100	-0.46 83	-1.30 66 80	-0.03 56 96	-0.68 82	-1.68 46 78	7.30 54 126	3.05 59 113	1.24 38 97	-1.38 43 105	100	5
P 20 0092 89348072	DTC 18 DTC 14	0795 0602	13.76	96	88	83	1.32 66 116	-0.93 51 64	-0.27 88	0.52 65 100	-0.84 47 68	-0.58 83	-0.27 34 94	3.00 45 111	1.48 53 105	0.63 40 99	5.52 35 88	133	3
WW 20 0095 89495519	FJ 17 WW 18	0025 0062	5.10	96	87	105	-0.51 69 87	0.16 61 104	-0.09 92	-1.03 68 83	0.16 53 102	-0.36 87	-1.11 39 84	0.10 51 100	-0.81 58 92	-1.18 38 105	-7.96 40 121	119	6
EL 20 0100 89473680	EL 18 EL 17	0040 0018	6.42	109	112	118	0.10 67 97	0.77 57 126	0.82 116	0.40 66 98	0.87 48 127	1.07 112	-0.26 34 94	-5.90 48 79	-2.27 55 84	-9.66 40 130	-13.42 37 135	109	4
LR 20 0111 92359140	DTC 18 XRZ 17	0705 0007	4.31	117	116	117	0.30 64 100	0.94 59 133	1.09 123	0.46 61 99	1.04 49 133	1.27 116	0.00 15 97	4.20 46 115	4.02 53 118	-1.40 34 105	11.44 34 73	142	5
WCN 20 0149 89676936	JC 18 JC 15	0101 0084	5.17	91	91	91	0.07 63 96	-0.30 54 87	-0.26 88	0.23 62 97	-0.24 49 89	-0.12 91	-0.28 25 94	-3.00 51 89	-1.81 54 87	-10.28 37 132	-1.36 41 105	106	6
P 20 0268 89797195	DTC 18 DTC 18	0661 0790	7.68	85	82	88	0.06 62 96	-0.46 41 81	-0.44 83	-0.42 60 89	-0.55 36 78	-0.76 80	-0.09 31 96	-1.10 38 96	-1.63 46 88	5.87 34 83	-6.67 34 118	86	5
P 20 0277 91032052	DTC 18 DTC 18	0897 0578	7.89	83	77	80	0.03 61 96	-0.76 49 70	-0.75 75	-0.48 62 89	-0.83 46 69	-1.06 75	0.21 24 99	2.50 43 109	0.20 51 98	0.34 36 100	5.44 37 88	109	4
GW 21 0001 90515917	JR 16 JR 16	0047 0057	3.80	113	120	118	0.29 67 100	0.90 57 131	1.04 122	1.13 66 106	1.06 48 134	1.63 122	0.66 48 105	-1.50 43 95	1.29 54 104	0.86 25 98	0.03 35 101	100	5
EL 21 0007 92037738	BS 17 EL 19	0111 0083	5.87	106	91	105	0.32 69 100	-0.14 65 93	0.02 95	-0.23 68 91	-0.19 58 91	-0.30 88	-0.42 36 92	5.20 55 119	2.70 61 111	1.37 47 97	-2.33 41 107	138	6
P 21 0013 91535856	DTC 18 DTC 16	0772 0317	6.66	100	98	97	0.67 65 106	-0.05 43 96	0.29 102	0.19 63 96	0.03 37 98	0.12 96	-0.10 47 96	0.70 39 103	0.64 47 100	0.92 35 98	2.77 32 95	97	2
ROS 21 0017 91661355	DTC 05 ROS 18	0071 0076	9.32	85	71	88	-0.79 71 83	-0.71 65 72	-1.10 66	-0.62 69 87	-0.89 59 66	-1.20 72	-0.37 41 93	4.20 56 115	1.01 62 102	-2.33 49 108	-0.21 51 102	129	4
LR 21 0020 92380005	DTC 08 XRZ 17	0260 0030	3.48	83	70	99	-0.97 69 80	-0.14 62 93	-0.63 78	-2.37 68 68	-0.23 56 89	-1.42 69	-2.02 39 74	-2.80 55 90	-4.28 60 73	-2.90 47 110	-19.33 46 136	98	3
LR 21 0021 92379189	DTC 08 DTC 17	0064 1171	8.57	95	92	98	0.35 62 101	-0.25 51 89	-0.08 93	0.07 60 95	-0.19 44 90	-0.16 91	0.27 29 100	-1.30 39 95	-0.90 49 92	0.69 33 99	-7.56 30 120	93	1
BS 21 0024 91758524	BS 18 BS 17	0200 0150	9.27	98	96	103	-0.41 67 89	-0.01 53 98	-0.21 89	0.71 65 102	0.03 47 98	0.39 100	0.23 27 100	0.70 46 103	1.16 54 103	0.80 45 99	-2.13 36 107	78	2
EL 21 0026 93623502	EL 19 EL 19	0086 0036	4.89	102	105	100	0.47 54 103	0.01 47 98	0.24 101	1.21 53 107	0.12 43 101	0.73 106	0.89 30 107	-0.20 40 99	1.21 46 103	-0.62 36 103	3.22 35 93	100	4
ROS 21 0027 91660670	DTC 05 ROS 17	0071 0024	13.63	85	72	90	-0.79 68 83	-0.79 63 69	-1.18 64	-0.29 67 91	-0.97 57 64	-1.12 74	-0.05 38 96	2.50 55 109	0.24 60 98	0.67 49 99	-7.49 50 120	95	4

Ewes



*Inbreeding in red is high

EBV - Estimated Breeding Value


Indices above 124
Above breed average
Indices below 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal				Selection Indices			EBV - Weights								EBV - Fertility					
Animal	Parents		% In-breeding	Logix Merit Index	Growth Index	Repro-duction Index	PreW Dir	PreW Mat	PreW Comb	Wean Dir	Wean Mat	Wean Comb	Post Wean	Lambs Weaned	TWW	AFL	ILP	EPI	Times Lambed	
Comp.no.	Sire	Dam					EBV Acc Index	EBV Acc Index	EBV Index	EBV Acc Index	EBV Acc Index	EBV Index	EBV Acc Index	EBV Index	EBV Acc Index	EBV Index	EBV Acc Index	EBV Index	EBV Acc Index	EBV Index
Active breed average:				100	100	100	0.30	0.05	0.20	0.51	0.09	0.35	0.24	0.12	0.67	0.32	0.62			
P 21 0047 91900407	DTC P	18 0957 18 1131	7.36	99	93	92	1.20 63 114	-0.77 52 70	-0.17 90	0.96 63 105	-0.64 44 75	-0.16 91	0.81 44 106	-0.30 38 99	0.14 50 97	-4.22 38 114	-4.18 38 112	120	5	
GE 21 0059 91744821	GE GE	19 0044 17 0131	5.06	95	100	92	0.86 64 109	-0.03 59 97	0.40 105	0.22 63 96	0.01 50 97	0.12 96	0.42 32 102	-2.50 40 91	-1.27 53 90	-2.15 26 108	2.11 36 96	129	5	
P 21 0073 91901660	DTC P	18 0795 19 0396	6.59	104	100	93	1.51 65 119	-0.63 52 75	0.13 98	1.36 64 109	-0.47 45 81	0.21 97	0.63 48 104	2.60 40 109	2.45 51 110	1.99 38 95	4.61 38 90	114	4	
GW 21 0093 91668871	GW GW	19 0012 17 0186	6.64	106	101	106	0.44 73 102	0.20 63 106	0.42 106	0.06 71 95	0.31 55 108	0.34 100	0.10 48 98	1.70 51 106	1.40 60 104	-5.64 36 118	2.75 42 95	136	5	
WCN 21 0096 91539205	JC DTC	18 0101 19 0165	6.25	88	86	92	-0.30 64 90	-0.33 55 86	-0.48 82	-0.13 63 93	-0.30 48 87	-0.36 87	0.22 35 100	0.10 46 100	-0.36 53 94	-2.41 34 108	0.48 36 100	90	4	
ROS 21 0098 91660852	GE GE	19 0044 18 0010	6.41	91	92	85	1.23 68 114	-0.50 59 80	0.12 98	0.14 67 96	-0.49 51 80	-0.42 86	0.49 31 103	-3.40 49 88	-2.39 57 83	-2.62 35 109	-3.53 35 110	109	5	
ROS 21 0103 91661272	GE GE	19 0044 18 0035	5.00	85	89	80	0.68 67 106	-0.64 58 75	-0.30 87	0.41 66 98	-0.61 49 76	-0.41 86	0.22 30 99	-3.70 45 87	-2.42 55 83	-2.17 31 108	-0.23 36 102	102	4	
GW 21 0120 91669838	VA DTC	11 0077 18 0589	3.80	95	103	97	-0.16 70 93	0.44 63 114	0.35 104	0.30 69 97	0.49 56 114	0.65 105	-1.34 48 82	-5.10 55 81	-2.26 61 84	-9.58 46 130	3.58 46 92	120	5	
DTC 21 0129 91906792	DTC DTC	18 0005 19 0011	9.19	91	107	80	1.01 71 111	-0.19 64 91	0.32 103	1.63 70 112	-0.11 56 93	0.71 106	0.87 60 107	-0.50 52 98	1.22 60 103	13.68 44 64	16.53 40 64	111	3	
P 21 0140 91945865	DTC DTC	18 0679 18 0648	7.50	108	105	94	1.41 56 117	-0.54 47 78	0.16 99	1.89 55 115	-0.35 43 85	0.59 104	1.45 31 114	4.40 44 116	4.18 48 119	-3.73 41 112	12.93 42 69	100	5	
EG 21 0165 96246079	RC EG	20 0066 17 0037	2.74	83	82	93	-0.81 64 82	0.13 60 103	-0.27 88	-1.57 63 77	0.10 52 100	-0.69 81	-1.18 32 84	-2.90 48 89	-3.21 55 79	-2.22 41 108	-4.51 37 113	100	3	
DTC 21 0172 91913509	DTC DTC	18 0064 17 0144	8.96	77	87	88	-1.36 67 74	0.18 56 105	-0.51 82	-0.47 67 89	0.19 50 104	-0.04 93	-1.68 55 78	-6.30 51 77	-4.05 57 74	2.60 38 93	-2.68 37 108	120	5	
BS 21 0174 91763466	MW BS	16 0051 19 0659	10.76	105	98	107	-0.14 73 93	-0.09 63 95	-0.15 91	0.96 72 105	0.00 56 97	0.48 102	0.30 20 100	2.90 51 110	2.70 61 111	-1.28 45 105	-0.87 38 104	144	5	
P 21 0186 92345156	P DTC	20 0010 18 0997	8.73	96	95	93	0.85 54 108	-0.36 36 85	0.07 96	0.31 53 97	-0.26 32 88	-0.10 92	1.46 39 114	-0.10 35 100	-0.01 41 96	-3.19 32 111	0.96 33 99	101	4	
P 21 0190 92169358	DTC DTC	18 0679 18 0706	6.03	104	94	100	0.62 63 105	-0.39 51 84	-0.08 93	0.54 62 100	-0.30 46 87	-0.02 93	0.97 44 108	4.30 46 116	2.83 52 112	-7.59 44 124	4.74 43 90	84	4	
DTC 21 0201 92419449	DTC DTC	19 0120 18 0103	8.21	98	102	93	0.55 69 104	-0.16 61 92	0.11 98	1.33 68 109	-0.13 53 93	0.54 103	0.24 60 100	-0.90 53 97	0.67 59 100	3.50 44 90	3.17 40 94	102	4	
P 21 0232 92170299	DTC P	18 0695 19 0117	8.63	88	78	91	-0.09 62 94	-0.67 48 74	-0.72 76	-0.44 61 89	-0.66 41 74	-0.88 78	-0.19 40 95	0.10 39 100	-1.04 48 91	-5.02 37 116	-6.49 37 118	99	5	
BS 21 0242 91764084	MW BS	16 0051 19 0196	2.72	105	94	116	-0.72 66 84	0.32 56 110	-0.04 94	-0.20 65 92	0.26 49 106	0.16 96	-0.52 20 91	1.90 47 107	1.20 55 103	-0.27 43 102	-11.69 38 131	88	3	

Ewes



*Inbreeding in red is high

EBV - Estimated Breeding Value


Indices above 124
Above breed average
Indices below 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal				Selection Indices			EBV - Weights								EBV - Fertility					
Animal	Parents		% In-breeding	Logix Merit Index	Growth Index	Repro-duction Index	PreW Dir	PreW Mat	PreW Comb	Wean Dir	Wean Mat	Wean Comb	Post Wean	Lambs Weaned	TWW	AFL	ILP	EPI	Times Lambed	
Comp.no.	Sire	Dam					EBV Acc Index	EBV Acc Index	EBV Index	EBV Acc Index	EBV Acc Index	EBV Index	EBV Acc Index	EBV Acc Index	EBV Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Index	EBV Acc Index
Active breed average:				100	100	100	0.30	0.05	0.20	0.51	0.09	0.35	0.24	0.12	0.67	0.32	0.62			
P 21 0290 92344738	DTC	18 0679 17 1215	9.02	108	95	107	0.18 62 98	-0.22 49 90	-0.13 91	0.46 61 99	-0.10 44 93	0.13 96	-0.08 43 96	4.70 45 117	3.17 51 114	-8.28 44 126	1.89 41 97	105	5	
P 21 0297 92344290	DTC	18 0957 15 0378	4.90	94	90	95	0.10 67 97	-0.51 56 80	-0.46 83	0.59 65 100	-0.43 48 82	-0.13 91	1.50 45 114	-0.30 45 99	-0.02 54 96	-9.86 43 131	-2.48 40 108	155	4	
P 21 0328 92591650	DTC	18 0795 16 0997	8.76	92	89	85	0.50 56 103	-0.52 43 79	-0.27 88	0.25 55 97	-0.49 38 80	-0.36 87	-0.94 35 86	1.50 36 105	0.66 44 100	0.34 32 100	7.01 37 84		4	
P 21 0353 92698604	DTC	18 0772 17 0539	5.30	81	87	79	0.18 64 98	-0.55 48 78	-0.46 83	0.34 63 98	-0.51 43 79	-0.35 88	-0.09 40 96	-2.20 42 92	-1.50 50 88	6.26 39 82	3.30 38 93	100	3	
P 21 0380 93108124	DTC	18 0772 18 0963	7.27	102	85	94	0.62 57 105	-0.94 42 64	-0.64 78	0.70 56 102	-0.89 37 67	-0.53 84	-0.06 41 96	6.40 36 123	3.66 44 116	-0.26 36 102	1.35 35 98		2	
BS 21 0476 93382786	BS	19 0467 18 0156	15.53	111	101	115	0.15 70 97	0.10 61 102	0.17 99	0.63 68 101	0.21 53 104	0.52 103	0.33 42 101	2.10 50 108	2.10 58 108	-6.04 44 119	-6.53 39 118	107	2	
BS 21 0480 93382588	BS	17 0111 19 0115	7.03	116	97	121	-0.21 69 92	0.31 63 110	0.21 100	-0.04 68 94	0.23 56 105	0.21 97	-0.34 34 93	6.40 54 123	4.03 60 119	-3.88 47 113	-5.58 41 115	133	4	
BS 21 0514 93382885	BS	19 0349 16 0011	17.02	119	110	123	0.21 70 98	0.84 63 129	0.95 119	0.02 69 94	0.79 56 124	0.80 108	-0.10 33 96	3.20 51 112	2.72 60 111	-6.03 48 119	-3.00 43 109	103	4	
BS 21 0520 93382901	BS	17 0111 19 0580	5.76	105	103	106	0.00 68 95	0.27 62 108	0.27 102	0.68 67 101	0.27 56 106	0.61 104	0.15 30 99	2.40 50 109	2.39 59 110	1.49 47 96	2.78 36 94	95	2	
BS 21 0555 93383321	BS	19 0349 16 0042	16.42	107	85	112	-0.72 70 84	0.00 63 98	-0.36 85	-0.48 69 89	-0.16 56 92	-0.40 87	-0.83 34 88	6.90 51 125	3.50 60 116	-6.01 47 119	-3.82 41 111	107	3	
BS 21 0561 93383248	BS	17 0111 16 0055	6.72	98	81	104	-0.69 69 84	-0.04 63 97	-0.38 85	-1.05 68 82	-0.20 57 90	-0.73 81	-1.13 36 84	5.30 52 119	1.93 60 107	-0.89 49 104	-3.40 41 110	101	2	
LR 22 0003 94879749	LR	20 0055 17 0030	3.44	111	101	115	0.29 70 100	0.14 60 103	0.29 102	0.37 68 98	0.26 52 106	0.44 101	0.38 22 101	3.40 50 112	2.66 58 111	-2.34 41 108	-4.16 34 112	127	4	
LR 22 0009 94879848	LR	20 0055 20 0110	6.60	124	128	113	1.68 70 121	0.24 61 107	1.08 123	2.94 68 126	0.58 52 117	2.05 130	2.63 22 127	3.60 48 113	5.67 57 128	-2.70 42 109	13.46 34 68	114	3	
EL 22 0010 97463640	EL	21 0008 18 0114	9.39	131	137	136	0.85 74 108	1.47 60 136	1.90 136	1.60 73 112	1.70 51 136	2.50 136	0.09 21 98	-3.30 39 88	1.32 57 104	-5.66 33 118	-6.95 26 119	166	5	
ROS 22 0012 94322138	DTC	20 0240 20 0028	6.13	78	84	73	0.48 66 103	-0.63 55 75	-0.39 84	-0.02 65 94	-0.66 47 74	-0.67 82	-0.64 47 90	-4.00 45 85	-3.08 53 80	1.51 38 96	3.61 34 92	95	2	
BS 22 0015 95353421	BS	19 0120 19 0639	6.26	110	117	108	0.64 69 105	0.32 62 110	0.64 111	2.05 68 116	0.47 55 113	1.50 120	1.67 20 116	-0.10 52 100	2.47 59 110	2.63 48 93	3.65 39 92	129	3	
P 22 0016 93618577	P	20 0313 17 1025	15.51	104	88	96	0.89 54 109	-0.80 50 69	-0.35 86	0.54 53 100	-0.74 42 72	-0.47 85	0.74 21 106	6.50 37 124	3.70 45 117	-3.01 34 110	3.33 35 93	95	4	
P 22 0019 93618601	P	20 0313 18 1154	7.14	108	97	103	1.02 54 111	-0.31 40 87	0.20 100	0.37 53 98	-0.20 35 90	-0.02 93	0.71 25 105	4.00 35 114	2.57 42 111	-3.24 35 111	0.16 36 101	92	4	

Ewes



*Inbreeding in red is high

EBV - Estimated Breeding Value


Indices above 124
Above breed average
Indices below 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal				Selection Indices			EBV - Weights								EBV - Fertility					
Animal	Parents		% In-breeding	Logix Merit Index	Growth Index	Repro-duction Index	PreW Dir	PreW Mat	PreW Comb	Wean Dir	Wean Mat	Wean Comb	Post Wean	Lambs Weaned	TWW	AFL	ILP	EPI	Times Lambed	
Comp.no.	Sire	Dam					EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index
Active breed average:				100	100	100	0.30	0.05	0.20	0.51	0.09	0.35	0.24	0.12	0.67	0.32	0.62			
BS 22 0026 96328133	LG BS	88 0379 19 0157	1.56	130	110	140	-0.53 63 87	0.96 54 133	0.70 113	0.16 61 96	1.01 47 132	1.09 113	-0.71 18 89	8.40 40 130	6.21 51 130	-2.82 37 110	-5.16 35 114	115	3	
LR 22 0027 94880143	LR LR	20 0055 20 0107	19.45	100	105	88	1.22 68 114	-0.75 60 71	-0.14 91	2.50 67 121	-0.50 52 80	0.76 107	2.36 26 124	0.30 50 101	2.19 57 108	-4.35 43 114	9.62 36 77	114	4	
FP 22 0028 94731056	ZEL ROS	21 0016 20 0017	4.19	95	95	96	0.40 65 101	-0.19 54 91	0.01 95	0.38 63 98	-0.13 45 92	0.06 95	0.11 31 98	-3.50 45 87	-1.85 52 86	-6.10 34 119	-6.10 36 117	97	4	
P 22 0028 93622843	DTC DTC	18 0679 18 0841	9.06	108	97	104	0.47 64 102	-0.25 57 89	-0.01 94	0.71 63 102	-0.15 50 92	0.21 97	0.50 32 103	5.30 47 119	3.74 54 117	-7.97 40 125	5.99 42 86	113	4	
BS 22 0030 94217049	BS BS	19 0120 19 0541	8.11	106	98	107	0.26 70 99	-0.02 63 98	0.12 98	0.55 68 100	0.00 56 97	0.28 98	0.40 21 102	2.70 51 110	2.17 59 108	1.53 49 96	-2.98 41 109	98	3	
BS 22 0031 94216561	DTC BS	09 0122 19 0526	5.67	97	97	108	-1.03 69 79	0.67 64 123	0.16 99	-0.35 68 90	0.57 58 117	0.40 101	-0.08 38 96	0.60 55 102	0.59 61 100	2.24 51 94	-0.58 49 103	140	4	
H 22 0032 101369023	EL -	09 0086 - -	5.44	95	88	106	-0.88 47 81	0.78 49 127	0.34 103	-2.12 45 71	0.64 41 119	-0.42 86	-2.54 21 68	1.40 28 105	-0.65 40 93	1.85 23 95	-0.73 22 103	100	3	
H 22 0033 101369031	EL -	09 0086 - -	5.44	105	96	116	-0.65 44 85	0.99 44 134	0.66 112	-1.74 43 75	0.90 37 128	0.03 94	-2.21 21 72	2.30 27 108	0.54 37 99	1.73 27 96	-3.05 22 109	100	3	
ROS 22 0035 94321692	DTC DTC	20 0072 17 0384	8.99	86	103	83	1.18 68 114	-0.10 56 95	0.49 107	0.62 66 101	0.00 48 97	0.31 99	0.83 47 107	-8.60 46 69	-4.54 54 72	0.49 39 99	-1.99 30 106	101	2	
BS 22 0038 94216900	MW BS	16 0051 19 0558	1.85	106	94	112	-0.15 71 93	0.16 62 104	0.08 97	-0.23 69 91	0.09 54 100	-0.02 93	-0.66 21 89	2.60 51 109	1.42 59 104	-0.37 43 102	-9.27 39 124	130	4	
RN 22 0039 94056637	DTC SV	17 0361 16 0012	2.34	86	104	71	1.47 65 118	-0.71 53 72	0.02 95	2.36 64 120	-0.61 48 76	0.57 104	2.47 45 125	-3.60 46 87	-0.41 54 94	3.31 40 91	14.51 38 65		2	
RN 22 0048 94056652	DTC RN	17 0361 20 0045	8.98	78	104	67	1.02 64 111	-0.51 53 79	0.00 95	2.09 63 117	-0.44 49 82	0.61 104	1.93 51 119	-7.70 47 72	-2.96 54 80	3.01 43 92	12.48 39 70	95	1	
LR 22 0056 95442679	LR DTC	20 0055 17 0824	9.91	99	96	93	0.74 69 107	-0.68 61 73	-0.31 87	1.49 67 110	-0.53 53 79	0.22 97	1.48 29 114	1.60 49 106	1.92 57 107	-0.62 43 103	2.38 36 95	96	3	
BS 22 0059 94217023	BS BS	19 0120 19 0004	12.46	102	90	102	-0.24 68 91	-0.42 61 83	-0.54 81	0.95 67 104	-0.51 55 80	-0.03 93	0.77 25 106	5.10 52 118	3.51 59 116	-3.35 49 111	-0.09 41 102	91	2	
BS 22 0061 94217569	BS BS	19 0120 19 0064	12.48	123	96	125	-0.20 70 92	0.10 63 102	0.00 95	0.37 69 98	-0.02 56 96	0.17 97	0.35 22 101	11.90 53 136	7.49 60 137	-2.34 49 108	-2.90 40 109	115	3	
EL 22 0063 97463699	EL EL	21 0008 18 0124	8.46	125	129	128	1.04 61 111	1.28 52 136	1.80 136	0.80 60 103	1.43 43 136	1.83 126	-0.49 21 91	-3.10 36 89	0.37 48 98	-6.84 33 122	-5.73 33 116	89	3	
EL 22 0070 97463707	EL EL	21 0008 20 0033	5.35	120	123	121	1.13 59 113	0.79 50 127	1.35 130	1.16 57 107	0.96 42 130	1.54 121	0.73 18 105	-0.70 36 97	1.70 46 106	0.36 33 100	-3.83 34 111	82	3	
ROS 22 0075 94321478	DTC DTC	20 0240 16 0349	7.40	82	81	82	-0.40 71 89	-0.74 61 71	-0.94 70	0.41 69 99	-0.75 52 71	-0.54 84	-0.83 46 88	-1.30 48 95	-1.11 58 90	1.30 40 97	-0.44 37 102	139	3	

Ewes



*Inbreeding in red is high

EBV - Estimated Breeding Value


Indices above 124
Above breed average
Indices below 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal				Selection Indices			EBV - Weights								EBV - Fertility					
Animal	Parents		% In-breeding	Logix Merit Index	Growth Index	Repro-duction Index	PreW Dir	PreW Mat	PreW Comb	Wean Dir	Wean Mat	Wean Comb	Post Wean	Lambs Weaned	TWW	AFL	ILP	EPI	Times Lambed	
Comp.no.	Sire	Dam					EBV Acc	EBV Index	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc
Active breed average:				100	100	100	0.30	0.05	0.20	0.51	0.09	0.35	0.24	0.12	0.67	0.32	0.62			
LR 22 0076 94880903	LR 20 0055 LR 20 0100	7.94	102	96	92	1.06 69 112	-0.66 61 74	-0.14 91	1.23 67 107	-0.54 52 79	0.08 95	1.67 25 116	4.90 46 118	3.63 56 116	-0.69 41 103	9.18 38 79	109	3		
ROS 22 0081 94321536	DTC 20 0072 DTC 17 0205	13.99	75	81	79	-0.54 67 87	-0.47 53 81	-0.74 76	-0.16 65 92	-0.55 45 78	-0.62 83	0.05 46 98	-5.50 46 80	-4.00 53 75	-4.56 38 115	-3.03 36 109	110	3		
LR 22 0081 94880721	LR 20 0055 LR 20 0026	8.15	94	86	90	0.49 69 103	-0.66 60 74	-0.42 84	0.21 67 96	-0.60 51 76	-0.49 85	0.67 24 105	2.70 48 110	1.23 56 103	-1.41 42 105	2.67 37 95	104	3		
BS 22 0090 94244829	BS 19 0120 BS 18 0072	7.60	125	108	121	0.66 71 105	-0.01 64 98	0.32 103	1.68 70 112	0.05 57 99	0.89 109	1.34 22 112	8.90 53 132	7.07 61 135	-0.31 50 102	0.33 42 101	101	2		
LR 22 0091 94880986	LR 20 0055 LR 20 0094	18.36	98	107	85	1.31 66 116	-0.50 57 80	0.15 99	2.17 65 118	-0.27 49 88	0.81 108	2.20 26 122	-0.30 49 99	1.72 55 106	-4.34 41 114	15.19 36 64	108	4		
BS 22 0102 94244787	BS 19 0120 BS 19 0308	8.61	103	97	104	0.01 69 95	-0.18 62 92	-0.17 90	1.00 68 105	-0.19 55 90	0.31 99	0.64 23 104	2.40 51 109	2.25 59 109	0.38 48 100	-2.78 39 108	101	2		
P 22 0102 95170056	P 19 0355 P 19 0512	6.10	103	105	100	0.99 61 111	-0.12 44 94	0.38 104	1.13 62 106	0.02 37 98	0.59 104	1.11 25 110	-1.10 37 96	0.49 47 99	-3.14 39 111	0.14 34 101	102	3		
BS 22 0106 94244944	BS 19 0120 BS 16 0006	14.18	110	106	113	0.02 68 95	0.35 61 111	0.36 104	1.04 66 105	0.32 55 108	0.84 108	0.73 30 105	0.80 51 103	1.84 58 107	-2.85 49 110	-4.33 42 112	104	3		
BS 22 0108 95778262	BS 19 0120 BS 21 0009	6.19	106	112	105	0.48 65 103	0.27 54 108	0.51 108	1.61 64 112	0.33 49 108	1.14 114	1.23 19 111	-1.20 46 96	1.22 54 103	0.45 43 100	0.74 36 100		1		
WCN 22 0109 95058046	DTC 20 0148 P 18 0702	7.01	98	106	87	1.20 66 114	-0.53 43 79	0.07 96	2.37 65 120	-0.43 40 82	0.76 107	1.51 32 114	-1.90 41 93	0.80 50 101	-0.20 32 102	6.35 31 86	147	3		
BS 22 0110 95777553	BS 19 0120 BS 20 0319	9.95	108	107	103	0.78 67 107	-0.12 58 94	0.27 102	1.72 66 113	-0.08 52 94	0.78 107	1.56 20 115	1.80 50 107	2.72 57 111	-0.79 47 103	2.40 39 95	93	3		
P 22 0112 95170270	P 20 0343 DTC 17 1302	9.54	89	87	86	0.52 58 103	-0.41 39 83	-0.15 91	-0.30 59 91	-0.41 34 83	-0.56 84	0.11 22 98	1.30 32 105	0.07 43 97	5.18 38 85	3.93 32 92		2		
GW 22 0116 96803614	VA 21 0003 -	5.44	96	93	106	-0.87 45 82	0.72 46 125	0.29 102	-1.35 47 79	0.65 40 119	-0.02 93	-2.09 29 73	1.20 40 104	0.02 43 97	2.43 21 94	1.86 18 97	108	4		
DTC 22 0126 95095816	DTC 20 0249 ROS 20 0088	4.89	101	101	100	0.24 68 99	0.08 59 101	0.21 100	0.68 67 101	0.13 50 101	0.47 102	0.11 52 98	0.90 47 103	1.35 56 104	-1.05 33 104	3.77 37 92	101	3		
BS 22 0127 94244969	BS 19 0120 BS 19 0397	4.32	106	101	105	0.51 65 103	-0.04 54 97	0.22 100	0.88 64 104	-0.04 49 96	0.40 101	0.69 20 105	1.70 46 106	1.86 54 107	0.32 48 100	-3.04 37 109		2		
P 22 0148 95170791	P 20 0343 P 19 0493	7.95	76	89	76	0.19 61 98	-0.30 48 87	-0.21 89	-0.14 62 92	-0.27 40 88	-0.34 88	0.31 22 101	-3.80 39 86	-2.69 48 82	10.74 37 68	4.87 35 89	99	3		
P 22 0157 95170874	P 20 0343 P 19 0064	7.48	91	95	85	0.68 58 106	-0.40 44 84	-0.06 93	0.64 60 101	-0.34 37 85	-0.02 93	0.71 20 105	0.70 28 103	0.72 44 100	5.84 36 83	8.03 34 81	86	3		
BS 22 0160 95788774	BS 18 0144 BS 20 0145	6.77	112	115	112	0.68 65 106	0.54 57 118	0.88 117	1.09 64 106	0.68 50 120	1.23 115	0.53 20 103	0.40 45 101	2.01 54 107	0.71 44 99	2.60 36 95	96	2		

Ewes



*Inbreeding in red is high

EBV - Estimated Breeding Value


Indices above 124
Above breed average
Indices below 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal				Selection Indices			EBV - Weights								EBV - Fertility					
Animal	Parents		% In-breeding	Logix Merit Index	Growth Index	Repro-duction Index	PreW Dir	PreW Mat	PreW Comb	Wean Dir	Wean Mat	Wean Comb	Post Wean	Lambs Weaned	TWW	AFL	ILP	EPI	Times Lambed	
Comp.no.	Sire	Dam					EBV Acc	EBV Index	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc
Active breed average:				100	100	100	0.30	0.05	0.20	0.51	0.09	0.35	0.24	0.12	0.67	0.32	0.62			
BS 22 0162 95788477	BS 18 0144 BS 19 0075	2.92	116	113	118	0.55 71	0.66 104	0.94 119	0.58 69	0.77 100	1.06 54	0.34 123	19 101	2.10 52	2.60 59	2.28 44	-1.17 39	127	4	
BS 22 0168 95788931	BS 18 0144 BS 19 0468	9.44	106	106	108	0.27 66	0.25 99	0.38 105	0.86 65	0.38 103	0.81 50	0.38 110	23 101	0.50 46	1.54 55	1.66 41	-0.12 34	91	1	
P 22 0169 95171112	P 19 0355 P 19 0567	6.47	104	110	99	0.12 58	0.07 97	0.12 98	2.08 61	0.24 117	1.29 34	1.18 105	23 111	2.00 36	3.53 45	-4.43 41	16.05 35	95	4	
BS 22 0170 95788899	BS 19 0120 BS 18 0031	6.80	106	98	105	0.36 69	-0.05 101	0.13 98	0.60 67	-0.10 101	0.20 55	0.41 94	24 102	2.80 54	2.18 59	-4.22 49	-1.04 41	120	4	
P 22 0174 95171195	P 20 0343 DTC 16 0724	7.79	94	100	93	0.58 58	-0.01 104	0.28 102	0.39 61	0.06 98	0.25 40	0.87 99	30 107	-1.30 41	-0.33 95	5.48 39	2.65 84	107	3	
P 22 0186 95171419	P 19 0355 P 20 0291	9.56	102	107	107	0.19 60	0.51 98	0.60 110	0.28 61	0.64 97	0.77 36	-0.01 119	21 97	-2.90 37	-0.83 46	-5.64 41	-0.93 118	103	3	
P 22 0191 95171518	P 20 0343 DTC 18 0734	7.15	79	86	77	0.53 59	-0.80 103	-0.54 81	0.57 61	-0.73 100	-0.44 40	1.27 72	22 112	-4.20 35	-2.68 47	3.49 37	-1.96 90	105	4	
BS 22 0191 96068481	BS 18 0144 BS 19 0428	15.64	125	107	134	0.04 67	0.67 96	0.69 112	-0.05 67	0.84 93	0.82 53	-0.44 126	18 92	7.20 46	5.11 57	3.57 43	-7.30 90	133	4	
BS 22 0196 95788659	BS 18 0144 BS 19 0629	9.23	111	118	104	0.91 68	0.04 109	0.50 108	2.62 67	0.28 123	1.59 52	1.50 107	17 114	1.80 47	3.98 57	2.71 42	10.01 93	103	3	
BS 22 0198 95788998	BS 18 0144 BS 19 0491	3.77	105	97	113	-0.29 67	0.21 90	0.06 96	0.08 66	0.29 95	0.33 52	-0.42 107	20 92	2.50 49	1.87 57	5.81 44	-6.80 83	133	3	
BS 22 0215 95788394	BS 19 0120 BS 20 0065	9.57	103	104	101	0.40 66	0.00 101	0.20 100	1.43 65	-0.03 110	0.68 53	1.14 96	25 110	0.60 49	1.75 57	-0.84 106	1.94 49		1	
BS 22 0221 95789178	BS 18 0144 BS 19 0144	6.18	106	101	113	-0.23 66	0.41 91	0.29 102	0.07 64	0.45 95	0.49 49	-0.18 113	18 95	2.60 46	2.08 54	3.79 40	-2.72 89	91	1	
BS 22 0224 95788436	BS 19 0120 BS 17 0103	7.02	82	89	84	-0.40 68	-0.19 89	-0.38 85	0.31 67	-0.33 97	-0.17 56	0.02 86	25 97	-3.70 54	-2.24 60	2.72 49	-0.70 93	119	4	
BS 22 0231 95788758	BS 18 0144 BS 19 0633	14.84	113	111	115	0.31 65	0.37 100	0.52 108	1.18 64	0.57 107	1.16 49	0.58 117	19 104	3.00 44	3.55 54	3.62 43	1.56 90	95	2	
BS 22 0235 95788832	BS 18 0144 BS 19 0615	9.70	119	117	116	0.71 66	0.24 106	0.59 110	2.12 64	0.45 117	1.50 48	1.14 112	14 110	4.90 44	5.50 53	4.06 42	5.74 89	108	2	
P 22 0248 95172458	P 20 0343 P 20 0252	7.67	80	83	74	0.62 58	-0.97 105	-0.66 78	0.41 59	-0.90 98	-0.70 36	0.43 66	23 102	-1.00 34	-1.10 44	5.18 36	3.69 85	88	3	
BS 22 0253 95347027	BS 19 0342 BS 19 0095	6.06	128	104	131	0.18 67	0.34 98	0.43 106	0.55 66	0.35 100	0.63 51	0.28 109	25 100	9.20 48	6.42 133	-6.78 56	-5.09 132		1	
GW 22 0257 94569449	FJ 19 0120 DTC 18 0688	4.29	118	98	105	1.79 61	-0.65 123	0.24 101	1.03 66	-0.60 105	-0.08 49	0.18 76	34 99	7.30 46	4.82 55	-0.17 123	-1.27 38	100	4	

Ewes



*Inbreeding in red is high

EBV - Estimated Breeding Value

Indices above 124
Above breed average
Indices below 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal				Selection Indices			EBV - Weights								EBV - Fertility					
Animal	Parents		% In-breeding	Logix Merit Index	Growth Index	Repro-duction Index	PreW Dir	PreW Mat	PreW Comb	Wean Dir	Wean Mat	Wean Comb	Post Wean	Lambs Weaned	TWW	AFL	ILP	EPI	Times Lambed	
Comp.no.	Sire	Dam					EBV Acc Index	EBV Acc Index	EBV Index	EBV Acc Index	EBV Acc Index	EBV Index	EBV Acc Index	EBV Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Index	EBV Acc Index	EBV Index
Active breed average:				100	100	100	0.30	0.05	0.20	0.51	0.09	0.35	0.24	0.12	0.67	0.32	0.62			
BS 22 0257 95347068	BS 19 0342 BS 17 0202		11.64	100	96	105	-0.15 63 93	0.14 53 103	0.07 96	0.01 63 94	0.17 49 103	0.17 97	-0.60 27 90	0.10 47 100	0.24 54 98	1.83 44 95	-5.53 37 115		2	
DTC 22 0258 95096939	DTC 20 0001 DTC 16 0972		9.52	92	105	96	0.23 64 99	0.60 53 120	0.72 113	-0.11 64 93	0.63 48 119	0.58 104	0.26 50 100	-5.50 44 80	-2.78 53 81	1.51 29 96	1.06 29 99	120	3	
DTC 22 0263 95097598	DTC 20 0231 DTC 20 0111		10.91	114	124	111	1.42 68 117	0.32 56 110	1.04 122	2.35 66 120	0.54 47 116	1.72 124	1.91 57 119	-2.90 46 89	1.16 54 103	2.07 29 95	-2.48 36 108	115	3	
P 22 0266 95172599	P 19 0355 P 19 0463		9.46	116	104	120	0.48 60 103	0.41 44 113	0.65 112	-0.10 61 93	0.53 37 115	0.48 102	-0.42 20 92	0.40 39 101	0.67 47 100	-13.03 41 136	-9.59 31 125	114	3	
BS 22 0267 95351961	BS 19 0120 BS 18 0109		7.92	104	93	103	0.00 70 95	-0.26 63 89	-0.26 88	0.67 69 101	-0.32 57 86	0.01 94	0.36 24 101	4.70 53 117	3.17 61 114	-0.41 51 102	0.01 42 101	97	4	
BS 22 0268 95351987	BS 19 0342 BS 20 0062		13.53	109	105	108	0.37 69 101	0.15 62 104	0.33 103	1.00 68 105	0.19 55 103	0.68 106	0.39 27 101	1.90 53 107	2.32 60 109	-2.55 49 109	0.01 41 101	139	4	
P 22 0273 95819934	P 20 0313 DTC 15 0378		10.21	95	82	88	0.44 53 102	-0.86 49 67	-0.64 78	0.21 52 96	-0.84 42 68	-0.73 81	-0.04 25 97	4.80 36 117	2.25 44 109	-4.76 38 115	5.57 38 88	100	3	
BS 22 0288 95351342	BS 20 0232 BS 18 0096		6.90	108	97	114	-0.14 67 93	0.32 53 110	0.25 101	-0.26 65 91	0.35 46 109	0.22 98	-0.40 22 92	4.20 42 115	2.61 52 111	2.31 42 94	-3.74 30 111	91	1	
P 22 0289 95823613	P 20 0313 DTC 16 0746		7.71	109	104	106	0.71 50 106	0.00 44 98	0.36 104	0.86 50 103	0.11 39 101	0.54 103	1.01 26 108	3.90 41 114	3.32 44 115	-1.01 36 104	4.85 39 89	104	3	
BS 22 0294 95352209	BS 19 0342 BS 18 0241		8.97	102	101	102	0.52 69 103	0.01 61 99	0.27 102	0.70 67 102	0.05 55 99	0.40 101	0.64 31 104	-0.30 52 99	0.57 59 100	-1.13 48 104	-1.89 44 106	106	3	
BS 22 0297 95352282	BS 20 0232 BS 17 0171		11.49	99	95	106	-0.38 65 89	0.11 51 102	-0.08 93	0.28 64 97	0.07 44 100	0.21 97	0.16 26 99	0.50 41 102	0.65 51 100	1.84 40 95	-6.31 30 117	91	1	
BS 22 0319 95778528	BS 20 0232 BS 20 0351		6.81	106	93	113	-0.14 64 93	0.17 44 104	0.10 97	-0.47 62 89	0.17 38 103	-0.06 92	-0.34 19 93	3.30 37 112	1.68 47 106	1.48 39 96	-8.03 27 121	100	2	
DTC 22 0345 96646302	DTC 21 0060 DTC 21 0190		9.66	95	93	91	0.50 61 103	-0.56 49 78	-0.31 87	1.00 59 105	-0.52 42 79	-0.02 93	0.52 54 103	0.30 40 101	0.66 48 100	-2.39 30 108	0.96 30 99	93	2	
BS 22 0354 95352944	BS 19 0342 BS 19 0535		5.08	127	115	128	0.92 72 109	0.49 64 116	0.95 119	0.97 70 105	0.68 57 120	1.17 114	0.70 31 105	5.20 53 119	4.77 61 123	-2.97 44 110	-3.20 37 109	126	3	
DTC 22 0364 96646427	DTC 21 0060 DTC 20 0144		8.16	94	89	87	0.86 61 109	-0.77 48 70	-0.34 86	0.69 60 102	-0.75 40 71	-0.41 86	0.52 53 103	1.40 42 105	0.78 48 101	3.37 26 91	0.19 30 101	107	2	
BS 22 0375 95347258	BS 20 0232 BS 17 0070		6.77	96	90	99	-0.11 65 93	-0.15 51 93	-0.20 89	-0.02 63 94	-0.19 43 91	-0.20 90	-0.38 18 93	0.50 43 102	0.10 51 97	0.64 39 99	-4.82 32 113	96	3	
BS 22 0380 95347308	BS 20 0232 BS 19 0610		6.14	108	106	108	0.62 68 105	0.00 56 98	0.32 103	1.29 67 108	0.10 47 100	0.74 107	1.00 21 108	0.20 44 101	1.51 54 105	-0.92 40 104	-4.92 32 114	115	4	
BS 22 0384 95347340	BS 19 0342 BS 16 0258		4.77	108	97	111	-0.23 60 92	0.39 54 113	0.28 102	-0.39 59 90	0.38 47 110	0.18 97	-0.98 21 86	5.00 44 118	2.98 51 113	-1.11 43 104	2.56 37 95	97	3	

Ewes



*Inbreeding in red is high

EBV - Estimated Breeding Value

Indices above 124
Above breed average
Indices below 76


Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal			Selection Indices			EBV - Weights								EBV - Fertility					
Animal	Parents		% In-breeding	Logix Merit Index	Growth Index	Reproduction Index	PreW Dir	PreW Mat	PreW Comb	Wean Dir	Wean Mat	Wean Comb	Post Wean	Lambs Weaned	TWW	AFL	ILP	EPI	Times Lambled
Comp.no.	Sire	Dam					EBV Acc Index	EBV Acc Index	EBV Index	EBV Acc Index	EBV Acc Index	EBV Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	Phenotype	
Active breed average:				100	100	100	0.30	0.05	0.20	0.51	0.09	0.35	0.24	0.12	0.67	0.32	0.62		
BS 22 0442 95350229	BS 19 0120 BS 16 0237		3.91	102	98	103	0.09 63 97	0.01 56 99	0.06 96	0.64 62 101	0.00 51 97	0.33 99	0.26 20 100	1.50 48 105	1.55 55 105	1.90 48 95	-0.94 39 104	87	2
BS 22 0472 95354742	BS 19 0342 BS 18 0182		4.28	116	105	115	0.56 68 104	0.05 61 100	0.33 103	0.98 67 105	0.16 55 103	0.65 105	0.50 24 103	4.80 51 117	4.02 59 118	-3.31 49 111	-0.90 43 104	114	4
BS 22 0474 95353553	BS 19 0342 BS 18 0180		4.50	118	105	120	0.31 69 100	0.35 61 111	0.51 108	0.43 67 99	0.46 55 113	0.67 105	0.03 24 97	4.40 51 116	3.52 59 116	-4.83 49 116	-2.93 41 109	94	2
BS 22 0475 95353561	BS 19 0636 BS 19 0437		7.26	101	106	111	0.03 65 95	0.69 52 124	0.71 113	-0.06 64 93	0.75 44 123	0.72 106	-0.60 15 90	-5.50 41 80	-2.61 51 82	4.17 41 88	-13.11 34 134	88	3
BS 22 0481 95354882	BS 19 0636 BS 19 0462		10.88	114	120	110	1.25 69 115	0.22 58 106	0.84 116	2.29 68 119	0.43 49 112	1.58 121	1.44 11 113	-1.00 48 96	2.12 56 108	4.26 43 88	-0.69 34 103	108	4
BS 22 0482 95353629	BS 19 0636 BS 19 0176		4.13	105	105	112	-0.01 68 95	0.47 56 115	0.46 107	0.39 66 98	0.53 48 115	0.72 106	-0.24 23 94	-1.50 43 95	0.01 54 97	-0.59 42 103	-6.77 31 118	96	1
BS 22 0484 95353637	BS 19 0342 BS 18 0129		7.01	127	117	126	0.90 69 109	0.57 61 119	1.02 121	1.11 68 106	0.75 55 123	1.30 117	0.65 27 104	5.30 52 119	5.04 59 124	-1.20 50 105	0.16 41 101	89	2
BS 22 0489 95353652	BS 19 0342 BS 18 0129		7.01	125	114	123	0.88 71 109	0.30 64 109	0.74 114	1.43 70 110	0.49 57 114	1.20 115	0.90 27 107	6.10 53 122	5.58 61 127	-1.41 50 105	0.90 42 99	104	2
BS 22 0491 95354502	BS 19 0636 BS 19 0003		4.49	116	113	117	0.50 67 103	0.24 55 107	0.50 107	1.69 66 113	0.39 47 110	1.24 115	1.04 19 109	1.70 46 106	3.10 54 113	-1.07 39 104	-3.59 30 110	108	2
BS 22 0493 95353678	BS 19 0342 BS 18 0036		5.08	100	90	101	0.00 69 95	-0.30 61 87	-0.30 87	0.15 68 96	-0.26 55 88	-0.19 90	-0.05 28 97	3.40 53 112	1.93 60 107	-1.36 49 105	-1.02 44 104	90	3
BS 22 0494 95354528	BS 19 0342 BS 18 0226		8.08	107	100	109	0.10 69 97	0.03 60 99	0.08 97	0.68 68 102	0.12 54 101	0.46 102	0.16 27 99	1.50 51 105	1.70 59 106	-3.44 50 111	-4.24 39 112	92	1
BS 22 0496 95354569	BS 19 0342 BS 18 0030		3.98	112	111	108	1.03 68 111	0.15 59 104	0.67 112	1.17 67 107	0.30 53 107	0.89 109	0.70 24 105	1.60 51 106	2.43 58 110	0.22 49 100	1.81 39 97	92	1
BS 22 0506 95354684	BS 19 0120 BS 17 0078		6.71	105	109	105	0.42 69 102	0.14 57 103	0.35 104	1.60 68 112	0.17 52 103	0.97 111	0.97 23 108	-0.50 50 98	1.47 58 105	3.99 48 89	-1.59 38 105		1
BS 22 0508 95354767	BS 19 0342 BS 18 0182		4.28	127	114	121	1.28 73 115	0.05 61 100	0.69 112	1.85 72 114	0.22 55 105	1.15 114	1.30 24 112	5.80 54 121	5.55 61 127	-3.58 49 112	-1.68 42 106	121	3
BS 22 0513 95353926	BS 19 0342 BS 18 0030		3.98	102	95	101	0.26 70 99	-0.21 63 91	-0.08 93	0.46 69 99	-0.16 56 92	0.07 95	0.00 24 97	2.90 53 110	2.04 60 108	0.33 49 100	0.72 43 100	97	4
BS 22 0520 95354064	BS 19 0120 BS 17 0078		6.71	113	115	111	0.79 71 107	0.34 60 111	0.73 114	1.64 70 112	0.40 54 111	1.22 115	1.09 23 109	0.50 53 102	2.34 60 109	3.68 46 90	-1.22 38 104	110	2
BS 22 0528 95353751	BS 19 0342 BS 19 0462		3.26	118	112	114	0.81 71 108	-0.04 62 97	0.36 104	2.12 69 117	0.11 55 101	1.17 114	1.35 23 112	4.50 52 116	4.93 60 123	0.27 48 100	0.93 40 99	154	4
BS 22 0533 95353785	BS 19 0342 BS 18 0129		7.01	124	112	124	0.65 69 105	0.35 60 111	0.68 112	1.08 68 106	0.52 55 115	1.06 112	0.60 27 104	5.80 53 121	5.08 60 124	-1.10 50 104	-1.40 42 105	100	3



Ewes



*Inbreeding in red is high

EBV - Estimated Breeding Value


Indices above 124
Above breed average
Indices below 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal			Selection Indices			EBV - Weights								EBV - Fertility					
Animal	Parents		% In-breeding	Logix Merit Index	Growth Index	Reproduction Index	PreW Dir	PreW Mat	PreW Comb	Wean Dir	Wean Mat	Wean Comb	Post Wean	Lambs Weaned	TWW	AFL	ILP	EPI	Times Lambled
Comp.no.	Sire	Dam					EBV Acc Index	EBV Acc Index	EBV Index	EBV Acc Index	EBV Acc Index	EBV Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	Phenotype	
Active breed average:				100	100	100	0.30	0.05	0.20	0.51	0.09	0.35	0.24	0.12	0.67	0.32	0.62		
BS 22 0537 95354080	BS 19 0342 BS 17 0195		10.82	107	96	108	0.11 68 97	-0.01 61 98	0.05 96	0.30 66 97	0.00 54 97	0.15 96	-0.44 29 92	2.70 50 110	1.92 58 107	-3.55 50 112	-3.68 42 111	87	3
BS 22 0539 95778288	BS 19 0636 BS 17 0067		4.59	94	93	96	-0.11 68 93	-0.06 60 96	-0.12 92	0.18 67 96	-0.08 51 94	0.01 94	-0.42 19 92	-0.30 50 99	-0.08 57 96	1.90 41 95	-0.64 36 103	139	4
BS 22 0542 95354122	BS 19 0120 BS 17 0078		6.71	108	113	104	0.86 69 109	0.09 57 102	0.52 108	1.98 68 116	0.16 52 102	1.15 114	1.36 23 112	-0.50 50 98	1.84 58 107	3.67 46 90	-0.01 38 101		2
BS 22 0551 95354320	BS 19 0342 BS 18 0226		8.08	108	99	112	0.08 69 96	0.07 59 101	0.10 97	0.54 68 100	0.15 54 102	0.42 101	0.05 27 98	1.90 51 107	1.83 59 106	-4.53 49 115	-5.21 39 114	91	2
BS 22 0561 95354163	BS 19 0342 BS 18 0226		8.08	105	95	108	-0.08 68 94	-0.09 57 95	-0.13 91	0.43 68 99	-0.04 54 96	0.18 97	-0.07 27 96	2.80 53 110	2.07 59 108	-3.55 47 112	-3.61 39 110	108	2
BS 22 0581 95402079	BS 19 0342 BS 18 0199		7.04	108	98	112	0.08 67 96	0.12 59 103	0.16 99	0.26 66 97	0.18 53 103	0.31 99	-0.06 26 96	2.20 50 108	1.76 57 106	-3.58 49 112	-5.39 39 115	91	1
BS 22 0640 95402624	BS 18 0144 BS 18 0186		15.57	117	119	118	0.76 66 107	0.64 57 122	1.02 121	1.18 65 107	0.88 51 127	1.46 119	0.66 22 105	0.50 48 102	2.35 56 109	1.13 46 98	0.12 36 101	91	1
BS 22 0661 95402830	BS 19 0647 BS 17 0045		2.59	156	130	148	1.56 78 119	0.11 62 102	0.89 118	3.77 76 135	0.39 53 110	2.28 134	2.46 19 125	14.50 48 136	12.86 61 167	1.25 40 97	-3.56 30 110	216	3
BS 22 0733 95412649	BS 19 0342 BS 15 0037		17.41	102	92	103	0.11 69 97	-0.18 61 92	-0.12 91	0.11 68 95	-0.20 55 90	-0.15 91	-0.01 35 97	1.90 53 107	1.05 60 102	-5.99 49 119	-4.14 42 112	111	4
BS 22 0739 95412706	BS 21 0068 BS 20 0006		8.21	103	106	102	0.54 65 104	0.06 54 100	0.33 103	1.31 63 108	0.12 46 101	0.78 107	0.78 21 106	-1.90 42 93	0.29 52 98	0.89 40 98	-2.86 33 109	94	4
BS 22 0754 95412854	BS 21 0068 BS 18 0084		3.40	113	114	112	0.67 65 106	0.26 51 108	0.59 110	1.64 63 112	0.41 44 111	1.23 115	1.04 20 109	-0.20 42 99	1.93 51 107	-2.20 41 108	-2.31 35 107	103	3
BS 22 0758 95412896	BS 18 0144 BS 16 0007		4.35	109	110	112	0.40 65 101	0.40 56 113	0.60 110	0.95 64 104	0.55 51 116	1.02 112	0.60 28 104	0.30 46 101	1.68 55 106	0.72 44 99	-0.56 35 103	93	1
BS 22 0759 95412904	BS 18 0144 BS 18 0010		15.15	117	113	125	-0.09 70 94	0.77 63 126	0.73 113	0.67 69 101	0.98 56 131	1.32 117	0.21 22 99	3.20 53 112	3.57 60 116	3.21 48 91	-1.52 42 105	131	4
BS 22 0802 95420915	BS 19 0342 BS 18 0379		7.02	114	92	121	-0.60 66 86	0.19 60 105	-0.11 92	-0.30 65 91	0.16 53 102	0.01 94	-0.70 24 89	7.40 49 127	4.30 57 120	-3.23 45 111	-6.81 39 118	120	3
BS 22 0842 96280235	BS 19 0342 BS 21 0053		10.14	111	101	117	-0.21 67 92	0.35 59 111	0.25 101	0.30 66 97	0.35 52 109	0.50 102	0.04 27 97	3.40 50 112	2.68 57 111	-4.67 46 115	-3.92 41 111	97	4
BS 22 0845 96279997	BS 19 0342 BS 20 0312		10.40	108	96	111	-0.05 67 94	0.01 60 99	-0.01 94	0.27 66 97	0.03 53 98	0.17 97	-0.07 25 96	3.60 49 113	2.46 57 110	-4.10 46 113	-3.99 39 111	98	3
BS 22 0846 96280250	BS 19 0342 BS 21 0174		3.32	111	99	114	0.03 66 96	0.01 54 99	0.02 95	0.65 65 101	0.07 49 99	0.40 101	0.12 23 98	4.10 46 115	3.18 54 114	-2.39 47 108	-4.62 38 113		2
BS 22 0853 96280490	BS 19 0342 BS 21 0219		6.76	113	106	116	0.11 67 97	0.41 59 113	0.46 107	0.55 66 100	0.47 52 113	0.75 107	0.18 23 99	3.90 50 114	3.37 57 115	-0.20 47 102	0.11 38 101	96	2

Ewes



*Inbreeding in red is high

EBV - Estimated Breeding Value


Indices above 124
Above breed average
Indices below 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal			Selection Indices			EBV - Weights								EBV - Fertility					
Animal	Parents		% In-breeding	Logix Merit Index	Growth Index	Reproduction Index	PreW Dir	PreW Mat	PreW Comb	Wean Dir	Wean Mat	Wean Comb	Post Wean	Lambs Weaned	TWW	AFL	ILP	EPI	Times Lambled
Comp.no.	Sire	Dam		Index	Index	Index	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	Phenotype	
							Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	
Active breed average:				100	100	100	0.30	0.05	0.20	0.51	0.09	0.35	0.24	0.12	0.67	0.32	0.62		
BS 22 0855 96280078	BS 19 0342 BS 21 0003		11.90	100	92	104	-0.24 69 91	-0.12 62 94	-0.24 88	0.17 68 96	-0.09 54 94	-0.01 94	-0.16 26 95	1.50 52 105	0.98 59 102	-2.93 47 110	-4.71 40 113	108	3
BS 22 0858 96280177	BS 19 0342 BS 20 0296		8.06	119	116	119	0.66 63 105	0.39 59 113	0.72 113	1.59 62 111	0.56 52 116	1.36 118	1.11 24 110	1.60 51 106	3.11 56 114	-2.82 45 110	-2.76 39 108	120	4
BS 22 0861 96280417	BS 19 0342 BS 20 0252		7.33	92	88	93	0.11 62 97	-0.38 57 84	-0.33 86	0.10 61 95	-0.34 51 85	-0.29 89	-0.03 25 97	-0.20 51 99	-0.36 55 94	-0.47 46 102	-2.47 40 108	106	3
BS 22 0863 96280037	BS 19 0342 BS 21 0143		6.48	110	103	114	-0.01 69 95	0.44 61 114	0.43 106	0.21 67 96	0.48 54 113	0.58 104	-0.18 29 95	2.60 50 109	2.25 58 109	0.27 47 100	-2.53 40 108	99	2
BS 22 0913 96281415	BS 19 0342 BS 21 0204		4.49	118	109	119	0.53 69 103	0.43 61 114	0.69 113	0.72 67 102	0.50 54 114	0.86 109	0.33 28 101	3.40 52 112	3.26 59 114	-1.29 48 105	-2.73 42 108	102	4
BS 22 0926 96281472	BS 19 0342 BS 21 0221		6.10	99	101	102	0.06 64 96	0.13 51 103	0.16 99	0.63 63 101	0.17 46 103	0.49 102	0.09 22 98	-1.80 48 93	-0.28 53 95	-0.10 43 101	-3.76 38 111	91	2
BS 22 0930 96280995	BS 19 0342 BS 21 0119		4.58	120	121	118	1.05 66 112	0.29 62 109	0.82 116	2.33 64 120	0.54 54 115	1.70 124	1.58 22 115	0.60 50 102	3.23 57 114	-2.05 43 107	-1.51 38 105	108	2
BS 22 0940 96280896	BS 19 0342 BS 21 0189		3.17	122	109	124	0.32 69 100	0.44 62 114	0.60 110	0.74 68 102	0.51 54 115	0.88 109	0.25 23 100	5.20 51 119	4.37 59 120	-1.96 46 107	-4.46 39 113	116	3
BS 22 0979 96282272	BS 19 0120 BS 21 0024		11.04	98	98	98	0.00 60 95	-0.12 55 94	-0.13 91	1.16 60 107	-0.15 50 92	0.44 101	0.87 22 107	0.70 48 103	1.44 53 104	1.02 47 98	0.71 39 100	100	2
BS 22 0980 96282355	BS 19 0120 BS 21 0257		6.78	99	96	101	-0.06 61 94	-0.02 58 97	-0.05 93	0.66 60 101	-0.10 51 94	0.23 98	0.34 22 101	0.90 48 103	1.10 54 102	0.77 47 99	-2.31 40 107	96	2
H 23 0002 99143075	BS 19 0467 WG 19 0291		2.64	108	99	107	0.68 62 106	0.17 48 104	0.51 108	-0.22 61 92	0.20 42 104	0.09 95	0.25 43 100	3.10 39 111	1.84 49 107	-3.08 38 110	0.43 35 100		2
H 23 0004 99143133	BS 19 0467 WG 19 0291		2.64	102	92	102	0.27 65 99	0.11 55 102	0.24 101	-0.73 63 86	0.06 47 99	-0.30 88	-0.25 43 94	3.20 44 112	1.25 52 103	-3.53 38 112	1.38 37 98	97	3
HL 23 0005 96424395	DJ 20 0006 HL 19 0072		12.89	122	117	112	1.87 68 124	0.17 57 104	1.10 123	1.41 66 109	0.30 48 107	1.01 111	0.67 47 105	5.40 42 120	4.95 54 124	10.38 37 69	3.73 34 92	96	3
BS 23 0007 96909502	MW 15 0052 BS 21 0525		2.64	112	106	109	0.51 66 103	0.05 60 100	0.31 103	1.22 65 107	0.18 55 103	0.79 108	0.56 26 103	3.70 53 113	3.62 58 116	-0.27 51 102	2.87 45 94	93	3
P 23 0008 96245295	BS 19 0655 P 20 0002		1.76	109	107	111	0.25 55 99	0.38 32 112	0.50 108	0.72 54 102	0.47 28 113	0.84 108	0.46 15 102	2.30 32 108	2.58 39 111	1.47 30 97	2.33 29 96	102	2
CIDF 23 0010 107022055	BS 21 0222 BS 22 0539		5.96	111	99	115	0.10 66 97	0.41 57 113	0.46 107	-0.32 65 91	0.37 48 110	0.21 97	-0.67 15 89	4.00 45 114	2.45 54 110	0.33 40 100	-4.27 33 112	108	2
H 23 0010 99143232	WCN 21 0109 WCN 21 0047		8.03	90	92	102	-1.00 64 79	0.74 50 125	0.24 101	-1.49 62 78	0.69 41 121	-0.06 93	-1.94 20 75	-1.00 38 96	-1.40 48 89	6.32 28 82	0.46 32 100	100	3
H 23 0012 99143349	EL 21 0012 EL 18 0111		27.36	125	119	127	0.80 60 108	1.13 50 136	1.53 134	0.02 58 94	1.16 42 136	1.17 114	-1.23 25 83	-0.20 41 99	1.05 48 102	-8.99 33 128	-6.40 32 117	102	2

Ewes



*Inbreeding in red is high

EBV - Estimated Breeding Value


Indices above 124
Above breed average
Indices below 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal				Selection Indices			EBV - Weights								EBV - Fertility					
Animal	Parents			% In-breeding	Logix Merit Index	Growth Index	Reproduction Index	PreW Dir	PreW Mat	PreW Comb	Wean Dir	Wean Mat	Wean Comb	Post Wean	Lambs Weaned	TWW	AFL	ILP	EPI	Times Lambled
Comp.no.	Sire	Dam						EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	Phenotype
Active breed average:					100	100	100	0.30	0.05	0.20	0.51	0.09	0.35	0.24	0.12	0.67	0.32	0.62		
GW 23 0013 96630694	GW	21 0242 17 0131		7.15	125	110	121	0.89 70	-0.05 109	0.39 105	1.82 68	0.12 52	1.03 112	0.57 49	6.90 49	6.07 125	-0.48 44	-2.24 107	114	3
LR 23 0015 99298663	LR	20 0055 21 0008		8.08	98	103	97	0.59 67	-0.31 104	-0.01 94	1.60 65	-0.10 50	0.70 106	1.92 30	-1.30 49	0.73 56	-0.22 44	1.01 102	107	2
BS 23 0026 96909585	HL	20 0067 19 0558		2.54	99	91	102	-0.23 67	-0.09 92	-0.20 89	0.07 65	-0.11 47	-0.07 92	-0.05 27	2.90 43	1.70 110	1.75 53	-1.74 106	92	3
GW 23 0031 96630876	GW	21 0242 20 0140		5.73	113	119	106	1.37 69	-0.07 117	0.62 111	2.74 68	0.19 52	1.56 121	2.50 51	1.00 48	3.53 104	5.73 42	3.54 84	120	3
BS 23 0038 96911003	BS	21 0222 19 0552		14.14	107	106	111	0.32 66	0.31 100	0.47 107	0.62 64	0.45 47	0.76 107	0.26 18	-0.60 43	0.71 53	0.70 42	-5.47 99	95	2
LR 23 0038 101724755	LR	22 0013 21 0024		8.71	91	99	86	0.69 66	-0.70 106	-0.36 85	2.11 65	-0.54 45	0.52 103	2.73 28	-1.90 46	0.43 53	-1.95 39	4.77 107	118	3
GW 23 0041 96630942	GW	21 0242 17 0686		9.27	114	94	114	0.09 72	-0.07 96	-0.03 94	0.23 70	-0.09 54	0.03 94	-0.29 50	8.20 48	5.06 130	0.84 43	-1.48 98	112	2
BS 23 0042 96910260	BS	21 0222 21 0515		7.64	111	100	115	0.17 67	0.35 58	0.43 106	-0.04 66	0.31 50	0.28 99	-0.23 20	1.90 48	1.40 56	-2.55 44	-8.56 109	123	3
GW 23 0045 96630983	GW	21 0242 19 0187		6.08	117	108	116	0.81 69	-0.08 108	0.33 103	1.59 68	0.09 52	0.88 109	0.77 53	3.00 49	3.48 111	1.49 43	-7.49 96	113	3
EG 23 0048 99825333	RC	20 0066 21 0038		3.50	100	96	96	0.93 65	-0.41 110	0.06 96	0.69 64	-0.33 48	0.02 94	0.69 33	-0.10 44	0.30 53	-1.03 40	-2.64 104	95	2
HN 23 0048 96393442	DTC	20 0249 21 0019		4.77	102	109	102	0.39 67	0.29 101	0.49 107	1.15 66	0.35 48	0.92 110	0.80 39	-2.80 40	-0.18 53	-1.99 32	-0.01 107	136	3
H 23 0051 101369049	EL	21 0012 - -		5.92	121	115	126	0.39 43	1.30 101	1.50 134	-0.65 42	1.28 36	0.95 110	-1.45 17	2.50 35	2.12 109	-0.65 22	-1.07 103	100	2
P 23 0055 96245253	BS	19 0655 21 0312		1.76	109	96	110	0.14 53	-0.04 97	0.03 95	0.25 52	0.03 28	0.15 96	-0.08 15	5.20 30	3.40 119	-3.18 38	-0.55 115	100	2
BS 23 0058 96911268	BS	21 0222 21 0560		5.05	106	84	115	-0.62 65	0.05 85	-0.26 88	-0.96 64	-0.10 47	-0.58 83	-1.09 18	5.40 45	2.18 120	-2.58 53	-11.92 108	95	2
LR 23 0058 101724920	LR	22 0008 17 1317		11.71	101	107	79	2.14 66	-1.06 129	0.02 95	3.20 65	-0.90 44	0.70 106	2.49 31	0.30 40	2.48 101	-5.30 51	13.97 110	92	1
BS 23 0070 96910740	BS	21 0222 21 0511		3.63	111	107	112	0.48 68	0.41 103	0.65 112	0.53 66	0.45 52	0.72 106	0.04 21	1.40 49	1.83 105	2.70 57	-2.77 106	120	3
WH 23 0071 98018476	RC	20 0059 16 0043		3.63	106	96	113	-0.22 69	0.24 92	0.13 98	-0.13 67	0.25 49	0.19 106	-0.05 28	1.90 46	1.26 107	-1.12 55	-8.24 103	118	3
P 23 0076 96245691	BS	19 0655 17 1237		1.92	118	107	120	0.25 58	0.40 99	0.53 108	0.68 58	0.50 38	0.84 114	0.14 22	5.10 36	4.24 118	-0.94 45	-0.61 120	95	2

Ewes



*Inbreeding in red is high

EBV - Estimated Breeding Value


Indices above 124
Above breed average
Indices below 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal			Selection Indices			EBV - Weights								EBV - Fertility					
Animal	Parents		% In-breeding	Logix Merit Index	Growth Index	Repro-duction Index	PreW Dir	PreW Mat	PreW Comb	Wean Dir	Wean Mat	Wean Comb	Post Wean	Lambs Weaned	TWW	AFL	ILP	EPI	Times Lambed
Comp.no.	Sire	Dam					EBV Acc Index	EBV Acc Index	EBV Index	EBV Acc Index	EBV Acc Index	EBV Index	EBV Acc Index	EBV Acc Index	EBV Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index
Active breed average:			100	100	100	0.30	0.05	0.20	0.51	0.09	0.35	0.24	0.12	0.67	0.32	0.62			
LR 23 0080 101725380	LR 22 0013 LR 20 0023	13.26	118	116	111	0.99 66 111	0.00 46 98	0.50 108	2.39 64 120	0.22 39 105	1.41 119	2.36 24 124	4.50 37 116	5.31 48 126	-5.85 39 119	9.54 27 78		1	
BS 23 0080 96911102	HL 20 0067 BS 21 0193	2.38	95	95	101	-0.35 67 90	0.25 56 107	0.07 97	-0.19 65 92	0.27 47 106	0.17 97	-0.37 29 93	-0.30 45 99	-0.10 53 96	3.68 40 90	-1.23 33 104	97	2	
GW 23 0080 96631312	GW 21 0242 MW 18 0057	4.27	114	106	113	0.56 69 104	-0.03 60 97	0.25 101	1.42 69 110	0.10 54 100	0.81 108	0.04 52 97	3.50 49 113	3.62 59 116	2.63 43 93	-3.26 40 110	123	3	
DTC 23 0083 97658637	DTC 22 0030 DTC 20 0144	11.76	94	111	83	1.60 67 120	-0.41 52 83	0.39 105	2.38 66 120	-0.26 42 88	0.94 110	2.56 56 126	-4.40 38 84	-0.51 50 94	2.36 25 94	8.06 29 81	99	2	
P 23 0084 96244314	BS 19 0655 P 21 0026	1.67	109	100	105	0.48 58 103	-0.15 42 93	0.09 97	0.87 57 104	-0.08 35 94	0.35 100	-0.01 26 97	5.60 33 120	4.15 43 119	1.18 35 97	4.64 31 90	98	2	
P 23 0093 96243977	BS 19 0655 P 20 0110	1.93	119	103	111	0.85 56 108	-0.19 33 91	0.24 101	1.07 55 106	-0.08 28 94	0.46 102	0.13 19 99	9.60 33 135	6.75 40 133	-0.07 35 101	8.57 32 80	105	3	
BS 23 0095 96910567	HL 20 0067 BS 18 0130	2.36	102	94	102	0.26 67 99	-0.22 55 90	-0.10 92	0.42 65 99	-0.15 48 92	0.07 95	0.40 28 102	2.40 45 109	1.72 54 106	-1.72 43 106	-0.94 32 104	92	1	
ROS 23 0096 97311484	DTC 20 0229 ROS 19 0058	6.79	87	80	92	-0.53 68 87	-0.17 54 92	-0.43 83	-1.18 67 81	-0.23 45 89	-0.82 79	-1.58 45 79	0.00 40 100	-1.41 52 89	-1.73 34 106	-1.99 30 106	106	2	
LR 23 0096 99298911	LR 20 0055 LR 20 0081	7.94	100	109	90	1.15 65 113	-0.39 56 84	0.19 99	2.22 64 118	-0.16 48 91	0.95 110	2.29 25 123	0.00 43 100	2.06 53 108	-1.66 42 106	12.20 34 71	98	2	
LR 23 0099 101725521	LR 22 0008 DTC 17 0817	8.70	102	94	100	0.77 66 107	-0.43 46 82	-0.05 93	0.56 64 100	-0.36 39 85	-0.08 92	0.52 29 103	0.70 37 103	0.62 48 100	-2.19 37 108	-6.95 26 119		1	
GW 23 0105 97399539	GW 21 0154 GW 17 0224	7.96	102	102	98	0.39 62 101	0.00 45 98	0.19 100	0.85 62 103	0.10 43 100	0.52 103	-1.81 43 76	-3.20 41 88	-0.97 50 91	-9.97 36 131	0.14 30 101	93	1	
P 23 0109 97740310	P 20 0313 P 19 0498	6.34	111	104	102	1.11 54 112	-0.25 37 89	0.30 102	1.29 53 108	-0.11 32 93	0.53 103	1.01 21 109	4.80 37 117	4.05 41 119	-2.74 33 109	8.40 31 80	101	2	
LR 23 0110 101725588	LR 22 0008 LR 22 0092	10.95	120	125	109	1.26 63 115	0.16 48 104	0.79 115	3.20 62 129	0.38 40 110	1.98 129	2.22 27 122	3.10 40 111	5.44 48 126	-4.04 38 113	13.38 31 68	116	2	
P 23 0115 97740351	P 21 0151 P 19 0492	8.75	106	98	109	-0.05 47 94	0.05 34 100	0.02 95	0.44 47 99	0.15 30 102	0.37 100	0.29 23 100	3.60 28 113	2.75 36 112	-5.56 31 118	1.85 26 97		1	
GW 23 0120 97399679	GW 21 0154 GW 17 0138	4.09	98	91	105	-0.58 63 86	0.18 45 105	-0.11 92	-0.49 62 89	0.17 44 103	-0.07 92	-3.09 44 64	-1.90 42 93	-1.46 50 88	-5.46 38 118	-8.75 38 123	93	3	
BS 23 0122 96934021	JJ 07 0034 BS 18 0143	1.15	113	104	123	-0.54 63 87	1.06 53 136	0.79 115	-0.97 61 83	1.10 45 135	0.62 104	-1.46 18 80	4.70 43 117	2.95 51 113	0.99 37 98	1.27 35 98	147	3	
GW 23 0123 97399703	GW 21 0154 GW 18 0060	7.41	99	84	108	-0.93 65 80	0.16 52 104	-0.31 87	-1.23 65 81	0.17 46 103	-0.44 86	-3.46 41 64	0.40 43 101	-0.82 53 92	-10.95 37 134	-8.19 35 122	110	3	
HN 23 0126 97676100	EL 20 0106 HN 22 0041	2.85	84	89	89	-0.24 60 91	0.20 40 106	0.08 97	-1.06 59 82	0.19 34 103	-0.34 88	-1.43 30 81	-5.10 34 81	-3.93 44 75	-1.41 34 105	-1.72 27 106	100	2	

Ewes



*Inbreeding in red is high

EBV - Estimated Breeding Value


Indices above 124
Above breed average
Indices below 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal			Selection Indices			EBV - Weights								EBV - Fertility					
Animal	Parents		% In-breeding	Logix Merit Index	Growth Index	Reproduction Index	PreW Dir	PreW Mat	PreW Comb	Wean Dir	Wean Mat	Wean Comb	Post Wean	Lambs Weaned	TWW	AFL	ILP	EPI	Times Lambled
Comp.no.	Sire	Dam					EBV Acc Index	EBV Acc Index	EBV Index	EBV Acc Index	EBV Acc Index	EBV Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	Phenotype	
Active breed average:				100	100	100	0.30	0.05	0.20	0.51	0.09	0.35	0.24	0.12	0.67	0.32	0.62		
DTC 23 0140 98497712	DTC 20 0168 DTC 19 0020		13.52	93	96	85	0.91 63 109	-0.47 51 81	-0.01 94	0.82 61 103	-0.40 43 83	0.01 94	-0.13 52 96	-1.70 39 94	-0.60 49 93	-0.25 27 102	3.93 28 92	96	1
BS 23 0148 96934385	HFR 94 0031 BS 18 0193		2.58	109	93	115	-0.21 66 92	0.07 60 101	-0.04 94	-0.18 65 92	0.13 56 101	0.04 94	-0.35 35 93	4.60 52 117	2.71 59 111	-5.84 50 119	-5.08 46 114	93	3
BS 23 0150 96934369	BS 21 0222 BS 18 0170		10.24	110	109	116	-0.12 67 93	0.68 59 123	0.62 111	0.43 65 99	0.76 52 123	0.97 111	-0.03 18 97	0.50 47 102	1.49 56 105	-1.47 45 105	-2.17 33 107	97	1
BS 23 0151 96934161	BS 21 0222 BS 19 0196		5.41	117	104	130	-0.60 67 86	0.91 58 132	0.61 111	-0.45 66 89	0.88 50 127	0.66 105	-0.60 18 90	4.00 45 114	2.84 55 112	-0.97 44 104	-9.27 30 124	97	1
DTC 23 0156 98497878	DTC 20 0240 DTC 22 0036		9.79	90	111	80	1.53 64 119	-0.29 50 88	0.47 107	2.13 63 117	-0.13 42 92	0.93 110	2.47 55 125	-6.10 43 78	-1.67 50 87	2.81 37 92	9.14 32 79	105	2
BS 23 0163 99212243	BS 21 0222 BS 19 0186		6.31	105	96	113	-0.36 68 89	0.27 59 108	0.09 97	-0.01 66 94	0.25 51 106	0.25 98	-0.20 23 95	0.90 49 103	0.78 56 101	-2.16 44 108	-8.96 36 124	119	3
BS 23 0173 100128776	BS 21 0222 BS 21 0478		5.49	115	120	120	0.76 63 107	0.75 57 126	1.13 124	1.11 61 106	0.91 48 128	1.47 119	0.63 15 104	-2.80 46 90	0.34 53 98	0.54 38 99	-8.27 33 122	110	3
BS 23 0175 100123264	JJ 07 0034 BS 19 0504		1.48	98	89	105	-0.53 60 87	0.35 51 111	0.09 97	-1.16 58 81	0.27 43 106	-0.31 88	-1.59 12 79	3.00 40 111	0.91 48 101	3.32 34 91	-0.73 33 103	97	3
BS 23 0179 100123231	BS 21 0222 BS 20 0161		5.25	120	102	125	0.01 70 95	0.43 62 114	0.43 106	0.17 69 96	0.42 54 111	0.51 103	-0.31 24 94	5.10 51 118	3.65 59 116	-5.51 44 118	-7.62 35 120	109	4
BS 23 0181 99256174	HL 20 0067 BS 19 0369		2.36	101	100	109	-0.57 67 86	0.47 54 116	0.19 100	0.07 65 95	0.47 46 113	0.50 102	-0.12 24 96	1.00 44 104	1.14 53 103	2.52 41 93	-1.73 30 106	93	1
GW 23 0191 97399877	GW 21 0242 GW 21 0051		7.26	112	109	107	1.15 65 113	-0.12 50 94	0.45 106	1.52 64 111	0.07 45 99	0.83 108	0.95 48 108	1.30 46 105	2.37 53 109	-1.61 42 106	-1.12 36 104	104	2
P 23 0210 97742654	P 19 0355 P 19 0493		7.22	104	103	110	-0.14 59 93	0.41 41 113	0.34 103	0.25 60 97	0.52 35 115	0.65 105	-0.07 23 96	-0.30 37 99	0.59 45 100	-4.09 37 113	-1.20 29 104	101	1
GW 23 0228 109188706	WCN 20 0113 WCN 21 0021		8.05	90	97	84	0.62 56 105	-0.60 47 76	-0.29 87	1.57 54 111	-0.47 39 81	0.32 99	0.76 21 106	-2.80 36 90	-0.58 44 93	1.16 28 97	3.46 28 93	100	2
BS 23 0230 97119655	HL 20 0067 BS 16 0247		3.65	93	103	95	0.05 64 96	0.07 54 101	0.09 97	0.99 63 105	0.20 45 104	0.70 106	0.51 25 103	-2.40 43 91	-0.25 51 95	1.48 40 96	4.49 36 90	102	3
BS 23 0234 97119192	BS 21 0083 BS 20 0379		13.38	100	102	100	0.24 62 99	-0.07 45 96	0.05 96	1.14 61 106	0.06 39 99	0.63 105	0.80 22 106	-0.30 36 99	1.01 47 102	-0.74 32 103	1.32 28 98		0
BS 23 0242 97119713	HL 20 0067 BS 19 0623		2.93	102	107	101	0.47 68 102	0.06 57 101	0.30 102	1.41 66 109	0.21 49 104	0.91 110	1.07 26 109	-1.00 45 96	1.02 55 102	-0.72 40 103	2.65 33 95	107	2
BS 23 0247 97119978	BS 17 0111 BS 18 0028		4.39	91	97	91	0.05 68 96	-0.08 60 95	-0.05 93	0.64 67 101	-0.05 55 95	0.27 98	0.01 31 97	-1.90 52 93	-0.55 59 93	2.75 49 93	2.89 42 94	94	2
P 23 0248 97753511	P 21 0072 DTC 17 1325		7.77	106	98	107	0.58 56 104	-0.07 41 96	0.22 100	0.23 54 97	0.07 36 99	0.19 97	1.94 34 119	3.30 38 112	2.28 43 109	-4.71 32 115	-0.15 30 102	98	2

Ewes



*Inbreeding in red is high

EBV - Estimated Breeding Value


Indices above 124
Above breed average
Indices below 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal				Selection Indices			EBV - Weights								EBV - Fertility					
Animal	Parents			% In-breeding	Logix Merit Index	Growth Index	Reproduction Index	PreW Dir	PreW Mat	PreW Comb	Wean Dir	Wean Mat	Wean Comb	Post Wean	Lambs Weaned	TWW	AFL	ILP	EPI	Times Lambled
Comp.no.	Sire	Dam						EBV Acc	EBV Index	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Index	Phenotype
Active breed average:					100	100	100	0.30	0.05	0.20	0.51	0.09	0.35	0.24	0.12	0.67	0.32	0.62		
BS 23 0250 97119515	BS 21 0235 BS 19 0728			9.06	104	102	106	0.11 60 97	0.19 45 105	0.25 101	0.59 59 101	0.26 36 106	0.56 103	-0.02 12 97	1.70 36 106	1.87 45 107	1.29 31 97	1.55 26 98	104	2
P 23 0267 98774722	P 22 0042 P 21 0287			9.84	99	93	96	0.42 53 102	-0.45 43 82	-0.24 88	0.64 52 101	-0.36 35 85	-0.04 93	0.75 26 106	2.90 34 110	2.02 41 108	-2.90 34 110	3.53 30 93	108	2
P 23 0270 98774565	P 20 0313 DTC 17 1341			7.81	96	91	88	1.14 58 113	-0.66 41 74	-0.09 92	0.39 56 98	-0.58 36 77	-0.38 87	0.84 23 107	1.90 39 107	0.95 44 102	-2.81 32 110	4.44 30 90	96	1
P 23 0271 98774680	P 20 0313 P 18 1108			6.97	97	91	92	0.76 58 107	-0.69 47 73	-0.31 87	0.75 59 102	-0.58 43 77	-0.20 90	1.23 30 111	1.30 37 105	0.95 48 102	-5.76 37 118	1.28 33 98	105	2
BS 23 0272 97120356	BS 21 0083 BS 22 0354			9.07	114	114	113	0.90 66 109	0.28 51 109	0.73 114	1.44 64 110	0.48 43 114	1.20 115	1.00 21 108	0.20 43 101	2.04 51 108	-0.91 37 104	-1.65 33 106	117	3
BS 23 0310 97122444	BS 17 0111 BS 18 0241			6.67	97	104	93	0.81 69 108	0.09 64 102	0.50 108	0.78 68 103	0.09 57 100	0.48 102	0.69 37 105	-2.40 55 91	-0.57 61 93	1.58 49 96	3.08 43 94	109	3
P 23 0323 98776925	P 22 0040 P 21 0231			6.52	88	98	88	0.32 57 100	0.01 42 99	0.17 99	0.31 56 97	0.11 34 101	0.27 98	0.45 21 102	-5.20 32 81	-2.70 42 82	-3.20 34 111	2.36 28 96	93	2
BS 23 0331 97121909	BS 17 0111 BS 19 0004			8.26	116	108	119	0.01 68 95	0.59 63 120	0.60 110	0.56 67 100	0.61 56 118	0.88 109	0.14 34 99	4.50 52 116	3.86 59 118	-1.72 49 106	0.90 40 99	101	2
BS 23 0343 97123657	BS 21 0083 BS 21 0008			21.99	101	102	101	0.50 65 103	-0.10 53 94	0.15 98	1.06 64 106	0.04 44 98	0.56 104	0.49 17 103	-1.30 39 95	0.31 51 98	1.00 36 98	-2.68 27 108	98	1
BS 23 0390 97125231	BS 21 0235 BS 21 0520			7.64	108	105	104	0.63 67 105	-0.09 55 95	0.22 100	1.46 66 110	-0.02 46 96	0.71 106	0.85 17 107	2.30 42 108	2.82 53 112	1.75 36 96	1.26 31 98	124	3
BS 23 0450 99877102	BS 21 0083 BS 21 0194			9.81	97	97	101	-0.05 55 94	-0.05 41 97	-0.07 93	0.65 54 101	0.02 36 98	0.34 100	0.07 18 98	-1.00 34 96	0.07 42 97	1.67 36 96	-4.23 25 112		1
BS 23 0451 100017755	BS 21 0083 BS 17 0070			3.29	87	81	92	-0.65 65 85	-0.38 55 85	-0.70 77	-0.37 64 90	-0.42 47 83	-0.61 83	-0.95 19 86	0.10 44 100	-0.73 53 92	0.75 38 99	-4.34 34 112	99	2
BS 23 0478 100018498	BS 21 0222 BS 19 0661			5.82	114	111	115	0.53 64 103	0.43 49 114	0.70 113	0.88 62 104	0.52 42 115	0.96 111	0.25 14 100	1.70 38 106	2.42 49 110	0.37 38 100	-1.64 29 105		0
BS 23 0499 100018647	BS 21 0222 BS 21 0009			7.33	115	118	121	0.38 67 101	0.88 59 131	1.08 123	0.76 66 102	1.02 50 132	1.40 118	0.29 15 100	-1.10 45 96	1.12 55 103	-0.43 42 102	-4.09 33 112	116	2
BS 23 0520 99212102	BS 21 0222 BS 21 0129			19.15	115	101	125	-0.46 63 88	0.57 50 119	0.34 103	-0.08 62 93	0.54 44 116	0.50 102	-0.53 17 91	4.50 39 116	3.16 50 114	-0.81 41 103	-8.86 28 123		1
BS 23 0539 97178719	BS 21 0083 BS 22 0128			9.01	98	109	98	0.34 63 100	0.21 50 106	0.38 104	1.47 62 110	0.31 42 108	1.05 112	0.92 17 108	-3.00 44 89	-0.02 50 96	4.25 36 88	2.18 34 96	109	3
BS 23 0615 97178552	BS 21 0083 BS 22 0038			6.05	95	93	101	-0.44 64 88	-0.05 50 96	-0.27 88	0.43 62 99	-0.05 42 95	0.16 96	-0.19 17 95	-1.10 42 96	-0.28 50 95	0.10 32 101	-6.06 32 116	95	2
BS 23 0645 100123439	BS 21 0222 BS 22 0486			8.80	124	111	127	0.52 65 103	0.50 52 116	0.76 114	0.79 64 103	0.61 45 118	1.01 111	0.34 18 101	5.10 42 118	4.46 52 121	-1.27 40 105	-4.97 31 114		0

Ewes



*Inbreeding in red is high

EBV - Estimated Breeding Value


Indices above 124
Above breed average
Indices below 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal			Selection Indices			EBV - Weights								EBV - Fertility					
Animal	Parents		% In-breeding	Logix Merit Index	Growth Index	Reproduction Index	PreW Dir	PreW Mat	PreW Comb	Wean Dir	Wean Mat	Wean Comb	Post Wean	Lambs Weaned	TWW	AFL	ILP	EPI	Times Lambled
Comp.no.	Sire	Dam					EBV Acc Index	EBV Acc Index	EBV Index	EBV Acc Index	EBV Acc Index	EBV Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	Phenotype	
Active breed average:				100	100	100	0.30	0.05	0.20	0.51	0.09	0.35	0.24	0.12	0.67	0.32	0.62		
BS 23 0719 97178735	BS 21 0227 BS 22 0170		7.96	122	115	116	1.49 62 118	0.09 51 101	0.83 116	1.71 60 113	0.23 43 105	1.08 113	1.33 15 112	1.70 37 106	2.96 48 113	-6.15 36 120	-4.54 26 113	96	1
BS 23 0834 99217929	BS 21 0486 BS 18 0166		9.90	119	118	119	0.83 61 108	0.67 54 123	1.09 123	1.05 60 106	0.83 46 126	1.36 118	0.72 23 105	1.50 37 105	2.78 49 112	-5.48 40 118	2.48 30 95	96	1
BS 23 0884 99217861	BS 21 0486 BS 19 0045		7.30	130	122	133	0.64 62 105	1.07 55 136	1.39 131	0.86 61 103	1.16 47 136	1.59 122	0.67 26 105	3.30 36 112	4.00 50 118	-6.78 39 122	-2.40 29 107	107	1
BS 23 0910 99217903	BS 21 0486 BS 19 0165		6.96	112	109	115	0.29 62 100	0.68 56 123	0.82 116	0.23 61 97	0.72 47 122	0.83 108	-0.03 30 97	0.40 37 101	1.18 50 103	-5.64 39 118	-0.79 33 103	99	2
BS 23 0912 99281057	BS 21 0486 BS 16 0174		6.64	109	109	109	0.53 53 103	0.44 43 114	0.70 113	0.51 53 100	0.55 37 116	0.80 108	0.08 23 98	1.00 32 104	1.66 42 106	-1.69 32 106	2.92 27 94		1
BS 23 0917 99280992	BS 21 0486 BS 19 0633		10.86	118	116	116	0.99 60 111	0.48 52 116	0.98 120	1.17 59 107	0.64 44 119	1.22 115	0.91 24 107	2.40 34 109	3.25 47 114	-3.30 38 111	3.42 32 93	92	3
BS 23 1096 99218323	BS 21 0222 BS 22 0197		9.05	119	118	119	0.74 63 107	0.40 58 113	0.78 115	1.76 62 113	0.58 50 117	1.47 119	0.91 17 107	2.20 39 108	3.67 52 117	1.21 41 97	-0.79 33 103	111	3
BS 23 1119 99218521	BS 21 0227 BS 22 0466		7.91	118	115	112	1.28 52 115	0.00 41 98	0.64 111	1.96 51 115	0.20 36 104	1.18 114	1.34 15 112	1.60 33 106	3.11 41 114	-2.15 33 108	-1.77 25 106		0
BS 23 1121 99218646	BS 21 0486 BS 22 0030		7.58	115	114	113	0.92 62 110	0.58 55 119	1.04 122	0.72 61 102	0.66 46 120	1.02 112	0.63 22 104	1.30 35 105	2.16 49 108	-1.53 39 106	2.05 32 96	95	2
BS 23 1136 99218588	BS 21 0227 BS 22 0323		4.65	109	109	104	0.95 55 110	-0.06 51 96	0.42 106	1.69 54 113	0.03 43 98	0.88 109	1.12 14 110	0.20 32 101	1.84 45 107	0.68 37 99	-0.88 30 104	94	2
BS 24 0001 108943143	BS 19 0349 BS 21 0507		7.92	122	104	123	0.13 65 97	0.37 53 112	0.44 106	0.63 64 101	0.32 48 108	0.63 105	0.20 27 99	7.70 48 128	5.57 54 127	-2.89 45 110	-1.58 34 105	105	1
WH 24 0001 99096067	OKF 20 0017 GE 18 0142		7.80	79	104	73	0.80 63 108	-0.16 43 92	0.24 101	1.31 61 108	-0.09 37 94	0.56 104	0.98 31 108	-8.30 37 70	-3.77 46 76	4.29 29 88	9.44 28 78		0
WCN 24 0003 100283282	WCN 21 0109 WCN 20 0147		18.61	68	89	68	-0.52 61 87	-0.13 39 93	-0.39 84	0.13 59 95	-0.16 33 91	-0.10 92	-0.86 22 87	-6.30 35 77	-3.81 43 76	11.68 26 65	11.15 23 74	106	2
WCN 24 0004 100283381	WCN 21 0109 WCN 20 0147		18.61	67	83	72	-0.81 62 82	-0.05 45 97	-0.45 83	-0.80 60 85	-0.12 37 93	-0.52 84	-1.60 22 79	-5.80 31 79	-4.41 44 72	11.72 26 65	6.05 23 86	97	1
CIDF 24 0004 106978372	BS 21 0362 BS 22 0038		6.84	103	104	107	0.10 60 97	0.30 39 109	0.35 104	0.61 57 101	0.36 34 109	0.67 105	0.01 13 97	-1.20 36 96	0.25 43 98	0.47 33 100	-4.20 23 112	100	1
WH 24 0004 99096208	OKF 20 0017 GE 18 0141		7.80	75	96	70	0.56 64 104	-0.33 49 86	-0.05 93	0.84 63 103	-0.29 42 87	0.13 96	0.60 31 104	-7.10 40 74	-3.71 50 76	5.03 30 86	8.97 29 79	102	1
CJW 24 0005 99802142	GE 22 0014 WW 20 0111		4.12	86	95	84	0.23 63 99	-0.15 48 93	-0.04 94	0.42 61 99	-0.12 41 93	0.09 95	-0.77 47 88	-3.40 39 88	-1.75 48 87	2.80 33 92	5.12 31 89	93	2
BS 24 0006 108936378	BS 19 0349 BS 22 0268		9.32	108	108	107	0.30 66 100	0.31 53 109	0.46 106	1.10 65 106	0.31 48 108	0.86 109	0.49 26 103	0.60 49 102	1.76 55 106	-3.88 46 113	1.88 35 97	95	1

Ewes



*Inbreeding in red is high

EBV - Estimated Breeding Value

Indices above 124
Above breed average
Indices below 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal			Selection Indices			EBV - Weights							EBV - Fertility						
Animal	Parents		% In-breeding	Logix Merit Index	Growth Index	Repro-duction Index	PreW Dir	PreW Mat	PreW Comb	Wean Dir	Wean Mat	Wean Comb	Post Wean	Lambs Weaned	TWW	AFL	ILP	EPI	Times Lambed
Comp.no.	Sire	Dam					EBV Acc Index	EBV Acc Index	EBV Index	EBV Acc Index	EBV Acc Index	EBV Index	EBV Acc Index	EBV Acc Index	EBV Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Index
Active breed average:				100	100	100	0.30	0.05	0.20	0.51	0.09	0.35	0.24	0.12	0.67	0.32	0.62		
H 24 0006 99927741	JES 06 EL 22	0026 0004	14.64	120	106	130	-0.21 67 92	0.96 59 133	0.86 117	-0.69 65 86	0.99 52 131	0.64 105	-0.73 40 89	4.70 50 117	3.12 57 114	-1.99 41 107	-6.41 38 117	110	2
BS 24 0007 108943168	BS 19 BS 22	0349 0365	7.65	108	102	108	0.18 66 98	0.12 57 103	0.22 100	0.89 65 104	0.08 50 100	0.53 103	0.47 24 102	3.00 45 111	2.77 55 112	-2.36 46 108	0.61 34 100	102	1
RN 24 0007 99751513	DTC 20 RN 21	0052 0009	20.86	75	101	65	0.97 58 110	-0.52 50 79	-0.04 94	1.76 63 113	-0.49 43 80	0.39 100	2.35 43 124	-7.80 36 72	-3.42 49 78	1.10 34 98	12.68 32 70	100	2
CIDF 24 0008 100310663	BS 21 BS 22	0362 0294	4.47	102	103	105	0.31 58 100	0.27 39 108	0.42 106	0.41 56 99	0.34 34 109	0.55 103	0.17 17 99	-1.90 33 93	-0.39 42 94	-0.43 30 102	-3.78 26 111		1
RN 24 0008 99751570	DTC 20 RN 21	0052 0009	20.86	74	99	66	0.88 56 109	-0.47 45 81	-0.03 94	1.42 63 110	-0.46 39 81	0.25 98	2.07 43 121	-7.80 36 72	-3.72 48 76	1.34 34 97	11.85 29 72		1
CIDF 24 0009 106978331	BS 21 BS 22	0362 0162	9.16	108	110	113	0.24 60 99	0.59 39 120	0.70 113	0.57 58 100	0.70 34 121	0.99 111	0.15 13 99	-0.60 33 98	0.92 43 101	1.27 29 97	-2.13 23 107		1
CIDF 24 0011 106978315	BS 21 BS 22	0362 0031	5.09	101	108	106	-0.13 59 93	0.54 40 118	0.48 107	0.72 57 102	0.60 35 117	0.95 110	0.48 21 102	-1.90 38 93	0.17 44 97	0.79 35 99	0.89 28 99	97	1
ROS 24 0011 99011900	DTC 20 DTC 18	0240 0122	8.98	88	102	75	1.50 65 119	-0.66 48 74	0.09 97	1.76 64 113	-0.54 41 78	0.34 100	0.67 57 105	-5.80 43 79	-2.27 50 84	2.63 35 93	4.91 29 89	93	1
CIDF 24 0012 106978323	BS 21 BS 22	0362 0031	5.09	100	110	104	0.00 61 95	0.52 46 117	0.51 108	1.01 59 105	0.59 39 117	1.10 113	0.72 21 105	-2.60 38 91	0.04 46 97	1.11 35 98	2.30 28 96	100	1
WH 24 0012 99096240	OKF 20 WH 17	0017 0058	9.04	84	99	70	1.58 63 120	-0.76 44 70	0.03 95	1.59 62 111	-0.65 38 75	0.15 96	1.61 31 115	-5.30 41 81	-2.24 48 84	-0.26 32 102	9.78 29 77	101	1
CIDF 24 0013 100310622	BS 21 JC 22	0362 0084	3.15	103	112	103	0.80 59 108	0.38 39 112	0.78 115	0.88 57 104	0.53 33 115	0.97 111	1.03 17 109	-2.30 35 92	0.04 43 97	1.66 26 96	2.42 24 95	103	1
CJW 24 0013 99801581	GE 22 GE 21	0014 0060	5.00	95	102	86	1.13 61 113	-0.28 48 88	0.28 102	1.17 60 107	-0.25 40 88	0.34 100	-0.07 45 96	-2.90 40 89	-0.82 48 92	0.51 29 99	4.22 31 91	115	2
WW 24 0013 99994741	WW 22 WW 18	0004 0101	4.35	103	105	103	0.41 63 102	0.36 45 112	0.57 109	0.28 61 97	0.41 39 111	0.55 103	0.12 26 98	1.80 37 107	1.77 47 106	5.00 30 86	6.05 30 86		1
ROS 24 0015 98978885	WW 22 DTC 21	0081 0159	7.91	92	94	98	0.01 58 95	-0.05 37 96	-0.05 93	0.06 56 95	0.02 31 98	0.05 94	-0.13 44 96	-3.30 34 88	-1.91 41 86	3.18 28 91	-8.52 28 123	89	2
H 24 0015 99925513	JES 06 EL 21	0026 0046	6.83	110	97	112	-0.10 66 93	0.24 58 107	0.19 100	-0.07 65 93	0.23 52 105	0.19 97	-0.22 41 95	6.40 49 123	4.00 56 118	-1.77 42 106	3.13 38 94	112	2
ROS 24 0016 98978844	WW 22 DTC 18	0081 0157	5.33	110	96	109	0.48 62 103	-0.32 46 87	-0.08 93	0.70 60 102	-0.22 39 89	0.13 96	0.29 48 100	5.70 33 121	3.90 46 118	4.29 23 88	-3.51 28 110	96	2
FP 24 0018 100097401	FP 23 FP 23	0011 0201	18.91	90	81	101	-1.09 59 78	0.08 47 101	-0.47 82	-1.23 58 81	-0.01 38 97	-0.63 83	-1.16 27 84	0.10 33 100	-1.18 45 90	-4.54 31 115	-7.21 25 119	99	2
BS 24 0019 108936287	BS 19 BS 23	0349 0007	16.04	111	106	111	0.28 64 99	0.28 53 108	0.42 105	0.98 63 105	0.31 48 108	0.80 108	0.38 25 101	2.90 48 110	3.03 54 113	-2.35 46 108	1.71 36 97	102	1

Ewes



*Inbreeding in red is high

EBV - Estimated Breeding Value

Indices above 124
Above breed average
Indices below 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal				Selection Indices			EBV - Weights								EBV - Fertility					
Animal	Parents			% In-breeding	Logix Merit Index	Growth Index	Reproduction Index	PreW Dir	PreW Mat	PreW Comb	Wean Dir	Wean Mat	Wean Comb	Post Wean	Lambs Weaned	TWW	AFL	ILP	EPI	Times Lambed
Comp.no.	Sire	Dam						EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	Phenotype
Active breed average:					100	100	100	0.30	0.05	0.20	0.51	0.09	0.35	0.24	0.12	0.67	0.32	0.62		
RN 24 0021 99751638	DTC LC	21 0091 17 0065		6.18	102	99	102	0.21 64 98	0.27 50 108	0.37 104	0.01 64 94	0.23 43 105	0.23 98	-0.05 28 96	2.10 34 108	1.50 49 105	0.30 30 100	3.82 32 92	100	2
CJW 24 0024 99801649	GE CJW	22 0014 22 0009		5.52	89	85	93	0.08 61 96	0.05 46 100	0.09 97	-1.41 60 79	-0.12 38 93	-0.82 79	-2.22 47 72	-2.50 39 91	-3.03 47 80	1.80 30 96	-8.04 30 121	100	2
BS 24 0025 109137752	BS BS	19 0349 22 0759		4.28	118	117	120	0.39 67 101	0.63 57 121	0.82 116	1.37 66 109	0.75 51 123	1.43 119	0.79 24 106	2.90 48 110	3.86 56 118	-0.43 47 102	2.30 35 96	98	1
WH 24 0026 107619660	ROS WH	22 0020 22 0074		7.15	76	77	83	-0.92 63 81	-0.32 49 87	-0.78 74	-0.82 62 85	-0.46 40 81	-0.87 78	-0.98 28 86	-2.60 31 91	-2.84 46 81	3.09 28 92	-3.27 28 110	100	2
BS 24 0029 109118976	BS BS	21 0366 21 0252		7.47	108	96	112	0.12 65 97	0.08 48 101	0.14 98	0.06 63 95	0.11 39 101	0.14 96	-0.24 13 94	3.30 37 112	2.15 48 108	1.66 37 96	-6.87 24 118	102	1
BS 24 0031 108943184	BS BS	23 0200 23 0026		16.56	102	95	109	-0.54 62 87	0.28 39 108	0.01 95	-0.09 61 93	0.26 32 106	0.21 97	-0.22 19 95	2.40 30 109	1.61 43 105	0.86 30 98	-2.63 22 108		0
H 24 0031 99925844	JES EL	06 0026 19 0136		5.52	104	96	113	-0.49 64 87	0.68 55 123	0.44 106	-1.16 64 81	0.68 50 121	0.10 95	-1.17 42 84	1.60 48 106	0.48 55 99	-4.42 40 114	-2.38 40 107	103	2
WW 24 0034 100183359	WW ROS	20 0042 19 0040		5.96	86	79	97	-1.29 59 75	0.04 42 100	-0.61 79	-1.23 59 81	-0.04 37 96	-0.66 82	-1.41 23 81	0.10 33 100	-1.21 45 90	-0.68 25 103	-4.77 26 113		1
JC 24 0035 100400662	BS JC	21 0486 19 0014		3.95	108	102	107	0.52 67 103	0.24 50 107	0.50 107	0.13 65 95	0.26 43 106	0.32 99	0.17 25 99	2.40 38 109	1.83 50 106	-1.53 33 106	0.42 28 100		0
BS 24 0037 109119032	BS BS	21 0366 21 0128		8.36	110	102	114	-0.18 64 92	0.26 43 108	0.17 99	0.68 63 101	0.31 36 108	0.65 105	0.14 15 99	3.40 33 112	3.03 46 113	-0.44 32 102	-2.24 24 107		1
ROS 24 0043 98978448	WW ROS	22 0081 22 0111		6.34	105	98	105	0.60 58 105	-0.41 42 83	-0.11 92	1.17 57 107	-0.32 34 86	0.26 98	0.33 44 101	0.30 35 101	1.03 43 102	0.93 21 98	-10.90 20 129	113	2
RN 24 0047 99751810	DTC LC	21 0091 19 0063		5.70	91	92	95	-0.40 63 89	0.15 42 104	-0.05 93	-0.19 62 92	0.09 36 100	-0.01 93	-0.31 26 93	0.70 31 103	0.32 45 98	3.94 26 89	4.14 30 91		2
WW 24 0055 99994824	GE WW	21 0037 19 0029		4.51	74	70	83	-0.95 62 80	-0.26 41 89	-0.73 76	-2.05 61 72	-0.35 34 85	-1.38 69	-1.88 20 76	-2.80 32 90	-4.08 44 74	-0.96 23 104	-4.18 28 112	96	2
BS 24 0055 109697425	BS BS	19 0349 23 0182		6.11	109	107	109	0.31 59 100	0.22 53 106	0.37 104	1.16 59 107	0.27 48 106	0.85 109	0.59 25 104	1.10 49 104	2.09 52 108	-3.52 47 112	0.19 36 101	100	1
WH 24 0056 100050897	OKF WH	20 0017 21 0023		8.45	77	94	72	0.60 64 104	-0.33 48 86	-0.04 94	0.51 63 100	-0.32 40 86	-0.07 92	0.43 29 102	-6.30 40 77	-3.59 49 77	6.39 32 82	6.57 35 85	93	3
BS 24 0056 108936402	BS BS	19 0349 22 0442		6.96	108	105	107	0.23 63 99	0.23 52 107	0.35 104	0.99 63 105	0.21 47 104	0.71 106	0.48 24 103	2.00 47 107	2.40 53 110	-1.30 45 105	1.69 35 97	101	1
BS 24 0057 109134007	BS BS	21 0366 22 0384		5.72	110	104	111	0.29 61 100	0.35 40 111	0.49 107	0.33 60 98	0.43 33 112	0.59 104	-0.14 14 95	3.00 31 111	2.56 43 110	-0.12 32 101	1.22 23 98		0
JC 24 0068 101709905	JC JC	21 0043 18 0137		9.02	86	93	84	0.36 66 101	-0.22 49 90	-0.04 94	0.27 64 97	-0.25 42 88	-0.11 92	-0.30 30 94	-4.60 40 83	-2.74 50 81	-0.32 35 102	0.28 30 101		0



Ewes



*Inbreeding in red is high

EBV - Estimated Breeding Value


Indices above 124
Above breed average
Indices below 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal				Selection Indices			EBV - Weights								EBV - Fertility					
Animal	Parents		% In-breeding	Logix Merit Index	Growth Index	Repro-duction Index	PreW Dir	PreW Mat	PreW Comb	Wean Dir	Wean Mat	Wean Comb	Post Wean	Lambs Weaned	TWW	AFL	ILP	EPI	Times Lambed	
Comp.no.	Sire	Dam					EBV Acc Index	EBV Acc Index	EBV Index	EBV Acc Index	EBV Acc Index	EBV Index	EBV Acc Index	EBV Acc Index	EBV Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index
Active breed average:				100	100	100	0.30	0.05	0.20	0.51	0.09	0.35	0.24	0.12	0.67	0.32	0.62			
BS 24 0071 108943267	BS 19 0349 BS 21 0204		5.26	115	105	118	-0.07 66 94	0.58 54 119	0.54 109	0.36 65 98	0.54 49 115	0.71 106	-0.08 29 96	4.70 46 117	3.71 54 117	-1.61 43 106	0.54 36 100		0	
ROS 24 0072 98977366	ROS 22 0052 JR 18 0081		6.87	82	73	88	-0.46 59 88	-0.36 49 85	-0.59 79	-1.81 57 74	-0.47 40 81	-1.37 69	-1.04 42 85	1.10 38 104	-1.61 46 88	-0.56 31 103	-2.72 27 108	110	2	
LR 24 0077 101766236	LR 20 0006 XRZ 17 0030		3.65	108	87	106	0.42 63 102	-0.42 48 83	-0.22 89	-0.30 61 91	-0.41 40 83	-0.56 84	-0.32 19 93	6.80 41 125	3.37 48 115	-4.22 34 114	-3.19 30 109	124	2	
LR 24 0078 101766244	LR 20 0006 XRZ 17 0030		3.65	109	98	107	0.75 63 107	0.02 48 99	0.40 105	-0.01 61 94	0.07 40 99	0.07 95	-0.07 19 96	3.40 41 112	2.10 48 108	-4.40 34 114	-0.66 30 103	113	2	
BS 24 0080 109137786	BS 19 0349 BS 22 0193		3.26	122	123	116	1.13 66 113	0.41 57 113	0.98 120	2.27 65 119	0.56 50 116	1.70 124	1.58 24 115	2.60 45 109	4.39 55 121	-1.46 46 105	5.18 34 88	98	1	
BS 24 0083 108943291	BS 23 0200 BS 22 0728		5.67	117	104	122	-0.06 63 94	0.44 42 114	0.41 105	0.42 62 99	0.46 35 113	0.67 105	0.23 20 100	5.20 37 119	4.00 46 118	-1.71 37 106	-3.52 25 110	101	1	
BS 24 0084 108943309	BS 23 0200 BS 22 0728		5.67	116	103	122	-0.29 63 91	0.45 42 115	0.31 103	0.45 62 99	0.47 35 113	0.69 106	0.18 20 99	5.70 37 121	4.33 46 120	-1.74 35 106	-3.00 25 109	109	1	
ROS 24 0086 98977762	ROS 22 0090 ROS 20 0047		7.48	91	94	88	0.53 57 103	-0.05 40 96	0.21 100	-0.16 56 92	-0.10 35 94	-0.18 90	0.09 46 98	-1.40 33 95	-1.10 43 90	-0.74 27 103	4.86 26 89		1	
ROS 24 0095 98977564	ROS 22 0064 ROS 21 0112		7.01	91	95	101	-0.70 61 84	0.60 49 120	0.25 101	-0.83 60 85	0.56 41 116	0.15 96	-1.34 44 82	-3.90 39 86	-2.60 48 82	-3.70 31 112	-2.42 29 107	109	2	
BS 24 0096 108943325	BS 19 0349 BS 23 1100		5.08	119	114	120	0.44 64 102	0.64 52 121	0.86 117	0.97 63 105	0.70 46 121	1.19 115	0.48 23 103	2.80 43 110	3.35 52 115	-1.97 42 107	-0.64 32 103		0	
LR 24 0098 101766426	LR 22 0008 LR 20 0107		13.78	110	110	100	1.12 63 113	-0.25 45 89	0.32 103	2.13 61 117	-0.10 39 93	0.96 111	1.35 29 112	2.00 36 107	3.23 47 114	-5.07 40 116	7.95 33 82		2	
LR 24 0099 101766434	LR 22 0008 LR 20 0107		13.78	108	105	97	1.05 65 112	-0.41 53 83	0.12 98	1.97 64 116	-0.29 44 87	0.70 106	1.22 29 111	2.60 42 109	3.24 51 114	-5.72 41 118	7.70 33 82	114	2	
ROS 24 0111 100111939	DTC 22 0101 DTC 22 0501		18.72	103	117	99	0.87 61 109	0.36 39 111	0.79 115	1.80 60 114	0.47 33 113	1.37 118	1.47 54 114	-4.50 31 84	-0.43 43 94	-4.14 27 114	4.65 23 90		1	
BS 24 0120 108936311	BS 19 0349 BS 19 0087		7.06	118	107	117	0.25 68 99	0.27 55 108	0.39 105	1.21 66 107	0.28 49 107	0.88 109	0.48 24 103	6.80 49 125	5.57 56 127	-0.51 42 103	3.75 34 92	100	1	
BS 24 0122 109119198	BS 21 0366 BS 19 0422		10.16	105	103	111	0.25 65 99	0.50 48 116	0.62 111	-0.33 63 90	0.61 39 118	0.45 102	-0.45 14 92	0.30 37 101	0.47 48 99	3.70 37 90	-3.40 23 110	97	1	
BS 24 0126 109138230	BS 19 0349 BS 22 0464		10.36	118	110	115	0.69 66 106	0.24 54 107	0.59 110	1.25 65 108	0.30 49 107	0.92 110	0.77 26 106	3.90 46 114	3.89 54 118	-3.78 47 112	0.28 36 101	98	1	
LR 24 0127 106816309	LR 22 0017 LR 23 0058		10.19	96	96	84	1.16 58 113	-0.89 44 66	-0.31 87	1.77 57 113	-0.79 37 70	0.10 95	1.71 21 116	1.00 30 104	1.58 43 105	-5.63 28 118	7.26 22 83	100	1	
ROS 24 0130 100574458	DTC 22 0030 HAW 20 0035		8.09	112	127	103	2.00 66 126	0.35 43 111	1.35 130	2.32 65 119	0.58 36 117	1.74 124	2.68 55 128	-2.80 33 90	1.22 46 103	3.91 24 89	5.96 23 87		0	

Ewes



*Inbreeding in red is high

EBV - Estimated Breeding Value


Indices above 124
Above breed average
Indices below 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal				Selection Indices			EBV - Weights								EBV - Fertility					
Animal	Parents		% In-breeding	Logix Merit Index	Growth Index	Repro-duction Index	PreW Dir	PreW Mat	PreW Comb	Wean Dir	Wean Mat	Wean Comb	Post Wean	Lambs Weaned	TWW	AFL	ILP	EPI	Times Lambed	
Comp.no.	Sire	Dam					EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index
Active breed average:				100	100	100	0.30	0.05	0.20	0.51	0.09	0.35	0.24	0.12	0.67	0.32	0.62			
BS 24 0139 108964735	BS 19 0349 BS 23 0917	5.77	118	115	114	0.84 63 108	0.46 51 115	0.88 117	1.21 62 107	0.53 45 115	1.14 114	0.83 25 107	2.80 42 110	3.42 51 115	-3.89 41 113	3.75 33 92		0		
JC 24 0140 107131401	JC 21 0043 JC 14 0115	5.23	86	95	82	0.46 67 102	-0.24 52 90	-0.01 95	0.45 67 99	-0.19 46 90	0.04 94	0.67 34 105	-2.00 44 93	-0.94 54 91	5.41 37 85	7.48 33 83	104	1		
BS 24 0142 108936220	BS 19 0349 BS 22 0267	9.41	109	104	107	0.29 66 100	0.08 54 101	0.22 100	1.26 65 108	0.05 48 99	0.68 106	0.75 25 106	4.00 46 114	3.71 54 117	-0.34 47 102	3.75 36 92		1		
ROS 24 0143 100574110	ROS 22 0021 ROS 16 0016	8.74	87	92	98	-0.68 60 84	0.29 41 109	-0.05 93	-0.48 58 89	0.24 36 105	0.01 94	0.55 45 103	-2.70 39 90	-1.85 45 86	2.38 32 94	-4.17 25 112	97	1		
ROS 24 0144 100574276	ROS 22 0021 ROS 16 0016	8.74	89	97	96	-0.29 60 91	0.25 41 107	0.10 97	0.02 58 94	0.24 36 105	0.25 98	0.68 45 105	-2.80 35 90	-1.42 44 89	2.10 26 95	-0.32 25 102		0		
BS 24 0149 109133710	BS 21 0366 BS 22 0813	8.78	117	116	115	0.79 63 107	0.34 41 111	0.73 114	1.64 62 112	0.51 34 114	1.33 117	0.62 18 104	2.20 36 108	3.46 45 115	1.93 36 95	1.07 22 99	102	1		
P 24 0150 109273284	P 20 0313 P 19 0556	20.73	110	95	99	1.25 58 115	-0.68 50 73	-0.05 93	0.94 58 104	-0.54 43 79	-0.06 92	0.74 24 106	6.70 37 124	4.43 47 121	-5.66 33 118	6.13 31 86	100	1		
ROS 24 0156 100606789	DTC 22 0238 WW 20 0040	7.14	101	109	91	1.36 61 116	-0.25 46 89	0.43 106	1.71 59 113	-0.04 39 95	0.81 108	0.93 49 108	-1.20 37 96	0.95 46 102	4.05 31 89	7.14 24 84	108	1		
ROS 24 0158 100574433	ROS 22 0090 ROS 20 0004	7.32	103	111	95	1.17 58 113	0.10 38 102	0.68 112	1.44 56 110	0.19 32 103	0.91 110	1.41 42 113	0.60 35 102	1.99 42 107	1.28 25 97	12.39 23 71	97	1		
ROS 24 0161 100573898	ROS 22 0021 ROS 20 0033	6.76	87	91	94	-0.62 62 85	0.08 47 101	-0.24 89	-0.08 60 93	0.05 40 99	0.01 94	0.48 48 103	-2.10 38 92	-1.29 47 89	0.81 32 98	-0.55 25 103	99	1		
BS 24 0163 108964776	BS 23 0200 BS 23 0397	6.10	112	106	115	0.11 63 97	0.33 42 110	0.39 105	0.84 62 103	0.40 36 111	0.82 108	0.46 22 102	2.80 34 110	2.92 46 112	-1.02 32 104	-1.53 24 105		0		
ROS 24 0163 100573971	DTC 19 0120 ROS 21 0128	7.58	94	98	94	-0.19 64 92	-0.03 51 97	-0.13 91	0.97 63 105	-0.08 45 94	0.40 101	0.60 54 104	-0.80 43 97	0.41 51 99	-1.16 39 104	3.24 33 93		0		
BS 24 0166 109188516	BS 19 0349 BS 22 0295	9.77	110	102	114	-0.34 64 90	0.37 53 112	0.20 100	0.63 63 101	0.29 47 107	0.60 104	0.17 24 99	3.40 47 112	2.96 53 113	-2.46 46 108	-1.82 34 106	100	1		
BS 24 0170 108936253	BS 19 0349 BS 23 0099	5.22	112	108	113	0.16 65 98	0.37 52 112	0.45 106	1.13 64 106	0.39 46 110	0.95 110	0.71 25 105	2.80 44 110	3.20 52 114	-1.23 41 105	1.42 32 98		0		
JC 24 0180 107140311	BS 21 0486 JC 22 0229	2.95	103	113	98	0.90 64 109	0.31 47 110	0.76 114	1.26 63 108	0.39 40 110	1.02 112	0.88 31 107	-2.20 35 92	0.33 48 98	-0.59 34 103	6.26 28 86	107	1		
ROS 24 0183 100574011	DTC 22 0030 ROS 21 0027	9.55	90	99	85	0.87 65 109	-0.59 49 77	-0.16 91	1.79 64 114	-0.53 41 79	0.37 100	2.65 49 127	-3.80 39 86	-1.02 49 91	0.59 35 99	-0.38 29 102	101	1		
BS 24 0186 108936303	BS 19 0349 BS 20 0238	5.65	109	101	110	-0.04 66 94	0.35 54 111	0.33 103	0.32 65 98	0.30 48 107	0.46 102	-0.13 24 96	3.20 46 112	2.54 54 110	-5.21 43 117	2.10 35 96		0		
BS 24 0187 108936261	BS 23 0200 BS 18 0226	7.74	102	97	112	-0.59 67 86	0.32 45 110	0.03 95	0.03 65 94	0.36 39 109	0.37 100	-0.30 21 94	0.20 41 101	0.50 49 99	-2.84 39 110	-7.29 28 120	101	1		

Ewes



*Inbreeding in red is high

EBV - Estimated Breeding Value


Indices above 124
Above breed average
Indices below 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal				Selection Indices			EBV - Weights								EBV - Fertility					
Animal	Parents		% In-breeding	Logix Merit Index	Growth Index	Repro-duction Index	PreW Dir	PreW Mat	PreW Comb	Wean Dir	Wean Mat	Wean Comb	Post Wean	Lambs Weaned	TWW	AFL	ILP	EPI	Times Lambed	
Comp.no.	Sire	Dam					EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index
Active breed average:				100	100	100	0.30	0.05	0.20	0.51	0.09	0.35	0.24	0.12	0.67	0.32	0.62			
ROS 24 0191 100574151	DTC ROS	22 0030 21 0017	10.57	96	105	88	1.23 66 114	-0.43 45 82	0.19 100	1.94 64 115	-0.36 38 85	0.61 104	2.38 50 124	-2.00 36 93	0.39 48 99	-0.49 31 102	5.26 30 88		0	
LR 24 0194 106816267	LR LR	22 0008 23 0065	11.18	111	110	102	1.17 64 113	-0.31 44 87	0.27 102	2.29 63 119	-0.17 37 91	0.98 111	1.76 28 117	2.10 35 108	3.38 47 115	-3.68 35 112	4.79 27 89		0	
LR 24 0197 106816135	LR LR	22 0013 21 0015	9.80	91	95	90	0.32 64 100	-0.46 44 81	-0.30 87	1.14 62 107	-0.37 38 84	0.20 97	1.93 28 119	-1.60 37 94	-0.19 47 95	1.56 33 96	-0.59 28 103		0	
BS 24 0200 108964875	BS BS	19 0349 22 0323	8.13	117	113	117	0.45 66 102	0.60 58 120	0.82 116	1.09 65 106	0.58 51 117	1.12 113	0.59 24 104	3.00 47 111	3.47 55 115	-1.19 47 105	0.86 34 99	104	1	
BS 24 0209 109133785	BS BS	21 0366 22 0540	11.29	120	121	116	1.35 66 116	0.37 51 112	1.04 122	1.79 64 114	0.59 41 117	1.49 120	1.24 11 111	1.10 36 104	3.04 49 113	2.21 37 94	-0.47 22 103	104	1	
JC 24 0229 107140725	JC JC	21 0043 22 0257	15.77	97	106	97	0.67 64 106	0.35 47 111	0.69 112	0.31 63 97	0.41 41 111	0.57 104	0.27 31 100	-3.30 39 88	-1.25 49 90	3.86 38 89	1.67 29 97		1	
RC 24 0230 106967656	RC RC	20 0107 22 0169	10.51	84	90	81	0.12 59 97	-0.13 39 94	-0.07 93	-0.29 58 91	-0.19 34 90	-0.34 88	-1.49 46 80	-3.60 33 87	-2.64 43 82	0.36 28 100	4.42 25 90		0	
JC 24 0230 107140766	JC JC	21 0043 22 0248	9.74	102	108	102	0.67 65 106	0.37 48 112	0.71 113	0.54 64 100	0.43 41 112	0.70 106	0.01 27 97	-3.10 38 89	-0.89 49 92	2.65 34 93	-2.28 28 107		1	
JC 24 0231 107140824	BS JC	21 0486 22 0107	3.91	114	110	109	1.17 66 113	0.13 53 103	0.72 113	1.08 65 106	0.25 45 105	0.79 108	0.74 26 105	2.30 40 108	2.71 52 111	-2.17 36 108	1.51 27 98	95	1	
ROS 24 0237 100574656	DTC ROS	22 0030 21 0012	10.56	108	124	94	2.29 65 131	0.14 49 103	1.28 128	2.30 64 119	0.27 42 106	1.42 119	3.20 51 134	-2.20 39 92	1.25 50 103	1.29 34 97	12.03 29 71	100	1	
BS 24 0245 109030114	BS BS	19 0349 23 0331	11.65	118	115	115	0.60 66 105	0.50 57 116	0.80 115	1.43 65 110	0.53 51 115	1.24 116	0.88 28 107	3.20 48 112	3.88 56 118	-3.11 47 110	4.33 35 91	98	1	
BS 24 0246 109030122	BS BS	19 0349 23 0331	11.65	118	117	113	0.66 66 105	0.39 57 112	0.72 113	1.93 65 115	0.44 51 112	1.40 118	1.25 28 111	3.60 48 113	4.53 56 121	-3.03 47 110	7.07 35 84	98	1	
BS 24 0257 109137612	BS BS	19 0349 22 0544	10.00	120	121	115	1.01 66 111	0.44 56 114	0.94 119	2.05 65 116	0.54 49 115	1.56 121	1.39 24 113	2.30 47 108	3.97 55 118	-2.82 46 110	5.02 34 89	97	1	
FJ 24 0299 107526022	FJ HAW	22 0028 17 0045	3.34	113	108	114	0.51 65 103	0.15 39 104	0.41 105	1.38 63 109	0.23 33 105	0.92 110	0.78 17 106	1.10 33 104	2.26 45 109	-3.50 35 112	-4.95 23 114	100	1	
BS 24 0425 99871766	HIS BS	00 0070 21 0174	3.89	91	99	87	0.35 67 101	-0.38 58 84	-0.21 89	1.53 66 111	-0.30 54 87	0.46 102	1.25 40 111	-1.70 52 94	0.21 58 98	1.82 49 95	5.76 45 87	101	2	
BS 24 0426 99871725	HIS BS	00 0070 21 0174	3.89	93	103	92	0.22 67 99	-0.14 58 93	-0.03 94	1.59 66 111	-0.04 54 96	0.76 107	1.26 40 111	-2.60 52 91	-0.01 58 96	1.59 49 96	4.43 45 90	106	2	
BS 24 0563 99871808	BS BS	19 0349 23 0150	4.69	113	110	115	0.11 65 97	0.62 56 121	0.68 112	0.69 64 102	0.63 50 119	0.98 111	0.19 24 99	1.70 47 106	2.34 55 109	-3.68 46 112	0.66 33 100	95	1	
BS 24 0564 99871782	BS BS	19 0349 23 0150	4.69	111	110	110	0.35 65 101	0.34 56 111	0.52 108	1.25 64 108	0.39 50 111	1.02 112	0.68 24 105	1.40 49 105	2.48 55 110	-2.86 46 110	2.05 37 96	103	2	

Ewes



*Inbreeding in red is high

EBV - Estimated Breeding Value

Indices above 124
Above breed average
Indices below 76


Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal			Selection Indices			EBV - Weights								EBV - Fertility					
Animal	Parents		% In-breeding	Logix Merit Index	Growth Index	Reproduction Index	PreW Dir	PreW Mat	PreW Comb	Wean Dir	Wean Mat	Wean Comb	Post Wean	Lambs Weaned	TWW	AFL	ILP	EPI	Times Lambled
Comp.no.	Sire	Dam		Index	Index	Index	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	Phenotype
							Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	
Active breed average:				100	100	100	0.30	0.05	0.20	0.51	0.09	0.35	0.24	0.12	0.67	0.32	0.62		
BS 24 0573 99871964	BS 19 0349 BS 23 0310		7.03	105	106	104	0.51 66	0.36 103	0.61 111	0.60 65	0.33 51	0.62 105	0.35 28	0.00 49	0.92 100	-1.35 47	2.16 39	96	2
BS 24 0792 106982150	BS 22 0155 BS 23 0766		5.19	115	102	115	0.56 65	-0.13 104	0.15 99	1.24 64	-0.15 43	0.47 102	0.91 17	4.30 41	3.67 117	-0.11 39	-8.38 101	112	2
BS 24 0793 100139112	BS 22 0155 BS 23 0070		8.59	111	112	107	1.04 64	0.05 111	0.57 109	1.85 63	0.11 41	1.03 112	1.39 18	0.60 40	2.31 109	3.96 39	-2.36 89	107	1
BS 24 0824 100139393	BS 22 0155 BS 23 0179		8.86	117	111	115	0.90 65	0.16 109	0.61 111	1.57 63	0.19 42	0.97 103	1.16 18	1.90 43	2.89 112	-1.71 38	-5.50 106	115	2
BS 24 0965 100139195	BS 22 0155 BS 23 0122		3.75	114	115	113	0.88 63	0.44 109	0.88 118	1.29 61	0.52 36	1.17 114	0.87 17	0.60 38	2.17 102	2.20 46	-1.17 108	104	2
BS 24 0966 100139138	BS 22 0155 BS 23 0122		3.75	117	117	114	1.00 63	0.43 111	0.93 119	1.46 61	0.52 36	1.25 116	1.02 17	1.70 38	3.00 106	1.95 32	1.04 95	99	1
BS 24 0980 100147404	BS 22 0155 BS 23 0163		9.27	112	111	111	0.79 64	0.13 107	0.53 108	1.63 63	0.17 41	0.98 111	1.35 18	0.00 40	1.80 100	0.16 49	-6.22 37	117	2
BS 24 0994 100139153	BS 22 0155 BS 22 0755		8.26	120	118	113	1.31 64	0.02 116	0.68 112	2.57 62	0.14 40	1.42 119	2.05 17	2.20 41	4.03 108	-0.23 49	-1.36 118	105	2
H 25 0002 109184036	HIS 00 0070 H 23 0004		3.58	92	96	90	0.52 64	-0.03 103	0.24 101	0.02 63	-0.02 49	-0.01 94	0.50 44	-1.20 47	-0.72 96	0.13 54	5.39 101	88	0
H 25 0004 109184051	HIS 00 0070 H 24 0006		2.59	107	110	106	0.73 66	0.34 107	0.71 113	0.92 64	0.43 51	0.89 109	1.00 44	-0.40 48	1.12 55	0.90 46	1.49 98	98	0
H 25 0006 109184077	HIS 00 0070 H 24 0015		8.91	101	105	96	0.75 65	-0.02 107	0.36 104	1.10 64	0.06 51	0.61 104	1.16 44	0.40 48	1.40 55	1.01 46	6.27 98	86	0
CIDF 25 0006 107790990	BS 22 0121 BS 22 0224		18.70	98	95	100	-0.30 59	-0.05 90	-0.20 89	0.69 57	-0.15 37	0.20 97	0.30 16	1.20 39	1.27 45	0.40 33	-0.75 100	103	1
BOS 25 0009 111366423	BOS 21 0001 DJ 20 0023		3.46	88	82	94	-0.75 59	0.16 83	-0.22 89	-1.52 57	0.02 32	-0.74 81	-2.74 19	-0.50 30	-1.80 41	-0.41 21	-2.45 102	108	0
HL 25 0013 107710832	HL 23 0074 HL 22 0120		7.31	102	99	103	0.30 60	0.03 100	0.18 99	0.38 59	0.10 31	0.29 99	0.16 43	1.20 29	1.20 41	2.18 24	-1.12 94	104	0
H 25 0014 109184093	HIS 00 0070 EL 22 0063		4.48	108	120	104	1.25 65	0.51 115	1.13 124	1.56 63	0.65 49	1.43 119	1.01 40	-4.30 45	-0.37 53	-1.83 46	2.55 107	95	1
BOS 25 0016 111366464	BOS 21 0001 BOS 23 0021		3.29	91	88	94	-0.39 55	0.03 89	-0.17 90	-0.59 53	-0.03 28	-0.32 88	-1.79 18	-1.00 26	-1.22 37	-0.93 20	-1.09 104	104	0
H 25 0016 109184135	HIS 00 0070 H 23 0010		1.64	93	108	90	0.73 65	0.18 107	0.55 109	1.05 64	0.27 48	0.80 108	0.88 40	-3.30 45	-0.65 53	5.33 45	8.40 85	80	1
CIDF 25 0019 108939976	BS 22 0155 BS 22 0661		5.73	138	132	126	2.15 65	-0.06 129	1.01 121	4.13 64	0.16 38	2.23 133	3.21 17	5.50 39	7.59 120	2.19 48	-2.50 138	102	1



Ewes



*Inbreeding in red is high

EBV - Estimated Breeding Value


Indices above 124
Above breed average
Indices below 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal					Selection Indices			EBV - Weights								EBV - Fertility						
Animal	Parents		% In-breeding	Logix Merit Index	Growth Index	Repro-duction Index	PreW Dir	PreW Mat	PreW Comb	Wean Dir	Wean Mat	Wean Comb	Post Wean	Lambs Weaned	TWW	AFL	ILP	EPI	Times Lambed			
Comp.no.	Sire	Dam					EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	Phenotype
							Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index
Active breed average:					100	100	100	0.30	0.05	0.20	0.51	0.09	0.35	0.24	0.12	0.67	0.32	0.62				
CIDF 25 0022 108940008	BS	22 0155 BS 22 0661	5.73	136	128	127	1.55 66 119	-0.02 45 98	0.76 114	3.91 64 136	0.17 38 103	2.13 131	2.89 17 130	6.30 39 123	7.86 48 139	2.01 37 95	-2.11 25 107	99	1			
CIDF 25 0023 108940016	BS	22 0155 BS 22 0661	5.73	142	133	128	2.33 66 132	-0.08 45 95	1.09 123	4.26 64 136	0.16 38 102	2.29 134	3.36 17 135	7.00 39 125	8.62 48 144	1.99 37 95	-1.05 25 104	99	1			
CIDF 25 0024 108940024	BS	22 0155 BS 22 0661	5.73	145	130	133	2.06 66 127	-0.05 45 96	0.98 120	3.95 64 136	0.17 38 103	2.14 131	3.07 17 132	9.20 39 133	9.64 48 149	1.98 36 95	-2.67 25 108	100	1			
CIDF 25 0025 108940040	BS	22 0155 BS 22 0661	5.73	139	129	128	1.96 65 126	-0.04 45 97	0.94 119	3.87 64 136	0.17 38 103	2.10 131	2.98 17 131	7.00 36 125	8.23 48 142	2.09 33 95	-2.66 25 108		0			
CIDF 25 0026 109213108	BS	22 0155 BS 22 0661	5.73	140	128	130	1.85 65 124	-0.03 45 97	0.89 118	3.76 64 135	0.17 38 103	2.05 130	2.87 17 130	7.00 36 125	8.13 48 141	2.27 37 94	-4.97 25 114		1			
CIDF 25 0028 108902875	DTC ROS	22 0101 24 0043	8.02	97	102	99	0.28 60 99	0.11 36 102	0.25 101	0.77 59 102	0.17 29 103	0.55 103	0.81 46 106	-4.00 28 85	-1.46 40 88	-2.35 24 108	-4.49 20 113		1			
CIDF 25 0030 110260049	DTC ROS	20 0229 20 0087	6.21	102	87	107	-0.46 63 88	-0.03 43 97	-0.26 88	-0.50 63 89	-0.06 36 95	-0.31 88	-1.03 43 85	5.20 34 119	2.56 46 110	-0.12 28 101	-2.25 26 107		0			
CIDF 25 0032 108902867	DTC ROS	20 0229 21 0036	9.25	90	86	92	-0.38 64 89	-0.24 43 89	-0.43 83	-0.01 64 94	-0.32 37 86	-0.32 88	-0.18 41 95	0.50 35 102	-0.03 47 96	-1.00 32 104	0.24 29 101		1			
WW 25 0033 108796848	WW BS	23 0090 20 0060	3.21	106	100	105	0.55 59 104	0.08 40 101	0.36 104	0.38 57 98	0.08 35 100	0.27 98	-0.05 24 97	1.20 32 104	1.17 43 103	0.84 27 98	-3.80 26 111		0			
CIDF 25 0036 109200501	BS	17 0111 BS 22 0661	10.71	133	119	126	1.31 68 116	0.13 55 103	0.78 115	2.41 66 120	0.28 50 107	1.48 120	1.49 30 114	7.80 47 128	7.36 55 137	1.75 42 96	-1.06 34 104		0			
CIDF 25 0037 109200469	BS	17 0111 BS 22 0661	10.71	129	116	125	0.86 68 109	0.17 55 104	0.60 110	2.14 66 117	0.29 50 107	1.35 117	1.18 30 110	7.80 47 128	7.10 55 135	1.86 45 95	-0.29 34 102		1			
BOS 25 0038 111368825	BOS BOS	21 0001 23 0005	3.23	96	92	99	-0.26 59 91	0.12 36 103	-0.01 94	-0.35 57 90	0.07 30 99	-0.10 92	-1.67 18 78	-0.10 27 100	-0.33 40 95	-0.71 21 103	-1.88 20 106		0			
CIDF 25 0039 109200444	BS	17 0111 BS 22 0661	10.71	129	117	124	0.87 68 109	0.16 55 104	0.59 110	2.31 66 119	0.29 50 107	1.44 119	1.30 30 112	7.80 47 128	7.27 55 136	1.82 45 95	0.86 34 99		1			
CIDF 25 0040 109200493	BS	17 0111 BS 22 0661	10.71	130	117	126	0.99 68 111	0.15 55 104	0.65 111	2.26 66 119	0.28 50 107	1.41 119	1.30 30 112	7.80 47 128	7.22 55 136	1.75 42 96	-1.06 34 104		0			
ROS 25 0041 108939216	DTC ROS	22 0101 24 0072	7.88	85	90	90	-0.21 62 92	0.13 38 103	0.03 95	-0.68 60 87	0.09 31 100	-0.24 89	0.17 46 99	-3.60 29 87	-2.74 42 81	-3.09 26 110	0.17 22 101		0			
WW 25 0041 109119362	WW WW	22 0004 20 0095	5.13	96	99	98	0.18 55 98	0.17 43 104	0.26 101	0.08 54 95	0.22 37 104	0.26 98	0.10 30 98	-1.20 36 96	-0.43 43 94	2.68 29 93	-0.09 28 102		0			
CIDF 25 0042 109200519	BS	17 0111 BS 22 0661	10.71	136	123	128	1.44 68 118	0.10 55 102	0.82 116	2.95 66 126	0.27 50 106	1.75 124	1.91 30 119	7.80 47 128	7.91 55 140	1.75 42 96	-1.06 34 104		0			
CIDF 25 0045 109365833	BS	17 0111 BS 22 0661	10.71	133	120	127	1.26 68 115	0.12 55 103	0.75 114	2.60 66 122	0.28 50 107	1.58 121	1.61 30 115	7.80 47 128	7.56 55 138	1.75 42 96	-1.06 34 104		0			

Ewes



*Inbreeding in red is high

EBV - Estimated Breeding Value

Indices above 124
Above breed average
Indices below 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal				Selection Indices			EBV - Weights								EBV - Fertility					
Animal	Parents		% In-breeding	Logix Merit Index	Growth Index	Repro-duction Index	PreW Dir	PreW Mat	PreW Comb	Wean Dir	Wean Mat	Wean Comb	Post Wean	Lambs Weaned	TWW	AFL	ILP	EPI	Times Lambed	
Comp.no.	Sire	Dam					EBV Acc Index	EBV Acc Index	EBV Index	EBV Acc Index	EBV Acc Index	EBV Index	EBV Acc Index	EBV Acc Index	EBV Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index
Active breed average:				100	100	100	0.30	0.05	0.20	0.51	0.09	0.35	0.24	0.12	0.67	0.32	0.62			
ROS 25 0045 108938986	DTC DTC	20 0229 22 0364	19.18	90	80	93	-0.33 62 90	-0.34 38 86	-0.50 82	-0.84 61 85	-0.40 31 83	-0.82 79	-1.09 45 85	2.30 30 108	0.14 42 97	0.94 24 98	-1.46 22 105		0	
CIDF 25 0046 109365874	BS BS	17 0111 22 0661	10.71	129	115	125	0.83 68 108	0.17 55 105	0.59 110	2.01 66 116	0.29 50 107	1.29 116	1.08 30 109	7.80 47 128	6.98 55 135	1.73 45 96	-0.98 34 104		1	
BS 25 0050 112600101	BS BS	23 0200 21 0262	4.81	106	102	112	-0.26 57 91	0.50 41 116	0.37 104	0.12 56 95	0.52 35 115	0.58 104	-0.25 24 94	2.90 32 110	2.38 42 110	2.82 31 92	1.00 24 99		0	
CIDF 25 0054 109365858	JES H	06 0026 22 0033	16.18	111	95	120	-0.27 60 91	0.78 49 127	0.64 111	-1.64 60 76	0.71 46 122	-0.11 92	-1.63 39 78	5.20 43 119	2.19 51 108	0.09 41 101	-3.91 37 111		1	
CIDF 25 0055 109365890	JES H	06 0026 22 0033	16.18	112	98	119	-0.11 60 93	0.76 49 126	0.70 113	-1.36 60 79	0.71 46 121	0.03 94	-1.39 39 81	5.20 43 119	2.47 51 110	0.08 41 101	-2.30 37 107		1	
CIDF 25 0056 110383684	GW BS	23 0087 22 0414	3.28	103	93	111	-0.42 61 88	0.42 36 113	0.21 100	-0.99 60 83	0.39 30 110	-0.10 92	-1.00 29 86	2.50 28 109	0.91 41 101	-0.14 26 101	-4.79 22 113		0	
CIDF 25 0057 110383551	GW BS	23 0087 22 0484	2.82	111	100	115	-0.05 63 94	0.43 41 114	0.40 105	-0.32 62 91	0.49 36 114	0.33 99	-0.43 31 92	4.90 34 118	3.11 46 113	-0.63 32 103	0.16 27 101		0	
CIDF 25 0062 109873851	H EL	24 0007 21 0026	4.52	99	103	100	-0.35 54 90	0.11 35 102	-0.07 93	1.45 52 110	0.14 32 102	0.86 109	0.93 22 108	1.10 30 104	2.25 39 109	0.46 32 100	6.71 26 85		1	
ROS 25 0065 108939166	DTC DTC	20 0229 18 0167	9.10	88	89	96	-0.96 65 80	0.20 43 105	-0.29 87	-0.46 64 89	0.16 36 103	-0.07 92	-1.22 47 83	-1.30 35 95	-1.08 47 91	0.06 32 101	-0.26 25 102		1	
CIDF 25 0065 110383577	BS BS	22 1004 24 0792	12.74	110	105	110	0.41 62 101	0.01 38 99	0.22 100	1.43 60 110	0.03 32 98	0.74 107	1.02 12 109	1.00 31 104	2.06 43 108	0.12 35 101	-6.88 23 119		1	
CIDF 25 0071 109873877	BS BS	22 1004 22 0038	5.28	104	100	108	0.05 64 96	0.16 42 104	0.19 100	0.50 62 100	0.15 36 102	0.40 101	0.10 14 98	0.20 34 101	0.77 46 101	-0.05 33 101	-6.35 25 117		0	
ROS 25 0071 108939067	DTC HL	20 0229 18 0021	6.67	86	77	97	-1.36 66 74	-0.11 45 94	-0.79 74	-1.05 64 83	-0.20 38 90	-0.72 81	-1.41 45 81	2.00 36 107	-0.04 48 96	2.07 31 95	-3.16 28 109		0	
CIDF 25 0072 109873901	BS BS	22 1004 22 0038	5.28	107	101	107	0.75 64 107	0.13 42 103	0.50 108	0.19 62 96	0.14 36 102	0.23 98	0.07 14 98	0.20 34 101	0.45 46 99	-0.05 33 101	-6.35 25 117		0	
WW 25 0072 108862913	WW WW	22 0004 23 0007	6.57	95	95	97	0.13 62 97	0.08 41 101	0.15 99	-0.12 60 93	0.08 35 100	0.03 94	0.16 25 99	-0.30 32 99	-0.21 44 95	2.91 26 92	-0.37 26 102		0	
ROS 25 0072 108939521	DTC DTC	20 0229 21 0201	8.33	90	81	99	-1.01 65 79	0.02 42 99	-0.48 82	-1.06 64 82	-0.08 35 94	-0.61 83	-1.75 47 77	1.10 34 104	-0.47 46 94	1.05 34 98	-4.63 25 113		1	
CIDF 25 0073 110383601	BS LR	22 1004 24 0099	4.21	105	105	102	0.45 62 102	-0.11 39 94	0.11 98	1.71 61 113	-0.04 33 96	0.81 108	1.06 17 109	0.20 31 101	1.79 43 106	-2.49 36 109	0.77 24 99		1	
CIDF 25 0074 110383486	BS LR	22 1004 24 0099	4.21	102	102	100	0.35 62 101	-0.09 39 95	0.09 97	1.28 61 108	-0.04 33 96	0.60 104	0.73 17 105	0.20 31 101	1.37 43 104	-2.73 32 109	2.13 24 96		0	
ROS 25 0076 108939075	DTC DTC	20 0229 18 0157	6.40	98	81	101	-0.36 66 89	-0.33 43 86	-0.52 81	-0.73 64 86	-0.37 36 84	-0.73 81	-1.01 45 86	6.50 34 124	2.80 46 112	2.12 28 95	-0.62 25 103		0	

Ewes



*Inbreeding in red is high

EBV - Estimated Breeding Value

Indices above 124
Above breed average
Indices below 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal				Selection Indices			EBV - Weights								EBV - Fertility					
Animal	Parents		% In-breeding	Logix Merit Index	Growth Index	Repro-duction Index	PreW Dir	PreW Mat	PreW Comb	Wean Dir	Wean Mat	Wean Comb	Post Wean	Lambs Weaned	TWW	AFL	ILP	EPI	Times Lambed	
Comp.no.	Sire	Dam					EBV Acc Index	EBV Acc Index	EBV Index	EBV Acc Index	EBV Acc Index	EBV Index	EBV Acc Index	EBV Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index
Active breed average:				100	100	100	0.30	0.05	0.20	0.51	0.09	0.35	0.24	0.12	0.67	0.32	0.62			
CIDF 25 0077 110383510	BS LR	22 1004 24 0019	3.80	94	100	92	0.16 62 98	-0.34 39 86	-0.26 88	1.71 60 113	-0.25 33 88	0.60 104	1.39 17 113	-1.30 31 95	0.67 43 100	-0.70 31 103	3.50 22 93		0	
ROS 25 0077 108939422	DTC DTC	20 0229 18 0157	6.40	97	79	103	-0.83 66 82	-0.31 43 87	-0.72 76	-0.60 64 87	-0.36 36 85	-0.66 82	-1.05 45 85	6.50 34 124	2.94 46 113	1.98 32 95	-1.66 25 106		1	
CIDF 25 0080 109873794	BS LR	22 1004 23 0051	4.61	101	102	103	0.04 64 96	-0.07 41 96	-0.05 93	1.43 62 110	0.00 35 97	0.72 106	1.17 15 110	-0.30 32 99	1.25 45 103	-1.55 32 106	-1.68 24 106		0	
WW 25 0083 109212472	WW LR	22 0004 22 0011	7.45	101	106	96	1.16 63 113	0.07 43 101	0.65 112	0.58 61 100	0.20 37 104	0.50 102	0.88 26 107	-0.90 34 97	0.25 46 98	0.70 30 99	5.59 26 87		0	
CIDF 25 0084 109873885	BS LR	22 1004 22 0027	4.37	103	110	98	0.64 64 105	-0.31 41 87	0.01 95	2.74 62 124	-0.15 35 92	1.22 115	2.19 16 122	-1.00 34 96	1.99 45 107	-2.04 33 107	3.09 25 94		0	
CIDF 25 0085 109873893	BS LR	22 1004 22 0027	4.37	101	106	96	0.67 64 106	-0.29 41 88	0.04 96	2.10 62 117	-0.15 35 92	0.90 110	1.75 16 117	-1.00 34 96	1.35 45 104	-2.04 33 107	3.09 25 94		0	
CIDF 25 0087 110491537	BS BS	22 1004 22 0539	6.54	94	96	99	-0.46 63 88	0.09 41 102	-0.14 91	0.54 61 100	0.07 35 99	0.34 100	-0.05 13 96	-1.30 34 95	-0.17 45 96	1.08 32 98	-2.03 25 106		0	
HL 25 0088 109147272	GW HL	23 0088 21 0008	4.09	105	104	105	0.52 64 103	-0.06 43 96	0.20 100	1.25 63 108	0.05 36 99	0.67 105	1.93 55 119	1.10 35 104	1.96 46 107	1.35 32 97	-1.38 28 105		0	
CIDF 25 0088 110383494	BS BS	22 1004 22 0539	6.54	94	96	99	-0.34 63 90	0.09 41 102	-0.08 93	0.41 61 98	0.07 35 99	0.27 98	-0.11 13 96	-1.30 34 95	-0.30 45 95	1.08 32 98	-2.03 25 106		0	
WG 25 0091 109220335	BS WG	23 0394 23 0152	2.89	106	100	108	0.07 61 96	0.04 38 100	0.07 97	0.76 60 102	0.07 33 99	0.45 101	0.30 52 100	2.20 32 108	2.15 43 108	-0.96 28 104	-2.68 24 108		0	
CIDF 25 0095 109937664	BS BS	22 1004 22 0031	8.39	102	104	106	-0.05 64 94	0.39 43 112	0.37 104	0.64 62 101	0.38 38 110	0.70 106	0.62 21 104	-0.80 36 97	0.54 47 99	1.41 40 97	-1.96 30 106		1	
CIDF 25 0098 110383676	BS CIDF	23 0529 23 0009	6.08	102	101	103	0.58 57 104	0.23 36 107	0.52 108	0.04 56 94	0.22 31 104	0.24 98	0.04 12 97	-0.50 29 98	-0.05 40 96	1.69 27 96	-3.43 20 110		0	
CIDF 25 0099 110856333	BS LR	21 0617 21 0020	2.59	96	92	102	0.04 59 96	0.08 42 101	0.10 97	-0.53 57 88	0.10 37 101	-0.16 91	-0.58 23 90	-2.00 36 93	-1.63 44 88	-1.14 33 104	-9.20 30 124		0	
CIDF 25 0101 109937631	BS BS	22 1004 22 0162	8.68	114	116	113	0.98 64 110	0.35 42 111	0.84 117	1.55 63 111	0.47 36 113	1.25 116	1.21 13 111	-0.10 34 100	1.96 46 107	1.27 33 97	-2.30 26 107		0	
CIDF 25 0102 109937649	BS RN	22 1004 21 0009	4.91	88	104	83	0.88 62 109	-0.07 41 96	0.37 104	1.10 62 106	-0.05 36 95	0.50 102	1.35 25 112	-5.70 33 79	-2.37 45 83	0.44 32 100	5.82 25 87		0	
CIDF 25 0103 109937680	BS RN	22 1004 21 0009	4.91	90	107	83	1.34 62 116	-0.11 41 94	0.56 109	1.17 62 107	-0.06 36 95	0.53 103	1.52 25 114	-5.70 33 79	-2.31 45 84	0.44 32 100	5.82 25 87		0	
CIDF 25 0105 109937698	BS LR	22 0121 23 0032	3.93	118	117	110	1.14 61 113	0.12 40 103	0.69 113	2.13 59 117	0.27 35 106	1.34 117	1.78 15 117	3.90 32 114	4.74 44 122	-2.21 36 108	8.15 24 81		1	
CIDF 25 0106 109937714	GW LR	23 0107 22 0003	5.49	113	104	113	0.41 61 102	0.11 38 102	0.32 103	0.85 59 103	0.24 33 105	0.66 105	-0.61 27 90	2.00 32 107	2.29 43 109	-4.71 26 115	-3.60 23 110		0	



Ewes



*Inbreeding in red is high

EBV - Estimated Breeding Value

Indices above 124
Above breed average
Indices below 76


Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal					Selection Indices			EBV - Weights								EBV - Fertility							
Animal	Parents			% In-breeding	Logix Merit Index	Growth Index	Repro-duction Index	PreW Dir	PreW Mat	PreW Comb	Wean Dir	Wean Mat	Wean Comb	Post Wean	Lambs Weaned	TWW	AFL	ILP	EPI	Times Lambed			
Comp.no.	Sire	Dam	EBV					EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	Phenotype
			Acc					Index	Acc	Index	Index	Acc	Index	Acc	Index	Index	Acc	Index	Acc	Index	Acc	Index	Index
Active breed average:					100	100	100	0.30	0.05	0.20	0.51	0.09	0.35	0.24	0.12	0.67	0.32	0.62					
CIDF 25 0107 110383767	BS	23	0529	3.42	119	110	114	1.66	0.28	1.11	0.26	0.40	0.54	0.36	2.60	2.23	-1.91	-2.90		0			
	LR	24	0078					58 121	36 108	123	56 97	30 111	103	12 101	29 109	40 109	26 107	21 109					
CIDF 25 0108 110383759	BS	23	0529	9.55	115	111	114	0.99	0.39	0.88	0.59	0.50	0.80	0.31	1.80	2.17	1.07	-1.94		1			
	BS	23	0250					57 111	34 112	118	56 100	29 114	108	10 101	27 107	39 108	32 98	20 106					
CIDF 25 0111 110491511	BS	21	0617	2.48	101	99	99	0.76	-0.17	0.21	0.57	-0.08	0.21	0.63	0.70	0.91	-0.27	0.26		1			
	LR	22	0081					59 107	41 92	100	57 100	35 94	97	17 104	34 103	43 101	36 102	26 101					
CIDF 25 0112 110491529	BS	21	0617	2.48	92	88	94	-0.04	-0.07	-0.09	-0.68	-0.06	-0.40	-0.46	0.70	-0.31	-0.40	1.80		0			
	LR	22	0081					59 94	41 96	92	57 87	35 95	87	17 92	34 103	43 95	31 102	26 97					
CIDF 25 0113 109991075	BS	22	1004	3.60	110	107	108	0.78	0.15	0.54	0.89	0.20	0.65	0.84	1.30	1.88	-0.46	-1.68		0			
	LR	22	0034					64 107	41 104	109	62 104	34 104	105	14 107	33 105	45 107	32 102	24 106					
CIDF 25 0114 110383783	BS	23	0529	6.79	120	110	120	0.98	0.48	0.97	0.27	0.56	0.70	0.19	3.70	3.05	-2.43	-3.41		0			
	BS	24	0627					59 110	39 116	120	57 97	34 116	106	16 99	32 113	42 113	31 108	23 110					
CIDF 25 0115 110383791	BS	23	0529	6.79	117	106	119	0.72	0.52	0.88	-0.28	0.57	0.43	-0.27	3.70	2.51	-2.43	-3.41		0			
	BS	24	0627					59 106	39 117	117	57 91	34 116	101	16 94	32 113	42 110	31 108	23 110					
CIDF 25 0116 110383775	BS	23	0529	3.05	114	116	103	1.80	0.08	0.98	1.54	0.23	1.00	1.23	0.60	2.13	-1.38	4.73		0			
	LR	23	0130					58 123	36 101	120	57 111	30 105	111	16 111	28 102	40 108	27 105	20 90					
CIDF 25 0117 109991091	GW	23	0107	5.55	111	106	113	-0.05	0.56	0.54	0.33	0.64	0.81	-1.33	2.40	2.41	-4.24	4.20		0			
	LR	20	0111					59 94	38 119	109	57 98	32 119	108	26 82	30 109	41 110	24 114	23 91					
CIDF 25 0118 109991083	GW	23	0107	5.55	107	101	110	-0.18	0.60	0.52	-0.55	0.65	0.37	-1.98	2.40	1.54	-4.24	4.20		0			
	LR	20	0111					59 92	38 120	108	57 88	32 119	100	26 75	30 109	41 105	24 114	23 91					
CIDF 25 0123 110259876	BS	22	1004	5.93	108	108	109	0.49	0.28	0.52	1.01	0.33	0.83	0.57	-0.40	1.09	1.52	-4.18		1			
	BS	23	0070					64 103	41 108	108	62 105	35 108	108	14 104	33 99	45 102	38 96	24 112					
CIDF 25 0124 110259900	BS	22	1004	5.93	106	106	109	0.27	0.30	0.43	0.91	0.33	0.79	0.44	-0.40	1.00	1.57	-4.42		1			
	BS	23	0070					64 99	41 109	106	62 104	35 108	107	14 102	33 99	45 102	38 96	24 112					
CIDF 25 0130 110259884	BS	22	1004	4.34	112	118	108	0.80	0.21	0.61	2.33	0.39	1.55	1.87	0.70	3.14	-1.12	5.77		1			
	LR	22	0009					64 108	42 106	110	62 120	35 110	121	14 118	33 103	45 114	37 104	24 87					
CIDF 25 0133 110259975	BS	23	0529	3.23	116	113	109	1.79	-0.01	0.88	1.35	0.17	0.85	1.54	1.30	2.30	-0.07	-1.62		0			
	LR	23	0065					60 123	39 98	117	58 109	34 103	109	15 115	32 105	43 109	29 101	23 105					
CIDF 25 0135 112113774	GW	23	0107	3.26	103	100	105	-0.01	0.15	0.14	0.46	0.21	0.44	-1.21	-0.60	0.31	-3.59	-3.40		0			
	BS	22	0926					49 95	34 104	98	48 99	31 104	101	27 83	31 98	38 98	27 112	24 110					
CIDF 25 0136 110259959	HS	88	0125	1.58	104	76	119	-1.60	0.14	-0.66	-1.56	-0.07	-0.85	-1.40	8.90	3.71	-0.49	-10.15		0			
	BS	22	0061					63 70	47 103	77	62 77	42 95	79	20 81	34 132	48 117	39 102	35 127					
CIDF 25 0137 110259892	HS	88	0125	1.58	103	74	117	-1.52	0.15	-0.61	-1.99	-0.07	-1.06	-1.67	8.90	3.29	-0.49	-10.15		0			
	BS	22	0061					63 71	47 104	79	62 72	42 95	75	20 78	34 132	48 114	39 102	35 127					
CIDF 25 0139 110260098	DTC	23	0062	6.93	103	113	99	1.00	0.10	0.60	1.84	0.18	1.10	1.61	-3.10	0.16	-0.59	1.17		0			
	HN	23	0048					59 111	36 102	110	58 114	30 103	113	38 115	27 89	40 97	22 103	23 98					



Ewes



*Inbreeding in red is high

EBV - Estimated Breeding Value


Indices above 124
Above breed average
Indices below 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal				Selection Indices			EBV - Weights								EBV - Fertility					
Animal	Parents		% In-breeding	Logix Merit Index	Growth Index	Repro-duction Index	PreW Dir	PreW Mat	PreW Comb	Wean Dir	Wean Mat	Wean Comb	Post Wean	Lambs Weaned	TWW	AFL	ILP	EPI	Times Lambed	
Comp.no.	Sire	Dam					EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index
Active breed average:				100	100	100	0.30	0.05	0.20	0.51	0.09	0.35	0.24	0.12	0.67	0.32	0.62			
BS 25 0142 109216911	BS 19 0349 BS 22 0508		7.60	123	115	117	1.19 65 114	0.23 53 106	0.82 116	1.62 65 112	0.32 48 108	1.13 114	1.13 25 110	4.50 47 116	4.64 54 122	-4.03 44 113	1.20 35 98		0	
CIDF 25 0146 110260163	MW 16 0051 BS 22 0026		1.96	116	100	126	-0.73 64 84	0.54 48 118	0.17 99	0.13 62 95	0.54 42 115	0.60 104	-0.71 17 89	4.80 37 117	3.55 49 116	-1.77 35 106	-8.91 30 124		0	
CIDF 25 0147 110260148	MW 16 0051 BS 22 0026		1.96	116	101	127	-0.68 64 84	0.53 48 118	0.19 100	0.23 62 97	0.53 42 115	0.65 105	-0.63 17 90	4.80 37 117	3.64 49 116	-1.77 35 106	-8.91 30 124		0	
CIDF 25 0148 110300753	MW 00 0081 BS 22 0481		2.92	103	97	106	-0.07 65 94	0.09 52 102	0.06 96	0.29 64 97	0.13 48 101	0.27 98	-0.30 25 94	2.10 45 108	1.68 53 106	1.95 41 95	-2.36 39 107		0	
CIDF 25 0149 110300696	HS 88 0125 BS 22 0802		2.29	105	80	118	-1.28 62 75	0.12 46 103	-0.52 81	-1.21 61 81	0.01 41 97	-0.60 83	-1.30 20 82	6.60 33 124	2.76 47 112	-0.94 38 104	-12.11 35 132		0	
CIDF 25 0150 110300779	MW 16 0051 BS 22 0493		6.39	107	97	108	0.24 65 99	-0.16 50 92	-0.04 94	0.71 63 102	-0.12 44 93	0.24 98	0.23 20 100	2.30 41 108	1.98 51 107	-1.04 39 104	-6.84 33 118		0	
CIDF 25 0159 110300720	BS 19 0120 BS 22 0759		3.94	110	107	113	0.14 67 97	0.35 55 111	0.42 105	0.97 65 105	0.40 50 111	0.89 109	0.73 20 105	2.40 47 109	2.81 55 112	1.69 45 96	-0.85 37 104		0	
CIDF 25 0161 110300738	BS 19 0120 BS 22 0930		6.24	113	113	110	0.72 66 106	0.10 54 102	0.46 106	2.05 64 116	0.18 49 103	1.20 115	1.59 20 115	1.10 46 104	2.89 54 112	-0.94 44 104	-0.84 36 103		0	
CIDF 25 0163 110300712	GW 23 0107 BS 23 0766		2.50	109	92	114	-0.34 60 90	0.14 38 103	-0.03 94	-0.31 58 91	0.13 32 101	-0.03 93	-1.81 27 76	3.80 30 114	2.10 42 108	-4.36 27 114	-7.32 22 120		0	
CIDF 25 0168 111894630	BS 22 1004 LR 23 0044		4.39	97	101	98	0.38 63 101	-0.15 40 93	0.05 96	1.10 62 106	-0.05 34 95	0.50 102	1.12 16 110	-2.40 33 91	-0.39 45 94	-1.88 38 107	-2.82 24 108		1	
BS 25 0170 109216903	BS 23 0200 BS 22 0110		6.07	111	109	111	0.41 62 102	0.21 40 106	0.41 105	1.43 61 110	0.26 34 106	0.97 111	1.20 17 111	1.80 33 107	2.76 44 112	-0.41 32 102	-0.56 24 103		0	
CIDF 25 0173 110308764	MW 16 0051 BS 22 0861		4.28	99	92	104	-0.37 64 89	-0.15 49 93	-0.33 86	0.41 62 99	-0.14 43 92	0.06 95	-0.14 19 96	0.60 40 102	0.63 50 100	-0.63 42 103	-7.79 32 121		1	
CIDF 25 0176 110308806	MW 16 0051 BS 22 0380		4.22	112	105	111	0.84 65 108	-0.02 48 98	0.40 105	0.96 63 105	0.06 42 99	0.55 103	0.61 18 104	0.80 38 103	1.51 49 105	-0.82 36 103	-8.79 29 123		0	
CIDF 25 0179 110308780	BS 19 0120 BS 23 0390		6.02	102	98	101	0.16 66 98	-0.04 53 97	0.04 96	0.76 65 102	-0.09 47 94	0.29 99	0.53 19 103	2.00 44 107	1.87 53 107	0.96 43 98	0.54 34 100		0	
CIDF 25 0182 111894648	MW 00 0081 BS 21 0555		3.65	95	74	105	-1.17 65 77	0.02 54 99	-0.56 80	-1.97 64 72	-0.15 50 92	-1.14 74	-2.08 30 73	6.00 46 122	1.47 54 105	-3.19 42 111	-3.92 41 111		0	
CIDF 25 0183 110319647	BS 19 0120 BS 23 0173		4.79	106	107	110	-0.03 65 95	0.38 53 112	0.37 104	1.03 64 105	0.38 48 110	0.89 109	0.66 18 105	-0.60 45 98	1.05 53 102	0.36 43 100	-4.22 35 112		0	
CIDF 25 0185 111894689	GW 23 0107 LR 23 0124		6.85	100	98	98	0.11 57 97	-0.27 35 88	-0.22 89	1.28 56 108	-0.15 31 92	0.49 102	-0.33 28 93	-0.30 29 99	0.95 40 102	-3.70 26 112	0.92 22 99		0	
CIDF 25 0187 110718467	BS 22 1004 LR 22 0076		4.40	98	97	97	0.22 64 99	-0.21 41 91	-0.10 92	0.93 62 104	-0.16 35 92	0.31 99	0.92 16 108	1.30 32 105	1.55 45 105	-0.21 32 102	2.87 25 94		0	

Ewes



*Inbreeding in red is high

EBV - Estimated Breeding Value


Indices above 124
Above breed average
Indices below 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal				Selection Indices			EBV - Weights								EBV - Fertility					
Animal	Parents		% In-breeding	Logix Merit Index	Growth Index	Repro-duction Index	PreW Dir	PreW Mat	PreW Comb	Wean Dir	Wean Mat	Wean Comb	Post Wean	Lambs Weaned	TWW	AFL	ILP	EPI	Times Lambed	
Comp.no.	Sire	Dam					EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index
Active breed average:				100	100	100	0.30	0.05	0.20	0.51	0.09	0.35	0.24	0.12	0.67	0.32	0.62			
CIDF 25 0190 110308822	BS	19 0120 BS 22 0739	6.95	105	106	103	0.51 66 103	-0.03 52 97	0.23 100	1.62 64 112	-0.03 47 96	0.78 107	1.26 20 111	-0.10 44 100	1.53 53 105	0.53 43 99	-1.51 35 105		0	
CIDF 25 0197 111894622	MW	16 0051 BS 22 0758	6.58	110	109	111	0.25 62 99	0.19 48 105	0.31 103	1.52 62 111	0.29 43 107	1.05 112	0.79 20 106	0.80 39 103	2.29 49 109	-0.09 41 101	-2.23 30 107		1	
CIDF 25 0199 110308848	BS	22 1004 LR 23 0096	4.35	102	109	98	0.65 62 105	-0.12 40 94	0.21 100	2.06 61 117	0.02 34 98	1.05 112	1.79 16 117	-1.10 31 96	1.41 44 104	-0.77 37 103	4.37 24 91		1	
CIDF 25 0200 110308814	BS	22 1004 BS 24 0426	5.32	99	107	99	0.17 62 98	0.00 41 98	0.09 97	1.93 61 115	0.08 36 100	1.05 112	1.40 22 113	-2.40 35 91	0.57 45 100	0.93 35 98	0.50 28 100		0	
CIDF 25 0201 110318334	MW	16 0051 BS 23 0322	4.40	97	93	105	-0.45 65 88	0.15 48 104	-0.08 93	-0.13 63 93	0.14 42 102	0.07 95	-0.61 19 90	-0.40 38 99	-0.23 49 95	0.86 35 98	-7.18 28 119		0	
CIDF 25 0202 110318318	BS	22 1004 BS 22 0078	20.46	98	93	100	-0.12 64 93	-0.10 43 95	-0.16 90	0.41 62 98	-0.14 37 92	0.06 95	0.23 15 100	1.50 35 105	1.16 46 103	-1.11 35 104	-1.04 27 104		0	
CIDF 25 0203 110318342	BS	22 1004 BS 22 0078	20.46	101	97	102	-0.10 64 94	-0.13 43 94	-0.18 90	1.02 62 105	-0.15 37 92	0.36 100	0.67 15 105	1.50 35 105	1.77 46 106	-1.11 35 104	-1.04 27 104		0	
CIDF 25 0204 110318359	BS	22 0121 LR 23 0150	3.96	107	100	107	-0.05 59 94	-0.08 37 95	-0.11 92	1.23 57 107	-0.07 32 94	0.54 103	0.69 17 105	4.50 30 116	3.85 41 118	-2.93 30 110	3.18 23 93		0	
CIDF 25 0205 110318375	BS	22 1004 LR 24 0077	3.57	103	94	105	-0.03 61 95	-0.10 37 95	-0.12 92	0.42 60 99	-0.10 31 94	0.11 96	0.13 13 99	2.30 31 108	1.70 42 106	-1.98 30 107	-3.31 22 110		0	
CIDF 25 0206 110318268	BS	22 1004 RN 24 0007	5.02	89	105	85	0.45 60 102	-0.18 38 92	0.05 96	1.87 60 114	-0.15 32 92	0.79 108	1.82 23 118	-5.00 29 82	-1.28 42 89	0.68 30 99	4.62 23 90		0	
CIDF 25 0207 110318276	BS	22 1004 BS 23 0038	8.86	104	107	108	-0.01 62 95	0.24 39 107	0.24 101	1.34 60 109	0.33 34 108	0.99 111	0.76 13 106	-1.50 31 95	0.76 43 101	0.22 37 100	-4.11 24 112		1	
CIDF 25 0208 110318243	BS	22 1004 BS 22 0224	18.15	91	97	94	-0.27 63 91	0.00 42 98	-0.13 91	0.85 61 103	-0.06 37 95	0.37 100	0.44 16 102	-3.00 35 89	-1.01 46 91	1.49 35 96	-2.07 26 107		0	
CIDF 25 0210 110318383	BS	22 1004 LR 21 0015	3.57	89	94	94	-0.35 64 90	-0.22 42 90	-0.40 84	0.96 62 104	-0.22 36 89	0.26 98	0.81 23 106	-3.30 35 88	-1.25 46 90	2.83 38 92	-5.76 28 116		1	
CIDF 25 0212 110318367	BS	22 0121 BS 23 0530	13.70	117	110	115	0.39 59 101	-0.09 38 95	0.11 98	2.43 57 121	-0.01 33 97	1.21 115	1.66 12 116	4.30 30 116	5.00 42 124	-1.85 28 107	-0.96 22 104		0	
CIDF 25 0218 110318292	BS	22 1004 BS 23 0175	4.40	101	100	105	-0.08 62 94	0.24 38 107	0.21 100	0.34 60 98	0.23 32 105	0.41 101	-0.14 11 96	0.40 30 101	0.82 42 101	1.79 30 96	-2.08 23 107		0	
CIDF 25 0228 110459815	FJ	24 0159 FJ 24 0104	17.53	94	89	95	0.31 57 100	-0.09 38 95	0.07 96	-0.66 55 87	-0.11 31 93	-0.44 86	-0.71 17 89	0.10 29 100	-0.71 40 93	1.35 26 97	-1.88 18 106		0	
CIDF 25 0229 110459708	H	23 0062 H 24 0129	9.69	112	99	115	0.10 55 97	0.21 33 106	0.26 101	0.07 54 95	0.22 28 105	0.26 98	-0.43 20 92	4.70 25 117	3.11 37 113	-0.30 22 102	-3.76 20 111		0	
GW 25 0231 109182287	DTC	05 0056 GW 19 0021	4.86	112	102	110	0.53 63 103	-0.03 47 97	0.23 101	0.89 63 104	0.02 42 98	0.47 102	0.31 43 101	3.80 39 114	3.20 49 114	-0.39 34 102	-2.24 33 107		0	

Ewes



*Inbreeding in red is high

EBV - Estimated Breeding Value


Indices above 124
Above breed average
Indices below 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal				Selection Indices			EBV - Weights								EBV - Fertility					
Animal	Parents			% In-breeding	Logix Merit Index	Growth Index	Reproduction Index	PreW Dir	PreW Mat	PreW Comb	Wean Dir	Wean Mat	Wean Comb	Post Wean	Lambs Weaned	TWW	AFL	ILP	EPI	Times Lambled
Comp.no.	Sire	Dam						EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	Phenotype
Active breed average:					100	100	100	0.30	0.05	0.20	0.51	0.09	0.35	0.24	0.12	0.67	0.32	0.62		
GW 25 0234 109182295	DTC GW	05 23	0056 0057	11.52	120	106	116	0.88 63	-0.24 109	0.20 100	1.77 62	-0.17 113	0.71 106	2.20 42	7.70 37	6.22 128	-0.14 101	-0.68 103		0
GW 25 0240 109181677	DTC GW	05 22	0056 0005	6.00	106	95	107	-0.12 64	-0.20 93	-0.26 88	0.90 62	-0.18 104	0.27 98	0.39 102	3.90 37	3.06 114	-2.07 113	-2.77 107		0
CIDF 25 0241 110459740	BS BS	22 22	1004 0661	5.24	127	117	126	0.58 65	0.16 104	0.45 106	2.51 64	0.30 122	1.56 36	1.57 107	6.10 33	6.47 122	0.76 99	-3.50 110		0
CIDF 25 0242 110459898	BS BS	22 22	1004 0661	5.24	128	117	126	0.58 65	0.16 104	0.45 106	2.59 64	0.30 122	1.60 36	1.63 107	6.10 33	6.55 122	0.76 99	-3.50 110		0
CIDF 25 0246 110459773	CJW CJW	23 24	0028 0024	7.64	97	93	93	1.35 55	0.07 116	0.75 114	-1.46 53	0.04 78	-0.69 27	-1.66 98	-1.50 26	-2.32 37	2.83 84	-4.08 20		0
CIDF 25 0249 111894804	CJW CJW	23 24	0028 0013	5.80	97	100	91	0.96 55	-0.05 110	0.43 106	0.23 53	-0.02 97	0.10 28	-0.55 96	-1.80 27	-0.87 93	2.19 92	2.05 20		0
CIDF 25 0250 111894846	CJW CJW	23 24	0028 0013	5.80	97	101	92	0.96 45	-0.06 110	0.42 106	0.40 44	-0.02 98	0.18 28	-0.44 96	-1.80 27	-0.70 93	2.19 34	2.05 94		0
CIDF 25 0251 111894770	BS LR	23 24	0428 0087	4.04	106	103	105	0.55 57	-0.04 104	0.23 101	0.99 55	0.04 105	0.53 31	0.77 98	1.10 29	1.69 40	-1.08 106	-1.29 27		0
CIDF 25 0258 111894820	GW BS	23 24	0087 0980	2.97	101	94	108	-0.49 62	0.23 87	-0.01 94	-0.09 61	0.20 104	0.16 31	-0.21 104	2.20 29	1.44 108	0.05 42	-3.03 104		0
CIDF 25 0259 111894762	BS BS	23 24	0420 0995	5.76	111	111	109	0.88 56	0.18 109	0.62 111	1.35 54	0.30 109	0.97 30	1.14 107	0.50 28	1.95 39	-0.43 107	-1.32 27		0
CIDF 25 0264 111895058	BS BS	23 22	0199 0015	6.35	116	122	112	1.19 65	0.19 114	0.78 115	2.64 64	0.38 123	1.70 34	2.25 110	0.20 32	3.15 101	1.69 45	1.04 96		0
CIDF 25 0265 111895082	BS BS	23 22	0199 0015	6.35	122	128	114	1.72 65	0.12 122	0.98 120	3.38 64	0.37 131	2.06 34	2.91 110	0.20 32	3.87 101	1.69 45	1.04 96		0
CIDF 25 0266 111894986	BS BS	23 22	0200 0059	6.09	104	96	110	-0.62 64	0.10 85	-0.21 89	0.76 63	0.05 102	0.43 35	0.45 99	3.50 33	2.91 113	-1.69 45	-1.80 112		0
CIDF 25 0267 111895090	BS BS	23 22	0144 0940	5.00	117	113	118	0.42 61	0.33 102	0.54 109	1.72 59	0.43 113	1.29 34	1.12 112	2.00 31	3.35 107	-0.85 43	-3.67 115		0
CIDF 25 0268 111895074	BS BS	23 22	0144 0940	5.00	118	115	119	0.52 61	0.32 103	0.58 110	1.82 59	0.43 114	1.34 34	1.22 112	2.00 31	3.45 107	-0.85 43	-3.67 115		0
CIDF 25 0280 111895041	BS BS	23 21	0144 0480	5.97	111	104	116	-0.33 61	0.30 90	0.14 98	1.12 59	0.30 106	0.86 34	0.54 107	2.50 33	2.92 109	-1.80 43	-4.23 112		0
GW 25 0299 109182402	GE GW	20 23	0047 0227	6.38	89	83	86	0.24 64	-0.40 99	-0.28 87	-0.67 63	-0.47 87	-0.81 34	-0.41 81	2.70 29	0.48 110	0.76 44	5.95 99		0
CIDF 25 0306 111905915	P P	21 22	0288 0157	7.37	105	102	99	1.21 53	-0.29 114	0.32 103	0.84 52	-0.14 103	0.28 31	1.27 92	1.80 27	1.78 107	-2.35 38	2.69 106		0

Ewes



*Inbreeding in red is high

EBV - Estimated Breeding Value

Indices above 124
Above breed average
Indices below 76


Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal				Selection Indices			EBV - Weights								EBV - Fertility					
Animal	Parents			% In-breeding	Logix Merit Index	Growth Index	Reproduction Index	PreW Dir	PreW Mat	PreW Comb	Wean Dir	Wean Mat	Wean Comb	Post Wean	Lambs Weaned	TWW	AFL	ILP	EPI	Times Lambled
Comp.no.	Sire	Dam						EBV Acc	EBV Index	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	Phenotype	
Active breed average:					100	100	100	0.30	0.05	0.20	0.51	0.09	0.35	0.24	0.12	0.67	0.32	0.62		
GW 25 0312 109117341	GW 23 0078	GW 22 0052		7.69	121	109	115	1.01 60 111	-0.20 38 91	0.30 102	2.01 59 116	-0.09 33 94	0.91 110	0.66 40 105	5.60 30 120	5.27 42 125	1.41 27 97	-2.39 26 107		0
GW 25 0415 109117671	DTC GW 21 0179 18 0022			5.04	107	112	99	1.40 66 117	0.01 47 99	0.71 113	1.58 65 111	0.14 40 102	0.93 110	0.72 50 105	-0.90 37 97	1.18 49 103	2.57 38 93	3.14 29 94		0
GW 25 0443 109117721	HW GW 22 0079 23 0136			5.84	104	105	105	0.12 62 97	0.22 40 106	0.28 102	0.91 61 104	0.28 34 107	0.74 107	0.79 45 106	1.20 30 104	1.91 43 107	-1.16 30 104	3.59 25 92		0
GW 25 0468 109180943	SEC GW 10 0003 22 0261			2.14	104	102	111	-0.66 62 85	0.48 49 116	0.15 99	0.50 62 99	0.46 43 113	0.71 106	-0.39 38 93	-0.50 40 98	0.66 50 100	-6.02 32 119	-3.19 34 109		1
GW 25 0498 109118075	DTC GW 21 0179 21 0031			7.69	109	112	94	2.25 64 130	-0.26 44 89	0.86 117	1.66 63 112	-0.17 37 91	0.66 105	1.73 47 117	2.50 34 109	2.99 46 113	6.68 38 81	9.14 28 79		0
CIDF 26 0003 112236906	BS 20 0232 BS 17 0078			9.48	104	105	109	0.01 68 95	0.26 48 108	0.26 101	1.05 67 105	0.32 42 108	0.85 109	0.39 21 101	-1.40 39 95	0.53 51 99	4.14 36 88	-7.22 29 119		0
CIDF 26 0005 112236898	BS 20 0232 BS 17 0078			9.48	103	103	108	0.06 68 96	0.27 48 108	0.30 102	0.63 67 101	0.33 42 108	0.64 105	0.11 21 98	-1.40 39 95	0.12 51 97	4.14 36 88	-7.22 29 119		0
CIDF 26 0006 112236880	MW EL 15 0052 21 0007			2.81	107	98	105	0.47 66 102	-0.19 57 91	0.04 96	0.67 65 101	-0.06 54 95	0.27 98	0.20 28 99	4.10 52 115	3.06 58 113	1.36 48 97	1.25 43 98		0
CIDF 26 0007 112236914	BS 23 0602 BS 21 0024			10.25	113	109	115	0.34 56 100	0.26 36 108	0.43 106	1.32 54 109	0.38 31 110	1.04 112	0.74 16 106	1.60 30 106	2.66 40 111	-0.28 29 102	-3.51 23 110		0
CIDF 26 0008 112236872	BS 23 0602 BS 21 0024			10.25	112	108	114	0.41 56 102	0.27 36 108	0.47 107	0.94 54 104	0.38 31 110	0.85 109	0.50 16 103	1.60 30 106	2.27 40 109	-0.28 29 102	-3.51 23 110		0
CIDF 26 0011 112244074	BS 20 0232 BS 19 0462			4.64	118	111	114	1.03 68 111	0.03 48 99	0.54 109	1.70 66 113	0.16 41 103	1.01 111	1.34 16 112	3.60 38 113	4.02 50 118	2.48 36 93	-2.40 28 107		0
CIDF 26 0016 112244066	BS 20 0232 BS 19 0462			4.64	111	105	113	0.22 68 98	0.10 48 102	0.21 100	1.18 66 107	0.18 41 103	0.77 107	0.75 16 106	3.60 38 113	3.51 50 116	2.48 36 93	-2.40 28 107		0
CIDF 26 0017 112244058	BS 20 0232 BS 19 0462			4.64	110	103	112	0.18 68 98	0.12 48 103	0.21 100	0.84 66 103	0.18 41 103	0.60 104	0.50 16 103	3.60 38 113	3.18 50 114	2.48 36 93	-2.40 28 107		0
CIDF 26 0018 112244017	MW EL 15 0052 19 0057			2.72	113	110	106	1.13 66 113	-0.14 55 93	0.43 106	1.78 65 114	0.08 52 100	0.97 111	1.32 30 112	3.50 50 113	3.96 57 118	-0.37 47 102	5.78 44 87		0
CIDF 26 0019 112243985	BS 20 0232 BS 17 0078			9.48	100	100	107	-0.28 68 91	0.30 48 109	0.16 99	0.38 67 98	0.33 42 108	0.52 103	-0.16 21 95	-1.40 39 95	-0.13 51 96	4.14 36 88	-7.22 29 119		0
CIDF 26 0020 112244082	MW EL 15 0052 19 0057			2.72	114	111	106	1.18 66 114	-0.14 55 93	0.45 106	1.84 65 114	0.08 52 100	1.00 111	1.37 30 113	3.50 50 113	4.02 57 118	-0.37 47 102	5.78 44 87		0
CIDF 26 0023 112243993	MW EL 15 0052 19 0057			2.72	115	113	107	1.29 66 115	-0.16 55 92	0.49 107	2.02 65 116	0.08 52 100	1.09 113	1.53 30 114	3.50 50 113	4.20 57 119	-0.37 47 102	5.78 44 87		0
CIDF 26 0025 112247358	AAA GW 05 0003 23 0045			1.60	108	102	119	-0.72 66 84	0.48 53 116	0.12 98	0.64 65 101	0.48 50 113	0.80 108	0.05 51 98	0.80 47 103	1.60 55 105	-2.90 46 110	-8.56 42 123		0



Ewes



*Inbreeding in red is high

EBV - Estimated Breeding Value

Indices above 124
Above breed average
Indices below 76


Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal				Selection Indices			EBV - Weights								EBV - Fertility								
Animal	Parents			% In-breeding	Logix Merit Index	Growth Index	Repro-duction Index	PreW Dir	PreW Mat	PreW Comb	Wean Dir	Wean Mat	Wean Comb	Post Wean	Lambs Weaned	TWW	AFL	ILP	EPI	Times Lambded			
Comp.no.	Sire	Dam	EBV					EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	Phenotype
	Acc	Index	Acc					Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	
Active breed average:				100	100	100	0.30	0.05	0.20	0.51	0.09	0.35	0.24		0.12	0.67	0.32	0.62					
CIDF 26 0026 112247390	AAA GW	05 23	0003 0045	1.60	108	102	118	-0.59 66 86	0.48 53 116	0.18 99	0.39 65 98	0.48 50 113	0.67 105	-0.09 51 96	0.80 47 103	1.35 55 104	-2.90 46 110	-8.56 42 123		0			
CIDF 26 0028 112247374	BS BS	20 19	0232 0462	4.64	122	116	116	1.42 68 117	-0.02 48 98	0.69 113	2.19 66 118	0.15 41 102	1.25 116	1.79 16 117	3.60 38 113	4.51 50 121	2.48 36 93	-2.40 28 107		0			
CIDF 26 0029 112247507	MW EL	15 21	0052 0007	2.81	105	97	105	0.09 66 97	-0.17 57 92	-0.12 91	0.71 65 102	-0.06 54 95	0.29 99	0.12 28 98	4.10 52 115	3.11 58 113	1.36 48 97	1.25 43 98		0			
CIDF 26 0031 112247580	BS BS	20 18	0232 0129	6.90	117	107	122	0.25 61 99	0.39 49 112	0.51 108	0.62 61 101	0.50 43 114	0.81 108	0.38 22 101	4.10 40 115	3.58 49 116	0.80 39 99	-5.27 31 115		0			
CIDF 26 0033 112247556	BS BS	20 19	0232 0462	4.64	114	108	114	0.47 68 102	0.07 48 101	0.30 103	1.58 66 111	0.17 41 103	0.96 111	1.10 16 110	3.60 38 113	3.91 50 118	2.48 36 93	-2.40 28 107		0			
CIDF 26 0036 112247572	AAA GW	05 23	0003 0036	1.41	104	105	109	-0.29 63 91	0.33 52 110	0.18 99	1.09 63 106	0.35 49 109	0.90 109	0.56 49 103	-0.90 46 97	0.90 54 101	-2.91 45 110	-2.86 42 109		0			
CIDF 26 0044 112247911	AAA GW	05 23	0003 0041	1.57	104	92	116	-1.10 66 78	0.51 54 117	-0.05 93	-0.60 65 87	0.40 51 111	0.10 95	-0.87 50 87	3.40 46 112	1.84 55 107	-3.22 46 111	-5.56 41 115		0			
CIDF 26 0048 112247960	AAA GW	05 23	0003 0031	1.44	107	108	113	-0.26 65 91	0.48 53 116	0.35 104	1.14 65 106	0.53 50 115	1.10 113	0.92 51 107	-0.30 46 99	1.49 55 105	-0.78 45 103	-3.05 41 109		0			
CIDF 26 0050 112247929	AAA GW	05 21	0003 0001	3.00	105	106	118	-0.90 65 81	0.98 53 134	0.53 108	0.02 64 94	0.97 49 130	0.98 111	-0.26 50 94	-1.50 45 95	0.09 54 97	-3.21 42 111	-4.80 40 113		0			
CIDF 26 0052 112274139	AAA JR	05 16	0003 0057	3.74	92	95	109	-1.38 65 73	1.05 54 136	0.37 104	-1.45 65 78	0.96 51 130	0.24 98	-1.84 49 76	-3.80 48 86	-2.76 56 81	-3.50 45 112	-4.60 42 113		0			
CIDF 26 0058 112273966	AAA GE	05 18	0003 0045	1.38	94	96	108	-1.13 66 77	0.70 54 124	0.13 98	-0.58 65 88	0.61 51 118	0.32 99	-0.75 47 89	-2.20 48 92	-1.29 56 89	-1.11 43 104	-5.35 41 115		0			
CIDF 26 0063 112274022	AAA GW	05 21	0003 0093	1.77	106	103	114	-0.45 66 88	0.58 54 119	0.36 104	0.14 65 96	0.58 51 117	0.65 105	0.02 50 97	0.10 47 100	0.78 55 101	-6.46 44 121	-3.45 42 110		0			
CIDF 26 0069 112274105	AAA DTC	05 18	0003 0821	1.43	91	92	107	-1.43 66 73	0.70 55 124	-0.02 94	-1.04 66 83	0.64 52 119	0.12 96	-1.32 51 82	-2.00 49 93	-1.60 57 88	0.75 46 99	-5.42 43 115		0			
CIDF 26 0074 112291166	AAA GW	05 21	0003 0120	1.74	98	101	109	-1.04 66 79	0.72 54 125	0.20 100	0.12 65 95	0.68 51 120	0.74 107	-0.87 50 87	-3.30 48 88	-1.18 56 90	-8.43 46 127	-3.03 43 109		0			
CIDF 26 0075 112291141	AAA GW	05 21	0003 0120	1.74	97	99	108	-1.01 66 79	0.73 54 125	0.23 101	-0.28 65 91	0.68 51 120	0.54 103	-1.14 50 84	-3.30 48 88	-1.58 56 88	-8.43 46 127	-3.03 43 109		0			
CIDF 26 0076 112291109	AAA DTC	05 23	0003 0083	1.58	95	102	101	-0.45 64 88	0.33 51 110	0.11 97	0.82 64 103	0.31 48 108	0.72 106	0.76 52 106	-3.00 44 89	-0.67 53 93	-2.46 42 108	-0.79 40 103		0			
CIDF 26 0077 112291042	AAA DTC	05 23	0003 0083	1.58	99	106	101	0.23 64 99	0.28 51 109	0.40 105	0.90 64 104	0.30 48 107	0.75 107	1.01 52 108	-3.00 44 89	-0.60 53 93	-2.46 42 108	-0.79 40 103		0			
CIDF 26 0080 112291158	AAA DTC	05 22	0003 0258	1.46	95	100	107	-0.72 64 84	0.82 52 128	0.45 106	-0.66 64 87	0.75 49 123	0.42 101	-0.45 50 92	-3.50 45 87	-2.01 54 85	-2.89 43 110	-4.29 40 112		0			



Ewes



*Inbreeding in red is high

EBV - Estimated Breeding Value

Indices above 124
Above breed average
Indices below 76


Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal				Selection Indices			EBV - Weights								EBV - Fertility								
Animal	Parents			% In-breeding	Logix Merit Index	Growth Index	Repro-duction Index	PreW Dir	PreW Mat	PreW Comb	Wean Dir	Wean Mat	Wean Comb	Post Wean	Lambs Weaned	TWW	AFL	ILP	EPI	Times Lambed			
Comp.no.	Sire	Dam	EBV					EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	Phenotype
			Acc					Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	
Active breed average:				100	100	100	0.30	0.05	0.20	0.51	0.09	0.35	0.24		0.12	0.67	0.32	0.62					
CIDF 26 0081 112291034	AAA GW	05 23	0003 0080	2.03	107	102	116	-0.67 66 85	0.50 53 116	0.16 99	0.45 65 99	0.49 50 114	0.71 106	-0.34 51 93	1.00 47 104	1.53 55 105	-2.32 46 108	-6.45 42 117		0			
CIDF 26 0082 112291125	AAA GW	05 23	0003 0080	2.03	107	101	116	-0.73 66 84	0.50 53 117	0.14 98	0.40 65 98	0.49 50 114	0.68 106	-0.39 51 93	1.00 47 104	1.48 55 105	-2.32 46 108	-6.45 42 117		0			
CIDF 26 0085 112291075	AAA DTC	05 21	0003 0129	1.44	95	102	100	-0.49 66 87	0.42 54 114	0.17 99	0.58 65 100	0.38 51 110	0.67 105	0.08 53 98	-1.00 47 96	0.36 55 98	3.20 46 91	3.44 42 93		0			
CIDF 26 0086 112291083	AAA GW	05 18	0003 0117	1.39	94	99	102	-0.78 66 83	0.51 55 117	0.11 98	0.14 65 96	0.46 51 113	0.53 103	-0.25 50 94	-3.80 49 86	-1.68 56 87	-6.14 45 120	-1.96 42 106		0			
CIDF 26 0087 112811567	AAA DTC	05 23	0003 0140	1.55	94	93	101	-0.61 63 85	0.31 51 109	0.00 95	-0.39 63 90	0.24 48 105	0.05 94	-0.83 51 88	-1.60 44 94	-1.10 53 90	-3.76 42 112	-2.86 40 109		0			
CIDF 26 0088 112811575	AAA DTC	05 23	0003 0140	1.55	97	97	103	-0.59 63 86	0.28 51 108	-0.02 94	0.27 63 97	0.24 48 105	0.37 100	-0.37 51 93	-1.60 44 94	-0.45 53 94	-3.76 42 112	-2.86 40 109		0			
CIDF 26 0093 112357850	AAA ROS	05 23	0003 0096	1.56	91	87	105	-1.47 65 72	0.45 52 115	-0.29 87	-0.99 64 83	0.33 48 108	-0.17 91	-1.32 49 82	-0.80 44 97	-1.14 53 90	-4.51 44 115	-5.82 40 116		0			
CIDF 26 0096 112688171	ROS BS	24 24	0155 0054	3.23	112	114	107	1.11 46 112	0.15 30 104	0.70 113	1.55 44 111	0.34 25 109	1.12 113	0.68 26 105	0.60 25 102	2.26 32 109	0.93 23 98	2.68 17 95		0			
CIDF 26 0102 112688189	ROS H	24 24	0155 0077	3.43	94	96	96	-0.11 53 93	0.16 30 104	0.11 98	-0.01 51 94	0.20 25 104	0.20 97	-0.96 27 86	-0.80 23 97	-0.29 35 95	2.26 17 94	2.62 16 95		0			
CIDF 26 0106 112688353	BS WH	23 23	0144 0071	4.36	110	108	113	0.24 61 99	0.22 38 106	0.34 104	1.33 59 109	0.30 32 107	0.96 111	1.02 18 109	0.30 29 101	1.81 42 106	-0.42 25 102	-5.56 20 115		0			
CIDF 26 0109 112688320	FJ H	24 24	0088 0006	3.80	122	107	124	0.55 49 104	0.48 39 116	0.76 114	0.17 49 96	0.54 34 116	0.63 105	-0.15 23 95	5.60 32 120	4.07 39 119	-0.11 28 101	-4.84 23 113		0			
CIDF 26 0117 112688544	BS P	23 23	0349 0055	5.22	111	107	109	0.62 41 105	0.08 26 101	0.40 105	1.15 40 107	0.20 22 104	0.78 107	0.71 10 105	2.40 22 109	2.80 29 112	-0.70 23 103	0.20 19 101		0			
CIDF 26 0118 112688148	BS ROS	24 22	0424 0075	1.89	95	98	89	0.69 60 106	-0.51 41 80	-0.17 90	1.46 58 110	-0.41 37 83	0.32 99	0.75 30 106	-1.30 34 95	0.26 44 98	1.28 30 97	1.91 28 97		0			
CIDF 26 0121 112688288	FJ H	24 23	0088 0010	7.27	107	100	110	0.22 59 99	0.37 37 112	0.48 107	-0.32 57 90	0.39 30 111	0.23 98	-0.80 15 88	2.80 28 110	1.75 40 106	4.05 24 89	-1.41 20 105		0			
CIDF 26 0124 112688650	ROS H	24 24	0155 0015	3.16	106	106	103	0.62 46 105	0.13 35 103	0.44 106	0.95 45 104	0.23 31 105	0.71 106	0.20 32 99	1.60 29 106	2.14 36 108	1.24 24 97	4.56 22 90		0			
CIDF 26 0127 112688700	BS LR	22 20	0121 0014	3.61	99	90	102	-0.32 51 90	-0.08 39 95	-0.24 88	-0.06 50 93	-0.13 34 93	-0.15 91	-0.34 18 93	2.90 31 110	1.56 39 105	0.54 29 99	-1.86 24 106		0			
CIDF 26 0128 112688437	BS LR	22 20	0121 0014	3.61	93	83	100	-0.79 60 83	-0.02 40 97	-0.42 84	-0.82 58 85	-0.11 34 93	-0.52 84	-1.01 18 86	2.90 31 110	0.81 43 101	0.54 29 99	-1.86 24 106		0			
CIDF 26 0129 112688619	BS ROS	23 24	0117 0095	2.43	100	92	110	-0.88 61 81	0.59 33 120	0.14 98	-1.09 59 82	0.53 27 115	-0.02 93	-1.39 23 81	2.10 25 108	0.70 39 100	-3.89 23 113	-1.08 20 104		0			



Ewes



*Inbreeding in red is high

EBV - Estimated Breeding Value


Indices above 124
Above breed average
Indices below 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal				Selection Indices			EBV - Weights								EBV - Fertility					
Animal	Parents		% In-breeding	Logix Merit Index	Growth Index	Repro-duction Index	PreW Dir	PreW Mat	PreW Comb	Wean Dir	Wean Mat	Wean Comb	Post Wean	Lambs Weaned	TWW	AFL	ILP	EPI	Times Lambed	
Comp.no.	Sire	Dam					EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index
Active breed average:				100	100	100	0.30	0.05	0.20	0.51	0.09	0.35	0.24	0.12	0.67	0.32	0.62			
CIDF 26 0133 112688486	BS DTC	23 19	0117 0013	2.69	102	77	105	-0.67 56 85	-0.33 39 86	-0.66 77	-0.92 55 84	-0.44 33 82	-0.90 78	-1.04 31 85	9.60 32 135	4.40 41 121	-2.98 25 110	1.32 23 98	0	
CIDF 26 0136 112699889	BEZ BS	23 22	0002 0354	3.12	102	104	96	0.84 60 108	-0.13 42 94	0.29 102	1.22 58 107	-0.02 36 96	0.59 104	0.98 30 108	0.20 34 101	1.32 44 104	-0.35 28 102	4.90 25 89	0	
CIDF 26 0142 112688304	BS P	24 20	0424 0092	1.85	93	92	87	0.71 57 106	-0.51 38 79	-0.16 91	0.49 57 99	-0.44 35 82	-0.20 90	0.08 26 98	0.90 33 103	0.59 43 100	0.94 30 98	4.89 28 89	0	
CIDF 26 0143 112688163	BS P	23 22	0139 0273	2.49	104	94	103	0.26 54 99	-0.17 36 92	-0.04 94	0.29 52 97	-0.14 31 92	0.01 94	-0.05 17 96	3.80 28 114	2.43 38 110	-2.89 28 110	1.10 24 99	0	
CIDF 26 0152 112708961	BS P	23 21	0139 0186	2.46	103	99	105	0.24 44 99	0.10 31 102	0.23 100	0.20 43 96	0.16 28 102	0.26 98	0.55 23 103	1.40 27 105	1.20 34 103	-2.11 26 107	-1.21 22 104	0	
CIDF 26 0156 112723879	BS ROS	23 24	0144 0043	4.22	107	106	108	0.45 48 102	-0.08 32 95	0.14 98	1.69 47 113	0.02 26 98	0.87 109	0.96 25 108	-0.50 25 98	1.41 34 104	0.60 20 99	-6.89 16 119	0	
CIDF 26 0157 112723895	BS ROS	23 24	0144 0043	4.22	107	106	108	0.45 48 102	-0.08 32 95	0.14 98	1.69 47 113	0.02 26 98	0.87 109	0.96 25 108	-0.50 25 98	1.41 34 104	0.60 20 99	-6.89 16 119	0	
CIDF 26 0158 112723838	ROS BS	24 24	0155 0080	3.03	113	120	106	1.25 56 115	0.21 35 106	0.83 116	2.28 54 119	0.40 30 111	1.54 121	1.21 27 111	-0.30 28 99	2.50 39 110	1.40 26 97	5.58 21 88	0	
CIDF 26 0159 112723820	FJ CIDF	24 24	0088 0012	3.42	112	110	111	0.64 56 105	0.25 35 107	0.57 110	1.15 55 107	0.34 30 109	0.92 110	0.67 15 105	2.00 28 107	2.69 39 111	1.44 26 97	-0.49 19 103	0	
CIDF 26 0160 112723861	BS GE	17 21	0111 0059	3.10	96	97	96	0.41 65 102	0.12 54 103	0.33 103	-0.14 64 92	0.10 49 100	0.03 94	-0.22 33 95	-0.70 45 97	-0.46 54 94	0.05 40 101	1.78 36 97	0	
CIDF 26 0161 112723788	BS GE	17 21	0111 0059	3.10	100	102	97	0.65 58 105	0.08 54 101	0.41 105	0.45 57 99	0.09 49 100	0.32 99	0.26 33 100	-0.70 45 97	0.13 51 97	0.05 40 101	1.78 36 97	0	
CIDF 26 0163 112723911	BS P	22 21	1004 0140	3.94	105	106	99	0.75 52 107	-0.19 37 91	0.19 100	1.72 52 113	-0.08 32 94	0.78 107	1.24 18 111	1.10 32 104	2.30 40 109	-1.73 32 106	4.75 27 90	0	
CIDF 26 0170 112723929	BS P	23 21	0117 0154	2.56	93	90	95	-0.47 52 88	0.09 30 102	-0.14 91	-0.49 51 89	0.09 25 100	-0.16 91	-0.62 26 90	5.90 25 121	3.14 35 114	12.82 26 64	12.13 23 71	0	
CIDF 26 0174 112725338	JES EL	06 20	0026 0100	11.67	113	104	120	0.01 59 95	0.66 52 122	0.67 112	-0.28 58 91	0.70 48 121	0.56 103	-0.48 41 92	1.10 47 104	1.08 52 102	-5.53 40 118	-6.91 40 119	0	
CIDF 26 0178 112725171	BS BS	22 22	0155 0191	8.04	123	117	120	1.10 56 112	0.25 44 107	0.80 115	1.81 62 114	0.40 38 111	1.30 117	1.40 17 113	3.40 36 112	4.24 47 120	3.25 34 91	-4.53 27 113	0	
CIDF 26 0179 112725163	H BS	23 22	0062 0508	5.55	131	121	124	1.71 59 122	0.23 38 107	1.09 123	1.96 58 116	0.40 34 111	1.38 118	1.38 18 113	4.70 33 117	5.18 43 125	-2.16 29 108	-2.82 25 108	0	
CIDF 26 0181 112725247	ROS BS	24 24	0155 0083	3.38	110	110	108	0.64 46 105	0.23 29 107	0.55 109	1.20 44 107	0.35 25 109	0.95 110	0.43 26 102	1.00 25 104	2.15 32 108	1.27 22 97	1.23 17 98	0	
CIDF 26 0182 112725304	BS WCN	22 21	0155 0047	3.07	115	109	114	0.86 65 109	0.23 46 107	0.66 112	1.04 64 105	0.28 39 107	0.80 108	0.86 19 107	3.00 36 111	3.12 48 114	1.60 33 96	-2.26 25 107	0	

Ewes



*Inbreeding in red is high

EBV - Estimated Breeding Value


Indices above 124
Above breed average
Indices below 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal			Selection Indices			EBV - Weights								EBV - Fertility					
Animal	Parents		% In-breeding	Logix Merit Index	Growth Index	Reproduction Index	PreW Dir	PreW Mat	PreW Comb	Wean Dir	Wean Mat	Wean Comb	Post Wean	Lambs Weaned	TWW	AFL	ILP	EPI	Times Lambled
Comp.no.	Sire	Dam		Index	Index	Index	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	Phenotype	
							Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	
Active breed average:				100	100	100	0.30	0.05	0.20	0.51	0.09	0.35	0.24	0.12	0.67	0.32	0.62		
CIDF 26 0184 112725197	BS P	23 23	0117 0084	14.50	106	91	112	-0.70 59 84	0.25 30 107	-0.10 92	-0.48 57 89	0.22 25 104	-0.03 93	-1.01 15 86	6.80 23 125	3.81 37 117	-1.45 24 105	2.45 21 95	0
CIDF 26 0186 112725213	ROS BS	24 24	0155 0074	3.34	106	112	103	0.90 45 109	0.19 29 105	0.64 111	1.37 44 109	0.36 25 109	1.04 112	0.52 25 103	-1.20 25 96	1.01 32 102	2.29 23 94	2.56 17 95	0
CIDF 26 0190 112725189	H BS	23 23	0062 0179	7.23	125	112	125	0.82 50 108	0.44 38 114	0.85 117	0.91 49 104	0.50 33 114	0.96 111	0.36 18 101	4.30 32 116	3.99 39 118	-3.13 27 110	-5.79 23 116	0
CIDF 26 0192 112742192	BS WH	22 24	0121 0004	4.24	91	95	92	-0.28 59 91	-0.08 37 95	-0.22 89	0.75 57 102	-0.12 32 93	0.25 98	0.31 18 101	-0.50 31 98	0.33 41 98	1.55 27 96	4.08 22 91	0
CIDF 26 0193 112742200	BS BS	22 22	0155 0191	8.04	125	120	121	1.31 63 116	0.22 44 106	0.88 117	2.14 62 117	0.39 38 110	1.46 119	1.69 17 116	3.40 36 112	4.57 47 121	3.25 34 91	-4.53 27 113	0
CIDF 26 0194 112742143	H BS	23 22	0062 0508	5.55	134	125	125	1.97 59 126	0.19 38 105	1.18 125	2.55 58 122	0.39 34 110	1.67 123	1.87 18 118	4.70 33 117	5.76 43 128	-2.16 29 108	-2.82 25 108	0
CIDF 26 0195 112742135	JES EL	06 20	0026 0100	11.67	115	107	120	0.41 65 102	0.63 52 121	0.84 116	-0.16 64 92	0.69 48 121	0.61 104	-0.28 41 94	1.10 47 104	1.20 54 103	-5.53 40 118	-6.91 40 119	0
CIDF 26 0200 112742176	JES EL	06 22	0026 0010	2.35	124	117	129	0.39 61 101	1.01 53 135	1.21 126	0.32 60 98	1.11 49 135	1.28 116	-0.30 39 94	2.40 45 109	2.88 52 112	-3.53 39 112	-3.67 37 111	0
CIDF 26 0205 112750682	BS WCN	22 22	0155 0109	3.38	107	114	97	1.49 63 118	-0.33 39 86	0.42 105	2.84 62 125	-0.24 34 89	1.18 114	2.20 21 122	-1.10 34 96	1.94 45 107	1.36 31 97	2.30 25 96	0
CIDF 26 0206 112750765	BS WCN	22 22	0155 0109	3.38	107	114	96	1.49 63 119	-0.33 39 86	0.42 106	2.80 62 125	-0.24 34 89	1.17 114	2.17 21 122	-1.10 34 96	1.91 45 107	1.36 31 97	2.30 25 96	0
CIDF 26 0208 112750633	BS BS	22 22	0155 0191	8.04	120	113	119	0.87 63 109	0.28 44 108	0.71 113	1.44 62 110	0.40 38 111	1.12 113	1.08 17 109	3.40 36 112	3.88 47 118	3.25 34 91	-4.53 27 113	0
CIDF 26 0209 112750666	BS WCN	22 21	0155 0047	3.07	123	119	117	1.41 65 117	0.15 46 104	0.85 117	2.22 64 118	0.27 39 106	1.38 118	1.84 19 118	3.00 36 111	4.29 48 120	1.60 33 96	-2.26 25 107	0
CIDF 26 0213 112750617	GW BS	23 24	0107 0029	3.04	108	98	110	0.02 49 95	0.12 33 103	0.13 98	0.18 48 96	0.17 28 103	0.26 98	-1.37 26 81	2.00 26 107	1.55 35 105	-2.72 25 109	-4.95 20 114	0
CIDF 26 0215 112750716	FJ EL	24 20	0088 0025	2.20	119	114	115	1.14 57 113	0.28 39 109	0.86 117	1.26 56 108	0.44 34 112	1.07 113	0.78 16 106	3.50 30 113	3.80 42 117	3.72 27 90	0.02 21 101	0
CIDF 26 0216 112750690	H BS	23 22	0062 0508	5.55	129	119	123	1.58 59 120	0.24 38 107	1.03 121	1.82 57 114	0.40 34 111	1.31 117	1.24 18 111	4.70 33 117	5.04 43 124	-2.16 29 108	-2.82 25 108	0
CIDF 26 0222 112750591	BS WCN	22 21	0155 0047	3.07	122	117	116	1.43 65 117	0.16 46 104	0.87 117	1.90 64 115	0.27 39 106	1.22 115	1.62 19 116	3.00 36 111	3.97 48 118	1.60 33 96	-2.26 25 107	0
CIDF 26 0224 112750567	BS WCN	22 21	0155 0047	3.07	123	119	116	1.53 65 119	0.15 46 104	0.91 118	2.09 64 117	0.27 39 106	1.31 117	1.78 19 117	3.00 36 111	4.15 48 119	1.60 33 96	-2.26 25 107	0
CIDF 26 0225 112764386	JC H	24 23	0039 0051	5.05	112	110	113	0.54 40 104	0.85 33 129	1.12 124	-0.33 39 90	0.85 28 126	0.69 106	-0.65 18 90	1.20 25 104	1.25 32 103	-0.92 20 104	2.36 17 96	0

Ewes



*Inbreeding in red is high

EBV - Estimated Breeding Value

Indices above 124
Above breed average
Indices below 76


Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal				Selection Indices			EBV - Weights								EBV - Fertility					
Animal	Parents		% In-breeding	Logix Merit Index	Growth Index	Repro-duction Index	PreW Dir	PreW Mat	PreW Comb	Wean Dir	Wean Mat	Wean Comb	Post Wean	Lambs Weaned	TWW	AFL	ILP	EPI	Times Lambed	
Comp.no.	Sire	Dam					EBV Acc Index	EBV Acc Index	EBV Index	EBV Acc Index	EBV Acc Index	EBV Index	EBV Acc Index	EBV Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index
Active breed average:				100	100	100	0.30	0.05	0.20	0.51	0.09	0.35	0.24	0.12	0.67	0.32	0.62			
CIDF 26 0229 112764394	BS P	23 0139 21 0290	2.69	109	99	112	-0.10 46 94	0.17 36 105	0.13 98	0.28 46 97	0.23 32 105	0.37 100	-0.22 25 95	3.80 31 114	2.79 37 112	-4.65 30 115	-0.74 25 103		0	
CIDF 26 0233 112764402	JES EL	06 0026 22 0010	2.35	127	121	130	0.73 67 106	0.97 53 134	1.34 129	0.78 66 103	1.11 49 135	1.50 120	0.11 39 98	2.40 45 109	3.32 55 115	-3.53 39 112	-3.67 37 111		0	
CIDF 26 0234 112764345	BS P	23 0144 22 0248	3.79	88	90	91	-0.38 57 89	-0.28 33 88	-0.47 82	0.58 56 100	-0.26 27 88	0.03 94	0.26 17 100	-1.20 25 96	-0.40 38 94	2.73 25 93	0.41 21 100		0	
CIDF 26 0238 112764410	BS ROS	24 0424 24 0161	2.00	91	96	93	-0.11 57 93	-0.03 37 97	-0.09 92	0.47 55 99	0.00 33 97	0.24 98	0.69 31 105	-1.70 31 94	-0.55 41 93	1.03 28 98	1.86 25 97		0	
CIDF 26 0239 112764428	AAA EL	05 0003 20 0027	7.51	111	103	122	-0.72 57 84	0.73 53 125	0.37 104	0.06 57 95	0.71 50 121	0.74 107	-0.15 46 95	2.80 45 110	2.45 52 110	-1.33 45 105	-4.91 41 114		0	
CIDF 26 0242 112764352	BS P	23 0139 21 0232	2.69	95	85	103	-0.79 56 83	0.00 36 98	-0.39 84	-0.66 54 87	-0.04 31 96	-0.37 87	-0.77 24 88	1.50 28 105	0.21 39 98	-3.02 27 110	-4.93 23 114		0	
CIDF 26 0243 112775952	ROS BS	24 0155 24 0187	3.21	103	106	103	0.38 47 101	0.17 30 104	0.36 104	1.00 45 105	0.30 26 107	0.80 108	0.16 26 99	-1.50 26 95	0.40 33 99	0.71 23 99	-0.65 18 103		0	
CIDF 26 0247 112775978	JES EL	06 0026 22 0010	2.35	129	123	130	0.95 67 110	0.95 53 133	1.43 132	0.90 66 104	1.10 49 135	1.55 121	0.26 39 100	2.40 45 109	3.44 55 115	-3.53 39 112	-3.67 37 111		0	
CIDF 26 0249 112776000	BS WCN	22 0155 21 0047	3.07	119	114	115	1.20 65 114	0.19 46 105	0.79 115	1.59 64 111	0.28 39 106	1.07 112	1.34 19 112	3.00 36 111	3.66 48 117	1.60 33 96	-2.26 25 107		0	
CIDF 26 0250 112776018	H BS	23 0062 23 0179	7.23	124	112	125	0.74 60 107	0.45 39 115	0.82 116	0.96 58 105	0.50 33 114	0.98 111	0.37 18 101	4.30 32 116	4.04 42 119	-3.13 27 110	-5.79 23 116		0	
CIDF 26 0251 112776034	BS GE	17 0111 21 0059	3.10	100	102	97	0.65 58 105	0.08 54 101	0.41 105	0.45 57 99	0.09 49 100	0.32 99	0.26 33 100	-0.70 45 97	0.13 51 97	0.05 40 101	1.78 36 97		0	
CIDF 26 0252 112775986	H BS	23 0062 22 0508	5.55	128	118	123	1.45 51 118	0.25 38 108	0.98 120	1.75 50 113	0.40 34 111	1.28 116	1.16 18 110	4.70 33 117	4.97 40 124	-2.16 29 108	-2.82 25 108		0	
CIDF 26 0253 112775994	JC ROS	23 0161 24 0011	8.77	97	110	89	1.50 46 119	-0.16 35 92	0.59 110	1.55 45 111	0.00 31 97	0.78 107	1.35 33 112	-3.90 30 86	-0.79 36 92	2.25 26 94	4.72 22 90		0	
CIDF 26 0254 112809249	AAA EL	05 0003 20 0027	7.51	112	104	121	-0.55 64 86	0.72 53 124	0.44 106	0.02 63 94	0.71 50 121	0.72 106	-0.13 46 96	2.80 45 110	2.40 54 110	-1.33 45 105	-4.91 41 114		0	
CIDF 26 0255 112809280	BS DTC	23 0117 23 0156	2.55	98	99	100	0.02 52 95	0.15 33 104	0.17 99	0.35 52 98	0.18 27 103	0.36 100	0.43 28 102	1.00 27 104	1.14 37 103	-0.63 25 103	4.70 21 90		0	
CIDF 26 0256 112809199	BS DTC	23 0117 23 0156	2.55	98	99	100	0.02 52 95	0.15 33 104	0.17 99	0.35 52 98	0.18 27 103	0.36 100	0.43 28 102	1.00 27 104	1.14 37 103	-0.63 25 103	4.70 21 90		0	
CIDF 26 0257 112809322	BS GE	17 0111 21 0059	3.10	100	102	97	0.65 58 105	0.08 54 101	0.41 105	0.45 57 99	0.09 49 100	0.32 99	0.26 33 100	-0.70 45 97	0.13 51 97	0.05 40 101	1.78 36 97		0	
CIDF 26 0258 112809215	BS WCN	22 0155 21 0047	3.07	121	116	115	1.48 65 118	0.16 46 104	0.90 118	1.71 64 113	0.27 39 106	1.13 113	1.51 19 114	3.00 36 111	3.78 48 117	1.60 33 96	-2.26 25 107		0	



Ewes



*Inbreeding in red is high

EBV - Estimated Breeding Value

Indices above 124
Above breed average
Indices below 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal				Selection Indices			EBV - Weights								EBV - Fertility					
Animal	Parents		% In-breeding	Logix Merit Index	Growth Index	Repro-duction Index	PreW Dir	PreW Mat	PreW Comb	Wean Dir	Wean Mat	Wean Comb	Post Wean	Lambs Weaned	TWW	AFL	ILP	EPI	Times Lambed	
Comp.no.	Sire	Dam					EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index
Active breed average:				100	100	100	0.30	0.05	0.20	0.51	0.09	0.35	0.24	0.12	0.67	0.32	0.62			
CIDF 26 0260 112809298	BS P	23 0139 23 0271	2.52	101	94	104	-0.13 55 93	-0.04 35 97	-0.10 92	0.27 55 97	0.00 31 97	0.14 96	0.24 19 100	2.00 28 107	1.47 40 105	-3.39 27 111	-1.05 23 104		0	
CIDF 26 0267 112809330	BS WCN	22 0155 21 0047	3.07	118	113	115	1.08 58 112	0.20 45 105	0.74 114	1.50 57 110	0.28 39 107	1.03 112	1.25 19 111	3.00 36 111	3.57 45 116	1.60 33 96	-2.26 25 107		0	
CIDF 26 0268 112809314	BS BS	22 0155 22 0191	8.04	121	115	119	1.07 63 112	0.27 44 108	0.80 115	1.46 62 110	0.40 38 111	1.13 114	1.15 17 110	3.40 36 112	3.90 47 118	3.25 34 91	-4.53 27 113		0	
CIDF 26 0269 112809306	BS WCN	22 0155 22 0109	3.38	107	114	97	1.51 63 119	-0.33 39 86	0.42 106	2.84 62 125	-0.24 34 89	1.18 114	2.20 21 122	-1.10 34 96	1.94 45 107	1.36 31 97	2.30 25 96		0	
CIDF 26 0270 112809272	BS HN	22 0155 23 0126	3.93	99	104	97	0.77 61 107	0.05 38 100	0.43 106	0.87 60 103	0.07 32 100	0.51 103	0.55 21 103	-2.70 32 90	-0.68 43 93	0.76 31 99	-1.74 24 106		0	
CIDF 26 0271 112809538	ROS CIDF	24 0155 24 0004	2.90	103	110	101	0.72 44 106	0.16 28 104	0.52 108	1.29 43 108	0.30 24 107	0.95 110	0.32 25 101	-2.20 24 92	0.27 31 98	2.36 21 94	0.89 16 99		0	
CIDF 26 0273 112809496	BS P	23 0349 22 0186	3.89	108	112	108	0.65 44 105	0.36 30 111	0.68 112	1.17 43 107	0.51 25 114	1.09 113	0.74 13 105	-1.60 25 94	0.71 32 100	-1.93 26 107	0.01 20 101		0	
CIDF 26 0279 112809470	BS P	23 0349 23 0109	4.01	112	111	105	1.11 42 112	-0.02 28 97	0.53 109	1.67 41 112	0.13 24 102	0.97 111	1.25 13 111	2.20 25 108	3.12 31 114	-0.48 23 102	4.67 20 90		0	
CIDF 26 0280 112809454	JC BS	24 0039 22 0170	6.01	104	101	103	0.53 48 103	0.17 39 104	0.43 106	0.30 47 97	0.17 35 103	0.32 99	0.29 20 100	1.40 33 105	1.31 39 104	-2.70 30 109	2.38 25 95		0	
CIDF 26 0282 112809439	BS EL	22 0155 21 0007	10.92	112	107	106	1.18 57 114	-0.15 46 93	0.44 106	1.60 56 112	-0.12 40 93	0.68 106	1.31 23 112	2.40 39 109	2.92 46 112	2.14 35 94	-2.04 29 106		0	
CIDF 26 0284 112809512	BS HN	22 0155 23 0126	3.93	101	107	98	0.90 54 109	0.03 38 99	0.48 107	1.18 54 107	0.07 32 99	0.66 105	0.80 21 106	-2.70 32 90	-0.37 40 94	0.76 31 99	-1.74 24 106		0	
CIDF 26 0286 112811435	BS DTC	23 0144 22 0364	4.08	102	102	99	0.58 49 104	-0.26 34 89	0.03 95	1.46 48 110	-0.20 28 90	0.53 103	1.06 29 109	0.10 28 100	1.32 36 104	1.82 22 95	-1.34 20 105		0	
CIDF 26 0288 112823729	BS EL	22 0155 21 0007	10.92	112	107	106	1.18 57 114	-0.15 46 93	0.44 106	1.60 56 112	-0.12 40 93	0.68 106	1.31 23 112	2.40 39 109	2.92 46 112	2.14 35 94	-2.04 29 106		0	
CIDF 26 0291 112823695	BS P	23 0349 22 0266	4.17	114	111	114	0.80 44 108	0.31 30 110	0.71 113	0.98 43 105	0.45 26 113	0.94 110	0.54 12 103	0.00 25 100	1.43 32 104	-5.62 26 118	-4.32 20 112		0	
CIDF 26 0293 112881297	BS P	23 0117 21 0047	2.33	103	90	106	-0.14 60 93	-0.08 34 95	-0.15 91	-0.26 59 91	-0.07 28 95	-0.20 90	-0.42 23 92	3.90 25 114	2.01 39 107	-4.15 25 114	-1.96 23 106		0	
CIDF 26 0295 112855739	BS GW	22 0155 22 0257	3.36	118	111	106	1.91 55 125	-0.40 43 84	0.56 109	2.23 56 118	-0.32 37 86	0.79 108	1.61 22 115	3.50 35 113	4.01 44 118	1.38 32 97	-1.51 26 105		0	
CIDF 26 0297 112855705	BS GW	22 0155 22 0257	3.36	118	111	106	1.91 55 125	-0.40 43 84	0.56 109	2.23 56 118	-0.32 37 86	0.79 108	1.61 22 115	3.50 35 113	4.01 44 118	1.38 32 97	-1.51 26 105		0	
CIDF 26 0299 112855721	FJ BS	24 0088 24 0149	2.48	120	112	116	1.05 48 111	0.17 33 104	0.69 113	1.33 48 109	0.30 28 107	0.97 111	0.53 14 103	4.40 27 116	4.27 35 120	1.85 26 95	-1.10 17 104		0	



Ewes



*Inbreeding in red is high

EBV - Estimated Breeding Value

Indices above 124
Above breed average
Indices below 76


Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal					Selection Indices			EBV - Weights								EBV - Fertility							
Animal	Parents			% In-breeding	Logix Merit Index	Growth Index	Repro-duction Index	PreW Dir	PreW Mat	PreW Comb	Wean Dir	Wean Mat	Wean Comb	Post Wean	Lambs Weaned	TWW	AFL	ILP	EPI	Times Lambed			
Comp.no.	Sire	Dam	EBV					EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	Phenotype
			Acc					Index	Acc	Index	Index	Acc	Index	Acc	Index	Index	Acc	Index	Acc	Index	Acc	Index	Index
Active breed average:					100	100	100	0.30	0.05	0.20	0.51	0.09	0.35	0.24	0.12	0.67	0.32	0.62					
CIDF 26 0300 112855689	BS	23	0117	2.46	100	93	106	-0.45 51 88	0.29 29 109	0.07 96	-0.52 51 88	0.28 27 107	0.02 94	-0.37 17 93	3.40 26 112	1.80 36 106	0.70 26 99	1.46 23 98		0			
CIDF 26 0301 112855697	BS	23	0117	2.46	100	93	106	-0.45 51 88	0.29 29 109	0.07 96	-0.52 51 88	0.28 27 107	0.02 94	-0.37 17 93	3.40 26 112	1.80 36 106	0.70 26 99	1.46 23 98		0			
CIDF 26 0305 112863386	BS	22	1004	4.95	105	105	105	0.40 51 101	0.09 35 101	0.29 102	1.20 50 107	0.16 31 102	0.76 107	1.02 16 109	0.80 30 103	1.84 38 107	-0.37 31 102	0.71 25 100		0			
CIDF 26 0306 112863444	BS	23	0602	2.35	105	101	103	0.64 54 105	-0.11 33 94	0.21 100	0.77 52 102	-0.02 28 96	0.36 100	0.59 13 104	1.70 24 106	1.77 36 106	-3.49 23 112	1.19 18 98		0			
CIDF 26 0308 112863436	BS	22	1004	4.07	103	109	102	0.10 53 97	0.12 34 103	0.17 99	1.81 53 114	0.22 29 105	1.13 114	1.10 15 110	-0.10 29 100	1.98 38 107	-2.08 32 107	6.31 24 86		0			
CIDF 26 0311 112866041	BS	22	0121	3.87	110	96	107	0.21 57 98	-0.27 38 88	-0.17 90	0.92 56 104	-0.25 33 89	0.22 97	0.51 15 103	6.40 29 123	4.52 41 121	-3.80 28 113	2.67 23 95		0			
CIDF 26 0312 112865977	BS	22	0121	3.87	111	97	107	0.45 57 102	-0.29 38 88	-0.07 93	0.90 56 104	-0.25 33 88	0.20 97	0.56 15 103	6.40 29 123	4.49 41 121	-3.80 28 113	2.67 23 95		0			
CIDF 26 0314 112866017	BS	23	0117	2.35	92	86	99	-0.69 59 84	-0.09 32 95	-0.44 83	-0.32 58 90	-0.11 26 93	-0.27 89	-0.16 14 95	1.90 24 107	0.71 38 100	-0.29 25 102	-0.85 21 104		0			
CIDF 26 0316 112865951	BS	22	0155	3.71	110	106	104	1.09 62 112	-0.16 43 92	0.38 104	1.40 61 109	-0.09 37 94	0.61 104	1.26 21 111	2.50 36 109	2.81 46 112	-2.52 33 109	2.12 28 96		0			
CIDF 26 0317 112866025	BS	22	0155	3.71	114	111	106	1.27 62 115	-0.21 43 91	0.43 106	2.22 61 118	-0.10 37 94	1.01 111	1.88 21 118	2.50 36 109	3.62 46 116	-2.52 33 109	2.12 28 96		0			
CIDF 26 0318 112866033	FJ	24	0088	2.06	121	109	117	1.00 49 111	0.12 37 103	0.62 111	1.14 48 106	0.20 33 104	0.77 107	0.60 17 104	5.20 31 119	4.46 38 121	-1.00 30 104	-1.50 22 105		0			
CIDF 26 0319 112866009	BS	23	0117	2.59	105	87	108	-0.52 58 87	-0.09 33 95	-0.35 86	-0.29 57 91	-0.12 27 93	-0.26 89	-0.39 13 93	7.30 24 126	3.97 38 118	-3.54 24 112	1.80 22 97		0			
CIDF 26 0320 112866066	BS	23	0117	2.59	103	84	106	-0.43 58 88	-0.07 33 96	-0.28 87	-1.00 57 83	-0.11 27 93	-0.61 83	-0.86 13 87	7.30 24 126	3.27 38 114	-3.54 24 112	1.80 22 97		0			
CIDF 26 0329 113747992	BS	23	0117	2.43	112	99	119	-0.55 54 86	0.52 37 117	0.25 101	-0.16 53 92	0.54 31 116	0.46 102	-0.33 14 93	5.90 30 121	3.93 39 118	-5.27 27 117	2.08 22 96		0			
CIDF 26 0330 113748057	BS	23	0144	4.17	100	103	101	0.19 49 98	-0.02 36 97	0.07 96	1.23 49 107	0.06 31 99	0.67 105	0.66 17 105	-2.20 31 92	-0.03 38 96	-5.01 26 116	-2.12 24 107		0			
CIDF 26 0337 113764906	BS	24	0424	7.53	100	100	103	0.10 49 97	0.03 41 99	0.08 97	0.66 48 101	0.12 37 101	0.45 102	0.33 23 101	0.60 35 102	1.14 41 103	3.53 32 90	-1.27 29 105		0			
CIDF 26 0343 113764856	BS	23	0144	4.03	104	109	104	0.45 51 102	-0.03 37 97	0.19 100	1.91 50 115	0.13 32 101	1.09 113	1.76 19 117	-1.30 31 95	1.26 39 103	0.03 28 101	-0.94 23 104		0			
CIDF 26 0346 113764971	FJ	24	0088	3.03	111	109	108	0.82 48 108	0.10 36 102	0.51 108	1.25 47 108	0.20 31 104	0.83 108	0.68 14 105	1.70 30 106	2.47 37 110	3.01 26 92	-0.55 21 103		0			



Ewes



*Inbreeding in red is high

EBV - Estimated Breeding Value


Indices above 124
Above breed average
Indices below 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal				Selection Indices			EBV - Weights								EBV - Fertility					
Animal	Parents		% In-breeding	Logix Merit Index	Growth Index	Repro-duction Index	PreW Dir	PreW Mat	PreW Comb	Wean Dir	Wean Mat	Wean Comb	Post Wean	Lambs Weaned	TWW	AFL	ILP	EPI	Times Lambed	
Comp.no.	Sire	Dam					EBV Acc Index	EBV Acc Index	EBV Index	EBV Acc Index	EBV Acc Index	EBV Index	EBV Acc Index	EBV Acc Index	EBV Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index
Active breed average:				100	100	100	0.30	0.05	0.20	0.51	0.09	0.35	0.24	0.12	0.67	0.32	0.62			
CIDF 26 0348 113764823	BS H	24 24	0424 0031	4.46	100	99	103	0.00 48 95	0.27 39 108	0.27 102	0.04 47 94	0.32 36 108	0.34 100	-0.04 29 97	0.10 34 100	0.42 40 99	-1.58 31 106	0.94 29 99	0	
CIDF 26 0353 113764781	BS BS	24 24	0424 0001	4.81	109	103	108	0.31 48 100	0.11 38 102	0.27 102	0.93 48 104	0.13 35 102	0.60 104	0.64 24 104	3.20 34 112	2.99 40 113	-0.82 32 103	1.34 27 98	0	
CIDF 26 0355 113764633	BS ROS	23 24	0602 0158	2.41	112	113	109	0.88 43 109	0.35 30 111	0.79 115	1.21 42 107	0.46 26 113	1.06 112	0.93 22 108	1.50 26 105	2.57 32 111	-0.04 22 101	3.76 18 92	0	
CIDF 26 0358 113764831	BS H	24 23	0424 0004	4.34	99	97	98	0.38 48 101	-0.02 39 98	0.17 99	0.26 47 97	0.01 35 97	0.13 96	0.42 29 102	1.00 33 104	0.86 39 101	-1.14 30 104	2.82 28 94	0	
CIDF 26 0361 113776124	BS BS	24 22	0424 0031	4.07	96	100	101	-0.27 50 91	0.26 42 108	0.13 98	0.45 49 99	0.26 39 106	0.49 102	0.50 28 103	-0.40 37 99	0.47 42 99	1.75 35 96	1.84 32 97	0	
CIDF 26 0362 113764898	BS BS	24 22	0424 0031	4.07	96	100	101	-0.27 50 91	0.26 42 108	0.13 98	0.45 49 99	0.26 39 106	0.49 102	0.50 28 103	-0.40 37 99	0.47 42 99	1.75 35 96	1.84 32 97	0	
CIDF 26 0364 113764765	BS GW	23 22	0602 0116	5.50	109	104	115	-0.13 39 93	0.66 33 122	0.59 110	-0.19 39 92	0.69 29 121	0.60 104	-0.82 16 88	1.80 28 107	1.58 33 105	0.53 21 99	-1.51 17 105	0	
CIDF 26 0373 113764955	FJ BS	24 22	0088 0802	2.92	119	100	120	0.35 49 101	0.10 40 102	0.27 102	0.37 48 98	0.13 34 101	0.31 99	-0.13 16 96	6.90 32 125	4.63 39 122	-0.73 29 103	-5.04 24 114	0	
CIDF 26 0374 113764880	BS BS	22 22	0155 0842	11.40	115	112	112	0.92 56 109	0.10 44 102	0.56 109	1.86 56 114	0.15 38 102	1.08 113	1.54 20 115	1.50 37 105	2.91 45 112	-0.88 35 104	-2.84 28 108	0	
CIDF 26 0375 113764666	BS BS	22 22	0155 0842	11.40	115	112	112	0.92 56 109	0.10 44 102	0.56 109	1.86 56 114	0.15 38 102	1.08 113	1.54 20 115	1.50 37 105	2.91 45 112	-0.88 35 104	-2.84 28 108	0	
CIDF 26 0378 114153760	BS BS	22 22	0155 0508	7.32	123	119	114	1.66 58 121	-0.05 44 96	0.78 115	2.64 57 123	0.09 39 100	1.41 118	2.17 19 122	2.70 38 110	4.35 46 120	-0.33 36 102	-1.72 29 106	0	
CIDF 26 0382 114153794	FJ BS	24 23	0088 0390	2.74	116	107	111	0.97 50 110	-0.05 38 97	0.44 106	1.24 49 108	0.04 32 98	0.66 105	0.64 14 104	4.40 29 116	3.92 38 118	1.76 26 96	-1.01 20 104	0	
CIDF 26 0384 113775985	BS ROS	23 21	0117 0027	3.12	96	79	105	-1.14 54 77	-0.09 38 95	-0.66 77	-0.85 53 85	-0.24 34 89	-0.66 82	-0.83 21 88	5.30 32 119	2.09 41 108	-1.70 30 106	-3.61 28 110	0	
CIDF 26 0388 114189152	FJ BS	24 22	0088 0937	2.93	122	100	121	0.72 51 106	0.06 41 100	0.42 106	0.11 50 95	0.09 36 100	0.15 96	-0.27 16 94	8.50 33 131	5.30 41 125	-0.48 30 102	-4.99 24 114	0	
CIDF 26 0390 113775696	BS BS	24 24	0424 0564	8.22	103	106	102	0.42 48 102	0.10 39 102	0.31 103	1.25 48 108	0.17 36 103	0.79 108	0.88 23 107	0.00 34 100	1.42 40 104	-0.80 33 103	3.16 28 94	0	
CIDF 26 0391 113775795	BS BS	24 24	0424 0425	28.96	93	101	90	0.42 49 102	-0.26 40 89	-0.05 93	1.39 48 109	-0.18 37 91	0.52 103	1.17 28 110	-1.50 36 95	0.31 41 98	1.54 34 96	5.01 31 89	0	
CIDF 26 0394 113775803	BS BS	24 22	0424 0861	9.42	94	95	93	0.30 47 100	-0.26 40 89	-0.11 92	0.67 46 101	-0.20 36 90	0.14 96	0.53 24 103	-0.80 35 97	-0.01 40 96	0.39 33 100	0.90 29 99	0	
CIDF 26 0395 113775886	BS P	23 22	0602 0102	2.37	112	110	112	0.80 44 108	0.24 32 107	0.64 111	1.05 44 106	0.38 28 110	0.90 110	0.78 15 106	0.70 27 103	1.85 34 107	-2.25 27 108	-2.37 21 107	0	

Ewes



*Inbreeding in red is high

EBV - Estimated Breeding Value


Indices above 124
Above breed average
Indices below 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal				Selection Indices			EBV - Weights								EBV - Fertility							
Animal	Parents		% In-breeding	Logix Merit Index	Growth Index	Repro-duction Index	PreW Dir	PreW Mat	PreW Comb	Wean Dir	Wean Mat	Wean Comb	Post Wean	Lambs Weaned	TWW	AFL	ILP	EPI	Times Lambed			
Comp.no.	Sire	Dam					EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	Phenotype
	Acc	Index					Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	
Active breed average:				100	100	100	0.30	0.05	0.20	0.51	0.09	0.35	0.24	0.12	0.67	0.32	0.62					
CIDF 26 0396 113775894	BS P	23 0602 22 0102	2.37	112	110	112	0.80 44 108	0.24 32 107	0.64 111	1.05 44 106	0.38 28 110	0.90 110	0.78 15 106	0.70 27 103	1.85 34 107	-2.25 27 108	-2.37 21 107		0			
CIDF 26 0399 113776074	FJ BS	24 0088 22 0491	2.97	120	110	117	0.91 50 109	0.12 38 103	0.57 110	1.36 49 109	0.24 32 105	0.92 110	0.74 14 105	4.10 31 115	4.06 38 119	0.35 27 100	-3.43 20 110		0			
CIDF 26 0402 113776017	FJ BS	24 0088 23 0163	2.22	114	102	115	0.47 50 103	0.14 39 103	0.37 104	0.51 49 100	0.18 34 103	0.43 101	0.12 16 98	3.70 32 113	2.90 39 112	-0.19 29 102	-6.12 22 117		0			
CIDF 26 0403 113775811	BS BS	24 0424 22 0162	6.04	106	108	106	0.52 50 103	0.26 41 108	0.52 108	0.91 49 104	0.36 37 109	0.81 108	0.71 22 105	0.40 35 101	1.51 41 105	1.77 32 96	1.55 29 98		0			
CIDF 26 0404 113775993	FJ BS	24 0088 24 0056	2.94	116	106	113	0.77 48 107	0.12 37 102	0.50 108	1.01 48 105	0.16 32 102	0.66 105	0.46 16 102	4.30 31 116	3.74 38 117	0.23 29 100	-0.79 22 103		0			
CIDF 26 0405 113776066	BS JC	23 0144 24 0180	4.69	106	114	105	0.60 50 105	0.28 33 108	0.58 110	1.74 49 113	0.37 28 110	1.25 116	1.24 20 111	-1.70 25 94	1.10 35 102	-0.16 24 101	1.69 19 97		0			
CIDF 26 0406 113775829	BS JC	23 0144 24 0180	4.69	106	114	105	0.60 50 105	0.28 33 108	0.58 110	1.74 49 113	0.37 28 110	1.25 116	1.24 20 111	-1.70 25 94	1.10 35 102	-0.16 24 101	1.69 19 97		0			
CIDF 26 0407 113775977	FJ BS	24 0088 22 0026	2.03	126	109	129	0.39 48 101	0.48 37 116	0.68 112	0.60 47 101	0.55 32 116	0.85 109	-0.13 14 96	7.40 28 127	5.59 37 127	-0.53 27 103	-4.22 22 112		0			
CIDF 26 0409 113775936	BS JC	23 0144 24 0140	3.55	97	105	97	0.39 51 101	0.01 35 98	0.20 100	1.34 50 109	0.09 30 100	0.75 107	1.13 21 110	-1.70 29 94	0.40 37 99	2.84 25 92	2.30 21 96		0			
CIDF 26 0410 113775738	BS BS	24 0424 22 0061	2.32	110	99	109	0.15 50 97	-0.02 42 97	0.05 96	0.81 49 103	-0.04 38 96	0.37 100	0.72 23 105	5.30 36 119	3.95 42 118	-0.54 34 103	0.68 29 100		0			
CIDF 26 0411 113775837	BS BS	24 0424 22 0061	2.32	110	99	109	0.15 50 97	-0.02 42 97	0.05 96	0.81 49 103	-0.04 38 96	0.37 100	0.72 23 105	5.30 36 119	3.95 42 118	-0.54 34 103	0.68 29 100		0			
CIDF 26 0413 113775746	BS ROS	23 0602 20 0033	2.28	109	109	112	0.52 48 103	0.48 40 116	0.74 114	0.50 47 99	0.58 35 117	0.83 108	0.14 26 99	-0.30 34 99	0.90 39 101	-0.98 27 104	-2.32 24 107		0			
CIDF 26 0414 113775761	FJ BS	24 0088 23 0070	2.02	117	108	115	0.90 50 109	0.20 40 106	0.65 112	0.78 49 103	0.28 34 106	0.67 105	0.24 15 100	4.00 32 114	3.45 39 115	2.24 30 94	-3.02 22 109		0			
CIDF 26 0415 114153828	FJ BS	24 0088 22 0853	2.54	118	107	117	0.71 50 106	0.20 39 106	0.56 109	0.79 49 103	0.29 34 107	0.68 106	0.31 16 101	5.20 32 119	4.20 39 119	0.79 30 99	-1.58 23 105		0			
CIDF 26 0420 113775902	BS WH	23 0602 24 0012	2.32	103	107	97	1.09 45 112	-0.09 32 95	0.46 107	1.28 44 108	0.04 28 98	0.68 106	1.03 17 109	-1.40 28 95	0.48 34 99	-0.81 25 103	2.45 20 95		0			
CIDF 26 0421 113775704	BS CIDF	24 0424 24 0013	5.02	99	107	98	0.65 46 105	0.11 34 102	0.44 106	1.06 45 106	0.24 31 105	0.77 107	1.06 22 109	-1.80 30 93	0.22 36 98	1.46 27 97	3.34 24 93		0			
CIDF 26 0422 113775860	FJ CIDF	24 0088 25 0006	3.11	110	101	109	0.50 47 103	-0.03 33 97	0.23 101	0.86 46 103	-0.03 29 96	0.41 101	0.37 13 101	3.80 28 114	3.12 35 114	1.08 25 98	-2.01 18 106		0			
CIDF 26 0423 113775845	FJ CIDF	24 0088 25 0006	3.11	110	101	109	0.50 47 103	-0.03 33 97	0.23 101	0.86 46 103	-0.03 29 96	0.41 101	0.37 13 101	3.80 28 114	3.12 35 114	1.08 25 98	-2.01 18 106		0			

Ewes



*Inbreeding in red is high

EBV - Estimated Breeding Value


Indices above 124
Above breed average
Indices below 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal				Selection Indices			EBV - Weights								EBV - Fertility					
Animal	Parents			% In-breeding	Logix Merit Index	Growth Index	Reproduction Index	PreW Dir	PreW Mat	PreW Comb	Wean Dir	Wean Mat	Wean Comb	Post Wean	Lambs Weaned	TWW	AFL	ILP	EPI	Times Lambed
Comp.no.	Sire	Dam						EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Acc	EBV Index	EBV Acc	EBV Index	Phenotype	
Active breed average:					100	100	100	0.30	0.05	0.20	0.51	0.09	0.35	0.24	0.12	0.67	0.32	0.62		
CIDF 26 0427 113801484	FJ BS	24 23	0088 0250	3.45	114	105	112	0.71 47 106	0.10 34 102	0.45 106	0.81 46 103	0.18 29 103	0.58 104	0.21 12 99	4.10 27 115	3.45 35 115	1.53 25 96	-0.86 18 104		0
CIDF 26 0428 113801310	FJ BS	24 23	0088 0250	3.45	114	105	112	0.71 47 106	0.10 34 102	0.45 106	0.81 46 103	0.18 29 103	0.58 104	0.21 12 99	4.10 27 115	3.45 35 115	1.53 25 96	-0.86 18 104		0
CIDF 26 0429 113801419	FJ BS	24 24	0088 0019	2.20	117	107	114	0.79 49 108	0.14 37 103	0.53 109	1.00 48 105	0.20 33 104	0.70 106	0.41 17 102	4.70 32 117	4.02 39 118	-0.29 30 102	-0.78 22 103		0
CIDF 26 0432 113801492	BS BS	24 24	0424 0426	28.96	94	103	92	0.36 49 101	-0.14 40 93	0.04 96	1.42 48 110	-0.05 37 95	0.66 105	1.17 28 110	-2.00 36 93	0.17 41 97	1.42 34 97	4.35 31 91		0
CIDF 26 0436 113801575	BS BS	22 24	0155 0965	28.40	116	120	110	1.46 55 118	0.15 38 104	0.88 117	2.36 54 120	0.24 33 105	1.42 119	1.96 16 119	0.10 33 100	2.66 41 111	2.56 32 93	-1.46 25 105		0
CIDF 26 0437 113801351	BS BS	24 22	0424 0481	8.14	105	111	101	0.87 50 109	0.03 40 99	0.47 107	1.77 49 113	0.19 35 103	1.07 113	1.26 21 111	-1.20 34 96	1.24 40 103	2.76 31 93	1.79 27 97		0
CIDF 26 0439 113801500	BS BS	24 24	0424 0994	6.29	108	110	103	0.90 48 109	-0.07 37 96	0.39 105	1.91 47 115	0.04 33 98	1.00 111	1.57 22 115	0.50 32 102	2.25 38 109	0.51 30 99	1.45 26 98		0
CIDF 26 0441 113801468	BS LR	23 21	0144 0020	3.83	96	93	105	-0.33 51 90	0.05 39 100	-0.11 92	-0.07 50 93	0.06 34 99	0.03 94	-0.21 23 95	-2.10 33 92	-1.27 40 90	-1.31 29 105	-11.10 26 129		0
CIDF 26 0444 113801278	BS GW	23 17	0144 0024	3.66	114	108	115	0.12 53 97	0.36 41 111	0.42 105	1.06 52 106	0.44 36 112	0.98 111	-0.12 32 96	2.70 36 110	3.13 42 114	-1.38 29 105	-0.69 26 103		0
CIDF 26 0447 113801567	BS CJW	23 24	0117 0013	2.61	101	94	103	-0.18 52 92	0.16 32 104	0.07 96	-0.13 51 93	0.12 27 101	0.06 95	-0.84 24 88	2.60 26 109	1.56 36 105	-1.78 22 106	2.25 21 96		0
CIDF 26 0452 113801385	BS BS	24 22	0424 0913	3.88	107	106	106	0.51 50 103	0.14 41 103	0.40 105	0.98 49 105	0.22 37 105	0.71 106	0.71 25 105	1.00 36 104	1.81 41 106	-0.02 33 101	0.77 30 99		0
CIDF 26 0458 113801427	BS LR	23 23	0117 0110	2.54	114	106	115	-0.11 52 93	0.38 32 112	0.32 103	0.89 51 104	0.44 27 112	0.89 109	0.31 16 101	5.60 26 120	4.69 36 122	-4.06 25 113	6.82 21 84		0
CIDF 26 0459 113801450	BS LR	23 23	0117 0110	2.54	114	106	115	-0.11 52 93	0.38 32 112	0.32 103	0.89 51 104	0.44 27 112	0.89 109	0.31 16 101	5.60 26 120	4.69 36 122	-4.06 25 113	6.82 21 84		0
CIDF 26 0463 114154149	BS WCN	22 22	0155 0109	3.38	108	115	97	1.62 56 120	-0.34 38 86	0.47 107	2.90 56 126	-0.24 34 89	1.21 115	2.28 21 123	-1.10 34 96	2.00 42 107	1.36 31 97	2.30 25 96		0
CIDF 26 0465 113802573	BS BS	24 22	0424 0380	9.10	102	104	101	0.56 49 104	-0.07 39 96	0.21 100	1.27 49 108	0.02 35 98	0.66 105	1.04 23 109	-0.60 33 98	0.93 40 102	0.17 31 100	-0.33 26 102		0
CIDF 26 0469 113802581	BS WCN	23 24	0117 0003	2.59	87	88	94	-1.00 51 79	0.23 29 107	-0.27 88	-0.64 50 87	0.17 24 103	-0.15 91	-1.23 14 83	0.90 24 103	0.07 34 97	3.80 21 89	5.71 18 87		0
CIDF 26 0471 113802292	BS ROS	23 24	0117 0113	2.55	109	101	109	0.18 51 98	0.10 29 102	0.19 100	0.75 50 102	0.14 24 102	0.52 103	-0.25 27 94	3.20 24 112	2.81 34 112	-0.24 20 102	-0.33 17 102		0
CIDF 26 0472 113802599	BS ROS	23 24	0117 0113	2.55	109	101	109	0.18 51 98	0.10 29 102	0.19 100	0.75 50 102	0.14 24 102	0.52 103	-0.25 27 94	3.20 24 112	2.81 34 112	-0.24 20 102	-0.33 17 102		0

Ewes



*Inbreeding in red is high

EBV - Estimated Breeding Value

Indices above 124
Above breed average
Indices below 76


Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal				Selection Indices			EBV - Weights								EBV - Fertility					
Animal	Parents		% In-breeding	Logix Merit Index	Growth Index	Repro-duction Index	PreW Dir	PreW Mat	PreW Comb	Wean Dir	Wean Mat	Wean Comb	Post Wean	Lambs Weaned	TWW	AFL	ILP	EPI	Times Lambed	
Comp.no.	Sire	Dam					EBV Acc Index	EBV Acc Index	EBV Index	EBV Acc Index	EBV Acc Index	EBV Index	EBV Acc Index	EBV Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index
Active breed average:				100	100	100	0.30	0.05	0.20	0.51	0.09	0.35	0.24	0.12	0.67	0.32	0.62			
CIDF 26 0474 113802516	BS LR	23 0144 22 0003	3.39	111	108	113	0.30 52 100	0.20 38 105	0.34 104	1.29 50 108	0.31 32 108	0.95 110	0.99 16 108	1.10 31 104	2.26 39 109	-1.03 27 104	-3.52 21 110		0	
CIDF 26 0479 113802318	FJ BS	24 0088 22 0268	2.22	116	106	113	0.84 50 108	0.07 40 101	0.49 107	1.01 49 105	0.14 35 102	0.65 105	0.41 17 102	4.20 33 115	3.67 40 117	-0.39 31 102	-1.63 24 105		0	
CIDF 26 0480 113802334	FJ BS	24 0088 22 0268	2.22	116	106	113	0.84 50 108	0.07 40 101	0.49 107	1.01 49 105	0.14 35 102	0.65 105	0.41 17 102	4.20 33 115	3.67 40 117	-0.39 31 102	-1.63 24 105		0	
CIDF 26 0482 113802425	BS ROS	24 0424 22 0081	2.15	85	91	86	-0.02 49 95	-0.31 38 87	-0.32 86	0.54 48 100	-0.30 34 87	-0.03 93	0.57 31 104	-3.40 33 88	-1.80 39 87	-1.65 30 106	0.62 28 100		0	
CIDF 26 0484 114154115	BS EL	22 0155 20 0100	5.07	114	118	113	1.07 56 112	0.31 43 110	0.84 117	1.91 56 115	0.41 37 111	1.37 118	1.39 22 113	-3.10 36 89	0.46 44 99	-3.37 33 111	-7.59 26 120		0	
CIDF 26 0489 113802391	FJ BS	24 0088 24 0084	2.54	120	106	120	0.51 48 103	0.23 33 106	0.48 107	0.74 48 102	0.28 28 107	0.65 105	0.31 15 101	6.10 27 122	4.68 35 122	0.02 26 101	-3.14 18 109		0	
CIDF 26 0493 113802565	BS LR	23 0117 23 0038	2.37	99	93	103	-0.40 53 89	-0.05 34 96	-0.25 88	0.34 52 98	-0.02 29 96	0.16 96	0.56 16 103	3.10 28 111	2.19 38 108	-3.01 26 110	2.52 22 95		0	
CIDF 26 0494 113802417	BS LR	23 0117 23 0038	2.37	99	93	103	-0.40 53 89	-0.05 34 96	-0.25 88	0.34 52 98	-0.02 29 96	0.16 96	0.56 16 103	3.10 28 111	2.19 38 108	-3.01 26 110	2.52 22 95		0	
CIDF 26 0497 113802276	BS BS	24 0424 23 0272	7.32	105	108	103	0.70 49 106	0.07 38 101	0.42 105	1.34 48 109	0.21 34 104	0.89 109	1.04 23 109	-0.60 32 98	1.20 39 103	0.18 30 100	1.31 27 98		0	
CIDF 26 0498 113802367	FJ BS	24 0088 24 0966	2.48	120	112	116	1.15 48 113	0.21 33 106	0.79 115	1.24 47 108	0.31 28 108	0.93 110	0.73 14 105	4.10 28 115	4.01 35 118	1.86 25 95	-1.12 18 104		0	
CS 26 0501 113856488	BS BS	24 0424 23 0173	10.53	106	111	106	0.63 47 105	0.30 40 109	0.61 111	1.18 47 107	0.43 35 112	1.02 112	0.86 22 107	-2.10 33 92	0.35 39 98	0.90 30 98	-2.00 27 106		0	
CS 26 0503 114189228	BS WW	23 0117 24 0086	2.71	94	85	104	-1.18 51 77	0.28 29 109	-0.31 87	-1.07 50 82	0.21 24 104	-0.32 88	-1.15 18 84	3.80 23 114	1.42 34 104	-0.92 21 104	2.50 18 95		0	
CS 26 0504 114189301	BS WW	23 0117 24 0086	2.71	94	85	104	-1.18 51 77	0.28 29 109	-0.31 87	-1.07 50 82	0.21 24 104	-0.32 88	-1.15 18 84	3.80 23 114	1.42 34 104	-0.92 21 104	2.50 18 95		0	
CS 26 0505 114189319	FJ BS	24 0088 22 0561	2.20	114	101	113	0.61 50 105	-0.04 38 97	0.26 101	0.73 49 102	0.03 35 98	0.40 101	0.18 17 99	4.60 33 117	3.52 40 116	-0.89 30 104	-3.44 23 110		0	
CS 26 0506 114189327	FJ BS	24 0088 22 0561	2.20	114	101	113	0.61 50 105	-0.04 38 97	0.26 101	0.73 49 102	0.03 35 98	0.40 101	0.18 17 99	4.60 33 117	3.52 40 116	-0.89 30 104	-3.44 23 110		0	
CS 26 0509 113856058	BS BS	22 0155 22 0940	6.87	120	116	116	1.18 57 114	0.14 44 103	0.73 114	2.08 56 117	0.23 39 105	1.27 116	1.64 18 116	2.40 37 109	3.75 45 117	0.48 35 100	-3.11 28 109		0	
CS 26 0511 113899983	FJ BS	24 0088 23 0042	1.75	117	104	117	0.74 50 107	0.17 39 105	0.54 109	0.49 49 99	0.20 33 104	0.45 102	0.11 15 98	4.20 32 115	3.21 39 114	-0.39 29 102	-5.92 22 116		0	
CS 26 0518 113856397	BS LR	24 0424 24 0077	2.43	102	94	100	0.46 48 102	-0.29 37 88	-0.06 93	0.47 47 99	-0.23 33 89	0.01 94	0.38 22 101	2.70 32 110	1.86 38 107	-1.48 29 105	0.54 26 100		0	



Ewes



*Inbreeding in red is high

EBV - Estimated Breeding Value

Indices above 124
Above breed average
Indices below 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal				Selection Indices			EBV - Weights								EBV - Fertility						
Animal	Parents		% In-breeding	Logix Merit Index	Growth Index	Repro-duction Index	PreW Dir	PreW Mat	PreW Comb	Wean Dir	Wean Mat	Wean Comb	Post Wean	Lambs Weaned	TWW	AFL	ILP	EPI	Times Lambed		
Comp.no.	Sire	Dam					EBV Acc Index	EBV Acc Index	EBV Index	EBV Acc Index	EBV Acc Index	EBV Index	EBV Acc Index	EBV Index	EBV Acc Index	EBV Index	EBV Acc Index	EBV Index	EBV Acc Index	EBV Index	Phenotype
Active breed average:							100	100	100	0.30	0.05	0.20	0.51	0.09	0.35	0.24	0.12	0.67	0.32	0.62	
CS 26 0519 113855829	BS LR	24 0424 24 0077	2.43	102	94	100	0.46 48 102	-0.29 37 88	-0.06 93	0.47 47 99	-0.23 33 89	0.01 94	0.38 22 101	2.70 32 110	1.86 38 107	-1.48 29 105	0.54 26 100		0		
CS 26 0520 113899942	BS HN	22 0155 23 0126	3.93	101	107	98	0.90 54 109	0.03 38 99	0.48 107	1.18 54 107	0.07 32 99	0.66 105	0.80 21 106	-2.70 32 90	-0.37 40 94	0.76 31 99	-1.74 24 106		0		
CS 26 0524 113856322	BS P	23 0117 23 0008	14.40	108	97	115	-0.62 50 85	0.49 27 116	0.18 99	-0.35 49 90	0.49 22 114	0.31 99	-0.57 11 91	5.20 23 119	3.26 33 114	-1.31 22 105	1.30 20 98		0		
CS 26 0526 113856256	BS P	22 0155 23 0210	3.55	111	113	108	0.95 54 110	0.13 38 103	0.60 110	1.84 54 114	0.24 33 105	1.16 114	1.49 18 114	-0.40 33 99	1.83 41 107	-0.59 32 103	-1.48 25 105		0		
CS 26 0529 113856215	BS LR	23 0117 24 0078	2.37	108	93	114	-0.37 52 89	0.31 32 110	0.13 98	-0.72 51 86	0.29 27 107	-0.07 92	-0.84 12 87	5.80 26 121	3.05 36 113	-4.24 24 114	-0.20 20 102		0		
CS 26 0530 113855852	BS LR	23 0117 24 0078	2.37	108	93	114	-0.37 52 89	0.31 32 110	0.13 98	-0.72 51 86	0.29 27 107	-0.07 92	-0.84 12 87	5.80 26 121	3.05 36 113	-4.24 24 114	-0.20 20 102		0		
CS 26 0531 113855894	BS BS	24 0424 24 0120	6.71	107	105	105	0.37 49 101	0.06 39 100	0.25 101	1.23 48 107	0.11 36 101	0.73 106	0.78 23 106	2.80 34 110	3.02 40 113	0.37 31 100	4.01 27 91		0		
CS 26 0533 113856033	BS P	22 0155 23 0270	3.38	108	108	97	1.59 54 120	-0.41 38 83	0.39 105	1.91 53 115	-0.31 33 86	0.64 105	1.94 18 119	0.80 33 103	2.08 41 108	0.05 31 101	1.35 25 98		0		
CS 26 0538 113855928	BS LR	23 0117 24 0099	2.47	108	96	109	-0.22 53 92	0.10 34 102	-0.01 94	0.27 52 97	0.11 28 101	0.24 98	-0.20 17 95	5.40 26 120	3.62 37 116	-4.90 26 116	3.98 22 91		0		
CS 26 0542 114189343	BS DTC	23 0117 17 1171	2.56	98	85	106	-0.90 54 81	0.08 37 101	-0.37 85	-0.74 53 86	0.00 31 97	-0.37 87	-0.75 13 88	4.60 29 117	2.02 39 108	-2.65 25 109	-1.17 22 104		0		
CS 26 0543 113856272	BS LR	23 0602 22 0027	2.30	111	110	106	0.91 47 109	-0.08 38 95	0.38 105	1.74 46 113	0.12 33 101	0.99 111	1.40 15 113	1.40 32 105	2.70 38 111	-2.85 29 110	2.37 23 95		0		
CS 26 0546 113856082	FJ BS	24 0088 22 0759	2.45	120	111	121	0.61 51 105	0.38 41 112	0.69 113	0.85 50 103	0.54 36 115	0.96 111	0.32 15 101	4.80 33 117	4.27 41 120	2.49 31 93	-2.40 25 107		0		
CS 26 0547 113856223	FJ EL	24 0088 20 0044	2.34	112	103	113	0.63 46 105	0.16 36 104	0.48 107	0.44 46 99	0.23 31 105	0.45 102	-0.21 18 95	2.20 30 108	1.99 37 107	-0.79 25 103	-5.42 21 115		0		
CS 26 0553 113855944	BS DTC	23 0117 21 0201	2.44	102	95	106	-0.47 54 88	0.22 37 106	-0.01 94	-0.04 53 94	0.19 32 103	0.17 97	-0.69 31 89	3.60 31 113	2.30 40 109	-0.29 27 102	1.72 24 97		0		
CS 26 0554 113856496	FJ CIDF	24 0088 25 0022	2.70	129	118	122	1.43 49 117	-0.01 34 98	0.71 113	2.47 48 121	0.13 29 102	1.37 118	1.67 14 116	6.40 28 123	6.44 36 132	1.89 26 95	-2.69 18 108		0		
CS 26 0556 113856264	BS WW	22 0155 24 0055	3.82	96	97	95	0.55 55 104	-0.20 38 91	0.07 96	0.69 54 102	-0.20 32 90	0.14 96	0.58 17 104	-1.60 31 94	-0.47 40 94	0.98 29 98	-2.97 25 109		0		
CS 26 0557 113856025	FJ BS	24 0088 22 0533	2.28	123	110	121	0.98 50 110	0.17 40 105	0.66 112	1.06 50 106	0.31 35 108	0.84 108	0.52 17 103	6.10 34 122	5.02 41 124	0.34 31 100	-2.34 25 107		0		
CS 26 0559 113856371	BS P	22 0155 21 0013	3.69	109	111	102	1.36 56 116	-0.10 39 95	0.58 110	1.81 55 114	-0.01 33 97	0.89 109	1.47 28 114	0.20 33 101	1.92 41 107	1.92 32 95	0.51 25 100		0		

Ewes



*Inbreeding in red is high

EBV - Estimated Breeding Value


Indices above 124
Above breed average
Indices below 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal					Selection Indices			EBV - Weights								EBV - Fertility						
Animal	Parents		% In-breeding	Logix Merit Index	Growth Index	Repro-duction Index	PreW Dir	PreW Mat	PreW Comb	Wean Dir	Wean Mat	Wean Comb	Post Wean	Lambs Weaned	TWW	AFL	ILP	EPI	Times Lambed			
Comp.no.	Sire	Dam					EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	Phenotype	
Active breed average:						100	100	100	0.30	0.05	0.20	0.51	0.09	0.35	0.24	0.12	0.67	0.32	0.62			
CS 26 0565 113855951	BS BS	24 0424 22 0375	5.54	96	96	96	0.19 48	-0.15 98	-0.05 93	0.61 47	-0.12 101	-0.12 34	0.19 97	0.36 22	-0.40 32	0.25 98	0.95 30	-0.28 27	0			
CS 26 0567 113856421	BS LR	22 0155 20 0111	3.41	118	120	112	1.17 55	0.40 113	0.98 120	1.95 54	0.49 115	1.47 37	1.52 114	1.90 36	3.58 43	0.76 99	4.84 25	0				
CS 26 0569 113856454	BS DTC	22 0155 21 0172	3.98	97	105	97	0.34 56	0.01 100	0.18 99	1.48 56	0.07 110	0.81 37	0.68 99	-3.40 37	-0.49 44	2.76 33	-2.22 93	0				
CS 26 0573 113856157	BS BS	24 0424 23 1096	10.47	107	110	106	0.62 48	0.13 105	0.44 40	1.50 103	0.27 106	1.02 47	1.00 110	0.40 31	2.01 39	1.23 107	1.74 97	0				
CS 26 0575 113899975	BS EL	22 0155 19 0057	3.74	116	116	106	1.60 57	-0.06 120	0.74 42	2.29 96	0.03 114	1.18 56	2.07 119	1.90 37	3.46 98	0.41 114	2.50 25	0				
CS 26 0576 113856330	BS GW	23 0117 17 0244	2.61	93	89	104	-0.88 52	0.46 81	0.02 37	-1.25 115	0.37 32	-0.25 110	-1.19 84	0.20 32	-0.76 101	-1.38 24	-2.56 105	0				
CS 26 0578 113856405	FJ BS	24 0088 24 0824	2.45	120	110	116	1.10 49	0.08 112	0.63 36	1.30 101	0.14 111	0.79 48	0.80 108	4.20 30	3.96 115	0.03 37	-4.39 118	0				
CS 26 0579 113856249	FJ BS	24 0088 24 0824	2.45	120	110	116	1.10 49	0.08 112	0.63 36	1.30 101	0.14 111	0.79 48	0.80 108	4.20 30	3.96 115	0.03 37	-4.39 118	0				
CS 26 0585 114021330	GW BS	23 0087 23 0910	3.19	100	92	110	-0.87 55	0.52 82	0.09 39	-0.89 117	0.48 84	0.03 33	-1.01 113	2.40 28	1.03 40	-2.85 102	-0.32 23	0				
CS 26 0589 114021264	BS BS	23 0602 22 0319	6.94	114	104	118	0.23 45	0.38 99	0.50 32	0.25 112	0.45 108	0.58 44	0.05 97	2.90 27	2.44 110	0.06 27	-6.45 101	0				
CS 26 0591 114021272	BS BS	23 0602 22 0472	8.85	119	110	119	0.58 47	0.32 104	0.61 39	0.97 110	0.45 46	0.94 105	0.47 34	3.60 32	3.58 113	-2.33 38	-2.89 116	0				
CS 26 0594 114021306	H BS	23 0062 22 0754	5.11	121	118	118	1.15 48	0.36 113	0.94 34	1.64 111	0.50 47	1.32 112	1.03 29	1.70 28	3.16 106	-1.47 36	-3.13 114	0				
CS 26 0595 114021058	BS BS	23 0602 18 0126	11.89	108	109	111	0.28 48	0.42 100	0.56 41	0.83 114	0.57 109	0.98 47	0.37 117	0.60 35	1.76 40	1.47 106	0.32 97	0				
CS 26 0596 114021231	BS BS	23 0602 22 0528	8.71	120	113	119	0.71 48	0.28 106	0.63 39	1.54 108	0.42 111	1.19 47	0.90 111	3.50 32	4.07 113	-0.54 39	-1.98 103	0				
CS 26 0599 114021199	BS BS	23 0602 22 0319	6.94	114	104	118	0.23 45	0.38 99	0.50 32	0.25 112	0.45 108	0.58 44	0.05 97	2.90 27	2.44 110	0.06 34	-6.45 101	0				
CS 26 0600 114021454	BS ROS	23 0139 25 0077	2.66	104	91	110	-0.60 48	0.13 86	-0.17 34	-0.25 103	0.10 90	-0.02 47	-0.71 91	4.70 27	2.67 117	0.48 35	-2.52 111	0				
CS 26 0601 114021116	BS BS	23 0602 22 0319	6.94	114	104	118	0.23 45	0.38 99	0.50 32	0.25 112	0.45 108	0.58 44	0.05 97	2.90 27	2.44 110	0.06 34	-6.45 101	0				
CS 26 0603 114021066	BS BS	23 0139 23 0007	8.88	111	104	113	0.07 48	0.31 96	0.34 40	0.66 110	0.38 104	0.71 47	0.10 101	3.30 34	3.01 112	-0.64 40	-0.25 113	0				

Ewes



*Inbreeding in red is high

EBV - Estimated Breeding Value


Indices above 124
Above breed average
Indices below 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal				Selection Indices			EBV - Weights								EBV - Fertility					
Animal	Parents			% In-breeding	Logix Merit Index	Growth Index	Reproduction Index	PreW Dir	PreW Mat	PreW Comb	Wean Dir	Wean Mat	Wean Comb	Post Wean	Lambs Weaned	TWW	AFL	ILP	EPI	Times Lambled
Comp.no.	Sire	Dam						EBV Acc	EBV Index	EBV Index	EBV Acc	EBV Index	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	Phenotype
Active breed average:					100	100	100	0.30	0.05	0.20	0.51	0.09	0.35	0.24	0.12	0.67	0.32	0.62		
CS 26 0605 114021405	BS	23 0602	BS 22 0528	8.71	120	113	119	0.71 48 106	0.28 39 108	0.63 111	1.54 47 111	0.42 34 111	1.19 115	0.90 14 107	3.50 32 113	4.07 39 119	-0.54 31 103	-1.98 25 106		0
CS 26 0607 114021108	BS	23 0117	BS 22 0235	8.87	113	102	118	-0.39 53 89	0.42 35 114	0.22 100	0.35 52 98	0.47 30 113	0.65 105	-0.23 11 94	6.50 27 124	4.72 38 122	-0.01 27 101	3.00 23 94		0
CS 26 0608 114021413	BS	24 0424	CIDF 25 0054	3.34	104	99	107	0.11 47 97	0.31 37 110	0.37 104	-0.20 46 92	0.33 35 108	0.23 98	-0.27 28 94	2.00 32 107	1.33 39 104	0.67 31 99	0.18 28 101		0
CS 26 0609 114021165	BS	23 0602	CIDF 25 0062	3.02	110	109	112	0.13 42 97	0.35 29 111	0.41 105	1.21 41 107	0.43 26 112	1.04 112	0.69 13 105	1.70 24 106	2.66 31 111	-0.45 24 102	0.91 19 99		0
CS 26 0610 114021363	BS	23 0602	BS 22 0319	6.94	114	104	118	0.23 45 99	0.38 32 112	0.50 108	0.25 44 97	0.45 28 113	0.58 104	0.05 12 98	2.90 27 110	2.44 34 110	0.06 27 101	-6.45 20 117		0
CS 26 0619 114021132	BS	24 0424	ROS 25 0065	2.39	92	96	95	-0.23 48 91	0.02 35 99	-0.09 92	0.39 48 98	0.05 31 99	0.25 98	-0.07 31 96	-1.30 30 95	-0.34 37 95	0.66 28 99	2.00 24 96		0
CS 26 0620 114021215	H	23 0062	BS 22 0754	5.11	121	118	118	1.15 48 113	0.36 34 111	0.94 119	1.64 47 112	0.50 29 114	1.32 117	1.03 17 109	1.70 28 106	3.16 36 114	-1.47 26 105	-3.13 22 109		0
CS 26 0621 114021470	H	23 0062	BS 22 0754	5.11	121	118	118	1.15 48 113	0.36 34 111	0.94 119	1.64 47 112	0.50 29 114	1.32 117	1.03 17 109	1.70 28 106	3.16 36 114	-1.47 26 105	-3.13 22 109		0
CS 26 0626 114021322	BS	23 0144	BS 22 0845	6.90	109	105	111	0.13 51 97	0.13 38 103	0.20 100	1.25 50 108	0.20 33 104	0.82 108	0.76 17 106	1.20 31 104	2.16 39 108	-1.91 29 107	-3.43 23 110		0
CS 26 0628 114021371	BS	23 0144	BS 22 0090	6.58	117	111	116	0.48 52 103	0.12 40 103	0.36 104	1.95 51 115	0.21 35 104	1.18 114	1.47 16 114	3.80 32 114	4.44 40 121	-0.02 31 101	-1.27 25 105		0
CS 26 0629 114021173	BS	23 0144	BS 22 0090	6.58	117	111	116	0.48 52 103	0.12 40 103	0.36 104	1.95 51 115	0.21 35 104	1.18 114	1.47 16 114	3.80 32 114	4.44 40 121	-0.02 31 101	-1.27 25 105		0
CS 26 0632 114037658	BS	23 0117	BS 22 0235	8.87	113	102	118	-0.39 53 89	0.42 35 114	0.22 100	0.35 52 98	0.47 30 113	0.65 105	-0.23 11 94	6.50 27 124	4.72 38 122	-0.01 27 101	3.00 23 94		0
CS 26 0633 114037641	BS	23 0117	BS 22 0235	8.87	113	102	118	-0.39 53 89	0.42 35 114	0.22 100	0.35 52 98	0.47 30 113	0.65 105	-0.23 11 94	6.50 27 124	4.72 38 122	-0.01 27 101	3.00 23 94		0
CS 26 0639 114037344	H	23 0062	BS 22 0754	5.11	121	118	118	1.15 48 113	0.36 34 111	0.94 119	1.64 47 112	0.50 29 114	1.32 117	1.03 17 109	1.70 28 106	3.16 36 114	-1.47 26 105	-3.13 22 109		0
CS 26 0642 114037559	BS	23 0602	CIDF 25 0026	8.24	130	122	127	1.23 46 114	0.28 33 109	0.89 118	2.37 45 120	0.45 28 112	1.63 122	1.66 12 116	4.70 26 117	5.64 34 127	0.45 26 100	-4.92 19 114		0
CS 26 0651 114037351	BS	23 0144	BS 22 0090	6.58	117	111	116	0.48 52 103	0.12 40 103	0.36 104	1.95 51 115	0.21 35 104	1.18 114	1.47 16 114	3.80 32 114	4.44 40 121	-0.02 31 101	-1.27 25 105		0
CS 26 0652 114037443	BS	23 0144	BS 22 0845	6.90	109	105	111	0.13 51 97	0.13 38 103	0.20 100	1.25 50 108	0.20 33 104	0.82 108	0.76 17 106	1.20 31 104	2.16 39 108	-1.91 29 107	-3.43 23 110		0
CS 26 0655 114037492	BS	23 0349	CIDF 25 0046	5.43	121	116	117	0.97 46 110	0.19 35 105	0.68 112	2.03 45 116	0.33 31 108	1.35 117	1.29 17 112	3.70 29 113	4.59 36 122	1.76 27 96	-0.02 21 101		0

Ewes



*Inbreeding in red is high

EBV - Estimated Breeding Value

Indices above 124
Above breed average
Indices below 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal				Selection Indices			EBV - Weights								EBV - Fertility					
Animal	Parents			% In-breeding	Logix Merit Index	Growth Index	Reproduction Index	PreW Dir	PreW Mat	PreW Comb	Wean Dir	Wean Mat	Wean Comb	Post Wean	Lambs Weaned	TWW	AFL	ILP	EPI	Times Lambled
Comp.no.	Sire	Dam						EBV Acc	EBV Index	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	Phenotype	
Active breed average:					100	100	100	0.30	0.05	0.20	0.51	0.09	0.35	0.24	0.12	0.67	0.32	0.62		
CS 26 0657 114037682	BS	23 0602	0472	8.85	119	110	119	0.58	0.32	0.61	0.97	0.45	0.94	0.47	3.60	3.58	-2.33	-2.89		0
	BS	22 0472						47 104	39 110	111	46 105	34 112	110	14 102	32 113	38 116	31 108	25 109		
CS 26 0659 114037377	FJ	24 0088	0010	2.20	127	122	127	1.08	0.74	1.27	1.31	0.90	1.56	0.26	1.60	3.17	-1.94	-5.11		0
	EL	22 0010						52 112	40 125	128	51 108	34 128	121	15 100	28 106	39 114	25 107	18 114		
CS 26 0662 114037476	BS	23 0144	0845	6.90	109	105	111	0.13	0.13	0.20	1.25	0.20	0.82	0.76	1.20	2.16	-1.91	-3.43		0
	BS	22 0845						51 97	38 103	100	50 108	33 104	108	17 106	31 104	39 108	29 107	23 110		
CS 26 0664 114037583	BS	22 0155	0115	3.60	113	111	108	0.99	-0.05	0.44	1.93	0.05	1.02	1.67	1.60	2.94	-1.32	0.05		0
	P	23 0115						51 111	36 96	106	51 115	31 99	112	18 116	30 106	38 113	31 105	24 101		
CS 26 0668 114037419	BS	23 0117	0661	4.23	132	108	134	0.04	0.36	0.37	1.18	0.45	1.03	0.42	11.30	8.40	-1.41	-1.65		0
	BS	22 0661						57 96	38 111	104	56 107	32 112	112	12 102	29 136	41 142	26 105	20 106		
CS 26 0670 114037757	BS	23 0349	0014	3.60	110	119	106	1.18	0.36	0.95	1.81	0.52	1.42	1.25	-2.30	0.94	-0.02	1.75		0
	H	25 0014						45 114	33 111	119	44 114	30 115	119	21 111	28 92	35 102	28 101	24 97		
CS 26 0671 114037468	BS	23 0349	0014	3.60	110	119	106	1.18	0.36	0.95	1.81	0.52	1.42	1.25	-2.30	0.94	-0.02	1.75		0
	H	25 0014						45 114	33 111	119	44 114	30 115	119	21 111	28 92	35 102	28 101	24 97		
CS 26 0674 114037369	FJ	24 0088	0010	2.20	127	122	127	1.08	0.74	1.27	1.31	0.90	1.56	0.26	1.60	3.17	-1.94	-5.11		0
	EL	22 0010						52 112	40 125	128	51 108	34 128	121	15 100	28 106	39 114	25 107	18 114		
CS 26 0676 114037591	FJ	24 0088	0010	2.20	127	122	127	1.08	0.74	1.27	1.31	0.90	1.56	0.26	1.60	3.17	-1.94	-5.11		0
	EL	22 0010						52 112	40 125	128	51 108	34 128	121	15 100	28 106	39 114	25 107	18 114		
CS 26 0679 114037807	BS	23 0349	0072	4.42	101	99	104	0.05	0.12	0.14	0.50	0.15	0.40	-0.13	0.40	0.89	1.42	-1.85		0
	ROS	25 0072						45 96	30 103	98	44 100	25 102	101	25 96	24 101	32 101	23 97	17 106		
CS 26 0680 114037526	BS	23 0602	0038	23.26	114	110	118	0.46	0.45	0.68	0.80	0.59	0.99	0.35	0.90	1.93	-0.33	-5.17		0
	BS	23 0038						46 102	36 115	112	45 103	31 117	111	12 101	29 103	36 107	28 102	22 114		
CS 26 0681 114037427	BS	23 0602	0038	23.26	114	110	118	0.46	0.45	0.68	0.80	0.59	0.99	0.35	0.90	1.93	-0.33	-5.17		0
	BS	23 0038						46 102	36 115	112	45 103	31 117	111	12 101	29 103	36 107	28 102	22 114		
CS 26 0682 114121882	BS	23 0144	0090	6.58	117	111	116	0.48	0.12	0.36	1.95	0.21	1.18	1.47	3.80	4.44	-0.02	-1.27		0
	BS	22 0090						52 103	40 103	104	51 115	35 104	114	16 114	32 114	40 121	31 101	25 105		
CS 26 0687 114121932	BS	23 0144	0845	6.90	109	105	111	0.13	0.13	0.20	1.25	0.20	0.82	0.76	1.20	2.16	-1.91	-3.43		0
	BS	22 0845						51 97	38 103	100	50 108	33 104	108	17 106	31 104	39 108	29 107	23 110		
CS 26 0690 114121841	BS	23 0144	0090	6.58	117	111	116	0.48	0.12	0.36	1.95	0.21	1.18	1.47	3.80	4.44	-0.02	-1.27		0
	BS	22 0090						52 103	40 103	104	51 115	35 104	114	16 114	32 114	40 121	31 101	25 105		
CS 26 0691 114121874	BS	23 0144	0090	6.58	117	111	116	0.48	0.12	0.36	1.95	0.21	1.18	1.47	3.80	4.44	-0.02	-1.27		0
	BS	22 0090						52 103	40 103	104	51 115	35 104	114	16 114	32 114	40 121	31 101	25 105		
CS 26 0693 114121890	BS	23 0144	0090	6.58	117	111	116	0.48	0.12	0.36	1.95	0.21	1.18	1.47	3.80	4.44	-0.02	-1.27		0
	BS	22 0090						52 103	40 103	104	51 115	35 104	114	16 114	32 114	40 121	31 101	25 105		
CS 26 0694 114121809	BS	23 0117	0661	4.23	132	108	134	0.04	0.36	0.37	1.18	0.45	1.03	0.42	11.30	8.40	-1.41	-1.65		0
	BS	22 0661						57 96	38 111	104	56 107	32 112	112	12 102	29 136	41 142	26 105	20 106		

Ewes

 **Gegenotipeer**

*Inbreeding in red is high

EBV - Estimated Breeding Value

Indices above 124

Above breed average

Indices below 76

Acc: Accuracy of the breeding value

EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal					Selection Indices			EBV - Weights								EBV - Fertility							
Animal		Parents			% In-breeding	Logix Merit Index	Growth Index	Repro-duction Index	PreW Dir	PreW Mat	PreW Comb	Wean Dir	Wean Mat	Wean Comb	Post Wean	Lambs Weaned	TWW	AFL	ILP	EPI	Times Lambed		
Comp.no.		Sire Dam							EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	Phenotype
Active breed average:									100	100	100	0.30	0.05	0.20	0.51	0.09	0.35	0.24	0.12	0.67	0.32	0.62	
CS 26 0695 114121833		FJ 24 0088 BS 21 0555			1.83	115	97	115	0.29 51 100	0.00 41 98	0.15 98	0.28 50 97	-0.03 36 96	0.11 95	-0.20 20 95	6.70 33 124	4.26 41 120	-2.12 30 107	-3.55 24 110	0			
Ewe Herd Average:					106	103	106	0.37	0.11	0.29	0.77	0.17	0.55	0.40	1.43	1.80	-0.41	-0.51					
Total ewes in herd: 829																							

Sires used in Flock



Gegenotipeer

*Inbreeding in red is high

EBV - Estimated Breeding Value

Indices above 124
Above breed average
Indices below 76

Acc: Accuracy of the breeding value
EBV's with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Dier Inligting		Ouers & Nageslag					Seleksie Indeks			EBV - Gewigte								EBV - Vrugbaarheid						
Animal ID Regnr	% In-breeding	Sire ID Dam ID	1st Gen		2nd Gen		Logix Merit Index	Growth Index	Repro- duction Index	Pre-wean Weight			Wean Weight			Post Wean	Lambs Weaned	TWW	AFL	ILP	Dam			
			Progeny weaned	Number herds	Progeny weaned	Number herds				Dir	Mat	Comb	Dir	Mat	Comb								EBV	
										Acc	Index	Acc	Index	Index	Acc	Index	Acc	Index	Index	Acc	Index	Acc	Index	Acc
		Active Breed Average:					100	100	100	0.30	0.05	0.20	0.51	0.09	0.35	0.24	0.12	0.67	0.32	0.62				
HIS 00 0070 11808276	5.39	HIS 97 0074 HIS 98 0047	214	8	87	9	90	111	81	1.30 96 115	-0.25 90 89	0.40 105	2.26 96 119	-0.12 87 93	1.02 112	2.44 78 125	-5.60 82 80	-1.21 89 90	3.79 81 89	9.40 78 78	1			
MW 00 0081 11761541	3.18	MW 98 0002	102	5	49	7	96	77	103	-0.67 93 85	-0.08 87 95	-0.41 84	-1.74 94 75	-0.18 82 91	-1.05 75	-1.86 49 76	5.20 77 119	1.20 85 103	-0.37 69 102	-4.02 70 111	77 2			
AAA 05 0003 20891024	15.05	PE 00 0046 PE 01 0114	198	6	83	7	99	96	120	-1.98 94 64	1.04 88 136	0.05 96	-0.75 96 86	0.87 85 127	0.50 102	-0.90 87 87	-1.50 79 95	-0.78 88 92	-7.28 80 123	-9.64 75 125	100 1			
DTC 05 0056 20901716	6.08	DTC 03 0058 DTC 02 0396	61	4	11	4	109	91	106	-0.07 89 94	-0.58 71 77	-0.62 79	1.41 89 109	-0.63 63 75	0.08 95	1.41 66 113	8.00 57 129	5.58 72 127	-3.35 54 111	0.20 52 101	84 1			
DTC 05 0071 20901864	6.33	DTC 03 0058 DTC 02 0294	244	4	123	8	75	69	77	-0.61 97 86	-0.77 93 70	-1.07 67	-0.69 97 86	-1.06 91 64	-1.41 69	-0.32 66 93	-0.90 87 97	-2.30 92 84	-0.05 84 101	-4.69 84 113	91 4			
JES 06 0026 21732938	1.91	MW 00 0081 S 98 0007	243	6	53	4	117	97	122	-0.07 96 94	0.55 87 118	0.52 108	-0.95 96 84	0.52 84 115	0.05 94	-0.69 75 89	8.20 81 130	4.49 88 121	-1.40 70 105	-0.40 71 102	103 9			
JJ 07 0034 29785649	1.14	JJ 85 0014 JJ 05 0008	3	1	3	1	99	94	112	-1.06 56 78	1.09 42 136	0.55 109	-2.03 56 72	0.98 36 131	-0.03 93	-2.61 5 67	1.90 28 107	0.09 42 97	2.91 30 92	0.96 25 99	91 2			
DTC 08 0064 63220354	6.47	DTC 06 0017 DTC 05 0051	10	1	2	1	87	87	90	0.54 74 104	-0.28 58 88	-0.01 94	-0.85 73 85	-0.22 54 89	-0.65 82	-0.46 54 92	-3.80 51 86	-3.35 61 78	2.46 47 93	-8.34 47 122	96 5			
DTC 08 0260 63220792	5.44	DTC 07 0002 DTC 06 0151	188	6	73	7	70	84	69	0.91 97 109	-0.94 91 64	-0.49 82	0.16 96 96	-0.80 88 70	-0.72 81	0.66 77 105	-11.70 86 64	-7.66 91 55	-5.12 79 117	-9.55 77 125	4			
EL 09 0086 63927578	2.89	JES 06 0026 EL 04 0005	6	1	5	2	108	98	118	-0.50 72 87	0.79 61 127	0.55 109	-1.20 71 81	0.76 56 123	0.16 97	-1.60 43 79	3.20 53 112	1.48 61 105	-0.55 46 103	-3.54 44 110	104 5			
DTC 09 0122 65707655	2.06	DTC 05 0071 RD 02 0254	84	10	103	9	96	94	99	-0.31 95 90	0.15 93 104	0.00 95	-0.04 95 94	0.08 90 100	0.06 95	0.68 71 105	3.40 86 112	2.08 91 108	6.66 83 81	4.86 82 89	89 4			
SEC 10 0003 65891624	4.12	HM 05 0052 PDK 05 0029	113	5	26	7	113	108	124	-0.58 93 86	0.99 80 134	0.70 113	0.13 93 95	0.90 73 128	0.96 111	-0.26 67 94	-0.60 69 98	0.66 80 100	-7.36 56 123	-9.51 57 125	183 9			
VA 11 0077 69166700	3.40	LB 07 0024 VA 09 0044	292	8	76	8	111	117	111	0.17 97 98	0.97 90 134	1.06 122	0.67 97 101	1.06 84 133	1.39 118	-2.16 83 72	-3.80 82 86	-0.55 89 93	-14.98 73 136	5.53 71 88	135 4			
AB 12 0025 70440565	2.71	JLM 10 0009 AB 10 0013	75	4	51	3	84	86	88	-0.31 93 90	-0.38 89 84	-0.53 81	0.19 93 96	-0.39 84 84	-0.29 88	-0.62 43 90	-3.80 81 86	-2.47 87 83	3.48 72 90	-7.34 65 120	108 6			
KR 12 0051 70484084	5.82	DTC 09 0095 PM 10 0052	74	6	28	3	99	85	129	-2.84 90 64	1.60 77 136	0.18 99	-3.35 90 64	1.41 69 136	-0.26 89	-2.94 47 64	2.80 63 110	-0.26 76 95	-3.85 54 113	-9.25 52 124	7			
FJ 13 0042 72233372	10.77	DTC 03 0011 DTC 05 0112	89	3	40	3	97	115	84	1.86 93 124	-0.27 85 88	0.66 112	2.28 92 119	-0.10 79 94	1.04 112	2.31 58 123	-4.10 76 85	-0.28 83 95	0.07 62 101	10.81 62 74	213 8			
GE 13 0086 72333032	6.28	DTC 11 0031 DTC 06 0163	157	10	44	8	118	94	115	0.44 95 102	-0.16 86 92	0.06 96	0.02 95 94	-0.05 80 95	-0.04 93	1.19 75 111	12.70 77 136	7.60 85 138	-5.24 68 117	8.75 65 80	127 7			

Sires used in Flock



Gegenotipeer

*Inbreeding in red is high

EBV - Estimated Breeding Value

Indices above 124
Above breed average
Indices below 76

Acc: Accuracy of the breeding value
EBV's with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Dier Inligting		Ouers & Nageslag				Seleksie Indeks			EBV - Gewigte								EBV - Vrugbaarheid								
Animal ID Regnr	% In-breeding	Sire ID Dam ID	1st Gen		2nd Gen		Logix Merit Index	Growth Index	Repro- duction Index	Pre-wean Weight			Wean Weight			Post Wean	Lambs Weaned	TWW	AFL	ILP	Dam				
			Progeny weaned	Number herds	Progeny weaned	Number herds				Dir	Mat	Comb	Dir	Mat	Comb										
										EBV Acc	EBV Index	EBV Index	EBV Acc	EBV Index	EBV Index							EBV Acc	EBV Index		
		Active Breed Average:						100	100	100	0.30	0.05	0.20	0.51	0.09	0.35	0.24	0.12	0.67	0.32	0.62				
ROS 15 0003 75475087	6.72	ROS 13 0072 DTC 09 0014	15	1	5	1	72	72	71	-0.22 76	-0.99 59	-1.10 64	-0.28 74	-1.13 53	-1.27 64	-0.15 71	30	95	-3.30 52	-3.39 61	-3.67 43	-1.91 42	80	5	
MW 15 0052 75508945	2.43	MW 12 0014 MW 11 0001	279	2	155	1	109	107	105	0.66 98	-0.26 95	0.07 97	1.86 97	0.06 92	0.99 111	1.02 43	109	3.00 89	3.72 93	1.35 84	4.82 76	89	101	5	
JC 15 0060 75811257	5.26	HFG 13 0035 JC 12 0016	238	7	35	4	83	96	83	0.13 97	0.16 86	0.22 104	-0.25 96	0.19 80	0.07 95	-0.59 78	90	-2.10 76	-1.32 85	12.20 63	10.40 64	65	76	105	5
JC 15 0077 75838268	4.15	DTC 09 0323 JC 12 0074	179	3	29	3	91	92	104	-1.20 95	0.60 85	-0.01 120	-0.97 95	0.62 79	0.13 96	-1.13 84	84	1.40 77	0.49 85	11.07 65	2.05 65	96	106	5	
DTC 15 0104 77101939	9.17	ROS 13 0047 DTC 12 0055	40	1	11	1	68	90	48	1.74 88	-1.61 77	-0.74 64	2.54 87	-1.53 71	-0.26 89	2.63 69	127	-9.30 69	-4.57 66	-4.62 58	10.79 58	75	137	6	
GW 15 0112 75921809	3.65	DTC 11 0162 ER 11 0015	47	3	22	2	92	113	90	1.39 88	0.48 77	1.18 116	0.44 87	0.58 70	0.80 108	0.40 58	102	-11.00 67	-5.58 64	0.33 48	-3.40 100	52	110	130	6
GW 15 0131 75945816	3.92	DM 01 0008 VA 12 0035	180	3	63	4	111	93	115	-0.15 96	0.09 89	0.02 102	-0.36 96	0.12 84	-0.06 93	-2.31 83	71	4.80 82	2.64 117	0.32 71	-7.80 100	71	121	91	3
DTC 15 0980 76712728	7.31	HM 13 0095 DTC 12 0161	134	2	34	2	69	86	82	-1.09 94	0.38 83	-0.16 112	-1.76 94	0.56 76	-0.32 88	-2.36 61	70	-9.20 73	-6.72 82	2.15 57	1.26 60	98	146	8	
GNF 16 0043 77630507	3.36	GNF 14 0069 MEB 12 0002	143	7	48	6	81	70	90	-1.19 95	-0.08 85	-0.68 95	-2.26 94	-0.23 77	-1.36 70	-2.62 79	67	0.40 74	-2.25 83	-3.88 58	-2.74 59	108	97	6	
JR 16 0047 78922226	4.25	JC 12 0227 JR 14 0077	7	4	2	2	103	99	105	0.01 62	0.02 47	0.02 99	0.67 65	0.06 42	0.39 101	0.47 42	102	3.00 35	2.53 49	1.60 30	1.37 32	98	103	3	
ROS 16 0048 77569713	10.72	DTC 11 0134 ROS 14 0046	50	3	17	2	96	99	92	0.99 88	0.07 78	0.57 101	-0.11 87	0.05 71	0.00 94	-0.30 53	94	-2.40 66	-1.50 76	0.68 50	1.23 54	98	130	7	
MW 16 0051 77344299	16.19	MW 12 0014 MW 11 0030	99	4	24	2	106	95	114	-0.32 92	0.07 78	-0.09 101	0.29 92	0.05 69	0.20 97	-0.40 30	93	1.30 63	1.12 76	-0.72 60	-12.67 49	133	171	8	
GW 16 0152 78037728	3.48	FJ 14 0025 VA 12 0110	82	4	22	2	130	122	128	1.54 92	0.16 79	0.94 104	2.44 91	0.42 71	1.65 123	2.51 77	126	1.70 66	3.89 78	-5.52 49	-11.56 118	130	86	8	
JC 17 0009 79890166	16.11	JC 14 0046 JC 15 0121	64	1	16	1	80	78	72	0.31 90	-0.97 75	-0.82 64	0.20 90	-1.10 68	-1.00 76	-1.06 77	85	-1.90 66	-2.04 76	-1.11 52	1.46 52	98	110	6	
BS 17 0014 79544474	2.63	MW 15 0052 BS 15 0044	63	1	43	1	111	87	114	-0.51 91	-0.30 82	-0.56 87	0.20 90	-0.29 75	-0.20 90	-0.66 36	90	8.80 66	5.18 79	-3.60 60	-2.73 112	51	108	110	4
FJ 17 0025 79795670	16.73	FJ 14 0026 FJ 13 0077	120	4	27	5	99	100	107	-0.22 94	0.26 84	0.16 108	0.30 94	0.36 77	0.51 103	-0.17 75	95	-1.60 75	-0.30 83	1.21 60	-5.58 60	115	121	6	
BS 17 0111 80262819	5.76	AB 12 0025 EL 11 0110	233	5	102	4	105	104	103	0.44 97	0.20 90	0.41 105	0.68 96	0.18 85	0.52 103	0.10 58	98	1.20 80	1.58 88	2.25 75	1.45 62	98	108	6	

Sires used in Flock



Gegenotipeer

*Inbreeding in red is high

EBV - Estimated Breeding Value

Indices above 124
Above breed average
Indices below 76

Acc: Accuracy of the breeding value
EBV's with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Dier Inligting		Ouers & Nageslag						Seleksie Indeks			EBV - Gewigte								EBV - Vrugbaarheid				
Animal ID Regnr	% In-breeding	Sire ID Dam ID		1st Gen		2nd Gen		Logix Merit Index	Growth Index	Repro- duction Index	Pre-wean Weight			Wean Weight			Post Wean	Lambs Weaned	TWW	AFL	ILP	Dam	
				Progeny weaned	Number herds	Progeny weaned	Number herds				Dir	Mat	Comb	Dir	Mat	Comb							
		Acc	Index	Acc	Index	EBV	Index				Acc	Index	Acc	Index	EBV	Index							Acc
		Active Breed Average:						100	100	100	0.30	0.05	0.20	0.51	0.09	0.35	0.24	0.12	0.67	0.32	0.62		
BS 17 0151 80263163	4.19	EL 11 0103 BS 13 0012	44	1	30	1	101	82	106	-0.41 90	-0.34 82	-0.54 81	-0.27 89	-0.49 76	-0.62 83	-0.26 51	3.10 72	1.11 111	-6.22 80	-12.22 103	182	8	
DTC 17 0167 80633290	13.62	HM 15 0052 DTC 12 0055	95	4	17	3	100	106	97	1.02 92	0.18 111	0.69 105	0.37 91	0.31 66	0.50 102	0.01 77	-2.70 63	-0.94 90	-0.50 75	2.26 48	137	6	
DTC 17 0339 80635949	8.89	DTC 15 0104 DTC 11 0200	61	2	11	2	86	114	65	2.65 90	-0.77 136	0.56 109	2.90 89	-0.60 76	0.85 109	2.97 83	-9.60 67	-3.46 76	-0.98 55	10.77 104	256	8	
DTC 17 0351 80636103	4.65	DTC 16 0722 DTC 12 0234	258	6	94	6	103	116	98	1.32 97	0.23 91	0.89 118	1.56 97	0.40 85	1.18 114	1.78 81	-3.90 82	-0.39 86	-0.22 74	4.59 102	178	8	
DTC 17 0361 80636251	8.89	DTC 15 0104 DTC 11 0200	255	7	70	7	62	108	40	2.29 97	-1.16 131	-0.02 94	3.56 96	-1.05 82	0.74 107	4.41 89	-14.80 80	-6.36 64	2.83 87	18.64 62	256	8	
DTC 17 0462 80637572	10.47	GE 13 0086 DTC 10 0314	134	9	36	3	107	114	100	1.64 94	0.15 121	0.97 120	1.04 93	0.38 72	0.90 109	2.46 50	0.90 68	1.96 103	1.25 79	9.30 107	157	9	
DTC 17 0998 80599806	5.15	HM 15 0052 DTC 12 0483	24	1	5	1	91	83	93	-0.92 82	-0.41 59	-0.87 72	0.34 80	-0.45 52	-0.28 89	-0.02 34	5.50 46	3.19 120	0.40 61	8.75 100	4		
DTC 17 1096 80600729	7.26	DTC 15 0085 DTC 16 0321	37	1	3	1	76	69	81	-0.14 85	-0.92 93	-0.99 64	-1.11 83	-1.00 47	-1.55 66	-0.16 31	-2.90 47	-3.85 89	2.15 61	-13.90 75	85	1	
DTC 18 0005 81838609	8.83	JC 15 0077 DTC 15 0011	206	9	74	7	86	111	74	1.38 96	-0.12 117	0.56 109	1.83 96	0.01 83	0.92 110	1.61 86	-5.30 81	-1.34 81	6.43 88	17.74 72	99	4	
BS 18 0014 82213356	3.40	MW 15 0052 BS 13 0031	16	1	4	1	107	110	103	0.31 80	-0.13 100	0.02 95	2.58 79	0.02 61	1.31 117	1.63 28	1.90 59	3.74 107	2.30 67	6.21 117	136	5	
EL 18 0040 81638447	4.47	EL 16 0012 EL 13 0069	37	2	14	2	108	108	122	-0.38 86	1.31 89	1.12 124	-1.17 85	1.35 59	0.77 107	-2.16 47	-7.50 57	-4.31 73	-18.95 69	-13.65 73	102	5	
DTC 18 0064 81837908	5.77	JC 15 0060 DTC 12 0161	37	1	7	2	82	96	84	-0.18 85	0.03 92	-0.06 93	0.32 84	0.11 58	0.27 98	-0.50 67	-5.70 56	-2.99 79	4.87 68	3.40 80	146	8	
JC 18 0101 81280489	4.49	JC 16 0166 RM 13 0003	61	3	32	1	123	114	123	0.65 89	0.52 77	0.84 116	0.89 88	0.75 69	1.20 115	0.51 36	5.20 67	4.76 119	-6.27 76	4.22 123	136	4	
JC 18 0107 81280604	4.12	JC 14 0046 JC 14 0041	222	7	40	6	80	92	71	0.32 96	-0.65 100	-0.49 82	1.34 95	-0.65 73	0.02 94	-0.01 87	-3.20 68	-1.23 88	4.68 80	10.55 57	79	3	
BS 18 0144 82214198	2.38	MW 15 0052 AAA 14 0057	103	3	43	4	113	116	114	0.67 93	0.47 106	0.80 115	1.29 92	0.71 74	1.36 118	0.60 25	1.00 68	2.60 104	7.84 80	0.73 111	95	4	
BS 18 0200 82068255	3.42	MW 15 0052 BS 16 0067	44	1	24	2	106	106	107	0.22 89	0.06 77	0.17 99	1.36 88	0.27 70	0.96 110	0.69 31	0.50 64	1.94 102	0.92 76	0.10 107	163	7	
DTC 18 0661 82575846	5.30	JC 15 0060 DTC 16 1005	48	3	4	2	88	99	87	0.54 87	0.15 104	0.42 106	-0.03 86	0.15 53	0.13 102	1.05 51	-0.60 52	-0.24 98	12.74 65	8.29 44	109	6	

Sires used in Flock



Gegenotipeer

*Inbreeding in red is high

EBV - Estimated Breeding Value

Indices above 124
Above breed average
Indices below 76

Acc: Accuracy of the breeding value
EBV's with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Dier Inligting		Ouers & Nageslag						Seleksie Indeks			EBV - Gewigte								EBV - Vrugbaarheid				
Animal ID Regnr	% In-breeding	Sire ID Dam ID		1st Gen		2nd Gen		Logix Merit Index	Growth Index	Repro- duction Index	Pre-wean Weight			Wean Weight			Post Wean	Lambs Weaned	TWW	AFL	ILP	Dam	
				Progeny weaned	Number herds	Progeny weaned	Number herds				Dir	Mat	Comb	Dir	Mat	Comb							
		EBV Acc	Index	EBV Acc	Index	EBV Index	EBV Acc				Index	EBV Index	EBV Acc	Index	EBV Index	EBV Acc							Index
Active Breed Average:										100	100	100	0.30	0.05	0.20	0.51	0.09	0.35	0.24	0.12	0.67	0.32	0.62
DTC 18 0679 82589227	7.59	GE 13 0086 DTC 14 0594	74	4	35	3	119	109	111	1.09 92 112	-0.09 81 95	0.46 106	1.49 92 110	0.14 74 102	0.88 109	1.19 57 111	5.70 71 121	5.05 80 124	-11.03 68 134	8.81 63 79	121 8		
DTC 18 0695 82589441	9.97	GE 13 0086 DTC 13 0722	29	3	7	2	106	89	114	-0.39 83 89	0.15 63 104	-0.04 94	-0.90 82 84	0.17 57 103	-0.28 89	-0.64 52 90	4.70 52 117	2.09 65 108	-6.39 52 120	-4.93 49 114	124 8		
DTC 18 0705 82607391	9.96	DTC 16 0015 DTC 15 0296	10	2	5	2	112	103	109	0.63 77 105	0.04 61 100	0.36 104	0.77 75 102	0.13 54 102	0.52 103	0.24 26 100	4.70 53 117	3.73 62 117	-3.69 42 112	4.44 39 90	172 7		
DTC 18 0772 82610510	4.89	DTC 16 0768 DTC 14 0524	70	3	11	1	98	100	90	1.05 89 112	-0.42 56 83	0.11 97	1.19 88 107	-0.30 47 87	0.29 99	0.53 69 103	0.70 47 103	1.31 63 104	7.22 55 79	4.44 48 90	221 9		
DTC 18 0795 82610635	7.36	DTC 15 0103 DTC 14 0341	61	2	13	1	112	102	90	2.25 89 130	-0.89 60 66	0.23 101	1.74 88 113	-0.71 55 73	0.16 96	-0.18 61 95	5.60 51 120	4.39 67 120	0.91 49 98	10.51 45 75	4		
DTC 18 0882 82578055	5.68	JC 15 0060 DTC 17 0652	56	4	16	3	83	84	81	0.37 89 101	-0.34 71 86	-0.16 90	-0.91 88 84	-0.33 63 86	-0.79 80	-1.03 53 85	-1.00 59 96	-1.84 72 86	6.49 51 81	2.90 45 94	129 5		
DTC 18 0897 82611443	5.04	DTC 16 0728 DTC 15 0765	49	4	18	2	79	72	82	-0.32 88 90	-0.40 74 83	-0.57 80	-1.83 87 74	-0.55 65 78	-1.46 68	-0.79 41 88	2.10 62 108	-1.11 73 90	3.41 53 91	3.07 48 94	86 6		
DTC 18 0957 82578212	4.77	DTC 16 0722 DTC 14 0523	69	3	14	3	108	111	109	1.39 90 117	-0.08 65 95	0.62 111	1.38 89 109	0.16 59 102	0.85 109	3.62 59 136	-3.40 56 88	-0.50 70 94	-11.20 55 135	-8.43 51 122	165 7		
GW 19 0012 83957464	8.05	DTC 03 0025 GW 15 0183	172	3	27	1	99	103	98	0.74 95 107	0.29 79 109	0.66 112	-0.22 94 92	0.43 71 112	0.32 99	-0.18 76 95	-2.30 67 92	-1.17 79 90	-3.13 59 110	3.12 59 94	154 8		
GE 19 0044 83409524	3.19	DTC 16 0944 GE 13 0138	58	5	17	4	73	75	65	0.81 88 108	-1.30 70 64	-0.90 71	0.11 88 95	-1.28 62 64	-1.23 72	0.55 37 103	-3.80 56 86	-3.45 71 78	-4.39 41 114	1.66 46 97	167 8		
EL 19 0086 83463869	1.64	HIS 00 0070 EL 16 0005	21	3	10	1	102	117	98	0.86 78 109	0.30 58 109	0.73 114	1.95 77 115	0.45 57 112	1.42 119	1.18 46 110	-4.90 51 82	-0.54 63 93	-4.32 53 114	5.13 45 89	108 4		
FJ 19 0120 83579920	1.13	JJ 85 0005 DTC 16 0698	27	1	7	1	136	114	115	3.16 81 136	-0.63 63 75	0.95 119	2.24 81 119	-0.50 55 80	0.62 105	1.48 38 114	10.70 49 136	8.16 64 141	6.68 44 81	-0.48 44 103	164 7		
BS 19 0120 83157875	12.47	BS 17 0151 BS 13 0133	316	6	85	2	106	104	103	0.51 97 103	-0.11 89 94	0.15 99	1.71 97 113	-0.18 82 91	0.68 106	1.60 33 115	1.70 78 106	2.55 87 110	0.17 77 100	-0.17 61 102	196 8		
DTC 19 0120 83613240	8.48	DTC 17 0339 DTC 17 0328	364	12	77	8	98	111	91	0.99 97 111	-0.01 86 98	0.48 107	1.89 97 115	0.01 77 97	0.96 110	2.03 89 120	-3.50 74 87	-0.20 84 95	-2.05 70 107	5.69 59 87	86 5		
BS 19 0342 85532364	4.31	BS 17 0053 BS 15 0064	254	4	79	1	117	102	117	0.50 96 103	0.07 88 101	0.32 103	0.67 96 101	0.14 81 102	0.47 102	0.25 42 100	5.20 77 119	3.92 86 118	-3.25 75 111	-3.55 62 110	110 4		
BS 19 0349 85532661	2.90	EL 11 0103 FN 11 0079	343	6	80	4	117	113	114	0.48 97 103	0.44 86 114	0.68 112	1.50 97 110	0.42 79 111	1.17 114	0.86 44 107	3.30 76 112	3.90 85 118	-4.48 73 115	4.09 57 91	4		
P 19 0355 84810118	6.86	DTC 17 0485 DTC 17 0696	66	1	12	1	110	113	114	0.23 84 99	0.70 56 124	0.81 116	0.67 88 101	0.87 48 127	1.21 115	-0.22 36 95	-1.80 46 93	0.46 63 99	-6.15 62 120	0.56 45 100	96 3		

Sires used in Flock



Gegenotipeer

*Inbreeding in red is high

EBV - Estimated Breeding Value

Indices above 124
Above breed average
Indices below 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Dier Inligting		Ouers & Nageslag						Seleksie Indeks			EBV - Gewigte								EBV - Vrugbaarheid					
Animal ID Regnr	% In-breeding	Sire ID Dam ID		1st Gen		2nd Gen		Logix Merit Index	Growth Index	Repro- duction Index	Pre-wean Weight			Wean Weight			Post Wean	Lambs Weaned	TWW	AFL	ILP	Dam		
				Progeny	Number	Progeny	Number				Dir	Mat	Comb	Dir	Mat	Comb								
		weaned	herds	weaned	herds	EBV	EBV				EBV	EBV	EBV	EBV	EBV									
		Active Breed Average:						100	100	100	0.30	0.05	0.20	0.51	0.09	0.35	0.24	0.12	0.67	0.32	0.62			
BS 19 0467 89427827	2.45	BS 18 0260 BS 15 0035	143	3	38	3	111	101	111	0.64 94 105	0.04 80 100	0.36 104	0.42 94 99	0.08 71 100	0.29 99	0.34 77 101	1.90 67 107	1.65 79 105	-6.58 61 121	-5.36 54 115	85	3		
BS 19 0636 89429427	5.08	BS 18 0076	160	2	30	2	102	114	102	0.80 94 108	0.26 73 108	0.66 112	1.55 94 111	0.43 61 112	1.21 115	0.68 12 105	-5.10 59 81	-1.08 73 91	4.64 58 87	-3.68 41 111	142	5		
BS 19 0647 89427041	3.22	HIS 89 0084 BS 18 0111	58	2	12	2	131	119	132	0.43 88 102	0.51 65 117	0.73 113	2.05 87 116	0.68 56 120	1.71 124	0.76 21 106	6.90 53 125	6.87 67 134	0.63 45 99	-2.06 38 107	103	4		
BS 19 0655 89429948	1.31	CAT 83 0011 BS 18 0010	14	3	6	1	114	104	118	-0.15 74 93	0.37 46 112	0.29 102	0.69 73 102	0.44 40 112	0.78 107	0.00 20 97	5.50 39 120	4.43 52 121	0.44 48 100	0.83 40 99	122	6		
DTC 20 0001 86497740	8.30	DTC 18 0005 DTC 16 0935	12	2	1	1	79	96	82	-0.25 73 91	0.02 57 99	-0.11 92	0.61 72 101	0.00 52 97	0.31 99	0.58 61 104	-6.30 50 77	-3.17 59 79	2.62 42 93	4.03 38 91	123	7		
DJ 20 0006 89850457	19.28	DJ 17 0002 DJ 18 0010	161	7	34	4	112	90	114	0.36 94 101	0.08 74 101	0.26 101	-1.10 94 82	0.05 63 99	-0.50 85	-0.41 66 92	11.10 55 136	5.61 73 127	13.51 53 64	-0.21 46 102	97	1		
LR 20 0006 89960934	9.18	DTC 18 0679 DTC 17 1317	23	1	5	1	93	91	83	0.83 81 108	-0.87 58 66	-0.45 83	1.11 79 106	-0.75 50 71	-0.19 90	1.01 35 109	2.20 48 108	1.68 61 106	-7.66 44 124	11.17 38 74	111	5		
P 20 0010 86340288	6.28	DTC 18 0957 DTC 17 1234	1	1	1	1	105	111	105	1.20 64 114	0.26 44 108	0.86 117	0.75 63 102	0.45 38 113	0.83 108	1.93 36 119	-3.10 38 89	-0.66 48 93	-3.44 36 111	-2.26 33 107	105	7		
OKF 20 0017 92384916	9.75	DTC 18 0005 DTC 19 0244	100	5	23	3	67	106	53	1.28 91 115	-0.53 62 79	0.11 98	2.25 90 119	-0.42 54 83	0.71 106	1.79 54 117	-12.20 56 64	-5.49 68 66	6.95 51 80	17.70 40 64	81	4		
WCN 20 0019 86672250	7.14	FJ 18 0030 SC 15 0011	39	1	10	2	92	85	97	-0.03 84 95	-0.07 60 96	-0.09 92	-1.10 83 82	-0.09 52 94	-0.64 82	-0.22 70 95	1.30 43 105	-0.41 62 94	4.35 40 88	-3.51 39 110	104	7		
LR 20 0019 89960595	6.37	DTC 18 0679 DTC 16 0229	162	4	35	3	105	89	106	-0.27 95 91	-0.32 77 86	-0.46 83	0.45 94 99	-0.31 67 86	-0.08 92	0.94 37 108	6.80 64 125	4.22 77 120	-6.25 64 120	2.58 48 95	96	4		
WW 20 0042 89495675	4.64	FJ 17 0025 WW 17 0126	21	1	5	1	85	86	100	-1.73 78 68	0.38 59 112	-0.48 82	-0.83 78 85	0.39 52 110	-0.02 93	-1.57 41 79	-1.90 48 93	-1.58 61 88	0.30 39 100	-2.05 37 107	98	4		
GE 20 0047 89335715	7.16	GE 18 0048 GE 15 0151	222	6	15	4	86	92	78	0.73 95 107	-0.54 68 79	-0.17 90	0.69 95 102	-0.56 54 78	-0.21 90	1.76 87 117	1.70 48 106	1.15 68 103	4.23 52 88	14.29 36 66	106	6		
DTC 20 0052 89296024	9.62	DTC 17 0361 DTC 13 0231	89	2	10	1	72	92	68	0.21 91 98	-0.59 66 77	-0.49 82	1.33 90 109	-0.61 57 76	0.06 95	1.93 72 119	-6.40 53 77	-3.12 69 79	1.86 47 95	8.87 44 79	103	6		
LR 20 0055 91077776	7.51	DTC 18 0679 DTC 16 0939	133	2	42	1	109	110	99	1.52 94 119	-0.49 81 80	0.27 102	2.36 94 120	-0.19 72 91	1.00 111	2.64 41 127	1.10 68 104	2.84 80 112	-4.97 64 116	5.73 51 87	139	7		
RC 20 0059 86426103	3.40	RC 16 0206 RC 15 0392	79	1	13	2	101	91	104	0.18 91 98	-0.26 68 89	-0.17 90	0.10 90 95	-0.20 59 90	-0.16 91	0.40 43 102	1.00 57 104	0.50 70 99	-7.08 49 122	-7.20 44 119	105	4		
RC 20 0066 86426285	3.13	RC 16 0206 RC 16 0049	151	2	60	2	79	80	85	-0.12 94 93	-0.37 82 85	-0.43 83	-0.99 94 83	-0.34 73 85	-0.84 79	-0.23 59 94	-5.10 70 81	-4.39 80 72	-6.85 63 122	-5.82 57 116	123	6		

Sires used in Flock



Gegenotipeer

*Inbreeding in red is high

EBV - Estimated Breeding Value

Indices above 124
Above breed average
Indices below 76

Acc: Accuracy of the breeding value
EBV's with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Dier Inligting		Ouers & Nageslag						Seleksie Indeks			EBV - Gewigte								EBV - Vrugbaarheid					
Animal ID Regnr	% In-breeding	Sire ID Dam ID	1st Gen		2nd Gen		Logix Merit Index	Growth Index	Repro- duction Index	Pre-wean Weight			Wean Weight			Post Wean	Lambs Weaned		TWW	AFL	ILP	Dam EPI Times Lambd		
			Progeny weaned	Number herds	Progeny weaned	Number herds				Dir	Mat	Comb	Dir	Mat	Comb		EBV	EBV					EBV	
										Acc	Index	Acc	Index	EBV	Index		Acc	Index					EBV	Index
		Active Breed Average:						100	100	100	0.30	0.05	0.20	0.51	0.09	0.35	0.24	0.12	0.67	0.32	0.62			
HL 20 0067 89975973	3.55	HL 15 0020 HL 19 0056	120	1	21	1	98	102	102	0.03 93 96	0.23 73 106	0.24 101	0.52 93 100	0.29 63 107	0.55 103	0.61 44 104	-0.60 59 98	0.44 74 99	3.11 56 92	0.50 42 100	126	7		
DTC 20 0072 89376081	9.85	DTC 17 0361 DTC 17 0171	109	4	20	4	79	93	70	0.98 93 110	-0.76 72 71	-0.27 88	1.27 92 108	-0.75 62 71	-0.11 92	1.73 78 117	-5.20 60 81	-2.60 73 82	0.95 52 98	5.87 44 87	124	5		
EL 20 0106 89473912	3.89	EL 18 0040 EL 17 0185	34	2	10	2	87	92	100	-0.88 82 81	0.76 57 126	0.32 103	-1.68 81 76	0.74 48 122	-0.10 92	-1.94 29 75	-6.00 48 78	-4.54 61 72	-10.58 41 133	-2.79 37 108	86	2		
RC 20 0107 89953202	3.41	RC 15 0447 RC 14 0209	20	1			92	94	91	0.32 78 100	-0.12 55 94	0.04 96	0.16 77 96	-0.12 49 93	-0.04 93	-1.29 63 82	-5.00 48 82	-2.96 60 80	-9.05 42 128	-3.26 39 110	130	7		
WCN 20 0113 89516777	6.23	DTC 18 0023 P 18 0702	44	2	15	2	91	105	79	1.18 86 114	-0.65 64 75	-0.05 93	2.47 85 121	-0.53 54 79	0.71 106	0.86 34 107	-3.90 46 86	-0.40 64 94	3.48 39 90	7.49 36 83	117	5		
DTC 20 0148 89904254	5.50	JC 17 0009 DTC 19 0011	13	3	5	2	89	96	84	0.15 74 97	-0.61 53 76	-0.54 81	1.99 73 116	-0.61 46 76	0.38 100	0.91 54 107	-1.80 45 93	0.30 56 98	3.87 35 89	3.38 31 93	95	4		
DTC 20 0168 89904494	8.46	JC 17 0009 DTC 12 0161	11	1	2	1	86	95	81	0.59 75 104	-0.46 55 81	-0.16 90	0.92 74 104	-0.41 49 83	0.05 94	-0.75 67 88	-5.90 48 79	-3.04 58 80	-0.76 38 103	-0.16 37 102	146	8		
DTC 20 0229 89879811	7.07	DTC 19 0009 DTC 18 0561	104	5	7	1	91	77	101	-1.33 92 74	0.05 58 100	-0.62 79	-1.50 91 78	-0.06 46 95	-0.81 79	-2.03 73 74	3.10 43 111	0.30 63 98	-1.49 41 105	-3.11 31 109	112	5		
DTC 20 0231 89904775	6.35	DTC 17 0351 DTC 18 0117	42	3	5	3	125	132	111	2.56 87 135	-0.23 64 90	1.05 122	4.22 86 136	0.07 56 99	2.18 132	2.78 77 129	-1.70 53 94	3.27 67 114	1.77 44 96	-3.47 42 110	96	4		
BS 20 0232 91738831	6.37	BS 19 0390 BS 16 0071	101	3	15	1	104	99	109	0.03 92 96	0.12 65 103	0.13 98	0.46 91 99	0.13 54 101	0.36 100	0.43 27 102	0.00 49 100	0.59 67 100	1.08 51 98	-9.39 35 125	90	3		
DTC 20 0240 89879837	8.97	DTC 18 0005 DTC 16 0827	150	7	22	3	89	115	72	2.02 94 127	-0.36 74 85	0.65 111	2.49 94 121	-0.19 64 90	1.05 112	1.10 83 110	-8.80 62 68	-2.98 75 80	2.11 54 95	11.83 47 72	115	6		
DTC 20 0249 89905012	4.99	DTC 17 0351 DTC 14 0055	113	2	24	2	109	124	104	1.08 93 112	0.52 74 117	1.06 122	2.24 92 119	0.68 66 120	1.80 125	1.63 74 116	-3.90 63 86	0.58 75 100	-3.43 56 111	6.30 49 86	136	12		
P 20 0313 89805675	7.54	DTC 18 0679 DTC 17 1111	9	1	10	1	113	98	101	1.41 72 117	-0.66 57 74	0.04 96	1.11 71 106	-0.52 50 79	0.04 94	1.07 34 109	7.60 47 128	5.15 57 125	-5.69 48 118	7.56 43 83	125	4		
P 20 0343 90214263	5.67	DTC 18 0742 DTC 17 1187	26	1	6	1	83	95	75	1.29 69 115	-0.61 48 76	0.04 96	0.67 79 101	-0.52 42 79	-0.18 90	1.19 34 111	-4.10 40 85	-2.31 56 84	9.46 49 72	3.20 41 93	104	7		
BOS 21 0001 95277554	5.02	RC 19 0135 RC 20 0034	25	1			91	92	92	-0.34 77 90	0.05 48 100	-0.12 92	-0.11 76 93	0.03 41 98	-0.02 93	-2.28 33 71	-3.60 39 87	-2.24 54 84	-6.26 32 120	-0.42 30 102	109	6		
VA 21 0003 90627340	6.30	FJ 18 0004 MW 18 0069	7	1	1	1	86	83	98	-1.16 66 77	0.51 55 117	-0.07 93	-2.03 68 72	0.39 49 110	-0.63 83	-2.40 37 70	-1.80 48 93	-2.72 56 82	-1.30 37 105	-3.25 35 109	143	10		
EL 21 0008 92037787	1.79	MW 16 0051 EL 18 0013	4	1	3	1	123	128	124	1.19 66 114	1.07 56 136	1.66 136	1.18 65 107	1.23 48 136	1.82 126	0.15 23 99	-2.60 42 91	0.85 53 101	-0.24 39 102	-5.09 34 114	93	5		

Sires used in Flock



Gegenotipeer

*Inbreeding in red is high

EBV - Estimated Breeding Value

Indices above 124
Above breed average
Indices below 76

Acc: Accuracy of the breeding value
EBV's with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Dier Inligting		Ouers & Nageslag						Seleksie Indeks			EBV - Gewigte								EBV - Vrugbaarheid								
Animal ID Regnr	% In-breeding	Sire ID Dam ID		1st Gen		2nd Gen		Logix Merit Index	Growth Index	Repro-duction Index	Pre-wean Weight			Wean Weight			Post Wean	Lambs Weaned	TWW	AFL	ILP	Dam					
				Progeny Number weaned	herds	Progeny Number weaned	herds				Dir	Mat	Comb	Dir	Mat	Comb											
		EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index				EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index							EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index
Active Breed Average:										100	100	100	0.30	0.05	0.20	0.51	0.09	0.35	0.24	0.12	0.67	0.32	0.62				
EL 21 0012 92037795	2.98	BS 17 0111 EL 18 0111	7	1	4	1	128	124	126	1.25 70	0.93 115	1.56 132	1.00 69	1.00 52	1.50 120	-0.11 34	96	50	103	58	110	44	118	38	111	88	4
ZEL 21 0016 91429274	3.60	RC 19 0001 RC 19 0145	44	1	11	1	107	106	107	0.97 85	0.26 110	0.74 108	0.24 84	0.34 54	0.46 102	-0.14 33	95	49	90	64	90	38	126	38	117	126	4
RN 21 0031 92145135	7.48	DTC 17 0361 RN 19 0085	31	1	2	1	87	112	68	2.37 83	-0.91 132	0.27 56	3.25 81	-0.75 49	0.87 109	3.30 59	135	-9.20 47	-3.02 61	-2.32 40	7.76 82	37	82	133	6		
GE 21 0037 91741983	4.45	GE 19 0044 GE 20 0014	33	1	5	1	62	57	73	-1.48 83	-0.31 72	-1.05 67	-3.43 81	-0.53 42	-2.24 64	-2.80 29	65	-2.60 36	-5.51 56	-4.32 28	-0.81 114	-0.81 29	103	91	3		
JC 21 0043 91713735	3.48	DTC 17 0351 JC 18 0104	241	3	20	2	98	107	95	0.97 96	0.16 110	0.65 73	0.71 96	0.22 62	0.58 105	0.60 45	104	-3.90 58	-1.41 74	2.05 54	-0.28 95	-0.28 43	102	132	7		
DTC 21 0060 91027409	4.30	JC 16 0034 DTC 18 0561	9	1	4	1	104	98	94	1.38 74	-0.60 117	0.08 58	1.14 72	-0.53 52	0.04 94	0.21 66	99	1.90 50	1.75 107	3.09 59	-1.00 106	-1.00 39	104	112	5		
BS 21 0068 91775072	5.32	BS 19 0016 AAA 14 0007	44	3	6	1	100	108	100	0.55 85	0.10 104	0.37 59	1.40 84	0.18 50	0.88 103	0.91 20	107	-3.50 47	-0.52 62	1.44 45	-2.66 97	-2.66 36	108	93	3		
P 21 0072 91900720	6.32	DTC 18 0957 DTC 17 0652	4	2	2	1	98	101	101	0.63 68	-0.15 105	0.16 48	0.87 68	0.03 42	0.46 102	2.82 48	129	-2.60 40	-0.67 52	-6.06 42	-5.11 119	-5.11 34	114	129	5		
BS 21 0083 91764308	27.46	BS 18 0200 BS 16 0067	76	1	10	1	98	106	98	0.50 90	0.01 103	0.25 66	1.34 89	0.16 57	0.83 103	0.79 28	106	-3.30 52	-0.48 68	1.14 48	-0.97 98	-0.97 41	104	163	7		
DTC 21 0091 91898783	6.19	GE 15 0111 DTC 17 0030	46	1	4	1	95	97	101	-0.50 86	0.46 87	0.21 62	-0.16 85	0.36 54	0.28 98	-0.32 47	93	-1.10 49	-0.47 65	0.62 43	0.21 99	0.21 41	101	134	7		
WCN 21 0109 92024942	8.80	DTC 18 0023 WCN 19 0134	36	4	5	2	60	70	75	-2.04 83	0.28 64	-0.74 52	-2.56 81	0.10 43	-1.18 100	-3.28 73	64	-5.20 40	-5.58 57	12.00 39	2.07 64	2.07 31	96	83	1		
P 21 0151 92169218	6.47	P 19 0355 P 19 0567	7	1			108	106	104	0.46 67	0.08 102	0.31 39	1.02 67	0.25 34	0.76 106	0.49 37	103	3.10 32	3.13 111	-4.23 46	9.30 114	9.30 29	78	136	3		
GW 21 0154 91670273	5.87	VA 11 0077 DTC 19 0037	34	1	9	1	103	92	107	-0.77 84	0.24 60	-0.14 91	-0.39 83	0.26 56	0.07 95	-3.98 66	64	-1.30 52	-0.91 65	-14.19 47	-5.59 115	-5.59 45	115	109	7		
DTC 21 0179 92380211	10.22	DTC 19 0120 DTC 18 0006	190	8	9	2	105	120	88	2.00 94	-0.12 127	0.88 68	2.67 95	-0.01 56	1.32 117	1.87 91	118	-0.70 53	2.23 70	7.15 109	14.84 47	14.84 47	64	132	7		
BS 21 0222 91774893	6.55	MW 16 0051 BS 19 0468	136	4	43	2	119	112	125	0.45 94	0.69 102	0.91 80	0.45 93	0.76 70	0.98 123	0.08 24	98	1.50 64	2.11 105	-1.27 63	-8.95 105	-8.95 45	124	94	2		
BS 21 0227 91764605	7.36	BS 19 0636 BS 19 0610	18	2	9	1	121	125	112	1.90 79	0.01 125	0.96 61	2.94 78	0.28 51	1.75 106	2.15 17	122	-0.70 44	2.80 60	-1.06 45	-1.46 104	-1.46 32	105	122	5		
BS 21 0235 91764928	10.71	BS 19 0646 BS 19 0462	54	1	7	1	116	116	110	1.12 87	0.06 113	0.62 58	2.15 86	0.22 47	1.30 105	1.41 15	113	2.50 44	3.87 61	2.81 41	2.37 92	2.37 29	95	259	5		

Sires used in Flock



Gegenotipeer

*Inbreeding in red is high

EBV - Estimated Breeding Value

Indices above 124
Above breed average
Indices below 76

Acc: Accuracy of the breeding value
EBV's with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Dier Inligting		Ouers & Nageslag						Seleksie Indeks			EBV - Gewigte								EBV - Vrugbaarheid				
Animal ID Regnr	% In-breeding	Sire ID Dam ID		1st Gen		2nd Gen		Logix Merit Index	Growth Index	Repro-duction Index	Pre-wean Weight			Wean Weight			Post Wean	Lambs Weaned	TWW	AFL	ILP	Dam	
				Progeny Number weaned	herds	Progeny Number weaned	herds				Dir	Mat	Comb	Dir	Mat	Comb							EBV
		Acc	Index	Acc	Index	EBV	Index				Acc	Index	Acc	Index	EBV	Index	Acc	Index	Acc	Index	Acc	Index	Acc
		Active Breed Average:						100	100	100	0.30	0.05	0.20	0.51	0.09	0.35	0.24	0.12	0.67	0.32	0.62		
GW 21 0242 92222512	6.53	FJ 19 0167 GW 14 0003	165	1	37	1	127	116	121	1.14 95 113	-0.07 79 96	0.50 108	2.43 95 121	0.14 72 102	1.35 117	1.64 83 116	7.30 67 126	6.95 80 135	3.45 66 90	0.01 54 101	249 9		
P 21 0288 92344696	7.83	DTC 18 0679 DTC 14 0523	1	1			115	104	113	0.97 61 110	-0.12 54 94	0.36 104	0.95 61 104	0.06 49 99	0.53 103	1.55 36 115	2.90 47 110	2.75 53 112	-10.53 51 133	-2.65 40 108	165 7		
BS 21 0362 91892109	11.60	BS 19 0646 BS 18 0115	10	1	4	1	105	114	106	0.50 72 103	0.45 47 115	0.70 113	1.33 70 109	0.63 40 118	1.29 116	0.65 17 104	-3.40 40 88	-0.09 52 96	0.23 37 100	0.15 27 101	97 3		
BS 21 0366 92180058	10.62	BS 19 0646 BS 18 0202	96	1	11	1	113	113	112	0.97 91 110	0.28 58 109	0.77 115	1.17 90 107	0.48 47 113	1.06 112	0.83 20 106	0.90 44 103	2.18 63 108	0.87 47 98	-0.13 28 102	91 5		
BS 21 0486 93382646	4.55	BS 19 0467 AAA 14 0011	160	4	20	2	117	118	114	1.22 94 114	0.68 71 123	1.30 128	0.78 94 103	0.79 59 124	1.18 114	0.72 40 105	-0.20 47 99	1.45 70 104	-6.18 48 120	2.64 38 95	107 5		
BS 21 0617 93433100	3.67	BS 19 0349 BS 18 0087	3	1			102	106	104	0.18 70 98	0.39 54 113	0.49 107	0.53 68 100	0.46 49 113	0.72 106	0.08 25 98	-1.20 48 96	0.27 56 98	0.61 45 99	0.92 37 99	95 4		
WW 22 0004 94055753	6.06	DTC 17 0351 GE 18 0021	44	2	2	1	96	110	92	0.86 86 109	0.18 60 105	0.61 110	1.19 85 107	0.27 53 106	0.87 109	1.31 44 112	-2.60 49 91	-0.10 64 96	6.54 43 81	7.78 39 82	104 5		
LR 22 0008 94880945	8.11	DTC 19 0120 LR 20 0023	92	1	9	1	127	125	111	1.91 92 125	-0.15 65 93	0.81 116	3.60 91 133	0.04 55 98	1.84 126	2.23 49 122	3.50 52 113	5.73 68 128	-6.65 55 121	7.68 40 82	148 6		
LR 22 0013 94880788	7.57	LR 20 0019 DTC 17 0646	62	2	11	1	105	110	100	0.89 89 109	-0.29 64 88	0.15 99	2.41 88 120	-0.10 53 94	1.11 113	3.45 37 136	1.10 50 104	2.97 66 113	-2.86 49 110	5.92 35 87	156 7		
GE 22 0014 93547073	6.11	JC 16 0034 GE 17 0005	32	3	5	2	86	95	77	0.76 82 107	-0.49 59 80	-0.11 92	1.10 81 106	-0.54 52 79	0.02 94	-0.31 57 94	-4.10 51 85	-1.89 63 86	3.56 42 90	4.01 39 91	107 5		
LR 22 0017 94892296	9.54	LR 20 0055 DTC 15 0487	7	1	1	1	105	100	99	1.09 71 112	-0.59 53 77	-0.05 93	1.59 69 111	-0.42 47 83	0.38 100	2.07 27 121	1.70 43 106	2.19 55 108	-5.96 39 119	0.55 34 100	117 7		
ROS 22 0020 94322534	6.77	DTC 20 0072 ROS 17 0015	43	2	9	1	88	84	94	-0.97 85 80	-0.29 53 88	-0.77 75	0.21 84 96	-0.39 44 84	-0.29 89	0.19 43 99	1.40 46 105	0.66 60 100	1.09 41 98	-1.39 31 105	103 5		
ROS 22 0021 94321635	6.77	DTC 20 0072 ROS 17 0015	19	2	3	1	83	82	93	-1.31 78 75	-0.18 52 92	-0.84 73	-0.06 77 93	-0.29 44 87	-0.32 88	0.33 59 101	-0.10 44 100	-0.41 57 94	1.66 37 96	-2.46 30 108	103 5		
FJ 22 0027 93840197	0.78	M 83 0094 FJ 19 0087	319	1	50	1	98	89	97	0.37 97 101	-0.23 80 90	-0.05 93	-0.32 97 91	-0.33 67 86	-0.49 85	-0.75 27 89	2.20 60 108	0.68 77 100	2.22 63 94	-3.16 34 109	104 8		
FJ 22 0028 93839751	0.78	M 83 0094 FJ 19 0087	72	1	12	1	103	97	100	0.47 89 102	-0.19 49 91	0.05 96	0.62 88 101	-0.19 41 90	0.12 96	-0.04 26 97	1.90 45 107	1.57 60 105	2.54 49 93	-2.04 33 106	104 8		
DTC 22 0030 93633196	10.49	DTC 20 0240 DTC 17 0187	135	4	6	2	99	129	85	2.43 93 133	-0.06 61 96	1.15 125	3.46 93 132	0.20 49 104	1.92 128	4.23 73 136	-8.20 46 70	-1.27 65 90	1.36 38 97	10.72 33 75	144 9		
P 22 0040 93622769	7.70	P 19 0355 DTC 15 0223	22	1	2	1	94	96	103	-0.46 76 88	0.50 47 117	0.27 102	-0.84 75 85	0.55 39 116	0.13 96	-1.30 23 82	-2.50 35 91	-1.79 52 87	-3.00 42 110	-1.80 31 106	131 6		

Sires used in Flock



Gegenotipeer

*Inbreeding in red is high

EBV - Estimated Breeding Value

Indices above 124
Above breed average
Indices below 76

Acc: Accuracy of the breeding value
EBV's with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Dier Inligting		Ouers & Nageslag						Seleksie Indeks			EBV - Gewigte								EBV - Vrugbaarheid																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
Animal ID Regnr	% In-breeding	Sire ID Dam ID	1st Gen		2nd Gen		Logix Merit Index	Growth Index	Repro-duction Index	Pre-wean Weight			Wean Weight			Post Wean	Lambs Weaned		TWW	AFL	ILP	Dam																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
			Progeny Number weaned	herds	Progeny Number weaned	herds				Dir	Mat	Comb	Dir	Mat	Comb		EBV Index	EBV Index					EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index

Sires used in Flock



Gegenotipeer

*Inbreeding in red is high

EBV - Estimated Breeding Value

Indices above 124
Above breed average
Indices below 76

Acc: Accuracy of the breeding value
EBV's with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Dier Inligting			Ouers & Nageslag				Seleksie Indeks			EBV - Gewigte								EBV - Vrugbaarheid						
Animal ID Regnr	% In-breeding	Sire ID		1st Gen		2nd Gen		Logix Merit Index	Growth Index	Repro-duction Index	Pre-wean Weight			Wean Weight			Post Wean	Lambs Weaned	TWW	AFL	ILP	Dam		
		Dam ID	Progeny Number weaned	herds	Progeny Number weaned	herds	Dir				Mat	Comb	Dir	Mat	Comb	EBV							EBV	
																								Acc
		Active Breed Average:				100	100	100	0.30	0.05	0.20	0.51	0.09	0.35	0.24	0.12	0.67	0.32	0.62					
HL 23 0074 96781331	10.99	DJ 20 0006 HL 21 0045	45	3			106	101	103	0.75 85	-0.14 107	0.24 101	0.76 84	-0.04 102	0.34 100	0.62 53	3.90 37	3.06 114	9.46 113	1.20 33	102	4		
GW 23 0078 96631296	5.43	GW 21 0242 GW 18 0220	37	1			115	109	113	0.38 84	-0.06 101	0.13 98	2.17 83	0.08 118	1.17 114	0.63 71	3.70 44	4.48 113	2.98 40	-1.44 92	98	6		
GW 23 0087 96626726	11.43	GW 21 0242 GW 19 0056	89	2			88	76	104	-2.02 90	0.36 64	-0.65 78	-2.01 90	0.24 105	-0.77 80	-1.98 56	4.40 43	0.87 116	-0.06 101	0.16 39	101	5		
GW 23 0088 96735147	6.70	GW 21 0242 GW 20 0125	151	4			131	132	115	2.36 94	-0.30 132	0.88 118	4.55 93	0.01 136	2.29 134	2.18 85	1.80 43	5.64 107	1.29 63	-0.13 97	111	5		
WW 23 0090 99602930	18.41	GE 21 0012 GE 22 0009	11	1			108	113	100	1.72 66	-0.24 122	0.62 111	2.08 65	-0.09 117	0.95 110	1.51 27	-2.30 34	0.61 92	1.23 47	-3.08 100	125	4		
GW 23 0107 97399554	11.49	GW 21 0154 GW 21 0249	13	1			108	99	109	-0.09 75	0.16 94	0.12 98	0.29 73	0.24 105	0.38 100	-2.51 50	0.60 38	0.89 102	-7.09 52	-3.03 101	104	4		
BS 23 0117 96910484	2.33	BS 19 0655 BS 19 0199	38	2			107	87	120	-1.48 83	0.60 72	-0.14 91	-1.42 81	0.50 114	-0.21 90	-1.61 16	8.10 32	3.94 129	-4.08 52	0.27 113	94	2		
JC 23 0136 96916853	9.83	DTC 17 0462 JC 14 0025	8	3			92	83	98	-0.43 73	0.15 88	-0.06 93	-1.71 72	0.15 102	-0.71 81	-0.79 31	4.00 46	0.84 114	4.92 57	3.56 101	254	11		
BS 23 0139 96933882	5.92	BS 21 0222 BS 19 0108	4	1			110	103	117	-0.36 69	0.56 89	0.38 105	0.10 67	0.57 116	0.62 104	-0.37 24	2.80 42	2.34 110	-1.02 53	-3.38 109	94	2		
BS 23 0144 96933965	3.16	HL 20 0067 BS 21 0482	14	1			109	115	111	0.31 76	0.25 107	0.40 105	2.22 74	0.36 109	1.47 120	1.60 24	-1.30 37	1.80 95	0.27 52	-2.88 106	97	1		
JC 23 0161 96919832	7.40	DTC 17 0462 JC 21 0190					107	118	103	1.50 64	0.34 119	1.09 123	1.34 63	0.55 109	1.22 115	2.03 33	-2.00 42	0.68 93	1.86 51	4.54 100	94	1		
BS 23 0199 99212508	2.61	HL 20 0067 BS 20 0266	133	2			122	124	113	2.07 93	0.06 128	1.09 123	2.59 92	0.29 122	1.59 122	2.47 27	0.60 38	3.24 102	0.74 60	-1.57 114	98	1		
BS 23 0200 99212425	2.61	HL 20 0067 BS 20 0266	91	3	7	1	111	107	117	-0.06 91	0.56 94	0.53 108	0.52 90	0.60 100	0.86 109	0.37 27	1.90 43	2.26 107	-0.03 61	-3.51 109	98	1		
BS 23 0349 97123772	9.48	BS 21 0235 BS 21 0036	1	1			113	118	109	1.11 63	0.21 106	0.77 115	2.06 62	0.38 117	1.41 118	1.50 14	-0.40 33	2.20 99	1.79 45	0.94 108	93	1		
BS 23 0394 97125397	5.23	BS 17 0111 BS 19 0535	50	1			116	110	117	0.32 86	0.35 111	0.51 108	1.13 85	0.44 106	1.01 111	0.43 77	3.60 48	3.73 113	-0.23 63	-0.92 102	117	3		
BS 23 0420 99212722	2.36	HL 20 0067 BS 18 0186	1	1			107	108	109	0.40 66	0.29 101	0.50 107	0.86 65	0.43 103	0.86 109	0.73 28	0.20 42	1.42 101	-1.19 52	-0.62 104	100	3		
BS 23 0428 99212326	2.73	HL 20 0067 BS 18 0135	2	1			102	102	108	-0.16 68	0.33 93	0.25 101	0.37 66	0.39 110	0.57 104	0.13 28	-0.10 43	0.69 100	-0.78 53	-2.02 103	101	5		

Sires used in Flock



Gegenotipeer

*Inbreeding in red is high

EBV - Estimated Breeding Value

Indices above 124
Above breed average
Indices below 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Dier Inligting		Ouers & Nageslag				Seleksie Indeks			EBV - Gewigte								EBV - Vrugbaarheid				
Animal ID Regnr	% In-breeding	Sire ID Dam ID	1st Gen		2nd Gen	Logix Merit Index	Growth Index	Repro-duction Index	Pre-wean Weight			Wean Weight			Post Wean	Lambs Weaned	TWW	AFL	ILP	Dam	
			Progeny Number weaned	Progeny Number herds					Dir	Mat	Comb	Dir	Mat	Comb							
									EBV Acc Index	EBV Acc Index	EBV Index	EBV Acc Index	EBV Acc Index	EBV Index							EBV Acc Index
Active Breed Average:						100	100	100	0.30	0.05	0.20	0.51	0.09	0.35	0.24	0.12	0.67	0.32	0.62		
BS 23 0529 97178677	7.46	BS 21 0222 BS 22 0162	13	1		120	114	120	1.23 75 114	0.64 51 122	1.26 127	0.13 74 95	0.76 44 123	0.82 108	0.15 15 99	1.80 41 107	1.97 55 107	0.58 39 99	-5.14 29 114	127 4	
BS 23 0602 100135029	10.37	BS 21 0222 BS 22 0627	5	1		121	115	124	0.60 64 105	0.59 47 120	0.89 118	0.97 63 105	0.73 41 122	1.22 115	0.45 16 102	2.40 39 109	3.14 49 114	-1.36 37 105	-4.88 29 114	91 2	
H 24 0007 99918211	3.13	DTC 09 0311 EL 22 0057	5	2		98	99	102	-0.60 66 86	0.21 51 106	-0.10 92	0.87 65 104	0.15 46 102	0.58 104	0.55 31 103	2.30 44 108	2.40 53 110	2.11 40 95	5.53 38 88	87 2	
JC 24 0039 100138833	2.74	BS 21 0486 JC 21 0204				102	105	100	0.70 66 106	0.39 49 112	0.74 114	0.00 65 94	0.43 42 112	0.43 101	0.16 31 99	0.00 37 100	0.43 50 99	-1.19 34 105	5.79 29 87	116 4	
WW 24 0045 99994766	4.88	GE 21 0037 WW 20 0205	11	3		81	94	82	0.27 72 99	0.24 40 107	0.37 104	-0.98 70 83	0.30 32 107	-0.19 90	-0.88 20 87	-6.70 31 76	-4.70 46 71	-3.95 19 113	6.10 22 86	120 5	
FJ 24 0088 99944183	6.89	FJ 22 0027 FJ 20 0179	8	2		123	108	118	1.31 73 116	0.00 52 98	0.65 112	1.03 72 105	0.10 44 100	0.61 104	0.44 22 102	6.50 41 124	5.02 54 124	1.77 38 96	-3.27 26 110	129 5	
ROS 24 0155 100606763	7.14	DTC 22 0238 WW 20 0040	4	1		103	115	95	1.34 65 116	0.02 41 99	0.69 113	1.97 63 116	0.24 35 105	1.22 115	0.63 49 104	-3.10 33 89	0.35 45 98	4.25 25 88	5.98 24 87	121 5	
FJ 24 0159 100908797	5.31	FJ 22 0027 DTC 20 0210	2	2		90	88	91	0.27 68 99	-0.12 50 94	0.02 95	-0.75 66 86	-0.16 42 92	-0.53 84	-0.72 26 89	-0.60 39 98	-1.26 51 90	1.58 36 96	-0.28 24 102	100 4	
FJ 24 0234 107296923	2.74	FJ 22 0027 DTC 18 0527	3	1		109	100	107	0.54 68 104	0.00 53 98	0.27 102	0.49 68 99	-0.01 45 97	0.24 98	0.04 26 97	4.20 41 115	3.01 53 113	4.54 38 87	-1.00 27 104	152 6	
GW 24 0248 99607848	4.86	GE 20 0047 GW 15 0133	2	1		96	91	88	1.06 68 112	-0.71 47 72	-0.18 90	0.69 67 102	-0.64 40 75	-0.30 88	1.08 55 109	3.00 37 111	1.85 50 107	2.39 35 94	5.11 29 89	181 10	
BS 24 0424 99871741	3.89	HIS 00 0070 BS 21 0174	6	1		96	102	93	0.50 71 103	-0.15 55 93	0.10 97	1.24 71 108	-0.05 52 95	0.57 104	1.09 40 109	-1.30 48 95	0.41 58 99	1.26 46 97	4.26 42 91	144 5	
HS 88 0125 4587549	0.00	HS 85 0032 SJ 82 0111	43	5	23 4	90	62	113	-2.37 85 64	0.11 69 102	-1.08 67	-2.96 85 64	-0.13 62 93	-1.61 65	-2.61 33 67	5.90 43 121	0.45 66 99	1.35 62 97	-17.41 58 136	7	
LG 88 0379 5433461	1.29	LG 85 0129	7	2	22 5	121	114	127	-0.24 57 91	0.92 45 132	0.80 115	0.67 60 101	1.03 46 132	1.36 118	-0.98 26 86	4.50 29 116	4.40 47 121	3.13 44 91	-0.28 42 102	4	
HFR 94 0031 9416322	0.57	ACR 89 0065 BB 89 0091	54	4	70 6	106	85	113	-0.42 92 89	-0.23 87 90	-0.44 83	-0.53 92 88	-0.16 83 91	-0.43 86	-0.56 61 91	4.90 79 118	2.25 86 109	-6.61 78 121	-9.74 76 126	5	
Sire Flock Average: Number of sires used in flock: 184						100	101	99	0.42	0.01	0.22	0.64	0.07	0.39	0.36	0.12	0.54	-0.34	0.78		

Ram Selection list: LMI

Animals are sorted on LMI

*Inbreeding in red is high

EBV - Estimated Breeding Value

Indices above 124
Bokant rasgemiddeld
Indices below 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal		Parents & Progeny				Selection Indices			EBV - Weights								EBV - Fertility						
Animal ID Computer nr	% In-breeding	1st Gen		2nd Gen		Logix Merit Index	Growth Index	Reproduction Index	PreW Dir	PreW Mat	PreW Comb	Wean Dir	Wean Mat	Wean Comb	Post Wean	Lambs Weaned	TWW	AFL	ILP	Dam			
									EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV
		Acc	Index	Acc	Index				Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc
		Active breed average:				100	100	100	0.30	0.05	0.20	0.51	0.09	0.35	0.24	0.12	0.67	0.32	0.62				
1	CIDF 25 0020 108939984	5.73	BS 22 0155 BS 22 0661			139	130	129	1.77 65	-0.04 45	0.85 97	4.09 64	0.17 38	2.21 103	3.08 133	17	7.00 36	8.45 125	2.09 48	-2.66 143	216	3	
2	CIDF 26 0248 112776042	5.55	H 23 0062 BS 22 0508			136	128	126	2.16 59	0.17 129	1.25 38	2.81 104	0.39 104	1.79 125	2.10 34	4.70 33	6.01 117	-2.16 43	-2.82 129	121	3		
3	CIDF 26 0334 113764674	2.70	FJ 24 0088 CIDF 25 0024			134	119	125	1.68 49	-0.03 122	0.82 34	2.49 97	0.13 101	1.38 118	1.75 14	7.90 28	7.36 129	1.88 36	-2.97 137	100	1		
4	CIDF 26 0333 113764963	2.70	FJ 24 0088 CIDF 25 0024			134	119	125	1.68 49	-0.03 122	0.82 34	2.49 97	0.13 101	1.38 118	1.75 14	7.90 28	7.36 129	1.88 36	-2.97 137	100	1		
5	CS 26 0502 113856389	2.70	FJ 24 0088 CIDF 25 0023			133	121	123	1.82 49	-0.04 124	0.87 34	2.64 97	0.13 101	1.45 119	1.90 14	6.80 28	6.85 125	1.88 36	-2.16 134	99	1		
6	CS 26 0669 114037328	4.23	BS 23 0117 BS 22 0661			132	108	134	0.04 57	0.36 96	0.37 38	1.18 111	0.45 107	1.03 112	0.42 12	11.30 29	8.40 136	-1.41 41	-1.65 142	216	3		
7	CIDF 26 0457 113801245	2.70	FJ 24 0088 CIDF 25 0019			131	120	122	1.73 49	-0.03 122	0.83 34	2.58 97	0.13 101	1.42 119	1.83 14	6.00 28	6.31 122	1.98 36	-2.89 131	102	1		
8	CIDF 26 0456 113801294	2.70	FJ 24 0088 CIDF 25 0019			131	120	122	1.73 49	-0.03 122	0.83 34	2.58 97	0.13 101	1.42 119	1.83 14	6.00 28	6.31 122	1.98 36	-2.89 131	102	1		
9	CS 26 0641 114037401	8.24	BS 23 0602 CIDF 25 0026			130	122	127	1.23 46	0.28 114	0.89 33	2.37 109	0.45 109	1.63 122	1.66 12	4.70 26	5.64 117	0.45 34	-4.92 127		1		
10	CS 26 0640 114037435	8.24	BS 23 0602 CIDF 25 0026			130	122	127	1.23 46	0.28 114	0.89 33	2.37 109	0.45 120	1.63 122	1.66 12	4.70 26	5.64 117	0.45 34	-4.92 127		1		
11	H 23 0062 99927824	5.02	EL 21 0012 EL 19 0103	11	1	130	122	125	1.63 71	0.46 121	1.27 44	1.65 115	0.58 128	1.41 69	1.03 112	3.60 37	4.40 113	-0.74 50	-3.95 121	109	6		
12	CIDF 26 0032 112247481	2.35	JES 06 0026 EL 22 0010			129	124	131	0.93 67	0.95 110	1.41 53	1.09 133	1.10 131	1.64 66	0.38 106	2.40 45	3.63 109	-3.53 55	-3.67 116	166	5		
13	CIDF 26 0030 112247515	2.35	JES 06 0026 EL 22 0010			128	122	130	0.83 67	0.96 108	1.38 53	0.90 133	1.10 130	1.55 66	0.22 104	2.40 45	3.44 109	-3.53 55	-3.67 115	166	5		
14	CIDF 26 0027 112247382	2.35	JES 06 0026 EL 22 0010			128	122	130	0.82 67	0.97 108	1.38 53	0.78 134	1.11 130	1.50 66	0.14 103	2.40 45	3.32 109	-3.53 55	-3.67 135	166	5		
15	CS 26 0675 114037674	2.20	FJ 24 0088 EL 22 0010			127	122	127	1.08 52	0.74 112	1.27 40	1.27 125	1.31 128	1.56 51	0.26 108	1.60 28	3.17 106	-1.94 39	-5.11 114	166	5		
16	CIDF 26 0236 112764444	5.55	H 23 0062 BS 22 0508			127	116	122	1.43 59	0.27 117	0.98 38	1.41 108	0.41 109	1.11 34	0.92 111	4.70 33	4.64 117	-2.16 43	-2.82 122	121	3		
17	CS 26 0673 114037716	2.20	FJ 24 0088 EL 22 0010			127	122	127	1.08 52	0.74 112	1.27 40	1.27 125	1.31 108	1.56 34	0.26 128	1.60 28	3.17 106	-1.94 39	-5.11 114	166	5		
18	CIDF 26 0131 112688692	7.23	H 23 0062 BS 23 0179			126	114	125	0.89 60	0.43 109	0.88 39	1.11 114	0.50 106	1.06 33	0.52 114	4.30 32	4.19 116	-3.13 42	-5.79 119	109	4		
19	CIDF 26 0002 111907168	4.66	GW 23 0088 HL 23 0005			126	123	112	2.13 65	-0.06 128	1.01 41	2.69 96	0.16 103	1.51 120	1.22 49	3.60 30	5.01 113	5.83 44	1.80 124	96	3		

Ram Selection list: LMI

Animals are sorted on LMI

*Inbreeding in red is high

EBV - Estimated Breeding Value

Indices above 124
Bokant rasgemiiddel
Indices below 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal		Parents & Progeny				Selection Indices			EBV - Weights								EBV - Fertility							
Animal ID Computer nr	% In-breeding	1st Gen		2nd Gen		Logix Merit Index	Growth Index	Reproduction Index	PreW Dir	PreW Mat	PreW Comb	Wean Dir	Wean Mat	Wean Comb	Post Wean	Lambs Weaned	TWW	AFL	ILP	Dam	EPI	Times Lamb ed		
		Sire ID	Progeny Number	Progeny Number	EBV				EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV			EBV	EBV
		Dam ID	weaned	herds																				
Active breed average:						100	100	100	0.30	0.05	0.20	0.51	0.09	0.35	0.24	0.12	0.67	0.32	0.62					
20	CIDF 26 0232 112764337	2.35	JES 06 0026 EL 22 0010			125	118	129	0.65 67	0.99 105	1.32 53	0.37 135	1.11 129	1.29 66	-0.20 98	2.40 45	2.92 109	-3.53 55	-3.67 112	166	5			
21	CS 26 0636 114037393	8.21	BS 23 0602 CIDF 25 0039			125	116	124	0.74 47	0.38 107	0.74 36	1.64 112	0.51 32	1.33 114	0.87 117	5.10 30	5.21 118	0.23 37	-2.01 125		1			
22	BS 25 0178 109216887	6.10	BS 23 0199 BS 22 0354			125	120	121	1.37 65	0.27 117	0.96 42	2.00 108	0.49 35	1.49 114	1.70 20	2.90 32	4.23 110	-1.12 45	-2.39 120	126	3			
23	CIDF 26 0227 112764451	2.35	JES 06 0026 EL 22 0010			125	118	129	0.48 61	1.00 103	1.24 53	0.49 135	1.11 127	1.36 66	-0.16 99	2.40 45	3.04 109	-3.53 55	-3.67 113	166	5			
24	CIDF 26 0108 112688429	3.80	FJ 24 0088 H 24 0006			124	110	125	0.81 60	0.45 108	0.86 40	0.49 115	0.54 34	0.78 115	0.15 107	5.60 32	4.38 120	-0.11 43	-4.84 120	110	2			
25	CIDF 26 0022 112244033	2.35	JES 06 0026 EL 22 0010			124	117	129	0.32 67	1.01 100	1.17 53	0.46 135	1.11 125	1.34 66	-0.23 99	2.40 45	3.01 109	-3.53 55	-3.67 113	166	5			
26	CIDF 26 0240 112764329	2.35	JES 06 0026 EL 22 0010			124	117	129	0.37 67	1.01 101	1.20 53	0.37 135	1.11 126	1.30 66	-0.28 98	2.40 45	2.92 109	-3.53 55	-3.67 112	166	5			
27	CIDF 26 0244 112776026	2.35	JES 06 0026 EL 22 0010			124	117	129	0.39 61	1.01 101	1.21 53	0.32 135	1.11 126	1.28 60	-0.30 98	2.40 45	2.88 109	-3.53 52	-3.67 112	166	5			
28	CIDF 26 0130 112688635	2.22	FJ 24 0088 EL 22 0063			123	117	122	1.18 59	0.65 114	1.24 37	0.66 122	0.76 31	1.09 123	-0.20 113	1.70 27	2.44 106	-2.53 40	-4.50 110	89	3			
29	FJ 24 0088 99944183	6.89	FJ 22 0027 FJ 20 0179	8	2	123	108	118	1.31 73	0.00 116	0.65 52	1.03 98	0.10 112	0.61 72	0.44 105	6.50 47	5.02 124	1.77 54	-3.27 124	129	5			
30	CS 26 0648 114037617	2.27	FJ 24 0088 EL 20 0027			123	109	121	0.92 49	0.21 110	0.67 40	0.95 106	0.32 48	0.79 104	0.52 34	6.80 30	5.35 125	3.19 38	-1.73 126	135	4			
31	CIDF 26 0377 114153802	7.32	BS 22 0155 BS 22 0508			123	119	114	1.66 58	-0.05 121	0.78 44	2.64 96	0.09 115	1.41 57	2.17 123	2.70 38	4.35 110	-0.33 46	-1.72 120	121	3			
32	CIDF 26 0387 114189186	2.93	FJ 24 0088 BS 22 0937			122	100	121	0.72 51	0.06 106	0.42 41	0.11 100	0.09 106	0.15 50	-0.27 95	8.50 33	5.30 131	-0.48 41	-4.99 125	120	3			
33	BS 25 0163 109216861	10.24	BS 19 0349 BS 22 0533			122	115	120	0.60 64	0.37 104	0.67 53	1.77 112	0.47 64	1.35 113	1.07 48	4.50 46	4.94 116	-2.79 54	1.34 123	100	3			
34	CIDF 26 0266 112809181	2.35	JES 06 0026 EL 22 0010			122	115	129	0.19 67	1.03 98	1.12 53	0.21 136	1.12 124	1.22 66	-0.44 96	2.40 45	2.77 109	-3.53 55	-3.67 112	166	5			
35	CIDF 26 0331 113765010	7.01	BS 22 0155 H 23 0012			122	121	117	1.42 54	0.49 117	1.20 41	1.72 116	0.56 35	1.42 116	0.91 119	-0.30 34	2.10 99	-3.03 42	-4.08 108	102	2			
36	CIDF 26 0119 112688452	2.73	FJ 24 0088 BS 23 1121			122	114	116	1.58 59	0.26 120	1.04 38	0.92 108	0.37 32	0.83 110	0.70 108	3.90 27	3.63 114	0.12 40	-0.61 116	95	2			
37	CIDF 26 0175 112725221	2.35	JES 06 0026 EL 22 0010			122	115	129	0.06 67	1.04 96	1.07 53	0.28 136	1.12 122	1.26 66	-0.42 97	2.40 45	2.84 109	-3.53 55	-3.67 112	166	5			
38	CIDF 26 0281 112809520	2.35	JES 06 0026 EL 22 0010			121	114	128	0.21 67	1.04 98	1.14 53	0.02 136	1.12 124	1.13 66	-0.56 94	2.40 45	2.58 109	-3.53 55	-3.67 111	166	5			

Ram Selection list: LMI

Animals are sorted on LMI

*Inbreeding in red is high

EBV - Estimated Breeding Value

Indices above 124
Bokant rasgemiiddel
Indices below 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal		Parents & Progeny				Selection Indices			EBV - Weights								EBV - Fertility							
Animal ID Computer nr	% In-breeding	1st Gen		2nd Gen		Logix Merit Index	Growth Index	Reproduction Index	PreW Dir	PreW Mat	PreW Comb	Wean Dir	Wean Mat	Wean Comb	Post Wean	Lambs Weane	TWW	AFL	ILP	Dam				
		Sire ID	Progeny Number	Progeny Number	EBV				EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EPI	Times Lamb
		Dam ID	weaned	herds	weaned				herds	Acc	Index	Acc	Index	Index	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc
		Active breed average:				100	100	100	0.30	0.05	0.20	0.51	0.09	0.35	0.24	0.12	0.67	0.32	0.62					
39	CS 26 0624 114021298	5.11	H 23 0062 BS 22 0754			121	118	118	1.15 48	0.36 113	0.94 119	1.64 47	0.50 112	1.32 29	1.03 114	1.70 28	3.16 106	-1.47 36	-3.13 114	103	3			
40	CS 26 0625 114021447	5.11	H 23 0062 BS 22 0754			121	118	118	1.15 48	0.36 113	0.94 119	1.64 47	0.50 112	1.32 29	1.03 114	1.70 28	3.16 106	-1.47 36	-3.13 114	103	3			
41	BS 23 0602 100135029	10.37	BS 21 0222 BS 22 0627	5	1	121	115	124	0.60 64	0.59 105	0.89 118	0.97 63	0.73 105	1.22 41	0.45 122	2.40 39	3.14 109	-1.36 49	-4.88 114	91	2			
42	CIDF 26 0009 112236849	2.35	JES 06 0026 EL 22 0010			121	114	128	0.11 67	1.04 97	1.10 123	0.06 66	1.12 95	1.15 49	-0.56 135	2.40 45	2.62 109	-3.53 55	-3.67 111	166	5			
43	CIDF 26 0434 113801344	2.51	FJ 24 0088 BS 23 0917			121	112	117	1.15 47	0.24 113	0.82 116	1.10 47	0.37 106	0.92 31	0.68 110	4.40 26	4.11 116	-0.77 36	0.07 119	92	3			
44	CIDF 26 0289 112823711	2.35	JES 06 0026 EL 22 0010			120	114	128	-0.03 67	1.05 95	1.04 122	0.07 66	1.12 95	1.16 49	-0.60 136	2.40 45	2.63 109	-3.53 55	-3.67 111	166	5			
45	CIDF 26 0298 112855713	2.48	FJ 24 0088 BS 24 0149			120	112	116	1.05 48	0.17 111	0.69 113	1.33 48	0.30 109	0.97 28	0.53 107	4.40 27	4.27 116	1.85 35	-1.10 120	102	1			
46	CIDF 26 0351 113764930	4.72	BS 23 0602 P 23 0093			120	109	117	0.73 43	0.20 107	0.57 109	1.02 42	0.33 105	0.84 25	0.29 108	6.00 25	4.95 122	-0.71 32	1.84 124	105	3			
47	CS 26 0545 113856413	2.45	FJ 24 0088 BS 22 0759			120	111	121	0.61 51	0.38 105	0.69 113	0.85 50	0.54 103	0.96 36	0.32 115	4.80 33	4.27 117	2.49 41	-2.40 120	131	4			
48	CIDF 26 0350 113764989	4.72	BS 23 0602 P 23 0093			120	109	117	0.73 43	0.20 107	0.57 109	1.02 42	0.33 105	0.84 25	0.29 108	6.00 25	4.95 122	-0.71 32	1.84 124	105	3			
49	CIDF 26 0349 113764641	4.72	BS 23 0602 P 23 0093			120	109	117	0.73 43	0.20 107	0.57 109	1.02 42	0.33 105	0.84 25	0.29 108	6.00 25	4.95 122	-0.71 32	1.84 124	105	3			
50	CS 26 0643 114037708	8.71	BS 23 0602 BS 22 0528			120	113	119	0.71 48	0.28 106	0.63 111	1.54 47	0.42 111	1.19 34	0.90 111	3.50 32	4.07 113	-0.54 39	-1.98 119	154	4			
51	CS 26 0667 114037542	8.71	BS 23 0602 BS 22 0528			120	113	119	0.71 48	0.28 106	0.63 111	1.54 47	0.42 111	1.19 34	0.90 111	3.50 32	4.07 113	-0.54 39	-1.98 119	154	4			
52	CS 26 0598 114021249	8.71	BS 23 0602 BS 22 0528			120	113	119	0.71 48	0.28 106	0.63 111	1.54 47	0.42 111	1.19 34	0.90 111	3.50 32	4.07 113	-0.54 39	-1.98 119	154	4			
53	CS 26 0644 114037302	8.71	BS 23 0602 BS 22 0528			120	113	119	0.71 48	0.28 106	0.63 111	1.54 47	0.42 111	1.19 34	0.90 111	3.50 32	4.07 113	-0.54 39	-1.98 119	154	4			
54	CS 26 0634 114037666	8.71	BS 23 0602 BS 22 0528			120	113	119	0.71 48	0.28 106	0.63 111	1.54 47	0.42 111	1.19 34	0.90 111	3.50 32	4.07 113	-0.54 39	-1.98 119	154	4			
55	CIDF 26 0488 114189210	2.54	FJ 24 0088 BS 24 0084			120	106	120	0.51 48	0.23 103	0.48 107	0.74 48	0.28 102	0.65 28	0.31 107	6.10 27	4.68 122	0.02 35	-3.14 122	109	1			
56	CS 26 0631 114037609	8.71	BS 23 0602 BS 22 0528			120	113	119	0.71 48	0.28 106	0.63 111	1.54 47	0.42 111	1.19 34	0.90 111	3.50 32	4.07 113	-0.54 39	-1.98 119	154	4			
57	CS 26 0635 114037310	8.71	BS 23 0602 BS 22 0528			120	113	119	0.71 48	0.28 106	0.63 111	1.54 47	0.42 111	1.19 34	0.90 111	3.50 32	4.07 113	-0.54 39	-1.98 119	154	4			

Ram Selection list: LMI

Animals are sorted on LMI

*Inbreeding in red is high

EBV - Estimated Breeding Value

Indices above 124
Bokant rasgemiiddel
Indices below 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal		Parents & Progeny				Selection Indices			EBV - Weights								EBV - Fertility							
Animal ID Computer nr	% In-breeding	1st Gen		2nd Gen		Logix Merit Index	Growth Index	Reproduction Index	PreW Dir	PreW Mat	PreW Comb	Wean Dir	Wean Mat	Wean Comb	Post Wean	Lambs Weane	TWW	AFL	ILP	Dam				
		Sire ID	Progeny Number	Progeny Number																				
		Dam ID	weaned	herds	weaned				herds	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EPI
		Active breed average:				100	100	100	0.30	0.05	0.20	0.51	0.09	0.35	0.24	0.12	0.67	0.32	0.62					
58 CS 26 0592 114021462	8.71	BS 23 0602 BS 22 0528				120	113	119	0.71 48	0.28 106	0.63 111	1.54 47	0.42 111	1.19 115	0.90 14	3.50 32	4.07 113	-0.54 39	-1.98 103	154	4			
59 CS 26 0647 114037336	8.71	BS 23 0602 BS 22 0528				120	113	119	0.71 48	0.28 106	0.63 111	1.54 47	0.42 111	1.19 115	0.90 14	3.50 32	4.07 113	-0.54 39	-1.98 103	154	4			
60 CIDF 26 0487 114189202	2.54	FJ 24 0088 BS 24 0084				120	106	120	0.51 48	0.23 103	0.48 107	0.74 48	0.28 102	0.65 105	0.31 15	6.10 27	4.68 122	0.02 35	-3.14 122	109	1			
61 CS 26 0638 114037534	8.71	BS 23 0602 BS 22 0528				120	113	119	0.71 48	0.28 106	0.63 111	1.54 47	0.42 111	1.19 115	0.90 14	3.50 32	4.07 113	-0.54 39	-1.98 103	154	4			
62 CIDF 26 0398 113776033	2.97	FJ 24 0088 BS 22 0491				120	110	117	0.91 50	0.12 109	0.57 110	1.36 49	0.24 109	0.92 110	0.74 14	4.10 31	4.06 115	0.35 38	-3.43 119	108	2			
63 CIDF 26 0221 112750740	2.35	JES 06 0026 EL 22 0010				120	112	128	0.02 67	1.06 95	1.06 122	-0.15 66	1.12 92	1.05 49	-0.74 112	2.40 45	2.41 109	-3.53 55	-3.67 110	166	5			
64 CIDF 26 0015 112244025	2.35	JES 06 0026 EL 22 0010				119	111	126	0.15 67	1.06 98	1.14 136	-0.53 66	1.12 88	0.86 49	-0.96 109	2.40 45	2.04 109	-3.53 55	-3.67 110	166	5			
65 CIDF 25 0075 109873844	3.96	BS 22 0121 LR 23 0110				119	115	112	0.80 58	0.09 108	0.49 107	2.31 57	0.20 119	1.36 32	1.59 104	4.60 30	5.27 117	-2.99 41	6.29 125	116	2			
66 CS 26 0590 114021082	8.85	BS 23 0602 BS 22 0472				119	110	119	0.58 47	0.32 104	0.61 111	0.97 46	0.45 105	0.94 34	0.47 112	3.60 32	3.58 113	-2.33 38	-2.89 116	114	4			
67 BS 22 0155 94245180	6.09	BS 19 0120 BS 20 0061	86	3	15 2	119	124	107	2.04 91	-0.15 127	0.87 117	3.43 90	-0.05 132	1.67 55	3.04 95	-0.40 54	3.14 99	2.92 68	-1.76 114	91	1			
68 CIDF 26 0360 113764807	1.96	FJ 24 0088 BS 23 0122				118	106	121	0.39 48	0.53 101	0.72 113	0.03 47	0.60 94	0.61 32	-0.51 118	5.60 30	3.99 120	1.38 37	-1.00 118	147	3			
69 CIDF 26 0359 113764625	1.96	FJ 24 0088 BS 23 0122				118	106	121	0.39 48	0.53 101	0.72 113	0.03 47	0.60 94	0.61 32	-0.51 118	5.60 30	3.99 120	1.38 37	-1.00 118	147	3			
70 CIDF 25 0188 110308889	4.38	MW 16 0051 BS 22 0858				118	112	120	0.40 64	0.18 101	0.37 105	2.00 62	0.29 116	1.29 43	1.16 107	1.50 40	3.19 105	-1.77 50	-7.71 114	120	4			
71 CS 26 0535 113855910	2.62	FJ 24 0088 BS 24 0980				118	109	114	1.05 48	0.07 112	0.59 110	1.33 48	0.13 109	0.80 30	0.89 102	3.20 28	3.38 112	0.97 36	-4.75 115	95	2			
72 CS 26 0534 113856199	2.62	FJ 24 0088 BS 24 0980				118	109	114	1.05 48	0.07 112	0.59 110	1.33 48	0.13 109	0.80 30	0.89 102	3.20 28	3.38 112	0.97 36	-4.75 115	95	2			
73 CS 26 0566 113856355	3.41	BS 22 0155 LR 20 0111				118	120	112	1.17 55	0.40 113	0.98 120	1.95 54	0.49 115	1.47 37	1.52 114	1.90 36	3.58 107	0.76 43	4.84 116	142	5			
74 CS 26 0521 113856165	2.42	FJ 24 0088 CIDF 23 0010				117	104	117	0.70 49	0.20 106	0.55 109	0.35 48	0.23 98	0.41 33	-0.12 105	5.30 30	3.77 119	1.05 38	-3.77 117	108	2			
75 CS 26 0522 113856207	2.42	FJ 24 0088 CIDF 23 0010				117	104	117	0.70 49	0.20 106	0.55 109	0.35 48	0.23 98	0.41 33	-0.12 105	5.30 30	3.77 119	1.05 38	-3.77 117	108	2			
76 CS 26 0689 114121924	2.17	FJ 24 0088 BS 21 0476				117	105	116	0.73 51	0.05 106	0.41 105	0.83 50	0.15 103	0.57 35	0.38 102	4.30 32	3.56 116	-2.14 40	-4.90 116	107	2			

Ram Selection list: LMI

Animals are sorted on LMI

*Inbreeding in red is high

EBV - Estimated Breeding Value

Indices above 124
Bokant rasgemiiddel
Indices below 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal		Parents & Progeny				Selection Indices			EBV - Weights								EBV - Fertility							
Animal ID Computer nr	% In-breeding	1st Gen		2nd Gen		Logix Merit Index	Growth Index	Reproduction Index	PreW Dir	PreW Mat	PreW Comb	Wean Dir	Wean Mat	Wean Comb	Post Wean	Lambs Weane	TWW	AFL	ILP	Dam				
		Sire ID	Progeny Number	Progeny Number	EBV				EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EPI	Times Lamb ed
		Dam ID	weaned	herds	weaned				herds	Acc	Index	Acc	Index	Index	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc
		Active breed average:				100	100	100	0.30	0.05	0.20	0.51	0.09	0.35	0.24	0.12	0.67	0.32	0.62					
77 CS 26 0688 114121817	2.17	FJ 24 0088 BS 21 0476				117	105	116	0.73 51 106	0.05 40 100	0.41 105	0.83 50 103	0.15 35 102	0.57 104	0.38 24 101	4.30 32 116	3.56 40 116	-2.14 29 107	-4.90 23 114	107	2			
78 CIDF 26 0477 113802458	14.59	BS 22 0155 BS 21 0480				117	111	114	0.91 57 109	0.08 45 101	0.54 109	1.69 56 113	0.09 39 100	0.94 110	1.35 22 112	3.00 38 111	3.59 45 116	-0.48 35 102	-3.67 28 111	133	4			
79 CIDF 26 0478 113802540	14.59	BS 22 0155 BS 21 0480				117	111	114	0.91 57 109	0.08 45 101	0.54 109	1.69 56 113	0.09 39 100	0.94 110	1.35 22 112	3.00 38 111	3.59 45 116	-0.48 35 102	-3.67 28 111	133	4			
80 CS 26 0637 114037773	6.58	BS 23 0144 BS 22 0090				117	111	116	0.48 52 103	0.12 40 103	0.36 104	1.95 51 115	0.21 35 104	1.18 114	1.47 16 114	3.80 32 114	4.44 40 121	-0.02 31 101	-1.27 25 105	101	2			
81 CS 26 0622 114021397	6.58	BS 23 0144 BS 22 0090				117	111	116	0.48 52 103	0.12 40 103	0.36 104	1.95 51 115	0.21 35 104	1.18 114	1.47 16 114	3.80 32 114	4.44 40 121	-0.02 31 101	-1.27 25 105	101	2			
82 CS 26 0686 114121858	6.58	BS 23 0144 BS 22 0090				117	111	116	0.48 52 103	0.12 40 103	0.36 104	1.95 51 115	0.21 35 104	1.18 114	1.47 16 114	3.80 32 114	4.44 40 121	-0.02 31 101	-1.27 25 105	101	2			
83 CS 26 0510 113856066	1.75	FJ 24 0088 BS 23 0042				117	104	117	0.74 50 107	0.17 39 105	0.54 109	0.49 49 99	0.20 33 104	0.45 102	0.11 15 98	4.20 32 115	3.21 39 114	-0.39 29 102	-5.92 22 116	123	3			
84 CS 26 0623 114021355	6.58	BS 23 0144 BS 22 0090				117	111	116	0.48 52 103	0.12 40 103	0.36 104	1.95 51 115	0.21 35 104	1.18 114	1.47 16 114	3.80 32 114	4.44 40 121	-0.02 31 101	-1.27 25 105	101	2			
85 CS 26 0618 114021280	6.58	BS 23 0144 BS 22 0090				117	111	116	0.48 52 103	0.12 40 103	0.36 104	1.95 51 115	0.21 35 104	1.18 114	1.47 16 114	3.80 32 114	4.44 40 121	-0.02 31 101	-1.27 25 105	101	2			
86 CS 26 0678 114037385	6.58	BS 23 0144 BS 22 0090				117	111	116	0.48 52 103	0.12 40 103	0.36 104	1.95 51 115	0.21 35 104	1.18 114	1.47 16 114	3.80 32 114	4.44 40 121	-0.02 31 101	-1.27 25 105	101	2			
87 CS 26 0646 114037815	6.58	BS 23 0144 BS 22 0090				117	111	116	0.48 52 103	0.12 40 103	0.36 104	1.95 51 115	0.21 35 104	1.18 114	1.47 16 114	3.80 32 114	4.44 40 121	-0.02 31 101	-1.27 25 105	101	2			
88 CIDF 26 0214 112750773	2.20	FJ 24 0088 EL 20 0025				117	112	115	0.95 57 110	0.31 39 109	0.78 115	1.03 56 105	0.45 34 112	0.96 111	0.56 16 103	3.50 30 113	3.57 42 116	3.72 27 90	0.02 21 101	89	2			
89 CIDF 26 0491 113802375	3.20	FJ 24 0088 BS 22 0015				117	112	113	0.97 50 110	0.16 40 104	0.65 111	1.54 49 111	0.29 35 107	1.06 112	1.05 15 109	3.20 33 112	3.75 40 117	2.20 31 94	0.19 24 101	129	3			
90 CIDF 26 0492 113802557	3.20	FJ 24 0088 BS 22 0015				117	112	113	0.97 50 110	0.16 40 104	0.65 111	1.54 49 111	0.29 35 107	1.06 112	1.05 15 109	3.20 33 112	3.75 40 117	2.20 31 94	0.19 24 101	129	3			
91 CIDF 26 0177 112725205	11.67	JES 06 0026 EL 20 0100				116	109	121	0.33 65 100	0.62 52 121	0.79 115	0.30 64 97	0.69 48 121	0.84 108	0.02 41 97	1.10 47 104	1.65 54 105	-5.53 40 118	-6.91 40 119	109	4			
92 CIDF 26 0211 112750674	11.67	JES 06 0026 EL 20 0100				116	109	121	0.47 65 102	0.62 52 121	0.85 117	0.11 64 95	0.69 48 121	0.75 107	-0.08 41 96	1.10 47 104	1.46 54 104	-5.53 40 118	-6.91 40 119	109	4			
93 CIDF 26 0435 113801542	28.40	BS 22 0155 BS 24 0965				116	120	110	1.46 55 118	0.15 38 104	0.88 117	2.36 54 120	0.24 33 105	1.42 119	1.96 16 119	0.10 33 100	2.66 41 111	2.56 32 93	-1.46 25 105	98	2			
94 CS 26 0552 113855985	3.42	BS 23 0602 GW 19 0143				116	110	118	0.60 47 104	0.31 39 109	0.60 110	0.97 46 105	0.43 34 112	0.92 110	0.43 27 102	0.60 33 102	1.77 38 106	-6.10 26 120	-7.42 25 120	122	6			
95 CS 26 0551 113856017	3.42	BS 23 0602 GW 19 0143				116	110	118	0.60 47 104	0.31 39 109	0.60 110	0.97 46 105	0.43 34 112	0.92 110	0.43 27 102	0.60 33 102	1.77 38 106	-6.10 26 120	-7.42 25 120	122	6			

Ram Selection list: LMI

Animals are sorted on LMI

*Inbreeding in red is high

EBV - Estimated Breeding Value

Indices above 124
Bokant rasgemedeld
Indices below 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal		Parents & Progeny				Selection Indices			EBV - Weights								EBV - Fertility							
Animal ID Computer nr	% In-breeding	1st Gen		2nd Gen		Logix Merit Index	Growth Index	Reproduction Index	PreW Dir	PreW Mat	PreW Comb	Wean Dir	Wean Mat	Wean Comb	Post Wean	Lambs Weane	TWW	AFL	ILP	Dam				
		Sire ID	Progeny Number	Progeny Number	EBV				EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EPI	Times Lamb ed
		Dam ID	weaned	herds	weaned				herds	Acc	Index	Acc	Index	Index	Index	Index	Index	Index	Index	Acc	Index	Acc	Index	Acc
		Active breed average:				100	100	100	0.30	0.05	0.20	0.51	0.09	0.35	0.24	0.12	0.67	0.32	0.62					
96	CS 26 0614 114021314	8.71	H 23 0062 BS 22 0739			116	114	113	1.09 48	0.26 112	0.80 115	1.48 47	0.35 110	1.09 30	0.90 109	0.80 28	2.31 103	0.07 36	-3.41 109	-3.41 25	94	4		
97	CS 26 0612 114021074	8.71	H 23 0062 BS 22 0739			116	114	113	1.09 48	0.26 112	0.80 115	1.48 47	0.35 110	1.09 30	0.90 109	0.80 28	2.31 103	0.07 36	-3.41 109	-3.41 25	94	4		
98	CS 26 0613 114021124	8.71	H 23 0062 BS 22 0739			116	114	113	1.09 48	0.26 112	0.80 115	1.48 47	0.35 110	1.09 30	0.90 109	0.80 28	2.31 103	0.07 36	-3.41 109	-3.41 25	94	4		
99	BS 24 0012 109118935	8.29	BS 21 0366 BS 19 0629			116	118	107	1.27 64	0.06 115	0.70 113	2.37 63	0.29 120	1.47 36	1.54 107	2.60 33	4.21 109	-0.62 120	8.96 31	8.96 103	116	3		
100	CIDF 26 0370 113764658	3.53	FJ 24 0088 BS 22 0110			116	107	110	1.05 50	-0.06 111	0.46 107	1.37 49	0.01 109	0.70 34	1.00 97	4.20 32	3.90 115	0.49 39	-0.44 118	-0.44 30	93	3		
101	CS 26 0587 114188717	20.37	BS 22 0155 BS 22 0520			116	119	109	1.41 57	0.09 117	0.80 115	2.53 57	0.18 122	1.44 39	2.06 103	0.00 38	2.71 100	3.30 46	-1.49 111	-1.49 35	110	2		
102	CS 26 0660 114037724	4.05	JC 24 0039 CIDF 25 0037			116	110	113	0.78 47	0.28 107	0.67 112	1.07 46	0.36 106	0.89 33	0.67 109	3.90 30	3.77 114	0.34 37	2.75 117	2.75 28	1			
103	LR 24 0186 106816101	19.09	LR 22 0017 LR 22 0009			116	116	106	1.50 60	-0.19 119	0.56 109	2.37 57	0.08 120	1.26 35	2.45 100	2.70 32	4.07 110	-4.33 43	7.01 119	7.01 29	114	3		
104	CS 26 0586 114188691	20.37	BS 22 0155 BS 22 0520			116	119	109	1.41 57	0.09 117	0.80 115	2.53 57	0.18 122	1.44 39	2.06 103	0.00 38	2.71 100	3.30 46	-1.49 111	-1.49 35	110	2		
105	CIDF 26 0196 112742150	4.87	BS 23 0602 BS 22 0520			115	112	116	0.70 57	0.48 106	0.83 116	0.89 55	0.57 104	1.02 34	0.48 117	1.40 33	2.30 105	1.16 42	-3.05 109	-3.05 30	110	2		
106	CIDF 25 0160 110300746	6.24	BS 19 0120 BS 22 0930			115	116	112	0.72 66	0.07 106	0.43 106	2.62 64	0.18 123	1.49 49	1.99 103	1.10 46	3.46 104	-0.94 54	-0.84 115	-0.84 44	108	2		
107	LR 24 0185 106816531	19.09	LR 22 0017 LR 22 0009			115	115	106	1.54 60	-0.18 119	0.59 110	2.22 57	0.08 118	1.19 35	2.36 100	2.70 32	3.92 110	-4.33 43	7.01 118	7.01 29	114	3		
108	CS 26 0650 114037567	1.83	FJ 24 0088 BS 21 0555			115	97	115	0.29 51	0.00 100	0.15 98	0.28 50	-0.03 97	0.11 36	-0.20 96	6.70 33	4.26 124	-2.12 41	-3.55 120	-3.55 30	107	3		
109	CS 26 0649 114037781	1.83	FJ 24 0088 BS 21 0555			115	97	115	0.29 51	0.00 100	0.15 98	0.28 50	-0.03 97	0.11 36	-0.20 96	6.70 33	4.26 124	-2.12 41	-3.55 120	-3.55 30	107	3		
110	CIDF 26 0155 112723804	3.87	BS 23 0144 DTC 22 0263			115	123	112	1.01 60	0.25 111	0.76 114	2.91 58	0.44 126	1.90 31	2.23 112	-2.10 29	2.10 92	1.17 41	-2.68 108	-2.68 23	115	3		
111	CIDF 26 0290 112823703	4.17	BS 23 0349 P 22 0266			114	111	114	0.80 44	0.31 108	0.71 113	0.98 43	0.45 105	0.94 26	0.54 113	0.00 25	1.43 100	-5.62 32	-4.32 104	-4.32 26	114	3		
112	CS 26 0572 113855977	21.27	BS 22 0155 BS 22 0106			114	115	110	1.03 56	0.10 111	0.62 111	2.23 56	0.14 118	1.25 39	1.89 102	0.20 37	2.49 101	0.04 45	-3.04 110	-3.04 36	104	3		
113	CIDF 26 0483 114154131	5.07	BS 22 0155 EL 20 0100			114	118	113	1.07 56	0.31 112	0.84 117	1.91 56	0.41 115	1.37 37	1.39 111	-3.10 36	0.46 89	-3.37 44	-7.59 99	-7.59 33	109	4		
114	BS 25 0182 109216929	5.43	BS 23 0117 BS 22 0520			114	105	116	0.11 60	0.42 97	0.48 107	0.49 60	0.44 99	0.69 32	0.13 112	4.30 31	3.51 116	-0.20 43	-0.48 116	-0.48 28	110	2		

Ram Selection list: LMI

Animals are sorted on LMI

*Inbreeding in red is high

EBV - Estimated Breeding Value

Indices above 124
Bokant rasgemiiddel
Indices below 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal		Parents & Progeny				Selection Indices			EBV - Weights								EBV - Fertility							
Animal ID Computer nr	% In-breeding	1st Gen		2nd Gen		Logix Merit Index	Growth Index	Reproduction Index	PreW Dir	PreW Mat	PreW Comb	Wean Dir	Wean Mat	Wean Comb	Post Wean	Lambs Weane	TWW	AFL	ILP	Dam				
		Sire ID	Progeny Number	Progeny Number	EBV				EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EPI	Times Lamb ed
		Dam ID	weaned	herds	weaned				herds	Acc	Index	Acc	Index	Index	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc
		Active breed average:				100	100	100	0.30	0.05	0.20	0.51	0.09	0.35	0.24	0.12	0.67	0.32	0.62					
115 CIDF 26 0443 113801393	3.66	BS 23 0144 GW 17 0024				114	108	115	0.12 53 97	0.36 41 111	0.42 105	1.06 52 106	0.44 36 112	0.98 111	-0.12 32 96	2.70 36 110	3.13 42 114	-1.38 29 105	-0.69 26 103	155	10			
116 CIDF 26 0315 112866058	3.71	BS 22 0155 P 22 0028				114	111	105	1.25 56 115	-0.20 43 91	0.43 106	2.07 55 117	-0.10 37 94	0.94 110	1.77 21 117	2.50 36 109	3.47 44 115	-2.52 33 109	2.12 28 96	113	4			
117 CIDF 26 0171 112723762	2.60	GW 23 0107 BS 23 0179				114	100	117	-0.04 61 94	0.30 39 109	0.28 102	0.22 59 96	0.33 34 108	0.44 101	-1.42 28 81	2.80 32 110	2.23 43 109	-6.30 28 120	-5.33 24 115	109	4			
118 CS 26 0597 114021348	6.94	BS 23 0602 BS 22 0319				114	104	118	0.23 45 99	0.38 32 112	0.50 108	0.25 44 97	0.45 28 113	0.58 104	0.05 12 98	2.90 27 110	2.44 34 110	0.06 27 101	-6.45 20 117	100	2			
119 CS 26 0604 114021256	6.94	BS 23 0602 BS 22 0319				114	104	118	0.23 45 99	0.38 32 112	0.50 108	0.25 44 97	0.45 28 113	0.58 104	0.05 12 98	2.90 27 110	2.44 34 110	0.06 27 101	-6.45 20 117	100	2			
120 CS 26 0616 114021439	5.63	BS 23 0144 BS 22 0474				113	110	115	0.31 51 100	0.30 39 109	0.45 106	1.32 50 109	0.41 34 111	1.07 112	0.81 17 106	1.50 31 105	2.63 39 111	-2.28 30 108	-2.90 24 109	94	2			
121 CS 26 0615 114021421	5.63	BS 23 0144 BS 22 0474				113	110	115	0.31 51 100	0.30 39 109	0.45 106	1.32 50 109	0.41 34 111	1.07 112	0.81 17 106	1.50 31 105	2.63 39 111	-2.28 30 108	-2.90 24 109	94	2			
122 CIDF 26 0037 112247549	1.53	AAA 05 0003 GW 23 0013				113	105	121	-0.57 66 86	0.48 53 116	0.20 100	0.85 65 103	0.49 50 114	0.92 110	0.05 50 98	2.70 46 110	2.96 55 113	-3.88 46 113	-5.94 42 116	114	3			
123 CS 26 0513 113856298	3.36	BS 22 0155 P 22 0019				113	110	105	1.53 53 119	-0.23 38 90	0.53 108	1.90 52 115	-0.12 33 93	0.83 108	1.87 19 118	1.80 32 107	2.85 40 112	-0.16 32 101	-0.80 26 103	92	4			
124 CS 26 0512 113856124	3.36	BS 22 0155 P 22 0019				113	110	105	1.53 53 119	-0.23 38 90	0.53 108	1.90 52 115	-0.12 33 93	0.83 108	1.87 19 118	1.80 32 107	2.85 40 112	-0.16 32 101	-0.80 26 103	92	4			
125 CS 26 0672 114037799	8.87	BS 23 0117 BS 22 0235				113	102	118	-0.39 53 89	0.42 35 114	0.22 100	0.35 52 98	0.47 30 113	0.65 105	-0.23 11 94	6.50 27 124	4.72 38 122	-0.01 27 101	3.00 23 94	108	2			
126 CIDF 26 0235 112764360	7.51	AAA 05 0003 EL 20 0027				113	106	122	-0.47 64 88	0.70 53 124	0.47 107	0.29 63 97	0.70 50 121	0.85 109	0.09 46 98	2.80 45 110	2.67 54 111	-1.33 45 105	-4.91 41 114	135	4			
127 CIDF 26 0356 113764740	2.98	FJ 24 0088 EL 21 0026				113	106	109	0.89 45 109	0.00 35 98	0.45 106	1.12 45 106	0.11 31 101	0.67 105	0.66 19 105	3.20 28 112	3.15 36 114	0.57 26 99	-0.03 22 101	100	4			
128 CS 26 0677 114037740	3.60	BS 22 0155 P 23 0115				113	111	108	0.99 51 111	-0.05 36 96	0.44 106	1.93 51 115	0.05 31 99	1.02 112	1.67 18 116	1.60 30 106	2.94 38 113	-1.32 31 105	0.05 24 101		1			
129 CS 26 0666 114037518	3.60	BS 22 0155 P 23 0115				113	111	108	0.99 51 111	-0.05 36 96	0.44 106	1.93 51 115	0.05 31 99	1.02 112	1.67 18 116	1.60 30 106	2.94 38 113	-1.32 31 105	0.05 24 101		1			
130 CS 26 0663 114037732	3.60	BS 22 0155 P 23 0115				113	111	108	0.99 51 111	-0.05 36 96	0.44 106	1.93 51 115	0.05 31 99	1.02 112	1.67 18 116	1.60 30 106	2.94 38 113	-1.32 31 105	0.05 24 101		1			
131 CIDF 26 0021 112244108	2.72	MW 15 0052 EL 19 0057				112	110	106	1.04 66 111	-0.13 55 93	0.39 105	1.73 65 113	0.08 52 100	0.95 110	1.26 30 111	3.50 50 113	3.92 57 118	-0.37 47 102	5.78 44 87	73	4			
132 ROS 24 0006 98978943	7.14	DTC 22 0101 DTC 21 0038	11	2		112	137	100	2.48 74 134	0.42 44 114	1.66 136	3.26 72 130	0.69 38 121	2.32 135	3.41 62 136	-6.90 36 75	-0.19 51 95	-0.02 31 101	6.58 27 85	115	4			
133 BS 22 0121 95353462	6.16	BS 19 0120 BS 19 0006	17	2	1	1	112	99	115	-0.36 77 90	0.09 55 102	-0.09 92	1.03 76 105	0.04 49 98	0.55 103	0.50 19 103	6.10 46 122	4.72 59 122	-1.93 45 107	-0.80 35 103	92	1		

Ram Selection list: LMI

Animals are sorted on LMI

*Inbreeding in red is high

EBV - Estimated Breeding Value

Indices above 124
Bokant rasgемiddel
Indices below 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal		Parents & Progeny				Selection Indices			EBV - Weights								EBV - Fertility						
Animal ID Computer nr	% In-breeding	1st Gen		2nd Gen		Logix Merit Index	Growth Index	Reproduction Index	PreW Dir	PreW Mat	PreW Comb	Wean Dir	Wean Mat	Wean Comb	Post Wean	Lambs Weane	TWW	AFL	ILP	Dam			
		Sire ID	Progeny Number	Progeny Number																			
		Dam ID	weaned	herds	weaned				herds	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EPI
		Active breed average:				100	100	100	0.30	0.05	0.20	0.51	0.09	0.35	0.24	0.12	0.67	0.32	0.62				
134 CIDF 26 0220 112750609	11.67	JES 06 0026 EL 20 0100				112	105	121	-0.34 65 90	0.67 52 123	0.50 108	0.12 64 95	0.70 48 121	0.76 107	-0.30 41 94	1.10 47 104	1.48 54 105	-5.53 40 118	-6.91 40 119	109 4			
135 CIDF 26 0328 113748040	2.43	BS 23 0117 LR 21 0045				112	99	119	-0.55 54 86	0.52 37 117	0.25 101	-0.16 53 92	0.54 31 116	0.46 102	-0.33 14 93	5.90 30 121	3.93 39 118	-5.27 27 117	2.08 22 96	113 4			
136 CIDF 26 0095 112688510	3.23	ROS 24 0155 BS 24 0054				112	114	107	1.11 46 112	0.15 30 104	0.70 113	1.55 44 111	0.34 25 109	1.12 113	0.68 26 105	0.60 25 102	2.26 32 109	0.93 23 98	2.68 17 95	100 1			
137 CIDF 26 0154 112723796	3.87	BS 23 0144 DTC 22 0263				112	119	111	0.87 51 109	0.29 37 109	0.72 113	2.29 50 119	0.45 31 112	1.59 122	1.75 31 117	-2.10 29 92	1.48 38 105	1.17 23 97	-2.68 22 108	115 3			
138 CS 26 0548 113856116	2.32	BS 23 0602 LR 22 0076				112	106	108	0.83 47 108	-0.04 38 97	0.38 104	1.10 46 106	0.10 33 100	0.65 105	1.06 15 109	3.70 30 113	3.42 37 115	-1.02 28 104	2.15 22 96	109 3			
139 CIDF 26 0137 112688130	6.07	BS 23 0349 ROS 24 0237				112	122	100	2.09 55 128	0.15 33 104	1.20 126	2.03 54 116	0.32 27 108	1.34 117	2.35 26 124	-1.30 26 95	1.57 37 105	1.54 23 96	6.48 19 85	100 1			
140 CIDF 26 0173 112725320	11.67	JES 06 0026 EL 20 0100				112	104	120	-0.22 65 92	0.68 52 123	0.57 109	-0.20 64 92	0.70 48 121	0.60 104	-0.49 41 92	1.10 47 104	1.16 54 103	-5.53 40 118	-6.91 40 119	109 4			
141 CIDF 26 0490 113802359	2.18	FJ 24 0088 BS 22 0855				112	100	111	0.53 50 103	-0.06 40 96	0.21 100	0.60 49 101	0.00 35 97	0.30 99	0.14 17 99	4.00 33 114	3.00 40 113	-0.58 30 103	-3.99 24 111	108 3			
142 CIDF 26 0278 112809462	4.01	BS 23 0349 P 23 0109				112	111	105	1.11 42 112	-0.02 28 97	0.53 109	1.67 41 112	0.13 24 102	0.97 111	1.25 13 111	2.20 25 108	3.12 31 114	-0.48 23 102	4.67 20 90	101 2			
143 CIDF 25 0158 110300704	3.94	BS 19 0120 BS 22 0759				112	109	114	0.21 60 98	0.33 55 110	0.44 106	1.19 59 107	0.40 50 111	1.00 111	0.90 20 107	2.40 47 109	3.03 53 113	1.69 45 96	-0.85 37 104	131 4			
144 CIDF 26 0223 112750658	7.51	AAA 05 0003 EL 20 0027				111	104	122	-0.71 64 84	0.72 53 125	0.37 104	0.22 63 96	0.71 50 121	0.82 108	-0.03 46 97	2.80 45 110	2.61 54 111	-1.33 45 105	-4.91 41 114	135 4			
145 BS 24 0724 99871865	9.20	BS 19 0349 BS 23 0438				111	106	113	-0.01 66 95	0.36 53 111	0.35 104	0.98 65 105	0.37 48 110	0.86 109	0.35 28 101	3.40 47 112	3.38 54 115	-1.82 44 107	1.87 36 97	117 3			
146 CS 26 0571 113856280	3.40	BS 23 0602 HN 23 0048				111	112	113	0.50 47 103	0.44 37 114	0.69 113	1.06 46 106	0.54 32 116	1.07 113	0.62 21 104	-0.20 28 99	1.48 36 105	-1.67 25 106	-2.45 23 107	136 3			
147 CS 26 0570 113855845	3.40	BS 23 0602 HN 23 0048				111	112	113	0.50 47 103	0.44 37 114	0.69 113	1.06 46 106	0.54 32 116	1.07 113	0.62 21 104	-0.20 28 99	1.48 36 105	-1.67 25 106	-2.45 23 107	136 3			
148 CIDF 25 0277 111895009	4.89	BS 23 0144 BS 22 0863				111	111	114	0.11 61 97	0.33 39 110	0.39 105	1.67 59 112	0.41 34 111	1.25 116	1.01 19 109	0.70 31 103	2.50 43 110	0.27 29 100	-2.70 24 108	99 2			
149 CIDF 25 0027 110254059	6.84	BS 22 1004 BS 23 0179				111	105	114	0.14 63 97	0.29 42 109	0.36 104	0.86 63 103	0.31 36 108	0.74 107	0.39 15 101	1.40 34 105	2.01 46 107	-2.62 33 109	-5.53 24 115	109 4			
150 CS 26 0525 113856074	3.55	BS 22 0155 P 23 0210				111	113	108	0.95 54 110	0.13 38 103	0.60 110	1.84 54 114	0.24 33 105	1.16 114	1.49 18 114	-0.40 33 99	1.83 41 107	-0.59 32 103	-1.48 25 105	101 1			
151 H 25 0015 109184127	4.48	HIS 00 0070 EL 22 0063				111	124	105	1.60 65 120	0.48 52 116	1.27 128	1.82 63 114	0.65 49 119	1.56 121	1.29 40 112	-4.30 45 84	-0.12 53 96	-1.53 44 106	1.84 42 97	89 3			
152 FJ 26 0001 114220627	9.20	FJ 24 0234 FJ 24 0299				111	104	110	0.53 47 103	0.08 33 101	0.34 103	0.94 46 104	0.11 28 101	0.58 104	0.41 16 102	2.70 26 110	2.67 34 111	0.52 26 99	-2.97 18 109	100 1			

Ram Selection list: LMI

Animals are sorted on LMI

*Inbreeding in red is high

EBV - Estimated Breeding Value

Indices above 124
Bokant rasgемiddel
Indices below 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal		Parents & Progeny				Selection Indices			EBV - Weights								EBV - Fertility							
Animal ID Computer nr	% In-breeding	1st Gen		2nd Gen		Logix Merit Index	Growth Index	Reproduction Index	PreW Dir	PreW Mat	PreW Comb	Wean Dir	Wean Mat	Wean Comb	Post Wean	Lambs Weane	TWW	AFL	ILP	Dam				
		Sire ID	Progeny Number	Progeny Number	EBV				EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EPI	Times Lamb
		Dam ID	weaned	herds	weaned				herds	Acc	Index	Acc	Index	Index	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Index
		Active breed average:				100	100	100	0.30	0.05	0.20	0.51	0.09	0.35	0.24	0.12	0.67	0.32	0.62					
153	CS 26 0602 114188709	8.88	BS 23 0139 BS 23 0007			111	104	113	0.07 48 96	0.31 40 110	0.34 104	0.66 47 101	0.38 36 110	0.71 106	0.10 18 98	3.30 34 112	3.01 40 113	-0.64 33 103	-0.25 27 102	93	3			
154	CIDF 26 0116 112688585	5.22	BS 23 0349 P 23 0055			111	107	109	0.62 41 105	0.08 26 101	0.40 105	1.15 40 107	0.20 22 104	0.78 107	0.71 10 105	2.40 22 109	2.80 29 112	-0.70 23 103	0.20 19 101	100	2			
155	CIDF 26 0013 112244090	2.72	MW 15 0052 EL 19 0057			111	108	106	0.86 65 109	-0.11 55 94	0.32 103	1.60 64 111	0.09 52 100	0.88 109	1.11 30 110	3.50 50 113	3.78 56 117	-0.37 47 102	5.78 44 87	73	4			
156	CIDF 26 0426 114189061	3.92	BS 23 0144 GW 23 0191			111	112	109	0.73 50 106	0.06 35 100	0.43 106	1.87 49 114	0.21 30 104	1.15 114	1.27 27 112	0.00 30 100	2.08 37 108	-0.67 27 103	-2.00 22 106	104	2			
157	CIDF 26 0425 114186935	3.92	BS 23 0144 GW 23 0191			111	112	109	0.73 50 106	0.06 35 100	0.43 106	1.87 49 114	0.21 30 104	1.15 114	1.27 27 112	0.00 30 100	2.08 37 108	-0.67 27 103	-2.00 22 106	104	2			
158	CIDF 26 0176 112725239	7.51	AAA 05 0003 EL 20 0027			111	103	122	-0.75 64 83	0.73 53 125	0.36 104	0.07 63 95	0.71 50 121	0.74 107	-0.15 46 95	2.80 45 110	2.46 54 110	-1.33 45 105	-4.91 41 114	135	4			
159	CIDF 26 0345 113764997	3.03	FJ 24 0088 BS 23 0539			111	109	108	0.82 48 108	0.10 36 102	0.51 108	1.25 47 108	0.20 31 104	0.83 108	0.68 14 105	1.70 30 106	2.47 37 110	3.01 26 92	-0.55 21 103	109	3			
160	CIDF 26 0473 113802300	3.39	BS 23 0144 LR 22 0003			111	108	113	0.30 52 100	0.20 38 105	0.34 104	1.29 50 108	0.31 32 108	0.95 110	0.99 16 108	1.10 37 104	2.26 39 109	-1.03 27 104	-3.52 21 110	127	4			
161	CIDF 26 0417 113776025	2.08	FJ 24 0088 BS 23 0175			111	99	111	0.39 47 101	0.17 36 105	0.37 104	-0.07 46 93	0.19 31 103	0.15 96	-0.57 12 91	4.70 29 117	2.94 36 113	2.55 25 93	-2.00 21 106	97	3			
162	BS 23 0139 96933882	5.92	BS 21 0222 BS 19 0108	4	1	110	103	117	-0.36 69 89	0.56 52 119	0.38 105	0.10 67 95	0.57 46 116	0.62 104	-0.37 24 93	2.80 42 110	2.34 53 109	-1.02 40 104	-3.38 32 110	94	2			
163	CS 26 0560 113855837	9.36	BS 22 0155 BS 22 0733			110	108	105	1.07 57 112	-0.16 44 92	0.37 104	1.77 56 113	-0.12 39 93	0.76 107	1.51 23 114	0.70 38 103	2.06 45 108	-1.53 36 106	-2.94 29 109	111	4			
164	CIDF 26 0202 112750732	3.41	BS 22 0121 DTC 22 0126			110	104	109	0.21 61 98	0.05 41 100	0.16 99	1.31 59 108	0.07 35 100	0.73 106	0.69 28 105	3.50 33 113	3.48 44 116	-1.49 28 105	1.49 25 98	101	3			
165	CIDF 26 0014 112244041	10.25	BS 23 0602 BS 21 0024			110	106	114	-0.03 56 95	0.29 36 109	0.28 102	1.01 54 105	0.38 31 110	0.89 109	0.42 16 102	1.60 30 106	2.35 40 109	-0.28 29 102	-3.51 23 110	78	2			
166	CIDF 26 0283 112809504	7.51	AAA 05 0003 EL 20 0027			110	102	121	-0.73 64 84	0.74 53 125	0.38 104	-0.21 63 92	0.71 50 121	0.61 104	-0.34 46 93	2.80 45 110	2.18 54 108	-1.33 45 105	-4.91 41 114	135	4			
167	CIDF 26 0180 112725262	3.38	ROS 24 0155 BS 24 0083			110	110	108	0.64 46 105	0.23 29 107	0.55 109	1.20 44 107	0.35 25 109	0.95 110	0.43 26 102	1.00 25 104	2.15 32 108	1.27 22 97	1.23 17 98	101	1			
168	CIDF 26 0412 113775951	2.28	BS 23 0602 ROS 20 0033			109	109	112	0.52 48 103	0.48 40 116	0.74 114	0.50 47 99	0.58 35 117	0.83 108	0.14 26 99	-0.30 34 99	0.90 39 101	-0.98 27 104	-2.32 24 107	142	5			
169	CIDF 25 0194 110308913	5.58	BS 19 0120 BS 22 0198			109	106	110	0.21 66 98	0.01 54 99	0.12 98	1.74 65 113	0.05 49 99	0.92 110	1.20 20 111	2.10 46 108	3.04 54 113	2.99 44 92	-3.48 36 110	133	3			
170	BS 23 0144 96933965	3.16	HL 20 0067 BS 21 0482	14	1	109	115	111	0.31 76 100	0.25 47 107	0.40 105	2.22 74 118	0.36 40 109	1.47 120	1.60 24 115	-1.30 37 95	1.80 52 106	0.27 35 100	-2.88 26 109	97	1			
171	CIDF 26 0392 113775969	2.27	BS 23 0602 LR 22 0091			109	111	104	0.96 46 110	0.04 37 100	0.52 108	1.57 45 111	0.23 32 105	1.02 112	1.32 15 112	1.00 37 104	2.40 37 110	-2.85 28 110	5.16 23 89	108	4			

Ram Selection list: LMI

Animals are sorted on LMI

*Inbreeding in red is high

EBV - Estimated Breeding Value

Indices above 124
Bokant rasgmiddeld
Indices below 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal		Parents & Progeny				Selection Indices			EBV - Weights								EBV - Fertility							
Animal ID Computer nr	% In-breeding	1st Gen		2nd Gen		Logix Merit Index	Growth Index	Reproduction Index	PreW Dir	PreW Mat	PreW Comb	Wean Dir	Wean Mat	Wean Comb	Post Wean	Lambs Weane	TWW	AFL	ILP	Dam				
		Sire ID	Progeny Number	Progeny Number	EBV				EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EPI	Times Lamb
		Dam ID	weaned	herds	weaned				herds	Acc	Index	Acc	Index	Index	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc
		Active breed average:				100	100	100	0.30	0.05	0.20	0.51	0.09	0.35	0.24	0.12	0.67	0.32	0.62					
172 CIDF 26 0228 112764295	2.69	BS 23 0139 P 21 0290				109	99	112	-0.10 46 94	0.17 36 105	0.13 98	0.28 46 97	0.23 32 105	0.37 100	-0.22 25 95	3.80 31 114	2.79 37 112	-4.65 30 115	-0.74 25 103	105	5			
173 CIDF 26 0149 112688312	3.78	GW 24 0248 EL 22 0070				109	107	103	1.52 55 119	0.02 35 99	0.78 115	0.55 54 100	0.15 29 102	0.43 101	0.76 29 106	1.20 26 104	1.42 38 104	1.37 24 97	0.64 22 100	82	3			
174 CIDF 26 0352 113764682	4.81	BS 24 0424 BS 24 0001				109	103	108	0.31 48 100	0.11 38 102	0.27 102	0.93 48 104	0.13 35 102	0.60 104	0.64 24 104	3.20 34 112	2.99 40 113	-0.82 32 103	1.34 27 98	105	1			
175 CIDF 25 0169 110300803	3.67	MW 00 0081 BS 22 0528				109	97	110	0.05 66 96	-0.07 53 96	-0.05 93	0.60 64 101	-0.04 49 96	0.27 98	0.03 27 97	4.90 46 118	3.51 54 116	-0.05 42 101	-1.55 40 105	154	4			
176 CS 26 0683 114121866	6.90	BS 23 0144 BS 22 0845				109	105	111	0.13 51 97	0.13 38 103	0.20 100	1.25 50 108	0.20 33 104	0.82 108	0.76 17 106	1.20 31 104	2.16 39 108	-1.91 29 107	-3.43 23 110	98	3			
177 CS 26 0630 114037765	6.90	BS 23 0144 BS 22 0845				109	105	111	0.13 51 97	0.13 38 103	0.20 100	1.25 50 108	0.20 33 104	0.82 108	0.76 17 106	1.20 31 104	2.16 39 108	-1.91 29 107	-3.43 23 110	98	3			
178 CS 26 0685 114121908	6.90	BS 23 0144 BS 22 0845				109	105	111	0.13 51 97	0.13 38 103	0.20 100	1.25 50 108	0.20 33 104	0.82 108	0.76 17 106	1.20 31 104	2.16 39 108	-1.91 29 107	-3.43 23 110	98	3			
179 CS 26 0617 114021207	6.90	BS 23 0144 BS 22 0845				109	105	111	0.13 51 97	0.13 38 103	0.20 100	1.25 50 108	0.20 33 104	0.82 108	0.76 17 106	1.20 31 104	2.16 39 108	-1.91 29 107	-3.43 23 110	98	3			
180 CS 26 0665 114037500	6.90	BS 23 0144 BS 22 0845				109	105	111	0.13 51 97	0.13 38 103	0.20 100	1.25 50 108	0.20 33 104	0.82 108	0.76 17 106	1.20 31 104	2.16 39 108	-1.91 29 107	-3.43 23 110	98	3			
181 CS 26 0684 114121916	6.90	BS 23 0144 BS 22 0845				109	105	111	0.13 51 97	0.13 38 103	0.20 100	1.25 50 108	0.20 33 104	0.82 108	0.76 17 106	1.20 31 104	2.16 39 108	-1.91 29 107	-3.43 23 110	98	3			
182 CIDF 26 0475 113802466	3.00	FJ 24 0088 BS 22 0539				109	100	107	0.60 50 104	-0.03 40 97	0.27 102	0.61 49 101	0.01 34 97	0.31 99	0.01 14 97	3.10 32 111	2.48 39 110	1.84 28 95	-1.95 22 106	139	4			
183 CIDF 26 0476 113802441	3.00	FJ 24 0088 BS 22 0539				109	100	107	0.60 50 104	-0.03 40 97	0.27 102	0.61 49 101	0.01 34 97	0.31 99	0.01 14 97	3.10 32 111	2.48 39 110	1.84 28 95	-1.95 22 106	139	4			
184 CIDF 25 0184 110308723	3.99	BS 22 1004 LR 24 0070				109	114	104	0.84 62 108	-0.04 38 97	0.38 105	2.45 60 121	0.08 32 100	1.30 117	1.84 19 118	-1.00 30 96	1.93 42 107	0.00 32 101	-0.24 23 102	96	1			
185 CIDF 26 0462 114154123	3.38	BS 22 0155 WCN 22 0109				108	115	97	1.62 56 120	-0.34 38 86	0.47 107	2.90 56 126	-0.24 34 89	1.21 115	2.28 21 123	-1.10 34 96	2.00 42 107	1.36 31 97	2.30 25 96	147	3			
186 CS 26 0544 113899967	7.82	BS 22 0155 BS 21 0024				108	110	105	0.82 56 108	-0.08 41 95	0.33 103	2.07 56 117	-0.01 36 97	1.03 112	1.64 20 116	0.10 36 100	2.12 44 108	1.86 35 95	-1.94 27 106	78	2			
187 H 25 0003 109184044	2.59	HIS 00 0070 H 24 0006				108	113	107	0.86 66 109	0.32 54 110	0.75 114	1.21 64 107	0.43 51 112	1.03 112	1.24 44 111	-0.40 48 99	1.40 55 104	0.90 46 98	1.49 43 98	110	2			
188 CS 26 0539 113856314	2.49	BS 23 0117 ROS 18 0066				108	90	115	-0.67 55 85	0.37 39 112	0.03 95	-1.02 54 83	0.32 34 108	-0.19 90	-0.10 24 96	9.10 32 133	4.76 41 123	-4.24 27 114	5.42 26 88	106	4			
189 CIDF 26 0183 112725270	14.50	BS 23 0117 P 23 0084				108	93	112	-0.50 51 87	0.23 30 106	-0.03 94	-0.28 50 91	0.21 25 104	0.07 95	-0.81 15 88	6.80 23 125	4.01 34 118	-1.45 24 105	2.45 21 95	98	2			
190 CIDF 26 0114 112688593	2.61	JC 23 0161 BS 23 0438				108	110	107	0.79 47 107	0.29 40 109	0.68 112	0.88 46 104	0.42 36 112	0.87 109	1.00 24 108	0.70 35 103	1.73 40 106	1.35 31 97	2.09 27 96	117	3			

Ram Selection list: LMI

Animals are sorted on LMI

*Inbreeding in red is high

EBV - Estimated Breeding Value

Indices above 124
Bokant rasgemiiddel
Indices below 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal		Parents & Progeny				Selection Indices			EBV - Weights								EBV - Fertility							
Animal ID Computer nr	% In-breeding	1st Gen		2nd Gen		Logix Merit Index	Growth Index	Reproduction Index	PreW Dir	PreW Mat	PreW Comb	Wean Dir	Wean Mat	Wean Comb	Post Wean	Lambs Weane	TWW	AFL	ILP	Dam				
		Sire ID	Progeny Number	Progeny Number	EBV				EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EPI	Times Lamb
		Dam ID	weaned	herds	weaned				herds	Acc	Index	Acc	Index	Index	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc
		Active breed average:				100	100	100	0.30	0.05	0.20	0.51	0.09	0.35	0.24	0.12	0.67	0.32	0.62					
191 CIDF 26 0113 112688338	2.61	JC 23 0161 BS 23 0438				108	110	107	0.79 47	0.29 107	0.68 40	0.88 109	0.42 112	0.87 46	1.00 104	0.70 35	1.73 40	1.35 31	2.09 97	117	3			
192 CIDF 26 0438 113801559	6.29	BS 24 0424 BS 24 0994				108	110	103	0.90 48	-0.07 109	0.39 37	1.91 96	0.04 105	1.00 47	1.57 115	0.50 32	2.25 102	0.51 38	1.45 109	110	2			
193 CIDF 26 0277 112809447	2.62	BS 23 0139 P 23 0248				108	100	112	0.11 44	0.25 97	0.30 33	0.16 107	0.32 102	0.40 43	0.79 96	3.00 28	2.28 111	-2.86 34	-1.76 109	98	2			
194 CIDF 26 0276 112809488	2.62	BS 23 0139 P 23 0248				108	100	112	0.11 44	0.25 97	0.30 33	0.16 107	0.32 102	0.40 43	0.79 96	3.00 28	2.28 111	-2.86 34	-1.76 109	98	2			
195 CS 26 0523 113855878	14.40	BS 23 0117 P 23 0008				108	97	115	-0.62 50	0.49 85	0.18 27	-0.35 116	0.49 99	0.31 49	-0.57 90	5.20 23	3.26 119	-1.31 33	1.30 114	102	2			
196 CIDF 25 0144 110260130	2.20	MW 00 0081 BS 19 0087				108	86	113	-0.61 67	0.04 86	-0.26 55	-0.74 100	-0.02 88	-0.39 66	-1.18 86	8.50 47	4.35 131	1.55 55	-2.06 120	160	5			
197 CS 26 0536 113856306	2.47	BS 23 0117 LR 24 0099				108	96	109	-0.22 53	0.10 92	-0.01 34	0.27 102	0.11 94	0.24 52	-0.20 97	5.40 26	3.62 120	-4.90 37	3.98 116	114	2			
198 CIDF 26 0047 112247895	1.44	AAA 05 0003 GW 23 0031				107	109	114	-0.24 65	0.47 91	0.35 53	1.28 115	0.53 104	1.17 65	1.02 108	-0.30 46	1.63 99	-0.78 55	-3.05 105	120	3			
199 CIDF 26 0012 112244009	2.81	MW 15 0052 EL 21 0007				107	99	105	0.62 66	-0.20 105	0.11 57	0.69 91	-0.07 97	0.28 65	0.25 102	4.10 52	3.08 115	1.36 58	1.25 113	138	6			
200 CIDF 26 0455 113801526	3.44	BS 23 0144 DTC 18 0620				107	111	112	0.18 52	0.52 98	0.61 40	0.99 117	0.60 110	1.09 51	0.65 105	-0.40 34	1.35 99	3.70 41	-1.94 104	131	8			
201 JC 23 0161 96919832	7.40	DTC 17 0462 JC 21 0190				107	118	103	1.50 64	0.34 119	1.09 50	1.34 110	0.55 123	1.22 63	2.03 109	-2.00 42	0.68 93	1.86 51	4.54 100	94	1			
202 CIDF 26 0341 113764708	2.24	BS 23 0602 LR 22 0081				107	101	107	0.55 47	-0.04 104	0.24 38	0.59 97	0.07 101	0.36 46	0.56 100	2.60 31	2.22 109	-1.38 38	-1.10 109	104	3			
203 BS 23 0420 99212722	2.36	HL 20 0067 BS 18 0186	1	1		107	108	109	0.40 66	0.29 101	0.50 50	0.86 109	0.43 107	0.86 65	0.73 103	0.20 42	1.42 101	-1.19 52	-0.62 104	100	3			
204 CIDF 25 0175 110308798	4.22	MW 16 0051 BS 22 0380				107	101	112	-0.12 65	0.04 93	-0.02 48	1.19 100	0.07 94	0.67 63	0.50 107	0.80 38	1.74 103	-0.82 49	-8.79 106	115	4			
205 CIDF 26 0467 113802409	2.98	BS 22 0155 WW 20 0095				107	106	106	0.76 57	0.01 107	0.39 44	1.20 98	0.05 105	0.65 56	0.96 107	-0.10 37	1.19 100	0.87 45	-4.86 103	119	6			
206 CIDF 26 0466 113802508	2.98	BS 22 0155 WW 20 0095				107	106	106	0.76 57	0.01 107	0.39 44	1.20 98	0.05 105	0.65 56	0.96 107	-0.10 37	1.19 100	0.87 45	-4.86 103	119	6			
207 CS 26 0527 113855886	5.65	BS 24 0424 BS 22 0858				107	109	106	0.58 48	0.12 104	0.41 40	1.42 103	0.25 105	0.96 47	1.10 110	0.10 35	1.73 100	-0.79 40	0.75 106	120	4			
208 BS 23 0117 96910484	2.33	BS 19 0655 BS 19 0199	38	2		107	87	120	-1.48 83	0.60 72	-0.14 43	-1.42 120	0.50 91	-0.21 81	-1.61 78	8.10 32	3.94 129	-4.08 52	0.27 118	94	2			
209 CIDF 26 0042 112247937	1.57	AAA 05 0003 GW 23 0041				107	96	117	-0.93 66	0.48 80	0.01 54	-0.14 116	0.39 95	0.32 65	-0.51 93	3.40 46	2.30 112	-3.22 55	-5.56 109	112	2			

Ram Selection list: LMI

Animals are sorted on LMI

*Inbreeding in red is high

EBV - Estimated Breeding Value

Indices above 124
Bokant rasgemiiddel
Indices below 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal		Parents & Progeny				Selection Indices			EBV - Weights								EBV - Fertility								
Animal ID Computer nr	% In-breeding	1st Gen		2nd Gen		Logix Merit Index	Growth Index	Reproduction Index	PreW Dir	PreW Mat	PreW Comb	Wean Dir	Wean Mat	Wean Comb	Post Wean	Lambs Weane	TWW	AFL	ILP	Dam					
		Sire ID	Progeny Number	Progeny Number																					
		Dam ID	weaned	herds	weaned				herds	EBV Acc	EBV Index	EBV Index	EBV Acc	EBV Index	EBV Index	EBV Acc	EBV Index	EBV Index	EBV Acc	EBV Index	EBV Index	EBV Index	EBV Index	EPI	Times Lamb ed
		Active breed average:				100	100	100	0.30	0.05	0.20	0.51	0.09	0.35	0.24	0.12	0.67	0.32	0.62						
210	CIDF 25 0097 109937672	4.21	BS 22 1004 JC 22 0084			107	112	105	0.92 63	0.20 110	0.66 42	1.36 106	0.31 112	0.99 62	1.56 109	17 115	-0.80 33	1.19 97	1.68 45	0.10 103	108	4			
211	CIDF 26 0043 112247945	1.57	AAA 05 0003 GW 23 0041			107	95	116	-0.74 66	0.48 83	0.11 54	-0.46 116	0.39 97	0.17 65	-0.68 89	50 111	3.40 46	1.98 112	-3.22 55	-5.56 107	112	2			
212	CIDF 26 0201 112750641	3.17	BS 22 0212 DTC 22 0126			107	104	106	0.54 58	0.17 104	0.44 39	0.62 104	0.25 106	0.55 56	0.16 101	28 105	1.80 32	1.94 107	1.40 26	1.63 97	101	3			
213	CIDF 26 0451 113801377	3.88	BS 24 0424 BS 22 0913			107	106	106	0.51 50	0.14 103	0.40 41	0.98 103	0.22 105	0.71 49	0.71 105	25 106	1.00 36	1.81 104	-0.02 41	0.77 101	102	4			
214	CS 26 0540 113856470	2.33	BS 23 0602 P 21 0328			107	102	104	0.55 43	0.04 104	0.31 32	0.61 100	0.12 103	0.43 42	-0.25 101	19 101	1.90 26	1.87 107	-0.51 33	1.07 107		4			
215	CIDF 26 0123 112688346	3.16	ROS 24 0155 H 24 0015			106	106	103	0.62 46	0.13 105	0.44 35	0.95 103	0.23 106	0.71 45	0.20 104	32 105	1.60 29	2.14 106	1.24 36	4.56 108	112	2			
216	CIDF 26 0049 112247978	3.00	AAA 05 0003 GW 21 0001			106	108	119	-0.83 65	0.96 82	0.55 53	0.25 133	1.09 109	0.25 64	1.09 97	50 49	-1.50 45	0.32 95	-3.21 54	-4.80 98	100	5			
217	CIDF 25 0015 107516684	3.43	BS 22 0121 JC 22 0030			106	94	113	-0.39 59	0.25 89	0.05 41	-0.28 107	0.21 96	0.07 58	-0.66 91	17 104	4.10 33	2.39 115	2.36 44	-5.04 110	101	4			
218	CIDF 26 0169 112723770	2.83	ROS 24 0155 BS 24 0055			106	111	102	0.82 44	0.12 108	0.53 33	1.56 103	0.26 108	1.04 43	0.61 111	27 106	-1.00 30	1.22 96	0.37 35	3.08 103	100	1			
219	CIDF 26 0168 112723846	2.83	ROS 24 0155 BS 24 0055			106	111	102	0.82 44	0.12 108	0.53 33	1.56 103	0.26 108	1.04 43	0.61 111	27 106	-1.00 30	1.22 96	0.37 35	3.08 103	100	1			
220	CIDF 25 0195 110308830	5.58	BS 19 0120 BS 22 0198			106	100	107	0.26 66	0.05 99	0.18 54	0.71 100	0.06 99	0.41 65	0.50 102	20 49	2.10 46	2.02 108	2.99 54	-3.48 92	133	3			
221	CS 26 0563 113856348	7.97	BS 24 0424 BS 24 0792			106	102	104	0.53 48	-0.14 103	0.13 38	1.24 93	-0.10 98	0.52 47	1.00 108	22 34	1.50 32	2.04 105	0.57 39	-2.06 108	111	2			
222	GW 25 0238 109181651	6.00	DTC 05 0056 GW 22 0005			106	95	108	-0.34 64	-0.20 90	-0.36 46	1.10 91	-0.18 85	0.37 62	0.48 106	39 40	3.90 37	3.26 114	-2.07 48	-2.77 114	119	4			
223	CIDF 26 0112 112688254	3.36	ROS 24 0155 BS 24 0007			106	109	101	0.76 46	0.07 107	0.45 35	1.43 101	0.16 106	0.88 45	0.55 110	27 30	-0.10 28	1.53 100	0.95 35	3.29 105	102	1			
224	CIDF 25 0167 110300829	5.98	BS 19 0120 BS 19 0090			105	106	104	0.29 67	0.00 100	0.15 55	1.77 98	0.02 99	0.90 65	1.19 113	20 50	0.80 47	2.27 103	2.07 55	-0.27 95	117	6			
225	CIDF 26 0303 112863410	4.95	BS 22 1004 P 22 0289			105	105	105	0.40 51	0.09 101	0.29 35	1.20 101	0.16 102	0.76 50	1.02 107	16 31	0.80 30	1.84 103	-0.37 38	0.71 107	104	3			
226	CS 26 0645 114037625	6.17	BS 23 0117 BS 22 0215			105	96	110	-0.54 53	0.30 87	0.03 36	0.00 109	0.23 95	0.24 52	-0.24 94	15 32	4.30 29	2.82 116	-2.46 39	1.10 112		1			
227	CS 26 0661 114037690	6.17	BS 23 0117 BS 22 0215			105	96	110	-0.54 53	0.30 87	0.03 36	0.00 109	0.23 95	0.24 52	-0.24 94	15 32	4.30 29	2.82 116	-2.46 39	1.10 108		1			
228	CS 26 0611 114021389	6.17	BS 23 0117 BS 22 0215			105	96	110	-0.54 53	0.30 87	0.03 36	0.00 109	0.23 95	0.24 52	-0.24 94	15 32	4.30 29	2.82 116	-2.46 39	1.10 108		1			

Ram Selection list: LMI

Animals are sorted on LMI

*Inbreeding in red is high

EBV - Estimated Breeding Value

Indices above 124
Bokant rasgemiiddel
Indices below 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal		Parents & Progeny				Selection Indices			EBV - Weights								EBV - Fertility							
Animal ID Computer nr	% In-breeding	1st Gen		2nd Gen		Logix Merit Index	Growth Index	Reproduction Index	PreW Dir	PreW Mat	PreW Comb	Wean Dir	Wean Mat	Wean Comb	Post Wean	Lambs Weaned	TWW	AFL	ILP	Dam				
		Sire ID	Progeny Number	Progeny Number	EBV				EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EPI	Times Lamb ed
		Dam ID	weaned	herds	weaned				herds	Acc	Index	Acc	Index	Index	Index	Acc	Index	Acc	Index	Index	Index	Index	Index	Index
		Active breed average:				100	100	100	0.30	0.05	0.20	0.51	0.09	0.35	0.24	0.12	0.67	0.32	0.62					
229 CS 26 0555 113856041	2.36	BS 23 0602 WCN 21 0096				105	100	108	0.15 45 98	0.13 36 103	0.21 100	0.42 44 99	0.22 32 105	0.43 101	0.33 19 101	1.30 30 105	1.42 36 104	-1.88 25 107	-2.20 23 107	90	4			
230 CIDF 26 0164 112723812	3.38	BS 22 0155 WCN 22 0109				105	111	95	1.32 63 116	-0.30 39 87	0.36 104	2.44 62 121	-0.23 34 89	0.99 111	1.87 21 118	-1.10 34 96	1.55 45 105	1.36 31 97	2.30 25 96	147	3			
231 CIDF 26 0162 112723903	3.94	BS 22 1004 P 21 0140				105	106	99	0.75 52 107	-0.19 37 91	0.19 100	1.72 52 113	-0.08 32 94	0.78 107	1.24 18 111	1.10 32 104	2.30 40 109	-1.73 32 106	4.75 27 90	100	5			
232 CIDF 26 0496 113802326	7.32	BS 24 0424 BS 23 0272				105	108	103	0.70 49 106	0.07 38 101	0.42 105	1.34 48 109	0.21 34 104	0.89 109	1.04 23 109	-0.60 32 98	1.20 39 103	0.18 30 100	1.31 27 98	117	3			
233 CIDF 26 0495 113802433	7.32	BS 24 0424 BS 23 0272				105	108	103	0.70 49 106	0.07 38 101	0.42 105	1.34 48 109	0.21 34 104	0.89 109	1.04 23 109	-0.60 32 98	1.20 39 103	0.18 30 100	1.31 27 98	117	3			
234 CIDF 26 0172 112725155	3.10	BS 17 0111 GE 21 0059				104	107	99	1.06 65 112	0.03 54 99	0.56 109	1.11 64 106	0.08 49 100	0.64 105	0.83 33 106	-0.70 45 97	0.77 54 101	0.05 40 101	1.78 36 97	129	5			
235 CIDF 26 0139 112688502	3.77	BS 23 0144 P 23 0267				104	104	103	0.37 46 101	-0.10 32 94	0.08 97	1.43 45 110	0.00 26 97	0.72 106	1.17 18 110	0.80 25 103	1.91 33 107	-1.32 24 105	0.33 20 101	108	2			
236 CIDF 26 0138 112688387	3.77	BS 23 0144 P 23 0267				104	104	103	0.37 46 101	-0.10 32 94	0.08 97	1.43 45 110	0.00 26 97	0.72 106	1.17 18 110	0.80 25 103	1.91 33 107	-1.32 24 105	0.33 20 101	108	2			
237 CIDF 26 0144 112688577	3.63	BS 22 0121 P 23 0276				104	97	106	-0.08 47 94	0.05 34 100	0.01 95	0.54 46 100	0.05 30 99	0.32 99	0.47 16 102	2.80 30 110	2.27 36 109	-3.63 29 112	1.09 23 99	98	2			
238 CIDF 26 0342 113764849	4.03	BS 23 0144 LR 23 0015				104	109	104	0.45 51 102	-0.03 37 97	0.19 100	1.91 50 115	0.13 32 101	1.09 113	1.76 19 117	-1.30 31 95	1.26 39 103	0.03 28 101	-0.94 23 104	107	2			
239 CIDF 26 0460 113801260	2.26	BS 23 0117 ROS 20 0087				104	84	114	-1.25 53 76	0.32 38 110	-0.30 87	-1.36 52 79	0.24 33 105	-0.45 86	-1.65 24 78	7.70 31 128	3.49 40 116	-1.42 25 105	-0.56 25 103	100	5			
240 CIDF 26 0461 113801252	2.26	BS 23 0117 ROS 20 0087				104	84	114	-1.25 53 76	0.32 38 110	-0.30 87	-1.36 52 79	0.24 33 105	-0.45 86	-1.65 24 78	7.70 31 128	3.49 40 116	-1.42 25 105	-0.56 25 103	100	5			
241 CIDF 26 0212 112750625	3.04	GW 23 0107 BS 24 0029				103	92	109	-0.37 58 89	0.17 33 104	-0.02 94	-0.47 56 89	0.18 28 103	-0.05 93	-1.93 26 75	2.00 26 107	0.92 38 101	-2.72 25 109	-4.95 20 114	102	1			
242 CIDF 26 0151 112688601	2.46	BS 23 0139 P 21 0186				103	99	105	0.24 44 99	0.10 31 102	0.23 100	0.20 43 96	0.16 28 102	0.26 98	0.55 23 103	1.40 27 105	1.20 34 103	-2.11 26 107	-1.21 22 104	101	4			
243 CIDF 26 0134 112688494	3.76	BS 23 0144 ROS 21 0098				103	106	99	1.02 61 111	-0.16 38 93	0.35 104	1.50 59 110	-0.07 32 95	0.68 106	1.34 20 112	-2.30 31 92	0.05 42 97	-1.17 25 105	-3.20 22 109	109	5			
244 ROS 24 0155 100606763	7.14	DTC 22 0238 WW 20 0040	4	1		103	115	95	1.34 65 116	0.02 41 99	0.69 113	1.97 63 116	0.24 35 105	1.22 115	0.63 49 104	-3.10 33 89	0.35 45 98	4.25 25 88	5.98 24 87	121	5			
245 CIDF 26 0199 112811559	3.88	GW 24 0248 BS 24 0166				103	97	101	0.36 47 101	-0.17 35 92	0.01 95	0.66 46 101	-0.18 31 91	0.15 96	0.63 30 104	3.20 30 112	2.40 37 110	-0.04 29 101	1.64 22 97	100	1			
246 CIDF 26 0431 113801237	3.82	BS 23 0144 DTC 19 0098				103	103	105	0.05 52 96	-0.09 40 95	-0.07 93	1.68 51 112	-0.01 35 97	0.83 108	1.53 32 114	0.00 34 100	1.67 41 106	-0.53 29 103	-3.05 25 109	125	7			
247 CIDF 26 0430 113801328	3.82	BS 23 0144 DTC 19 0098				103	103	105	0.05 52 96	-0.09 40 95	-0.07 93	1.68 51 112	-0.01 35 97	0.83 108	1.53 32 114	0.00 34 100	1.67 41 106	-0.53 29 103	-3.05 25 109	125	7			

Ram Selection list: LMI

Animals are sorted on LMI

*Inbreeding in red is high

EBV - Estimated Breeding Value

Indices above 124
Bokant rasgemiiddeld
Indices below 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal		Parents & Progeny				Selection Indices			EBV - Weights								EBV - Fertility							
Animal ID Computer nr	% In-breeding	1st Gen		2nd Gen		Logix Merit Index	Growth Index	Reproduction Index	PreW Dir	PreW Mat	PreW Comb	Wean Dir	Wean Mat	Wean Comb	Post Wean	Lambs Weane	TWW	AFL	ILP	Dam	EPI	Times Lamb ed		
		Sire ID	Progeny Number	Progeny Number	EBV				EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV			EBV	EBV
		Dam ID	weaned	herds	weaned				herds	Acc	Index	Acc	Index	Index	Index	Index	Index	Index	Index	Acc			Index	Acc
		Active breed average:				100	100	100	0.30	0.05	0.20	0.51	0.09	0.35	0.24	0.12	0.67	0.32	0.62					
248 CIDF 26 0198 112742168	3.88	GW 24 0248 BS 24 0166				103	97	101	0.36 47 101	-0.17 35 92	0.01 95	0.66 46 101	-0.18 31 91	0.15 96	0.63 30 104	3.20 30 112	2.40 37 110	-0.04 29 101	1.64 22 97	100	1			
249 CIDF 26 0307 112863428	4.07	BS 22 1004 P 22 0169				103	109	102	0.10 53 97	0.12 34 103	0.17 99	1.81 53 114	0.22 29 105	1.13 114	1.10 15 110	-0.10 29 100	1.98 38 107	-2.08 32 107	6.31 24 86	95	4			
250 CS 26 0549 113856231	3.64	BS 23 0144 P 19 0060				103	107	105	-0.10 51 94	0.36 38 111	0.31 103	1.00 49 105	0.43 32 112	0.93 110	0.65 19 104	0.40 30 101	1.67 38 106	0.36 25 100	4.16 23 91	138	5			
251 CS 26 0550 113856132	3.64	BS 23 0144 P 19 0060				103	107	105	-0.10 51 94	0.36 38 111	0.31 103	1.00 49 105	0.43 32 112	0.93 110	0.65 19 104	0.40 30 101	1.67 38 106	0.36 25 100	4.16 23 91	138	5			
252 CIDF 26 0449 113801534	3.14	FJ 24 0088 BS 22 0224				103	98	101	0.46 50 102	-0.09 41 95	0.14 98	0.67 49 101	-0.12 36 93	0.22 97	0.23 16 100	1.40 34 105	1.39 41 104	2.25 31 94	-1.99 24 106	119	4			
253 H 25 0005 109184069	6.98	HIS 00 0070 H 23 0016				103	116	95	1.55 63 119	0.13 51 103	0.91 118	1.66 62 112	0.25 48 105	1.08 113	1.44 41 113	-3.20 46 88	-0.02 53 96	5.32 43 85	4.58 41 90	89	2			
254 CIDF 26 0419 113775787	2.32	BS 23 0602 WH 24 0012				103	107	97	1.09 45 112	-0.09 32 95	0.46 107	1.28 44 108	0.04 28 98	0.68 106	1.03 17 109	-1.40 28 95	0.48 34 99	-0.81 25 103	2.45 20 95	101	1			
255 CIDF 26 0126 112688361	2.36	BS 23 0139 P 21 0297				103	97	106	-0.06 59 94	0.02 38 99	-0.01 94	0.38 57 98	0.07 33 99	0.26 98	0.61 26 104	1.20 37 104	1.17 42 103	-5.44 29 117	-2.93 25 109	155	4			
256 CIDF 26 0132 112688239	2.69	BS 23 0117 DTC 19 0013				102	77	105	-0.67 56 85	-0.33 39 86	-0.66 77	-0.92 55 84	-0.44 33 82	-0.90 78	-1.04 31 85	9.60 32 135	4.40 41 121	-2.98 25 110	1.32 23 98	119	6			
257 JC 24 0039 100138833	2.74	BS 21 0486 JC 21 0204				102	105	100	0.70 66 106	0.39 49 112	0.74 114	0.00 65 94	0.43 42 112	0.43 101	0.16 31 99	0.00 37 100	0.43 50 99	-1.19 34 105	5.79 29 87	116	4			
258 CIDF 26 0464 113802342	9.10	BS 24 0424 BS 22 0380				102	104	101	0.56 49 104	-0.07 39 96	0.21 100	1.27 49 108	0.02 35 98	0.66 105	1.04 23 109	-0.60 33 98	0.93 40 102	0.17 31 100	-0.33 26 102	115	4			
259 CIDF 26 0125 112688296	2.36	BS 23 0139 P 21 0297				102	96	106	-0.13 48 93	0.03 38 99	-0.04 94	0.34 47 98	0.07 33 99	0.24 98	0.56 26 103	1.20 37 104	1.13 38 103	-5.44 29 117	-2.93 25 109	155	4			
260 CIDF 26 0062 112274089	1.77	AAA 05 0003 GW 21 0093				102	98	113	-0.92 66 81	0.62 54 121	0.16 99	-0.25 65 91	0.59 51 117	0.47 102	-0.38 50 93	0.10 47 100	0.41 55 99	-6.46 44 121	-3.45 42 110	136	5			
261 CIDF 26 0380 113764864	3.80	BS 23 0144 ROS 19 0062				102	96	107	-0.29 52 91	0.02 40 99	-0.13 91	0.54 51 100	0.02 34 98	0.29 99	0.12 26 98	1.20 33 104	1.28 40 103	-1.27 26 105	-5.06 24 114	112	6			
262 CIDF 26 0111 112688403	3.36	ROS 24 0155 BS 24 0007				102	105	100	0.40 56 101	0.11 35 102	0.31 103	1.00 54 105	0.17 30 103	0.67 105	0.15 27 99	-0.10 28 100	1.11 39 103	0.95 26 98	3.29 21 93	102	1			
263 CS 26 0517 113856108	2.43	BS 24 0424 LR 24 0077				102	94	100	0.46 48 102	-0.29 37 88	-0.06 93	0.47 47 99	-0.23 33 89	0.01 94	0.38 22 101	2.70 32 110	1.86 38 107	-1.48 29 105	0.54 26 100	124	2			
264 BS 22 1004 96282413	4.72	BS 19 0120 BS 21 0363	65	1		102	107	104	0.09 88 97	0.17 56 104	0.22 100	1.54 87 111	0.20 48 104	0.97 111	1.03 19 109	-2.30 45 92	0.36 62 98	0.27 50 100	-3.43 34 110	101	4			
265 BS 21 0617 93433100	3.67	BS 19 0349 BS 18 0087	3	1		102	106	104	0.18 70 98	0.39 54 113	0.49 107	0.53 68 100	0.46 49 113	0.72 106	0.08 25 98	-1.20 48 96	0.27 56 98	0.61 45 99	0.92 37 99	95	4			
266 CIDF 26 0285 112811443	4.08	BS 23 0144 DTC 22 0364				102	102	99	0.58 49 104	-0.26 34 89	0.03 95	1.46 48 110	-0.20 28 90	0.53 103	1.06 29 109	0.10 28 100	1.32 36 104	1.82 22 95	-1.34 20 105	107	2			

Ram Selection list: LMI

Animals are sorted on LMI

*Inbreeding in red is high

EBV - Estimated Breeding Value

Indices above 124
Bokant rasgemiiddel
Indices below 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal		Parents & Progeny				Selection Indices			EBV - Weights								EBV - Fertility							
Animal ID Computer nr	% In-breeding	1st Gen		2nd Gen		Logix Merit Index	Growth Index	Reproduction Index	PreW Dir	PreW Mat	PreW Comb	Wean Dir	Wean Mat	Wean Comb	Post Wean	Lambs Weane	TWW	AFL	ILP	Dam				
		Sire ID	Progeny Number	Progeny Number	EBV				EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EPI	Times Lamb
		Dam ID	weaned	herds	weaned				herds	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc
		Active breed average:				100	100	100	0.30	0.05	0.20	0.51	0.09	0.35	0.24	0.12	0.67	0.32	0.62					
267 CIDF 25 0017 107709925	4.42	BS 22 1004 BS 23 0193				102	102	105	0.00 55	0.15 95	0.15 38	0.90 104	0.17 33	0.62 103	0.55 16	-0.80 31	0.59 41	0.48 32	-3.73 24	108	2			
268 CIDF 26 0274 112809421	3.15	BS 23 0117 GW 22 0005				101	88	113	-1.20 53	0.43 76	-0.17 36	-1.01 114	0.39 30	-0.12 110	-1.57 92	4.00 28	1.78 114	-2.43 38	-2.74 106	119	4			
269 CIDF 26 0446 113801443	2.61	BS 23 0117 CJW 24 0013				101	94	103	-0.18 52	0.16 92	0.07 32	-0.13 104	0.12 27	0.06 101	-0.84 88	2.60 26	1.56 109	-1.78 36	2.25 105	115	2			
270 CIDF 26 0292 112840251	2.33	BS 23 0117 P 21 0047				101	88	106	-0.40 60	-0.06 89	-0.26 34	-0.39 96	-0.07 28	-0.26 95	-0.58 89	3.90 25	1.89 114	-4.15 39	-1.96 107	120	5			
271 CS 26 0692 114121825	6.07	BS 23 0349 CIDF 25 0032				101	102	100	0.36 45	-0.02 101	0.17 30	1.02 98	0.03 26	0.54 98	0.66 103	0.00 24	1.05 100	0.39 32	0.59 102		1			
272 CIDF 26 0389 113776058	14.63	BS 24 0424 BS 22 0038				101	98	103	0.18 50	0.00 98	0.09 42	0.51 98	0.02 37	0.27 98	0.21 23	0.60 35	0.89 102	0.45 41	-2.50 101	130	4			
273 CIDF 26 0122 112688478	3.16	ROS 24 0155 H 24 0015				100	100	102	-0.08 58	0.20 94	0.16 36	0.37 105	0.25 31	0.43 105	-0.40 32	1.60 29	1.57 106	1.24 40	4.56 105	112	2			
274 CIDF 26 0335 113765028	7.53	BS 24 0424 BS 22 0198				100	100	103	0.10 49	0.03 97	0.08 41	0.66 99	0.12 37	0.45 101	0.33 23	0.60 35	1.14 102	3.53 41	-1.27 103	133	3			
275 CIDF 26 0336 113764773	7.53	BS 24 0424 BS 22 0198				100	100	103	0.10 49	0.03 97	0.08 41	0.66 99	0.12 37	0.45 101	0.33 23	0.60 35	1.14 102	3.53 41	-1.27 103	133	3			
276 CIDF 26 0064 112273990	1.44	AAA 05 0003 DTC 18 0713				100	98	105	-0.45 67	0.32 88	0.10 55	0.18 110	0.29 52	0.38 107	-0.34 51	0.40 49	0.71 101	-3.12 57	-0.48 100	133	6			
277 CIDF 26 0275 112809546	3.15	BS 23 0117 GW 22 0005				100	87	112	-1.25 62	0.45 76	-0.18 36	-1.30 115	0.39 30	-0.26 111	-1.78 89	4.00 28	1.50 114	-2.43 41	-2.74 105	119	4			
278 CIDF 26 0090 112357835	2.49	AAA 05 0003 GW 23 0123				100	91	114	-1.39 64	0.59 73	-0.11 51	-0.83 120	0.52 49	0.11 115	-2.05 95	-0.60 45	-0.67 98	-9.12 54	-8.91 93	110	3			
279 CIDF 26 0347 113764922	4.46	BS 24 0424 H 24 0031				100	99	103	0.00 48	0.27 95	0.27 39	0.04 108	0.32 36	0.34 108	-0.04 29	0.10 34	0.42 100	-1.58 40	0.94 99	103	2			
280 CIDF 25 0291 111901146	5.49	JC 23 0136 JC 24 0047				100	98	100	0.38 58	0.28 101	0.47 38	-0.47 109	0.32 33	0.09 108	-0.08 95	1.60 29	0.82 106	1.37 41	4.67 101	98	1			
281 CIDF 26 0135 112688411	3.12	BEZ 23 0002 BS 22 0354				99	103	97	0.34 60	-0.10 100	0.07 42	1.32 95	-0.02 36	0.64 108	0.91 96	0.20 34	1.42 101	-0.35 44	4.90 129	126	3			
282 CIDF 26 0241 112764303	2.69	BS 23 0139 P 21 0232				99	90	104	-0.23 46	-0.05 92	-0.17 35	-0.17 96	-0.05 31	-0.14 95	-0.28 91	1.50 28	0.68 105	-3.02 36	-4.93 100	99	5			
283 CIDF 26 0140 112688213	3.77	BS 23 0144 P 23 0267				99	98	102	-0.24 56	-0.05 91	-0.17 32	0.99 97	0.01 26	0.51 105	0.69 97	0.80 25	1.48 103	-1.32 37	0.33 105	108	2			
284 CIDF 26 0091 112357843	2.49	AAA 05 0003 GW 23 0123				99	90	114	-1.42 64	0.60 73	-0.11 51	-1.00 120	0.52 49	0.02 115	-2.18 94	-0.60 45	-0.84 98	-9.12 54	-8.91 92	110	3			
285 CIDF 26 0099 112688379	5.54	GW 24 0248 CIDF 24 0011				99	100	97	0.47 45	-0.09 102	0.15 31	0.71 95	-0.02 27	0.33 96	0.78 99	0.60 26	1.04 102	1.59 33	3.00 102	97	1			

Ram Selection list: LMI

Animals are sorted on LMI

*Inbreeding in red is high

EBV - Estimated Breeding Value

Indices above 124
Bokant rasgemiiddel
Indices below 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal		Parents & Progeny				Selection Indices			EBV - Weights								EBV - Fertility								
Animal ID Computer nr	% In-breeding	1st Gen		2nd Gen		Logix Merit Index	Growth Index	Reproduction Index	PreW Dir	PreW Mat	PreW Comb	Wean Dir	Wean Mat	Wean Comb	Post Wean	Lambs Weane	TWW	AFL	ILP	Dam	EPI	Times Lamb ed			
		Sire ID	Progeny Number	Progeny Number	Dam ID				weaned	herds	weaned	herds	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV			EBV	EBV	EBV
		Acc	Index	Acc									Index	Index	Index	Index	Index	Index	Index	Index			Index	Index	Index
		Active breed average:				100	100	100	0.30	0.05	0.20	0.51	0.09	0.35	0.24	0.12	0.67	0.32	0.62						
286 CIDF 25 0011 107516643	5.95	BS 22 1004 BS 23 0310				98	105	98	0.34 63	0.14 100	0.32 103	1.05 62	0.15 102	0.67 105	0.75 21	-2.30 36	-0.19 92	0.92 35	-0.18 27	109	3				
287 CS 26 0541 113855936	2.56	BS 23 0117 DTC 17 1171				98	85	106	-0.90 54	0.08 81	-0.37 101	-0.74 53	0.00 31	-0.37 87	-0.75 13	4.60 29	2.02 117	-2.65 39	-1.17 108	131	7				
288 CIDF 26 0101 112688221	2.39	BS 24 0424 ROS 24 0156				98	106	92	0.93 47	-0.20 110	0.27 102	1.48 46	-0.05 32	0.69 106	1.01 32	-1.20 30	0.71 96	2.65 28	5.70 93	108	1				
289 CS 26 0580 113856439	2.59	BS 23 0117 CJW 24 0024				98	86	106	-0.70 52	0.33 84	-0.03 110	-1.42 51	0.19 26	-0.52 85	-1.92 25	2.80 25	0.46 110	-1.14 35	-3.88 99	100	2				
290 ROS 25 0059 108939208	7.20	DTC 22 0101 ROS 24 0095				98	112	99	0.64 61	0.51 105	0.83 117	0.76 61	0.59 31	0.97 111	0.95 46	-6.10 30	-2.31 78	-4.66 42	0.32 84	109	2				
291 CIDF 25 0181 111894697	3.65	MW 00 0081 BS 21 0555				98	78	107	-1.12 65	0.00 78	-0.56 80	-1.38 64	-0.16 50	-0.85 79	-1.65 30	6.00 46	2.06 122	-3.19 54	-3.92 108	107	3				
292 CIDF 26 0408 113775753	3.55	BS 23 0144 JC 24 0140				97	105	97	0.39 51	0.01 101	0.20 98	1.34 50	0.09 30	0.75 107	1.13 21	-1.70 29	0.40 94	2.84 37	2.30 99	104	1				
293 CS 26 0568 113855993	3.98	BS 22 0155 DTC 21 0172				97	105	97	0.34 56	0.01 100	0.18 99	1.48 56	0.07 37	0.81 108	0.68 31	-3.40 37	-0.49 88	2.76 44	-2.22 94	120	5				
294 CIDF 26 0485 113802474	5.81	BS 24 0424 BS 22 0926				97	101	98	0.28 48	-0.01 99	0.13 98	0.94 47	0.06 35	0.53 103	0.59 23	-1.60 34	0.04 94	0.58 39	0.25 97	91	2				
295 CIDF 25 0029 110260056	6.21	DTC 20 0229 ROS 20 0087				97	81	106	-1.10 63	0.03 78	-0.52 81	-1.01 63	-0.05 36	-0.55 84	-1.56 43	5.20 34	2.06 119	-0.12 46	-2.25 108	100	5				
296 CIDF 25 0070 109873828	4.13	BS 22 1004 LR 23 0038				97	105	96	0.18 63	-0.27 98	-0.18 90	2.28 62	-0.17 33	0.97 111	2.14 17	-2.10 32	0.86 92	-0.84 44	0.67 101	118	3				
297 CIDF 26 0237 112764311	3.62	BS 23 0144 P 23 0323				97	105	99	0.17 57	0.15 32	0.23 104	1.12 55	0.24 26	0.80 108	0.88 16	-3.30 24	-0.62 88	-1.46 37	-0.26 93	93	2				
298 CIDF 26 0079 112291059	1.46	AAA 05 0003 DTC 22 0258				97	102	109	-0.84 64	0.81 52	0.39 128	-0.19 64	0.75 49	0.65 123	-0.15 50	-3.50 45	-1.54 87	-2.89 54	-4.29 88	120	3				
299 CIDF 26 0302 112863394	3.88	BS 22 0155 WH 24 0056				96	107	89	1.27 62	-0.23 115	0.41 90	1.73 61	-0.18 34	0.68 106	1.56 20	-3.40 34	-0.49 88	4.66 44	2.41 94	93	3				
300 CJW 24 0034 99801540	29.51	WCN 20 0019 CJW 22 0014				96	91	99	0.22 59	-0.08 98	0.03 95	-0.42 59	-0.04 33	-0.25 89	-0.04 43	1.50 27	0.44 105	3.45 42	-1.66 99	96	1				
301 GW 24 0248 99607848	4.86	GE 20 0047 GW 15 0133	2	1		96	91	88	1.06 68	-0.71 112	-0.18 90	0.69 67	-0.64 40	-0.30 88	1.08 55	3.00 37	1.85 111	2.39 50	5.11 107	181	10				
302 CIDF 26 0440 113801435	3.83	BS 23 0144 LR 21 0020				96	93	105	-0.33 51	0.05 90	-0.11 92	-0.07 50	0.06 34	0.03 94	-0.21 23	-2.10 33	-1.27 92	-1.31 40	-11.10 90	98	3				
303 CIDF 26 0383 113775910	3.12	BS 23 0117 ROS 21 0027				96	79	105	-1.14 54	-0.09 77	-0.66 77	-0.85 53	-0.24 34	-0.66 82	-0.83 21	5.30 32	2.09 119	-1.70 41	-3.61 108	95	4				
304 CIDF 26 0057 112274014	1.38	AAA 05 0003 GE 18 0045				96	97	108	-0.88 66	0.68 54	0.24 123	-0.55 65	0.60 51	0.33 99	-0.66 47	-2.20 48	-1.27 92	-1.11 56	-5.35 90	111	10				

Ram Selection list: LMI

Animals are sorted on LMI

*Inbreeding in red is high

EBV - Estimated Breeding Value

Indices above 124
Bokant rasgemiiddeld
Indices below 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal		Parents & Progeny				Selection Indices			EBV - Weights								EBV - Fertility							
Animal ID Computer nr	% In-breeding	1st Gen		2nd Gen		Logix Merit Index	Growth Index	Reproduction Index	PreW Dir	PreW Mat	PreW Comb	Wean Dir	Wean Mat	Wean Comb	Post Wean	Lambs Weane	TWW	AFL	ILP	Dam				
		Sire ID	Progeny Number	Progeny Number	EBV				EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EPI	Times Lamb
		Dam ID	weaned	herds	weaned				herds	Acc	Index	Acc	Index	Index	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Index
		Active breed average:				100	100	100	0.30	0.05	0.20	0.51	0.09	0.35	0.24	0.12	0.67	0.32	0.62					
305	BS 24 0424 99871741	3.89	HIS 00 0070 BS 21 0174	6	1	96	102	93	0.50 71	-0.15 103	0.10 97	1.24 71	-0.05 108	0.57 95	1.09 40	-1.30 48	0.41 95	1.26 58	4.26 99	144	5			
306	CS 26 0562 113855860	9.86	BS 24 0424 BS 23 0615			95	98	97	0.03 48	-0.10 95	-0.09 92	0.84 47	-0.05 103	0.37 100	0.45 22	-1.20 32	0.06 96	0.68 38	-0.90 97	95	2			
307	CIDF 26 0070 112274030	1.41	AAA 05 0003 ROS 22 0035			95	102	103	-0.21 65	0.44 92	0.34 103	0.33 64	0.43 98	0.60 104	0.30 50	-5.00 46	-2.24 82	-3.39 54	-5.81 84	101	2			
308	CIDF 26 0191 112742184	4.24	BS 22 0121 WH 24 0004			94	98	92	0.10 50	-0.12 97	-0.07 93	0.93 49	-0.13 104	0.34 100	0.55 18	-0.50 31	0.51 98	1.55 38	4.08 99	102	1			
309	CIDF 26 0393 113775712	9.42	BS 24 0424 BS 22 0861			94	95	93	0.30 47	-0.26 100	-0.11 92	0.67 46	-0.20 101	0.14 96	0.53 24	-0.80 35	-0.01 97	0.39 40	0.90 96	106	3			
310	CS 26 0653 114037633	2.68	BS 24 0424 JC 24 0171			94	97	94	0.27 48	-0.02 99	0.12 98	0.34 48	0.03 98	0.20 97	0.25 24	-1.10 31	-0.29 96	3.79 38	1.24 95		2			
311	CIDF 26 0046 112247903	2.53	AAA 05 0003 WW 20 0010			94	96	109	-1.45 66	0.87 72	0.14 98	-0.86 65	0.84 51	0.41 101	-1.43 49	-2.40 48	-1.47 91	-1.71 56	-3.53 88	117	6			
312	CIDF 26 0100 112688528	2.39	BS 24 0424 ROS 24 0156			94	100	91	0.39 56	-0.14 101	0.05 96	0.97 55	-0.04 105	0.45 101	0.50 32	-1.20 30	0.21 96	2.65 40	5.70 98	108	1			
313	CIDF 26 0067 112274006	1.43	AAA 05 0003 DTC 18 0821			93	94	108	-1.31 66	0.68 75	0.02 95	-0.68 66	0.63 87	0.30 99	-1.04 51	-2.00 49	-1.24 93	0.75 57	-5.42 90	133	8			
314	CIDF 26 0059 112274063	2.44	AAA 05 0003 ROS 21 0103			93	94	100	-0.57 65	0.18 86	-0.10 92	0.04 64	0.13 94	0.15 96	-0.17 46	-2.60 46	-1.39 91	-4.73 54	-4.94 89	102	4			
315	CIDF 26 0068 112274113	1.43	AAA 05 0003 DTC 18 0821			93	94	108	-1.43 66	0.68 73	-0.04 94	-0.54 66	0.63 88	0.36 100	-0.98 51	-2.00 49	-1.11 93	0.75 57	-5.42 90	133	8			
316	CIDF 26 0084 112291133	1.44	AAA 05 0003 DTC 21 0129			93	98	98	-0.55 66	0.45 86	0.17 99	-0.07 65	0.39 93	0.35 100	-0.39 53	-1.00 47	-0.28 96	3.20 55	3.44 95	111	3			
317	DTC 23 0092 97658678	7.75	DTC 22 0030 DTC 20 0177			93	118	84	1.55 59	-0.05 119	0.73 114	2.46 58	0.15 121	1.38 118	2.85 48	-7.00 37	-1.59 75	3.58 46	9.58 88	94	3			
318	CIDF 26 0071 112274097	1.53	AAA 05 0003 GW 23 0228			92	95	103	-1.28 62	0.25 75	-0.39 85	0.62 61	0.21 101	0.52 103	-0.09 45	-2.10 44	-0.43 92	-3.06 52	-3.09 94	100	2			
319	CIDF 26 0092 112357827	1.56	AAA 05 0003 ROS 23 0096			92	86	104	-1.09 65	0.44 78	-0.11 92	-1.37 64	0.32 79	-0.36 87	-1.48 49	-0.80 44	-1.52 97	-4.51 53	-5.82 88	106	2			
320	CIDF 26 0189 112725288	2.05	BS 24 0424 ROS 24 0231			92	97	93	0.03 46	-0.02 96	0.00 95	0.58 47	-0.02 100	0.27 98	0.38 33	-2.10 34	-0.70 92	-0.54 39	2.08 93	100	1			
321	CIDF 26 0313 112865985	2.35	BS 23 0117 P 22 0191			91	84	98	-0.71 59	-0.08 84	-0.43 83	-0.68 58	-0.11 87	-0.45 86	-0.41 14	1.90 24	0.35 107	-0.29 38	-0.85 98	105	4			
322	CIDF 26 0072 112291026	1.37	AAA 05 0003 ROS 21 0017			90	81	103	-1.63 66	0.19 70	-0.63 78	-0.86 65	-0.01 85	-0.43 86	-0.83 48	1.30 49	-0.08 105	-4.81 56	-4.92 96	129	4			
323	H 25 0019 109184283	3.81	HIS 00 0070 H 23 0009			90	99	85	0.70 56	-0.27 106	0.08 97	0.99 56	-0.24 105	0.26 98	0.65 43	-3.00 45	-1.05 89	3.86 50	3.32 91	93	1			

Ram Selection list: LMI

Animals are sorted on LMI

*Inbreeding in red is high

EBV - Estimated Breeding Value

Indices above 124
Bokant rasgемiddeld
Indices below 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal		Parents & Progeny				Selection Indices			EBV - Weights								EBV - Fertility							
Animal ID Computer nr	% In-breeding	1st Gen		2nd Gen		Logix Merit Index	Growth Index	Reproduction Index	PreW Dir	PreW Mat	PreW Comb	Wean Dir	Wean Mat	Wean Comb	Post Wean	Lambs Weane	TWW	AFL	ILP	Dam	EPI	Times Lamb ed		
		Sire ID	Progeny Number	Progeny Number	Dam ID																		weaned	herds
		EBV Acc	EBV Index	EBV Acc	EBV Index				EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index			EBV Acc	EBV Index
		Active breed average:				100	100	100	0.30	0.05	0.20	0.51	0.09	0.35	0.24	0.12	0.67	0.32	0.62					
324 CS 26 0583 114021157	2.23	BS 24 0424 BS 19 0099				90	88	92	-0.35 50 90	-0.21 42 91	-0.38 85	0.09 49 95	-0.28 38 87	-0.24 89	0.00 26 97	-0.20 37 99	-0.32 42 95	-2.77 33 109	0.30 30 101	106	5			
325 CJW 23 0036 97973093	5.65	RN 21 0031 WW 20 0074				89	102	86	0.66 61 105	-0.20 43 91	0.13 98	1.19 60 107	-0.08 37 94	0.51 103	0.72 45 105	-5.00 34 82	-1.89 45 86	0.93 28 98	3.28 28 93	116	5			
326 CIDF 26 0165 112723887	1.97	BS 24 0424 ROS 24 0072				89	87	90	0.02 46 95	-0.25 37 89	-0.24 88	-0.28 45 91	-0.26 33 88	-0.40 87	0.03 29 97	-0.10 31 100	-0.60 37 93	0.35 28 100	0.77 25 99	110	2			
327 CIDF 26 0061 112274055	2.44	AAA 05 0003 ROS 21 0103				89	88	99	-1.00 65 79	0.24 53 107	-0.27 88	-0.59 64 88	0.14 49 102	-0.16 91	-0.73 46 89	-2.60 46 91	-2.01 54 85	-4.73 43 115	-4.94 40 114	102	4			
328 CIDF 25 0295 111901179	7.06	WW 24 0045 WW 20 0095				88	90	93	0.12 60 97	0.19 37 105	0.25 101	-1.25 58 80	0.23 31 105	-0.40 87	-1.10 22 85	-3.30 30 88	-3.01 41 80	-2.57 21 109	-0.93 23 104	119	6			
329 HW 23 0120 98209877	5.88	LR 20 0019 JC 17 0202				88	85	86	-0.13 64 93	-0.59 50 77	-0.66 78	0.48 63 99	-0.62 44 76	-0.38 87	0.37 28 101	1.10 40 104	0.53 50 99	-0.31 39 102	3.18 32 93	113	4			
330 CIDF 26 0078 112291117	2.00	AAA 05 0003 GW 17 0192				87	83	103	-1.61 66 70	0.25 54 107	-0.55 80	-0.89 65 84	0.17 51 103	-0.27 89	-1.17 49 84	-2.20 48 92	-2.04 56 85	-4.93 46 116	-8.91 42 124	118	8			
331 ROS 25 0055 108939372	7.06	DTC 20 0229 ROS 21 0115				86	83	88	-0.45 64 88	-0.34 42 86	-0.57 80	-0.26 63 91	-0.38 34 84	-0.51 85	-0.74 40 89	0.70 31 103	-0.22 44 95	-0.47 26 102	2.82 23 94	120	3			
332 ROS 25 0050 108939240	6.06	DTC 20 0229 ROS 21 0098				86	79	92	-0.61 65 85	-0.17 41 92	-0.47 82	-1.25 63 80	-0.26 34 88	-0.89 78	-1.33 40 82	-0.10 32 100	-1.57 45 88	-2.05 27 107	-3.32 23 110	109	5			
333 CIDF 26 0481 113802490	2.15	BS 24 0424 ROS 22 0081				85	91	86	-0.02 49 95	-0.31 38 87	-0.32 86	0.54 48 100	-0.30 34 87	-0.03 93	0.57 31 104	-3.40 33 88	-1.80 39 87	-1.65 30 106	0.62 28 100	110	3			
334 CIDF 26 0197 112742218	1.86	BS 24 0424 P 22 0148				85	95	84	0.29 58 100	-0.22 37 90	-0.07 93	0.42 57 99	-0.16 33 92	0.05 95	0.59 23 104	-2.50 31 91	-1.24 42 90	6.00 30 83	4.56 27 90	99	3			
335 CIDF 26 0166 112723853	1.97	BS 24 0424 ROS 24 0072				85	83	89	-0.39 58 89	-0.21 37 91	-0.40 84	-0.76 56 86	-0.25 33 88	-0.63 83	-0.42 29 92	-0.10 31 100	-1.07 41 91	0.35 28 100	0.77 25 99	110	2			
336 CIDF 26 0045 112247952	1.35	AAA 05 0003 DTC 20 0059				83	99	90	-0.35 66 90	0.33 55 110	0.16 99	0.30 65 97	0.32 51 108	0.47 102	0.24 54 100	-8.20 49 70	-4.31 56 73	-2.38 46 108	-1.56 43 105	103	7			
337 CIDF 26 0141 112688205	7.16	BEZ 23 0002 ROS 24 0183				82	96	77	0.25 57 99	-0.65 36 75	-0.52 81	2.06 55 117	-0.62 31 76	0.41 101	2.10 36 121	-4.30 29 84	-1.14 40 90	1.44 25 97	6.31 23 86	101	1			
338 BEZ 23 0002 99506750	7.11	JC 18 0107 DW 21 0058	4	1		73	91	66	0.23 69 99	-0.70 52 73	-0.59 79	1.41 68 109	-0.72 46 72	-0.01 93	1.07 52 109	-4.70 43 83	-2.13 54 85	2.28 35 94	13.00 34 69	107	3			

Ewe Selection list: LMI

Animals are sorted on LMI

*Inbreeding in red is high

EBV - Estimated Breeding Value

Indices above 124
Bokant rasgemiddeld
Indices below 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal		Parents		Selection Indices			EBV - Weights								EBV - Fertility				
Animal ID	% In-breeding	Sire ID		Logix Merit Index	Growth Index	Reproduction Index	PreW Dir	PreW Mat	PreW Comb	Wean Dir	Wean Mat	Wean Comb	Post Wean	Lambs Weaned	TWW	AFL	ILP	EPI Times Lambec	
Comp.no.		Dam ID					EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	Phenotype	
Active breed average:				100	100	100	0.30	0.05	0.20	0.51	0.09	0.35	0.24	0.12	0.67	0.32	0.62		
1	BS 22 0661 95402830	2.59	BS 19 0647 BS 17 0045	156	130	148	1.56 78	0.11 119	0.89 62	3.77 102	0.39 118	2.28 76	2.46 135	14.50 48	12.86 61	1.25 40	-3.56 97	216 3	
2	CIDF 25 0024 108940024	5.73	BS 22 0155 BS 22 0661	145	130	133	2.06 66	-0.05 127	0.98 45	3.95 96	0.17 120	2.14 64	3.07 136	9.20 39	9.64 48	1.98 36	-2.67 95	100 1	
3	CIDF 25 0023 108940016	5.73	BS 22 0155 BS 22 0661	142	133	128	2.33 66	-0.08 132	1.09 45	4.26 95	0.16 123	2.29 64	3.36 136	7.00 39	8.62 48	1.99 37	-1.05 95	99 1	
4	CIDF 25 0026 109213108	5.73	BS 22 0155 BS 22 0661	140	128	130	1.85 65	-0.03 124	0.89 45	3.76 97	0.17 118	2.05 64	2.87 135	7.00 36	8.13 48	2.27 37	-4.97 94	1	
5	CIDF 25 0025 108940040	5.73	BS 22 0155 BS 22 0661	139	129	128	1.96 65	-0.04 126	0.94 45	3.87 97	0.17 119	2.10 64	2.98 136	7.00 36	8.23 48	2.09 33	-2.66 95	0	
6	CIDF 25 0019 108939976	5.73	BS 22 0155 BS 22 0661	138	132	126	2.15 65	-0.06 129	1.01 45	4.13 96	0.16 121	2.23 64	3.21 136	5.50 39	7.59 48	2.19 36	-2.50 94	102 1	
7	CIDF 25 0042 109200519	10.71	BS 17 0111 BS 22 0661	136	123	128	1.44 68	0.10 118	0.82 55	2.95 102	0.27 116	1.75 66	1.91 126	7.80 47	7.91 55	1.75 42	-1.06 96	0	
8	CIDF 25 0022 108940008	5.73	BS 22 0155 BS 22 0661	136	128	127	1.55 66	-0.02 119	0.76 45	3.91 98	0.17 114	2.13 64	2.89 136	6.30 39	7.86 48	2.01 37	-2.11 95	99 1	
9	CIDF 26 0194 112742143	5.55	H 23 0062 BS 22 0508	134	125	125	1.97 59	0.19 126	1.18 38	2.55 105	0.39 125	1.67 58	1.87 122	4.70 33	5.76 43	-2.16 29	-2.82 108	0	
10	CIDF 25 0045 109365833	10.71	BS 17 0111 BS 22 0661	133	120	127	1.26 68	0.12 115	0.75 55	2.60 103	0.28 114	1.58 66	1.61 122	7.80 47	7.56 55	1.75 42	-1.06 96	0	
11	CIDF 25 0036 109200501	10.71	BS 17 0111 BS 22 0661	133	119	126	1.31 68	0.13 116	0.78 55	2.41 103	0.28 115	1.48 66	1.49 120	7.80 47	7.36 55	1.75 42	-1.06 96	0	
12	CS 26 0694 114121809	4.23	BS 23 0117 BS 22 0661	132	108	134	0.04 57	0.36 96	0.37 38	1.18 111	0.45 104	1.03 56	0.42 107	11.30 29	8.40 41	-1.41 26	-1.65 105	0	
13	CS 26 0668 114037419	4.23	BS 23 0117 BS 22 0661	132	108	134	0.04 57	0.36 96	0.37 38	1.18 111	0.45 104	1.03 56	0.42 107	11.30 29	8.40 41	-1.41 26	-1.65 105	0	
14	EL 22 0010 97463640	9.39	EL 21 0008 EL 18 0114	131	137	136	0.85 74	1.47 108	1.90 60	1.60 136	1.70 73	2.50 112	0.09 51	-3.30 39	1.32 57	-5.66 104	-6.95 118	166 5	
15	CIDF 26 0179 112725163	5.55	H 23 0062 BS 22 0508	131	121	124	1.71 59	0.23 122	1.09 38	1.96 107	0.40 123	1.38 58	1.38 116	4.70 33	5.18 43	-2.16 29	-2.82 108	0	
16	BS 18 0129 82213489	2.95	MW 15 0052 BS 15 0072	131	115	134	0.47 82	0.65 102	0.89 74	0.78 122	0.86 118	1.25 81	0.33 103	8.30 64	6.62 72	0.52 58	-1.15 99	129 6	
17	CS 26 0642 114037559	8.24	BS 23 0602 CIDF 25 0026	130	122	127	1.23 46	0.28 114	0.89 33	2.37 109	0.45 118	1.63 45	1.66 120	4.70 26	5.64 34	0.45 26	-4.92 100	0	
18	CIDF 25 0040 109200493	10.71	BS 17 0111 BS 22 0661	130	117	126	0.99 68	0.15 111	0.65 55	2.26 104	0.28 111	1.41 66	1.30 119	7.80 47	7.22 55	1.75 42	-1.06 96	0	

Ewe Selection list: LMI

Animals are sorted on LMI

*Inbreeding in red is high

EBV - Estimated Breeding Value

Indices above 124
Bokant rasgemiddeld
Indices below 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal		Parents		Selection Indices			EBV - Weights							EBV - Fertility				
Animal ID	% In-breeding	Sire ID	Dam ID	Logix Merit Index	Growth Index	Reproduction Index	PreW Dir	PreW Mat	PreW Comb	Wean Dir	Wean Mat	Wean Comb	Post Wean	Lambs Weaned	TWW	AFL	ILP	EPI Times Lambed
Comp.no.							EBV Acc Index	EBV Acc Index	EBV Index	EBV Acc Index	EBV Acc Index	EBV Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	Phenotype
Active breed average:				100	100	100	0.30	0.05	0.20	0.51	0.09	0.35	0.24	0.12	0.67	0.32	0.62	
19 BS 22 0026 96328133	1.56	LG BS 88 0379 19 0157		130	110	140	-0.53 63	0.96 54	0.70 113	0.16 61	1.01 47	1.09 113	-0.71 18	8.40 40	6.21 51	-2.82 37	-5.16 35	115 3
20 BS 23 0884 99217861	7.30	BS BS 21 0486 19 0045		130	122	133	0.64 62	1.07 55	1.39 131	0.86 61	1.16 47	1.59 122	0.67 26	3.30 36	4.00 50	-6.78 39	-2.40 29	107 1
21 CS 26 0554 113856496	2.70	FJ CIDF 24 0088 25 0022		129	118	122	1.43 49	-0.01 34	0.71 113	2.47 48	0.13 29	1.37 118	1.67 14	6.40 28	6.44 36	1.89 26	-2.69 18	0
22 CIDF 26 0216 112750690	5.55	H BS 23 0062 22 0508		129	119	123	1.58 59	0.24 38	1.03 121	1.82 57	0.40 34	1.31 117	1.24 18	4.70 33	5.04 43	-2.16 29	-2.82 25	0
23 CIDF 25 0039 109200444	10.71	BS BS 17 0111 22 0661		129	117	124	0.87 68	0.16 55	0.59 110	2.31 66	0.29 50	1.44 119	1.30 30	7.80 47	7.27 55	1.82 45	0.86 34	99 1
24 CIDF 25 0037 109200469	10.71	BS BS 17 0111 22 0661		129	116	125	0.86 68	0.17 55	0.60 110	2.14 66	0.29 50	1.35 117	1.18 30	7.80 47	7.10 55	1.86 45	-0.29 34	102 1
25 CIDF 26 0247 112775978	2.35	JES EL 06 0026 22 0010		129	123	130	0.95 67	0.95 53	1.43 132	0.90 66	1.10 49	1.55 121	0.26 39	2.40 45	3.44 55	-3.53 39	-3.67 37	0
26 CIDF 25 0046 109365874	10.71	BS BS 17 0111 22 0661		129	115	125	0.83 68	0.17 55	0.59 110	2.01 66	0.29 50	1.29 116	1.08 30	7.80 47	6.98 55	1.73 45	-0.98 34	104 1
27 CIDF 26 0252 112775986	5.55	H BS 23 0062 22 0508		128	118	123	1.45 51	0.25 38	0.98 120	1.75 50	0.40 34	1.28 116	1.16 18	4.70 33	4.97 40	-2.16 29	-2.82 25	0
28 BS 22 0253 95347027	6.06	BS BS 19 0342 19 0095		128	104	131	0.18 67	0.34 56	0.43 106	0.55 66	0.35 51	0.63 105	0.28 25	9.20 48	6.42 56	-6.78 47	-5.09 38	114 1
29 CIDF 25 0242 110459898	5.24	BS BS 22 1004 22 0661		128	117	126	0.58 65	0.16 42	0.45 106	2.59 64	0.30 36	1.60 122	1.63 13	6.10 33	6.55 46	0.76 32	-3.50 22	110 0
30 CIDF 25 0241 110459740	5.24	BS BS 22 1004 22 0661		127	117	126	0.58 65	0.16 42	0.45 106	2.51 64	0.30 36	1.56 121	1.57 13	6.10 33	6.47 46	0.76 32	-3.50 22	110 0
31 BS 22 0354 95352944	5.08	BS BS 19 0342 19 0535		127	115	128	0.92 72	0.49 64	0.95 119	0.97 70	0.68 57	1.17 114	0.70 31	5.20 53	4.77 61	-2.97 44	-3.20 37	126 3
32 CS 26 0659 114037377	2.20	FJ EL 24 0088 22 0010		127	122	127	1.08 52	0.74 40	1.27 128	1.31 51	0.90 34	1.56 121	0.26 15	1.60 28	3.17 39	-1.94 25	-5.11 18	114 0
33 CS 26 0674 114037369	2.20	FJ EL 24 0088 22 0010		127	122	127	1.08 52	0.74 40	1.27 128	1.31 51	0.90 34	1.56 121	0.26 15	1.60 28	3.17 39	-1.94 25	-5.11 18	114 0
34 BS 22 0508 95354767	4.28	BS BS 19 0342 18 0182		127	114	121	1.28 73	0.05 61	0.69 112	1.85 72	0.22 55	1.15 114	1.30 24	5.80 54	5.55 61	-3.58 49	-1.68 42	121 3
35 CS 26 0676 114037591	2.20	FJ EL 24 0088 22 0010		127	122	127	1.08 52	0.74 40	1.27 128	1.31 51	0.90 34	1.56 121	0.26 15	1.60 28	3.17 39	-1.94 25	-5.11 18	114 0
36 CIDF 26 0233 112764402	2.35	JES EL 06 0026 22 0010		127	121	130	0.73 67	0.97 53	1.34 129	0.78 66	1.11 49	1.50 120	0.11 39	2.40 45	3.32 55	-3.53 39	-3.67 37	111 0

Ewe Selection list: LMI

Animals are sorted on LMI

*Inbreeding in red is high

EBV - Estimated Breeding Value

Indices above 124
Bokant rasgemiddeld
Indices below 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal		Parents		Selection Indices			EBV - Weights							EBV - Fertility				
Animal ID	% In-breeding	Sire ID	Dam ID	Logix Merit Index	Growth Index	Reproduction Index	PreW Dir	PreW Mat	PreW Comb	Wean Dir	Wean Mat	Wean Comb	Post Wean	Lambs Weaned	TWW	AFL	ILP	EPI Times Lambed
Comp.no.							EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Acc	EBV Index	EBV Acc	EBV Index	Phenotype
Active breed average:				100	100	100	0.30	0.05	0.20	0.51	0.09	0.35	0.24	0.12	0.67	0.32	0.62	
37 BS 22 0484 95353637	7.01	BS 19 0342 BS 18 0129		127	117	126	0.90 69	0.57 109	1.02 61	1.11 119	0.75 121	1.30 68	0.65 106	5.30 52	5.04 119	-1.20 59	0.16 124	89 2
38 CIDF 26 0407 113775977	2.03	FJ 24 0088 BS 22 0026		126	109	129	0.39 48	0.48 101	0.68 37	0.60 116	0.55 112	0.85 47	-0.13 101	7.40 28	5.59 127	-0.53 37	-4.22 103	0
39 BS 19 0462 89427801	14.69	BS 18 0014 BS 18 0013		126	118	119	1.05 82	0.01 112	0.54 71	2.67 99	0.21 109	1.54 81	1.78 123	7.20 59	7.19 126	3.87 69	4.60 136	259 5
40 GW 23 0013 96630694	7.15	GW 21 0242 GW 17 0131		125	110	121	0.89 70	-0.05 109	0.39 60	1.82 96	0.12 105	1.03 68	0.57 114	6.90 49	6.07 125	-0.48 57	-2.24 130	114 3
41 BS 22 0489 95353652	7.01	BS 19 0342 BS 18 0129		125	114	123	0.88 71	0.30 109	0.74 64	1.43 109	0.49 114	1.20 70	0.90 110	6.10 53	5.58 122	-1.41 61	0.90 127	104 2
42 EL 22 0063 97463699	8.46	EL 21 0008 EL 18 0124		125	129	128	1.04 61	1.28 111	1.80 52	0.80 136	1.43 136	1.83 60	-0.49 103	-3.10 36	0.37 89	-6.84 48	-5.73 98	89 3
43 CIDF 26 0193 112742200	8.04	BS 22 0155 BS 22 0191		125	120	121	1.31 63	0.22 116	0.88 44	2.14 106	0.39 117	1.46 62	1.69 117	3.40 36	4.57 112	3.25 47	-4.53 121	0
44 H 23 0012 99143349	27.36	EL 21 0012 EL 18 0111		125	119	127	0.80 60	1.13 108	1.53 50	0.02 136	1.16 134	1.17 58	-1.23 94	-0.20 41	1.05 99	-8.99 48	-6.40 102	102 2
45 BS 22 0191 96068481	15.64	BS 18 0144 BS 19 0428		125	107	134	0.04 67	0.67 96	0.69 60	-0.05 123	0.84 112	0.82 67	-0.44 93	7.20 46	5.11 126	3.57 57	-7.30 124	133 4
46 BS 22 0090 94244829	7.60	BS 19 0120 BS 18 0072		125	108	121	0.66 71	-0.01 105	0.32 64	1.68 98	0.05 103	0.89 70	1.34 112	8.90 53	7.07 132	-0.31 61	0.33 135	101 2
47 CIDF 26 0190 112725189	7.23	H 23 0062 BS 23 0179		125	112	125	0.82 50	0.44 108	0.85 38	0.91 114	0.50 117	0.96 49	0.36 104	4.30 32	3.99 116	-3.13 39	-5.79 118	0
48 CIDF 26 0250 112776018	7.23	H 23 0062 BS 23 0179		124	112	125	0.74 60	0.45 107	0.82 39	0.96 115	0.50 116	0.98 58	0.37 105	4.30 32	4.04 116	-3.13 42	-5.79 119	0
49 BS 23 0645 100123439	8.80	BS 21 0222 BS 22 0486		124	111	127	0.52 65	0.50 103	0.76 52	0.79 116	0.61 114	1.01 64	0.34 103	5.10 42	4.46 118	-1.27 52	-4.97 121	0
50 LR 22 0009 94879848	6.60	LR 20 0055 LR 20 0110		124	128	113	1.68 70	0.24 121	1.08 61	2.94 107	0.58 123	2.05 68	2.63 126	3.60 48	5.67 113	-2.70 57	13.46 128	114 3
51 BS 22 0533 95353785	7.01	BS 19 0342 BS 18 0129		124	112	124	0.65 69	0.35 105	0.68 60	1.08 111	0.52 112	1.06 68	0.60 106	5.80 53	5.08 121	-1.10 60	-1.40 124	100 3
52 CIDF 26 0200 112742176	2.35	JES 06 0026 EL 22 0010		124	117	129	0.39 61	1.01 101	1.21 53	0.32 135	1.11 126	1.28 60	-0.30 98	2.40 45	2.88 109	-3.53 52	-3.67 112	0
53 CS 26 0557 113856025	2.28	FJ 24 0088 BS 22 0533		123	110	121	0.98 50	0.17 110	0.66 40	1.06 105	0.31 112	0.84 50	0.52 106	6.10 34	5.02 122	0.34 41	-2.34 124	0
54 BS 22 0061 94217569	12.48	BS 19 0120 BS 19 0064		123	96	125	-0.20 70	0.10 92	0.00 63	0.37 102	-0.02 95	0.17 69	0.35 98	11.90 53	7.49 136	-2.34 60	-2.90 137	115 3

Ewe Selection list: LMI

Animals are sorted on LMI

*Inbreeding in red is high

EBV - Estimated Breeding Value

Indices above 124
Bokant rasgemiddeld
Indices below 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal		Parents		Selection Indices			EBV - Weights							EBV - Fertility				
Animal ID	% In-breeding	Sire ID	Dam ID	Logix Merit Index	Growth Index	Reproduction Index	PreW Dir	PreW Mat	PreW Comb	Wean Dir	Wean Mat	Wean Comb	Post Wean	Lambs Weaned	TWW	AFL	ILP	EPI Times Lambed
Comp.no.							EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Acc	EBV Index	EBV Acc	EBV Index	Phenotype
Active breed average:				100	100	100	0.30	0.05	0.20	0.51	0.09	0.35	0.24	0.12	0.67	0.32	0.62	
55	BS 25 0142 109216911	7.60	BS 19 0349 BS 22 0508	123	115	117	1.19 65	0.23 114	0.82 53	1.62 106	0.32 116	1.13 65	1.13 112	4.50 47	4.64 116	-4.03 54	1.20 113	0
56	CIDF 26 0224 112750567	3.07	BS 22 0155 WCN 21 0047	123	119	116	1.53 65	0.15 119	0.91 46	2.09 104	0.27 118	1.31 64	1.78 117	3.00 36	4.15 111	1.60 48	-2.26 96	0
57	CIDF 26 0378 114153760	7.32	BS 22 0155 BS 22 0508	123	119	114	1.66 58	-0.05 121	0.78 44	2.64 96	0.09 115	1.41 57	2.17 123	2.70 38	4.35 110	-0.33 46	-1.72 102	0
58	CIDF 26 0209 112750666	3.07	BS 22 0155 WCN 21 0047	123	119	117	1.41 65	0.15 117	0.85 46	2.22 104	0.27 117	1.38 64	1.84 118	3.00 36	4.29 111	1.60 48	-2.26 96	0
59	CIDF 26 0178 112725171	8.04	BS 22 0155 BS 22 0191	123	117	120	1.10 56	0.25 112	0.80 44	1.81 107	0.40 115	1.30 62	1.40 114	3.40 36	4.24 112	3.25 47	-4.53 120	0
60	EL 20 0027 89473771	3.45	BS 18 0144 EL 17 0064	122	111	124	0.53 64	0.42 103	0.69 60	0.87 114	0.55 113	0.98 63	0.61 103	7.10 44	5.67 126	4.62 54	-0.19 128	135 4
61	CIDF 26 0388 114189152	2.93	FJ 24 0088 BS 22 0937	122	100	121	0.72 51	0.06 106	0.42 41	0.11 100	0.09 106	0.15 50	-0.27 95	8.50 33	5.30 131	-0.48 41	-4.99 125	0
62	HL 23 0005 96424395	12.89	DJ 20 0006 HL 19 0072	122	117	112	1.87 68	0.17 124	1.10 57	1.41 104	0.30 123	1.01 66	0.67 109	5.40 42	4.95 120	10.38 54	3.73 37	96 3
63	CIDF 25 0265 111895082	6.35	BS 23 0199 BS 22 0015	122	128	114	1.72 65	0.12 122	0.98 41	3.38 103	0.37 120	2.06 64	2.91 131	0.20 32	3.87 101	1.69 45	1.04 96	0
64	BS 23 0719 97178735	7.96	BS 21 0227 BS 22 0170	122	115	116	1.49 62	0.09 118	0.83 51	1.71 101	0.23 116	1.08 60	1.33 113	1.70 37	2.96 106	-6.15 48	-4.54 113	96 1
65	BS 24 0001 108943143	7.92	BS 19 0349 BS 21 0507	122	104	123	0.13 65	0.37 97	0.44 53	0.63 112	0.32 106	0.63 64	0.20 101	7.70 48	5.57 128	-2.89 54	-1.58 127	105 1
66	BS 24 0080 109137786	3.26	BS 19 0349 BS 22 0193	122	123	116	1.13 66	0.41 113	0.98 57	2.27 113	0.56 120	1.70 65	1.58 119	2.60 45	4.39 109	-1.46 55	5.18 121	98 1
67	CIDF 26 0028 112247374	4.64	BS 20 0232 BS 19 0462	122	116	116	1.42 68	-0.02 117	0.69 48	2.19 98	0.15 113	1.25 66	1.79 118	3.60 38	4.51 113	2.48 50	-2.40 93	0
68	CIDF 26 0222 112750591	3.07	BS 22 0155 WCN 21 0047	122	117	116	1.43 65	0.16 117	0.87 46	1.90 104	0.27 117	1.22 64	1.62 115	3.00 36	3.97 111	1.60 48	-2.26 118	0
69	CIDF 26 0109 112688320	3.80	FJ 24 0088 H 24 0006	122	107	124	0.55 49	0.48 104	0.76 39	0.17 116	0.54 114	0.63 49	-0.15 96	5.60 32	4.07 120	-0.11 39	-4.84 119	0
70	BS 22 0940 96280896	3.17	BS 19 0342 BS 21 0189	122	109	124	0.32 69	0.44 100	0.60 62	0.74 114	0.51 110	0.88 68	0.25 102	5.20 51	4.37 119	-1.96 59	-4.46 120	116 3
71	CS 26 0621 114021470	5.11	H 23 0062 BS 22 0754	121	118	118	1.15 48	0.36 113	0.94 34	1.64 111	0.50 119	1.32 47	1.03 112	1.70 28	3.16 106	-1.47 36	-3.13 114	0
72	CS 26 0594 114021306	5.11	H 23 0062 BS 22 0754	121	118	118	1.15 48	0.36 113	0.94 34	1.64 111	0.50 119	1.32 47	1.03 112	1.70 28	3.16 106	-1.47 26	-3.13 105	0

Ewe Selection list: LMI

Animals are sorted on LMI

*Inbreeding in red is high

EBV - Estimated Breeding Value

Indices above 124
Bokant rasgemiddeld
Indices below 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal		Parents		Selection Indices			EBV - Weights							EBV - Fertility				
Animal ID	% In-breeding	Sire ID	Dam ID	Logix Merit Index	Growth Index	Reproduction Index	PreW Dir	PreW Mat	PreW Comb	Wean Dir	Wean Mat	Wean Comb	Post Wean	Lambs Weaned	TWW	AFL	ILP	EPI Times Lambed
Comp.no.							EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Acc	EBV Index	EBV Acc	EBV Index	Phenotype
Active breed average:				100	100	100	0.30	0.05	0.20	0.51	0.09	0.35	0.24	0.12	0.67	0.32	0.62	
73	CS 26 0639 114037344	5.11	H BS 23 0062 22 0754	121	118	118	1.15 48	0.36 113	0.94 34	1.64 111	0.50 29	1.32 114	1.03 117	1.70 28	3.16 106	-1.47 36	-3.13 114	0
74	CS 26 0620 114021215	5.11	H BS 23 0062 22 0754	121	118	118	1.15 48	0.36 113	0.94 34	1.64 111	0.50 29	1.32 114	1.03 117	1.70 28	3.16 106	-1.47 36	-3.13 114	0
75	CIDF 26 0268 112809314	8.04	BS BS 22 0155 22 0191	121	115	119	1.07 63	0.27 112	0.80 44	1.46 108	0.40 38	1.13 111	1.15 114	3.40 36	3.90 112	3.25 47	-4.53 118	0
76	H 23 0051 101369049	5.92	EL - 21 0012 - -	121	115	126	0.39 43	1.30 101	1.50 44	-0.65 136	1.28 36	0.95 110	-1.45 17	2.50 35	2.12 109	-0.65 38	-1.07 108	100 2
77	CIDF 26 0258 112809215	3.07	BS WCN 22 0155 21 0047	121	116	115	1.48 65	0.16 118	0.90 46	1.71 104	0.27 39	1.13 106	1.51 113	3.00 36	3.78 111	1.60 48	-2.26 97	0
78	GW 25 0312 109117341	7.69	GW GW 23 0078 22 0052	121	109	115	1.01 60	-0.20 111	0.30 38	2.01 91	-0.09 33	0.91 94	0.66 110	5.60 30	5.27 120	1.41 42	-2.39 125	0
79	CS 26 0655 114037492	5.43	BS CIDF 23 0349 25 0046	121	116	117	0.97 46	0.19 110	0.68 35	2.03 105	0.33 31	1.35 108	1.29 117	3.70 29	4.59 113	1.76 36	-0.02 122	0
80	CIDF 26 0318 112866033	2.06	FJ BS 24 0088 24 0126	121	109	117	1.00 49	0.12 111	0.62 37	1.14 103	0.20 48	0.77 106	0.60 33	5.20 31	4.46 119	-1.00 38	-1.50 121	0
81	CIDF 25 0114 110383783	6.79	BS BS 23 0529 24 0627	120	110	120	0.98 59	0.48 110	0.97 39	0.27 116	0.56 57	0.70 97	0.19 34	3.70 32	3.05 113	-2.43 42	-3.41 113	0
82	CS 26 0578 113856405	2.45	FJ BS 24 0088 24 0824	120	110	116	1.10 49	0.08 112	0.63 36	1.30 101	0.14 31	0.79 102	0.80 108	4.20 30	3.96 115	0.03 37	-4.39 118	0
83	EL 22 0070 97463707	5.35	EL EL 21 0008 20 0033	120	123	121	1.13 59	0.79 113	1.35 50	1.16 127	0.96 42	1.54 130	0.73 121	-0.70 36	1.70 97	0.36 46	-3.83 106	82 3
84	BS 22 0930 96280995	4.58	BS BS 19 0342 21 0119	120	121	118	1.05 66	0.29 112	0.82 62	2.33 109	0.54 64	1.70 120	1.58 54	0.60 50	3.23 102	-2.05 57	-1.51 114	108 2
85	CS 26 0579 113856249	2.45	FJ BS 24 0088 24 0824	120	110	116	1.10 49	0.08 112	0.63 36	1.30 101	0.14 31	0.79 102	0.80 108	4.20 30	3.96 115	0.03 37	-4.39 118	0
86	LR 23 0110 101725588	10.95	LR LR 22 0008 22 0092	120	125	109	1.26 63	0.16 115	0.79 48	3.20 104	0.38 62	1.98 129	2.22 40	3.10 40	5.44 111	-4.04 48	13.38 126	116 2
87	CIDF 26 0299 112855721	2.48	FJ BS 24 0088 24 0149	120	112	116	1.05 48	0.17 111	0.69 33	1.33 104	0.30 48	0.97 109	0.53 28	4.40 27	4.27 116	1.85 35	-1.10 120	0
88	BS 24 0994 100139153	8.26	BS BS 22 0155 22 0755	120	118	113	1.31 64	0.02 116	0.68 48	2.57 99	0.14 62	1.42 122	2.05 40	2.20 41	4.03 108	-0.23 49	-1.36 118	110 2
89	CS 26 0509 113856058	6.87	BS BS 22 0155 22 0940	120	116	116	1.18 57	0.14 114	0.73 44	2.08 103	0.23 56	1.27 117	1.64 39	2.40 37	3.75 109	0.48 45	-3.11 117	0
90	CS 26 0546 113856082	2.45	FJ BS 24 0088 22 0759	120	111	121	0.61 51	0.38 105	0.69 41	0.85 112	0.54 50	0.96 103	0.32 36	4.80 33	4.27 117	2.49 41	-2.40 120	0

Ewe Selection list: LMI

Animals are sorted on LMI

*Inbreeding in red is high

EBV - Estimated Breeding Value

Indices above 124
Bokant rasgemiddeld
Indices below 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal		Parents		Selection Indices			EBV - Weights							EBV - Fertility				
Animal ID	% In-breeding	Sire ID	Dam ID	Logix Merit Index	Growth Index	Reproduction Index	PreW Dir	PreW Mat	PreW Comb	Wean Dir	Wean Mat	Wean Comb	Post Wean	Lambs Weaned	TWW	AFL	ILP	EPI Times Lambed
Comp.no.							EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Acc	EBV Index	EBV Acc	EBV Index	Phenotype
Active breed average:				100	100	100	0.30	0.05	0.20	0.51	0.09	0.35	0.24	0.12	0.67	0.32	0.62	
91 GW 25 0234 109182295	11.52	DTC GW	05 0056 23 0057	120	106	116	0.88 63 109	-0.24 46 89	0.20 100	1.77 62 113	-0.17 41 91	0.71 106	2.20 42 122	7.70 37 128	6.22 48 131	-0.14 35 101	-0.68 32 103	0
92 CIDF 26 0208 112750633	8.04	BS BS	22 0155 22 0191	120	113	119	0.87 63 109	0.28 44 108	0.71 113	1.44 62 110	0.40 38 111	1.12 113	1.08 17 109	3.40 36 112	3.88 47 118	3.25 34 91	-4.53 27 113	0
93 BS 24 0257 109137612	10.00	BS BS	19 0349 22 0544	120	121	115	1.01 66 111	0.44 56 114	0.94 119	2.05 65 116	0.54 49 115	1.56 121	1.39 24 113	2.30 47 108	3.97 55 118	-2.82 46 110	5.02 34 89	97 1
94 CIDF 26 0498 113802367	2.48	FJ BS	24 0088 24 0966	120	112	116	1.15 48 113	0.21 33 106	0.79 115	1.24 47 108	0.31 28 108	0.93 110	0.73 14 105	4.10 28 115	4.01 35 118	1.86 25 95	-1.12 18 104	0
95 CS 26 0605 114021405	8.71	BS BS	23 0602 22 0528	120	113	119	0.71 48 106	0.28 39 108	0.63 111	1.54 47 111	0.42 34 111	1.19 115	0.90 14 107	3.50 32 113	4.07 39 119	-0.54 31 103	-1.98 25 106	0
96 H 24 0006 99927741	14.64	JES EL	06 0026 22 0004	120	106	130	-0.21 67 92	0.96 59 133	0.86 117	-0.69 65 86	0.99 52 131	0.64 105	-0.73 40 89	4.70 50 117	3.12 57 114	-1.99 41 107	-6.41 38 117	110 2
97 CS 26 0596 114021231	8.71	BS BS	23 0602 22 0528	120	113	119	0.71 48 106	0.28 39 108	0.63 111	1.54 47 111	0.42 34 111	1.19 115	0.90 14 107	3.50 32 113	4.07 39 119	-0.54 31 103	-1.98 25 106	0
98 CIDF 26 0489 113802391	2.54	FJ BS	24 0088 24 0084	120	106	120	0.51 48 103	0.23 33 106	0.48 107	0.74 48 102	0.28 28 107	0.65 105	0.31 15 101	6.10 27 122	4.68 35 122	0.02 26 101	-3.14 18 109	0
99 BS 24 0209 109133785	11.29	BS BS	21 0366 22 0540	120	121	116	1.35 66 116	0.37 51 112	1.04 122	1.79 64 114	0.59 41 117	1.49 120	1.24 11 111	1.10 36 104	3.04 49 113	2.21 37 94	-0.47 22 103	104 1
100 CIDF 26 0399 113776074	2.97	FJ BS	24 0088 22 0491	120	110	117	0.91 50 109	0.12 38 103	0.57 110	1.36 49 109	0.24 32 105	0.92 110	0.74 14 105	4.10 31 115	4.06 38 119	0.35 27 100	-3.43 20 110	0
101 BS 23 0179 100123231	5.25	BS BS	21 0222 20 0161	120	102	125	0.01 70 95	0.43 62 114	0.43 106	0.17 69 96	0.42 54 111	0.51 103	-0.31 24 94	5.10 51 118	3.65 59 116	-5.51 44 118	-7.62 35 120	109 4
102 BS 23 1096 99218323	9.05	BS BS	21 0222 22 0197	119	118	119	0.74 63 107	0.40 58 113	0.78 115	1.76 62 113	0.58 50 117	1.47 119	0.91 17 107	2.20 39 108	3.67 52 117	1.21 41 97	-0.79 33 103	111 3
103 BS 23 0834 99217929	9.90	BS BS	21 0486 18 0166	119	118	119	0.83 61 108	0.67 54 123	1.09 123	1.05 60 106	0.83 46 126	1.36 118	0.72 23 105	1.50 37 105	2.78 49 112	-5.48 40 118	2.48 30 95	96 1
104 BS 22 0235 95788832	9.70	BS BS	18 0144 19 0615	119	117	116	0.71 66 106	0.24 56 107	0.59 110	2.12 64 117	0.45 48 112	1.50 120	1.14 14 110	4.90 44 118	5.50 53 127	4.06 42 89	5.74 35 87	108 2
105 CIDF 26 0249 112776000	3.07	BS WCN	22 0155 21 0047	119	114	115	1.20 65 114	0.19 46 105	0.79 115	1.59 64 111	0.28 39 106	1.07 112	1.34 19 112	3.00 36 111	3.66 48 117	1.60 33 96	-2.26 25 107	0
106 BS 21 0514 93382885	17.02	BS BS	19 0349 16 0011	119	110	123	0.21 70 98	0.84 63 129	0.95 119	0.02 69 94	0.79 56 124	0.80 108	-0.10 33 96	3.20 51 112	2.72 60 111	-6.03 48 119	-3.00 43 109	103 4
107 CIDF 25 0107 110383767	3.42	BS LR	23 0529 24 0078	119	110	114	1.66 58 121	0.28 36 108	1.11 123	0.26 56 97	0.40 30 111	0.54 103	0.36 12 101	2.60 29 109	2.23 40 109	-1.91 26 107	-2.90 21 109	0
108 P 23 0093 96243977	1.93	BS P	19 0655 20 0110	119	103	111	0.85 56 108	-0.19 33 91	0.24 101	1.07 55 106	-0.08 28 94	0.46 102	0.13 19 99	9.60 33 135	6.75 40 133	-0.07 35 101	8.57 32 80	105 3

Ewe Selection list: LMI

Animals are sorted on LMI

*Inbreeding in red is high

EBV - Estimated Breeding Value

Indices above 124
Bokant rasgemiddeld
Indices below 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal		Parents		Selection Indices			EBV - Weights							EBV - Fertility				
Animal ID	% In-breeding	Sire ID	Dam ID	Logix Merit Index	Growth Index	Reproduction Index	PreW Dir	PreW Mat	PreW Comb	Wean Dir	Wean Mat	Wean Comb	Post Wean	Lambs Weaned	TWW	AFL	ILP	EPI Times Lambed
Comp.no.							EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Acc	EBV Index	EBV Acc	EBV Index	Phenotype
Active breed average:				100	100	100	0.30	0.05	0.20	0.51	0.09	0.35	0.24	0.12	0.67	0.32	0.62	
109	BS 24 0096 108943325	5.08	BS 19 0349 BS 23 1100	119	114	120	0.44 64	0.64 52	0.86 121	0.97 63	0.70 46	1.19 121	0.48 23	2.80 43	3.35 110	-1.97 52	-0.64 115	0
110	CIDF 26 0215 112750716	2.20	FJ 24 0088 EL 20 0025	119	114	115	1.14 57	0.28 113	0.86 39	1.26 109	0.44 34	1.07 112	0.78 16	3.50 30	3.80 113	3.72 42	0.02 90	0
111	CS 26 0657 114037682	8.85	BS 23 0602 BS 22 0472	119	110	119	0.58 47	0.32 104	0.61 39	0.97 110	0.45 46	0.94 112	0.47 14	3.60 32	3.58 113	-2.33 38	-2.89 116	0
112	CS 26 0591 114021272	8.85	BS 23 0602 BS 22 0472	119	110	119	0.58 47	0.32 104	0.61 39	0.97 110	0.45 46	0.94 112	0.47 14	3.60 32	3.58 113	-2.33 38	-2.89 116	0
113	BS 22 0858 96280177	8.06	BS 19 0342 BS 20 0296	119	116	119	0.66 63	0.39 105	0.72 59	1.59 113	0.56 52	1.36 116	1.11 24	1.60 51	3.11 106	-2.82 56	-2.76 114	120 4
114	CIDF 26 0373 113764955	2.92	FJ 24 0088 BS 22 0802	119	100	120	0.35 49	0.10 101	0.27 40	0.37 102	0.13 34	0.31 99	-0.13 16	6.90 32	4.63 125	-0.73 39	-5.04 103	0
115	CIDF 26 0295 112855739	3.36	BS 22 0155 GW 22 0257	118	111	106	1.91 55	-0.40 125	0.56 43	2.23 84	-0.32 109	0.79 56	1.61 118	3.50 35	4.01 113	1.38 44	-1.51 118	0
116	BS 23 0917 99280992	10.86	BS 21 0486 BS 19 0633	118	116	116	0.99 60	0.48 111	0.98 52	1.17 116	0.64 59	1.22 107	0.91 44	2.40 34	3.25 109	-3.30 47	3.42 114	92 3
117	BS 24 0025 109137752	4.28	BS 19 0349 BS 22 0759	118	117	120	0.39 67	0.63 101	0.82 57	1.37 121	0.75 66	1.43 109	0.79 51	2.90 48	3.86 110	-0.43 56	2.30 118	98 1
118	CIDF 26 0297 112855705	3.36	BS 22 0155 GW 22 0257	118	111	106	1.91 55	-0.40 125	0.56 43	2.23 84	-0.32 109	0.79 56	1.61 118	3.50 35	4.01 113	1.38 44	-1.51 118	0
119	GW 17 0024 79452207	3.01	GW 15 0131 GW 14 0184	118	102	120	-0.07 75	0.47 94	0.43 67	-0.09 115	0.53 106	0.48 73	-1.84 93	6.80 61	4.52 125	-3.03 65	1.49 121	155 10
120	BS 24 0120 108936311	7.06	BS 19 0349 BS 19 0087	118	107	117	0.25 68	0.27 99	0.39 55	1.21 108	0.28 66	0.88 107	0.48 49	6.80 49	5.57 125	-0.51 56	3.75 127	100 1
121	BS 22 0528 95353751	3.26	BS 19 0342 BS 19 0462	118	112	114	0.81 71	-0.04 108	0.36 62	2.12 97	0.11 104	1.17 69	1.35 101	4.50 52	4.93 116	0.27 60	0.93 123	154 4
122	CIDF 26 0267 112809330	3.07	BS 22 0155 WCN 21 0047	118	113	115	1.08 58	0.20 112	0.74 45	1.50 105	0.28 114	1.03 57	1.25 110	3.00 36	3.57 111	1.60 45	-2.26 116	0
123	CIDF 26 0415 114153828	2.54	FJ 24 0088 BS 22 0853	118	107	117	0.71 50	0.20 106	0.56 39	0.79 106	0.29 109	0.68 49	0.31 103	5.20 32	4.20 119	0.79 39	-1.58 119	0
124	CIDF 25 0268 111895074	5.00	BS 23 0144 BS 22 0940	118	115	119	0.52 61	0.32 103	0.58 39	1.82 110	0.43 59	1.34 114	1.22 34	2.00 31	3.45 107	-0.85 43	-3.67 115	0
125	GW 22 0257 94569449	4.29	FJ 19 0120 DTC 18 0688	118	98	105	1.79 61	-0.65 123	0.24 57	1.03 74	-0.60 101	-0.08 66	0.18 105	7.30 46	4.82 126	-0.17 55	-1.27 123	100 4
126	P 23 0076 96245691	1.92	BS 19 0655 DTC 17 1237	118	107	120	0.25 58	0.40 99	0.53 39	0.68 113	0.50 108	0.84 58	0.14 101	5.10 36	4.24 118	-0.94 45	-0.61 120	95 2

Ewe Selection list: LMI

Animals are sorted on LMI

*Inbreeding in red is high

EBV - Estimated Breeding Value

Indices above 124
Bokant rasgemiddeld
Indices below 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal		Parents		Selection Indices			EBV - Weights							EBV - Fertility				
Animal ID	% In-breeding	Sire ID	Dam ID	Logix Merit Index	Growth Index	Reproduction Index	PreW Dir	PreW Mat	PreW Comb	Wean Dir	Wean Mat	Wean Comb	Post Wean	Lambs Weaned	TWW	AFL	ILP	EPI Times Lambed
Comp.no.							EBV Acc Index	EBV Acc Index	EBV Index	EBV Acc Index	EBV Acc Index	EBV Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	Phenotype
Active breed average:				100	100	100	0.30	0.05	0.20	0.51	0.09	0.35	0.24	0.12	0.67	0.32	0.62	
127	BS 24 0126 109138230	10.36	BS 19 0349 BS 22 0464	118	110	115	0.69 66	0.24 106	0.59 54	1.25 107	0.30 49	0.92 107	0.77 26	3.90 46	3.89 54	-3.78 112	0.28 36	98 1
128	LR 23 0080 101725380	13.26	LR 22 0013 LR 20 0023	118	116	111	0.99 66	0.00 111	0.50 46	2.39 98	0.22 39	1.41 105	2.36 24	4.50 37	5.31 48	-5.85 126	9.54 27	1
129	BS 24 0246 109030122	11.65	BS 19 0349 BS 23 0331	118	117	113	0.66 66	0.39 105	0.72 57	1.93 112	0.44 51	1.40 112	1.25 28	3.60 48	4.53 56	-3.03 121	7.07 35	98 1
130	BS 23 1119 99218521	7.91	BS 21 0227 BS 22 0466	118	115	112	1.28 52	0.00 115	0.64 41	1.96 98	0.20 51	1.18 104	1.34 15	1.60 33	3.11 41	-2.15 114	-1.77 33	0
131	CIDF 26 0011 112244074	4.64	BS 20 0232 BS 19 0462	118	111	114	1.03 68	0.03 111	0.54 48	1.70 99	0.16 41	1.01 103	1.34 16	3.60 38	4.02 50	2.48 118	-2.40 36	0
132	CIDF 25 0105 109937698	3.93	BS 22 0121 LR 23 0032	118	117	110	1.14 61	0.12 113	0.69 40	2.13 103	0.27 35	1.34 106	1.78 15	3.90 32	4.74 44	-2.21 122	8.15 24	1
133	BS 24 0245 109030114	11.65	BS 19 0349 BS 23 0331	118	115	115	0.60 66	0.50 105	0.80 57	1.43 116	0.53 51	1.24 115	0.88 28	3.20 48	3.88 56	-3.11 118	4.33 35	98 1
134	BS 24 0139 108964735	5.77	BS 19 0349 BS 23 0917	118	115	114	0.84 63	0.46 108	0.88 51	1.21 115	0.53 62	1.14 107	0.83 25	2.80 42	3.42 51	-3.89 115	3.75 33	0
135	BS 22 0474 95353553	4.50	BS 19 0342 BS 18 0180	118	105	120	0.31 69	0.35 100	0.51 61	0.43 111	0.46 67	0.67 99	0.03 24	4.40 51	3.52 59	-4.83 116	-2.93 41	94 2
136	CS 26 0567 113856421	3.41	BS 22 0155 LR 20 0111	118	120	112	1.17 55	0.40 113	0.98 43	1.95 113	0.49 54	1.47 115	1.52 37	1.90 36	3.58 43	0.76 116	4.84 31	0
137	BS 22 0913 96281415	4.49	BS 19 0342 BS 21 0204	118	109	119	0.53 69	0.43 103	0.69 61	0.72 114	0.50 67	0.86 102	0.33 54	3.40 52	3.26 59	-1.29 114	-2.73 48	102 4
138	BS 24 0824 100139393	8.86	BS 22 0155 BS 23 0179	117	111	115	0.90 65	0.16 109	0.61 50	1.57 104	0.19 63	0.97 111	1.16 42	1.90 43	2.89 50	-1.71 112	-5.50 38	103 2
139	BS 24 0200 108964875	8.13	BS 19 0349 BS 22 0323	117	113	117	0.45 66	0.60 102	0.82 58	1.09 120	0.58 65	1.12 106	0.59 51	3.00 47	3.47 111	-1.19 55	0.86 47	104 1
140	CIDF 26 0429 113801419	2.20	FJ 24 0088 BS 24 0019	117	107	114	0.79 49	0.14 108	0.53 37	1.00 103	0.20 48	0.70 105	0.41 33	4.70 32	4.02 39	-0.29 118	-0.78 30	0
141	GW 23 0045 96630983	6.08	GW 21 0242 GW 19 0187	117	108	116	0.81 69	-0.08 108	0.33 60	1.59 95	0.09 68	0.88 111	0.77 52	3.00 49	3.48 111	1.49 57	-7.49 43	113 3
142	CIDF 25 0212 110318367	13.70	BS 22 0121 BS 23 0530	117	110	115	0.39 59	-0.09 101	0.11 38	2.43 95	-0.01 57	1.21 121	1.66 33	4.30 30	5.00 42	-1.85 124	-0.96 28	0
143	BS 23 0151 96934161	5.41	BS 21 0222 BS 19 0196	117	104	130	-0.60 67	0.91 86	0.61 58	-0.45 132	0.88 50	0.66 127	-0.60 18	4.00 45	2.84 55	-0.97 112	-9.27 44	97 1
144	CS 26 0651 114037351	6.58	BS 23 0144 BS 22 0090	117	111	116	0.48 52	0.12 103	0.36 40	1.95 103	0.21 51	1.18 104	1.47 35	3.80 32	4.44 40	-0.02 121	-1.27 31	0

Ewe Selection list: LMI

Animals are sorted on LMI

*Inbreeding in red is high

EBV - Estimated Breeding Value

Indices above 124
Bokant rasgemiddeld
Indices below 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal		Parents		Selection Indices			EBV - Weights							EBV - Fertility				
Animal ID	% In-breeding	Sire ID	Dam ID	Logix Merit Index	Growth Index	Reproduction Index	PreW Dir	PreW Mat	PreW Comb	Wean Dir	Wean Mat	Wean Comb	Post Wean	Lambs Weaned	TWW	AFL	ILP	EPI Times Lambed
Comp.no.							EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Acc	EBV Index	EBV Acc	EBV Index	Phenotype
Active breed average:				100	100	100	0.30	0.05	0.20	0.51	0.09	0.35	0.24	0.12	0.67	0.32	0.62	
145	CS 26 0690 114121841	6.58	BS 23 0144 BS 22 0090	117	111	116	0.48 52	0.12 103	0.36 40	1.95 103	0.21 51	1.18 104	1.47 16	3.80 32	4.44 114	-0.02 40	-1.27 121	0
146	CS 26 0682 114121882	6.58	BS 23 0144 BS 22 0090	117	111	116	0.48 52	0.12 103	0.36 40	1.95 103	0.21 51	1.18 104	1.47 16	3.80 32	4.44 114	-0.02 40	-1.27 121	0
147	CS 26 0511 11389983	1.75	FJ 24 0088 BS 23 0042	117	104	117	0.74 50	0.17 107	0.54 39	0.49 105	0.20 49	0.45 99	0.11 15	4.20 32	3.21 115	-0.39 39	-5.92 114	0
148	BS 22 0759 95412904	15.15	BS 18 0144 BS 18 0010	117	113	125	-0.09 70	0.77 94	0.73 63	0.67 126	0.98 101	1.32 56	0.21 131	3.20 53	3.57 112	3.21 60	-1.52 116	131 4
149	CS 26 0693 114121890	6.58	BS 23 0144 BS 22 0090	117	111	116	0.48 52	0.12 103	0.36 40	1.95 103	0.21 51	1.18 104	1.47 16	3.80 32	4.44 114	-0.02 40	-1.27 121	0
150	CS 26 0629 114021173	6.58	BS 23 0144 BS 22 0090	117	111	116	0.48 52	0.12 103	0.36 40	1.95 103	0.21 51	1.18 104	1.47 16	3.80 32	4.44 114	-0.02 40	-1.27 121	0
151	CIDF 26 0414 113775761	2.02	FJ 24 0088 BS 23 0070	117	108	115	0.90 50	0.20 109	0.65 40	0.78 106	0.28 49	0.67 103	0.24 34	4.00 32	3.45 114	2.24 39	-3.02 115	0
152	CIDF 25 0267 111895090	5.00	BS 23 0144 BS 22 0940	117	113	118	0.42 61	0.33 102	0.54 39	1.72 110	0.43 109	1.29 59	1.12 113	2.00 31	3.35 107	-0.85 43	-3.67 115	0
153	CIDF 26 0031 112247580	6.90	BS 20 0232 BS 18 0129	117	107	122	0.25 61	0.39 99	0.51 49	0.62 112	0.50 61	0.81 101	0.38 43	4.10 40	3.58 115	0.80 49	-5.27 116	0
154	CS 26 0691 114121874	6.58	BS 23 0144 BS 22 0090	117	111	116	0.48 52	0.12 103	0.36 40	1.95 103	0.21 51	1.18 104	1.47 16	3.80 32	4.44 114	-0.02 40	-1.27 121	0
155	CS 26 0628 114021371	6.58	BS 23 0144 BS 22 0090	117	111	116	0.48 52	0.12 103	0.36 40	1.95 103	0.21 51	1.18 104	1.47 16	3.80 32	4.44 114	-0.02 40	-1.27 121	0
156	CIDF 25 0115 110383791	6.79	BS 23 0529 BS 24 0627	117	106	119	0.72 59	0.52 106	0.88 39	-0.28 117	0.57 57	0.43 91	-0.27 16	3.70 32	2.51 113	-2.43 42	-3.41 110	0
157	BS 24 0149 109133710	8.78	BS 21 0366 BS 22 0813	117	116	115	0.79 63	0.34 107	0.73 41	1.64 111	0.51 62	1.33 112	0.62 34	2.20 36	3.46 108	1.93 45	1.07 95	102 1
158	BS 24 0083 108943291	5.67	BS 23 0200 BS 22 0728	117	104	122	-0.06 63	0.44 94	0.41 42	0.42 114	0.46 105	0.67 35	0.23 113	5.20 37	4.00 119	-1.71 46	-3.52 118	101 1
159	BS 22 0640 95402624	15.57	BS 18 0144 BS 18 0186	117	119	118	0.76 66	0.64 107	1.02 57	1.18 122	0.88 65	1.46 107	0.66 51	0.50 48	2.35 102	1.13 56	0.12 109	91 1
160	LR 20 0111 92359140	4.31	DTC 18 0705 XRZ 17 0007	117	116	117	0.30 64	0.94 100	1.09 59	0.46 133	1.04 61	1.27 99	0.00 49	4.20 46	4.02 115	-1.40 53	11.44 118	142 5
161	BS 24 0966 100139138	3.75	BS 22 0155 BS 23 0122	117	117	114	1.00 63	0.43 111	0.93 42	1.46 114	0.52 61	1.25 110	1.02 36	1.70 38	3.00 106	1.95 46	1.04 113	95 1
162	CIDF 25 0147 110260148	1.96	MW 16 0051 BS 22 0026	116	101	127	-0.68 64	0.53 84	0.19 48	0.23 118	0.53 100	0.65 62	-0.63 97	4.80 37	3.64 117	-1.77 49	-8.91 116	0

Ewe Selection list: LMI

Animals are sorted on LMI

*Inbreeding in red is high

EBV - Estimated Breeding Value

Indices above 124
Bokant rasgemiddeld
Indices below 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal		Parents		Selection Indices			EBV - Weights								EBV - Fertility				
Animal ID	% In-breeding	Sire ID		Logix Merit Index	Growth Index	Reproduction Index	PreW Dir	PreW Mat	PreW Comb	Wean Dir	Wean Mat	Wean Comb	Post Wean	Lambs Weaned	TWW	AFL	ILP	EPI	Times Lambed
Comp.no.		Dam ID					EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	Phenotype
Active breed average:				100	100	100	0.30	0.05	0.20	0.51	0.09	0.35	0.24	0.12	0.67	0.32	0.62		
163	CIDF 26 0436 113801575	28.40	BS BS 22 24 0155 0965	116	120	110	1.46 55	0.15 118	0.88 38	2.36 104	0.24 117	1.42 54	1.96 120	0.10 33	2.66 111	2.56 32	-1.46 93		0
164	CIDF 26 0480 113802334	2.22	FJ BS 24 22 0088 0268	116	106	113	0.84 50	0.07 108	0.49 40	1.01 101	0.14 107	0.65 49	0.41 105	4.20 33	3.67 115	-0.39 40	-1.63 117		0
165	CIDF 25 0264 111895058	6.35	BS BS 23 22 0199 0015	116	122	112	1.19 65	0.19 114	0.78 41	2.64 105	0.38 115	1.70 64	2.25 123	0.20 32	3.15 101	1.69 45	1.04 114		0
166	CIDF 26 0479 113802318	2.22	FJ BS 24 22 0088 0268	116	106	113	0.84 50	0.07 108	0.49 40	1.01 101	0.14 107	0.65 49	0.41 105	4.20 33	3.67 115	-0.39 40	-1.63 117		0
167	BS 24 0084 108943309	5.67	BS BS 23 22 0200 0728	116	103	122	-0.29 63	0.45 91	0.31 42	0.45 115	0.47 103	0.69 62	0.18 99	5.70 37	4.33 121	-1.74 46	-3.00 120	109	1
168	BS 22 0472 95354742	4.28	BS BS 19 18 0342 0182	116	105	115	0.56 68	0.05 104	0.33 61	0.98 100	0.16 103	0.65 67	0.50 105	4.80 51	4.02 117	-3.31 59	-0.90 118	114	4
169	BS 22 0491 95354502	4.49	BS BS 19 19 0636 0003	116	113	117	0.50 67	0.24 103	0.50 55	1.69 107	0.39 107	1.24 66	1.04 110	1.70 46	3.10 106	-1.07 54	-3.59 113	108	2
170	BS 23 0331 97121909	8.26	BS BS 17 19 0111 0004	116	108	119	0.01 68	0.59 95	0.60 63	0.56 120	0.61 110	0.88 67	0.14 100	4.50 52	3.86 116	-1.72 59	0.90 118	101	2
171	CS 26 0575 113899975	3.74	BS EL 22 19 0155 0057	116	116	106	1.60 57	-0.06 120	0.74 42	2.29 96	0.03 114	1.18 56	2.07 119	1.90 36	3.46 107	0.41 44	2.50 115		0
172	BS 21 0480 93382588	7.03	BS BS 17 19 0111 0115	116	97	121	-0.21 69	0.31 92	0.21 63	-0.04 110	0.23 100	0.21 68	-0.34 94	6.40 54	4.03 123	-3.88 60	-5.58 119	133	4
173	CIDF 25 0146 110260163	1.96	MW BS 16 22 0051 0026	116	100	126	-0.73 64	0.54 84	0.17 48	0.13 118	0.54 99	0.60 62	-0.71 95	4.80 37	3.55 117	-1.77 49	-8.91 116		0
174	P 22 0266 95172599	9.46	P P 19 19 0355 0463	116	104	120	0.48 60	0.41 103	0.65 44	-0.10 113	0.53 112	0.48 61	-0.42 93	0.40 39	0.67 101	-13.03 47	-9.59 100	114	3
175	CIDF 25 0133 110259975	3.23	BS LR 23 23 0529 0065	116	113	109	1.79 60	-0.01 123	0.88 39	1.35 98	0.17 117	0.85 58	1.54 109	1.30 32	2.30 105	-0.07 43	-1.62 109		0
176	BS 22 0162 95788477	2.92	BS BS 18 19 0144 0075	116	113	118	0.55 71	0.66 104	0.94 62	0.58 122	0.77 119	1.06 69	0.34 100	2.10 52	2.60 108	2.28 59	-1.17 111	127	4
177	CIDF 26 0404 113775993	2.94	FJ BS 24 24 0088 0056	116	106	113	0.77 48	0.12 107	0.50 37	1.01 102	0.16 108	0.66 48	0.46 105	4.30 31	3.74 116	0.23 38	-0.79 117		0
178	CIDF 26 0382 114153794	2.74	FJ BS 24 23 0088 0390	116	107	111	0.97 50	-0.05 110	0.44 38	1.24 97	0.04 106	0.66 49	0.64 108	4.40 29	3.92 116	1.76 38	-1.01 118		0
179	BS 23 0173 100128776	5.49	BS BS 21 21 0222 0478	115	120	120	0.76 63	0.75 107	1.13 57	1.11 126	0.91 124	1.47 61	0.63 106	-2.80 46	0.34 90	0.54 53	-8.27 98	110	3
180	BS 24 0792 106982150	5.19	BS BS 22 23 0155 0766	115	102	115	0.56 65	-0.13 104	0.15 52	1.24 93	-0.15 99	0.47 64	0.91 108	4.30 41	3.67 116	-0.11 51	-8.38 117	111	2

Ewe Selection list: LMI

Animals are sorted on LMI

*Inbreeding in red is high

EBV - Estimated Breeding Value

Indices above 124
Bokant rasgemiddeld
Indices below 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal		Parents		Selection Indices			EBV - Weights							EBV - Fertility				
Animal ID	% In-breeding	Sire ID	Dam ID	Logix Merit Index	Growth Index	Reproduction Index	PreW Dir	PreW Mat	PreW Comb	Wean Dir	Wean Mat	Wean Comb	Post Wean	Lambs Weaned	TWW	AFL	ILP	EPI Times Lambed
Comp.no.							EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Acc	EBV Index	EBV Acc	EBV Index	Phenotype
Active breed average:				100	100	100	0.30	0.05	0.20	0.51	0.09	0.35	0.24	0.12	0.67	0.32	0.62	
181 BS 23 0520 99212102	19.15	BS 21 0222 BS 21 0129		115	101	125	-0.46 63 88	0.57 50 119	0.34 103	-0.08 62 93	0.54 44 116	0.50 102	-0.53 17 91	4.50 39 116	3.16 50 114	-0.81 41 103	-8.86 28 123	1
182 CIDF 26 0182 112725304	3.07	BS 22 0155 WCN 21 0047		115	109	114	0.86 65 109	0.23 46 107	0.66 112	1.04 64 105	0.28 39 107	0.80 108	0.86 19 107	3.00 36 111	3.12 48 114	1.60 33 96	-2.26 25 107	0
183 CIDF 26 0195 112742135	11.67	JES 06 0026 EL 20 0100		115	107	120	0.41 65 102	0.63 52 121	0.84 116	-0.16 64 92	0.69 48 121	0.61 104	-0.28 41 94	1.10 47 104	1.20 54 103	-5.53 40 118	-6.91 40 119	0
184 CS 26 0695 114121833	1.83	FJ 24 0088 BS 21 0555		115	97	115	0.29 51 100	0.00 41 98	0.15 98	0.28 50 97	-0.03 36 96	0.11 95	-0.20 20 95	6.70 33 124	4.26 41 120	-2.12 30 107	-3.55 24 110	0
185 CIDF 26 0374 113764880	11.40	BS 22 0155 BS 22 0842		115	112	112	0.92 56 109	0.10 44 102	0.56 109	1.86 56 114	0.15 38 102	1.08 113	1.54 20 115	1.50 37 105	2.91 45 112	-0.88 35 104	-2.84 28 108	0
186 CIDF 26 0375 113764666	11.40	BS 22 0155 BS 22 0842		115	112	112	0.92 56 109	0.10 44 102	0.56 109	1.86 56 114	0.15 38 102	1.08 113	1.54 20 115	1.50 37 105	2.91 45 112	-0.88 35 104	-2.84 28 108	0
187 BS 23 0499 100018647	7.33	BS 21 0222 BS 21 0009		115	118	121	0.38 67 101	0.88 59 131	1.08 123	0.76 66 102	1.02 50 132	1.40 118	0.29 15 100	-1.10 45 96	1.12 55 103	-0.43 42 102	-4.09 33 112	116 2
188 CIDF 26 0023 112243993	2.72	MW 15 0052 EL 19 0057		115	113	107	1.29 66 115	-0.16 55 92	0.49 107	2.02 65 116	0.08 52 100	1.09 113	1.53 30 114	3.50 50 113	4.20 57 119	-0.37 47 102	5.78 44 87	0
189 BS 24 0071 108943267	5.26	BS 19 0349 BS 21 0204		115	105	118	-0.07 66 94	0.58 54 119	0.54 109	0.36 65 98	0.54 49 115	0.71 106	-0.08 29 96	4.70 46 117	3.71 54 117	-1.61 43 106	0.54 36 100	0
190 BS 23 1121 99218646	7.58	BS 21 0486 BS 22 0030		115	114	113	0.92 62 110	0.58 55 119	1.04 122	0.72 61 102	0.66 46 120	1.02 112	0.63 22 104	1.30 35 105	2.16 49 108	-1.53 39 106	2.05 32 96	95 2
191 CIDF 25 0108 110383759	9.55	BS 23 0529 BS 23 0250		115	111	114	0.99 57 111	0.39 34 112	0.88 118	0.59 56 100	0.50 29 114	0.80 108	0.31 10 101	1.80 27 107	2.17 39 108	1.07 32 98	-1.94 20 106	1
192 GW 23 0080 96631312	4.27	GW 21 0242 MW 18 0057		114	106	113	0.56 69 104	-0.03 60 97	0.25 101	1.42 69 110	0.10 54 100	0.81 108	0.04 52 97	3.50 49 113	3.62 59 116	2.63 43 93	-3.26 40 110	123 3
193 CIDF 26 0317 112866025	3.71	BS 22 0155 P 22 0028		114	111	106	1.27 62 115	-0.21 43 91	0.43 106	2.22 61 118	-0.10 37 94	1.01 111	1.88 21 118	2.50 36 109	3.62 46 116	-2.52 33 109	2.12 28 96	0
194 CIDF 26 0033 112247556	4.64	BS 20 0232 BS 19 0462		114	108	114	0.47 68 102	0.07 48 101	0.30 103	1.58 66 111	0.17 41 103	0.96 111	1.10 16 110	3.60 38 113	3.91 50 118	2.48 36 93	-2.40 28 107	0
195 CIDF 26 0291 112823695	4.17	BS 23 0349 P 22 0266		114	111	114	0.80 44 108	0.31 30 110	0.71 113	0.98 43 105	0.45 26 113	0.94 110	0.54 12 103	0.00 25 100	1.43 32 104	-5.62 26 118	-4.32 20 112	0
196 JC 24 0231 107140824	3.91	BS 21 0486 JC 22 0107		114	110	109	1.17 66 113	0.13 53 103	0.72 113	1.08 65 106	0.25 45 105	0.79 108	0.74 26 105	2.30 40 108	2.71 52 111	-2.17 36 108	1.51 27 98	95 1
197 DTC 22 0263 95097598	10.91	DTC 20 0231 DTC 20 0111		114	124	111	1.42 68 117	0.32 56 110	1.04 122	2.35 66 120	0.54 47 116	1.72 124	1.91 57 119	-2.90 46 89	1.16 54 103	2.07 29 95	-2.48 36 108	115 3
198 CS 26 0506 114189327	2.20	FJ 24 0088 BS 22 0561		114	101	113	0.61 50 105	-0.04 38 97	0.26 101	0.73 49 102	0.03 35 98	0.40 101	0.18 17 99	4.60 33 117	3.52 40 116	-0.89 30 104	-3.44 23 110	0

Ewe Selection list: LMI

Animals are sorted on LMI

*Inbreeding in red is high

EBV - Estimated Breeding Value

Indices above 124
Bokant rasgemiddeld
Indices below 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal		Parents		Selection Indices			EBV - Weights							EBV - Fertility				
Animal ID	% In-breeding	Sire ID	Dam ID	Logix Merit Index	Growth Index	Reproduction Index	PreW Dir	PreW Mat	PreW Comb	Wean Dir	Wean Mat	Wean Comb	Post Wean	Lambs Weaned	TWW	AFL	ILP	EPI Times Lambed
Comp.no.							EBV Acc Index	EBV Acc Index	EBV Index	EBV Acc Index	EBV Index	EBV Acc Index	EBV Index	EBV Acc Index	EBV Index	EBV Acc Index	EBV Index	Phenotype
Active breed average:				100	100	100	0.30	0.05	0.20	0.51	0.09	0.35	0.24	0.12	0.67	0.32	0.62	
199	BS 24 0965 100139195	3.75	BS 22 0155 BS 23 0122	114	115	113	0.88 63	0.44 109	0.88 42	1.29 114	0.52 61	1.17 108	0.87 115	0.60 38	2.17 102	2.20 46	-1.17 94	98
200	CS 26 0680 114037526	23.26	BS 23 0602 BS 23 0038	114	110	118	0.46 46	0.45 102	0.68 36	0.80 115	0.59 45	0.99 103	0.35 31	0.90 29	1.93 103	-0.33 36	-5.17 102	0
201	CS 26 0681 114037427	23.26	BS 23 0602 BS 23 0038	114	110	118	0.46 46	0.45 102	0.68 36	0.80 115	0.59 45	0.99 103	0.35 31	0.90 29	1.93 103	-0.33 36	-5.17 102	0
202	CS 26 0505 114189319	2.20	FJ 24 0088 BS 22 0561	114	101	113	0.61 50	-0.04 105	0.26 38	0.73 97	0.03 49	0.40 102	0.18 35	4.60 33	3.52 117	-0.89 40	-3.44 104	0
203	BS 22 0481 95354882	10.88	BS 19 0636 BS 19 0462	114	120	110	1.25 69	0.22 115	0.84 58	2.29 106	0.43 68	1.58 119	1.44 49	-1.00 48	2.12 96	4.26 56	-0.69 108	108
204	CIDF 25 0101 109937631	8.68	BS 22 1004 BS 22 0162	114	116	113	0.98 64	0.35 110	0.84 42	1.55 111	0.47 63	1.25 113	1.21 36	-0.10 34	1.96 100	1.27 46	-2.30 97	0
205	CIDF 26 0402 113776017	2.22	FJ 24 0088 BS 23 0163	114	102	115	0.47 50	0.14 103	0.37 39	0.51 103	0.18 49	0.43 100	0.12 34	3.70 32	2.90 113	-0.19 39	-6.12 102	0
206	BS 23 0272 97120356	9.07	BS 21 0083 BS 22 0354	114	114	113	0.90 66	0.28 109	0.73 51	1.44 109	0.48 64	1.20 114	1.00 43	0.20 43	2.04 101	-0.91 51	-1.65 108	117
207	BS 22 0802 95420915	7.02	BS 19 0342 BS 18 0379	114	92	121	-0.60 66	0.19 86	-0.11 60	-0.30 105	0.16 53	0.01 102	-0.70 94	7.40 49	4.30 127	-3.23 57	-6.81 120	3
208	CIDF 26 0427 113801484	3.45	FJ 24 0088 BS 23 0250	114	105	112	0.71 47	0.10 106	0.45 34	0.81 102	0.18 46	0.58 103	0.21 29	4.10 27	3.45 115	1.53 35	-0.86 96	0
209	BS 23 0478 100018498	5.82	BS 21 0222 BS 19 0661	114	111	115	0.53 64	0.43 103	0.70 49	0.88 114	0.52 62	0.96 104	0.25 42	1.70 38	2.42 106	0.37 49	-1.64 100	0
210	CIDF 26 0428 113801310	3.45	FJ 24 0088 BS 23 0250	114	105	112	0.71 47	0.10 106	0.45 34	0.81 102	0.18 46	0.58 103	0.21 29	4.10 27	3.45 115	1.53 35	-0.86 96	0
211	CIDF 26 0484 114154115	5.07	BS 22 0155 EL 20 0100	114	118	113	1.07 56	0.31 112	0.84 43	1.91 110	0.41 56	1.37 115	1.39 37	-3.10 36	0.46 89	-3.37 44	-7.59 99	0
212	CIDF 26 0444 113801278	3.66	BS 23 0144 GW 17 0024	114	108	115	0.12 53	0.36 97	0.42 41	1.06 111	0.44 52	0.98 106	-0.12 36	2.70 36	3.13 110	-1.38 42	-0.69 114	0
213	GW 23 0041 96630942	9.27	GW 21 0242 DTC 17 0686	114	94	114	0.09 72	-0.07 96	-0.03 62	0.23 96	-0.09 70	0.03 97	-0.29 54	8.20 48	5.06 130	0.84 59	-1.48 124	112
214	CIDF 26 0459 113801450	2.54	BS 23 0117 LR 23 0110	114	106	115	-0.11 52	0.38 93	0.32 32	0.89 112	0.44 51	0.89 104	0.31 27	5.60 26	4.69 120	-4.06 36	6.82 122	0
215	CIDF 26 0458 113801427	2.54	BS 23 0117 LR 23 0110	114	106	115	-0.11 52	0.38 93	0.32 32	0.89 112	0.44 51	0.89 104	0.31 27	5.60 26	4.69 120	-4.06 36	6.82 122	0
216	CIDF 26 0020 112244082	2.72	MW 15 0052 EL 19 0057	114	111	106	1.18 66	-0.14 114	0.45 55	1.84 93	0.08 65	1.00 114	1.37 52	3.50 50	4.02 113	-0.37 57	5.78 118	0

Ewe Selection list: LMI

Animals are sorted on LMI

*Inbreeding in red is high

EBV - Estimated Breeding Value

Indices above 124
Bokant rasgemiddeld
Indices below 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal		Parents		Selection Indices			EBV - Weights							EBV - Fertility				
Animal ID	% In-breeding	Sire ID	Dam ID	Logix Merit Index	Growth Index	Reproduction Index	PreW Dir	PreW Mat	PreW Comb	Wean Dir	Wean Mat	Wean Comb	Post Wean	Lambs Weaned	TWW	AFL	ILP	EPI Times Lambed
Comp.no.							EBV Acc Index	EBV Acc Index	EBV Index	EBV Acc Index	EBV Index	EBV Acc Index	EBV Index	EBV Acc Index	EBV Index	EBV Acc Index	EBV Index	Phenotype
Active breed average:				100	100	100	0.30	0.05	0.20	0.51	0.09	0.35	0.24	0.12	0.67	0.32	0.62	
217	CIDF 25 0116 110383775	3.05	BS LR 23 0529 23 0130	114	116	103	1.80 58 123	0.08 36 101	0.98 120	1.54 57 111	0.23 30 105	1.00 111	1.23 16 111	0.60 28 102	2.13 40 108	-1.38 27 105	4.73 20 90	0
218	CS 26 0610 114021363	6.94	BS BS 23 0602 22 0319	114	104	118	0.23 45 99	0.38 32 112	0.50 108	0.25 44 97	0.45 28 113	0.58 104	0.05 12 98	2.90 27 110	2.44 34 110	0.06 27 101	-6.45 20 117	0
219	CS 26 0599 114021199	6.94	BS BS 23 0602 22 0319	114	104	118	0.23 45 99	0.38 32 112	0.50 108	0.25 44 97	0.45 28 113	0.58 104	0.05 12 98	2.90 27 110	2.44 34 110	0.06 27 101	-6.45 20 117	0
220	CS 26 0601 114021116	6.94	BS BS 23 0602 22 0319	114	104	118	0.23 45 99	0.38 32 112	0.50 108	0.25 44 97	0.45 28 113	0.58 104	0.05 12 98	2.90 27 110	2.44 34 110	0.06 27 101	-6.45 20 117	0
221	CS 26 0589 114021264	6.94	BS BS 23 0602 22 0319	114	104	118	0.23 45 99	0.38 32 112	0.50 108	0.25 44 97	0.45 28 113	0.58 104	0.05 12 98	2.90 27 110	2.44 34 110	0.06 27 101	-6.45 20 117	0
222	BS 23 0122 96934021	1.15	JJ BS 07 0034 18 0143	113	104	123	-0.54 63 87	1.06 53 136	0.79 115	-0.97 61 83	1.10 45 135	0.62 104	-1.46 18 80	4.70 43 117	2.95 51 113	0.99 37 98	1.27 35 98	147 3
223	FJ 24 0299 107526022	3.34	FJ HAW 22 0028 17 0045	113	108	114	0.51 65 103	0.15 39 104	0.41 105	1.38 63 109	0.23 33 105	0.92 110	0.78 17 106	1.10 33 104	2.26 45 109	-3.50 35 112	-4.95 23 114	100 1
224	CIDF 25 0106 109937714	5.49	GW LR 23 0107 22 0003	113	104	113	0.41 61 102	0.11 38 102	0.32 103	0.85 59 103	0.24 33 105	0.66 105	-0.61 27 90	2.00 32 107	2.29 43 109	-4.71 26 115	-3.60 23 110	0
225	BS 22 0231 95788758	14.84	BS BS 18 0144 19 0633	113	111	115	0.31 65 100	0.37 55 112	0.52 108	1.18 64 107	0.57 49 117	1.16 114	0.58 19 104	3.00 44 111	3.55 54 116	3.62 43 90	1.56 33 98	95 2
226	GW 23 0031 96630876	5.73	GW GW 21 0242 20 0140	113	119	106	1.37 69 117	-0.07 58 96	0.62 111	2.74 68 124	0.19 52 104	1.56 121	2.50 51 126	1.00 48 104	3.53 57 116	5.73 42 84	3.54 38 93	120 3
227	CIDF 26 0018 112244017	2.72	MW EL 15 0052 19 0057	113	110	106	1.13 66 113	-0.14 55 93	0.43 106	1.78 65 114	0.08 52 100	0.97 111	1.32 30 112	3.50 50 113	3.96 57 118	-0.37 47 102	5.78 44 87	0
228	EL 19 0057 83465070	2.90	JES AB 06 0026 16 0037	113	108	106	1.17 70 113	0.03 53 99	0.61 111	1.16 68 107	0.12 49 101	0.69 106	1.11 41 110	4.10 47 115	3.73 56 117	-2.10 44 107	6.75 44 85	73 4
229	CS 26 0607 114021108	8.87	BS BS 23 0117 22 0235	113	102	118	-0.39 53 89	0.42 35 114	0.22 100	0.35 52 98	0.47 30 113	0.65 105	-0.23 11 94	6.50 27 124	4.72 38 122	-0.01 27 101	3.00 23 94	0
230	CS 26 0632 114037658	8.87	BS BS 23 0117 22 0235	113	102	118	-0.39 53 89	0.42 35 114	0.22 100	0.35 52 98	0.47 30 113	0.65 105	-0.23 11 94	6.50 27 124	4.72 38 122	-0.01 27 101	3.00 23 94	0
231	CS 26 0633 114037641	8.87	BS BS 23 0117 22 0235	113	102	118	-0.39 53 89	0.42 35 114	0.22 100	0.35 52 98	0.47 30 113	0.65 105	-0.23 11 94	6.50 27 124	4.72 38 122	-0.01 27 101	3.00 23 94	0
232	CIDF 26 0007 112236914	10.25	BS BS 23 0602 21 0024	113	109	115	0.34 56 100	0.26 36 108	0.43 106	1.32 54 109	0.38 31 110	1.04 112	0.74 16 106	1.60 30 106	2.66 40 111	-0.28 29 102	-3.51 23 110	0
233	CIDF 25 0161 110300738	6.24	BS BS 19 0120 22 0930	113	113	110	0.72 66 106	0.10 54 102	0.46 106	2.05 64 116	0.18 49 103	1.20 115	1.59 20 115	1.10 46 104	2.89 54 112	-0.94 44 104	-0.84 36 103	0
234	BS 22 0853 96280490	6.76	BS BS 19 0342 21 0219	113	106	116	0.11 67 97	0.41 59 113	0.46 107	0.55 66 100	0.47 52 113	0.75 107	0.18 23 99	3.90 50 114	3.37 57 115	-0.20 47 102	0.11 38 101	96 2

Ewe Selection list: LMI

Animals are sorted on LMI

*Inbreeding in red is high

EBV - Estimated Breeding Value

Indices above 124
Bokant rasgemiddeld
Indices below 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal		Parents		Selection Indices			EBV - Weights							EBV - Fertility				
Animal ID	% In-breeding	Sire ID	Dam ID	Logix Merit Index	Growth Index	Reproduction Index	PreW Dir	PreW Mat	PreW Comb	Wean Dir	Wean Mat	Wean Comb	Post Wean	Lambs Weaned	TWW	AFL	ILP	EPI Times Lambed
Comp.no.							EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Acc	EBV Index	EBV Acc	EBV Index	Phenotype
Active breed average:				100	100	100	0.30	0.05	0.20	0.51	0.09	0.35	0.24	0.12	0.67	0.32	0.62	
235 CIDF 26 0158 112723838	3.03	ROS BS 24 0155 24 0080		113	120	106	1.25 56	0.21 115	0.83 35	2.28 106	0.40 116	1.54 121	1.21 27	-0.30 28	2.50 99	1.40 39	5.58 110	0
236 BS 22 0754 95412854	3.40	BS BS 21 0068 18 0084		113	114	112	0.67 65	0.26 106	0.59 51	1.64 108	0.41 110	1.23 63	1.04 112	-0.20 42	1.93 99	-2.20 51	-2.31 107	103 3
237 BS 24 0563 99871808	4.69	BS BS 19 0349 23 0150		113	110	115	0.11 65	0.62 97	0.68 56	0.69 121	0.63 112	0.98 64	0.19 102	1.70 47	2.34 106	-3.68 55	0.66 109	95 1
238 GW 21 0001 90515917	3.80	JR JR 16 0047 16 0057		113	120	118	0.29 67	0.90 100	1.04 57	1.13 131	1.06 48	1.63 134	0.66 122	-1.50 43	1.29 95	0.86 54	0.03 104	100 5
239 BS 22 0520 95354064	6.71	BS BS 19 0120 17 0078		113	115	111	0.79 71	0.34 107	0.73 60	1.64 111	0.40 114	1.22 70	1.09 112	0.50 53	2.34 102	3.68 60	-1.22 109	110 2
240 CS 26 0664 114037583	3.60	BS P 22 0155 23 0115		113	111	108	0.99 51	-0.05 111	0.44 36	1.93 96	0.05 106	1.02 51	1.67 115	1.60 30	2.94 106	-1.32 38	0.05 113	0
241 EL 20 0025 89473540	4.46	BS EL 18 0144 12 0254		113	118	113	0.71 60	0.59 106	0.95 58	1.32 120	0.79 119	1.45 61	0.93 108	0.60 44	2.47 102	5.67 53	3.31 110	89 2
242 CIDF 26 0174 112725338	11.67	JES EL 06 0026 20 0100		113	104	120	0.01 59	0.66 95	0.67 52	-0.28 122	0.70 112	0.56 58	-0.48 91	1.10 47	1.08 104	-5.53 52	-6.91 102	0
243 CIDF 26 0395 113775886	2.37	BS P 23 0602 22 0102		112	110	112	0.80 44	0.24 108	0.64 32	1.05 107	0.38 111	0.90 44	0.78 106	0.70 27	1.85 103	-2.25 34	-2.37 107	0
244 CIDF 26 0396 113775894	2.37	BS P 23 0602 22 0102		112	110	112	0.80 44	0.24 108	0.64 32	1.05 107	0.38 111	0.90 44	0.78 106	0.70 27	1.85 103	-2.25 34	-2.37 107	0
245 CIDF 26 0355 113764633	2.41	BS ROS 23 0602 24 0158		112	113	109	0.88 43	0.35 109	0.79 30	1.21 111	0.46 115	1.06 42	0.93 107	1.50 26	2.57 105	-0.04 32	3.76 111	0
246 CIDF 25 0130 110259884	4.34	BS LR 22 1004 22 0009		112	118	108	0.80 64	0.21 108	0.61 42	2.33 106	0.39 110	1.55 62	1.87 120	0.70 33	3.14 103	-1.12 45	5.77 114	1
247 CS 26 0547 113856223	2.34	FJ EL 24 0088 20 0044		112	103	113	0.63 46	0.16 105	0.48 36	0.44 104	0.23 107	0.45 46	-0.21 99	2.20 30	1.99 108	-0.79 37	-5.42 107	0
248 CIDF 25 0055 109365890	16.18	JES H 06 0026 22 0033		112	98	119	-0.11 60	0.76 93	0.70 49	-1.36 126	0.71 113	0.03 60	-1.39 79	5.20 43	2.47 119	0.08 51	-2.30 110	1
249 CIDF 26 0159 112723820	3.42	FJ CIDF 24 0088 24 0012		112	110	111	0.64 56	0.25 105	0.57 35	1.15 107	0.34 110	0.92 55	0.67 107	2.00 28	2.69 107	1.44 39	-0.49 111	0
250 BS 22 0160 95788774	6.77	BS BS 18 0144 20 0145		112	115	112	0.68 65	0.54 106	0.88 57	1.09 118	0.68 117	1.23 64	0.53 106	0.40 45	2.01 101	0.71 54	2.60 107	96 2
251 CIDF 26 0282 112809439	10.92	BS EL 22 0155 21 0007		112	107	106	1.18 57	-0.15 114	0.44 46	1.60 93	-0.12 106	0.68 56	1.31 112	2.40 39	2.92 109	2.14 46	-2.04 112	0
252 CIDF 26 0288 112823729	10.92	BS EL 22 0155 21 0007		112	107	106	1.18 57	-0.15 114	0.44 46	1.60 93	-0.12 106	0.68 56	1.31 112	2.40 39	2.92 109	2.14 46	-2.04 112	0

Ewe Selection list: LMI

Animals are sorted on LMI

*Inbreeding in red is high

EBV - Estimated Breeding Value

Indices above 124
Bokant rasgemiddeld
Indices below 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal		Parents		Selection Indices			EBV - Weights							EBV - Fertility				
Animal ID	% In-breeding	Sire ID	Dam ID	Logix Merit Index	Growth Index	Reproduction Index	PreW Dir	PreW Mat	PreW Comb	Wean Dir	Wean Mat	Wean Comb	Post Wean	Lambs Weaned	TWW	AFL	ILP	EPI Times Lambed
Comp.no.							EBV Acc Index	EBV Acc Index	EBV Index	EBV Acc Index	EBV Acc Index	EBV Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	Phenotype
Active breed average:				100	100	100	0.30	0.05	0.20	0.51	0.09	0.35	0.24	0.12	0.67	0.32	0.62	
253	CIDF 26 0329 113747992	2.43	BS LR 23 0117 21 0045	112	99	119	-0.55 54 86	0.52 37 117	0.25 101	-0.16 53 92	0.54 31 116	0.46 102	-0.33 14 93	5.90 30 121	3.93 39 118	-5.27 27 117	2.08 22 96	0
254	GW 23 0191 97399877	7.26	GW GW 21 0242 21 0051	112	109	107	1.15 65 113	-0.12 50 94	0.45 106	1.52 64 111	0.07 45 99	0.83 108	0.95 48 108	1.30 46 105	2.37 53 109	-1.61 42 106	-1.12 36 104	104 2
255	BS 24 0980 100147404	9.27	BS BS 22 0155 23 0163	112	111	111	0.79 64 107	0.13 49 103	0.53 108	1.63 63 112	0.17 41 103	0.98 111	1.35 18 112	0.00 40 100	1.80 49 106	0.16 37 100	-6.22 31 117	95 2
256	BS 22 0496 95354569	3.98	BS BS 19 0342 18 0030	112	111	108	1.03 68 111	0.15 59 104	0.67 112	1.17 67 107	0.30 53 107	0.89 109	0.70 24 105	1.60 51 106	2.43 58 110	0.22 49 100	1.81 39 97	92 1
257	CIDF 26 0008 112236872	10.25	BS BS 23 0602 21 0024	112	108	114	0.41 56 102	0.27 36 108	0.47 107	0.94 54 104	0.38 31 110	0.85 109	0.50 16 103	1.60 30 106	2.27 40 109	-0.28 29 102	-3.51 23 110	0
258	ROS 24 0130 100574458	8.09	DTC HAW 22 0030 20 0035	112	127	103	2.00 66 126	0.35 43 111	1.35 130	2.32 65 119	0.58 36 117	1.74 124	2.68 55 128	-2.80 33 90	1.22 46 103	3.91 24 89	5.96 23 87	0
259	CIDF 25 0229 110459708	9.69	H H 23 0062 24 0129	112	99	115	0.10 55 97	0.21 33 106	0.26 101	0.07 54 95	0.22 28 105	0.26 98	-0.43 20 92	4.70 25 117	3.11 37 113	-0.30 22 102	-3.76 20 111	0
260	BS 24 0170 108936253	5.22	BS BS 19 0349 23 0099	112	108	113	0.16 65 98	0.37 52 112	0.45 106	1.13 64 106	0.39 46 110	0.95 110	0.71 25 105	2.80 44 110	3.20 52 114	-1.23 41 105	1.42 32 98	0
261	CIDF 26 0096 112688171	3.23	ROS BS 24 0155 24 0054	112	114	107	1.11 46 112	0.15 30 104	0.70 113	1.55 44 111	0.34 25 109	1.12 113	0.68 26 105	0.60 25 102	2.26 32 109	0.93 23 98	2.68 17 95	0
262	BS 24 0163 108964776	6.10	BS BS 23 0200 23 0397	112	106	115	0.11 63 97	0.33 42 110	0.39 105	0.84 62 103	0.40 36 111	0.82 108	0.46 22 102	2.80 34 110	2.92 46 112	-1.02 32 104	-1.53 24 105	0
263	GW 25 0231 109182287	4.86	DTC GW 05 0056 19 0021	112	102	110	0.53 63 103	-0.03 47 97	0.23 101	0.89 63 104	0.02 42 98	0.47 102	0.31 43 101	3.80 39 114	3.20 49 114	-0.39 34 102	-2.24 33 107	0
264	CIDF 25 0176 110308806	4.22	MW BS 16 0051 22 0380	112	105	111	0.84 65 108	-0.02 48 98	0.40 105	0.96 63 105	0.06 42 99	0.55 103	0.61 18 104	0.80 38 103	1.51 49 105	-0.82 36 103	-8.79 29 123	0
265	CIDF 26 0279 112809470	4.01	BS P 23 0349 23 0109	112	111	105	1.11 42 112	-0.02 28 97	0.53 109	1.67 41 112	0.13 24 102	0.97 111	1.25 13 111	2.20 25 108	3.12 31 114	-0.48 23 102	4.67 20 90	0
266	BS 23 0910 99217903	6.96	BS BS 21 0486 19 0165	112	109	115	0.29 62 100	0.68 56 123	0.82 116	0.23 61 97	0.72 47 122	0.83 108	-0.03 30 97	0.40 37 101	1.18 50 103	-5.64 39 118	-0.79 33 103	99 2
267	CIDF 26 0225 112764386	5.05	JC H 24 0039 23 0051	112	110	113	0.54 40 104	0.85 33 129	1.12 124	-0.33 39 90	0.85 28 126	0.69 106	-0.65 18 90	1.20 25 104	1.25 32 103	-0.92 20 104	2.36 17 96	0
268	BS 23 0007 96909502	2.64	MW BS 15 0052 21 0525	112	106	109	0.51 66 103	0.05 60 100	0.31 103	1.22 65 107	0.18 55 103	0.79 108	0.56 26 103	3.70 53 113	3.62 58 116	-0.27 51 102	2.87 45 94	93 3
269	CIDF 26 0254 112809249	7.51	AAA EL 05 0003 20 0027	112	104	121	-0.55 64 86	0.72 53 124	0.44 106	0.02 63 94	0.71 50 121	0.72 106	-0.13 46 96	2.80 45 110	2.40 54 110	-1.33 45 105	-4.91 41 114	0
270	GW 19 0143 84327303	5.08	GW GW 16 0152 15 0182	111	104	113	0.59 68 104	0.02 61 99	0.32 103	0.98 67 105	0.13 53 101	0.62 105	0.41 52 102	-1.10 53 96	0.45 58 99	-10.84 37 134	-9.97 43 126	122 6

Ewe Selection list: LMI

Animals are sorted on LMI

*Inbreeding in red is high

EBV - Estimated Breeding Value

Indices above 124
Bokant rasgemiiddel
Indices below 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal		Parents		Selection Indices			EBV - Weights							EBV - Fertility				
Animal ID	% In-breeding	Sire ID	Dam ID	Logix Merit Index	Growth Index	Reproduction Index	PreW Dir	PreW Mat	PreW Comb	Wean Dir	Wean Mat	Wean Comb	Post Wean	Lambs Weaned	TWW	AFL	ILP	EPI Times Lambed
Comp.no.							EBV Acc Index	EBV Acc Index	EBV Index	EBV Acc Index	EBV Acc Index	EBV Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	Phenotype
Active breed average:				100	100	100	0.30	0.05	0.20	0.51	0.09	0.35	0.24	0.12	0.67	0.32	0.62	
271 CIDF 26 0016 112244066	4.64	BS 20 0232 BS 19 0462		111	105	113	0.22 68 98	0.10 48 102	0.21 100	1.18 66 107	0.18 41 103	0.77 107	0.75 16 106	3.60 38 113	3.51 50 116	2.48 36 93	-2.40 28 107	0
272 BS 22 0196 95788659	9.23	BS 18 0144 BS 19 0629		111	118	104	0.91 68 109	0.04 59 100	0.50 108	2.62 67 123	0.28 52 107	1.59 122	1.50 17 114	1.80 47 107	3.98 57 118	2.71 42 93	10.01 39 76	103 3
273 LR 22 0003 94879749	3.44	LR 20 0055 XRZ 17 0030		111	101	115	0.29 70 100	0.14 60 103	0.29 102	0.37 68 98	0.26 52 106	0.44 101	0.38 22 101	3.40 50 112	2.66 58 111	-2.34 41 108	-4.16 34 112	127 4
274 BS 22 0842 96280235	10.14	BS 19 0342 BS 21 0053		111	101	117	-0.21 67 92	0.35 59 111	0.25 101	0.30 66 97	0.35 52 109	0.50 102	0.04 27 97	3.40 50 112	2.68 57 111	-4.67 46 115	-3.92 41 111	97 4
275 BS 24 0793 100139112	8.59	BS 22 0155 BS 23 0070		111	112	107	1.04 64 111	0.05 49 100	0.57 109	1.85 63 114	0.11 41 101	1.03 112	1.39 18 113	0.60 40 102	2.31 49 109	3.96 39 89	-2.36 26 107	94 1
276 CIDF 23 0010 107022055	5.96	BS 21 0222 BS 22 0539		111	99	115	0.10 66 97	0.41 57 113	0.46 107	-0.32 65 91	0.37 48 110	0.21 97	-0.67 15 89	4.00 45 114	2.45 54 110	0.33 40 100	-4.27 33 112	108 2
277 BS 24 0019 108936287	16.04	BS 19 0349 BS 23 0007		111	106	111	0.28 64 99	0.28 53 108	0.42 105	0.98 63 105	0.31 48 108	0.80 108	0.38 25 101	2.90 48 110	3.03 54 113	-2.35 46 108	1.71 36 97	102 1
278 CIDF 25 0054 109365858	16.18	JES 06 0026 H 22 0033		111	95	120	-0.27 60 91	0.78 49 127	0.64 111	-1.64 60 76	0.71 46 122	-0.11 92	-1.63 39 78	5.20 43 119	2.19 51 108	0.09 41 101	-3.91 37 111	1
279 BS 21 0476 93382786	15.53	BS 19 0467 BS 18 0156		111	101	115	0.15 70 97	0.10 61 102	0.17 99	0.63 68 101	0.21 53 104	0.52 103	0.33 42 101	2.10 50 108	2.10 58 108	-6.04 44 119	-6.53 39 118	107 2
280 CIDF 25 0259 111894762	5.76	BS 23 0420 BS 24 0995		111	111	109	0.88 56 109	0.18 35 105	0.62 111	1.35 54 109	0.30 30 107	0.97 111	1.14 17 110	0.50 28 102	1.95 39 107	-0.43 27 102	-1.32 21 105	0
281 CIDF 25 0117 109991091	5.55	GW 23 0107 LR 20 0111		111	106	113	-0.05 59 94	0.56 38 119	0.54 109	0.33 57 98	0.64 32 119	0.81 108	-1.33 26 82	2.40 30 109	2.41 41 110	-4.24 24 114	4.20 23 91	0
282 CS 26 0526 113856256	3.55	BS 22 0155 P 23 0210		111	113	108	0.95 54 110	0.13 38 103	0.60 110	1.84 54 114	0.24 33 105	1.16 114	1.49 18 114	-0.40 33 99	1.83 41 107	-0.59 32 103	-1.48 25 105	0
283 CIDF 26 0117 112688544	5.22	BS 23 0349 P 23 0055		111	107	109	0.62 41 105	0.08 26 101	0.40 105	1.15 40 107	0.20 22 104	0.78 107	0.71 10 105	2.40 22 109	2.80 29 112	-0.70 23 103	0.20 19 101	0
284 BS 22 0846 96280250	3.32	BS 19 0342 BS 21 0174		111	99	114	0.03 66 96	0.01 54 99	0.02 95	0.65 65 101	0.07 49 99	0.40 101	0.12 23 98	4.10 46 115	3.18 54 114	-2.39 47 108	-4.62 38 113	2
285 CS 26 0603 114021066	8.88	BS 23 0139 BS 23 0007		111	104	113	0.07 48 96	0.31 40 110	0.34 104	0.66 47 101	0.38 36 110	0.71 106	0.10 18 98	3.30 34 112	3.01 40 113	-0.64 33 103	-0.25 27 102	0
286 LR 24 0194 106816267	11.18	LR 22 0008 LR 23 0065		111	110	102	1.17 64 113	-0.31 44 87	0.27 102	2.29 63 119	-0.17 37 91	0.98 111	1.76 28 117	2.10 35 108	3.38 47 115	-3.68 35 112	4.79 27 89	0
287 CIDF 25 0057 110383551	2.82	GW 23 0087 BS 22 0484		111	100	115	-0.05 63 94	0.43 41 114	0.40 105	-0.32 62 91	0.49 36 114	0.33 99	-0.43 31 92	4.90 34 118	3.11 46 113	-0.63 32 103	0.16 27 101	0
288 CIDF 26 0312 112865977	3.87	BS 22 0121 P 24 0150		111	97	107	0.45 57 102	-0.29 38 88	-0.07 93	0.90 56 104	-0.25 33 88	0.20 97	0.56 15 103	6.40 29 123	4.49 41 121	-3.80 28 113	2.67 23 95	0

Ewe Selection list: LMI

Animals are sorted on LMI

*Inbreeding in red is high

EBV - Estimated Breeding Value

Indices above 124
Bokant rasgemiddeld
Indices below 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal		Parents		Selection Indices			EBV - Weights							EBV - Fertility				
Animal ID	% In-breeding	Sire ID	Dam ID	Logix Merit Index	Growth Index	Reproduction Index	PreW Dir	PreW Mat	PreW Comb	Wean Dir	Wean Mat	Wean Comb	Post Wean	Lambs Weaned	TWW	AFL	ILP	EPI Times Lambed
Comp.no.							EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Acc	EBV Index	EBV Acc	EBV Index	Phenotype
Active breed average:				100	100	100	0.30	0.05	0.20	0.51	0.09	0.35	0.24	0.12	0.67	0.32	0.62	
289	BS 25 0170 109216903	6.07	BS 23 0200 BS 22 0110	111	109	111	0.41 62	0.21 102	0.41 40	1.43 106	0.26 61	0.97 110	1.20 34	1.80 33	2.76 107	-0.41 44	-0.56 112	0
290	BS 24 0564 99871782	4.69	BS 19 0349 BS 23 0150	111	110	110	0.35 65	0.34 101	0.52 56	1.25 111	0.39 64	1.02 108	0.68 50	1.40 49	2.48 105	-2.86 55	2.05 110	103 2
291	CIDF 26 0239 112764428	7.51	AAA 05 0003 EL 20 0027	111	103	122	-0.72 57	0.73 84	0.37 53	0.06 125	0.71 95	0.74 50	-0.15 121	2.80 45	2.45 110	-1.33 52	-4.91 110	0
292	BS 23 0042 96910260	7.64	BS 21 0222 BS 21 0515	111	100	115	0.17 67	0.35 98	0.43 58	-0.04 111	0.31 106	0.28 66	-0.23 94	1.90 48	1.40 107	-2.55 56	-8.56 104	123 3
293	CIDF 25 0280 111895041	5.97	BS 23 0144 BS 21 0480	111	104	116	-0.33 61	0.30 90	0.14 40	1.12 109	0.30 98	0.86 59	0.54 107	2.50 33	2.92 109	-1.80 43	-4.23 112	0
294	CIDF 26 0346 113764971	3.03	FJ 24 0088 BS 23 0539	111	109	108	0.82 48	0.10 108	0.51 36	1.25 102	0.20 47	0.83 108	0.68 31	1.70 30	2.47 106	3.01 37	-0.55 110	0
295	P 23 0109 97740310	6.34	P 20 0313 P 19 0498	111	104	102	1.11 54	-0.25 112	0.30 37	1.29 89	-0.11 102	0.53 53	1.01 108	4.80 37	4.05 117	-2.74 41	8.40 119	101 2
296	BS 23 0070 96910740	3.63	BS 21 0222 BS 21 0511	111	107	112	0.48 68	0.41 103	0.65 60	0.53 113	0.45 66	0.72 100	0.04 52	1.40 49	1.83 105	2.70 57	-2.77 106	120 3
297	CS 26 0543 113856272	2.30	BS 23 0602 LR 22 0027	111	110	106	0.91 47	-0.08 109	0.38 38	1.74 95	0.12 105	0.99 46	1.40 113	1.40 32	2.70 105	-2.85 38	2.37 29	95 0
298	CIDF 26 0474 113802516	3.39	BS 23 0144 LR 22 0003	111	108	113	0.30 52	0.20 100	0.34 38	1.29 105	0.31 50	0.95 108	0.99 32	1.10 31	2.26 104	-1.03 39	-3.52 109	0
299	CS 26 0670 114037757	3.60	BS 23 0349 H 25 0014	110	119	106	1.18 45	0.36 114	0.95 33	1.81 111	0.52 119	1.42 44	1.25 114	-2.30 28	0.94 92	-0.02 35	1.75 102	0
300	CS 26 0671 114037468	3.60	BS 23 0349 H 25 0014	110	119	106	1.18 45	0.36 114	0.95 33	1.81 111	0.52 119	1.42 44	1.25 114	-2.30 28	0.94 92	-0.02 35	1.75 102	0
301	CIDF 26 0423 113775845	3.11	FJ 24 0088 CIDF 25 0006	110	101	109	0.50 47	-0.03 103	0.23 33	0.86 97	-0.03 101	0.41 46	0.37 103	3.80 28	3.12 114	1.08 35	-2.01 98	0
302	CIDF 26 0422 113775860	3.11	FJ 24 0088 CIDF 25 0006	110	101	109	0.50 47	-0.03 103	0.23 33	0.86 97	-0.03 101	0.41 46	0.37 103	3.80 28	3.12 114	1.08 35	-2.01 98	0
303	CIDF 25 0159 110300720	3.94	BS 19 0120 BS 22 0759	110	107	113	0.14 67	0.35 97	0.42 55	0.97 111	0.40 105	0.89 65	0.73 105	2.40 47	2.81 109	1.69 55	-0.85 112	0
304	CIDF 26 0316 112865951	3.71	BS 22 0155 P 22 0028	110	106	104	1.09 62	-0.16 112	0.38 43	1.40 92	-0.09 104	0.61 61	1.26 109	2.50 36	2.81 109	-2.52 46	2.12 112	0
305	P 24 0150 109273284	20.73	P 20 0313 P 19 0556	110	95	99	1.25 58	-0.68 115	-0.05 50	0.94 73	-0.54 93	-0.06 58	0.74 104	6.70 37	4.43 124	-5.66 47	6.13 121	100 1
306	CS 26 0609 114021165	3.02	BS 23 0602 CIDF 25 0062	110	109	112	0.13 42	0.35 97	0.41 29	1.21 111	0.43 105	1.04 41	0.69 107	1.70 24	2.66 106	-0.45 31	0.91 111	0

Ewe Selection list: LMI

Animals are sorted on LMI

*Inbreeding in red is high

EBV - Estimated Breeding Value

Indices above 124
Bokant rasgemiddeld
Indices below 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal		Parents		Selection Indices			EBV - Weights							EBV - Fertility				
Animal ID	% In-breeding	Sire ID	Dam ID	Logix Merit Index	Growth Index	Reproduction Index	PreW Dir	PreW Mat	PreW Comb	Wean Dir	Wean Mat	Wean Comb	Post Wean	Lambs Weaned	TWW	AFL	ILP	EPI Times Lambed
Comp.no.							EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Acc	EBV Index	EBV Acc	EBV Index	Phenotype
Active breed average:				100	100	100	0.30	0.05	0.20	0.51	0.09	0.35	0.24	0.12	0.67	0.32	0.62	
307	BS 24 0057 109134007	5.72	BS 21 0366 BS 22 0384	110	104	111	0.29 61	0.35 100	0.49 107	0.33 60	0.43 98	0.59 104	-0.14 14	3.00 31	2.56 43	-0.12 110	1.22 23	0
308	CIDF 26 0017 112244058	4.64	BS 20 0232 BS 19 0462	110	103	112	0.18 68	0.12 98	0.21 100	0.84 66	0.18 41	0.60 103	0.50 16	3.60 38	3.18 50	2.48 93	-2.40 28	0
309	H 24 0015 99925513	6.83	JES 06 0026 EL 21 0046	110	97	112	-0.10 66	0.24 93	0.19 100	-0.07 65	0.23 93	0.19 52	-0.22 105	6.40 49	4.00 56	-1.77 118	3.13 42	112 2
310	BS 24 0037 109119032	8.36	BS 21 0366 BS 21 0128	110	102	114	-0.18 64	0.26 92	0.17 99	0.68 63	0.31 101	0.65 36	0.14 108	3.40 33	3.03 46	-0.44 113	-2.24 32	1
311	BS 22 0863 96280037	6.48	BS 19 0342 BS 21 0143	110	103	114	-0.01 69	0.44 95	0.43 106	0.21 67	0.48 96	0.58 54	-0.18 113	2.60 50	2.25 109	0.27 47	-2.53 100	99 2
312	LR 24 0098 101766426	13.78	LR 22 0008 LR 20 0107	110	110	100	1.12 63	-0.25 113	0.32 89	2.13 103	-0.10 61	0.96 117	1.35 29	2.00 36	3.23 47	-5.07 114	7.95 40	2
313	BS 22 0015 95353421	6.26	BS 19 0120 BS 19 0639	110	117	108	0.64 69	0.32 105	0.64 110	2.05 68	0.47 116	1.50 55	1.67 113	-0.10 52	2.47 100	2.63 59	3.65 110	129 3
314	BS 23 0150 96934369	10.24	BS 21 0222 BS 18 0170	110	109	116	-0.12 67	0.68 93	0.62 111	0.43 65	0.76 99	0.97 52	-0.03 123	0.50 47	1.49 102	-1.47 56	-2.17 105	97 1
315	ROS 24 0016 98978844	5.33	WW 22 0081 DTC 18 0157	110	96	109	0.48 62	-0.32 103	-0.08 93	0.70 60	-0.22 102	0.13 39	0.29 89	5.70 33	3.90 46	4.29 118	-3.51 23	96 2
316	CIDF 26 0311 112866041	3.87	BS 22 0121 P 24 0150	110	96	107	0.21 57	-0.27 98	-0.17 90	0.92 56	-0.25 104	0.22 33	0.51 89	6.40 29	4.52 41	-3.80 121	2.67 28	0
317	CIDF 25 0197 111894622	6.58	MW 16 0051 BS 22 0758	110	109	111	0.25 62	0.19 99	0.31 105	1.52 62	0.29 111	1.05 43	0.79 107	0.80 39	2.29 49	-0.09 109	-2.23 41	1
318	CIDF 26 0106 112688353	4.36	BS 23 0144 WH 23 0071	110	108	113	0.24 61	0.22 99	0.34 106	1.33 59	0.30 109	0.96 32	1.02 107	0.30 29	1.81 101	-0.42 42	-5.56 106	0
319	CIDF 25 0065 110383577	12.74	BS 22 1004 BS 24 0792	110	105	110	0.41 62	0.01 101	0.22 99	1.43 60	0.03 110	0.74 32	1.02 98	1.00 31	2.06 43	0.12 108	-6.88 35	1
320	BS 24 0166 109188516	9.77	BS 19 0349 BS 22 0295	110	102	114	-0.34 64	0.37 90	0.20 100	0.63 63	0.29 101	0.60 47	0.17 107	3.40 47	2.96 53	-2.46 113	-1.82 46	100 1
321	CIDF 26 0181 112725247	3.38	ROS 24 0155 BS 24 0083	110	110	108	0.64 46	0.23 105	0.55 29	1.20 107	0.35 25	0.95 109	0.43 26	1.00 25	2.15 32	1.27 108	1.23 22	0
322	CIDF 25 0113 109991075	3.60	BS 22 1004 LR 22 0034	110	107	108	0.78 64	0.15 107	0.54 41	0.89 104	0.20 62	0.65 104	0.84 34	1.30 33	1.88 45	-0.46 107	-1.68 32	0
323	BS 22 0106 94244944	14.18	BS 19 0120 BS 16 0006	110	106	113	0.02 68	0.35 95	0.36 61	1.04 111	0.32 66	0.84 105	0.73 55	0.80 51	1.84 103	-2.85 58	-4.33 49	104 3
324	CIDF 26 0411 113775837	2.32	BS 24 0424 BS 22 0061	110	99	109	0.15 50	-0.02 97	0.05 96	0.81 49	-0.04 103	0.37 38	0.72 96	5.30 36	3.95 42	-0.54 118	0.68 29	0

Ewe Selection list: LMI

Animals are sorted on LMI

*Inbreeding in red is high

EBV - Estimated Breeding Value

Indices above 124
Bokant rasgemiddeld
Indices below 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal		Parents		Selection Indices			EBV - Weights								EBV - Fertility					
Animal ID	% In-breeding	Sire ID	Dam ID	Logix Merit Index	Growth Index	Reproduction Index	PreW Dir	PreW Mat	PreW Comb	Wean Dir	Wean Mat	Wean Comb	Post Wean	Lambs Weaned	TWW	AFL	ILP	EPI Times Lambed		
Comp.no.							EBV Acc Index	EBV Acc Index	EBV Index	EBV Acc Index	EBV Acc Index	EBV Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	Phenotype		
Active breed average:				100	100	100	0.30	0.05	0.20	0.51	0.09	0.35	0.24	0.12	0.67	0.32	0.62			
325 CIDF 26 0410 113775738	2.32	BS 24 0424 BS 22 0061		110	99	109	0.15 50 97	-0.02 42 97	0.05 96	0.81 49 103	-0.04 38 96	0.37 100	0.72 23 105	5.30 36 119	3.95 42 118	-0.54 34 103	0.68 29 100	0		
326 CIDF 25 0163 110300712	2.50	GW 23 0107 BS 23 0766		109	92	114	-0.34 60 90	0.14 38 103	-0.03 94	-0.31 58 91	0.13 32 101	-0.03 93	-1.81 27 76	3.80 30 114	2.10 42 108	-4.36 27 114	-7.32 22 120	0		
327 GW 25 0498 109118075	7.69	DTC 21 0179 GW 21 0031		109	112	94	2.25 64 130	-0.26 44 89	0.86 117	1.66 63 112	-0.17 37 91	0.66 105	1.73 47 117	2.50 34 109	2.99 46 113	6.68 38 81	9.14 28 79	0		
328 LR 24 0078 101766244	3.65	LR 20 0006 XRZ 17 0030		109	98	107	0.75 63 107	0.02 48 99	0.40 105	-0.01 61 94	0.07 40 99	0.07 95	-0.07 19 96	3.40 41 112	2.10 48 108	-4.40 34 114	-0.66 30 103	113	2	
329 P 23 0055 96245253	1.76	BS 19 0655 P 21 0312		109	96	110	0.14 53 97	-0.04 32 97	0.03 95	0.25 52 97	0.03 28 98	0.15 96	-0.08 15 96	5.20 30 119	3.40 38 115	-3.18 33 111	-0.55 30 103	100	2	
330 BS 24 0142 108936220	9.41	BS 19 0349 BS 22 0267		109	104	107	0.29 66 100	0.08 54 101	0.22 100	1.26 65 108	0.05 48 99	0.68 106	0.75 25 106	4.00 46 114	3.71 54 117	-0.34 47 102	3.75 36 92	1		
331 CIDF 26 0413 113775746	2.28	BS 23 0602 ROS 20 0033		109	109	112	0.52 48 103	0.48 40 116	0.74 114	0.50 47 99	0.58 35 117	0.83 108	0.14 26 99	-0.30 34 99	0.90 39 101	-0.98 27 104	-2.32 24 107	0		
332 ROS 18 0066 81508749	6.63	GE 13 0086 DTC 16 0078		109	93	110	0.14 71 97	0.13 65 103	0.20 100	-0.61 69 87	0.13 58 101	-0.18 90	1.41 45 113	10.10 55 136	5.58 62 127	-4.40 42 114	10.58 45 75	106	4	
333 BS 23 0148 96934385	2.58	HFR 94 0031 BS 18 0193		109	93	115	-0.21 66 92	0.07 60 101	-0.04 94	-0.18 65 92	0.13 56 101	0.04 94	-0.35 35 93	4.60 52 117	2.71 59 111	-5.84 50 119	-5.08 46 114	93	3	
334 P 23 0084 96244314	1.67	BS 19 0655 P 21 0026		109	100	105	0.48 58 103	-0.15 42 93	0.09 97	0.87 57 104	-0.08 35 94	0.35 100	-0.01 26 97	5.60 33 120	4.15 43 119	1.18 35 97	4.64 31 90	98	2	
335 BS 22 0758 95412896	4.35	BS 18 0144 BS 16 0007		109	110	112	0.40 65 101	0.40 56 113	0.60 110	0.95 64 104	0.55 51 116	1.02 112	0.60 28 104	0.30 46 101	1.68 55 106	0.72 44 99	-0.56 35 103	93	1	
336 CS 26 0559 113856371	3.69	BS 22 0155 P 21 0013		109	111	102	1.36 56 116	-0.10 39 95	0.58 110	1.81 55 114	-0.01 33 97	0.89 109	1.47 28 114	0.20 33 101	1.92 41 107	1.92 32 95	0.51 25 100	0		
337 CIDF 26 0229 112764394	2.69	BS 23 0139 P 21 0290		109	99	112	-0.10 46 94	0.17 36 105	0.13 98	0.28 46 97	0.23 32 105	0.37 100	-0.22 25 95	3.80 31 114	2.79 37 112	-4.65 30 115	-0.74 25 103	0		
338 BS 22 0268 95351987	13.53	BS 19 0342 BS 20 0062		109	105	108	0.37 69 101	0.15 62 104	0.33 103	1.00 68 105	0.19 55 103	0.68 106	0.39 27 101	1.90 53 107	2.32 60 109	-2.55 49 109	0.01 41 101	139	4	
339 CIDF 26 0472 113802599	2.55	BS 23 0117 ROS 24 0113		109	101	109	0.18 51 98	0.10 29 102	0.19 100	0.75 50 102	0.14 24 102	0.52 103	-0.25 27 94	3.20 24 112	2.81 34 112	-0.24 20 102	-0.33 17 102	0		
340 CIDF 26 0471 113802292	2.55	BS 23 0117 ROS 24 0113		109	101	109	0.18 51 98	0.10 29 102	0.19 100	0.75 50 102	0.14 24 102	0.52 103	-0.25 27 94	3.20 24 112	2.81 34 112	-0.24 20 102	-0.33 17 102	0		
341 P 22 0289 95823613	7.71	P 20 0313 DTC 16 0746		109	104	106	0.71 50 106	0.00 44 98	0.36 104	0.86 50 103	0.11 39 101	0.54 103	1.01 26 108	3.90 41 114	3.32 44 115	-1.01 36 104	4.85 39 89	104	3	
342 BS 24 0055 109697425	6.11	BS 19 0349 BS 23 0182		109	107	109	0.31 59 100	0.22 53 106	0.37 104	1.16 59 107	0.27 48 106	0.85 109	0.59 25 104	1.10 49 104	2.09 52 108	-3.52 47 112	0.19 36 101	100	1	

Ewe Selection list: LMI

Animals are sorted on LMI

*Inbreeding in red is high

EBV - Estimated Breeding Value

Indices above 124
Bokant rasgemiddeld
Indices below 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal		Parents	Selection Indices			EBV - Weights								EBV - Fertility					
Animal ID	% In-breeding	Sire ID Dam ID	Logix Merit Index	Growth Index	Reproduction Index	PreW Dir	PreW Mat	PreW Comb	Wean Dir	Wean Mat	Wean Comb	Post Wean	Lambs Weaned	TWW	AFL	ILP	EPI Times Lambed		
Comp.no.						EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	Phenotype	
Active breed average:			100	100	100	0.30	0.05	0.20	0.51	0.09	0.35	0.24	0.12	0.67	0.32	0.62			
343	BS 23 0912 99281057	6.64	BS 21 0486 BS 16 0174	109	109	109	0.53 53	0.44 103	0.70 43	0.51 114	0.55 113	0.80 53	0.08 100	1.00 32	1.66 42	-1.69 106	2.92 32	94	
344	CIDF 26 0353 113764781	4.81	BS 24 0424 BS 24 0001	109	103	108	0.31 48	0.11 100	0.27 38	0.93 102	0.13 102	0.60 104	0.64 24	3.20 34	2.99 40	-0.82 113	1.34 27	98	0
345	P 23 0008 96245295	1.76	BS 19 0655 P 20 0002	109	107	111	0.25 55	0.38 99	0.50 32	0.72 112	0.47 108	0.84 54	0.46 102	2.30 32	2.58 39	1.47 111	2.33 30	102	2
346	EL 20 0100 89473680	6.42	EL 18 0040 EL 17 0018	109	112	118	0.10 67	0.77 57	0.82 126	0.40 66	0.87 48	1.07 112	-0.26 34	-5.90 48	-2.27 55	-9.66 40	-13.42 130	109	4
347	CIDF 26 0364 113764765	5.50	BS 23 0602 GW 22 0116	109	104	115	-0.13 39	0.66 93	0.59 33	-0.19 122	0.69 110	0.60 29	-0.82 121	1.80 28	1.58 33	0.53 105	-1.51 21		0
348	BS 24 0186 108936303	5.65	BS 19 0349 BS 20 0238	109	101	110	-0.04 66	0.35 94	0.33 54	0.32 111	0.30 103	0.46 65	-0.13 98	3.20 46	2.54 112	-5.21 54	2.10 117		0
349	CS 26 0652 114037443	6.90	BS 23 0144 BS 22 0845	109	105	111	0.13 51	0.13 97	0.20 38	1.25 103	0.20 100	0.82 50	0.76 108	1.20 31	2.16 39	-1.91 108	-3.43 29		0
350	CS 26 0662 114037476	6.90	BS 23 0144 BS 22 0845	109	105	111	0.13 51	0.13 97	0.20 38	1.25 103	0.20 100	0.82 50	0.76 108	1.20 31	2.16 104	-1.91 39	-3.43 108		0
351	CS 26 0626 114021322	6.90	BS 23 0144 BS 22 0845	109	105	111	0.13 51	0.13 97	0.20 38	1.25 103	0.20 100	0.82 50	0.76 108	1.20 31	2.16 104	-1.91 39	-3.43 108		0
352	CS 26 0687 114121932	6.90	BS 23 0144 BS 22 0845	109	105	111	0.13 51	0.13 97	0.20 38	1.25 103	0.20 100	0.82 50	0.76 108	1.20 31	2.16 104	-1.91 39	-3.43 108		0
353	BS 23 1136 99218588	4.65	BS 21 0227 BS 22 0323	109	109	104	0.95 55	-0.06 110	0.42 51	1.69 96	0.03 106	0.88 54	1.12 113	0.20 32	1.84 101	0.68 45	-0.88 107	94	2
354	BS 22 0288 95351342	6.90	BS 20 0232 BS 18 0096	108	97	114	-0.14 67	0.32 93	0.25 53	-0.26 110	0.35 101	0.22 65	-0.40 91	4.20 42	2.61 115	2.31 52	-3.74 111	91	1
355	BS 22 0380 95347308	6.14	BS 20 0232 BS 19 0610	108	106	108	0.62 68	0.00 105	0.32 56	1.29 98	0.10 103	0.74 67	1.00 108	0.20 44	1.51 101	-0.92 54	-4.92 105	115	4
356	CIDF 26 0025 112247358	1.60	AAA 05 0003 GW 23 0045	108	102	119	-0.72 66	0.48 84	0.12 53	0.64 116	0.48 98	0.80 50	0.05 113	0.80 47	1.60 103	-2.90 55	-8.56 105		0
357	P 22 0028 93622843	9.06	DTC 18 0679 DTC 18 0841	108	97	104	0.47 64	-0.25 102	-0.01 57	0.71 89	-0.15 94	0.21 63	0.50 102	5.30 47	3.74 119	-7.97 54	5.99 117	113	4
358	CS 26 0530 113855852	2.37	BS 23 0117 LR 24 0078	108	93	114	-0.37 52	0.31 89	0.13 32	-0.72 110	0.29 98	-0.07 51	-0.84 86	5.80 26	3.05 121	-4.24 36	-0.20 113		0
359	CIDF 26 0463 114154149	3.38	BS 22 0155 WCN 22 0109	108	115	97	1.62 56	-0.34 120	0.47 38	2.90 86	-0.24 107	1.21 56	2.28 126	-1.10 34	2.00 96	1.36 42	2.30 107		0
360	CS 26 0595 114021058	11.89	BS 23 0602 BS 18 0126	108	109	111	0.28 48	0.42 100	0.56 41	0.83 114	0.57 109	0.98 47	0.37 103	0.60 35	1.76 102	1.47 40	0.32 106		0

Ewe Selection list: LMI

Animals are sorted on LMI

*Inbreeding in red is high

EBV - Estimated Breeding Value

Indices above 124
Bokant rasgemiddeld
Indices below 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal			Parents		Selection Indices			EBV - Weights								EBV - Fertility					
Animal ID		% In-breeding	Sire ID		Logix Merit Index	Growth Index	Reproduction Index	PreW Dir	PreW Mat	PreW Comb	Wean Dir	Wean Mat	Wean Comb	Post Wean	Lambs Weaned	TWW	AFL	ILP	EPI Times Lambed		
Comp.no.			Dam ID					EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index
Active breed average:					100	100	100	0.30	0.05	0.20	0.51	0.09	0.35	0.24	0.12	0.67	0.32	0.62			
361	BS 22 0551 95354320	8.08	BS 19 0342 BS 18 0226		108	99	112	0.08 69	0.07 59	0.10 101	0.54 68	0.15 54	0.42 101	0.05 27	1.90 51	1.83 59	-4.53 49	-5.21 39	91 2		
362	CS 26 0529 113856215	2.37	BS 23 0117 LR 24 0078		108	93	114	-0.37 52	0.31 32	0.13 110	-0.72 51	0.29 86	-0.07 27	-0.84 107	5.80 26	3.05 36	-4.24 113	-0.20 20	0		
363	BS 24 0007 108943168	7.65	BS 19 0349 BS 22 0365		108	102	108	0.18 66	0.12 57	0.22 100	0.89 65	0.08 50	0.53 100	0.47 24	3.00 45	2.77 55	-2.36 46	0.61 34	102 1		
364	CIDF 24 0009 106978331	9.16	BS 21 0362 BS 22 0162		108	110	113	0.24 60	0.59 39	0.70 120	0.57 58	0.70 100	0.99 34	0.15 121	-0.60 33	0.92 43	1.27 29	-2.13 97	1		
365	CIDF 26 0026 112247390	1.60	AAA 05 0003 GW 23 0045		108	102	118	-0.59 66	0.48 53	0.18 116	0.39 65	0.48 98	0.67 50	-0.09 113	0.80 47	1.35 55	-2.90 46	-8.56 110	0		
366	BS 22 0581 95402079	7.04	BS 19 0342 BS 18 0199		108	98	112	0.08 67	0.12 59	0.16 103	0.26 66	0.18 97	0.31 53	-0.06 99	2.20 50	1.76 57	-3.58 106	-5.39 49	91 1		
367	BS 24 0029 109118976	7.47	BS 21 0366 BS 21 0252		108	96	112	0.12 65	0.08 48	0.14 101	0.06 63	0.11 95	0.14 39	-0.24 101	3.30 37	2.15 48	1.66 108	-6.87 37	102 1		
368	CIDF 26 0439 113801500	6.29	BS 24 0424 BS 24 0994		108	110	103	0.90 48	-0.07 37	0.39 96	1.91 47	0.04 105	1.00 33	1.57 98	0.50 32	2.25 38	0.51 109	1.45 30	0		
369	BS 22 0542 95354122	6.71	BS 19 0120 BS 17 0078		108	113	104	0.86 69	0.09 57	0.52 102	1.98 68	0.16 52	1.15 102	1.36 23	-0.50 50	1.84 58	3.67 46	-0.01 90	2		
370	H 25 0014 109184093	4.48	HIS 00 0070 EL 22 0063		108	120	104	1.25 65	0.51 52	1.13 117	1.56 63	0.65 49	1.43 119	1.01 40	-4.30 45	-0.37 84	-1.83 53	2.55 94	1		
371	BS 22 0384 95347340	4.77	BS 19 0342 BS 16 0258		108	97	111	-0.23 60	0.39 54	0.28 113	-0.39 59	0.38 90	0.18 47	-0.98 110	5.00 44	2.98 51	-1.11 43	2.56 104	97 3		
372	P 22 0019 93618601	7.14	P 20 0313 P 18 1154		108	97	103	1.02 54	-0.31 40	0.20 87	0.37 53	-0.20 98	-0.02 35	0.71 90	4.00 35	2.57 42	-3.24 111	0.16 35	92 4		
373	LR 24 0077 101766236	3.65	LR 20 0006 XRZ 17 0030		108	87	106	0.42 63	-0.42 48	-0.22 83	-0.30 61	-0.41 83	-0.56 40	-0.32 84	6.80 41	3.37 125	-4.22 48	-3.19 115	124 2		
374	CS 26 0524 113856322	14.40	BS 23 0117 P 23 0008		108	97	115	-0.62 50	0.49 27	0.18 116	-0.35 49	0.49 90	0.31 22	-0.57 114	5.20 23	3.26 33	-1.31 114	1.30 22	0		
375	P 21 0140 91945865	7.50	DTC 18 0679 DTC 18 0648		108	105	94	1.41 56	-0.54 47	0.16 78	1.89 55	-0.35 115	0.59 43	1.45 85	4.40 44	4.18 48	-3.73 41	12.93 112	100 5		
376	CIDF 26 0213 112750617	3.04	GW 23 0107 BS 24 0029		108	98	110	0.02 49	0.12 33	0.13 103	0.18 48	0.17 28	0.26 103	-1.37 98	2.00 26	1.55 107	-2.72 35	-4.95 105	0		
377	CIDF 25 0123 110259876	5.93	BS 22 1004 BS 23 0070		108	108	109	0.49 64	0.28 41	0.52 108	1.01 62	0.33 105	0.83 35	0.57 108	-0.40 33	1.09 99	1.52 45	-4.18 96	1		
378	BS 22 0845 96279997	10.40	BS 19 0342 BS 20 0312		108	96	111	-0.05 67	0.01 60	-0.01 99	0.27 66	0.03 98	0.17 53	-0.07 97	3.60 49	2.46 57	-4.10 46	-3.99 113	98 3		

Ewe Selection list: LMI

Animals are sorted on LMI

*Inbreeding in red is high

EBV - Estimated Breeding Value

Indices above 124
Bokant rasgemiddeld
Indices below 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal		Parents		Selection Indices			EBV - Weights							EBV - Fertility				
Animal ID	% In-breeding	Sire ID	Dam ID	Logix Merit Index	Growth Index	Reproduction Index	PreW Dir	PreW Mat	PreW Comb	Wean Dir	Wean Mat	Wean Comb	Post Wean	Lambs Weaned	TWW	AFL	ILP	EPI Times Lambed
Comp.no.							EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Acc	EBV Index	EBV Acc	EBV Index	Phenotype
Active breed average:				100	100	100	0.30	0.05	0.20	0.51	0.09	0.35	0.24	0.12	0.67	0.32	0.62	
379	H 23 0002 99143075	2.64	BS 19 0467 WG 19 0291	108	99	107	0.68 62	0.17 106	0.51 48	-0.22 104	0.20 61	0.09 92	0.25 43	3.10 39	1.84 111	-3.08 49	0.43 38	2
380	P 21 0290 92344738	9.02	DTC 18 0679 DTC 17 1215	108	95	107	0.18 62	-0.22 98	-0.13 49	0.46 90	-0.10 61	0.13 99	-0.08 44	4.70 45	3.17 117	-8.28 51	1.89 44	105 5
381	BS 23 0390 97125231	7.64	BS 21 0235 BS 21 0520	108	105	104	0.63 67	-0.09 105	0.22 55	1.46 95	-0.02 100	0.71 66	0.85 110	2.30 42	2.82 108	1.75 53	1.26 112	124 3
382	LR 24 0099 101766434	13.78	LR 22 0008 LR 20 0107	108	105	97	1.05 65	-0.41 112	0.12 53	1.97 83	-0.29 98	0.70 64	1.22 116	2.60 42	3.24 109	-5.72 51	7.70 114	114 2
383	BS 24 0006 108936378	9.32	BS 19 0349 BS 22 0268	108	108	107	0.30 66	0.31 100	0.46 53	1.10 109	0.31 65	0.86 106	0.49 48	0.60 49	1.76 102	-3.88 55	1.88 106	95 1
384	BS 22 0110 95777553	9.95	BS 19 0120 BS 20 0319	108	107	103	0.78 67	-0.12 107	0.27 58	1.72 94	-0.08 102	0.78 66	1.56 113	1.80 50	2.72 107	-0.79 57	2.40 111	93 3
385	CIDF 26 0273 112809496	3.89	BS 23 0349 P 22 0186	108	112	108	0.65 44	0.36 105	0.68 30	1.17 111	0.51 43	1.09 107	0.74 25	-1.60 25	0.71 32	-1.93 100	0.01 26	0
386	JC 24 0035 100400662	3.95	BS 21 0486 JC 19 0014	108	102	107	0.52 67	0.24 103	0.50 50	0.13 107	0.26 65	0.32 95	0.17 43	2.40 38	1.83 109	-1.53 50	0.42 106	0
387	ROS 24 0237 100574656	10.56	DTC 22 0030 ROS 21 0012	108	124	94	2.29 65	0.14 131	1.28 49	2.30 103	0.27 128	1.42 64	3.20 42	-2.20 39	1.25 92	1.29 50	12.03 103	100 1
388	BS 24 0056 108936402	6.96	BS 19 0349 BS 22 0442	108	105	107	0.23 63	0.23 99	0.35 52	0.99 107	0.21 63	0.71 105	0.48 47	2.00 47	2.40 107	-1.30 53	1.69 110	101 1
389	CS 26 0538 113855928	2.47	BS 23 0117 LR 24 0099	108	96	109	-0.22 53	0.10 92	-0.01 34	0.27 102	0.11 94	0.24 52	-0.20 97	5.40 26	3.62 120	-4.90 37	3.98 116	0
390	CS 26 0533 113856033	3.38	BS 22 0155 P 23 0270	108	108	97	1.59 54	-0.41 120	0.39 38	1.91 83	-0.31 105	0.64 53	1.94 115	0.80 33	2.08 103	0.05 41	1.35 108	0
391	CS 26 0573 113856157	10.47	BS 24 0424 BS 23 1096	107	110	106	0.62 48	0.13 105	0.44 40	1.50 103	0.27 106	1.02 47	1.00 110	0.40 31	2.01 101	1.23 39	1.74 107	0
392	CIDF 26 0269 112809306	3.38	BS 22 0155 WCN 22 0109	107	114	97	1.51 63	-0.33 119	0.42 39	2.84 86	-0.24 106	1.18 62	2.20 125	-1.10 34	1.94 96	1.36 45	2.30 107	0
393	CIDF 25 0204 110318359	3.96	BS 22 0121 LR 23 0150	107	100	107	-0.05 59	-0.08 94	-0.11 37	1.23 95	-0.07 92	0.54 57	0.69 107	4.50 30	3.85 116	-2.93 41	3.18 118	0
394	CIDF 26 0205 112750682	3.38	BS 22 0155 WCN 22 0109	107	114	97	1.49 63	-0.33 118	0.42 39	2.84 86	-0.24 105	1.18 62	2.20 125	-1.10 34	1.94 96	1.36 45	2.30 107	0
395	CIDF 26 0081 112291034	2.03	AAA 05 0003 GW 23 0080	107	102	116	-0.67 66	0.50 85	0.16 53	0.45 116	0.49 99	0.71 65	-0.34 99	1.00 47	1.53 104	-2.32 55	-6.45 105	0
396	CIDF 26 0157 112723895	4.22	BS 23 0144 ROS 24 0043	107	106	108	0.45 48	-0.08 102	0.14 32	1.69 95	0.02 98	0.87 47	0.96 113	-0.50 25	1.41 98	0.60 34	-6.89 104	0

Ewe Selection list: LMI

Animals are sorted on LMI

*Inbreeding in red is high

EBV - Estimated Breeding Value

Indices above 124
Bokant rasgemiddeld
Indices below 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal		Parents		Selection Indices			EBV - Weights							EBV - Fertility				
Animal ID	% In-breeding	Sire ID	Dam ID	Logix Merit Index	Growth Index	Reproduction Index	PreW Dir	PreW Mat	PreW Comb	Wean Dir	Wean Mat	Wean Comb	Post Wean	Lambs Weaned	TWW	AFL	ILP	EPI Times Lambed
Comp.no.							EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Acc	EBV Index	EBV Acc	EBV Index	Phenotype
Active breed average:				100	100	100	0.30	0.05	0.20	0.51	0.09	0.35	0.24	0.12	0.67	0.32	0.62	
397	CIDF 26 0156 112723879	4.22	BS ROS 23 0144 24 0043	107	106	108	0.45 48	-0.08 102	0.14 95	1.69 47	0.02 113	0.87 26	0.96 98	-0.50 25	1.41 34	0.60 104	-6.89 20	0
398	CIDF 26 0206 112750765	3.38	BS WCN 22 0155 22 0109	107	114	96	1.49 63	-0.33 119	0.42 39	2.80 86	-0.24 106	1.17 62	2.17 125	-1.10 34	1.91 45	1.36 107	2.30 31	0
399	GW 25 0415 109117671	5.04	DTC GW 21 0179 18 0022	107	112	99	1.40 66	0.01 117	0.71 47	1.58 99	0.14 113	0.93 65	0.72 111	-0.90 37	1.18 49	2.57 103	3.14 38	0
400	CS 26 0531 113855894	6.71	BS BS 24 0424 24 0120	107	105	105	0.37 49	0.06 101	0.25 39	1.23 100	0.11 101	0.73 48	0.78 107	2.80 34	3.02 40	0.37 113	4.01 31	0
401	BS 23 0038 96911003	14.14	BS BS 21 0222 19 0552	107	106	111	0.32 66	0.31 100	0.47 55	0.62 109	0.45 107	0.76 64	0.26 101	-0.60 43	0.71 53	0.70 100	-5.47 42	95 2
402	CIDF 25 0118 109991083	5.55	GW LR 23 0107 20 0111	107	101	110	-0.18 59	0.60 92	0.52 38	-0.55 120	0.65 108	0.37 57	-1.98 88	2.40 30	1.54 109	-4.24 41	4.20 105	0
403	CIDF 26 0082 112291125	2.03	AAA GW 05 0003 23 0080	107	101	116	-0.73 66	0.50 84	0.14 53	0.40 117	0.49 98	0.68 65	-0.39 98	1.00 47	1.48 104	-2.32 55	-6.45 105	0
404	CIDF 25 0150 110300779	6.39	MW BS 16 0051 22 0493	107	97	108	0.24 65	-0.16 99	-0.04 50	0.71 92	-0.12 94	0.24 63	0.23 102	2.30 41	1.98 108	-1.04 51	-6.84 107	0
405	CIDF 26 0048 112247960	1.44	AAA GW 05 0003 23 0031	107	108	113	-0.26 65	0.48 91	0.35 53	1.14 116	0.53 104	1.10 65	0.92 106	-0.30 46	1.49 99	-0.78 55	-3.05 105	0
406	BS 22 0537 95354080	10.82	BS BS 19 0342 17 0195	107	96	108	0.11 68	-0.01 97	0.05 61	0.30 98	0.00 96	0.15 66	-0.44 97	2.70 50	1.92 110	-3.55 58	-3.68 107	87 3
407	BS 22 0494 95354528	8.08	BS BS 19 0342 18 0226	107	100	109	0.10 69	0.03 97	0.08 60	0.68 99	0.12 97	0.46 68	0.16 102	1.50 51	1.70 105	-3.44 59	-4.24 106	92 1
408	BS 21 0555 93383321	16.42	BS BS 19 0349 16 0042	107	85	112	-0.72 70	0.00 84	-0.36 63	-0.48 98	-0.16 85	-0.40 69	-0.83 89	6.90 51	3.50 125	-6.01 60	-3.82 116	107 3
409	CIDF 26 0121 112688288	7.27	FJ H 24 0088 23 0010	107	100	110	0.22 59	0.37 99	0.48 37	-0.32 112	0.39 107	0.23 57	-0.80 90	2.80 28	1.75 110	4.05 40	-1.41 106	0
410	CIDF 26 0006 112236880	2.81	MW EL 15 0052 21 0007	107	98	105	0.47 66	-0.19 102	0.04 57	0.67 91	-0.06 96	0.27 65	0.20 101	4.10 52	3.06 115	1.36 58	1.25 113	0
411	CIDF 26 0452 113801385	3.88	BS BS 24 0424 22 0913	107	106	106	0.51 50	0.14 103	0.40 41	0.98 103	0.22 105	0.71 49	0.71 105	1.00 36	1.81 104	-0.02 41	0.77 106	0
412	BS 17 0078 80247950	4.17	AB EL 12 0025 10 0023	107	114	109	0.58 84	0.36 104	0.66 71	1.44 112	0.51 112	1.23 82	0.38 110	-2.70 62	0.33 90	7.20 70	-5.05 98	174 10
413	H 25 0004 109184051	2.59	HIS H 00 0070 24 0006	107	110	106	0.73 66	0.34 107	0.71 54	0.92 111	0.43 113	0.89 64	1.00 104	-0.40 48	1.12 99	0.90 55	1.49 103	0
414	CIDF 25 0072 109873901	5.28	BS BS 22 1004 22 0038	107	101	107	0.75 64	0.13 107	0.50 42	0.19 103	0.14 108	0.23 62	0.07 96	0.20 34	0.45 101	-0.05 46	-6.35 99	0

Ewe Selection list: LMI

Animals are sorted on LMI

*Inbreeding in red is high

EBV - Estimated Breeding Value

Indices above 124
Bokant rasgemiddeld
Indices below 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal		Parents		Selection Indices			EBV - Weights							EBV - Fertility				
Animal ID	% In-breeding	Sire ID	Dam ID	Logix Merit Index	Growth Index	Reproduction Index	PreW Dir	PreW Mat	PreW Comb	Wean Dir	Wean Mat	Wean Comb	Post Wean	Lambs Weaned	TWW	AFL	ILP	EPI Times Lambed
Comp.no.							EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Acc	EBV Index	EBV Acc	EBV Index	Phenotype
Active breed average:				100	100	100	0.30	0.05	0.20	0.51	0.09	0.35	0.24	0.12	0.67	0.32	0.62	
415 P 23 0115 97740351	8.75	P 21 0151 P 19 0492		106	98	109	-0.05 47 94	0.05 34 100	0.02 95	0.44 47 99	0.15 30 102	0.37 100	0.29 23 100	3.60 28 113	2.75 36 112	-5.56 31 118	1.85 26 97	1
416 CIDF 25 0124 110259900	5.93	BS 22 1004 BS 23 0070		106	106	109	0.27 64 99	0.30 41 109	0.43 106	0.91 62 104	0.33 35 108	0.79 107	0.44 14 102	-0.40 33 99	1.00 45 102	1.57 38 96	-4.42 24 112	1
417 BS 22 0170 95788899	6.80	BS 19 0120 BS 18 0031		106	98	105	0.36 69 101	-0.05 62 96	0.13 98	0.60 67 101	-0.10 55 94	0.20 97	0.41 24 102	2.80 54 110	2.18 59 108	-4.22 49 114	-1.04 41 104	120 4
418 BS 22 0038 94216900	1.85	MW 16 0051 BS 19 0558		106	94	112	-0.15 71 93	0.16 62 104	0.08 97	-0.23 69 91	0.09 54 100	-0.02 93	-0.66 21 89	2.60 51 109	1.42 59 104	-0.37 43 102	-9.27 39 124	130 4
419 BS 25 0050 112600101	4.81	BS 23 0200 BS 21 0262		106	102	112	-0.26 57 91	0.50 41 116	0.37 104	0.12 56 95	0.52 35 115	0.58 104	-0.25 24 94	2.90 32 110	2.38 42 110	2.82 31 92	1.00 24 99	0
420 CIDF 26 0184 112725197	14.50	BS 23 0117 P 23 0084		106	91	112	-0.70 59 84	0.25 30 107	-0.10 92	-0.48 57 89	0.22 25 104	-0.03 93	-1.01 15 86	6.80 23 125	3.81 37 117	-1.45 24 105	2.45 21 95	0
421 BS 22 0127 94244969	4.32	BS 19 0120 BS 19 0397		106	101	105	0.51 65 103	-0.04 54 97	0.22 100	0.88 64 104	-0.04 49 96	0.40 101	0.69 20 105	1.70 46 106	1.86 54 107	0.32 48 100	-3.04 37 109	2
422 CIDF 26 0124 112688650	3.16	ROS 24 0155 H 24 0015		106	106	103	0.62 46 105	0.13 35 103	0.44 106	0.95 45 104	0.23 31 105	0.71 106	0.20 32 99	1.60 29 106	2.14 36 108	1.24 24 97	4.56 22 90	0
423 BS 23 0058 96911268	5.05	BS 21 0222 BS 21 0560		106	84	115	-0.62 65 85	0.05 54 100	-0.26 88	-0.96 64 83	-0.10 47 94	-0.58 83	-1.09 18 85	5.40 45 120	2.18 53 108	-2.58 43 109	-11.92 33 131	95 2
424 CIDF 26 0406 113775829	4.69	BS 23 0144 JC 24 0180		106	114	105	0.60 50 105	0.28 33 108	0.58 110	1.74 49 113	0.37 28 110	1.25 116	1.24 20 111	-1.70 25 94	1.10 35 102	-0.16 24 101	1.69 19 97	0
425 CIDF 26 0405 113776066	4.69	BS 23 0144 JC 24 0180		106	114	105	0.60 50 105	0.28 33 108	0.58 110	1.74 49 113	0.37 28 110	1.25 116	1.24 20 111	-1.70 25 94	1.10 35 102	-0.16 24 101	1.69 19 97	0
426 WG 25 0091 109220335	2.89	BS 23 0394 WG 23 0152		106	100	108	0.07 61 96	0.04 38 100	0.07 97	0.76 60 102	0.07 33 99	0.45 101	0.30 52 100	2.20 32 108	2.15 43 108	-0.96 28 104	-2.68 24 108	0
427 BS 22 0221 95789178	6.18	BS 18 0144 BS 19 0144		106	101	113	-0.23 66 91	0.41 56 113	0.29 102	0.07 64 95	0.45 49 113	0.49 102	-0.18 18 95	2.60 46 109	2.08 54 108	3.79 40 89	-2.72 34 108	91 1
428 CIDF 26 0186 112725213	3.34	ROS 24 0155 BS 24 0074		106	112	103	0.90 45 109	0.19 29 105	0.64 111	1.37 44 109	0.36 25 109	1.04 112	0.52 25 103	-1.20 25 96	1.01 32 102	2.29 23 94	2.56 17 95	0
429 P 23 0248 97753511	7.77	P 21 0072 DTC 17 1325		106	98	107	0.58 56 104	-0.07 41 96	0.22 100	0.23 54 97	0.07 36 99	0.19 97	1.94 34 119	3.30 38 112	2.28 43 109	-4.71 32 115	-0.15 30 102	98 2
430 WW 25 0033 108796848	3.21	WW 23 0090 BS 20 0060		106	100	105	0.55 59 104	0.08 40 101	0.36 104	0.38 57 98	0.08 35 100	0.27 98	-0.05 24 97	1.20 32 104	1.17 43 103	0.84 27 98	-3.80 26 111	0
431 CIDF 26 0063 112274022	1.77	AAA 05 0003 GW 21 0093		106	103	114	-0.45 66 88	0.58 54 119	0.36 104	0.14 65 96	0.58 51 117	0.65 105	0.02 50 97	0.10 47 100	0.78 55 101	-6.46 44 121	-3.45 42 110	0
432 GW 25 0240 109181677	6.00	DTC 05 0056 GW 22 0005		106	95	107	-0.12 64 93	-0.20 46 91	-0.26 88	0.90 62 104	-0.18 40 91	0.27 98	0.39 39 102	3.90 37 114	3.06 48 113	-2.07 32 107	-2.77 31 108	0

Ewe Selection list: LMI

Animals are sorted on LMI

*Inbreeding in red is high

EBV - Estimated Breeding Value

Indices above 124
Bokant rasgemiddeld
Indices below 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal		Parents		Selection Indices			EBV - Weights							EBV - Fertility				
Animal ID	% In-breeding	Sire ID	Dam ID	Logix Merit Index	Growth Index	Reproduction Index	PreW Dir	PreW Mat	PreW Comb	Wean Dir	Wean Mat	Wean Comb	Post Wean	Lambs Weaned	TWW	AFL	ILP	EPI Times Lambed
Comp.no.							EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Acc	EBV Index	EBV Acc	EBV Index	Phenotype
Active breed average:				100	100	100	0.30	0.05	0.20	0.51	0.09	0.35	0.24	0.12	0.67	0.32	0.62	
433 WH 23 0071 98018476	3.63	RC WH	20 16 0059 0043	106	96	113	-0.22 69	0.24 92	0.13 98	-0.13 67	0.25 49	0.19 106	-0.05 28	1.90 46	1.26 107	-1.12 55	-8.24 103	118 3
434 CIDF 25 0251 111894770	4.04	BS LR	23 24 0428 0087	106	103	105	0.55 57	-0.04 104	0.23 101	0.99 55	0.04 31	0.53 103	0.77 20	1.10 29	1.69 104	-1.08 40	-1.29 106	0
435 BS 22 0108 95778262	6.19	BS BS	19 21 0120 0009	106	112	105	0.48 65	0.27 103	0.51 108	1.61 64	0.33 49	1.14 108	1.23 19	-1.20 46	1.22 54	0.45 103	0.74 43	1
436 BS 22 0319 95778528	6.81	BS BS	20 20 0232 0351	106	93	113	-0.14 64	0.17 93	0.10 97	-0.47 62	0.17 38	-0.06 103	-0.34 19	3.30 37	1.68 112	1.48 47	-8.03 106	100 2
437 CIDF 26 0403 113775811	6.04	BS BS	24 22 0424 0162	106	108	106	0.52 50	0.26 103	0.52 108	0.91 49	0.36 104	0.81 37	0.71 109	0.40 35	1.51 101	1.77 41	1.55 105	0
438 CIDF 25 0183 110319647	4.79	BS BS	19 23 0120 0173	106	107	110	-0.03 65	0.38 95	0.37 104	1.03 64	0.38 48	0.89 110	0.66 18	-0.60 45	1.05 98	0.36 53	-4.22 102	0
439 BS 22 0168 95788931	9.44	BS BS	18 19 0144 0468	106	106	108	0.27 66	0.25 99	0.38 105	0.86 65	0.38 103	0.81 50	0.38 110	0.50 46	1.54 102	1.66 55	-0.12 105	91 1
440 GW 21 0093 91668871	6.64	GW GW	19 17 0012 0186	106	101	106	0.44 73	0.20 102	0.42 63	0.06 106	0.31 71	0.34 95	0.10 55	1.70 51	1.40 106	-5.64 60	2.75 36	136 5
441 BS 22 0030 94217049	8.11	BS BS	19 19 0120 0541	106	98	107	0.26 70	-0.02 99	0.12 98	0.55 68	0.00 100	0.28 56	0.40 97	2.70 51	2.17 110	1.53 59	-2.98 108	98 3
442 EL 21 0007 92037738	5.87	BS EL	17 19 0111 0083	106	91	105	0.32 69	-0.14 100	0.02 95	-0.23 68	-0.19 91	-0.30 58	-0.42 88	5.20 55	2.70 119	1.37 61	-2.33 111	138 6
443 CS 26 0501 113856488	10.53	BS BS	24 23 0424 0173	106	111	106	0.63 47	0.30 105	0.61 40	1.18 109	0.43 111	1.02 47	0.86 107	-2.10 33	0.35 92	0.90 39	-2.00 98	0
444 DTC 18 0620 82575630	7.94	JC DTC	15 13 0077 0078	106	107	112	0.06 72	0.78 96	0.81 65	-0.25 127	0.84 71	0.72 57	-0.29 126	0.50 57	0.90 102	7.14 62	-1.00 101	131 8
445 BS 22 0482 95353629	4.13	BS BS	19 19 0636 0176	105	105	112	-0.01 68	0.47 95	0.46 56	0.39 115	0.53 66	0.72 48	-0.24 115	-1.50 43	0.01 95	-0.59 54	-6.77 97	96 1
446 CIDF 26 0305 112863386	4.95	BS P	22 22 1004 0289	105	105	105	0.40 51	0.09 101	0.29 35	1.20 101	0.16 102	0.76 50	1.02 107	0.80 30	1.84 103	-0.37 38	0.71 107	0
447 ROS 24 0043 98978448	6.34	WW ROS	22 22 0081 0111	105	98	105	0.60 58	-0.41 105	-0.11 42	1.17 83	-0.32 92	0.26 57	0.33 107	0.30 35	1.03 101	0.93 43	-10.90 102	113 2
448 CIDF 26 0306 112863444	2.35	BS LR	23 24 0602 0127	105	101	103	0.64 54	-0.11 105	0.21 33	0.77 94	-0.02 100	0.36 52	0.59 102	1.70 24	1.77 106	-3.49 36	1.19 112	0
449 BS 21 0242 91764084	2.72	MW BS	16 19 0051 0196	105	94	116	-0.72 66	0.32 84	-0.04 56	-0.20 110	0.26 94	0.16 49	-0.52 106	1.90 47	1.20 107	-0.27 55	-11.69 103	88 3
450 BS 21 0520 93382901	5.76	BS BS	17 19 0111 0580	105	103	106	0.00 68	0.27 95	0.27 62	0.68 108	0.27 67	0.61 106	0.15 104	2.40 50	2.39 109	1.49 59	2.78 110	95 2

Ewe Selection list: LMI

Animals are sorted on LMI

*Inbreeding in red is high

EBV - Estimated Breeding Value

Indices above 124
Bokant rasgemiddeld
Indices below 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal			Parents		Selection Indices			EBV - Weights								EBV - Fertility					
Animal ID	% In-breeding		Sire ID		Logix Merit Index	Growth Index	Reproduction Index	PreW Dir	PreW Mat	PreW Comb	Wean Dir	Wean Mat	Wean Comb	Post Wean	Lambs Weaned	TWW	AFL	ILP	EPI Times Lambed		
Comp.no.			Dam ID					EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	Phenotype	
Active breed average:					100	100	100	0.30	0.05	0.20	0.51	0.09	0.35	0.24	0.12	0.67	0.32	0.62			
451	BS 22 0561 95354163	8.08	BS 19 0342 BS 18 0226		105	95	108	-0.08 68	-0.09 94	-0.13 91	0.43 68	-0.04 96	0.18 97	-0.07 27	96	2.80 53	2.07 110	-3.55 47	-3.61 112	108 2	
452	BS 21 0174 91763466	10.76	MW 16 0051 BS 19 0659		105	98	107	-0.14 73	-0.09 93	-0.15 91	0.96 72	0.00 105	0.48 102	0.30 20	100	2.90 51	2.70 110	-1.28 45	-0.87 105	144 5	
453	BS 22 0506 95354684	6.71	BS 19 0120 BS 17 0078		105	109	105	0.42 69	0.14 102	0.35 104	1.60 68	0.17 112	0.97 52	0.97 103	111	-0.50 50	1.47 98	3.99 58	-1.59 105	1	
454	BS 24 0573 99871964	7.03	BS 19 0349 BS 23 0310		105	106	104	0.51 66	0.36 103	0.61 111	0.60 65	0.33 101	0.62 51	0.35 108	105	0.00 49	0.92 100	-1.35 56	2.16 102	96 2	
455	CIDF 26 0050 112247929	3.00	AAA 05 0003 GW 21 0001		105	106	118	-0.90 65	0.98 81	0.53 108	0.02 64	0.97 49	0.98 130	-0.26 111	50	-1.50 45	0.09 95	-3.21 54	-4.80 42	113 0	
456	CIDF 26 0163 112723911	3.94	BS 22 1004 P 21 0140		105	106	99	0.75 52	-0.19 107	0.19 100	1.72 52	-0.08 113	0.78 32	1.24 94	107	1.10 32	2.30 104	-1.73 40	4.75 109	0	
457	CIDF 25 0306 111905915	7.37	P 21 0288 P 22 0157		105	102	99	1.21 53	-0.29 114	0.32 103	0.84 52	-0.14 103	0.28 31	1.27 92	99	1.80 27	1.78 107	-2.35 38	2.69 106	0	
458	BS 22 0198 95788998	3.77	BS 18 0144 BS 19 0491		105	97	113	-0.29 67	0.21 90	0.06 96	0.08 66	0.29 95	0.33 52	-0.42 107	99	2.50 49	1.87 109	5.81 57	-6.80 107	133 3	
459	H 22 0033 101369031	5.44	EL 09 0086 - - -		105	96	116	-0.65 44	0.99 85	0.66 112	-1.74 43	0.90 75	0.03 37	-2.21 128	94	2.30 27	0.54 108	1.73 37	-3.05 96	100 3	
460	BS 24 0122 109119198	10.16	BS 21 0366 BS 19 0422		105	103	111	0.25 65	0.50 99	0.62 111	-0.33 63	0.61 90	0.45 39	-0.45 118	102	0.30 37	0.47 101	3.70 48	-3.40 99	97 1	
461	CIDF 26 0319 112866009	2.59	BS 23 0117 P 22 0016		105	87	108	-0.52 58	-0.09 87	-0.35 86	-0.29 57	-0.12 91	-0.26 27	-0.39 93	89	7.30 24	3.97 126	-3.54 38	1.80 118	0	
462	CIDF 26 0437 113801351	8.14	BS 24 0424 BS 22 0481		105	111	101	0.87 50	0.03 109	0.47 107	1.77 49	0.19 113	1.07 35	1.26 103	113	-1.20 34	1.24 96	2.76 40	1.79 103	0	
463	CIDF 26 0497 113802276	7.32	BS 24 0424 BS 23 0272		105	108	103	0.70 49	0.07 106	0.42 105	1.34 48	0.21 109	0.89 34	1.04 104	109	-0.60 32	1.20 98	0.18 39	1.31 103	0	
464	CIDF 26 0029 112247507	2.81	MW 15 0052 EL 21 0007		105	97	105	0.09 66	-0.17 97	-0.12 91	0.71 65	-0.06 102	0.29 54	0.12 95	99	4.10 52	3.11 115	1.36 58	1.25 113	0	
465	CIDF 25 0149 110300696	2.29	HS 88 0125 BS 22 0802		105	80	118	-1.28 62	0.12 75	-0.52 81	-1.21 61	0.01 81	-0.60 41	-1.30 97	83	6.60 33	2.76 124	-0.94 47	-12.11 112	0	
466	CIDF 25 0073 110383601	4.21	BS 22 1004 LR 24 0099		105	105	102	0.45 62	-0.11 102	0.11 98	1.71 61	-0.04 113	0.81 33	1.06 96	108	0.20 31	1.79 101	-2.49 43	0.77 106	1	
467	CIDF 25 0190 110308822	6.95	BS 19 0120 BS 22 0739		105	106	103	0.51 66	-0.03 103	0.23 100	1.62 64	-0.03 112	0.78 47	1.26 96	107	-0.10 44	1.53 100	0.53 53	-1.51 105	0	
468	DTC 16 0324 77897395	5.02	KR 12 0051 DTC 14 0348		105	98	113	-0.14 70	0.63 93	0.56 109	-1.09 68	0.67 82	0.12 55	-0.47 120	96	1.50 50	0.48 105	-3.27 59	-2.59 99	95 4	

Ewe Selection list: LMI

Animals are sorted on LMI

*Inbreeding in red is high

EBV - Estimated Breeding Value

Indices above 124
Bokant rasgemiddeld
Indices below 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal		Parents		Selection Indices			EBV - Weights								EBV - Fertility					
Animal ID	% In-breeding	Sire ID	Dam ID	Logix Merit Index	Growth Index	Reproduction Index	PreW Dir	PreW Mat	PreW Comb	Wean Dir	Wean Mat	Wean Comb	Post Wean	Lambs Weaned	TWW	AFL	ILP	EPI Times Lambed		
Comp.no.							EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	Phenotype	
Active breed average:				100	100	100	0.30	0.05	0.20	0.51	0.09	0.35	0.24	0.12	0.67	0.32	0.62			
469	BS 23 0163 99212243	6.31	BS 21 0222 BS 19 0186	105	96	113	-0.36 68	0.27 89	0.09 97	-0.01 66	0.25 94	0.25 51	-0.20 23	0.90 49	0.78 103	-2.16 44	-8.96 108	119	3	
470	HL 25 0088 109147272	4.09	GW 23 0088 HL 21 0008	105	104	105	0.52 64	-0.06 43	0.20 100	1.25 63	0.05 36	0.67 105	1.93 55	1.10 35	1.96 46	1.35 32	-1.38 97	105	0	
471	CIDF 25 0266 111894986	6.09	BS 23 0200 BS 22 0059	104	96	110	-0.62 64	0.10 85	-0.21 89	0.76 63	0.05 35	0.43 101	0.45 18	3.50 33	2.91 45	-1.69 32	-1.80 106	106	0	
472	P 21 0073 91901660	6.59	DTC 18 0795 P 19 0396	104	100	93	1.51 65	-0.63 119	0.13 98	1.36 64	-0.47 45	0.21 97	0.63 48	2.60 40	2.45 51	1.99 38	4.61 95	114	4	
473	CIDF 26 0044 112247911	1.57	AAA 05 0003 GW 23 0041	104	92	116	-1.10 66	0.51 78	-0.05 93	-0.60 65	0.40 51	0.10 95	-0.87 50	3.40 46	1.84 55	-3.22 46	-5.56 111	115	0	
474	CIDF 26 0280 112809454	6.01	JC 24 0039 BS 22 0170	104	101	103	0.53 48	0.17 103	0.43 39	0.30 47	0.17 35	0.32 99	0.29 20	1.40 33	1.31 105	-2.70 30	2.38 109	95	0	
475	BS 23 0250 97119515	9.06	BS 21 0235 BS 19 0728	104	102	106	0.11 60	0.19 97	0.25 101	0.59 59	0.26 36	0.56 103	-0.02 12	1.70 36	1.87 45	1.29 31	1.55 97	104	2	
476	P 21 0190 92169358	6.03	DTC 18 0679 DTC 18 0706	104	94	100	0.62 63	-0.39 105	-0.08 93	0.54 62	-0.30 46	-0.02 93	0.97 44	4.30 46	2.83 52	-7.59 112	4.74 44	84	4	
477	CIDF 25 0136 110259959	1.58	HS 88 0125 BS 22 0061	104	76	119	-1.60 63	0.14 70	-0.66 77	-1.56 62	-0.07 42	-0.85 79	-1.40 20	8.90 34	3.71 48	-0.49 117	-10.15 35	127	0	
478	CIDF 26 0143 112688163	2.49	BS 23 0139 P 22 0273	104	94	103	0.26 54	-0.17 99	-0.04 94	0.29 52	-0.14 31	0.01 94	-0.05 17	3.80 28	2.43 114	-2.89 38	1.10 28	99	0	
479	CIDF 25 0207 110318276	8.86	BS 22 1004 BS 23 0038	104	107	108	-0.01 62	0.24 95	0.24 101	1.34 60	0.33 34	0.99 111	0.76 13	-1.50 31	0.76 43	0.22 101	-4.11 37	112	1	
480	CIDF 25 0071 109873877	5.28	BS 22 1004 BS 22 0038	104	100	108	0.05 64	0.16 96	0.19 100	0.50 62	0.15 36	0.40 101	0.10 14	0.20 34	0.77 46	-0.05 101	-6.35 33	117	0	
481	H 24 0031 99925844	5.52	JES 06 0026 EL 19 0136	104	96	113	-0.49 64	0.68 87	0.44 106	-1.16 64	0.68 50	0.10 95	-1.17 42	1.60 48	0.48 55	-4.42 99	-2.38 40	107	2	
482	CIDF 26 0003 112236906	9.48	BS 20 0232 BS 17 0078	104	105	109	0.01 68	0.26 95	0.26 101	1.05 67	0.32 42	0.85 109	0.39 21	-1.40 39	0.53 51	4.14 99	-7.22 36	119	0	
483	GW 25 0443 109117721	5.84	HW 22 0079 GW 23 0136	104	105	105	0.12 62	0.22 97	0.28 102	0.91 61	0.28 34	0.74 107	0.79 45	1.20 30	1.91 43	-1.16 107	3.59 30	92	0	
484	BS 19 0090 83156323	3.58	BS 17 0014 AAA 14 0057	104	106	104	0.42 72	0.12 102	0.33 103	1.08 70	0.22 56	0.76 107	0.36 20	0.00 53	1.30 61	3.96 43	-0.37 89	117	6	
485	P 23 0210 97742654	7.22	P 19 0355 P 19 0493	104	103	110	-0.14 59	0.41 93	0.34 103	0.25 60	0.52 35	0.65 105	-0.07 23	-0.30 37	0.59 45	-4.09 100	-1.20 37	104	1	
486	CIDF 26 0343 113764856	4.03	BS 23 0144 LR 23 0015	104	109	104	0.45 51	-0.03 102	0.19 100	1.91 50	0.13 32	1.09 113	1.76 19	-1.30 31	1.26 39	0.03 103	-0.94 28	104	0	

Ewe Selection list: LMI

Animals are sorted on LMI

*Inbreeding in red is high

EBV - Estimated Breeding Value

Indices above 124
Bokant rasgemiddeld
Indices below 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal		Parents		Selection Indices			EBV - Weights							EBV - Fertility				
Animal ID	% In-breeding	Sire ID	Dam ID	Logix Merit Index	Growth Index	Reproduction Index	PreW Dir	PreW Mat	PreW Comb	Wean Dir	Wean Mat	Wean Comb	Post Wean	Lambs Weaned	TWW	AFL	ILP	EPI Times Lambed
Comp.no.							EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Acc	EBV Index	EBV Acc	EBV Index	Phenotype
Active breed average:				100	100	100	0.30	0.05	0.20	0.51	0.09	0.35	0.24	0.12	0.67	0.32	0.62	
487	GW 25 0468 109180943	2.14	SEC GW 10 0003 22 0261	104	102	111	-0.66 62 85	0.48 49 116	0.15 99	0.50 62 99	0.46 43 113	0.71 106	-0.39 38 93	-0.50 40 98	0.66 50 100	-6.02 32 119	-3.19 34 109	1
488	CIDF 26 0036 112247572	1.41	AAA GW 05 0003 23 0036	104	105	109	-0.29 63 91	0.33 52 110	0.18 99	1.09 63 106	0.35 49 109	0.90 109	0.56 49 103	-0.90 46 97	0.90 54 101	-2.91 45 110	-2.86 42 109	0
489	CS 26 0600 114021454	2.66	BS ROS 23 0139 25 0077	104	91	110	-0.60 48 86	0.13 34 103	-0.17 90	-0.25 47 91	0.10 29 100	-0.02 93	-0.71 26 89	4.70 27 117	2.67 35 111	0.48 26 100	-2.52 19 108	0
490	P 22 0016 93618577	15.51	P DTC 20 0313 17 1025	104	88	96	0.89 54 109	-0.80 50 69	-0.35 86	0.54 53 100	-0.74 42 72	-0.47 85	0.74 21 106	6.50 37 124	3.70 45 117	-3.01 34 110	3.33 35 93	95 4
491	CS 26 0608 114021413	3.34	BS CIDF 24 0424 25 0054	104	99	107	0.11 47 97	0.31 37 110	0.37 104	-0.20 46 92	0.33 35 108	0.23 98	-0.27 28 94	2.00 32 107	1.33 39 104	0.67 31 99	0.18 28 101	0
492	P 22 0169 95171112	6.47	P P 19 0355 19 0567	104	110	99	0.12 58 97	0.07 39 101	0.12 98	2.08 61 117	0.24 34 105	1.29 116	1.18 23 111	2.00 36 107	3.53 45 116	-4.43 41 114	16.05 35 64	95 4
493	BS 22 0267 95351961	7.92	BS BS 19 0120 18 0109	104	93	103	0.00 70 95	-0.26 63 89	-0.26 88	0.67 69 101	-0.32 57 86	0.01 94	0.36 24 101	4.70 53 117	3.17 61 114	-0.41 51 102	0.01 42 101	97 4
494	P 22 0102 95170056	6.10	P P 19 0355 19 0512	103	105	100	0.99 61 111	-0.12 44 94	0.38 104	1.13 62 106	0.02 37 98	0.59 104	1.11 25 110	-1.10 37 96	0.49 47 99	-3.14 39 111	0.14 34 101	102 3
495	ROS 24 0158 100574433	7.32	ROS ROS 22 0090 20 0004	103	111	95	1.17 58 113	0.10 38 102	0.68 112	1.44 56 110	0.19 32 103	0.91 110	1.41 42 113	0.60 35 102	1.99 42 107	1.28 25 97	12.39 23 71	97 1
496	CIDF 25 0084 109873885	4.37	BS LR 22 1004 22 0027	103	110	98	0.64 64 105	-0.31 41 87	0.01 95	2.74 62 124	-0.15 35 92	1.22 115	2.19 16 122	-1.00 34 96	1.99 45 107	-2.04 33 107	3.09 25 94	0
497	CIDF 25 0139 110260098	6.93	DTC HN 23 0062 23 0048	103	113	99	1.00 59 111	0.10 36 102	0.60 110	1.84 58 114	0.18 30 103	1.10 113	1.61 38 115	-3.10 27 89	0.16 40 97	-0.59 22 103	1.17 23 98	0
498	BS 22 0215 95788394	9.57	BS BS 19 0120 20 0065	103	104	101	0.40 66 101	0.00 59 98	0.20 100	1.43 65 110	-0.03 53 96	0.68 106	1.14 25 110	0.60 49 102	1.75 57 106	-0.84 49 104	1.94 39 97	1
499	CIDF 25 0135 112113774	3.26	GW BS 23 0107 22 0926	103	100	105	-0.01 49 95	0.15 34 104	0.14 98	0.46 48 99	0.21 31 104	0.44 101	-1.21 27 83	-0.60 31 98	0.31 38 98	-3.59 27 112	-3.40 24 110	0
500	CIDF 24 0004 106978372	6.84	BS BS 21 0362 22 0038	103	104	107	0.10 60 97	0.30 39 109	0.35 104	0.61 57 101	0.36 34 109	0.67 105	0.01 13 97	-1.20 36 96	0.25 43 98	0.47 33 100	-4.20 23 112	100 1
501	CIDF 25 0148 110300753	2.92	MW BS 00 0081 22 0481	103	97	106	-0.07 65 94	0.09 52 102	0.06 96	0.29 64 97	0.13 48 101	0.27 98	-0.30 25 94	2.10 45 108	1.68 53 106	1.95 41 95	-2.36 39 107	0
502	CIDF 26 0390 113775696	8.22	BS BS 24 0424 24 0564	103	106	102	0.42 48 102	0.10 39 102	0.31 103	1.25 48 108	0.17 36 103	0.79 108	0.88 23 107	0.00 34 100	1.42 40 104	-0.80 33 103	3.16 28 94	0
503	CIDF 26 0271 112809538	2.90	ROS CIDF 24 0155 24 0004	103	110	101	0.72 44 106	0.16 28 104	0.52 108	1.29 43 108	0.30 24 107	0.95 110	0.32 25 101	-2.20 24 92	0.27 31 98	2.36 21 94	0.89 16 99	0
504	CIDF 26 0152 112708961	2.46	BS P 23 0139 21 0186	103	99	105	0.24 44 99	0.10 31 102	0.23 100	0.20 43 96	0.16 28 102	0.26 98	0.55 23 103	1.40 27 105	1.20 34 103	-2.11 26 107	-1.21 22 104	0

Ewe Selection list: LMI

Animals are sorted on LMI

*Inbreeding in red is high

EBV - Estimated Breeding Value

Indices above 124
Bokant rasgemiddeld
Indices below 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal		Parents		Selection Indices			EBV - Weights								EBV - Fertility					
Animal ID	% In-breeding	Sire ID	Dam ID	Logix Merit Index	Growth Index	Reproduction Index	PreW Dir	PreW Mat	PreW Comb	Wean Dir	Wean Mat	Wean Comb	Post Wean	Lambs Weaned	TWW	AFL	ILP	EPI Times Lambed		
Comp.no.							EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	Phenotype	
Active breed average:				100	100	100	0.30	0.05	0.20	0.51	0.09	0.35	0.24	0.12	0.67	0.32	0.62			
505	BS 22 0102 94244787	8.61	BS 19 0120 BS 19 0308	103	97	104	0.01 69	-0.18 95	-0.17 92	1.00 68	-0.19 105	0.31 55	0.64 90	2.40 51	2.25 109	0.38 48	-2.78 100	101	2	
506	CIDF 26 0293 112881297	2.33	BS 23 0117 P 21 0047	103	90	106	-0.14 60	-0.08 93	-0.15 91	-0.26 59	-0.07 91	-0.20 28	-0.42 95	3.90 25	2.01 114	-4.15 39	-1.96 107	106	0	
507	ROS 24 0111 100111939	18.72	DTC 22 0101 DTC 22 0501	103	117	99	0.87 61	0.36 109	0.79 39	1.80 111	0.47 60	1.37 114	1.47 33	-4.50 31	-0.43 84	-4.14 43	4.65 94	90	1	
508	JC 24 0180 107140311	2.95	BS 21 0486 JC 22 0229	103	113	98	0.90 64	0.31 109	0.76 47	1.26 110	0.39 63	1.02 108	0.88 40	-2.20 35	0.33 92	-0.59 48	6.26 98	107	1	
509	CIDF 24 0013 100310622	3.15	BS 21 0362 JC 22 0084	103	112	103	0.80 59	0.38 108	0.78 39	0.88 112	0.53 57	0.97 104	1.03 33	-2.30 35	0.04 92	1.66 43	2.42 97	103	1	
510	CIDF 25 0137 110259892	1.58	HS 88 0125 BS 22 0061	103	74	117	-1.52 63	0.15 71	-0.61 47	-1.99 104	-0.07 79	-1.06 62	-1.67 72	8.90 34	3.29 132	-0.49 48	-10.15 114	127	0	
511	WW 24 0013 99994741	4.35	WW 22 0004 WW 18 0101	103	105	103	0.41 63	0.36 102	0.57 45	0.28 112	0.41 109	0.55 61	0.12 97	1.80 37	1.77 107	5.00 47	6.05 106	86	1	
512	CIDF 26 0308 112863436	4.07	BS 22 1004 P 22 0169	103	109	102	0.10 53	0.12 97	0.17 34	1.81 103	0.22 99	1.13 53	1.10 114	-0.10 29	1.98 100	-2.08 38	6.31 107	86	0	
513	CIDF 25 0205 110318375	3.57	BS 22 1004 LR 24 0077	103	94	105	-0.03 61	-0.10 95	-0.12 37	0.42 95	-0.10 60	0.11 99	0.13 94	2.30 31	1.70 108	-1.98 42	-3.31 106	110	0	
514	CIDF 25 0056 110383684	3.28	GW 23 0087 BS 22 0414	103	93	111	-0.42 61	0.42 88	0.21 36	-0.99 113	0.39 100	-0.10 60	-1.00 83	2.50 28	0.91 109	-0.14 41	-4.79 101	113	0	
515	CIDF 26 0320 112866066	2.59	BS 23 0117 P 22 0016	103	84	106	-0.43 58	-0.07 88	-0.28 33	-1.00 96	-0.11 87	-0.61 57	-0.86 83	7.30 24	3.27 126	-3.54 38	1.80 114	97	0	
516	CIDF 26 0243 112775952	3.21	ROS 24 0155 BS 24 0187	103	106	103	0.38 47	0.17 101	0.36 30	1.00 104	0.30 45	0.80 105	0.16 26	-1.50 26	0.40 95	0.71 33	-0.65 99	103	0	
517	BS 22 0739 95412706	8.21	BS 21 0068 BS 20 0006	103	106	102	0.54 65	0.06 104	0.33 54	1.31 100	0.12 103	0.78 63	0.78 108	-1.90 42	0.29 93	0.89 52	-2.86 98	109	94	4
518	CIDF 26 0420 113775902	2.32	BS 23 0602 WH 24 0012	103	107	97	1.09 45	-0.09 112	0.46 32	1.28 95	0.04 107	0.68 44	1.03 108	-1.40 28	0.48 95	-0.81 34	2.45 99	95	0	
519	CIDF 26 0005 112236898	9.48	BS 20 0232 BS 17 0078	103	103	108	0.06 68	0.27 96	0.30 48	0.63 108	0.33 102	0.64 67	0.11 101	-1.40 39	0.12 95	4.14 51	-7.22 97	119	0	
520	CIDF 25 0030 110260049	6.21	DTC 20 0229 ROS 20 0087	102	87	107	-0.46 63	-0.03 88	-0.26 43	-0.50 97	-0.06 88	-0.31 63	-1.03 89	5.20 34	2.56 119	-0.12 46	-2.25 110	107	0	
521	P 22 0186 95171419	9.56	P 19 0355 P 20 0291	102	107	107	0.19 60	0.51 98	0.60 43	0.28 117	0.64 110	0.77 61	-0.01 97	-2.90 37	-0.83 89	-5.64 46	-0.93 92	104	103	3
522	BS 24 0187 108936261	7.74	BS 23 0200 BS 18 0226	102	97	112	-0.59 67	0.32 86	0.03 45	0.03 110	0.36 95	0.37 65	-0.30 94	0.20 41	0.50 101	-2.84 49	-7.29 99	120	101	1

Ewe Selection list: LMI

Animals are sorted on LMI

*Inbreeding in red is high

EBV - Estimated Breeding Value

Indices above 124
Bokant rasgemiddeld
Indices below 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal		Parents		Selection Indices			EBV - Weights							EBV - Fertility				
Animal ID	% In-breeding	Sire ID	Dam ID	Logix Merit Index	Growth Index	Reproduction Index	PreW Dir	PreW Mat	PreW Comb	Wean Dir	Wean Mat	Wean Comb	Post Wean	Lambs Weaned	TWW	AFL	ILP	EPI Times Lambed
Comp.no.							EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Acc	EBV Index	EBV Acc	EBV Index	Phenotype
Active breed average:				100	100	100	0.30	0.05	0.20	0.51	0.09	0.35	0.24	0.12	0.67	0.32	0.62	
523	CS 26 0553 113855944	2.44	BS DTC 23 0117 21 0201	102	95	106	-0.47 54 88	0.22 37 106	-0.01 94	-0.04 53 94	0.19 32 103	0.17 97	-0.69 31 89	3.60 31 113	2.30 40 109	-0.29 27 102	1.72 24 97	0
524	LR 23 0099 101725521	8.70	LR DTC 22 0008 17 0817	102	94	100	0.77 66 107	-0.43 46 82	-0.05 93	0.56 64 100	-0.36 39 85	-0.08 92	0.52 29 103	0.70 37 103	0.62 48 100	-2.19 37 108	-6.95 26 119	1
525	CIDF 26 0133 112688486	2.69	BS DTC 23 0117 19 0013	102	77	105	-0.67 56 85	-0.33 39 86	-0.66 77	-0.92 55 84	-0.44 33 82	-0.90 78	-1.04 31 85	9.60 32 135	4.40 41 121	-2.98 25 110	1.32 23 98	0
526	CIDF 25 0098 110383676	6.08	BS CIDF 23 0529 23 0009	102	101	103	0.58 57 104	0.23 36 107	0.52 108	0.04 56 94	0.22 31 104	0.24 98	0.04 12 97	-0.50 29 98	-0.05 40 96	1.69 27 96	-3.43 20 110	0
527	BS 23 0242 97119713	2.93	HL BS 20 0067 19 0623	102	107	101	0.47 68 102	0.06 57 101	0.30 102	1.41 66 109	0.21 49 104	0.91 110	1.07 26 109	-1.00 45 96	1.02 55 102	-0.72 40 103	2.65 33 95	107 2
528	BS 22 0059 94217023	12.46	BS BS 19 0120 19 0004	102	90	102	-0.24 68 91	-0.42 61 83	-0.54 81	0.95 67 104	-0.51 55 80	-0.03 93	0.77 25 106	5.10 52 118	3.51 59 116	-3.35 49 111	-0.09 41 102	91 2
529	BS 22 0294 95352209	8.97	BS BS 19 0342 18 0241	102	101	102	0.52 69 103	0.01 61 99	0.27 102	0.70 67 102	0.05 55 99	0.40 101	0.64 31 104	-0.30 52 99	0.57 59 100	-1.13 48 104	-1.89 44 106	106 3
530	LR 22 0076 94880903	7.94	LR LR 20 0055 20 0100	102	96	92	1.06 69 112	-0.66 61 74	-0.14 91	1.23 67 107	-0.54 52 79	0.08 95	1.67 25 116	4.90 46 118	3.63 56 116	-0.69 41 103	9.18 38 79	109 3
531	RN 24 0021 99751638	6.18	DTC LC 21 0091 17 0065	102	99	102	0.21 64 98	0.27 50 108	0.37 104	0.01 64 94	0.23 43 105	0.23 98	-0.05 28 96	2.10 34 108	1.50 49 105	0.30 30 100	3.82 32 92	100 2
532	CIDF 26 0465 113802573	9.10	BS BS 24 0424 22 0380	102	104	101	0.56 49 104	-0.07 39 96	0.21 100	1.27 49 108	0.02 35 98	0.66 105	1.04 23 109	-0.60 33 98	0.93 40 102	0.17 31 100	-0.33 26 102	0
533	CIDF 25 0074 110383486	4.21	BS LR 22 1004 24 0099	102	102	100	0.35 62 101	-0.09 39 95	0.09 97	1.28 61 108	-0.04 33 96	0.60 104	0.73 17 105	0.20 31 101	1.37 43 104	-2.73 32 109	2.13 24 96	0
534	HL 25 0013 107710832	7.31	HL HL 23 0074 22 0120	102	99	103	0.30 60 100	0.03 37 99	0.18 99	0.38 59 98	0.10 31 100	0.29 99	0.16 43 99	1.20 29 104	1.20 41 103	2.18 24 94	-1.12 23 104	0
535	BS 22 0513 95353926	3.98	BS BS 19 0342 18 0030	102	95	101	0.26 70 99	-0.21 63 91	-0.08 93	0.46 69 99	-0.16 56 92	0.07 95	0.00 24 97	2.90 53 110	2.04 60 108	0.33 49 100	0.72 43 100	97 4
536	BS 22 0733 95412649	17.41	BS BS 19 0342 15 0037	102	92	103	0.11 69 97	-0.18 61 92	-0.12 91	0.11 68 95	-0.20 55 90	-0.15 91	-0.01 35 97	1.90 53 107	1.05 60 102	-5.99 49 119	-4.14 42 112	111 4
537	EL 21 0026 93623502	4.89	EL EL 19 0086 19 0036	102	105	100	0.47 54 103	0.01 47 98	0.24 101	1.21 53 107	0.12 43 101	0.73 106	0.89 30 107	-0.20 40 99	1.21 46 103	-0.62 36 103	3.22 35 93	100 4
538	CIDF 25 0199 110308848	4.35	BS LR 22 1004 23 0096	102	109	98	0.65 62 105	-0.12 40 94	0.21 100	2.06 61 117	0.02 34 98	1.05 112	1.79 16 117	-1.10 31 96	1.41 44 104	-0.77 37 103	4.37 24 91	1
539	HN 23 0048 96393442	4.77	DTC HW 20 0249 21 0019	102	109	102	0.39 67 101	0.29 56 109	0.49 107	1.15 66 107	0.35 48 109	0.92 110	0.80 39 106	-2.80 40 90	-0.18 53 95	-1.99 32 107	-0.01 38 101	136 3
540	CS 26 0519 113855829	2.43	BS LR 24 0424 24 0077	102	94	100	0.46 48 102	-0.29 37 88	-0.06 93	0.47 47 99	-0.23 33 89	0.01 94	0.38 22 101	2.70 32 110	1.86 38 107	-1.48 29 105	0.54 26 100	0

Ewe Selection list: LMI

Animals are sorted on LMI

*Inbreeding in red is high

EBV - Estimated Breeding Value

Indices above 124
Bokant rasgemiddeld
Indices below 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal		Parents		Selection Indices			EBV - Weights							EBV - Fertility				
Animal ID	% In-breeding	Sire ID	Dam ID	Logix Merit Index	Growth Index	Reproduction Index	PreW Dir	PreW Mat	PreW Comb	Wean Dir	Wean Mat	Wean Comb	Post Wean	Lambs Weaned	TWW	AFL	ILP	EPI Times Lambed
Comp.no.							EBV Acc Index	EBV Acc Index	EBV Index	EBV Acc Index	EBV Acc Index	EBV Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	Phenotype
Active breed average:				100	100	100	0.30	0.05	0.20	0.51	0.09	0.35	0.24	0.12	0.67	0.32	0.62	
541	CS 26 0518 113856397	2.43	BS LR 24 0424 24 0077	102	94	100	0.46 48 102	-0.29 37 88	-0.06 93	0.47 47 99	-0.23 33 89	0.01 94	0.38 22 101	2.70 32 110	1.86 38 107	-1.48 29 105	0.54 26 100	0
542	CIDF 26 0136 112699889	3.12	BEZ BS 23 0002 22 0354	102	104	96	0.84 60 108	-0.13 42 94	0.29 102	1.22 58 107	-0.02 36 96	0.59 104	0.98 30 108	0.20 34 101	1.32 44 104	-0.35 28 102	4.90 25 89	0
543	P 21 0380 93108124	7.27	DTC DTC 18 0772 18 0963	102	85	94	0.62 57 105	-0.94 42 64	-0.64 78	0.70 56 102	-0.89 37 67	-0.53 84	-0.06 41 96	6.40 36 123	3.66 44 116	-0.26 36 102	1.35 35 98	2
544	CIDF 25 0095 109937664	8.39	BS BS 22 1004 22 0031	102	104	106	-0.05 64 94	0.39 43 112	0.37 104	0.64 62 101	0.38 38 110	0.70 106	0.62 21 104	-0.80 36 97	0.54 47 99	1.41 40 97	-1.96 30 106	1
545	JC 24 0230 107140766	9.74	JC JC 21 0043 22 0248	102	108	102	0.67 65 106	0.37 48 112	0.71 113	0.54 64 100	0.43 41 112	0.70 106	0.01 27 97	-3.10 38 89	-0.89 49 92	2.65 34 93	-2.28 28 107	1
546	BS 23 0095 96910567	2.36	HL BS 20 0067 18 0130	102	94	102	0.26 67 99	-0.22 55 90	-0.10 92	0.42 65 99	-0.15 48 92	0.07 95	0.40 28 102	2.40 45 109	1.72 54 106	-1.72 43 106	-0.94 32 104	92 1
547	CIDF 25 0179 110308780	6.02	BS BS 19 0120 23 0390	102	98	101	0.16 66 98	-0.04 53 97	0.04 96	0.76 65 102	-0.09 47 94	0.29 99	0.53 19 103	2.00 44 107	1.87 53 107	0.96 43 98	0.54 34 100	0
548	H 23 0004 99143133	2.64	BS WG 19 0467 19 0291	102	92	102	0.27 65 99	0.11 55 102	0.24 101	-0.73 63 86	0.06 47 99	-0.30 88	-0.25 43 94	3.20 44 112	1.25 52 103	-3.53 38 112	1.38 37 98	97 3
549	BS 24 0031 108943184	16.56	BS BS 23 0200 23 0026	102	95	109	-0.54 62 87	0.28 39 108	0.01 95	-0.09 61 93	0.26 32 106	0.21 97	-0.22 19 95	2.40 30 109	1.61 43 105	0.86 30 98	-2.63 22 108	0
550	GW 23 0105 97399539	7.96	GW GW 21 0154 17 0224	102	102	98	0.39 62 101	0.00 45 98	0.19 100	0.85 62 103	0.10 43 100	0.52 103	-1.81 43 76	-3.20 41 88	-0.97 50 91	-9.97 36 131	0.14 30 101	93 1
551	BS 22 0442 95350229	3.91	BS BS 19 0120 16 0237	102	98	103	0.09 63 97	0.01 56 99	0.06 96	0.64 62 101	0.00 51 97	0.33 99	0.26 20 100	1.50 48 105	1.55 55 105	1.90 48 95	-0.94 39 104	87 2
552	CIDF 24 0008 100310663	4.47	BS BS 21 0362 22 0294	102	103	105	0.31 58 100	0.27 39 108	0.42 106	0.41 56 99	0.34 34 109	0.55 103	0.17 17 99	-1.90 33 93	-0.39 42 94	-0.43 30 102	-3.78 26 111	1
553	CIDF 26 0286 112811435	4.08	BS DTC 23 0144 22 0364	102	102	99	0.58 49 104	-0.26 34 89	0.03 95	1.46 48 110	-0.20 28 90	0.53 103	1.06 29 109	0.10 28 100	1.32 36 104	1.82 22 95	-1.34 20 105	0
554	DTC 22 0126 95095816	4.89	DTC ROS 20 0249 20 0088	101	101	100	0.24 68 99	0.08 59 101	0.21 100	0.68 67 101	0.13 50 101	0.47 102	0.11 52 98	0.90 47 103	1.35 56 104	-1.05 33 104	3.77 37 92	101 3
555	CIDF 25 0218 110318292	4.40	BS BS 22 1004 23 0175	101	100	105	-0.08 62 94	0.24 38 107	0.21 100	0.34 60 98	0.23 32 105	0.41 101	-0.14 11 96	0.40 30 101	0.82 42 101	1.79 30 96	-2.08 23 107	0
556	CIDF 25 0080 109873794	4.61	BS LR 22 1004 23 0051	101	102	103	0.04 64 96	-0.07 41 96	-0.05 93	1.43 62 110	0.00 35 97	0.72 106	1.17 15 110	-0.30 32 99	1.25 45 103	-1.55 32 106	-1.68 24 106	0
557	CIDF 25 0258 111894820	2.97	GW BS 23 0087 24 0980	101	94	108	-0.49 62 87	0.23 37 107	-0.01 94	-0.09 61 93	0.20 31 104	0.16 96	-0.21 29 95	2.20 29 108	1.44 42 104	0.05 27 101	-3.03 23 109	0
558	CIDF 25 0111 110491511	2.48	BS LR 21 0617 22 0081	101	99	99	0.76 59 107	-0.17 41 92	0.21 100	0.57 57 100	-0.08 35 94	0.21 97	0.63 17 104	0.70 34 103	0.91 43 101	-0.27 36 102	0.26 26 101	1

Ewe Selection list: LMI

Animals are sorted on LMI

*Inbreeding in red is high

EBV - Estimated Breeding Value

Indices above 124
Bokant rasgemiddeld
Indices below 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal		Parents		Selection Indices			EBV - Weights							EBV - Fertility				
Animal ID	% In-breeding	Sire ID	Dam ID	Logix Merit Index	Growth Index	Reproduction Index	PreW Dir	PreW Mat	PreW Comb	Wean Dir	Wean Mat	Wean Comb	Post Wean	Lambs Weaned	TWW	AFL	ILP	EPI Times Lambed
Comp.no.							EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Acc	EBV Index	EBV Acc	EBV Index	Phenotype
Active breed average:				100	100	100	0.30	0.05	0.20	0.51	0.09	0.35	0.24	0.12	0.67	0.32	0.62	
559	CS 26 0679 114037807	4.42	BS ROS 23 0349 25 0072	101	99	104	0.05 45	0.12 96	0.14 30	0.50 103	0.15 25	0.40 102	-0.13 25	0.40 24	0.89 32	1.42 23	-1.85 97	0
560	CIDF 26 0447 113801567	2.61	BS CJW 23 0117 24 0013	101	94	103	-0.18 52	0.16 92	0.07 32	-0.13 104	0.12 27	0.06 101	-0.84 24	2.60 26	1.56 36	-1.78 22	2.25 106	0
561	CIDF 26 0284 112809512	3.93	BS HN 22 0155 23 0126	101	107	98	0.90 54	0.03 109	0.48 38	1.18 99	0.07 32	0.66 105	0.80 21	-2.70 32	-0.37 40	0.76 94	-1.74 31	0
562	CS 26 0520 113899942	3.93	BS HN 22 0155 23 0126	101	107	98	0.90 54	0.03 109	0.48 38	1.18 99	0.07 32	0.66 105	0.80 21	-2.70 32	-0.37 40	0.76 94	-1.74 31	0
563	LR 23 0058 101724920	11.71	LR DTC 22 0008 17 1317	101	107	79	2.14 66	-1.06 129	0.02 53	3.20 64	-0.90 44	0.70 106	2.49 31	0.30 40	2.48 51	-5.30 110	13.97 28	92 1
564	CIDF 25 0085 109873893	4.37	BS LR 22 1004 22 0027	101	106	96	0.67 64	-0.29 106	0.04 41	2.10 88	-0.15 35	0.90 92	1.75 16	-1.00 34	1.35 45	-2.04 33	3.09 107	0
565	BS 23 0181 99256174	2.36	HL BS 20 0067 19 0369	101	100	109	-0.57 67	0.47 86	0.19 54	0.07 116	0.47 65	0.50 100	-0.12 24	1.00 44	1.14 53	2.52 103	-1.73 41	93 1
566	EL 20 0044 89404883	5.98	EL EL 18 0040 15 0219	101	99	107	-0.05 57	0.32 94	0.30 50	-0.15 110	0.37 56	0.29 42	-0.86 99	-2.20 44	-1.11 92	-3.35 48	-7.58 90	4
567	CIDF 26 0260 112809298	2.52	BS P 23 0139 23 0271	101	94	104	-0.13 55	-0.04 93	-0.10 35	0.27 97	0.00 31	0.14 96	0.24 19	2.00 28	1.47 40	-3.39 105	-1.05 23	0
568	H 25 0006 109184077	8.91	HIS H 00 0070 24 0015	101	105	96	0.75 65	-0.02 107	0.36 54	1.10 98	0.06 51	0.61 104	1.16 44	0.40 48	1.40 55	1.01 104	6.27 46	0
569	CIDF 24 0011 106978315	5.09	BS BS 21 0362 22 0031	101	108	106	-0.13 59	0.54 93	0.48 40	0.72 118	0.60 57	0.95 107	0.48 21	-1.90 38	0.17 93	0.79 44	0.89 99	97 1
570	BS 23 0343 97123657	21.99	BS BS 21 0083 21 0008	101	102	101	0.50 65	-0.10 103	0.15 53	1.06 94	0.04 44	0.56 104	0.49 17	-1.30 39	0.31 95	1.00 51	-2.68 98	1
571	BS 22 0475 95353561	7.26	BS BS 19 0636 19 0437	101	106	111	0.03 65	0.69 95	0.71 52	-0.06 124	0.75 44	0.72 123	-0.60 15	-5.50 41	-2.61 80	4.17 51	-13.11 88	3
572	CIDF 25 0203 110318342	20.46	BS BS 22 1004 22 0078	101	97	102	-0.10 64	-0.13 94	-0.18 43	1.02 94	-0.15 37	0.36 100	0.67 15	1.50 35	1.77 46	-1.11 106	-1.04 35	0
573	ROS 24 0156 100606789	7.14	DTC WW 22 0238 20 0040	101	109	91	1.36 61	-0.25 116	0.43 46	1.71 89	-0.04 39	0.81 108	0.93 49	-1.20 37	0.95 46	4.05 31	7.14 84	108 1
574	WW 25 0083 109212472	7.45	WW LR 22 0004 22 0011	101	106	96	1.16 63	0.07 113	0.65 43	0.58 101	0.20 37	0.50 102	0.88 26	-0.90 34	0.25 97	0.70 46	5.59 98	0
575	CIDF 26 0337 113764906	7.53	BS BS 24 0424 22 0198	100	100	103	0.10 49	0.03 97	0.08 41	0.66 99	0.12 37	0.45 102	0.33 23	0.60 35	1.14 102	3.53 41	-1.27 30	0
576	CIDF 26 0129 112688619	2.43	BS ROS 23 0117 24 0095	100	92	110	-0.88 61	0.59 81	0.14 33	-1.09 120	0.53 27	-0.02 115	-1.39 23	2.10 25	0.70 108	-3.89 39	-1.08 100	0

Ewe Selection list: LMI

Animals are sorted on LMI

*Inbreeding in red is high

EBV - Estimated Breeding Value

Indices above 124
Bokant rasgemiddeld
Indices below 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal		Parents		Selection Indices			EBV - Weights								EBV - Fertility					
Animal ID	% In-breeding	Sire ID	Dam ID	Logix Merit Index	Growth Index	Reproduction Index	PreW Dir	PreW Mat	PreW Comb	Wean Dir	Wean Mat	Wean Comb	Post Wean	Lambs Weaned	TWW	AFL	ILP	EPI Times Lambed		
Comp.no.							EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	Phenotype	
Active breed average:				100	100	100	0.30	0.05	0.20	0.51	0.09	0.35	0.24	0.12	0.67	0.32	0.62			
577 DTC 18 0045 81838989	3.90	JC DTC	15 0077 13 0077	100	106	104	0.08 73 96	0.49 66 116	0.53 108	0.30 72 97	0.58 58 117	0.73 107	-0.13 58 96	-0.90 57 97	0.34 63 98	2.23 43 94	3.29 43 93	109	7	
578 CIDF 26 0301 112855697	2.46	BS P	23 0117 22 0174	100	93	106	-0.45 51 88	0.29 29 109	0.07 96	-0.52 51 88	0.28 27 107	0.02 94	-0.37 17 93	3.40 26 112	1.80 36 106	0.70 26 99	1.46 23 98		0	
579 CIDF 26 0300 112855689	2.46	BS P	23 0117 22 0174	100	93	106	-0.45 51 88	0.29 29 109	0.07 96	-0.52 51 88	0.28 27 107	0.02 94	-0.37 17 93	3.40 26 112	1.80 36 106	0.70 26 99	1.46 23 98		0	
580 ROS 20 0087 90065723	4.51	GNF DTC	16 0043 15 0856	100	80	108	-1.01 67 79	0.04 63 100	-0.46 83	-1.30 66 80	-0.03 56 96	-0.68 82	-1.68 46 78	7.30 54 126	3.05 59 113	1.24 38 97	-1.38 43 105	100	5	
581 CIDF 24 0012 106978323	5.09	BS BS	21 0362 22 0031	100	110	104	0.00 61 95	0.52 46 117	0.51 108	1.01 59 105	0.59 39 117	1.10 113	0.72 21 105	-2.60 38 91	0.04 46 97	1.11 35 98	2.30 28 96	100	1	
582 CIDF 26 0330 113748057	4.17	BS WCN	23 0144 20 0149	100	103	101	0.19 49 98	-0.02 36 97	0.07 96	1.23 49 107	0.06 31 99	0.67 105	0.66 17 105	-2.20 31 92	-0.03 38 96	-5.01 26 116	-2.12 24 107		0	
583 BS 23 0234 97119192	13.38	BS BS	21 0083 20 0379	100	102	100	0.24 62 99	-0.07 45 96	0.05 96	1.14 61 106	0.06 39 99	0.63 105	0.80 22 106	-0.30 36 99	1.01 47 102	-0.74 32 103	1.32 28 98		0	
584 CS 26 0585 114021330	3.19	GW BS	23 0087 23 0910	100	92	110	-0.87 55 82	0.52 39 117	0.09 97	-0.89 54 84	0.48 33 113	0.03 94	-1.01 32 86	2.40 28 109	1.03 40 102	-2.85 28 110	-0.32 23 102		0	
585 BS 22 0257 95347068	11.64	BS BS	19 0342 17 0202	100	96	105	-0.15 63 93	0.14 53 103	0.07 96	0.01 63 94	0.17 49 103	0.17 97	-0.60 27 90	0.10 47 100	0.24 54 98	1.83 44 95	-5.53 37 115		2	
586 LR 23 0096 99298911	7.94	LR LR	20 0055 20 0081	100	109	90	1.15 65 113	-0.39 56 84	0.19 99	2.22 64 118	-0.16 48 91	0.95 110	2.29 25 123	0.00 43 100	2.06 53 108	-1.66 42 106	12.20 34 71	98	2	
587 BS 22 0493 95353678	5.08	BS BS	19 0342 18 0036	100	90	101	0.00 69 95	-0.30 61 87	-0.30 87	0.15 68 96	-0.26 55 88	-0.19 90	-0.05 28 97	3.40 53 112	1.93 60 107	-1.36 49 105	-1.02 44 104	90	3	
588 BS 22 0855 96280078	11.90	BS BS	19 0342 21 0003	100	92	104	-0.24 69 91	-0.12 62 94	-0.24 88	0.17 68 96	-0.09 54 94	-0.01 94	-0.16 26 95	1.50 52 105	0.98 59 102	-2.93 47 110	-4.71 40 113	108	3	
589 CIDF 26 0257 112809322	3.10	BS GE	17 0111 21 0059	100	102	97	0.65 58 105	0.08 54 101	0.41 105	0.45 57 99	0.09 49 100	0.32 99	0.26 33 100	-0.70 45 97	0.13 51 97	0.05 40 101	1.78 36 97		0	
590 CIDF 26 0251 112776034	3.10	BS GE	17 0111 21 0059	100	102	97	0.65 58 105	0.08 54 101	0.41 105	0.45 57 99	0.09 49 100	0.32 99	0.26 33 100	-0.70 45 97	0.13 51 97	0.05 40 101	1.78 36 97		0	
591 CIDF 26 0161 112723788	3.10	BS GE	17 0111 21 0059	100	102	97	0.65 58 105	0.08 54 101	0.41 105	0.45 57 99	0.09 49 100	0.32 99	0.26 33 100	-0.70 45 97	0.13 51 97	0.05 40 101	1.78 36 97		0	
592 CIDF 26 0348 113764823	4.46	BS H	24 0424 24 0031	100	99	103	0.00 48 95	0.27 39 108	0.27 102	0.04 47 94	0.32 36 108	0.34 100	-0.04 29 97	0.10 34 100	0.42 40 99	-1.58 31 106	0.94 29 99		0	
593 CIDF 26 0019 112243985	9.48	BS BS	20 0232 17 0078	100	100	107	-0.28 68 91	0.30 48 109	0.16 99	0.38 67 98	0.33 42 108	0.52 103	-0.16 21 95	-1.40 39 95	-0.13 51 96	4.14 36 88	-7.22 29 119		0	
594 P 21 0013 91535856	6.66	DTC DTC	18 0772 16 0317	100	98	97	0.67 65 106	-0.05 43 96	0.29 102	0.19 63 96	0.03 37 98	0.12 96	-0.10 47 96	0.70 39 103	0.64 47 100	0.92 35 98	2.77 32 95	97	2	

Ewe Selection list: LMI

Animals are sorted on LMI

*Inbreeding in red is high

EBV - Estimated Breeding Value

Indices above 124
Bokant rasgemiddeld
Indices below 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal		Parents		Selection Indices			EBV - Weights								EBV - Fertility					
Animal ID	% In-breeding	Sire ID	Dam ID	Logix Merit Index	Growth Index	Reproduction Index	PreW Dir	PreW Mat	PreW Comb	Wean Dir	Wean Mat	Wean Comb	Post Wean	Lambs Weaned	TWW	AFL	ILP	EPI Times Lambed		
Comp.no.							EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	Phenotype	
Active breed average:				100	100	100	0.30	0.05	0.20	0.51	0.09	0.35	0.24	0.12	0.67	0.32	0.62			
595 LR 22 0027 94880143	19.45	LR 20 0055	LR 20 0107	100	105	88	1.22 68	-0.75 114	-0.14 91	2.50 67	-0.50 121	0.76 107	2.36 26	0.30 50	2.19 57	-4.35 43	9.62 36	114 77	4	
596 CIDF 25 0185 111894689	6.85	GW 23 0107	LR 23 0124	100	98	98	0.11 57	-0.27 97	-0.22 89	1.28 56	-0.15 31	0.49 102	-0.33 28	-0.30 29	0.95 40	-3.70 26	0.92 22	99	0	
597 EG 23 0048 99825333	3.50	RC 20 0066	EG 21 0038	100	96	96	0.93 65	-0.41 110	0.06 96	0.69 64	-0.33 102	0.02 94	0.69 33	-0.10 44	0.30 53	-1.03 40	-2.64 37	95 108	2	
598 GW 23 0123 97399703	7.41	GW 21 0154	GW 18 0060	99	84	108	-0.93 65	0.16 52	-0.31 87	-1.23 65	0.17 46	-0.44 86	-3.46 41	0.40 43	-0.82 53	-10.95 37	-8.19 35	110 122	3	
599 BS 22 0980 96282355	6.78	BS 19 0120	BS 21 0257	99	96	101	-0.06 61	-0.02 94	-0.05 93	0.66 60	-0.10 101	0.23 98	0.34 22	0.90 48	1.10 54	0.77 47	-2.31 40	96 107	2	
600 CIDF 26 0421 113775704	5.02	BS 24 0424	CIDF 24 0013	99	107	98	0.65 46	0.11 105	0.44 106	1.06 45	0.24 106	0.77 107	1.06 22	-1.80 30	0.22 36	1.46 27	3.34 24	93	0	
601 CIDF 26 0270 112809272	3.93	BS 22 0155	HN 23 0126	99	104	97	0.77 61	0.05 107	0.43 106	0.87 60	0.07 103	0.51 103	0.55 21	-2.70 32	-0.68 43	0.76 31	-1.74 24	106	0	
602 CIDF 26 0493 113802565	2.37	BS 23 0117	LR 23 0038	99	93	103	-0.40 53	-0.05 89	-0.25 88	0.34 52	-0.02 29	0.16 96	0.56 16	3.10 28	2.19 38	-3.01 26	2.52 22	95	0	
603 CIDF 26 0494 113802417	2.37	BS 23 0117	LR 23 0038	99	93	103	-0.40 53	-0.05 89	-0.25 88	0.34 52	-0.02 29	0.16 96	0.56 16	3.10 28	2.19 38	-3.01 26	2.52 22	95	0	
604 P 21 0047 91900407	7.36	DTC 18 0957	P 18 1131	99	93	92	1.20 63	-0.77 114	-0.17 90	0.96 63	-0.64 105	-0.16 91	0.81 44	-0.30 38	0.14 50	-4.22 38	-4.18 38	120 112	5	
605 BS 22 0297 95352282	11.49	BS 20 0232	BS 17 0171	99	95	106	-0.38 65	0.11 51	-0.08 93	0.28 64	0.07 44	0.21 97	0.16 26	0.50 41	0.65 51	1.84 40	-6.31 30	91 117	1	
606 BS 23 0026 96909585	2.54	HL 20 0067	BS 19 0558	99	91	102	-0.23 67	-0.09 92	-0.20 89	0.07 65	-0.11 47	-0.07 92	-0.05 27	2.90 43	1.70 53	1.75 41	-1.74 36	92 106	3	
607 P 23 0267 98774722	9.84	P 22 0042	P 21 0287	99	93	96	0.42 53	-0.45 102	-0.24 88	0.64 52	-0.36 101	-0.04 93	0.75 26	2.90 34	2.02 41	-2.90 34	3.53 30	108 93	2	
608 CIDF 25 0062 109873851	4.52	H 24 0007	EL 21 0026	99	103	100	-0.35 54	0.11 35	-0.07 93	1.45 52	0.14 32	0.86 109	0.93 22	1.10 30	2.25 39	0.46 32	6.71 26	85	1	
609 BS 22 0926 96281472	6.10	BS 19 0342	BS 21 0221	99	101	102	0.06 64	0.13 51	0.16 99	0.63 63	0.17 46	0.49 102	0.09 22	-1.80 48	-0.28 53	-0.10 43	-3.76 38	91 111	2	
610 CIDF 25 0200 110308814	5.32	BS 22 1004	BS 24 0426	99	107	99	0.17 62	0.00 41	0.09 97	1.93 61	0.08 36	1.05 112	1.40 22	-2.40 35	0.57 45	0.93 35	0.50 28	100	0	
611 CIDF 26 0077 112291042	1.58	AAA 05 0003	DTC 23 0083	99	106	101	0.23 64	0.28 99	0.40 105	0.90 64	0.30 104	0.75 107	1.01 52	-3.00 44	-0.60 53	-2.46 42	-0.79 40	103	0	
612 CIDF 26 0358 113764831	4.34	BS 24 0424	H 23 0004	99	97	98	0.38 48	-0.02 101	0.17 99	0.26 47	0.01 97	0.13 96	0.42 29	1.00 33	0.86 39	-1.14 30	2.82 28	94	0	

Ewe Selection list: LMI

Animals are sorted on LMI

*Inbreeding in red is high

EBV - Estimated Breeding Value

Indices above 124
Bokant rasgemiddeld
Indices below 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal		Parents		Selection Indices			EBV - Weights								EBV - Fertility					
Animal ID	% In-breeding	Sire ID Dam ID		Logix Merit Index	Growth Index	Reproduction Index	PreW Dir	PreW Mat	PreW Comb	Wean Dir	Wean Mat	Wean Comb	Post Wean	Lambs Weaned	TWW	AFL	ILP	EPI Times Lambed		
Comp.no.							EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	Phenotype	
Active breed average:				100	100	100	0.30	0.05	0.20	0.51	0.09	0.35	0.24	0.12	0.67	0.32	0.62			
613	CIDF 25 0173 110308764	4.28	MW BS 16 0051 22 0861	99	92	104	-0.37 64 89	-0.15 49 93	-0.33 86	0.41 62 99	-0.14 43 92	0.06 95	-0.14 19 96	0.60 40 102	0.63 50 100	-0.63 42 103	-7.79 32 121			
614	CIDF 26 0127 112688700	3.61	BS LR 22 0121 20 0014	99	90	102	-0.32 51 90	-0.08 39 95	-0.24 88	-0.06 50 93	-0.13 34 93	-0.15 91	-0.34 18 93	2.90 31 110	1.56 39 105	0.54 29 99	-1.86 24 106	0		
615	LR 22 0056 95442679	9.91	LR DTC 20 0055 17 0824	99	96	93	0.74 69 107	-0.68 61 73	-0.31 87	1.49 67 110	-0.53 53 79	0.22 97	1.48 29 114	1.60 49 106	1.92 57 107	-0.62 43 103	2.38 36 95	96 3		
616	ROS 25 0076 108939075	6.40	DTC DTC 20 0229 18 0157	98	81	101	-0.36 66 89	-0.33 43 86	-0.52 81	-0.73 64 86	-0.37 36 84	-0.73 81	-1.01 45 86	6.50 34 124	2.80 46 112	2.12 28 95	-0.62 25 103	0		
617	GW 23 0120 97399679	4.09	GW GW 21 0154 17 0138	98	91	105	-0.58 63 86	0.18 45 105	-0.11 92	-0.49 62 89	0.17 44 103	-0.07 92	-3.09 44 64	-1.90 42 93	-1.46 50 88	-5.46 38 118	-8.75 38 123	93 3		
618	CIDF 26 0074 112291166	1.74	AAA GW 05 0003 21 0120	98	101	109	-1.04 66 79	0.72 54 125	0.20 100	0.12 65 95	0.68 51 120	0.74 107	-0.87 50 87	-3.30 48 88	-1.18 56 90	-8.43 46 127	-3.03 43 109	0		
619	CS 26 0542 114189343	2.56	BS DTC 23 0117 17 1171	98	85	106	-0.90 54 81	0.08 37 101	-0.37 85	-0.74 53 86	0.00 31 97	-0.37 87	-0.75 13 88	4.60 29 117	2.02 39 108	-2.65 25 109	-1.17 22 104	0		
620	BS 21 0561 93383248	6.72	BS BS 17 0111 16 0055	98	81	104	-0.69 69 84	-0.04 63 97	-0.38 85	-1.05 68 82	-0.20 57 90	-0.73 81	-1.13 36 84	5.30 52 119	1.93 60 107	-0.89 49 104	-3.40 41 110	101 2		
621	CIDF 26 0256 112809199	2.55	BS DTC 23 0117 23 0156	98	99	100	0.02 52 95	0.15 33 104	0.17 99	0.35 52 98	0.18 27 103	0.36 100	0.43 28 102	1.00 27 104	1.14 37 103	-0.63 25 103	4.70 21 90	0		
622	CIDF 26 0255 112809280	2.55	BS DTC 23 0117 23 0156	98	99	100	0.02 52 95	0.15 33 104	0.17 99	0.35 52 98	0.18 27 103	0.36 100	0.43 28 102	1.00 27 104	1.14 37 103	-0.63 25 103	4.70 21 90	0		
623	BS 22 0979 96282272	11.04	BS BS 19 0120 21 0024	98	98	98	0.00 60 95	-0.12 55 94	-0.13 91	1.16 60 107	-0.15 50 92	0.44 101	0.87 22 107	0.70 48 103	1.44 53 104	1.02 47 98	0.71 39 100	100 2		
624	BS 21 0024 91758524	9.27	BS BS 18 0200 17 0150	98	96	103	-0.41 67 89	-0.01 53 98	-0.21 89	0.71 65 102	0.03 47 98	0.39 100	0.23 27 100	0.70 46 103	1.16 54 103	0.80 45 99	-2.13 36 107	78 2		
625	CIDF 25 0202 110318318	20.46	BS BS 22 1004 22 0078	98	93	100	-0.12 64 93	-0.10 43 95	-0.16 90	0.41 62 98	-0.14 37 92	0.06 95	0.23 15 100	1.50 35 105	1.16 46 103	-1.11 35 104	-1.04 27 104	0		
626	CIDF 25 0187 110718467	4.40	BS LR 22 1004 22 0076	98	97	97	0.22 64 99	-0.21 41 91	-0.10 92	0.93 62 104	-0.16 35 92	0.31 99	0.92 16 108	1.30 32 105	1.55 45 105	-0.21 32 102	2.87 25 94	0		
627	LR 23 0015 99298663	8.08	LR LR 20 0055 21 0008	98	103	97	0.59 67 104	-0.31 57 87	-0.01 94	1.60 65 112	-0.10 50 94	0.70 106	1.92 30 119	-1.30 49 95	0.73 56 100	-0.22 44 102	1.01 38 99	107 2		
628	BS 23 0539 97178719	9.01	BS BS 21 0083 22 0128	98	109	98	0.34 63 100	0.21 50 106	0.38 104	1.47 62 110	0.31 42 108	1.05 112	0.92 17 108	-3.00 44 89	-0.02 50 96	4.25 36 88	2.18 34 96	109 3		
629	BS 23 0175 100123264	1.48	JJ BS 07 0034 19 0504	98	89	105	-0.53 60 87	0.35 51 111	0.09 97	-1.16 58 81	0.27 43 106	-0.31 88	-1.59 12 79	3.00 40 111	0.91 48 101	3.32 34 91	-0.73 33 103	97 3		
630	ROS 20 0033 89388755	4.87	GNF ROS 16 0043 16 0026	98	103	100	0.44 70 102	0.37 65 112	0.59 110	0.02 69 94	0.44 57 112	0.45 102	-0.17 49 95	-2.90 55 89	-1.28 61 89	-0.59 39 103	0.24 41 101	142 5		

Ewe Selection list: LMI

Animals are sorted on LMI

*Inbreeding in red is high

EBV - Estimated Breeding Value

Indices above 124
Bokant rasgemiddeld
Indices below 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal		Parents		Selection Indices			EBV - Weights								EBV - Fertility					
Animal ID	% In-breeding	Sire ID	Dam ID	Logix Merit Index	Growth Index	Reproduction Index	PreW Dir	PreW Mat	PreW Comb	Wean Dir	Wean Mat	Wean Comb	Post Wean	Lambs Weaned	TWW	AFL	ILP	EPI Times Lambed		
Comp.no.							EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	Phenotype	
Active breed average:				100	100	100	0.30	0.05	0.20	0.51	0.09	0.35	0.24	0.12	0.67	0.32	0.62			
631 DTC 21 0201 92419449	8.21	DTC 19 0120 DTC 18 0103		98	102	93	0.55 69	-0.16 104	0.11 92	1.33 68	-0.13 53	0.54 103	0.24 60	-0.90 53	0.67 59	3.50 44	3.17 90	102	4	
632 WCN 22 0109 95058046	7.01	DTC 20 0148 P 18 0702		98	106	87	1.20 66	-0.53 114	0.07 96	2.37 65	-0.43 40	0.76 107	1.51 32	-1.90 41	0.80 50	-0.20 101	6.35 31	147	3	
633 LR 22 0091 94880986	18.36	LR 20 0055 LR 20 0094		98	107	85	1.31 66	-0.50 116	0.15 99	2.17 65	-0.27 49	0.81 108	2.20 26	-0.30 49	1.72 55	-4.34 41	15.19 36	108	4	
634 CIDF 25 0006 107790990	18.70	BS 22 0121 BS 22 0224		98	95	100	-0.30 59	-0.05 90	-0.20 89	0.69 57	-0.15 37	0.20 97	0.30 16	1.20 39	1.27 45	0.40 33	-0.75 100	100	1	
635 CS 26 0569 113856454	3.98	BS 22 0155 DTC 21 0172		97	105	97	0.34 56	0.01 100	0.18 99	1.48 56	0.07 37	0.81 108	0.68 31	-3.40 37	-0.49 44	2.76 33	-2.22 93		0	
636 DTC 19 0013 82925173	5.44	JC 17 0009 DTC 17 0371		97	68	90	0.14 75	-1.26 65	-1.19 64	-0.42 73	-1.38 56	-1.59 66	-0.46 59	11.10 54	4.86 62	-1.89 36	2.36 107	119	6	
637 CIDF 26 0253 112775994	8.77	JC 23 0161 ROS 24 0011		97	110	89	1.50 46	-0.16 119	0.59 110	1.55 45	0.00 31	0.78 107	1.35 33	-3.90 30	-0.79 36	2.25 26	4.72 94		0	
638 CIDF 25 0201 110318334	4.40	MW 16 0051 BS 23 0322		97	93	105	-0.45 65	0.15 88	-0.08 93	-0.13 63	0.14 42	0.07 95	-0.61 19	-0.40 38	-0.23 49	0.86 35	-7.18 98		0	
639 CIDF 26 0409 113775936	3.55	BS 23 0144 JC 24 0140		97	105	97	0.39 51	0.01 101	0.20 100	1.34 50	0.09 30	0.75 107	1.13 21	-1.70 29	0.40 37	2.84 25	2.30 92		0	
640 BS 23 0450 99877102	9.81	BS 21 0083 BS 21 0194		97	97	101	-0.05 55	-0.05 94	-0.07 93	0.65 54	0.02 36	0.34 100	0.07 18	-1.00 34	0.07 42	1.67 36	-4.23 96		1	
641 CIDF 25 0168 111894630	4.39	BS 22 1004 LR 23 0044		97	101	98	0.38 63	-0.15 101	0.05 96	1.10 62	-0.05 34	0.50 102	1.12 16	-2.40 33	-0.39 45	-1.88 38	-2.82 107		1	
642 CIDF 25 0250 111894846	5.80	CJW 23 0028 CJW 24 0013		97	101	92	0.96 45	-0.06 110	0.42 106	0.40 44	-0.02 28	0.18 97	-0.44 33	-1.80 27	-0.70 34	2.19 20	2.05 94		0	
643 ROS 25 0077 108939422	6.40	DTC 20 0229 DTC 18 0157		97	79	103	-0.83 66	-0.31 82	-0.72 76	-0.60 64	-0.36 36	-0.66 82	-1.05 45	6.50 34	2.94 46	1.98 32	-1.66 95		1	
644 BS 23 0310 97122444	6.67	BS 17 0111 BS 18 0241		97	104	93	0.81 69	0.09 108	0.50 108	0.78 68	0.09 57	0.48 102	0.69 37	-2.40 55	-0.57 61	1.58 49	3.08 96	109	3	
645 CIDF 25 0246 110459773	7.64	CJW 23 0028 CJW 24 0024		97	93	93	1.35 55	0.07 116	0.75 114	-1.46 53	0.04 27	-0.69 81	-1.66 33	-1.50 26	-2.32 37	2.83 20	-4.08 92		0	
646 CIDF 26 0075 112291141	1.74	AAA 05 0003 GW 21 0120		97	99	108	-1.01 66	0.73 54	0.23 101	-0.28 65	0.68 51	0.54 120	-1.14 50	-3.30 48	-1.58 56	-8.43 46	-3.03 127		0	
647 BS 22 0031 94216561	5.67	DTC 09 0122 BS 19 0526		97	97	108	-1.03 69	0.67 64	0.16 99	-0.35 68	0.57 58	0.40 101	-0.08 38	0.60 55	0.59 61	2.24 51	-0.58 94	140	4	
648 JC 24 0229 107140725	15.77	JC 21 0043 JC 22 0257		97	106	97	0.67 64	0.35 106	0.69 112	0.31 63	0.41 41	0.57 104	0.27 31	-3.30 39	-1.25 49	3.86 38	1.67 89		1	

Ewe Selection list: LMI

Animals are sorted on LMI

*Inbreeding in red is high

EBV - Estimated Breeding Value

Indices above 124
Bokant rasgemiddeld
Indices below 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal		Parents		Selection Indices			EBV - Weights								EBV - Fertility					
Animal ID	% In-breeding	Sire ID	Dam ID	Logix Merit Index	Growth Index	Reproduction Index	PreW Dir	PreW Mat	PreW Comb	Wean Dir	Wean Mat	Wean Comb	Post Wean	Lambs Weaned	TWW	AFL	ILP	EPI Times Lambed		
Comp.no.							EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	Phenotype	
Active breed average:				100	100	100	0.30	0.05	0.20	0.51	0.09	0.35	0.24	0.12	0.67	0.32	0.62			
649 DTC 19 0098 83614123	6.67	DTC 17 0351 DTC 17 0217		97	92	100	-0.21 72	-0.43 92	-0.54 81	1.14 70	-0.38 106	0.19 97	1.46 60	1.40 56	1.60 62	-1.33 46	-3.22 42	125	7	
650 CIDF 26 0088 112811575	1.55	AAA 05 0003 DTC 23 0140		97	97	103	-0.59 63	0.28 86	-0.02 94	0.27 63	0.24 97	0.37 100	-0.37 51	-1.60 44	-0.45 53	-3.76 42	-2.86 40	109	0	
651 CIDF 25 0028 108902875	8.02	DTC 22 0101 ROS 24 0043		97	102	99	0.28 60	0.11 36	0.25 101	0.77 59	0.17 102	0.55 103	0.81 46	-4.00 28	-1.46 40	-2.35 24	-4.49 20	113	1	
652 P 23 0271 98774680	6.97	P 20 0313 P 18 1108		97	91	92	0.76 58	-0.69 47	-0.31 87	0.75 59	-0.58 102	-0.20 43	1.23 77	1.30 37	0.95 48	-5.76 37	1.28 118	105	2	
653 CIDF 25 0249 111894804	5.80	CJW 23 0028 CJW 24 0013		97	100	91	0.96 55	-0.05 110	0.43 106	0.23 53	-0.02 97	0.10 28	-0.55 96	-1.80 27	-0.87 37	2.19 92	2.05 20	96	0	
654 ROS 24 0191 100574151	10.57	DTC 22 0030 ROS 21 0017		96	105	88	1.23 66	-0.43 114	0.19 100	1.94 64	-0.36 115	0.61 38	2.38 85	-2.00 36	0.39 48	-0.49 31	5.26 102	88	0	
655 LR 24 0127 106816309	10.19	LR 22 0017 LR 23 0058		96	96	84	1.16 58	-0.89 113	-0.31 87	1.77 57	-0.79 113	0.10 37	1.71 70	1.00 30	1.58 43	-5.63 105	7.26 28	100	1	
656 P 19 0060 83314930	11.55	DTC 17 0998 DTC 12 0378		96	99	100	-0.50 67	0.48 87	0.23 101	-0.21 65	0.50 92	0.40 50	-0.30 114	2.20 48	1.61 108	0.45 55	11.19 105	138	5	
657 BOS 25 0038 111368825	3.23	BOS 21 0001 BOS 23 0005		96	92	99	-0.26 59	0.12 36	-0.01 94	-0.35 57	0.07 90	-0.10 30	-1.67 99	-0.10 27	-0.33 40	-0.71 21	-1.88 103	106	0	
658 GW 22 0116 96803614	5.44	VA 21 0003 - - -		96	93	106	-0.87 45	0.72 82	0.29 102	-1.35 47	0.65 79	-0.02 40	-2.09 119	1.20 40	0.02 43	2.43 97	1.86 21	108	4	
659 CIDF 26 0361 113776124	4.07	BS 24 0424 BS 22 0031		96	100	101	-0.27 50	0.26 42	0.13 98	0.45 49	0.26 99	0.49 39	0.50 106	-0.40 37	0.47 42	1.75 99	1.84 35	97	0	
660 CIDF 26 0362 113764898	4.07	BS 24 0424 BS 22 0031		96	100	101	-0.27 50	0.26 42	0.13 98	0.45 49	0.26 99	0.49 39	0.50 106	-0.40 37	0.47 42	1.75 99	1.84 35	97	0	
661 P 23 0270 98774565	7.81	P 20 0313 DTC 17 1341		96	91	88	1.14 58	-0.66 113	-0.09 92	0.39 56	-0.58 98	-0.38 36	0.84 77	1.90 39	0.95 107	-2.81 44	4.44 102	96	1	
662 CIDF 26 0160 112723861	3.10	BS 17 0111 GE 21 0059		96	97	96	0.41 65	0.12 102	0.33 103	-0.14 64	0.10 92	0.03 49	-0.22 100	-0.70 45	-0.46 54	0.05 94	1.78 40	97	0	
663 GE 18 0045 81214041	2.53	ROS 16 0048 GE 14 0048		96	103	98	0.39 72	0.28 101	0.48 107	0.27 70	0.33 97	0.46 56	0.07 108	-2.80 53	-1.08 61	5.06 91	-1.06 33	111	10	
664 CIDF 26 0441 113801468	3.83	BS 23 0144 LR 21 0020		96	93	105	-0.33 51	0.05 90	-0.11 92	-0.07 50	0.06 93	0.03 34	-0.21 99	-2.10 33	-1.27 40	-1.31 29	-11.10 105	129	0	
665 CIDF 25 0099 110856333	2.59	BS 21 0617 LR 21 0020		96	92	102	0.04 59	0.08 96	0.10 97	-0.53 57	0.10 88	-0.16 37	-0.58 101	-2.00 36	-1.63 44	-1.14 88	-9.20 104	124	0	
666 CIDF 26 0384 113775985	3.12	BS 23 0117 ROS 21 0027		96	79	105	-1.14 54	-0.09 77	-0.66 77	-0.85 53	-0.24 85	-0.66 34	-0.83 89	5.30 32	2.09 41	-1.70 108	-3.61 30	110	0	

Ewe Selection list: LMI

Animals are sorted on LMI

*Inbreeding in red is high

EBV - Estimated Breeding Value

Indices above 124
Bokant rasgemiddeld
Indices below 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal		Parents		Selection Indices			EBV - Weights							EBV - Fertility				
Animal ID	% In-breeding	Sire ID	Dam ID	Logix Merit Index	Growth Index	Reproduction Index	PreW Dir	PreW Mat	PreW Comb	Wean Dir	Wean Mat	Wean Comb	Post Wean	Lambs Weaned	TWW	AFL	ILP	EPI Times Lambed
Comp.no.							EBV Acc Index	EBV Acc Index	EBV Index	EBV Acc Index	EBV Acc Index	EBV Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	Phenotype
Active breed average:				100	100	100	0.30	0.05	0.20	0.51	0.09	0.35	0.24	0.12	0.67	0.32	0.62	
667	CS 26 0556 113856264	3.82	BS 22 0155 WW 24 0055	96	97	95	0.55 55 104	-0.20 38 91	0.07 96	0.69 54 102	-0.20 32 90	0.14 96	0.58 17 104	-1.60 31 94	-0.47 40 94	0.98 29 98	-2.97 25 109	0
668	P 20 0092 89348072	13.76	DTC 18 0795 DTC 14 0602	96	88	83	1.32 66 116	-0.93 51 64	-0.27 88	0.52 65 100	-0.84 47 68	-0.58 83	-0.27 34 94	3.00 45 111	1.48 53 105	0.63 40 99	5.52 35 88	133 3
669	CS 26 0565 113855951	5.54	BS 24 0424 BS 22 0375	96	96	96	0.19 48 98	-0.15 38 93	-0.05 93	0.61 47 101	-0.12 34 93	0.19 97	0.36 22 101	-0.40 32 99	0.25 39 98	0.95 30 98	-0.28 27 102	0
670	BS 22 0375 95347258	6.77	BS 20 0232 BS 17 0070	96	90	99	-0.11 65 93	-0.15 51 93	-0.20 89	-0.02 63 94	-0.19 43 91	-0.20 90	-0.38 18 93	0.50 43 102	0.10 51 97	0.64 39 99	-4.82 32 113	96 3
671	P 21 0186 92345156	8.73	P 20 0010 DTC 18 0997	96	95	93	0.85 54 108	-0.36 36 85	0.07 96	0.31 53 97	-0.26 32 88	-0.10 92	1.46 39 114	-0.10 35 100	-0.01 41 96	-3.19 32 111	0.96 33 99	101 4
672	WW 25 0041 109119362	5.13	WW 22 0004 WW 20 0095	96	99	98	0.18 55 98	0.17 43 104	0.26 101	0.08 54 95	0.22 37 104	0.26 98	0.10 30 98	-1.20 36 96	-0.43 43 94	2.68 29 93	-0.09 28 102	0
673	WW 20 0095 89495519	5.10	FJ 17 0025 WW 18 0062	96	87	105	-0.51 69 87	0.16 61 104	-0.09 92	-1.03 68 83	0.16 53 102	-0.36 87	-1.11 39 84	0.10 51 100	-0.81 58 92	-1.18 38 105	-7.96 40 121	119 6
674	CIDF 25 0182 111894648	3.65	MW 00 0081 BS 21 0555	95	74	105	-1.17 65 77	0.02 54 99	-0.56 80	-1.97 64 72	-0.15 50 92	-1.14 74	-2.08 30 73	6.00 46 122	1.47 54 105	-3.19 42 111	-3.92 41 111	0
675	DTC 22 0345 96646302	9.66	DTC 21 0060 DTC 21 0190	95	93	91	0.50 61 103	-0.56 49 78	-0.31 87	1.00 59 105	-0.52 42 79	-0.02 93	0.52 54 103	0.30 40 101	0.66 48 100	-2.39 30 108	0.96 30 99	93 2
676	CIDF 26 0085 112291075	1.44	AAA 05 0003 DTC 21 0129	95	102	100	-0.49 66 87	0.42 54 114	0.17 99	0.58 65 100	0.38 51 110	0.67 105	0.08 53 98	-1.00 47 96	0.36 55 98	3.20 46 91	3.44 42 93	0
677	CJW 24 0013 99801581	5.00	GE 22 0014 GE 21 0060	95	102	86	1.13 61 113	-0.28 48 88	0.28 102	1.17 60 107	-0.25 40 88	0.34 100	-0.07 45 96	-2.90 40 89	-0.82 48 92	0.51 29 99	4.22 31 91	115 2
678	CIDF 26 0080 112291158	1.46	AAA 05 0003 DTC 22 0258	95	100	107	-0.72 64 84	0.82 52 128	0.45 106	-0.66 64 87	0.75 49 123	0.42 101	-0.45 50 92	-3.50 45 87	-2.01 54 85	-2.89 43 110	-4.29 40 112	0
679	BS 18 0126 82213455	2.67	MW 15 0052 AAA 14 0042	95	104	98	-0.04 72 94	0.25 68 108	0.23 101	0.68 71 101	0.41 62 111	0.75 107	0.29 25 100	-1.30 59 95	0.31 65 98	4.29 52 88	5.51 47 88	108 5
680	LR 21 0021 92379189	8.57	DTC 08 0064 DTC 17 1171	95	92	98	0.35 62 101	-0.25 51 89	-0.08 93	0.07 60 95	-0.19 44 90	-0.16 91	0.27 29 100	-1.30 39 95	-0.90 49 92	0.69 33 99	-7.56 30 120	93 1
681	DTC 19 0129 83614503	8.33	DTC 17 0339 DTC 15 0048	95	115	85	1.91 68 125	-0.11 58 94	0.85 117	1.92 66 115	0.05 50 99	1.01 111	2.72 54 128	-6.50 52 76	-1.93 57 86	1.07 38 98	5.75 40 87	86 5
682	H 22 0032 101369023	5.44	EL 09 0086 - - -	95	88	106	-0.88 47 81	0.78 49 127	0.34 103	-2.12 45 71	0.64 41 119	-0.42 86	-2.54 21 68	1.40 28 105	-0.65 40 93	1.85 23 95	-0.73 22 103	100 3
683	FP 22 0028 94731056	4.19	ZEL 21 0016 ROS 20 0017	95	95	96	0.40 65 101	-0.19 54 91	0.01 95	0.38 63 98	-0.13 45 92	0.06 95	0.11 31 98	-3.50 45 87	-1.85 52 86	-6.10 34 119	-6.10 36 117	97 4
684	GW 18 0117 81090003	8.37	FJ 13 0042 GW 15 0182	95	110	87	1.31 72 116	-0.11 64 94	0.55 109	1.65 71 112	0.04 57 98	0.86 109	1.09 48 109	-6.10 57 78	-1.97 62 86	-4.99 42 116	5.72 42 87	161 8

Ewe Selection list: LMI

Animals are sorted on LMI

*Inbreeding in red is high

EBV - Estimated Breeding Value

Indices above 124
Bokant rasgemiddeld
Indices below 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal		Parents		Selection Indices			EBV - Weights								EBV - Fertility				
Animal ID	% In-breeding	Sire ID	Dam ID	Logix Merit Index	Growth Index	Reproduction Index	PreW Dir	PreW Mat	PreW Comb	Wean Dir	Wean Mat	Wean Comb	Post Wean	Lambs Weaned	TWW	AFL	ILP	EPI Times Lambed	
Comp.no.							EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	Phenotype
Active breed average:				100	100	100	0.30	0.05	0.20	0.51	0.09	0.35	0.24	0.12	0.67	0.32	0.62		
685	BS 23 0615 97178552	6.05	BS 21 0083 BS 22 0038	95	93	101	-0.44 64 88	-0.05 50 96	-0.27 88	0.43 62 99	-0.05 42 95	0.16 96	-0.19 17 95	-1.10 42 96	-0.28 50 95	0.10 32 101	-6.06 32 116	95	2
686	GE 21 0059 91744821	5.06	GE 19 0044 GE 17 0131	95	100	92	0.86 64 109	-0.03 59 97	0.40 105	0.22 63 96	0.01 50 97	0.12 96	-0.42 32 102	-2.50 40 91	-1.27 53 90	-2.15 26 108	2.11 36 96	129	5
687	CIDF 26 0076 112291109	1.58	AAA 05 0003 DTC 23 0083	95	102	101	-0.45 64 88	0.33 51 110	0.11 97	0.82 64 103	0.31 48 108	0.72 106	0.76 52 106	-3.00 44 89	-0.67 53 93	-2.46 42 108	-0.79 40 103		0
688	BS 23 0080 96911102	2.38	HL 20 0067 BS 21 0193	95	95	101	-0.35 67 90	0.25 56 107	0.07 97	-0.19 65 92	0.27 47 106	0.17 97	-0.37 29 93	-0.30 45 99	-0.10 53 96	3.68 40 90	-1.23 33 104	97	2
689	P 22 0273 95819934	10.21	P 20 0313 DTC 15 0378	95	82	88	0.44 53 102	-0.86 49 67	-0.64 78	0.21 52 96	-0.84 42 68	-0.73 81	-0.04 25 97	4.80 36 117	2.25 44 109	-4.76 38 115	5.57 38 88	100	3
690	GW 21 0120 91669838	3.80	VA 11 0077 DTC 18 0589	95	103	97	-0.16 70 93	0.44 63 114	0.35 104	0.30 69 97	0.49 56 114	0.65 105	-1.34 48 82	-5.10 55 81	-2.26 61 84	-9.58 46 130	3.58 46 92	120	5
691	WW 25 0072 108862913	6.57	WW 22 0004 WW 23 0007	95	95	97	0.13 62 97	0.08 41 101	0.15 99	-0.12 60 93	0.08 35 100	0.03 94	0.16 25 99	-0.30 32 99	-0.21 44 95	2.91 26 92	-0.37 26 102		0
692	ROS 19 0062 85244747	3.72	GNF 16 0043 ROS 17 0024	95	77	103	-0.88 70 81	-0.21 64 90	-0.65 78	-1.13 69 82	-0.32 56 86	-0.89 78	-1.36 46 82	3.80 54 114	0.83 61 101	-2.82 39 110	-7.25 41 119	112	6
693	BS 18 0024 82207754	2.38	MW 15 0052 AAA 14 0007	95	99	94	0.10 71 97	-0.18 66 92	-0.13 91	1.13 70 106	-0.05 61 95	0.52 103	0.41 23 102	0.00 59 100	1.08 64 102	5.17 53 85	4.77 48 90	94	6
694	CIDF 26 0118 112688148	1.89	BS 24 0424 ROS 22 0075	95	98	89	0.69 60 106	-0.51 41 80	-0.17 90	1.46 58 110	-0.41 37 83	0.32 99	0.75 30 106	-1.30 34 95	0.26 44 98	1.28 30 97	1.91 28 97		0
695	CIDF 26 0242 112764352	2.69	BS 23 0139 P 21 0232	95	85	103	-0.79 56 83	0.00 36 98	-0.39 84	-0.66 54 87	-0.04 31 96	-0.37 87	-0.77 24 88	1.50 28 105	0.21 39 98	-3.02 27 110	-4.93 23 114		0
696	CIDF 26 0058 112273966	1.38	AAA 05 0003 GE 18 0045	94	96	108	-1.13 66 77	0.70 54 124	0.13 98	-0.58 65 88	0.61 51 118	0.32 99	-0.75 47 89	-2.20 48 92	-1.29 56 89	-1.11 43 104	-5.35 41 115		0
697	CIDF 25 0088 110383494	6.54	BS 22 1004 BS 22 0539	94	96	99	-0.34 63 90	0.09 41 102	-0.08 93	0.41 61 98	0.07 35 99	0.27 98	-0.11 13 96	-1.30 34 95	-0.30 45 95	1.08 32 98	-2.03 25 106		0
698	CS 26 0503 114189228	2.71	BS 23 0117 WW 24 0086	94	85	104	-1.18 51 77	0.28 29 109	-0.31 87	-1.07 50 82	0.21 24 104	-0.32 88	-1.15 18 84	3.80 23 114	1.42 34 104	-0.92 21 104	2.50 18 95		0
699	CIDF 26 0102 112688189	3.43	ROS 24 0155 H 24 0077	94	96	96	-0.11 53 93	0.16 30 104	0.11 98	-0.01 51 94	0.20 25 104	0.20 97	-0.96 27 86	-0.80 23 97	-0.29 35 95	2.26 17 94	2.62 16 95		0
700	CIDF 26 0432 113801492	28.96	BS 24 0424 BS 24 0426	94	103	92	0.36 49 101	-0.14 40 93	0.04 96	1.42 48 110	-0.05 37 95	0.66 105	1.17 28 110	-2.00 36 93	0.17 41 97	1.42 34 97	4.35 31 91		0
701	CS 26 0504 114189301	2.71	BS 23 0117 WW 24 0086	94	85	104	-1.18 51 77	0.28 29 109	-0.31 87	-1.07 50 82	0.21 24 104	-0.32 88	-1.15 18 84	3.80 23 114	1.42 34 104	-0.92 21 104	2.50 18 95		0
702	CIDF 25 0087 110491537	6.54	BS 22 1004 BS 22 0539	94	96	99	-0.46 63 88	0.09 41 102	-0.14 91	0.54 61 100	0.07 35 99	0.34 100	-0.05 13 96	-1.30 34 95	-0.17 45 96	1.08 32 98	-2.03 25 106		0

Ewe Selection list: LMI

Animals are sorted on LMI

*Inbreeding in red is high

EBV - Estimated Breeding Value

Indices above 124
Bokant rasgemiddeld
Indices below 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal		Parents		Selection Indices			EBV - Weights								EBV - Fertility				
Animal ID	% In-breeding	Sire ID Dam ID		Logix Merit Index	Growth Index	Reproduction Index	PreW Dir	PreW Mat	PreW Comb	Wean Dir	Wean Mat	Wean Comb	Post Wean	Lambs Weaned	TWW	AFL	ILP	EPI Times Lambed	
Comp.no.							EBV Acc Index	EBV Acc Index	EBV Index	EBV Acc Index	EBV Acc Index	EBV Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	Phenotype	
Active breed average:				100	100	100	0.30	0.05	0.20	0.51	0.09	0.35	0.24	0.12	0.67	0.32	0.62		
703	P 21 0297 92344290	4.90	DTC 18 0957 DTC 15 0378	94	90	95	0.10 67 97	-0.51 56 80	-0.46 83	0.59 65 100	-0.43 48 82	-0.13 91	1.50 45 114	-0.30 45 99	-0.02 54 96	-9.86 43 131	-2.48 40 108	155 4	
704	DTC 23 0083 97658637	11.76	DTC 22 0030 DTC 20 0144	94	111	83	1.60 67 120	-0.41 52 83	0.39 105	2.38 66 120	-0.26 42 88	0.94 110	2.56 56 126	-4.40 38 84	-0.51 50 94	2.36 25 94	8.06 29 81	99 2	
705	CIDF 25 0077 110383510	3.80	BS 22 1004 LR 24 0019	94	100	92	0.16 62 98	-0.34 39 86	-0.26 88	1.71 60 113	-0.25 33 88	0.60 104	1.39 17 113	-1.30 31 95	0.67 43 100	-0.70 31 103	3.50 22 93	0	
706	CIDF 26 0087 112811567	1.55	AAA 05 0003 DTC 23 0140	94	93	101	-0.61 63 85	0.31 51 109	0.00 95	-0.39 63 90	0.24 48 105	0.05 94	-0.83 51 88	-1.60 44 94	-1.10 53 90	-3.76 42 112	-2.86 40 109	0	
707	CIDF 26 0394 113775803	9.42	BS 24 0424 BS 22 0861	94	95	93	0.30 47 100	-0.26 40 89	-0.11 92	0.67 46 101	-0.20 36 90	0.14 96	0.53 24 103	-0.80 35 97	-0.01 40 96	0.39 33 100	0.90 29 99	0	
708	ROS 24 0163 100573971	7.58	DTC 19 0120 ROS 21 0128	94	98	94	-0.19 64 92	-0.03 51 97	-0.13 91	0.97 63 105	-0.08 45 94	0.40 101	0.60 54 104	-0.80 43 97	0.41 51 99	-1.16 39 104	3.24 33 93	0	
709	CIDF 25 0228 110459815	17.53	FJ 24 0159 FJ 24 0104	94	89	95	0.31 57 100	-0.09 38 95	0.07 96	-0.66 55 87	-0.11 31 93	-0.44 86	-0.71 17 89	0.10 29 100	-0.71 40 93	1.35 26 97	-1.88 18 106	0	
710	BS 22 0539 95778288	4.59	BS 19 0636 BS 17 0067	94	93	96	-0.11 68 93	-0.06 60 96	-0.12 92	0.18 67 96	-0.08 51 94	0.01 94	-0.42 19 92	-0.30 50 99	-0.08 57 96	1.90 41 95	-0.64 36 103	139 4	
711	DTC 22 0364 96646427	8.16	DTC 21 0060 DTC 20 0144	94	89	87	0.86 61 109	-0.77 48 70	-0.34 86	0.69 60 102	-0.75 40 71	-0.41 86	0.52 53 103	1.40 42 105	0.78 48 101	3.37 26 91	0.19 30 101	107 2	
712	LR 22 0081 94880721	8.15	LR 20 0055 LR 20 0026	94	86	90	0.49 69 103	-0.66 60 74	-0.42 84	0.21 67 96	-0.60 51 76	-0.49 85	0.67 24 105	2.70 48 110	1.23 56 103	-1.41 42 105	2.67 37 95	104 3	
713	P 22 0174 95171195	7.79	P 20 0343 DTC 16 0724	94	100	93	0.58 58 104	-0.01 41 98	0.28 102	0.39 61 98	0.06 40 99	0.25 98	0.87 30 107	-1.30 41 95	-0.33 48 95	5.48 39 84	2.65 38 95	107 3	
714	CIDF 26 0086 112291083	1.39	AAA 05 0003 GW 18 0117	94	99	102	-0.78 66 83	0.51 55 117	0.11 98	0.14 65 96	0.46 51 113	0.53 103	-0.25 50 94	-3.80 49 86	-1.68 56 87	-6.14 45 120	-1.96 42 106	0	
715	BS 23 0230 97119655	3.65	HL 20 0067 BS 16 0247	93	103	95	0.05 64 96	0.07 54 101	0.09 97	0.99 63 105	0.20 45 104	0.70 106	0.51 25 103	-2.40 43 91	-0.25 51 95	1.48 40 96	4.49 36 90	102 3	
716	CIDF 26 0142 112688304	1.85	BS 24 0424 P 20 0092	93	92	87	0.71 57 106	-0.51 38 79	-0.16 91	0.49 57 99	-0.44 35 82	-0.20 90	0.08 26 98	0.90 33 103	0.59 43 100	0.94 30 98	4.89 28 89	0	
717	WW 20 0010 87965869	3.40	DTC 15 0980 WW 18 0098	93	103	101	-0.48 71 88	0.64 64 122	0.40 105	-0.19 70 92	0.79 56 124	0.69 106	-1.29 43 82	-3.40 55 88	-1.44 61 89	3.86 37 89	2.57 42 95	117 6	
718	H 25 0016 109184135	1.64	HIS 00 0070 H 23 0010	93	108	90	0.73 65 107	0.18 52 105	0.55 109	1.05 64 106	0.27 48 106	0.80 108	0.88 40 107	-3.30 45 88	-0.65 53 93	5.33 45 85	8.40 42 80	1	
719	CIDF 26 0128 112688437	3.61	BS 22 0121 LR 20 0014	93	83	100	-0.79 60 83	-0.02 40 97	-0.42 84	-0.82 58 85	-0.11 34 93	-0.52 84	-1.01 18 86	2.90 31 110	0.81 43 101	0.54 29 99	-1.86 24 106	0	
720	CS 26 0576 113856330	2.61	BS 23 0117 GW 17 0244	93	89	104	-0.88 52 81	0.46 37 115	0.02 95	-1.25 52 80	0.37 32 110	-0.25 89	-1.19 22 84	0.20 32 101	-0.76 40 92	-1.38 24 105	-2.56 23 108	0	

Ewe Selection list: LMI

Animals are sorted on LMI

*Inbreeding in red is high

EBV - Estimated Breeding Value

Indices above 124
Bokant rasgemiddeld
Indices below 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal			Parents			Selection Indices			EBV - Weights								EBV - Fertility						
Animal ID	% In-breeding		Sire ID Dam ID			Logix Merit Index	Growth Index	Reproduction Index	PreW Dir	PreW Mat	PreW Comb	Wean Dir	Wean Mat	Wean Comb	Post Wean	Lambs Weaned	TWW	AFL	ILP	EPI Times Lambed			
Comp.no.									EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	Phenotype		
Active breed average:						100	100	100	0.30	0.05	0.20	0.51	0.09	0.35	0.24	0.12	0.67	0.32	0.62				
721	CIDF 26 0391 113775795	28.96	BS BS	24 24	0424 0425	93	101	90	0.42 49	-0.26 102	-0.05 40	1.39 89	-0.18 93	0.52 103	1.17 28	-1.50 36	0.31 95	1.54 41	5.01 98	0			
722	BS 24 0426 99871725	3.89	HIS BS	00 21	0070 0174	93	103	92	0.22 67	-0.14 99	-0.03 58	1.59 93	-0.04 94	0.76 107	1.26 40	-2.60 52	-0.01 91	1.59 58	4.43 96	106			
723	DTC 23 0140 98497712	13.52	DTC DTC	20 19	0168 0020	93	96	85	0.91 63	-0.47 109	-0.01 51	0.82 81	-0.40 94	0.01 61	-0.13 103	-1.70 39	-0.60 94	-0.25 27	3.93 102	96			
724	CIDF 26 0170 112723929	2.56	BS P	23 21	0117 0154	93	90	95	-0.47 52	0.09 88	-0.14 30	-0.49 102	0.09 91	-0.16 25	-0.62 100	5.90 25	3.14 121	12.82 35	12.13 114	0			
725	CIDF 26 0314 112866017	2.35	BS P	23 22	0117 0191	92	86	99	-0.69 59	-0.09 84	-0.44 32	-0.32 95	-0.11 83	-0.27 58	-0.16 90	1.90 24	0.71 107	-0.29 38	-0.85 100	0			
726	CIDF 26 0052 112274139	3.74	AAA JR	05 16	0003 0057	92	95	109	-1.38 65	1.05 73	0.37 54	-1.45 136	0.96 104	0.24 65	-1.84 78	-3.80 48	-2.76 86	-3.50 56	-4.60 81	0			
727	P 21 0328 92591650	8.76	DTC DTC	18 16	0795 0997	92	89	85	0.50 56	-0.52 103	-0.27 43	0.25 79	-0.49 88	-0.36 55	-0.94 97	1.50 36	0.66 105	0.34 44	7.01 100	4			
728	ROS 24 0015 98978885	7.91	WW DTC	22 21	0081 0159	92	94	98	0.01 58	-0.05 95	-0.05 37	0.06 96	0.02 93	0.05 56	-0.13 95	-3.30 34	-1.91 88	3.18 41	-8.52 86	89			
729	BS 22 0861 96280417	7.33	BS BS	19 20	0342 0252	92	88	93	0.11 62	-0.38 97	-0.33 57	0.10 84	-0.34 86	-0.29 61	-0.03 95	-0.20 51	-0.36 99	-0.47 55	-2.47 94	106			
730	CS 26 0619 114021132	2.39	BS ROS	24 25	0424 0065	92	96	95	-0.23 48	0.02 91	-0.09 35	0.39 99	0.05 92	0.25 48	-0.07 98	-1.30 30	-0.34 95	0.66 37	2.00 95	0			
731	DTC 22 0258 95096939	9.52	DTC DTC	20 16	0001 0972	92	105	96	0.23 64	0.60 99	0.72 53	-0.11 120	0.63 113	0.58 64	0.26 93	-5.50 44	-2.78 80	1.51 53	1.06 81	120			
732	H 25 0002 109184036	3.58	HIS H	00 23	0070 0004	92	96	90	0.52 64	-0.03 103	0.24 53	0.02 97	-0.02 101	-0.01 63	0.50 94	-1.20 47	-0.72 96	0.13 54	5.39 93	0			
733	CIDF 25 0112 110491529	2.48	BS LR	21 22	0617 0081	92	88	94	-0.04 59	-0.07 94	-0.09 41	-0.68 96	-0.06 92	-0.40 57	-0.46 87	0.70 34	-0.31 103	-0.40 43	1.80 102	0			
734	CIDF 26 0093 112357850	1.56	AAA ROS	05 23	0003 0096	91	87	105	-1.47 65	0.45 72	-0.29 52	-0.99 115	0.33 87	-0.17 64	-1.32 83	-0.80 44	-1.14 97	-4.51 53	-5.82 90	0			
735	RN 24 0047 99751810	5.70	DTC LC	21 19	0091 0063	91	92	95	-0.40 63	0.15 89	-0.05 42	-0.19 104	0.09 93	-0.01 62	-0.31 92	0.70 31	0.32 103	3.94 45	4.14 98	2			
736	ROS 24 0095 98977564	7.01	ROS ROS	22 21	0064 0112	91	95	101	-0.70 61	0.60 84	0.25 49	-0.83 120	0.56 101	0.15 60	-1.34 85	-3.90 39	-2.60 86	-3.70 48	-2.42 82	109			
737	LR 23 0038 101724755	8.71	LR LR	22 21	0013 0024	91	99	86	0.69 66	-0.70 106	-0.36 54	2.11 73	-0.54 85	0.52 65	2.73 117	-1.90 46	0.43 93	-1.95 53	4.77 99	118			
738	ROS 21 0098 91660852	6.41	GE GE	19 18	0044 0010	91	92	85	1.23 68	-0.50 114	0.12 59	0.14 80	-0.49 98	-0.42 67	0.49 96	-3.40 49	-2.39 88	-2.62 57	-3.53 83	109			

Ewe Selection list: LMI

Animals are sorted on LMI

*Inbreeding in red is high

EBV - Estimated Breeding Value

Indices above 124
Bokant rasgemiddeld
Indices below 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal		Parents		Selection Indices			EBV - Weights								EBV - Fertility					
Animal ID	% In-breeding	Sire ID	Dam ID	Logix Merit Index	Growth Index	Reproduction Index	PreW Dir	PreW Mat	PreW Comb	Wean Dir	Wean Mat	Wean Comb	Post Wean	Lambs Weaned	TWW	AFL	ILP	EPI Times Lambed		
Comp.no.							EBV Acc Index	EBV Acc Index	EBV Index	EBV Acc Index	EBV Acc Index	EBV Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	Phenotype		
Active breed average:				100	100	100	0.30	0.05	0.20	0.51	0.09	0.35	0.24	0.12	0.67	0.32	0.62			
739 WCN 20 0149 89676936	5.17	JC 18 0101 JC 15 0084		91	91	91	0.07 63 96	-0.30 54 87	-0.26 88	0.23 62 97	-0.24 49 89	-0.12 91	-0.28 25 94	-3.00 51 89	-1.81 54 87	-10.28 37 132	-1.36 41 105	106	6	
740 CIDF 26 0192 112742192	4.24	BS 22 0121 WH 24 0004		91	95	92	-0.28 59 91	-0.08 37 95	-0.22 89	0.75 57 102	-0.12 32 93	0.25 98	0.31 18 101	-0.50 31 98	0.33 41 98	1.55 27 96	4.08 22 91		0	
741 CIDF 26 0069 112274105	1.43	AAA 05 0003 DTC 18 0821		91	92	107	-1.43 66 73	0.70 55 124	-0.02 94	-1.04 66 83	0.64 52 119	0.12 96	-1.32 51 82	-2.00 49 93	-1.60 57 88	0.75 46 99	-5.42 43 115		0	
742 BS 23 0247 97119978	4.39	BS 17 0111 BS 18 0028		91	97	91	0.05 68 96	-0.08 60 95	-0.05 93	0.64 67 101	-0.05 55 95	0.27 98	0.01 31 97	-1.90 52 93	-0.55 59 93	2.75 49 93	2.89 42 94	94	2	
743 CIDF 25 0208 110318243	18.15	BS 22 1004 BS 22 0224		91	97	94	-0.27 63 91	0.00 42 98	-0.13 91	0.85 61 103	-0.06 37 95	0.37 100	0.44 16 102	-3.00 35 89	-1.01 46 91	1.49 35 96	-2.07 26 107		0	
744 P 22 0157 95170874	7.48	P 20 0343 P 19 0064		91	95	85	0.68 58 106	-0.40 44 84	-0.06 93	0.64 60 101	-0.34 37 85	-0.02 93	0.71 20 105	0.70 28 103	0.72 44 100	5.84 36 83	8.03 34 81	86	3	
745 DTC 21 0129 91906792	9.19	DTC 18 0005 DTC 19 0011		91	107	80	1.01 71 111	-0.19 64 91	0.32 103	1.63 70 112	-0.11 56 93	0.71 106	0.87 60 107	-0.50 52 98	1.22 60 103	13.68 44 64	16.53 40 64	111	3	
746 BOS 25 0016 111366464	3.29	BOS 21 0001 BOS 23 0021		91	88	94	-0.39 55 89	0.03 33 99	-0.17 90	-0.59 53 88	-0.03 28 96	-0.32 88	-1.79 18 77	-1.00 26 96	-1.22 37 90	-0.93 20 104	-1.09 19 104		0	
747 BS 24 0425 99871766	3.89	HIS 00 0070 BS 21 0174		91	99	87	0.35 67 101	-0.38 58 84	-0.21 89	1.53 66 111	-0.30 54 87	0.46 102	1.25 40 111	-1.70 52 94	0.21 58 98	1.82 49 95	5.76 45 87	101	2	
748 ROS 24 0086 98977762	7.48	ROS 22 0090 ROS 20 0047		91	94	88	0.53 57 103	-0.05 40 96	0.21 100	-0.16 56 92	-0.10 35 94	-0.18 90	0.09 46 98	-1.40 33 95	-1.10 43 90	-0.74 27 103	4.86 26 89		1	
749 CIDF 26 0238 112764410	2.00	BS 24 0424 ROS 24 0161		91	96	93	-0.11 57 93	-0.03 37 97	-0.09 92	0.47 55 99	0.00 33 97	0.24 98	0.69 31 105	-1.70 31 94	-0.55 41 93	1.03 28 98	1.86 25 97		0	
750 DTC 18 0713 82576117	5.51	JC 15 0060 DTC 14 0527		91	87	87	0.04 75 96	-0.26 67 89	-0.25 88	-0.35 74 90	-0.28 60 87	-0.45 86	-1.08 53 85	2.40 56 109	0.81 64 101	1.05 45 98	8.68 44 80	133	6	
751 LR 24 0197 106816135	9.80	LR 22 0013 LR 21 0015		91	95	90	0.32 64 100	-0.46 44 81	-0.30 87	1.14 62 107	-0.37 38 84	0.20 97	1.93 28 119	-1.60 37 94	-0.19 47 95	1.56 33 96	-0.59 28 103		0	
752 CIDF 25 0103 109937680	4.91	BS 22 1004 RN 21 0009		90	107	83	1.34 62 116	-0.11 41 94	0.56 109	1.17 62 107	-0.06 36 95	0.53 103	1.52 25 114	-5.70 33 79	-2.31 45 84	0.44 32 100	5.82 25 87		0	
753 DTC 17 1171 80662588	6.36	ROS 15 0003 DTC 15 0277		90	83	93	-0.32 69 90	-0.43 61 82	-0.59 79	-0.05 67 93	-0.50 52 80	-0.53 84	0.11 20 98	1.20 49 104	0.17 57 97	-1.23 37 105	-2.61 36 108	131	7	
754 FP 24 0018 100097401	18.91	FP 23 0011 FP 23 0201		90	81	101	-1.09 59 78	0.08 47 101	-0.47 82	-1.23 58 81	-0.01 38 97	-0.63 83	-1.16 27 84	0.10 33 100	-1.18 45 90	-4.54 31 115	-7.21 25 119	99	2	
755 ROS 25 0045 108938986	19.18	DTC 20 0229 DTC 22 0364		90	80	93	-0.33 62 90	-0.34 38 86	-0.50 82	-0.84 61 85	-0.40 31 83	-0.82 79	-1.09 45 85	2.30 30 108	0.14 42 97	0.94 24 98	-1.46 22 105		0	
756 DTC 18 0167 82658675	8.34	DTC 17 0167 DTC 16 0885		90	102	93	0.13 71 97	0.31 63 109	0.37 104	0.18 70 96	0.38 54 110	0.47 102	-0.49 58 91	-5.80 55 79	-2.92 60 80	1.36 35 97	-0.45 39 103	109	7	

Ewe Selection list: LMI

Animals are sorted on LMI

*Inbreeding in red is high

EBV - Estimated Breeding Value

Indices above 124
Bokant rasgemiddeld
Indices below 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal			Parents			Selection Indices			EBV - Weights								EBV - Fertility							
Animal ID		% In-breeding	Sire ID Dam ID			Logix Merit Index	Growth Index	Reproduction Index	PreW Dir	PreW Mat	PreW Comb	Wean Dir	Wean Mat	Wean Comb	Post Wean	Lambs Weaned	TWW	AFL	ILP	EPI	Times Lambed			
Comp.no.									EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index
Active breed average:						100	100	100	0.30	0.05	0.20	0.51	0.09	0.35	0.24	0.12	0.67	0.32	0.62					
757	ROS 25 0072 108939521	8.33	DTC DTC	20 21	0229 0201	90	81	99	-1.01 65 79	0.02 42 99	-0.48 82	-1.06 64 82	-0.08 35 94	-0.61 83	-1.75 47 77	1.10 34 104	-0.47 46 94	1.05 34 98	-4.63 25 113	1				
758	DTC 23 0156 98497878	9.79	DTC DTC	20 22	0240 0036	90	111	80	1.53 64 119	-0.29 50 88	0.47 107	2.13 63 117	-0.13 42 92	0.93 110	2.47 55 125	-6.10 43 78	-1.67 50 87	2.81 37 92	9.14 32 79	105 2				
759	CIDF 25 0032 108902867	9.25	DTC ROS	20 21	0229 0036	90	86	92	-0.38 64 89	-0.24 43 89	-0.43 83	-0.01 64 94	-0.32 37 86	-0.32 88	-0.18 41 95	0.50 35 102	-0.03 47 96	-1.00 32 104	0.24 29 101	1				
760	ROS 24 0183 100574011	9.55	DTC ROS	22 21	0030 0027	90	99	85	0.87 65 109	-0.59 49 77	-0.16 91	1.79 64 114	-0.53 41 79	0.37 100	2.65 49 127	-3.80 39 86	-1.02 49 91	0.59 35 99	-0.38 29 102	101 1				
761	H 23 0010 99143232	8.03	WCN WCN	21 21	0109 0047	90	92	102	-1.00 64 79	0.74 50 125	0.24 101	-1.49 62 78	0.69 41 121	-0.06 93	-1.94 20 75	-1.00 38 96	-1.40 48 89	6.32 28 82	0.46 32 100	100 3				
762	GW 23 0228 109188706	8.05	WCN WCN	20 21	0113 0021	90	97	84	0.62 56 105	-0.60 47 76	-0.29 87	1.57 54 111	-0.47 39 81	0.32 99	0.76 21 106	-2.80 36 90	-0.58 44 93	1.16 28 97	3.46 28 93	100 2				
763	CJW 24 0024 99801649	5.52	GE CJW	22 22	0014 0009	89	85	93	0.08 61 96	0.05 46 100	0.09 97	-1.41 60 79	-0.12 38 93	-0.82 79	-2.22 47 72	-2.50 39 91	-3.03 47 80	1.80 30 96	-8.04 30 121	100 2				
764	ROS 24 0144 100574276	8.74	ROS ROS	22 16	0021 0016	89	97	96	-0.29 60 91	0.25 41 107	0.10 97	0.02 58 94	0.24 36 105	0.25 98	0.68 45 105	-2.80 35 90	-1.42 44 89	2.10 26 95	-0.32 25 102	0				
765	GW 25 0299 109182402	6.38	GE GW	20 23	0047 0227	89	83	86	0.24 64 99	-0.40 42 84	-0.28 87	-0.67 63 87	-0.47 34 81	-0.81 79	-0.41 48 92	2.70 29 110	0.48 44 99	0.76 32 99	5.95 23 87	0				
766	P 22 0112 95170270	9.54	P DTC	20 17	0343 1302	89	87	86	0.52 58 103	-0.41 39 83	-0.15 91	-0.30 59 91	-0.41 34 83	-0.56 84	0.11 22 98	1.30 32 105	0.07 43 97	5.18 38 85	3.93 32 92	2				
767	CIDF 25 0206 110318268	5.02	BS RN	22 24	1004 0007	89	105	85	0.45 60 102	-0.18 38 92	0.05 96	1.87 60 114	-0.15 32 92	0.79 108	1.82 23 118	-5.00 29 82	-1.28 42 89	0.68 30 99	4.62 23 90	0				
768	CIDF 25 0210 110318383	3.57	BS LR	22 21	1004 0015	89	94	94	-0.35 64 90	-0.22 42 90	-0.40 84	0.96 62 104	-0.22 36 89	0.26 98	0.81 23 106	-3.30 35 88	-1.25 46 90	2.83 38 92	-5.76 28 116	1				
769	WCN 21 0096 91539205	6.25	JC DTC	18 19	0101 0165	88	86	92	-0.30 64 90	-0.33 55 86	-0.48 82	-0.13 63 93	-0.30 48 87	-0.36 87	0.22 35 100	0.10 46 100	-0.36 53 94	-2.41 34 108	0.48 36 100	90 4				
770	P 21 0232 92170299	8.63	DTC P	18 19	0695 0117	88	78	91	-0.09 62 94	-0.67 48 74	-0.72 76	-0.44 61 89	-0.66 41 74	-0.88 78	-0.19 40 95	0.10 39 100	-1.04 48 91	-5.02 37 116	-6.49 37 118	99 5				
771	ROS 25 0065 108939166	9.10	DTC DTC	20 18	0229 0167	88	89	96	-0.96 65 80	0.20 43 105	-0.29 87	-0.46 64 89	0.16 36 103	-0.07 92	-1.22 47 83	-1.30 35 95	-1.08 47 91	0.06 32 101	-0.26 25 102	1				
772	BOS 25 0009 111366423	3.46	BOS DJ	21 20	0001 0023	88	82	94	-0.75 59 83	0.16 38 104	-0.22 89	-1.52 57 77	0.02 32 98	-0.74 81	-2.74 19 66	-0.50 30 98	-1.80 41 87	-0.41 21 102	-2.45 23 108	0				
773	CIDF 25 0102 109937649	4.91	BS RN	22 21	1004 0009	88	104	83	0.88 62 109	-0.07 41 96	0.37 104	1.10 62 106	-0.05 36 95	0.50 102	1.35 25 112	-5.70 33 79	-2.37 45 83	0.44 32 100	5.82 25 87	0				
774	P 23 0323 98776925	6.52	P P	22 21	0040 0231	88	98	88	0.32 57 100	0.01 42 99	0.17 99	0.31 56 97	0.11 34 101	0.27 98	0.45 21 102	-5.20 32 81	-2.70 42 82	-3.20 34 111	2.36 28 96	93 2				

Ewe Selection list: LMI

Animals are sorted on LMI

*Inbreeding in red is high

EBV - Estimated Breeding Value

Indices above 124
Bokant rasgemiddeld
Indices below 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal		Parents		Selection Indices			EBV - Weights								EBV - Fertility					
Animal ID	% In-breeding	Sire ID Dam ID		Logix Merit Index	Growth Index	Reproduction Index	PreW Dir	PreW Mat	PreW Comb	Wean Dir	Wean Mat	Wean Comb	Post Wean	Lambs Weaned	TWW	AFL	ILP	EPI Times Lambed		
Comp.no.							EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	Phenotype	
Active breed average:				100	100	100	0.30	0.05	0.20	0.51	0.09	0.35	0.24	0.12	0.67	0.32	0.62			
775	CIDF 26 0234 112764345	3.79	BS P 23 0144 22 0248	88	90	91	-0.38 57 89	-0.28 33 88	-0.47 82	0.58 56 100	-0.26 27 88	0.03 94	0.26 17 100	-1.20 25 96	-0.40 38 94	2.73 25 93	0.41 21 100	0		
776	ROS 24 0011 99011900	8.98	DTC DTC 20 0240 18 0122	88	102	75	1.50 65 119	-0.66 48 74	0.09 97	1.76 64 113	-0.54 41 78	0.34 100	0.67 57 105	-5.80 43 79	-2.27 50 84	2.63 35 93	4.91 29 89	93 1		
777	ROS 24 0143 100574110	8.74	ROS ROS 22 0021 16 0016	87	92	98	-0.68 60 84	0.29 41 109	-0.05 93	-0.48 58 89	0.24 36 105	0.01 94	0.55 45 103	-2.70 39 90	-1.85 45 86	2.38 32 94	-4.17 25 112	97 1		
778	CIDF 26 0469 113802581	2.59	BS WCN 23 0117 24 0003	87	88	94	-1.00 51 79	0.23 29 107	-0.27 88	-0.64 50 87	0.17 24 103	-0.15 91	-1.23 14 83	0.90 24 103	0.07 34 97	3.80 21 89	5.71 18 87	0		
779	BS 23 0451 100017755	3.29	BS BS 21 0083 17 0070	87	81	92	-0.65 65 85	-0.38 55 85	-0.70 77	-0.37 64 90	-0.42 47 83	-0.61 83	-0.95 19 86	0.10 44 100	-0.73 53 92	0.75 38 99	-4.34 34 112	99 2		
780	ROS 19 0058 85244580	5.69	GNF DTC 16 0043 17 0608	87	90	90	-0.25 72 91	-0.07 65 96	-0.20 89	-0.14 71 92	-0.05 56 95	-0.12 91	-0.76 45 88	-2.80 52 90	-1.87 61 86	-1.93 40 107	1.23 41 98	107 5		
781	DTC 18 0821 82577867	5.83	JC DTC 15 0077 15 0675	87	93	97	-0.84 73 82	0.33 66 110	-0.09 92	-0.42 72 89	0.40 58 111	0.19 97	-1.09 52 85	-2.60 57 91	-1.58 63 88	8.77 44 74	-1.21 43 104	133 8		
782	ROS 24 0161 100573898	6.76	ROS ROS 22 0021 20 0033	87	91	94	-0.62 62 85	0.08 47 101	-0.24 89	-0.08 60 93	0.05 40 99	0.01 94	0.48 48 103	-2.10 38 92	-1.29 47 89	0.81 32 98	-0.55 25 103	99 1		
783	ROS 23 0096 97311484	6.79	DTC ROS 20 0229 19 0058	87	80	92	-0.53 68 87	-0.17 54 92	-0.43 83	-1.18 67 81	-0.23 45 89	-0.82 79	-1.58 45 79	0.00 40 100	-1.41 52 89	-1.73 34 106	-1.99 30 106	106 2		
784	CJW 24 0005 99802142	4.12	GE WW 22 0014 20 0111	86	95	84	0.23 63 99	-0.15 48 93	-0.04 94	0.42 61 99	-0.12 41 93	0.09 95	-0.77 47 88	-3.40 39 88	-1.75 48 87	2.80 33 92	5.12 31 89	93 2		
785	ROS 22 0035 94321692	8.99	DTC DTC 20 0072 17 0384	86	103	83	1.18 68 114	-0.10 56 95	0.49 107	0.62 66 101	0.00 48 97	0.31 99	0.83 47 107	-8.60 46 69	-4.54 54 72	0.49 39 99	-1.99 30 106	101 2		
786	ROS 25 0071 108939067	6.67	DTC HL 20 0229 18 0021	86	77	97	-1.36 66 74	-0.11 45 94	-0.79 74	-1.05 64 83	-0.20 38 90	-0.72 81	-1.41 45 81	2.00 36 107	-0.04 48 96	2.07 31 95	-3.16 28 109	0		
787	LR 20 0054 90020231	7.52	DTC DTC 18 0882 17 0646	86	91	88	0.19 66 98	-0.17 50 92	-0.08 93	-0.24 64 91	-0.09 44 94	-0.21 90	0.14 31 99	-2.30 42 92	-1.70 51 87	4.02 35 89	0.97 34 99	3		
788	RN 22 0039 94056637	2.34	DTC SV 17 0361 16 0012	86	104	71	1.47 65 118	-0.71 53 72	0.02 95	2.36 64 120	-0.61 48 76	0.57 104	2.47 45 125	-3.60 46 87	-0.41 54 94	3.31 40 91	14.51 38 65	2		
789	JC 24 0140 107131401	5.23	JC JC 21 0043 14 0115	86	95	82	0.46 67 102	-0.24 52 90	-0.01 95	0.45 67 99	-0.19 46 90	0.04 94	0.67 34 105	-2.00 44 93	-0.94 54 91	5.41 37 85	7.48 33 83	104 1		
790	WW 24 0034 100183359	5.96	WW ROS 20 0042 19 0040	86	79	97	-1.29 59 75	0.04 42 100	-0.61 79	-1.23 59 81	-0.04 37 96	-0.66 82	-1.41 23 81	0.10 33 100	-1.21 45 90	-0.68 25 103	-4.77 26 113	1		
791	JC 24 0068 101709905	9.02	JC JC 21 0043 18 0137	86	93	84	0.36 66 101	-0.22 49 90	-0.04 94	0.27 64 97	-0.25 42 88	-0.11 92	-0.30 30 94	-4.60 40 83	-2.74 50 81	-0.32 35 102	0.28 30 101	0		
792	CIDF 26 0482 113802425	2.15	BS ROS 24 0424 22 0081	85	91	86	-0.02 49 95	-0.31 38 87	-0.32 86	0.54 48 100	-0.30 34 87	-0.03 93	0.57 31 104	-3.40 33 88	-1.80 39 87	-1.65 30 106	0.62 28 100	0		

Ewe Selection list: LMI

Animals are sorted on LMI

*Inbreeding in red is high

EBV - Estimated Breeding Value

Indices above 124
Bokant rasgemiddeld
Indices below 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal		Parents		Selection Indices			EBV - Weights							EBV - Fertility				
Animal ID	% In-breeding	Sire ID	Dam ID	Logix Merit Index	Growth Index	Reproduction Index	PreW Dir	PreW Mat	PreW Comb	Wean Dir	Wean Mat	Wean Comb	Post Wean	Lambs Weaned	TWW	AFL	ILP	EPI Times Lambed
Comp.no.							EBV Acc Index	EBV Acc Index	EBV Index	EBV Acc Index	EBV Acc Index	EBV Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	Phenotype
Active breed average:				100	100	100	0.30	0.05	0.20	0.51	0.09	0.35	0.24	0.12	0.67	0.32	0.62	
793 ROS 21 0017 91661355	9.32	DTC ROS	05 18 0071 0076	85	71	88	-0.79 71 83	-0.71 65 72	-1.10 66	-0.62 69 87	-0.89 59 66	-1.20 72	-0.37 41 93	4.20 56 115	1.01 62 102	-2.33 49 108	-0.21 51 102	129 4
794 P 20 0268 89797195	7.68	DTC DTC	18 18 0661 0790	85	82	88	0.06 62 96	-0.46 41 81	-0.44 83	-0.42 60 89	-0.55 36 78	-0.76 80	-0.09 31 96	-1.10 38 96	-1.63 46 88	5.87 34 83	-6.67 34 118	86 5
795 ROS 25 0041 108939216	7.88	DTC ROS	22 24 0101 0072	85	90	90	-0.21 62 92	0.13 38 103	0.03 95	-0.68 60 87	0.09 31 100	-0.24 89	0.17 46 99	-3.60 29 87	-2.74 42 81	-3.09 26 110	0.17 22 101	0
796 ROS 21 0027 91660670	13.63	DTC ROS	05 17 0071 0024	85	72	90	-0.79 68 83	-0.79 63 69	-1.18 64	-0.29 67 91	-0.97 57 64	-1.12 74	-0.05 38 96	2.50 55 109	0.24 60 98	0.67 49 99	-7.49 50 120	95 4
797 LR 20 0014 89960975	6.75	DTC DTC	18 17 0882 0966	85	80	89	-0.29 66 91	-0.26 56 89	-0.40 84	-1.14 64 82	-0.29 48 87	-0.86 78	-1.18 31 84	-0.30 42 99	-1.61 53 88	3.00 38 92	-2.92 33 109	91 4
798 ROS 21 0103 91661272	5.00	GE GE	19 18 0044 0035	85	89	80	0.68 67 106	-0.64 58 75	-0.30 87	0.41 66 98	-0.61 49 76	-0.41 86	0.22 30 99	-3.70 45 87	-2.42 55 83	-2.17 31 108	-0.23 36 102	102 4
799 BS 19 0099 83156521	15.95	BS BS	17 13 0151 0054	84	73	91	-1.19 70 76	-0.27 63 88	-0.87 72	-1.07 68 82	-0.51 56 79	-1.05 75	-1.08 31 85	0.90 56 103	-1.04 61 91	-6.79 46 122	-3.66 42 111	106 5
800 HN 23 0126 97676100	2.85	EL HN	20 22 0106 0041	84	89	89	-0.24 60 91	0.20 40 106	0.08 97	-1.06 59 82	0.19 34 103	-0.34 88	-1.43 30 81	-5.10 34 81	-3.93 44 75	-1.41 34 105	-1.72 27 106	100 2
801 WH 24 0012 99096240	9.04	OKF WH	20 17 0017 0058	84	99	70	1.58 63 120	-0.76 44 70	0.03 95	1.59 62 111	-0.65 38 75	0.15 96	1.61 31 115	-5.30 41 81	-2.24 48 84	-0.26 32 102	9.78 29 77	101 1
802 RC 24 0230 106967656	10.51	RC RC	20 22 0107 0169	84	90	81	0.12 59 97	-0.13 39 94	-0.07 93	-0.29 58 91	-0.19 34 90	-0.34 88	-1.49 46 80	-3.60 33 87	-2.64 43 82	0.36 28 100	4.42 25 90	0
803 LR 21 0020 92380005	3.48	DTC XRZ	08 17 0260 0030	83	70	99	-0.97 69 80	-0.14 62 93	-0.63 78	-2.37 68 68	-0.23 56 89	-1.42 69	-2.02 39 74	-2.80 55 90	-4.28 60 73	-2.90 47 110	-19.33 46 136	98 3
804 P 20 0277 91032052	7.89	DTC DTC	18 18 0897 0578	83	77	80	0.03 61 96	-0.76 49 70	-0.75 75	-0.48 62 89	-0.83 46 69	-1.06 75	0.21 24 99	2.50 43 109	0.20 51 98	0.34 36 100	5.44 37 88	109 4
805 EG 21 0165 96246079	2.74	RC EG	20 17 0066 0037	83	82	93	-0.81 64 82	0.13 60 103	-0.27 88	-1.57 63 77	0.10 52 100	-0.69 81	-1.18 32 84	-2.90 48 89	-3.21 55 79	-2.22 41 108	-4.51 37 113	100 3
806 ROS 24 0072 98977366	6.87	ROS JR	22 18 0052 0081	82	73	88	-0.46 59 88	-0.36 49 85	-0.59 79	-1.81 57 74	-0.47 40 81	-1.37 69	-1.04 42 85	1.10 38 104	-1.61 46 88	-0.56 31 103	-2.72 27 108	110 2
807 BS 22 0224 95788436	7.02	BS BS	19 17 0120 0103	82	89	84	-0.40 68 89	-0.19 63 91	-0.38 85	0.31 67 97	-0.33 56 86	-0.17 91	0.02 25 97	-3.70 54 87	-2.24 60 84	2.72 49 93	-0.70 40 103	119 4
808 ROS 22 0075 94321478	7.40	DTC DTC	20 16 0240 0349	82	81	82	-0.40 71 89	-0.74 61 71	-0.94 70	0.41 69 99	-0.75 52 71	-0.54 84	-0.83 46 88	-1.30 48 95	-1.11 58 90	1.30 40 97	-0.44 37 102	139 3
809 P 21 0353 92698604	5.30	DTC DTC	18 17 0772 0539	81	87	79	0.18 64 98	-0.55 48 78	-0.46 83	0.34 63 98	-0.51 43 79	-0.35 88	-0.09 40 96	-2.20 42 92	-1.50 50 88	6.26 39 82	3.30 38 93	100 3
810 P 22 0248 95172458	7.67	P P	20 20 0343 0252	80	83	74	0.62 58 105	-0.97 43 64	-0.66 78	0.41 59 98	-0.90 36 66	-0.70 81	0.43 23 102	-1.00 34 96	-1.10 44 90	5.18 36 85	3.69 33 92	88 3

Ewe Selection list: LMI

Animals are sorted on LMI

*Inbreeding in red is high

EBV - Estimated Breeding Value

Indices above 124
Bokant rasgemiddeld
Indices below 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal		Parents		Selection Indices			EBV - Weights							EBV - Fertility				
Animal ID	% In-breeding	Sire ID	Dam ID	Logix Merit Index	Growth Index	Reproduction Index	PreW Dir	PreW Mat	PreW Comb	Wean Dir	Wean Mat	Wean Comb	Post Wean	Lambs Weaned	TWW	AFL	ILP	EPI Times Lambed
Comp.no.							EBV Acc Index	EBV Acc Index	EBV Index	EBV Acc Index	EBV Acc Index	EBV Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	Phenotype
Active breed average:				100	100	100	0.30	0.05	0.20	0.51	0.09	0.35	0.24	0.12	0.67	0.32	0.62	
811	P 19 0117 83311274	6.48	DTC 17 1096 DTC 13 0758	80	81	78	0.46 67 102	-0.96 55 64	-0.74 76	0.24 67 97	-0.92 49 65	-0.80 80	0.47 26 102	-3.20 47 88	-2.60 55 82	-0.09 40 101	-4.30 38 112	119 6
812	P 22 0191 95171518	7.15	P 20 0343 DTC 18 0734	79	86	77	0.53 59 103	-0.80 48 69	-0.54 81	0.57 61 100	-0.73 40 72	-0.44 86	1.27 22 112	-4.20 35 85	-2.68 47 82	3.49 37 90	-1.96 35 106	105 4
813	GW 17 0244 80139454	1.93	GW 15 0112 LP 11 0010	79	91	87	-0.28 64 91	0.31 61 110	0.18 99	-1.07 63 82	0.24 53 105	-0.29 88	-0.77 40 88	-7.80 55 72	-5.51 57 66	1.32 35 97	-5.38 39 115	95 8
814	WH 24 0001 99096067	7.80	OKF 20 0017 GE 18 0142	79	104	73	0.80 63 108	-0.16 43 92	0.24 101	1.31 61 108	-0.09 37 94	0.56 104	0.98 31 108	-8.30 37 70	-3.77 46 76	4.29 29 88	9.44 28 78	0
815	ROS 22 0012 94322138	6.13	DTC 20 0240 ROS 20 0028	78	84	73	0.48 66 103	-0.63 55 75	-0.39 84	-0.02 65 94	-0.66 47 74	-0.67 82	-0.64 47 90	-4.00 45 85	-3.08 53 80	1.51 38 96	3.61 34 92	95 2
816	RN 22 0048 94056652	8.98	DTC 17 0361 RN 20 0045	78	104	67	1.02 64 111	-0.51 53 79	0.00 95	2.09 63 117	-0.44 49 82	0.61 104	1.93 51 119	-7.70 47 72	-2.96 54 80	3.01 43 92	12.48 39 70	95 1
817	WH 24 0056 100050897	8.45	OKF 20 0017 WH 21 0023	77	94	72	0.60 64 104	-0.33 48 86	-0.04 94	0.51 63 100	-0.32 40 86	-0.07 92	0.43 29 102	-6.30 40 77	-3.59 49 77	6.39 32 82	6.57 35 85	93 3
818	DTC 21 0172 91913509	8.96	DTC 18 0064 DTC 17 0144	77	87	88	-1.36 67 74	0.18 56 105	-0.51 82	-0.47 67 89	0.19 50 104	-0.04 93	-1.68 55 78	-6.30 51 77	-4.05 57 74	2.60 38 93	-2.68 37 108	120 5
819	P 22 0148 95170791	7.95	P 20 0343 P 19 0493	76	89	76	0.19 61 98	-0.30 48 87	-0.21 89	-0.14 62 92	-0.27 40 88	-0.34 88	0.31 22 101	-3.80 39 86	-2.69 48 82	10.74 37 68	4.87 35 89	99 3
820	WH 24 0026 107619660	7.15	ROS 22 0020 WH 22 0074	76	77	83	-0.92 63 81	-0.32 49 87	-0.78 74	-0.82 62 85	-0.46 40 81	-0.87 78	-0.98 28 86	-2.60 31 91	-2.84 46 81	3.09 28 92	-3.27 28 110	100 2
821	WH 24 0004 99096208	7.80	OKF 20 0017 GE 18 0141	75	96	70	0.56 64 104	-0.33 49 86	-0.05 93	0.84 63 103	-0.29 42 87	0.13 96	0.60 31 104	-7.10 40 74	-3.71 50 76	5.03 30 86	8.97 29 79	102 1
822	RN 24 0007 99751513	20.86	DTC 20 0052 RN 21 0009	75	101	65	0.97 58 110	-0.52 50 79	-0.04 94	1.76 63 113	-0.49 43 80	0.39 100	2.35 43 124	-7.80 36 72	-3.42 49 78	1.10 34 98	12.68 32 70	100 2
823	ROS 22 0081 94321536	13.99	DTC 20 0072 DTC 17 0205	75	81	79	-0.54 67 87	-0.47 53 81	-0.74 76	-0.16 65 92	-0.55 45 78	-0.62 83	0.05 46 98	-5.50 46 80	-4.00 53 75	-4.56 38 115	-3.03 36 109	110 3
824	DTC 17 1370 80610736	5.83	DTC 15 0104 DTC 14 0368	75	92	63	0.98 71 110	-1.00 63 64	-0.51 81	1.66 69 112	-0.91 55 66	-0.08 92	1.90 41 119	-5.30 53 81	-2.43 60 83	-0.06 43 101	11.68 42 72	118 6
825	RN 24 0008 99751570	20.86	DTC 20 0052 RN 21 0009	74	99	66	0.88 56 109	-0.47 45 81	-0.03 94	1.42 63 110	-0.46 39 81	0.25 98	2.07 43 121	-7.80 36 72	-3.72 48 76	1.34 34 97	11.85 29 72	1
826	WW 24 0055 99994824	4.51	GE 21 0037 WW 19 0029	74	70	83	-0.95 62 80	-0.26 41 89	-0.73 76	-2.05 61 72	-0.35 34 85	-1.38 69	-1.88 20 76	-2.80 32 90	-4.08 44 74	-0.96 23 104	-4.18 28 112	96 2
827	DTC 20 0059 89296362	10.16	DTC 17 0361 DTC 17 0293	71	108	61	1.57 71 120	-0.41 64 83	0.38 104	1.83 70 114	-0.25 57 89	0.67 105	1.79 63 117	-14.90 58 64	-7.36 62 56	2.53 43 93	6.51 45 85	103 7
828	WCN 24 0003 100283282	18.61	WCN 21 0109 WCN 20 0147	68	89	68	-0.52 61 87	-0.13 39 93	-0.39 84	0.13 59 95	-0.16 33 91	-0.10 92	-0.86 22 87	-6.30 35 77	-3.81 43 76	11.68 26 65	11.15 23 74	106 2

Ewe Selection list: LMI

Animals are sorted on LMI

*Inbreeding in red is high

EBV - Estimated Breeding Value

Indices above 124

Bokant rasgemiddeld

Indices below 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal		Parents		Selection Indices			EBV - Weights							EBV - Fertility										
Animal ID	% In-breeding	Sire ID	Dam ID	Logix Merit Index	Growth Index	Reproduction Index	PreW Dir	PreW Mat	PreW Comb	Wean Dir	Wean Mat	Wean Comb	Post Wean	Lambs Weaned	TWW	AFL	ILP	EPI	Times Lambed					
							EBV	EBV	EBV	Wean	Wean	Wean	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	Phenotype
							Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index
Active breed average:				100	100	100	0.30	0.05	0.20	0.51	0.09	0.35	0.24	0.12	0.67	0.32	0.62							
829 WCN 24 0004	18.61	WCN 21 0109	WCN 20 0147	67	83	72	-0.81	-0.05	-0.45	-0.80	-0.12	-0.52	-1.60	-5.80	-4.41	11.72	6.05	97	1					
100283381		62 82					45 97	83	60 85	37 93	84	22 79	31 79	44 72	26 65	23 86								