

Boerboel Genetic Evaluation

SA Stud Book
February 2026

MS G. SLETT

1 KM SUR DE LA ESCUELA
DE AGUJAS
PUNTARENAS
COSTA RICA



Kennel Number: 717868



Estimated Breeding Values (EBVs)

Litter size and conformation traits are influenced by many genes, with every gene making a small contribution to the expression of the trait. These traits are, however, also influenced by physiological and physical environmental factors, for example the age and sex of the animal, the feeding and management the animal received and year x season effects. It is therefore not possible to know what the animal's genetic potential for the trait is by merely using the measurement.

With BLUP (*Best Linear Unbiased Prediction*) methodology an animal's genetic potential is predicted by making use of the genetic parameters (heritabilities and genetic correlations) of the breed, pedigree information, as well as the measurements of the animal as deviation from the average of the animals that were measured with the animal. Adjustments are made for differences in sex, age, classifier, management and year x season effects to ensure that fair comparisons are made amongst the animals. These predictions are called **EBVs (Estimated Breeding Values)** which indicates the animal's genetic potential for the specific trait and predicts the type of progeny that the animal will breed.

Pedigree information determines the genetic level at which the animal enters the genetic evaluation, it links the information of all relatives together and it is used to determine the genetic ranking of the breed. For young animals that were not yet measured, mid-parent EBVs are estimated, which are the average of the EBVs of the sire and dam. These breeding values are still inaccurate and can change a lot when more information (measurements) is included in subsequent genetic evaluations.

Breeding values therefore enables a breeder to compare his/her animals genetically to one another, as well as to all other animals of the breed. This Report gives a summary of the genetic levels of the active males and females of the relevant breeder in comparison to that of the breed for linearly classified traits and litter size. The genetic change that occurred over time can also easily be seen.

Breeding Value Indices (EBVi)

For easy interpretation, EBVs are standardised and expressed relative to the average (100) of the active animals of the breed, using 12 as standard deviation (SD). This means that an EBV of 100 is equal to the active average of the breed, and more or less 50% of the animals will have EBVi's of between 90 and 110, which indicates an average animal. Only 0.5% of the EBVi's will be lower than 64 and 0.5% will be higher than 136. Higher EBVi's indicate better genetic potential for the trait.

Accuracy

EBVs are published with an **accuracy value (%)**, which indicates how much info was available for the estimation of the EBV and with how much trust it can therefore be applied. Factors that influence the accuracy include heritability, completeness and correctness of pedigree information, number of own and measured relatives and the size of the group in which the animal was measured. When an accuracy of 85% and more is reached, the EBV should not change significantly with the inclusion of more information in subsequent genetic evaluations.

Kennel and Breed Averages: The different traits' averages of the breeder's active animals are compared to those of the breed in the Kennel and Breed Average Graphs and Tables. The breeder can therefore easily see for which traits the animals are above or below the average of the breed.


Genetic Trends: The Genetic Trends indicate the genetic change that occurred over time in the animals bred by the breeder compared to that of the breed. These are calculated as the average of the breeding values of all measured animals bred by the breeder, per year of birth.

Inbreeding: Inbreeding is the mating of related animals and is widely viewed as being harmful. The danger of inbreeding lies there in that it can gradually decrease fertility and survivability – a phenomenon known as inbreeding depression. It can cause lower conception rates, more abortions, more stillborn and weak offspring and a higher susceptibility to diseases. Indications in dogs include a low litter size as well as problems relative to fertility, such as invisible heat, behavioural problems when mating and low sperm quality. Overall, reduced litter size most likely reflects inbreeding depression in several traits, both physiological and behavioural, as well as a high frequency of non-viable embryos due to lethal alleles. Generally, the effects of inbreeding can become noticeable at a value of 6.25%, therefore it is generally recommended that individuals should have inbreeding coefficients of less than 6.25%. Breeders should therefore avoid matings causing inbreeding of more than 6.25% in the progeny. The theoretical maximum inbreeding coefficient is 50%. However, it should be noted that not all inbred animals show signs of inbreeding depression.

The data used in this evaluation was obtained from LOGIX from linear classifications that were done by the Breeder Society. All possible attempts have been made to present the information correctly. SA Stud Book does not accept responsibility for the use and interpretation of the information presented on animals in this publication.

Genetic Levels

Kennel Average relative to Breed Average, where Breed Average is indicated as 0



Average Breeding Value Indices (EBVi) where Breed Average = 100

Trait	All Animals	Males	Females
Litter size (LS)	97	96	99
Movement (Mv)	97	94	102
Temperament (Tmp)	111	108	115
Coat (Ct)	97	94	101
General Appearance	108	109	106
Head & Face (H&F)	113	112	115
Front Quarter (FQ)	110	107	115
Centre (C)	115	116	113
Hind Quarter (HQ)	105	102	109
Final Score (FS)	111	109	114
Hip Health (HH)	109	105	115
Elbow Health (ELM)	99	99	100

Inbreeding

Notes

Inbreeding primarily leads to decreased fertility, low survivability of pups and low disease resistance.

Inbreeding coefficients are calculated for all animals of the breed and indicates the probability that two genes of a pair are the same due to a common ancestor in the pedigree of the animal.

The adverse effects of inbreeding can be observed from 6.25% onwards.


It is therefore highly recommended to record pedigree information as accurately. Inbreeding is dependent on pedigree information. Conventional methods for the calculation of inbreeding coefficients usually assume that unknown parents are unrelated, which is usually far from the truth. Inbreeding coefficients are therefore conservative indicators of the level of inbreeding.

Incomplete or incorrect pedigree information can be reported to SA Stud Book via the Breed Society.

Inbreeding Levels for Specific Matings

Progeny with Parents :	25%
Full Brother x Full Sister :	25%
Half Brother x Half Sister :	12.5%
One Common Grandparent :	6.25%
One Common Great-Grandparent :	3.125%

Rate of Inbreeding



Inbreeding Levels

	All Animals		Males		Females		Sires		Dams	
	Kennel	Breed	Kennel	Breed	Kennel	Breed	Kennel	Breed	Kennel	Breed
Number	7	49007	4	25141	3	23857	5	3371	6	6287
Average Inbreeding	12.72	8.49	10.94	8.46	15.10	8.53	9.48	8.01	11.28	8.00
Number inbred	7	48727	4	24990	3	23728	5	24990	6	23728
Number >6.25% Inbr.	6	30600	3	15537	3	15058	3	15537	5	15058

Estimated Breeding Value Indices (EBVi's)

Males

Inbreeding >6.25% is high

< 80

>= 100

>= 120

Animal Information			Inbreed	Health		Fertility	General			Appearance						Progeny :		Appraisal	Health		Progeny with litters
Name	BYr	Sire Dam	%	Hips Acc.	Elbows Acc.	Litter Size Acc.	Move-ment	Tempe-rament	Coat	General Appear.	Head & Face	Front Quarter	Centre	Hind Quarter	Final Score	Progeny	Litters	Progeny Kennels	Hips	Elbows	
ALEXANDER BBD MANZA RAMSES		LANDRE MAX	9.58	110	101	93	95	108	96	101	110	111	117	107	110	6	2	2			1
	2020	MES SERENA		5	5	26	46	21	58	45	57	46	48	50	54			2			1
GUNSMOKE HERCULES		DUMAS BIG DEAL	4.92	94	93	95	86	115	67	126	129	109	123	105	116	4	1	2			
	2021	GATEKEEPER NOVA		5	5	5	53	27	67	52	66	54	56	58	63			2			
ALEXANDER BBD BIG RED MACHINE		SA SUPERIOR RAMBO	7.08	102	100	101	96	97	114	103	94	93	109	90	97	1	1	1			
	2021	ALEXANDER BBD KELLY		5	5	5	47	13	63	46	62	48	50	53	58			1			
HELLRAZOR SHAKA ZULU		ALEXANDER BBD MANZA RAMSES	22.19	113	103	93	98	113	99	107	115	114	114	105	113						
	2025	ALEXANDER BBD MOON SHADOW - X		5	5	5	10	5	34	8	33	13	17	21	28						

Estimated Breeding Value Indices (EBVi's)

Females

Inbreeding >6.25% is high

< 80

>= 100

>= 120

Animal Information			Inbreed	Health		Fertility	General			Appearance						Progeny :		Appraisal	Health		Progeny with litters
Name	BYr	Sire Dam	%	Hips Acc.	Elbows Acc.	Litter Size Acc.	Move-ment	Tempe-rament	Coat	General Appear.	Head & Face	Front Quarter	Centre	Hind Quarter	Final Score	Progeny	Litters	Progeny Kennels	Hips	Elbows	
ALEXANDER BBD MOON SHADOW - X	2022	DYNASTY RAFIKI	12.52	117	105	93	100	119	102	112	119	118	111	104	115	3	1				
		ALEXANDER BBD MANZA GABRIELLA		5	5	18	46	15	61	45	60	47	49	51	56						
ALEXANDER BBD PHOENIX - X	2022	ALEXANDER BBD MANZA RAMSES	10.58	114	92	110	109	113	102	98	111	112	114	119	116						
		AFRIKA IZZY15		5	5	13	41	11	58	41	57	42	45	47	52						
HELLRAZOR GRIZELDA	2025	ALEXANDER BBD MANZA RAMSES	22.19	113	103	93	98	113	99	107	115	114	114	105	113						
		ALEXANDER BBD MOON SHADOW - X		5	5	5	10	5	34	8	33	13	17	21	28						

Estimated Breeding Value Indices (EBVi's)

Sires

Inbreeding >6.25% is high

< 80

>= 100

>= 120

Sire Information			Inbreed	Health		Fertility	General			Appearance						Progeny :	Appraisal	Health	Progeny
Name	BYr	Sire Dam	%	Hips Acc.	Elbows Acc.	Litter Size Acc.	Move-ment	Tempe-rament	Coat	General Appear.	Head & Face	Front Quarter	Centre	Hind Quarter	Final Score	Progeny Litters	Progeny Kennels	Hips Elbows	with litters
SA SUPERIOR RAMBO	2015	ELEVATION HUDSON	15.23	86	92		113	108	112	101	93	98	117	95	102	32	3	12	6
		SA SUPERIOR JULUKA		5	5		59	26	75	58	74	60	62	65	70		10		2
LANDRE MAX	2016	DE NOVO BBD MAXIMUS	4.83	109	101	89	94	105	93	109	101	100	120	98	103	61	9	23	24
		NTHOHADI EVA		5	5	40	70	43	83	69	82	70	72	75	79		16		3
DUMAS BIG DEAL	2017	JACOB BOB	3.04	94	96	94	66	120	25	120	134	116	119	100	111	38	7	12	13
		DUMAS NIKITA		5	5	12	65	40	79	65	78	66	68	70	75		9		4
ALEXANDER BBD MANZA RAMSES	2020	LANDRE MAX	9.58	110	101	93	95	108	96	101	110	111	117	107	110	6	2	2	1
		MES SERENA		5	5	26	46	21	58	45	57	46	48	50	54		2		1
DYNASTY RAFIKI	2021	MIDDELPOS BBD GAMKA	14.72	125	109	93	96	121	103	115	115	118	103	93	109	42	5	14	4
		JAMBAL ZAYA		5	5	32	63	38	76	62	76	63	65	68	72		11		1

Estimated Breeding Value Indices (EBVi's)

Dams

Inbreeding >6.25% is high

< 80

>= 100

>= 120

Animal Information			Inbreed	Health		Fertility	General			Appearance						Progeny :		Appraisal	Health		Progeny with litters
Name	BYr	Sire Dam	%	Hips Acc.	Elbows Acc.	Litter Size Acc.	Move- ment	Tempe- r ament	Coat	General Appear.	Head & Face	Front Quarter	Centre	Hind Quarter	Final Score	Progeny Litters	Progeny Kennels		Hips	Elbows	
MES SERENA	2017	MES ARNOLD 1	11.65	110	101	97	102	112	92	99	117	120	112	116	116	7	2	3			6
		MES TAYLA		5	18	51	61	40	74	60	73	62	63	65	70		3				1
GATEKEEPER NOVA	2019	KAMMO BBD VEKTOR	17.82	94	89	96	103	107	118	131	127	99	125	117	124	30	4	10			9
		BRAAMBOS SARAFINA		5	5	34	63	35	77	62	76	63	66	68	72		10				1
ALEXANDER BBD KELLY	2019	LANDRE MAX	10.13	118	107	105	97	103	105	113	103	103	113	98	104	10	1	7			5
		ELEVATION KELLY		5	5	29	52	26	66	52	65	53	55	57	62		6				1
AFRIKA IZZY15	2019	MES RUBENSTEIN	5.96	119	83	128	118	116	106	94	114	112	107	123	118	8	2	4			2
		DEO-HAN ZIGGY		8	25	45	61	40	74	60	73	61	63	65	69		3				1
ALEXANDER BBD MANZA GABRIELLA	2020	LANDRE MAX	9.58	110	101	99	98	112	96	111	124	117	120	107	118	8	1	6			3
		MES SERENA		5	5	32	50	25	64	50	63	51	53	55	60		5				1
ALEXANDER BBD MOON SHADOW - X	2022	DYNASTY RAFIKI	12.52	117	105	93	100	119	102	112	119	118	111	104	115	3	1				
		ALEXANDER BBD MANZA GABRIELLA		5	5	18	46	15	61	45	60	47	49	51	56						

