



DOHNE MERINO GENETIC REPORT



20 September 2026

CCM FARM CC

FDM : CR



CERTIFICATE
OF QUALITY

Valid up to
October 2029



Information

This Report gives a summary of the genetic levels of the flock with regards to production and fertility. Breeders can easily see if genetic progress occurred in their flocks.

EBV (Estimated Breeding Value)

The breeding value indicates an animal's genetic ability for a specific trait. It is indicated in the unit of measurement and relative to that of an average animal born in the base year, i.e. five years ago. A higher breeding value is desirable for all traits, except Fibre Diameter (thinner fibres are better), AFL (early sexual maturity) and ILP (easy conceptions – shorter Interlambing Periods).

EBVi (EBVindex)

The base of a breeding value index is 100, where 100 is the average of the active animals in the breed. Values above 100 are always in the more desirable direction, also for AFL (early sexual maturity) and ILP (shorter intervals). However, for FD values below 100 indicate thinner (more desirable) fibres.

Selection Indices

This is the combination of breeding values into a single value. It indicates of the genetic value of the combined traits of the animal with regards to the breed. Traits cannot simply be summed, as they are expressed in different units, their genetic variation differ and because negative values are more desirable for certain traits. Traits are also weighted differently according to economic importance. All these factors are taken into account when selection indices are constructed. The selection indices currently available for the Dohne Merino breed, is the General Merit (GM) and the within-test-group selection index (SIP). The GM and SIP indices are only published for animals with wean and wool measurements.

General Merit (GM)

$$GM = (EBV \text{ BWeight} * 2.30) + (EBV \text{ CFW} * 22.0) + (EBV \text{ FD} * -5.0) + (EBV \text{ TWW} * 5.0)$$

Within-Test-Group Selection Index (SIP)

$$SIP = (GM_{\text{dier}} / \text{Average GM of wool contemporary group}) * 100$$

This is a lifetime value for the animal, allocated on the basis of the animal's own measurements. This value is not updated when the animal's EBVs are estimated more accurately due to the inclusion of progeny and other relatives' information in the Genetic Evaluation.

Genetic Windows and Averages

The flock's average genetic levels are compared to the active breed average, where active breed average is set to 100.

Genetic Trends

The Genetic Trends indicate the genetic changes that occurred in the flock over time in comparison to that of the breed. This is based only on the animals that were measured for the relevant trait.

Inbreeding

The average inbreeding of the flock per year of birth is compared to that of the breed. Inbreeding levels should stay below 6.25% and rate of inbreeding less than 0.1-0.2% per year to maintain genetic diversity.

The active population is defined as the lambs born in the last 36 months and their parents, regardless if they were measured for the trait or not, excluding the animals that are already cancelled on Logix.

Abbreviations

WnD:	Weaning Weight Direct
WnM	Weaning Weight Maternal
BW:	Body Weight
CFW:	Clean Fleece Weight
FD:	Fibre Diameter
SL:	Staple Length
AFL:	Age First Lambing
ILP:	Interlambing Period
NLW:	Number of Lambs Weaned
TWW:	Total Weight of Lambs Weaned

The data used in this evaluation has been obtained from LOGIX, as supplied by breeders. Everything possible had been done to present the information correctly. SA Stud Book does not take any responsibility for the use and interpretation of the information from this publication.

Genetic Windows

Average Breeding Value Indices (EBVi)

(Lambs born in the last 36 months and their parents)

Number: 1120


Genetic Linkage

(Based on the youngest measured generation)

Level	Nr of Link Rams
Sterk / Strong	9

A link ram should have at least 20 measured progeny in your flock and at least another 20 measured progeny in at least one more flock.

Try to use at least 5 link rams in a 5-year period to obtain strong genetic linkages within the breed.



Abbr.	Trait	Interpretation of Index	
		<100 (Worse)	>100 (Better)
WnD	Weaning Weight Direct	Lighter	Heavier
WnM	Weaning Weight Maternal	Less	More
BW	Body Weight	Lighter	Heavier
CFW	Clean Fleece Weight	Less	More
FD	Fibre Diameter	Thinner	Thicker
SL	Staple Length	Shorter	Longer
AFL	Age at First Lambing	Later	Earlier
ILP	Interlambing Period	Longer	Shorter
NLW	Number of Lambs Weaned	Less	More
TWW	Total Weight of Lambs Weaned	Lighter	Heavier
AM	General Merit	Poor	Good
SIP	Within-Test Group Selection Index	Poor	Good

* The Genetic Windows provide a quick overview of the flock's genetic status compared to the breed.

* The values presented here are the average breeding value indices and selection indices of all the lambs born in the past 36 months and their parents in the flock compared to the breed.


* An index of 100 equals the average of the lambs born in the past 36 months and their parents in the breed.

* The breeding value indices for AFL and ILP are expressed in such a way that an index above 100 indicates the better animals, thus the animals with a genetic ability for a short AFL and ILP. See accompanying table for interpretation of other Indices.

Genetic Windows


Sires of lambs born in the last 36 months

Number : 9



Dams of lambs born in the last 36 months

Number : 242



Lambs born in the last 36 months

Number : 462



Average Genetic Levels

Average Breeding Values

Averages of all lambs born in the last 36 months and their parents

Trait	Flock			Breed		
	All	Rams	Ewes	All	Rams	Ewe
Breeding Values for Production Traits						
Weaning Weight Direct	1.08	1.05	1.10	0.54	0.66	0.47
Weaning Weight Mat	0.09	0.04	0.12	0.01	0.00	0.01
Body Weight	1.59	1.58	1.60	0.56	0.96	0.41
Clean Fleece Weight	0.15	0.15	0.15	0.03	0.06	0.02
Fibre Diameter	-0.01	-0.12	0.05	-0.14	-0.22	-0.12
Staple Length	1.36	0.87	1.65	0.50	0.68	0.43
Breeding Values for Fertility						
Age First Lambing	4.12	3.77	4.33	1.48	2.04	1.17
Interlambing Period	3.21	3.01	3.33	0.36	0.44	0.31
Lambs Weaned	-1.82	-1.64	-1.92	0.46	0.56	0.39
Total Weight Weaned	-0.34	-0.31	-0.35	0.27	0.32	0.24
Selection Indices						
General Merit Index	3.39	4.79	2.83	2.81	4.45	2.23
SIP	100.8	100.7	100.9	100.7	100.4	100.8
Inbreeding						
Inbreeding (%)	5.50	6.04	5.19	3.00	3.13	2.92
Number of Animals						
Number of Animals	1119	414	705	125905	45967	79938









Average Breeding Value Indices

Average EBVi of all active measured animals, where breed average of active measured animals = 100.

Trait	Flock		
	All	Rams	Ewes
Breeding value Indices for Production Traits			
Weaning Weight Direct	105.1	104.8	105.2
Weaning Weight Mat	101.7	100.8	102.3
Body Weight	106.6	106.5	106.7
Clean Fleece Weight	107.2	107.4	107.1
Fibre Diameter	102.0	100.4	102.9
Staple Length	102.2	101.0	103.0
Breeding Value Indices for Fertility			
Age First Lambing	97.0	97.4	96.8
Interlambing Period	90.5	91.2	90.1
Lambs Weaned	91.5	92.1	91.1
Total Weight Weaned	92.7	93.0	92.5
Selectopn Indices			
General Merit Index	100.9	103.2	100.0
SIP	100.8	100.7	100.9
Inbreeding			
Inbreeding (%)	5.50	6.04	5.19
Number of Animals			
Number of Animals	1119	414	705

Genetic Trends




Average breeding value per year of birth for animals in the breed and flock. Genetic trends are based on measured animals that were bred by the relevant breeder.



For FD, AFL and ILP, flock trends below breed averages are desirable

Genetic Trends: Fertility Traits

Average breeding value per year of birth in the breed and flock. Genetic trends are based on measured animals that were bred by the relevant breeder.



Genetic Trends: Breed and Flock

Average breeding value per year of birth for animals in the breed and flock. Genetic trends are based on measured animals that were bred by the relevant breeder.

Genetic Trends of Breed


Birth Year	Weaning Weight			Body Weight		CFW		FD		SL		AFL		ILP		NLW		TWW		General Merit	
	Nr	Dir	Mat	Nr	EBV	Nr	EBV	Nr	EBV	Nr	EBV	Nr	EBV	Nr	EBV	Nr	EBV	Nr	EBV	Nr	Ind
2014	34600	-1.62	-0.08	23613	-2.43	23477	-0.20	23511	0.33	23404	-1.65	6513	-4.96	4764	-1.69	8149	-0.57	6758	-0.41	25195	-9.76
2015	36007	-1.44	-0.05	25062	-2.12	24975	-0.18	24990	0.28	24511	-1.51	6856	-4.79	5313	-1.43	8627	-0.57	7110	-0.42	26207	-8.59
2016	33764	-1.17	-0.03	24799	-1.74	24614	-0.15	24664	0.22	24080	-1.07	7054	-4.46	5449	-1.38	8681	-0.41	7293	-0.27	25836	-6.81
2017	33408	-0.95	0.00	24007	-1.39	23924	-0.13	23948	0.19	23487	-1.19	7125	-3.04	5498	-0.77	9139	-0.30	7020	-0.19	24328	-5.48
2018	34871	-0.67	0.00	24937	-0.96	24789	-0.10	24807	0.17	24087	-0.72	7421	-2.86	5764	-0.67	8663	0.09	7374	0.04	25402	-3.35
2019	34833	-0.46	0.02	25157	-0.74	25034	-0.06	25045	0.07	24985	-0.63	7016	-1.62	5333	-0.50	8420	-0.19	6949	-0.05	25370	-2.61
2020	35032	-0.26	0.03	24234	-0.34	24298	-0.04	24310	0.04	24213	-0.20	6557	-0.74	4885	-0.15	8732	0.34	6476	0.18	24153	-0.71
2021	33757	0.00	0.00	23306	0.00	23200	0.00	23217	0.00	23156	0.00	6425	0.00	4779	0.00	8439	0.00	6245	0.00	23180	0.17
2022	32965	0.20	-0.02	22207	0.34	22115	0.01	22136	-0.05	22041	0.27	5933	0.83	3883	0.50	7685	0.48	5658	0.21	22071	1.75
2023	32993	0.44	-0.06	21947	0.60	21831	0.04	21880	-0.16	21853	0.46	5361	1.77	1851	1.14	5554	0.35	4743	0.22	21836	2.88
2024	34418	0.50	-0.04	22757	0.76	22780	0.06	22790	-0.16	22746	0.74	2626	4.31	147	0.21	2149	0.65	2008	0.48	22746	3.82
2025	28497	0.77	0.02	8675	1.57	9028	0.07	9040	-0.38	9011	0.95	60	10.56							8597	6.80

Genetic Trends of Flock

Birth Year	Weaning Weight			Body Weight		CFW		FD		SL		AFL		ILP		NLW		TWW		General Merit	
	Nr	Dir	Mat	Nr	EBV	Nr	EBV	Nr	EBV	Nr	EBV	Nr	EBV	Nr	EBV	Nr	EBV	Aantal	EBV	Nr	EBV
2014	327	-1.10	0.09	263	-1.49	260	-0.11	261	0.57	256	-1.64	13	-2.39	8	0.19	70	-4.61	70	-1.05	263	-9.79
2015	312	-1.06	0.13	252	-0.88	251	-0.15	251	0.39	251	-1.81	17	1.33	15	1.19	68	-2.66	68	-0.72	252	-7.86
2016	245	-0.98	-0.04	240	-1.28	239	-0.11	240	0.28	240	1.20	77	-2.88	62	0.48	76	-6.41	75	-1.72	240	-10.03
2017	236	-0.42	0.19	188	-0.38	187	-0.04	187	0.25	187	2.34	80	-1.25	61	1.01	79	-2.15	79	-0.50	201	-4.25
2018	303	-0.07	-0.02	268	0.12	267	0.03	267	0.36	267	0.54	86	1.15	71	2.11	86	-3.17	86	-0.83	268	-3.31
2019	354	0.15	-0.03	274	0.29	273	0.09	273	0.11	273	1.07	82	1.61	60	0.30	83	0.34	83	0.15	274	1.61
2020	324	0.54	0.05	266	1.14	266	0.13	266	0.28	265	2.09	70	5.62	48	5.34	70	-2.03	70	-0.61	266	0.86
2021	372	0.72	0.04	257	1.33	257	0.12	257	0.07	256	1.29	66	1.10	53	3.93	66	-3.06	66	-0.74	257	1.84
2022	298	0.86	0.02	190	1.71	190	0.13	190	0.24	190	3.07	60	8.93	42	5.12	59	-1.79	59	-0.22	190	3.10
2023	279	0.76	0.05	209	1.11	209	0.15	209	0.09	209	2.73	65	6.00	23	3.49	65	-2.97	65	-0.53	209	1.68
2024	288	1.08	0.01	175	1.74	175	0.14	175	-0.19	174	0.55	29	1.91			29	-1.79	29	-0.20	175	4.42
2025	254	1.19	0.12	41	2.21	41	0.12	41	-0.20	41	0.64									41	7.36

Inbreeding

Inbreeding in Flock and Breed



Pedigree Information

	Number	%
Known Sires	1120	100
Known Dams	1120	100

Please Note : When pedigree information is incomplete, inbreeding is under-estimated.

The effects of inbreeding can be observed from 6.25% onwards. Inbreeding primarily leads to decreased fertility and low survivability of lambs.

Inbreeding % is dependent on the accuracy of pedigree information. It is therefore highly recommended to record pedigrees as accurately and completely as possible and not to mate related animals.

Incomplete and incorrect pedigree information can be reported to SA Stud Book

Inbreeding Level and Rate

Year of Birth	Level* (%)	Rate (% / year)
2000 - 2026	6.35	0.23
Recommendations	< 6.25	< 0.1 - 0.2

*Of last birth year

Inbreeding Levels for Specific Matings

Progeny with Parents :	25%
Full Brother x Full Sister :	25%
Half Brother x Half Sister :	12.5%
One Common Grandparent :	6.25%
One Common Great-Grandparent :	3.125%

Percentiles of Breeding Values : All Active Animals

Percentile	Wean Dir	Wean Mat	Body Weight	CFW	FD	SL	NLW	TWW	AFL	ILP	Gen. Merit
Gemid/Avg	0.43	0.00	0.58	0.04	-0.15	0.46	0.47	0.26	1.30	0.30	2.53
SA/SD	1.29	0.56	1.84	0.17	0.69	3.92	2.99	0.93	-10.19	-3.48	7.11
MIN	-4.90	-3.44	-9.56	-0.75	3.11	-18.57	-17.30	-5.29	68.72	22.49	-25.62
1%	-2.32	-1.35	-3.42	-0.38	1.49	-8.80	-7.64	-2.17	33.49	9.02	-13.42
5%	-1.58	-0.89	-2.30	-0.25	0.95	-5.86	-4.59	-1.30	18.37	6.15	-8.27
10%	-1.19	-0.67	-1.72	-0.19	0.69	-4.38	-3.19	-0.87	13.14	4.69	-6.12
20%	-0.68	-0.43	-0.98	-0.11	0.41	-2.72	-1.72	-0.43	8.52	3.05	-3.50
30%	-0.30	-0.27	-0.43	-0.05	0.20	-1.54	-0.76	-0.11	5.14	1.87	-1.46
40%	0.05	-0.13	0.05	0.00	0.02	-0.54	0.06	0.10	2.16	0.90	0.38
50%	0.38	0.00	0.50	0.04	-0.14	0.39	0.45	0.21	0.19	0.13	1.99
60%	0.72	0.13	0.96	0.08	-0.31	1.32	1.08	0.41	-1.46	-0.57	3.85
70%	1.09	0.27	1.48	0.13	-0.49	2.34	1.79	0.65	-3.58	-1.45	6.03
80%	1.54	0.44	2.11	0.18	-0.72	3.60	2.66	0.96	-5.70	-2.39	8.71
90%	2.13	0.69	2.98	0.26	-1.03	5.43	4.08	1.41	-9.18	-3.66	12.22
95%	2.62	0.93	3.73	0.32	-1.29	7.03	5.33	1.81	-12.92	-4.88	14.90
99%	3.57	1.41	5.08	0.45	-1.80	10.22	7.78	2.59	-23.99	-8.36	19.40
MAX	5.84	2.39	8.39	0.84	-3.43	19.74	16.55	5.29	-43.24	-17.72	31.42

SD = Standard Deviation = Indicates the spread around the average

Percentiles of Indices : All Active Animals

Percentile	Wean Dir	Wean Mat	Body Weight	CFW	FD	SL	NLW	TWW	AFB	ILP	Gen. Merit
Gemid/Avg	100	100	100	100	100	100	100	100	100	100	100
SA/SD	12	12	12	12	12	12	12	12	12	12	12
MIN	49	24	35	52	149	50	33	33	24	30	53
1%	73	71	73	72	128	73	68	69	63	70	72
5%	81	81	81	80	120	80	80	80	80	80	80
10%	85	85	85	85	115	85	85	85	86	85	85
20%	90	91	90	90	110	90	91	91	92	91	90
30%	93	94	94	94	106	94	95	95	95	95	94
40%	97	97	97	97	103	97	98	97	99	98	97
50%	100	100	100	100	100	100	100	100	101	100	100
60%	103	103	103	103	97	103	103	103	103	103	103
70%	106	106	106	106	94	106	106	106	106	106	106
80%	110	109	110	110	90	110	109	109	108	109	110
90%	116	115	115	115	85	115	115	115	112	114	116
95%	120	120	120	120	80	120	119	120	117	118	120
99%	129	130	130	128	72	129	129	129	130	130	128
MAX	150	150	150	150	49	150	160	160	150	160	147

Rams with Progeny



Genotyped

*Inbreeding in red is high

EBV - Estimated Breeding Value

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding values
Breeding values with accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of lambs born in the past 36 months and their parents in the breed

Animal Information		Parents & Progeny					Selection Indices			EBV - Weights			EBV - Wool			EBV - Fertility				Rank								
Animal ID Regnr	% In- breeding	Sire ID Dam ID	Wean		Wool test		SIP	GM		Weaning Dir		Weight Mat	Body Weight	CFW	FD	SL	NLW	TWW	DAM									
			Progeny weaned	Nr flocks	Progeny tested	Nr flocks		EBV	Index	EBV	Index								EBV	Index		EBV	Index	EBV	Index	EBV	Index	EPI
										Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Phenotype								
		Active Breed Average :					101	2.8	100	0.54	0.01	0.56	0.03	-0.14	0.50	0.46	0.27											
CR 18 0306 82351842	2.93	SD 15 0015 CR 16 0201	236	2	138	2	107	4.70	103	0.98 97	104	0.36 84	108	1.66 96	107	0.01 95	99	-0.76 97	90	-3.08 97	91	-2.14 69	90	-0.31 69	93	91	4	2
CR 20 0025 89489835	2.34	SD 15 0015 CR 15 0034	476	6	354	6	103	11.61	115	1.72 99	111	0.46 91	110	3.27 98	117	-0.14 98	89	-0.54 99	94	-8.67 99	76	3.11 76	110	1.80 76	119	4	19	
CR 20 0103 89490775	2.39	CR 18 0157 CR 17 0175	164	2	94	2	107	1.37	98	2.08 97	115	-0.23 79	95	2.23 95	111	0.23 94	112	-1.06 97	86	7.65 95	119	-8.81 63	-2.76 62	63	119	5	4	
CR 21 0189 91829929	2.62	CR 18 0157 CR 19 0219	125	2	81	2	109	2.19	99	1.24 96	107	-0.68 80	86	1.24 94	104	0.44 93	125	0.81 96	115	6.15 94	115	-8.21 63	-1.13 63	83	84	2	5	
CR 21 0410 92992478	4.23	CR 20 0103 CR 18 0317	39	1	31	1	105	3.86	102	0.06 89	96	-0.47 64	90	0.01 88	97	0.29 86	116	-0.44 92	95	-0.67 89	97	-1.50 48	-0.70 47	88	115	4	11	
CR 21 0412 92992171	3.02	CR 20 0103 CR 18 0250	35	1	23	1	106	6.60	106	2.49 89	118	-0.52 63	89	2.19 86	110	0.44 84	125	-0.12 90	100	-1.98 87	94	-6.45 47	-1.26 47	82	132	6	9	
CR 22 0082 93694784	5.65	CR 20 0025 CR 18 0021	94	1	43	1	105	9.19	111	2.34 94	117	-0.16 69	97	3.45 90	119	0.28 89	115	0.08 94	103	3.51 91	108	-2.41 52	-0.20 52	94	135	7	14	
 CR 22 0270 95103396	5.39	CR 20 0025 CR 19 0341	399	2	167	1	100	5.97	105	1.17 98	106	-0.13 71	97	1.96 97	109	0.29 96	116	0.18 98	105	-4.54 97	87	-1.22 47	-0.36 47	92	90	2	18	
CR 23 0214 96877857	2.34	CR 21 0402 CR 19 0252	54	2	7	1	116	15.17	120	1.72 91	111	0.21 54	104	2.50 77	112	0.18 74	109	-1.75 84	75	-2.31 79	93	2.95 39	0.51 39	103	169	6	1	
CR 23 0259 97978290	6.32	CR 20 0025 CR 19 0357	97	1	27	1	108	7.42	108	0.95 94	104	0.28 62	106	1.77 87	108	0.05 85	101	-0.13 91	100	-1.20 88	96	2.76 47	0.86 47	107	123	3	1	
CR 24 0045 99623654	3.04	CR 22 0082 CR 21 0253	19	1			104	9.93	112	2.56 83	119	-0.10 50	98	3.51 68	119	0.37 66	121	0.63 76	112	4.48 71	110	0.55 36	0.10 36	98	114	4	7	
CR 24 0210 106646144	4.78	J 22 0309 CR 20 0410	53	1			110	7.74	108	1.65 91	110	0.17 52	104	3.22 70	117	0.28 68	115	-0.16 77	100	2.63 72	106	-4.36 37	-0.75 37	88	110	4	2	
CR 24 0300 106646540	2.25	JG 11 0591 CR 21 0401	29	1			103	2.92	100	0.69 86	101	0.53 59	111	1.96 71	109	0.10 69	104	-0.10 77	101	0.17 72	99	-4.26 51	-0.66 51	89	96	2	10	
J 22 0309 97561682	1.42	J 20 0538 J 18 0239	154	1	82	1	108	7.18	107	1.11 96	105	-0.36 67	92	1.17 94	104	0.09 93	103	-1.52 96	79	-2.17 94	93	-1.52 45	-0.47 45	91	105	3	4	
JG 11 0591 69735017	1.04	JG 08 1162 JG 08 0505	876	5	720	5	114	-7.12	84	-0.96 99	86	0.61 97	113	-0.94 99	90	-0.06 99	94	0.73 99	114	-4.99 99	86	-5.01 92	-0.62 92	89	100	4	22	
JW 15 0558 75276717	7.90	JW 13 0407 JW 11 0986	4938	36	3617	34	116	24.20	135	3.07 99	124	-0.06 99	99	3.86 99	121	0.13 99	106	0.25 99	106	-8.28 99	77	9.47 98	4.64 98	153	113	4	1	

Rams with Progeny



Genotyped

*Inbreeding in red is high

EBV - Estimated Breeding Value

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding values
Breeding values with accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of lambs born in the past 36 months and their parents in the breed

Animal Information		Parents & Progeny						Selection Indices			EBV - Weights			EBV - Wool			EBV - Fertility				Rank
Animal ID Regnr	% In- brding	Sire ID Dam ID	Wean		Wool test		SIP	GM		Weaning Dir	Weight Mat	Body Weight	CFW	FD	SL	NLW	TWW	DAM EPI	Lambded		
			Progeny	Nr	Progeny	Nr		EBV	Index												
			weaned	flocks	tested	flocks															
		Active Breed Average :						101	2.8	100	0.54	0.01	0.56	0.03	-0.14	0.50	0.46	0.27			
RA 22 0824 94749108	2.73	RA 20 0828 RA 18 0025	70	2	32	1	105	1.03	97	1.82 92 112	0.40 52 108	3.90 88 121	-0.53 86 65	-0.72 92 91	-8.11 89 77	-1.02 35 94	0.06 34 98	96	4	51	
Rams with Progeny Average :							107	6.7	106	1.45	0.02	2.17	0.14	-0.27	-1.26	-1.65	-0.07				

Young Rams



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding value

Breeding values with an accuracy of below 5% are not printed

Young rams, born since 2020 with a weaning weight, and wool test, but no progeny, both parents known.

Animal Information		Parents		Rank	Selection Indices			EBV - Weights			EBV - Wool			EBV - Fertility			
Animal ID Regnr	% In- breeding	Sire ID	Dam ID		SIP	GM		Weaning Dir	Weight Mat	Body Weight	CFW	FD	SL	NLW	TWW	EPI	DAM Lambd
						EBV	Index	EBV	Acc	Index	EBV	Acc	Index	EBV	Acc	Index	Phenotype
		Active Breed Average :			101	2.8	100	0.54	0.01	0.56	0.03	-0.14	0.50	0.46	0.27		
CR 23 0402 97978878	9.16	CR 21 0410	CR 16 0148	38	89	-6.49	85	-0.54 69	-0.04 50	-0.56 69	-0.03 67	-0.21 77	-3.16 71	-5.76 38	-1.68 38	115	6
CR 23 0403 97978894	12.78	CR 21 0410	CR 20 0444	25	100	2.38	99	0.79 68	-0.07 48	0.64 68	0.24 66	-0.31 76	0.91 71	-4.09 37	-1.05 37	115	4
CR 23 0407 97978910	18.83	CR 21 0410	CR 21 0470	17	101	2.27	99	0.52 67	-0.14 45	1.14 68	0.23 65	-0.13 76	1.22 70	-2.47 34	-1.07 34	97	2
CR 23 0408 97978936	11.82	CR 21 0410	CR 21 0328	28	98	2.15	99	-0.50 68	-0.29 48	-0.91 68	0.24 66	-0.33 76	-0.46 70	-0.63 38	-0.40 38	111	3
CR 23 0410 97978951	8.91	CR 21 0410	CR 18 0250	3	106	6.36	106	1.03 69	-0.33 49	0.31 69	0.36 67	-0.27 77	-5.05 71	-2.30 39	-0.27 39	132	6
CR 23 0417 97979017	9.14	CR 21 0410	CR 21 0329	10	104	6.21	106	0.34 69	-0.04 49	2.34 68	0.24 66	0.36 76	0.41 70	-1.10 38	-0.07 38	117	3
CR 23 0418 97979033	12.83	CR 21 0410	CR 20 0417	11	103	5.99	105	1.32 69	-0.28 48	2.26 68	0.43 66	0.63 76	1.43 70	-3.33 37	-0.66 37	126	4
CR 23 0422 97979058	5.47	CR 21 0410	CR 19 0510	35	93	-4.13	89	0.00 67	0.17 44	-0.54 68	0.00 65	-0.36 76	-2.13 70	-5.19 33	-1.31 32	102	4
CR 23 0425 97979090	3.80	CR 21 0410	CR 16 0471	36	92	-3.64	89	-0.13 69	0.11 49	0.30 69	0.01 67	0.14 77	0.54 71	-4.84 36	-1.12 36	132	6
CR 23 0427 97979116	10.21	CR 21 0410	CR 20 0101	20	100	2.03	99	0.39 68	-0.30 47	-0.07 68	0.33 65	0.05 76	5.65 70	-3.55 36	-0.83 36	83	2
CR 23 0429 97979157	7.41	CR 21 0410	CR 19 0342	13	103	4.92	103	0.17 69	-0.52 49	0.66 69	0.34 66	-0.68 76	5.28 71	-1.13 38	-1.13 37	157	5
CR 23 0433 97979173	6.39	CR 21 0410	CR 18 0357	27	99	0.71	97	0.79 69	0.18 48	1.31 69	0.10 66	-0.05 76	0.60 71	-3.61 36	-0.92 36	105	4
CR 23 0437 97979215	12.54	CR 21 0410	CR 21 0205	2	106	8.45	109	2.18 68	-0.29 47	3.41 68	0.30 66	-0.04 76	-0.99 70	-2.94 36	-0.61 36	101	2
CR 24 0001 99623175	4.08	CR 22 0082	CR 20 0114	29	99	2.72	100	1.16 70	-0.11 50	2.29 69	0.33 67	0.91 77	12.29 71	-4.63 39	-0.88 39	105	5
CR 24 0004 99623191	2.77	J 22 0309	CR 22 0129	12	102	8.43	109	1.80 69	0.12 46	2.53 69	0.30 67	-0.37 77	4.61 71	-3.06 33	-0.51 32	104	3

Young Rams



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding value

Breeding values with an accuracy of below 5% are not printed

Young rams, born since 2020 with a weaning weight, and wool test, but no progeny, both parents known.

Animal Information		Parents		Rank	Selection Indices			EBV - Weights			EBV - Wool			EBV - Fertility			
Animal ID Regnr	% In- breeding	Sire ID	Dam ID		SIP	GM		Weaning Dir	Weight Mat	Body Weight	CFW	FD	SL	NLW	TWW	EPI	DAM Lambd
						EBV	Index		EBV	Index	EBV	Index	EBV	Index	EBV	Index	Phenotype
		Active Breed Average :			101	2.8	100	0.54	0.01	0.56	0.03	-0.14	0.50	0.46	0.27		
CR 24 0009 99623217	3.86	CR 22 0082	CR 21 0181	37	95	0.83	97	1.83 69 112	0.31 49 107	2.40 69 112	0.19 66 110	1.10 76 119	10.75 71 127	-5.78 38 77	-0.64 38 89	108	4
CR 24 0010 99623233	1.46	J 22 0309	CR 22 0235	27	99	4.44	103	1.38 69 108	0.14 46 103	1.71 69 107	0.06 67 102	-1.13 77 85	-0.09 71 98	-1.76 33 92	-0.98 32 85	117	3
CR 24 0012 99623258	11.66	CR 22 0082	CR 20 0017	2	106	10.42	113	1.95 71 113	-0.18 52 96	2.24 69 111	0.14 67 107	-0.52 77 94	-2.86 71 91	1.67 41 105	0.69 41 105	126	5
CR 24 0015 99623274	6.14	J 22 0309	CR 22 0083	21	100	6.31	106	1.78 70 112	0.06 48 101	3.15 69 117	-0.02 67 97	-0.75 77 91	-4.25 71 88	-2.85 35 88	-0.38 35 92	103	3
CR 24 0016 99623290	5.89	J 22 0309	CR 22 0004	20	100	7.19	107	1.40 69 108	-0.26 45 94	0.09 69 97	0.27 67 115	-0.94 77 88	-0.80 71 97	-1.05 32 94	-0.22 32 94	94	2
CR 24 0018 99623316	8.67	CR 22 0082	CR 20 0155	28	99	4.70	103	2.06 69 114	0.39 47 108	3.03 69 116	0.21 66 111	0.38 76 108	3.09 71 107	-4.77 35 80	-0.65 35 89	87	3
CR 24 0019 99623332	3.83	CR 22 0082	CR 21 0152	11	103	6.64	106	1.64 70 110	-0.11 50 98	2.32 69 111	0.34 67 119	0.11 77 104	1.58 71 103	-4.47 38 82	-0.64 38 89	107	4
CR 24 0023 99623373	4.74	J 22 0309	CR 22 0006	31	99	6.22	106	1.03 69 105	0.07 46 101	0.74 69 101	0.09 67 104	-1.04 77 86	-4.78 71 86	0.28 32 99	-0.08 32 96	98	2
CR 24 0025 99623399	8.59	CR 22 0082	CR 21 0112	13	101	6.04	105	1.26 70 107	-0.11 49 98	2.03 69 109	0.23 67 112	0.12 77 104	1.71 71 103	-1.93 37 91	-0.20 37 94	107	4
CR 24 0027 99623431	5.42	J 22 0309	CR 22 0123	16	101	7.69	108	2.32 69 117	0.14 46 103	3.33 69 118	0.03 67 100	-0.62 77 93	0.25 71 99	-0.96 32 95	-0.16 32 95	99	2
CR 24 0032 99623472	2.00	J 22 0309	CR 22 0120	23	100	6.55	106	1.64 69 110	-0.19 46 96	1.58 69 107	0.29 67 116	-0.72 77 91	8.26 71 120	-5.45 32 78	-0.94 32 85	105	3
CR 24 0036 99623530	8.03	CR 22 0082	CR 21 0045	18	100	6.58	106	1.92 70 113	0.20 49 104	3.05 69 116	0.12 66 105	0.38 76 108	-4.10 71 88	0.23 35 99	0.26 35 100	108	3
CR 24 0041 99623597	2.81	J 22 0309	CR 22 0118	25	99	6.34	106	1.90 70 113	0.01 47 100	2.57 69 113	0.16 67 108	-0.69 77 92	6.21 71 115	-4.26 32 82	-0.86 32 86	112	3
CR 24 0043 99623613	1.36	J 22 0309	CR 22 0226	36	96	2.45	99	0.86 70 103	-0.26 47 94	0.02 69 97	0.24 67 113	-0.76 77 90	1.20 71 102	-3.80 33 84	-1.18 33 83	106	3
CR 24 0044 99623639	8.52	CR 22 0082	CR 21 0122	26	99	4.21	102	2.25 69 116	-0.05 48 99	2.44 69 112	0.19 66 110	0.39 76 108	-1.39 71 95	-3.24 36 86	-0.43 35 92	96	3
CR 24 0046 99623670	5.92	CR 21 0412	CR 18 0021	24	100	3.93	102	1.17 69 106	-0.49 49 90	-0.08 69 96	0.46 66 127	-0.70 76 92	1.83 71 104	-7.70 37 69	-1.65 37 77	135	7

Young Rams



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding value
Breeding values with an accuracy of below 5% are not printed

Young rams, born since 2020 with a weaning weight, and wool test, but no progeny, both parents known.

Animal Information		Parents		Rank	Selection Indices			EBV - Weights			EBV - Wool			EBV - Fertility			
Animal ID Regnr	% In- breeding	Sire ID	Dam ID		SIP	GM		Weaning Weight Dir Mat	Body Weight		CFW	FD	SL	NLW	TWW	DAM EPI	Lambled
					EBV	Index		Acc EBV Index	Acc EBV Index	A EBV Index	Acc EBV Index	Acc EBV Index	Acc EBV Index	Acc EBV Index	Acc EBV Index	Phenotype	
Active Breed Average :					101	2.8	100	0.54	0.01	0.56	0.03	-0.14	0.50	0.46	0.27		
CR 24 0047 99623696	7.64	CR 22 0082	CR 21 0103	5	105	7.96	108	2.84 70 122	0.57 50 112	3.95 69 122	0.08 66 103	0.08 77 103	6.19 71 115	-0.81 37 95	0.08 37 98	119	4
CR 24 0053 99623738	3.22	CR 21 0412	CR 19 0272	6	105	8.88	110	2.04 69 114	-0.37 48 92	2.14 68 110	0.48 66 128	-0.43 76 96	1.98 70 104	-4.61 36 81	-1.08 35 84	142	6
CR 24 0055 99623753	3.34	CR 22 0082	CR 21 0234	32	99	4.26	102	1.42 70 108	0.23 49 105	1.82 69 108	0.26 66 114	0.57 77 111	7.23 71 118	-2.63 35 88	-0.24 35 94	104	3
CR 24 0057 99623779	10.89	CR 22 0082	CR 21 0141	1	109	11.83	115	2.04 70 114	0.16 49 103	2.72 69 114	0.21 67 111	-1.20 77 84	-0.45 71 98	-1.74 37 92	-0.12 37 95	113	4
CR 24 0075 99623936	3.55	CR 22 0082	CR 21 0202	9	104	6.99	107	1.54 70 109	0.11 50 102	2.19 69 110	0.14 66 107	-0.93 76 88	4.69 69 111	-4.41 38 82	-0.63 38 89	107	4
CR 24 0081 99624017	3.34	CR 22 0082	CR 21 0411	22	100	3.59	101	2.01 69 114	-0.28 48 94	3.25 68 117	0.11 66 105	-0.27 76 98	3.39 70 108	-5.29 35 78	-1.28 35 81	96	2
CR 24 0089 99624090	7.98	CR 22 0082	CR 21 0068	10	103	6.97	107	2.49 70 118	0.09 49 102	4.61 69 126	0.08 66 103	0.06 76 103	-3.22 71 90	-2.20 36 90	-0.50 36 91	109	4
CR 24 0091 99624132	10.70	CR 22 0082	CR 21 0088	19	100	5.20	104	1.93 69 113	-0.08 48 98	2.65 69 113	0.05 66 101	-0.39 76 96	-2.45 71 92	-1.46 35 93	-0.42 35 92	92	2
CR 24 0101 99624215	4.21	CR 22 0082	CR 20 0122	33	98	3.02	100	1.77 71 112	-0.33 51 93	2.75 69 114	0.26 67 114	0.71 77 113	1.82 71 103	-5.06 39 79	-0.89 38 86	122	5
CR 24 0105 99624256	5.13	CR 21 0412	CR 19 0033	38	94	0.35	96	2.02 69 114	0.55 48 112	2.65 68 113	0.22 66 112	1.66 76 128	-0.36 70 98	-4.27 36 82	-0.47 36 91	113	4
CR 24 0108 99624298	9.78	CR 21 0412	CR 20 0003	30	99	5.58	105	1.43 69 108	-0.11 49 98	1.26 68 105	0.12 66 105	-0.63 76 93	-2.76 70 91	-1.34 39 93	-0.21 39 94	115	4
CR 24 0109 99624314	5.26	CR 21 0412	CR 19 0151	14	101	6.52	106	2.98 70 123	-0.09 49 98	3.15 69 117	-0.05 66 95	-0.39 77 96	-7.66 71 79	-2.23 40 90	0.15 39 99	149	6
CR 24 0117 99624355	3.99	CR 22 0082	CR 20 0095	8	104	6.91	107	1.36 70 108	-0.19 50 96	2.97 69 115	0.44 67 125	0.57 77 111	11.65 71 129	-4.23 39 82	-0.86 39 86	112	5
CR 24 0128 99624470	4.20	J 22 0309	CR 18 0056	40	90	-1.34	93	1.79 71 112	0.07 50 101	2.16 70 110	-0.09 68 92	-0.36 77 97	-3.59 72 89	-6.35 37 74	-1.37 37 80	123	6
CR 24 0130 99624512	4.59	J 22 0309	CR 21 0118	39	90	-1.16	93	0.47 70 99	0.16 48 103	1.06 70 103	-0.18 67 87	-0.69 77 92	-4.32 72 87	-3.66 34 85	-0.77 34 87	104	4
CR 24 0156 99624710	5.09	J 22 0309	CR 20 0430	34	97	4.42	103	1.48 70 109	0.27 48 106	2.64 70 113	-0.07 67 94	-1.28 77 83	1.55 72 103	-4.94 36 80	-0.98 36 85	92	3

Young Rams



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding value

Breeding values with an accuracy of below 5% are not printed

Young rams, born since 2020 with a weaning weight, and wool test, but no progeny, both parents known.

Animal Information		Parents		Rank	Selection Indices			EBV - Weights			EBV - Wool			EBV - Fertility			
Animal ID Regnr	% In- breeding	Sire ID	Dam ID		SIP	GM		Weaning Weight Dir		Body Weight Mat	CFW	FD	SL	NLW	TWW	EPI	DAM Lambed
						EBV	Index	EBV	Acc	Index	EBV	Acc	Index	EBV	Acc	Index	Phenotype
		Active Breed Average :			101	2.8	100	0.54	0.01	0.56	0.03	-0.14	0.50	0.46	0.27		
CR 24 0158 99624736	1.76	J 22 0309	CR 19 0021	41	90	-1.53	93	1.03 71 105	0.03 49 101	0.25 70 98	-0.25 67 83	-0.70 77 91	-0.89 72 96	-1.65 35 92	-0.20 34 94	125	5
CR 24 0159 99624751	5.04	J 22 0309	CR 22 0089	35	97	4.65	103	1.31 69 107	-0.10 47 98	1.29 69 105	-0.01 67 97	-1.01 77 87	-3.27 71 90	-1.71 34 92	-0.28 34 93	94	2
CR 24 0160 99624777	1.35	J 22 0309	CR 19 0266	17	101	7.33	107	1.02 71 105	-0.27 49 94	1.28 70 105	0.16 67 108	-1.09 77 85	-3.75 72 89	0.07 35 99	-0.37 35 92	132	6
CR 24 0162 99624793	5.92	J 22 0309	CR 22 0063	15	101	7.13	107	1.79 70 112	-0.36 48 92	2.03 69 109	0.17 67 108	-0.80 77 90	4.66 71 111	-3.17 35 86	-0.50 35 91	104	3
CR 24 0179 99624975	1.68	J 22 0309	CR 17 0091	4	106	10.51	113	1.94 71 113	-0.40 51 92	1.33 70 105	0.21 68 111	-0.55 77 94	2.07 72 104	3.61 36 112	0.82 36 107	141	6
CR 24 0200 106646102	5.15	J 22 0309	CR 20 0407	8	104	6.46	106	2.71 70 120	0.37 49 108	3.81 70 121	0.06 67 101	-0.25 77 98	-4.93 71 86	-3.29 37 86	-0.48 37 91	121	4
CR 24 0202 106646110	8.61	J 22 0309	CR 20 0305	3	110	10.88	113	1.80 71 112	0.07 50 101	3.64 70 120	-0.04 68 96	-0.58 77 93	3.12 72 107	3.95 38 113	0.91 38 108	134	4
CR 24 0212 106646151	1.49	J 22 0309	CR 19 0019	4	108	9.06	110	2.85 71 122	0.25 49 105	1.93 70 109	-0.04 67 95	-1.72 77 76	-4.45 72 87	-0.68 35 96	0.07 35 98	133	5
CR 24 0219 106646177	1.64	J 22 0309	CR 20 0111	6	107	7.56	108	2.32 71 117	0.43 49 109	2.65 70 113	-0.05 68 95	-1.22 77 83	-3.09 72 91	-1.74 36 92	-0.14 36 95	104	3
CR 24 0227 106646235	3.71	J 22 0309	CR 19 0357	17	100	4.48	103	0.60 71 101	-0.23 49 95	-0.18 70 95	0.19 68 110	-0.73 77 91	3.04 72 107	0.44 36 100	-0.28 35 93	123	3
CR 24 0233 106646250	9.43	J 22 0309	CR 20 0400	9	103	6.50	106	1.85 70 112	-0.28 49 94	2.91 70 115	0.27 68 115	-0.22 77 99	2.49 72 105	-3.75 37 84	-0.98 37 85	107	4
CR 24 0236 106646268	2.93	J 22 0309	CR 17 0353	28	94	-2.39	91	0.64 70 101	-0.03 49 99	0.44 70 99	0.02 68 99	-0.24 77 98	-4.37 72 87	-5.36 36 78	-1.25 36 82	137	7
CR 24 0241 106646284	5.56	J 22 0309	CR 20 0417	12	102	4.99	104	1.54 70 109	-0.01 49 100	2.22 69 111	0.13 67 106	-0.29 77 98	-4.74 71 86	-3.34 36 86	-0.54 36 90	126	4
CR 24 0244 106646300	1.60	J 22 0309	CR 17 0310	16	100	2.41	99	0.77 71 102	-0.26 48 94	0.15 70 97	0.02 67 99	-1.04 77 86	-1.39 72 95	-2.31 34 90	-0.58 33 90	166	7
CR 24 0247 106646334	8.79	J 22 0309	CR 18 0289	5	108	8.38	109	0.82 71 103	-0.22 50 95	0.93 71 102	0.26 68 114	-0.94 77 88	4.07 72 109	-0.76 39 95	-0.22 38 94	131	5
CR 24 0251 106646367	8.55	J 22 0309	CR 18 0310	7	104	6.40	106	1.49 71 109	0.15 51 103	0.88 71 102	0.04 69 100	-0.74 77 91	-8.15 72 77	0.37 38 100	0.45 38 102	155	6

Young Rams



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding value

Breeding values with an accuracy of below 5% are not printed

Young rams, born since 2020 with a weaning weight, and wool test, but no progeny, both parents known.

Animal Information		Parents		Rank	Selection Indices			EBV - Weights			EBV - Wool			EBV - Fertility		
Animal ID Regnr	% In- breeding	Sire ID	Dam ID		SIP	GM		Weaning Weight Dir	Weight Mat	Body Weight	CFW	FD	SL	NLW	TWW	DAM EPI Lambled
								EBV Acc	Index	EBV Acc	Index	EBV Acc	Index	EBV Acc	Index	Phenotype
Active Breed Average :					101	2.8	100	0.54	0.01	0.56	0.03	-0.14	0.50	0.46	0.27	
CR 24 0252 106646375	8.55	J 22 0309	CR 18 0310	11	103	5.65	105	0.67 71 101	0.34 51 107	1.13 71 104	0.01 69 99	-0.52 77 94	-5.13 72 85	0.37 38 100	0.45 38 102	155 6
CR 24 0256 106646391	9.39	J 22 0309	CR 20 0348	14	101	5.00	104	1.47 70 109	-0.51 50 89	1.57 69 106	0.24 68 113	-0.78 76 90	-2.14 70 93	-1.80 37 92	-1.19 37 82	122 4
CR 24 0267 106646417	2.47	JG 11 0591	CR 22 0233	26	96	-1.40	93	1.13 70 106	0.38 58 108	2.15 70 110	-0.01 68 98	0.33 77 107	2.42 72 105	-5.06 52 79	-1.06 52 84	96 2
CR 24 0273 106646441	2.62	JG 11 0591	CR 22 0025	27	94	-1.97	92	-0.05 70 94	1.01 57 121	1.44 70 106	0.06 68 102	1.09 77 119	-3.60 72 89	-2.91 51 87	-0.44 51 92	98 2
CR 24 0278 106646458	1.85	JG 11 0591	CR 21 0441	32	91	-3.82	89	0.74 70 102	0.18 59 104	0.08 70 97	-0.03 69 96	0.35 77 108	-1.02 72 96	-1.96 54 91	-0.68 54 89	95 2
CR 24 0281 106646474	2.30	JG 11 0591	CR 22 0321	22	98	0.94	97	-0.40 69 91	-0.40 56 91	0.43 70 99	0.37 68 121	1.16 77 120	5.37 72 113	-3.02 51 87	-0.45 51 91	93 1
CR 24 0288 106646516	2.58	JG 11 0591	CR 21 0300	20	98	0.99	97	0.48 70 99	-0.12 60 97	0.91 71 102	0.42 69 124	1.63 77 127	6.03 72 115	-3.41 55 85	-0.40 55 92	102 3
CR 24 0296 106646524	2.56	JG 11 0591	CR 22 0306	23	97	0.16	96	0.42 70 99	0.06 59 101	1.00 70 103	0.14 68 107	1.02 77 118	5.68 72 114	-1.90 52 91	-0.05 51 96	113 2
CR 24 0302 106646557	8.67	JG 11 0591	CR 21 0308	13	102	3.17	101	1.11 71 105	0.77 61 116	1.77 71 108	-0.02 70 97	0.35 78 108	-4.52 73 87	-0.85 55 95	0.45 55 102	119 3
CR 24 0303 106646565	8.67	JG 11 0591	CR 21 0308	18	99	1.26	97	-0.11 71 94	0.70 61 115	0.38 71 99	0.08 70 103	0.65 78 112	-4.55 73 87	-0.85 55 95	0.45 55 102	119 3
CR 24 0307 106646581	4.96	JG 11 0591	CR 22 0268	21	98	0.10	96	1.23 70 107	0.69 59 114	1.43 70 106	-0.04 69 95	0.23 77 106	-1.01 72 96	-3.95 53 83	-0.25 53 94	102 2
CR 24 0309 106646599	3.38	JG 11 0591	CR 21 0106	31	92	-3.80	89	0.34 70 98	0.36 59 107	0.76 70 101	-0.11 68 91	-0.15 77 100	-8.01 72 78	-5.12 53 79	-1.13 52 83	95 3
CR 24 0313 106646615	2.05	JG 11 0591	CR 22 0356	30	92	-3.76	89	0.54 69 100	0.38 57 108	0.72 70 101	0.04 68 100	0.72 77 113	2.85 72 106	-5.99 51 76	-0.88 51 86	94 1
CR 24 0315 106646623	2.83	JG 11 0591	CR 22 0383	29	92	-3.00	90	0.19 70 97	-0.17 59 96	0.12 70 97	0.23 68 112	0.97 77 117	-1.92 72 94	-4.73 52 81	-0.99 52 85	104 2
CR 24 0321 106646672	5.28	JG 11 0591	CR 21 0453	33	91	-3.17	90	-0.15 71 94	0.17 60 104	-0.94 71 90	0.02 69 99	0.21 77 105	1.07 72 102	-1.45 54 93	-0.37 53 92	124 3
CR 24 0323 106646680	2.35	JG 11 0591	CR 21 0205	24	96	-0.73	94	0.38 70 99	0.32 59 107	0.51 70 100	0.06 69 102	0.17 76 105	-0.50 71 97	-4.70 53 81	-0.57 53 90	101 2

Young Rams



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding value
Breeding values with an accuracy of below 5% are not printed

Young rams, born since 2020 with a weaning weight, and wool test, but no progeny, both parents known.

Animal Information		Parents		Rank	Selection Indices			EBV - Weights			EBV - Wool			EBV - Fertility			
Animal ID Regnr	% In- breeding	Sire ID	Dam ID		SIP	GM		Weaning Dir	Weight Mat	Body Weight	CFW	FD	SL	NLW	TWW	EPI	DAM Lambd
						EBV	Index	EBV	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc
		Active Breed Average :			101	2.8	100	0.54	0.01	0.56	0.03	-0.14	0.50	0.46	0.27		
CR 24 0333 106646722	5.29	J 22 0309	CR 21 0031	25	96	-0.95	94	-0.69 69	-0.09 46	-1.64 86	0.06 67	-0.70 77	-3.59 89	-1.02 33	-0.52 91	88	3
CR 24 0341 106646763	8.61	J 22 0309	CR 18 0316	1	114	13.12	117	2.94 70	0.12 50	3.72 120	0.21 68	-1.08 77	4.86 111	-1.09 38	-0.10 96	119	5
CR 24 0346 106646789	5.34	J 22 0309	CR 21 0250	15	101	4.32	103	1.39 70	-0.10 47	1.09 103	0.06 67	-0.29 76	-1.82 94	-0.29 32	0.12 98	103	3
CR 24 0350 106646805	12.21	J 22 0309	CR 21 0439	19	98	3.98	102	0.61 70	-0.02 49	0.45 100	0.21 67	-0.30 77	-3.15 90	-0.67 37	-0.37 92	113	3
CR 25 0002 108863879	4.09	CR 22 0082	CR 19 0272	8	105	10.20	112	1.78 70	-0.23 50	2.44 112	0.42 67	-0.41 77	5.13 112	-2.59 37	-0.55 90	142	6
CR 25 0005 108863895	7.50	CR 22 0082	CR 20 0067	3	107	12.00	115	2.75 71	-0.33 51	1.62 107	0.28 67	-1.44 77	7.56 119	-0.42 38	-0.11 95	124	5
CR 25 0006 108863903	4.08	CR 22 0082	CR 20 0114	32	96	2.99	100	2.43 70	-0.03 50	3.41 118	0.23 67	0.90 77	11.64 129	-4.63 39	-0.88 86	105	5
CR 25 0032 108863937	14.80	CR 23 0214	CR 23 0174	12	104	9.95	112	2.16 67	0.55 40	3.82 121	0.04 62	-1.20 75	-0.51 97	-1.56 28	-0.38 92	103	2
CR 25 0035 108863952	6.55	CR 23 0214	CR 23 0087	14	104	10.03	112	1.64 67	-0.29 40	1.03 103	0.18 63	-1.60 75	-6.26 82	-0.74 29	-0.11 96	94	1
CR 25 0045 108864018	7.14	CR 23 0214	CR 23 0103	10	104	10.38	112	1.81 68	-0.24 43	1.88 108	0.38 63	-0.34 75	6.72 116	0.09 30	0.00 97	107	2
CR 25 0048 108864034	7.53	CR 23 0214	CR 23 0042	1	113	17.11	124	3.27 68	0.09 41	4.15 123	0.44 63	-0.76 75	7.10 117	1.07 30	0.13 98	104	2
CR 25 0049 108864042	3.61	CR 23 0214	CR 23 0128	21	101	7.56	108	1.52 68	0.45 42	3.31 109	0.02 63	-0.66 75	-4.77 86	-1.29 34	-0.22 94	104	2
CR 25 0050 108864059	6.31	CR 23 0214	CR 23 0032	6	105	11.68	115	0.99 68	-0.05 42	2.05 110	0.35 63	-0.70 75	1.89 104	0.32 30	0.06 98	108	2
CR 25 0058 108864083	6.30	CR 23 0214	CR 23 0008	23	100	7.16	107	1.98 68	0.49 42	3.17 110	0.10 63	-0.15 75	-2.47 92	-1.47 30	-0.07 96	111	2
CR 25 0073 108864091	5.89	J 22 0309	CR 22 0004	16	101	8.81	110	1.34 69	-0.17 45	1.12 104	0.28 67	-0.88 77	1.36 102	-1.05 32	-0.22 94	94	2
CR 25 0075 108864109	4.96	J 22 0309	CR 22 0067	7	105	11.20	114	2.53 70	0.41 49	4.22 123	0.02 67	-0.64 77	-1.77 94	-0.67 35	0.43 102	120	3

Young Rams



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding value
Breeding values with an accuracy of below 5% are not printed

Young rams, born since 2020 with a weaning weight, and wool test, but no progeny, both parents known.

Animal Information		Parents		Rank	Selection Indices			EBV - Weights			EBV - Wool			EBV - Fertility			
Animal ID Regnr	% In- breeding	Sire ID	Dam ID		SIP	GM		Weaning Dir	Weight Mat	Body Weight	CFW	FD	SL	NLW	TWW	EPI	DAM Lambd
						EBV	Index	EBV	Index	A	EBV	Index	EBV	Index	EBV	Index	Phenotype
		Active Breed Average :			101	2.8	100	0.54	0.01	0.56	0.03	-0.14	0.50	0.46	0.27		
CR 25 0077 108864117	5.80	J 22 0309	CR 21 0112	36	94	2.83	100	0.52 70	0.01 48	1.54 106	0.02 68	-0.28 77	-6.60 71	-1.48 35	-0.33 34	107	4
CR 25 0079 108864125	6.14	J 22 0309	CR 21 0045	28	97	5.31	104	1.29 70	0.02 48	1.04 103	0.03 67	-0.72 75	-4.93 70	0.67 33	0.12 33	108	3
CR 25 0111 108864141	3.11	CR 23 0259	CR 23 0201	26	99	6.38	106	2.01 68	0.65 43	2.03 109	-0.02 65	-1.07 76	0.03 70	-2.08 32	-0.19 31	110	2
CR 25 0115 108864158	17.85	CR 23 0259	CR 22 0096	30	97	4.90	103	1.31 69	0.33 46	3.09 116	0.03 66	0.80 76	-4.81 70	1.74 35	0.59 34	97	2
CR 25 0117 108864166	16.00	CR 23 0259	CR 22 0070	5	106	11.35	114	2.87 69	0.44 46	4.51 125	-0.08 65	-0.31 76	-3.39 70	2.03 35	1.11 35	104	3
CR 25 0121 108864182	4.77	CR 23 0259	CR 22 0127	24	99	6.98	107	1.51 70	0.84 46	3.22 117	0.03 65	0.21 76	1.67 70	0.03 33	0.50 33	121	3
CR 25 0127 108864208	3.10	CR 23 0259	CR 19 0151	20	101	7.67	108	1.79 71	0.32 49	3.27 117	-0.20 67	-0.28 77	-8.88 71	2.37 40	1.21 39	149	6
CR 25 0132 108864224	6.89	CR 23 0259	CR 21 0118	41	87	-2.32	92	0.92 69	0.53 46	2.32 111	-0.18 66	0.87 76	-3.23 70	-1.52 35	-0.11 35	104	4
CR 25 0133 108864232	3.64	CR 23 0259	CR 22 0120	27	98	5.98	105	1.28 69	0.16 45	1.25 104	0.18 65	-0.52 76	1.33 70	-3.31 33	-0.27 33	105	3
CR 25 0134 108864240	3.98	CR 23 0259	CR 19 0271	15	102	8.95	110	0.91 70	0.07 47	1.46 106	0.06 66	-0.57 76	-1.34 71	4.16 35	0.96 35	126	5
CR 25 0135 108864257	9.62	CR 23 0259	CR 23 0115	38	93	1.90	99	1.05 69	-0.06 45	0.62 100	0.14 65	0.92 76	3.30 70	0.54 34	0.52 34	102	2
CR 25 0136 108864265	1.79	CR 23 0259	CR 18 0152	40	89	-1.32	93	0.53 71	0.75 48	1.53 106	0.03 66	1.08 77	-1.15 71	-3.07 37	-0.16 37	139	7
CR 25 0144 108864307	3.19	CR 23 0259	CR 21 0152	37	94	2.00	99	1.24 70	0.38 47	2.13 110	0.09 66	0.74 76	-0.58 70	-1.89 36	-0.10 36	107	4
CR 25 0149 108864323	2.93	CR 23 0259	CR 22 0112	39	90	0.18	96	0.34 70	0.23 46	-0.08 96	0.03 66	-0.21 76	2.07 70	-2.42 34	-0.31 33	110	3
CR 25 0154 108864331	6.88	CR 23 0259	CR 22 0195	4	106	12.04	115	2.94 69	0.69 44	4.69 126	-0.24 65	-1.38 76	-1.77 70	2.86 33	0.84 33	99	2
CR 25 0161 108864398	13.06	CR 23 0259	CR 19 0252	2	111	16.28	122	1.54 71	0.30 50	3.21 117	0.13 66	-0.32 76	-1.17 71	8.87 39	2.16 39	169	6

Young Rams



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding value
Breeding values with an accuracy of below 5% are not printed

Young rams, born since 2020 with a weaning weight, and wool test, but no progeny, both parents known.

Animal Information		Parents		Rank	Selection Indices			EBV - Weights			EBV - Wool			EBV - Fertility			
Animal ID Regnr	% In- breeding	Sire ID	Dam ID		SIP	GM		Weaning Dir	Weight Mat	Body Weight	CFW	FD	SL	NLW	TWW	EPI	DAM Lambcd
						EBV	Index		EBV	Index	EBV	Index	EBV	Index	EBV	Index	Phenotype
		Active Breed Average :			101	2.8	100	0.54	0.01	0.56	0.03	-0.14	0.50	0.46	0.27		
CR 25 0163 108864406	4.89	CR 23 0259	CR 20 0063	33	96	3.44	101	0.20 70	-0.36 48	0.26 68	0.29 66	0.61 76	4.95 70	3.29 36	0.13 36	111	5
CR 25 0165 108864414	4.41	CR 23 0259	CR 22 0129	9	105	11.01	114	1.57 69	0.29 45	3.17 68	0.43 65	0.45 76	8.90 70	-0.92 33	0.15 33	99	3
CR 25 0166 108864422	16.00	CR 23 0259	CR 22 0071	19	101	8.17	109	1.85 70	0.58 47	2.41 68	-0.03 66	0.00 76	-1.74 70	2.71 35	1.27 35	112	3
CR 25 0169 108864448	3.48	CR 23 0259	CR 22 0143	29	97	5.04	104	0.90 69	-0.12 45	0.96 68	0.27 65	0.40 76	8.05 70	-0.92 34	0.14 33	98	3
CR 25 0170 108864455	6.68	CR 23 0259	CR 20 0175	35	96	4.41	103	1.55 70	0.31 47	2.91 68	-0.03 66	0.38 76	-2.12 71	-0.14 34	0.37 34	101	5
CR 25 0177 108864489	3.51	CR 23 0259	CR 21 0234	22	100	7.25	107	1.59 70	0.43 46	2.05 68	0.08 66	-0.41 76	1.05 70	-0.05 33	0.29 33	100	3
CR 25 0180 108864497	7.67	CR 23 0259	CR 21 0115	25	99	6.93	107	0.74 70	0.44 47	2.25 68	0.13 66	0.23 76	0.28 70	2.30 35	0.52 34	103	4
CR 25 0184 108864513	2.72	CR 23 0259	CR 20 0097	31	97	4.50	103	1.51 70	0.23 48	1.56 68	0.08 66	-0.17 76	4.30 70	-1.32 37	0.00 37	97	5
CR 25 0189 108864539	7.12	CR 23 0259	CR 21 0141	11	104	10.74	113	2.84 70	0.38 47	3.20 68	0.09 66	-0.69 76	-0.87 70	0.84 35	0.41 35	102	4
CR 25 0204 108864604	5.37	CR 23 0259	CR 23 0108	18	101	8.49	109	1.51 69	0.13 45	2.22 68	0.23 65	0.28 76	4.88 70	0.48 33	0.59 33	104	2
CR 25 0206 108864612	14.14	CR 23 0259	CR 20 0002	17	101	8.64	110	0.08 70	0.05 48	0.58 68	0.43 66	0.16 76	5.89 71	-0.05 39	0.38 39	101	5
CR 25 0207 108864620	5.19	CR 23 0259	CR 23 0027	34	96	3.99	102	0.13 69	-0.06 44	-1.22 68	0.23 65	0.03 76	-1.88 70	1.52 33	0.66 32	105	2
CR 25 0211 108864653	10.75	CR 23 0259	CR 20 0021	13	104	10.87	113	1.24 71	0.25 50	2.11 69	0.09 66	-0.35 76	-1.61 71	3.96 40	1.26 39	112	5
RA 24 1031 106697972	1.89	RA 22 0824	RA 19 1282	67	102	2.07	99	0.48 65	0.06 39	1.29 65	-0.15 62	-0.52 74	1.83 67	-0.50 18	0.09 18	98	4
Young rams (with known parents) average :					100	4.97	104	1.32	0.09	1.78	0.13	-0.20	0.38	-1.71	-0.25		

Ewes with Progeny



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding values
Breeding values with an accuracy of less than 5% are not printed

Ewes with progeny and measured at weaning, with both parents known.

Animal Information		Parents			Progeny		Selection Indices			EBV - Weights			EBV - Wool			EBV - Fertility				Rank	
Animal ID Regnr	% In- breeding	Sire ID Dam ID	DAM :		Generation Progeny Weaned	1st	2nd	SIP	GM	Weaning Weight		Body Weight	SVG	VD	SL	Lammers gespeen	TWW	EPI	Times lambd		
			EPI	Times lambd						Dir	Mat										EBV Acc
		Active Breed Average :						100.7	2.8	100		0.54	0.01	0.56	0.03	-0.14	0.50	0.46	0.27		
CR 16 0148 77793214	3.91	CR 14 0261 CR 14 0127			7	3		98	-14.71	71	-0.94 78 86	0.13 74 103	-0.32 79 94	-0.12 77 91	0.83 84 115	-5.15 81 85	-10.01 60 61	-2.67 60 65	115	6	36
CR 16 0355 78442563	3.35	CR 14 0261 CR 13 0272	98	2	13	1		106	-3.01	90	0.03 81 95	-0.03 76 99	0.73 80 101	0.02 78 99	0.54 86 111	2.80 82 106	-1.66 59 92	-0.77 58 88	189	7	6
CR 16 0471 78444072	5.49	CR 15 0094 CR 14 0362			7	2		101	-9.10	80	-0.06 77 94	0.36 72 108	1.11 77 104	-0.03 75 96	1.43 83 124	0.27 79 99	-8.18 55 68	-1.54 54 78	132	6	33
CR 17 0003 79695995	9.43	CR 15 0131 CR 13 0077	108	3	11	4		93	-0.25	95	0.94 82 104	1.73 78 136	1.27 82 105	-0.50 80 67	-0.04 87 102	-8.72 84 76	4.54 57 115	1.46 57 114	150	6	55
CR 17 0091 79696878	0.80	MS 14 0223 CR 15 0043			11	2		110	9.00	110	-0.02 81 95	-0.14 75 97	-0.68 78 92	0.22 76 111	0.28 84 107	0.35 80 100	8.74 56 131	2.11 56 122	141	6	3
CR 17 0092 79697165	0.85	MS 14 0223 CR 15 0172			7	5		104	-1.10	94	-0.63 79 89	-0.02 76 100	-1.78 78 85	0.05 76 101	-0.07 84 101	4.99 80 112	-1.59 60 92	0.19 60 99	117	6	12
CR 17 0121 79697223	2.80	CR 15 0410 CR 15 0203			11	3		100	-1.33	93	0.64 81 101	0.40 77 108	0.77 78 101	-0.23 76 84	-0.03 84 102	5.84 80 114	3.05 60 110	0.22 59 99	148	7	35
CR 17 0134 79696696	3.80	CR 15 0410 CR 14 0206			7	1		100	-2.75	91	0.65 78 101	1.17 73 125	1.34 77 105	-0.06 75 94	0.65 83 112	4.76 79 111	-6.34 59 74	-0.51 58 91	134	7	34
CR 17 0139 79697157	7.47	CR 15 0410 CR 15 0167	95	3	9	2		101	-8.43	82	-0.32 79 92	-0.20 74 96	-1.09 78 89	-0.01 76 98	1.16 84 120	11.60 80 129	-3.45 58 85	-0.71 58 88	128	6	29
CR 17 0159 79696977	6.56	J 15 0255 CR 15 0075	96	3	11	1		98	1.69	98	-0.38 80 91	0.50 73 110	0.51 76 100	0.07 74 102	0.29 83 107	4.64 78 111	3.40 54 111	0.19 53 99	140	6	42
CR 17 0166 79696480	2.80	J 15 0255 CR 14 0130			13	3		111	11.35	114	0.66 82 101	0.15 76 103	0.66 79 101	0.50 77 129	-0.04 85 102	10.35 81 126	4.03 57 113	0.57 57 104	161	7	1
CR 17 0268 80425051	4.31	CR 15 0410 CR 13 0205	97	3	6	1		108	-0.90	94	-0.57 77 90	-0.22 72 95	-1.04 76 90	0.13 74 106	-0.31 82 97	8.48 78 121	-3.83 57 84	-0.71 57 88	123	6	5
CR 17 0310 80425507	4.21	CR 15 0416 CR 14 0311			9			105	-4.13	89	-0.10 77 94	-0.21 69 96	-0.83 74 91	0.11 72 105	0.62 82 112	2.25 77 105	-3.11 50 87	-0.69 49 89	166	7	13
CR 17 0353 80426026	0.84	SD 14 0745 CR 15 0371			6	1		97	-12.59	75	-1.01 76 85	0.29 70 106	-1.18 77 89	0.00 75 98	1.02 83 118	-5.77 79 84	-9.20 56 64	-2.02 56 72	137	7	48
CR 17 0361 80426133	0.86	SD 14 0745 CR 15 0426			7	1		100	-4.60	88	0.85 78 103	1.44 73 130	0.79 76 102	-0.06 74 94	-0.13 82 100	-0.19 78 98	-11.83 59 54	-1.56 58 78	160	7	34
CR 18 0009 81630097	3.04	CR 16 0159 CR 12 0127	136	4	7	1		96	-11.51	76	-1.29 77 83	-0.81 71 83	-0.83 75 91	-0.12 72 91	0.57 81 111	2.67 77 106	-4.76 54 80	-1.79 53 75	108	5	63

Ewes with Progeny



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding values
Breeding values with an accuracy of less than 5% are not printed

Ewes with progeny and measured at weaning, with both parents known.

Animal Information		Parents			Progeny		Selection Indices			EBV - Weights			EBV - Wool			EBV - Fertility			Rank		
Animal ID Regnr	% In- breeding	Sire ID Dam ID	DAM :		Generation		SIP	GM	Weaning Weight		Body Weight	SVG	VD		SL	Lammers gespeen	TWW		EPI	Times lambded	
			EPI	Times lambded	Progeny	Weaned			Dir	Mat			Acc	Index			Acc	Index			
					1st	2nd			EBV	Index	EBV	Index	EBV	Index	EBV	Index	EBV	Index			
		Active Breed Average :						100.7	2.8	100		0.54	0.01	0.56	0.03	-0.14	0.50	0.46	0.27		
CR 18 0021 81630584	6.98	CR 16 0159 CR 14 0103			8	1	108	0.06	95		0.34 80	-0.19 98	-0.25 95	0.41 77	-0.33 84	4.83 111	-8.94 58	-2.03 65	135	7	5
CR 18 0035 81630196	3.87	CR 16 0159 CR 13 0077	108	3	12	3	105	2.58	100		0.29 81	0.38 98	-0.75 92	0.15 75	-0.39 83	3.71 108	2.15 56	-0.03 106	154	7	16
CR 18 0056 81630535	5.55	CR 16 0164 CR 14 0035			7		95	-15.27	70		0.59 78	0.58 101	0.64 112	-0.28 74	1.10 82	-3.94 77	-11.18 60	-2.28 59	123	6	68
CR 18 0068 81630675	6.03	CR 16 0164 CR 14 0130			7	2	105	-6.76	84		-0.60 79	-0.51 89	-0.29 95	0.32 75	0.48 83	0.34 100	-10.35 61	-2.71 60	116	6	11
CR 18 0077 81630253	3.71	CR 16 0164 CR 13 0144	104	3	9	1	100	-9.31	80		-0.29 80	-0.02 92	-0.52 93	0.08 75	0.88 83	3.95 109	-4.66 58	-1.88 81	124	5	40
CR 18 0102 81631285	4.67	CR 16 0061 CR 15 0083	99	3	5		98	-5.79	86		1.29 77	0.97 68	0.06 120	-0.16 73	-0.33 81	-5.72 77	-5.60 50	-1.31 77	107	5	51
CR 18 0119 81631129	1.63	CR 16 0061 CR 15 0019	109	3	11	1	104	1.83	98		0.36 80	-0.39 98	1.23 104	-0.09 74	0.27 83	3.81 109	5.52 51	0.55 103	133	6	18
CR 18 0125 81631160	1.63	CR 16 0061 CR 15 0034			7	4	100	0.98	97		1.10 78	0.44 105	0.50 109	0.08 74	1.26 82	4.33 110	1.96 54	0.89 108	115	5	39
CR 18 0152 81631541	0.83	SD 14 0745 CR 16 0032	107	5	8	1	97	-10.39	78		-0.12 79	1.44 94	0.06 97	-0.25 75	0.69 83	0.65 100	-8.90 58	-1.19 65	139	7	56
CR 18 0153 81631764	0.83	SD 14 0745 CR 16 0176	86	2	9	3	106	-6.52	85		0.16 79	0.36 96	-0.54 93	-0.07 76	-0.72 84	4.32 110	-9.25 60	-2.03 59	128	6	10
CR 18 0163 81631483	0.84	SD 14 0745 CR 16 0014	98	3	11	3	110	3.05	100		1.96 81	1.14 76	2.55 124	-0.02 77	0.40 85	3.45 108	-5.23 60	0.11 59	156	7	1
CR 18 0181 81631798	0.83	SD 14 0745 CR 16 0187	106	4	8	1	98	-8.74	81		-0.94 79	0.15 86	-0.66 92	0.03 75	1.19 83	6.65 121	-5.08 57	-1.14 57	116	5	52
CR 18 0204 81630766	3.72	CR 16 0462 CR 14 0161			7	2	105	-6.99	84		-0.56 77	0.05 90	0.85 101	-0.13 73	0.59 82	-7.53 77	-4.35 52	-1.22 51	109	5	13
CR 18 0206 81630469	3.19	CR 16 0462 CR 14 0018			6		103	-4.29	88		0.86 76	0.39 103	1.19 108	0.08 71	1.18 80	-4.14 75	-5.86 51	-0.97 51	111	5	22
CR 18 0250 82351347	2.50	SD 15 0015 CR 14 0341			7		106	6.04	105		1.91 79	-0.06 113	1.04 99	0.46 77	1.00 84	-4.99 81	-3.09 61	0.15 87	132	6	5
CR 18 0273 82350893	2.28	SD 15 0015 CR 12 0251	110	3	6	1	104	1.05	97		0.18 78	0.06 97	-0.49 93	0.49 76	1.34 83	5.42 123	-1.53 63	-0.34 62	118	5	7

Ewes with Progeny



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding values
Breeding values with an accuracy of less than 5% are not printed

Ewes with progeny and measured at weaning, with both parents known.

Animal Information		Parents			Progeny		Selection Indices			EBV - Weights			EBV - Wool			EBV - Fertility			Rank		
Animal ID Regnr	% In- breeding	Sire ID Dam ID	DAM :		Generation Progeny Weaned	1st	2nd	SIP	GM	Weaning Weight		Body Weight	SVG	VD	SL	Lammers gespeen	TWW	EPI	Times lambd		
			EPI	Times lambd						Dir	Mat										Acc
		Active Breed Average :						100.7	2.8	100		0.54	0.01	0.56	0.03	-0.14	0.50	0.46	0.27		
CR 18 0289 82351941	3.42	SD 15 0015 CR 16 0326	123	5	8	1		103	4.85	103	-0.06 79 94	0.01 75 100	-0.13 79 96	0.40 77 123	0.41 84 109	7.54 81 118	0.00 62 98	0.03 62 97	131	5	12
CR 18 0310 82351511	2.76	SD 15 0015 CR 15 0224			10	1		99	4.66	103	0.41 80 99	0.85 76 118	0.71 79 101	0.06 77 102	0.72 85 113	-5.14 81 85	2.26 62 107	1.37 62 113	155	6	31
CR 18 0316 82351628	2.96	SD 15 0015 CR 15 0338			6	3		102	9.04	110	1.28 77 107	0.82 74 117	2.34 78 111	0.30 76 116	0.16 84 105	7.06 80 117	-0.67 62 96	0.26 62 100	119	5	15
CR 18 0330 82351636	2.88	SD 15 0015 CR 15 0339			7	2		107	8.76	110	1.03 79 105	-0.03 75 99	1.29 79 105	0.19 77 110	-0.10 84 101	-2.39 81 92	1.78 63 105	0.86 62 107	120	5	4
CR 18 0357 82351586	0.86	SD 14 0745 CR 15 0286			5	1		92	-7.17	84	0.12 76 96	0.90 71 119	0.42 76 99	-0.13 74 90	0.53 82 110	4.29 78 110	-5.72 55 77	-1.15 54 83	105	4	50
CR 19 0009 84025568	0.89	CR 17 0101 CR 14 0002			10	7		99	6.49	106	0.90 81 103	0.78 77 116	1.49 79 106	0.06 77 101	0.42 85 109	2.54 81 105	2.50 58 108	1.27 57 112	141	5	47
CR 19 0019 84025956	4.22	CR 17 0101 CR 14 0191	94	4	7	1		102	7.47	108	2.63 77 120	1.20 71 125	2.76 74 114	-0.16 72 88	-0.86 81 89	-1.40 77 95	0.15 53 99	0.62 53 104	133	5	29
CR 19 0021 84025873	4.76	CR 17 0101 CR 14 0169			7			95	-1.68	93	0.76 77 102	-0.09 70 98	-0.03 74 96	-0.18 72 87	-0.20 81 99	6.61 76 116	-1.79 52 92	0.08 52 98	125	5	72
CR 19 0027 84025212	2.88	CR 17 0101 CR 13 0158	145	5	6	2		97	-1.24	93	0.75 80 102	0.21 74 104	0.47 78 99	-0.06 76 94	0.77 83 114	14.51 80 137	0.31 55 99	0.43 55 102	118	5	66
CR 19 0033 84025808	1.97	CR 17 0101 CR 14 0132			6	1		99	0.26	96	1.03 77 105	1.44 72 130	2.12 76 110	-0.01 74 98	1.24 82 121	-0.83 78 97	-2.08 55 90	0.33 54 101	113	4	52
CR 19 0036 84025667	1.97	CR 17 0101 CR 14 0036			6	2		96	-4.05	89	0.60 77 101	0.35 72 107	-0.47 75 93	0.04 73 100	1.13 82 120	7.62 77 119	-3.22 55 86	0.00 55 97	114	5	71
CR 19 0045 84025089	4.65	CR 17 0101 CR 13 0074	163	5	4	2		106	0.74	97	0.95 75 104	1.53 70 132	1.03 74 103	-0.40 72 73	-0.95 80 88	-5.04 75 86	-3.09 53 87	0.51 52 103	101	4	13
CR 19 0082 84026202	1.84	OB 13 1213 CR 15 0017			6	3		97	3.88	102	0.14 77 96	0.94 73 120	1.78 77 108	-0.15 75 89	-0.66 83 92	-0.97 78 96	0.52 60 100	0.23 59 100	118	5	62
CR 19 0098 84026178	2.03	OB 13 1213 CR 15 0007			7			93	-1.15	93	-0.76 77 88	-0.65 72 86	0.06 75 97	0.06 73 101	1.18 82 120	2.93 77 106	6.00 57 121	0.54 57 103	109	4	78
CR 19 0104 84026343	3.87	OB 13 1213 CR 15 0075	96	3	7			92	-0.93	94	-0.34 78 92	-0.61 73 87	-1.04 75 90	0.24 74 113	0.16 82 105	7.96 77 120	-2.50 60 89	-0.73 59 88	132	6	81
CR 19 0151 84026905	1.80	JW 15 0558 CR 16 0155	122	6	9			99	8.87	110	2.59 80 119	0.07 75 101	3.77 79 121	-0.27 77 81	-0.34 84 97	-10.36 81 72	1.99 64 106	1.56 63 116	149	6	51

Ewes with Progeny



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding values
Breeding values with an accuracy of less than 5% are not printed

Ewes with progeny and measured at weaning, with both parents known.

Animal Information		Parents			Progeny		Selection Indices			EBV - Weights			EBV - Wool			EBV - Fertility			Rank
Animal ID Regnr	% In- breeding	Sire ID Dam ID	DAM : EPI Times lambd	Generation Progeny Weaned 1st 2nd	SIP	GM	EBV	Index	Weaning Dir	Weight Mat	Body Weight	SVG	VD	SL	Lammers gespeen	TWW	EPI	Times lambd	
									EBV Acc	Index Index	EBV Acc	Index Index	EBV Acc	Index Index	EBV Acc	Index Index	Phenotype		
Active Breed Average :					100.7	2.8	100		0.54	0.01	0.56	0.03	-0.14	0.50	0.46	0.27			
CR 19 0203 84027473	9.70	SD 15 0015 CR 17 0151	83 2	4 2	101	9.07	110		1.38 76 108	0.56 72 112	3.40 75 118	0.16 73 108	0.55 81 111	2.24 77 105	0.11 62 99	0.79 62 106	100	4	35
CR 19 0227 84027291	2.79	SD 15 0015 CR 17 0121	148 7	7 1	100	6.84	107		0.96 79 104	-0.33 74 93	1.86 74 108	0.07 72 102	0.34 80 108	3.83 76 109	7.72 62 127	1.07 61 110	110	4	37
CR 19 0252 84027283	1.78	SD 15 0015 CR 17 0105	86 1	12 3	116	25.47	137		1.89 82 113	0.21 77 104	3.98 77 122	0.25 75 113	-0.69 83 92	-1.51 79 95	14.98 63 155	3.46 62 139	169	6	1
CR 19 0262 84025691	0.75	VM 16 0816 CR 14 0103		6 5	111	14.91	120		2.10 78 115	1.01 73 121	4.20 77 123	0.47 75 127	0.09 83 104	1.09 79 102	0.75 55 101	0.24 54 100	110	4	3
CR 19 0266 84026194	0.97	VM 16 0816 CR 15 0010	96 3	7 2	106	8.60	110		0.79 77 102	-0.14 71 97	1.65 74 107	0.22 72 111	-0.91 81 88	-3.88 76 89	1.65 54 105	-0.26 53 94	132	6	12
CR 19 0267 84025964	0.72	VM 16 0816 CR 14 0199		7 2	105	2.60	100		1.03 77 105	-0.32 71 93	2.24 77 111	-0.04 75 96	-0.04 83 102	-4.16 79 88	0.57 52 100	-0.21 52 94	114	4	18
CR 19 0271 84026293	1.11	VM 16 0816 CR 15 0046	138 5	8	100	5.80	105		-0.14 78 94	0.11 70 102	0.79 76 102	0.02 74 99	-0.10 82 101	0.25 78 99	5.56 52 119	1.05 51 110	126	5	39
CR 19 0272 84026988	1.03	VM 16 0816 CR 16 0197	88 2	8 1	105	5.64	105		0.39 78 99	0.16 71 103	0.94 76 102	0.28 73 115	-0.77 82 90	2.72 78 106	-2.78 53 88	-0.90 52 86	142	6	20
CR 19 0273 84026673	1.23	VM 16 0816 CR 16 0029	108 4	5 1	99	1.34	98		0.63 76 101	0.74 68 115	2.05 75 110	-0.13 73 90	-0.01 82 102	-5.56 77 84	-1.23 51 94	-0.06 50 96	104	4	44
CR 19 0328 86044856	1.79	JW 15 0558 CR 14 0394		5 1	101	8.59	110		0.79 76 102	-0.11 73 98	0.94 73 102	0.27 74 114	0.69 78 113	-4.25 74 88	-0.06 62 98	1.46 62 114	121	4	20
CR 19 0342 86045283	3.66	VM 17 0461 CR 16 0147	101 5	8 1	102	1.35	98		0.18 79 97	-0.49 73 90	0.51 75 100	0.32 74 118	-0.26 82 98	9.45 77 123	-0.75 58 96	-1.56 58 78	157	5	16
CR 19 0349 86045119	2.99	VM 17 0461 CR 15 0339		4	100	-4.49	88		-0.48 76 90	-0.23 70 95	-0.57 75 93	0.36 73 120	1.07 81 119	6.47 77 116	-1.97 57 91	-1.55 57 78	109	4	31
CR 19 0357 86045572	5.23	VM 17 0461 CR 16 0396	93 3	6	100	1.19	97		-0.41 79 91	0.08 72 102	-1.00 76 90	0.24 75 113	0.21 82 106	5.49 78 113	2.40 55 107	-0.08 55 96	123	3	30
CR 19 0377 86045291	8.99	VM 17 0461 CR 16 0148	115 6	6 2	101	-2.09	92		0.91 78 104	-0.41 74 91	1.17 78 104	0.34 76 119	0.90 84 116	2.88 80 106	-1.99 59 91	-1.78 58 75	132	4	23
CR 19 0463 86045952	1.63	SD 15 0015 CR 17 0361	160 7	4 1	106	5.55	105		1.45 76 109	0.92 72 119	1.60 75 107	0.10 73 104	-0.32 81 97	-5.01 77 86	-4.33 62 82	0.03 61 97	120	4	6
CR 19 0471 86045911	3.70	SD 15 0015 CR 17 0324	115 5	5 1	105	7.91	108		1.50 77 109	0.21 72 104	2.30 75 111	0.33 73 118	1.29 81 122	0.32 77 100	3.19 59 110	0.95 59 108	114	3	9

Ewes with Progeny



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding values
Breeding values with an accuracy of less than 5% are not printed

Ewes with progeny and measured at weaning, with both parents known.

Animal Information		Parents			Progeny		Selection Indices			EBV - Weights			EBV - Wool			EBV - Fertility			Rank						
Animal ID Regnr	% In- breeding	Sire ID Dam ID	DAM :		Generation Progeny Weaned	1st	2nd	SIP	GM	Weaning Weight		Body Weight	SVG	VD	SL	Lammers gespeen	TWW	EPI	Times lambd						
			EPI	Times lambd						Dir	Mat										Acc	Index	Acc	Index	Acc
		Active Breed Average :						100.7	2.8	100		0.54	0.01	0.56	0.03	-0.14	0.50	0.46	0.27						
CR 19 0510 86045978	4.61	CR 17 0412 CR 17 0374	86	2	3			97	-11.31	77		-0.11 71	0.82 94	-0.50 72	93	-0.25 69	-0.03 79	-2.04 74	93	-8.87 45	-1.91 44	74	102	4	44
CR 20 0002 89489660	15.77	SD 15 0015 CR 14 0132			5	1		106	7.52	108		0.01 77	0.08 95	0.76 73	102	0.60 74	0.81 81	1.15 77	102	-2.86 63	-0.10 63	96	105	5	9
CR 20 0003 89489876	3.65	SD 15 0015 CR 15 0123			8	1		97	0.48	96		-0.10 79	0.55 94	0.06 75	111	-0.29 74	-0.51 82	-0.42 78	98	3.77 61	0.85 61	107	115	4	57
CR 20 0017 89489710	5.97	SD 15 0015 CR 14 0187	104	4	8	2		103	9.85	112		1.08 80	0.04 105	2.16 76	101	0.07 75	0.17 82	1.36 78	102	5.74 63	1.58 62	116	126	5	17
CR 20 0021 89489595	3.33	SD 15 0015 CR 14 0036			9	2		108	12.62	116		2.08 80	0.31 114	3.22 77	106	0.12 76	0.18 83	-0.70 79	97	5.17 64	1.66 63	117	135	5	5
CR 20 0035 89489934	3.18	SD 15 0015 CR 15 0172			4	1		99	-0.86	94		0.23 76	-0.21 97	0.99 72	96	0.01 71	0.71 79	-2.03 75	93	-0.48 61	-0.06 61	96	87	3	41
CR 20 0055 89490114	2.12	CR 17 0404 CR 16 0081	123	6	7	2		102	4.11	102		0.61 78	0.48 101	0.56 73	110	-0.03 72	-0.15 81	8.97 76	122	4.52 55	0.81 54	107	119	5	27
CR 20 0057 89490007	3.49	CR 17 0404 CR 16 0002	130	6	8	1		101	1.62	98		-1.74 79	0.00 79	-2.93 73	100	0.08 73	-0.79 82	5.87 77	114	7.78 54	0.63 53	104	119	5	32
CR 20 0061 89490148	2.45	CR 17 0404 CR 16 0086	117	6	5	1		97	-0.21	95		-0.43 76	0.59 91	-0.93 69	112	0.13 71	0.53 80	0.25 75	99	2.56 51	0.30 51	100	93	3	59
CR 20 0063 89490221	3.74	CR 17 0404 CR 16 0155	122	6	7	2		93	-3.26	90		-0.07 78	-0.31 94	1.04 73	103	0.12 74	1.38 82	4.80 78	111	3.82 55	-0.60 55	90	111	5	70
CR 20 0065 89490163	2.54	CR 17 0404 CR 16 0090	92	3	7	1		97	9.47	111		0.90 78	2.15 103	2.28 71	145	0.17 72	0.73 81	7.52 76	118	6.43 54	1.55 53	116	132	5	53
CR 20 0067 89490262	5.40	CR 17 0404 CR 16 0180	115	5	8	1		114	9.92	112		0.91 79	-0.10 103	0.26 73	98	0.28 74	-1.39 83	9.65 78	124	1.56 55	-0.03 54	96	124	5	1
CR 20 0069 89490320	3.15	CR 17 0404 CR 16 0202	115	5	3			97	-0.84	94		1.10 74	0.37 105	2.99 66	108	0.29 71	2.17 80	16.77 75	143	-1.90 51	-0.76 51	88	85	3	54
CR 20 0095 89490593	2.98	CR 18 0157 CR 17 0129	105	4	6	1		106	4.13	102		1.44 77	-0.34 109	2.28 72	93	0.54 73	0.78 81	13.62 76	134	-6.05 58	-1.52 57	78	112	5	10
CR 20 0097 89490502	3.09	CR 18 0157 CR 17 0092	117	6	7			102	0.86	97		0.77 78	0.18 102	0.34 73	104	0.15 72	-0.24 80	8.41 76	121	-5.39 58	-0.87 58	86	120	5	21
CR 20 0100 89490767	2.27	CR 18 0157 CR 17 0166	161	7	4			113	9.50	111		2.26 76	0.02 116	2.99 70	100	0.35 72	-0.58 80	8.66 76	121	-4.90 55	-0.88 55	86	91	3	2

Ewes with Progeny



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding values
Breeding values with an accuracy of less than 5% are not printed

Ewes with progeny and measured at weaning, with both parents known.

Animal Information		Parents			Progeny		Selection Indices			EBV - Weights			EBV - Wool			EBV - Fertility			Rank
Animal ID Regnr	% In- breeding	Sire ID Dam ID	DAM : EPI Times lambded	Generation Progeny Weaned 1st 2nd	SIP	GM	EBV	Index	Weaning Dir	Weight Mat	Body Weight	SVG	VD	SL	Lammers gespeen	TWW	EPI	Times lambded	
									EBV Acc	Index Index	EBV Acc	Index Index	EBV Acc	Index Index	EBV Acc	Index Index	Phenotype		
Active Breed Average :					100.7	2.8	100		0.54	0.01	0.56	0.03	-0.14	0.50	0.46	0.27			
CR 20 0101 89490528	2.66	CR 18 0157 CR 17 0122	86 2	3	103	3.12	101		1.78 73	-0.01 112	2.24 100	0.28 70	0.48 79	6.39 110	-5.61 53	-0.96 77	83	2	15
CR 20 0111 89490346	3.32	CR 18 0157 CR 17 0003	150 6	6	99	3.67	101		2.02 78	1.26 72	2.68 127	-0.14 75	-0.19 82	-4.44 87	-1.97 55	0.20 99	104	3	43
CR 20 0112 89490353	3.32	CR 18 0157 CR 17 0003	150 6	5 1	102	2.06	99		1.74 77	0.83 72	1.81 117	-0.02 74	-0.35 81	0.65 97	-4.77 57	-0.56 90	101	4	26
CR 20 0114 89490536	3.10	CR 18 0157 CR 17 0123	90 3	5	100	-0.19	95		1.25 76	-0.21 70	1.76 96	0.33 75	0.79 83	14.67 114	-6.84 57	-1.55 78	105	5	38
CR 20 0122 89490445	3.80	CR 18 0157 CR 17 0043	90 3	8 1	100	-3.65	89		0.99 79	-0.46 74	0.70 90	0.10 74	0.24 83	-1.85 106	-7.72 57	-1.58 78	122	5	39
CR 20 0155 89491401	8.82	CR 18 0292 CR 18 0207	98 4	3	100	-1.11	94		0.40 72	0.82 62	0.73 117	0.21 70	0.49 80	-1.37 110	-7.14 46	-1.10 71	87	3	36
CR 20 0161 89491450	5.39	CR 18 0292 CR 18 0217	99 3	7 2	95	-2.06	92		0.57 77	0.26 70	1.30 105	-0.02 70	0.80 80	-6.40 75	-2.54 50	-0.34 93	120	5	65
CR 20 0175 89491351	4.32	CR 18 0292 CR 18 0201	91 2	8 2	93	-1.96	92		0.54 77	0.45 70	2.13 109	-0.15 72	0.80 82	-1.30 115	-3.04 49	-0.12 95	124	5	69
CR 20 0195 89491211	4.05	CR 18 0269 CR 18 0125	115 5	4	100	5.40	104		1.53 75	0.95 65	1.54 120	0.26 70	1.26 79	0.61 122	1.18 47	0.86 107	92	3	34
CR 20 0200 89491047	6.29	CR 18 0269 CR 18 0071	94 4	3	90	-10.56	78		-0.76 73	-0.09 63	-0.87 98	0.11 69	1.87 78	4.30 131	-6.70 48	-1.22 82	86	3	75
CR 20 0231 89489843	2.34	CR 18 0306 CR 15 0046	138 5	8	97	7.59	108		0.16 81	1.56 73	2.34 133	-0.12 74	-0.21 82	2.03 99	4.03 53	1.34 113	136	5	58
CR 20 0305 90393414	2.97	SD 15 0015 CR 15 0351		8 1	97	7.46	108		1.44 79	0.33 74	3.52 107	-0.09 75	1.45 82	-0.94 125	9.42 61	2.28 124	134	4	43
CR 20 0317 90393315	9.03	SD 15 0015 CR 15 0286		6	96	3.97	102		0.15 77	0.18 72	0.92 104	0.17 72	0.61 80	1.22 112	3.15 60	0.52 103	125	4	46
CR 20 0343 90393968	2.47	SD 17 0256 CR 17 0275	97 3	6 1	100	3.51	101		0.87 77	-0.01 72	1.61 100	0.03 72	0.00 80	3.57 102	4.80 59	0.07 98	128	4	28
CR 20 0344 90393752	2.35	SD 17 0256 CR 16 0460	106 4	3	90	-8.00	82		-0.80 75	-1.09 69	0.01 77	0.18 71	1.16 79	5.38 120	-1.08 57	-1.93 74	86	2	61
CR 20 0345 90393760	2.35	SD 17 0256 CR 16 0460	106 4	3 1	95	-6.92	84		0.43 75	-0.58 69	0.78 88	0.08 73	0.08 81	-0.47 103	-2.97 59	-2.59 59	101	4	50

Ewes with Progeny



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding values
Breeding values with an accuracy of less than 5% are not printed

Ewes with progeny and measured at weaning, with both parents known.

Animal Information		Parents			Progeny		Selection Indices			EBV - Weights			EBV - Wool			EBV - Fertility			Rank
Animal ID Regnr	% In- breeding	Sire ID Dam ID	DAM : EPI Times lambded	Generation Progeny Weaned 1st 2nd	SIP	GM	EBV	Index	Weaning Dir	Weight Mat	Body Weight	SVG	VD	SL	Lammers gespeen	TWW	EPI	Times lambded	
									EBV Acc	Index Index	EBV Acc	Index Index	EBV Acc	Index Index	EBV Acc	Index Index	Phenotype		
Active Breed Average :					100.7	2.8	100		0.54	0.01	0.56	0.03	-0.14	0.50	0.46	0.27			
CR 20 0348 90393588	2.28	SD 17 0256 CR 16 0344	117 5	6	102	-2.08	92		0.21 77	-0.49 97	-0.41 94	0.30 73	-0.15 81	0.24 99	-2.08 59	-1.91 74	122	4	21
CR 20 0349 90393596	2.28	SD 17 0256 CR 16 0344	117 5	4	102	-4.50	88		0.78 76	-0.17 102	0.56 100	0.13 73	-0.21 81	-3.15 99	-5.03 59	-2.34 68	109	4	24
CR 20 0358 90393943	2.42	SD 17 0256 CR 17 0271	91 3	5 1	101	0.40	96		1.18 76	0.10 106	1.56 106	0.21 71	0.41 79	6.96 117	-3.08 59	-1.14 83	118	4	25
CR 20 0374 90394222	1.99	SD 17 0256 CR 17 0390	102 3	6	107	6.30	106		0.90 77	0.10 103	1.53 106	0.14 73	-0.77 81	-0.05 99	0.01 58	-0.36 92	129	4	7
CR 20 0384 90393463	1.66	SD 17 0256 CR 16 0039	93 4	5	95	-3.98	89		0.80 76	0.03 102	-0.53 93	0.09 72	0.32 80	6.27 107	-0.69 58	-1.00 85	122	4	49
CR 20 0392 90393554	2.49	SD 17 0256 CR 16 0326	123 5	2 1	102	-2.03	92		0.93 74	-0.17 104	0.68 101	0.18 72	0.10 80	4.67 104	-3.04 57	-1.61 77	85	2	22
CR 20 0400 90393778	2.58	SD 17 0256 CR 16 0467	127 6	4	98	1.39	98		1.22 76	-0.06 106	2.16 110	0.32 73	0.56 81	4.35 111	-5.98 59	-1.48 79	107	4	40
CR 20 0407 90394545	2.58	CR 18 0157 CR 18 0330	120 5	5	99	4.22	102		1.93 77	1.02 113	3.18 117	0.11 72	0.32 80	0.21 107	-5.07 58	-0.49 91	121	4	36
CR 20 0410 90394461	5.00	CR 18 0157 CR 18 0299	112 4	4 1	105	4.49	103		1.89 78	1.09 113	3.44 118	0.08 73	-0.32 81	6.63 97	-7.21 58	-1.04 84	110	4	12
CR 20 0415 90394388	2.51	CR 18 0157 CR 18 0273	118 5	2 1	107	5.01	104		1.34 74	-0.10 108	1.67 107	0.49 71	0.02 79	8.74 103	-7.31 56	-1.54 78	84	2	8
CR 20 0417 90394420	2.27	CR 18 0157 CR 18 0287	88 2	6	97	3.55	101		1.67 76	0.28 111	3.02 116	0.27 71	1.00 80	-0.19 118	-5.17 57	-0.62 89	126	4	45
CR 20 0419 90394321	2.13	CR 18 0157 CR 18 0253	88 1	4	109	8.37	109		1.57 74	-0.08 110	1.94 109	0.26 72	-1.08 81	1.27 86	-3.26 55	-0.82 87	98	3	2
CR 20 0430 90394511	2.12	CR 18 0157 CR 18 0316	119 5	3	101	1.96	99		1.15 74	0.20 106	1.91 109	0.23 72	-0.13 80	6.82 100	-8.36 57	-1.50 79	92	3	26
CR 20 0444 90394362	2.85	CR 18 0157 CR 18 0266	94 3	4	110	7.28	107		2.89 75	0.19 122	3.41 118	0.27 73	-0.63 81	6.66 92	-6.69 57	-1.40 80	115	4	1
CR 21 0031 91826065	3.75	CR 18 0269 CR 16 0002	130 6	2 1	99	-1.62	93		-0.84 73	0.01 87	-1.55 87	0.14 71	-0.19 80	-5.09 99	-0.53 48	-0.57 90	88	3	40
CR 21 0039 91826149	4.48	CR 18 0269 CR 16 0155	122 6	2	92	-7.01	84		0.70 73	-0.06 102	0.58 100	0.01 71	1.17 80	-3.34 120	-2.13 48	-1.13 83	91	2	67

Ewes with Progeny



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding values
Breeding values with an accuracy of less than 5% are not printed

Ewes with progeny and measured at weaning, with both parents known.

Animal Information		Parents			Progeny		Selection Indices			EBV - Weights			EBV - Wool			EBV - Fertility				Rank		
Animal ID Regnr	% In- breeding	Sire ID Dam ID	DAM :		Generation Progeny Weaned	1st	2nd	SIP	GM	Weaning Weight		Body Weight	SVG	VD	SL	Lammers gespeen	TWW	EPI	Times lambd			
			EPI	Times lambd						Dir	Mat										Acc	Index
		Active Breed Average :						100.7	2.8	100		0.54	0.01	0.56	0.03	-0.14	0.50	0.46	0.27			
CR 21 0045 91826206	5.30	CR 18 0269 CR 16 0103	103	5		6		95	1.75	98	0.13 76	0.36 96	0.01 72	97	0.09 70	0.69 113	-5.32 74	2.86 48	0.72 47	108	3	62
CR 21 0062 91826248	10.21	CR 18 0306 CR 18 0068	116	6		3		96	-4.65	88	-0.04 74	-0.33 95	0.79 66	101	0.13 70	0.80 115	1.39 74	-5.45 50	-1.48 50	90	2	58
CR 21 0068 91826305	3.73	CR 18 0306 CR 18 0204	109	5		5		101	-0.60	94	1.06 76	0.45 105	3.07 68	116	-0.19 71	-0.03 80	-7.51 75	-2.00 51	-0.81 50	109	4	32
CR 21 0081 91826420	5.34	CR 18 0306 CR 18 0153	128	6		3	1	110	2.00	99	1.44 75	0.66 109	1.70 67	107	0.03 72	-1.19 80	3.38 76	-6.92 53	-1.60 52	98	4	7
CR 21 0082 91826446	5.34	CR 18 0306 CR 18 0153	128	6		4		107	1.63	98	1.26 76	0.54 107	1.20 68	104	0.06 70	-0.91 79	2.24 74	-7.93 53	-1.32 52	106	4	10
CR 21 0088 91826487	6.31	CR 18 0306 CR 18 0037	89	2		3		96	0.52	96	0.24 74	0.08 97	1.39 65	105	-0.11 71	-0.56 80	-1.11 75	-0.51 47	-0.63 47	92	2	53
CR 21 0103 91826545	1.92	CR 18 0306 CR 18 0169	90	2		6	2	100	2.84	100	2.53 77	1.28 119	3.45 70	119	-0.07 72	0.89 81	3.85 76	0.78 52	0.36 51	119	4	39
CR 21 0106 91826586	9.88	CR 18 0306 CR 18 0078	88	2		3		103	-1.09	94	0.79 74	-0.08 102	1.16 65	104	0.02 70	-0.66 78	-2.53 74	-5.24 50	-1.63 50	95	3	19
CR 21 0111 91826628	4.04	CR 18 0306 CR 17 0135	118	5		2		96	2.28	99	0.21 74	0.69 97	1.52 64	106	-0.06 72	-0.27 80	-1.84 76	-1.53 50	-0.12 49	90	2	52
CR 21 0112 91826644	4.04	CR 18 0306 CR 17 0135	118	5		5		96	1.02	97	0.29 77	0.25 98	1.53 69	106	0.01 73	0.29 81	-3.36 77	-1.45 53	-0.20 52	107	4	57
CR 21 0115 91826669	2.69	CR 18 0306 CR 18 0113	98	4		7	1	105	6.42	106	1.15 78	0.50 106	1.80 70	108	0.11 72	-0.28 81	-4.96 76	1.85 51	0.18 50	120	4	14
CR 21 0118 91826727	3.24	CR 18 0306 CR 18 0162	94	3		4		95	-5.64	86	0.90 75	0.42 103	1.95 67	109	-0.28 72	0.20 81	-1.23 76	-5.80 51	-1.07 51	104	4	60
CR 21 0122 91826743	3.35	CR 18 0306 CR 18 0112	90	3		3		103	0.37	96	1.29 73	0.26 107	0.58 64	105	-0.05 71	-0.69 80	-2.04 75	-4.07 48	-0.66 48	96	3	21
CR 21 0141 91826925	5.97	CR 18 0306 CR 18 0035	154	7		5		105	7.58	108	1.81 77	0.86 97	2.41 69	118	0.00 73	-1.02 80	-1.74 76	-1.07 52	-0.05 51	113	4	16
CR 21 0152 91827022	2.62	CR 18 0157 CR 19 0031	85	2		5		106	1.61	98	1.28 76	0.19 107	1.30 70	104	0.22 72	0.07 81	1.78 76	-6.53 55	-1.07 55	107	4	12
CR 21 0156 91827048	2.11	CR 18 0157 CR 19 0236	85	2		3		101	3.80	102	1.68 74	-0.13 111	2.45 67	112	0.35 70	0.67 79	0.81 74	-5.91 56	-0.99 56	95	3	33

Ewes with Progeny



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding values
Breeding values with an accuracy of less than 5% are not printed

Ewes with progeny and measured at weaning, with both parents known.

Animal Information		Parents			Progeny		Selection Indices			EBV - Weights			EBV - Wool			EBV - Fertility			Rank
Animal ID Regnr	% In- breeding	Sire ID Dam ID	DAM : EPI Times lambd	Generation Progeny Weaned 1st 2nd	SIP	GM	EBV	Index	Weaning Dir	Weight Mat	Body Weight	SVG	VD	SL	Lammers gespeen	TWW	EPI	Times lambd	
									EBV Acc	Index Index	EBV Acc	Index Index	EBV Acc	Index Index	EBV Acc	Index Index	Phenotype		
Active Breed Average :					100.7	2.8	100		0.54	0.01	0.56	0.03	-0.14	0.50	0.46	0.27			
CR 21 0168 91827089	3.13	CR 18 0157 CR 19 0027	118 5	5	103	1.68	98		1.58 77	0.76 110	1.94 75	0.04 73	-0.19 81	11.65 77	-6.98 56	-0.83 72	114	4	22
CR 21 0171 91827121	2.32	CR 18 0157 CR 19 0262	110 4	1	118	8.87	110		2.06 72	0.21 63	3.18 104	0.45 71	-0.56 79	3.31 74	-6.32 54	-1.56 78	84	2	1
CR 21 0178 91827147	2.32	CR 18 0157 CR 19 0262	110 4	5	117	12.93	117		3.08 76	0.24 71	4.45 105	0.59 71	-0.05 79	3.23 74	-6.42 56	-1.12 83	111	4	2
CR 21 0181 91827162	3.16	CR 18 0157 CR 19 0037	87 2	4	99	-1.05	94		1.97 75	0.53 69	1.91 73	0.15 71	0.80 80	12.04 75	-9.15 55	-1.08 84	108	4	42
CR 21 0186 91827246	2.99	CR 18 0157 CR 19 0013	93 3	5	100	-2.03	92		1.28 76	0.17 70	1.04 103	0.07 72	0.32 80	7.43 75	-6.73 54	-1.06 84	111	3	38
CR 21 0191 91827261	2.49	CR 18 0157 CR 19 0203	100 4	6 1	102	7.46	108		1.51 77	0.73 72	3.23 115	0.25 72	0.19 80	7.88 75	-5.38 58	-0.36 92	120	4	28
CR 21 0202 91827360	2.81	CR 18 0157 CR 19 0045	101 4	5	104	2.41	99		1.06 76	0.57 70	1.93 112	-0.09 71	-1.18 80	2.25 67	-6.41 56	-1.06 84	107	4	17
CR 21 0203 91827386	1.81	CR 18 0157 CR 19 0226	87 2	3	97	1.37	98		0.60 74	-0.16 67	1.88 73	0.53 71	1.61 80	13.95 75	-7.19 56	-1.26 82	97	3	48
CR 21 0205 91827402	2.62	CR 18 0157 CR 19 0211	85 1	4	112	10.36	112		2.91 74	-0.15 67	3.73 97	0.28 72	-0.44 80	3.05 76	-4.38 54	-0.53 90	101	2	5
CR 21 0207 91827444	1.10	CR 18 0157 CR 19 0266	132 6	3	113	6.89	107		1.24 74	-0.55 68	1.18 71	0.42 69	-0.88 78	3.74 73	-4.82 53	-1.38 80	91	2	4
CR 21 0218 91827485	1.46	CR 18 0157 CR 19 0252	169 6	4	108	12.78	116		1.34 76	0.01 70	3.48 100	0.24 71	-0.45 79	6.63 74	1.36 57	0.43 102	97	3	8
CR 21 0233 91827584	2.47	J 19 0317 CR 18 0058	87 2	2 1	99	-2.82	91		1.11 71	-0.24 61	1.63 95	0.05 68	0.58 78	-0.57 72	-4.14 45	-1.23 82	88	2	43
CR 21 0234 91827600	3.20	J 19 0317 CR 15 0134		5 1	101	-0.09	95		0.85 75	0.87 67	1.25 118	0.05 72	0.59 81	7.76 76	-2.86 47	-0.28 93	104	3	34
CR 21 0235 91827626	2.42	J 19 0317 CR 18 0117	85 3	5 1	107	7.50	108		1.80 75	-0.40 66	2.42 92	0.24 67	-0.46 77	-1.81 72	-0.06 46	-0.59 90	109	4	9
CR 21 0250 91827766	1.96	J 19 0317 CR 18 0125	115 5	4	100	5.63	105		2.38 75	-0.01 65	2.63 100	0.20 69	1.29 79	3.34 74	0.94 45	0.71 105	103	3	37
CR 21 0253 91827808	2.46	J 19 0317 CR 17 0121	148 7	5 1	97	5.92	105		1.63 77	0.47 68	2.71 110	0.16 70	0.73 79	5.00 74	3.51 49	0.41 102	114	4	47

Ewes with Progeny



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding values
Breeding values with an accuracy of less than 5% are not printed

Ewes with progeny and measured at weaning, with both parents known.

Animal Information		Parents			Progeny		Selection Indices			EBV - Weights			EBV - Wool			EBV - Fertility			Rank										
Animal ID Regnr	% In- breeding	Sire ID Dam ID	DAM :		Generation Progeny Weaned	1st	2nd	SIP	GM	Weaning Weight		Body Weight	SVG	VD	SL	Lammers gespeen	TWW	EPI	Times lambded										
			EPI	Times lambded						Dir	Mat										Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc
		Active Breed Average :						100.7	2.8	100		0.54	0.01	0.56	0.03	-0.14	0.50	0.46	0.27										
CR 21 0300 92991835	3.12	SD 15 0015 CR 16 0471	132	6	3			95	4.90	103	75	111	69	95	74	114	72	125	80	128	76	121	59	92	59	95	102	3	49
CR 21 0304 92991579	1.77	SD 15 0015 CR 16 0039	93	4	3	1		95	5.37	104	74	98	69	100	74	99	72	106	80	98	76	116	58	109	58	102	100	2	47
CR 21 0305 92991801	5.23	CR 20 0103 CR 16 0460	106	4	1			101	-5.35	87	72	96	59	82	72	97	70	105	79	83	74	111	47	60	46	57	88	2	19
CR 21 0308 92991421	3.54	SD 15 0015 CR 15 0235			5			101	11.80	115	77	112	73	119	77	115	75	100	82	99	78	79	60	111	60	115	119	3	20
CR 21 0309 92991603	8.89	SD 15 0015 CR 16 0148	115	6	1			94	0.59	96	73	102	65	96	73	111	71	103	79	114	75	94	58	90	58	90	91	1	51
CR 21 0328 92991702	3.42	SD 15 0015 CR 16 0352	122	5	4			94	3.63	101	76	97	71	100	74	106	72	110	80	110	76	103	60	99	60	96	111	3	50
CR 21 0329 92991827	3.60	SD 15 0015 CR 16 0467	127	6	5			99	8.94	110	77	106	72	103	74	117	72	109	80	108	76	100	60	96	60	104	117	3	26
CR 21 0395 92992445	3.35	CR 20 0103 CR 18 0316	119	5	2			109	8.24	109	73	117	62	108	73	113	71	125	80	96	75	129	48	81	48	81	97	2	3
CR 21 0397 92992320	2.83	CR 20 0103 CR 18 0285	97	3	1			116	8.56	109	71	114	59	83	70	110	68	122	77	88	72	110	46	79	45	82	90	1	1
CR 21 0398 92992312	2.83	CR 20 0103 CR 18 0285	97	3	1			107	3.59	101	71	111	59	97	70	108	68	112	77	99	72	109	46	80	45	84	91	1	7
CR 21 0401 92992361	1.98	CR 20 0103 CR 18 0295	87	2	2			108	7.85	108	74	110	61	110	73	112	70	110	79	88	75	112	45	85	45	88	96	2	6
CR 21 0404 92992304	4.37	CR 20 0103 CR 18 0284	92	3	3	1		107	4.31	102	74	115	65	105	72	122	-0.02	97	79	83	74	111	50	75	49	75	109	3	8
CR 21 0408 92992510	3.28	CR 20 0103 CR 18 0331	87	3	1			107	6.35	106	71	116	58	92	70	119	0.23	112	77	100	72	100	46	91	45	84	91	1	11
CR 21 0411 92992544	8.66	CR 20 0103 CR 18 0355	94	4	3			107	-1.57	93	73	104	64	85	71	104	0.09	104	78	88	73	112	47	68	46	68	96	2	9
CR 21 0420 92992353	4.88	CR 20 0103 CR 18 0289	131	5	1			106	1.54	98	72	112	59	95	72	108	0.34	119	79	103	74	122	48	83	48	75	88	2	12
CR 21 0425 92992411	3.07	CR 20 0103 CR 18 0310	155	6	3			102	3.94	102	75	110	65	109	73	110	0.24	113	80	104	75	101	50	76	49	86	108	3	18

Ewes with Progeny



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding values
Breeding values with an accuracy of less than 5% are not printed

Ewes with progeny and measured at weaning, with both parents known.

Animal Information		Parents			Progeny		Selection Indices			EBV - Weights			EBV - Wool			EBV - Fertility			Rank
Animal ID Regnr	% In- breeding	Sire ID Dam ID	DAM :		Generation Progeny Weaned 1st 2nd	SIP	GM	Weaning Dir	Weight Mat	Body Weight	SVG	VD	SL	Lammers gespeen	TWW	EPI	Times lambded		
			EPI	Times lambded															
Active Breed Average :					100.7	2.8	100	0.54	0.01	0.56	0.03	-0.14	0.50	0.46	0.27				
CR 21 0427 92992395	2.45	CR 20 0103 CR 18 0309	86	2	1	101	1.53	98	1.32 71	-0.03 58	2.69 71	0.12 69	-0.19 78	3.99 73	-4.12 46	-1.56 45	89	2	25
CR 21 0439 92992817	13.83	SD 17 0256 CR 19 0463	120	4	4 1	96	4.44	103	1.51 75	0.51 70	2.33 74	0.21 72	0.54 80	-3.57 75	0.17 59	-0.27 59	113	3	41
CR 21 0441 92992601	1.78	SD 17 0256 CR 19 0306	92	2	2	95	1.80	98	1.49 73	-0.46 66	1.79 72	0.29 70	0.88 79	1.30 74	1.09 56	-0.75 56	95	2	48
CR 21 0453 92992940	2.05	SD 17 0256 CR 19 0497	96	2	6	101	2.48	99	1.48 76	-0.37 71	0.64 73	0.18 71	0.31 80	2.56 74	2.11 54	-0.12 54	124	3	22
CR 21 0459 92992825	14.48	SD 17 0256 CR 19 0467	99	2	2	101	10.16	112	2.38 73	0.27 66	5.13 73	0.13 72	-0.31 80	-0.54 75	1.83 56	-0.44 56	98	2	24
CR 21 0468 92992742	6.59	SD 17 0256 CR 19 0377	132	4	2	96	1.53	98	1.79 74	-0.44 67	2.22 73	0.50 71	1.19 79	8.49 75	-0.09 57	-1.64 57	97	2	42
CR 21 0470 92992213	3.82	CR 20 0103 CR 18 0260	100	3	2	98	1.09	97	1.30 73	0.14 62	2.75 72	0.22 70	0.52 78	4.90 73	-3.44 48	-1.44 47	97	2	33
CR 22 0004 93692192	2.83	CR 19 0464 CR 16 0081	123	6	2	97	4.52	103	1.25 72	0.50 60	0.74 71	0.16 69	-0.15 79	1.29 74	-0.58 45	0.03 45	94	2	46
CR 22 0006 93692218	4.22	CR 19 0464 CR 16 0002	130	6	3	96	1.41	98	0.12 73	0.54 62	-0.95 70	0.14 68	0.12 78	-2.51 72	2.07 44	0.31 44	98	2	48
CR 22 0011 93692259	3.65	CR 19 0464 CR 17 0003	150	6	2	95	4.44	103	0.84 72	1.20 60	1.20 71	0.01 68	0.45 78	-6.89 73	3.50 43	1.06 42	92	1	51
CR 22 0015 93692333	4.16	CR 19 0464 CR 17 0159	140	6	2	98	4.62	103	1.10 72	0.59 59	1.95 68	0.20 66	0.68 76	2.94 70	0.72 44	0.15 44	94	2	44
CR 22 0025 93692390	4.88	CR 19 0464 CR 17 0175	119	5	2	99	2.69	100	1.04 72	1.21 59	1.54 70	0.17 68	0.47 78	2.66 72	-0.82 45	-0.26 44	98	2	37
CR 22 0053 93692473	2.33	CR 20 0025 CR 18 0035	154	7	2	106	10.78	113	1.94 74	0.51 66	2.03 72	0.12 71	-0.70 79	-2.84 74	1.66 51	0.82 51	94	2	8
CR 22 0056 93692515	4.83	CR 20 0025 CR 19 0082	118	5	1	104	9.36	111	1.34 72	0.40 62	3.09 71	-0.15 69	-0.93 78	-5.10 73	1.45 50	0.90 50	89	1	18
CR 22 0058 93692531	5.28	CR 20 0025 CR 18 0113	98	4	3	95	4.33	103	1.10 74	1.07 66	2.48 72	-0.35 70	-0.67 79	-10.18 74	1.57 49	0.90 49	99	2	50
CR 22 0059 93692556	3.24	CR 20 0025 CR 18 0204	109	5	1	94	0.39	96	0.09 72	0.00 62	1.69 71	-0.14 69	0.24 78	-9.46 73	-0.93 48	0.16 48	89	1	54

Ewes with Progeny



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding values
Breeding values with an accuracy of less than 5% are not printed

Ewes with progeny and measured at weaning, with both parents known.

Animal Information		Parents			Progeny		Selection Indices			EBV - Weights			EBV - Wool			EBV - Fertility			Rank
Animal ID Regnr	% In- breeding	Sire ID Dam ID	DAM : EPI Times lambd	Generation Progeny Weaned 1st 2nd	SIP	GM	EBV	Index	Weaning Dir	Weight Mat	Body Weight	SVG	VD	SL	Lammers gespeen	TWW	EPI	Times lambd	
									EBV Acc	Index Index	EBV Acc	Index Index	EBV Acc	Index Index	EBV Acc	Index Index	Phenotype		
Active Breed Average :					100.7	2.8	100		0.54	0.01	0.56	0.03	-0.14	0.50	0.46	0.27			
CR 22 0063 93692598	6.39	CR 20 0025 CR 18 0068	116 6	3	105	5.85	105		1.40 75	-0.34 108	2.09 93	0.20 71	-0.31 79	-0.35 97	-4.82 54	-0.54 90	104	3	12
CR 22 0066 93692614	3.30	CR 20 0025 CR 18 0163	156 7	3 1	107	11.50	114		2.82 75	0.74 121	4.04 116	0.01 71	-0.40 79	-2.75 92	-1.94 54	0.86 107	107	3	7
CR 22 0067 93692630	3.30	CR 20 0025 CR 18 0163	156 7	5 1	98	8.56	109		2.16 77	1.29 115	4.38 127	-0.10 72	0.54 80	-0.12 111	0.18 54	1.33 113	120	3	40
CR 22 0070 93692671	2.48	CR 20 0025 CR 19 0009	141 5	3	103	11.23	114		2.29 75	0.46 117	3.81 110	-0.10 71	-0.41 79	-6.60 81	1.31 53	1.36 113	104	3	23
CR 22 0071 93692697	2.48	CR 20 0025 CR 19 0009	141 5	4	100	10.06	112		1.47 76	0.65 109	1.71 114	0.07 72	0.01 80	-1.34 102	2.67 53	1.67 117	114	3	34
CR 22 0075 93692739	2.52	CR 20 0025 CR 19 0001	96 3	1	102	6.28	106		1.22 72	-0.07 106	1.48 99	0.33 69	0.68 78	0.63 100	1.04 50	0.26 100	86	2	27
CR 22 0077 93692770	2.81	CR 20 0025 CR 18 0010	112 4	3	103	7.07	107		1.32 75	0.17 107	1.82 103	0.16 70	-0.13 78	-2.18 100	-0.81 52	0.25 100	106	3	24
CR 22 0083 93692812	5.65	CR 20 0025 CR 18 0021	135 7	3	104	4.89	103		1.71 75	0.14 111	2.66 103	0.04 71	-0.24 79	-4.53 87	-4.18 53	-0.30 93	103	3	21
CR 22 0088 93692838	1.88	CR 20 0025 CR 18 0017	97 4	4 1	103	7.04	107		0.98 75	-0.06 104	1.28 99	0.14 70	-0.67 79	3.25 107	-1.31 52	0.07 98	112	3	22
CR 22 0089 93692853	1.88	CR 20 0025 CR 18 0017	97 4	2	98	2.54	100		0.72 73	0.11 102	1.16 102	0.00 70	-0.24 79	-0.72 97	-1.91 50	-0.10 96	94	2	42
CR 22 0096 93692895	5.65	CR 20 0025 CR 18 0020	104 4	3 1	102	5.46	104		0.54 74	-0.07 100	1.25 98	0.21 71	0.34 79	-0.58 97	0.73 51	0.31 101	97	2	26
CR 22 0098 93692911	2.55	CR 20 0025 CR 18 0077	124 5	3	97	1.76	98		0.90 75	-0.56 103	1.79 88	0.14 69	0.88 77	0.67 100	0.29 52	-0.11 95	94	2	47
CR 22 0112 93692952	10.42	CR 20 0120 CR 18 0153	128 6	4	98	-5.21	87		0.05 75	0.23 66	-0.10 105	0.11 71	0.47 80	9.99 125	-7.60 48	-1.48 79	110	3	43
CR 22 0115 93692994	3.32	CR 20 0120 CR 19 0043	88 3	1	97	-1.01	94		0.54 71	-0.32 100	0.35 93	0.35 67	1.08 77	14.77 137	-5.68 41	-0.94 85	89	1	45
CR 22 0118 93693018	4.65	CR 20 0120 CR 18 0207	98 4	4	101	-0.14	95		0.67 75	0.43 101	1.17 109	0.20 69	0.23 78	8.83 122	-7.01 46	-1.25 82	112	3	29
CR 22 0120 93693034	4.65	CR 20 0120 CR 18 0212	94 4	3	104	2.97	100		2.07 73	0.13 63	1.88 103	0.37 70	0.30 79	10.34 126	-9.38 46	-1.41 80	105	3	19

Ewes with Progeny



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding values
Breeding values with an accuracy of less than 5% are not printed

Ewes with progeny and measured at weaning, with both parents known.

Animal Information		Parents			Progeny		Selection Indices			EBV - Weights			EBV - Wool			EBV - Fertility				Rank						
Animal ID Regnr	% In- breeding	Sire ID Dam ID	DAM :		Generation Progeny Weaned	1st	2nd	SIP	GM	Weaning Weight		Body Weight	SVG	VD	SL	Lammers gespeen	TWW	EPI	Times lambded							
			EPI	Times lambded						Dir	Mat										Acc	Index	Acc	Index	Acc	Index
		Active Breed Average :						100.7	2.8	100		0.54	0.01	0.56	0.03	-0.14	0.50	0.46	0.27							
CR 22 0121 93693059	2.58	CR 20 0120 CR 18 0125	115	5	1			98	0.91	97		0.90 72	-0.06 103	0.80 72	102	0.36 69	1.47 78	12.75 73	132	-3.06 43	-0.26 42	87	94	89	1	41
CR 22 0123 93693075	2.84	CR 20 0120 CR 19 0230	93	3	3			99	4.96	104		1.54 73	0.57 109	2.94 63	112	0.07 69	0.48 78	5.32 73	113	-0.41 46	0.15 46	97	99	99	2	36
CR 22 0127 93693117	4.22	CR 20 0120 CR 19 0033	113	4	5			100	3.62	101		1.56 76	1.21 67	2.64 125	73	0.09 71	0.77 80	4.58 75	111	-2.70 47	0.14 46	88	98	121	3	35
CR 22 0129 93693133	2.66	CR 20 0120 CR 19 0262	110	4	3			107	6.56	106		1.23 74	0.71 64	2.33 115	73	0.45 71	0.70 80	11.38 75	129	-4.60 47	-0.55 47	81	90	104	3	6
CR 22 0133 93693174	2.55	CR 20 0120 CR 18 0119	133	6	2			94	-0.51	95		0.71 73	-0.32 102	1.36 61	93	0.18 68	1.02 77	11.83 72	130	-1.42 44	-0.57 44	93	90	94	2	52
CR 22 0143 93693273	1.99	CR 20 0120 CR 19 0107	87	2	3	1		93	-0.86	94		0.11 73	-0.04 96	0.38 64	99	0.22 71	0.84 79	13.50 75	134	-4.60 48	-0.59 47	81	90	104	3	56
CR 22 0147 93693331	2.89	CR 20 0120 CR 19 0226	87	2	1			101	5.13	104		0.54 71	-0.48 100	1.27 57	90	0.56 68	1.38 77	16.96 72	143	-2.12 44	-0.29 44	90	93	89	1	32
CR 22 0153 93693414	2.32	CR 20 0120 CR 19 0252	169	6	2			105	11.99	115		1.53 74	-0.25 62	2.90 95	70	0.29 68	0.49 77	7.90 110	119	5.22 45	1.18 45	118	111	90	1	17
CR 22 0176 93693430	1.94	JG 18 0271 CR 20 0122	122	5	3			98	0.11	96		1.12 73	-0.11 62	1.71 98	68	0.10 65	0.39 76	0.45 70	100	-4.94 47	-0.84 46	80	87	103	3	39
CR 22 0187 93693539	1.95	JG 18 0271 CR 20 0063	111	5	2	1		101	4.43	103		1.05 72	-0.19 60	2.21 96	69	0.11 67	0.24 77	0.70 106	72	3.38 43	-0.06 42	111	96	91	1	31
CR 22 0193 93693596	1.39	JG 18 0271 CR 20 0112	101	4	1			111	6.84	107		1.65 70	0.14 55	2.08 103	68	0.06 65	-0.92 76	0.07 88	70	-2.36 42	-0.27 42	89	94	89	1	3
CR 22 0195 93693638	1.75	JG 18 0271 CR 20 0003	115	4	3			105	8.73	110		1.26 73	0.85 62	2.60 118	69	-0.26 67	-1.51 77	-1.32 79	72	2.96 46	0.82 46	109	107	99	2	13
CR 22 0218 93693737	5.44	CR 20 0103 CR 20 0055	119	5	3			101	-1.80	92		1.58 74	0.13 64	1.29 103	71	0.06 69	0.38 78	16.33 73	141	-3.28 48	-1.02 48	86	85	105	3	33
CR 22 0223 93693794	3.52	CR 20 0103 CR 20 0161	120	5	1			106	1.04	97		1.99 72	-0.62 114	1.95 58	87	0.27 68	0.15 77	0.53 105	72	-5.80 43	-1.68 42	77	77	89	1	11
CR 22 0226 93693851	8.14	CR 20 0103 CR 18 0167	105	4	3			101	-2.30	92		1.61 74	0.27 64	0.97 106	72	0.10 70	-0.31 78	2.09 97	74	-6.08 48	-1.90 48	75	74	106	3	30
CR 22 0233 93693976	4.08	CR 20 0103 CR 20 0035	87	3	2			99	-0.42	95		2.06 72	0.16 62	3.02 103	71	0.00 69	0.07 78	5.85 73	114	-5.10 48	-1.50 48	79	79	96	2	38

Ewes with Progeny



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding values
Breeding values with an accuracy of less than 5% are not printed

Ewes with progeny and measured at weaning, with both parents known.

Animal Information		Parents			Progeny		Selection Indices			EBV - Weights			EBV - Wool			EBV - Fertility			Rank							
Animal ID Regnr	% In- breeding	Sire ID Dam ID	DAM :		Generation Progeny Weaned	1st	2nd	SIP	GM	Weaning Weight		Body Weight	SVG	VD	SL	Lammers gespeen	TWW	EPI	Times lambded							
			EPI	Times lambded						Dir	Mat										Acc	Index	Acc	Index	Acc	Index
		Active Breed Average :						100.7	2.8	100		0.54	0.01	0.56	0.03	-0.14	0.50	0.46	0.27							
CR 22 0235 93693992	3.41	CR 20 0103 CR 19 0031	85	2	4			108	2.05	99		1.93 73	0.56 61	2.21 112	71	111	0.08 69	-0.63 78	5.54 73	113	-2.01 47	-1.48 47	79	117	3	5
CR 22 0268 95101911	3.27	CR 20 0025 CR 17 0354	102	4	2			103	6.29	106		2.02 73	0.90 64	3.20 119	72	117	-0.04 70	-0.30 79	1.69 74	103	-2.90 51	0.13 51	98	102	2	14
CR 22 0271 95101952	8.05	CR 20 0025 CR 20 0410	110	4	1			107	8.04	109		1.42 72	0.03 62	2.69 101	71	114	0.08 69	-0.39 77	-1.26 72	95	-3.09 50	0.22 50	99	93	1	3
CR 22 0281 95102059	2.60	CR 20 0025 CR 16 0326	123	5	2			103	3.03	100		1.24 74	-0.14 65	0.25 97	73	98	0.17 71	-0.41 79	0.07 74	99	-2.92 52	-0.45 52	91	102	2	11
CR 22 0306 95102190	4.51	CR 21 0167 CR 18 0299	112	4	4			106	7.88	108		2.01 74	-0.41 65	2.44 91	72	112	0.18 69	0.25 79	13.23 74	133	1.21 46	0.51 46	103	113	2	4
CR 22 0308 95102232	3.05	CR 21 0167 CR 19 0471	114	3	4			101	6.22	106		1.49 74	-1.06 65	1.79 78	69	108	0.45 66	1.36 76	10.53 71	126	1.85 45	0.27 45	100	109	2	24
CR 22 0312 95102273	2.52	CR 21 0167 CR 20 0340	83	1	4			94	-1.53	93		1.57 73	-1.40 64	2.38 70	68	112	0.26 66	1.83 76	11.60 70	129	-0.85 44	-0.90 44	86	107	2	36
CR 22 0315 95102299	2.44	CR 21 0167 CR 18 0285	97	3	1			108	5.89	105		2.42 70	-0.59 56	3.22 88	70	117	0.15 68	0.45 78	13.28 72	134	-2.10 43	-0.10 43	96	95	1	2
CR 22 0321 95102356	3.21	CR 21 0167 CR 19 0467	99	2	1			103	7.45	108		1.73 70	-1.04 56	2.81 78	70	114	0.42 68	0.81 78	11.79 72	130	-1.03 42	-0.27 42	94	93	1	15
CR 22 0327 95102455	2.67	CR 21 0167 CR 18 0331	87	3	2			101	2.87	100		1.33 71	-1.31 60	2.15 72	69	110	0.22 66	0.66 76	6.13 71	115	4.19 45	-0.53 45	90	97	2	21
CR 22 0337 95102596	4.40	CR 21 0167 CR 18 0317	115	4	1			105	5.72	105		0.61 71	-0.99 57	1.35 79	69	105	0.31 67	0.25 77	5.63 71	113	1.75 43	-0.16 43	95	93	1	7
CR 22 0339 95102638	3.43	CR 21 0167 CR 18 0349	99	3	4			100	3.21	101		0.28 74	-1.41 64	0.01 70	69	97	0.25 66	0.48 76	9.18 71	123	5.42 45	0.25 45	100	105	2	25
CR 22 0356 95102778	9.28	CR 21 0189 CR 18 0357	105	4	1			101	0.91	97		1.63 71	0.03 58	2.19 101	71	110	0.21 69	0.60 78	4.95 73	112	-6.96 44	-1.14 44	83	94	1	23
CR 22 0358 95102810	8.31	CR 21 0189 CR 18 0358	92	3	2			90	-4.66	88		0.71 72	0.73 61	0.96 115	71	103	0.28 68	2.02 78	-4.16 73	88	-8.58 46	-1.00 46	85	105	2	41
CR 22 0359 95102836	6.49	CR 21 0189 CR 19 0346	90	2	1			95	-3.23	90		0.47 70	-0.54 57	1.14 89	70	104	0.27 67	0.92 77	4.76 71	111	-7.96 44	-1.73 44	76	95	1	34
CR 22 0364 95102877	4.89	CR 21 0189 CR 19 0381	94	2	1			99	2.22	99		0.49 71	-0.81 58	1.06 83	70	103	0.21 68	0.26 77	5.64 72	113	-2.77 44	-0.58 44	90	93	1	27

Ewes with Progeny



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding values
Breeding values with an accuracy of less than 5% are not printed

Ewes with progeny and measured at weaning, with both parents known.

Animal Information		Parents			Progeny		Selection Indices			EBV - Weights			EBV - Wool			EBV - Fertility			Rank
Animal ID Regnr	% In- breeding	Sire ID Dam ID	DAM : EPI Times lambd	Generation Progeny Weaned 1st 2nd	SIP	GM	EBV	Index	Weaning Dir	Weight Mat	Body Weight	SVG	VD	SL	Lammers gespeen	TWW	EPI	Times lambd	
									EBV Acc	Index Index	EBV Acc	Index Index	EBV Acc	Index Index	EBV Acc	Index Index	Phenotype		
Active Breed Average :					100.7	2.8	100		0.54	0.01	0.56	0.03	-0.14	0.50	0.46	0.27			
CR 22 0383 95103057	7.22	CR 21 0189 CR 19 0377	132 4	3	106	3.56	101		1.69 74 111	-0.88 65 81	1.87 72 108	0.49 70 128	0.72 79 113	6.50 74 116	-4.45 47 82	-1.35 47 80	104	2	5
CR 22 0385 95103099	4.60	CR 21 0189 CR 17 0303	114 5	2	97	-4.90	87		0.51 72 100	-0.29 61 94	0.53 71 100	0.06 69 102	0.20 78 105	5.17 73 112	-9.60 45 62	-1.73 44 76	101	2	31
CR 23 0001 96874037	4.85	CR 21 0198 CR 18 0009	108 5	1	93	-2.63	91		1.17 71 106	-0.15 56 97	0.80 69 102	0.11 67 105	0.13 77 104	10.35 71 126	-6.82 42 73	-1.50 42 79	95	1	68
CR 23 0002 96874052	3.96	CR 21 0198 CR 18 0017	97 4	1	98	-0.08	95		0.33 70 98	-0.54 56 89	-0.11 69 96	0.22 67 111	-0.71 77 91	9.36 71 123	-6.54 41 74	-1.67 41 77	93	1	52
CR 23 0008 96874110	7.16	CR 21 0198 CR 17 0134	134 7	3	100	1.63	98		1.46 73 109	0.49 63 110	2.03 71 109	0.15 69 107	0.53 78 110	3.05 73 107	-5.89 46 76	-0.65 45 89	111	2	42
CR 23 0017 96874235	3.59	CR 21 0198 CR 17 0003	150 6	1	101	3.71	101		1.47 72 109	0.95 58 120	1.91 71 109	-0.05 69 95	-0.09 78 101	-3.40 72 90	-1.15 43 94	0.26 43 100	95	1	36
CR 23 0023 96874292	3.86	CR 21 0198 CR 18 0212	94 4	3	105	6.87	107		1.97 73 114	0.08 62 102	2.12 69 110	0.40 67 123	-0.22 77 99	9.56 71 124	-7.13 43 72	-1.08 43 84	110	2	11
CR 23 0027 96874318	2.23	CR 21 0198 CR 17 0091	141 6	2	110	7.98	109		0.43 73 99	-0.22 61 95	-0.19 71 95	0.41 69 123	0.00 78 102	2.93 73 106	0.28 45 99	0.46 45 102	104	2	3
CR 23 0032 96874375	6.32	CR 21 0198 CR 17 0135	118 5	3	101	3.62	101		0.43 74 99	-0.07 63 98	1.10 71 103	0.32 69 118	0.55 78 111	5.32 73 113	-2.31 46 90	-0.39 46 92	108	2	38
CR 23 0042 96874490	4.60	CR 21 0198 CR 17 0166	161 7	2	113	11.21	114		1.63 73 110	0.35 61 107	2.85 70 115	0.54 69 131	0.33 77 107	10.70 72 127	-0.81 45 95	-0.26 45 94	104	2	2
CR 23 0061 96874573	3.76	CR 21 0189 CR 19 0045	101 4	2	100	0.47	96		0.74 72 102	0.28 61 106	0.65 70 101	-0.01 68 98	-0.32 77 97	-0.37 71 98	-6.70 46 73	-0.50 45 91	101	2	44
CR 23 0063 96874599	1.51	CR 21 0189 CR 19 0266	132 6	2	104	5.73	105		1.49 73 109	-0.42 62 91	1.76 70 108	0.35 68 119	0.26 77 106	0.76 72 101	-2.66 44 88	-0.51 44 91	99	1	21
CR 23 0065 96874615	7.70	CR 21 0189 CR 20 0166	81 2	3	97	-0.56	94		0.43 73 99	-1.15 63 76	0.22 69 98	0.25 67 114	0.21 77 106	4.33 71 110	-4.20 44 83	-1.20 44 82	103	2	55
CR 23 0068 96874631	3.39	CR 21 0189 CR 19 0036	114 5	2	95	-1.53	93		0.62 73 101	-0.52 62 89	-0.98 70 90	0.41 68 123	1.40 77 124	10.82 72 127	-4.50 44 81	-0.42 44 92	97	1	60
CR 23 0071 96874672	8.64	CR 21 0189 CR 20 0159	80 2	2	95	-2.14	92		0.00 71 95	-1.19 59 75	-0.81 69 91	0.32 67 118	0.67 77 113	-0.12 71 98	-5.48 42 78	-1.00 42 85	96	1	61
CR 23 0072 96874698	2.86	CR 21 0189 CR 19 0093	95 3	2	105	4.80	103		2.00 72 114	-0.45 62 90	2.05 70 110	0.28 68 115	0.11 77 104	1.27 72 102	-5.15 47 79	-0.75 47 88	103	2	12

Ewes with Progeny



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding values
Breeding values with an accuracy of less than 5% are not printed

Ewes with progeny and measured at weaning, with both parents known.

Animal Information		Parents			Progeny		Selection Indices			EBV - Weights			EBV - Wool			EBV - Fertility			Rank
Animal ID Regnr	% In- breeding	Sire ID Dam ID	DAM : EPI Times lambded	Generation Progeny Weaned 1st 2nd	SIP	GM	EBV	Index	Weaning Dir	Weight Mat	Body Weight	SVG	VD	SL	Lammers gespeen	TWW	EPI	Times lambded	
									EBV Acc	Index Acc	Index Acc	EBV Acc	Index Acc	Index Acc	EBV Acc	Index Acc	Index Acc	Phenotype	
Active Breed Average :					100.7	2.8	100		0.54	0.01	0.56	0.03	-0.14	0.50	0.46	0.27			
CR 23 0078 96874714	3.68	CR 21 0189 CR 19 0030	94 3	1	105	5.28	104		0.64 71 101	-0.17 58 96	0.15 70 97	0.34 68 119	0.00 77 102	6.48 72 116	-3.85 43 84	-0.14 43 95	94	1	13
CR 23 0079 96874730	3.68	CR 21 0189 CR 19 0030	94 3	2	104	5.03	104		0.37 72 98	0.24 61 105	0.80 70 102	0.21 68 111	-0.23 77 99	11.20 72 128	-4.23 45 82	-0.14 45 95	104	2	18
CR 23 0080 96874755	2.08	CR 21 0189 CR 19 0082	118 5	1	103	3.98	102		1.67 72 111	0.50 59 110	2.73 70 114	0.15 68 107	0.29 77 107	1.12 72 102	-4.96 46 80	-0.56 45 90	95	1	25
CR 23 0082 96874797	3.82	CR 21 0189 CR 19 0001	96 3	3	108	7.97	109		1.73 74 111	0.02 64 100	2.03 70 109	0.43 68 125	0.25 77 106	3.61 72 108	-1.65 46 92	-0.39 45 92	111	2	5
CR 23 0084 96874839	9.11	CR 21 0189 CR 20 0021	135 5	2	104	5.79	105		2.41 73 118	-0.38 63 92	2.38 70 112	0.22 68 112	0.60 77 112	2.43 72 105	-2.50 49 89	0.10 49 98	101	2	22
CR 23 0085 96874854	9.11	CR 21 0189 CR 20 0021	135 5	2	101	4.70	103		0.80 73 102	-0.20 63 96	1.71 70 107	0.25 68 113	0.96 77 117	1.33 72 102	-0.37 47 97	0.37 47 101	96	1	35
CR 23 0087 96874870	2.36	CR 21 0189 CR 19 0267	114 4	1	104	4.55	103		1.56 72 110	-0.47 58 90	2.03 72 109	0.21 69 111	-0.07 79 101	-1.52 74 95	-4.43 43 82	-0.72 43 88	94	1	20
CR 23 0099 96875034	5.31	CR 21 0189 CR 20 0063	111 5	1	94	-3.24	90		0.53 72 100	-0.59 59 87	0.60 70 100	0.29 68 116	1.64 77 128	3.74 72 109	-2.22 44 90	-0.85 44 86	94	1	65
CR 23 0103 96875091	6.20	CR 21 0189 CR 20 0067	124 5	3	107	6.66	106		1.77 74 112	-0.50 64 89	1.48 72 106	0.38 69 121	0.01 78 102	7.61 73 119	-2.78 46 88	-0.51 46 91	107	2	8
CR 23 0107 96875117	3.04	CR 21 0189 CR 19 0009	141 5	1	103	5.22	104		1.41 72 108	0.19 60 104	1.59 71 107	0.31 69 117	0.75 78 114	4.07 72 109	-3.51 45 85	0.07 45 98	95	1	27
CR 23 0108 96875133	3.04	CR 21 0189 CR 19 0009	141 5	3	102	5.07	104		0.93 74 104	0.08 65 102	1.19 72 104	0.33 70 118	0.94 79 117	4.86 74 111	-1.80 47 92	0.32 47 101	112	2	33
CR 23 0110 96875158	3.02	CR 21 0189 CR 20 0055	119 5	1	100	2.83	100		1.46 72 109	0.05 59 101	1.19 70 104	0.28 68 115	0.85 77 115	10.19 72 125	-2.52 44 89	-0.16 44 95	95	1	43
CR 23 0115 96875190	9.71	CR 21 0189 CR 20 0017	126 5	2	103	4.16	102		1.56 73 110	-0.35 63 93	2.05 72 110	0.23 69 112	1.02 78 118	5.67 73 114	-1.67 48 92	0.17 48 99	102	2	26
CR 23 0116 96875216	9.71	CR 21 0189 CR 20 0017	126 5	2	104	6.44	106		1.87 73 113	-0.04 63 99	2.54 70 113	0.14 68 107	0.29 77 107	6.56 72 116	-1.71 48 92	0.25 48 100	105	2	24
CR 23 0126 96875257	2.45	JG 11 0591 CR 20 0095	112 5	1	98	1.26	97		0.99 72 104	-0.02 64 100	1.43 71 106	0.33 69 118	0.79 78 115	6.31 73 115	-5.52 56 78	-1.01 56 85	95	1	47
CR 23 0128 96875299	3.82	JG 11 0591 CR 21 0233	88 2	2	91	-4.13	89		0.80 72 102	0.51 64 111	1.84 72 108	-0.05 70 95	0.87 78 116	-4.77 73 86	-5.53 54 78	-0.95 54 85	104	2	71

Ewes with Progeny



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding values
Breeding values with an accuracy of less than 5% are not printed

Ewes with progeny and measured at weaning, with both parents known.

Animal Information		Parents			Progeny		Selection Indices			EBV - Weights			EBV - Wool			EBV - Fertility			Rank	
Animal ID Regnr	% In- breeding	Sire ID Dam ID	DAM :		Generation Progeny Weaned 1st 2nd	SIP	GM	Weaning Weight		Body Weight	SVG		VD		SL	Lammers gespeen	TWW	EPI	Times lambded	
			EPI	Times lambded				Dir	Mat		Acc	Index	Acc	Index		Acc				
		Active Breed Average :				100.7	2.8	100	0.54	0.01	0.56	0.03	-0.14	0.50	0.46	0.27				
CR 23 0131 96875315	5.80	JG 11 0591 CR 21 0253	114	4	2	96	-0.71	94	-0.13 73 94	-0.03 66 99	0.53 71 100	0.12 69 105	0.92 77 116	-1.44 72 95	0.42 54 100	-0.07 54 96	95	1	59	
CR 23 0135 96875398	2.44	JG 11 0591 CR 20 0358	118	4	2	91	-3.31	90	0.59 73 101	0.83 66 117	1.42 71 106	-0.04 69 96	0.69 77 113	-2.00 72 93	-4.46 57 82	-0.78 57 87	106	2	72	
CR 23 0152 96875596	5.70	JG 11 0591 CR 21 0235	109	4	2	98	-0.87	94	0.39 73 99	0.01 65 100	0.69 70 101	0.00 68 98	-0.13 77 100	-6.46 72 82	-3.12 55 87	-0.72 54 88	102	2	46	
CR 23 0159 96875679	5.17	JG 11 0591 CR 21 0103	119	4	1	98	-0.16	95	1.69 72 111	0.95 64 120	2.05 71 110	-0.02 69 97	0.71 77 113	-2.63 73 92	-3.27 54 86	-0.24 54 94	95	1	51	
CR 23 0174 96875778	2.71	CR 21 0402 CR 19 0273	104	4	2	102	1.86	98	1.75 72 111	0.68 58 114	2.72 70 114	-0.02 68 97	-0.60 78 93	0.27 72 99	-6.07 41 75	-1.28 40 81	103	2	30	
CR 23 0188 96875851	3.82	CR 21 0402 CR 20 0504	82	1	1	98	-2.50	91	0.17 69 97	-0.54 53 89	-1.13 68 89	0.20 66 110	-0.87 76 89	9.80 70 124	-6.28 40 75	-1.96 39 73	93	1	54	
CR 23 0193 96875919	5.99	CR 21 0402 CR 16 0081	123	6	2	95	-3.12	90	-0.06 72 94	0.27 60 106	-0.46 69 94	-0.07 67 94	-0.81 77 90	3.85 71 109	-4.69 43 81	-1.21 43 82	103	2	64	
CR 23 0197 96875992	5.41	CR 21 0402 CR 18 0152	139	7	1	95	-4.75	88	0.54 71 100	0.21 55 104	-0.57 69 93	0.13 67 106	-0.20 77 99	4.32 71 110	-8.86 40 65	-1.87 40 74	93	1	62	
CR 23 0198 96876016	4.10	CR 21 0402 CR 17 0092	117	6	1	100	-2.11	92	-0.01 71 95	-0.14 56 97	-1.22 69 89	0.03 67 100	-1.03 77 86	5.98 71 114	-5.63 41 77	-1.23 41 82	93	1	40	
CR 23 0199 96876032	4.06	CR 21 0402 CR 19 0013	93	3	1	98	-3.28	90	0.57 70 100	-0.15 54 97	-1.32 69 88	0.18 66 109	-0.66 77 92	7.81 71 119	-5.11 41 79	-1.80 41 75	92	2	53	
CR 23 0201 96876057	6.95	CR 21 0402 CR 16 0086	117	6	2	96	0.24	96	1.77 72 112	1.15 59 124	1.10 71 104	-0.10 68 92	-1.20 78 84	-2.24 73 93	-6.91 42 72	-1.25 42 82	110	2	58	
CR 23 0205 96876099	6.19	CR 21 0402 CR 20 0065	132	5	1	107	4.69	103	2.22 71 116	1.54 55 132	2.73 69 114	0.21 66 111	0.19 76 105	5.48 71 113	-1.62 41 92	-0.72 41 88	97	2	7	
CR 23 0215 96876198	2.34	CR 21 0402 CR 19 0252	169	6	1	118	14.33	119	2.25 72 116	0.45 56 109	4.02 69 122	0.17 67 108	-0.86 77 89	3.19 71 107	2.43 42 107	0.53 42 103	94	1	1	
CR 23 0251 97977177	3.70	CR 20 0025 CR 16 0422	141	6	1	100	2.59	100	0.53 72 100	0.40 62 108	0.20 71 98	-0.14 70 89	-0.99 78 87	-4.81 73 86	-2.44 49 89	0.22 49 99	100	1	22	
CR 23 0253 97977193	5.94	CR 20 0025 CR 15 0339			1	103	4.17	102	0.55 73 100	0.31 63 107	1.20 72 104	-0.11 70 91	-0.35 78 97	-6.75 73 81	-0.14 50 98	0.70 50 105	99	1	12	
CR 23 0264 97977292	1.10	OB 18 0322 CR 21 0031	88	3	1	101	2.71	100	0.80 71 102	-0.31 61 93	1.76 70 108	0.10 69 104	-0.02 77 102	3.22 72 107	-1.04 51 94	-0.56 51 90	101	1	19	

Ewes with Progeny



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding values
Breeding values with an accuracy of less than 5% are not printed

Ewes with progeny and measured at weaning, with both parents known.

Animal Information		Parents			Progeny		Selection Indices			EBV - Weights			EBV - Wool			EBV - Fertility				Rank						
Animal ID Regnr	% In- breeding	Sire ID Dam ID	DAM :		Generation Progeny Weaned	SIP	GM	Weaning Weight			Body Weight			SVG		VD		SL	Lammers gespeen	TWW	EPI	Times lambded				
			EPI	Times lambded				1st	2nd	EBV	Index	EBV	Index	EBV	Index	EBV	Index	EBV	Index		Acc	Index		Acc	Index	Phenotype
		Active Breed Average :				100.7	2.8	100				0.54	0.01	0.56	0.03	-0.14	0.50		0.46	0.27						
CR 23 0302 97977318	10.62	CR 21 0198 CR 19 0227	110	4	1	104	4.83	103	1.07 71	-0.46 57	1.71 69	105	90	107	0.22 67	0.31 77	4.84 71	111	107	111	0.21 45	-0.12 44	98	1	11	
CR 23 0308 97977391	8.65	CR 21 0198 CR 18 0355	94	4	1	97	-0.11	95	0.47 70	-0.07 56	0.79 69	99	98	102	0.22 67	-0.13 77	6.10 71	112	100	115	-8.18 43	-1.55 43	78	100	1	31
CR 23 0309 97977417	8.82	CR 21 0198 CR 17 0353	137	7	1	92	-4.90	87	0.12 71	0.21 56	-0.08 69	96	104	96	0.19 67	0.67 77	-1.74 71	110	113	94	-8.16 43	-1.54 43	78	100	1	37
CR 23 0321 97977490	2.34	CR 21 0198 CR 18 0125	115	5	1	106	4.96	104	1.87 71	-0.29 57	1.35 69	113	94	105	0.32 67	0.55 77	8.88 71	118	111	122	-2.65 42	-0.15 42	95	99	1	6
CR 23 0352 97977516	1.13	OB 18 0322 CR 18 0316	119	5	1	107	9.34	111	1.51 72	-0.35 64	1.97 71	109	92	109	0.45 70	0.19 78	10.00 73	126	105	125	-1.11 54	-0.14 54	95	101	1	3
CR 23 0355 97977532	1.29	OB 18 0322 CR 21 0439	113	3	2	94	1.39	98	1.01 73	-0.34 65	1.65 71	104	93	107	0.18 69	1.11 77	-0.67 72	109	119	97	1.03 54	-0.09 53	96	107	1	33
CR 23 0361 97977599	1.05	OB 18 0322 CR 18 0299	112	4	1	100	3.58	101	1.58 72	0.08 64	2.59 71	110	102	113	-0.03 69	0.31 78	4.04 73	109	107	109	0.01 54	0.20 54	99	100	1	20
CR 23 0364 97977615	0.97	OB 18 0322 CR 18 0330	120	5	1	99	2.02	99	1.37 73	-0.44 64	1.89 72	108	91	109	0.10 70	0.93 78	3.54 73	104	117	108	0.09 55	0.16 54	99	100	1	26
CR 23 0373 97977698	1.01	OB 18 0322 CR 21 0304	100	2	1	101	4.32	103	1.22 71	-0.64 63	1.24 71	106	86	104	0.13 69	-0.11 77	5.35 72	106	101	113	0.60 53	-0.07 53	96	100	1	18
CR 23 0401 97977755	6.67	CR 21 0410 CR 20 0343	128	4	2	102	6.98	107	1.37 71	-0.14 58	1.82 68	108	97	108	0.08 66	-0.61 76	4.84 70	103	93	111	2.94 41	0.11 40	98	108	1	14
CR 23 0404 97977771	8.77	CR 21 0410 CR 20 0392	85	2	2	100	5.05	104	1.09 70	-0.05 57	1.38 68	105	99	105	0.22 66	-0.46 76	1.06 70	112	95	101	-0.93 40	-0.70 40	88	109	1	24
CR 23 0405 97977797	19.63	CR 21 0410 CR 21 0404	109	3	1	106	4.11	102	0.57 69	-0.74 52	1.96 68	100	84	109	0.16 66	-0.96 76	2.54 70	108	87	105	-4.01 37	-1.44 37	79	97	1	5
CR 23 0406 97977813	12.46	CR 21 0410 CR 20 0415	84	2	1	104	6.02	105	0.72 69	-0.45 53	0.89 68	102	90	102	0.50 66	-0.19 76	5.69 70	129	99	114	-4.54 40	-1.18 39	83	100	1	9
CR 23 0412 97977854	3.80	CR 21 0410 CR 19 0328	121	4	1	108	8.81	110	0.80 70	-0.47 54	0.80 68	102	90	102	0.38 66	0.05 76	-1.14 70	121	103	96	-0.90 42	0.44 42	102	100	1	2
CR 23 0430 97978035	7.41	CR 21 0410 CR 19 0342	157	5	1	102	3.68	101	0.02 71	-0.86 55	0.31 69	95	82	98	0.32 66	-0.58 76	1.04 71	118	93	101	-1.20 40	-1.14 40	83	99	1	17
CR 23 0432 97978076	4.54	CR 21 0410 CR 19 0019	133	5	1	105	5.56	105	1.37 70	0.52 54	1.51 68	108	111	106	0.04 66	-0.76 76	-3.84 71	101	91	89	-0.87 39	-0.12 38	95	101	1	8

Ewes with Progeny



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding values
Breeding values with an accuracy of less than 5% are not printed

Ewes with progeny and measured at weaning, with both parents known.

Animal Information		Parents			Progeny		Selection Indices			EBV - Weights			EBV - Wool			EBV - Fertility			Rank	
Animal ID Regnr	% In- breeding	Sire ID Dam ID	DAM :		Generation Progeny Weaned 1st 2nd	SIP	GM	Weaning Weight		Body Weight	SVG		VD		SL	Lammers gespeen		EPI	Times lambded	
			EPI	Times lambded				Dir	Mat		Acc	Index	Acc	Index		Acc	Index			
		Active Breed Average :				100.7	2.8	100	0.54	0.01	0.56	0.03	-0.14	0.50	0.46	0.27				
CR 23 0440 97978134	6.70	CR 21 0410 CR 20 0345	101	4	1	97	-0.89	94	-0.18 69 93	-0.70 54 85	0.24 69 98	0.26 66 114	-0.22 76 99	2.58 71 105	-2.14 41 90	-1.74 40 76	99	1	29	
CR 24 0006 99621419	4.96	J 22 0309 CR 22 0066	107	3	1	105	10.74	113	2.41 71 118	0.34 54 107	3.06 69 116	0.03 67 100	-1.20 77 84	-0.84 71 97	-0.63 38 96	0.23 38 100	101	1	11	
CR 24 0007 99621435	8.16	CR 22 0082 CR 21 0081	98	4	1	104	9.74	111	2.93 70 123	0.44 54 109	3.37 69 118	0.28 66 115	-0.67 77 92	2.40 71 105	-3.55 40 85	-0.78 40 87	103	1	22	
CR 24 0014 99621518	5.07	CR 21 0412 CR 17 0139	128	6	2	94	0.76	97	1.42 72 108	-0.70 58 85	1.48 69 106	0.18 66 109	0.39 77 108	4.49 71 110	-3.82 40 84	-0.90 40 86	104	1	59	
CR 24 0020 99621559	14.39	CR 22 0082 CR 20 0002	105	5	1	105	10.24	112	1.44 71 108	-0.08 56 98	2.22 69 111	0.59 67 135	0.69 77 113	1.78 71 103	-3.41 44 86	-0.12 43 95	101	1	10	
CR 24 0028 99621617	6.97	CR 22 0082 CR 20 0161	120	5	1	97	3.94	102	2.04 71 114	0.21 55 104	3.08 69 116	0.10 66 104	0.57 77 111	-3.49 71 90	-1.37 39 93	-0.24 39 94	101	1	50	
CR 24 0030 99621633	8.26	CR 22 0082 CR 21 0191	120	4	1	107	10.74	113	2.96 71 123	0.17 56 104	4.50 69 125	0.32 66 117	0.20 76 105	7.53 71 118	-4.62 42 81	-0.30 41 93	100	1	4	
CR 24 0040 99621716	2.54	CR 21 0412 CR 19 0082	118	5	1	106	8.59	110	1.41 70 108	-0.32 54 93	1.98 68 109	0.25 66 114	-0.91 76 88	-2.09 70 93	-3.19 41 86	-0.57 41 90	97	1	9	
CR 24 0048 99621757	7.64	CR 22 0082 CR 21 0103	119	4	1	97	3.09	100	3.12 71 124	0.87 55 118	4.71 69 127	0.02 67 99	1.55 77 126	5.39 71 113	0.26 40 99	0.11 40 98	101	1	47	
CR 24 0056 99621856	3.34	CR 22 0082 CR 21 0234	104	3	1	102	6.54	106	2.51 71 119	0.18 54 104	3.82 69 121	0.15 67 107	0.32 77 107	3.75 71 109	-3.36 38 86	-0.30 38 93	99	1	29	
CR 24 0059 99621898	2.53	CR 21 0412 CR 19 0009	141	5	1	102	7.10	107	1.28 71 107	-0.04 56 99	1.62 69 107	0.31 67 117	0.11 77 104	-3.41 71 90	-2.72 40 88	-0.04 40 96	99	1	26	
CR 24 0060 99621914	2.53	CR 21 0412 CR 19 0009	141	5	1	104	8.95	110	1.99 71 114	-0.07 56 98	2.04 69 110	0.37 67 121	0.10 77 104	0.15 71 99	-2.74 40 88	-0.01 40 97	100	1	18	
CR 24 0066 99621971	4.16	CR 22 0082 CR 20 0061	93	3	1	99	3.00	100	1.15 71 106	-0.13 55 97	1.06 69 103	0.26 66 114	0.81 77 115	1.55 71 103	-0.69 40 96	-0.02 39 97	98	1	35	
CR 24 0080 99622094	6.14	J 22 0309 CR 22 0096	97	2	2	104	9.03	110	0.88 72 103	-0.52 58 89	1.82 69 108	0.21 67 111	-0.70 77 91	1.12 71 102	0.64 37 101	0.02 37 97	105	1	19	
CR 24 0084 99622110	4.96	J 22 0309 CR 22 0067	120	3	1	102	7.46	108	1.44 72 108	0.38 55 108	3.09 70 116	0.04 68 100	-0.07 77 101	1.30 72 102	-1.43 38 93	0.38 38 101	99	1	28	
CR 24 0088 99622177	4.44	CR 22 0082 CR 20 0057	119	5	2	103	7.28	107	0.42 73 99	-0.56 59 88	0.35 69 99	0.21 67 111	-0.63 77 92	2.77 71 106	3.69 40 112	0.27 40 100	103	1	23	

Ewes with Progeny



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding values
Breeding values with an accuracy of less than 5% are not printed

Ewes with progeny and measured at weaning, with both parents known.

Animal Information		Parents			Progeny		Selection Indices			EBV - Weights			EBV - Wool			EBV - Fertility				Rank		
Animal ID Regnr	% In- breeding	Sire ID Dam ID	DAM :		Generation Progeny Weaned 1st 2nd	SIP	GM		Weaning Dir	Weight Mat		Body Weight	SVG	VD		SL	Lammers gespeen		TWW	EPI	Times lambded	
			EPI	Times lambded			EBV	Index		EBV Acc	EBV Index			EBV Acc	EBV Index		EBV Acc	EBV Index				
		Active Breed Average :				100.7	2.8	100	0.54	0.01	0.56	0.03	-0.14	0.50	0.46	0.27						
CR 24 0098 99622250	4.09	CR 21 0412 CR 18 0035	154	7	1	98	6.11	105	2.23 71	0.61 55	1.26 68	1.05 116	0.31 66	-0.21 76	3.30 71	107	-1.12 40	-0.47 39	104	1	40	
CR 24 0114 99622433	2.78	J 22 0309 CR 22 0187	91	1	1	100	5.91	105	1.03 70	-0.43 52	1.04 69	103	0.14 66	-0.73 77	-0.64 71	97	0.60 35	-0.24 34	100	1	34	
CR 24 0115 99622458	6.62	CR 22 0082 CR 20 0175	124	5	1	99	4.49	103	2.02 71	-0.01 55	3.09 69	116	0.12 67	0.56 77	3.06 71	107	-3.46 39	-0.19 39	99	1	36	
CR 24 0116 99622474	6.62	CR 22 0082 CR 20 0175	124	5	1	98	3.68	101	1.42 71	-0.13 55	2.87 69	115	0.08 67	0.47 77	1.61 71	103	-3.44 39	-0.23 39	98	1	38	
CR 24 0120 99622490	7.93	CR 21 0412 CR 17 0166	161	7	1	105	8.48	109	1.26 71	-0.56 55	1.06 69	103	0.48 67	-0.15 77	3.12 71	107	-1.95 40	-0.44 40	98	1	15	
CR 24 0122 99622532	6.49	CR 21 0412 CR 18 0163	156	7	1	98	4.05	102	2.58 71	0.42 55	2.41 69	112	0.20 67	0.35 77	4.20 71	110	-6.54 41	-0.56 41	101	1	43	
CR 24 0126 99622557	1.46	J 22 0309 CR 19 0027	118	5	2	94	2.01	99	0.79 73	-0.34 59	0.69 70	101	0.11 68	0.36 77	14.38 72	136	0.19 39	0.08 38	105	1	57	
CR 24 0138 99622672	3.24	J 22 0309 CR 19 0262	110	4	1	104	10.15	112	2.05 72	0.79 55	4.42 70	125	0.15 68	-0.20 77	2.23 72	105	-1.44 39	-0.09 38	101	1	21	
CR 24 0139 99622698	3.24	J 22 0309 CR 19 0262	110	4	1	105	11.02	114	2.35 72	0.51 55	4.09 70	123	0.18 68	-0.49 77	-0.46 72	98	0.46 39	-0.13 38	100	1	13	
CR 24 0151 99622854	1.88	J 22 0309 CR 22 0143	104	3	1	97	3.36	101	0.38 71	-0.47 53	0.02 69	97	0.19 67	-0.61 77	4.55 71	111	-3.55 36	-0.54 36	99	1	48	
CR 24 0155 99622896	8.78	J 22 0309 CR 19 0203	100	4	2	108	13.48	118	2.02 72	-0.26 59	3.24 70	117	0.25 68	-0.82 77	-0.43 72	98	0.07 41	0.31 41	106	1	2	
CR 24 0161 99622938	5.04	J 22 0309 CR 22 0088	112	3	1	102	8.49	109	1.24 71	-0.08 54	1.27 69	105	0.21 67	-0.99 77	2.90 71	106	-2.46 38	-0.16 37	102	1	31	
Ewes with progeny average :						101.3	2.8	100	1.05	0.12	1.49	0.15	0.18	2.76	-2.20	-0.42						

Young Ewes



EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding values
Breeding values with an accuracy of less than 5% are not

Ewes born since 2020 with a weaning weight and wool test, no progeny, with both parents known.

Animal Information		Parents			Selection Indices			EBV - Weights						EBV - Wol						EBV - Fertility				Rank
Animal ID Regnr	% In- breeding	Sire ID Dam ID	DAM REPROD :		SIP	GM	Weaning Weight				Body Weight		CFW		FD		SL		NLW		TWW			
			EPI	Times lambded			Dir	Mat	Weight	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc		Index
							EBV	Index		EBV	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index			
Active Breed Average :					100.7	2.8	100			0.54	0.01	0.56			0.03	-0.14	0.50			0.46	0.27			
CR 22 0131 93693158	3.23	CR 20 0120 CR 19 0231	93	3	105	7.69	108			1.27 70	-0.28 52	1.55 70	107	94	106	0.53 68	0.82 77	8.94 72	122	-2.62 42	-0.10 42	88	96	15
CR 23 0261 97977276	15.86	CR 20 0025 CR 20 0305	134	4	107	5.88	105			2.00 72	0.38 59	3.75 71	114	108	120	-0.07 69	1.38 77	-2.66 73	92	6.03 51	1.56 50	121	116	4
CR 23 0311 97977433	6.44	CR 21 0198 CR 16 0355	189	7	97	-1.60	93			0.69 71	0.04 52	1.20 70	101	101	104	0.19 68	0.66 77	4.58 72	111	-4.16 44	-1.21 43	83	82	30
CR 23 0409 97977839	18.63	CR 21 0410 CR 21 0395	97	2	103	3.78	102			0.84 67	-0.09 45	0.05 68	103	98	97	0.37 66	-0.35 76	6.57 70	116	-3.07 34	-1.00 34	87	85	13
CR 23 0413 97977870	19.87	CR 21 0410 CR 21 0420	88	2	100	0.81	97			0.68 67	-0.28 44	0.38 68	101	94	99	0.28 65	-0.05 76	6.97 70	117	-2.80 34	-1.26 34	88	82	21
CR 23 0419 97977938	10.10	CR 21 0410 CR 19 0471	114	3	104	6.23	106			1.36 69	-0.23 49	1.70 68	108	95	107	0.42 66	1.06 76	5.56 71	113	0.84 38	0.13 38	102	98	10
CR 23 0420 97977953	9.87	CR 21 0410 CR 21 0186	111	3	92	-2.58	91			1.04 68	-0.05 48	0.47 68	105	99	99	0.11 66	0.58 76	2.48 70	105	-4.11 36	-0.88 36	83	86	36
CR 23 0424 97977995	12.64	CR 21 0410 CR 20 0419	98	3	105	5.81	105			1.17 68	-0.41 47	0.74 68	106	91	101	0.31 66	-0.62 76	-3.16 70	90	-2.38 37	-0.76 36	89	88	7
CR 23 0431 97978050	4.54	CR 21 0410 CR 19 0019	133	5	102	3.38	101			0.85 69	0.50 48	0.74 68	103	110	101	-0.01 66	-0.65 76	-1.49 71	95	-0.68 36	-0.04 35	96	96	16
CR 23 0434 97978092	6.39	CR 21 0410 CR 18 0357	105	4	93	-3.50	90			-0.20 69	0.44 48	0.56 69	93	109	100	-0.03 66	0.22 76	-1.81 71	94	-3.61 36	-0.92 36	85	86	34
CR 23 0441 97978159	8.20	CR 21 0410 CR 20 0349	109	4	99	1.45	98			0.38 68	-0.29 48	0.42 69	98	94	99	0.14 66	-1.07 76	-6.75 71	81	-3.27 38	-1.52 38	86	78	27
CR 23 0442 97978175	8.07	CR 21 0410 CR 20 0200	86	3	92	-3.86	89			-0.39 68	-0.34 45	-0.98 68	91	93	90	0.21 65	0.62 76	0.34 70	100	-4.10 34	-0.96 34	83	85	38
CR 24 0011 99621476	6.48	CR 21 0412 CR 18 0153	128	6	93	0.55	96			2.29 69	-0.18 50	1.24 69	116	96	104	0.20 66	-0.30 77	1.25 71	102	-7.85 38	-1.65 38	69	77	62
CR 24 0013 99621492	3.31	CR 22 0082 CR 21 0168	114	4	103	7.11	107			2.83 70	0.18 50	3.60 69	122	104	120	0.23 67	0.20 77	8.72 71	122	-4.69 38	-0.52 38	81	91	25
CR 24 0017 99621534	5.18	J 22 0309 CR 22 0053	94	2	107	11.72	115			2.14 69	-0.02 47	2.51 69	115	100	113	0.13 67	-1.32 77	-5.67 71	84	0.07 34	0.17 34	99	99	3
CR 24 0022 99621575	4.27	CR 22 0082 CR 20 0055	119	5	104	7.93	108			1.28 70	0.18 51	1.52 69	107	104	106	0.04 67	-1.00 77	2.08 71	104	1.06 38	0.30 38	102	100	20

Young Ewes



EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding values
Breeding values with an accuracy of less than 5% are not

Ewes born since 2020 with a weaning weight and wool test, no progeny, with both parents known.

Animal Information		Parents			Selection Indices			EBV - Weights			EBV - Wool			EBV - Fertility		Rank
Animal ID Regnr	% In- breeding	Sire ID Dam ID	DAM REPROD : EPI Times lambd		SIP	GM		Weaning Weight Dir	Mat	Body Weight	CFW	FD	SL	NLW	TWW	
								EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	
								Acc	Index	Acc	Index	Acc	Index	Acc	Index	
Active Breed Average :					100.7	2.8	100	0.54	0.01	0.56	0.03	-0.14	0.50	0.46	0.27	
CR 24 0024 99621591	5.26	CR 21 0412 CR 18 0152	139 7		94	1.22	97	2.26 69	0.47 116	2.50 112	0.04 66	-0.20 76	-1.91 94	-7.68 37	-1.23 82	58
CR 24 0031 99621658	5.54	CR 22 0082 CR 20 0069	85 3		98	3.48	101	1.27 69	0.02 107	2.99 116	0.41 66	1.78 76	12.95 133	-2.15 37	-0.48 91	41
CR 24 0038 99621690	2.42	J 22 0309 CR 22 0121	89 1		94	1.89	99	0.38 69	-0.15 99	0.05 97	0.18 67	-0.05 77	3.08 107	-2.29 31	-0.36 92	56
CR 24 0042 99621732	13.92	CR 22 0082 CR 21 0309	91 1		96	2.28	99	0.85 68	0.04 103	2.66 113	0.10 66	0.67 76	1.09 102	-2.30 39	-0.39 92	51
CR 24 0049 99621773	5.70	CR 21 0412 CR 19 0267	114 4		95	1.74	98	1.32 69	-0.10 107	2.10 110	-0.02 66	-0.29 76	-9.04 71	-2.94 35	-0.74 88	54
CR 24 0050 99621799	5.70	CR 21 0412 CR 19 0267	114 4		93	0.27	96	0.96 69	-0.16 104	1.38 105	0.06 66	0.12 76	-4.08 88	-2.94 35	-0.74 88	64
CR 24 0054 99621831	3.22	CR 21 0412 CR 19 0272	142 6		98	4.76	103	0.88 69	-0.12 103	0.50 100	0.27 66	-0.95 76	-3.19 90	-4.61 36	-1.08 84	42
CR 24 0058 99621872	10.89	CR 22 0082 CR 21 0141	113 4		102	6.62	106	1.55 70	0.51 110	2.42 112	0.04 67	-0.66 77	-0.12 98	-1.74 37	-0.12 95	30
CR 24 0061 99621930	4.21	CR 21 0412 CR 17 0003	150 6		95	2.15	99	1.78 70	0.51 112	1.16 104	0.01 67	0.14 77	-5.44 72	-0.95 37	0.10 98	53
CR 24 0062 99621955	4.21	CR 21 0412 CR 17 0003	150 6		99	5.05	104	1.99 70	0.62 114	2.72 114	0.00 67	-0.02 77	-4.89 86	-0.95 37	0.10 98	37
CR 24 0068 99622011	3.45	CR 21 0412 CR 17 0092	117 6		93	-0.30	95	0.45 69	-0.20 99	-0.36 94	0.26 66	0.57 77	4.39 110	-4.02 38	-0.54 90	63
CR 24 0074 99622052	4.70	J 22 0309 CR 22 0011	92 1		103	9.17	110	1.11 69	0.13 105	0.73 101	0.14 67	-1.27 77	-10.42 71	0.99 31	0.29 100	24
CR 24 0076 99623951	3.55	CR 22 0082 CR 21 0202	107 4		105	8.16	109	1.93 70	0.19 113	3.08 116	0.09 66	-1.04 77	5.02 112	-4.41 38	-0.63 89	17
CR 24 0086 99622136	8.89	CR 22 0082 CR 20 0231	136 5		106	10.33	112	2.26 71	0.65 116	3.96 122	0.09 67	-0.05 77	4.08 109	0.81 37	0.57 104	6
CR 24 0087 99622151	4.44	CR 22 0082 CR 20 0057	119 5		98	3.70	101	0.59 71	0.11 100	0.27 98	0.01 67	-0.60 77	3.52 108	2.69 38	0.21 99	39
CR 24 0096 99622235	2.61	CR 21 0412 CR 19 0273	104 4		95	2.62	100	1.01 68	0.29 104	1.77 108	0.03 66	-0.41 76	-7.98 70	-3.84 35	-0.66 89	52

Young Ewes



EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding values
Breeding values with an accuracy of less than 5% are not

Ewes born since 2020 with a weaning weight and wool test, no progeny, with both parents known.

Animal Information		Parents			Selection Indices			EBV - Weights						EBV - Wool						EBV - Fertility				Rank
Animal ID Regnr	% In- breeding	Sire ID Dam ID	DAM REPROD : EPI Times lambd		SIP	GM		Weaning Weight		Body Weight				CFW		FD		SL		NLW		TWW		
								Dir	Mat	Weight	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	
Active Breed Average :					100.7	2.8	100	0.54	0.01	0.56				0.03	-0.14	0.50				0.46	0.27			
CR 24 0099 99622276	8.52	CR 22 0082 CR 21 0115	120 4		105	8.79	110	2.89 70	-0.05 50	3.13 69	116	115	112	67	115	77	103	71	100	39	102	39	94	12
CR 24 0102 99622318	4.21	CR 22 0082 CR 20 0122	122 5		97	2.74	100	1.81 71	-0.30 51	2.19 69	110	108	112	67	108	77	104	71	97	39	79	38	86	46
CR 24 0104 99622334	5.19	J 22 0309 CR 22 0058	99 2		102	7.58	108	1.45 70	0.25 47	1.67 69	107	89	109	67	89	77	76	71	76	34	98	33	99	27
CR 24 0110 99622375	5.26	CR 21 0412 CR 19 0151	149 6		108	11.70	115	3.28 70	-0.38 49	3.84 69	121	107	126	67	107	77	91	71	79	40	90	39	99	1
CR 24 0112 99622391	7.50	CR 22 0082 CR 20 0067	124 5		106	9.64	111	1.84 71	-0.04 51	1.90 69	109	110	112	67	110	77	86	71	117	38	97	38	95	8
CR 24 0121 99622516	6.49	CR 21 0412 CR 18 0163	156 7		101	6.57	106	2.38 70	0.17 50	2.24 69	111	116	117	67	116	77	102	71	109	38	76	38	90	32
CR 24 0127 99622573	3.35	J 22 0309 CR 19 0036	114 5		97	2.26	99	1.48 71	0.06 49	1.28 70	105	98	109	68	98	77	94	72	109	39	86	38	90	49
CR 24 0131 99622599	2.64	J 22 0309 CR 17 0134	134 7		94	1.68	98	1.10 71	0.50 50	1.93 70	109	98	105	68	98	77	102	72	107	37	84	37	91	60
CR 24 0135 99622631	2.46	J 22 0309 CR 17 0121	148 7		94	2.27	99	1.23 72	0.10 51	0.86 71	102	88	106	68	88	77	86	72	108	38	101	37	95	55
CR 24 0140 99622714	2.94	J 22 0309 CR 20 0065	132 5		106	11.16	114	0.92 71	0.74 49	1.82 70	108	111	104	67	111	77	90	72	100	35	108	35	103	5
CR 24 0143 99622755	9.71	J 22 0309 CR 20 0021	135 5		105	11.14	114	1.84 71	0.13 51	3.65 70	120	102	112	68	102	77	94	72	94	39	105	39	104	14
CR 24 0146 99622771	2.42	J 22 0309 CR 18 0181	116 5		90	-1.34	93	0.31 71	-0.23 50	-0.27 70	95	105	98	68	105	77	102	72	106	36	86	36	87	65
CR 24 0149 99622813	1.91	J 22 0309 CR 22 0112	110 3		88	-2.42	91	0.07 70	0.05 47	0.29 70	98	104	96	67	104	77	107	71	113	33	81	33	85	66
CR 24 0154 99622870	1.56	J 22 0309 CR 19 0104	132 6		101	6.23	106	0.90 71	-0.66 50	0.56 70	100	113	103	68	113	77	87	72	101	38	91	37	90	33
CR 24 0157 99622912	2.51	J 22 0309 CR 22 0218	105 3		94	1.03	97	2.17 70	0.11 47	2.37 69	112	97	115	67	97	77	102	71	136	33	89	33	88	61
CR 24 0163 99622953	5.55	J 22 0309 CR 22 0071	114 3		106	10.82	113	1.60 70	-0.29 48	0.65 70	101	117	110	67	117	77	91	72	97	35	101	35	104	7

Young Ewes



EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding values
Breeding values with an accuracy of less than 5% are not

Ewes born since 2020 with a weaning weight and wool test, no progeny, with both parents known.

Animal Information		Parents			Selection Indices			EBV - Weights			EBV - Wool			EBV - Fertility		Rank
Animal ID Regnr	% In- breeding	Sire ID Dam ID	DAM REPROD : EPI Times lambd		SIP	GM		Weaning Weight Dir	Mat	Body Weight	CFW	FD	SL	NLW	TWW	
								EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	
								Acc	Index	Acc	Index	Acc	Index	Acc	Index	
Active Breed Average :					100.7	2.8	100	0.54	0.01	0.56	0.03	-0.14	0.50	0.46	0.27	
CR 24 0165 99622995	2.81	J 22 0309 CR 22 0127	121 3		98	4.78	103	1.78 70	0.37 112	2.20 69	0.13 67	0.10 77	0.90 101	-2.11 33	-0.17 32	45
CR 24 0173 99623050	5.80	J 22 0309 CR 21 0111	90 2		98	5.26	104	0.89 69	0.21 103	1.25 70	-0.07 67	-1.47 77	-4.02 88	-1.52 34	-0.30 33	44
CR 24 0180 99623118	1.68	J 22 0309 CR 17 0091	141 6		105	9.84	112	1.07 71	-0.44 105	1.03 70	0.30 68	-0.09 77	0.23 99	3.61 36	0.82 107	16
CR 24 0205 106645310	8.72	J 22 0309 CR 18 0330	120 5		105	6.05	105	0.11 71	-0.09 96	0.40 70	0.11 69	-0.78 77	-1.18 96	0.13 39	0.20 38	10
CR 24 0214 106645377	7.62	J 22 0309 CR 18 0250	132 6		103	3.90	102	1.88 71	0.02 113	1.64 70	0.11 69	0.03 77	-7.22 80	-2.30 38	-0.16 38	14
CR 24 0217 106645393	5.18	J 22 0309 CR 20 0419	98 3		108	7.92	108	1.21 70	-0.07 106	1.73 70	0.08 67	-1.67 77	-0.35 98	-2.39 36	-0.65 36	3
CR 24 0222 106645419	3.39	J 22 0309 CR 19 0328	121 4		109	8.18	109	0.87 70	-0.27 103	1.45 69	0.28 68	0.16 77	2.28 105	-0.79 39	0.49 38	2
CR 24 0224 106645427	4.10	J 22 0309 CR 19 0377	132 4		99	1.95	99	0.86 71	-0.32 103	1.24 70	0.21 68	-0.14 77	2.89 106	-1.75 37	-1.12 37	23
CR 24 0231 106645450	9.64	J 22 0309 CR 20 0374	129 4		104	6.54	106	1.22 70	-0.13 106	1.42 70	0.07 68	-1.26 77	-5.90 83	-0.75 37	-0.42 37	11
CR 24 0234 106645476	9.39	J 22 0309 CR 20 0349	109 4		100	2.74	100	1.71 70	-0.39 111	1.28 70	0.13 68	-0.96 77	-4.79 86	-3.27 37	-1.41 37	16
CR 24 0239 106645500	7.64	J 22 0309 CR 18 0273	118 5		105	5.95	105	0.77 71	-0.40 102	-0.14 70	0.44 68	-0.17 77	5.03 112	-1.52 39	-0.41 38	7
CR 24 0248 106645534	8.79	J 22 0309 CR 18 0289	131 5		104	4.87	103	0.42 71	-0.06 99	0.31 71	0.16 68	-0.68 77	2.86 106	-0.76 39	-0.22 38	12
CR 24 0257 106645567	9.39	J 22 0309 CR 20 0348	122 4		105	6.64	106	1.48 70	-0.78 109	1.08 69	0.40 68	-0.76 76	-1.19 96	-1.80 37	-1.19 37	8
CR 24 0260 106645583	9.05	J 22 0309 CR 20 0384	122 4		99	2.81	100	1.63 70	-0.37 110	0.45 70	0.21 67	-0.34 77	6.24 115	-1.10 37	-0.74 37	20
CR 24 0261 106645591	8.96	JG 11 0591 CR 22 0281	102 2		99	-0.54	95	0.89 70	0.12 103	0.34 71	0.11 69	0.31 77	-1.27 95	-3.97 53	-0.54 53	24
CR 24 0263 106645617	5.47	JG 11 0591 CR 21 0395	97 2		106	5.14	104	1.90 70	0.34 113	2.08 71	0.21 69	-0.47 77	0.55 100	-4.82 52	-0.96 52	6

Young Ewes



EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding values
Breeding values with an accuracy of less than 5% are not

Ewes born since 2020 with a weaning weight and wool test, no progeny, with both parents known.

Animal Information		Parents			Selection Indices			EBV - Weights			EBV - Wool			EBV - Fertility		Rank
Animal ID Regnr	% In- breeding	Sire ID Dam ID	DAM REPROD : EPI Times lambd		SIP	GM		Weaning Weight Dir	Mat	Body Weight	CFW	FD	SL	NLW	TWW	
								EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	
					EBV	Index		Acc	Index	Acc	Index	Acc	Index	Acc	Index	
Active Breed Average :					100.7	2.8	100	0.54	0.01	0.56	0.03	-0.14	0.50	0.46	0.27	
CR 24 0265 106645633	2.09	JG 11 0591 CR 21 0304	100 2		99	1.01	97	0.38 70	0.21 60	0.35 71	0.07 69	0.12 77	2.22 72	-1.10 55	-0.11 54	22
CR 24 0269 106645658	5.05	JG 11 0591 CR 22 0358	105 2		91	-5.99	86	0.66 70	0.62 58	0.77 70	0.16 68	1.97 77	-2.12 72	-6.80 51	-0.81 51	33
CR 24 0272 106645674	6.33	JG 11 0591 CR 21 0039	91 2		89	-7.47	83	-0.11 70	0.22 58	-0.03 71	0.02 69	1.33 77	-6.40 72	-3.57 52	-0.87 52	34
CR 24 0274 106645682	2.72	JG 11 0591 CR 21 0468	97 2		100	2.23	99	1.78 70	-0.29 59	1.62 71	0.41 69	0.82 77	3.49 72	-2.55 54	-1.13 54	19
CR 24 0276 106645708	8.52	JG 11 0591 CR 21 0427	89 2		96	-2.18	92	0.25 69	0.34 57	1.03 70	-0.02 68	-0.05 77	-0.48 72	-4.57 51	-1.09 51	27
CR 24 0282 106645732	5.81	JG 11 0591 CR 21 0404	109 3		100	0.60	96	2.07 70	0.41 59	3.29 71	-0.06 69	-0.08 77	-0.50 72	-5.57 52	-1.22 52	17
CR 24 0290 106645773	2.86	JG 11 0591 CR 21 0305	88 2		92	-5.06	87	-1.07 69	-0.21 57	-1.21 70	0.07 69	-0.75 77	0.04 72	-7.64 52	-1.95 52	32
CR 24 0291 106645781	2.48	JG 11 0591 CR 21 0459	98 2		105	5.57	105	2.52 70	0.22 59	3.71 71	0.12 69	0.20 77	-1.85 72	-1.59 54	-0.53 54	9
CR 24 0293 106645807	5.26	JG 11 0591 CR 21 0203	97 3		95	-2.64	91	-0.23 70	0.22 59	0.94 71	0.31 69	1.66 77	8.46 72	-6.10 54	-0.94 54	29
CR 24 0294 106645815	9.16	JG 11 0591 CR 21 0328	111 3		100	1.81	98	0.23 71	0.06 60	0.82 71	0.20 69	0.43 77	-3.43 72	-2.39 55	-0.36 55	18
CR 24 0297 106645831	2.56	JG 11 0591 CR 22 0306	113 2		95	-1.97	92	-0.05 70	0.22 59	-0.37 70	-0.04 68	0.18 77	4.63 72	-1.90 52	-0.05 51	28
CR 24 0299 106645849	2.65	JG 11 0591 CR 21 0329	117 3		97	0.03	95	0.07 71	0.52 61	1.21 71	-0.03 69	0.43 77	-2.58 73	-2.86 55	-0.03 55	26
CR 24 0301 106645856	2.25	JG 11 0591 CR 21 0401	96 2		103	3.06	100	0.64 70	0.47 58	1.21 71	0.07 69	-0.60 77	-2.13 72	-4.26 51	-0.66 51	13
CR 24 0306 106645872	2.37	JG 11 0591 CR 22 0315	95 1		94	-2.90	91	0.09 69	0.26 56	1.43 70	-0.01 68	1.11 77	7.38 72	-3.56 51	-0.36 51	30
CR 24 0322 106645930	5.28	JG 11 0591 CR 21 0453	124 3		87	-6.75	84	0.59 71	0.45 60	0.16 71	-0.16 69	0.95 77	-2.62 62	-1.45 54	-0.37 53	35
CR 24 0324 106645948	2.35	JG 11 0591 CR 21 0205	101 2		98	-0.23	95	0.57 70	0.28 59	0.59 70	0.08 69	0.16 76	1.05 71	-4.70 53	-0.57 53	25

Young Ewes



EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding values
Breeding values with an accuracy of less than 5% are not

Ewes born since 2020 with a weaning weight and wool test, no progeny, with both parents known.

Animal Information		Parents			Selection Indices			EBV - Weights						EBV - Wol						EBV - Fertility				Rank	
Animal ID Regnr	% In- breeding	Sire ID Dam ID	DAM REPROD :		SIP	GM		Weaning Weight				Body Weight				CFW		FD		SL	NLW		TWW		
			EPI	Times lambd				Dir		Mat		Weight													
			EBV	Index	Acc	EBV	Index	Acc	EBV	Index	Acc	EBV	Index	Acc	EBV	Index	Acc	EBV	Index	Acc	EBV	Index	Acc	EBV	
		Active Breed Average :			100.7	2.8	100	0.54		0.01		0.56		0.03		-0.14		0.50		0.46		0.27			
CR 24 0328 106645971	7.96	JG 11 0591 CR 21 0186	111	3	92	-4.70	88	0.23 71	97	0.54 60	111	0.82 70	102	-0.06 69	94	0.64 76	112	1.53 71	103	-5.87 54	76	-0.84 53	87	31	
CR 24 0337 106646011	3.18	J 22 0309 CR 22 0385	101	2	99	0.60	96	0.42 69	99	-0.18 45	96	0.81 69	102	-0.02 67	97	-0.95 76	88	-1.36 71	95	-5.56 32	77	-1.10 32	83	21	
CR 24 0339 106646029	9.38	J 22 0309 CR 20 0345	101	4	102	3.00	100	1.93 70	113	-0.58 48	88	2.52 70	113	0.15 68	107	-0.52 77	94	-1.16 72	96	-2.24 37	90	-1.53 37	78	15	
CR 24 0344 106646052	4.65	J 22 0309 CR 20 0444	115	4	111	9.93	112	3.09 70	124	-0.16 48	97	3.71 70	120	0.20 68	110	-1.08 77	86	0.35 72	100	-4.10 37	83	-0.94 36	85	1	
CR 24 0347 106646078	7.48	J 22 0309 CR 19 0463	120	4	107	8.08	109	1.78 70	112	0.13 49	103	1.44 70	106	0.13 68	106	-1.22 77	83	-6.45 72	82	-2.92 38	87	-0.22 38	94	4	
CR 24 0349 106646086	5.12	J 22 0309 CR 21 0425	108	3	107	6.61	106	1.44 70	108	-0.13 47	97	1.07 69	103	0.19 67	110	-1.16 77	84	-4.89 71	86	-3.74 34	84	-0.69 33	88	5	
Young Ewes (with known parents) average :					99.7	3.4	101	1.16		0.05		1.39		0.13		-0.17		0.32		-2.42		-0.48			