



WAGYU BREEDING VALUE REPORT

June 2026



AGRIBUSINESS INSTITUTE (PTY) L

Herd Number: 8469809


E-mail: neil@invitroafrica.com



**WAGYU
SOCIETY**
OF SOUTH AFRICA



**CERTIFICATE
OF QUALITY**
Valid up to
October 2029



Notes


GEBVi (GEBVindex): The average GEBVi of all the live animals in the breed is 100, and all EBVi values are expressed relative to this value. Values above 100 are mostly in a more desirable direction. Note that a very high index is not always desirable. For certain traits, such as birth weight, average values may be better. It is the top value in the list.

GEBV (Genomic Estimated Breeding Value) indicates the genetic potential of the animal for a specific trait. It is presented in the unit of measurement and relative to the average of animals born in the base year. It is the middle value in the list and not available for selection values.

Accuracy: This value gives an indication of how much information was available for breeding value estimation. It is the bottom value in the list.

Selection values combine similar breeding values in a scientific manner to simplify the selection of animals. For example, HF (Heifer Fertility), CF (Cow Fertility) and Longevity are

combined to form the Fertility Value by taking the heritability and economic importance in consideration.




* Depending on selection goal

GEBVi		Description / Measurement	Goal		General Guidelines*					
					80	90	100	110	120	
Selection V.	Calving Ease Value	Difficult calving due to high birth weight	Average birth weight	High						Low
	Calf Growth Value	Calf's genetic ability for prewean growth	Heavy weaner	Light						Heavy
	Milk Value	Cow's genetic mothering and milking ability	Enough milk for calf	Less						More
	Maintenance Value	Maintenance requirement of cow (weight and milk)	Low cow maintenance	High					*	Low
	Fertility Value	Fertility and retention of cows and heifers	Fertile cows	Low						High
Cow & Calf	Birth weight direct	Birth weight (Calf's genetic ability)	Average birth weight	Heavy						Light
	Birth weight mat	Birth weight (Dam's genetic ability)	Easy calving	Heavy						Light
	Weaning weight direct	Weaning weight (Calf's genetic ability)	Heavy weaners	Light						Heavy
	Weaning weight mat	Weaning weight (Dam's genetic ability)	Good mothers	Poor						Good
	Post-wean weight	Combination of EBVs for 12 and 18 month weights	Mature weight	Light				*	*	Heavy
	Mature Cow Weight	Cow weight at weaning of first three calves	Mature cow weight	Light				*	*	Heavy
Ferti.	Heifer Fertility	Age at first calving	Fertile heifers	Less						More
	Cow Fertility	First 3 inter-calving periods (ICPs)	Fertile cows	Less						More
	Longevity	Retention of progeny	Acceptable progeny	Poor						Good
Carcass	IMF	Intra-muscular-fat, Marbling	High quality carcass	Less						More
	Carcass weight	Weight of the carcass	High quality carcass	Light						Heavy
	EMA	Eye-muscle-area at the 12/13th rib of the dressed carcass	High quality carcass	Small						Large
	Rib Fat	Rib fat depth at the 12/13th rib of the dressed carcass	High quality carcass	Thin						Thick
	Marbling Fineness	Degree of fineness of marbling fat	High quality carcass	Low						High

Herd and Breed Averages

Number 43



Breeding Values (EBV):

Birth: Birth weight IMF: Marbling
 Wean: Weaning weight Carcwt: Carcass wt
 Birth.mat: Birth mat EMA: Eye muscle area
 Milk: Milk RibFatt: Rib Fat thickness
 Postwn: Postwean weight MF: Marbling Fineness
 Matwt: Mature weight
 HF: Heifer Fertility
 CF: Cow Fertility
 LL: Longevity

Selection values:

CEaseV Calving Ease Value
 CGrowthV Calf Growth Value
 MilkV: Milk Value
 MaintV: Maintenance Value
 FertV: Fertility Value

	Trait	EBV Herd	EBV Index	EBV Breed
Prewean growth	Birth Weight	0.95	102	1.14
	Wean Weight	5.5	109	2.1
	Birth Mat.	-0.36	101	-0.34
	Milk (Wn.Mat.)	-1.8	82	8.4
Postwean growth	Postwean wt	9.3	108	4.0
	Mature weight	0	96	6
	Heifer Fertility	-3.3	101	-3.0
Fertility	Cow Fertility	-0.6	108	0.7
	Longevity	12.5	115	5.7
Carcass	IMF	1.5	106	0.7
	Carcass weight	3.5	104	0.6
	EMA	0.9	102	0.6
	Rib Fat	0.0	102	-0.2
	MF	-0.5	99	-0.4

Selection Value	Herd Avg
Calving Ease Value	104
Calf Growth Value	109
Milk Value	82
Maintenance Value	104
Fertility Value	105


- Average of live animals in the breed: 100
- Above 100: **more favourable**,
- Below 100: **less favourable**

What does a sub-selection value above breed average (100) mean?:

Calving ease: Smaller calf at birth - easier calving
 Calf growth: Heavier calves at wean due to growth potential of the calf
 Milk: Cows with more milk and better mothering ability
 Maintenance: Animals with low maintenance requirements (lower mature weight).
 Fertility: Cows/daughters that calve

Genetic Trends for On-Farm Traits

The graphs show the genetic gain of the herd relative to the breed. Only data of animals with measurements are included.




Herd

Birth Year	Calving Ease				Calf Growth			Milk			Maintenance				Fertility							
	Birth Weight		Mat EBV	Calv. Ease	Weaning Weight		Calf Growth	Milk (Wn.Mat.)		Milk	Postwean Weight		Mature Weight		Mainte- nance	Heifer Fert.		Cow Fert.		Longevity		Ferti- lity
	Number	Dir EBV			Number	EBV		Number	EBV		Number	EBV	Number	EBV		Number	EBV	Number	EBV	Number	EBV	
2019																				9	10.0	
2020																				6	14.8	
2021	5	1.08	-0.09	100												4	3.4			11	5.7	93
2022																4	3.5			2	10.2	98
2023																1	11.8					94
2024	3	1.08	-0.45	103																		
2025	7	0.42	-0.55	112																		

Breed

Birth Year	Calving Ease				Calf Growth			Milk			Maintenance					Fertility						
	Birth Weight		Mat EBV	Calv. Ease	Weaning Weight		Calf Growth	Milk (Wn.Mat.)		Milk	Postwean Weight		Mature Weight		Maintenance	Heifer Fert.		Cow Fert.		Longevity		Fertility
	Number	Dir EBV			Number	EBV		Number	EBV		Number	EBV	Number	EBV		Number	EBV	Number	EBV	Number	EBV	
2016	667	0.14	0.02	106	280	0.5	96	280	6.17	96	213	1.9	17	-9	109	776	-1.2	388	-0.8	6283	-0.5	103
2017	787	0.38	0.22	102	405	0.6	96	405	3.81	92	309	0.3	33	-8	111	792	-1.4	308	-0.5	10269	-0.4	102
2018	1181	0.41	0.13	103	815	-1.5	91	815	2.61	90	823	-0.8	19	-20	113	664	-3.9	399	-0.9	9178	2.2	106
2019	1380	0.49	0.18	102	901	-0.1	94	901	1.36	87	896	0.7	27	-27	112	1006	-2.1	462	-0.4	11800	2.0	103
2020	2127	0.62	0.00	102	556	1.9	100	556	7.34	98	273	4.8	24	-8	103	663	-3.4	266	-0.7	11208	1.6	105
2021	2398	0.52	-0.06	103	592	0.1	95	592	4.25	93	254	0.2	21	-5	112	401	-4.8	137	-1.0	8891	1.5	107
2022	2092	0.47	-0.13	104	478	2.4	101	478	1.61	88	260	4.2	15	14	108	281	-1.8	51	-0.4	2264	1.9	102
2023	1685	0.41	-0.26	106	486	2.6	101	486	1.35	87	182	4.8	5	-1	107	85	-5.7	2	0.1			111
2024	1553	0.43	-0.23	106	310	3.6	104	310	2.16	89	66	18.9			90	1	-26.9					142
2025	1506	0.44	-0.05	105	260	3.3	103	260	1.32	87												
2026	103	0.30	-0.04	107																		

Genetic Trends for Carcass Traits



Herd

Birth Year	Carcass														
	IMF			Carcass weight			EMA			RibFat			Marble Fineness		
	Number	EBV	EBVi	Number	EBV	EBVi	Number	EBV	EBVi	Number	EBV	EBVi	Number	EBV	EBVi
2019															
2020															
2021	8	-0.6	90	8	1.2	101	8	3.1	117	5	-4.1	60			
2022															
2023															

Breed

Birth Year	Carcass														
	IMF			Carcass weight			EMA			Rib Fat			Marble Fineness		
	Number	EBV	EBVi	Number	EBV	EBVi	Number	EBV	EBVi	Number	EBV	EBVi	Number	EBV	EBVi
2013	17	0.5	99	776	-0.2	99	361	0.7	101	346	0.1	103	5	-4.5	75
2014	16	-1.0	87	541	-3.9	94	301	1.7	108	269	-0.1	100	4	-0.1	102
2015	36	-0.6	90	589	-7.1	89	548	1.0	103	520	-0.2	100	6	0.4	105
2016	124	-0.8	88	588	-0.5	98	322	0.1	96	211	0.4	105	5	2.1	115
2017	732	-0.5	91	1244	-0.2	99	1116	0.1	96	272	0.1	102	17	0.3	104
2018	1945	0.0	95	1968	0.0	99	1939	0.0	96	87	0.0	102	22	0.0	103
2019	2810	0.3	97	2821	-0.8	98	2751	0.8	101	210	-0.6	96	59	0.2	104
2020	4625	0.7	100	4680	0.4	100	4654	0.5	99	711	-0.3	99	91	-1.2	95
2021	3442	0.9	102	3604	-0.1	99	3594	0.5	99	3273	-0.3	99	529	-0.5	99
2022	3263	1.0	102	3310	-0.9	98	3261	0.3	98	3177	-0.4	98	2735	-1.1	96
2023	1740	1.2	104	1746	1.2	101	1737	0.5	99	1696	0.0	102	1743	-1.2	95
2024	16	-0.6	89	16	0.0	99	16	0.3	98	15	-0.5	97	16	0.2	104

WAGYU Sires

Sire			Growth						Carcass					Stats				
ID	Parentage	Sire ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Daughters with calves	Active 2yrs & older	Carcasses
Name	Gen. DNA	Dam ID																
AKAUSHI																		
BOS 180026		H0518E	106	134	133	134	122	85	85	87	137	40	77	6	44	3	18	15
FB		V7297U	0.61	14.8	22.9	30.4	38	0.3	-1.2	-8.3	5.9	-6.1	-4.1					
BOS BLANCO BOS180026			91%	80%	80%	80%	79%	80%	86%	87%	85%	86%	80%					
CCCCFH0037		B0125	90	117	117	124	102	85	99	76	94	79	95	25	133	50	50	3
FB		B218	2.07	8.6	14.0	22.7	8	0.0	0.6	-16.4	-0.3	-2.3	-1.3					
BALD RIDGE HENSHIN			96%	94%	95%	95%	94%	94%	95%	95%	95%	95%	94%					
FB12909		C0402	96	141	140	138	127	86	97	107	129	87	87	6	12	5	6	
FB		FB12108	1.51	17.5	26.9	33.0	43	0.4	0.3	5.6	4.7	-1.5	-2.6					
VBV ROA RED GALAXY			61%	43%	40%	38%	25%	31%	42%	42%	38%	36%	25%					
HBCFV2139		AL502	104	110	109	116	90	77	103	101	98	84	83	35	181	81	54	5
FB		J19461	0.78	5.9	8.9	16.5	-7	-4.3	1.1	1.3	0.3	-1.7	-3.2					
HEART BRAND RED EMPEROR (USA)			97%	94%	96%	95%	94%	94%	96%	96%	95%	95%	94%					
J251830R		DAI10	100	138	134	135	126	83	92	103	98	62	79	14	85	42	21	
FB		92958WGU	1.19	16.6	23.4	31.2	43	-1.0	-0.3	3.0	0.3	-3.9	-3.8					
HIKARI J251830R			84%	50%	64%	53%	39%	46%	68%	68%	61%	61%	46%					
ZEWB180192		C4081S	99	131	130	132	116	85	93	119	122	78	82	3	5	1	4	
FB		1145Z	1.23	13.7	21.4	29.1	29	0.2	-0.2	13.7	3.8	-2.4	-3.3					
ZEWB180192			51%	17%	34%	25%	12%	13%	32%	32%	28%	29%	22%					
ZEWB190053		733D	90	128	127	131	113	88	108	105	96	97	85	6	48	1	15	
PBD		AF9202	2.04	12.7	19.5	28.0	24	1.6	1.6	4.2	0.1	-0.4	-2.9					
ZEWB190053			93%	87%	87%	84%	84%	84%	86%	86%	85%	85%	85%					
JAPANESE BLACK																		
AACFF0758		AACFB0545	63	149	149	141	137	78	99	162	88	137	94	17	182	63	70	20
FB		WESFZ0084	4.53	20.7	32.2	35.8	58	-3.7	0.5	44.3	-1.1	3.5	-1.4					
WESTHOLME HIRAMICHI TSURU			94%	81%	59%	71%	41%	51%	88%	87%	83%	78%	68%					
BA 180010		IMJFAJ2810	109	91	89	97	87	72	102	76	113	76	106	4	74	5	52	
PEN		BA 100410	0.29	-1.3	-2.1	2.4	-11	-7.3	0.9	-15.9	2.5	-2.6	0.6					
WOODVIEW BA180010			93%	86%	85%	85%	85%	85%	86%	86%	86%	86%	85%					
BB 180298		SMOFF0126	95	124	119	118	95	78	102	150	122	156	120	3	54	3	47	
FB		KSOFFJ0064	1.57	11.3	15.1	18.0	-1	-3.6	0.9	35.8	3.8	5.4	2.8					
BB180298			85%	43%	47%	50%	36%	43%	52%	52%	49%	45%	32%					

WAGYU Sires

Sire			Growth					Carcass					Stats					
ID	Parentage	Sire ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Daughters with calves	Active 2yrs & older	Carcasses
Name	Gen. DNA	Dam ID																
JAPANESE BLACK																		
GINFB0901		ETJ001	122	84	82	88	85	88	90	93	136	57	79	26	150	40	52	13
FB		GINFZ0158	-0.92	-4.1	-6.1	-4.4	-15	1.8	-0.6	-4.0	5.8	-4.5	-3.8					
GINJO MARBLEMAX HIRANAMI B901		94%	92%	92%	92%	92%	92%	93%	94%	93%	92%	92%						
IMUFP0036		J1185	119	99	108	117	102	113	78	98	55	143	141	36	152	80	39	5
FB		DAI2	-0.58	1.6	8.7	17.7	9	15.9	-2.1	-0.7	-5.8	4.1	6.2					
TF ITOMICHI 1/2		96%	93%	93%	92%	92%	93%	95%	95%	94%	93%	92%						
MOI 190008		IMUFP0036	119	91	96	103	85	91	89	85	86	110	123	4	24	1	13	
FB		OVE 080003	-0.59	-1.2	1.5	7.2	-15	3.5	-0.7	-10.1	-1.4	0.9	3.3					
MOI190008		83%	57%	46%	42%	48%	49%	54%	54%	52%	49%	37%						
SMOFF0154		IMUFM1615	101	90	85	81	87	67	143	104	94	122	99	32	284	101	143	20
FB		SMOFC0016	1.10	-1.8	-4.5	-9.9	-12	-9.7	6.1	3.4	-0.2	2.0	-0.5					
SUMO CATTLE CO MICHIFUKU F154 (AI)		99%	98%	98%	98%	98%	98%	98%	98%	98%	98%	98%						
SWK 190060		SMOFF0154	93	108	105	101	89	77	143	109	123	123	91	10	127	12	48	1
FB		GRSFF0149	1.82	5.2	6.8	5.1	-8	-4.7	6.1	6.5	3.9	2.1	-1.9					
MICHIFUKU Q060		97%	96%	96%	96%	95%	95%	96%	96%	95%	96%	95%						
SWK 210153		CCOFG0113	109	105	108	103	101	86	137	100	110	110	85	9	281		112	
FB		SWK 190061	0.29	4.0	8.7	7.3	8	0.5	5.3	0.7	2.0	0.9	-2.9					
ITOSHIGENAMI		97%	96%	95%	95%	94%	95%	94%	94%	94%	94%	94%						
WESFZ0278		ETJ001	109	112	111	117	97	85	98	96	102	58	83	39	145	33	43	11
PEN		0001	0.31	6.5	10.2	17.2	2	0.0	0.4	-2.5	0.9	-4.3	-3.2					
WESTHOLME HIRASHIGETAYASU Z278		96%	94%	94%	93%	93%	93%	95%	95%	94%	93%	93%						

WAGYU Dams

Dam				Growth					Carcass					Stats				
ID	Parentage	Sire ID		Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name		Gen. DNA	Dam ID															
AKAUSHI																		
B563			IMUFN2124	104	108	109	112	102	86	106	101	133	92	87	8	18	6	1
FB			RWAFT0010	0.79	5.1	8.9	13.4	10	0.8	1.4	1.5	5.3	-1.0	-2.5				
KALANGA SHIGEYUKO B563 (AI)				64%	44%	49%	29%	31%	40%	48%	52%	48%	45%	25%				
BOS 180012			HBCFV2139	113	110	111	116	97	83	104	96	110	83	86	2	3	1	
FB			KALFB0005	-0.04	5.8	10.3	16.5	2	-1.2	1.2	-1.9	2.1	-1.9	-2.8				
BOS BLANCO BOS180012				53%	37%	49%	45%	29%	35%	46%	46%	44%	44%	36%				
BOS 180031		✓	2142A	94	126	127	132	109	92	83	89	112	77	104	2	3	3	
FB		✓	V7297U	1.66	12.0	19.7	28.7	18	4.0	-1.4	-7.0	2.3	-2.4	0.2				
BOS BLANCO BOS180031				47%	25%	36%	34%	7%	9%	39%	39%	35%	29%	14%				
KALFD0003				113	122	124	124	112	89	90	98	129	59	82	10	13	6	
FB			VW36	-0.05	10.6	17.8	23.0	23	2.2	-0.6	-0.9	4.7	-4.3	-3.3				
KALANGA SHIGE HOMARE D003				56%	22%	43%	36%	19%	16%	29%	31%	27%	29%	19%				
KALFG0009			C0402	95	133	130	129	123	80	99	107	126	93	87	5	14	4	
FB			KALFC0012	1.64	14.7	21.1	26.3	39	-2.6	0.6	5.5	4.3	-0.9	-2.5				
KALANGA TAMAYUKO G0009				62%	40%	54%	51%	29%	31%	49%	49%	45%	44%	32%				
JAPANESE BLACK																		
BA 180013		✓	AACFF0758	76	130	123	120	117	91	97	131	90	122	103	4	13	11	
FB		✓	BA 100410	3.40	13.6	17.1	19.6	31	3.5	0.3	22.5	-0.9	2.0	0.1				
WOODVIEW BA180013				69%	46%	32%	65%	23%	37%	52%	52%	48%	45%	36%				
FB18024			FB2501	121	81	74	75	65	62	116	65	125	89	111	5	15	7	2
FB			FB6120	-0.79	-5.0	-11.0	-14.1	-42	-12.9	2.7	-23.9	4.1	-1.3	1.4				
ESF SANJ - 96				69%	46%	46%	43%	37%	43%	59%	61%	56%	53%	37%				
FB24518				110	101	103	106	85	91	116	96	123	96	87	2	3	3	
FB			FB8839	0.17	2.5	6.0	9.2	-15	3.2	2.8	-2.2	3.9	-0.5	-2.5				
STUD HIKO 418				39%	32%	34%	36%	17%	32%	26%	26%	25%	24%	19%				
KALFC0031		✓	HBCFV2139	100	149	151	150	113	67	84	118	109	67	83	10	20	9	
FB		✓	STAFT0066	1.14	20.7	33.2	42.4	24	-10.2	-1.3	13.5	1.9	-3.5	-3.1				
KALANGA F C031				67%	37%	68%	68%	29%	35%	62%	62%	57%	57%	40%				
KF 180006			PK 140005	105	92	90	94	76	77	94	104	84	113	122	2	4	4	
FB			KF 120008	0.68	-0.8	-1.5	0.0	-27	-4.6	-0.1	3.7	-1.7	1.1	3.1				
180006				86%	84%	85%	84%	83%	84%	86%	86%	85%	85%	84%				
KF 180007			PK 140005	98	92	90	93	80	77	84	110	78	93	115	2	6	5	
FB			KF 120008	1.30	-0.8	-1.6	-0.5	-22	-4.4	-1.4	7.6	-2.5	-0.9	2.0				
180007				86%	84%	85%	84%	83%	84%	86%	86%	85%	85%	84%				

WAGYU Dams

Dam				Growth					Carcass					Stats				
ID	Parentage	Sire ID		Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name		Gen. DNA	Dam ID															
JAPANESE BLACK																		
KF 190005		 IMUFP0036		114	106	108	114	96	97	100	91	99	120	114	2	5	2	
FB		 FB24518		-0.12	4.4	8.8	15.1	0	6.8	0.7	-5.7	0.4	1.8	1.8				
KF190005					84%	82%	82%	82%	81%	82%	83%	83%	83%	82%				
KFX 140008		KF 120002		101	96	97	99	93	98	97	90	64	125	124	1	1	1	
F1		L22		1.09	0.6	2.5	3.5	-4	7.2	0.4	-6.3	-4.6	2.3	3.4				
KFX140008					54%	52%	58%	33%	22%	32%	45%	45%	43%	30%				
OVE 080003		IMJFAJ2810		127	82	82	88	75	73	100	71	117	77	105	2	37	18	
FB		BYWFWZ0234		-1.32	-4.8	-6.5	-4.2	-28	-6.4	0.7	-19.5	3.1	-2.4	0.3				
NFUKI					76%	57%	62%	58%	51%	60%	66%	66%	63%	62%				
RRW 190009		FB2501		124	89	85	87	73	66	113	73	113	86	101	1	1	1	
FB		 FB21944		-1.11	-2.2	-4.7	-5.4	-32	-10.3	2.3	-18.1	2.5	-1.6	-0.3				
RRW0009					51%	44%	43%	42%	36%	42%	45%	47%	45%	44%				
RRW 190012		 BDWFM0495		98	95	93	97	82	83	113	156	120	153	104	1	3	3	
FB		 KSOFJ0064		1.33	0.3	-0.1	2.7	-19	-0.9	2.4	40.1	3.5	5.1	0.3				
RRW0012					88%	86%	87%	86%	85%	86%	87%	87%	87%	86%				
RRW 210001		 WESFZ0278		94	107	105	109	90	80	92	97	80	76	102	1	4	3	
FB		 KF 180007		1.73	4.9	7.1	11.6	-7	-2.9	-0.3	-1.8	-2.2	-2.5	-0.1				
RRW210001					86%	85%	85%	84%	83%	84%	85%	85%	85%	84%				
RRW 210002		 WESFZ0278		106	113	110	114	93	81	112	99	96	77	85	1	4	1	
FB		 KF 180006		0.60	6.9	9.8	15.2	-3	-2.1	2.2	-0.3	0.1	-2.5	-2.8				
RRW210002					86%	85%	85%	84%	83%	84%	85%	85%	85%	84%				
RRW 210003		AACFF0758		96	127	116	113	105	72	106	118	101	111	97	1	2	1	
FB		 RRW 190009		1.52	12.2	13.4	14.7	13	-7.1	1.4	13.1	0.7	1.0	-0.8				
RRW210003					56%	46%	37%	41%	27%	33%	49%	49%	47%	45%				
RRW 210005		AACFF0758		81	130	121	119	109	81	106	159	104	145	99	1	2	1	
FB		 RRW 190012		2.91	13.6	16.0	19.2	20	-2.3	1.5	42.2	1.2	4.3	-0.6				
RRW210005					58%	47%	40%	44%	28%	34%	52%	52%	49%	46%				
RRW 210014		BOS 180026		98	117	117	118	108	91	91	89	101	80	101	1	2	1	
F2		 KFX 140008		1.33	8.7	13.9	18.3	17	3.6	-0.4	-7.3	0.7	-2.2	-0.3				
RRW210014					67%	28%	32%	19%	13%	18%	42%	44%	40%	39%				
RRW 210017		BB 180298		97	110	106	108	89	81	108	153	121	154	112	1	1	1	
FB		 RRW 190012		1.45	5.8	7.5	10.4	-10	-2.2	1.6	37.9	3.6	5.3	1.6				
RRW210017					52%	32%	35%	36%	26%	31%	38%	39%	36%	33%				
RRW 220004		ZEWB180192		102	112	110	113	96	81	94	112	103	95	102	1	1	1	
PBD		 KF 180006		0.95	6.5	10.0	14.6	1	-2.2	-0.1	8.7	1.0	-0.6	-0.1				
RRW220004					39%	22%	29%	22%	16%	20%	32%	32%	29%	27%				

WAGYU Dams

Dam				Growth						Carcass					Stats			
ID	Parentage	Sire ID		Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name	Gen. DNA	Dam ID																
JAPANESE BLACK																		
RRW 220010	✓	GINFB0901		119	83	79	82	75	75	103	79	131	73	95				
FB	✓	FB18024		-0.59	-4.2	-8.0	-8.6	-28	-5.4	1.1	-13.9	5.0	-2.9	-1.2	1	1		
RRW220010				57%	35%	32%	33%	30%	35%	49%	50%	45%	42%	29%				
RRW 220012	✓	BA 180010		104	93	91	97	85	77	108	116	117	114	105				
FB	✓	RRW 190012		0.77	-0.5	-1.2	2.5	-15	-4.1	1.7	12.1	3.0	1.3	0.4	1	1		
RRW220012				57%	34%	34%	34%	26%	33%	38%	39%	37%	33%	24%				
RRW 220013	✓	SMOFF0154		98	98	95	95	89	73	117	100	87	99	101				
FB	✓	RRW 210001		1.30	1.4	1.1	0.6	-10	-6.4	2.9	0.8	-1.2	-0.3	-0.3	1	1		
RRW220013				59%	46%	50%	46%	40%	43%	52%	52%	50%	49%	44%				
RRW 230002	✓	SMOFF0154		99	91	88	87	83	72	113	107	86	107	107				
FB	✓	KF 180007		1.20	-1.3	-3.1	-5.2	-17	-7.1	2.4	5.5	-1.4	0.6	0.8	1	1		
RRW230002				56%	45%	50%	45%	40%	43%	53%	53%	51%	50%	45%				
RRW 230009	✓	SWK 190060		90	109	106	106	90	78	117	103	102	100	96				
FB	✓	RRW 210001		2.03	5.4	7.4	8.9	-8	-3.6	2.9	2.4	0.9	-0.2	-1.0	1	1		
RRW230009				58%	48%	47%	42%	26%	31%	43%	43%	40%	41%	34%				

WAGYU Bulls

Inbreeding >6% is high				<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed															
Bull				Selection Value					Calf weight		Mother		Growth		Fertility			Carcass				
ID	%Inbreeding	Parentage		Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn. Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
Name		Genomic	Sire ID																			
AKAUSHI																						
AT 180006	5	✓	CCCFH0037	96	149	63	87	150	97	149	93	63	150	113	150	151	128	100	102	102	98	95
FB		✓	KALFC0031	79%	36%	34 %	32%	30%	1.43	20.7	-0.04	-12.3	37.2	24	-29.2	-7.9	18.8	0.6	1.8	0.8	-0.3	-1.2
AVE HONG NANHAI									85 %	36 %	57%	34%	69%	32%	45%	14%	70 %	66 %	69 %	63 %	68 %	40 %
JAPANESE BLACK																						
MOI 190008	1	✓	IMUFP0036	124	91	91	115	116	119	91	107	91	100	85	124	110	107	89	85	86	110	123
FB		✓	OVE 080003	78%	57%	49 %	48%	36%	-0.59	-1.2	-0.61	3.5	3.9	-15	-15.6	-0.9	8.9	-0.7	-10.1	-1.4	0.9	3.3
MOOIPLAATS MOI190008									83 %	57 %	57%	49%	44%	48%	48%	24%	65 %	54 %	54 %	52 %	49 %	37 %
RRW 230010	3	✓	SWK 190060	102	110	79	109	95	99	110	118	79	107	91	87	101	114	127	104	110	100	88
FB		✓	RRW 210002	53%	48%	31 %	26%	28%	1.21	6.0	-1.06	-3.4	8.8	-6	3.8	0.4	12.0	4.1	3.1	2.0	-0.2	-2.4
ROYAL RUBY RRW230010									56 %	48 %	43%	31%	44%	26%	37%	18%	46 %	43 %	43 %	40 %	41 %	34 %
RRW 240003	3	✓	BB 180298	103	117	88	105	104	101	117	102	88	116	95	101	107	114	101	121	110	138	117
FB		✓	KF 190005	59%	30%	29 %	24%	25%	1.10	8.6	-0.42	1.5	14.9	0	-3.6	-0.3	12.3	0.8	15.1	2.1	3.6	2.3
ROYAL RUBY RRW240003									65 %	30 %	38%	29%	30%	24%	33%	17%	44 %	34 %	34 %	33 %	30 %	22 %
RRW 240004	8	✓	SWK 210153	105	107	83	105	91	103	107	101	83	106	95	83	100	116	122	127	115	132	98
FB		✓	RRW 210017	48%	44%	29 %	23%	22%	0.87	4.9	-0.37	-0.9	8.1	-1	6.0	1.0	13.2	3.5	19.3	2.8	3.1	-0.7
ROYAL RUBY RRW 240004									52 %	44 %	32%	29%	40%	23%	31%	13%	39 %	29 %	29 %	28 %	27 %	21 %
RRW 250007	2		MOI 190008	101	111	86	103	101	100	111	100	86	110	97	102	101	113	98	122	95	127	111
PEN			RRW 210005	49%	37%	30 %	28%	26%	1.16	6.2	-0.35	0.6	10.6	2	-4.2	0.6	11.5	0.4	16.1	-0.1	2.6	1.4
ROYAL RUBY RRW 250007									51 %	37 %	39%	30%	31%	28%	36%	17%	44 %	38 %	37 %	36 %	34 %	27 %
RRW 250010	3		MOI 190008	114	98	86	112	99	109	98	107	86	103	88	99	99	108	90	91	83	93	112
PEN			RRW 210001	59%	37%	30 %	28%	25%	0.27	1.3	-0.62	0.4	5.7	-11	-2.8	0.8	9.4	-0.5	-6.0	-1.8	-0.8	1.6
ROYAL RUBY RRW 250010									64 %	37 %	39%	30%	30%	28%	33%	17%	43 %	37 %	37 %	35 %	32 %	25 %
RRW 250011	3		MOI 190008	119	101	86	111	98	114	101	107	86	105	89	99	98	114	100	92	91	94	104
PEN			RRW 210002	60%	37%	30 %	28%	24%	-0.17	2.5	-0.63	0.8	7.6	-9	-2.5	1.0	12.3	0.7	-5.2	-0.7	-0.8	0.2
ROYAL RUBY RRW 250011									65 %	37 %	40%	30%	30%	28%	32%	17%	43 %	37 %	37 %	35 %	32 %	25 %
RRW 250012	3		MOI 190008	104	102	85	113	106	99	102	110	85	105	87	106	106	107	103	94	94	105	110
PEN			RRW 230009	58%	37%	29 %	27%	23%	1.20	3.0	-0.73	-0.2	7.1	-12	-6.0	-0.3	9.0	1.1	-3.9	-0.3	0.3	1.1
ROYAL RUBY RRW 250012									64 %	37 %	37%	29%	32%	27%	31%	15%	40 %	35 %	35 %	33 %	32 %	25 %

WAGYU Cows

Inbreeding >6% is high

<75

75 - 125

>125

Breeding values with an accuracy < 5% are not printed

Cow		Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas				
ID	Parentage	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
Name	%Inbreeding Genomic DNA Sire ID Dam ID																			
AKAUSHI																				
RRW 200006	7		CCC FH0037				96	124	83	83	124	115	140	132	121	100	95	113	83	86
FB			KALFG0009				1.52	11.2	0.36	-0.9	19.9	27	-24.1	-4.7	15.4	0.7	-2.9	2.5	-1.9	-2.7
ROYAL RUBY RRW200006							85 %	83 %	84 %	83 %	84 %	83 %	84 %	82 %	86 %	84 %	84 %	84 %	84 %	83 %
RRW 200010	2		CCC FH0037				96	113	84	85	115	101	150	128	132	102	80	116	78	91
FB			B563				1.48	7.0	0.30	0.2	13.8	8	-29.1	-4.0	20.4	0.9	-13.7	2.9	-2.4	-1.9
ROYAL RUBY RRW200010							84 %	82 %	84 %	82 %	84 %	82 %	83 %	81 %	85 %	83 %	84 %	83 %	83 %	82 %
RRW 200011	2		HBCFV2139				110	125	106	81	124	109	145	144	129	94	103	119	65	79
FB			KALFD0003				0.21	11.4	-0.56	-2.1	20.0	19	-26.3	-6.8	19.0	0.0	2.4	3.4	-3.7	-3.8
ROYAL RUBY RRW200011							85 %	83 %	84 %	83 %	84 %	83 %	84 %	82 %	85 %	84 %	84 %	84 %	84 %	83 %
RRW 230007	4		J251830R				97	132	82	88	132	117	130	134	111	88	96	105	70	91
FB			BOS 180031				1.42	14.3	0.39	1.5	25.4	30	-18.9	-5.0	10.7	-0.9	-2.0	1.3	-3.2	-1.8
ROYAL RUBY RRW230007							47 %	28 %	43 %	23 %	34 %	20 %	40 %	15 %	52 %	39 %	39 %	35 %	34 %	24 %
RRW 230008	2		FB12909				104	125	87	84	126	112	126	133	114	100	102	119	85	86
FB			BOS 180012				0.74	11.7	0.19	-0.4	21.3	23	-16.5	-4.8	12.2	0.7	1.9	3.4	-1.7	-2.7
ROYAL RUBY RRW230008							40 %	29 %	34 %	24 %	30 %	19 %	32 %	11 %	42 %	31 %	31 %	29 %	28 %	22 %
JAPANESE BLACK																				
KF 190005	2		IMUFP0036				114	106	91	97	112	96	121	108	127	100	91	99	120	114
FB			FB24518				-0.12	4.4	0.04	6.8	11.6	0	-14.1	-0.7	17.9	0.7	-5.7	0.4	1.8	1.8
KFPB KF190005							84 %	82 %	83 %	82 %	82 %	81 %	82 %	81 %	85 %	83 %	83 %	83 %	82 %	81 %
RRW 210001	4		WESFZ0278				94	107	107	80	108	90	75	90	109	92	97	80	76	102
FB			KF 180007				1.73	4.9	-0.60	-2.9	9.0	-7	10.1	2.4	9.9	-0.3	-1.8	-2.2	-2.5	-0.1
ROYAL RUBY RRW210001							86 %	85 %	85 %	84 %	84 %	83 %	84 %	83 %	86 %	85 %	85 %	85 %	84 %	84 %
RRW 210002	4		WESFZ0278				106	113	107	81	112	93	74	87	122	112	99	96	77	85
FB			KF 180006				0.60	6.9	-0.63	-2.1	12.1	-3	10.6	2.9	15.6	2.2	-0.3	0.1	-2.5	-2.8
ROYAL RUBY RRW210002							86 %	85 %	86 %	84 %	84 %	83 %	84 %	83 %	86 %	85 %	85 %	85 %	84 %	84 %
RRW 210003	4		AACFF0758				96	127	112	72	115	105	87	93	116	106	118	101	111	97
FB			RRW 190009				1.52	12.2	-0.81	-7.1	13.7	13	3.8	1.9	13.0	1.4	13.1	0.7	1.0	-0.8
ROYAL RUBY RRW210003							56 %	46 %	51 %	33 %	39 %	27 %	51 %	25 %	56 %	49 %	49 %	47 %	45 %	38 %
RRW 210005			AACFF0758				81	130	94	81	120	109	80	92	118	106	159	104	145	99
FB			RRW 190012				2.91	13.6	-0.10	-2.3	17.2	20	7.3	2.0	14.0	1.5	42.2	1.2	4.3	-0.6
ROYAL RUBY RRW210005							58 %	47 %	53 %	34 %	42 %	28 %	53 %	23 %	58 %	52 %	52 %	49 %	46 %	38 %
RRW 210014			BOS 180026				98	117	82	91	118	108	114	113	101	91	89	101	80	101
F2			KFX 140008				1.33	8.7	0.37	3.6	15.7	17	-10.2	-1.6	6.1	-0.4	-7.3	0.7	-2.2	-0.3
ROYAL RUBY RRW210014							67 %	28 %	32 %	18 %	26 %	13 %	38 %	11 %	48 %	42 %	44 %	40 %	39 %	19 %

WAGYU Cows

Inbreeding >6% is high

<75

75 - 125

>125

Breeding values with an accuracy < 5% are not printed

Cow		Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas				
ID	Parentage	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
Name	%Inbreeding Genomic DNA Sire ID Dam ID																			
JAPANESE BLACK																				
RRW 210017	16	BB 180298					97	110	99	81	107	89	70	97	111	108	153	121	154	112
FB		RRW 190012					1.45	5.8	-0.30	-2.2	8.5	-10	12.8	1.2	10.6	1.6	37.9	3.6	5.3	1.6
ROYAL RUBY RRW210017			49 %	32 %	31 %	26 %	52 %	32 %	39 %	31 %	36 %	26 %	45 %	18 %	48 %	38 %	39 %	36 %	33 %	23 %
RRW 220004		ZEWB180192					102	112	104	81	112	96	89	110	120	94	112	103	95	102
PBD		KF 180006					0.95	6.5	-0.48	-2.2	11.9	1	2.5	-0.9	14.8	-0.1	8.7	1.0	-0.6	-0.1
ROYAL RUBY RRW220004			38 %	22 %	20 %	16 %	39 %	22 %	34 %	20 %	26 %	16 %	40 %	12 %	45 %	32 %	32 %	29 %	27 %	22 %
RRW 220007	1	GINFB0901					122	83	99	75	80	75	88	103	110	103	79	131	73	95
FB		FB18024					-0.85	-4.5	-0.29	-5.5	-9.3	-28	3.2	0.1	10.1	1.1	-13.9	5.0	-2.9	-1.2
ROYAL RUBY RRW220007			53 %	35 %	35 %	30 %	54 %	35 %	48 %	35 %	32 %	30 %	45 %	25 %	56 %	49 %	50 %	45 %	42 %	29 %
RRW 220010	1	GINFB0901					119	83	95	75	81	75	89	103	110	103	79	131	73	95
FB		FB18024					-0.59	-4.2	-0.13	-5.4	-8.7	-28	2.8	0.1	10.2	1.1	-13.9	5.0	-2.9	-1.2
ROYAL RUBY RRW220010			56 %	35 %	35 %	30 %	57 %	35 %	53 %	35 %	32 %	30 %	50 %	25 %	57 %	49 %	50 %	45 %	42 %	29 %
RRW 220012	5	BA 180010					104	93	100	77	94	85	89	103	108	108	116	117	114	105
FB		RRW 190012					0.77	-0.5	-0.34	-4.1	0.3	-15	2.6	0.1	9.3	1.7	12.1	3.0	1.3	0.4
ROYAL RUBY RRW220012			55 %	34 %	33 %	26 %	57 %	34 %	47 %	33 %	34 %	26 %	45 %	20 %	50 %	38 %	39 %	37 %	33 %	24 %
RRW 220013	4	SMOFF0154					98	98	112	73	95	89	82	109	106	117	100	87	99	101
FB		RRW 210001					1.30	1.4	-0.82	-6.4	0.5	-10	6.2	-0.9	8.6	2.9	0.8	-1.2	-0.3	-0.3
ROYAL RUBY RRW220013			58 %	46 %	43 %	40 %	59 %	46 %	56 %	43 %	48 %	40 %	54 %	27 %	56 %	52 %	52 %	50 %	49 %	44 %
RRW 230001	2	SMOFF0154					88	110	97	79	102	102	96	119	121	120	118	92	122	101
FB		BA 180013					2.25	5.9	-0.20	-3.1	5.2	9	-1.0	-2.5	15.5	3.2	13.0	-0.5	2.0	-0.2
ROYAL RUBY RRW230001			58 %	46 %	43 %	39 %	59 %	46 %	53 %	43 %	50 %	39 %	51 %	28 %	56 %	53 %	52 %	50 %	50 %	44 %
RRW 230002	7	SMOFF0154					99	91	113	72	87	83	72	111	107	113	107	86	107	107
FB		KF 180007					1.20	-1.3	-0.87	-7.1	-4.5	-17	11.8	-1.2	9.1	2.4	5.5	-1.4	0.6	0.8
ROYAL RUBY RRW230002			55 %	45 %	43 %	40 %	56 %	45 %	52 %	43 %	48 %	40 %	54 %	27 %	57 %	53 %	53 %	51 %	50 %	45 %
RRW 230003	2	SMOFF0154					88	110	97	79	102	102	96	119	121	120	118	92	122	101
FB		BA 180013					2.25	5.9	-0.20	-3.1	5.2	9	-1.0	-2.5	15.5	3.2	13.0	-0.5	2.0	-0.2
ROYAL RUBY RRW230003			58 %	46 %	43 %	39 %	59 %	46 %	53 %	43 %	50 %	39 %	51 %	28 %	56 %	53 %	52 %	50 %	50 %	44 %
RRW 230004	7	SMOFF0154					99	91	113	72	87	83	75	112	107	113	107	86	107	107
FB		KF 180007					1.20	-1.3	-0.87	-7.1	-4.5	-17	9.8	-1.4	9.0	2.4	5.5	-1.4	0.6	0.8
ROYAL RUBY RRW230004			55 %	45 %	43 %	40 %	56 %	45 %	52 %	43 %	48 %	40 %	49 %	27 %	55 %	53 %	53 %	51 %	50 %	45 %
RRW 230009	3	SWK 190060					90	109	114	78	106	90	87	103	108	117	103	102	100	96
FB		RRW 210001					2.03	5.4	-0.90	-3.6	7.8	-8	3.6	0.2	9.2	2.9	2.4	0.9	-0.2	-1.0
ROYAL RUBY RRW230009			56 %	48 %	31 %	26 %	58 %	48 %	48 %	31 %	44 %	26 %	38 %	18 %	46 %	43 %	43 %	40 %	41 %	34 %
RRW 230011	4	ZEWB190053					94	123	79	90	124	110	133	128	117	99	97	98	88	93
F3		RRW 210014					1.69	10.7	0.53	2.6	19.5	20	-20.1	-4.0	13.5	0.6	-1.6	0.4	-1.3	-1.6
ROYAL RUBY RRW230011			50 %	33 %	13 %	8 %	56 %	33 %	26 %	13 %	23 %	8 %	26 %	7 %	37 %	32 %	32 %	29 %	30 %	20 %

WAGYU Cows

Inbreeding >6% is high

<75

75 - 125

>125

Breeding values with an accuracy < 5% are not printed

Cow			Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas				
ID	%Inbreeding	Parentage Genomic DNA Sire ID Dam ID	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
JAPANESE BLACK																					
RRW 240001	3	SWK 210153 RRW 210003	111	114	79	97	93	106	114	108	79	109	103	91	96	119	121	109	105	111	91
FB			59 %	47 %	29 %	23 %	24 %	0.58	7.5	-0.64	-3.2	9.8	10	1.5	1.4	14.4	3.4	6.9	1.3	0.9	-1.9
ROYAL RUBY RRW240001								65 %	47 %	36 %	29 %	40 %	23%	33%	16%	42 %	33 %	33 %	31 %	31 %	26 %
RRW 240002	4	SWK 210153 RRW 210005	96	118	83	95	91	95	118	98	83	113	105	88	95	120	121	130	107	128	92
FB			60 %	47 %	30 %	23 %	24 %	1.57	8.8	-0.27	-0.9	12.3	14	3.3	1.4	14.9	3.4	21.5	1.6	2.6	-1.7
ROYAL RUBY RRW240002								66 %	47 %	36 %	30 %	42 %	23%	34%	15%	42 %	34 %	34 %	32 %	31 %	26 %
RRW 240005	5	ZEWB190053 RRW 220004	94	120	84	96	126	96	120	89	84	121	104	121	126	126	101	108	100	96	93
PBD			44 %	32 %	14 %	9 %	17 %	1.50	9.6	0.10	-0.3	17.6	12	-13.8	-3.7	17.9	0.8	6.4	0.6	-0.5	-1.5
ROYAL RUBY RRW 240005								49 %	32 %	26 %	14 %	23 %	9 %	26%	8%	36 %	29 %	28 %	25 %	26 %	21 %
RRW 240006	2	SWK 210153 RRW 210001	105	106	83	104	89	101	106	105	83	107	96	85	94	116	114	98	95	93	93
FB			50 %	47 %	30 %	24 %	23 %	1.01	4.5	-0.52	-1.2	8.3	0	4.7	1.6	12.9	2.5	-0.5	-0.1	-0.8	-1.5
ROYAL RUBY RRW 240006								54 %	47 %	37 %	30 %	41 %	24%	31%	15%	42 %	33 %	33 %	32 %	30 %	24 %
RRW 250001	2	SWK 210153 RRW 210002	114	108	84	103	88	110	108	105	84	108	97	85	93	122	124	100	103	94	85
FB			61 %	47 %	30 %	24 %	22 %	0.21	5.0	-0.55	-0.8	9.2	2	4.9	1.9	15.7	3.7	0.2	1.0	-0.8	-2.9
ROYAL RUBY RRW 250001								67 %	47 %	38 %	30 %	41 %	24%	30%	15%	42 %	33 %	33 %	32 %	30 %	24 %
RRW 250002	4	SWK 210153 RRW 220012	110	99	82	107	97	107	99	101	82	100	93	92	101	115	122	108	113	112	95
FB			59 %	44 %	29 %	23 %	22 %	0.47	1.6	-0.40	-1.8	3.8	-4	1.0	0.5	12.6	3.5	6.4	2.5	1.1	-1.2
ROYAL RUBY RRW 250002								66 %	44 %	34 %	29 %	40 %	23%	31%	14%	39 %	29 %	29 %	28 %	27 %	22 %
RRW 250003	10	SWK 210153 RRW 220013	110	101	80	105	97	106	101	108	80	99	95	89	104	114	127	100	98	105	93
PEN			61 %	47 %	32 %	27 %	26 %	0.61	2.4	-0.64	-2.9	3.5	-1	2.7	0.0	12.2	4.1	0.8	0.4	0.3	-1.6
ROYAL RUBY RRW 250003								67 %	47 %	38 %	32 %	42 %	27%	34%	17%	42 %	34 %	34 %	33 %	32 %	28 %
RRW 250004	5	SWK 210153 RRW 220010	110	97	80	112	97	109	97	98	80	95	88	92	101	116	120	90	120	92	90
FB			60 %	45 %	30 %	24 %	24 %	0.35	0.9	-0.27	-2.6	0.8	-10	1.0	0.5	13.0	3.2	-6.6	3.5	-1.0	-2.1
ROYAL RUBY RRW 250004								66 %	45 %	36 %	30 %	39 %	24%	33%	16%	42 %	33 %	33 %	31 %	30 %	23 %
RRW 250005	1	MOI 190008 RRW 210014	109	104	91	104	115	108	104	95	91	109	96	119	111	104	90	87	93	95	112
PEN			50 %	32 %	26 %	25 %	22 %	0.37	3.7	-0.12	3.6	9.8	1	-12.9	-1.2	7.5	-0.6	-8.7	-0.3	-0.7	1.5
ROYAL RUBY RRW 250005								54 %	32 %	33 %	26 %	26 %	25%	31%	13%	40 %	34 %	35 %	33 %	31 %	21 %
RRW 250006	1	MOI 190008 RRW 210003	112	109	82	105	102	107	109	109	82	107	95	106	101	111	97	101	93	111	110
PEN			48 %	37 %	30 %	27 %	26 %	0.47	5.5	-0.71	-1.8	8.8	-1	-5.9	0.5	11.0	0.4	1.5	-0.3	0.9	1.2
ROYAL RUBY RRW 250006								50 %	37 %	38 %	30 %	30 %	27%	35%	17%	43 %	37 %	37 %	35 %	33 %	26 %
RRW 250008	2	MOI 190008 RRW 230002	115	91	82	116	105	109	91	110	82	94	84	98	110	107	101	96	86	109	115
PEN			48 %	36 %	33 %	31 %	27 %	0.31	-1.3	-0.74	-1.8	-0.3	-16	-1.9	-1.0	9.0	0.8	-2.3	-1.4	0.7	2.0
ROYAL RUBY RRW 250008								50 %	36 %	39 %	33 %	32 %	31%	36%	18%	43 %	38 %	38 %	36 %	35 %	29 %



CWB

BREEDING VALUE REPORT

June 2026



AGRIBUSINESS INSTITUTE (PTY) L

Herd Number: 8469809


E-mail: neil@invitroafrica.com



**WAGYU
SOCIETY**
OF SOUTH AFRICA



**CERTIFICATE
OF QUALITY**
Valid up to
October 2029



CWB Dams

Dam			Growth					Carcass					Stats				
ID	Parentage	Sire ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name	Gen. DNA	Dam ID															
AKAUSHI																	
B563		IMUFN2124	104	108	109	112	102	86	106	101	133	92	87	8	18	6	1
FB		RWAFT0010	0.79	5.1	8.9	13.4	10	0.8	1.4	1.5	5.3	-1.0	-2.5				
KALANGA SHIGEYUKO B563 (AI)			64%	44%	49%	29%	31%	40%	48%	52%	48%	45%	25%				
BOS 180012		HBCFV2139	113	110	111	116	97	83	104	96	110	83	86	2	3	1	
FB		KALFB0005	-0.04	5.8	10.3	16.5	2	-1.2	1.2	-1.9	2.1	-1.9	-2.8				
BOS BLANCO BOS180012			53%	37%	49%	45%	29%	35%	46%	46%	44%	44%	36%				
BOS 180031	✓	2142A	94	126	127	132	109	92	83	89	112	77	104	2	3	3	
FB	✓	V7297U	1.66	12.0	19.7	28.7	18	4.0	-1.4	-7.0	2.3	-2.4	0.2				
BOS BLANCO BOS180031			47%	25%	36%	34%	7%	9%	39%	39%	35%	29%	14%				
KALFD0003		VW36	113	122	124	124	112	89	90	98	129	59	82	10	13	6	
FB			-0.05	10.6	17.8	23.0	23	2.2	-0.6	-0.9	4.7	-4.3	-3.3				
KALANGA SHIGE HOMARE D003			56%	22%	43%	36%	19%	16%	29%	31%	27%	29%	19%				
KALFG0009		C0402	95	133	130	129	123	80	99	107	126	93	87	5	14	4	
FB		KALFC0012	1.64	14.7	21.1	26.3	39	-2.6	0.6	5.5	4.3	-0.9	-2.5				
KALANGA TAMAYUKO G0009			62%	40%	54%	51%	29%	31%	49%	49%	45%	44%	32%				
JAPANESE BLACK																	
BA 180013	✓	AACFF0758	76	130	123	120	117	91	97	131	90	122	103	4	13	11	
FB	✓	BA 100410	3.40	13.6	17.1	19.6	31	3.5	0.3	22.5	-0.9	2.0	0.1				
WOODVIEW BA180013			69%	46%	32%	65%	23%	37%	52%	52%	48%	45%	36%				
FB18024		FB2501	121	81	74	75	65	62	116	65	125	89	111	5	15	7	2
FB		FB6120	-0.79	-5.0	-11.0	-14.1	-42	-12.9	2.7	-23.9	4.1	-1.3	1.4				
ESF SANJ - 96			69%	46%	46%	43%	37%	43%	59%	61%	56%	53%	37%				
FB24518		FB8839	110	101	103	106	85	91	116	96	123	96	87	2	3	3	
FB			0.17	2.5	6.0	9.2	-15	3.2	2.8	-2.2	3.9	-0.5	-2.5				
STUD HIKO 418			39%	32%	34%	36%	17%	32%	26%	26%	25%	24%	19%				
KALFC0031	✓	HBCFV2139	100	149	151	150	113	67	84	118	109	67	83	10	20	9	
FB	✓	STAFT0066	1.14	20.7	33.2	42.4	24	-10.2	-1.3	13.5	1.9	-3.5	-3.1				
KALANGA F C031			67%	37%	68%	68%	29%	35%	62%	62%	57%	57%	40%				
KF 180006		PK 140005	105	92	90	94	76	77	94	104	84	113	122	2	4	4	
FB		KF 120008	0.68	-0.8	-1.5	0.0	-27	-4.6	-0.1	3.7	-1.7	1.1	3.1				
180006			86%	84%	85%	84%	83%	84%	86%	86%	85%	85%	84%				
KF 180007		PK 140005	98	92	90	93	80	77	84	110	78	93	115	2	6	5	
FB		KF 120008	1.30	-0.8	-1.6	-0.5	-22	-4.4	-1.4	7.6	-2.5	-0.9	2.0				
180007			86%	84%	85%	84%	83%	84%	86%	86%	85%	85%	84%				

CWB Dams

Dam			Growth					Carcass					Stats				
ID	Parentage	Sire ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name	Gen. DNA	Dam ID															
JAPANESE BLACK																	
KF 190005		IMUFP0036	114	106	108	114	96	97	100	91	99	120	114	2	5	2	
FB		FB24518	-0.12	4.4	8.8	15.1	0	6.8	0.7	-5.7	0.4	1.8	1.8				
KF190005				84%	82%	82%	82%	81%	82%	83%	83%	83%	82%				
KFX 140008		KF 120002	101	96	97	99	93	98	97	90	64	125	124	1	1	1	
F1		L22	1.09	0.6	2.5	3.5	-4	7.2	0.4	-6.3	-4.6	2.3	3.4				
KFX140008				54%	52%	58%	33%	22%	32%	45%	45%	43%	30%				
OVE 080003		IMJFAJ2810	127	82	82	88	75	73	100	71	117	77	105	2	37	18	
FB		BYWZF0234	-1.32	-4.8	-6.5	-4.2	-28	-6.4	0.7	-19.5	3.1	-2.4	0.3				
NFUKI				76%	57%	62%	58%	51%	60%	66%	66%	63%	62%				
RRW 190009		FB2501	124	89	85	87	73	66	113	73	113	86	101	1	1	1	
FB		FB21944	-1.11	-2.2	-4.7	-5.4	-32	-10.3	2.3	-18.1	2.5	-1.6	-0.3				
RRW0009				51%	44%	43%	42%	36%	42%	45%	47%	45%	44%				
RRW 190012		BDWFM0495	98	95	93	97	82	83	113	156	120	153	104	1	3	3	
FB		KSOFJ0064	1.33	0.3	-0.1	2.7	-19	-0.9	2.4	40.1	3.5	5.1	0.3				
RRW0012				88%	86%	87%	86%	85%	86%	87%	87%	87%	86%				
RRW 210001		WESFZ0278	94	107	105	109	90	80	92	97	80	76	102	1	4	3	
FB		KF 180007	1.73	4.9	7.1	11.6	-7	-2.9	-0.3	-1.8	-2.2	-2.5	-0.1				
RRW210001				86%	85%	85%	84%	83%	84%	85%	85%	85%	84%				
RRW 210002		WESFZ0278	106	113	110	114	93	81	112	99	96	77	85	1	4	1	
FB		KF 180006	0.60	6.9	9.8	15.2	-3	-2.1	2.2	-0.3	0.1	-2.5	-2.8				
RRW210002				86%	85%	85%	84%	83%	84%	85%	85%	85%	84%				
RRW 210003		AACFF0758	96	127	116	113	105	72	106	118	101	111	97	1	2	1	
FB		RRW 190009	1.52	12.2	13.4	14.7	13	-7.1	1.4	13.1	0.7	1.0	-0.8				
RRW210003				56%	46%	37%	41%	27%	33%	49%	49%	47%	45%				
RRW 210005		AACFF0758	81	130	121	119	109	81	106	159	104	145	99	1	2	1	
FB		RRW 190012	2.91	13.6	16.0	19.2	20	-2.3	1.5	42.2	1.2	4.3	-0.6				
RRW210005				58%	47%	40%	44%	28%	34%	52%	52%	49%	46%				
RRW 210014		BOS 180026	98	117	117	118	108	91	91	89	101	80	101	1	2	1	
F2		KFX 140008	1.33	8.7	13.9	18.3	17	3.6	-0.4	-7.3	0.7	-2.2	-0.3				
RRW210014				67%	28%	32%	19%	13%	18%	42%	44%	40%	39%				
RRW 210017		BB 180298	97	110	106	108	89	81	108	153	121	154	112	1	1	1	
FB		RRW 190012	1.45	5.8	7.5	10.4	-10	-2.2	1.6	37.9	3.6	5.3	1.6				
RRW210017				52%	32%	35%	36%	26%	31%	38%	39%	36%	33%				
RRW 220004		ZEWB180192	102	112	110	113	96	81	94	112	103	95	102	1	1	1	
PBD		KF 180006	0.95	6.5	10.0	14.6	1	-2.2	-0.1	8.7	1.0	-0.6	-0.1				
RRW220004				39%	22%	29%	22%	16%	20%	32%	32%	29%	27%				

CWB Dams

Dam				Growth					Carcass					Stats				
ID	Parentage	Sire ID		Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name	Gen.	DNA	Dam ID															
JAPANESE BLACK																		
RRW 220010		✔	GINFB0901	119	83	79	82	75	75	103	79	131	73	95	1	1		
FB		✔	FB18024	-0.59	-4.2	-8.0	-8.6	-28	-5.4	1.1	-13.9	5.0	-2.9	-1.2				
RRW220010				57%	35%	32%	33%	30%	35%	49%	50%	45%	42%	29%				
RRW 220012		✔	BA 180010	104	93	91	97	85	77	108	116	117	114	105	1	1		
FB		✔	RRW 190012	0.77	-0.5	-1.2	2.5	-15	-4.1	1.7	12.1	3.0	1.3	0.4				
RRW220012				57%	34%	34%	34%	26%	33%	38%	39%	37%	33%	24%				
RRW 220013		✔	SMOFF0154	98	98	95	95	89	73	117	100	87	99	101	1	1		
FB		✔	RRW 210001	1.30	1.4	1.1	0.6	-10	-6.4	2.9	0.8	-1.2	-0.3	-0.3				
RRW220013				59%	46%	50%	46%	40%	43%	52%	52%	50%	49%	44%				
RRW 230002		✔	SMOFF0154	99	91	88	87	83	72	113	107	86	107	107	1	1		
FB		✔	KF 180007	1.20	-1.3	-3.1	-5.2	-17	-7.1	2.4	5.5	-1.4	0.6	0.8				
RRW230002				56%	45%	50%	45%	40%	43%	53%	53%	51%	50%	45%				
RRW 230009		✔	SWK 190060	90	109	106	106	90	78	117	103	102	100	96	1	1		
FB		✔	RRW 210001	2.03	5.4	7.4	8.9	-8	-3.6	2.9	2.4	0.9	-0.2	-1.0				
RRW230009				58%	48%	47%	42%	26%	31%	43%	43%	40%	41%	34%				