



WAGYU
BREEDING VALUE REPORT

September 2026



REGAN VAN ROOY (PTY) LTD

Herd Number: 728820


E-mail: briennev@gmail.com



WAGYU
SOCIETY
OF SOUTH AFRICA



CERTIFICATE
OF QUALITY
Valid up to
October 2029



Notes


GEBVi (GEBVindex): The average GEBVi of all the live animals in the breed is 100, and all EBVi values are expressed relative to this value. Values above 100 are mostly in a more desirable direction. Note that a very high index is not always desirable. For certain traits, such as birth weight, average values may be better. It is the top value in the list.

GEBV (Genomic Estimated Breeding Value) indicates the genetic potential of the animal for a specific trait. It is presented in the unit of measurement and relative to the average of animals born in the base year. It is the middle value in the list and not available for selection values.

Accuracy: This value gives an indication of how much information was available for breeding value estimation. It is the bottom value in the list.

Selection values combine similar breeding values in a scientific manner to simplify the selection of animals. For example, HF (Heifer Fertility), CF (Cow Fertility) and Longevity are

combined to form the Fertility Value by taking the heritability and economic importance in consideration.




* Depending on selection goal

GEBVi		Description / Measurement	Goal		General Guidelines*					
					80	90	100	110	120	
Selection V.	Calving Ease Value	Difficult calving due to high birth weight	Average birth weight	High						Low
	Calf Growth Value	Calf's genetic ability for prewean growth	Heavy weaner	Light						Heavy
	Milk Value	Cow's genetic mothering and milking ability	Enough milk for calf	Less						More
	Maintenance Value	Maintenance requirement of cow (weight and milk)	Low cow maintenance	High					*	Low
	Fertility Value	Fertility and retention of cows and heifers	Fertile cows	Low						High
Cow & Calf	Birth weight direct	Birth weight (Calf's genetic ability)	Average birth weight	Heavy						Light
	Birth weight mat	Birth weight (Dam's genetic ability)	Easy calving	Heavy						Light
	Weaning weight direct	Weaning weight (Calf's genetic ability)	Heavy weaners	Light						Heavy
	Weaning weight mat	Weaning weight (Dam's genetic ability)	Good mothers	Poor						Good
	Post-wean weight	Combination of EBVs for 12 and 18 month weights	Mature weight	Light				*	*	Heavy
	Mature Cow Weight	Cow weight at weaning of first three calves	Mature cow weight	Light				*	*	Heavy
Ferti.	Heifer Fertility	Age at first calving	Fertile heifers	Less						More
	Cow Fertility	First 3 inter-calving periods (ICPs)	Fertile cows	Less						More
	Longevity	Retention of progeny	Acceptable progeny	Poor						Good
Carcass	IMF	Intra-muscular-fat, Marbling	High quality carcass	Less						More
	Carcass weight	Weight of the carcass	High quality carcass	Light						Heavy
	EMA	Eye-muscle-area at the 12/13th rib of the dressed carcass	High quality carcass	Small						Large
	Rib Fat	Rib fat depth at the 12/13th rib of the dressed carcass	High quality carcass	Thin						Thick
	Marbling Fineness	Degree of fineness of marbling fat	High quality carcass	Low						High

Herd and Breed Averages

Number 475



Breeding Values (EBV):

Birth: Birth weight
 Wean: Weaning weight
 Birth.mat: Birth mat
 Milk: Milk
 Postwn: Postwean weight
 Matwt: Mature weight
 HF: Heifer Fertility
 CF: Cow Fertility
 LL: Longevity
 IMF: Marbling
 Carcwt: Carcass wt
 EMA: Eye muscle area
 RibFatt: Rib Fat thickness
 MF: Marbling Fineness

Selection values:

CEaseV: Calving Ease Value
 CGrowthV: Calf Growth Value
 MilkV: Milk Value
 MaintV: Maintenance Value
 FertV: Fertility Value

	Trait	EBV Herd	EBV Index	EBV Breed
Prewrite growth	Birth Weight	0.47	108	1.23
	Wean Weight	1.7	97	2.9
	Birth Mat.	-0.27	97	-0.38
	Milk (Wn.Mat.)	8.4	99	8.7
Postwean growth	Postwean wt	4.3	97	6.4
	Mature weight	1	96	6
	Heifer Fertility	-1.8	98	-2.9
Fertility	Cow Fertility	-0.2	104	0.5
	Longevity	1.9	92	5.2
Carcass	IMF	1.0	102	0.8
	Carcass weight	2.1	102	0.8
	EMA	0.5	98	0.8
	Rib Fat	-0.2	99	-0.1
	MF	-0.9	97	-0.5

Selection Value	Herd Avg
Calving Ease Value	107
Calf Growth Value	97
Milk Value	99
Maintenance Value	104
Fertility Value	99


- Average of live animals in the breed: 100
- Above 100: **more favourable**,
- Below 100: **less favourable**

What does a sub-selection value above breed average (100) mean?:

Calving ease: Smaller calf at birth - easier calving
 Calf growth: Heavier calves at wean due to growth potential of the calf
 Milk: Cows with more milk and better mothering ability
 Maintenance: Animals with low maintenance requirements (lower mature weight).
 Fertility: Cows/daughters that calve

Genetic Trends for On-Farm Traits

The graphs show the genetic gain of the herd relative to the breed. Only data of animals with measurements are included.



Herd

Birth Year	Calving Ease				Calf Growth			Milk		Maintenance					Fertility					
	Birth Weight		Mat EBV	Calv. Ease	Weaning Weight		Calf Growth	Milk (Wn.Mat.)		Postwean Weight	Mature Weight		Mainte- nance	Heifer Fert.		Cow Fert.		Longevity		Ferti- lity
	Number	Dir EBV			Number	EBV		Number	EBV		Milk	Number		EBV	Number	EBV	Number	EBV	Number	
	2025	35	-0.67	-0.46	121															
2026	4	-0.84	0.20	119																

Breed

Birth Year	Calving Ease				Calf Growth			Milk			Maintenance					Fertility						
	Birth Weight		Mat EBV	Calv. Ease	Weaning Weight		Calf Growth	Milk (Wn.Mat.)		Milk	Postwean Weight		Mature Weight		Maintenance	Heifer Fert.		Cow Fert.		Longevity		Fertility
	Number	Dir EBV			Number	EBV		Number	EBV		Number	EBV	Number	EBV		Number	EBV	Number	EBV	Number	EBV	
2016	667	0.14	0.06	106	280	0.5	94	280	6.43	96	213	2.7	17	-11	110	777	-1.4	388	-0.8	6318	-0.5	102
2017	787	0.41	0.21	102	405	0.6	94	405	3.76	91	309	0.1	33	-9	111	791	-1.9	308	-0.6	10308	-0.4	102
2018	1180	0.44	0.12	103	815	-1.4	89	815	2.45	88	823	-0.9	19	-23	113	665	-4.6	407	-1.0	9232	2.0	106
2019	1379	0.55	0.15	102	901	0.1	93	901	1.30	86	896	0.6	27	-30	112	1006	-2.8	469	-0.6	11910	1.7	103
2020	2115	0.65	-0.03	102	556	2.3	98	556	7.29	97	273	6.2	24	-7	103	665	-4.3	269	-1.0	11395	1.2	106
2021	2374	0.55	-0.10	103	589	0.4	94	589	4.13	91	253	0.2	19	-6	112	405	-6.0	158	-1.5	9292	1.5	108
2022	2062	0.42	-0.18	105	461	2.0	98	461	1.65	87	246	2.4	15	15	110	306	-2.8	72	-0.6	4200	2.1	103
2023	1637	0.34	-0.31	107	461	2.0	98	461	1.21	86	160	2.0	5	-3	111	121	-6.6	11	-0.6			110
2024	1413	0.39	-0.30	107	311	2.5	99	311	1.86	87	36	14.0			97	15	-2.4					101
2025	1478	0.37	-0.14	106	386	2.5	99	386	0.24	84												
2026	307	0.25	-0.03	106																		

Genetic Trends for Carcass Traits

Herd —
Breed —

Herd

Birth Year	Carcass														
	IMF			Carcass weight			EMA			RibFat			Marble Fineness		
	Number	EBV	EBVi	Number	EBV	EBVi	Number	EBV	EBVi	Number	EBV	EBVi	Number	EBV	EBVi

Breed

Birth Year	Carcass														
	IMF			Carcass weight			EMA			Rib Fat			Marble Fineness		
	Number	EBV	EBVi	Number	EBV	EBVi	Number	EBV	EBVi	Number	EBV	EBVi	Number	EBV	EBVi
2013	17	0.6	99	776	-0.1	99	361	0.8	100	346	0.2	103	5	-4.6	74
2014	16	-1.0	86	541	-3.8	94	301	1.7	106	269	-0.1	100	4	0.0	103
2015	36	-0.5	90	589	-7.1	89	548	1.0	102	520	-0.1	100	6	0.3	105
2016	124	-0.8	87	588	-0.3	98	322	0.1	96	211	0.3	105	5	2.1	117
2017	732	-0.4	90	1244	-0.2	99	1116	0.1	95	272	0.0	102	17	0.3	105
2018	1946	0.0	94	1969	0.0	99	1940	0.0	95	87	0.0	101	22	0.0	103
2019	2812	0.3	96	2823	-1.3	97	2753	0.8	100	212	-0.5	96	61	0.4	106
2020	4627	0.7	99	4682	-0.6	98	4656	0.5	98	713	-0.3	98	92	-1.2	95
2021	3444	0.9	101	3606	-0.3	98	3596	0.6	99	3275	-0.2	99	531	-0.6	99
2022	3277	1.0	101	3324	-0.9	98	3275	0.4	97	3191	-0.3	97	2749	-1.0	97
2023	1839	1.1	103	1845	1.3	101	1836	0.6	99	1795	0.0	101	1841	-1.0	96
2024	17	-0.6	89	17	1.3	101	17	0.5	98	16	-0.5	96	17	0.1	103

WAGYU Sires

Sire			Growth						Carcass					Stats				
ID	Parentage	Sire ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Daughters with calves	Active 2yrs & older	Carcasses
Name	Gen. DNA	Dam ID																
AKAUSHI																		
733D		AF7291	99	119	110	114	98	84	114	94	91	101	85	6	82	29	38	10
PBD		3A55457	1.29	10.4	12.6	18.8	4	0.3	2.6	-3.5	-0.7	0.0	-2.9					
EL PADRINO			80%	38%	67%	16%	12%	22%	75%	75%	67%	69%	53%					
JAPANESE BLACK																		
148BE		J10632	134	81	75	73	69	72	138	51	111	96	94	88	1670	582	199	34
FB		85H	-2.04	-4.9	-9.8	-13.4	-39	-6.1	5.6	-33.7	2.4	-0.5	-1.4					
ITOSHIGENAMI 148BE			99%	99%	99%	99%	99%	99%	99%	99%	99%	99%	99%					
AL 180015	✓	GRSFF0146	125	102	100	101	101	95	89	117	96	105	106	4	15		7	1
PBD	✓	BA 110585	-1.18	3.8	6.2	8.5	7	5.9	-0.6	12.7	0.2	0.3	0.6					
MILAH N15 (4) (ET)			61%	35%	35%	27%	21%	30%	49%	54%	49%	51%	33%					
AL 180028	✓	FB11842	130	84	82	85	83	78	63	127	129	91	114	6	134		91	
PBD	✓	BA 130958	-1.66	-3.5	-5.0	-4.1	-18	-2.7	-3.9	19.6	5.3	-1.0	1.7					
ITO ICHIRO N28 (AI)			66%	44%	25%	25%	19%	34%	66%	65%	58%	65%	54%					
BA 110540	✓	BA 030043	138	92	89	91	83	83	77	66	78	76	120	4	153	38	37	49
FB	✓	BA 010039	-2.41	-0.2	-0.7	0.5	-18	-0.1	-2.1	-23.0	-2.6	-2.4	2.8					
ANALYSIS 11 540			91%	53%	48%	39%	38%	57%	88%	88%	83%	50%	38%					
BA 140004	✓	ETJ002	108	108	100	102	88	94	70	72	92	73	121	5	82	10	14	10
FB		BA 010039	0.46	6.2	6.1	9.1	-12	5.7	-3.1	-19.2	-0.5	-2.7	2.9					
WOODVIEW BA14-004			94%	65%	48%	39%	37%	47%	76%	76%	70%	52%	39%					
BA 150400	✓	IMUFP0036	125	107	111	116	116	114	76	110	75	121	128	3	56	7	12	10
FB		BA 080225	-1.24	5.8	13.0	20.1	29	16.4	-2.2	8.0	-3.1	1.9	4.0					
WOODVIEW BA15-400			92%	55%	37%	43%	34%	45%	73%	73%	66%	54%	37%					
BOS 170018		D0550	115	79	76	78	67	83	103	94	96	95	105	6	137	17	83	
FB		SFWFE0109	-0.23	-5.6	-8.8	-9.5	-40	-0.1	1.2	-3.3	0.2	-0.5	0.3					
AL5 YASUZANE S1718 (ET)(AUS)			91%	88%	26%	24%	16%	65%	54%	54%	52%	50%	39%					
CBC 180102		148BE	123	126	109	112	93	66	101	139	135	102	75	1	85	24	33	1
FB		AACFC0047	-0.98	13.6	11.7	16.8	-3	-9.4	1.0	28.3	6.3	0.1	-4.4					
180102			90%	55%	54%	54%	49%	53%	87%	86%	82%	86%	79%					
CBC 180107		HWKFA0002	133	103	91	95	84	58	100	93	117	81	102	5	134	7	52	
FB		LSRFE0263	-2.01	4.1	0.4	3.6	-17	-13.8	0.9	-4.0	3.4	-1.9	-0.2					
180107			92%	37%	27%	20%	18%	29%	85%	84%	78%	84%	76%					

WAGYU Sires

Sire			Growth						Carcass					Stats				
ID	Parentage	Sire ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Daughters with calves	Active 2yrs & older	Carcasses
Name	Gen. DNA	Dam ID																
JAPANESE BLACK																		
CBC 200021		CBC 180107	109	101	101	102	105	99	93	103	105	93	102	2	11		1	
FB		CWBFCBC 180104	0.33	3.4	6.6	9.2	14	8.0	-0.1	3.0	1.6	-0.7	-0.2					
200021			65%	19%	14%	10%	9%	14%	42%	42%	39%	42%	38%					
HJ 150008		WESFZ0278	103	98	93	96	81	81	100	86	87	63	97	4	99	16	23	29
FB		KJDFD0030	0.96	1.9	1.9	4.2	-21	-1.4	0.8	-8.8	-1.2	-3.7	-0.9					
HJ 150008			90%	72%	52%	43%	40%	45%	85%	84%	79%	59%	44%					
HWKFA0002		WESFY0269	106	100	96	100	85	75	102	87	93	88	106	4	36	17	25	5
FB		WESFX0266	0.70	2.9	3.5	7.5	-15	-4.7	1.1	-8.5	-0.3	-1.3	0.4					
HAWKESBURY HARUNAMI A2			71%	48%	34%	19%	16%	45%	79%	78%	73%	72%	60%					
KF 120016		TFWFW0629	135	89	80	84	82	73	58	93	48	126	160	2	79	25	20	45
FB		KJDFC0143	-2.17	-1.7	-6.3	-5.1	-20	-5.5	-4.6	-4.1	-7.3	2.4	9.0					
FUKUTSURU-05			87%	54%	55%	53%	37%	50%	88%	88%	83%	57%	44%					
KF 120018		TFWFW0629	126	92	82	87	80	69	98	78	54	92	116	6	349	98	94	169
FB		KJDFC0143	-1.30	-0.4	-5.0	-2.8	-23	-7.6	0.6	-15.0	-6.3	-0.9	2.0					
FUKUTSURU-06			77%	55%	55%	53%	37%	52%	95%	95%	93%	68%	44%					
KKWFD0052		148BE	129	99	91	95	92	80	140	102	91	114	82	13	4718	750	1191	516
FB		KKWZF0684	-1.62	2.7	0.4	3.4	-5	-2.0	5.9	2.0	-0.7	1.2	-3.3					
KURO KIN ITOSHIGENAMI D52			99%	99%	99%	99%	98%	98%	99%	99%	99%	99%	99%					
KKWFE0010		TWAFR0007	142	68	61	55	68	80	151	68	91	76	62	12	5488	685	1375	1084
FB		KKWFB0345	-2.84	-10.0	-18.1	-28.0	-39	-1.9	7.2	-21.8	-0.7	-2.4	-6.5					
KURO KIN SHIKIKAN E10			99%	99%	99%	99%	99%	99%	99%	99%	99%	99%	99%					
KT4FK1888		WKSFPC100	115	94	87	90	80	70	148	106	138	102	66	12	371	38	130	25
FB		KT4FA0200	-0.26	0.6	-1.8	-0.2	-23	-6.9	6.8	4.9	6.7	0.1	-5.9					
TAMARIND T4 KANADAGENE 14/2			98%	97%	94%	94%	94%	95%	96%	96%	96%	96%	95%					
LB 160100		BA 130995	125	85	82	85	79	88	97	75	101	82	102	1	37	2	2	8
PBD		BA 140098	-1.19	-3.1	-4.9	-4.1	-23	2.6	0.5	-16.8	0.9	-1.8	-0.1					
JAMES			84%	31%	28%	28%	30%	31%	66%	65%	58%	35%	27%					
PK 150003		MOYFF0054	109	57	52	58	44	76	117	91	58	150	119	9	153	33	57	66
FB		SFWFG0007	0.39	-14.2	-24.0	-25.1	-74	-4.2	3.0	-5.8	-5.8	4.7	2.6					
PK 150003			70%	57%	51%	46%	14%	55%	90%	90%	86%	71%	35%					
PMGFL00013		ADBFA0139	100	102	92	88	78	63	120	63	113	72	105	10	1364	196	356	775
FB		PMGFG0037	1.27	3.9	0.8	-1.8	-25	-10.8	3.4	-25.5	2.7	-2.7	0.3					
PEPPERMILL GROVE L0013			97%	95%	95%	95%	95%	95%	99%	99%	99%	98%	97%					

WAGYU Sires

Sire			Growth						Carcass					Stats				
ID	Parentage	Sire ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Daughters with calves	Active 2yrs & older	Carcasses
Name	Gen. DNA	Dam ID																
JAPANESE BLACK																		
WC 170005		IMUFM1615	123	89	81	78	79	59	103	82	113	65	94	3	288	67	97	125
FB		FB13513	-1.03	-1.5	-6.1	-10.0	-23	-12.9	1.2	-12.1	2.7	-3.4	-1.4					
WILLOW CREEK WC17-005				91%	90%	90%	90%	90%	90%	97%	97%	96%	96%					
ZEWB170031		KJDFC0087	105	110	102	101	100	79	98	104	109	95	102	2	7	1	1	
PBD		CCCFH0023	0.73	7.2	7.5	8.5	6	-2.2	0.6	3.6	2.2	-0.6	-0.2					
ZEWB17031			67%	57%	50%	47%	40%	47%	53%	53%	51%	48%	40%					

WAGYU Dams

Dam				Growth						Carcass					Stats			
ID	Parentage	Sire ID		Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name	Gen. DNA	Dam ID																
AKAUSHI																		
LPB 191003	✓	ZEWB170031		94	103	105	105	101	101	95	107	96	104	104				
F1		13073		1.79	4.1	9.2	11.6	7	9.1	0.1	5.6	0.1	0.3	0.2	1	3	1	
LPB191003				68%	54%	25%	24%	20%	32%	30%	29%	28%	24%	20%				
JAPANESE BLACK																		
11-143				88						100	106	104	104	95				
BS				2.36						0.7	5.3	1.3	0.3	-1.3	1	1	1	
LOUMA-B 11-143				33%						14%	14%	11%	14%	11%				
13007				97	91				113	110	100	107	104	90				
BS				1.48	-0.9				15.8	2.0	0.6	1.9	0.2	-2.1	1	2	1	
PURE 13007				34%	36%				52%	14%	14%	11%	14%	11%				
13073				90	97				120	91	110	82						
BS				2.24	1.9				19.3	-0.3	7.5	-1.9			1	2	1	1
PURE 13073				33%	26%				40%	28%	26%	22%						
13-164				90						94	101	100	90	94				
BS				2.19						0.1	1.2	0.8	-1.0	-1.5	1	1	1	
LOUMA-B 13-164				32%						14%	14%	11%	14%	11%				
15-163				102						97	106	103	101	96				
BS				1.06						0.4	5.2	1.2	0.0	-1.1	1	2	1	
LOUMA-B 15-163				43%						14%	14%	11%	14%	11%				
17.60.24				82						95	101	107	107	102				
BS				2.95						0.2	1.6	1.9	0.6	-0.2	1	1	1	
17.60.24				32%						14%	14%	11%	14%	11%				
17148				90						99	92	99	95	98				
BS				2.20						0.7	-5.1	0.6	-0.5	-0.9	1	2	1	1
PURE 17148				33%						28%	27%	22%	14%	11%				
AACFC0089		WESFZ0026		121	90	87	91	83	75	109	78	102	79	99				
FB		WESFX0465		-0.77	-1.3	-2.2	0.7	-19	-4.3	2.0	-15.0	1.1	-2.1	-0.6	1	2	2	
WESTHOLME TOYONAMISHIGE				36%	30%	30%	27%	23%	29%	32%	33%	31%	30%	24%				
AAF1				100						103	103	111						
BS				1.23						1.2	2.8	2.4			1	2	1	1
AAF 1				41%						28%	27%	22%						
AAF10				95						114	115	118	92	72				
BS				1.68						2.6	11.2	3.6	-0.9	-4.9	1	2	1	
AAF 10				41%						29%	28%	23%	28%	21%				

WAGYU Dams

Dam				Growth					Carcass					Stats				
ID	Parentage	Sire ID		Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name	Gen. DNA	Dam ID																
JAPANESE BLACK																		
AAF11				106						11812711810166					131			
BS				0.63						3.119.63.60.0-5.9					131			
AAF 11				49%						29%28%23%28%21%					131			
AAF14				112						10810710410388					131			
BS				0.08						1.85.81.30.2-2.4					131			
AAF 14				47%						14%14%11%14%11%					131			
AAF16				99						9785988494					121			
BS				1.34						0.5-10.10.4-1.6-1.3					121			
AAF 16				41%						31%30%25%31%23%					121			
AAF19				96											111			
BS				1.64											111			
AAF 19				32%											111			
AAF23				104						9613411111288					1311			
BS				0.86						0.325.12.51.0-2.4					1311			
AAF 23				48%						39%38%31%28%21%					1311			
AAF25				103						8614211110785					131			
BS				0.94						-1.030.62.40.5-2.8					131			
AAF 25				50%						34%33%27%33%25%					131			
AAF26				83						1011021009792					121			
BS				2.88						0.91.90.7-0.3-1.8					121			
AAF 26				44%						20%19%16%19%15%					121			
AAF27				95											121			
BS				1.69											121			
AAF 27				41%											121			
AAF4				109											133			
BS				0.39											133			
AAF 4				50%											133			
AAF5				93						96118939084					121			
BS				1.94						0.213.8-0.4-1.1-3.0					121			
AAF 5				42%						28%27%22%27%21%					121			
AAF6				101						1111081049381					121			
BS				1.11						2.26.81.4-0.7-3.6					121			
AAF 6				42%						31%31%25%31%24%					121			
AAF9				107						9515911514490					131			
BS				0.57						0.242.53.04.1-2.0					131			
AAF 9				49%						42%41%34%41%32%					131			

WAGYU Dams

Dam			Growth					Carcass					Stats				
ID	Parentage	Sire ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name	Gen. DNA	Dam ID															
JAPANESE BLACK																	
CBC 180105		148BE	122	87	82	84	76	74	124	64	106	88	97	1	1		
FB		AACFC0089	-0.95	-2.5	-5.1	-5.3	-29	-4.9	3.8	-24.3	1.8	-1.3	-1.0				
180105			56%	51%	51%	51%	46%	50%	51%	52%	51%	51%	47%				
CBC 180500	✓	KF 120016	102	99	99	100	102	100	78	132	75	133	120	1	2	1	
F1		CWBFAAF13	1.04	2.7	5.3	7.7	10	8.5	-2.0	23.3	-3.0	3.0	2.7				
18500			54%	27%	28%	26%	19%	25%	50%	49%	46%	38%	30%				
CBC 180502	✓	BA 110540	122	93	97	98	94	101	88	73	88	89	113	1	3	1	
F1		KAF4	-0.93	-0.1	4.0	6.1	-2	9.5	-0.8	-18.0	-1.0	-1.1	1.6				
18502			71%	26%	24%	19%	19%	28%	48%	48%	44%	33%	25%				
CBC 180503	✓	KF 120018	122	97	96	99	97	93	108	102	86	96	91	1	1		
F1		AAF11	-0.86	1.7	3.7	6.8	2	5.0	1.8	2.3	-1.3	-0.5	-1.9				
18503			66%	27%	28%	27%	19%	26%	50%	50%	48%	37%	24%				
CBC 180504	✓	PMGFL00013	87	115	113	110	109	96	108	116	115	105	93	2	4	2	
F1			2.47	9.2	14.0	15.1	19	6.7	1.8	11.7	3.1	0.4	-1.5				
18504			60%	28%	29%	21%	22%	23%	54%	54%	52%	53%	48%				
CBC 180506	✓	BA 110540	115	94	98	100	94	103	87	87	93	79	102	1	3	1	
F1		KAF12	-0.24	0.3	4.9	7.3	-2	10.6	-0.9	-8.3	-0.3	-2.1	-0.1				
18506			72%	26%	24%	19%	19%	28%	50%	49%	45%	36%	28%				
CBC 180511	✓	KF 120018	117	92	93	96	92	95	109	97	78	94	95	2	4	2	
F1		AAF6	-0.40	-0.2	1.8	4.4	-5	5.8	1.9	-1.1	-2.7	-0.7	-1.3				
18511			71%	27%	28%	27%	19%	26%	54%	54%	51%	44%	31%				
CBC 180519	✓	KF 120018	116	103	101	105	103	94	101	122	103	107	90	1	4	1	
F1		AAF9	-0.31	4.1	7.0	11.2	10	5.4	0.9	16.7	1.2	0.6	-2.1				
18519			73%	27%	28%	27%	19%	26%	59%	59%	54%	51%	38%				
CBC 180520	✓	BA 110540	123	104	105	107	104	98	76	104	97	94	108	1	4	1	
F1		AAF25	-1.04	4.4	9.3	12.6	12	7.8	-2.2	3.5	0.2	-0.7	0.7				
18520			74%	26%	24%	19%	19%	28%	56%	55%	50%	45%	35%				
CBC 180521	✓	PMGFL00013	81	106	105	103	103	101	103	88	103	89	103	2	4	3	
F1			3.05	5.2	9.3	9.5	10	9.5	1.1	-7.7	1.2	-1.1	0.0				
18521			63%	28%	29%	21%	22%	23%	50%	50%	49%	49%	45%				
CBC 180523	✓	BA 110540	123	92	96	98	94	102	89	75	89	82	108	1	2	1	
F1		AAF16	-0.96	-0.3	3.8	5.9	-2	9.7	-0.6	-17.2	-0.9	-1.9	0.7				
18523			71%	26%	24%	19%	19%	28%	51%	51%	47%	38%	29%				
CBC 190002	✓	PK 150003	90	82	84	86	85	107	101	102	75	128	110	1	2	1	
F1		CWBFCBC25	2.17	-4.4	-4.0	-3.2	-15	12.5	0.9	2.2	-3.0	2.6	1.2				
190002			47%	29%	26%	23%	7%	28%	45%	45%	43%	36%	18%				

WAGYU Dams

Dam			Growth					Carcass					Stats				
ID	Parentage	Sire ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name	Gen. DNA	Dam ID															
JAPANESE BLACK																	
CBC 190017	✓ PK 150003	CWBFCBC11	83	84	86	89	85	108	101	102	75	128	110	1	3	2	
F1			2.92	-3.5	-2.5	-1.5	-15	13.0	0.9	2.2	-3.0	2.6	1.2				
190017			49%	29%	26%	23%	7%	28%	45%	45%	43%	36%	18%				
CBC 190524	✓ PMGFL00013	AAF27	114	92	93	93	92	93	110	81	107	86	100	1	2	1	
F1			-0.10	-0.3	2.0	1.8	-6	4.9	2.1	-12.4	1.8	-1.4	-0.4				
19524			70%	28%	29%	21%	22%	23%	50%	50%	49%	49%	45%				
CBC 190533	✓ PMGFL00013	MAF13	96	100	100	99	92	92	110	81	107	86	100	1	1		
F1			1.64	2.9	6.1	6.6	-6	4.6	2.1	-12.4	1.8	-1.4	-0.4				
19533			68%	28%	29%	21%	22%	23%	50%	50%	49%	49%	45%				
CBC 190535	✓ PMGFL00013	AAF26	86	108	107	105	98	96	113	82	108	86	96	1	3		
F1			2.57	6.2	10.6	11.7	3	6.4	2.4	-12.1	2.0	-1.5	-1.1				
19535			72%	28%	29%	21%	22%	23%	55%	54%	52%	54%	48%				
CBC 190538	✓ PMGFL00013	KAF13	77	108	107	105	92	92	106	77	106	76	98	1	3	1	
F1			3.48	6.3	10.5	11.8	-6	4.4	1.6	-15.2	1.7	-2.4	-0.8				
19538			71%	28%	29%	21%	22%	23%	54%	54%	52%	53%	48%				
CBC 190539	✓ PMGFL00013	MAF11	101	99	99	98	92	92	101	70	83	100	122	1	2	1	
F1			1.17	2.4	5.3	5.6	-6	4.3	0.9	-20.4	-1.8	-0.1	3.0				
19539			56%	28%	29%	21%	22%	23%	56%	55%	53%	53%	48%				
CBC 190540	✓ WC 170005	MAF5	115	90	92	91	92	90	101	91	107	83	95	2	2		
F1			-0.25	-1.0	1.1	0.6	-5	3.5	1.0	-5.7	1.8	-1.7	-1.3				
19540			65%	27%	27%	26%	23%	26%	48%	48%	47%	47%	40%				
CBC 190542	✓ PMGFL00013	KAF7	101	110	109	107	104	93	98	104	100	89	96	1	2	1	
F1			1.11	6.9	11.5	13.0	11	5.1	0.5	3.4	0.8	-1.1	-1.1				
19542			70%	28%	29%	21%	22%	23%	56%	55%	53%	55%	49%				
CBC 190549	✓ KF 120016	AAF11	125	95	95	98	98	96	88	110	76	113	113	2	3	1	
F1			-1.17	0.9	3.0	5.7	4	6.5	-0.7	7.7	-3.0	1.2	1.7				
19549			73%	27%	28%	26%	19%	25%	46%	46%	43%	32%	24%				
CBC 190552	✓ KF 120016	MAF7	110	95	96	98	94	97	79	96	67	113	128	2	2	1	
F1			0.26	0.7	3.4	6.0	-3	7.2	-1.9	-1.7	-4.3	1.2	4.0				
19552			69%	27%	28%	26%	19%	25%	44%	44%	42%	28%	22%				
CBC 190553	✓ KF 120016	MAF10	132	87	89	91	94	96	60	87	72	106	142	1	3	1	
F1			-1.87	-2.4	-1.0	0.7	-3	6.5	-4.3	-8.4	-3.5	0.5	6.3				
19553			72%	27%	28%	26%	19%	25%	50%	49%	46%	38%	30%				
CBC 190554	✓ KF 120016	AAF4	113	95	96	98	94	95	79	96	67	113	128	2	3	2	
F1			-0.01	1.1	3.4	5.9	-3	6.2	-1.9	-1.7	-4.3	1.2	4.0				
19554			73%	27%	28%	26%	19%	25%	44%	44%	42%	28%	22%				

WAGYU Dams

Dam			Growth					Carcass					Stats				
ID	Parentage	Sire ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name	Gen. DNA	Dam ID															
JAPANESE BLACK																	
CBC 200002	✓	PK 150003	82	84	86	89	85	108	101	102	75	128	110	1	3	2	
F1		CWBFCBC15	2.94	-3.5	-2.5	-1.4	-15	13.0	0.9	2.2	-3.0	2.6	1.2				
200002			53%	29%	26%	23%	7%	28%	45%	45%	43%	36%	18%				
CBC 200559	✓	KF 120016	113	93	95	97	94	97	82	89	67	109	127	2	3	1	
F1		KAF14	0.01	0.3	2.8	5.3	-3	7.3	-1.5	-6.9	-4.4	0.8	3.8				
20559			71%	27%	28%	26%	19%	25%	46%	46%	43%	28%	22%				
CBC 200560	✓	KF 120016	115	103	102	104	101	95	72	118	72	116	123	2	2	1	
F1		AAF25	-0.18	4.3	7.3	10.7	8	5.9	-2.8	13.3	-3.6	1.4	3.2				
20560			70%	27%	28%	26%	19%	25%	47%	47%	44%	33%	25%				
CBC 200561	✓	KF 120016	118	91	93	95	94	98	69	86	66	101	134	2	3	1	
F1		MAF14	-0.49	-0.9	1.4	3.7	-3	7.6	-3.1	-9.0	-4.4	0.0	4.9				
20561			71%	27%	28%	26%	19%	25%	50%	49%	46%	38%	30%				
CBC 200562	✓	KF 120016	114	94	95	97	94	96	92	107	71	117	116	2	3	1	
F1		AAF14	-0.14	0.7	3.0	5.4	-3	6.4	-0.2	6.0	-3.7	1.6	2.1				
20562			72%	27%	28%	26%	19%	25%	50%	49%	46%	38%	30%				
CBC 200564	✓	KF 120016	109	96	96	97	104	105	71	103	63	116	131	1	3	2	
F1		CWBFAAF18	0.34	1.2	3.8	5.5	12	11.6	-2.9	3.0	-4.9	1.4	4.5				
20564			58%	27%	28%	26%	19%	25%	44%	44%	42%	28%	22%				
CBC 200565	✓	KF 120016	111	94	95	98	94	98	74	95	60	115	135	1	2		
F1		MAF8	0.20	0.3	3.0	5.6	-3	7.7	-2.5	-2.5	-5.4	1.4	5.0				
20565			69%	27%	28%	26%	19%	25%	46%	46%	43%	28%	22%				
CBC 200566	✓	KF 120016	106	98	98	101	96	98	78	100	63	108	124	2	2		
F1		AAF26	0.66	2.0	5.1	7.9	0	7.8	-2.0	0.5	-4.9	0.7	3.4				
20566			70%	27%	28%	26%	19%	25%	50%	49%	46%	38%	30%				
CBC 200567	✓	KF 120016	111	95	96	98	94	96	77	106	63	108	122	2	3	1	
F1		AAF5	0.14	0.8	3.4	5.9	-3	6.9	-2.2	4.9	-4.9	0.7	3.1				
20567			71%	27%	28%	26%	19%	25%	46%	46%	43%	32%	24%				
CBC 200570	✓	KF 120016	106	97	97	98	104	106	71	103	63	116	131	2	2	1	
F1		CWBFKCF1	0.68	1.6	4.4	6.3	12	11.8	-2.9	3.0	-4.9	1.4	4.5				
20570			55%	27%	28%	26%	19%	25%	44%	44%	42%	28%	22%				
CBC 200574	✓	KKWFE0010	107	87	89	84	97	109	118	91	92	91	82	2	2	1	
F1		CWBFTAF9	0.52	-2.4	-1.1	-4.7	3	13.7	3.0	-5.9	-0.5	-1.0	-3.4				
20574			58%	49%	49%	49%	21%	44%	50%	50%	50%	50%	49%				
CBC 200575	✓	KKWFE0010	120	82	84	81	87	100	125	84	96	88	79	1	2	1	
F1		KAF9	-0.73	-4.4	-3.8	-7.1	-13	8.8	4.0	-10.6	0.1	-1.2	-3.8				
20575			59%	49%	49%	49%	21%	44%	50%	50%	50%	50%	49%				

WAGYU Dams

Dam			Growth					Carcass					Stats				
ID	Parentage	Sire ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name	Gen. DNA	Dam ID															
JAPANESE BLACK																	
CBC 200576	✓	KKWFE0010	108	87	88	84	97	109	118	91	92	91	82	1	1	1	
F1		CWBFAAF2	0.44	-2.5	-1.2	-4.9	3	13.6	3.0	-5.9	-0.5	-1.0	-3.4				
20576			53%	49%	49%	49%	21%	44%	50%	50%	50%	50%	49%				
CBC 200577	✓	KKWFE0010	102	88	90	86	97	110	118	91	92	91	82	2	2	1	
F1		CWBFTAF11	1.04	-1.7	-0.1	-3.5	3	14.0	3.0	-5.9	-0.5	-1.0	-3.4				
20577			58%	49%	49%	49%	21%	44%	50%	50%	50%	50%	49%				
CBC 200578	✓	KKWFE0010	107	87	89	84	97	109	118	91	92	91	82	1	2	1	
F1		CWBFTAF5	0.58	-2.3	-1.0	-4.6	3	13.7	3.0	-5.9	-0.5	-1.0	-3.4				
20578			53%	49%	49%	49%	21%	44%	50%	50%	50%	50%	49%				
CBC 200580	✓	KKWFE0010	113	85	87	83	97	109	118	91	92	91	82	1	1	1	
F1		CWBFHAF3	-0.05	-3.1	-2.2	-6.1	3	13.3	3.0	-5.9	-0.5	-1.0	-3.4				
20580			53%	49%	49%	49%	21%	44%	50%	50%	50%	50%	49%				
CBC 200586	✓	KKWFE0010	126	79	82	79	87	101	125	84	96	88	79	1	1	1	
F1		MAF12	-1.26	-5.5	-5.2	-8.8	-13	9.1	4.0	-10.6	0.1	-1.2	-3.8				
20586			70%	49%	49%	49%	21%	44%	50%	50%	50%	50%	49%				
CBC 200587	✓	KKWFE0010	115	81	84	81	86	102	116	82	92	91	88	2	2	1	
F1		MAF6	-0.22	-4.5	-4.2	-7.3	-14	9.6	2.8	-11.6	-0.5	-1.0	-2.4				
20587			72%	49%	49%	49%	21%	44%	52%	52%	51%	52%	50%				
CBC 200591	✓	KKWFE0010	108	87	88	84	97	109	118	91	92	91	82	2	2	1	
F1		CWBFTAF4	0.49	-2.4	-1.1	-4.8	3	13.7	3.0	-5.9	-0.5	-1.0	-3.4				
20591			58%	49%	49%	49%	21%	44%	50%	50%	50%	50%	49%				
CBC 200593	✓	KKWFE0010	93	91	93	90	87	102	130	71	96	74	73	1	2	1	
F1		KAF8	1.94	-0.7	1.6	-0.6	-13	9.9	4.7	-19.6	0.2	-2.6	-4.8				
20593			72%	49%	49%	49%	21%	44%	53%	53%	52%	52%	49%				
CBC 200597	✓	KKWFE0010	111	85	87	84	87	100	125	84	96	88	79	2	2	1	
F1		KAF5	0.14	-3.0	-1.9	-4.9	-13	9.0	4.0	-10.6	0.1	-1.2	-3.8				
20597			72%	49%	49%	49%	21%	44%	50%	50%	50%	50%	49%				
CBC 200598	✓	KKWFE0010	130	77	80	78	87	101	129	82	98	87	76	2	2	1	
F1		KCF4	-1.69	-6.3	-6.2	-9.9	-13	9.1	4.5	-11.6	0.4	-1.3	-4.3				
20598			72%	49%	49%	49%	21%	44%	52%	52%	51%	52%	50%				
CBC 200600	✓	KKWFE0010	122	81	83	81	87	100	125	84	96	88	79	1	2	1	
F1		AAF19	-0.87	-4.7	-4.2	-7.6	-13	8.9	4.0	-10.6	0.1	-1.2	-3.8				
20600			71%	49%	49%	49%	21%	44%	50%	50%	50%	50%	49%				
CBC 200604	✓	KKWFD0052	117	96	98	100	99	100	122	102	101	106	86	1	2	1	
F1		AAF1	-0.40	1.5	4.8	7.8	4	8.7	3.6	2.4	0.9	0.5	-2.7				
20604			71%	49%	49%	48%	38%	47%	52%	52%	51%	50%	49%				

WAGYU Dams

Dam			Growth					Carcass					Stats				
ID	Parentage	Sire ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name	Gen. DNA	Dam ID															
JAPANESE BLACK																	
CBC 200605	✓	KKWFD0052	96	104	105	106	109	110	113	107	92	110	92	2	2	1	
F1		CWBFTAF1	1.66	4.7	9.2	12.2	20	14.0	2.4	6.0	-0.5	0.8	-1.8				
20605			58%	49%	49%	48%	38%	47%	50%	50%	50%	50%	49%				
CBC 200607	✓	KKWFD0052	101	103	103	104	109	109	113	107	92	110	92	1	2	1	
F1		CWBFTAF14	1.10	4.0	8.1	10.9	20	13.6	2.4	6.0	-0.5	0.8	-1.8				
20607			57%	49%	49%	48%	38%	47%	50%	50%	50%	50%	49%				
CBC 200608	✓	KKWFD0052	99	103	104	105	109	109	113	107	92	110	92	2	3	1	
F1		CWBFMCF6.1	1.28	4.2	8.5	11.3	20	13.7	2.4	6.0	-0.5	0.8	-1.8				
20608			57%	49%	49%	48%	38%	47%	50%	50%	50%	50%	49%				
CBC 200609	✓	KKWFD0052	114	103	104	106	106	102	113	119	93	108	85	1	1	1	
F1		KAF7	-0.10	4.2	8.7	12.5	15	9.6	2.4	14.0	-0.3	0.7	-2.9				
20609			70%	49%	49%	48%	38%	47%	52%	52%	51%	52%	50%				
CBC 210015	✓	KKWFD0052	99	103	104	105	109	109	113	107	92	110	92	1	2	1	
F1		CWBFCBC20	1.35	4.3	8.6	11.5	20	13.8	2.4	6.0	-0.5	0.8	-1.8				
210015			56%	49%	49%	48%	38%	47%	50%	50%	50%	50%	49%				
CBC 210022	✓	PMGFL00013	81	107	106	104	90	93	110	81	107	86	100	1	1		
F1		CBC16	3.04	5.8	9.6	10.7	-8	4.8	2.1	-12.4	1.8	-1.4	-0.4				
210022			68%	53%	57%	21%	22%	31%	50%	50%	49%	49%	45%				
CBC 210043	✓	CBC 180102	101	117	113	115	100	95	100	119	118	101	86	1	2	1	
F1		CBC48	1.14	9.7	14.2	18.8	6	6.3	0.8	14.5	3.6	0.0	-2.7				
210043			69%	30%	29%	30%	25%	32%	43%	43%	41%	43%	39%				
CBC 210050	✓	CBC 180102	85	120	116	117	110	104	93	126	114	104	88	1	3	1	
F1		CWBFCBC26	2.69	11.0	16.2	20.5	21	10.7	-0.1	19.2	3.0	0.3	-2.3				
210050			55%	28%	27%	27%	25%	27%	43%	43%	41%	43%	39%				
CBC 210614	✓	KKWFE0010	149	69	73	71	87	101	125	84	96	88	79	2	2	1	
F1		AAF4	-3.55	-9.5	-10.5	-15.0	-13	9.1	4.0	-10.6	0.1	-1.2	-3.8				
210614			71%	49%	49%	49%	21%	44%	50%	50%	50%	50%	49%				
CBC 210615	✓	KKWFE0010	100	89	91	87	97	110	118	91	92	91	82	1	2	1	
F1		CWBFAAF12	1.26	-1.4	0.3	-3.0	3	14.1	3.0	-5.9	-0.5	-1.0	-3.4				
210615			57%	49%	49%	49%	21%	44%	50%	50%	50%	50%	49%				
CBC 210618	✓	KKWFE0010	123	81	83	80	87	100	119	81	98	86	84	1	1	1	
F1		MAF10	-1.03	-4.9	-4.5	-7.9	-13	8.8	3.2	-12.8	0.4	-1.5	-3.0				
210618			70%	49%	49%	49%	21%	44%	50%	50%	50%	50%	49%				
CBC 210619	✓	KKWFD0052	104	102	102	103	109	109	113	107	92	110	92	2	2	1	
F1		CWBFAAF17	0.81	3.6	7.6	10.2	20	13.4	2.4	6.0	-0.5	0.8	-1.8				
210619			58%	49%	49%	48%	38%	47%	50%	50%	50%	50%	49%				

WAGYU Dams

Dam			Growth					Carcass					Stats				
ID	Parentage	Sire ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name	Gen. DNA	Dam ID															
JAPANESE BLACK																	
CBC 210624	✓	KKWFD0052	116	97	98	101	99	100	120	101	96	107	89	2	2	1	
F1		MAF15	-0.31	1.7	5.0	8.1	4	8.7	3.3	1.3	0.1	0.6	-2.2				
21624			71%	49%	49%	48%	38%	47%	50%	50%	50%	50%	49%				
CBC 210628	✓	KKWFE0010	107	89	85	80	85	91	127	78	97	83	83	1	1		
F2	✓	CBC 180521	0.53	-1.6	-3.3	-8.0	-15	3.7	4.2	-14.8	0.3	-1.7	-3.2				
21628			72%	51%	51%	50%	23%	45%	56%	56%	55%	55%	54%				
CBC 210631	✓	KKWFE0010	125	82	79	77	80	88	130	83	84	85	78	1	1		
F2	✓	CBC 180511	-1.15	-4.5	-7.2	-10.7	-22	2.2	4.6	-11.5	-1.7	-1.5	-3.9				
21631			73%	51%	51%	51%	23%	46%	57%	57%	56%	54%	51%				
CBC 210640	✓	KKWFE0010	105	88	89	85	97	110	118	91	92	91	82	1	1		
F1			0.79	-2.0	-0.6	-4.1	3	13.8	3.0	-5.9	-0.5	-1.0	-3.4				
21640			53%	49%	49%	49%	21%	44%	50%	50%	50%	50%	49%				
CBC 220014	✓	PMGFL00013	87	104	103	101	103	101	103	88	103	89	103	1	1		
FB	✓	CWBFCBC 180101	2.47	4.5	8.1	8.1	10	9.2	1.1	-7.7	1.2	-1.1	0.0				
220014			49%	28%	29%	21%	22%	23%	50%	50%	49%	49%	45%				
CBC 220603	✓	CBC 180102	97	116	113	114	99	93	106	119	113	103	82	1	1		
F1		KAF3	1.51	9.5	13.9	18.7	5	5.3	1.6	14.2	2.8	0.2	-3.3				
220603			69%	28%	27%	27%	25%	27%	46%	45%	42%	43%	39%				
CBC 220611	✓	CBC 180102	99	116	112	113	110	102	93	126	114	104	88	1	1		
F1		CWBFAAF18	1.31	9.2	13.5	17.3	21	9.8	-0.1	19.2	3.0	0.3	-2.3				
220611			51%	28%	27%	27%	25%	27%	43%	43%	41%	43%	39%				
CBC 220616	✓	CBC 180102	96	117	113	113	110	102	93	126	114	104	88	1	1		
F1		CWBFAAF2	1.63	9.6	14.1	18.0	21	10.0	-0.1	19.2	3.0	0.3	-2.3				
220616			51%	28%	27%	27%	25%	27%	43%	43%	41%	43%	39%				
CBC 220618	✓	CBC 180102	112	110	107	109	99	93	100	119	118	101	86	1	1		
F1		KAF5	0.03	7.0	10.6	14.7	5	5.2	0.8	14.5	3.6	0.0	-2.7				
220618			69%	28%	27%	27%	25%	27%	43%	43%	41%	43%	39%				
CBC 220620	✓	CBC 180102	98	116	112	113	110	102	93	126	114	104	88	1	1		
F1		CWBFHAF3	1.46	9.4	13.8	17.7	21	9.9	-0.1	19.2	3.0	0.3	-2.3				
220620			51%	28%	27%	27%	25%	27%	43%	43%	41%	43%	39%				
CBC 220622	✓	CBC 180102	116	117	112	114	104	91	99	137	123	107	82	1	1		
F1		AAF23	-0.31	9.8	13.6	18.4	11	4.0	0.7	26.7	4.4	0.6	-3.4				
220622			70%	28%	27%	27%	25%	27%	47%	47%	44%	45%	41%				
CBC 220624	✓	CBC 180102	117	115	111	113	103	92	108	127	127	97	74	1	1		
F1		AAF10	-0.41	8.9	12.7	17.6	11	4.4	1.8	19.7	4.9	-0.4	-4.6				
220624			69%	28%	27%	27%	25%	27%	46%	45%	42%	45%	41%				

WAGYU Dams

Dam				Growth						Carcass					Stats			
ID	Parentage	Sire ID		Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name	Gen. DNA	Dam ID																
JAPANESE BLACK																		
CBC 220632	✓	CBC 180102		104	114	110	112	99	93	100	119	118	101	86				
F1		MAF12		0.82	8.5	12.6	17.0	5	4.9	0.8	14.5	3.6	0.0	-2.7	1	1		
220632				69%	28%	27%	27%	25%	27%	43%	43%	41%	43%	39%				
CBC 220647	✓	CBC 180102		129	103	101	103	99	93	100	119	118	101	86				
F1		KAF9		-1.61	4.1	6.7	10.2	5	5.3	0.8	14.5	3.6	0.0	-2.7	1	1		
220647				68%	28%	27%	27%	25%	27%	43%	43%	41%	43%	39%				
CBC 220649	✓	CBC 180102		94	117	113	114	110	103	93	126	114	104	88				
F1		CWBFTAF23		1.81	9.9	14.5	18.5	21	10.1	-0.1	19.2	3.0	0.3	-2.3	1	1		
220649				51%	28%	27%	27%	25%	27%	43%	43%	41%	43%	39%				
CBC 220653	✓	CBC 180102		97	116	113	113	110	102	93	126	114	104	88				
F1		CWBFTAF11		1.50	9.5	13.9	17.7	21	9.9	-0.1	19.2	3.0	0.3	-2.3	1	1		
220653				51%	28%	27%	27%	25%	27%	43%	43%	41%	43%	39%				
CBC 220693	✓	CBC 180107		110	109	102	102	96	77	104	104	116	93	98				
F2	✓	CBC 180504		0.22	6.5	7.1	9.2	1	-3.4	1.3	3.9	3.3	-0.8	-0.8	1	1		
220693				71%	23%	20%	14%	14%	18%	50%	50%	47%	50%	45%				
CBC 230701	✓	CBC 180107		109	104	98	98	93	80	101	91	110	85	102				
F2	✓	CBC 180521		0.40	4.4	4.6	6.2	-4	-2.1	1.0	-5.9	2.3	-1.5	-0.1	1	1		
230701				71%	23%	20%	14%	14%	18%	49%	49%	46%	49%	44%				
CBC 230717	✓	KKWFE0010		110	86	88	84	97	109	118	91	92	91	82				
F1		CWBFTAF20		0.30	-2.7	-1.5	-5.3	3	13.5	3.0	-5.9	-0.5	-1.0	-3.4	1	1		
23717				53%	49%	49%	49%	21%	44%	50%	50%	50%	50%	49%				
CBC16				82	101	112			124									
BS				2.95	3.3	13.5			21.3						1	2	1	
16				31%	26%	27%			39%									
CBC48				89	102	113	114		126									
BS				2.32	3.8	14.3	18.1		22.5						1	4	3	
48				43%	24%	23%	23%		36%									
D11				94						92	91	103	107	109				
BS				1.83						-0.2	-5.3	1.3	0.6	0.9	1	1	1	
D11				34%						14%	14%	11%	14%	11%				
DCH4				104						104	116	107	101	85				
BS				0.86						1.3	11.9	1.9	0.0	-2.9	1	1	1	
DCH4				33%						14%	14%	11%	14%	11%				
HAF8				120						96	116	92	129	108				
BS				-0.71						0.2	12.0	-0.5	2.7	0.8	1	2	1	
HAF 8				41%						31%	31%	25%	31%	24%				

WAGYU Dams

Dam				Growth						Carcass					Stats			
ID	Parentage	Sire ID		Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name	Gen. DNA	Dam ID																
JAPANESE BLACK																		
KAF12				93						98	103	104	93	92				
BS				1.88						0.6	2.7	1.3	-0.7	-1.8	1	1	1	
KAF 12				33%						14%	14%	11%	14%	11%				
KAF13				79						97	97	100	93	95				
BS				3.30						0.4	-1.2	0.8	-0.8	-1.3	1	1	1	
KAF 13				33%						14%	14%	11%	14%	11%				
KAF14				92						106	85	100						
BS				2.06						1.5	-9.6	0.7			1	2	1	1
KAF 14				42%						28%	27%	22%						
KAF18				88						87	141	103	152	112				
BS				2.43						-0.9	30.1	1.3	4.8	1.5	1	3	1	
KAF 18				48%						41%	39%	33%	40%	31%				
KAF19				103						92	95	102	94	100				
BS				0.99						-0.2	-2.6	1.0	-0.7	-0.4	1	1	1	
KAF 19				32%						14%	14%	11%	14%	11%				
KAF3				84						112	99	91						
BS				2.75						2.3	0.0	-0.6			1	2	1	1
KAF 3				40%						28%	27%	22%						
KAF4				98						99	93	100	101	100				
BS				1.43						0.6	-4.3	0.8	0.0	-0.5	1	1	1	
KAF 4				33%						12%	11%	9%	12%	9%				
KAF5				92														
BS				2.03											1	2	2	
KAF 5				43%														
KAF7				90						86	136	96	103	88				
BS				2.16						-1.0	26.0	0.1	0.2	-2.4	1	3	2	
KAF 7				48%						31%	31%	25%	31%	24%				
KAF8				54						110	74	102	72					
BS				5.68						2.1	-17.3	1.0	-2.7		1	3	1	2
KAF 8				48%						39%	37%	31%	27%					
KAF9				106														
BS				0.69											1	2	2	
KAF 9				35%														
KCF4				102						107	97	105	98	89				
BS				1.03						1.7	-1.4	1.5	-0.3	-2.2	1	2	1	
KCF 4				42%						28%	28%	22%	28%	21%				

WAGYU Dams

Dam			Growth					Carcass					Stats				
ID	Parentage	Sire ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name	Gen. DNA	Dam ID															
JAPANESE BLACK																	
LB 190004	✓	BA 140004	102	102	104	105	96	107	74	73	100	96	128	1	3	1	
F1		D11	1.03	3.9	8.5	11.7	1	12.6	-2.5	-18.2	0.8	-0.4	3.9				
LB190004			72%	32%	24%	19%	19%	24%	45%	45%	40%	36%	28%				
LB 190029	✓	BA 140004	110	101	101	104	98	106	71	98	96	86	113	1	4	1	
F1		NT102	0.25	3.1	6.9	10.4	3	12.1	-2.9	-0.3	0.1	-1.4	1.6				
LB190029			74%	32%	24%	19%	19%	24%	51%	50%	44%	43%	34%				
LB 190035	✓	BA 150400	108	108	116	119	118	122	85	108	79	115	116	1	3		
F1		LB201	0.43	6.1	16.0	22.2	32	20.3	-1.1	6.5	-2.5	1.4	2.1				
LB190035			72%	27%	18%	22%	17%	23%	44%	43%	39%	37%	27%				
LB 190039	✓	LB 160100	99	98	102	103	97	108	104	96	109	89	88	1	3	1	
F1		Z13-083	1.28	2.1	7.4	10.0	2	13.0	1.3	-1.8	2.2	-1.2	-2.4				
LB190039			71%	15%	14%	14%	15%	16%	42%	41%	35%	32%	25%				
LB 190040	✓	BA 140004	96	104	105	107	96	108	77	87	95	71	105	1	2		
F1		13-164	1.59	4.4	9.4	12.9	1	13.2	-2.1	-8.4	0.0	-2.8	0.4				
LB190040			71%	32%	24%	19%	19%	24%	45%	45%	40%	37%	28%				
LB 190054	✓	BA 150400	125	95	104	107	113	118	95	129	97	112	95	1	3	1	
F1		DCH4	-1.20	1.1	8.3	13.0	25	18.5	0.2	21.1	0.4	1.0	-1.2				
LB190054			72%	27%	18%	22%	17%	23%	44%	43%	39%	37%	27%				
LB 190058	✓	LB 160100	117	88	93	95	92	104	101	90	97	96	99	1	3	1	
F1		LB14	-0.46	-1.8	1.6	3.4	-5	10.9	0.9	-6.5	0.4	-0.5	-0.6				
LB190058			70%	15%	14%	14%	15%	16%	42%	41%	35%	32%	25%				
LB 190059	✓	BA 150400	102	111	120	122	119	123	88	115	92	116	110	1	3	1	
F1		11-143	1.02	7.6	18.3	24.9	34	21.1	-0.7	11.2	-0.5	1.5	1.1				
LB190059			72%	27%	18%	22%	17%	23%	44%	43%	39%	37%	27%				
LB 190061	✓	BA 150400	114	101	109	112	110	117	84	115	91	112	112	2	4	2	
F1		15-163	-0.16	3.4	11.4	16.5	21	17.5	-1.2	11.1	-0.7	1.1	1.5				
LB190061			73%	27%	18%	22%	17%	23%	44%	43%	39%	37%	27%				
LB14			99						101	101	99	103	96	1	1	1	
BS			1.37						1.0	1.7	0.6	0.2	-1.1				
14			33%						14%	14%	11%	14%	11%				
LB201			93						98	102	95	104	99	1	1	1	
BS			1.96						0.5	2.1	0.0	0.2	-0.7				
201			34%						14%	14%	11%	14%	11%				
LPB 190039	✓	733D	87	112	113	114	113	111	100	104	92	103	93	2	2	1	
PBD	✓	CWBFZEWB154002	2.50	7.7	14.1	18.4	24	14.7	0.7	3.3	-0.5	0.2	-1.6				
MS PADRINO 1900			48%	19%	34%	8%	6%	11%	37%	37%	34%	35%	26%				

WAGYU Dams

Dam				Growth						Carcass					Stats			
ID	Parentage	Sire ID		Birth	Wean	12 mnth	18 mnth	Mature	Milk	IMF	Carcass	EMA	Rib Fat	Marble	Herds	Progeny	Active	
Name	Gen. DNA	Dam ID		weight	weight	weight	weight	weight			weight			Fineness			2yrs & older	Carcasses
JAPANESE BLACK																		
LPB 191101	✓	HJ 150008		99	98	101	102	93	97	115	93	103	86	88				
F1		13007		1.32	2.1	6.6	9.3	-4	7.3	2.7	-4.2	1.3	-1.4	-2.5	1	3	1	
LPB191101				72%	59%	26%	21%	20%	36%	49%	48%	44%	39%	29%				
LPB 191201	✓	KT4FK1888		101	98	99	101	92	95	125	95	118	95	81				
F1		17148		1.18	2.0	5.7	8.5	-5	6.3	4.0	-2.5	3.6	-0.5	-3.5	1	3	1	
LPB191201				72%	47%	31%	25%	16%	36%	52%	52%	48%	49%	43%				
LSRFE0263		LSRFC0219		128	94	83	85	79	59	96	90	116	85	111				
FB		LSRFY0160		-1.53	0.4	-4.5	-4.1	-23	-13.1	0.2	-6.6	3.3	-1.5	1.2	2	3	2	
DOOR KEY E263				55%	37%	43%	35%	31%	35%	51%	51%	49%	51%	44%				
MAF10				105						87	93	105	95	105				
BS				0.75						-0.9	-3.8	1.5	-0.5	0.4	1	2	1	
MAF 10				43%						14%	14%	11%	14%	11%				
MAF11				108						99	92	82	110	106				
BS				0.47						0.7	-5.0	-2.0	0.9	0.5	1	2	1	1
MAF 11				34%						31%	31%	25%	14%	11%				
MAF12				95														
BS				1.68											1	2	2	
MAF 12				42%														
MAF13				93														
BS				1.96											1	1	1	
MAF 13				31%														
MAF14				96						93	93	101	92	100				
BS				1.64						-0.1	-4.2	0.9	-0.8	-0.5	1	1	1	
MAF 14				33%						14%	14%	11%	14%	11%				
MAF15				102														
BS				0.99											1	2	2	
MAF 15				43%														
MAF5				98														
BS				1.43											1	1	1	
MAF 5				31%														
MAF6				79						81	97	93	106	114				
BS				3.27						-1.6	-1.4	-0.3	0.4	1.7	1	2	1	
MAF 6				42%						29%	28%	23%	28%	21%				
MAF7				90														
BS				2.20											1	1	1	
MAF 7				32%														

WAGYU Dams

Dam				Growth						Carcass					Stats					
ID	Parentage		Sire ID	Gen. DNA	Dam ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name																				
JAPANESE BLACK																				
MAF8						79						90	98	87						
BS						3.31						-0.5	-0.9	-1.3			1	2	1	1
MAF 8						41%						28%	28%	22%						
NT102						98						90	108	101	100	99				
BS						1.41						-0.4	6.6	0.9	-0.1	-0.6	1	2	1	
NT102						41%						19%	19%	15%	19%	15%				
Z13-083						86						103	106	107	99	88				
BS						2.56						1.2	4.9	1.8	-0.2	-2.4	1	1	1	
Z13-083						34%						14%	14%	11%	14%	11%				

WAGYU Bulls

Inbreeding >6% is high				<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed															
Bull				Selection Value					Calf weight		Mother		Growth		Fertility			Carcass				
ID	%Inbreeding	Parentage		Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
Name		Genomic	DNA																			
JAPANESE BLACK																						
CBC 180107	2		HWKFA0002	109	103	58	116	114	133	103	92	58	93	84	117	113	109	100	93	117	81	102
FB			LSRFE0263						-2.01	4.1	-0.08	-13.8	1.6	-17	-12.5	-2.0	9.1	0.9	-4.0	3.4	-1.9	-0.2
CBC 180107				82%	37%	29 %	18%	28%	92 %	37 %	42%	29%	24%	18%	36%	19%	72 %	85 %	84 %	78 %	84 %	76 %
CBC 250012			CWBMCBC 180103	100	94	102	107	98	106	94	70	102	100	93	90	103	90	108	87	106	92	97
FB			CBC 220014						0.63	0.4	0.74	9.9	6.7	-4	2.9	-0.3	0.9	1.9	-8.2	1.7	-0.9	-1.0
CBC CBC250012				52%	14%	12 %	11%	12%	60 %	14 %	23%	12%	12%	11%	15%	8%	27 %	25 %	25 %	25 %	24 %	23 %

WAGYU Cows

Inbreeding >6% is high			<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed																
Cow				Selection Values					Kalf gewig		Moeder		Groeï		Vrugbaarheid			Karkas				
ID	%Inbreeding	Parentage		Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
		Genomic DNA	Sire ID Dam ID																			
AKAUSHI																						
LPB 191003		✓	ZEWB170031	85	103	101	99	107	94	103	65	101	105	101	98	112	111	95	107	96	104	104
F1			13073	66 %	54 %	32 %	20 %	30 %	1.79	4.1	0.93	9.1	10.0	7	-2.0	-1.7	10.1	0.1	5.6	0.1	0.3	0.2
PURE LPB191003				66 %	54 %	32 %	20 %	30 %	68 %	54 %	56 %	32 %	24 %	20%	40%	21%	49 %	30 %	29 %	28 %	24 %	20 %
JAPANESE BLACK																						
CBC 180105			148BE	127	87	74	124	99	122	87	110	74	83	76	105	97	100	124	64	106	88	97
FB			AACFC0089	56 %	51 %	50 %	46 %	48 %	-0.95	-2.5	-0.77	-4.9	-5.6	-29	-5.7	1.1	5.4	3.8	-24.3	1.8	-1.3	-1.0
CBC 180105				56 %	51 %	50 %	46 %	48 %	56 %	51 %	56 %	50 %	51 %	46%	56%	40%	59 %	51 %	52 %	51 %	51 %	47 %
CBC 180500		✓	KF 120016	103	99	100	98	85	102	99	95	100	99	102	87	85	90	78	132	75	133	120
F1			CWBFAAF13	54 %	27 %	25 %	19 %	26 %	1.04	2.7	-0.19	8.5	6.0	10	5.0	3.2	1.1	-2.0	23.3	-3.0	3.0	2.7
CBC 18500				54 %	27 %	25 %	19 %	26 %	54 %	27 %	54 %	25 %	27 %	19%	34%	19%	52 %	50 %	49 %	46 %	38 %	30 %
CBC 180502		✓	BA 110540	125	93	101	106	123	122	93	103	101	97	94	120	124	75	88	73	88	89	113
F1			KAF4	69 %	26 %	28 %	19 %	35 %	-0.93	-0.1	-0.48	9.5	4.6	-2	-14.7	-3.8	-5.4	-0.8	-18.0	-1.0	-1.1	1.6
CBC 18502				69 %	26 %	28 %	19 %	35 %	71 %	26 %	59 %	28 %	22 %	19%	45%	25%	58 %	48 %	48 %	44 %	33 %	25 %
CBC 180504		✓	PMGFL00013	90	115	96	91	95	87	115	111	96	111	109	92	99	98	108	116	115	105	93
F1				60 %	28 %	23 %	22 %	24 %	2.47	9.2	-0.79	6.7	14.1	19	1.9	0.8	4.1	1.8	11.7	3.1	0.4	-1.5
CBC 18504				60 %	28 %	23 %	22 %	24 %	60 %	28 %	58 %	23 %	25 %	22%	31%	17%	58 %	54 %	54 %	52 %	53 %	48 %
CBC 180506		✓	BA 110540	114	94	103	106	114	115	94	80	103	99	94	104	120	81	87	87	93	79	102
F1			KAF12	69 %	26 %	28 %	19 %	35 %	-0.24	0.3	0.35	10.6	5.7	-2	-5.3	-3.2	-3.1	-0.9	-8.3	-0.3	-2.1	-0.1
CBC 18506				69 %	26 %	28 %	19 %	35 %	72 %	26 %	59 %	28 %	22 %	19%	45%	25%	58 %	50 %	49 %	45 %	36 %	28 %
CBC 180511		✓	KF 120018	116	92	95	108	113	117	92	81	95	95	92	100	121	90	109	97	78	94	95
F1			AAF6	69 %	27 %	26 %	19 %	35 %	-0.40	-0.2	0.31	5.8	2.7	-5	-2.9	-3.3	1.1	1.9	-1.1	-2.7	-0.7	-1.3
CBC 18511				69 %	27 %	26 %	19 %	35 %	71 %	27 %	62 %	26 %	28 %	19%	46%	24%	59 %	54 %	54 %	51 %	44 %	31 %
CBC 180519		✓	KF 120018	114	103	94	97	124	116	103	80	94	103	103	111	133	91	101	122	103	107	90
F1			AAF9	71 %	27 %	26 %	19 %	35 %	-0.31	4.1	0.36	5.4	8.7	10	-9.1	-5.4	1.5	0.9	16.7	1.2	0.6	-2.1
CBC 18519				71 %	27 %	26 %	19 %	35 %	73 %	27 %	64 %	26 %	28 %	19%	44%	26%	60 %	59 %	59 %	54 %	51 %	38 %
CBC 180520		✓	BA 110540	125	104	98	96	132	123	104	106	98	106	104	125	135	85	76	104	97	94	108
F1			AAF25	72 %	26 %	28 %	19 %	36 %	-1.04	4.4	-0.62	7.8	10.5	12	-17.2	-5.8	-1.1	-2.2	3.5	0.2	-0.7	0.7
CBC 18520				72 %	26 %	28 %	19 %	36 %	74 %	26 %	65 %	28 %	22 %	19%	45%	27%	60 %	56 %	55 %	50 %	45 %	35 %
CBC 180521		✓	PMGFL00013	82	106	101	97	86	81	106	105	101	104	103	83	89	99	103	88	103	89	103
F1				63 %	28 %	23 %	22 %	25 %	3.05	5.2	-0.55	9.5	8.9	10	6.9	2.5	4.8	1.1	-7.7	1.2	-1.1	0.0
CBC 18521				63 %	28 %	23 %	22 %	25 %	63 %	28 %	62 %	23 %	25 %	22%	33%	17%	58 %	50 %	50 %	49 %	49 %	45 %
CBC 180523		✓	BA 110540	124	92	102	106	117	123	92	99	102	97	94	105	124	77	89	75	89	82	108
F1			AAF16	68 %	26 %	28 %	19 %	34 %	-0.96	-0.3	-0.35	9.7	4.4	-2	-5.7	-3.8	-4.8	-0.6	-17.2	-0.9	-1.9	0.7
CBC 18523				68 %	26 %	28 %	19 %	34 %	71 %	26 %	56 %	28 %	22 %	19%	45%	23%	57 %	51 %	51 %	47 %	38 %	29 %

WAGYU Cows

Inbreeding >6% is high				<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed															
Cow				Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas				
ID	%Inbreeding	Parentage		Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
Name		Genomic DNA	Sire ID																			
JAPANESE BLACK																						
CBC 190002		✓	PK 150003	90	82	107	115	104	90	82	98	107	85	85	101	106	86	101	102	75	128	110
F1			CWBFCBC25	48 %	29 %	28 %	7 %	20 %	2.17	-4.4	-0.30	12.5	-4.0	-15	-3.2	-0.6	-0.9	0.9	2.2	-3.0	2.6	1.2
CBC 190002				48 %	29 %	28 %	7 %	20 %	47 %	29 %	52 %	28 %	24 %	7 %	28 %	12 %	51 %	45 %	45 %	43 %	36 %	18 %
CBC 190017		✓	PK 150003	78	84	108	115	104	83	84	85	108	87	85	101	106	86	101	102	75	128	110
F1			CWBFCBC11	51 %	29 %	28 %	7 %	20 %	2.92	-3.5	0.16	13.0	-2.4	-15	-3.2	-0.6	-0.9	0.9	2.2	-3.0	2.6	1.2
CBC 190017				51 %	29 %	28 %	7 %	20 %	49 %	29 %	57 %	28 %	24 %	7 %	28 %	12 %	51 %	45 %	45 %	43 %	36 %	18 %
CBC 190524		✓	PMGFL00013	117	92	93	108	91	114	92	97	93	93	92	78	100	88	110	81	107	86	100
F1			AAF27	67 %	28 %	23 %	22 %	31 %	-0.10	-0.3	-0.26	4.9	1.5	-6	9.9	0.4	0.2	2.1	-12.4	1.8	-1.4	-0.4
CBC 19524				67 %	28 %	23 %	22 %	31 %	70 %	28 %	55 %	23 %	25 %	22 %	43 %	19 %	59 %	50 %	50 %	49 %	49 %	45 %
CBC 190533		✓	PMGFL00013	95	100	92	108	87	96	100	91	92	99	92	76	96	87	110	81	107	86	100
F1			MAF13	64 %	28 %	23 %	22 %	30 %	1.64	2.9	-0.06	4.6	6.0	-6	11.1	1.2	-0.6	2.1	-12.4	1.8	-1.4	-0.4
CBC 19533				64 %	28 %	23 %	22 %	30 %	68 %	28 %	47 %	23 %	25 %	22 %	43 %	17 %	59 %	50 %	50 %	49 %	49 %	45 %
CBC 190535		✓	PMGFL00013	84	108	96	102	101	86	108	94	96	106	98	99	102	84	113	82	108	86	96
F1			AAF26	70 %	28 %	23 %	22 %	32 %	2.57	6.2	-0.15	6.4	10.7	3	-2.4	0.1	-1.8	2.4	-12.1	2.0	-1.5	-1.1
CBC 19535				70 %	28 %	23 %	22 %	32 %	72 %	28 %	60 %	23 %	25 %	22 %	43 %	22 %	60 %	55 %	54 %	52 %	54 %	48 %
CBC 190538		✓	PMGFL00013	71	108	92	108	95	77	108	86	92	106	92	82	104	87	106	77	106	76	98
F1			KAF13	69 %	28 %	23 %	22 %	32 %	3.48	6.3	0.16	4.4	10.7	-6	7.5	-0.3	-0.5	1.6	-15.2	1.7	-2.4	-0.8
CBC 19538				69 %	28 %	23 %	22 %	32 %	71 %	28 %	59 %	23 %	25 %	22 %	43 %	22 %	60 %	54 %	54 %	52 %	53 %	48 %
CBC 190539		✓	PMGFL00013	103	99	92	108	94	101	99	100	92	98	92	82	103	88	101	70	83	100	122
F1			MAF11	56 %	28 %	23 %	22 %	32 %	1.17	2.4	-0.39	4.3	5.0	-6	7.8	0.0	0.2	0.9	-20.4	-1.8	-0.1	3.0
CBC 19539				56 %	28 %	23 %	22 %	32 %	56 %	28 %	54 %	23 %	25 %	22 %	43 %	20 %	59 %	56 %	55 %	53 %	53 %	48 %
CBC 190540		✓	WC 170005	119	90	90	108	83	115	90	96	90	91	92	66	96	91	101	91	107	83	95
F1			MAF5	62 %	27 %	26 %	23 %	31 %	-0.25	-1.0	-0.24	3.5	0.4	-5	16.8	1.3	1.2	1.0	-5.7	1.8	-1.7	-1.3
CBC 19540				62 %	27 %	26 %	23 %	31 %	65 %	27 %	50 %	26 %	26 %	23 %	41 %	21 %	56 %	48 %	48 %	47 %	47 %	40 %
CBC 190542		✓	PMGFL00013	101	110	93	96	97	101	110	91	93	108	104	101	95	90	98	104	100	89	96
F1			KAF7	67 %	28 %	23 %	22 %	32 %	1.11	6.9	-0.03	5.1	11.8	11	-3.3	1.4	0.9	0.5	3.4	0.8	-1.1	-1.1
CBC 19542				67 %	28 %	23 %	22 %	32 %	70 %	28 %	56 %	23 %	25 %	22 %	44 %	20 %	60 %	56 %	55 %	53 %	55 %	49 %
CBC 190547		✓	KF 120016	111	92	94	101	84	136	92	108	94	93	99	83	87	84	81	103	61	129	133
F1			HAF8	67 %	27 %	25 %	19 %	34 %	-2.31	-0.4	-0.70	5.6	1.6	4	7.2	2.8	-1.5	-1.6	2.6	-5.3	2.6	4.8
CBC 19547				67 %	27 %	25 %	19 %	34 %	69 %	27 %	57 %	25 %	27 %	19 %	45 %	22 %	55 %	52 %	51 %	47 %	40 %	31 %
CBC 190548		✓	KF 120016	109	102	95	102	92	110	102	84	95	102	98	88	96	86	66	118	70	143	144
F1			KAF18	66 %	27 %	25 %	19 %	32 %	0.22	3.7	0.21	5.9	7.7	4	4.4	1.2	-0.6	-3.5	13.8	-3.8	4.0	6.5
CBC 19548				66 %	27 %	25 %	19 %	32 %	69 %	27 %	53 %	25 %	27 %	19 %	45 %	19 %	53 %	53 %	52 %	48 %	42 %	33 %
CBC 190549		✓	KF 120016	119	95	96	102	85	125	95	90	96	96	98	83	88	82	88	110	76	113	113
F1			AAF11	71 %	27 %	25 %	19 %	34 %	-1.17	0.9	0.00	6.5	3.9	4	6.9	2.6	-2.3	-0.7	7.7	-3.0	1.2	1.7
CBC 19549				71 %	27 %	25 %	19 %	34 %	73 %	27 %	63 %	25 %	27 %	19 %	45 %	24 %	55 %	46 %	46 %	43 %	32 %	24 %

WAGYU Cows

Inbreeding >6% is high				<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed															
Cow				Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas				
ID	%Inbreeding	Parentage		Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
Name		Genomic DNA	Sire ID																			
JAPANESE BLACK																						
CBC 190552		✓	KF 120016	109	95	97	106	71	110	95	84	97	97	94	62	80	86	79	96	67	113	128
F1			MAF7	66 %	27 %	25 %	19 %	34 %	0.26	0.7	0.20	7.2	4.3	-3	19.4	4.1	-0.6	-1.9	-1.7	-4.3	1.2	4.0
CBC 19552				66 %	27 %	25 %	19 %	34 %	69 %	27 %	56 %	25 %	27 %	19%	45%	22%	54 %	44 %	44 %	42 %	28 %	22 %
CBC 190554		✓	KF 120016	118	95	95	106	78	113	95	104	95	97	94	76	82	88	79	96	67	113	128
F1			AAF4	71 %	27 %	25 %	19 %	34 %	-0.01	1.1	-0.55	6.2	4.2	-3	10.9	3.8	0.0	-1.9	-1.7	-4.3	1.2	4.0
CBC 19554				71 %	27 %	25 %	19 %	34 %	73 %	27 %	63 %	25 %	27 %	19%	45%	24%	54 %	44 %	44 %	42 %	28 %	22 %
LB 190004		✓	BA 140004	100	102	107	104	98	102	102	85	107	105	96	86	106	92	74	73	100	96	128
F1			D11	69 %	32 %	24 %	19 %	32 %	1.03	3.9	0.18	12.6	9.7	1	5.4	-0.6	1.7	-2.5	-18.2	0.8	-0.4	3.9
LOUMA-B LB190004				69 %	32 %	24 %	19 %	32 %	72 %	32 %	59 %	24 %	22 %	19%	42%	21%	54 %	45 %	45 %	40 %	36 %	28 %
LB 190022		✓	BA 150400	86	109	117	90	100	95	109	66	117	117	110	87	109	93	82	107	97	121	121
F1			17.60.24	67 %	27 %	23 %	17 %	30 %	1.74	6.5	0.90	17.9	18.1	21	4.5	-1.1	2.2	-1.5	5.8	0.4	1.9	2.9
LOUMA-B LB190022				67 %	27 %	23 %	17 %	30 %	70 %	27 %	55 %	23 %	20 %	17%	41%	19%	53 %	44 %	43 %	39 %	37 %	27 %
LB 190029		✓	BA 140004	109	101	106	102	125	110	101	86	106	103	98	115	130	94	71	98	96	86	113
F1			NT102	72 %	32 %	24 %	19 %	33 %	0.25	3.1	0.14	12.1	8.3	3	-11.8	-5.0	2.6	-2.9	-0.3	0.1	-1.4	1.6
LOUMA-B LB190029				72 %	32 %	24 %	19 %	33 %	74 %	32 %	62 %	24 %	22 %	19%	42%	24%	55 %	51 %	50 %	44 %	43 %	34 %
LB 190035		✓	BA 150400	103	108	122	82	104	108	108	71	122	117	118	109	100	92	85	108	79	115	116
F1			LB201	69 %	27 %	23 %	17 %	32 %	0.43	6.1	0.70	20.3	18.7	32	-7.9	0.4	1.8	-1.1	6.5	-2.5	1.4	2.1
LOUMA-B LB190035				69 %	27 %	23 %	17 %	32 %	72 %	27 %	59 %	23 %	20 %	17%	41%	22%	54 %	44 %	43 %	39 %	37 %	27 %
LB 190039		✓	LB 160100	92	98	108	103	104	99	98	68	108	103	97	109	101	91	104	96	109	89	88
F1			Z13-083	68 %	15 %	16 %	15 %	29 %	1.28	2.1	0.81	13.0	8.3	2	-7.8	0.4	1.2	1.3	-1.8	2.2	-1.2	-2.4
LOUMA-B LB190039				68 %	15 %	16 %	15 %	29 %	71 %	15 %	57 %	16 %	14 %	15%	38%	20%	52 %	42 %	41 %	35 %	32 %	25 %
LB 190040		✓	BA 140004	90	104	108	104	103	96	104	72	108	106	96	105	102	96	77	87	95	71	105
F1			13-164	68 %	32 %	24 %	19 %	32 %	1.59	4.4	0.66	13.2	10.7	1	-5.8	0.2	3.5	-2.1	-8.4	0.0	-2.8	0.4
LOUMA-B LB190040				68 %	32 %	24 %	19 %	32 %	71 %	32 %	54 %	24 %	22 %	19%	44%	19%	53 %	45 %	45 %	40 %	37 %	28 %
LB 190054		✓	BA 150400	117	95	118	87	109	125	95	85	118	106	113	110	107	87	95	129	97	112	95
F1			DCH4	69 %	27 %	23 %	17 %	32 %	-1.20	1.1	0.19	18.5	10.3	25	-8.7	-0.8	-0.3	0.2	21.1	0.4	1.0	-1.2
LOUMA-B LB190054				69 %	27 %	23 %	17 %	32 %	72 %	27 %	59 %	23 %	20 %	17%	41%	22%	53 %	44 %	43 %	39 %	37 %	27 %
LB 190058		✓	LB 160100	119	88	104	108	110	117	88	88	104	94	92	111	109	85	101	90	97	96	99
F1			LB14	67 %	15 %	16 %	15 %	29 %	-0.46	-1.8	0.06	10.9	2.1	-5	-9.5	-1.0	-1.4	0.9	-6.5	0.4	-0.5	-0.6
LOUMA-B LB190058				67 %	15 %	16 %	15 %	29 %	70 %	15 %	56 %	16 %	14 %	15%	38%	20%	50 %	42 %	41 %	35 %	32 %	25 %
LB 190059		✓	BA 150400	94	111	123	81	105	102	111	64	123	121	119	109	101	92	88	115	92	116	110
F1			11-143	69 %	27 %	23 %	17 %	32 %	1.02	7.6	0.97	21.1	21.2	34	-8.3	0.3	1.9	-0.7	11.2	-0.5	1.5	1.1
LOUMA-B LB190059				69 %	27 %	23 %	17 %	32 %	72 %	27 %	59 %	23 %	20 %	17%	41%	22%	50 %	44 %	43 %	39 %	37 %	27 %
LB 190061		✓	BA 150400	113	101	117	90	107	114	101	82	117	110	110	112	103	94	84	115	91	112	112
F1			15-163	71 %	27 %	23 %	17 %	32 %	-0.16	3.4	0.30	17.5	13.5	21	-9.6	0.0	2.8	-1.2	11.1	-0.7	1.1	1.5
LOUMA-B LB190061				71 %	27 %	23 %	17 %	32 %	73 %	27 %	63 %	23 %	20 %	17%	41%	24%	54 %	44 %	43 %	39 %	37 %	27 %

WAGYU Cows

Inbreeding >6% is high				<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed															
Cow				Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas				
ID	%Inbreeding	Parentage		Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
Name		Genomic DNA	Sire ID Dam ID																			
JAPANESE BLACK																						
LPB 190039		733D		82	112	111	87	113	87	112	82	111	113	113	111	113	124	100	104	92	103	93
PBD		CWBZFEWB154002		47 %	19 %	11 %	6 %	27 %	2.50	7.7	0.29	14.7	15.8	24	-9.3	-1.9	15.5	0.7	3.3	-0.5	0.2	-1.6
PURE MS PADRINO 1900									48 %	19 %	44 %	11 %	21 %	6 %	41%	13%	47 %	37 %	37 %	34 %	35 %	26 %
LPB 191101		HJ 150008		94	98	97	107	90	99	98	77	97	102	93	77	100	101	115	93	103	86	88
F1		13007		69 %	59 %	36 %	20 %	32 %	1.32	2.1	0.49	7.3	7.6	-4	10.3	0.6	5.6	2.7	-4.2	1.3	-1.4	-2.5
PURE LPB191101									72 %	59 %	57 %	36 %	24 %	20%	43%	20%	56 %	49 %	48 %	44 %	39 %	29 %
LPB 191201		KT4FK1888		102	98	95	108	100	101	98	97	95	100	92	105	97	93	125	95	118	95	81
F1		17148		69 %	47 %	36 %	16 %	34 %	1.18	2.0	-0.29	6.3	6.7	-5	-5.8	1.0	2.3	4.0	-2.5	3.6	-0.5	-3.5
PURE LPB191201									72 %	47 %	58 %	36 %	28 %	16%	45%	22%	54 %	52 %	52 %	48 %	49 %	43 %
CBC 200002		PK 150003		77	84	108	115	104	82	84	85	108	87	85	101	106	86	101	102	75	128	110
F1		CWBFCBC15		54 %	29 %	28 %	7 %	20 %	2.94	-3.5	0.17	13.0	-2.4	-15	-3.2	-0.6	-0.9	0.9	2.2	-3.0	2.6	1.2
CBC 200002									53 %	29 %	57 %	28 %	24 %	7 %	28%	12%	51 %	45 %	45 %	43 %	36 %	18 %
CBC 200015		CBC 180102		93	117	103	90	113	93	117	96	103	114	110	113	112	99	93	126	114	104	88
F1				48 %	28 %	27 %	25 %	26 %	1.88	10.0	-0.22	10.2	16.2	21	-10.6	-1.6	4.9	-0.1	19.2	3.0	0.3	-2.3
CBC 200015									49 %	28 %	44 %	27 %	27 %	25%	32%	21%	46 %	43 %	43 %	41 %	43 %	39 %
CBC 200556		KF 120016		118	88	97	106	90	128	88	100	97	91	94	84	96	86	67	90	68	104	135
F1		KAF19		66 %	27 %	25 %	19 %	34 %	-1.48	-2.0	-0.39	6.9	0.1	-3	6.2	1.2	-0.9	-3.3	-6.6	-4.2	0.3	5.0
CBC 20556									69 %	27 %	56 %	25 %	27 %	19%	45%	22%	53 %	50 %	49 %	46 %	38 %	30 %
CBC 200557		KF 120016		113	96	105	96	78	108	96	113	105	97	104	80	79	88	71	103	63	116	131
F1		CWBHFHF2		49 %	27 %	25 %	19 %	26 %	0.46	1.3	-0.87	11.6	4.5	12	8.9	4.4	0.0	-2.9	3.0	-4.9	1.4	4.5
CBC 20557									49 %	27 %	47 %	25 %	27 %	19%	34%	19%	52 %	44 %	44 %	42 %	28 %	22 %
CBC 200558		KF 120016		118	88	97	106	80	128	88	100	97	91	94	76	84	87	79	96	67	113	128
F1		MAF15		68 %	27 %	25 %	19 %	32 %	-1.47	-2.0	-0.38	6.9	0.1	-3	10.9	3.4	-0.4	-1.9	-1.7	-4.3	1.2	4.0
CBC 20558									70 %	27 %	58 %	25 %	27 %	19%	45%	19%	53 %	44 %	44 %	42 %	28 %	22 %
CBC 200559		KF 120016		112	93	97	106	78	113	93	85	97	96	94	76	82	91	82	89	67	109	127
F1		KAF14		69 %	27 %	25 %	19 %	34 %	0.01	0.3	0.17	7.3	3.6	-3	11.1	3.7	1.4	-1.5	-6.9	-4.4	0.8	3.8
CBC 20559									71 %	27 %	61 %	25 %	27 %	19%	43%	24%	55 %	46 %	46 %	43 %	28 %	22 %
CBC 200561		KF 120016		117	91	98	106	79	118	91	81	98	94	94	78	82	86	69	86	66	101	134
F1		MAF14		69 %	27 %	25 %	19 %	34 %	-0.49	-0.9	0.32	7.6	2.1	-3	10.2	3.7	-0.9	-3.1	-9.0	-4.4	0.0	4.9
CBC 20561									71 %	27 %	61 %	25 %	27 %	19%	45%	24%	55 %	50 %	49 %	46 %	38 %	30 %
CBC 200562		KF 120016		119	94	96	106	77	114	94	102	96	96	94	77	80	84	92	107	71	117	116
F1		AAF14		70 %	27 %	25 %	19 %	34 %	-0.14	0.7	-0.45	6.4	3.8	-3	10.3	4.2	-1.8	-0.2	6.0	-3.7	1.6	2.1
CBC 20562									72 %	27 %	62 %	25 %	27 %	19%	45%	24%	55 %	50 %	49 %	46 %	38 %	30 %
CBC 200564		KF 120016		114	96	105	96	78	109	96	115	105	97	104	80	79	88	71	103	63	116	131
F1		CWBFAAF18		58 %	27 %	25 %	19 %	26 %	0.34	1.2	-0.94	11.6	4.2	12	8.9	4.4	0.2	-2.9	3.0	-4.9	1.4	4.5
CBC 20564									58 %	27 %	59 %	25 %	27 %	19%	34%	19%	51 %	44 %	44 %	42 %	28 %	22 %

WAGYU Cows

Inbreeding >6% is high										<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed									
Cow				Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas				
ID	%Inbreeding	Parentage	Sire ID	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
Name		Genomic DNA	Dam ID																			
JAPANESE BLACK																						
CBC 200565		✓ KF 120016		108	94	98	106	71	111	94	77	98	96	94	72	73	93	74	95	60	115	135
F1		MAF8		67 %	27 %	25 %	19 %	32 %	0.20	0.3	0.47	7.7	3.9	-3	13.2	5.4	2.4	-2.5	-2.5	-5.4	1.4	5.0
CBC 20565									69 %	27 %	57 %	25 %	27 %	19%	43%	22%	55 %	46 %	46 %	43 %	28 %	22 %
CBC 200567		✓ KF 120016		113	95	96	106	82	111	95	92	96	97	94	85	83	89	77	106	63	108	122
F1		AAF5		69 %	27 %	25 %	19 %	32 %	0.14	0.8	-0.07	6.9	4.2	-3	5.7	3.6	0.4	-2.2	4.9	-4.9	0.7	3.1
CBC 20567									71 %	27 %	61 %	25 %	27 %	19%	43%	22%	55 %	46 %	46 %	43 %	32 %	24 %
CBC 200570		✓ KF 120016		111	97	106	96	78	106	97	109	106	98	104	80	79	94	71	103	63	116	131
F1		CWBFKCF1		55 %	27 %	25 %	19 %	26 %	0.68	1.6	-0.74	11.8	5.0	12	8.9	4.4	2.7	-2.9	3.0	-4.9	1.4	4.5
CBC 20570									55 %	27 %	54 %	25 %	27 %	19%	34%	19%	50 %	44 %	44 %	42 %	28 %	22 %
CBC 200574		✓ KKWFE0010		112	87	109	103	94	107	87	104	109	86	97	92	96	95	118	91	92	91	82
F1		CWBFTAF9		57 %	49 %	44 %	21 %	27 %	0.52	-2.4	-0.54	13.7	-3.3	3	1.6	1.3	3.1	3.0	-5.9	-0.5	-1.0	-3.4
CBC 20574									58 %	49 %	52 %	44 %	49 %	21%	41%	13%	56 %	50 %	50 %	50 %	50 %	49 %
CBC 200575		✓ KKWFE0010		122	82	100	113	101	120	82	90	100	82	87	98	103	98	125	84	96	88	79
F1		KAF9		58 %	49 %	44 %	21 %	33 %	-0.73	-4.4	0.01	8.8	-5.9	-13	-1.9	-0.1	4.4	4.0	-10.6	0.1	-1.2	-3.8
CBC 20575									59 %	49 %	55 %	44 %	49 %	21%	50%	16%	59 %	50 %	50 %	50 %	50 %	49 %
CBC 200576		✓ KKWFE0010		113	87	109	103	94	108	87	106	109	86	97	92	96	95	118	91	92	91	82
F1		CWBFAAF2		51 %	49 %	44 %	21 %	27 %	0.44	-2.5	-0.60	13.6	-3.5	3	1.6	1.3	2.8	3.0	-5.9	-0.5	-1.0	-3.4
CBC 20576									53 %	49 %	45 %	44 %	49 %	21%	41%	13%	55 %	50 %	50 %	50 %	50 %	49 %
CBC 200577		✓ KKWFE0010		103	88	110	103	94	102	88	96	110	88	97	92	96	95	118	91	92	91	82
F1		CWBFTAF11		57 %	49 %	44 %	21 %	27 %	1.04	-1.7	-0.22	14.0	-2.2	3	1.6	1.3	3.1	3.0	-5.9	-0.5	-1.0	-3.4
CBC 20577									58 %	49 %	52 %	44 %	49 %	21%	41%	13%	56 %	50 %	50 %	50 %	50 %	49 %
CBC 200578		✓ KKWFE0010		111	87	109	103	94	107	87	103	109	86	97	92	96	101	118	91	92	91	82
F1		CWBFTAF5		51 %	49 %	44 %	21 %	27 %	0.58	-2.3	-0.51	13.7	-3.2	3	1.6	1.3	5.8	3.0	-5.9	-0.5	-1.0	-3.4
CBC 20578									53 %	49 %	45 %	44 %	49 %	21%	41%	13%	56 %	50 %	50 %	50 %	50 %	49 %
CBC 200580		✓ KKWFE0010		119	85	109	103	94	113	85	114	109	84	97	92	96	95	118	91	92	91	82
F1		CWBFHAF3		51 %	49 %	44 %	21 %	27 %	-0.05	-3.1	-0.89	13.3	-4.5	3	1.6	1.3	2.8	3.0	-5.9	-0.5	-1.0	-3.4
CBC 20580									53 %	49 %	45 %	44 %	49 %	21%	41%	13%	55 %	50 %	50 %	50 %	50 %	49 %
CBC 200586		✓ KKWFE0010		117	79	101	113	109	126	79	88	101	80	87	107	110	94	125	84	96	88	79
F1		MAF12		66 %	49 %	44 %	21 %	32 %	-1.26	-5.5	0.07	9.1	-7.4	-13	-6.9	-1.4	2.7	4.0	-10.6	0.1	-1.2	-3.8
CBC 20586									70 %	49 %	51 %	44 %	49 %	21%	50%	13%	58 %	50 %	50 %	50 %	50 %	49 %
CBC 200587		✓ KKWFE0010		112	81	102	114	98	115	81	75	102	82	86	89	105	94	116	82	92	91	88
F1		MAF6		69 %	49 %	44 %	21 %	33 %	-0.22	-4.5	0.57	9.6	-6.1	-14	3.5	-0.4	2.5	2.8	-11.6	-0.5	-1.0	-2.4
CBC 20587									72 %	49 %	56 %	44 %	49 %	21%	50%	16%	59 %	52 %	52 %	51 %	52 %	50 %
CBC 200591		✓ KKWFE0010		112	87	109	103	94	108	87	105	109	86	97	92	96	95	118	91	92	91	82
F1		CWBFTAF4		57 %	49 %	44 %	21 %	27 %	0.49	-2.4	-0.56	13.7	-3.4	3	1.6	1.3	3.1	3.0	-5.9	-0.5	-1.0	-3.4
CBC 20591									58 %	49 %	52 %	44 %	49 %	21%	41%	13%	56 %	50 %	50 %	50 %	50 %	49 %

WAGYU Cows

Inbreeding >6% is high				<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed																	
Cow				Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas						
ID	%Inbreeding	Parentage		Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness		
		Genomic DNA	Sire ID																				Dam ID	
Name																								
JAPANESE BLACK																								
CBC 200593 F1 CBC 20593				✓	KKWFE0010 KAF8	81 69 %	91 49 %	102 44 %	113 21 %	103 33 %	93 1.94 72 %	91 -0.7 49 %	55 1.29 56 %	102 9.9 44 %	91 0.1 49 %	87 -13 21%	99 -2.1 50%	106 -0.5 16%	96 3.3 60 %	130 4.7 53 %	71 -19.6 53 %	96 0.2 52 %	74 -2.6 52 %	73 -4.8 49 %
CBC 200597 F1 CBC 20597				✓	KKWFE0010 KAF5	110 69 %	85 49 %	100 44 %	113 21 %	98 33 %	111 0.14 72 %	85 -3.0 49 %	82 0.29 57 %	100 9.0 44 %	85 -3.8 49 %	87 -13 21%	88 4.3 50%	105 -0.4 16%	98 4.2 59 %	125 4.0 50 %	84 -10.6 50 %	96 0.1 50 %	88 -1.2 50 %	79 -3.8 49 %
CBC 200598 F1 CBC 20598				✓	KKWFE0010 KCF4	112 69 %	77 49 %	101 44 %	113 21 %	97 33 %	130 -1.69 72 %	77 -6.3 49 %	89 0.02 56 %	101 9.1 44 %	79 -8.5 49 %	87 -13 21%	87 4.9 50%	104 -0.2 16%	91 1.5 59 %	129 4.5 52 %	82 -11.6 52 %	98 0.4 51 %	87 -1.3 52 %	76 -4.3 50 %
CBC 200600 F1 CBC 20600				✓	KKWFE0010 AAF19	122 68 %	81 49 %	100 44 %	113 21 %	112 33 %	122 -0.87 71 %	81 -4.7 49 %	88 0.05 54 %	100 8.9 44 %	82 -6.3 49 %	87 -13 21%	104 -5.1 50%	117 -2.6 16%	93 2.3 59 %	125 4.0 50 %	84 -10.6 50 %	96 0.1 50 %	88 -1.2 50 %	79 -3.8 49 %
CBC 200604 F1 CBC 20604				✓	KKWFD0052 AAF1	120 67 %	96 49 %	100 47 %	101 38 %	99 42 %	117 -0.40 71 %	96 1.5 49 %	96 -0.23 53 %	100 8.7 47 %	99 5.9 48 %	99 4 38%	98 -1.7 55%	100 0.6 28%	93 2.0 59 %	122 3.6 52 %	102 2.4 52 %	101 0.9 51 %	106 0.5 50 %	86 -2.7 49 %
CBC 200605 F1 CBC 20605				✓	KKWFD0052 CWBFTAF1	97 57 %	104 49 %	110 47 %	91 38 %	95 38 %	96 1.66 58 %	104 4.7 49 %	100 -0.37 51 %	110 14.0 47 %	106 10.3 48 %	109 20 38%	95 0.2 48%	95 1.3 27%	92 1.9 56 %	113 2.4 50 %	107 6.0 50 %	92 -0.5 50 %	110 0.8 50 %	92 -1.8 49 %
CBC 200607 F1 CBC 20607				✓	KKWFD0052 CWBFTAF14	106 56 %	103 49 %	109 47 %	91 38 %	95 38 %	101 1.10 57 %	103 4.0 49 %	109 -0.72 51 %	109 13.6 47 %	104 9.1 48 %	109 20 38%	95 0.2 48%	95 1.3 27%	93 2.3 56 %	113 2.4 50 %	107 6.0 50 %	92 -0.5 50 %	110 0.8 50 %	92 -1.8 49 %
CBC 200608 F1 CBC 20608				✓	KKWFD0052 CWBFMCF6.1	103 56 %	103 49 %	109 47 %	91 38 %	95 38 %	99 1.28 57 %	103 4.2 49 %	106 -0.61 51 %	109 13.7 47 %	104 9.5 48 %	109 20 38%	95 0.2 48%	95 1.3 27%	93 2.1 56 %	113 2.4 50 %	107 6.0 50 %	92 -0.5 50 %	110 0.8 50 %	92 -1.8 49 %
CBC 200609 F1 CBC 20609				✓	KKWFD0052 KAF7	115 66 %	103 49 %	102 47 %	94 38 %	106 41 %	114 -0.10 70 %	103 4.2 49 %	89 0.02 50 %	102 9.6 47 %	105 10.2 48 %	106 15 38%	106 -6.2 55%	106 -0.5 27%	93 2.4 57 %	113 2.4 52 %	119 14.0 52 %	93 -0.3 51 %	108 0.7 52 %	85 -2.9 50 %
CBC 210015 F1 CBC 210015				✓	KKWFD0052 CWBFCBC20	102 55 %	103 49 %	109 47 %	91 38 %	95 38 %	99 1.35 56 %	103 4.3 49 %	105 -0.56 50 %	109 13.8 47 %	105 9.6 48 %	109 20 38%	95 0.2 48%	95 1.3 27%	93 2.3 56 %	113 2.4 50 %	107 6.0 50 %	92 -0.5 50 %	110 0.8 50 %	92 -1.8 49 %
CBC 210022 F1 CBC 210022				✓	PMGFL00013 CBC16	76 64 %	107 53 %	93 31 %	110 22 %	90 30 %	81 3.04 68 %	107 5.8 53 %	86 0.15 48 %	93 4.8 31 %	105 9.7 39 %	90 -8 22%	82 7.9 43%	98 0.9 17%	87 -0.5 58 %	110 2.1 50 %	81 -12.4 50 %	107 1.8 49 %	86 -1.4 49 %	100 -0.4 45 %
CBC 210043 F1 CBC 210043				✓	CBC 180102 CBC48	98 66 %	117 30 %	95 32 %	100 25 %	115 30 %	101 1.14 69 %	117 9.7 30 %	82 0.31 55 %	95 6.3 32 %	114 16.1 30 %	100 6 25%	108 -7.6 39%	119 -3.0 21%	104 6.8 51 %	100 0.8 43 %	119 14.5 43 %	118 3.6 41 %	101 0.0 43 %	86 -2.7 39 %

WAGYU Cows

Inbreeding >6% is high				<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed															
Cow				Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas				
ID	%Inbreeding	Parentage		Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
Name		Genomic DNA	Sire ID																			
JAPANESE BLACK																						
CBC 210050		✓	CBC 180102	79	120	104	90	113	85	120	82	104	116	110	113	112	101	93	126	114	104	88
F1			CWBFCBC26	55 %	28 %	27 %	25 %	26 %	2.69	11.0	0.28	10.7	17.9	21	-10.6	-1.6	5.6	-0.1	19.2	3.0	0.3	-2.3
CBC 210050				55 %	28 %	27 %	25 %	26 %	55 %	28 %	56 %	27 %	27 %	25%	32%	21%	46 %	43 %	43 %	41 %	43 %	39 %
CBC 210054		✓	CBC 180102	98	117	102	90	113	96	117	100	102	113	110	113	112	93	93	126	114	104	88
F1				43 %	28 %	27 %	25 %	26 %	1.59	9.6	-0.39	10.0	15.6	21	-10.6	-1.6	2.3	-0.1	19.2	3.0	0.3	-2.3
CBC 210054				43 %	28 %	27 %	25 %	26 %	45 %	28 %	34 %	27 %	27 %	25%	32%	21%	40 %	43 %	43 %	41 %	43 %	39 %
CBC 210069		✓	CBC 180107	102	105	98	95	100	102	105	93	98	104	105	105	97	104	93	103	105	93	102
FB		✓	CWBFCBC 180106	47 %	19 %	14 %	9 %	14 %	1.05	4.8	-0.12	7.8	9.4	14	-5.7	1.0	6.9	-0.1	3.0	1.6	-0.7	-0.2
CBC 210069				47 %	19 %	14 %	9 %	14 %	50 %	19 %	37 %	14 %	12 %	9 %	18%	10%	42 %	42 %	42 %	39 %	42 %	38 %
CBC 210073		✓	CBC 180107	102	105	98	95	100	102	105	92	98	104	105	105	97	93	93	103	105	93	102
F1			CWBFCBC56	41 %	19 %	14 %	9 %	14 %	1.08	4.9	-0.10	7.8	9.5	14	-5.7	1.0	2.0	-0.1	3.0	1.6	-0.7	-0.2
CBC 210073				41 %	19 %	14 %	9 %	14 %	46 %	19 %	21 %	14 %	12 %	9 %	18%	10%	36 %	42 %	42 %	39 %	42 %	38 %
CBC 210077		✓	CBC 180102	93	117	103	90	113	93	117	96	103	114	110	113	112	102	93	126	114	104	88
F1			CWBFCBC13	47 %	28 %	27 %	25 %	26 %	1.88	10.0	-0.22	10.2	16.2	21	-10.6	-1.6	6.0	-0.1	19.2	3.0	0.3	-2.3
CBC 210077				47 %	28 %	27 %	25 %	26 %	48 %	28 %	43 %	27 %	27 %	25%	32%	21%	44 %	43 %	43 %	41 %	43 %	39 %
CBC 210614		✓	KKWFE0010	93	69	101	113	99	149	69	100	101	72	87	88	107	95	125	84	96	88	79
F1			AAF4	67 %	49 %	44 %	21 %	33 %	-3.55	-9.5	-0.37	9.1	-13.2	-13	4.2	-0.7	2.9	4.0	-10.6	0.1	-1.2	-3.8
CBC 210614				67 %	49 %	44 %	21 %	33 %	71 %	49 %	52 %	44 %	49 %	21%	50%	16%	59 %	50 %	50 %	50 %	50 %	49 %
CBC 210615		✓	KKWFE0010	99	89	110	103	94	100	89	92	110	88	97	92	96	96	118	91	92	91	82
F1			CWBFAAF12	56 %	49 %	44 %	21 %	27 %	1.26	-1.4	-0.09	14.1	-1.8	3	1.6	1.3	3.4	3.0	-5.9	-0.5	-1.0	-3.4
CBC 210615				56 %	49 %	44 %	21 %	27 %	57 %	49 %	52 %	44 %	49 %	21%	41%	13%	56 %	50 %	50 %	50 %	50 %	49 %
CBC 210618		✓	KKWFE0010	121	81	100	113	98	123	81	92	100	81	87	87	105	94	119	81	98	86	84
F1			MAF10	66 %	49 %	44 %	21 %	32 %	-1.03	-4.9	-0.09	8.8	-6.6	-13	4.8	-0.4	2.6	3.2	-12.8	0.4	-1.5	-3.0
CBC 210618				66 %	49 %	44 %	21 %	32 %	70 %	49 %	50 %	44 %	49 %	21%	50%	14%	58 %	50 %	50 %	50 %	50 %	49 %
CBC 210619		✓	KKWFD0052	108	102	109	91	95	104	102	114	109	103	109	95	95	92	113	107	92	110	92
F1			CWBFAAF17	57 %	49 %	47 %	38 %	38 %	0.81	3.6	-0.90	13.4	8.5	20	0.2	1.3	1.9	2.4	6.0	-0.5	0.8	-1.8
CBC 210619				57 %	49 %	47 %	38 %	38 %	58 %	49 %	51 %	47 %	48 %	38%	48%	27%	56 %	50 %	50 %	50 %	50 %	49 %
CBC 210624		✓	KKWFD0052	119	97	100	101	88	116	97	96	100	100	99	83	93	92	120	101	96	107	89
F1			MAF15	68 %	49 %	47 %	38 %	42 %	-0.31	1.7	-0.24	8.7	6.1	4	6.8	1.7	1.6	3.3	1.3	0.1	0.6	-2.2
CBC 21624				68 %	49 %	47 %	38 %	42 %	71 %	49 %	55 %	47 %	48 %	38%	55%	28%	59 %	50 %	50 %	50 %	50 %	49 %
CBC 210628	5	✓	KKWFE0010	112	89	91	115	92	107	89	108	91	82	85	83	98	108	127	78	97	83	83
F2		✓	CBC 180521	68 %	51 %	45 %	23 %	33 %	0.53	-1.6	-0.67	3.7	-6.1	-15	6.8	0.8	8.7	4.2	-14.8	0.3	-1.7	-3.2
CBC 21628				68 %	51 %	45 %	23 %	33 %	72 %	51 %	53 %	45 %	50 %	23%	50%	16%	60 %	56 %	56 %	55 %	55 %	54 %
CBC 210629	1	✓	KKWFE0010	117	85	98	111	105	128	85	96	98	84	89	102	107	100	117	91	91	94	87
F2		✓	LB 190061	67 %	51 %	45 %	22 %	32 %	-1.50	-3.3	-0.25	7.8	-4.9	-9	-3.8	-0.7	5.2	3.0	-5.4	-0.7	-0.7	-2.5
CBC 21629				67 %	51 %	45 %	22 %	32 %	72 %	51 %	47 %	45 %	50 %	22%	46%	18%	57 %	54 %	54 %	53 %	53 %	51 %

WAGYU Cows

Inbreeding >6% is high				<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed																	
Cow				Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas						
ID	%Inbreeding	Parentage		Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness		
		Genomic DNA	Sire ID																				Dam ID	
Name																								
JAPANESE BLACK																								
CBC 210631	1	☒	KKWFE0010	119	82	88	120	106	125	82	90	88	78	80	94	115	104	130	83	84	85	78		
F2		☒	CBC 180511	69 %	51 %	46 %	23 %	35 %	-1.15	-4.5	-0.01	2.2	-9.3	-22	0.7	-2.2	7.0	4.6	-11.5	-1.7	-1.5	-3.9		
CBC 21631									73 %	51 %	53 %	46 %	51 %	23%	52%	18%	61 %	57 %	57 %	56 %	54 %	51 %		
CBC 210640		☒	KKWFE0010	107	88	110	103	94	105	88	100	110	87	97	92	96	103	118	91	92	91	82		
F1				51 %	49 %	44 %	21 %	27 %	0.79	-2.0	-0.38	13.8	-2.8	3	1.6	1.3	6.7	3.0	-5.9	-0.5	-1.0	-3.4		
CBC 21640									53 %	49 %	45 %	44 %	49 %	21%	41%	13%	55 %	50 %	50 %	50 %	50 %	49 %		
CBC 220013		☒	PMGFL00013	87	105	101	97	88	85	105	110	101	103	103	86	90	87	103	88	103	89	103		
F1			CWBFCBC38	43 %	28 %	23 %	22 %	24 %	2.72	4.8	-0.76	9.3	8.2	10	5.2	2.3	-0.5	1.1	-7.7	1.2	-1.1	0.0		
CBC 220013									45 %	28 %	35 %	23 %	25 %	22%	31%	17%	49 %	50 %	50 %	49 %	49 %	45 %		
CBC 220014		☒	PMGFL00013	89	104	101	97	88	87	104	114	101	102	103	86	90	99	103	88	103	89	103		
FB		☒	CWBFCBC 180101	48 %	28 %	23 %	22 %	24 %	2.47	4.5	-0.91	9.2	7.7	10	5.2	2.3	4.7	1.1	-7.7	1.2	-1.1	0.0		
CBC 220014									49 %	28 %	45 %	23 %	25 %	22%	31%	17%	54 %	50 %	50 %	49 %	49 %	45 %		
CBC 220602		☒	CBC 180102	98	117	102	90	113	96	117	100	102	113	110	113	112	93	93	126	114	104	88		
F1			CWBFAAF12	43 %	28 %	27 %	25 %	26 %	1.59	9.6	-0.39	10.0	15.6	21	-10.6	-1.6	2.3	-0.1	19.2	3.0	0.3	-2.3		
CBC 220602									45 %	28 %	34 %	27 %	27 %	25%	32%	21%	40 %	43 %	43 %	41 %	43 %	39 %		
CBC 220603		☒	CBC 180102	92	116	93	101	125	97	116	77	93	114	99	123	124	99	106	119	113	103	82		
F1			KAF3	65 %	28 %	27 %	25 %	31 %	1.51	9.5	0.48	5.3	15.9	5	-16.1	-3.9	4.6	1.6	14.2	2.8	0.2	-3.3		
CBC 220603									69 %	28 %	49 %	27 %	27 %	25%	41%	21%	49 %	46 %	45 %	42 %	43 %	39 %		
CBC 220604		☒	CBC 180102	98	117	102	90	113	96	117	100	102	113	110	113	112	93	93	126	114	104	88		
F1			CWBFTAF4	43 %	28 %	27 %	25 %	26 %	1.59	9.6	-0.39	10.0	15.6	21	-10.6	-1.6	2.3	-0.1	19.2	3.0	0.3	-2.3		
CBC 220604									45 %	28 %	34 %	27 %	27 %	25%	32%	21%	40 %	43 %	43 %	41 %	43 %	39 %		
CBC 220611		☒	CBC 180102	102	116	102	90	113	99	116	105	102	112	110	113	112	102	93	126	114	104	88		
F1			CWBFAAF18	50 %	28 %	27 %	25 %	26 %	1.31	9.2	-0.57	9.8	15.0	21	-10.6	-1.6	5.9	-0.1	19.2	3.0	0.3	-2.3		
CBC 220611									51 %	28 %	44 %	27 %	27 %	25%	32%	21%	45 %	43 %	43 %	41 %	43 %	39 %		
CBC 220616		☒	CBC 180102	97	117	102	90	113	96	117	100	102	113	110	113	112	106	93	126	114	104	88		
F1			CWBFAAF2	50 %	28 %	27 %	25 %	26 %	1.63	9.6	-0.37	10.0	15.7	21	-10.6	-1.6	7.6	-0.1	19.2	3.0	0.3	-2.3		
CBC 220616									51 %	28 %	44 %	27 %	27 %	25%	32%	21%	46 %	43 %	43 %	41 %	43 %	39 %		
CBC 220618		☒	CBC 180102	112	110	93	101	119	112	110	86	93	108	99	114	122	106	100	119	118	101	86		
F1			KAF5	65 %	28 %	27 %	25 %	32 %	0.03	7.0	0.14	5.2	12.2	5	-10.9	-3.4	7.7	0.8	14.5	3.6	0.0	-2.7		
CBC 220618									69 %	28 %	51 %	27 %	27 %	25%	43%	21%	49 %	43 %	43 %	41 %	43 %	39 %		
CBC 220620		☒	CBC 180102	100	116	102	90	113	98	116	102	102	113	110	113	112	106	93	126	114	104	88		
F1			CWBFHAF3	50 %	28 %	27 %	25 %	26 %	1.46	9.4	-0.47	9.9	15.3	21	-10.6	-1.6	7.6	-0.1	19.2	3.0	0.3	-2.3		
CBC 220620									51 %	28 %	44 %	27 %	27 %	25%	32%	21%	46 %	43 %	43 %	41 %	43 %	39 %		
CBC 220622		☒	CBC 180102	117	117	91	96	124	116	117	88	91	113	104	118	126	106	99	137	123	107	82		
F1			AAF23	66 %	28 %	27 %	25 %	32 %	-0.31	9.8	0.05	4.0	15.6	11	-13.6	-4.3	7.7	0.7	26.7	4.4	0.6	-3.4		
CBC 220622									70 %	28 %	51 %	27 %	27 %	25%	43%	21%	50 %	47 %	47 %	44 %	45 %	41 %		

WAGYU Cows

Inbreeding >6% is high				<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed															
Cow				Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas				
ID	%Inbreeding	Parentage		Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
		Genomic DNA	Sire ID																			
JAPANESE BLACK																						
CBC 220624		✓	CBC 180102	117	115	92	97	129	117	115	86	92	112	103	124	131	102	108	127	127	97	74
F1			AAF10	65 %	28 %	27 %	25 %	32 %	-0.41	8.9	0.13	4.4	14.7	11	-16.5	-5.2	6.2	1.8	19.7	4.9	-0.4	-4.6
CBC 220624				65 %	28 %	27 %	25 %	32 %	69 %	28 %	49 %	27 %	27 %	25 %	43 %	21 %	49 %	46 %	45 %	42 %	45 %	41 %
CBC 220626		✓	CBC 180102	98	117	102	90	113	96	117	100	102	113	110	113	112	93	93	126	114	104	88
F1			CWBFKCF1	43 %	28 %	27 %	25 %	26 %	1.59	9.6	-0.39	10.0	15.6	21	-10.6	-1.6	2.3	-0.1	19.2	3.0	0.3	-2.3
CBC 220626				43 %	28 %	27 %	25 %	26 %	45 %	28 %	34 %	27 %	27 %	25 %	32 %	21 %	40 %	43 %	43 %	41 %	43 %	39 %
CBC 220632		✓	CBC 180102	103	114	93	101	124	104	114	87	93	111	99	122	124	103	100	119	118	101	86
F1			MAF12	65 %	28 %	27 %	25 %	32 %	0.82	8.5	0.12	4.9	14.4	5	-15.8	-3.9	6.4	0.8	14.5	3.6	0.0	-2.7
CBC 220632				65 %	28 %	27 %	25 %	32 %	69 %	28 %	50 %	27 %	27 %	25 %	43 %	21 %	49 %	43 %	43 %	41 %	43 %	39 %
CBC 220635		✓	CBC 180102	118	110	92	101	117	115	110	96	92	108	99	111	120	95	100	119	118	101	86
F1			AAF4	63 %	28 %	27 %	25 %	28 %	-0.22	6.9	-0.23	4.7	11.9	5	-9.5	-3.1	3.3	0.8	14.5	3.6	0.0	-2.7
CBC 220635				63 %	28 %	27 %	25 %	28 %	68 %	28 %	45 %	27 %	27 %	25 %	34 %	22 %	45 %	43 %	43 %	41 %	43 %	39 %
CBC 220647		✓	CBC 180102	115	103	93	101	121	129	103	94	93	102	99	118	122	106	100	119	118	101	86
F1			KAF9	64 %	28 %	27 %	25 %	32 %	-1.61	4.1	-0.16	5.3	8.0	5	-13.4	-3.4	7.8	0.8	14.5	3.6	0.0	-2.7
CBC 220647				64 %	28 %	27 %	25 %	32 %	48 %	28 %	48 %	27 %	27 %	25 %	43 %	21 %	49 %	43 %	43 %	41 %	43 %	39 %
CBC 220649		✓	CBC 180102	94	117	103	90	113	94	117	97	103	114	110	113	112	106	93	126	114	104	88
F1			CWBFTAF23	50 %	28 %	27 %	25 %	26 %	1.81	9.9	-0.26	10.1	16.1	21	-10.6	-1.6	7.6	-0.1	19.2	3.0	0.3	-2.3
CBC 220649				50 %	28 %	27 %	25 %	26 %	51 %	28 %	44 %	27 %	27 %	25 %	32 %	21 %	46 %	43 %	43 %	41 %	43 %	39 %
CBC 220653		✓	CBC 180102	99	116	102	90	113	97	116	102	102	113	110	113	112	106	93	126	114	104	88
F1			CWBFTAF11	50 %	28 %	27 %	25 %	26 %	1.50	9.5	-0.45	9.9	15.4	21	-10.6	-1.6	7.6	-0.1	19.2	3.0	0.3	-2.3
CBC 220653				50 %	28 %	27 %	25 %	26 %	51 %	28 %	44 %	27 %	27 %	25 %	32 %	21 %	46 %	43 %	43 %	41 %	43 %	39 %
CBC 220693	2	✓	CBC 180107	114	109	77	104	105	110	109	99	77	102	96	104	106	118	104	104	116	93	98
F2			CBC 180504	66 %	23 %	18 %	14 %	18 %	0.22	6.5	-0.34	-3.4	7.7	1	-5.3	-0.6	13.1	1.3	3.9	3.3	-0.8	-0.8
CBC 220693				66 %	23 %	18 %	14 %	18 %	71 %	23 %	45 %	18 %	17 %	14 %	24 %	13 %	49 %	50 %	50 %	47 %	50 %	45 %
CBC 230028		✓	KKWFE0010	109	87	109	103	94	106	87	102	109	87	97	92	96	91	118	91	92	91	82
F1				45 %	49 %	44 %	21 %	27 %	0.66	-2.2	-0.46	13.8	-3.0	3	1.6	1.3	1.3	3.0	-5.9	-0.5	-1.0	-3.4
CBC 230028				45 %	49 %	44 %	21 %	27 %	48 %	49 %	35 %	44 %	49 %	21 %	41 %	13 %	50 %	50 %	50 %	50 %	50 %	49 %
CBC 230701	2	✓	CBC 180107	111	104	80	107	100	109	104	98	80	98	93	100	101	114	101	91	110	85	102
F2			CBC 180521	64 %	23 %	18 %	14 %	19 %	0.40	4.4	-0.32	-2.1	4.9	-4	-2.8	0.2	11.1	1.0	-5.9	2.3	-1.5	-0.1
CBC 230701				64 %	23 %	18 %	14 %	19 %	71 %	23 %	38 %	18 %	17 %	14 %	25 %	13 %	49 %	49 %	49 %	46 %	49 %	44 %
CBC 230704	3	✓	CBC 180107	122	100	77	112	107	118	100	95	77	96	88	111	106	101	113	94	118	88	91
F2			LPB 191201	64 %	30 %	23 %	12 %	22 %	-0.56	2.8	-0.19	-3.7	3.7	-11	-9.2	-0.5	5.7	2.4	-3.3	3.5	-1.2	-1.8
CBC 23704				64 %	30 %	23 %	12 %	22 %	71 %	30 %	36 %	23 %	18 %	12 %	29 %	15 %	45 %	50 %	49 %	46 %	49 %	44 %
CBC 230705	1	✓	CBC 180107	112	96	80	115	109	115	96	74	80	91	85	108	110	102	115	82	106	77	87
F2			CBC 200593	63 %	31 %	26 %	14 %	22 %	-0.22	1.4	0.60	-1.9	0.4	-15	-7.3	-1.3	6.2	2.8	-11.8	1.8	-2.3	-2.5
CBC 23705				63 %	31 %	26 %	14 %	22 %	70 %	31 %	35 %	26 %	27 %	14 %	31 %	13 %	47 %	50 %	50 %	47 %	49 %	45 %

WAGYU Cows

Inbreeding >6% is high				<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed															
Cow				Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas				
ID	%Inbreeding	Parentage		Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
		Genomic DNA	Sire ID																			
JAPANESE BLACK																						
CBC 230709		✓	CBC 180107	102	105	98	95	100	102	105	92	98	104	105	105	97	93	93	103	105	93	102
F1				41 %	19 %	14 %	9 %	14 %	1.08	4.9	-0.10	7.8	9.5	14	-5.7	1.0	2.0	-0.1	3.0	1.6	-0.7	-0.2
CBC 23709				46 %	19 %	14 %	9 %	14 %	46 %	19 %	21 %	14 %	12 %	9 %	18 %	10 %	36 %	42 %	42 %	39 %	42 %	38 %
CBC 230713		✓	KKWFE0010	109	87	109	103	94	106	87	102	109	87	97	92	96	91	118	91	92	91	82
F1			CWBFKCF8	45 %	49 %	44 %	21 %	27 %	0.66	-2.2	-0.46	13.8	-3.0	3	1.6	1.3	1.3	3.0	-5.9	-0.5	-1.0	-3.4
CBC 23713				48 %	49 %	44 %	21 %	27 %	48 %	49 %	35 %	44 %	49 %	21 %	41 %	13 %	50 %	50 %	50 %	50 %	49 %	49 %
CBC 230714		✓	KKWFE0010	109	87	109	103	94	106	87	102	109	87	97	92	96	91	118	91	92	91	82
F1			CWBFKCF8	45 %	49 %	44 %	21 %	27 %	0.66	-2.2	-0.46	13.8	-3.0	3	1.6	1.3	1.3	3.0	-5.9	-0.5	-1.0	-3.4
CBC 23714				48 %	49 %	44 %	21 %	27 %	48 %	49 %	35 %	44 %	49 %	21 %	41 %	13 %	50 %	50 %	50 %	50 %	50 %	49 %
CBC 230715	27	✓	KKWFE0010	118	82	95	117	98	114	82	101	95	75	83	92	103	101	134	79	91	84	72
F2		✓	CBC 210615	65 %	55 %	49 %	23 %	30 %	-0.11	-4.4	-0.41	6.0	-10.8	-18	1.8	-0.1	5.5	5.1	-13.9	-0.6	-1.7	-4.9
CBC 23715				70 %	55 %	49 %	23 %	30 %	70 %	55 %	44 %	49 %	55 %	23 %	46 %	15 %	57 %	56 %	56 %	55 %	56 %	55 %
CBC 230717		✓	KKWFE0010	115	86	109	103	94	110	86	108	109	85	97	92	96	108	118	91	92	91	82
F1			CWBFTAF20	51 %	49 %	44 %	21 %	27 %	0.30	-2.7	-0.68	13.5	-3.8	3	1.6	1.3	8.6	3.0	-5.9	-0.5	-1.0	-3.4
CBC 23717				53 %	49 %	44 %	21 %	27 %	53 %	49 %	45 %	44 %	49 %	21 %	41 %	13 %	53 %	50 %	50 %	50 %	50 %	49 %
CBC 230725		✓	KKWFE0010	109	87	109	103	94	106	87	102	109	87	97	92	96	91	118	91	92	91	82
F1			CWBFKCF1	45 %	49 %	44 %	21 %	27 %	0.66	-2.2	-0.46	13.8	-3.0	3	1.6	1.3	1.3	3.0	-5.9	-0.5	-1.0	-3.4
CBC 23725				48 %	49 %	44 %	21 %	27 %	48 %	49 %	35 %	44 %	49 %	21 %	41 %	13 %	50 %	50 %	50 %	50 %	50 %	49 %
CBC 230728	1	✓	KKWFD0052	118	94	88	107	96	129	94	114	88	92	93	89	103	96	100	94	82	110	112
F2		✓	CBC 190553	66 %	51 %	49 %	39 %	42 %	-1.58	0.5	-0.92	2.2	0.9	-4	3.6	0.0	3.4	0.8	-3.2	-2.1	0.8	1.5
CBC 23728				72 %	51 %	49 %	39 %	42 %	72 %	51 %	44 %	49 %	50 %	39 %	54 %	30 %	57 %	55 %	56 %	55 %	53 %	51 %
CBC 230729	1	✓	KKWFD0052	122	102	102	94	104	122	102	92	102	105	106	103	106	98	114	108	91	115	96
F2		✓	LB 190059	67 %	51 %	49 %	39 %	41 %	-0.95	3.9	-0.09	9.7	9.6	14	-4.4	-0.6	4.5	2.6	6.6	-0.6	1.3	-1.1
CBC 23729				73 %	51 %	49 %	39 %	41 %	73 %	51 %	44 %	49 %	50 %	39 %	53 %	29 %	56 %	54 %	54 %	53 %	53 %	50 %
CBC 230733	1	✓	CBC 180107	121	103	80	105	110	123	103	91	80	99	95	111	110	101	107	106	105	95	93
F2		✓	CBC 200609	63 %	31 %	28 %	21 %	25 %	-1.01	4.2	-0.03	-2.1	6.0	-1	-9.4	-1.3	5.7	1.6	5.0	1.5	-0.6	-1.5
CBC 23733				71 %	31 %	28 %	21 %	25 %	71 %	31 %	33 %	28 %	27 %	21 %	33 %	17 %	46 %	50 %	49 %	47 %	49 %	45 %
CBC 230734		✓	KKWFE0010	109	87	109	103	94	106	87	102	109	87	97	92	96	91	118	91	92	91	82
F1				45 %	49 %	44 %	21 %	27 %	0.66	-2.2	-0.46	13.8	-3.0	3	1.6	1.3	1.3	3.0	-5.9	-0.5	-1.0	-3.4
CBC 23734				48 %	49 %	44 %	21 %	27 %	48 %	49 %	35 %	44 %	49 %	21 %	41 %	13 %	50 %	50 %	50 %	50 %	50 %	49 %
CBC 230735	5	✓	KKWFE0010	122	81	86	120	98	126	81	106	86	76	80	87	107	97	126	69	87	88	92
F2		✓	CBC 190539	65 %	51 %	45 %	23 %	32 %	-1.32	-4.8	-0.62	1.3	-10.5	-22	4.9	-0.7	3.9	4.1	-21.1	-1.3	-1.3	-1.8
CBC 23735				70 %	51 %	45 %	23 %	32 %	70 %	51 %	44 %	45 %	50 %	23 %	47 %	17 %	58 %	57 %	57 %	56 %	56 %	54 %
CBC 230737		✓	KKWFD0052	103	103	109	91	95	100	103	106	109	104	109	95	95	90	113	107	92	110	92
F1			CWBFTAF4	45 %	49 %	47 %	38 %	38 %	1.27	4.2	-0.61	13.7	9.5	20	0.2	1.3	1.1	2.4	6.0	-0.5	0.8	-1.8
CBC 23737				48 %	49 %	47 %	38 %	38 %	48 %	49 %	32 %	47 %	48 %	38 %	48 %	27 %	50 %	50 %	50 %	50 %	50 %	49 %

WAGYU Cows

Inbreeding >6% is high										<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed									
Cow				Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas				
ID	%Inbreeding	Parentage	Sire ID	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
Name		Genomic DNA	Dam ID																			
JAPANESE BLACK																						
CBC 230738	27	✓ KKWFE0010		113	74	90	123	107	132	74	100	90	69	77	98	114	100	138	76	93	82	71
F2		✓ CBC 200600		66 %	55 %	49 %	23 %	32 %	-1.92	-7.5	-0.37	3.5	-15.0	-26	-1.5	-2.0	5.0	5.6	-16.2	-0.3	-1.8	-5.1
CBC 23738									72 %	55 %	44 %	49 %	55 %	23%	48%	16%	58 %	56 %	56 %	55 %	56 %	55 %
CBC 230739	3	✓ KKWFD0052		116	99	94	105	104	114	99	94	94	98	95	102	106	98	122	99	100	101	85
F2		✓ LB 190039		67 %	49 %	48 %	39 %	40 %	-0.12	2.5	-0.14	5.5	5.0	-1	-4.2	-0.5	4.2	3.6	0.1	0.8	0.0	-2.9
CBC 23739									73 %	49 %	43 %	48 %	49 %	39%	52%	29%	56 %	54 %	54 %	53 %	52 %	50 %
CBC 230741	27	✓ KKWFE0010		119	77	90	123	102	127	77	100	90	71	77	95	107	102	138	76	93	82	71
F2		✓ CBC 200575		65 %	55 %	49 %	23 %	32 %	-1.40	-6.5	-0.38	3.4	-13.7	-26	0.1	-0.8	6.1	5.6	-16.2	-0.3	-1.8	-5.1
CBC 23741									70 %	55 %	45 %	49 %	55 %	23%	49%	16%	58 %	56 %	56 %	55 %	56 %	55 %
CBC 230745		✓ KKWFD0052		124	100	93	105	115	119	100	102	93	98	95	106	120	99	106	100	93	100	98
F2		✓ LB 190029		67 %	51 %	49 %	39 %	41 %	-0.60	3.1	-0.48	5.0	5.1	-1	-6.2	-3.2	4.9	1.5	0.8	-0.3	-0.1	-0.8
CBC 23745									73 %	51 %	45 %	49 %	50 %	39%	53%	29%	57 %	56 %	56 %	54 %	54 %	51 %
CBC 230751		✓ CBC 180107		102	105	98	95	100	102	105	92	98	104	105	105	97	93	93	103	105	93	102
F1		CWBFTAF30		41 %	19 %	14 %	9 %	14 %	1.08	4.9	-0.10	7.8	9.5	14	-5.7	1.0	2.0	-0.1	3.0	1.6	-0.7	-0.2
CBC 23751									46 %	19 %	21 %	14 %	12 %	9 %	18%	10%	36 %	42 %	42 %	39 %	42 %	38 %
CBC 230752		✓ CBC 180107		102	105	98	95	100	102	105	92	98	104	105	105	97	93	93	103	105	93	102
F1		CWBFTAF27		41 %	19 %	14 %	9 %	14 %	1.08	4.9	-0.10	7.8	9.5	14	-5.7	1.0	2.0	-0.1	3.0	1.6	-0.7	-0.2
CBC 23752									46 %	19 %	21 %	14 %	12 %	9 %	18%	10%	36 %	42 %	42 %	39 %	42 %	38 %
CBC 240801	2	✓ CBC 180107		106	104	77	112	102	108	104	83	77	101	88	97	107	105	108	93	110	83	95
F2		✓ LPB 191101		65 %	35 %	23 %	13 %	21 %	0.48	4.7	0.24	-3.4	6.8	-11	-1.1	-0.7	7.4	1.8	-4.1	2.3	-1.7	-1.3
CBC 24801									73 %	35 %	36 %	23 %	17 %	13%	28%	14%	46 %	49 %	48 %	45 %	46 %	41 %
CBC 240805	1	✓ CBC 180107		113	91	79	115	112	130	91	90	79	87	85	112	112	102	113	89	106	84	91
F2		✓ CBC 200586		63 %	31 %	26 %	14 %	22 %	-1.64	-0.7	-0.01	-2.3	-2.9	-15	-9.7	-1.7	5.9	2.4	-7.3	1.7	-1.6	-2.0
CBC 24805									71 %	31 %	33 %	26 %	27 %	14%	31%	12%	46 %	49 %	49 %	46 %	49 %	45 %
CBC 240807	1	✓ CBC 180107		123	93	84	109	104	124	93	99	84	88	91	104	105	102	109	92	104	86	92
F2		✓ CBC 200576		60 %	31 %	26 %	14 %	20 %	-1.06	0.3	-0.35	0.0	-1.7	-7	-5.5	-0.3	6.0	1.9	-5.0	1.4	-1.4	-1.8
CBC 24807									68 %	31 %	31 %	26 %	27 %	14%	28%	12%	46 %	49 %	49 %	46 %	49 %	45 %
CBC 240808	1	✓ CBC 180107		111	95	80	111	115	133	95	96	80	93	89	111	119	93	95	84	103	81	105
F2		✓ CBC 180523		64 %	23 %	20 %	13 %	22 %	-1.97	1.0	-0.24	-1.9	1.7	-9	-9.1	-2.9	2.2	0.1	-10.6	1.2	-1.9	0.3
CBC 24808									71 %	23 %	35 %	20 %	16 %	13%	29%	15%	46 %	50 %	49 %	46 %	46 %	41 %
CBC 240811		✓ CBC 180107		102	105	98	95	100	102	105	92	98	104	105	105	97	93	93	103	105	93	102
F1				41 %	19 %	14 %	9 %	14 %	1.08	4.9	-0.10	7.8	9.5	14	-5.7	1.0	2.0	-0.1	3.0	1.6	-0.7	-0.2
CBC 24811									46 %	19 %	21 %	14 %	12 %	9 %	18%	10%	36 %	42 %	42 %	39 %	42 %	38 %
CBC 240820	3	✓ KKWFD0052		125	93	95	105	99	118	93	112	95	90	95	94	103	100	129	96	91	102	82
F2		✓ CBC 200574		65 %	55 %	52 %	40 %	40 %	-0.54	0.2	-0.82	5.8	-0.9	-1	0.5	0.0	5.1	4.5	-1.9	-0.6	0.1	-3.3
CBC CBC240820									71 %	55 %	41 %	52 %	54 %	40%	53%	28%	57 %	55 %	56 %	55 %	55 %	54 %

WAGYU Cows

Inbreeding >6% is high				<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed																		
Cow				Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas							
ID	%Inbreeding	Parentage		Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling	Fineness		
		Genomic DNA	Sire ID																					Dam ID	
JAPANESE BLACK																									
CBC 240821	3	✓	KKWFD0052	120	93	91	111	101	117	93	96	91	90	89	93	108	99	128	92	91	102	85			
F2		✓	CBC 200587						-0.39	0.1	-0.24	3.7	-0.9	-9	1.4	-0.9	4.8	4.4	-4.8	-0.6	0.1	-2.9			
CBC CBC240821				67 %	55 %	52 %	40 %	41 %	73 %	55 %	43 %	52 %	54 %	40%	54%	28%	58 %	56 %	56 %	56 %	56 %	55 %			
CBC 240822	1	✓	KKWFD0052	122	98	88	107	87	117	98	101	88	96	93	79	95	95	109	99	79	113	105			
F2		✓	CBC 190552						-0.44	2.2	-0.44	2.6	3.5	-4	9.4	1.4	3.3	2.0	0.1	-2.5	1.2	0.4			
CBC CBC240822				67 %	51 %	49 %	39 %	41 %	73 %	51 %	43 %	49 %	50 %	39%	53%	29%	57 %	54 %	54 %	54 %	52 %	50 %			
CBC 240825	1	✓	KKWFE0010	110	77	88	119	90	136	77	107	88	74	81	84	95	95	121	88	81	97	89			
F2		✓	CBC 200562						-2.29	-6.2	-0.66	2.4	-12.0	-21	6.2	1.4	3.0	3.5	-7.9	-2.2	-0.4	-2.2			
CBC CBC240825				68 %	51 %	46 %	23 %	32 %	73 %	51 %	47 %	46 %	51 %	23%	47%	18%	57 %	56 %	56 %	55 %	53 %	51 %			
CBC 240828	3	✓	KKWFD0052	125	93	95	105	99	119	93	112	95	90	95	94	103	100	129	96	91	102	82			
F2		✓	CBC 200591						-0.57	0.1	-0.83	5.8	-0.9	-1	0.5	0.0	5.1	4.5	-1.9	-0.6	0.1	-3.3			
CBC CBC240828				65 %	55 %	52 %	40 %	40 %	71 %	55 %	41 %	52 %	54 %	40%	53%	28%	57 %	55 %	56 %	55 %	55 %	54 %			
CBC 240830	3	✓	KKWFD0052	116	96	90	111	101	112	96	100	90	92	89	92	108	101	133	93	93	101	81			
F2		✓	CBC 200597						0.04	1.3	-0.37	3.3	0.9	-9	1.8	-0.9	5.7	4.9	-4.3	-0.3	0.0	-3.6			
CBC CBC240830				67 %	55 %	52 %	40 %	42 %	73 %	55 %	43 %	52 %	54 %	40%	55%	28%	58 %	55 %	56 %	55 %	55 %	54 %			
CBC 240831	3	✓	KKWFD0052	107	84	90	111	101	139	84	109	90	83	89	92	108	100	133	93	93	101	81			
F2		✓	CBC 210614						-2.58	-3.4	-0.74	3.6	-5.8	-9	1.8	-1.0	5.0	4.9	-4.3	-0.3	0.0	-3.6			
CBC CBC240831				56 %	55 %	52 %	40 %	42 %	60 %	55 %	41 %	52 %	54 %	40%	55%	28%	58 %	55 %	56 %	55 %	55 %	54 %			
CBC 240832	1	✓	KKWFD0052	124	99	87	107	91	118	99	111	87	96	93	86	96	96	109	99	79	113	105			
F2		✓	CBC 190554						-0.48	2.5	-0.81	2.0	3.8	-4	5.1	1.2	3.6	2.0	0.1	-2.5	1.2	0.4			
CBC CBC240832				67 %	51 %	49 %	39 %	42 %	73 %	51 %	45 %	49 %	50 %	39%	54%	30%	57 %	54 %	54 %	54 %	52 %	50 %			
CBC 240836	5	✓	KKWFD0052	111	102	91	103	95	107	102	112	91	98	97	90	100	102	121	95	97	101	93			
F2		✓	CBC 180521						0.59	3.7	-0.83	3.8	4.9	2	3.1	0.6	6.0	3.5	-2.9	0.3	0.0	-1.7			
CBC CBC240836				66 %	51 %	49 %	40 %	40 %	72 %	51 %	45 %	49 %	50 %	40%	51%	28%	58 %	55 %	56 %	55 %	55 %	54 %			
CBC 240837	27	✓	KKWFE0010	119	82	95	117	98	114	82	102	95	76	83	92	103	100	134	79	91	84	72			
F2		✓	CBC 200577						-0.12	-4.4	-0.48	5.9	-10.8	-18	1.8	-0.1	5.4	5.1	-13.9	-0.6	-1.7	-4.9			
CBC CBC240837				65 %	55 %	49 %	23 %	30 %	71 %	55 %	44 %	49 %	55 %	23%	46%	15%	57 %	56 %	56 %	55 %	56 %	55 %			
CBC 240838	3	✓	KKWFD0052	124	91	90	111	100	124	91	104	90	88	89	91	107	98	135	92	94	100	79			
F2		✓	CBC 200598						-1.07	-0.7	-0.52	3.4	-1.9	-9	2.1	-0.8	4.3	5.2	-4.8	-0.1	-0.1	-3.8			
CBC CBC240838				67 %	55 %	52 %	40 %	41 %	73 %	55 %	43 %	52 %	54 %	40%	54%	28%	58 %	56 %	56 %	56 %	56 %	55 %			
CBC 240842	5	✓	KKWFD0052	115	107	86	102	100	110	107	104	86	102	98	98	103	97	119	103	95	101	89			
F2		✓	CBC 190542						0.26	5.8	-0.55	1.4	8.0	3	-1.9	0.0	4.0	3.2	2.7	0.1	0.0	-2.2			
CBC CBC240842				66 %	51 %	49 %	40 %	41 %	72 %	51 %	43 %	49 %	50 %	40%	53%	29%	58 %	57 %	57 %	56 %	57 %	54 %			
CBC 240845	3	✓	KKWFD0052	125	92	90	111	101	123	92	105	90	88	89	91	108	99	130	91	94	100	83			
F2		✓	CBC 210618						-1.00	-0.5	-0.58	3.3	-1.7	-9	2.1	-0.9	4.9	4.5	-5.4	-0.1	-0.1	-3.2			
CBC CBC240845				65 %	55 %	52 %	40 %	42 %	71 %	55 %	41 %	52 %	54 %	40%	55%	28%	58 %	56 %	56 %	55 %	56 %	54 %			

WAGYU Cows

Inbreeding >6% is high				<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed															
Cow				Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas				
ID	%Inbreeding	Parentage		Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
Name		Genomic DNA	Sire ID																			
JAPANESE BLACK																						
CBC 240847		✓	KKWFE0010	121	89	96	110	108	117	89	97	96	84	90	101	112	115	125	86	91	90	78
PBD		✓	LPB 190039	64 %	50 %	44 %	21 %	30 %	-0.45	-1.7	-0.27	6.5	-4.6	-7	-3.6	-1.7	11.6	4.0	-9.3	-0.6	-1.1	-4.0
CBC CBC240847									70 %	50 %	42 %	44 %	50 %	21%	46%	15%	55 %	53 %	53 %	52 %	53 %	51 %
CBC 240849		✓	CBC 180107	102	105	98	95	100	102	105	92	98	104	105	105	97	93	93	103	105	93	102
F1				41 %	19 %	14 %	9 %	14 %	1.08	4.9	-0.10	7.8	9.5	14	-5.7	1.0	2.0	-0.1	3.0	1.6	-0.7	-0.2
CBC CBC240849									46 %	19 %	21 %	14 %	12 %	9 %	18%	10%	36 %	42 %	42 %	39 %	42 %	38 %
CBC 240850	1	✓	CBC 180107	117	104	84	103	105	114	104	96	84	99	97	106	105	101	106	100	104	95	97
F2		✓	CBC 200605	63 %	31 %	28 %	21 %	24 %	-0.17	4.4	-0.23	0.1	5.9	1	-6.1	-0.3	5.5	1.6	1.0	1.5	-0.6	-1.0
CBC CBC240850									71 %	31 %	33 %	28 %	27 %	21%	30%	17%	46 %	49 %	49 %	46 %	49 %	45 %
CBC 240853	1	✓	CBC 180107	112	104	78	107	99	111	104	93	78	99	93	102	100	100	89	113	96	107	111
F2		✓	CBC 180500	62 %	23 %	19 %	13 %	20 %	0.19	4.7	-0.10	-2.8	5.6	-4	-3.8	0.6	5.1	-0.6	9.6	0.2	0.5	1.3
CBC CBC240853									69 %	23 %	34 %	19 %	18 %	13%	25%	14%	45 %	49 %	49 %	45 %	46 %	41 %
CBC 240854	1	✓	CBC 180107	114	90	84	109	104	132	90	104	84	85	91	104	105	102	109	92	104	86	92
F2		✓	CBC 200580	60 %	31 %	26 %	14 %	20 %	-1.90	-1.2	-0.53	0.0	-3.8	-7	-5.5	-0.3	6.0	1.9	-5.0	1.4	-1.4	-1.8
CBC CBC240854									68 %	31 %	31 %	26 %	27 %	14%	28%	12%	46 %	49 %	49 %	46 %	49 %	45 %
CBC 240901		✓	AL 180028	102	95	109	95	97	100	95	102	109	100	105	103	93	88	74	120	111	98	107
F1			CWBFCBC 212103	30 %	22 %	17 %	9 %	13 %	1.25	1.1	-0.47	13.4	6.2	13	-4.7	1.8	0.3	-2.5	14.8	2.5	-0.2	0.7
CBC CBC240901									33 %	22 %	20 %	17 %	12 %	9 %	17%	9%	32 %	33 %	33 %	29 %	33 %	27 %
CBC 240902		✓	BOS 170018	92	93	111	103	89	92	93	97	111	96	97	94	87	93	94	104	95	101	103
F1			CWBFCBC 191910	42 %	44 %	32 %	8 %	18 %	1.96	0.0	-0.26	14.6	3.9	2	0.6	2.9	2.1	0.0	3.4	0.0	0.0	0.0
CBC CBC240902									45 %	44 %	31 %	32 %	12 %	8 %	30%	7%	36 %	27 %	27 %	26 %	25 %	20 %
CBC 240904		✓	AL 180028	102	95	109	95	97	100	95	102	109	100	105	103	93	88	74	120	111	98	107
F1			CWBFCBC 212108	30 %	22 %	17 %	9 %	13 %	1.25	1.1	-0.47	13.4	6.2	13	-4.7	1.8	0.3	-2.5	14.8	2.5	-0.2	0.7
CBC CBC 240904									33 %	22 %	20 %	17 %	12 %	9 %	17%	9%	32 %	33 %	33 %	29 %	33 %	27 %
CBC 240905		✓	BOS 170018	92	93	111	103	89	92	93	97	111	96	97	94	87	93	94	104	95	101	103
F1			CWBFCBC 191905	42 %	44 %	32 %	8 %	18 %	1.96	0.0	-0.26	14.6	3.9	2	0.6	2.9	2.1	0.0	3.4	0.0	0.0	0.0
CBC CBC240905									45 %	44 %	31 %	32 %	12 %	8 %	30%	7%	36 %	27 %	27 %	26 %	25 %	20 %
CBC 240906		✓	AL 180028	102	95	109	95	97	100	95	102	109	100	105	103	93	88	74	120	111	98	107
F1			CWBFCBC 191949	30 %	22 %	17 %	9 %	13 %	1.25	1.1	-0.47	13.4	6.2	13	-4.7	1.8	0.3	-2.5	14.8	2.5	-0.2	0.7
CBC CBC240096									33 %	22 %	20 %	17 %	12 %	9 %	17%	9%	32 %	33 %	33 %	29 %	33 %	27 %
CBC 240907		✓	AL 180028	102	95	109	95	97	100	95	102	109	100	105	103	93	88	74	120	111	98	107
F1			CWBFCBC 191954	30 %	22 %	17 %	9 %	13 %	1.25	1.1	-0.47	13.4	6.2	13	-4.7	1.8	0.3	-2.5	14.8	2.5	-0.2	0.7
CBC CBC240907									33 %	22 %	20 %	17 %	12 %	9 %	17%	9%	32 %	33 %	33 %	29 %	33 %	27 %
CBC 240908		✓	BOS 170018	92	93	111	103	89	92	93	97	111	96	97	94	87	93	94	104	95	101	103
F1			CWBFCBC 191932	42 %	44 %	32 %	8 %	18 %	1.96	0.0	-0.26	14.6	3.9	2	0.6	2.9	2.1	0.0	3.4	0.0	0.0	0.0
CBC CBC240908									45 %	44 %	31 %	32 %	12 %	8 %	30%	7%	36 %	27 %	27 %	26 %	25 %	20 %

WAGYU Cows

Inbreeding >6% is high					<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed															
Cow					Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas				
ID	%Inbreeding	Parentage		Sire ID	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
		Genomic DNA	Dam ID																				
JAPANESE BLACK																							
CBC 240909  AL 180028					102	95	109	95	97	100	95	102	109	100	105	103	93	88	74	120	111	98	107
F1 CWBFCBC 191947										1.25	1.1	-0.47	13.4	6.2	13	-4.7	1.8	0.3	-2.5	14.8	2.5	-0.2	0.7
CBC CBC240909					30 %	22 %	17 %	9 %	13 %	33 %	22 %	20 %	17 %	12 %	9 %	17%	9%	32 %	33 %	33 %	29 %	33 %	27 %
CBC 240910  AL 180028					102	95	109	95	97	100	95	102	109	100	105	103	93	88	74	120	111	98	107
F1 CWBFCBC 212105										1.25	1.1	-0.47	13.4	6.2	13	-4.7	1.8	0.3	-2.5	14.8	2.5	-0.2	0.7
CBC CBC240910					30 %	22 %	17 %	9 %	13 %	33 %	22 %	20 %	17 %	12 %	9 %	17%	9%	32 %	33 %	33 %	29 %	33 %	27 %
CBC 240913  AL 180028					102	95	109	95	97	100	95	102	109	100	105	103	93	88	74	120	111	98	107
F1 CWBFCBC 202007										1.25	1.1	-0.47	13.4	6.2	13	-4.7	1.8	0.3	-2.5	14.8	2.5	-0.2	0.7
CBC CBC240913					30 %	22 %	17 %	9 %	13 %	33 %	22 %	20 %	17 %	12 %	9 %	17%	9%	32 %	33 %	33 %	29 %	33 %	27 %
CBC 240914  AL 180028					102	95	109	95	97	100	95	102	109	100	105	103	93	88	74	120	111	98	107
F1 CWBFCBC 191912										1.25	1.1	-0.47	13.4	6.2	13	-4.7	1.8	0.3	-2.5	14.8	2.5	-0.2	0.7
CBC CBC240914					30 %	22 %	17 %	9 %	13 %	33 %	22 %	20 %	17 %	12 %	9 %	17%	9%	32 %	33 %	33 %	29 %	33 %	27 %
CBC 240916  AL 180028					102	95	109	95	97	100	95	102	109	100	105	103	93	88	74	120	111	98	107
F1 CWBFCBC 202002										1.25	1.1	-0.47	13.4	6.2	13	-4.7	1.8	0.3	-2.5	14.8	2.5	-0.2	0.7
CBC CBC240916					30 %	22 %	17 %	9 %	13 %	33 %	22 %	20 %	17 %	12 %	9 %	17%	9%	32 %	33 %	33 %	29 %	33 %	27 %
CBC 240918  AL 180028					102	95	109	95	97	100	95	102	109	100	105	103	93	88	74	120	111	98	107
F1 CWBFCBC 202008										1.25	1.1	-0.47	13.4	6.2	13	-4.7	1.8	0.3	-2.5	14.8	2.5	-0.2	0.7
CBC CBC240918					30 %	22 %	17 %	9 %	13 %	33 %	22 %	20 %	17 %	12 %	9 %	17%	9%	32 %	33 %	33 %	29 %	33 %	27 %
CBC 240919  AL 180028					102	95	109	95	97	100	95	102	109	100	105	103	93	88	74	120	111	98	107
F1 CWBFCBC 191950										1.25	1.1	-0.47	13.4	6.2	13	-4.7	1.8	0.3	-2.5	14.8	2.5	-0.2	0.7
CBC CBC240919					30 %	22 %	17 %	9 %	13 %	33 %	22 %	20 %	17 %	12 %	9 %	17%	9%	32 %	33 %	33 %	29 %	33 %	27 %
CBC 240920  AL 180028					102	95	109	95	97	100	95	102	109	100	105	103	93	88	74	120	111	98	107
F1 CWBFCBC 202005										1.25	1.1	-0.47	13.4	6.2	13	-4.7	1.8	0.3	-2.5	14.8	2.5	-0.2	0.7
CBC CBC240920					30 %	22 %	17 %	9 %	13 %	33 %	22 %	20 %	17 %	12 %	9 %	17%	9%	32 %	33 %	33 %	29 %	33 %	27 %
CBC 240921  AL 180028					102	95	109	95	97	100	95	102	109	100	105	103	93	88	74	120	111	98	107
F1 CWBFCBC 212106										1.25	1.1	-0.47	13.4	6.2	13	-4.7	1.8	0.3	-2.5	14.8	2.5	-0.2	0.7
CBC CBC240921					30 %	22 %	17 %	9 %	13 %	33 %	22 %	20 %	17 %	12 %	9 %	17%	9%	32 %	33 %	33 %	29 %	33 %	27 %
CBC 240922  BOS 170018					92	93	111	103	89	92	93	97	111	96	97	94	87	93	94	104	95	101	103
F1 CWBFCBC 191919										1.96	0.0	-0.26	14.6	3.9	2	0.6	2.9	2.1	0.0	3.4	0.0	0.0	0.0
CBC CBC240922					42 %	44 %	32 %	8 %	18 %	45 %	44 %	31 %	32 %	12 %	8 %	30%	7%	36 %	27 %	27 %	26 %	25 %	20 %
CBC 240925  AL 180028					102	95	109	95	97	100	95	102	109	100	105	103	93	88	74	120	111	98	107
F1 CWBFCBC 191946										1.25	1.1	-0.47	13.4	6.2	13	-4.7	1.8	0.3	-2.5	14.8	2.5	-0.2	0.7
CBC CBC240925					30 %	22 %	17 %	9 %	13 %	33 %	22 %	20 %	17 %	12 %	9 %	17%	9%	32 %	33 %	33 %	29 %	33 %	27 %
CBC 240926  AL 180028					102	95	109	95	97	100	95	102	109	100	105	103	93	88	74	120	111	98	107
F1 CWBFCBC 191939										1.25	1.1	-0.47	13.4	6.2	13	-4.7	1.8	0.3	-2.5	14.8	2.5	-0.2	0.7
CBC CBC240926					30 %	22 %	17 %	9 %	13 %	33 %	22 %	20 %	17 %	12 %	9 %	17%	9%	32 %	33 %	33 %	29 %	33 %	27 %

WAGYU Cows

Inbreeding >6% is high				<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed															
Cow				Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas				
ID	%Inbreeding	Parentage		Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
		Genomic DNA	Sire ID																			
JAPANESE BLACK																						
CBC 240928 ✓ BOS 170018				92	93	111	103	89	92	93	97	111	96	97	94	87	93	94	104	95	101	103
F1 CWBFCBC 212107				42 %	44 %	32 %	8 %	18 %	1.96	0.0	-0.26	14.6	3.9	2	0.6	2.9	2.1	0.0	3.4	0.0	0.0	0.0
CBC CBC240928				42 %	44 %	32 %	8 %	18 %	45 %	44 %	31 %	32 %	12 %	8 %	30%	7%	36 %	27 %	27 %	26 %	25 %	20 %
CBC 240929 ✓ AL 180015				99	104	117	86	95	97	104	101	117	108	114	97	94	98	87	115	95	105	104
F1 CWBFCBC 191908				29 %	17 %	15 %	11 %	14 %	1.49	4.7	-0.42	17.6	12.2	26	-1.1	1.7	4.2	-0.9	11.4	0.0	0.4	0.1
CBC CBC240929				29 %	17 %	15 %	11 %	14 %	30 %	17 %	23 %	15 %	16 %	11%	19%	10%	31 %	25 %	27 %	25 %	26 %	17 %
CBC 240930 ✓ BOS 170018				92	93	111	103	89	92	93	97	111	96	97	94	87	93	94	104	95	101	103
F1 ✓ CWBFCBC 202004				42 %	44 %	32 %	8 %	18 %	1.96	0.0	-0.26	14.6	3.9	2	0.6	2.9	2.1	0.0	3.4	0.0	0.0	0.0
CBC CBC240930				42 %	44 %	32 %	8 %	18 %	45 %	44 %	31 %	32 %	12 %	8 %	30%	7%	36 %	27 %	27 %	26 %	25 %	20 %
CBC 240931 ✓ AL 180015				99	104	117	86	95	97	104	101	117	108	114	97	94	98	87	115	95	105	104
F1				29 %	17 %	15 %	11 %	14 %	1.49	4.7	-0.42	17.6	12.2	26	-1.1	1.7	4.2	-0.9	11.4	0.0	0.4	0.1
CBC CBC240931				29 %	17 %	15 %	11 %	14 %	30 %	17 %	23 %	15 %	16 %	11%	19%	10%	31 %	25 %	27 %	25 %	26 %	17 %
CBC 240932 ✓ AL 180028				102	95	109	95	97	100	95	102	109	100	105	103	93	88	74	120	111	98	107
F1 CWBFCBC 191944				30 %	22 %	17 %	9 %	13 %	1.25	1.1	-0.47	13.4	6.2	13	-4.7	1.8	0.3	-2.5	14.8	2.5	-0.2	0.7
CBC CBC240932				30 %	22 %	17 %	9 %	13 %	33 %	22 %	20 %	17 %	12 %	9 %	17%	9%	32 %	33 %	33 %	29 %	33 %	27 %
CBC 240933 ✓ AL 180028				102	95	109	95	97	100	95	102	109	100	105	103	93	88	74	120	111	98	107
F1 CWBFCBC 191907				30 %	22 %	17 %	9 %	13 %	1.25	1.1	-0.47	13.4	6.2	13	-4.7	1.8	0.3	-2.5	14.8	2.5	-0.2	0.7
CBC CBC240933				30 %	22 %	17 %	9 %	13 %	33 %	22 %	20 %	17 %	12 %	9 %	17%	9%	32 %	33 %	33 %	29 %	33 %	27 %
CBC 240934 ✓ AL 180028				102	95	109	95	97	100	95	102	109	100	105	103	93	88	74	120	111	98	107
F1 CWBFCBC 191920				30 %	22 %	17 %	9 %	13 %	1.25	1.1	-0.47	13.4	6.2	13	-4.7	1.8	0.3	-2.5	14.8	2.5	-0.2	0.7
CBC CBC240934				30 %	22 %	17 %	9 %	13 %	33 %	22 %	20 %	17 %	12 %	9 %	17%	9%	32 %	33 %	33 %	29 %	33 %	27 %
CBC 240935 ✓ BOS 170018				92	93	111	103	89	92	93	97	111	96	97	94	87	93	94	104	95	101	103
F1 CWBFCBC 181803				42 %	44 %	32 %	8 %	18 %	1.96	0.0	-0.26	14.6	3.9	2	0.6	2.9	2.1	0.0	3.4	0.0	0.0	0.0
CBC CBC240935				42 %	44 %	32 %	8 %	18 %	45 %	44 %	31 %	32 %	12 %	8 %	30%	7%	36 %	27 %	27 %	26 %	25 %	20 %
CBC 240936 ✓ AL 180028				102	95	109	95	97	100	95	102	109	100	105	103	93	88	74	120	111	98	107
F1 CWBFCBC 191922				30 %	22 %	17 %	9 %	13 %	1.25	1.1	-0.47	13.4	6.2	13	-4.7	1.8	0.3	-2.5	14.8	2.5	-0.2	0.7
CBC CBC240936				30 %	22 %	17 %	9 %	13 %	33 %	22 %	20 %	17 %	12 %	9 %	17%	9%	32 %	33 %	33 %	29 %	33 %	27 %
CBC 240938 ✓ AL 180028				102	95	109	95	97	100	95	102	109	100	105	103	93	88	74	120	111	98	107
F1 CWBFCBC 191903				30 %	22 %	17 %	9 %	13 %	1.25	1.1	-0.47	13.4	6.2	13	-4.7	1.8	0.3	-2.5	14.8	2.5	-0.2	0.7
CBC CBC240938				30 %	22 %	17 %	9 %	13 %	33 %	22 %	20 %	17 %	12 %	9 %	17%	9%	32 %	33 %	33 %	29 %	33 %	27 %
CBC 240939 ✓ BOS 170018				92	93	111	103	89	92	93	97	111	96	97	94	87	93	94	104	95	101	103
F1 CWBFCBC 191934				42 %	44 %	32 %	8 %	18 %	1.96	0.0	-0.26	14.6	3.9	2	0.6	2.9	2.1	0.0	3.4	0.0	0.0	0.0
CBC CBC240939				42 %	44 %	32 %	8 %	18 %	45 %	44 %	31 %	32 %	12 %	8 %	30%	7%	36 %	27 %	27 %	26 %	25 %	20 %
CBC 240940 ✓ BOS 170018				92	93	111	103	89	92	93	97	111	96	97	94	87	93	94	104	95	101	103
F1 CWBFCBC 191935				42 %	44 %	32 %	8 %	18 %	1.96	0.0	-0.26	14.6	3.9	2	0.6	2.9	2.1	0.0	3.4	0.0	0.0	0.0
CBC CBC240940				42 %	44 %	32 %	8 %	18 %	45 %	44 %	31 %	32 %	12 %	8 %	30%	7%	36 %	27 %	27 %	26 %	25 %	20 %

WAGYU Cows

Inbreeding >6% is high				<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed															
Cow				Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas				
ID	%Inbreeding	Parentage		Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
Name		Genomic DNA	Sire ID																			
JAPANESE BLACK																						
CBC 240941		✓	AL 180028	102	95	109	95	97	100	95	102	109	100	105	103	93	88	74	120	111	98	107
F1			CWBFCBC 191913	30 %	22 %	17 %	9 %	13 %	1.25	1.1	-0.47	13.4	6.2	13	-4.7	1.8	0.3	-2.5	14.8	2.5	-0.2	0.7
CBC CBC240941									33 %	22 %	20 %	17 %	12 %	9 %	17%	9%	32 %	33 %	33 %	29 %	33 %	27 %
CBC 240942		✓	BOS 170018	92	93	111	103	89	92	93	97	111	96	97	94	87	93	94	104	95	101	103
F1			CWBFCBC 181807	42 %	44 %	32 %	8 %	18 %	1.96	0.0	-0.26	14.6	3.9	2	0.6	2.9	2.1	0.0	3.4	0.0	0.0	0.0
CBC CBC240942									45 %	44 %	31 %	32 %	12 %	8 %	30%	7%	36 %	27 %	27 %	26 %	25 %	20 %
CBC 250001	2	✓	CBC 200021	109	98	86	110	100	106	98	101	86	96	90	105	97	108	108	84	106	90	99
FB		✓	CBC 180105	57 %	27 %	26 %	23 %	25 %	0.64	2.3	-0.41	1.3	3.5	-7	-5.7	1.0	8.5	1.8	-10.6	1.7	-1.0	-0.6
CBC CBC250001									64 %	27 %	30 %	26 %	26 %	23%	29%	21%	38 %	33 %	33 %	32 %	33 %	30 %
CBC 250004		✓	CBC 200021	107	89	103	105	102	105	89	96	103	91	95	103	102	100	97	103	90	111	106
F2		✓	CBC 190002	56 %	17 %	16 %	6 %	12 %	0.75	-1.5	-0.24	10.4	0.4	0	-4.5	0.2	5.4	0.4	2.6	-0.7	0.9	0.5
CBC CBC250004									63 %	17 %	28 %	16 %	14 %	6 %	17%	8%	34 %	31 %	31 %	29 %	28 %	21 %
CBC 250006		✓	CBC 200021	103	89	104	105	102	103	89	90	104	92	95	103	102	100	97	103	90	111	106
F2		✓	CBC 200002	57 %	17 %	16 %	6 %	12 %	0.93	-1.3	-0.01	10.7	0.7	0	-4.5	0.2	5.4	0.4	2.6	-0.7	0.9	0.5
CBC CBC250006									64 %	17 %	31 %	16 %	14 %	6 %	17%	8%	34 %	31 %	31 %	29 %	28 %	21 %
CBC 250009		✓	CBC 200021	112	100	104	93	97	109	100	100	104	101	107	100	96	104	103	105	99	102	97
F2		✓	CBC 210015	57 %	26 %	25 %	20 %	20 %	0.37	3.0	-0.37	11.0	7.3	17	-2.8	1.2	7.0	1.1	4.5	0.6	0.1	-1.0
CBC CBC250009									64 %	26 %	28 %	25 %	25 %	20%	26%	14%	36 %	33 %	33 %	32 %	33 %	31 %
CBC 250010	1	✓	CBC 200021	97	103	96	102	95	98	103	90	96	102	98	93	97	101	101	92	106	90	101
F2		✓	CBC 210022	58 %	28 %	17 %	12 %	16 %	1.40	4.1	-0.01	6.5	7.9	3	1.1	1.0	5.6	1.0	-4.7	1.7	-1.1	-0.3
CBC CBC250010									66 %	28 %	26 %	17 %	20 %	12%	23%	10%	37 %	33 %	32 %	31 %	32 %	29 %
CBC 250013		✓	CWBMCBC 180103	97	101	104	103	111	108	101	54	104	107	97	104	115	91	104	106	112	99	90
F2		✓	CBC 210050	54 %	14 %	13 %	12 %	14 %	0.50	3.2	1.32	10.7	11.2	2	-5.0	-2.2	1.3	1.2	5.2	2.6	-0.2	-2.1
CBC CBC250013									61 %	14 %	28 %	13 %	14 %	12%	16%	11%	23 %	22 %	22 %	20 %	22 %	20 %
CBC 250020		✓	CWBMCBC 180103	86	87	106		106	98	87	55	106	96		97	112	83	107	94	92	111	100
F2		✓	CBC 190017	54 %	14 %	14 %		10 %	1.47	-2.4	1.30	11.7	3.3		-1.3	-1.7	-1.9	1.7	-3.3	-0.4	1.0	-0.4
CBC CBC250020									60 %	14 %	29 %	14 %	12 %		14%	6%	26 %	23 %	22 %	21 %	18 %	9 %
CBC 250103	5	✓	KKWFE0010	104	91	86	120	99	103	91	98	86	84	80	87	108	96	128	73	98	76	80
F2		✓	CBC 190538	67 %	51 %	45 %	23 %	32 %	0.97	-0.6	-0.29	1.1	-4.6	-22	4.8	-0.9	3.6	4.4	-18.5	0.5	-2.4	-3.6
CBC CBC25103									72 %	51 %	46 %	45 %	50 %	23%	47%	17%	58 %	57 %	57 %	56 %	56 %	54 %
CBC 250105	3	✓	KKWFD0052	125	93	95	105	99	118	93	111	95	90	95	94	103	103	129	96	91	102	82
F2		✓	CBC 200578	52 %	55 %	52 %	40 %	40 %	-0.52	0.2	-0.81	5.9	-0.8	-1	0.5	0.0	6.5	4.5	-1.9	-0.6	0.1	-3.3
CBC CBC25105									55 %	55 %	39 %	52 %	54 %	40%	53%	28%	57 %	55 %	56 %	55 %	55 %	54 %
CBC 250106		✓	KKWFE0010	109	87	109	103	94	106	87	102	109	87	97	92	96	91	118	91	92	91	82
F1				45 %	49 %	44 %	21 %	27 %	0.66	-2.2	-0.46	13.8	-3.0	3	1.6	1.3	1.3	3.0	-5.9	-0.5	-1.0	-3.4
CBC CBC25106									48 %	49 %	35 %	44 %	49 %	21%	41%	13%	50 %	50 %	50 %	50 %	50 %	49 %

WAGYU Cows

Inbreeding >6% is high				<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed															
Cow				Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas				
ID	%Inbreeding	Parentage		Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
Name		Genomic DNA	Sire ID																			
JAPANESE BLACK																						
CBC 250107	1	✓	KKWFE0010	123	83	89	119	87	120	83	93	89	79	81	82	92	100	112	82	75	96	98
F2		✓	CBC 200565	66 %	51 %	46 %	23 %	32 %	-0.74	-3.8	-0.14	2.7	-8.3	-21	7.6	2.0	5.1	2.3	-12.2	-3.1	-0.5	-0.7
CBC CBC25107				66 %	51 %	46 %	23 %	32 %	71 %	51 %	45 %	46 %	51 %	23%	47%	17%	57 %	55 %	55 %	54 %	52 %	50 %
CBC 250110	1	✓	KKWFE0010	114	83	99	109	106	131	83	98	99	83	91	101	109	97	123	98	94	94	79
F2		✓	LB 190054	67 %	51 %	45 %	22 %	32 %	-1.75	-4.0	-0.29	8.2	-5.9	-7	-3.3	-1.1	3.7	3.7	-0.4	-0.2	-0.7	-3.9
CBC CBC25110				67 %	51 %	45 %	22 %	32 %	73 %	51 %	46 %	45 %	50 %	22%	46%	17%	56 %	54 %	54 %	53 %	53 %	51 %
CBC 250113	1	✓	KKWFE0010	115	79	88	119	96	133	79	110	88	75	81	87	103	96	105	77	81	91	102
F2		✓	CBC 190553	67 %	51 %	46 %	23 %	33 %	-1.98	-5.5	-0.76	2.2	-11.0	-21	4.9	0.0	3.6	1.5	-15.1	-2.1	-1.0	-0.1
CBC CBC25113				67 %	51 %	46 %	23 %	33 %	72 %	51 %	47 %	46 %	51 %	23%	47%	19%	57 %	56 %	56 %	55 %	53 %	51 %
CBC 250178	1	✓	KKWFD0052	124	99	87	107	91	117	99	111	87	96	93	86	96	96	109	99	79	113	105
F2		✓	CBC 190554	67 %	51 %	49 %	39 %	42 %	-0.43	2.6	-0.81	2.0	3.9	-4	5.1	1.2	3.6	2.0	0.1	-2.5	1.2	0.4
CBC CBC25178				67 %	51 %	49 %	39 %	42 %	73 %	51 %	45 %	49 %	50 %	39%	54%	30%	57 %	54 %	54 %	54 %	52 %	50 %
CBC 250183		✓	CWBMBOS 210047	106	95	110	103	108	115	95	53	110	106	97	103	111	88	99	101	100	103	102
F2		✓	LB 190061	58 %	14 %	11 %	9 %	16 %	-0.22	0.8	1.36	14.0	10.9	2	-4.5	-1.4	-0.1	0.7	1.2	0.7	0.2	-0.2
CBC CBC25183				58 %	14 %	11 %	9 %	16 %	65 %	14 %	32 %	11 %	10 %	9 %	21%	12%	27 %	22 %	22 %	19 %	18 %	14 %
CBC 250186	1	✓	KKWFD0052	123	104	87	103	96	117	104	106	87	100	97	88	102	95	106	110	81	115	102
F2		✓	CBC 200560	67 %	51 %	49 %	39 %	42 %	-0.37	4.5	-0.59	1.8	6.5	2	4.1	0.1	3.2	1.6	7.6	-2.1	1.3	-0.1
CBC CBC25186				67 %	51 %	49 %	39 %	42 %	73 %	51 %	44 %	49 %	50 %	39%	54%	29%	57 %	55 %	55 %	54 %	52 %	50 %
CBC 250189	2	✓	CBC 180107	107	105	79	107	100	105	105	98	79	99	93	100	101	104	101	91	110	85	102
F2		✓	CBC 180521	64 %	23 %	18 %	14 %	19 %	0.74	5.1	-0.31	-2.2	5.8	-4	-2.8	0.2	7.0	1.0	-5.9	2.3	-1.5	-0.1
CBC CBC25189				64 %	23 %	18 %	14 %	19 %	71 %	23 %	38 %	18 %	17 %	14%	25%	13%	46 %	49 %	49 %	46 %	49 %	44 %
CBC 250202		✓	AL 180028	102	95	109	95	97	100	95	102	109	100	105	103	93	88	74	120	111	98	107
F1			CWBFCBC 191911	30 %	22 %	17 %	9 %	13 %	1.25	1.1	-0.47	13.4	6.2	13	-4.7	1.8	0.3	-2.5	14.8	2.5	-0.2	0.7
CBC CBC25202				30 %	22 %	17 %	9 %	13 %	33 %	22 %	20 %	17 %	12 %	9 %	17%	9%	32 %	33 %	33 %	29 %	33 %	27 %
CBC 250203		✓	AL 180028	102	95	109	95	97	100	95	102	109	100	105	103	93	88	74	120	111	98	107
F1			CWBFCBC 191944	30 %	22 %	17 %	9 %	13 %	1.25	1.1	-0.47	13.4	6.2	13	-4.7	1.8	0.3	-2.5	14.8	2.5	-0.2	0.7
CBC CBC25203				30 %	22 %	17 %	9 %	13 %	33 %	22 %	20 %	17 %	12 %	9 %	17%	9%	32 %	33 %	33 %	29 %	33 %	27 %
CBC 250204		✓	AL 180028	102	95	109	95	97	100	95	102	109	100	105	103	93	88	74	120	111	98	107
F1			CWBFCBC 181809	30 %	22 %	17 %	9 %	13 %	1.25	1.1	-0.47	13.4	6.2	13	-4.7	1.8	0.3	-2.5	14.8	2.5	-0.2	0.7
CBC CBC25204				30 %	22 %	17 %	9 %	13 %	33 %	22 %	20 %	17 %	12 %	9 %	17%	9%	32 %	33 %	33 %	29 %	33 %	27 %
CBC 250206		✓	BOS 170018	92	93	111	103	89	92	93	97	111	96	97	94	87	93	94	104	95	101	103
F1			CWBFCBC 191941	42 %	44 %	32 %	8 %	18 %	1.96	0.0	-0.26	14.6	3.9	2	0.6	2.9	2.1	0.0	3.4	0.0	0.0	0.0
CBC CBC25206				42 %	44 %	32 %	8 %	18 %	45 %	44 %	31 %	32 %	12 %	8 %	30%	7%	36 %	27 %	27 %	26 %	25 %	20 %
CBC 250207		✓	AL 180028	102	95	109	95	97	100	95	102	109	100	105	103	93	88	74	120	111	98	107
F1			CWBFCBC 181804	30 %	22 %	17 %	9 %	13 %	1.25	1.1	-0.47	13.4	6.2	13	-4.7	1.8	0.3	-2.5	14.8	2.5	-0.2	0.7
CBC CBC25207				30 %	22 %	17 %	9 %	13 %	33 %	22 %	20 %	17 %	12 %	9 %	17%	9%	32 %	33 %	33 %	29 %	33 %	27 %

WAGYU Cows

Inbreeding >6% is high				<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed															
Cow				Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas				
ID	%Inbreeding	Parentage		Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
		Genomic DNA	Sire ID																			
JAPANESE BLACK																						
CBC 250208		✓	AL 180015	99	104	117	86	95	97	104	101	117	108	114	97	94	98	87	115	95	105	104
F1			CWBFCBC 202007	29 %	17 %	15 %	11 %	14 %	1.49	4.7	-0.42	17.6	12.2	26	-1.1	1.7	4.2	-0.9	11.4	0.0	0.4	0.1
CBC CBC25208									30 %	17 %	23 %	15 %	16 %	11%	19%	10%	31 %	25 %	27 %	25 %	26 %	17 %
CBC 250209		✓	AL 180028	102	95	109	95	97	100	95	102	109	100	105	103	93	88	74	120	111	98	107
F1			CWBFCBC 191903	30 %	22 %	17 %	9 %	13 %	1.25	1.1	-0.47	13.4	6.2	13	-4.7	1.8	0.3	-2.5	14.8	2.5	-0.2	0.7
CBC CBC25209									33 %	22 %	20 %	17 %	12 %	9 %	17%	9%	32 %	33 %	33 %	29 %	33 %	27 %
CBC 250214		✓	AL 180028	102	95	109	95	97	100	95	102	109	100	105	103	93	88	74	120	111	98	107
F1			CWBFCBC 181803	30 %	22 %	17 %	9 %	13 %	1.25	1.1	-0.47	13.4	6.2	13	-4.7	1.8	0.3	-2.5	14.8	2.5	-0.2	0.7
CBC CBC25214									33 %	22 %	20 %	17 %	12 %	9 %	17%	9%	32 %	33 %	33 %	29 %	33 %	27 %
CBC 250223		✓	KKWFD0052	103	103	109	91	95	100	103	106	109	104	109	95	95	90	113	107	92	110	92
F1			CWBFCBC 181807	45 %	49 %	47 %	38 %	38 %	1.27	4.2	-0.61	13.7	9.5	20	0.2	1.3	1.1	2.4	6.0	-0.5	0.8	-1.8
CBC CBC25223									48 %	49 %	32 %	47 %	48 %	38%	48%	27%	50 %	50 %	50 %	50 %	50 %	49 %
CBC 250263		✓	KKWFE0010	109	87	109	103	94	106	87	102	109	87	97	92	96	91	118	91	92	91	82
F1			CWBFCBC 191902	45 %	49 %	44 %	21 %	27 %	0.66	-2.2	-0.46	13.8	-3.0	3	1.6	1.3	1.3	3.0	-5.9	-0.5	-1.0	-3.4
CBC CBC250263									48 %	49 %	35 %	44 %	49 %	21%	41%	13%	50 %	50 %	50 %	50 %	50 %	49 %
CBC 260504	1	✓	CBC 180107	125	102	83	103	105	119	102	103	83	98	97	106	105	101	106	100	104	95	97
F2		✓	CBC 210619	63 %	31 %	28 %	21 %	24 %	-0.64	3.8	-0.49	-0.2	4.9	1	-6.1	-0.3	5.5	1.6	1.0	1.5	-0.6	-1.0
CBC CBC26504									71 %	31 %	33 %	28 %	27 %	21%	30%	17%	46 %	49 %	49 %	46 %	49 %	45 %
CBC 260505	1	✓	CBC 180107	121	103	84	103	105	116	103	99	84	99	97	106	105	101	106	100	104	95	97
F1			CBC 200608	50 %	31 %	28 %	21 %	24 %	-0.36	4.1	-0.34	0.0	5.5	1	-6.1	-0.3	5.6	1.6	1.0	1.5	-0.6	-1.0
CBC CBC260505									54 %	31 %	33 %	28 %	27 %	21%	30%	17%	46 %	49 %	49 %	46 %	49 %	45 %
CBC 260506	26	✓	CBC 180107	125	103	69	112	107	121	103	95	69	96	88	108	108	112	101	92	113	83	102
F3		✓	CBC 230701	52 %	22 %	17 %	11 %	17 %	-0.80	4.3	-0.20	-7.9	3.3	-10	-7.6	-0.9	10.1	0.9	-5.0	2.8	-1.7	-0.1
CBC CBC260506									58 %	22 %	28 %	17 %	14 %	11%	22%	12%	44 %	49 %	49 %	46 %	49 %	44 %



CWB

BREEDING VALUE REPORT

September 2026



REGAN VAN ROOY (PTY) LTD

Herd Number: 728820


E-mail: briennev@gmail.com



**WAGYU
SOCIETY**
OF SOUTH AFRICA



**CERTIFICATE
OF QUALITY**
Valid up to
October 2029



CWB Dams

Dam			Growth					Carcass					Stats				
ID	Parentage	Sire ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name	Gen. DNA	Dam ID															
AKAUSHI																	
LPB 191003		ZEWB170031	94	103	105	105	101	101	95	107	96	104	104	1	3	1	
F1		13073	1.79	4.1	9.2	11.6	7	9.1	0.1	5.6	0.1	0.3	0.2				
LPB191003		68%	54%	25%	24%	20%	32%	30%	29%	28%	24%	20%					
JAPANESE BLACK																	
11-143			88						100	106	104	104	95	1	1	1	
BS			2.36						0.7	5.3	1.3	0.3	-1.3				
LOUMA-B 11-143			33%						14%	14%	11%	14%	11%				
13007			97	91				113	110	100	107	104	90	1	2	1	
BS			1.48	-0.9				15.8	2.0	0.6	1.9	0.2	-2.1				
PURE 13007			34%	36%				52%	14%	14%	11%	14%	11%				
13073			90	97				120	91	110	82			1	2	1	1
BS			2.24	1.9				19.3	-0.3	7.5	-1.9						
PURE 13073			33%	26%				40%	28%	26%	22%						
13-164			90						94	101	100	90	94	1	1	1	
BS			2.19						0.1	1.2	0.8	-1.0	-1.5				
LOUMA-B 13-164			32%						14%	14%	11%	14%	11%				
15-163			102						97	106	103	101	96	1	2	1	
BS			1.06						0.4	5.2	1.2	0.0	-1.1				
LOUMA-B 15-163			43%						14%	14%	11%	14%	11%				
17.60.24			82						95	101	107	107	102	1	1	1	
BS			2.95						0.2	1.6	1.9	0.6	-0.2				
17.60.24			32%						14%	14%	11%	14%	11%				
17148			90						99	92	99	95	98	1	2	1	1
BS			2.20						0.7	-5.1	0.6	-0.5	-0.9				
PURE 17148			33%						28%	27%	22%	14%	11%				
AACFC0089		WESFZ0026	121	90	87	91	83	75	109	78	102	79	99	1	2	2	
FB		WESFX0465	-0.77	-1.3	-2.2	0.7	-19	-4.3	2.0	-15.0	1.1	-2.1	-0.6				
WESTHOLME TOYONAMISHIGE			36%	30%	30%	27%	23%	29%	32%	33%	31%	30%	24%				
AAF1			100						103	103	111			1	2	1	1
BS			1.23						1.2	2.8	2.4						
AAF 1			41%						28%	27%	22%						
AAF10			95						114	115	118	92	72	1	2	1	
BS			1.68						2.6	11.2	3.6	-0.9	-4.9				
AAF 10			41%						29%	28%	23%	28%	21%				

CWB Dams

Dam				Growth					Carcass					Stats				
ID	Parentage	Sire ID		Birth	Wean	12 mnth	18 mnth	Mature	Milk	IMF	Carcass	EMA	Rib Fat	Marble	Herds	Progeny	Active	Carcasses
Name	Gen.	DNA	Dam ID	weight	weight	weight	weight	weight			weight			Fineness			2yrs & older	
JAPANESE BLACK																		
AAF11				106						11812711810166								
BS				0.63						3.119.63.60.0-5.9					131			
AAF 11				49%						29%28%23%28%21%								
AAF14				112						10810710410388								
BS				0.08						1.85.81.30.2-2.4					131			
AAF 14				47%						14%14%11%14%11%								
AAF16				99						9785988494								
BS				1.34						0.5-10.10.4-1.6-1.3					121			
AAF 16				41%						31%30%25%31%23%								
AAF19				96														
BS				1.64											111			
AAF 19				32%														
AAF23				104						9613411111288								
BS				0.86						0.325.12.51.0-2.4					1311			
AAF 23				48%						39%38%31%28%21%								
AAF25				103						8614211110785								
BS				0.94						-1.030.62.40.5-2.8					131			
AAF 25				50%						34%33%27%33%25%								
AAF26				83						1011021009792								
BS				2.88						0.91.90.7-0.3-1.8					121			
AAF 26				44%						20%19%16%19%15%								
AAF27				95														
BS				1.69											121			
AAF 27				41%														
AAF4				109														
BS				0.39											133			
AAF 4				50%														
AAF5				93						96118939084								
BS				1.94						0.213.8-0.4-1.1-3.0					121			
AAF 5				42%						28%27%22%27%21%								
AAF6				101						1111081049381								
BS				1.11						2.26.81.4-0.7-3.6					121			
AAF 6				42%						31%31%25%31%24%								
AAF9				107						9515911514490								
BS				0.57						0.242.53.04.1-2.0					131			
AAF 9				49%						42%41%34%41%32%								

CWB Dams

Dam			Growth					Carcass					Stats				
ID	Parentage	Sire ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name	Gen. DNA	Dam ID															
JAPANESE BLACK																	
CBC 180105		148BE	122	87	82	84	76	74	124	64	106	88	97				
FB		AACFC0089	-0.95	-2.5	-5.1	-5.3	-29	-4.9	3.8	-24.3	1.8	-1.3	-1.0	1	1		
180105			56%	51%	51%	51%	46%	50%	51%	52%	51%	51%	47%				
CBC 180500	✓	KF 120016	102	99	99	100	102	100	78	132	75	133	120				
F1		CWBFAAF13	1.04	2.7	5.3	7.7	10	8.5	-2.0	23.3	-3.0	3.0	2.7	1	2	1	
18500			54%	27%	28%	26%	19%	25%	50%	49%	46%	38%	30%				
CBC 180502	✓	BA 110540	122	93	97	98	94	101	88	73	88	89	113				
F1		KAF4	-0.93	-0.1	4.0	6.1	-2	9.5	-0.8	-18.0	-1.0	-1.1	1.6	1	3	1	
18502			71%	26%	24%	19%	19%	28%	48%	48%	44%	33%	25%				
CBC 180503	✓	KF 120018	122	97	96	99	97	93	108	102	86	96	91				
F1		AAF11	-0.86	1.7	3.7	6.8	2	5.0	1.8	2.3	-1.3	-0.5	-1.9	1	1		
18503			66%	27%	28%	27%	19%	26%	50%	50%	48%	37%	24%				
CBC 180504	✓	PMGFL00013	87	115	113	110	109	96	108	116	115	105	93				
F1			2.47	9.2	14.0	15.1	19	6.7	1.8	11.7	3.1	0.4	-1.5	2	4	2	
18504			60%	28%	29%	21%	22%	23%	54%	54%	52%	53%	48%				
CBC 180506	✓	BA 110540	115	94	98	100	94	103	87	87	93	79	102				
F1		KAF12	-0.24	0.3	4.9	7.3	-2	10.6	-0.9	-8.3	-0.3	-2.1	-0.1	1	3	1	
18506			72%	26%	24%	19%	19%	28%	50%	49%	45%	36%	28%				
CBC 180511	✓	KF 120018	117	92	93	96	92	95	109	97	78	94	95				
F1		AAF6	-0.40	-0.2	1.8	4.4	-5	5.8	1.9	-1.1	-2.7	-0.7	-1.3	2	4	2	
18511			71%	27%	28%	27%	19%	26%	54%	54%	51%	44%	31%				
CBC 180519	✓	KF 120018	116	103	101	105	103	94	101	122	103	107	90				
F1		AAF9	-0.31	4.1	7.0	11.2	10	5.4	0.9	16.7	1.2	0.6	-2.1	1	4	1	
18519			73%	27%	28%	27%	19%	26%	59%	59%	54%	51%	38%				
CBC 180520	✓	BA 110540	123	104	105	107	104	98	76	104	97	94	108				
F1		AAF25	-1.04	4.4	9.3	12.6	12	7.8	-2.2	3.5	0.2	-0.7	0.7	1	4	1	
18520			74%	26%	24%	19%	19%	28%	56%	55%	50%	45%	35%				
CBC 180521	✓	PMGFL00013	81	106	105	103	103	101	103	88	103	89	103				
F1			3.05	5.2	9.3	9.5	10	9.5	1.1	-7.7	1.2	-1.1	0.0	2	4	3	
18521			63%	28%	29%	21%	22%	23%	50%	50%	49%	49%	45%				
CBC 180523	✓	BA 110540	123	92	96	98	94	102	89	75	89	82	108				
F1		AAF16	-0.96	-0.3	3.8	5.9	-2	9.7	-0.6	-17.2	-0.9	-1.9	0.7	1	2	1	
18523			71%	26%	24%	19%	19%	28%	51%	51%	47%	38%	29%				
CBC 190002	✓	PK 150003	90	82	84	86	85	107	101	102	75	128	110				
F1		CWBFCBC25	2.17	-4.4	-4.0	-3.2	-15	12.5	0.9	2.2	-3.0	2.6	1.2	1	2	1	
190002			47%	29%	26%	23%	7%	28%	45%	45%	43%	36%	18%				

CWB Dams

Dam			Growth					Carcass					Stats				
ID	Parentage	Sire ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name	Gen. DNA	Dam ID															
JAPANESE BLACK																	
CBC 190017	✓	PK 150003	83	84	86	89	85	108	101	102	75	128	110				
F1		CWBFCBC11	2.92	-3.5	-2.5	-1.5	-15	13.0	0.9	2.2	-3.0	2.6	1.2	1	3	2	
190017			49%	29%	26%	23%	7%	28%	45%	45%	43%	36%	18%				
CBC 190524	✓	PMGFL00013	114	92	93	93	92	93	110	81	107	86	100				
F1		AAF27	-0.10	-0.3	2.0	1.8	-6	4.9	2.1	-12.4	1.8	-1.4	-0.4	1	2	1	
19524			70%	28%	29%	21%	22%	23%	50%	50%	49%	49%	45%				
CBC 190533	✓	PMGFL00013	96	100	100	99	92	92	110	81	107	86	100				
F1		MAF13	1.64	2.9	6.1	6.6	-6	4.6	2.1	-12.4	1.8	-1.4	-0.4	1	1		
19533			68%	28%	29%	21%	22%	23%	50%	50%	49%	49%	45%				
CBC 190535	✓	PMGFL00013	86	108	107	105	98	96	113	82	108	86	96				
F1		AAF26	2.57	6.2	10.6	11.7	3	6.4	2.4	-12.1	2.0	-1.5	-1.1	1	3		
19535			72%	28%	29%	21%	22%	23%	55%	54%	52%	54%	48%				
CBC 190538	✓	PMGFL00013	77	108	107	105	92	92	106	77	106	76	98				
F1		KAF13	3.48	6.3	10.5	11.8	-6	4.4	1.6	-15.2	1.7	-2.4	-0.8	1	3	1	
19538			71%	28%	29%	21%	22%	23%	54%	54%	52%	53%	48%				
CBC 190539	✓	PMGFL00013	101	99	99	98	92	92	101	70	83	100	122				
F1		MAF11	1.17	2.4	5.3	5.6	-6	4.3	0.9	-20.4	-1.8	-0.1	3.0	1	2	1	
19539			56%	28%	29%	21%	22%	23%	56%	55%	53%	53%	48%				
CBC 190540	✓	WC 170005	115	90	92	91	92	90	101	91	107	83	95				
F1		MAF5	-0.25	-1.0	1.1	0.6	-5	3.5	1.0	-5.7	1.8	-1.7	-1.3	2	2		
19540			65%	27%	27%	26%	23%	26%	48%	48%	47%	47%	40%				
CBC 190542	✓	PMGFL00013	101	110	109	107	104	93	98	104	100	89	96				
F1		KAF7	1.11	6.9	11.5	13.0	11	5.1	0.5	3.4	0.8	-1.1	-1.1	1	2	1	
19542			70%	28%	29%	21%	22%	23%	56%	55%	53%	55%	49%				
CBC 190549	✓	KF 120016	125	95	95	98	98	96	88	110	76	113	113				
F1		AAF11	-1.17	0.9	3.0	5.7	4	6.5	-0.7	7.7	-3.0	1.2	1.7	2	3	1	
19549			73%	27%	28%	26%	19%	25%	46%	46%	43%	32%	24%				
CBC 190552	✓	KF 120016	110	95	96	98	94	97	79	96	67	113	128				
F1		MAF7	0.26	0.7	3.4	6.0	-3	7.2	-1.9	-1.7	-4.3	1.2	4.0	2	2	1	
19552			69%	27%	28%	26%	19%	25%	44%	44%	42%	28%	22%				
CBC 190553	✓	KF 120016	132	87	89	91	94	96	60	87	72	106	142				
F1		MAF10	-1.87	-2.4	-1.0	0.7	-3	6.5	-4.3	-8.4	-3.5	0.5	6.3	1	3	1	
19553			72%	27%	28%	26%	19%	25%	50%	49%	46%	38%	30%				
CBC 190554	✓	KF 120016	113	95	96	98	94	95	79	96	67	113	128				
F1		AAF4	-0.01	1.1	3.4	5.9	-3	6.2	-1.9	-1.7	-4.3	1.2	4.0	2	3	2	
19554			73%	27%	28%	26%	19%	25%	44%	44%	42%	28%	22%				

CWB Dams

Dam			Growth					Carcass					Stats				
ID	Parentage	Sire ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name	Gen. DNA	Dam ID															
JAPANESE BLACK																	
CBC 200002	✓	PK 150003	82	84	86	89	85	108	101	102	75	128	110	1	3	2	
F1		CWBFCBC15	2.94	-3.5	-2.5	-1.4	-15	13.0	0.9	2.2	-3.0	2.6	1.2				
200002			53%	29%	26%	23%	7%	28%	45%	45%	43%	36%	18%				
CBC 200559	✓	KF 120016	113	93	95	97	94	97	82	89	67	109	127	2	3	1	
F1		KAF14	0.01	0.3	2.8	5.3	-3	7.3	-1.5	-6.9	-4.4	0.8	3.8				
20559			71%	27%	28%	26%	19%	25%	46%	46%	43%	28%	22%				
CBC 200560	✓	KF 120016	115	103	102	104	101	95	72	118	72	116	123	2	2	1	
F1		AAF25	-0.18	4.3	7.3	10.7	8	5.9	-2.8	13.3	-3.6	1.4	3.2				
20560			70%	27%	28%	26%	19%	25%	47%	47%	44%	33%	25%				
CBC 200561	✓	KF 120016	118	91	93	95	94	98	69	86	66	101	134	2	3	1	
F1		MAF14	-0.49	-0.9	1.4	3.7	-3	7.6	-3.1	-9.0	-4.4	0.0	4.9				
20561			71%	27%	28%	26%	19%	25%	50%	49%	46%	38%	30%				
CBC 200562	✓	KF 120016	114	94	95	97	94	96	92	107	71	117	116	2	3	1	
F1		AAF14	-0.14	0.7	3.0	5.4	-3	6.4	-0.2	6.0	-3.7	1.6	2.1				
20562			72%	27%	28%	26%	19%	25%	50%	49%	46%	38%	30%				
CBC 200564	✓	KF 120016	109	96	96	97	104	105	71	103	63	116	131	1	3	2	
F1		CWBFAAF18	0.34	1.2	3.8	5.5	12	11.6	-2.9	3.0	-4.9	1.4	4.5				
20564			58%	27%	28%	26%	19%	25%	44%	44%	42%	28%	22%				
CBC 200565	✓	KF 120016	111	94	95	98	94	98	74	95	60	115	135	1	2		
F1		MAF8	0.20	0.3	3.0	5.6	-3	7.7	-2.5	-2.5	-5.4	1.4	5.0				
20565			69%	27%	28%	26%	19%	25%	46%	46%	43%	28%	22%				
CBC 200566	✓	KF 120016	106	98	98	101	96	98	78	100	63	108	124	2	2		
F1		AAF26	0.66	2.0	5.1	7.9	0	7.8	-2.0	0.5	-4.9	0.7	3.4				
20566			70%	27%	28%	26%	19%	25%	50%	49%	46%	38%	30%				
CBC 200567	✓	KF 120016	111	95	96	98	94	96	77	106	63	108	122	2	3	1	
F1		AAF5	0.14	0.8	3.4	5.9	-3	6.9	-2.2	4.9	-4.9	0.7	3.1				
20567			71%	27%	28%	26%	19%	25%	46%	46%	43%	32%	24%				
CBC 200570	✓	KF 120016	106	97	97	98	104	106	71	103	63	116	131	2	2	1	
F1		CWBFKCF1	0.68	1.6	4.4	6.3	12	11.8	-2.9	3.0	-4.9	1.4	4.5				
20570			55%	27%	28%	26%	19%	25%	44%	44%	42%	28%	22%				
CBC 200574	✓	KKWFE0010	107	87	89	84	97	109	118	91	92	91	82	2	2	1	
F1		CWBFTAF9	0.52	-2.4	-1.1	-4.7	3	13.7	3.0	-5.9	-0.5	-1.0	-3.4				
20574			58%	49%	49%	49%	21%	44%	50%	50%	50%	50%	49%				
CBC 200575	✓	KKWFE0010	120	82	84	81	87	100	125	84	96	88	79	1	2	1	
F1		KAF9	-0.73	-4.4	-3.8	-7.1	-13	8.8	4.0	-10.6	0.1	-1.2	-3.8				
20575			59%	49%	49%	49%	21%	44%	50%	50%	50%	50%	49%				

CWB Dams

Dam			Growth					Carcass					Stats				
ID	Parentage	Sire ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name	Gen. DNA	Dam ID															
JAPANESE BLACK																	
CBC 200576	✓	KKWFE0010	108	87	88	84	97	109	118	91	92	91	82	1	1	1	
F1		CWBFAAF2	0.44	-2.5	-1.2	-4.9	3	13.6	3.0	-5.9	-0.5	-1.0	-3.4				
20576			53%	49%	49%	49%	21%	44%	50%	50%	50%	50%	49%				
CBC 200577	✓	KKWFE0010	102	88	90	86	97	110	118	91	92	91	82	2	2	1	
F1		CWBFTAF11	1.04	-1.7	-0.1	-3.5	3	14.0	3.0	-5.9	-0.5	-1.0	-3.4				
20577			58%	49%	49%	49%	21%	44%	50%	50%	50%	50%	49%				
CBC 200578	✓	KKWFE0010	107	87	89	84	97	109	118	91	92	91	82	1	2	1	
F1		CWBFTAF5	0.58	-2.3	-1.0	-4.6	3	13.7	3.0	-5.9	-0.5	-1.0	-3.4				
20578			53%	49%	49%	49%	21%	44%	50%	50%	50%	50%	49%				
CBC 200580	✓	KKWFE0010	113	85	87	83	97	109	118	91	92	91	82	1	1	1	
F1		CWBFHAF3	-0.05	-3.1	-2.2	-6.1	3	13.3	3.0	-5.9	-0.5	-1.0	-3.4				
20580			53%	49%	49%	49%	21%	44%	50%	50%	50%	50%	49%				
CBC 200586	✓	KKWFE0010	126	79	82	79	87	101	125	84	96	88	79	1	1	1	
F1		MAF12	-1.26	-5.5	-5.2	-8.8	-13	9.1	4.0	-10.6	0.1	-1.2	-3.8				
20586			70%	49%	49%	49%	21%	44%	50%	50%	50%	50%	49%				
CBC 200587	✓	KKWFE0010	115	81	84	81	86	102	116	82	92	91	88	2	2	1	
F1		MAF6	-0.22	-4.5	-4.2	-7.3	-14	9.6	2.8	-11.6	-0.5	-1.0	-2.4				
20587			72%	49%	49%	49%	21%	44%	52%	52%	51%	52%	50%				
CBC 200591	✓	KKWFE0010	108	87	88	84	97	109	118	91	92	91	82	2	2	1	
F1		CWBFTAF4	0.49	-2.4	-1.1	-4.8	3	13.7	3.0	-5.9	-0.5	-1.0	-3.4				
20591			58%	49%	49%	49%	21%	44%	50%	50%	50%	50%	49%				
CBC 200593	✓	KKWFE0010	93	91	93	90	87	102	130	71	96	74	73	1	2	1	
F1		KAF8	1.94	-0.7	1.6	-0.6	-13	9.9	4.7	-19.6	0.2	-2.6	-4.8				
20593			72%	49%	49%	49%	21%	44%	53%	53%	52%	52%	49%				
CBC 200597	✓	KKWFE0010	111	85	87	84	87	100	125	84	96	88	79	2	2	1	
F1		KAF5	0.14	-3.0	-1.9	-4.9	-13	9.0	4.0	-10.6	0.1	-1.2	-3.8				
20597			72%	49%	49%	49%	21%	44%	50%	50%	50%	50%	49%				
CBC 200598	✓	KKWFE0010	130	77	80	78	87	101	129	82	98	87	76	2	2	1	
F1		KCF4	-1.69	-6.3	-6.2	-9.9	-13	9.1	4.5	-11.6	0.4	-1.3	-4.3				
20598			72%	49%	49%	49%	21%	44%	52%	52%	51%	52%	50%				
CBC 200600	✓	KKWFE0010	122	81	83	81	87	100	125	84	96	88	79	1	2	1	
F1		AAF19	-0.87	-4.7	-4.2	-7.6	-13	8.9	4.0	-10.6	0.1	-1.2	-3.8				
20600			71%	49%	49%	49%	21%	44%	50%	50%	50%	50%	49%				
CBC 200604	✓	KKWFD0052	117	96	98	100	99	100	122	102	101	106	86	1	2	1	
F1		AAF1	-0.40	1.5	4.8	7.8	4	8.7	3.6	2.4	0.9	0.5	-2.7				
20604			71%	49%	49%	48%	38%	47%	52%	52%	51%	50%	49%				

CWB Dams

Dam			Growth					Carcass					Stats				
ID	Parentage	Sire ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name	Gen. DNA	Dam ID															
JAPANESE BLACK																	
CBC 200605	✓	KKWFD0052	96	104	105	106	109	110	113	107	92	110	92	2	2	1	
F1		CWBFTAF1	1.66	4.7	9.2	12.2	20	14.0	2.4	6.0	-0.5	0.8	-1.8				
20605			58%	49%	49%	48%	38%	47%	50%	50%	50%	50%	49%				
CBC 200607	✓	KKWFD0052	101	103	103	104	109	109	113	107	92	110	92	1	2	1	
F1		CWBFTAF14	1.10	4.0	8.1	10.9	20	13.6	2.4	6.0	-0.5	0.8	-1.8				
20607			57%	49%	49%	48%	38%	47%	50%	50%	50%	50%	49%				
CBC 200608	✓	KKWFD0052	99	103	104	105	109	109	113	107	92	110	92	2	3	1	
F1		CWBFCMF6.1	1.28	4.2	8.5	11.3	20	13.7	2.4	6.0	-0.5	0.8	-1.8				
20608			57%	49%	49%	48%	38%	47%	50%	50%	50%	50%	49%				
CBC 200609	✓	KKWFD0052	114	103	104	106	106	102	113	119	93	108	85	1	1	1	
F1		KAF7	-0.10	4.2	8.7	12.5	15	9.6	2.4	14.0	-0.3	0.7	-2.9				
20609			70%	49%	49%	48%	38%	47%	52%	52%	51%	52%	50%				
CBC 210015	✓	KKWFD0052	99	103	104	105	109	109	113	107	92	110	92	1	2	1	
F1		CWBFCBC20	1.35	4.3	8.6	11.5	20	13.8	2.4	6.0	-0.5	0.8	-1.8				
210015			56%	49%	49%	48%	38%	47%	50%	50%	50%	50%	49%				
CBC 210022	✓	PMGFL00013	81	107	106	104	90	93	110	81	107	86	100	1	1		
F1		CBC16	3.04	5.8	9.6	10.7	-8	4.8	2.1	-12.4	1.8	-1.4	-0.4				
210022			68%	53%	57%	21%	22%	31%	50%	50%	49%	49%	45%				
CBC 210043	✓	CBC 180102	101	117	113	115	100	95	100	119	118	101	86	1	2	1	
F1		CBC48	1.14	9.7	14.2	18.8	6	6.3	0.8	14.5	3.6	0.0	-2.7				
210043			69%	30%	29%	30%	25%	32%	43%	43%	41%	43%	39%				
CBC 210050	✓	CBC 180102	85	120	116	117	110	104	93	126	114	104	88	1	3	1	
F1		CWBFCBC26	2.69	11.0	16.2	20.5	21	10.7	-0.1	19.2	3.0	0.3	-2.3				
210050			55%	28%	27%	27%	25%	27%	43%	43%	41%	43%	39%				
CBC 210614	✓	KKWFE0010	149	69	73	71	87	101	125	84	96	88	79	2	2	1	
F1		AAF4	-3.55	-9.5	-10.5	-15.0	-13	9.1	4.0	-10.6	0.1	-1.2	-3.8				
210614			71%	49%	49%	49%	21%	44%	50%	50%	50%	50%	49%				
CBC 210615	✓	KKWFE0010	100	89	91	87	97	110	118	91	92	91	82	1	2	1	
F1		CWBFAAF12	1.26	-1.4	0.3	-3.0	3	14.1	3.0	-5.9	-0.5	-1.0	-3.4				
210615			57%	49%	49%	49%	21%	44%	50%	50%	50%	50%	49%				
CBC 210618	✓	KKWFE0010	123	81	83	80	87	100	119	81	98	86	84	1	1	1	
F1		MAF10	-1.03	-4.9	-4.5	-7.9	-13	8.8	3.2	-12.8	0.4	-1.5	-3.0				
210618			70%	49%	49%	49%	21%	44%	50%	50%	50%	50%	49%				
CBC 210619	✓	KKWFD0052	104	102	102	103	109	109	113	107	92	110	92	2	2	1	
F1		CWBFAAF17	0.81	3.6	7.6	10.2	20	13.4	2.4	6.0	-0.5	0.8	-1.8				
210619			58%	49%	49%	48%	38%	47%	50%	50%	50%	50%	49%				

CWB Dams

Dam				Growth					Carcass					Stats				
ID	Parentage	Sire ID		Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name	Gen.	DNA	Dam ID															
JAPANESE BLACK																		
CBC 210624		✓	KKWFD0052	116	97	98	101	99	100	120	101	96	107	89				
F1			MAF15	-0.31	1.7	5.0	8.1	4	8.7	3.3	1.3	0.1	0.6	-2.2	2	2	1	
21624				71%	49%	49%	48%	38%	47%	50%	50%	50%	50%	49%				
CBC 210628		✓	KKWFE0010	107	89	85	80	85	91	127	78	97	83	83				
F2		✓	CBC 180521	0.53	-1.6	-3.3	-8.0	-15	3.7	4.2	-14.8	0.3	-1.7	-3.2	1	1		
21628				72%	51%	51%	50%	23%	45%	56%	56%	55%	55%	54%				
CBC 210631		✓	KKWFE0010	125	82	79	77	80	88	130	83	84	85	78				
F2		✓	CBC 180511	-1.15	-4.5	-7.2	-10.7	-22	2.2	4.6	-11.5	-1.7	-1.5	-3.9	1	1		
21631				73%	51%	51%	51%	23%	46%	57%	57%	56%	54%	51%				
CBC 210640		✓	KKWFE0010	105	88	89	85	97	110	118	91	92	91	82				
F1				0.79	-2.0	-0.6	-4.1	3	13.8	3.0	-5.9	-0.5	-1.0	-3.4	1	1		
21640				53%	49%	49%	49%	21%	44%	50%	50%	50%	50%	49%				
CBC 220014		✓	PMGFL00013	87	104	103	101	103	101	103	88	103	89	103				
FB		✓	CWBFCBC 180101	2.47	4.5	8.1	8.1	10	9.2	1.1	-7.7	1.2	-1.1	0.0	1	1		
220014				49%	28%	29%	21%	22%	23%	50%	50%	49%	49%	45%				
CBC 220603		✓	CBC 180102	97	116	113	114	99	93	106	119	113	103	82				
F1			KAF3	1.51	9.5	13.9	18.7	5	5.3	1.6	14.2	2.8	0.2	-3.3	1	1		
220603				69%	28%	27%	27%	25%	27%	46%	45%	42%	43%	39%				
CBC 220611		✓	CBC 180102	99	116	112	113	110	102	93	126	114	104	88				
F1			CWBFAAF18	1.31	9.2	13.5	17.3	21	9.8	-0.1	19.2	3.0	0.3	-2.3	1	1		
220611				51%	28%	27%	27%	25%	27%	43%	43%	41%	43%	39%				
CBC 220616		✓	CBC 180102	96	117	113	113	110	102	93	126	114	104	88				
F1			CWBFAAF2	1.63	9.6	14.1	18.0	21	10.0	-0.1	19.2	3.0	0.3	-2.3	1	1		
220616				51%	28%	27%	27%	25%	27%	43%	43%	41%	43%	39%				
CBC 220618		✓	CBC 180102	112	110	107	109	99	93	100	119	118	101	86				
F1			KAF5	0.03	7.0	10.6	14.7	5	5.2	0.8	14.5	3.6	0.0	-2.7	1	1		
220618				69%	28%	27%	27%	25%	27%	43%	43%	41%	43%	39%				
CBC 220620		✓	CBC 180102	98	116	112	113	110	102	93	126	114	104	88				
F1			CWBFHAF3	1.46	9.4	13.8	17.7	21	9.9	-0.1	19.2	3.0	0.3	-2.3	1	1		
220620				51%	28%	27%	27%	25%	27%	43%	43%	41%	43%	39%				
CBC 220622		✓	CBC 180102	116	117	112	114	104	91	99	137	123	107	82				
F1			AAF23	-0.31	9.8	13.6	18.4	11	4.0	0.7	26.7	4.4	0.6	-3.4	1	1		
220622				70%	28%	27%	27%	25%	27%	47%	47%	44%	45%	41%				
CBC 220624		✓	CBC 180102	117	115	111	113	103	92	108	127	127	97	74				
F1			AAF10	-0.41	8.9	12.7	17.6	11	4.4	1.8	19.7	4.9	-0.4	-4.6	1	1		
220624				69%	28%	27%	27%	25%	27%	46%	45%	42%	45%	41%				

CWB Dams

Dam			Growth					Carcass					Stats				
ID	Parentage	Sire ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name	Gen. DNA	Dam ID															
JAPANESE BLACK																	
CBC 220632	✓	CBC 180102	104	114	110	112	99	93	100	119	118	101	86	1	1		
F1		MAF12	0.82	8.5	12.6	17.0	5	4.9	0.8	14.5	3.6	0.0	-2.7				
220632			69%	28%	27%	27%	25%	27%	43%	43%	41%	43%	39%				
CBC 220647	✓	CBC 180102	129	103	101	103	99	93	100	119	118	101	86	1	1		
F1		KAF9	-1.61	4.1	6.7	10.2	5	5.3	0.8	14.5	3.6	0.0	-2.7				
220647			68%	28%	27%	27%	25%	27%	43%	43%	41%	43%	39%				
CBC 220649	✓	CBC 180102	94	117	113	114	110	103	93	126	114	104	88	1	1		
F1		CWBFTAF23	1.81	9.9	14.5	18.5	21	10.1	-0.1	19.2	3.0	0.3	-2.3				
220649			51%	28%	27%	27%	25%	27%	43%	43%	41%	43%	39%				
CBC 220653	✓	CBC 180102	97	116	113	113	110	102	93	126	114	104	88	1	1		
F1		CWBFTAF11	1.50	9.5	13.9	17.7	21	9.9	-0.1	19.2	3.0	0.3	-2.3				
220653			51%	28%	27%	27%	25%	27%	43%	43%	41%	43%	39%				
CBC 220693	✓	CBC 180107	110	109	102	102	96	77	104	104	116	93	98	1	1		
F2	✓	CBC 180504	0.22	6.5	7.1	9.2	1	-3.4	1.3	3.9	3.3	-0.8	-0.8				
220693			71%	23%	20%	14%	14%	18%	50%	50%	47%	50%	45%				
CBC 230701	✓	CBC 180107	109	104	98	98	93	80	101	91	110	85	102	1	1		
F2	✓	CBC 180521	0.40	4.4	4.6	6.2	-4	-2.1	1.0	-5.9	2.3	-1.5	-0.1				
230701			71%	23%	20%	14%	14%	18%	49%	49%	46%	49%	44%				
CBC 230717	✓	KKWFE0010	110	86	88	84	97	109	118	91	92	91	82	1	1		
F1		CWBFTAF20	0.30	-2.7	-1.5	-5.3	3	13.5	3.0	-5.9	-0.5	-1.0	-3.4				
23717			53%	49%	49%	49%	21%	44%	50%	50%	50%	50%	49%				
CBC16			82	101	112			124						1	2	1	
BS			2.95	3.3	13.5			21.3									
16			31%	26%	27%			39%									
CBC48			89	102	113	114		126						1	4	3	
BS			2.32	3.8	14.3	18.1		22.5									
48			43%	24%	23%	23%		36%									
CWBFCBC 180008		BA 130923	103	82	86	86	99	112	89	91	90	112	119	2	4	1	
F1			0.93	-4.5	-2.8	-3.7	4	15.1	-0.6	-5.4	-0.8	1.1	2.5				
180008			47%	42%	29%	26%	26%	29%	38%	38%	36%	25%	18%				
CWBFCBC 180101		148BE	117	101	91	93	81	75	100	88	112	93	100	2	5	3	
FB		AACFC0047	-0.41	3.2	0.7	2.2	-21	-4.4	0.8	-7.9	2.6	-0.8	-0.4				
180101			59%	55%	54%	54%	49%	53%	58%	59%	58%	58%	52%				
CWBFCBC 180106		148BE	126	83	78	80	77	70	98	78	107	99	115	2	3	2	
FB		AACFD0075	-1.26	-3.7	-7.5	-8.3	-26	-7.0	0.6	-14.7	1.9	-0.2	2.0				
180106			56%	55%	54%	54%	48%	52%	58%	59%	57%	57%	51%				

CWB Dams

Dam				Growth					Carcass					Stats					
ID	Parentage	Sire ID		Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses	
Name		Gen.	DNA	Dam ID															
JAPANESE BLACK																			
CWBFCBC 200006		✓	PK	150003	89	82	84	87	85	107	101	102	75	128	110	2	3	1	
F1				CWBFCBC41	2.28	-4.3	-3.8	-3.0	-15	12.6	0.9	2.2	-3.0	2.6	1.2				
200006					35%	29%	26%	23%	7%	28%	45%	45%	43%	36%	18%				
CWBFCBC 210042		✓	CBC	180102	96	117	113	113	110	102	93	126	114	104	88	2	3	2	
F1				CWBFCBC8	1.59	9.6	14.1	18.0	21	10.0	-0.1	19.2	3.0	0.3	-2.3				
210042					45%	28%	27%	27%	25%	27%	43%	43%	41%	43%	39%				
CWBFCBC 210075		✓	CBC	180102	96	117	113	113	110	102	93	126	114	104	88	1	1	1	
F1				CWBFBN50	1.59	9.6	14.1	18.0	21	10.0	-0.1	19.2	3.0	0.3	-2.3				
210075					45%	28%	27%	27%	25%	27%	43%	43%	41%	43%	39%				
CWBFCBC 210612		✓	KKWFE0010		106	87	89	85	97	109	118	91	92	91	82	2	2	1	
F1				CWBFAAF18	0.66	-2.2	-0.8	-4.4	3	13.8	3.0	-5.9	-0.5	-1.0	-3.4				
210612					48%	49%	49%	49%	21%	44%	50%	50%	50%	50%	49%				
CWBFCBC 220008		✓	KKWFE0010		106	87	89	85	97	109	142	109	100	87	52	1	1		
F1				CWBFCBC31	0.66	-2.2	-0.8	-4.4	3	13.8	6.2	7.1	0.7	-1.4	-8.2				
220008					48%	49%	49%	49%	21%	44%	65%	60%	59%	64%	59%				
CWBFLPB 191108		✓	HJ	150008	98	102	104	105	96	98	100	93	94	81	97	2	3	1	
F1				LPB114	1.45	3.8	8.8	11.8	1	7.7	0.8	-4.1	-0.1	-1.9	-1.0				
LPB191108					67%	59%	26%	21%	20%	36%	42%	42%	40%	30%	22%				
CWBFEZEWB154002		✓	FB	14720	110	107	100	100	99	87	74	111	87	116	130	3	24	5	8
PBD		✓	BB	120024	0.25	5.9	6.3	7.5	5	1.6	-2.5	8.3	-1.2	1.5	4.2				
ZEWB4002					46%	28%	42%	37%	18%	25%	47%	47%	44%	35%	25%				
D11					94						92	91	103	107	109	1	1	1	
BS					1.83						-0.2	-5.3	1.3	0.6	0.9				
D11					34%						14%	14%	11%	14%	11%				
DCH4					104						104	116	107	101	85	1	1	1	
BS					0.86						1.3	11.9	1.9	0.0	-2.9				
DCH4					33%						14%	14%	11%	14%	11%				
HAF8					120						96	116	92	129	108	1	2	1	
BS					-0.71						0.2	12.0	-0.5	2.7	0.8				
HAF 8					41%						31%	31%	25%	31%	24%				
KAF12					93						98	103	104	93	92	1	1	1	
BS					1.88						0.6	2.7	1.3	-0.7	-1.8				
KAF 12					33%						14%	14%	11%	14%	11%				
KAF13					79						97	97	100	93	95	1	1	1	
BS					3.30						0.4	-1.2	0.8	-0.8	-1.3				
KAF 13					33%						14%	14%	11%	14%	11%				

CWB Dams

Dam				Growth					Carcass					Stats				
ID	Parentage	Sire ID		Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name	Gen.	DNA	Dam ID															
JAPANESE BLACK																		
KAF14				92						106	85	100						
BS				2.06						1.5	-9.6	0.7			1	2	1	1
KAF 14				42%						28%	27%	22%						
KAF18				88						87	141	103	152	112				
BS				2.43						-0.9	30.1	1.3	4.8	1.5	1	3	1	
KAF 18				48%						41%	39%	33%	40%	31%				
KAF19				103						92	95	102	94	100				
BS				0.99						-0.2	-2.6	1.0	-0.7	-0.4	1	1	1	
KAF 19				32%						14%	14%	11%	14%	11%				
KAF3				84						112	99	91						
BS				2.75						2.3	0.0	-0.6			1	2	1	1
KAF 3				40%						28%	27%	22%						
KAF4				98						99	93	100	101	100				
BS				1.43						0.6	-4.3	0.8	0.0	-0.5	1	1	1	
KAF 4				33%						12%	11%	9%	12%	9%				
KAF5				92														
BS				2.03											1	2	2	
KAF 5				43%														
KAF7				90						86	136	96	103	88				
BS				2.16						-1.0	26.0	0.1	0.2	-2.4	1	3	2	
KAF 7				48%						31%	31%	25%	31%	24%				
KAF8				54						110	74	102	72					
BS				5.68						2.1	-17.3	1.0	-2.7		1	3	1	2
KAF 8				48%						39%	37%	31%	27%					
KAF9				106														
BS				0.69											1	2	2	
KAF 9				35%														
KCF4				102						107	97	105	98	89				
BS				1.03						1.7	-1.4	1.5	-0.3	-2.2	1	2	1	
KCF 4				42%						28%	28%	22%	28%	21%				
LB 190004		✓	BA 140004	102	102	104	105	96	107	74	73	100	96	128				
F1			D11	1.03	3.9	8.5	11.7	1	12.6	-2.5	-18.2	0.8	-0.4	3.9	1	3	1	
LB190004				72%	32%	24%	19%	19%	24%	45%	45%	40%	36%	28%				
LB 190029		✓	BA 140004	110	101	101	104	98	106	71	98	96	86	113				
F1			NT102	0.25	3.1	6.9	10.4	3	12.1	-2.9	-0.3	0.1	-1.4	1.6	1	4	1	
LB190029				74%	32%	24%	19%	19%	24%	51%	50%	44%	43%	34%				

CWB Dams

Dam				Growth					Carcass					Stats				
ID	Parentage	Sire ID		Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name		Gen.	DNA	Dam ID														
JAPANESE BLACK																		
LB 190035			✓	BA 150400	108	108	116	119	118	122	85	108	79	115	116	1	3	
F1				LB201	0.43	6.1	16.0	22.2	32	20.3	-1.1	6.5	-2.5	1.4	2.1			
LB190035					72%	27%	18%	22%	17%	23%	44%	43%	39%	37%	27%			
LB 190039			✓	LB 160100	99	98	102	103	97	108	104	96	109	89	88	1	3	1
F1				Z13-083	1.28	2.1	7.4	10.0	2	13.0	1.3	-1.8	2.2	-1.2	-2.4			
LB190039					71%	15%	14%	14%	15%	16%	42%	41%	35%	32%	25%			
LB 190040			✓	BA 140004	96	104	105	107	96	108	77	87	95	71	105	1	2	
F1				13-164	1.59	4.4	9.4	12.9	1	13.2	-2.1	-8.4	0.0	-2.8	0.4			
LB190040					71%	32%	24%	19%	19%	24%	45%	45%	40%	37%	28%			
LB 190054			✓	BA 150400	125	95	104	107	113	118	95	129	97	112	95	1	3	1
F1				DCH4	-1.20	1.1	8.3	13.0	25	18.5	0.2	21.1	0.4	1.0	-1.2			
LB190054					72%	27%	18%	22%	17%	23%	44%	43%	39%	37%	27%			
LB 190058			✓	LB 160100	117	88	93	95	92	104	101	90	97	96	99	1	3	1
F1				LB14	-0.46	-1.8	1.6	3.4	-5	10.9	0.9	-6.5	0.4	-0.5	-0.6			
LB190058					70%	15%	14%	14%	15%	16%	42%	41%	35%	32%	25%			
LB 190059			✓	BA 150400	102	111	120	122	119	123	88	115	92	116	110	1	3	1
F1				11-143	1.02	7.6	18.3	24.9	34	21.1	-0.7	11.2	-0.5	1.5	1.1			
LB190059					72%	27%	18%	22%	17%	23%	44%	43%	39%	37%	27%			
LB 190061			✓	BA 150400	114	101	109	112	110	117	84	115	91	112	112	2	4	2
F1				15-163	-0.16	3.4	11.4	16.5	21	17.5	-1.2	11.1	-0.7	1.1	1.5			
LB190061					73%	27%	18%	22%	17%	23%	44%	43%	39%	37%	27%			
LB14					99						101	101	99	103	96	1	1	1
BS					1.37						1.0	1.7	0.6	0.2	-1.1			
14					33%						14%	14%	11%	14%	11%			
LB201					93						98	102	95	104	99	1	1	1
BS					1.96						0.5	2.1	0.0	0.2	-0.7			
201					34%						14%	14%	11%	14%	11%			
LPB 190039			✓	733D	87	112	113	114	113	111	100	104	92	103	93	2	2	1
PBD			✓	CWBFZEWB154002	2.50	7.7	14.1	18.4	24	14.7	0.7	3.3	-0.5	0.2	-1.6			
MS PADRINO 1900					48%	19%	34%	8%	6%	11%	37%	37%	34%	35%	26%			
LPB 191101			✓	HJ 150008	99	98	101	102	93	97	115	93	103	86	88	1	3	1
F1				13007	1.32	2.1	6.6	9.3	-4	7.3	2.7	-4.2	1.3	-1.4	-2.5			
LPB191101					72%	59%	26%	21%	20%	36%	49%	48%	44%	39%	29%			
LPB 191201			✓	KT4FK1888	101	98	99	101	92	95	125	95	118	95	81	1	3	1
F1				17148	1.18	2.0	5.7	8.5	-5	6.3	4.0	-2.5	3.6	-0.5	-3.5			
LPB191201					72%	47%	31%	25%	16%	36%	52%	52%	48%	49%	43%			

CWB Dams

Dam				Growth					Carcass					Stats				
ID	Parentage	Sire ID		Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name	Gen. DNA	Dam ID																
JAPANESE BLACK																		
LSRFE0263		LSRFC0219		128	94	83	85	79	59	96	90	116	85	111	2	3	2	
FB		LSRFY0160		-1.53	0.4	-4.5	-4.1	-23	-13.1	0.2	-6.6	3.3	-1.5	1.2				
DOOR KEY E263				55%	37%	43%	35%	31%	35%	51%	51%	49%	51%	44%				
MAF10				105						87	93	105	95	105	1	2	1	
BS				0.75						-0.9	-3.8	1.5	-0.5	0.4				
MAF 10				43%						14%	14%	11%	14%	11%				
MAF11				108						99	92	82	110	106	1	2	1	1
BS				0.47						0.7	-5.0	-2.0	0.9	0.5				
MAF 11				34%						31%	31%	25%	14%	11%				
MAF12				95											1	2	2	
BS				1.68														
MAF 12				42%														
MAF13				93											1	1	1	
BS				1.96														
MAF 13				31%														
MAF14				96						93	93	101	92	100	1	1	1	
BS				1.64						-0.1	-4.2	0.9	-0.8	-0.5				
MAF 14				33%						14%	14%	11%	14%	11%				
MAF15				102											1	2	2	
BS				0.99														
MAF 15				43%														
MAF5				98											1	1	1	
BS				1.43														
MAF 5				31%														
MAF6				79						81	97	93	106	114	1	2	1	
BS				3.27						-1.6	-1.4	-0.3	0.4	1.7				
MAF 6				42%						29%	28%	23%	28%	21%				
MAF7				90											1	1	1	
BS				2.20														
MAF 7				32%														
MAF8				79						90	98	87			1	2	1	1
BS				3.31						-0.5	-0.9	-1.3						
MAF 8				41%						28%	28%	22%						
NT102				98						90	108	101	100	99	1	2	1	
BS				1.41						-0.4	6.6	0.9	-0.1	-0.6				
NT102				41%						19%	19%	15%	19%	15%				

CWB Dams

Dam			Growth					Carcass					Stats				
ID	Parentage	Sire ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name	Gen. DNA	Dam ID															
JAPANESE BLACK																	
Z13-083			86					1031061079988									
BS			2.56					1.24.91.8-0.2-2.4					111				
Z13-083			34%					14%14%11%14%11%									

CWB Bulls

Inbreeding >6% is high					<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed															
Bull					Selection Value					Calf weight		Mother		Growth		Fertility			Carcass				
ID	%Inbreeding	Parentage			Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
Name		Genomic	DNA	Sire ID Dam ID																			
JAPANESE BLACK																							
CWBMCBC 250014				✓ CWBMCBC 180103	107	99	100	108	112	116	99	54	100	105	92	101	117	92	107	103	114	98	88
F2				✓ CBC 210043	-0.30	2.5	1.34	8.5	10.2	-6	-3.5	-2.9	1.9	1.7	2.9	2.9	-0.3	2.3	22 %	22 %	20 %	22 %	20 %
CBC CBC250014					55%	15%	16 %	12%	15%	62 %	15 %	28%	16%	15%	12%	19%	11%	25 %	22 %	22 %	20 %	22 %	20 %
CWBMCBC 250101				✓ KKWFD0052	103	103	109	91	95	100	103	106	109	104	109	95	95	90	113	107	92	110	92
F1					1.27	4.2	-0.61	13.7	9.5	20	0.2	1.3	1.1	2.4	6.0	-0.5	0.8	-1.8	50 %	50 %	50 %	50 %	49 %
CBC CBC25101					45%	49%	47 %	38%	38%	48 %	49 %	32%	47%	48%	38%	48%	27%	50 %	50 %	50 %	50 %	49 %	
CWBMCBC 250108	25			✓ KKWFD0052	121	101	95	99	99	115	101	113	95	98	101	95	103	99	126	105	91	112	87
F2				✓ CBC 200608	-0.25	3.3	-0.86	5.9	5.3	7	-0.2	0.0	4.6	4.2	4.0	-0.6	1.0	-2.6	4.2	4.0	-0.6	1.0	-2.6
CBC CBC25108					64%	55%	53 %	43%	42%	70 %	55 %	41%	53%	54%	43%	54%	30%	57 %	55 %	56 %	55 %	55 %	54 %
CWBMCBC 250109				✓ KKWFE0010	109	87	109	103	94	106	87	102	109	87	97	92	97	91	118	91	92	91	82
F1				CWBFTAF7	0.66	-2.2	-0.46	13.8	-3.0	3	1.6	1.3	1.3	3.0	-5.9	-0.5	-1.0	-3.4	50 %	50 %	50 %	50 %	49 %
CBC CBC25109					45%	49%	44 %	21%	27%	48 %	49 %	35%	44%	49%	21%	41%	13%	50 %	50 %	50 %	50 %	49 %	
CWBMCBC 250111				✓ KKWFE0010	109	87	109	103	94	106	87	102	109	87	97	92	97	91	118	91	92	91	82
F1				CWBFTAF5	0.66	-2.2	-0.46	13.8	-3.0	3	1.6	1.3	1.3	3.0	-5.9	-0.5	-1.0	-3.4	50 %	50 %	50 %	50 %	49 %
CBC CBC25111					45%	49%	44 %	21%	27%	48 %	49 %	35%	44%	49%	21%	41%	13%	50 %	50 %	50 %	50 %	49 %	
CWBMCBC 250112				✓ KKWFE0010	109	87	109	103	94	106	87	102	109	87	97	92	97	91	118	91	92	91	82
F1				CWBFTAF15	0.66	-2.2	-0.46	13.8	-3.0	3	1.6	1.3	1.3	3.0	-5.9	-0.5	-1.0	-3.4	50 %	50 %	50 %	50 %	49 %
CBC CBC25112					45%	49%	44 %	21%	27%	48 %	49 %	35%	44%	49%	21%	41%	13%	50 %	50 %	50 %	50 %	49 %	
CWBMCBC 250114	1			✓ KKWFD0052	124	96	92	107	109	123	96	100	92	96	93	100	115	93	113	94	92	96	92
F2				✓ CBC 180506	-1.00	1.4	-0.38	4.3	3.4	-4	-3.0	-2.3	2.0	2.5	-3.2	-0.5	-0.5	-1.7	55 %	56 %	55 %	53 %	50 %
CBC CBC25114					66%	51%	49 %	39%	42%	72 %	51 %	44%	49%	50%	39%	53%	30%	58 %	55 %	56 %	55 %	53 %	50 %
CWBMCBC 250115	1			✓ KKWFE0010	119	87	94	118	103	117	87	91	94	83	82	98	107	101	114	77	93	74	84
F2				✓ LB 190040	-0.44	-2.4	-0.06	5.6	-5.9	-19	-1.9	-0.6	5.6	2.5	-15.1	-0.3	-2.6	-3.0	55 %	55 %	54 %	53 %	51 %
CBC CBC25115					67%	52%	45 %	23%	32%	73 %	52 %	45%	45%	50%	23%	47%	16%	56 %	55 %	55 %	54 %	53 %	51 %
CWBMCBC 250116	3			✓ KKWFD0052	120	95	95	105	99	114	95	106	95	91	95	94	104	100	129	96	91	102	82
F2				✓ CBC 210615	-0.13	0.7	-0.59	6.1	0.0	-1	0.5	0.0	5.3	4.5	-1.9	-0.6	0.1	-3.3	55 %	56 %	55 %	55 %	54 %
CBC CBC25116					64%	55%	52 %	40%	40%	70 %	55 %	41%	52%	54%	40%	53%	28%	57 %	56 %	56 %	55 %	55 %	54 %
CWBMCBC 250117				✓ KKWFD0052	103	103	109	91	95	100	103	106	109	104	109	95	95	90	113	107	92	110	92
F1				CWBFTAF23	1.27	4.2	-0.61	13.7	9.5	20	0.2	1.3	1.1	2.4	6.0	-0.5	0.8	-1.8	50 %	50 %	50 %	50 %	49 %
CBC CBC25117					45%	49%	47 %	38%	38%	48 %	49 %	32%	47%	48%	38%	48%	27%	50 %	50 %	50 %	50 %	49 %	
CWBMCBC 250118	2			✓ KKWFD0052	119	100	87	108	102	113	100	108	87	98	92	101	104	99	133	98	105	104	81
F2				✓ LPB 191201	0.00	2.8	-0.69	2.1	4.7	-5	-3.2	-0.2	4.7	4.9	-0.3	1.5	0.3	-3.4	56 %	56 %	55 %	55 %	53 %
CBC CBC25118					67%	54%	50 %	39%	41%	73 %	54 %	43%	50%	50%	39%	53%	29%	57 %	56 %	56 %	55 %	55 %	53 %
CWBMCBC 250119	3			✓ KKWFD0052	122	90	90	111	108	126	90	104	90	87	89	100	115	99	133	93	93	101	81
F2				✓ CBC 200600	-1.25	-1.0	-0.52	3.5	-2.4	-9	-2.9	-2.0	4.7	4.9	-4.3	-0.3	0.0	-3.6	55 %	56 %	55 %	55 %	54 %
CBC CBC25119					66%	55%	52 %	40%	41%	72 %	55 %	42%	52%	54%	40%	54%	28%	58 %	56 %	55 %	55 %	55 %	54 %

CWB Bulls

Inbreeding >6% is high					<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed															
Bull					Selection Value					Calf weight		Mother		Growth		Fertility			Carcass				
ID	%Inbreeding	Parentage			Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
Name		Genomic	DNA	Sire ID Dam ID																			
JAPANESE BLACK																							
CWBMCBC 250120				KKWFE0010	109	87	109	103	94	106	87	102	109	87	97	92	97	91	118	91	92	91	82
F1				CWBFTAF6	0.66	-2.2	-0.46	13.8	-3.0	3	1.6	1.3	1.3	3.0	-5.9	-0.5	-1.0	-3.4					
CBC CBC25120					45%	49%	44 %	21%	27%	48 %	49 %	35%	44%	49%	21%	41%	13%	50 %	50 %	50 %	50 %	49 %	
CWBMCBC 250121				KKWFD0052	103	103	109	91	95	100	103	106	109	104	109	95	95	90	113	107	92	110	92
F1				CWBFAF6.1	1.27	4.2	-0.61	13.7	9.5	20	0.2	1.3	1.1	2.4	6.0	-0.5	0.8	-1.8					
CBC CBC25121					45%	49%	47 %	38%	38%	48 %	49 %	32%	47%	48%	38%	48%	27%	50 %	50 %	50 %	50 %	49 %	
CWBMCBC 250122	5			KKWFE0010	119	88	88	117	102	114	88	102	88	82	83	95	108	95	132	75	99	81	79
F2				CBC 190535	-0.12	-1.9	-0.48	2.3	-6.3	-18	-0.2	-0.7	3.0	4.8	-17.0	0.6	-1.9	-3.8					
CBC CBC25122					67%	51%	45 %	23%	32%	72 %	51 %	46%	45%	50%	23%	47%	17%	58 %	57 %	57 %	56 %	54 %	
CWBMCBC 250123	3			KKWFE0010	125	84	95	111	99	124	84	110	95	80	89	93	105	100	132	88	91	93	77
F2				CBC 200607	-1.10	-3.5	-0.77	5.9	-7.8	-10	1.1	-0.1	5.0	4.8	-7.9	-0.6	-0.8	-4.1					
CBC CBC25123					64%	55%	50 %	28%	34%	70 %	55 %	43%	50%	55%	28%	48%	19%	57 %	56 %	55 %	56 %	54 %	
CWBMCBC 250124	3			KKWFD0052	122	93	92	108	107	125	93	104	92	93	92	104	108	95	121	96	94	105	91
F2				LB 190058	-1.23	0.1	-0.53	4.5	1.3	-5	-5.1	-1.2	2.9	3.4	-2.3	-0.1	0.4	-2.0					
CBC CBC25124					67%	49%	48 %	39%	40%	73 %	49 %	43%	48%	49%	39%	52%	29%	56 %	54 %	54 %	53 %	52 %	50 %
CWBMCBC 250125				KKWFD0052	123	100	94	106	101	117	100	102	94	98	94	91	108	98	107	87	95	105	105
F2				LB 190004	-0.46	3.0	-0.47	5.4	5.1	-2	2.4	-1.0	4.4	1.7	-8.1	0.1	0.4	0.3					
CBC CBC25125					67%	51%	49 %	39%	41%	73 %	51 %	44%	49%	50%	39%	53%	29%	57 %	55 %	55 %	53 %	53 %	50 %
CWBMCBC 250126				KKWFD0052	103	103	109	91	95	100	103	106	109	104	109	95	95	90	113	107	92	110	92
F1				CWBFTAF30	1.27	4.2	-0.61	13.7	9.5	20	0.2	1.3	1.1	2.4	6.0	-0.5	0.8	-1.8					
CBC CBC25126					45%	49%	47 %	38%	38%	48 %	49 %	32%	47%	48%	38%	48%	27%	50 %	50 %	50 %	50 %	49 %	
CWBMCBC 250127	1			CBC 180107	115	100	75	109	110	127	100	88	75	95	91	106	112	96	104	98	102	88	96
F2				CBC 180503	-1.43	2.9	0.07	-4.4	3.2	-7	-6.1	-1.9	3.4	1.3	-0.9	1.0	-1.2	-1.0					
CBC CBC25127					52%	23%	19 %	13%	20%	57 %	23 %	32%	19%	18%	13%	25%	14%	46 %	49 %	49 %	46 %	46 %	40 %
CWBMCBC 250128				CBC 180107	102	105	98	95	100	102	105	92	98	104	105	105	96	93	93	103	105	93	102
F1				CWBFTAF20	1.08	4.9	-0.10	7.8	9.5	14	-5.7	1.0	2.0	-0.1	3.0	1.6	-0.7	-0.2					
CBC CBC25128					41%	19%	14 %	9 %	14%	46 %	19 %	21%	14%	12%	9 %	18%	10%	36 %	42 %	42 %	39 %	42 %	38 %
CWBMCBC 250129	2			CBC 180107	122	98	75	112	102	123	98	94	75	93	88	97	107	99	105	87	112	83	101
F1				CBC 190524	-1.01	2.0	-0.17	-4.5	1.6	-11	-1.3	-0.8	4.7	1.5	-8.2	2.6	-1.7	-0.3					
CBC CBC25129					64%	23%	18 %	14%	21%	71 %	23 %	35%	18%	17%	14%	28%	14%	47 %	49 %	49 %	46 %	49 %	44 %
CWBMCBC 250130				CBC 180107	118	100	82	109	120	125	100	89	82	97	91	116	121	102	86	96	106	83	108
F2				LB 190029	-1.19	3.0	0.02	-0.8	4.1	-7	-12.2	-3.5	5.9	-1.0	-2.2	1.8	-1.7	0.7					
CBC CBC25130					66%	25%	19 %	13%	22%	73 %	25 %	38%	19%	16%	13%	28%	15%	46 %	49 %	49 %	45 %	47 %	41 %
CWBMCBC 250131	1			CBC 180107	112	109	90	98	110	114	109	77	90	108	102	113	108	101	94	104	104	98	106
F2				LB 190059	-0.14	6.5	0.46	3.6	12.3	8	-10.4	-0.9	5.5	0.1	3.6	1.4	-0.2	0.5					
CBC CBC25131					65%	23%	18 %	12%	21%	72 %	23 %	37%	18%	16%	12%	27%	15%	44 %	48 %	47 %	44 %	46 %	40 %

CWB Bulls

Inbreeding >6% is high				<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed																	
Bull				Selection Value					Calf weight		Mother		Growth		Fertility			Carcass						
ID	Parentage			Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling	Fineness	
Name	%Inbreeding	Genomic DNA	Sire ID Dam ID																					
JAPANESE BLACK																								
CWBMCBC 250132	1	 CBC 180107		119	99	79	111	119	126	99	97	79	96	89	118	117	92	94	83	102	85	108		
F2		 CBC 180502		64%	23%	20 %	13%	22%	-1.29	2.3	-0.28	-2.2	3.6	-9	-13.6	-2.9	1.8	0.0	-11.0	1.2	-1.5	0.7		
CBC CBC250132									71 %	23 %	36%	20%	16%	13%	29%	16%	46 %	49 %	48 %	45 %	45 %	40 %		
CWBMCBC 250133		 CBC 180107		102	105	98	95	100	102	105	92	98	104	105	105	96	93	93	103	105	93	102		
F1		CWBFAAF17		41%	19%	14 %	9 %	14%	1.08	4.9	-0.10	7.8	9.5	14	-5.7	1.0	2.0	-0.1	3.0	1.6	-0.7	-0.2		
CBC CBC25133									46 %	19 %	21%	14%	12%	9 %	18%	10%	36 %	42 %	42 %	39 %	42 %	38 %		
CWBMCBC 250134		 CBC 180107		102	105	98	95	100	102	105	92	98	104	105	105	96	93	93	103	105	93	102		
F1		CWBFKAF10		41%	19%	14 %	9 %	14%	1.08	4.9	-0.10	7.8	9.5	14	-5.7	1.0	2.0	-0.1	3.0	1.6	-0.7	-0.2		
CBC CBC25134									46 %	19 %	21%	14%	12%	9 %	18%	10%	36 %	42 %	42 %	39 %	42 %	38 %		
CWBMCBC 250135	1	 CBC 180107		117	100	83	110	109	118	100	80	83	97	90	113	106	100	102	95	113	85	95		
F2		 LB 190039		64%	20%	16 %	12%	20%	-0.53	2.8	0.36	-0.3	4.5	-7	-10.2	-0.8	5.2	1.1	-2.9	2.8	-1.6	-1.3		
CBC CBC25135									72 %	20 %	35%	16%	14%	12%	26%	14%	44 %	47 %	47 %	43 %	45 %	40 %		
CWBMCBC 250136		 CBC 180107		102	105	98	95	100	102	105	92	98	104	105	105	96	93	93	103	105	93	102		
F1		CWBFJERSY1		41%	19%	14 %	9 %	14%	1.08	4.9	-0.10	7.8	9.5	14	-5.7	1.0	2.0	-0.1	3.0	1.6	-0.7	-0.2		
CBC CBC25136									46 %	19 %	21%	14%	12%	9 %	18%	10%	36 %	42 %	42 %	39 %	42 %	38 %		
CWBMCBC 250137	1	 CBC 180107		109	97	80	115	109	113	97	74	80	92	85	108	110	102	115	82	106	77	87		
F2		 CBC 200593		64%	31%	26 %	14%	22%	-0.04	1.7	0.61	-1.9	0.8	-15	-7.3	-1.3	6.2	2.8	-11.8	1.8	-2.3	-2.5		
CBC CBC25137									71 %	31 %	35%	26%	27%	14%	31%	13%	47 %	50 %	50 %	47 %	49 %	45 %		
CWBMCBC 250138	1	 CBC 180107		113	108	89	99	109	115	108	81	89	108	101	113	108	101	93	101	98	98	109		
F2		 LB 190035		65%	23%	18 %	12%	21%	-0.19	6.3	0.34	3.1	11.7	7	-10.2	-0.8	5.5	-0.1	1.2	0.4	-0.3	1.0		
CBC CBC25138									72 %	23 %	37%	18%	16%	12%	27%	15%	45 %	48 %	47 %	44 %	46 %	40 %		
CWBMCBC 250139	1	 CBC 180107		118	104	78	106	123	127	104	99	78	100	94	121	123	97	88	99	107	87	105		
F2		 CBC 180520		64%	23%	20 %	13%	23%	-1.41	4.5	-0.34	-3.0	6.4	-3	-14.8	-3.9	4.0	-0.7	-0.2	1.8	-1.3	0.3		
CBC CBC25139									71 %	23 %	39%	20%	16%	13%	29%	17%	47 %	51 %	50 %	46 %	48 %	42 %		
CWBMCBC 250140	2	 CBC 180107		114	109	77	104	105	110	109	101	77	102	96	104	106	103	104	104	116	93	98		
F2		 CBC 180504		51%	23%	18 %	14%	18%	0.23	6.6	-0.43	-3.5	7.9	1	-5.3	-0.6	6.6	1.3	3.9	3.3	-0.8	-0.8		
CBC CBC25140									55 %	23 %	36%	18%	17%	14%	24%	13%	46 %	50 %	50 %	47 %	50 %	45 %		
CWBMCBC 250141		 CBC 180107		102	105	98	95	100	102	105	92	98	104	105	105	96	93	93	103	105	93	102		
F1				41%	19%	14 %	9 %	14%	1.08	4.9	-0.10	7.8	9.5	14	-5.7	1.0	2.0	-0.1	3.0	1.6	-0.7	-0.2		
CBC CBC25141									46 %	19 %	21%	14%	12%	9 %	18%	10%	36 %	42 %	42 %	39 %	42 %	38 %		
CWBMCBC 250142	1	 CBC 180107		121	96	84	109	104	117	96	96	84	91	91	104	105	106	109	92	104	86	92		
F2		 CBC 210640		60%	31%	26 %	14%	20%	-0.44	1.4	-0.22	0.0	-0.1	-7	-5.5	-0.3	7.9	1.9	-5.0	1.4	-1.4	-1.8		
CBC CBC25142									68 %	31 %	31%	26%	27%	14%	28%	12%	46 %	49 %	49 %	46 %	49 %	45 %		
CWBMCBC 250143	1	 CBC 180107		122	97	82	106	96	126	97	104	82	93	94	98	95	99	86	98	90	98	116		
F2		 CBC 200564		62%	23%	19 %	13%	20%	-1.25	1.8	-0.53	-1.0	1.8	-2	-1.8	1.2	4.7	-1.0	-0.5	-0.8	-0.3	2.1		
CBC CBC25143									69 %	23 %	36%	19%	18%	13%	25%	14%	44 %	48 %	47 %	44 %	44 %	39 %		

CWB Bulls

Inbreeding >6% is high					<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed															
Bull					Selection Value					Calf weight		Mother		Growth		Fertility			Carcass				
ID	%Inbreeding	Parentage			Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
Name		Genomic	DNA	Sire ID Dam ID																			
JAPANESE BLACK																							
CWBMCBC 250144	1			CBC 180107	120	94	79	115	108	124	94	90	79	89	85	107	109	104	113	89	106	84	91
F2				CBC 200575	-1.10	0.4	-0.02	-2.5	-1.5	-15	-7.2	-1.0	6.8	2.4	-7.3	1.7	-1.6	-2.0	49 %	49 %	46 %	49 %	45 %
CBC CBC25144					62%	31%	26 %	14%	22%	69 %	31 %	35%	26%	27%	14%	31%	13%	47 %					
CWBMCBC 250145	2			CBC 180107	114	102	75	112	101	113	102	91	75	97	88	96	105	98	105	87	112	83	101
F1				CBC 190533	0.01	3.9	-0.06	-4.6	4.3	-11	-0.7	-0.4	4.3	1.5	-8.2	2.6	-1.7	-0.3	49 %	49 %	46 %	49 %	44 %
CBC CBC25145					62%	23%	18 %	14%	20%	70 %	23 %	32%	18%	17%	14%	28%	13%	47 %					
CWBMCBC 250146	1			CBC 180107	121	105	76	107	119	120	105	86	76	100	93	114	122	100	101	108	110	94	96
F2				CBC 180519	-0.70	5.0	0.16	-4.3	6.4	-3	-10.8	-3.7	5.3	0.9	6.3	2.3	-0.7	-1.1	52 %	51 %	48 %	49 %	42 %
CBC CBC25146					64%	23%	19 %	13%	23%	71 %	23 %	38%	19%	18%	13%	29%	17%	47 %					
CWBMCBC 250147	1			CBC 180107	117	99	79	109	106	127	99	94	79	95	91	107	106	101	111	98	109	93	94
F2				CBC 200604	-1.39	2.4	-0.17	-2.5	3.2	-6	-7.1	-0.7	5.6	2.2	-0.8	2.1	-0.7	-1.4	50 %	49 %	47 %	49 %	45 %
CBC CBC25147					63%	31%	28 %	21%	25%	71 %	31 %	34%	28%	27%	21%	33%	17%	47 %					
CWBMCBC 250148	2			CBC 180107	121	98	78	112	102	121	98	85	78	96	88	97	107	105	108	93	110	83	95
F2				LPB 191101	-0.78	2.3	0.19	-3.2	3.4	-11	-1.1	-0.7	7.4	1.8	-4.1	2.3	-1.7	-1.3	49 %	48 %	45 %	46 %	41 %
CBC CBC25148					65%	35%	23 %	13%	21%	72 %	35 %	36%	23%	17%	13%	28%	14%	46 %					
CWBMCBC 250149	1			CBC 180107	116	101	79	108	111	117	101	79	79	98	92	108	113	110	98	100	106	92	103
F2				LPB 191003	-0.46	3.4	0.41	-2.2	4.8	-5	-7.2	-1.9	9.6	0.5	0.8	1.7	-0.8	0.0	45 %	45 %	42 %	44 %	39 %
CBC CBC25149					64%	33%	21 %	13%	20%	72 %	33 %	35%	21%	17%	13%	27%	14%	44 %					
CWBMCBC 250150	1			CBC 180107	117	98	76	112	114	125	98	87	76	94	88	108	116	100	105	95	97	87	98
F2				CBC 180511	-1.20	1.9	0.12	-4.0	2.1	-11	-7.7	-2.7	5.1	1.4	-2.6	0.4	-1.3	-0.7	50 %	50 %	47 %	47 %	41 %
CBC CBC25150					54%	23%	19 %	13%	22%	58 %	23 %	38%	19%	18%	13%	29%	16%	47 %					
CWBMCBC 250151				CBC 180107	102	105	98	95	100	102	105	92	98	104	105	105	96	93	93	103	105	93	102
F1				CWBFTAF11	1.08	4.9	-0.10	7.8	9.5	14	-5.7	1.0	2.0	-0.1	3.0	1.6	-0.7	-0.2	42 %	42 %	39 %	42 %	38 %
CBC CBC25151					41%	19%	14 %	9 %	14%	46 %	19 %	21%	14%	12%	9 %	18%	10%	36 %					
CWBMCBC 250152	3			KKWFD0052	124	106	78	106	104	117	106	109	78	99	94	100	108	111	122	103	103	103	90
F3				CBC 220693	-0.38	5.2	-0.71	-2.7	5.5	-2	-3.0	-1.0	10.1	3.6	2.9	1.3	0.2	-2.1	56 %	56 %	55 %	55 %	53 %
CBC CBC25152					66%	50%	48 %	39%	38%	73 %	50 %	39%	48%	50%	39%	50%	27%	56 %					
CWBMCBC 250153	7			KKWFD0052	115	110	91	99	108	109	110	108	91	104	101	105	111	105	117	114	103	109	85
F2				CBC 220649	0.36	6.8	-0.67	4.0	9.5	8	-5.6	-1.5	7.4	2.9	10.6	1.2	0.8	-2.8	54 %	54 %	54 %	54 %	52 %
CBC CBC25153					64%	51%	49 %	40%	40%	70 %	51 %	39%	49%	50%	40%	51%	29%	55 %					
CWBMCBC 250154	7			KKWFD0052	121	107	91	99	108	115	107	111	91	102	101	105	111	105	117	114	103	109	85
F2				CBC 220653	-0.18	5.9	-0.78	4.0	8.1	8	-5.6	-1.5	7.4	2.9	10.6	1.2	0.8	-2.8	54 %	54 %	54 %	54 %	52 %
CBC CBC25154					64%	51%	49 %	40%	40%	70 %	51 %	39%	49%	50%	40%	51%	29%	55 %					
CWBMCBC 250155	7			KKWFD0052	118	107	87	104	114	115	107	98	87	103	96	109	117	102	123	110	102	108	82
F2				CBC 220603	-0.19	5.8	-0.32	1.7	8.3	0	-8.4	-2.6	5.9	3.8	8.1	1.1	0.7	-3.3	55 %	55 %	54 %	54 %	52 %
CBC CBC25155					66%	51%	49 %	40%	41%	72 %	51 %	41%	49%	50%	40%	53%	29%	56 %					

CWB Bulls

Inbreeding >6% is high					<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed															
Bull					Selection Value					Calf weight		Mother		Growth		Fertility			Carcass				
ID	%Inbreeding	Parentage			Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
Name		Genomic	DNA	Sire ID Dam ID																			
JAPANESE BLACK																							
CWBMCBC 250156	7	✓		KKWFD0052	125	106	86	104	114	119	106	103	86	101	96	109	117	104	120	111	104	107	84
F2		✓		CBC 220632	-0.61	5.2	-0.50	1.5	7.4	0	-8.2	-2.6	6.8	3.4	8.2	1.5	0.6	-3.0	54 %	54 %	54 %	54 %	52 %
CBC CBC25156					66%	51%	49 %	40%	41%	72 %	51 %	41%	49%	50%	40%	53%	29%	56 %	54 %	54 %	54 %	54 %	52 %
CWBMCBC 250157	7	✓		KKWFD0052	124	106	91	99	108	118	106	112	91	101	101	105	111	103	117	114	103	109	85
F2		✓		CBC 220611	-0.49	5.3	-0.85	4.0	7.4	8	-5.6	-1.5	6.5	2.9	10.6	1.2	0.8	-2.8	54 %	54 %	54 %	54 %	52 %
CBC CBC25157					64%	51%	49 %	40%	40%	70 %	51 %	39%	49%	50%	40%	51%	29%	55 %	54 %	54 %	54 %	54 %	52 %
CWBMCBC 250158	7	✓		KKWFD0052	126	108	86	102	117	121	108	102	86	103	98	110	120	104	124	114	109	105	78
F2		✓		CBC 220624	-0.85	6.1	-0.48	1.2	8.6	3	-8.6	-3.3	6.7	3.9	10.9	2.1	0.4	-4.0	55 %	55 %	54 %	55 %	53 %
CBC CBC25158					66%	51%	49 %	40%	41%	72 %	51 %	41%	49%	50%	40%	53%	29%	56 %	55 %	55 %	54 %	55 %	53 %
CWBMCBC 250159	4	✓		KKWFD0052	126	94	83	114	105	120	94	104	83	88	86	95	114	104	135	92	87	99	80
F3		✓		CBC 210631	-0.66	0.5	-0.52	-0.1	-2.0	-14	0.0	-1.8	7.1	5.2	-4.8	-1.2	-0.2	-3.6	57 %	57 %	57 %	57 %	55 %
CBC CBC25159					67%	55%	52 %	40%	42%	73 %	55 %	42%	52%	55%	40%	55%	28%	58 %	57 %	57 %	57 %	57 %	55 %
CWBMCBC 250160	7	✓		KKWFD0052	120	102	87	104	112	128	102	106	87	98	96	107	115	105	120	111	104	107	84
F2		✓		CBC 220647	-1.45	3.7	-0.62	1.6	5.2	0	-7.0	-2.4	7.5	3.4	8.2	1.5	0.6	-3.0	54 %	54 %	54 %	54 %	52 %
CBC CBC25160					65%	51%	49 %	40%	41%	72 %	51 %	40%	49%	50%	40%	53%	29%	56 %	54 %	54 %	54 %	54 %	52 %
CWBMCBC 250161	7	✓		KKWFD0052	119	108	91	99	108	112	108	109	91	103	101	105	111	105	117	114	103	109	85
F2		✓		CBC 220616	0.05	6.3	-0.74	4.0	8.7	8	-5.6	-1.5	7.4	2.9	10.6	1.2	0.8	-2.8	54 %	54 %	54 %	54 %	52 %
CBC CBC25161					64%	51%	49 %	40%	40%	70 %	51 %	39%	49%	50%	40%	51%	29%	55 %	54 %	54 %	54 %	54 %	52 %
CWBMCBC 250162	6	✓		KKWFD0052	125	94	85	111	98	119	94	113	85	87	89	90	106	106	133	90	94	98	82
F3		✓		CBC 210628	-0.58	0.5	-0.89	0.9	-2.4	-10	3.1	-0.3	7.9	5.0	-6.4	-0.2	-0.3	-3.3	57 %	57 %	57 %	57 %	55 %
CBC CBC25162					67%	55%	52 %	40%	41%	73 %	55 %	42%	52%	54%	40%	54%	28%	58 %	57 %	57 %	57 %	57 %	55 %
CWBMCBC 250163	7	✓		KKWFD0052	123	103	87	104	111	125	103	103	87	99	96	105	115	105	120	111	104	107	84
F2		✓		CBC 220618	-1.16	4.1	-0.50	1.7	5.9	0	-5.8	-2.4	7.5	3.4	8.2	1.5	0.6	-3.0	54 %	54 %	54 %	54 %	52 %
CBC CBC25163					66%	51%	49 %	40%	41%	72 %	51 %	41%	49%	50%	40%	53%	29%	56 %	54 %	54 %	54 %	54 %	52 %
CWBMCBC 250164	7	✓		KKWFD0052	122	107	91	99	108	115	107	111	91	102	101	105	111	105	117	114	103	109	85
F2		✓		CBC 220620	-0.23	5.8	-0.79	4.0	8.0	8	-5.6	-1.5	7.4	2.9	10.6	1.2	0.8	-2.8	54 %	54 %	54 %	54 %	52 %
CBC CBC25164					64%	51%	49 %	40%	40%	70 %	51 %	39%	49%	50%	40%	51%	29%	55 %	54 %	54 %	54 %	54 %	52 %
CWBMCBC 250165	7	✓		KKWFD0052	127	109	85	102	114	121	109	104	85	104	98	107	118	105	120	119	107	110	82
F2		✓		CBC 220622	-0.80	6.6	-0.52	1.0	9.0	3	-7.1	-2.8	7.4	3.3	14.3	1.9	0.9	-3.3	55 %	55 %	54 %	55 %	53 %
CBC CBC25165					66%	51%	49 %	40%	41%	73 %	51 %	41%	49%	50%	40%	53%	29%	56 %	55 %	55 %	54 %	55 %	53 %
CWBMCBC 250166	1	✓		CBC 180107	120	92	84	109	104	126	92	100	84	88	91	104	105	109	109	92	104	86	92
F2		✓		CBC 230717	-1.31	-0.1	-0.40	0.0	-2.3	-7	-5.5	-0.3	8.9	1.9	-5.0	1.4	-1.4	-1.8	49 %	49 %	46 %	49 %	45 %
CBC CBC25166					62%	31%	31%	26%	20%	70 %	31 %	31%	26%	27%	14%	28%	12%	45 %	49 %	49 %	46 %	49 %	45 %
CWBMCBC 250167	3	✓		KKWFD0052	127	92	95	105	99	120	92	112	95	89	95	94	104	100	129	96	91	102	82
F2		✓		CBC 200574	-0.72	-0.2	-0.83	5.9	-1.4	-1	0.5	0.0	5.1	4.5	-1.9	-0.6	0.1	-3.3	55 %	56 %	55 %	55 %	54 %
CBC CBC25167					65%	55%	52 %	40%	40%	71 %	55 %	41%	52%	54%	40%	53%	28%	57 %	55 %	56 %	55 %	55 %	54 %

CWB Bulls

Inbreeding >6% is high				<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed															
Bull				Selection Value					Calf weight		Mother		Growth		Fertility			Carcass				
ID	Parentage			Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
Name	%Inbreeding	Genomic DNA	Sire ID Dam ID																			
JAPANESE BLACK																						
CWBMCBC 250168	1	✓ KKWFD0052		125	96	89	107	91	122	96	100	89	94	93	87	95	95	105	94	79	107	108
F2		✓ CBC 200561		-0.91	1.2	-0.39	2.8	2.2	-4	4.8	1.2	3.2	1.4	-3.5	-2.5	0.6	0.8					
CBC CBC25168				67%	51%	49%	39%	42%	73 %	51 %	44%	49%	50%	39%	53%	30%	57 %	55 %	56 %	55 %	53 %	51 %
CWBMCBC 250169	1	✓ KKWFD0052		123	99	88	105	94	124	99	104	88	96	95	90	98	94	114	106	83	113	98
F2		✓ CBC 190549		-1.11	2.3	-0.54	2.2	3.5	-1	3.1	0.6	2.4	2.6	4.9	-1.8	1.2	-0.8					
CBC CBC25169				67%	51%	49%	39%	42%	73 %	51 %	45%	49%	50%	39%	53%	30%	57 %	55 %	55 %	54 %	52 %	50 %
CWBMCBC 250170	3	✓ KKWFD0052		120	90	90	111	101	126	90	101	90	87	89	92	109	101	133	93	93	101	81
F2		✓ CBC 200597		-1.32	-1.3	-0.43	3.6	-2.7	-9	1.8	-0.9	5.7	4.9	-4.3	-0.3	0.0	-3.6					
CBC CBC25170				67%	55%	52 %	40%	42%	73 %	55 %	43%	52%	54%	40%	55%	28%	58 %	55 %	56 %	55 %	55 %	54 %
CWBMCBC 250171		✓ KKWFD0052		103	103	109	91	95	100	103	106	109	104	109	95	95	90	113	107	92	110	92
F2		✓ CWBFCBC 210612		1.27	4.2	-0.61	13.7	9.5	20	0.2	1.3	1.1	2.4	6.0	-0.5	0.8	-1.8					
CBC CBC25171				45%	49%	47 %	38%	38%	48 %	49 %	32%	47%	48%	38%	48%	27%	50 %	50 %	50 %	50 %	50 %	49 %
CWBMCBC 250172	3	✓ KKWFD0052		109	85	90	111	101	138	85	109	90	83	89	92	110	100	133	93	93	101	81
F2		✓ CBC 210614		-2.47	-3.2	-0.73	3.5	-5.5	-9	1.8	-1.0	5.0	4.9	-4.3	-0.3	0.0	-3.6					
CBC CBC25172				65%	55%	52 %	40%	42%	71 %	55 %	41%	52%	54%	40%	55%	28%	58 %	55 %	56 %	55 %	55 %	54 %
CWBMCBC 250173	1	✓ KKWFD0052		126	96	88	107	93	123	96	106	88	94	93	91	95	97	109	104	77	111	102
F2		✓ CBC 200567		-0.97	1.3	-0.60	2.5	2.2	-4	2.5	1.1	3.8	1.9	3.4	-2.8	0.9	-0.1					
CBC CBC25173				65%	51%	49%	39%	41%	71 %	51 %	44%	49%	50%	39%	53%	29%	57 %	55 %	55 %	54 %	52 %	50 %
CWBMCBC 250174		✓ CWBMBOS 210047		110	89	97	112	96	117	89	61	97	97	88	80	107	86	108	89	108	89	93
F2		✓ CBC 190540		-0.41	-1.7	1.09	7.0	4.0	-11	8.7	-0.8	-0.9	1.8	-7.2	2.0	-1.2	-1.6					
CBC CBC25174				54%	13%	13 %	11%	15%	62 %	13 %	25%	13%	13%	11%	20%	10%	28 %	24 %	24 %	23 %	23 %	20 %
CWBMCBC 250175		✓ KKWFD0052		103	103	109	91	95	100	103	106	109	104	109	95	95	90	113	107	92	110	92
F1		CWBFHAF2		1.27	4.2	-0.61	13.7	9.5	20	0.2	1.3	1.1	2.4	6.0	-0.5	0.8	-1.8					
CBC CBC25175				45%	49%	47 %	38%	38%	48 %	49 %	32%	47%	48%	38%	48%	27%	50 %	50 %	50 %	50 %	50 %	49 %
CWBMCBC 250176	3	✓ KKWFD0052		126	92	95	105	99	119	92	108	95	89	95	94	104	100	129	96	91	102	82
F2		✓ CBC 200577		-0.62	-0.2	-0.68	6.1	-1.2	-1	0.5	0.0	5.1	4.5	-1.9	-0.6	0.1	-3.3					
CBC CBC25176				65%	55%	52 %	40%	40%	71 %	55 %	41%	52%	54%	40%	53%	28%	57 %	55 %	56 %	55 %	55 %	54 %
CWBMCBC 250177	1	✓ KKWFD0052		123	98	93	102	91	117	98	114	93	96	98	88	94	99	106	102	77	115	107
F2		✓ CBC 200570		-0.45	2.2	-0.92	4.9	3.3	4	4.2	1.5	5.0	1.5	2.5	-2.8	1.3	0.6					
CBC CBC25177				65%	51%	49%	39%	40%	71 %	51 %	42%	49%	50%	39%	51%	29%	56 %	54 %	54 %	54 %	52 %	50 %
CWBMCBC 250179		✓ KKWFD0052		103	103	109	91	95	100	103	106	109	104	109	95	95	90	113	107	92	110	92
F2		CWBFKCF6		1.27	4.2	-0.61	13.7	9.5	20	0.2	1.3	1.1	2.4	6.0	-0.5	0.8	-1.8					
CBC CBC25179				45%	49%	47 %	38%	38%	48 %	49 %	32%	47%	48%	38%	48%	27%	50 %	50 %	50 %	50 %	50 %	49 %
CWBMCBC 250180	3	✓ KKWFE0010		120	88	95	111	99	114	88	105	95	83	89	93	105	99	132	88	91	93	77
F2		✓ CBC 200605		-0.14	-1.8	-0.56	5.9	-5.4	-10	1.1	-0.1	4.8	4.8	-7.9	-0.6	-0.8	-4.1					
CBC CBC25180				65%	55%	50 %	28%	34%	71 %	55 %	43%	50%	55%	28%	48%	19%	57 %	56 %	56 %	55 %	56 %	54 %

CWB Bulls

Inbreeding >6% is high					<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed															
Bull					Selection Value					Calf weight		Mother		Growth		Fertility			Carcass				
ID	%Inbreeding	Parentage			Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn. Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
Name		Genomic	DNA	Sire ID Dam ID																			
JAPANESE BLACK																							
CWBMCBC 250181	1	✓		KKWFD0052	125	96	88	107	91	124	96	111	88	94	93	87	94	94	116	105	81	115	99
F2				CBC 200562	-1.08	1.3	-0.79	2.3	2.1	-4	4.8	1.4	2.7	2.8	4.0	-2.2	1.4	-0.6	55 %	56 %	55 %	53 %	51 %
CBC CBC25181					67%	51%	49 %	39%	42%	73 %	51 %	45%	49%	50%	39%	53%	30%	57 %					
CWBMCBC 250182	3	✓		KKWFD0052	116	88	90	111	100	130	88	104	90	86	89	91	108	98	135	92	94	100	79
F2				CBC 200598	-1.73	-1.9	-0.55	3.6	-3.7	-9	2.1	-0.8	4.3	5.2	-4.8	-0.1	-0.1	-3.8	56 %	56 %	56 %	56 %	55 %
CBC CBC25182					67%	55%	52 %	40%	41%	73 %	55 %	43%	52%	54%	40%	54%	28%	58 %					
CWBMCBC 250184	3	✓		KKWFD0052	127	92	95	105	99	121	92	112	95	89	95	94	104	100	129	96	91	102	82
F2				CBC 200591	-0.77	-0.2	-0.84	5.9	-1.5	-1	0.5	0.0	5.1	4.5	-1.9	-0.6	0.1	-3.3	55 %	56 %	55 %	55 %	54 %
CBC CBC25184					65%	55%	52 %	40%	40%	71 %	55 %	41%	52%	54%	40%	53%	28%	57 %					
CWBMCBC 250185	1	✓		KKWFD0052	126	96	89	107	87	122	96	102	89	94	93	79	95	95	109	99	79	113	105
F2				CBC 190552	-0.87	1.4	-0.46	2.7	2.4	-4	9.4	1.4	3.3	2.0	0.1	-2.5	1.2	0.4	54 %	54 %	54 %	52 %	50 %
CBC CBC25185					67%	51%	49 %	39%	41%	73 %	51 %	43%	49%	50%	39%	53%	29%	57 %					
CWBMCBC 250187	25	✓		KKWFD0052	128	99	90	105	96	121	99	108	90	97	95	90	102	98	130	101	93	110	86
F2				CBC 210624	-0.82	2.5	-0.67	3.3	4.2	0	3.1	0.2	4.4	4.6	1.7	-0.3	0.9	-2.8	55 %	56 %	55 %	55 %	54 %
CBC CBC25187					66%	55%	53 %	43%	43%	72 %	55 %	42%	53%	54%	43%	56%	30%	58 %					
CWBMCBC 250188		✓		KKWFD0052	103	103	109	91	95	100	103	106	109	104	109	95	95	90	113	107	92	110	92
F2				CWBFLPB 191108	1.27	4.2	-0.61	13.7	9.5	20	0.2	1.3	1.1	2.4	6.0	-0.5	0.8	-1.8	50 %	50 %	50 %	50 %	49 %
CBC CBC25188					45%	49%	47 %	38%	38%	48 %	49 %	32%	47%	48%	38%	48%	27%	50 %					
CWBMCBC 250190		✓		CWBMCBC 180103	106	90	100	111	93	115	90	55	100	99	89	85	98	86	98	88	88	102	109
F2				CBC 200559	-0.25	-1.0	1.30	8.9	5.6	-10	5.9	0.4	-0.8	0.5	-7.8	-1.1	0.1	0.9	23 %	23 %	22 %	14 %	11 %
CBC CBC25190					58%	13%	13 %	9 %	16%	65 %	13 %	31%	13%	14%	9 %	21%	12%	27 %					
CWBMCBC 250201		✓		BOS 170018	92	93	111	103	89	92	93	97	111	96	97	94	87	93	94	104	95	101	103
F1				CWBFCBC 202016	1.96	0.0	-0.26	14.6	3.9	2	0.6	2.9	2.1	0.0	3.4	0.0	0.0	0.0	27 %	27 %	26 %	25 %	20 %
CBC CBC25201					42%	44%	32 %	8 %	18%	45 %	44 %	31%	32%	12%	8 %	30%	7%	36 %					
CWBMCBC 250205		✓		AL 180028	102	95	109	95	97	100	95	102	109	100	105	103	93	88	74	120	111	98	107
F1				CWBFCBC 202012	1.25	1.1	-0.47	13.4	6.2	13	-4.7	1.8	0.3	-2.5	14.8	2.5	-0.2	0.7	33 %	33 %	29 %	33 %	27 %
CBC CBC25205					30%	22%	17 %	9 %	13%	33 %	22 %	20%	17%	12%	9 %	17%	9%	32 %					
CWBMCBC 250210		✓		AL 180015	99	104	117	86	95	97	104	101	117	108	114	97	93	98	87	115	95	105	104
F1				CWBFCBC 212106	1.49	4.7	-0.42	17.6	12.2	26	-1.1	1.7	4.2	-0.9	11.4	0.0	0.4	0.1	25 %	27 %	25 %	26 %	17 %
CBC CBC25210					29%	17%	15 %	11%	14%	30 %	17 %	23%	15%	16%	11%	19%	10%	31 %					
CWBMCBC 250211		✓		AL 180028	102	95	109	95	97	100	95	102	109	100	105	103	93	88	74	120	111	98	107
F1				CWBFCBC 202008	1.25	1.1	-0.47	13.4	6.2	13	-4.7	1.8	0.3	-2.5	14.8	2.5	-0.2	0.7	33 %	33 %	29 %	33 %	27 %
CBC CBC25211					30%	22%	17 %	9 %	13%	33 %	22 %	20%	17%	12%	9 %	17%	9%	32 %					
CWBMCBC 250212		✓		AL 180015	99	104	117	86	95	97	104	101	117	108	114	97	93	98	87	115	95	105	104
F1				CWBFCBC 191932	1.49	4.7	-0.42	17.6	12.2	26	-1.1	1.7	4.2	-0.9	11.4	0.0	0.4	0.1	25 %	27 %	25 %	26 %	17 %
CBC CBC25212					29%	17%	15 %	11%	14%	30 %	17 %	23%	15%	16%	11%	19%	10%	31 %					

CWB Bulls

Inbreeding >6% is high					<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed															
Bull					Selection Value					Calf weight		Mother		Growth		Fertility			Carcass				
ID	%Inbreeding	Parentage			Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
Name		Genomic	DNA	Sire ID Dam ID																			
JAPANESE BLACK																							
CWBMCBC 250213			✓	BOS 170018	92	93	111	103	89	92	93	97	111	96	97	94	87	93	94	104	95	101	103
F1				CWBFCBC 191901	42%	44%	32 %	8 %	18%	1.96	0.0	-0.26	14.6	3.9	2	0.6	2.9	2.1	0.0	3.4	0.0	0.0	0.0
CBC CBC25213					42%	44%	32 %	8 %	18%	45 %	44 %	31%	32%	12%	8 %	30%	7%	36 %	27 %	27 %	26 %	25 %	20 %
CWBMCBC 250215			✓	BOS 170018	92	93	111	103	89	92	93	97	111	96	97	94	87	93	94	104	95	101	103
F1				CWBFCBC 191935	42%	44%	32 %	8 %	18%	1.96	0.0	-0.26	14.6	3.9	2	0.6	2.9	2.1	0.0	3.4	0.0	0.0	0.0
CBC CBC25215					42%	44%	32 %	8 %	18%	45 %	44 %	31%	32%	12%	8 %	30%	7%	36 %	27 %	27 %	26 %	25 %	20 %
CWBMCBC 250216			✓	AL 180028	102	95	109	95	97	100	95	102	109	100	105	103	93	88	74	120	111	98	107
F1				CWBFCBC 191931	30%	22%	17 %	9 %	13%	1.25	1.1	-0.47	13.4	6.2	13	-4.7	1.8	0.3	-2.5	14.8	2.5	-0.2	0.7
CBC CBC25216					30%	22%	17 %	9 %	13%	33 %	22 %	20%	17%	12%	9 %	17%	9%	32 %	33 %	33 %	29 %	33 %	27 %
CWBMCBC 250217			✓	BOS 170018	92	93	111	103	89	92	93	97	111	96	97	94	87	93	94	104	95	101	103
F1				CWBFCBC 181801	42%	44%	32 %	8 %	18%	1.96	0.0	-0.26	14.6	3.9	2	0.6	2.9	2.1	0.0	3.4	0.0	0.0	0.0
CBC CBC25217					42%	44%	32 %	8 %	18%	45 %	44 %	31%	32%	12%	8 %	30%	7%	36 %	27 %	27 %	26 %	25 %	20 %
CWBMCBC 250218			✓	AL 180028	102	95	109	95	97	100	95	102	109	100	105	103	93	88	74	120	111	98	107
F1				CWBFCBC 202013	30%	22%	17 %	9 %	13%	1.25	1.1	-0.47	13.4	6.2	13	-4.7	1.8	0.3	-2.5	14.8	2.5	-0.2	0.7
CBC CBC25218					30%	22%	17 %	9 %	13%	33 %	22 %	20%	17%	12%	9 %	17%	9%	32 %	33 %	33 %	29 %	33 %	27 %
CWBMCBC 250220			✓	AL 180028	102	95	109	95	97	100	95	102	109	100	105	103	93	88	74	120	111	98	107
F1				CWBFCBC 191939	30%	22%	17 %	9 %	13%	1.25	1.1	-0.47	13.4	6.2	13	-4.7	1.8	0.3	-2.5	14.8	2.5	-0.2	0.7
CBC CBC25220					30%	22%	17 %	9 %	13%	33 %	22 %	20%	17%	12%	9 %	17%	9%	32 %	33 %	33 %	29 %	33 %	27 %
CWBMCBC 250221			✓	BOS 170018	92	93	111	103	89	92	93	97	111	96	97	94	87	93	94	104	95	101	103
F1				CWBFCBC 191927	42%	44%	32 %	8 %	18%	1.96	0.0	-0.26	14.6	3.9	2	0.6	2.9	2.1	0.0	3.4	0.0	0.0	0.0
CBC CBC25221					42%	44%	32 %	8 %	18%	45 %	44 %	31%	32%	12%	8 %	30%	7%	36 %	27 %	27 %	26 %	25 %	20 %
CWBMCBC 250222			✓	BOS 170018	92	93	111	103	89	92	93	97	111	96	97	94	87	93	94	104	95	101	103
F1				CWBFCBC 181807	42%	44%	32 %	8 %	18%	1.96	0.0	-0.26	14.6	3.9	2	0.6	2.9	2.1	0.0	3.4	0.0	0.0	0.0
CBC CBC25222					42%	44%	32 %	8 %	18%	45 %	44 %	31%	32%	12%	8 %	30%	7%	36 %	27 %	27 %	26 %	25 %	20 %
CWBMCBC 250224			✓	BOS 170018	92	93	111	103	89	92	93	97	111	96	97	94	87	93	94	104	95	101	103
F1				CWBFCBC 181805	42%	44%	32 %	8 %	18%	1.96	0.0	-0.26	14.6	3.9	2	0.6	2.9	2.1	0.0	3.4	0.0	0.0	0.0
CBC CBC25224					42%	44%	32 %	8 %	18%	45 %	44 %	31%	32%	12%	8 %	30%	7%	36 %	27 %	27 %	26 %	25 %	20 %
CWBMCBC 250225			✓	AL 180028	102	95	109	95	97	100	95	102	109	100	105	103	93	88	74	120	111	98	107
F1				CWBFCBC 191945	30%	22%	17 %	9 %	13%	1.25	1.1	-0.47	13.4	6.2	13	-4.7	1.8	0.3	-2.5	14.8	2.5	-0.2	0.7
CBC CBC25225					30%	22%	17 %	9 %	13%	33 %	22 %	20%	17%	12%	9 %	17%	9%	32 %	33 %	33 %	29 %	33 %	27 %
CWBMCBC 250227			✓	BOS 170018	92	93	111	103	89	92	93	97	111	96	97	94	87	93	94	104	95	101	103
F1				CWBFCBC 191904	42%	44%	32 %	8 %	18%	1.96	0.0	-0.26	14.6	3.9	2	0.6	2.9	2.1	0.0	3.4	0.0	0.0	0.0
CBC CBC25227					42%	44%	32 %	8 %	18%	45 %	44 %	31%	32%	12%	8 %	30%	7%	36 %	27 %	27 %	26 %	25 %	20 %
CWBMCBC 250228			✓	AL 180028	102	95	109	95	97	100	95	102	109	100	105	103	93	88	74	120	111	98	107
F1				CWBFCBC 191950	30%	22%	17 %	9 %	13%	1.25	1.1	-0.47	13.4	6.2	13	-4.7	1.8	0.3	-2.5	14.8	2.5	-0.2	0.7
CBC CBC25228					30%	22%	17 %	9 %	13%	33 %	22 %	20%	17%	12%	9 %	17%	9%	32 %	33 %	33 %	29 %	33 %	27 %

CWB Bulls

Inbreeding >6% is high					<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed															
Bull					Selection Value					Calf weight		Mother		Growth		Fertility			Carcass				
ID	%Inbreeding	Parentage			Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
Name		Genomic	DNA	Sire ID Dam ID																			
JAPANESE BLACK																							
CWBMCBC 250229				✓ BOS 170018	92	93	111	103	89	92	93	97	111	96	97	94	87	93	94	104	95	101	103
F1				CWBFCBC 191922	42%	44%	32 %	8 %	18%	1.96	0.0	-0.26	14.6	3.9	2	0.6	2.9	2.1	0.0	3.4	0.0	0.0	0.0
CBC CBC25229					45 %	44 %				45 %	44 %	31%	32%	12%	8 %	30%	7%	36 %	27 %	27 %	26 %	25 %	20 %
CWBMCBC 250230				✓ AL 180028	102	95	109	95	97	100	95	102	109	100	105	103	93	88	74	120	111	98	107
F1					30%	22%	17 %	9 %	13%	1.25	1.1	-0.47	13.4	6.2	13	-4.7	1.8	0.3	-2.5	14.8	2.5	-0.2	0.7
CBC CBC25230					30%	22%	17 %	9 %	13%	33 %	22 %	20%	17%	12%	9 %	17%	9%	32 %	33 %	33 %	29 %	33 %	27 %
CWBMCBC 250231				✓ BOS 170018	92	93	111	103	89	92	93	97	111	96	97	94	87	93	94	104	95	101	103
F1				CWBFCBC 212105	42%	44%	32 %	8 %	18%	1.96	0.0	-0.26	14.6	3.9	2	0.6	2.9	2.1	0.0	3.4	0.0	0.0	0.0
CBC CBC25231					45 %	44 %	32 %	8 %	18%	45 %	44 %	31%	32%	12%	8 %	30%	7%	36 %	27 %	27 %	26 %	25 %	20 %
CWBMCBC 250232				✓ AL 180028	102	95	109	95	97	100	95	102	109	100	105	103	93	88	74	120	111	98	107
F1				CWBFCBC 202002	30%	22%	17 %	9 %	13%	1.25	1.1	-0.47	13.4	6.2	13	-4.7	1.8	0.3	-2.5	14.8	2.5	-0.2	0.7
CBC CBC25232					30%	22%	17 %	9 %	13%	33 %	22 %	20%	17%	12%	9 %	17%	9%	32 %	33 %	33 %	29 %	33 %	27 %
CWBMCBC 250233				✓ KKWFE0010	109	87	109	103	94	106	87	102	109	87	97	92	97	91	118	91	92	91	82
F1				CWBFCBC 191909	45%	49%	44 %	21%	27%	0.66	-2.2	-0.46	13.8	-3.0	3	1.6	1.3	1.3	3.0	-5.9	-0.5	-1.0	-3.4
CBC CBC25233					45%	49%	44 %	21%	27%	48 %	49 %	35%	44%	49%	21%	41%	13%	50 %	50 %	50 %	50 %	50 %	49 %
CWBMCBC 250236				✓ BOS 170018	92	93	111	103	89	92	93	97	111	96	97	94	87	93	94	104	95	101	103
F1				CWBFCBC 191924	42%	44%	32 %	8 %	18%	1.96	0.0	-0.26	14.6	3.9	2	0.6	2.9	2.1	0.0	3.4	0.0	0.0	0.0
CBC CBC25236					42%	44%	32 %	8 %	18%	45 %	44 %	31%	32%	12%	8 %	30%	7%	36 %	27 %	27 %	26 %	25 %	20 %
CWBMCBC 250237				✓ BOS 170018	92	93	111	103	89	92	93	97	111	96	97	94	87	93	94	104	95	101	103
F1				CWBFCBC 181802	42%	44%	32 %	8 %	18%	1.96	0.0	-0.26	14.6	3.9	2	0.6	2.9	2.1	0.0	3.4	0.0	0.0	0.0
CBC CBC25237					42%	44%	32 %	8 %	18%	45 %	44 %	31%	32%	12%	8 %	30%	7%	36 %	27 %	27 %	26 %	25 %	20 %
CWBMCBC 250238				✓ BOS 170018	92	93	111	103	89	92	93	97	111	96	97	94	87	93	94	104	95	101	103
F1				CWBFCBC 191916	42%	44%	32 %	8 %	18%	1.96	0.0	-0.26	14.6	3.9	2	0.6	2.9	2.1	0.0	3.4	0.0	0.0	0.0
CBC CBC25238					42%	44%	32 %	8 %	18%	45 %	44 %	31%	32%	12%	8 %	30%	7%	36 %	27 %	27 %	26 %	25 %	20 %
CWBMCBC 250239				✓ BOS 170018	92	93	111	103	89	92	93	97	111	96	97	94	87	93	94	104	95	101	103
F1				CWBFCBC 202001	42%	44%	32 %	8 %	18%	1.96	0.0	-0.26	14.6	3.9	2	0.6	2.9	2.1	0.0	3.4	0.0	0.0	0.0
CBC CBC25239					42%	44%	32 %	8 %	18%	45 %	44 %	31%	32%	12%	8 %	30%	7%	36 %	27 %	27 %	26 %	25 %	20 %
CWBMCBC 250240				✓ BOS 170018	92	93	111	103	89	92	93	97	111	96	97	94	87	93	94	104	95	101	103
F1					42%	44%	32 %	8 %	18%	1.96	0.0	-0.26	14.6	3.9	2	0.6	2.9	2.1	0.0	3.4	0.0	0.0	0.0
CBC CBC25240					42%	44%	32 %	8 %	18%	45 %	44 %	31%	32%	12%	8 %	30%	7%	36 %	27 %	27 %	26 %	25 %	20 %
CWBMCBC 250241				✓ AL 180028	102	95	109	95	97	100	95	102	109	100	105	103	93	88	74	120	111	98	107
F1				CWBFCBC 191920	30%	22%	17 %	9 %	13%	1.25	1.1	-0.47	13.4	6.2	13	-4.7	1.8	0.3	-2.5	14.8	2.5	-0.2	0.7
CBC CBC25241					30%	22%	17 %	9 %	13%	33 %	22 %	20%	17%	12%	9 %	17%	9%	32 %	33 %	33 %	29 %	33 %	27 %
CWBMCBC 250242				✓ AL 180028	102	95	109	95	97	100	95	102	109	100	105	103	93	88	74	120	111	98	107
F1				CWBFCBC 212103	30%	22%	17 %	9 %	13%	1.25	1.1	-0.47	13.4	6.2	13	-4.7	1.8	0.3	-2.5	14.8	2.5	-0.2	0.7
CBC CBC25242					30%	22%	17 %	9 %	13%	33 %	22 %	20%	17%	12%	9 %	17%	9%	32 %	33 %	33 %	29 %	33 %	27 %

CWB Bulls

Inbreeding >6% is high					<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed																
Bull					Selection Value					Calf weight		Mother		Growth		Fertility			Carcass					
ID	%Inbreeding	Parentage			Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn. Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling	Fineness
Name		Genomic	DNA	Sire ID Dam ID																				
JAPANESE BLACK																								
CWBMCBC 250243				✓ BOS 170018	92	93	111	103	89	92	93	97	111	96	97	94	87	93	94	104	95	101	103	
F1				CWBFCBC 191936	42%	44%	32 %	8 %	18%	1.96	0.0	-0.26	14.6	3.9	2	0.6	2.9	2.1	0.0	3.4	0.0	0.0	0.0	
CBC CBC25243					42%	44%	32 %	8 %	18%	45 %	44 %	31%	32%	12%	8 %	30%	7%	36 %	27 %	27 %	26 %	25 %	20 %	
CWBMCBC 250244				✓ AL 180028	102	95	109	95	97	100	95	102	109	100	105	103	93	88	74	120	111	98	107	
F1				CWBFCBC 202015	30%	22%	17 %	9 %	13%	1.25	1.1	-0.47	13.4	6.2	13	-4.7	1.8	0.3	-2.5	14.8	2.5	-0.2	0.7	
CBC CBC25244					30%	22%	17 %	9 %	13%	33 %	22 %	20%	17%	12%	9 %	17%	9%	32 %	33 %	33 %	29 %	33 %	27 %	
CWBMCBC 250247				✓ AL 180028	102	95	109	95	97	100	95	102	109	100	105	103	93	88	74	120	111	98	107	
F1				CWBFCBC 191946	30%	22%	17 %	9 %	13%	1.25	1.1	-0.47	13.4	6.2	13	-4.7	1.8	0.3	-2.5	14.8	2.5	-0.2	0.7	
CBC CBC25247					30%	22%	17 %	9 %	13%	33 %	22 %	20%	17%	12%	9 %	17%	9%	32 %	33 %	33 %	29 %	33 %	27 %	
CWBMCBC 250248				✓ AL 180015	99	104	117	86	95	97	104	101	117	108	114	97	93	98	87	115	95	105	104	
F1				CWBFCBC 191912	29%	17%	15 %	11%	14%	1.49	4.7	-0.42	17.6	12.2	26	-1.1	1.7	4.2	-0.9	11.4	0.0	0.4	0.1	
CBC CBC25248					29%	17%	15 %	11%	14%	30 %	17 %	23%	15%	16%	11%	19%	10%	31 %	25 %	27 %	25 %	26 %	17 %	
CWBMCBC 250249				✓ AL 180028	102	95	109	95	97	100	95	102	109	100	105	103	93	88	74	120	111	98	107	
F1				CWBFCBC 191929	30%	22%	17 %	9 %	13%	1.25	1.1	-0.47	13.4	6.2	13	-4.7	1.8	0.3	-2.5	14.8	2.5	-0.2	0.7	
CBC CBC25249					30%	22%	17 %	9 %	13%	33 %	22 %	20%	17%	12%	9 %	17%	9%	32 %	33 %	33 %	29 %	33 %	27 %	
CWBMCBC 250250				✓ BOS 170018	92	93	111	103	89	92	93	97	111	96	97	94	87	93	94	104	95	101	103	
F1				CWBFCBC 181806	42%	44%	32 %	8 %	18%	1.96	0.0	-0.26	14.6	3.9	2	0.6	2.9	2.1	0.0	3.4	0.0	0.0	0.0	
CBC CBC25250					42%	44%	32 %	8 %	18%	45 %	44 %	31%	32%	12%	8 %	30%	7%	36 %	27 %	27 %	26 %	25 %	20 %	
CWBMCBC 250251				✓ BOS 170018	92	93	111	103	89	92	93	97	111	96	97	94	87	93	94	104	95	101	103	
F1				CWBFCBC 202005	42%	44%	32 %	8 %	18%	1.96	0.0	-0.26	14.6	3.9	2	0.6	2.9	2.1	0.0	3.4	0.0	0.0	0.0	
CBC CBC25251					42%	44%	32 %	8 %	18%	45 %	44 %	31%	32%	12%	8 %	30%	7%	36 %	27 %	27 %	26 %	25 %	20 %	
CWBMCBC 250252				✓ BOS 170018	92	93	111	103	89	92	93	97	111	96	97	94	87	93	94	104	95	101	103	
F1				CWBFCBC 202004	42%	44%	32 %	8 %	18%	1.96	0.0	-0.26	14.6	3.9	2	0.6	2.9	2.1	0.0	3.4	0.0	0.0	0.0	
CBC CBC25252					42%	44%	32 %	8 %	18%	45 %	44 %	31%	32%	12%	8 %	30%	7%	36 %	27 %	27 %	26 %	25 %	20 %	
CWBMCBC 250255				✓ AL 180028	102	95	109	95	97	100	95	102	109	100	105	103	93	88	74	120	111	98	107	
F1				CWBFCBC 191919	30%	22%	17 %	9 %	13%	1.25	1.1	-0.47	13.4	6.2	13	-4.7	1.8	0.3	-2.5	14.8	2.5	-0.2	0.7	
CBC CBC25255					30%	22%	17 %	9 %	13%	33 %	22 %	20%	17%	12%	9 %	17%	9%	32 %	33 %	33 %	29 %	33 %	27 %	
CWBMCBC 250257				✓ BOS 170018	92	93	111	103	89	92	93	97	111	96	97	94	87	93	94	104	95	101	103	
F1				CWBFCBC 191923	42%	44%	32 %	8 %	18%	1.96	0.0	-0.26	14.6	3.9	2	0.6	2.9	2.1	0.0	3.4	0.0	0.0	0.0	
CBC CBC25257					42%	44%	32 %	8 %	18%	45 %	44 %	31%	32%	12%	8 %	30%	7%	36 %	27 %	27 %	26 %	25 %	20 %	
CWBMCBC 250258				✓ BOS 170018	92	93	111	103	89	92	93	97	111	96	97	94	87	93	94	104	95	101	103	
F1				CWBFCBC 191928	42%	44%	32 %	8 %	18%	1.96	0.0	-0.26	14.6	3.9	2	0.6	2.9	2.1	0.0	3.4	0.0	0.0	0.0	
CBC CBC25258					42%	44%	32 %	8 %	18%	45 %	44 %	31%	32%	12%	8 %	30%	7%	36 %	27 %	27 %	26 %	25 %	20 %	
CWBMCBC 250259				✓ BOS 170018	92	93	111	103	89	92	93	97	111	96	97	94	87	93	94	104	95	101	103	
F1				CWBFCBC 191908	42%	44%	32 %	8 %	18%	1.96	0.0	-0.26	14.6	3.9	2	0.6	2.9	2.1	0.0	3.4	0.0	0.0	0.0	
CBC CBC25259					42%	44%	32 %	8 %	18%	45 %	44 %	31%	32%	12%	8 %	30%	7%	36 %	27 %	27 %	26 %	25 %	20 %	

CWB Bulls

Inbreeding >6% is high				<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed															
Bull				Selection Value					Calf weight		Mother		Growth		Fertility			Carcass				
ID	%Inbreeding	Parentage		Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn. Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
Name		Genomic	Sire ID																			
JAPANESE BLACK																						
CWBMCBC 250260		✓	AL 180028	102	95	109	95	97	100	95	102	109	100	105	103	93	88	74	120	111	98	107
F1			CWBFCBC 191947	1.25	1.1	-0.47	13.4	6.2	13	-4.7	1.8	0.3	-2.5	14.8	2.5	-0.2	0.7					
CBC CBC25260				30%	22%	17 %	9 %	13%	33 %	22 %	20%	17%	12%	9 %	17%	9%	32 %	33 %	33 %	29 %	33 %	27 %
CWBMCBC 250261		✓	BOS 170018	92	93	111	103	89	92	93	97	111	96	97	94	87	93	94	104	95	101	103
F1			CWBFCBC 191934	1.96	0.0	-0.26	14.6	3.9	2	0.6	2.9	2.1	0.0	3.4	0.0	0.0	0.0	0.0	3.4	0.0	0.0	0.0
CBC CBC25261				42%	44%	32 %	8 %	18%	45 %	44 %	31%	32%	12%	8 %	30%	7%	36 %	27 %	27 %	26 %	25 %	20 %
CWBMCBC 250262		✓	BOS 170018	92	93	111	103	89	92	93	97	111	96	97	94	87	93	94	104	95	101	103
F1			CWBFCBC 212108	1.96	0.0	-0.26	14.6	3.9	2	0.6	2.9	2.1	0.0	3.4	0.0	0.0	0.0	0.0	3.4	0.0	0.0	0.0
CBC CBC25262				42%	44%	32 %	8 %	18%	45 %	44 %	31%	32%	12%	8 %	30%	7%	36 %	27 %	27 %	26 %	25 %	20 %
CWBMCBC 250264		✓	KKWFE0010	109	87	109	103	94	106	87	102	109	87	97	92	97	91	118	91	92	91	82
F1			CWBFCBC 212107	0.66	-2.2	-0.46	13.8	-3.0	3	1.6	1.3	1.3	3.0	-5.9	-0.5	-1.0	-3.4	3.0	-5.9	-0.5	-1.0	-3.4
CBC CBC250264				45%	49%	44 %	21%	27%	48 %	49 %	35%	44%	49%	21%	41%	13%	50 %	50 %	50 %	50 %	50 %	49 %
CWBMCBC 250265		✓	KKWFE0010	109	87	109	103	94	106	87	102	109	87	97	92	97	91	118	91	92	91	82
F1			CWBFCBC 191907	0.66	-2.2	-0.46	13.8	-3.0	3	1.6	1.3	1.3	3.0	-5.9	-0.5	-1.0	-3.4	3.0	-5.9	-0.5	-1.0	-3.4
CBC CBC250265				45%	49%	44 %	21%	27%	48 %	49 %	35%	44%	49%	21%	41%	13%	50 %	50 %	50 %	50 %	50 %	49 %
CWBMCBC 260102		✓	KKWFD0052	103	103	109	91	95	100	103	106	109	104	109	95	95	90	113	107	92	110	92
F1			CWBFCBC 220008	1.27	4.2	-0.61	13.7	9.5	20	0.2	1.3	1.1	2.4	6.0	-0.5	0.8	-1.8	2.4	6.0	-0.5	0.8	-1.8
CBC CBC260102				45%	49%	47 %	38%	38%	48 %	49 %	32%	47%	48%	38%	48%	27%	50 %	50 %	50 %	50 %	50 %	49 %
CWBMCBC 260501	1	✓	CBC 180107	120	101	78	110	100	119	101	89	78	97	90	100	100	101	89	96	90	94	113
F2		✓	CBC 200566	-0.60	3.2	0.04	-3.0	4.0	-9	-2.7	0.3	5.6	-0.6	-1.7	-0.8	-0.6	1.6	-0.6	-1.7	-0.8	-0.6	1.6
CBC CBC26501				70 %	23 %	36%	19%	18%	13%	28%	14%	45 %	49 %	49 %	45 %	46 %	41 %	49 %	49 %	45 %	46 %	41 %
CWBMCBC 260502	1	✓	CBC 180107	116	91	80	115	106	126	91	83	80	87	85	103	110	101	108	88	104	86	95
F2		✓	CBC 200587	-1.27	-0.5	0.24	-2.0	-2.7	-15	-4.5	-1.2	5.8	1.8	-7.8	1.4	-1.5	-1.3	1.8	-7.8	1.4	-1.5	-1.3
CBC CBC26502				64%	31%	26 %	14%	22%	72 %	31 %	35%	26%	27%	14%	31%	13%	47 %	50 %	49 %	47 %	49 %	45 %

CWB Cows

Inbreeding >6% is high				<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed															
Cow				Selection Values					Kalf gewig		Moeder		Groeï		Vrugbaarheid			Karkas				
ID	%Inbreeding	Parentage		Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
Name		Genomic DNA	Sire ID																			
JAPANESE BLACK																						
CWBFCBC 190025				88	82	107	115	104	89	82	96	107	85	85	101	106	84	101	102	75	128	110
F1				35 %	29 %	28 %	7 %	20 %	2.28	-4.3	-0.24	12.6	-3.8	-15	-3.2	-0.6	-1.6	0.9	2.2	-3.0	2.6	1.2
CBC 190025				35 %	29 %	28 %	7 %	20 %	35 %	29 %	35 %	28 %	24 %	7 %	28 %	12 %	48 %	45 %	45 %	43 %	36 %	18 %
CWBFCBC 240014				87	105	101	97	88	85	105	110	101	103	103	86	90	87	103	88	103	89	103
BS				43 %	28 %	23 %	22 %	24 %	2.72	4.8	-0.76	9.3	8.2	10	5.2	2.3	-0.5	1.1	-7.7	1.2	-1.1	0.0
CBC 240014				43 %	28 %	23 %	22 %	24 %	45 %	28 %	35 %	23 %	25 %	22%	31%	17%	49 %	50 %	50 %	49 %	49 %	45 %
CWBFCBC 240827				114	93	99	108	98	122	93	60	99	100	92	87	106	84	93	102	90	105	107
BS				58 %	13 %	13 %	9 %	17 %	-0.86	0.0	1.12	8.3	6.7	-5	4.7	-0.6	-1.8	-0.1	2.3	-0.7	0.4	0.6
CBC CBC240827				58 %	13 %	13 %	9 %	17 %	65 %	13 %	30 %	13 %	14 %	9 %	23%	11%	28 %	24 %	23 %	22 %	16 %	13 %
CWBFCBC 240924				102	95	109	95	97	100	95	102	109	100	105	103	93	88	74	120	111	98	107
BS				30 %	22 %	17 %	9 %	13 %	1.25	1.1	-0.47	13.4	6.2	13	-4.7	1.8	0.3	-2.5	14.8	2.5	-0.2	0.7
CBC CBC240924				30 %	22 %	17 %	9 %	13 %	33 %	22 %	20 %	17 %	12 %	9 %	17%	9%	32 %	33 %	33 %	29 %	33 %	27 %
CWBFCBC 250102				103	103	109	91	95	100	103	106	109	104	109	95	95	90	113	107	92	110	92
F1				45 %	49 %	47 %	38 %	38 %	1.27	4.2	-0.61	13.7	9.5	20	0.2	1.3	1.1	2.4	6.0	-0.5	0.8	-1.8
CBC CBC25102				45 %	49 %	47 %	38 %	38 %	48 %	49 %	32 %	47 %	48 %	38%	48%	27%	50 %	50 %	50 %	50 %	50 %	49 %
CWBFCBC 260101				109	87	109	103	94	106	87	102	109	87	97	92	96	91	118	91	92	91	82
F1				45 %	49 %	44 %	21 %	27 %	0.66	-2.2	-0.46	13.8	-3.0	3	1.6	1.3	1.3	3.0	-5.9	-0.5	-1.0	-3.4
CBC CBC260101				45 %	49 %	44 %	21 %	27 %	48 %	49 %	35 %	44 %	49 %	21%	41%	13%	50 %	50 %	50 %	50 %	50 %	49 %