



DORMER GENETIC REPORT

21 September 2026

dormer

TRINITY STUD PTY LTD

FDM : TS



CERTIFICATE
OF QUALITY

Valid up to
October 2029

General Information

This **Genetic Report** of your flock enables you to determine the genetic merit and potential of the animals in your herd relative to that of the breed. An animal's performance is determined by two factors, namely the environment and genetics. Good nutrition and management can improve performance, but an animal cannot perform better than its genetic potential. Superior performance due to the environment cannot be carried over to the next generation. It is therefore extremely important not to neglect genetic progress of your flock. Due to the interaction between environment and genetics, it is difficult to identify genetically superior animals on performance data. Estimated Breeding Values (EBVs) are therefore predicted for every animal to determine its genetic potential, as well as its worth as a parent for the next generation. Through the use of EBVs, animals can be compared fairly **within the breed**, therefore across herds, years and production systems. Results presented in this report allow the breeder to identify the underlying genetics of the animals.

Genetic parameters

Genetic parameters (heritability and genetic correlations) are estimated on a breed-basis and are required for the prediction of breeding values. The **heritability** refers to the portion of the variation of a trait in a population that is due to transferrable genetics (the rest of the variation can be attributed to the environment and non-transferrable genetics). Some traits are genetically correlated, which means that a change in one trait will lead to changes in other traits. The strength of this association amongst traits is referred to as a **genetic correlations** and can be desirable or undesirable.

Breeding Values

The prediction of EBVs makes use of performance recordings of the animal as well as those of its relatives, pedigree information and genetic parameters. The deviation of the animal's measurement relative to the average of its contemporary group, forms the basis for identifying the animal's genetic potential for the trait. A **contemporary group** is a group of animals that have been exposed to the same environmental and biological effects, including herd, year, sex and age effects. After adjusting for differences in these effects, animals can fairly be compared and the difference in performance that still persist are then assumed to be due to differences in the genetic merit of the animals.

The EBV predicted for an animal at birth and until it has been measured, is the average EBV of its parents, since the animal received half of its genes from each parent. This mid-parent value makes the assumption that the same half of the parents' genes are carried over to all their offspring. In reality, each offspring receives a random sample of each parent's genes,

therefore mid-parent EBVs are still of low accuracy, but it does indicate the genetic level that can be expected due its parental history. An animal's true genetic merit can be predicted more accurately as more information becomes available, eg. when the animal has been measured or when the number of relatives with measurements increases. Estimated breeding values therefore change over time as more information becomes available. EBVs of animals are published with an **accuracy (%)**, which indicates how much information was available for the estimation of breeding values and therefore the confidence with which a breeder can use it. Factors that influence the accuracy of an EBV are the heritability of the trait, the number of measured relatives, the size of the contemporary group, the precision with which the measurements were taken and the completeness of pedigree information. An EBV with an accuracy of 85% or more is less likely to change significantly with subsequent genetic analyses.

Interpretation of breeding values

EBVs are expressed around a **base year** (5 years ago), which means that the average breeding value of the base year is set as zero and all breeding values are expressed relative to this average. An animal with an EBV of +1kg for weaning weight is therefore genetically superior by 1kg compared to an average animal born in the base year. EBVs therefore express genetic merit of animals relative to each other. The true performance of an animal cannot be calculated from the EBV, but it enables the breeder to know which animals will make a better contribution to the next generation. For easier interpretation EBVs are also expressed as breeding value indices. For these indices the average value of the **active population** is set as 100 with a standard deviation of 12. An index of 76 therefore indicates that the animal is 2 standard deviations below the average and an index of 112 indicates that the animal is 1 standard deviation above the average of the active population for the specific trait. Please note that negative EBVs are favourable for Inter-Lambing Period and Age at First Lambing, therefore shorter inter-lambing periods and younger ages at first lambing indicates better fertility. However, breeding value indices are expressed in the same way for all traits, therefore higher indices indicates desirability for the traits and lower indices are undesirable. This makes it easy to identify superior animals for all traits.

The data used in this evaluation has been obtained from LOGIX, as supplied by breeders. Everything possible had been done to present the information correctly. SA Stud Book does not take any responsibility for the use and interpretation of the information from this publication.

Selection Indices

It is easy to select on a single trait, but that is not the best approach to follow. Selecting on only one trait can lead to the deterioration of performance in other traits due to genetic correlations. There are different traits that are important, some being more important than others. A selection index combines multiple traits, each with an economic weight to take the different levels of importance into account. EBVs for different traits cannot simply be added together, since the unit of measurement and range of the values differ and in some cases negative values are favoured. These factors are accounted for in the compilation of a selection index. An overall selection index includes EBVs of all the traits of economic importance, while other selection indices are more focused on specific breeding objectives. Selection indices are expressed around 100, with 100 being the average of the active population, with a standard deviation of 12. A selection index of 124 is therefore 2 standard deviations above the average and an index of 88 is one standard deviation below the average of the active animals of the population.

Three Indices are constructed for the Dormer breed, namely a Growth Index, Ewe Index and the Logix Merit Index. These indices, their purpose and the contribution of the different traits to the indices are summarised as follows :


Logix Merit Index (LMI)

This index combines all the traits to select for a balanced, profitable animal that is fertile and delivers a desirable level of production. Selection based on the LMI will lead to breeding of balanced animals that will have the genetic potential to wean at a heavier weight (both due to its own potential and having dams that produce sufficient milk), lambs at an early age, lambs regularly and give multiple lambs. This value is especially important for sustainability, which requires the selection of good, productive replacement animals for the flock.

The **LMI** is constructed as follows :

$$LMI = 0.4 \text{ Wean Dir} + 0.2 \text{ Wean Mat} + 0.10 \text{ AFL} + 0.05 \text{ ILP} + 0.25 \text{ N_Lambs_weaned}$$

Schematically the LMI can be explained as follows :



Growth Index (GI)

The Growth Index indicates growth potential up to weaning and is a combination of Wean Direct and Maternal breeding values. The Growth Index is useful to indicate an animal's advantage at weaning for marketing.

The GI is constructed as follows :

$$GI = 0.67 \text{ Wean Dir} + 0.33 \text{ Wean Mat}$$


Ewe Index (EI)

This index includes Number of Lambs Weaned, Wean Direct and Maternal, Age at First Lambing and Inter-lambing Period. This is especially an important index to consider in the development of a dam line.

The **Ewe Index** is constructed as follows :

$$EI = (0.15 * AFL) + (0.05 * ILP) + (0.30 * \text{Wean Mat}) + (0.40 * \text{N_Lambs_Weaned}) + (0.10 * \text{Wean Dir})$$

Schematically it can be explained as follows :



Active Genetic Levels

Breeding Values

Trait	Flock **			Breed		
	All	Rams	Ewes	All	Rams	Ewes
Weaning Weight Direct	1.98	1.48	2.02	1.56	2.07	1.33
Weaning Weight Maternal	-0.33	-0.32	-0.33	-0.01	-0.12	0.04
Weaning Weight Combined	0.66	0.42	0.68	0.77	0.92	0.71
Post-wean Weight	1.04	0.40	1.09	1.06	1.63	0.80
Number Lambs Weaned	0.42	-1.55	0.58	0.68	0.76	0.65
Total Weight Weaned	1.90	0.23	2.04	1.96	2.41	1.76
Age at First Lambing	-0.57	-4.22	-0.26	0.51	0.60	0.47
Interlambing Period	-1.33	2.96	-1.69	0.14	0.26	0.09
Selection Indices						
Logix Merit Index	104	98	105	103	105	103
Ewe Index	102	98	103	103	104	103
Growth Index	104	100	104	103	106	102
Inbreeding						
Inbreeding (%)	9.08	8.67	9.11	7.48	7.73	7.36
Number of Animals						
Number of Animals	52	4	48	20502	6322	14167

** Averages of all active animals in the flock.

Breeding Value Indices

Trait	Flock **		
	All	Rams	Ewes
Weaning Weight Direct	102.4	99.1	102.7
Weaning Weight Maternal	97.2	97.4	97.2
Weaning Weight Comb	99.4	97.0	99.6
Post-wean Weight	99.9	97.0	100.2
Number Lambs Weaned	99.3	92.8	99.8
Total Weight Weaned	99.9	93.1	100.5
Age First Lambing	102.3	109.8	101.7
Interlambing Period	104.0	92.4	104.9
Selection Indices			
Logix Merit Index	104.3	98.4	104.8
Ewe Index	102.5	98.0	102.9
Growth Index	104.0	100.3	104.3
Inbreeding			
Inbreeding (%)	9.08	8.67	9.11
Number of Animals			
Number of Animals	52	4	48

** Averages of all active animals in the flock.

Inbreeding

Inbreeding primarily leads to decreased fertility and low survivability of lambs. The effects of inbreeding can be observed from 6.25% onwards. It is therefore highly recommended to record pedigree information as accurately and completely as possible and to use a selection programme for selection of unrelated rams. Incomplete or incorrect pedigree information can be reported to SA Stud Book. Inbreeding is dependent on pedigree information. Conventional methods for the Calculation of inbreeding coefficients usually assume that unknown parents are unrelated. However, this is usually far from the truth. An algorithm is used for the calculation of inbreeding, where the average inbreeding coefficient is assigned to unknown parents based on the generation in which they were born. This result is a more accurate reflection of inbreeding of the herd and breed.

Inbreeding Levels for Specific Matings


Progeny with Parents :	25%
Full Brother x Full Sister :	25%
Half Brother x Half Sister :	12.5%
One Common Grandparent :	6.25%
One Common Great-Grandparent :	3.125%

Level and Rate of Inbreeding

Year of Birth	Level* (%)	Rate (% / year)
2019 - 2025	9.62	0.58
Recommended:	< 6.25	< 0.1 - 0.2

*Of the last year of birth

Average Inbreeding per Year of Birth



Pedigree Information

	Number	%
Known Sires	52	100
Known Dams	52	100

Note: Inbreeding can be under-estimated if pedigree information is incomplete or incorrect

Genetic Windows

Genetic Linkage

(Based on the youngest measured generation)

Level	Nr of Link Rams


A link ram should have at least 20 measured progeny in your flock and at least another 20 measured progeny in at least one more flock.

Try to use at least 5 link rams in a 5 year period to obtain strong genetic linkage within the breed.

WWd: Weaning Weight Direct
WWm: Weaning Weight Maternal
WWc: Weaning Weight Combined
PoW: Post-Weaning Weight
L-wean: Number of Lambs Weaned
TWW: Total Weight Weaned
AFL: Age at First Lambing
ILP: Interlambing Period
EI: Ewe Index
GI: Growth Index

All animals in flock

Number: 52




The genetic windows allow a quick overview of the genetic status of the flock compared to the breed. The values presented here are the average EBV indices of all the active animals of the flock, of the dams and the sires of the active animals of the flock, as well as of the ewes and rams that are younger than 2 years old. An index of 100 is equal to the average of the active population. Due to the higher selection intensity on rams (selection is more strict since a much smaller percentage of young animals are retained in the flock), the expectation is for the average index of the sires to be higher than that of the dams.

Remember that the EBV index for AFL and ILP are presented in such a way that an index above 100 indicates animals that have a lower EBV for these traits.

Genetic Windows


Dams

Number: 49




Sires

Number: 23




Young Ewes

Number: 48



Young Rams

Number: 4



Genetic Trends

Genetic trends are based on measured animals that were bred by the specific breeder.

Genetic Trends

Genetic trends are based on measured animals that were bred by the specific breeder.

For AFL and ILP flock genetic trends below breed averages are desirable.

Genetic Trends of Breed

Birth year	Weaning Weight				Post-wean		Lambs Weaned		TWW		AFL		ILP		EI	LMI
	Number	Dir	Mat	Comb	Number	EBV	Number	EBV	Number	EBV	Number	EBV	Number	EBV		
2014	11795	-1.16	-0.08	-0.66	3359	-1.69	2734	0.26	11795	88	2802	0.01	1869	0.30	99	88
2015	10537	-1.03	-0.02	-0.53	2249	-1.83	2556	-0.43	10537	88	2589	0.06	1733	0.21	99	88
2016	11125	-0.78	-0.08	-0.47	2606	-1.51	2653	0.25	11125	89	2603	-0.02	1882	0.24	99	89
2017	10555	-0.62	-0.09	-0.40	2067	-0.69	2488	0.37	10555	90	2432	0.11	1654	-0.37	100	90
2018	11181	-0.27	-0.09	-0.22	2944	-0.61	2763	0.13	11181	91	2603	0.41	1923	0.10	99	92
2019	10894	-0.23	0.02	-0.10	1270	0.65	2814	0.11	10894	92	2733	-0.28	1948	0.04	101	93
2020	10324	0.00	0.00	0.00	2195	0.00	2426	0.00	10324	92	2501	0.00	1836	0.00	100	94
2021	11647	0.44	0.06	0.28	2124	0.87	2900	0.27	11647	95	2916	-0.01	1907	0.92	101	96
2022	11484	0.81	0.20	0.61	2069	1.08	2412	0.13	11484	96	2505	0.52	1552	0.65	101	98
2023	11525	1.20	0.04	0.64	1647	1.72	2291	0.47	11525	97	2546	1.06	1312	0.95	101	100
2024	10438	1.42	-0.06	0.65	2447	1.90	1039	0.78	10438	98	1678	0.53	306	-0.93	101	101
2025	9676	1.87	-0.09	0.84	2315	2.36	73	-0.35	9676	101	192	2.07			103	104

Genetic Trends of Flock

Birth year	Weaning Weight				Post-Wean		Lambs Weaned		TWW		AFL		ILP		EI	LMI
	Number	Dir	Mat	Comb	Number	EBV	Number	EBV	Number	EBV	Number	EBV	Number	EBV		

Breeding Value & Selection Index Percentiles

The percentiles indicate the ranking of the animals' EBVs and Selection Indices within the active population.

For example, if an animal's EBV for a specific trait falls between the maximum and 99% percentile of the trait, it means that this animal ranks in the top 1% of the active population, or this animal's genetic merit for the trait is better than 99% of that of the active population.

Should the EBV for a specific trait falls between the 5% and 10% percentile, it means that the animal ranks in the bottom 10% of the active population for the specific trait, or the animal's genetic merit is worse than 90% of the active population.

Note that the percentiles for Age at First Lambing and Inter-lambing Period EBVs work on the reverse scale.

All Active Animals

Trait	Avg	SD*	Min	Percentiles (%)															Max
				1	5	10	20	25	30	40	50	60	70	75	80	90	95	99	
Weaning Weight Direct	1.56	2.27	-27.86	-4.89	-1.06	-0.28	0.51	0.79	1.02	1.46	1.84	2.19	2.55	2.73	2.94	3.46	3.86	4.66	9.36
Weaning Weight Maternal	-0.01	1.23	-3.36	-2.07	-1.46	-1.16	-0.81	-0.68	-0.56	-0.34	-0.13	0.08	0.32	0.46	0.62	1.12	1.63	3.92	15.09
Weaning Weight Combined	0.77	1.15	-3.93	-1.86	-0.95	-0.54	-0.09	0.08	0.23	0.49	0.73	0.98	1.25	1.40	1.58	2.04	2.52	3.92	12.74
Post-Wean Weight	1.06	3.11	-37.11	-7.31	-2.48	-1.69	-0.73	-0.36	0.02	0.66	1.26	1.81	2.40	2.72	3.08	4.01	4.98	6.60	10.30
Number of Lambs Weaned	0.68	3.60	-16.30	-6.50	-4.40	-3.40	-2.20	-1.70	-1.30	-0.50	0.30	1.00	2.00	2.50	3.20	5.40	7.80	11.00	20.90
Total Weight Weaned	1.96	2.97	-13.84	-4.75	-2.36	-1.36	-0.32	0.07	0.44	1.08	1.73	2.41	3.15	3.58	4.13	5.80	7.56	9.87	16.57
Age at First Lambing	0.51	-5.64	27.84	15.72	10.06	7.25	4.26	3.33	2.52	1.26	0.20	-0.81	-1.89	-2.49	-3.17	-5.13	-7.07	-14.86	-43.14
Interlambing Period	0.15	-4.29	22.05	10.36	7.15	5.50	3.74	2.98	2.30	1.19	0.20	-0.88	-2.04	-2.70	-3.42	-5.38	-6.90	-9.89	-15.02
Growth Index	103	12	57	73	83	88	94	96	98	101	104	107	109	111	113	117	121	130	162
Ewe Index	103	12	61	77	85	89	94	96	97	100	103	106	109	111	113	119	125	133	155
Logix Merit Index	104	12	61	78	85	89	94	96	97	100	103	106	109	111	113	119	124	132	149

*SD : Standard Deviation. An indicator of how far breeding values/selection indices are distributed arc

Breeding Value & Selection Index Percentiles

All Active Rams

Trait	Avg	SD*	Min	Percentiles (%)															Max
				1	5	10	20	25	30	40	50	60	70	75	80	90	95	99	
Weaning Weight Direct	2.07	1.28	-4.42	-1.05	-0.12	0.39	0.99	1.23	1.45	1.82	2.13	2.43	2.78	2.96	3.16	3.63	4.01	4.77	9.36
Weaning Weight Maternal	-0.12	0.84	-2.69	-1.85	-1.35	-1.10	-0.80	-0.67	-0.56	-0.36	-0.17	0.02	0.23	0.35	0.49	0.89	1.26	2.29	8.50
Weaning Weight Combined	0.92	1.04	-2.65	-1.24	-0.59	-0.28	0.12	0.27	0.41	0.65	0.87	1.09	1.33	1.49	1.65	2.08	2.51	3.90	12.74
Post-Wean Weight	1.63	2.12	-6.89	-2.80	-1.74	-1.14	-0.23	0.17	0.52	1.10	1.59	2.12	2.66	3.01	3.36	4.33	5.31	6.71	10.30
Number of Lambs Weaned	0.76	3.45	-8.80	-5.60	-4.00	-3.10	-2.00	-1.60	-1.20	-0.40	0.20	1.00	1.90	2.50	3.10	5.40	7.90	10.80	14.40
Total Weight Weaned	2.41	2.70	-5.22	-2.83	-1.37	-0.67	0.22	0.58	0.90	1.43	2.07	2.71	3.38	3.82	4.33	6.05	7.96	10.05	14.81
Age at First Lambing	0.60	-4.85	23.09	14.12	9.53	6.87	3.89	2.99	2.25	1.03	0.06	-0.84	-1.82	-2.30	-2.90	-4.47	-6.04	-10.31	-38.41
Interlambing Period	0.26	-3.84	17.61	9.09	6.44	5.11	3.54	2.83	2.19	1.24	0.35	-0.58	-1.68	-2.30	-2.88	-4.77	-6.11	-9.05	-13.77
Growth Index	106	10	71	82	89	93	98	99	101	104	106	108	111	113	114	118	121	131	162
Ewe Index	104	11	67	79	86	91	95	96	98	101	103	105	108	110	112	119	125	133	145
Logix Merit Index	105	11	74	82	89	92	96	97	99	102	105	108	111	112	114	121	125	133	146

All Active Ewes

Trait	Avg	SD*	Min	Percentiles (%)															Max
				1	5	10	20	25	30	40	50	60	70	75	80	90	95	99	
Weaning Weight Direct	1.33	2.56	-27.86	-10.12	-1.46	-0.56	0.28	0.58	0.84	1.28	1.68	2.05	2.43	2.62	2.82	3.36	3.77	4.58	8.26
Weaning Weight Maternal	0.04	1.37	-3.36	-2.17	-1.51	-1.18	-0.82	-0.68	-0.56	-0.33	-0.11	0.11	0.37	0.52	0.69	1.24	1.82	5.47	15.09
Weaning Weight Combined	0.71	1.19	-3.93	-2.01	-1.08	-0.65	-0.18	-0.01	0.14	0.42	0.67	0.92	1.20	1.35	1.55	2.03	2.53	3.93	11.44
Post-Wean Weight	0.81	3.43	-37.11	-13.29	-2.80	-1.94	-0.96	-0.57	-0.21	0.46	1.08	1.66	2.26	2.58	2.95	3.87	4.76	6.46	9.35
Number of Lambs Weaned	0.65	3.66	-16.30	-6.90	-4.60	-3.50	-2.20	-1.70	-1.30	-0.50	0.30	1.00	2.00	2.60	3.30	5.40	7.70	11.00	20.90
Total Weight Weaned	1.76	3.06	-13.84	-5.37	-2.72	-1.70	-0.56	-0.15	0.20	0.88	1.57	2.25	3.04	3.49	4.01	5.67	7.31	9.71	16.57
Age at First Lambing	0.48	-5.96	27.84	16.20	10.34	7.40	4.40	3.48	2.64	1.36	0.26	-0.79	-1.93	-2.60	-3.33	-5.43	-7.74	-16.27	-43.14
Interlambing Period	0.09	-4.47	22.05	10.92	7.51	5.71	3.82	3.03	2.36	1.17	0.13	-1.03	-2.21	-2.90	-3.66	-5.60	-7.32	-10.15	-15.02
Growth Index	102	12	57	71	82	86	92	95	97	100	103	106	109	110	112	116	120	130	162
Ewe Index	103	12	61	76	84	88	93	95	97	100	103	106	109	111	113	119	125	133	155
Logix Merit Index	103	12	61	76	84	88	93	94	96	99	102	105	109	110	113	118	123	132	149

*SD : Standard Deviation. An indicator of how far breeding values/selection indices are distributed around the average.

Rams



Genotyped

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information				Selection Indices			EBV - Weights						EBV - Fertility					
Animal ID Regnr		Parents Sire Dam		% In- breeding	Logix Merit Index	Growth Index	Ewe Index	Wean Weight		Post-Wean		Number Weaned	TWW	AFL	ILP	Dam		
								Dir	Mat	Comb								EBV
							EBV Acc Index	EBV Acc Index	EBV Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EPI	Times Lambd		
Active Breed Average:				100	100	100	1.56	-0.01	0.77	1.06	0.68	1.96	0.51	0.14				
DZ 24 0279 100474576	DZ 22 0159 DZ 21 0088	15.19	110	106	108	2.33 62 105	-0.47 53 96	0.70 100	2.16 31 105	-0.40 40 97	1.62 53 99	-14.07 40 130	-0.99 29 103	115	4			
T 24 0430 99732554	T 23 0395 T 20 0343	6.77	103	104	102	1.81 59 101	-0.15 47 99	0.75 100	0.61 31 98	-1.00 37 95	1.06 49 97	-4.88 38 111	1.62 29 96	121	5			
DZ 25 0458 111095311	HE 22 0163 DZ 19 0331	6.36	91	96	91	0.88 52 95	-0.32 49 97	0.12 94	-0.59 40 92	-2.40 42 90	-0.88 49 89	1.03 39 99	5.61 35 85	100	6			
DZ 25 0459 111095329	HE 22 0163 DZ 19 0331	6.36	91	96	91	0.88 52 95	-0.32 49 97	0.12 94	-0.59 40 92	-2.40 42 90	-0.88 49 89	1.03 39 99	5.61 35 85	100	6			
Ram Flock Average: Number of rams in the flock: 4				98	100	98	1.48	-0.32	0.42	0.40	-1.55	0.23	-4.22	2.96				

Ewes



Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information				Selection Indices			EBV - Weights				EBV - Fertility										
Animal ID Regnr		Parents Sire Dam		% In- breeding	Logix Merit Index	Growth Index	Ewe Index	Wean Weight		Post-Wean		Number Weaned		TWW		AFL		ILP		EPI Lambled	
								Dir EBV Acc Index	Mat EBV Acc Index	Comb EBV Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	Phenotype			
Active Breed Average:				100	100	100	1.56	-0.01	0.77	1.06	0.68	1.96	0.51	0.14							
DZ 19 0331 86372844		JB 16 0084 DZ 16 0287	6.17	99	100	102	1.10 74 97	0.10 77 102	0.65 99	-0.37 55 93	0.70 65 100	1.62 73 99	3.51 59 94	1.63 53 96	100	6					
DZ 20 0005 89743827		DZ 17 0116 DZ 16 0226	8.92	96	103	93	1.72 74 101	-0.24 76 98	0.62 99	-0.87 51 91	-3.00 62 88	-0.32 72 91	2.22 57 97	-1.24 46 104	101	5					
DZ 22 0214 94659984		DZ 21 0071 DZ 20 0209	9.15	100	105	97	1.90 61 102	-0.10 56 100	0.85 101	1.82 35 104	-3.90 46 85	-0.54 56 90	-6.93 45 115	-1.22 37 104	2						
B 24 0003 108054677		J 20 0207 MS 23 0003	6.36	108	99	108	2.01 60 103	-1.15 48 88	-0.14 91	1.33 20 101	3.30 36 109	2.84 50 104	-5.62 34 113	-2.03 24 106	0						
T 24 0020 99793523		T 22 0061 T 21 0117	8.80	97	101	93	1.95 58 102	-0.83 46 92	0.15 94	0.50 29 97	-1.50 37 93	0.23 49 93	0.20 36 101	1.69 30 96	0						
HE 24 0048 99415051		DZ 19 0389 T 21 0084	5.20	115	109	116	1.99 65 103	0.56 61 107	1.55 108	0.17 60 96	1.80 52 104	3.63 60 107	-6.99 49 116	-4.43 42 112	0						
P 24 0098 101716629		DZ 22 0170 P 22 0039	5.44	99	104	105	0.60 58 93	1.25 48 115	1.55 108	-0.88 26 91	-1.80 36 92	0.77 49 95	-0.29 34 102	1.29 27 97	0						
HE 24 0137 99507626		DZ 19 0389 HE 20 0009	6.59	99	98	99	1.43 64 99	-0.65 59 94	0.07 93	-0.51 58 93	0.20 51 99	0.90 59 96	-2.36 48 106	3.99 41 90	0						
HE 24 0210 100282383		DZ 21 0297 DZ 22 0185	7.40	111	110	106	2.80 64 108	-0.37 58 97	1.04 103	2.67 59 108	0.30 49 99	2.62 58 103	-3.93 48 109	-4.68 38 113	0						
HE 24 0218 100310002		DZ 19 0389 SL 19 0046	4.68	100	99	100	1.48 64 99	-0.54 60 95	0.20 95	-0.19 58 94	0.30 51 99	1.12 59 97	-1.33 46 104	2.44 39 94	0						
T 24 0538 99797441		T 21 0095 T 18 0293	5.98	95	97	93	1.41 62 99	-0.76 53 92	-0.06 92	-0.20 29 94	-2.10 41 91	-0.62 54 90	-1.51 41 104	-0.41 31 102	0						
DZ 25 0004 109129908		DZ 23 0153 DZ 20 0329	13.47	103	103	98	2.13 64 103	-0.74 51 93	0.33 96	1.29 36 101	-0.90 38 95	0.85 53 96	0.38 34 100	-9.81 27 127	0						
HE 25 0019 107871584		DZ 21 0225 HE 23 0088	5.27	109	109	103	3.09 63 110	-0.84 56 92	0.71 100	1.57 60 102	2.40 46 106	3.69 56 107	0.61 46 100	5.49 36 86	0						
DZ 25 0030 109130021		DZ 23 0153 DZ 23 0350	11.31	118	119	110	3.74 62 114	-0.04 46 100	1.83 111	3.51 35 111	2.00 33 104	4.90 49 112	2.44 33 96	-4.36 24 112	0						
DZ 25 0040 109130088		DZ 23 0153 DZ 22 0353	10.39	100	95	103	0.98 61 96	-0.58 46 94	-0.09 92	0.01 34 95	0.90 33 101	0.94 49 96	-1.46 32 104	-5.99 24 117	0						



Ewes



Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBV's with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information			Selection Indices			EBV - Weights				EBV - Fertility				
Animal ID	Parents	% In-	Logix	Growth	Ewe	Wean Weight		Post-Wean		Number	TWW	AFL	ILP	Times
Regnr	Sire Dam	breeding	Merit Index	Index	Index	Dir	Mat	Comb		Weaned				EPI
						EBV Acc Index	EBV Acc Index	EBV Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	Phenotype
Active Breed Average:			100	100	100	1.56	-0.01	0.77	1.06	0.68	1.96	0.51	0.14	
DZ 25 0048	DZ 23 0091	9.95	105	102	105	1.82	-0.53	0.38	0.74	1.90	2.43	0.38	-4.16	0
109130146	DZ 20 0375					64 101	51 95	97	35 99	39 104	53 102	34 100	28 112	
HE 25 0062	HE 22 0037	10.08	94	103	92	1.47	0.12	0.85	-0.21	-2.40	0.14	6.37	4.32	0
107876104	SL 19 0046					64 99	55 102	101	56 94	42 90	55 93	38 88	27 89	
HE 25 0069	HE 22 0037	6.30	105	112	100	2.68	0.11	1.45	2.16	-0.80	2.31	3.66	2.25	0
107876138	HE 21 0092					64 107	55 102	107	58 105	43 95	56 102	42 94	31 94	
DZ 25 0077	DZ 23 0153	9.48	104	104	100	2.25	-0.70	0.43	1.23	2.30	2.94	8.76	-4.08	0
109130294	DZ 19 0354					64 104	51 93	97	40 101	40 105	53 104	38 83	31 111	
HE 25 0080	HE 22 0110	12.20	103	108	98	2.35	-0.09	1.08	1.39	-0.70	1.84	2.06	5.41	0
107871956	DZ 22 0187					57 105	47 100	104	52 102	40 96	49 100	37 97	32 86	
HE 25 0085	DZ 21 0225	6.74	106	109	102	2.57	-0.27	1.01	0.26	1.30	3.08	3.99	4.54	0
107871998	HE 23 0082					63 106	56 98	103	60 96	46 102	56 105	46 93	36 88	
DZ 25 0102	DZ 23 0153	12.78	99	96	93	2.00	-1.70	-0.70	0.34	-1.60	-0.66	-4.73	-9.29	0
109130427	DZ 19 0177					63 103	50 82	86	38 97	39 93	52 90	36 111	29 126	
HE 25 0133	DZ 21 0225	6.63	107	110	99	3.21	-0.90	0.71	2.52	1.10	2.98	2.43	2.47	0
107872350	HE 23 0143					63 111	57 91	100	60 107	47 102	57 104	46 96	37 94	
DZ 25 0148	DZ 23 0091	10.23	114	106	114	2.20	-0.26	0.84	1.60	4.20	4.46	-0.07	-5.71	0
109130682	DZ 23 0110					63 104	49 98	101	38 103	36 112	51 110	34 101	27 116	
DZ 25 0149	DZ 23 0091	10.23	115	108	114	2.52	-0.32	0.94	1.97	4.20	4.72	-0.07	-5.71	0
109130690	DZ 23 0110					63 106	49 97	102	38 104	36 112	51 111	34 101	27 116	
HE 25 0163	HE 22 0110	5.89	115	114	114	2.72	0.46	1.82	2.37	4.30	5.76	5.30	3.04	0
107887051	DZ 23 0335					55 107	43 106	111	42 106	34 112	46 116	33 90	26 92	
HE 25 0178	DZ 21 0297	4.86	108	92	117	0.52	-0.49	-0.23	0.22	5.30	3.21	-4.87	-9.65	0
107887242	GMO 22 0032					63 93	58 95	91	56 96	46 115	57 105	44 111	33 127	
HE 25 0179	DZ 21 0297	6.18	101	93	104	1.19	-1.27	-0.67	0.69	2.40	1.36	-5.32	-2.42	0
107887267	T 20 0088					64 97	59 87	86	59 98	48 106	58 98	47 112	37 107	
DZ 25 0185	DZ 23 0153	12.56	119	112	111	3.59	-0.94	0.86	2.74	3.30	4.63	-1.97	-10.72	0
109130856	DZ 21 0490					63 113	49 90	101	36 108	37 109	52 111	34 105	27 129	
DZ 25 0186	DZ 23 0153	10.15	110	103	109	2.15	-0.66	0.41	1.28	3.60	3.64	-0.68	-3.67	0
109130864	DZ 22 0149					63 104	50 93	97	37 101	38 110	52 107	37 103	30 110	



Ewes



Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBV's with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information			Selection Indices			EBV - Weights				EBV - Fertility				
Animal ID	Parents	% In-	Logix	Growth	Ewe	Wean Weight		Post-Wean		Number	TWW	AFL	ILP	Times
Regnr	Sire Dam	brding	Merit Index	Index	Index	Dir	Mat	Comb		Weaned				EPI
						EBV Acc Index	EBV Acc Index	EBV Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	Phenotype
Active Breed Average:			100	100	100	1.56	-0.01	0.77	1.06	0.68	1.96	0.51	0.14	
DZ 25 0224	DZ 19 0389	5.40	117	116	108	3.80	-0.51	1.39	4.36	2.60	4.85	0.41	-0.05	0
109170464	DZ 20 0021					65 115	61 95	107	55 115	53 106	61 112	50 100	43 101	
DZ 25 0231	DZ 23 0153	10.54	111	115	101	3.63	-0.48	1.34	2.89	-0.50	2.86	1.09	-2.78	0
109131094	DZ 20 0374					63 113	50 96	106	38 108	40 96	53 104	37 99	31 108	
HE 25 0238	HE 22 0037	5.14	103	105	102	1.91	-0.11	0.85	2.07	1.60	2.76	5.81	3.01	0
108673153	HE 20 0062					63 102	55 100	101	56 105	42 103	55 103	40 89	28 92	
HE 25 0252	DZ 21 0225	6.31	99	106	92	2.49	-0.54	0.70	1.43	-2.40	0.50	1.49	3.52	0
109731562	P 23 0052					63 106	56 95	100	59 102	46 90	56 94	45 98	37 91	
DZ 25 0254	DZ 23 0091	11.97	106	105	105	1.89	-0.01	0.94	1.32	0.30	2.06	-0.64	-5.48	0
109131201	DZ 22 0488					62 102	47 101	102	32 101	35 99	50 101	32 102	25 115	
HE 25 0274	HE 22 0037	14.04	101	109	99	2.03	0.38	1.40	2.39	-1.40	1.58	3.77	4.41	0
109731976	SL 22 0066					63 103	53 105	107	57 106	41 93	54 99	42 93	31 88	
HE 25 0277	DZ 21 0225	5.04	99	100	98	1.67	-0.67	0.17	0.51	-0.10	0.94	-3.07	5.09	0
109731638	T 22 0212					64 100	57 93	94	56 98	44 98	57 96	43 107	34 87	
HE 25 0283	HE 22 0037	6.44	109	115	104	2.79	0.50	1.90	3.24	-0.60	2.94	2.77	1.21	0
109732024	HE 21 0037					64 108	56 107	112	59 110	44 96	56 104	43 95	31 97	
DZ 25 0295	DZ 23 0011	8.32	111	106	110	2.44	-0.57	0.65	1.72	3.50	3.97	-1.31	-1.12	0
109170720	DZ 20 0355					57 106	48 95	99	35 103	37 109	49 108	34 104	27 103	
DZ 25 0307	DZ 23 0153	12.04	110	112	103	3.13	-0.36	1.21	2.28	0.10	2.83	0.63	-3.71	0
109131334	DZ 23 0293					61 110	45 97	105	35 106	33 98	48 104	33 100	24 110	
DZ 25 0319	DZ 23 0153	10.01	114	114	106	3.39	-0.45	1.24	2.62	1.00	3.54	0.10	-5.23	0
109131425	DZ 19 0339					64 112	51 96	105	38 107	40 101	53 107	38 101	31 115	
DZ 25 0324	DZ 23 0014	20.43	111	99	115	1.54	-0.56	0.21	1.39	4.00	3.38	-7.07	-6.92	0
109170795	DZ 23 0008					54 100	45 95	95	37 102	36 111	46 106	34 116	26 119	
DZ 25 0346	DZ 23 0092	14.49	101	100	105	0.86	0.41	0.84	-0.79	-0.50	0.97	-1.36	-4.03	0
109170936	DZ 19 0333					57 95	49 105	101	37 92	41 96	50 96	37 104	32 111	
DZ 25 0348	DZ 23 0037	18.59	100	87	115	-1.17	0.68	0.10	-2.50	2.50	1.01	-4.53	-11.95	0
109170951	DZ 19 0100					57 82	50 109	94	33 84	40 106	50 96	36 110	28 133	
DZ 25 0350	DZ 23 0037	12.55	108	103	109	1.85	-0.30	0.63	0.75	1.70	2.57	-2.88	-6.49	0
109170985	DZ 22 0423					55 102	46 98	99	33 99	35 104	47 103	33 107	25 118	

Ewes



Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBV's with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information			Selection Indices			EBV - Weights				EBV - Fertility							
Animal ID Regnr	Parents Sire Dam	% In- breeding	Logix Merit Index	Growth Index	Ewe Index	Wean Weight		Post-Wean		Number Weaned	TWW		AFL		ILP	EPI	Times Lambd
						Dir	Mat	Comb									
						EBV Acc Index	EBV Acc Index	EBV Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	Phenotype	
Active Breed Average:			100	100	100	1.56	-0.01	0.77	1.06	0.68	1.96	0.51	0.14				
DZ 25 0354 109171017	DZ 23 0149 DZ 20 0185	8.21	94	98	90	1.61 56 100	-0.84 46 92	-0.04 92	0.29 35 97	-3.00 37 88	-1.03 48 88	0.76 33 100	-2.76 27 108	0			
DZ 25 0413 109169243	DZ 23 0053 DZ 19 0307	10.79	91	97	95	0.30 56 91	0.47 49 106	0.62 99	-1.37 38 89	-3.20 41 87	-1.15 50 88	1.50 37 98	-0.82 32 103	0			
DZ 25 0447 111095287	HE 22 0163 DZ 22 0214	7.52	91	98	89	1.28 47 98	-0.42 41 96	0.22 95	0.51 34 98	-4.70 35 83	-1.96 42 84	-4.19 34 110	4.19 29 89	0			
Ewe flock average: Total ewes in flock: 48			105	104	103	2.02	-0.33	0.68	1.09	0.58	2.04	-0.26	-1.69				

Sires Used in Flock



Genotyped

*Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents & Progeny						Selection Indices			EBV - Weights				EBV - Fertility					
Animal ID Regnr	% In-breeding	Sire ID Dam ID	1st Generation		2nd Generation		Logix Merit Index	Growth Index	Ewe Index	Weaning Weight		Comb EBV Index	Post-Wean EBV Acc Index	Number Weaned EBV Acc Index	TWW EBV Acc Index	AFL EBV Acc Index	ILP EBV Acc Index	Dam EPI Times Lambe		
			Prog Weaned	Nr Flocks	Prog Weaned	Nr Flocks				Dir EBV Acc Index	Mat EBV Acc Index									
		Active Breed Average:						100	100	100	1.56	-0.01	0.77	1.06	0.68	1.96	0.51	0.14		
JB 16 0084 77493005	4.39	JB 14 0174 JB 12 0196	1364	22	378	17	100	99	103	1.09 99	-0.12 97	0.42 98	-0.59 100	2.70 96	2.59 107	7.89 94	1.59 85		8	
DZ 17 0116 80640907	13.35	DZ 11 0115 DZ 14 0210	631	10	126	7	100	96	93	2.23 98	-1.96 104	-0.84 95	-1.45 79	-2.20 87	-1.05 94	-9.48 84	-9.69 121	93	5	
DZ 19 0389 86371069	5.90	JB 16 0084 DZ 15 0162	599	11	114	4	119	115	111	3.71 98	-0.60 114	1.26 94	3.40 94	2.60 86	4.68 106	-5.46 94	-0.76 111	124	6	
J 20 0207 90075326	5.85	J 17 0069 J 18 0132	242	6	22	1	132	120	123	4.83 94	-1.14 121	1.28 79	4.51 88	7.20 59	8.01 80	-7.43 125	-3.66 56	92	3	
DZ 21 0071 91711382	6.07	T 19 0243 DZ 19 0391	74	1	30	1	119	126	109	4.02 90	0.80 116	2.81 86	5.25 110	-4.70 72	2.00 84	-17.96 100	0.75 69	99	6	
T 21 0095 92138502	5.65	DZ 19 0266 T 19 0091	128	5	18	3	106	105	104	1.97 91	-0.14 102	0.85 75	0.63 99	-1.20 55	1.11 77	-7.80 97	-2.85 61	117	6	
DZ 21 0225 92194620	5.21	DZ 19 0389 DZ 17 0154	596	9	79	3	102	107	97	2.37 98	-0.29 105	0.90 90	0.50 98	-1.00 74	1.48 95	1.31 89	4.12 98	125	7	
DZ 21 0297 92195312	4.44	DZ 19 0389 DZ 20 0084	572	8	104	5	127	111	124	3.36 98	-0.78 112	0.90 92	3.80 92	6.80 77	6.66 120	-6.59 91	-13.77 119	116	7	
HE 22 0037 94592839	9.67	SL 20 0011 SL 18 0140	343	6	37	2	109	125	96	4.05 96	0.65 116	2.67 81	3.76 108	-2.90 63	2.96 88	9.95 83	3.00 104	155	7	
T 22 0061 94913191	4.21	JH 18 0153 T 17 0191	63	2			99	109	91	2.70 85	-0.32 107	1.03 64	1.23 97	-3.60 56	0.22 70	0.16 93	7.44 57	140	7	
HE 22 0110 94509452	6.09	SL 20 0011 HE 20 0047	20	4	1	1	108	107	107	2.27 75	-0.16 104	0.97 60	1.81 99	3.60 51	4.26 110	5.15 64	5.44 110	100	3	
DZ 22 0159 94656238	7.96	DZ 21 0071 DZ 20 0223	107	1	22	1	107	105	101	2.69 90	-1.00 107	0.35 75	2.45 90	-2.70 54	0.08 89	-17.15 76	0.00 93	85	2	

Sires Used in Flock



Genotyped

*Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents & Progeny				Selection Indices			EBV - Weights				EBV - Fertility							
Animal ID Regnr	% In-breeding	Sire ID Dam ID	1st Generation		2nd Generation		Logix Merit Index	Growth Index	Ewe Index	Weaning Weight		Comb EBV Index	Post-Wean EBV Acc Index	Number Weaned		TWW EBV Acc Index	AFL EBV Acc Index	ILP EBV Acc Index	Dam	
			Prog	Nr	Prog	Nr				Dir	Mat			EBV	EBV				EBV	EBV
			Acc	Index	Acc	Index				Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc
		Active Breed Average:				100	100	100	1.56	-0.01	0.77	1.06	0.68	1.96	0.51	0.14				
HE 22 0163 95172656	4.96	JH 18 0153 T 17 0332	14	5			82	92	81	0.66 71	-0.73 60	-0.40 89	-0.81 59	-5.50 53	-3.37 63	-1.46 50	9.60 45	107	6	
DZ 22 0170 94659885	7.84	JH 18 0153 DZ 20 0329	75	1	8	1	98	108	97	1.40 87	1.01 72	1.71 110	0.20 49	-4.00 57	0.01 74	1.80 56	1.57 46	109	5	
DZ 23 0011 97051957	8.18	DZ 21 0297 DZ 17 0070	12	1			111	99	109	2.35 72	-1.54 60	-0.37 89	1.92 53	4.00 50	3.21 62	-6.25 48	-5.71 38	106	7	
DZ 23 0014 97051775	8.88	DZ 21 0297 DZ 17 0013	5	1			112	101	116	1.51 69	-0.31 61	0.45 97	1.68 54	3.40 51	3.24 62	-8.85 48	-7.69 38	119	9	
DZ 23 0037 97048292	10.09	DZ 21 0297 DZ 21 0010	8	1			113	103	119	1.18 70	0.40 59	0.99 103	0.33 50	2.90 48	3.32 61	-6.81 46	-12.41 34	118	5	
DZ 23 0053 97048987	10.38	DZ 21 0225 DZ 21 0011	3	1			98	102	100	0.88 67	0.71 58	1.15 104	-0.92 52	-2.70 47	-0.03 59	-0.66 45	-1.84 36	111	4	
DZ 23 0091 97049266	7.52	DZ 21 0297 DZ 20 0187	283	2			125	119	118	3.71 95	0.08 68	1.93 112	3.64 55	2.50 48	5.28 74	-5.01 47	-12.55 35	114	6	
DZ 23 0092 97049209	6.41	DZ 21 0225 DZ 20 0187	2	1			105	108	104	1.78 67	0.59 59	1.48 108	0.41 51	-1.40 48	1.53 60	-0.90 45	-3.62 35	114	6	
DZ 23 0149 97049522	19.38	DZ 21 0225 DZ 21 0052	9	1			97	99	98	1.18 70	-0.21 58	0.38 97	-0.21 54	-0.80 48	0.49 60	-0.05 46	1.93 37	105	5	
DZ 23 0153 97050546	8.25	DZ 21 0297 DZ 20 0185	235	3	1	1	116	115	102	4.36 94	-1.43 66	0.75 100	4.11 57	0.30 48	3.10 73	-2.27 48	-10.42 35	89	5	
T 23 0395 97078117	5.56	NB 21 0140 T 20 0123	43	1			97	97	99	1.03 82	-0.36 58	0.16 94	-1.55 40	0.40 44	0.91 64	2.41 55	1.36 36	112	5	
		Sire Flock Average:							108	107	104	2.40	-0.30	0.90	1.48	0.16	2.20	-3.28	-2.09	
		Number of sires used in the flock: 23																		

Ram Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents & Progeny				Selection Indices			EBV - Weights				EBV - Fertility					
Animal ID Regnr	% In- breeding	Sire ID Dam ID	1st Generation		2nd Generation		Logix Merit Index	Growth Index	Ewe Index	Weaning Weight		Comb	Post-Wean	Number Weaned	TWW	AFL	ILP	Dam
			Prog Weaned	Nr Flocks	Prog Weaned	Nr Flocks				Dir EBV Acc Index	Mat EBV Acc Index							
		Active Breed Average:				100	100	100	1.56	-0.01	0.77	1.06	0.68	1.96	0.51	0.14		
1	DZ 24 0279 100474576	15.19	DZ 22 0159 DZ 21 0088				110	106	108	2.33 62	-0.47 105	0.70 100	2.16 31	-0.40 40	1.62 99	-14.07 40	-0.99 130	115 4
2	T 24 0430 99732554	6.77	T 23 0395 T 20 0343				103	104	102	1.81 59	-0.15 101	0.75 100	0.61 31	-1.00 37	1.06 97	-4.88 38	1.62 111	121 5
3	DZ 25 0459 111095329	6.36	HE 22 0163 DZ 19 0331				91	96	91	0.88 52	-0.32 95	0.12 94	-0.59 40	-2.40 42	-0.88 89	1.03 39	5.61 99	100 6
4	DZ 25 0458 111095311	6.36	HE 22 0163 DZ 19 0331				91	96	91	0.88 52	-0.32 95	0.12 94	-0.59 40	-2.40 42	-0.88 89	1.03 39	5.61 99	100 6

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information			Parents		Selection Indices			EBV - Weights						EBV - Fertility									
Animal ID Regnr		% In-breeding	Sire ID Dam ID		Logix Merit Index	Growth Index	Ewe Index	Weaning Weight		Comb	Post-Wean		Number Weaned		TWW		AFL		ILP		EPI	Times Lambd	
								Dir	Mat		Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index			Acc
Active Breed Average:					100	100	100	1.56		-0.01		0.77		1.06		0.68		1.96		0.51		0.14	
1	DZ 25 0185 109130856	12.56	DZ 23 0153 DZ 21 0490	119	112	111	3.59 63 113		-0.94 49 90		0.86 101 36		2.74 108		3.30 37 109		4.63 52 111		-1.97 34 105		-10.72 27 129		0
2	DZ 25 0030 109130021	11.31	DZ 23 0153 DZ 23 0350	118	119	110	3.74 62 114		-0.04 46 100		1.83 111 35		3.51 111		2.00 33 104		4.90 49 112		2.44 33 96		-4.36 24 112		0
3	DZ 25 0224 109170464	5.40	DZ 19 0389 DZ 20 0021	117	116	108	3.80 65 115		-0.51 61 95		1.39 107 55		4.36 115		2.60 53 106		4.85 61 112		0.41 50 100		-0.05 43 101		0
4	HE 25 0163 107887051	5.89	HE 22 0110 DZ 23 0335	115	114	114	2.72 55 107		0.46 43 106		1.82 111 42		2.37 106		4.30 34 112		5.76 46 116		5.30 33 90		3.04 26 92		0
5	DZ 25 0149 109130690	10.23	DZ 23 0091 DZ 23 0110	115	108	114	2.52 63 106		-0.32 49 97		0.94 102 38		1.97 104		4.20 36 112		4.72 51 111		-0.07 34 101		-5.71 27 116		0
6	HE 24 0048 99415051	5.20	DZ 19 0389 T 21 0084	115	109	116	1.99 65 103		0.56 61 107		1.55 108 60		0.17 96		1.80 52 104		3.63 60 107		-6.99 49 116		-4.43 42 112		0
7	DZ 25 0148 109130682	10.23	DZ 23 0091 DZ 23 0110	114	106	114	2.20 63 104		-0.26 49 98		0.84 101 38		1.60 103		4.20 36 112		4.46 51 110		-0.07 34 101		-5.71 27 116		0
8	DZ 25 0319 109131425	10.01	DZ 23 0153 DZ 19 0339	114	114	106	3.39 64 112		-0.45 51 96		1.24 105 38		2.62 107		1.00 40 101		3.54 53 107		0.10 38 101		-5.23 31 115		0
9	DZ 25 0295 109170720	8.32	DZ 23 0011 DZ 20 0355	111	106	110	2.44 57 106		-0.57 48 95		0.65 99 35		1.72 103		3.50 37 109		3.97 49 108		-1.31 34 104		-1.12 27 103		0
10	DZ 25 0324 109170795	20.43	DZ 23 0014 DZ 23 0008	111	99	115	1.54 54 100		-0.56 45 95		0.21 95 37		1.39 102		4.00 36 111		3.38 46 106		-7.07 34 116		-6.92 26 119		0
11	HE 24 0210 100282383	7.40	DZ 21 0297 DZ 22 0185	111	110	106	2.80 64 108		-0.37 58 97		1.04 103 59		2.67 108		0.30 49 99		2.62 58 103		-3.93 48 109		-4.68 38 113		0
12	DZ 25 0231 109131094	10.54	DZ 23 0153 DZ 20 0374	111	115	101	3.63 63 113		-0.48 50 96		1.34 106 38		2.89 108		-0.50 40 96		2.86 53 104		1.09 37 99		-2.78 31 108		0
13	DZ 25 0307 109131334	12.04	DZ 23 0153 DZ 23 0293	110	112	103	3.13 61 110		-0.36 45 97		1.21 105 35		2.28 106		0.10 33 98		2.83 48 104		0.63 33 100		-3.71 24 110		0

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information				Parents		Selection Indices			EBV - Weights						EBV - Fertility											
Animal ID Regnr				% In-breeding	Sire ID Dam ID		Logix Merit Index	Growth Index	Ewe Index	Weaning Weight				Post-Wean		Number Weaned		TWW		AFL		ILP		EPI	Times Lambd	
										Dir	Mat		Comb	EBV	EBV	EBV	EBV	Acc	Index	Acc	Index	Acc	Index			Acc
										Acc	Index	Acc	Index	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Phenotype			
Active Breed Average:							100	100	100	1.56		-0.01		0.77		1.06		0.68		1.96		0.51		0.14		
14	DZ 25 0186	109130864	10.15	DZ 23 0153	DZ 22 0149	110	103	109	2.15	-0.66	0.41	1.28	3.60	3.64	-0.68	-3.67	38	110	52	107	37	103	30	110	0	
15	HE 25 0019	107871584	5.27	DZ 21 0225	HE 23 0088	109	109	103	3.09	-0.84	0.71	1.57	2.40	3.69	0.61	5.49	46	106	56	107	46	100	36	86	0	
16	HE 25 0283	109732024	6.44	HE 22 0037	HE 21 0037	109	115	104	2.79	0.50	1.90	3.24	-0.60	2.94	2.77	1.21	44	96	56	104	43	95	31	97	0	
17	DZ 25 0350	109170985	12.55	DZ 23 0037	DZ 22 0423	108	103	109	1.85	-0.30	0.63	0.75	1.70	2.57	-2.88	-6.49	55	102	46	98	99	33	99	35	104	0
18	HE 25 0178	107887242	4.86	DZ 21 0297	GMO 22 0032	108	92	117	0.52	-0.49	-0.23	0.22	5.30	3.21	-4.87	-9.65	63	93	58	95	91	56	96	46	115	0
19	B 24 0003	108054677	6.36	J 20 0207	MS 23 0003	108	99	108	2.01	-1.15	-0.14	1.33	3.30	2.84	-5.62	-2.03	60	103	48	88	91	20	101	36	109	0
20	HE 25 0133	107872350	6.63	DZ 21 0225	HE 23 0143	107	110	99	3.21	-0.90	0.71	2.52	1.10	2.98	2.43	2.47	63	111	57	91	100	60	107	47	102	0
21	DZ 25 0254	109131201	11.97	DZ 23 0091	DZ 22 0488	106	105	105	1.89	-0.01	0.94	1.32	0.30	2.06	-0.64	-5.48	62	102	47	101	102	32	101	35	99	0
22	HE 25 0085	107871998	6.74	DZ 21 0225	HE 23 0082	106	109	102	2.57	-0.27	1.01	0.26	1.30	3.08	3.99	4.54	63	106	56	98	103	60	96	46	102	0
23	HE 25 0069	107876138	6.30	HE 22 0037	HE 21 0092	105	112	100	2.68	0.11	1.45	2.16	-0.80	2.31	3.66	2.25	64	107	55	102	107	58	105	43	95	0
24	DZ 25 0048	109130146	9.95	DZ 23 0091	DZ 20 0375	105	102	105	1.82	-0.53	0.38	0.74	1.90	2.43	0.38	-4.16	64	101	51	95	97	35	99	39	104	0
25	DZ 25 0077	109130294	9.48	DZ 23 0153	DZ 19 0354	104	104	100	2.25	-0.70	0.43	1.23	2.30	2.94	8.76	-4.08	64	104	51	93	97	40	101	40	105	0
26	HE 25 0238	108673153	5.14	HE 22 0037	HE 20 0062	103	105	102	1.91	-0.11	0.85	2.07	1.60	2.76	5.81	3.01	63	102	55	100	101	56	105	42	103	0

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information			Parents		Selection Indices			EBV - Weights						EBV - Fertility									
Animal ID Regnr		% In-breeding	Sire ID Dam ID		Logix Merit Index	Growth Index	Ewe Index	Weaning Weight				Post-Wean		Number Weaned		TWW		AFL		ILP		EPI	Times Lambd
								Dir	Mat		Comb	EBV	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc		
			Active Breed Average:			100	100	100	1.56	-0.01		0.77	1.06		0.68	1.96		0.51	0.14				
27	DZ 25 0004 109129908	13.47	DZ 23 0153 DZ 20 0329	103	103	98	2.13 64	103	-0.74 51	93	0.33 96	1.29 36	101	-0.90 38	95	0.85 53	96	0.38 34	100	-9.81 27	127	0	
28	HE 25 0080 107871956	12.20	HE 22 0110 DZ 22 0187	103	108	98	2.35 57	105	-0.09 47	100	1.08 104	1.39 52	102	-0.70 40	96	1.84 49	100	2.06 37	97	5.41 32	86	0	
29	HE 25 0274 109731976	14.04	HE 22 0037 SL 22 0066	101	109	99	2.03 63	103	0.38 53	105	1.40 107	2.39 57	106	-1.40 41	93	1.58 54	99	3.77 42	93	4.41 31	88	0	
30	HE 25 0179 107887267	6.18	DZ 21 0297 T 20 0088	101	93	104	1.19 64	97	-1.27 59	87	-0.67 86	0.69 59	98	2.40 48	106	1.36 58	98	-5.32 47	112	-2.42 37	107	0	
31	DZ 25 0346 109170936	14.49	DZ 23 0092 DZ 19 0333	101	100	105	0.86 57	95	0.41 49	105	0.84 101	-0.79 37	92	-0.50 41	96	0.97 50	96	-1.36 37	104	-4.03 32	111	0	
32	DZ 22 0214 94659984	9.15	DZ 21 0071 DZ 20 0209	100	105	97	1.90 61	102	-0.10 56	100	0.85 101	1.82 35	104	-3.90 46	85	-0.54 56	90	-6.93 45	115	-1.22 37	104	2	
33	DZ 25 0040 109130088	10.39	DZ 23 0153 DZ 22 0353	100	95	103	0.98 61	96	-0.58 46	94	-0.09 92	0.01 34	95	0.90 33	101	0.94 49	96	-1.46 32	104	-5.99 24	117	0	
34	DZ 25 0348 109170951	18.59	DZ 23 0037 DZ 19 0100	100	87	115	-1.17 57	82	0.68 50	109	0.10 94	-2.50 33	84	2.50 40	106	1.01 50	96	-4.53 36	110	-11.95 28	133	0	
35	HE 24 0218 100310002	4.68	DZ 19 0389 SL 19 0046	100	99	100	1.48 64	99	-0.54 60	95	0.20 95	-0.19 58	94	0.30 51	99	1.12 59	97	-1.33 46	104	2.44 39	94	0	
36	DZ 19 0331 86372844	6.17	JB 16 0084 DZ 16 0287	99	100	102	1.10 74	97	0.10 77	102	0.65 99	-0.37 55	93	0.70 65	100	1.62 73	99	3.51 59	94	1.63 53	96	100 6	
37	P 24 0098 101716629	5.44	DZ 22 0170 P 22 0039	99	104	105	0.60 58	93	1.25 48	115	1.55 108	-0.88 26	91	-1.80 36	92	0.77 49	95	-0.29 34	102	1.29 27	97	0	
38	HE 25 0277 109731638	5.04	DZ 21 0225 T 22 0212	99	100	98	1.67 64	100	-0.67 57	93	0.17 94	0.51 56	98	-0.10 44	98	0.94 57	96	-3.07 43	107	5.09 34	87	0	
39	HE 25 0252 109731562	6.31	DZ 21 0225 P 23 0052	99	106	92	2.49 63	106	-0.54 56	95	0.70 100	1.43 59	102	-2.40 46	90	0.50 56	94	1.49 45	98	3.52 37	91	0	

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information			Parents		Selection Indices			EBV - Weights						EBV - Fertility									
Animal ID Regnr		% In-breeding	Sire ID Dam ID		Logix Merit Index	Growth Index	Ewe Index	Weaning Weight				Post-Wean		Number Weaned		TWW		AFL		ILP		EPI	Times Lambd
								Dir	Mat	Comb													
Active Breed Average:					100	100	100	1.56	-0.01	0.77	1.06	0.68	1.96	0.51	0.14								
40	DZ 25 0102 109130427	12.78	DZ 23 0153 DZ 19 0177	99	96	93	2.00 63	-1.70 50	-0.70 86	0.34 38	0.97	-1.60 39	-0.66 52	-4.73 36	-9.29 29							0	
41	HE 24 0137 99507626	6.59	DZ 19 0389 HE 20 0009	99	98	99	1.43 64	-0.65 59	0.07 93	-0.51 58	0.93	0.20 51	0.90 59	-2.36 48	3.99 41							0	
42	T 24 0020 99793523	8.80	T 22 0061 T 21 0117	97	101	93	1.95 58	-0.83 46	0.15 94	0.50 29	0.97	-1.50 37	0.23 49	0.20 36	1.69 30							0	
43	DZ 20 0005 89743827	8.92	DZ 17 0116 DZ 16 0226	96	103	93	1.72 74	-0.24 76	0.62 99	-0.87 51	0.91	-3.00 62	-0.32 72	2.22 57	-1.24 46					101	5		
44	T 24 0538 99797441	5.98	T 21 0095 T 18 0293	95	97	93	1.41 62	-0.76 53	-0.06 92	-0.20 29	0.94	-2.10 41	-0.62 54	-1.51 41	-0.41 31							0	
45	HE 25 0062 107876104	10.08	HE 22 0037 SL 19 0046	94	103	92	1.47 64	0.12 55	0.85 101	-0.21 56	0.94	-2.40 42	0.14 55	6.37 38	4.32 27							0	
46	DZ 25 0354 109171017	8.21	DZ 23 0149 DZ 20 0185	94	98	90	1.61 56	-0.84 46	-0.04 92	0.29 35	0.97	-3.00 37	-1.03 48	0.76 33	-2.76 27							0	
47	DZ 25 0413 109169243	10.79	DZ 23 0053 DZ 19 0307	91	97	95	0.30 56	0.47 49	0.62 99	-1.37 38	0.89	-3.20 41	-1.15 50	1.50 37	-0.82 32							0	
48	DZ 25 0447 111095287	7.52	HE 22 0163 DZ 22 0214	91	98	89	1.28 47	-0.42 41	0.22 95	0.51 34	0.98	-4.70 35	-1.96 42	-4.19 34	4.19 29							0	

Ewe Selection List: Reproduction Index

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information			Parents		Selection Indices			EBV - Weights						EBV - Fertility									
Animal ID Regnr		% In-breeding	Sire ID Dam ID		Logix Merit Index	Growth Index	Ewe Index	Weaning Weight		Comb	Post-Wean		Number Weaned		TWW		AFL		ILP		EPI	Times Lambded	
								Dir	Mat		Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index			Acc
Active Breed Average:					100	100	100	1.56		-0.01		0.77		1.06		0.68		1.96		0.51		0.14	
1	HE 25 0178 107887242	4.86	DZ 21 0297 GMO 22 0032	108	92	117	0.52 63	-0.49 58	-0.23 91	0.22 56	5.30 46	3.21 57	-4.87 44	-9.65 33		0							
2	HE 24 0048 99415051	5.20	DZ 19 0389 T 21 0084	115	109	116	1.99 65	0.56 61	1.55 108	0.17 60	1.80 52	3.63 60	-6.99 49	-4.43 42		0							
3	DZ 25 0348 109170951	18.59	DZ 23 0037 DZ 19 0100	100	87	115	-1.17 57	0.68 50	0.10 94	-2.50 33	2.50 40	1.01 50	-4.53 36	-11.95 28		0							
4	DZ 25 0324 109170795	20.43	DZ 23 0014 DZ 23 0008	111	99	115	1.54 54	-0.56 45	0.21 95	1.39 37	4.00 36	3.38 46	-7.07 34	-6.92 26		0							
5	HE 25 0163 107887051	5.89	HE 22 0110 DZ 23 0335	115	114	114	2.72 55	0.46 43	1.82 111	2.37 42	4.30 34	5.76 46	5.30 33	3.04 26		0							
6	DZ 25 0148 109130682	10.23	DZ 23 0091 DZ 23 0110	114	106	114	2.20 63	-0.26 49	0.84 101	1.60 38	4.20 36	4.46 51	-0.07 34	-5.71 27		0							
7	DZ 25 0149 109130690	10.23	DZ 23 0091 DZ 23 0110	115	108	114	2.52 63	-0.32 49	0.94 102	1.97 38	4.20 36	4.72 51	-0.07 34	-5.71 27		0							
8	DZ 25 0185 109130856	12.56	DZ 23 0153 DZ 21 0490	119	112	111	3.59 63	-0.94 49	0.86 101	2.74 36	3.30 37	4.63 52	-1.97 34	-10.72 27		0							
9	DZ 25 0295 109170720	8.32	DZ 23 0011 DZ 20 0355	111	106	110	2.44 57	-0.57 48	0.65 99	1.72 35	3.50 37	3.97 49	-1.31 34	-1.12 27		0							
10	DZ 25 0030 109130021	11.31	DZ 23 0153 DZ 23 0350	118	119	110	3.74 62	-0.04 46	1.83 111	3.51 35	2.00 33	4.90 49	2.44 33	-4.36 24		0							
11	DZ 25 0186 109130864	10.15	DZ 23 0153 DZ 22 0149	110	103	109	2.15 63	-0.66 50	0.41 97	1.28 37	3.60 38	3.64 52	-0.68 37	-3.67 30		0							
12	DZ 25 0350 109170985	12.55	DZ 23 0037 DZ 22 0423	108	103	109	1.85 55	-0.30 46	0.63 99	0.75 33	1.70 35	2.57 47	-2.88 33	-6.49 25		0							

Ewe Selection List: Reproduction Index

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information			Parents		Selection Indices			EBV - Weights						EBV - Fertility									
Animal ID Regnr		% In- breeding	Sire ID Dam ID		Logix Merit Index	Growth Index	Ewe Index	Weaning Weight				Post-Wean		Number Weaned		TWW		AFL		ILP		EPI	Times Lambd
								Dir	Mat		Comb	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index		
Active Breed Average:								100	100	100	1.56	-0.01		0.77	1.06	0.68	1.96	0.51	0.14				
13	DZ 25 0224 109170464	5.40	DZ 19 0389 DZ 20 0021		117	116	108	3.80 65 115	-0.51 61 95		1.39 107	4.36 55 115	2.60 53 106	4.85 61 112	0.41 50 100	-0.05 43 101						0	
14	B 24 0003 108054677	6.36	J 20 0207 MS 23 0003		108	99	108	2.01 60 103	-1.15 48 88		-0.14 91	1.33 20 101	3.30 36 109	2.84 50 104	-5.62 34 113	-2.03 24 106						0	
15	HE 24 0210 100282383	7.40	DZ 21 0297 DZ 22 0185		111	110	106	2.80 64 108	-0.37 58 97		1.04 103	2.67 59 108	0.30 49 99	2.62 58 103	-3.93 48 109	-4.68 38 113						0	
16	DZ 25 0319 109131425	10.01	DZ 23 0153 DZ 19 0339		114	114	106	3.39 64 112	-0.45 51 96		1.24 105	2.62 38 107	1.00 40 101	3.54 53 107	0.10 38 101	-5.23 31 115						0	
17	DZ 25 0254 109131201	11.97	DZ 23 0091 DZ 22 0488		106	105	105	1.89 62 102	-0.01 47 101		0.94 102	1.32 32 101	0.30 35 99	2.06 50 101	-0.64 32 102	-5.48 25 115						0	
18	DZ 25 0048 109130146	9.95	DZ 23 0091 DZ 20 0375		105	102	105	1.82 64 101	-0.53 51 95		0.38 97	0.74 35 99	1.90 39 104	2.43 53 102	0.38 34 100	-4.16 28 112						0	
19	DZ 25 0346 109170936	14.49	DZ 23 0092 DZ 19 0333		101	100	105	0.86 57 95	0.41 49 105		0.84 101	-0.79 37 92	-0.50 41 96	0.97 50 96	-1.36 37 104	-4.03 32 111						0	
20	P 24 0098 101716629	5.44	DZ 22 0170 P 22 0039		99	104	105	0.60 58 93	1.25 48 115		1.55 108	-0.88 26 91	-1.80 36 92	0.77 49 95	-0.29 34 102	1.29 27 97						0	
21	HE 25 0283 109732024	6.44	HE 22 0037 HE 21 0037		109	115	104	2.79 64 108	0.50 56 107		1.90 112	3.24 59 110	-0.60 44 96	2.94 56 104	2.77 43 95	1.21 31 97						0	
22	HE 25 0179 107887267	6.18	DZ 21 0297 T 20 0088		101	93	104	1.19 64 97	-1.27 59 87		-0.67 86	0.69 59 98	2.40 48 106	1.36 58 98	-5.32 47 112	-2.42 37 107						0	
23	HE 25 0019 107871584	5.27	DZ 21 0225 HE 23 0088		109	109	103	3.09 63 110	-0.84 56 92		0.71 100	1.57 60 102	2.40 46 106	3.69 56 107	0.61 46 100	5.49 36 86						0	
24	DZ 25 0307 109131334	12.04	DZ 23 0153 DZ 23 0293		110	112	103	3.13 61 110	-0.36 45 97		1.21 105	2.28 35 106	0.10 33 98	2.83 48 104	0.63 33 100	-3.71 24 110						0	
25	DZ 25 0040 109130088	10.39	DZ 23 0153 DZ 22 0353		100	95	103	0.98 61 96	-0.58 46 94		-0.09 92	0.01 34 95	0.90 33 101	0.94 49 96	-1.46 32 104	-5.99 24 117						0	

Ewe Selection List: Reproduction Index

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information				Parents		Selection Indices			EBV - Weights						EBV - Fertility							
Animal ID Regnr		% In- breeding	Sire ID Dam ID		Logix Merit Index	Growth Index	Ewe Index	Weaning Weight				Number Weaned	TWW		AFL		ILP		EPI	Times Lambd		
								Dir	Mat		Comb										Post-Wean	Acc
Active Breed Average:							100	100	100	1.56	-0.01		0.77	1.06	0.68	1.96		0.51	0.14			
26	HE 25 0238 108673153	5.14	HE 22 0037 HE 20 0062	103	105	102	1.91 63	-0.11 55 100		0.85 101	2.07 56	1.60 42	2.76 55	5.81 40	3.01 28					0		
27	DZ 19 0331 86372844	6.17	JB 16 0084 DZ 16 0287	99	100	102	1.10 74	0.10 77 102		0.65 99	-0.37 55	0.70 65	1.62 73	3.51 59	1.63 53			100	6			
28	HE 25 0085 107871998	6.74	DZ 21 0225 HE 23 0082	106	109	102	2.57 63	-0.27 56 98		1.01 103	0.26 60	1.30 46	3.08 56	3.99 46	4.54 36				0			
29	DZ 25 0231 109131094	10.54	DZ 23 0153 DZ 20 0374	111	115	101	3.63 63	-0.48 50 96		1.34 106	2.89 38	-0.50 40	2.86 53	1.09 37	-2.78 31				0			
30	DZ 25 0077 109130294	9.48	DZ 23 0153 DZ 19 0354	104	104	100	2.25 64	-0.70 51 93		0.43 97	1.23 40	2.30 40	2.94 53	8.76 38	-4.08 31				0			
31	HE 24 0218 100310002	4.68	DZ 19 0389 SL 19 0046	100	99	100	1.48 64	-0.54 60 95		0.20 95	-0.19 58	0.30 51	1.12 59	-1.33 46	2.44 39				0			
32	HE 25 0069 107876138	6.30	HE 22 0037 HE 21 0092	105	112	100	2.68 64	0.11 55 102		1.45 107	2.16 58	-0.80 43	2.31 56	3.66 42	2.25 31				0			
33	HE 25 0133 107872350	6.63	DZ 21 0225 HE 23 0143	107	110	99	3.21 63	-0.90 57 91		0.71 100	2.52 60	1.10 47	2.98 57	2.43 46	2.47 37				0			
34	HE 24 0137 99507626	6.59	DZ 19 0389 HE 20 0009	99	98	99	1.43 64	-0.65 59 94		0.07 93	-0.51 58	0.20 51	0.90 59	-2.36 48	3.99 41				0			
35	HE 25 0274 109731976	14.04	HE 22 0037 SL 22 0066	101	109	99	2.03 63	0.38 53 105		1.40 107	2.39 57	-1.40 41	1.58 54	3.77 42	4.41 31				0			
36	HE 25 0080 107871956	12.20	HE 22 0110 DZ 22 0187	103	108	98	2.35 57	-0.09 47 100		1.08 104	1.39 52	-0.70 40	1.84 49	2.06 37	5.41 32				0			
37	HE 25 0277 109731638	5.04	DZ 21 0225 T 22 0212	99	100	98	1.67 64	-0.67 57 93		0.17 94	0.51 56	-0.10 44	0.94 57	-3.07 43	5.09 34				0			
38	DZ 25 0004 109129908	13.47	DZ 23 0153 DZ 20 0329	103	103	98	2.13 64	-0.74 51 93		0.33 96	1.29 36	-0.90 38	0.85 53	0.38 34	-9.81 27				0			

Ewe Selection List: Reproduction Index

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information			Parents		Selection Indices			EBV - Weights				EBV - Fertility										
Animal ID Regnr		% In-breeding	Sire ID Dam ID		Logix Merit Index	Growth Index	Ewe Index	Weaning Weight		Comb	Post-Wean		Number Weaned		TWW		AFL		ILP		EPI	Times Lambd
								Dir	Mat		EBV	EBV	EBV	EBV	Acc	Index	Acc	Index	Acc	Index		
Active Breed Average:							100	100	100	1.56	-0.01	0.77	1.06	0.68	1.96	0.51	0.14					
39	DZ 22 0214 94659984	9.15	DZ 21 0071 DZ 20 0209	100	105	97	1.90 61	-0.10 56	0.85 101	1.82 35	-3.90 46	-0.54 56	-6.93 45	-1.22 37			2					
40	DZ 25 0413 109169243	10.79	DZ 23 0053 DZ 19 0307	91	97	95	0.30 56	0.47 49	0.62 99	-1.37 38	-3.20 41	-1.15 50	1.50 37	-0.82 32			0					
41	DZ 25 0102 109130427	12.78	DZ 23 0153 DZ 19 0177	99	96	93	2.00 63	-1.70 50	-0.70 86	0.34 38	-1.60 39	-0.66 52	-4.73 36	-9.29 29			0					
42	T 24 0020 99793523	8.80	T 22 0061 T 21 0117	97	101	93	1.95 58	-0.83 46	0.15 94	0.50 29	-1.50 37	0.23 49	0.20 36	1.69 30			0					
43	T 24 0538 99797441	5.98	T 21 0095 T 18 0293	95	97	93	1.41 62	-0.76 53	-0.06 92	-0.20 29	-2.10 41	-0.62 54	-1.51 41	-0.41 31			0					
44	DZ 20 0005 89743827	8.92	DZ 17 0116 DZ 16 0226	96	103	93	1.72 74	-0.24 76	0.62 99	-0.87 51	-3.00 62	-0.32 72	2.22 57	-1.24 46	101		5					
45	HE 25 0252 109731562	6.31	DZ 21 0225 P 23 0052	99	106	92	2.49 63	-0.54 56	0.70 100	1.43 59	-2.40 46	0.50 56	1.49 45	3.52 37			0					
46	HE 25 0062 107876104	10.08	HE 22 0037 SL 19 0046	94	103	92	1.47 64	0.12 55	0.85 101	-0.21 56	-2.40 42	0.14 55	6.37 38	4.32 27			0					
47	DZ 25 0354 109171017	8.21	DZ 23 0149 DZ 20 0185	94	98	90	1.61 56	-0.84 46	-0.04 92	0.29 35	-3.00 37	-1.03 48	0.76 33	-2.76 27			0					
48	DZ 25 0447 111095287	7.52	HE 22 0163 DZ 22 0214	91	98	89	1.28 47	-0.42 41	0.22 95	0.51 34	-4.70 35	-1.96 42	-4.19 34	4.19 29			0					