



WAGYU BREEDING VALUE REPORT

September 2026



MR A.K. PEER

Herd Number: 561911


E-mail: akpeer@lagroup.co.za
admin@lafarms.co.za
harun@lafarms.co.za



**WAGYU
SOCIETY**
OF SOUTH AFRICA



**CERTIFICATE
OF QUALITY**
Valid up to
October 2029



Notes


GEBVi (GEBVindex): The average GEBVi of all the live animals in the breed is 100, and all EBVi values are expressed relative to this value. Values above 100 are mostly in a more desirable direction. Note that a very high index is not always desirable. For certain traits, such as birth weight, average values may be better. It is the top value in the list.

GEBV (Genomic Estimated Breeding Value) indicates the genetic potential of the animal for a specific trait. It is presented in the unit of measurement and relative to the average of animals born in the base year. It is the middle value in the list and not available for selection values.

Accuracy: This value gives an indication of how much information was available for breeding value estimation. It is the bottom value in the list.

Selection values combine similar breeding values in a scientific manner to simplify the selection of animals. For example, HF (Heifer Fertility), CF (Cow Fertility) and Longevity are

combined to form the Fertility Value by taking the heritability and economic importance in consideration.




* Depending on selection goal

GEBVi		Description / Measurement	Goal		General Guidelines*					
					80	90	100	110	120	
Selection V.	Calving Ease Value	Difficult calving due to high birth weight	Average birth weight	High						Low
	Calf Growth Value	Calf's genetic ability for prewean growth	Heavy weaner	Light						Heavy
	Milk Value	Cow's genetic mothering and milking ability	Enough milk for calf	Less						More
	Maintenance Value	Maintenance requirement of cow (weight and milk)	Low cow maintenance	High					*	Low
	Fertility Value	Fertility and retention of cows and heifers	Fertile cows	Low						High
Cow & Calf	Birth weight direct	Birth weight (Calf's genetic ability)	Average birth weight	Heavy						Light
	Birth weight mat	Birth weight (Dam's genetic ability)	Easy calving	Heavy						Light
	Weaning weight direct	Weaning weight (Calf's genetic ability)	Heavy weaners	Light						Heavy
	Weaning weight mat	Weaning weight (Dam's genetic ability)	Good mothers	Poor						Good
	Post-wean weight	Combination of EBVs for 12 and 18 month weights	Mature weight	Light				*	*	Heavy
	Mature Cow Weight	Cow weight at weaning of first three calves	Mature cow weight	Light				*	*	Heavy
Ferti.	Heifer Fertility	Age at first calving	Fertile heifers	Less						More
	Cow Fertility	First 3 inter-calving periods (ICPs)	Fertile cows	Less						More
	Longevity	Retention of progeny	Acceptable progeny	Poor						Good
Carcass	IMF	Intra-muscular-fat, Marbling	High quality carcass	Less						More
	Carcass weight	Weight of the carcass	High quality carcass	Light						Heavy
	EMA	Eye-muscle-area at the 12/13th rib of the dressed carcass	High quality carcass	Small						Large
	Rib Fat	Rib fat depth at the 12/13th rib of the dressed carcass	High quality carcass	Thin						Thick
	Marbling Fineness	Degree of fineness of marbling fat	High quality carcass	Low						High

Herd and Breed Averages

Number 473



Breeding Values (EBV):

Birth: Birth weight
 Wean: Weaning weight
 Birth.mat: Birth mat
 Milk: Milk
 Postwn: Postwean weight
 Matwt: Mature weight
 HF: Heifer Fertility
 CF: Cow Fertility
 LL: Longevity
 IMF: Marbling
 Carcwt: Carcass wt
 EMA: Eye muscle area
 RibFatt: Rib Fat thickness
 MF: Marbling Fineness

Selection values:

CEaseV: Calving Ease Value
 CGrowthV: Calf Growth Value
 MilkV: Milk Value
 MaintV: Maintenance Value
 FertV: Fertility Value

	Trait	EBV Herd	EBV Index	EBV Breed
Prewean growth	Birth Weight	0.64	106	1.23
	Wean Weight	1.3	96	2.9
	Birth Mat.	-0.22	96	-0.38
	Milk (Wn.Mat.)	8.0	99	8.7
Postwean growth	Postwean wt	3.4	96	6.4
	Mature weight	-3	94	6
	Heifer Fertility	-6.0	105	-2.9
Fertility	Cow Fertility	-0.3	104	0.5
	Longevity	6.4	103	5.2
Carcass	IMF	0.3	96	0.8
	Carcass weight	-4.6	92	0.8
	EMA	-0.2	94	0.8
	Rib Fat	0.2	103	-0.1
	MF	1.0	110	-0.5

Selection Value	Herd Avg
Calving Ease Value	106
Calf Growth Value	96
Milk Value	99
Maintenance Value	106
Fertility Value	105


- Average of live animals in the breed: 100
- Above 100: **more favourable**,
- Below 100: **less favourable**

What does a sub-selection value above breed average (100) mean?:

Calving ease: Smaller calf at birth - easier calving
 Calf growth: Heavier calves at wean due to growth potential of the calf
 Milk: Cows with more milk and better mothering ability
 Maintenance: Animals with low maintenance requirements (lower mature weight).
 Fertility: Cows/daughters that calve

Genetic Trends for On-Farm Traits

The graphs show the genetic gain of the herd relative to the breed. Only data of animals with measurements are included.




Herd

Birth Year	Calving Ease				Calf Growth			Milk			Maintenance					Fertility						
	Birth Weight		Mat EBV	Calv. Ease	Weaning Weight		Calf Growth	Milk (Wn.Mat.)		Milk	Postwean Weight		Mature Weight		Mainte- nance	Heifer Fert.		Cow Fert.		Longevity		Ferti- lity
	Number	EBV			Number	EBV		Number	EBV		Number	EBV	Number	EBV		Number	EBV	Number	EBV	Number	EBV	
2016															1		6.8			1	-0.5	98
2017															3		-8.3	1	-0.9	15	2.1	110
2018	38	0.26	-0.36	112	2	2.9	100	2	3.66	91					10		-14.6	2	-1.3	29	2.3	119
2019	28	-0.14	-0.19	115											2		-10.0			14	0.2	105
2020	26	-0.06	0.45	107															4	-7.0		
2021	29	-0.46	-0.21	116															1	5.0		
2022	28	-0.22	0.46	107															2	-1.3		

Breed

Birth Year	Calving Ease				Calf Growth			Milk			Maintenance					Fertility						
	Birth Weight		Mat EBV	Calv. Ease	Weaning Weight		Calf Growth	Milk (Wn.Mat.)		Milk	Postwean Weight		Mature Weight		Mainte-nance	Heifer Fert.		Cow Fert.		Longevity		Ferti-lity
	Number	Dir EBV			Number	EBV		Number	EBV		Number	EBV	Number	EBV		Number	EBV	Number	EBV	Number	EBV	
2016	667	0.14	0.06	106	280	0.5	94	280	6.43	96	213	2.7	17	-11	110	777	-1.4	388	-0.8	6318	-0.5	102
2017	787	0.41	0.21	102	405	0.6	94	405	3.76	91	309	0.1	33	-9	111	791	-1.9	308	-0.6	10308	-0.4	102
2018	1180	0.44	0.12	103	815	-1.4	89	815	2.45	88	823	-0.9	19	-23	113	665	-4.6	407	-1.0	9232	2.0	106
2019	1379	0.55	0.15	102	901	0.1	93	901	1.30	86	896	0.6	27	-30	112	1006	-2.8	469	-0.6	11910	1.7	103
2020	2115	0.65	-0.03	102	556	2.3	98	556	7.29	97	273	6.2	24	-7	103	665	-4.3	269	-1.0	11395	1.2	106
2021	2374	0.55	-0.10	103	589	0.4	94	589	4.13	91	253	0.2	19	-6	112	405	-6.0	158	-1.5	9292	1.5	108
2022	2062	0.42	-0.18	105	461	2.0	98	461	1.65	87	246	2.4	15	15	110	306	-2.8	72	-0.6	4200	2.1	103
2023	1637	0.34	-0.31	107	461	2.0	98	461	1.21	86	160	2.0	5	-3	111	121	-6.6	11	-0.6			110
2024	1413	0.39	-0.30	107	311	2.5	99	311	1.86	87	36	14.0			97	15	-2.4					101
2025	1478	0.37	-0.14	106	386	2.5	99	386	0.24	84												
2026	307	0.25	-0.03	106																		

Genetic Trends for Carcass Traits



Herd

Birth Year	Carcass														
	IMF			Carcass weight			EMA			RibFat			Marble Fineness		
	Number	EBV	EBVi	Number	EBV	EBVi	Number	EBV	EBVi	Number	EBV	EBVi	Number	EBV	EBVi
2015															
2016															
2017	10	0.6	98	9	-2.3	96	10	0.4	98						
2018	20	0.0	94	20	1.2	101	20	0.9	101						
2019	9	0.1	94	9	1.5	101	9	-0.4	93						
2020	3	1.6	107	3	-13.2	80	1	-0.6	91						
2021															
2022															

Breed

Birth Year	Carcass														
	IMF			Carcass weight			EMA			Rib Fat			Marble Fineness		
	Number	EBV	EBVi	Number	EBV	EBVi	Number	EBV	EBVi	Number	EBV	EBVi	Number	EBV	EBVi
2013	17	0.6	99	776	-0.1	99	361	0.8	100	346	0.2	103	5	-4.6	74
2014	16	-1.0	86	541	-3.8	94	301	1.7	106	269	-0.1	100	4	0.0	103
2015	36	-0.5	90	589	-7.1	89	548	1.0	102	520	-0.1	100	6	0.3	105
2016	124	-0.8	87	588	-0.3	98	322	0.1	96	211	0.3	105	5	2.1	117
2017	732	-0.4	90	1244	-0.2	99	1116	0.1	95	272	0.0	102	17	0.3	105
2018	1946	0.0	94	1969	0.0	99	1940	0.0	95	87	0.0	101	22	0.0	103
2019	2812	0.3	96	2823	-1.3	97	2753	0.8	100	212	-0.5	96	61	0.4	106
2020	4627	0.7	99	4682	-0.6	98	4656	0.5	98	713	-0.3	98	92	-1.2	95
2021	3444	0.9	101	3606	-0.3	98	3596	0.6	99	3275	-0.2	99	531	-0.6	99
2022	3277	1.0	101	3324	-0.9	98	3275	0.4	97	3191	-0.3	97	2749	-1.0	97
2023	1839	1.1	103	1845	1.3	101	1836	0.6	99	1795	0.0	101	1841	-1.0	96
2024	17	-0.6	89	17	1.3	101	17	0.5	98	16	-0.5	96	17	0.1	103

WAGYU Sires

Sire			Growth						Carcass					Stats				
ID	Parentage	Sire ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Daughters with calves	Active 2yrs & older	Carcasses
Name	Gen. DNA	Dam ID																
AKAUSHI																		
2142A		AF6808	93	125	122	127	106	94	80	96	99	94	113	11	40	11	11	
FB		B3518R	1.95	13.1	19.6	29.0	15	5.5	-1.8	-2.3	0.7	-0.7	1.6					
HEARTBRAND RHUBARB 2142A			74%	47%	70%	66%	10%	14%	55%	54%	48%	41%	19%					
AF320		FB2998	106	138	135	138	124	88	74	137	89	99	99	9	35	12	9	4
FB		AF133	0.64	18.4	28.0	37.3	40	2.2	-2.5	27.2	-0.9	-0.2	-0.6					
HEARTBRAND B0066M			71%	50%	56%	51%	19%	20%	56%	56%	49%	34%	25%					
AF4215		IMUFN2125	91	126	120	122	107	86	92	105	107	99	98	12	32	8	9	1
FB		AF213	2.07	13.3	18.5	24.9	16	1.1	-0.2	4.5	1.9	-0.2	-0.7					
HEARTBRAND TERMINATOR T3810S			68%	26%	42%	40%	17%	19%	51%	51%	44%	37%	27%					
AF6914		IMUFN2125	94	120	120	124	111	87	87	95	119	75	95	7	37	10	6	4
FB		AF113	1.82	11.2	18.7	25.9	22	1.8	-0.8	-2.9	3.8	-2.5	-1.3					
HEARTBRAND T0001M			82%	75%	78%	79%	13%	27%	53%	51%	45%	30%	20%					
ARWFH0018		ACCFE0161	109	138	135	136	116	86	92	85	117	76	95	7	23	6	11	1
FB		CCOFE0424	0.37	18.4	27.8	35.7	29	1.3	-0.2	-10.1	3.4	-2.4	-1.3					
ACADEMY RED WAGYUS TAMBO H18			58%	18%	34%	54%	12%	12%	35%	34%	29%	21%	15%					
BA 150369		HBCFV2139	93	108	103	106	93	82	143	99	121	104	65	26	654	55	104	46
FB		B563	1.94	6.1	8.1	12.6	-4	-0.9	6.2	0.0	3.9	0.3	-6.1					
WOODVIEW MR MARBLING			96%	83%	69%	55%	35%	69%	89%	88%	84%	73%	51%					
BB 150109		C0402	98	149	143	137	139	81	104	110	123	65	65	6	72	11	4	9
FB		C767	1.47	22.6	33.1	36.2	62	-1.5	1.3	8.0	4.4	-3.4	-6.1					
BB150109			94%	92%	93%	91%	82%	83%	86%	86%	85%	84%	82%					
BB 150113		C0402	85	149	141	136	136	82	94	104	129	64	73	6	97	19	11	7
FB		C767	2.70	22.6	31.5	35.8	57	-1.0	0.1	3.3	5.2	-3.6	-4.8					
BB150113			95%	94%	94%	92%	83%	84%	86%	86%	85%	85%	83%					
BB 150114		HBCFV2139	104	120	113	115	109	85	107	101	98	76	70	3	67	11	31	19
FB		OHVFA0045	0.82	10.9	14.2	19.3	19	1.0	1.7	1.7	0.5	-2.4	-5.2					
BB15-114			80%	44%	55%	53%	40%	38%	76%	75%	69%	74%	43%					
BB 150115		C0402	95	149	140	135	138	83	104	123	127	53	53	5	131	13	51	34
FB		C767	1.73	22.6	31.1	34.6	61	-0.4	1.3	16.8	5.0	-4.5	-8.0					
BB15-115			87%	84%	84%	84%	82%	82%	90%	90%	88%	88%	82%					
BB 150146		HBCFV2139	99	139	133	133	122	84	90	87	102	97	105	3	19	13	15	
FB		C647	1.32	18.5	26.9	33.3	38	0.3	-0.4	-8.7	1.0	-0.4	0.4					
ROBERT			62%	39%	68%	67%	33%	36%	53%	53%	50%	49%	42%					

WAGYU Sires

Sire			Growth						Carcass					Stats				
ID	Parentage	Sire ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Daughters with calves	Active 2yrs & older	Carcasses
Name	Gen. DNA	Dam ID																
AKAUSHI																		
CCCFH0037		B0125	87	138	133	135	114	82	111	75	118	82	91	25	135	52	41	2
FB		B218	2.48	18.3	26.6	35.0	27	-0.8	2.2	-16.8	3.6	-1.8	-2.0					
BALD RIDGE HENSHIN			96%	94%	95%	95%	94%	94%	95%	95%	94%	94%	94%					
FB13429		FB102	105	149	151	150	129	94	45	109	87	130	156	6	30	10	5	3
FB	FB11275	0.77	22.6	37.6	46.9	47	5.5	-6.2	7.1	-1.3	2.7	8.4						
JUDO ICHIRO Y020		77%	48%	54%	47%	26%	35%	71%	70%	64%	54%	30%						
FB14115		FB9979	101	129	124	127	114	95	85	106	91	115	112	2	10	8	3	2
FB	FB3375	1.15	14.4	20.8	28.4	26	6.1	-1.1	5.3	-0.6	1.3	1.4						
SOR KUNISAKI		60%	19%	43%	24%	21%	21%	58%	57%	51%	29%	16%						
FB14989		FB101	86	125	122	125	123	107	93	126	96	114	96	15	97	23	39	15
FB	FB12815	2.60	13.1	19.7	27.2	39	12.5	-0.1	19.2	0.1	1.2	-1.1						
JC RUESHAW 75		83%	46%	64%	66%	52%	58%	79%	78%	71%	49%	34%						
FB2998		DAI10	92	142	132	135	118	85	96	100	93	89	89	15	126	62	32	
FB	FB2120	2.00	19.7	26.1	34.8	32	0.7	0.3	0.5	-0.3	-1.1	-2.1						
HB BIG AL Q502		87%	45%	63%	50%	38%	35%	67%	66%	60%	58%	44%						
HBCFV2139		AL502	106	109	104	109	91	88	101	90	86	83	85	35	178	80	50	5
FB		J19461	0.64	6.8	8.8	14.6	-7	2.4	1.0	-6.1	-1.4	-1.7	-2.8					
HEART BRAND RED EMPEROR (USA)			97%	94%	96%	95%	94%	94%	96%	96%	95%	95%	94%					
IMUFN2125		DAI5 96	106	120	117	119	107	86	91	79	123	91	108	14	83	46	8	
FB	J19461	0.67	11.0	16.5	22.7	16	1.5	-0.4	-13.9	4.3	-1.0	0.8						
TAMAMARU (USA)		77%	47%	55%	54%	27%	33%	64%	63%	57%	53%	34%						
J251830R		DAI10	104	138	129	129	127	83	97	98	105	64	80	14	85	42	18	
FB	92958WGU	0.83	18.2	24.0	29.9	44	-0.2	0.4	-0.4	1.6	-3.6	-3.6						
HIKARI J251830R		84%	52%	63%	53%	40%	45%	68%	68%	61%	61%	46%						
JAPANESE BLACK																		
148BE		J10632	134	81	75	73	69	72	138	51	111	96	94	88	1670	582	199	34
FB		85H	-2.04	-4.9	-9.8	-13.4	-39	-6.1	5.6	-33.7	2.4	-0.5	-1.4					
ITOSHIGENAMI 148BE			99%	99%	99%	99%	99%	99%	99%	99%	99%	99%	99%					
AACFF0758		AACFB0545	68	149	138	132	135	75	101	157	87	134	93	17	180	63	61	19
FB	WESFZ0084	4.33	22.6	30.0	32.4	56	-4.7	1.0	40.8	-1.3	3.2	-1.5						
WESTHOLME HIRAMICHI TSURU		94%	82%	59%	71%	41%	54%	87%	87%	83%	78%	68%						

WAGYU Sires

Sire			Growth					Carcass					Stats					
ID	Parentage	Sire ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Daughters with calves	Active 2yrs & older	Carcasses
Name	Gen. DNA	Dam ID																
JAPANESE BLACK																		
AKW 180052		BA 140004	108	101	95	97	84	88	87	78	94	68	107	1	1		1	
FB		HJ 140018	0.44	3.3	3.0	5.5	-17	2.1	-0.8	-14.6	-0.1	-3.2	0.7					
AKW180052			72%	42%	35%	29%	27%	32%	48%	48%	45%	36%	27%					
BA 060107		BA 000024	118	100	99	101	107	117	86	124	87	110	108	3	167	72	9	6
FB		BA 010025	-0.47	2.9	5.5	8.2	16	17.6	-1.0	17.8	-1.3	0.8	0.8					
THUNDER BOL			97%	84%	56%	61%	64%	88%	69%	68%	61%	32%	19%					
BA 090327		IMUFM1615	147	76	67	71	55	39	118	80	123	99	110	11	357	68	43	102
PEN		KJDFB0075	-3.29	-6.7	-14.2	-15.5	-58	-23.4	3.1	-13.0	4.3	-0.2	1.2					
REPUBLIC MICH			97%	83%	73%	74%	66%	75%	94%	94%	92%	87%	54%					
BA 090330		ETJ001	113	94	81	83	83	59	87	86	111	89	113	7	154	48	25	10
FB		KJDFY0011	-0.07	0.6	-5.5	-6.1	-18	-12.9	-0.8	-9.2	2.6	-1.1	1.7					
QUEST 001			94%	74%	62%	58%	59%	67%	81%	80%	76%	56%	40%					
BA 120718		BA 090328	99	107	95	92	96	75	89	95	106	100	119	1	41	18	12	3
FB		BA 090321	1.33	5.8	2.9	1.2	1	-4.7	-0.6	-2.9	1.7	-0.1	2.5					
ZEBULON			89%	62%	52%	58%	43%	52%	64%	64%	59%	53%	40%					
BA 120750		IMUFQTF147	117	93	87	89	84	81	92	96	87	90	102	2	25	10	9	
FB		BA 090338	-0.46	0.0	-2.1	-1.4	-16	-1.2	-0.2	-1.7	-1.2	-1.1	-0.2					
TIGER			72%	59%	57%	58%	51%	56%	59%	63%	60%	58%	42%					
BA 130975		BA 090319	121	80	80	85	79	83	91	79	90	84	110	7	94	31	34	6
FB		BA 040044	-0.79	-5.3	-6.2	-4.5	-23	-0.3	-0.4	-14.1	-0.8	-1.6	1.2					
BA 130975			95%	93%	92%	92%	92%	93%	93%	93%	93%	92%	92%					
BA 140004		ETJ002	108	108	100	102	88	94	70	72	92	73	121	5	82	10	14	10
FB		BA 010039	0.46	6.2	6.1	9.1	-12	5.7	-3.1	-19.2	-0.5	-2.7	2.9					
WOODVIEW BA14-004			94%	65%	48%	39%	37%	47%	76%	76%	70%	52%	39%					
BA 150370		148BE	123	84	77	77	76	75	120	82	112	100	94	3	92	5	82	3
FB		BA 120746	-0.96	-3.7	-8.3	-10.3	-29	-4.4	3.3	-12.2	2.7	-0.1	-1.4					
WOODVIEW BA15-370			87%	64%	60%	63%	56%	59%	61%	62%	60%	57%	50%					
BA 160745		BA 130923	104	81	86	85	99	112	91	92	89	113	117	4	8	2	1	1
PBD		CWBFBA 130836	0.86	-4.6	-2.9	-3.9	4	15.0	-0.4	-5.1	-0.9	1.1	2.3					
WOODVIEW BA160745			48%	42%	29%	26%	26%	29%	41%	41%	38%	25%	18%					
BA 160808		FB9866	121	96	91	93	81	87	112	112	102	106	97	3	6		1	
PBD		BA 110571	-0.82	1.3	0.6	1.9	-20	1.8	2.3	9.2	1.0	0.5	-1.0					
WOODVIEW BA160808			74%	47%	27%	26%	36%	41%	47%	47%	43%	35%	23%					

WAGYU Sires

Sire				Growth					Carcass					Stats							
ID	Parentage	Sire ID	Gen. DNA	Dam ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Daughters with calves	Active 2yrs & older	Carcasses	
Name																					
JAPANESE BLACK																					
BA 170026		BA 130823	✓		131	93	90	91	85	91	112	97	71	102	98						
PBD		BA 140085	✓		-1.75	0.1	-0.3	0.4	-15	4.1	2.3	-1.5	-3.7	0.1	-0.8	2	12		12		
WOODVIEW BA170026					78%	45%	31%	35%	31%	34%	52%	52%	50%	46%	38%						
BB 110001		Y398	✓		138	76	71	76	76	84	102	68	75	83	109						
FB		KJDFC0142	✓		-2.45	-6.7	-12.2	-11.6	-28	0.4	1.0	-21.8	-3.1	-1.7	1.0	2	7	3	3		
IZIBULO					68%	53%	39%	34%	26%	39%	43%	43%	41%	38%	28%						
BB 110011		TFWFW0629	✓		133	88	77	78	77	70	91	77	81	127	142						
FB		KJDFC0007	✓		-1.97	-2.0	-8.5	-9.4	-26	-7.2	-0.3	-15.1	-2.1	2.4	6.1	4	41	11	12	13	
BB 110011					82%	65%	67%	49%	36%	49%	73%	73%	67%	48%	37%						
BB 120023		TFWFW0629	✓		141	71	69	72	75	85	90	86	84	125	138						
FB		KJDFC0099	✓		-2.76	-8.9	-13.0	-14.1	-29	0.8	-0.5	-9.1	-1.7	2.3	5.6	2	42	19	20		
BB 120023					87%	75%	82%	70%	29%	45%	56%	56%	53%	47%	33%						
BB 120028		TFWFW0629	✓		120	77	66	67	60	83	95	55	75	111	140						
FB		KJDFE0001	✓		-0.74	-6.2	-15.2	-18.0	-50	-0.1	0.1	-30.8	-3.1	1.0	5.8	3	163	55	107	4	
BB 120028					95%	79%	80%	48%	32%	54%	66%	65%	61%	48%	35%						
BB 140001		WESFZ0278	✓		136	90	82	84	82	76	119	48	95	57	96						
FB		KJDFD0023	✓		-2.22	-1.2	-5.1	-5.3	-20	-3.9	3.2	-36.0	0.0	-4.2	-1.2	5	302	28	32	224	
HIRASHIGETEYASU					91%	69%	70%	40%	36%	46%	96%	96%	94%	53%	34%						
BB 160202		FB8092			106	91	94	93	98	102	102	105	104	99	95						
PBD		CWBFBFA 130827			0.68	-0.5	2.4	2.2	3	9.7	1.1	4.1	1.4	-0.2	-1.3	1	1		1		
BB160202					38%	22%	21%	20%	15%	20%	36%	37%	35%	34%	25%						
BDWFM0495		BDWFY0408			126	57	54	62	57	75	120	101	97	115	104						
FB					-1.26	-14.3	-22.9	-22.6	-55	-4.4	3.3	1.6	0.3	1.3	0.1	39	333	88	100	71	
MACQUARIE PRELUDE M0495					98%	97%	98%	97%	97%	97%	98%	98%	97%	97%	97%						
BIMFE0003		85H			101	105	102	104	99	88	92	129	85	117	107						
FB		KJDFB0050			1.11	5.0	7.5	10.7	5	2.3	-0.2	21.1	-1.6	1.5	0.7	7	53	13	6	2	
BIMBI ITOSHIGEFUJI 2/1					81%	51%	52%	40%	40%	49%	72%	75%	66%	52%	31%						
CP 130304		KJDFC0087	✓		114	90	85	83	87	86	121	103	112	110	110						
FB		KJDFC0082	✓		-0.11	-1.1	-3.6	-5.7	-12	1.4	3.5	2.8	2.6	0.9	1.1	5	108	46	18	11	
CP130304					91%	80%	64%	63%	46%	81%	71%	71%	66%	56%	46%						
CP 130307		TFWFW0629	✓		125	117	104	103	102	78	95	107	99	128	122						
FB		KJDFB0086	✓		-1.21	9.7	8.6	10.1	9	-2.7	0.1	5.9	0.7	2.6	3.0	7	211	62	47	24	
CP 130307					95%	85%	63%	61%	29%	83%	76%	76%	70%	54%	34%						

WAGYU Sires

Sire				Growth						Carcass					Stats				
ID	Parentage	Sire ID		Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Daughters with calves	Active 2yrs & older	Carcasses
Name	Gen. DNA	Dam ID																	
JAPANESE BLACK																			
ETJ002		J1555		113	112	99	102	91	95	64	90	85	95	129					
FB		J565554		-0.06	7.7	5.6	9.0	-6	6.0	-3.8	-6.3	-1.6	-0.5	4.2	18	85	44	16	2
ITOMORITAKA J2703 HONGEN (JAP)				87%	64%	64%	55%	48%	57%	76%	77%	72%	62%	43%					
FB9866		100FB598		109	106	100	101	84	104	115	129	95	114	88					
FB		100FB662		0.36	5.3	6.1	8.6	-17	10.6	2.7	21.4	0.1	1.2	-2.4	8	193	54	29	14
ITOZURU DOI ETN02 TF 771				96%	83%	36%	35%	63%	69%	79%	78%	72%	53%	37%					
HWKFA0002		WESFY0269		106	100	96	100	85	75	102	87	93	88	106					
FB		WESFX0266		0.70	2.9	3.5	7.5	-15	-4.7	1.1	-8.5	-0.3	-1.3	0.4	4	36	17	25	5
HAWKESBURY HARUNAMI A2				71%	48%	34%	19%	16%	45%	79%	78%	73%	72%	60%					
IMUFQTF147		J483		88	108	102	106	90	94	72	103	70	91	108					
FB		J920752		2.36	6.2	7.4	12.4	-8	5.5	-2.8	3.1	-3.9	-1.0	0.8	36	651	238	25	1
ITOSHIGEFUJI TF147				97%	98%	97%	98%	94%	96%	95%	98%	96%	96%	93%					
KF 120007		WESFA0107		120	106	95	96	84	61	59	131	76	116	144					
FB		KJDFC0084		-0.74	5.2	3.1	4.8	-17	-11.9	-4.4	22.8	-3.0	1.5	6.5	17	149	51	28	17
HIRAHİYASA-01				82%	60%	69%	59%	35%	55%	81%	80%	75%	57%	38%					
KI 140010		OVE 080002		106	90	85	89	79	77	92	63	81	81	120					
FB		BA 080212		0.70	-1.2	-3.3	-0.7	-24	-3.7	-0.2	-25.2	-2.2	-1.9	2.8	7	309	18	92	180
KI 140010				81%	67%	77%	70%	40%	53%	96%	96%	94%	82%	42%					
KKWFA0871		WESFX0179		125	73	70	75	79	55	67	50	112	48	127					
FB		KKWFW0784		-1.19	-7.8	-12.6	-12.1	-23	-15.3	-3.4	-34.7	2.7	-5.0	3.8	19	132	65	24	9
KURO KIN TERUAKITSUKI				95%	91%	90%	90%	90%	92%	92%	93%	92%	91%	89%					
MOYFF0054		IMUFQ2599		121	48	47	56	47	72	98	117	129	116	100					
FB		MOYFB0430		-0.84	-17.9	-26.7	-26.8	-70	-6.3	0.5	12.5	5.3	1.4	-0.5	31	142	58	17	24
MOYHU F054				95%	92%	93%	91%	90%	92%	95%	95%	94%	92%	91%					
OVE 080002		IMJFAJ2810		137	63	58	64	58	74	84	81	98	77	115					
FB		BYWZF0075		-2.36	-11.9	-20.0	-20.7	-54	-5.1	-1.2	-12.5	0.4	-2.3	2.0	43	761	155	134	154
KITATERA				99%	98%	97%	97%	96%	97%	98%	98%	97%	97%	96%					
RW 160002		KF 120007		128	97	88	90	84	67	84	118	67	122	129					
FB		KF 110004		-1.46	1.8	-1.5	-0.6	-17	-8.9	-1.3	13.3	-4.3	2.0	4.1	2	23	2	8	10
RW16002				77%	42%	47%	42%	25%	41%	71%	70%	63%	39%	27%					
TFWFW0629		IMJFMJ068		137	80	68	68	73	74	89	61	61	152	160					
FB		TFWFU0177		-2.36	-5.1	-13.8	-17.5	-32	-4.9	-0.6	-26.9	-5.3	4.9	9.0	24	115	45	19	5
TAKEDA FARM FUKUTSURU 004				97%	96%	96%	95%	94%	95%	97%	97%	96%	95%	94%					

WAGYU Sires

Sire			Growth						Carcass					Stats				
ID	Parentage	Sire ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Daughters with calves	Active 2yrs & older	Carcasses
Name	Gen. DNA	Dam ID																
JAPANESE BLACK																		
WC 160011		IMUFP0036	121	98	96	99	90	87	89	97	72	161	153					
FB		FB6831	-0.80	2.3	3.5	6.4	-8	1.8	-0.6	-1.7	-3.6	5.7	7.9	2	80	1	9	52
ITOMICHI MICH I 1611			94%	49%	64%	43%	41%	46%	91%	90%	85%	49%	35%					
WESFZ0278		ETJ001	106	108	105	110	96	85	99	93	104	46	77					
FB		0001	0.61	6.2	9.4	15.5	1	1.0	0.6	-4.0	1.5	-5.2	-4.2	40	146	35	35	11
WESTHOLME HIRASHIGETAYASU Z278			96%	95%	94%	93%	93%	93%	95%	95%	94%	94%	93%					
Y342		IMUFQTF147	87	107	101	106	90	99	64	109	72	80	113					
FB		T039	2.51	5.9	6.9	11.9	-8	8.3	-3.8	6.8	-3.5	-2.0	1.6	2	56	27	6	
BLACKMORE HIKOSHIGEFUJI Y342			92%	68%	56%	58%	59%	70%	67%	69%	64%	60%	41%					

WAGYU Dams

Dam			Growth					Carcass					Stats				
ID	Parentage	Sire ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name	Gen. DNA	Dam ID															
AKAUSHI																	
1099Z		S5394S	101	118	114	117	103	89	90	99	104	108	107	3	11	4	
FB		AF9825	1.15	10.2	14.9	20.7	11	2.9	-0.4	0.1	1.3	0.7	0.7				
HEARTBRAND 1099Z			48%	12%	43%	18%	6%	10%	41%	40%	35%	34%	26%				
AKW 180031	✓	HBCFV2139	100	132	125	125	113	85	87	106	107	89	95	1	1	1	
FB	✓	KALFC0708	1.25	15.7	21.6	27.3	25	0.6	-0.8	4.8	1.8	-1.1	-1.3				
AKW180031			57%	39%	54%	50%	33%	37%	50%	50%	47%	46%	40%				
BB 150104		HBCFV2139	107	109	105	108	96	87	106	92	110	87	86	2	4	1	
FB		B563	0.60	6.5	9.1	13.6	1	2.0	1.6	-4.9	2.4	-1.3	-2.7				
FUYUKO			57%	42%	51%	45%	35%	39%	51%	52%	49%	49%	40%				
BB 150117		✓ C0402	79	149	144	138	139	79	90	90	122	59	78	2	11	7	
FB	✓	OHVFA0045	3.24	22.6	33.3	37.5	62	-2.3	-0.5	-6.2	4.1	-4.0	-4.0				
BB150117			89%	85%	86%	86%	85%	84%	87%	87%	86%	86%	85%				
BB 150131		HBCFV2139	101	127	123	124	114	85	94	95	97	112	108	3	11	9	
FB		C647	1.09	14.0	20.5	26.5	26	1.0	0.1	-2.6	0.4	1.0	0.8				
HOMARE			63%	46%	57%	51%	40%	38%	55%	56%	52%	52%	43%				
BB 160201		ARWFH0018	98	119	123	124	111	103	96	92	109	88	95	1	2	1	
F1		BB3697	1.41	10.8	20.3	26.2	21	10.3	0.3	-4.7	2.2	-1.2	-1.2				
BB16201			66%	9%	17%	27%	6%	6%	17%	17%	15%	10%	7%				
BB 180092		2142A	103	116	112	117	101	90	93	94	105	90	100	1	1	1	
FB		BB 150104	0.97	9.4	13.7	20.6	8	3.5	-0.1	-3.6	1.5	-1.0	-0.5				
BB180092			51%	32%	43%	40%	18%	21%	37%	38%	34%	32%	22%				
C647		HBCFV2141	105	138	133	131	130	83	85	87	118	110	120	8	20	5	1
FB		VW95	0.80	18.2	26.7	31.4	49	-0.4	-1.2	-8.6	3.6	0.8	2.7				
KALANGA F C647			53%	31%	58%	56%	23%	23%	54%	54%	48%	44%	35%				
KALFC0708		HBCFV2141	96	149	145	141	136	81	73	121	128	95	104	7	11	2	1
FB		VW36	1.67	22.6	34.0	39.6	57	-1.3	-2.6	15.6	5.1	-0.6	0.2				
KALANGA F C708 (AI) (ET)			51%	31%	61%	54%	22%	29%	46%	45%	35%	35%	26%				
OHVFA0045		QW132	85	138	128	127	127	82	99	100	116	45	60	8	41	19	5
FB		VW45	2.71	18.1	23.6	28.8	45	-0.7	0.7	0.5	3.2	-5.3	-6.9				
HIDDEN VALE OHV45			91%	87%	89%	89%	87%	86%	90%	90%	89%	89%	86%				
V7202U		B3314R	100	132	128	131	116	90	98	115	111	101	91	2	8	3	
FB		B0078M	1.24	15.8	23.6	31.9	29	3.3	0.6	11.5	2.4	0.0	-2.0				
HEARTBRAND V7202U			44%	19%	26%	22%	14%	16%	49%	49%	43%	24%	17%				
WB 170004		HBCFV2139	102	134	126	125	117	85	95	106	105	74	76	1	6	6	
FB		CCCFH0018	1.02	16.8	22.3	27.4	31	0.5	0.2	4.7	1.6	-2.6	-4.3				
WB 17-004			57%	45%	51%	49%	34%	37%	53%	53%	51%	51%	43%				

WAGYU Dams

Dam				Growth						Carcass					Stats			
ID	Parentage	Sire ID		Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name	Gen. DNA	Dam ID																
JAPANESE BLACK																		
47576				94														
BS				1.85											1	1	1	
PEER 47576				29%														
82016-AN				91														
BS				2.11											1	1	1	
82016-AN				27%														
848-AN				90														
BS				2.25											1	1	1	
848-AN				29%														
861-AN				92														
BS				2.02											1	1	1	
861-AN				27%														
875				96														
BS				1.59											1	1	1	
PEER 875				24%														
AACFB0229		IMJFQ3161		123	89	85	88	80	76	98	86	98	103	117				
FB		WESFY0231		-1.04	-1.5	-3.3	-2.0	-22	-3.8	0.6	-8.7	0.4	0.2	2.3	2	5	5	
WESTHOLME TAKAMI 2 (AI)				38%	28%	29%	24%	22%	27%	39%	38%	34%	36%	19%				
AKW 170006	✓	BA 130975		108	89	91	93	87	93	93	88	93	89	105				
F2	✓	BA 151029		0.45	-1.6	0.2	2.3	-12	4.8	-0.1	-8.0	-0.4	-1.2	0.3	1	2	2	
AKW170006				54%	29%	23%	24%	19%	27%	32%	32%	30%	25%	17%				
AKW 170010	✓	148BE		107	96	92	93	84	88	113	80	98	96	96				
PBD	✓	BA 130821		0.54	1.1	1.2	1.7	-17	2.5	2.5	-13.1	0.5	-0.5	-1.1	1	1	1	
AKW170010				64%	56%	55%	55%	49%	54%	54%	56%	55%	55%	48%				
AKW 170011	✓	FB9866		110	99	95	96	83	95	112	109	98	107	95				
PBD	✓	BA 130824		0.26	2.4	3.1	4.3	-17	5.8	2.3	7.1	0.5	0.6	-1.3	1	1	1	
AKW170011				64%	50%	31%	31%	39%	45%	48%	48%	44%	37%	29%				
AKW 180004	✓	BB 150114		99	106	105	107	100	93	101	97	96	94	94				
F2	✓	BB 140042		1.30	5.2	9.0	12.7	7	5.1	0.9	-1.3	0.1	-0.6	-1.5	1	1	1	
AKW180004				71%	36%	42%	32%	21%	25%	40%	40%	37%	39%	23%				
AKW 180005	✓	BB 150115		102	114	108	107	107	88	100	105	110	83	85				
F2	✓	BB 150073		1.05	8.4	11.2	12.8	16	2.4	0.8	4.4	2.4	-1.7	-2.8	1	1	1	
AKW180005				70%	37%	40%	28%	17%	22%	45%	44%	41%	40%	18%				
AKW 180012	✓	BB 150114		103	108	105	105	105	94	94	96	96	94	99				
F2	✓	BB 140032		0.94	6.2	9.0	11.8	13	5.5	0.0	-2.4	0.2	-0.6	-0.7	1	1	1	
AKW180012				70%	31%	36%	34%	21%	24%	42%	42%	38%	38%	23%				

WAGYU Dams

Dam				Growth					Carcass					Stats				
ID	Parentage	Sire ID		Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name	Gen.	DNA	Dam ID															
JAPANESE BLACK																		
AKW 180017		✓ BB	150114	115	108	103	102	103	92	98	96	100	92	94	1	1	1	
F2		✓ BB	130009	-0.24	6.0	7.8	8.8	10	4.3	0.6	-2.1	0.8	-0.8	-1.4				
AKW180017				71%	36%	41%	40%	22%	25%	41%	40%	37%	38%	23%				
AKW 180020		✓ BB	150114	116	100	99	101	99	94	101	97	96	94	94	1	1	1	
F2		✓ BB	140030	-0.32	2.8	5.5	8.5	5	5.7	0.9	-1.3	0.1	-0.6	-1.5				
AKW180020				71%	29%	34%	32%	21%	22%	40%	40%	37%	39%	23%				
AKW 180029		✓ KF	120007	120	99	94	96	90	83	61	118	78	99	131	1	1	1	
FB		✓ BA	110474	-0.75	2.6	2.3	4.7	-8	-0.4	-4.1	13.5	-2.7	-0.2	4.4				
AKW180029				59%	37%	39%	34%	26%	37%	47%	47%	44%	34%	23%				
AKW 190019		✓ BA	150370	117	85	82	82	79	88	109	80	100	103	106	1	1	1	
F2		✓ BB	160129	-0.43	-3.1	-5.5	-6.3	-23	2.4	1.9	-13.6	0.8	0.2	0.5				
AKW190019				72%	38%	36%	34%	29%	33%	35%	35%	34%	31%	26%				
AKW 190109		✓ OVE	080002	125	72	65	68	62	78	93	90	87	110	123	1	1	1	
FB		✓ BB	120018	-1.24	-8.5	-16.0	-17.3	-48	-2.7	-0.1	-6.4	-1.2	0.9	3.2				
AKW190109				62%	54%	59%	56%	36%	50%	59%	59%	57%	49%	38%				
AKW 200026		✓ OVE	080002	123	83	74	76	72	80	89	72	97	93	124	1	1	1	
FB		✓ BB	120025	-1.00	-4.0	-10.0	-11.2	-34	-1.8	-0.6	-19.1	0.3	-0.8	3.3				
AKW200026				64%	55%	58%	56%	36%	50%	60%	60%	58%	53%	40%				
BA 010039		✓ ETJ003		129	93	92	93	83	94	84	67	92	70	113	6	63	10	3
FB		✓ BA	980016	-1.58	0.1	0.9	2.1	-19	5.6	-1.3	-22.7	-0.5	-2.9	1.6				
MEGAN 4TH				90%	72%	71%	55%	57%	67%	84%	83%	80%	65%	46%				
BA 060097			BA 000024	102	97	100	102	94	91	82	113	93	99	110	1	10	2	1
F2			BA 020050	0.99	1.6	6.2	8.9	-2	4.1	-1.4	9.9	-0.3	-0.2	1.1				
BLACK PEARL				81%	38%	26%	25%	26%	45%	43%	42%	37%	25%	16%				
BA 060112			BA 000024	109	105	107	107	107	119	102	103	95	90	91	1	9	4	
F2			BA 020226	0.35	4.9	10.2	13.2	16	18.6	1.1	2.9	0.0	-1.1	-2.0				
06 112				80%	44%	28%	25%	26%	55%	40%	39%	35%	28%	20%				
BA 070154			BA 000024	124	91	93	96	102	102	65	102	81	87	124	1	10	5	1
FB			BA 010025	-1.09	-0.9	1.8	4.6	9	10.0	-3.6	2.1	-2.2	-1.3	3.4				
CASTLE 7 154				82%	49%	31%	31%	36%	58%	60%	60%	55%	34%	22%				
BA 070177			BA 000024	93	104	110	111	107	116	105	116	102	101	88	1	9	1	1
F2			BA 030020	1.95	4.5	12.1	15.8	16	17.0	1.4	11.8	1.1	0.0	-2.3				
BLAIRMORE LOVERS LIS				80%	35%	25%	25%	26%	40%	42%	41%	36%	24%	16%				
BA 090294			BA 060107	104	87	89	91	89	88	80	115	89	104	113	1	8	4	
F3			BA 060097	0.89	-2.2	-0.8	0.4	-9	2.5	-1.7	11.1	-1.0	0.3	1.7				
BLACK PEARL 09 294				82%	51%	31%	33%	35%	58%	44%	44%	39%	24%	13%				

WAGYU Dams

Dam				Growth					Carcass					Stats				
ID	Parentage	Sire ID		Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name	Gen. DNA	Dam ID																
JAPANESE BLACK																		
BA 110474	✓	Y342		116	94	94	98	96	105	63	105	80	82	118	2	23	18	1
FB	✓	BA 070154		-0.35	0.5	2.3	5.6	1	11.4	-3.9	4.1	-2.4	-1.9	2.3				
CASTLE 11 474				79%	44%	34%	35%	40%	49%	49%	49%	44%	35%	24%				
BA 110560	✓	BA 090240		94	103	107	109	110	111	74	101	111	81	103	1	6	2	1
F2	✓	CWBFBA 080252		1.83	4.2	10.3	14.4	20	14.7	-2.5	1.2	2.5	-1.9	0.1				
BELLE 11 560				66%	29%	28%	27%	27%	31%	39%	38%	35%	25%	20%				
BA 120675	✓	IMUFQTF147		87	102	99	102	90	91	76	109	79	97	111	2	5	2	
PBD		BA 090294		2.50	3.6	5.4	8.8	-8	3.9	-2.3	7.1	-2.4	-0.3	1.2				
BLACK PEARL				79%	55%	50%	51%	45%	54%	48%	53%	50%	48%	30%				
BA 130086				107											1	1	1	
F1				0.56														
BA 130086				25%														
BA 130806	✓	148BE		108	92	90	91	87	87	105	79	108	91	100	2	5	2	1
F3		BA 110530		0.50	-0.4	0.1	0.2	-13	2.1	1.5	-14.0	2.0	-1.0	-0.5				
BA 130806				76%	52%	51%	51%	47%	51%	51%	52%	51%	51%	46%				
BA 130821	✓	IMUFQTF147		82	110	109	111	98	104	88	109	86	96	98	2	5	3	
F3		BA 070177		2.96	6.9	11.8	16.4	4	11.0	-0.7	7.5	-1.4	-0.5	-0.8				
BA 130821				78%	52%	49%	50%	43%	49%	48%	53%	50%	48%	30%				
BA 130824	✓	148BE		114	91	90	90	83	85	108	89	101	101	102	2	4	3	
F3		BA 060097		-0.12	-0.8	-0.4	-0.6	-18	0.8	1.8	-7.2	1.0	0.0	-0.1				
BA 130824				78%	54%	52%	51%	46%	57%	54%	55%	53%	51%	46%				
BA 130856	✓	IMUFQTF147		87	110	108	110	99	108	88	103	79	92	99	2	4	1	1
F3		BA 060112		2.51	6.9	10.9	15.4	4	12.9	-0.7	3.2	-2.5	-0.9	-0.6				
BA 130856				77%	53%	50%	50%	43%	53%	50%	55%	51%	49%	31%				
BA 130992		✓ ETJ002		112	107	100	102	70	106	68	72	76	95	137	3	19	7	2
FB		BA 010039		0.08	5.9	5.9	9.4	-37	11.7	-3.3	-19.2	-2.9	-0.5	5.4				
WOODVIEW BA130992				92%	90%	91%	90%	92%	91%	91%	91%	91%	90%	89%				
BA 130994	✓	ETJ002		117	108	100	103	87	100	72	74	94	86	125	2	5	4	1
FB		BA 010039		-0.43	6.2	6.3	9.7	-13	8.7	-2.8	-17.3	-0.1	-1.5	3.6				
WOODVIEW BA 130994				68%	51%	50%	42%	45%	50%	60%	61%	57%	47%	33%				
BA 140085	✓	FB9866		112	100	99	100	89	96	99	121	94	106	99	2	2	1	
F3	✓	BA 060097		0.04	3.0	5.2	7.5	-10	6.5	0.6	15.6	-0.1	0.5	-0.7				
BA 140085				77%	46%	22%	22%	34%	41%	45%	45%	40%	29%	20%				
BA 150474	✓	IMUFP0036		106	94	102	105	111	121	82	107	75	129	123	2	3	1	
PBD		CWBFBA 110566		0.63	0.7	7.3	11.6	22	20.1	-1.5	5.4	-3.1	2.7	3.1				
WOODVIEW BA15-474				56%	44%	42%	31%	32%	51%	43%	43%	41%	38%	28%				

WAGYU Dams

Dam				Growth						Carcass					Stats			
ID	Parentage	Sire ID		Birth	Wean	12 mnth	18 mnth	Mature	Milk	IMF	Carcass	EMA	Rib Fat	Marble	Herds	Progeny	Active	
Name	Gen.	DNA	Dam ID	weight	weight	weight	weight	weight			weight			Fineness			2yrs & older	Carcasses
JAPANESE BLACK																		
BA 150564	✓	BA 110540		115	94	99	101	89	98	92	80	92	87	107				
F2		BA 130065		-0.27	0.7	5.2	8.0	-10	7.7	-0.2	-13.5	-0.5	-1.4	0.6	1	1	1	
WOODVIEW BA15-564				70%	26%	24%	19%	19%	28%	44%	44%	41%	25%	19%				
BA 151026	✓	BA 120718		91	104	103	102	101	98	94	97	104	100	107				
F1		BA-ANG-116		2.15	4.5	8.2	9.3	7	7.9	0.1	-1.1	1.3	-0.1	0.7	1	2	1	1
WOODVIEW BA15-1026				51%	31%	26%	29%	21%	26%	32%	32%	29%	27%	20%				
BA 151029	✓	BA 120761		99	97	99	101	95	102	95	96	95	94	100				
F1		BA-ANG-119		1.29	1.7	5.8	8.1	-1	9.6	0.1	-1.9	0.0	-0.7	-0.5	1	3	3	
WOODVIEW BA15-1029				49%	30%	29%	29%	25%	28%	29%	31%	30%	29%	21%				
BA 151031	✓	BA 120752		88	99	102	103	95	98	88	118	106	94	102				
F1		BA-ANG-120		2.38	2.6	7.1	9.6	-1	7.6	-0.7	13.6	1.7	-0.7	-0.2	1	3	2	
WOODVIEW BA15-1031				55%	27%	24%	23%	18%	26%	39%	39%	36%	31%	25%				
BB 080009				94	104	115	115		130									
BS				1.83	4.7	15.4	19.0		24.9						1	1	1	
BB 080009				29%	27%	28%	29%		40%									
BB 120018	✓	TFFWW0629		126	76	67	69	66	81	101	98	77	143	131				
FB	✓	KJDFE0008		-1.32	-6.5	-14.4	-16.7	-42	-1.2	0.9	-0.3	-2.7	4.0	4.5	2	16	11	1
BUKEKA				68%	50%	73%	68%	32%	46%	68%	68%	65%	52%	37%				
BB 120022	✓	TFFWW0629		126	79	69	68	72	81	107	101	91	131	120				
FB	✓	KJDFE0008		-1.27	-5.5	-13.4	-17.5	-34	-1.6	1.7	1.4	-0.7	2.9	2.7	3	30	16	1
BUSHA				80%	51%	70%	69%	35%	47%	70%	70%	66%	59%	42%				
BB 120025	✓	TFFWW0629		114	101	89	87	86	86	93	62	96	109	133				
FB	✓	KJDFE0001		-0.17	3.2	-1.0	-2.9	-14	1.2	-0.1	-25.8	0.2	0.7	4.7	3	33	14	
NANSI				77%	56%	69%	66%	34%	47%	73%	73%	69%	65%	45%				
BB 120026	✓	TFFWW0629		111	97	85	84	83	83	110	76	70	155	142				
FB	✓	KJDFE0008		0.19	1.5	-3.2	-4.8	-19	-0.5	2.0	-15.9	-3.9	5.1	6.1	5	35	17	1
KHULU				80%	50%	70%	68%	32%	46%	76%	76%	71%	62%	45%				
BB 130001		BB 110002		124	86	88	86	98	92	91	88	102	111	120				
F1		BB 070009		-1.08	-2.9	-1.6	-3.3	3	4.6	-0.3	-7.7	1.1	0.9	2.7	3	4	2	
BEYOND BEEF BB130001				68%	60%	63%	64%	32%	35%	31%	31%	28%	21%	15%				
BB 130002		BB 110002		118	86	88	88	88	93	91	88	102	111	120				
F1		BB 070001		-0.54	-2.5	-1.5	-2.1	-11	5.1	-0.3	-7.7	1.1	0.9	2.7	2	5	4	
BEYOND BEEF BB 130002				74%	60%	63%	64%	32%	35%	31%	31%	28%	21%	15%				
BB 130004		BB 110002		127	85	81	78	84	94	91	88	102	111	120				
F1		BB 070024		-1.38	-3.3	-5.5	-9.9	-17	5.8	-0.3	-7.7	1.1	0.9	2.7	2	5	2	
BEYOND BEEF BB 130004				71%	60%	63%	64%	32%	35%	31%	31%	28%	21%	15%				

WAGYU Dams

Dam			Growth					Carcass					Stats				
ID	Parentage	Sire ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name	Gen. DNA	Dam ID															
JAPANESE BLACK																	
BB 130009		BB 110004	121	98	95	90	97	98	89	91	102	108	118	2	6	4	
F1		BB 080050	-0.83	2.1	2.8	-0.4	2	7.4	-0.6	-5.8	1.1	0.7	2.4				
BB 130009			73%	57%	61%	61%	18%	32%	30%	30%	28%	23%	17%				
BB 130013		BB 110002	125	91	89	88	92	88	91	88	102	111	120	2	5	2	
F1		BB 090034	-1.22	-0.7	-0.8	-1.8	-5	2.4	-0.3	-7.7	1.1	0.9	2.7				
BB 130013			73%	62%	65%	65%	15%	39%	31%	31%	28%	21%	15%				
BB 130018		BB 110003	109	81	84	85	83	100	81	89	89	100	123	2	5	1	1
F1		BB 090039	0.32	-4.6	-4.1	-4.1	-18	8.7	-1.7	-7.0	-1.0	-0.1	3.2				
BB 130018			71%	54%	58%	22%	12%	29%	50%	45%	40%	18%	13%				
BB 140003		BB 110002	140	76	77	78	84	90	91	88	102	111	120	2	4	2	
F1		BB 080015	-2.67	-6.6	-8.1	-9.8	-17	3.6	-0.3	-7.7	1.1	0.9	2.7				
BB 14 0003			73%	61%	65%	66%	15%	35%	31%	31%	28%	21%	15%				
BB 140005		BB 110002	122	89	90	91	90	94	91	88	102	111	120	3	4	2	1
F1		BB 080022	-0.95	-1.3	-0.3	0.1	-8	5.8	-0.3	-7.7	1.1	0.9	2.7				
BB 140005			73%	61%	65%	44%	15%	35%	31%	31%	28%	21%	15%				
BB 140006		BB 110002	113	106	105	104	100	100	91	88	102	111	120	1	3	3	
F1		BB 080013	-0.02	5.5	9.1	10.8	6	8.8	-0.3	-7.7	1.1	0.9	2.7				
BB 140006			72%	61%	65%	44%	15%	35%	31%	31%	28%	21%	15%				
BB 140010		BB 110002	115	98	98	98	97	94	91	88	102	111	120	2	4	2	
F1		BB 080005	-0.18	2.0	4.9	6.1	2	5.7	-0.3	-7.7	1.1	0.9	2.7				
BB 140010			73%	61%	65%	44%	15%	35%	31%	31%	28%	21%	15%				
BB 140027		BB 120023	136	75	83	85	88	100	95	93	93	113	117	1	1	1	
F1		BB 080021	-2.30	-7.1	-4.8	-4.2	-11	8.7	0.1	-4.2	-0.4	1.1	2.2				
BB140027			68%	58%	63%	35%	15%	31%	28%	28%	27%	24%	17%				
BB 140029		BB 120023	108	88	97	101	94	102	95	93	93	113	117	2	3	1	1
F1		BB 080014	0.42	-2.0	4.0	8.2	-2	9.7	0.1	-4.2	-0.4	1.1	2.2				
BB 140029			71%	58%	63%	58%	15%	31%	28%	28%	27%	24%	17%				
BB 140030		BB 120023	140	76	81	84	90	102	95	93	93	113	117	2	3	1	1
F1		BB 080016	-2.63	-6.8	-5.5	-5.2	-8	9.7	0.1	-4.2	-0.4	1.1	2.2				
BB 140030			71%	38%	41%	35%	15%	22%	28%	28%	27%	24%	17%				
BB 140032		BB 110002	113	92	93	92	100	103	80	90	94	113	127	2	4	2	1
F1		CWBFBB 090099	0.01	-0.3	1.4	1.3	7	10.1	-1.7	-6.5	-0.1	1.1	3.9				
1432			64%	45%	45%	44%	15%	28%	38%	38%	33%	21%	15%				
BB 140042		BB 120023	108	86	91	93	92	101	95	93	93	113	117	2	4	1	
F1		BB 080047	0.43	-2.9	0.7	2.3	-5	9.3	0.1	-4.2	-0.4	1.1	2.2				
BB 140042			71%	58%	63%	35%	15%	31%	28%	28%	27%	24%	17%				

WAGYU Dams

Dam				Growth					Carcass					Stats				
ID	Parentage	Sire ID		Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name		Gen. DNA	Dam ID															
JAPANESE BLACK																		
BB 140052			BB 110004	119	104	102	100	99	94	88	90	105	107	119	3	5	3	1
F1			BB 080052	-0.62	4.5	7.1	7.9	5	5.6	-0.8	-6.5	1.6	0.5	2.5				
BB 140052				72%	59%	62%	33%	18%	37%	36%	36%	32%	23%	17%				
BB 140057			BB 110002	122	74	74	76	76	92	91	88	102	111	120	1	3	2	1
F1			BB 080034	-0.87	-7.6	-10.1	-11.1	-28	4.6	-0.3	-7.7	1.1	0.9	2.7				
BB 140057				71%	61%	65%	44%	15%	35%	31%	31%	28%	21%	15%				
BB 140062			BB 110003	111	90	90	91	88	102	101	91	92	99	105	2	2	1	
F1			BB 090007	0.20	-1.3	0.1	0.5	-11	9.6	0.9	-5.7	-0.5	-0.2	0.3				
BB 140062				68%	30%	30%	22%	12%	28%	26%	25%	24%	18%	13%				
BB 150017			BB 110008	111	88	87	89	86	95	96	88	94	112	118	1	1	1	
F1			BB 090011	0.17	-2.0	-2.0	-1.4	-14	6.0	0.2	-7.9	-0.2	1.0	2.3				
BB15-0017				65%	36%	34%	28%	18%	25%	32%	32%	30%	24%	18%				
BB 150064		✓	BB 120023	118	84	89	91	90	102	95	93	93	113	117	1	1	1	
F1			BB 090043	-0.49	-3.3	-0.7	0.5	-8	9.9	0.1	-4.2	-0.4	1.1	2.2				
BB15-0064				68%	38%	41%	35%	15%	22%	28%	28%	27%	24%	17%				
BB 150073			BB 110008	115	74	74	77	76	93	96	88	94	112	118	1	1	1	
F1			BB 090041	-0.24	-7.5	-9.9	-10.4	-28	5.1	0.2	-7.9	-0.2	1.0	2.3				
BB15-0073				68%	57%	61%	28%	18%	33%	32%	32%	30%	24%	18%				
BB 150078			BB 120023	115	58	66	71	71	101	95	93	93	113	117	1	1	1	
F1			BB 090034	-0.21	-13.8	-14.8	-15.4	-35	9.4	0.1	-4.2	-0.4	1.1	2.2				
BB15-0078				69%	59%	64%	38%	15%	35%	28%	28%	27%	24%	17%				
BB 150087			BB 110002	104	115	114	113	110	98	91	88	102	111	120	1	1	1	
F1			BB 090047	0.88	9.0	15.1	17.7	20	7.9	-0.3	-7.7	1.1	0.9	2.7				
BB15-0087				68%	61%	65%	44%	15%	35%	31%	31%	28%	21%	15%				
BB 150122			FB14115	108	111	102	103	99	89	100	109	103	123	109	8	23	9	6
PBD			BB 120022	0.42	7.2	7.3	9.5	5	3.1	0.8	7.5	1.3	2.1	1.0				
KUNISAKE				62%	34%	44%	47%	37%	38%	66%	65%	58%	33%	23%				
BB 150141			FB13429	87	138	140	141	135	120	59	113	81	119	133	3	12	12	
PBD			CWBFBB 110007	2.49	18.2	31.2	39.3	57	19.5	-4.4	9.9	-2.1	1.8	4.8				
JUDO ICHIRO				58%	40%	39%	24%	44%	47%	41%	40%	36%	32%	20%				
BB 160043			BB 140001	94	101	102	102	104	109	102	80	94	81	98	1	1	1	
F2			CWBFBB 140017	1.80	3.3	7.3	8.9	12	13.3	1.0	-13.0	-0.1	-1.9	-0.7				
BB160043				50%	35%	35%	20%	18%	23%	48%	48%	47%	27%	17%				
BB 160051			BB 140001	100	99	100	100	104	108	102	80	94	81	98	1	3	3	
F2			CWBFBB 140014	1.19	2.5	6.1	7.4	12	12.9	1.0	-13.0	-0.1	-1.9	-0.7				
BB160051				59%	35%	35%	20%	18%	23%	48%	48%	47%	27%	17%				

WAGYU Dams

Dam				Growth					Carcass					Stats				
ID	Parentage	Sire ID		Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name		Gen. DNA	Dam ID															
JAPANESE BLACK																		
BB 160053			BB 140001	112	96	97	97	104	107	102	80	94	81	98				
F2			CWBFBB 140054	0.10	1.1	4.0	4.9	12	12.2	1.0	-13.0	-0.1	-1.9	-0.7	1	2	2	
BB160053				53%	35%	35%	20%	18%	23%	48%	48%	47%	27%	17%				
BB 160056			BB 140001	109	96	97	97	104	107	102	80	94	81	98				
F2			CWBFBB 140021	0.32	1.4	4.4	5.4	12	12.4	1.0	-13.0	-0.1	-1.9	-0.7	1	2	2	
BB160056				56%	35%	35%	20%	18%	23%	48%	48%	47%	27%	17%				
BB 160123			BB 120028	114	85	85	86	83	102	97	78	88	106	118				
F1			BB190	-0.10	-3.3	-3.5	-3.3	-18	9.8	0.4	-15.0	-1.1	0.4	2.4	1	3	3	
BB16123				72%	39%	40%	24%	16%	27%	33%	33%	30%	24%	17%				
BB 160125			BB 120028	120	82	82	84	83	102	97	78	88	106	118				
F1			BB677	-0.72	-4.5	-5.0	-5.1	-18	10.0	0.4	-15.0	-1.1	0.4	2.4	1	2	2	
BB16125				71%	39%	40%	24%	16%	27%	33%	33%	30%	24%	17%				
BB 160129			BB 120028	114	86	85	87	83	101	97	78	88	106	118				
F1			BB1015	-0.09	-2.9	-3.1	-3.0	-18	9.3	0.4	-15.0	-1.1	0.4	2.4	1	5	5	
BB16129				73%	39%	40%	24%	16%	27%	33%	33%	30%	24%	17%				
BB 160157			BB 120028	103	80	81	83	78	100	103	87	92	109	110				
F1			BB00558	0.94	-5.0	-5.5	-5.5	-25	8.6	1.2	-8.4	-0.5	0.8	1.2	1	2	1	1
BB16157				70%	59%	62%	24%	16%	35%	38%	38%	34%	24%	17%				
BB 160164			BB 120028	87	77	78	80	74	98	97	78	88	106	118				
F1			BB1002	2.54	-6.1	-7.8	-7.9	-31	7.8	0.4	-15.0	-1.1	0.4	2.4	1	2	2	
BB16164				71%	59%	62%	24%	16%	35%	33%	33%	30%	24%	17%				
BB 160187			BB 120027	87	119	118	117	106	101	98	90	82	116	117				
F1			BB1030	2.53	10.7	17.5	20.6	15	9.2	0.5	-6.1	-2.1	1.4	2.2	1	2	2	
BB16187				70%	58%	62%	24%	16%	34%	32%	32%	30%	27%	20%				
BB 160188			BB 120027	103	121	117	115	107	103	98	90	82	116	117				
F1			BB565	0.92	11.4	16.6	19.2	16	10.5	0.5	-6.1	-2.1	1.4	2.2	1	2	2	
BB16188				70%	58%	62%	24%	16%	34%	32%	32%	30%	27%	20%				
BB 160190			BB 120027	87	119	116	114	106	99	98	90	82	116	117				
F1			BB0677	2.49	10.5	15.8	18.5	14	8.4	0.5	-6.1	-2.1	1.4	2.2	1	3	3	
BB16190				71%	58%	62%	24%	16%	34%	32%	32%	30%	27%	20%				
BB 160196			BB 120028	123	72	72	74	70	101	97	78	88	106	118				
F1			BB568	-1.02	-8.4	-11.7	-12.8	-37	9.1	0.4	-15.0	-1.1	0.4	2.4	1	1	1	
BB16196				68%	59%	62%	24%	16%	35%	33%	33%	30%	24%	17%				
BB 160197			BB 120028	108	83	80	82	76	103	97	78	88	106	118				
F1			BB569	0.50	-3.9	-6.2	-6.6	-28	10.1	0.4	-15.0	-1.1	0.4	2.4	1	1	1	
BB16197				69%	59%	62%	24%	16%	35%	33%	33%	30%	24%	17%				

WAGYU Dams

Dam			Growth					Carcass					Stats				
ID	Parentage	Sire ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name	Gen. DNA	Dam ID															
JAPANESE BLACK																	
BB 160198		BB 120027	124	90	90	90	85	99	98	90	82	116	117				
F1		BB570	-1.07	-1.2	-0.3	0.0	-16	8.0	0.5	-6.1	-2.1	1.4	2.2	1	2	2	
BB16198			70%	58%	62%	24%	16%	34%	32%	32%	30%	27%	20%				
BB 160199		BB 120028	121	61	66	69	67	95	97	78	88	106	118				
F1		BB00571	-0.81	-12.8	-15.3	-16.5	-41	6.3	0.4	-15.0	-1.1	0.4	2.4	1	3	3	
BB16199			72%	59%	63%	24%	16%	35%	33%	33%	30%	24%	17%				
BB 160204		OVE 080002	127	79	71	73	70	78	97	79	84	116	128				
FB		BB 120026	-1.39	-5.5	-12.2	-13.4	-37	-3.0	0.4	-14.2	-1.8	1.4	4.1	2	3	3	
BB160204			69%	54%	58%	56%	36%	50%	61%	61%	59%	52%	40%				
BB 170341		FB13429	135	108	111	115	108	97	70	101	90	121	136				
F2		BB 140027	-2.12	6.0	13.2	19.1	18	7.3	-3.0	1.4	-0.8	1.9	5.3	1	2	2	
BB170341			71%	38%	42%	29%	15%	24%	38%	38%	35%	30%	17%				
BON SMARA1			101														
BS			1.15											1	1	1	
SMUTS DE KOMBUYS BONSMARA			30%														
CP 033945			99	97	108	109	105	122	97	103	102						
F1			1.38	1.7	11.1	14.7	13	20.2	0.4	3.0	1.0			1	4	1	
CP 033945			56%	34%	19%	14%	32%	47%	18%	18%	14%						
CP 040008			82	100	111	113	106	122	99	99	99						
F1			2.95	3.0	13.1	17.3	14	20.1	0.7	0.4	0.6			1	3	1	
CP 040008			48%	22%	23%	19%	32%	29%	12%	12%	10%						
CP 050015			85	104				127									
F1			2.72	4.4				23.0						1	3	1	
CP 050015			50%	13%				20%									
CP 050038			81	103				125									
F1			3.06	4.1				22.0						1	4	1	
CP 050038			54%	14%				22%									
CP 060012			101	100	111	112	105	128	99	98	102						
F1			1.12	3.1	12.9	16.5	14	23.8	0.6	-0.7	1.1			1	3	1	
CP 060012			53%	30%	23%	19%	32%	41%	12%	12%	10%						
CP 060029			104	98	109			124	89	86	94	97					
F1			0.81	2.1	11.7			21.4	-0.6	-9.0	-0.1	-0.4		1	4	1	1
CP 060029			55%	30%	20%			40%	32%	31%	26%	13%					
CP 080005			97	95				119									
F1			1.51	0.8				18.7						1	7	2	
CP 080005			62%	31%				47%									

WAGYU Dams

Dam			Growth					Carcass					Stats				
ID	Parentage	Sire ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name	Gen. DNA	Dam ID															
JAPANESE BLACK																	
CP 090013			107	95				121									
F1			0.53	0.8				20.1						1	7	3	
CP 090013			62%	27%				40%									
CP 100032	BA 060107		104	102	107	108	108	123	93	112	94	105	102				
F2	CP 050038		0.85	3.7	10.3	13.8	18	20.8	-0.1	9.3	-0.2	0.4	-0.2	2	8	4	
CP100032			75%	48%	28%	30%	32%	57%	35%	34%	31%	16%	10%				
CP 100038	BA 060107		99	100	105	107	104	119	93	112	94	105	102				
F2	CP 075265		1.32	2.9	9.2	12.6	12	18.6	-0.1	9.3	-0.2	0.4	-0.2	1	2	2	
CP100038			61%	44%	29%	31%	36%	46%	35%	34%	31%	16%	10%				
CP 100056	BA 060107		116	98	103	104	108	121	93	112	94	105	102				
F2	CP 050014		-0.34	2.0	7.8	10.7	18	19.8	-0.1	9.3	-0.2	0.4	-0.2	1	6	2	
CP100056			72%	51%	28%	30%	32%	60%	35%	34%	31%	16%	10%				
CP 100061	BA 060107		108	104	109	110	110	128	92	111	94	104	102				
F2	CP 060012		0.42	4.6	11.5	15.1	21	23.4	-0.2	8.6	-0.1	0.3	-0.1	2	7	3	
CP 100061			72%	49%	30%	32%	36%	57%	35%	35%	31%	16%	10%				
CP 120005	BIMFE0003		113	96	101	102	103	105	96	114	93	109	102				
F2	CP 090013		-0.01	1.2	6.4	9.3	11	11.5	0.2	10.9	-0.3	0.7	-0.2	2	3	2	
1205			72%	29%	26%	20%	20%	32%	36%	37%	33%	26%	15%				
CP 120034	BA 060107		101	102	107	108	108	121	93	112	94	105	102				
F2	CP 050015		1.11	3.9	10.5	13.9	18	19.9	-0.1	9.3	-0.2	0.4	-0.2	2	3	2	
12 34			74%	43%	28%	30%	32%	45%	35%	34%	31%	16%	10%				
CP 120035	BA 060107		116	93	99	100	104	116	91	114	94	106	103				
F2	CP 033945		-0.30	0.1	5.2	7.8	12	17.0	-0.3	10.4	-0.1	0.4	-0.1	2	4	1	
12 35			76%	56%	29%	31%	36%	68%	36%	35%	31%	16%	10%				
CP 130032	KKWFA0871		120	82	84	87	92	86	80	81	103	77	114				
F3	CP 100056		-0.67	-4.1	-3.9	-2.4	-5	1.2	-1.8	-12.7	1.2	-2.3	1.8	2	3	1	
13 32			76%	46%	34%	31%	33%	53%	44%	44%	42%	34%	21%				
CP 130038	KKWFA0871		102	92	92	95	92	86	80	81	103	77	114				
F3	CP 100038		1.09	-0.4	0.9	3.3	-6	1.2	-1.8	-12.7	1.2	-2.3	1.8	1	1	1	
13 38			71%	43%	35%	31%	34%	47%	44%	44%	42%	34%	21%				
CP 130045	BA 060107		117	89	95	97	101	111	93	112	94	105	102				
F2	CP 080005		-0.43	-1.6	2.8	4.9	8	14.8	-0.1	9.3	-0.2	0.4	-0.2	2	4	1	1
13 45			76%	49%	28%	30%	32%	58%	35%	34%	31%	16%	10%				
HJ 140018	WESFZ0278		106	94	91	93	80	81	105	85	96	63	93				
FB	KJDFD0030		0.61	0.7	0.3	2.4	-22	-1.4	1.4	-10.0	0.2	-3.6	-1.6	3	3	1	
HJ 140018			69%	54%	52%	43%	40%	44%	58%	58%	56%	48%	38%				

WAGYU Dams

Dam				Growth						Carcass					Stats			
ID	Parentage	Sire ID		Birth	Wean	12 mnth	18 mnth	Mature	Milk	IMF	Carcass	EMA	Rib Fat	Marble	Herds	Progeny	Active	
Name	Gen. DNA	Dam ID		weight	weight	weight	weight	weight			weight			Fineness			2yrs & older	Carcasses
JAPANESE BLACK																		
JMP 150328		MOYFF0054		121	70	66	71	60	77	91	108	98	110	112				
FB		KJDFE0004		-0.84	-9.3	-15.1	-14.9	-50	-3.4	-0.3	6.2	0.5	0.9	1.4	1	1	1	
JMP15-328W				64%	48%	49%	41%	18%	47%	58%	58%	56%	46%	33%				
KJDFD0030		151BE		107	81	76	77	64	76	111	76	88	79	109				
FB		CAMFU0303		0.59	-4.8	-8.8	-10.7	-46	-3.9	2.2	-16.0	-1.1	-2.1	0.9	9	25	5	1
X LAKE WAGYU F D0300				82%	69%	67%	55%	60%	62%	81%	81%	78%	68%	55%				
KJDFE0001		151BE		107	103	94	95	80	90	102	93	86	95	103				
FB		KJDFB0044		0.55	4.0	2.3	3.3	-22	3.5	1.1	-4.2	-1.5	-0.5	0.0	4	8	2	
LAKE WAGYU E1				76%	63%	67%	47%	30%	48%	67%	67%	63%	55%	39%				
KJDFE0004		151BE		122	91	84	86	74	82	85	99	68	105	124				
FB		KJDFB0047		-0.94	-0.9	-3.7	-3.2	-31	-0.6	-1.1	0.0	-4.2	0.4	3.3	11	22	4	1
LAKE WAGYU E4				79%	61%	57%	48%	30%	58%	72%	72%	67%	48%	34%				
KJDFE0008		151BE		94	99	92	93	81	87	108	123	89	130	103				
SP		KJDFB0047		1.79	2.7	1.1	1.8	-21	1.8	1.8	16.8	-0.9	2.8	0.1	15	34	3	6
LAKE WAGYU E8				93%	89%	91%	90%	88%	89%	92%	92%	91%	90%	89%				

WAGYU Bulls

Inbreeding >6% is high				<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed																	
Bull					Selection Value					Calf weight		Mother		Growth		Fertility			Carcass					
ID	Parentage	%Inbreeding	Genomic DNA	Sire ID	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling	Fineness
Name	Dam ID																							
AKAUSHI																								
AKW 190076	1			AF6914	89	138	83	75	147	87	138	109	83	131	125	150	140	117	89	92	121	67	87	
FB				BB 150117	53%	43%	20 %	19%	26%	2.53	18.2	-0.71	-0.3	28.4	42	-31.9	-7.2	12.5	-0.6	-4.6	4.0	-3.3	-2.6	
BEYOND BEEF PEER AKW190076					53%	43%	20 %	19%	26%	55 %	43 %	47%	20%	47%	19%	39%	12%	51 %	39 %	38 %	33 %	30 %	20 %	
AKW 190114	17			BA 150369	99	118	84	97	149	97	118	101	84	114	103	150	147	121	118	97	109	108	86	
FB				BB 150131	56%	47%	40 %	26%	31%	1.51	10.0	-0.42	0.0	16.5	11	-31.9	-8.1	14.4	3.1	-1.3	2.2	0.7	-2.6	
PEER AKW190114					56%	47%	40 %	26%	31%	58 %	47 %	47%	40%	41%	26%	44%	18%	58 %	52 %	52 %	49 %	45 %	34 %	
AKW 200003	16			BA 150369	98	121	83	95	149	97	121	98	83	115	105	150	145	112	119	102	113	89	70	
FB				WB 170004	54%	47%	39 %	24%	30%	1.48	11.4	-0.31	-0.2	17.2	14	-31.9	-7.9	10.3	3.2	2.4	2.8	-1.2	-5.2	
PEER AKW200003					54%	47%	39 %	24%	30%	56 %	47 %	46%	39%	40%	24%	43%	18%	56 %	52 %	51 %	49 %	45 %	33 %	
AKW 200005	16			BA 150369	98	121	83	95	149	97	121	98	83	115	105	150	145	112	119	102	113	89	70	
FB				WB 170004	54%	47%	39 %	24%	30%	1.48	11.4	-0.31	-0.2	17.2	14	-31.9	-7.9	10.3	3.2	2.4	2.8	-1.2	-5.2	
PEER AKW200005					54%	47%	39 %	24%	30%	56 %	47 %	46%	39%	40%	24%	43%	18%	56 %	52 %	51 %	49 %	45 %	33 %	
AKW 210100	6			ARWFH0018	110	136	85	83	135	106	136	107	85	131	117	134	131	106	94	95	111	75	85	
FB				WB 170004	40%	24%	20 %	18%	22%	0.70	17.6	-0.65	0.9	27.9	30	-22.5	-5.5	7.7	0.0	-2.7	2.5	-2.5	-2.8	
PEER AKW210100					40%	24%	20 %	18%	22%	41 %	24 %	34%	20%	34%	18%	32%	12%	45 %	32 %	32 %	29 %	27 %	23 %	
AKW 210101	6			ARWFH0018	110	136	85	83	135	106	136	107	85	131	117	134	131	106	94	95	111	75	85	
FB				WB 170004	40%	24%	20 %	18%	22%	0.70	17.6	-0.65	0.9	27.9	30	-22.5	-5.5	7.7	0.0	-2.7	2.5	-2.5	-2.8	
PEER AKW210101					40%	24%	20 %	18%	22%	41 %	24 %	34%	20%	34%	18%	32%	12%	45 %	32 %	32 %	29 %	27 %	23 %	
AKW 210105	6			ARWFH0018	110	133	86	85	137	105	133	110	86	130	115	137	132	116	93	90	107	94	101	
FB				BB 150131	42%	25%	20 %	21%	23%	0.73	16.2	-0.76	1.1	27.2	27	-24.4	-5.7	11.9	-0.1	-6.3	1.9	-0.7	-0.3	
PEER AKW210105					42%	25%	20 %	21%	23%	43 %	25 %	36%	20%	35%	21%	33%	13%	47 %	33 %	33 %	30 %	28 %	23 %	
JAPANESE BLACK																								
BB 120028	5			TFWF0629	128	77	83	140	110	120	77	109	83	67	60	112	108	107	95	55	75	111	140	
FB				KJDFE0001	91%	79%	54 %	32%	60%	-0.74	-6.2	-0.72	-0.1	-17.0	-50	-9.7	-1.0	8.3	0.1	-30.8	-3.1	1.0	5.8	
BEYOND BEEF BB 120028					91%	79%	54 %	32%	60%	95 %	79 %	76%	54%	64%	32%	78%	43%	88 %	66 %	65 %	61 %	48 %	35 %	
HJ 140001				ETJ002	127	101	95	120	119	121	101	103	95	95	80	116	119	106	94	72	87	75	104	
FB				BA 010039	86%	84%	84 %	83%	84%	-0.79	3.3	-0.52	6.1	2.9	-23	-12.2	-3.0	7.6	0.0	-18.9	-1.2	-2.4	0.2	
HESSI HJ 140001					86%	84%	84 %	83%	84%	86 %	84 %	85%	84%	84%	83%	85%	82%	87 %	86 %	86 %	85 %	84 %	83 %	
AKW 180027				148BE	117	85	74	126	99	129	85	119	74	80	74	107	95	108	118	69	104	100	106	
FB				AACFB0229	52%	51%	50 %	46%	46%	-1.54	-3.2	-1.09	-4.9	-7.5	-30	-6.8	1.4	8.8	3.1	-21.2	1.4	-0.1	0.4	
PEER AKW180027					52%	51%	50 %	46%	46%	52 %	51 %	50%	50%	51%	46%	52%	40%	56 %	52 %	53 %	52 %	52 %	46 %	
AKW 180036				148BE	117	85	74	126	99	129	85	119	74	80	74	107	95	108	118	69	104	100	106	
FB				AACFB0229	52%	51%	50 %	46%	46%	-1.54	-3.2	-1.09	-4.9	-7.5	-30	-6.8	1.4	8.8	3.1	-21.2	1.4	-0.1	0.4	
PEER AKW180036					52%	51%	50 %	46%	46%	52 %	51 %	50%	50%	51%	46%	52%	40%	56 %	52 %	53 %	52 %	52 %	46 %	
AKW 180045				2142A	88	131	107	79	131	91	131	86	107	132	121	123	132	111	70	104	90	107	123	
PBD				BB 150141	62%	31%	24 %	22%	22%	2.11	15.4	0.12	12.5	29.1	36	-16.4	-5.9	9.8	-3.1	3.8	-0.7	0.5	3.2	
PEER AKW180045					62%	31%	24 %	22%	22%	68 %	31 %	41%	24%	38%	22%	30%	14%	47 %	34 %	34 %	30 %	26 %	14 %	

WAGYU Bulls

Inbreeding >6% is high					<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed															
Bull					Selection Value					Calf weight		Mother		Growth		Fertility			Carcass				
ID	%Inbreeding	Parentage			Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
Name		Genomic	DNA	Sire ID Dam ID																			
JAPANESE BLACK																							
AKW 180052 FB PEER AKW180052	3		BA 140004 HJ 140018		112 67%	101 42%	88 32 %	116 27%	104 30%	108 0.44 72 %	101 3.3 42 %	103 -0.50 48%	88 2.1 32%	96 3.8 32%	84 -17 27%	101 -3.5 40%	107 -0.7 20%	118 13.0 56 %	87 -0.8 48 %	78 -14.6 48 %	94 -0.1 45 %	68 -3.2 36 %	107 0.7 27 %
AKW 180053 FB PEER AKW180053	2		BA 090327 JMP 150328		111 68%	73 48%	58 44 %	142 34%	98 37%	133 -1.98 72 %	73 -7.9 48 %	123 -1.23 51%	58 -13.5 44%	69 -15.1 43%	58 -54 34%	88 4.1 47%	106 -0.6 27%	106 7.6 60 %	105 1.4 55 %	94 -3.4 55 %	111 2.4 54 %	105 0.4 49 %	111 1.3 32 %
AKW 180066 FB PEER AKW180066	1		KF 120007 BA 110474		123 56%	100 37%	83 37 %	110 26%	117 34%	118 -0.54 57 %	100 2.9 37 %	98 -0.32 53%	83 -0.3 37%	96 3.5 36%	90 -8 26%	107 -7.0 43%	124 -3.9 24%	119 13.2 60 %	61 -4.1 47 %	118 13.5 47 %	78 -2.7 44 %	99 -0.2 34 %	131 4.4 23 %
AKW 180068 FB PEER AKW180068	9		BA 130975 BA 110474		122 55%	87 33%	94 33 %	112 24%	104 32%	119 -0.57 57 %	87 -2.4 33 %	97 -0.27 47%	94 5.5 33%	89 -1.1 26%	88 -11 24%	106 -6.6 40%	103 -0.1 23%	130 18.0 58 %	77 -2.2 37 %	92 -5.0 37 %	85 -1.6 34 %	83 -1.7 27 %	114 1.8 18 %
BB 180095 PBD BEYOND BEEF BB180095	2		AF4215 BB 150122		101 45%	118 21%	88 21 %	97 20%	124 25%	100 1.24 46 %	118 10.2 21 %	99 -0.33 42%	88 2.1 21%	112 14.6 30%	103 11 20%	121 -15.2 35%	123 -4.1 15%	113 10.7 51 %	96 0.3 42 %	107 6.0 41 %	105 1.6 36 %	111 1.0 25 %	104 0.1 17 %
AKW 190020 PBD PEER AKW190020	2		BA 150370 BA 140085		127 66%	90 39%	86 36 %	118 33%	116 34%	121 -0.84 71 %	90 -1.1 39 %	104 -0.54 45%	86 1.1 36%	87 -2.9 32%	82 -19 33%	119 -13.7 41%	113 -2.2 26%	120 13.7 49 %	109 2.0 38 %	101 1.7 38 %	103 1.3 36 %	103 0.2 32 %	96 -1.0 27 %
AKW 190097 PBD PEER AKW190097	1		BB 120028 BA 130806		119 68%	85 47%	85 37 %	126 28%	100 40%	114 -0.13 72 %	85 -3.3 47 %	105 -0.56 52%	85 1.0 37%	79 -8.7 41%	74 -31 28%	106 -6.5 49%	96 1.0 30%	108 8.6 55 %	100 0.8 42 %	67 -22.4 42 %	91 -0.5 40 %	101 0.0 35 %	120 2.7 29 %
AKW 190107 FB PEER AKW190107	2		OVE 080002 BB 120018		114 59%	70 54%	78 50 %	138 36%	95 40%	132 -1.84 60 %	70 -9.2 54 %	116 -0.99 57%	78 -3.1 50%	65 -18.4 58%	62 -48 36%	101 -3.7 52%	93 1.7 29%	115 11.6 62 %	93 -0.1 59 %	90 -6.4 59 %	87 -1.2 57 %	110 0.9 49 %	123 3.2 38 %
AKW 190108 FB PEER AKW190108	2		OVE 080002 BB 120018		114 59%	70 54%	78 50 %	138 36%	95 40%	132 -1.84 60 %	70 -9.2 54 %	116 -0.99 57%	78 -3.1 50%	65 -18.4 58%	62 -48 36%	101 -3.7 52%	93 1.7 29%	115 11.6 62 %	93 -0.1 59 %	90 -6.4 59 %	87 -1.2 57 %	110 0.9 49 %	123 3.2 38 %
AKW 200009 FB PEER AKW200009	2		OVE 080002 BB 120018		114 59%	70 54%	78 50 %	138 36%	95 40%	132 -1.84 60 %	70 -9.2 54 %	116 -0.99 57%	78 -3.1 50%	65 -18.4 58%	62 -48 36%	101 -3.7 52%	93 1.7 29%	112 10.2 62 %	93 -0.1 59 %	90 -6.4 59 %	87 -1.2 57 %	110 0.9 49 %	123 3.2 38 %
AKW 200029 FB PEER AKW200029	2		OVE 080002 BB 120025		122 61%	82 55%	80 50 %	128 36%	91 42%	126 -1.27 62 %	82 -4.3 55 %	112 -0.82 59%	80 -1.9 50%	74 -11.6 57%	72 -34 36%	96 -0.7 54%	89 2.5 30%	107 8.1 64 %	89 -0.6 60 %	72 -19.1 60 %	97 0.3 58 %	93 -0.8 53 %	124 3.3 40 %
AKW 200031 FB PEER AKW200031	2		OVE 080002 BB 120025		122 61%	82 55%	80 50 %	128 36%	91 42%	126 -1.27 62 %	82 -4.3 55 %	112 -0.82 59%	80 -1.9 50%	74 -11.6 57%	72 -34 36%	96 -0.7 54%	89 2.5 30%	107 8.1 64 %	89 -0.6 60 %	72 -19.1 60 %	97 0.3 58 %	93 -0.8 53 %	124 3.3 40 %

WAGYU Bulls

Inbreeding >6% is high				<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed															
Bull				Selection Value					Calf weight		Mother		Growth		Fertility			Carcass				
ID	Parentage			Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
Name	%Inbreeding	Genomic DNA	Sire ID Dam ID																			
JAPANESE BLACK																						
AKW 200048 FB PEER AKW200048	1	BDWFM0495 BB 120018		121 57%	67 47%	78 45 %	139 39%	94 37%	126 -1.29 58 %	67 -10.4 47 %	104 -0.54 54%	78 -2.8 45%	63 -19.6 56%	61 -49 39%	87 4.8 49%	104 0.3 25%	119 13.2 57 %	110 2.1 57 %	100 0.6 57 %	87 -1.2 54 %	129 2.7 48 %	117 2.3 35 %
AKW 200049 FB PEER AKW200049	1	BDWFM0495 BB 120026		124 61%	77 47%	79 45 %	130 39%	101 39%	118 -0.53 62 %	77 -6.4 47 %	103 -0.48 58%	79 -2.5 45%	71 -13.8 55%	70 -37 39%	91 2.3 51%	110 -1.0 27%	117 12.5 60 %	115 2.7 60 %	89 -7.2 59 %	83 -1.8 56 %	135 3.2 51 %	123 3.1 38 %
AKW 200053 PBD PEER AKW200053		BDWFM0495 BB 150141		107 54%	98 45%	98 45 %	104 42%	102 32%	106 0.62 55 %	98 2.0 45 %	92 -0.08 51%	98 7.5 45%	99 5.8 46%	96 1 42%	91 2.5 43%	111 -1.2 22%	113 10.9 51 %	89 -0.5 50 %	107 5.7 50 %	89 -0.9 47 %	117 1.5 43 %	119 2.5 32 %
AKW 200056 FB PEER AKW200056	1	BDWFM0495 BB 120026		124 61%	77 47%	79 45 %	130 39%	101 39%	118 -0.53 62 %	77 -6.4 47 %	103 -0.48 58%	79 -2.5 45%	71 -13.8 55%	70 -37 39%	91 2.3 51%	110 -1.0 27%	117 12.5 60 %	115 2.7 60 %	89 -7.2 59 %	83 -1.8 56 %	135 3.2 51 %	123 3.1 38 %
AKW 200057 PEN PEER AKW200057			BB 150087	83 52%	109 31%	100 18 %	103 8 %	101 18%	93 1.94 59 %	109 6.7 31 %	62 1.03 26%	100 8.8 18%	114 16.5 27%	97 1 8 %	93 1.1 24%	104 -0.6 12%	92 1.7 28 %	103 1.1 16 %	87 -8.2 15 %	105 1.6 14 %	103 0.2 10 %	105 0.4 8 %
AKW 200059 PEN PEER AKW200059			CP 130045	97 56%	80 25%	108 29 %	108 16%	114 21%	134 -2.09 61 %	80 -5.0 25 %	52 1.43 35%	108 13.0 29%	93 1.2 14%	92 -5 16%	99 -2.5 26%	123 -3.6 16%	90 0.9 32 %	103 1.2 17 %	99 0.3 17 %	101 1.0 15 %	100 -0.1 8 %	96 -1.1 5 %
AKW 200061 FB PEER AKW200061	1	BDWFM0495 BB 120026		124 61%	77 47%	79 45 %	130 39%	101 39%	118 -0.53 62 %	77 -6.4 47 %	103 -0.48 58%	79 -2.5 45%	71 -13.8 55%	70 -37 39%	91 2.3 51%	110 -1.0 27%	117 12.5 60 %	115 2.7 60 %	89 -7.2 59 %	83 -1.8 56 %	135 3.2 51 %	123 3.1 38 %
AKW 200065 PEN PEER AKW200065			CP 120034	97 54%	96 21%	112 22 %	104 16%	111 21%	108 0.50 60 %	96 1.2 21 %	45 1.66 33%	112 15.1 22%	105 10.3 14%	96 0 16%	98 -1.8 26%	120 -3.0 16%	88 0.1 30 %	103 1.2 17 %	99 0.3 17 %	101 1.0 15 %	100 -0.1 8 %	96 -1.1 5 %
AKW 210004 PBD PEER AKW210004		BDWFM0495 BB 150141		107 54%	98 45%	98 45 %	104 42%	102 32%	106 0.62 55 %	98 2.0 45 %	92 -0.08 51%	98 7.5 45%	99 5.8 46%	96 1 42%	91 2.5 43%	111 -1.2 22%	113 10.9 51 %	89 -0.5 50 %	107 5.7 50 %	89 -0.9 47 %	117 1.5 43 %	119 2.5 32 %
AKW 210005 PBD PEER AKW210005		BDWFM0495 BB 150141		107 54%	98 45%	98 45 %	104 42%	102 32%	106 0.62 55 %	98 2.0 45 %	92 -0.08 51%	98 7.5 45%	99 5.8 46%	96 1 42%	91 2.5 43%	111 -1.2 22%	113 10.9 51 %	89 -0.5 50 %	107 5.7 50 %	89 -0.9 47 %	117 1.5 43 %	119 2.5 32 %
AKW 210009 PBD PEER AKW210009	1	BA 150370 AKW 180031		116 63%	108 38%	80 35 %	106 32%	126 32%	110 0.29 68 %	108 6.3 38 %	108 -0.69 42%	80 -1.9 35%	102 7.5 40%	94 -2 32%	131 -21.0 40%	119 -3.4 24%	117 12.4 48 %	104 1.3 39 %	94 -3.7 40 %	110 2.3 38 %	94 -0.6 37 %	94 -1.4 32 %
AKW 220036 PEN PEER PEER AKW220036			BA 150370	99 41%	95 32%	107 30 %	99 28%	94 26%	96 1.60 43 %	95 1.0 32 %	105 -0.58 31%	107 12.5 30%	96 3.8 30%	101 8 28%	103 -4.9 31%	87 2.5 22%	98 4.4 37 %	102 1.1 30 %	97 -1.1 31 %	103 1.2 30 %	103 0.2 29 %	98 -0.8 25 %

WAGYU Bulls

Inbreeding >6% is high				<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed															
Bull				Selection Value					Calf weight		Mother		Growth		Fertility			Carcass				
ID	%Inbreeding	Parentage		Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn. Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
		Genomic	Sire ID																			
JAPANESE BLACK																						
AKW 220051	1		BB 120028	93	92	90	122	105	96	92	84	90	87	78	107	103	105	91	87	90	102	121
PEN			BA 151031	1.62	-0.3	0.20	3.5	-2.4	-26	-7.0	-0.3	7.4	-0.3	-8.6	-0.7	0.1	2.8	-0.3	-8.6	-0.7	0.1	2.8
PEER AKW220051				66%	41%	30 %	18%	34%	71 %	41 %	47%	30%	34%	18%	45%	24%	53 %	38 %	38 %	35 %	28 %	22 %

WAGYU Cows

Inbreeding >6% is high				<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed															
Cow				Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas				
ID	%Inbreeding	Parentage		Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
Name		Genomic DNA	Sire ID																			
AKAUSHI																						
BB 150131	7		HBCFV2139	104	127	85	86	147	101	127	102	85	124	114	147	144	126	94	95	97	112	108
FB			C647	62 %	46 %	38 %	40 %	36 %	1.09	14.0	-0.46	1.0	23.1	26	-30.0	-7.5	16.4	0.1	-2.6	0.4	1.0	0.8
BEYOND BEEF HOMARE									63 %	46 %	56 %	38 %	54 %	40%	50%	22%	68 %	55 %	56 %	52 %	52 %	43 %
BB 150137	7		HBCFV2139	109	124	85	90	149	105	124	104	85	119	110	150	147	121	93	88	102	97	103
FB			C647	52 %	39 %	36 %	33 %	32 %	0.72	12.5	-0.52	1.0	20.0	21	-31.9	-8.0	14.2	-0.1	-7.3	1.1	-0.4	0.0
BEYOND BEEF NAMIKO									53 %	39 %	50 %	36 %	52 %	33%	46%	19%	60 %	52 %	52 %	49 %	48 %	41 %
BB 150158	11		HBCFV2139	111	122	80	96	149	106	122	107	80	114	104	150	150	120	104	92	99	73	77
FB			OHVFA0045	64 %	53 %	42 %	47 %	36 %	0.61	11.6	-0.66	-1.9	16.0	13	-31.9	-8.6	13.7	1.3	-4.9	0.6	-2.7	-4.1
BEYOND BEEF HOMARE									66 %	53 %	56 %	42 %	57 %	47%	51%	20%	68 %	59 %	61 %	57 %	57 %	43 %
AKW 180031	5	✓	HBCFV2139	102	132	85	87	149	100	132	99	85	125	113	149	145	113	87	106	107	89	95
FB		✓	KALFC0708	57 %	39 %	37 %	33 %	35 %	1.25	15.7	-0.35	0.6	24.0	25	-31.2	-7.6	11.0	-0.8	4.8	1.8	-1.1	-1.3
PEER AKW180031									57 %	39 %	55 %	37 %	52 %	33%	51%	19%	60 %	50 %	50 %	47 %	46 %	40 %
BB 180092	3		2142A	104	116	90	99	149	103	116	95	90	115	101	147	150	124	93	94	105	90	100
FB			BB 150104	50 %	32 %	21 %	18 %	24 %	0.97	9.4	-0.20	3.5	16.7	8	-30.0	-8.6	15.5	-0.1	-3.6	1.5	-1.0	-0.5
BEYOND BEEF BB180092									51 %	32 %	48 %	21 %	42 %	18%	34%	15%	54 %	37 %	38 %	34 %	32 %	22 %
AKW 190012	6	✓	IMUFN2125	105	126	88	89	140	103	126	98	88	124	111	140	138	120	94	97	117	96	99
FB		✓	V7202U	43 %	25 %	18 %	15 %	26 %	0.96	13.4	-0.32	2.4	23.3	23	-25.9	-6.3	13.7	0.1	-1.2	3.4	-0.5	-0.6
PEER AKW190012									44 %	25 %	40 %	18 %	30 %	15%	38%	15%	53 %	40 %	40 %	35 %	29 %	19 %
AKW 190013	4	✓	J251830R	103	128	86	85	121	102	128	94	86	122	115	119	122	116	94	99	104	86	94
FB		✓	1099Z	47 %	27 %	23 %	20 %	28 %	0.99	14.2	-0.15	1.4	21.9	28	-13.7	-3.6	12.1	0.0	-0.2	1.5	-1.4	-1.5
PEER AKW190013									48 %	27 %	44 %	23 %	33 %	20%	40%	15%	55 %	40 %	39 %	35 %	35 %	26 %
AKW 190115	17	✓	BA 150369	99	118	84	97	149	97	118	101	84	114	103	150	147	121	118	97	109	108	86
FB		✓	BB 150131	56 %	47 %	40 %	26 %	31 %	1.51	10.0	-0.42	0.0	16.5	11	-31.9	-8.1	14.4	3.1	-1.3	2.2	0.7	-2.6
PEER AKW190115									58 %	47 %	47 %	40 %	41 %	26%	44%	18%	58 %	52 %	52 %	49 %	45 %	34 %
AKW 200002	16	✓	BA 150369	98	121	83	95	149	97	121	98	83	115	105	150	146	112	119	102	113	89	70
FB		✓	WB 170004	54 %	47 %	39 %	24 %	30 %	1.48	11.4	-0.31	-0.2	17.2	14	-31.9	-7.9	10.3	3.2	2.4	2.8	-1.2	-5.2
PEER AKW200002									56 %	47 %	46 %	39 %	40 %	24%	43%	18%	56 %	52 %	51 %	49 %	45 %	33 %
AKW 200011	16	✓	BA 150369	98	121	83	95	149	97	121	98	83	115	105	150	146	112	119	102	113	89	70
FB		✓	WB 170004	54 %	47 %	39 %	24 %	30 %	1.48	11.4	-0.31	-0.2	17.2	14	-31.9	-7.9	10.3	3.2	2.4	2.8	-1.2	-5.2
PEER AKW200011									56 %	47 %	46 %	39 %	40 %	24%	43%	18%	56 %	52 %	51 %	49 %	45 %	33 %
AKW 210095	6	✓	ARWFH0018	110	133	86	85	137	105	133	110	86	130	115	137	134	116	93	90	107	94	101
FB		✓	BB 150131	42 %	25 %	20 %	21 %	23 %	0.73	16.2	-0.76	1.1	27.2	27	-24.4	-5.7	11.9	-0.1	-6.3	1.9	-0.7	-0.3
PEER AKW210095									43 %	25 %	36 %	20 %	35 %	21%	33%	13%	47 %	33 %	33 %	30 %	28 %	23 %
AKW 210102	6	✓	ARWFH0018	110	133	86	85	137	105	133	110	86	130	115	137	134	116	93	90	107	94	101
FB		✓	BB 150131	42 %	25 %	20 %	21 %	23 %	0.73	16.2	-0.76	1.1	27.2	27	-24.4	-5.7	11.9	-0.1	-6.3	1.9	-0.7	-0.3
PEER AKW210102									43 %	25 %	36 %	20 %	35 %	21%	33%	13%	47 %	33 %	33 %	30 %	28 %	23 %

WAGYU Cows

Inbreeding >6% is high					<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed																
Cow					Selection Values					Kalf gewig		Moeder		Groeï		Vrugbaarheid			Karkas					
ID	%Inbreeding	Parentage		Sire ID	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness	
Name		Genomic DNA	Dam ID																					
AKAUSHI																								
AKW 210104	6	✓	ARWFH0018		110	133	86	85	137	105	133	110	86	130	115	137	134	116	93	90	107	94	101	
FB		✓	BB 150131		42 %	25 %	20 %	21 %	23 %	0.73	16.2	-0.76	1.1	27.2	27	-24.4	-5.7	11.9	-0.1	-6.3	1.9	-0.7	-0.3	
PEER AKW210104										43 %	25 %	36 %	20 %	35 %	21%	33%	13%	47 %	33 %	33 %	30 %	28 %	23 %	
AKW 210106	6	✓	ARWFH0018		110	133	86	85	137	105	133	110	86	130	115	137	134	116	93	90	107	94	101	
FB		✓	BB 150131		42 %	25 %	20 %	21 %	23 %	0.73	16.2	-0.76	1.1	27.2	27	-24.4	-5.7	11.9	-0.1	-6.3	1.9	-0.7	-0.3	
PEER AKW210106										43 %	25 %	36 %	20 %	35 %	21%	33%	13%	47 %	33 %	33 %	30 %	28 %	23 %	
JAPANESE BLACK																								
CP 100032		✓	BA 060107		96	102	123	92	133	104	102	64	123	107	108	115	142	92	93	112	94	105	102	
F2		✓	CP 050038		75 %	48 %	57 %	32 %	45 %	0.85	3.7	0.95	20.8	11.6	18	-11.8	-7.0	1.7	-0.1	9.3	-0.2	0.4	-0.2	
GLENFINLAS CP100032										75 %	48 %	77 %	57 %	29 %	32%	55%	35%	65 %	35 %	34 %	31 %	16 %	10 %	
CP 100061		✓	BA 060107		103	104	128	90	107	108	104	72	128	109	110	96	112	93	92	111	94	104	102	
F2		✓	CP 060012		72 %	49 %	57 %	36 %	43 %	0.42	4.6	0.68	23.4	12.9	21	-0.7	-1.7	2.4	-0.2	8.6	-0.1	0.3	-0.1	
GLENFINLAS CP 100061										72 %	49 %	74 %	57 %	31 %	36%	52%	34%	64 %	35 %	35 %	31 %	16 %	10 %	
BA 110474	2	✓	Y342		115	94	105	104	116	116	94	80	105	96	96	114	118	134	63	105	80	82	118	
FB		✓	BA 070154		78 %	44 %	49 %	40 %	48 %	-0.35	0.5	0.37	11.4	3.5	1	-11.0	-2.8	19.6	-3.9	4.1	-2.4	-1.9	2.3	
WOODVIEW CASTLE 11 474										79 %	44 %	74 %	49 %	34 %	40%	60%	35%	72 %	49 %	49 %	44 %	35 %	24 %	
BA 120675	2	✓	IMUFQTF147		78	102	91	110	115	87	102	71	91	100	90	103	124	104	76	109	79	97	111	
PBD			BA 090294		78 %	55 %	54 %	45 %	51 %	2.50	3.6	0.71	3.9	6.7	-8	-4.7	-3.9	7.0	-2.3	7.1	-2.4	-0.3	1.2	
WOODVIEW BLACK PEARL										79 %	55 %	74 %	54 %	50 %	45%	63%	39%	69 %	48 %	53 %	50 %	48 %	30 %	
BB 120026	5	✓	TFWW0629		115	97	83	117	104	111	97	116	83	85	83	102	106	122	110	76	70	155	142	
FB		✓	KJDFE0008		80 %	50 %	46 %	32 %	50 %	0.19	1.5	-0.97	-0.5	-4.4	-19	-3.9	-0.6	14.7	2.0	-15.9	-3.9	5.1	6.1	
BEYOND BEEF KHULU										80 %	50 %	79 %	46 %	69 %	32%	65%	35%	83 %	76 %	76 %	71 %	62 %	45 %	
CP 120005			BIMFE0003		113	96	105	97	106	113	96	88	105	101	103	109	103	107	96	114	93	109	102	
F2			CP 090013		70 %	29 %	32 %	20 %	32 %	-0.01	1.2	0.07	11.5	7.4	11	-8.3	-0.1	8.3	0.2	10.9	-0.3	0.7	-0.2	
GLENFINLAS 1205										72 %	29 %	62 %	32 %	23 %	20%	47%	18%	58 %	36 %	37 %	33 %	26 %	15 %	
CP 120034			BA 060107		93	102	121	92	114	101	102	66	121	108	108	102	121	95	93	112	94	105	102	
F2			CP 050015		72 %	43 %	45 %	32 %	42 %	1.11	3.9	0.89	19.9	11.8	18	-4.1	-3.3	3.2	-0.1	9.3	-0.2	0.4	-0.2	
GLENFINLAS 12 34										74 %	43 %	65 %	45 %	29 %	32%	52%	32%	60 %	35 %	34 %	31 %	16 %	10 %	
CP 120035			BA 060107		113	93	116	96	112	116	93	76	116	100	104	101	117	108	91	114	94	106	103	
F2			CP 033945		75 %	56 %	68 %	36 %	45 %	-0.30	0.1	0.52	17.0	6.1	12	-3.6	-2.6	8.8	-0.3	10.4	-0.1	0.4	-0.1	
GLENFINLAS 12 35										76 %	56 %	73 %	68 %	30 %	36%	55%	35%	63 %	36 %	35 %	31 %	16 %	10 %	
CP 120040			BA 060107		103	99	118	94	114	107	99	76	118	105	106	108	118	100	88	105	90	103	109	
F2			CP 060029		71 %	50 %	59 %	32 %	43 %	0.52	2.7	0.53	18.5	9.8	16	-7.2	-2.7	5.3	-0.8	4.4	-0.7	0.2	0.9	
GLENFINLAS 12 40										73 %	50 %	65 %	59 %	30 %	32%	54%	32%	59 %	38 %	38 %	33 %	17 %	10 %	

WAGYU Cows

Inbreeding >6% is high				<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed															
Cow				Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas				
ID	%Inbreeding	Parentage		Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
Name		Genomic DNA	Sire ID																			
JAPANESE BLACK																						
BA 130821	1	✓	IMUFQTF147	72	110	104	102	96	82	110	66	104	110	98	90	102	108	88	109	86	96	98
F3			BA 070177	2.96	6.9	0.88	11.0	2.96	6.9	0.88	11.0	13.7	4	2.7	0.1	8.5	-0.7	7.5	-1.4	-0.5	-0.8	
WOODVIEW BA 130821				76 %	52 %	49 %	43 %	50 %	78 %	52 %	70 %	49 %	50 %	43 %	61 %	39 %	67 %	48 %	53 %	50 %	48 %	30 %
BA 130824	1	✓	148BE	112	91	85	117	119	114	91	81	85	90	83	112	123	117	108	89	101	101	102
F3			BA 060097	-0.12	-0.8	0.32	0.8	-0.12	-0.8	0.32	0.8	-0.9	-18	-9.7	-3.7	12.6	1.8	-7.2	1.0	0.0	-0.1	
WOODVIEW BA 130824				77 %	54 %	57 %	46 %	54 %	78 %	54 %	72 %	57 %	52 %	46 %	63 %	46 %	67 %	54 %	55 %	53 %	51 %	46 %
BA 130856	1	✓	IMUFQTF147	75	110	108	101	94	87	110	60	108	109	99	97	93	108	88	103	79	92	99
F3			BA 060112	2.51	6.9	1.11	12.9	2.51	6.9	1.11	12.9	12.7	4	-1.4	1.7	8.8	-0.7	3.2	-2.5	-0.9	-0.6	
WOODVIEW BA 130856				75 %	53 %	53 %	43 %	50 %	77 %	53 %	69 %	53 %	50 %	43 %	60 %	40 %	67 %	50 %	55 %	51 %	49 %	31 %
BA 130994		✓	ETJ002	122	108	100	113	116	117	108	101	100	102	87	115	117	121	72	74	94	86	125
FB			BA 010039	-0.43	6.2	-0.43	8.7	-0.43	6.2	-0.43	8.7	7.6	-13	-11.6	-2.5	14.0	-2.8	-17.3	-0.1	-1.5	3.6	
WOODVIEW BA 130994				67 %	51 %	50 %	45 %	40 %	68 %	51 %	65 %	50 %	46 %	45 %	53 %	28 %	70 %	60 %	61 %	57 %	47 %	33 %
CP 130032	1	✓	KKWFA0871	121	82	86	108	130	120	82	89	86	86	92	122	134	97	80	81	103	77	114
F3		✓	CP 100056	-0.67	-4.1	0.01	1.2	-0.67	-4.1	0.01	1.2	-3.6	-5	-15.6	-5.7	3.9	-1.8	-12.7	1.2	-2.3	1.8	
GLENFINLAS 13 32				74 %	46 %	53 %	33 %	40 %	76 %	46 %	68 %	53 %	32 %	33 %	54 %	27 %	64 %	44 %	44 %	42 %	34 %	21 %
CP 130038	1		KKWFA0871	101	92	86	108	116	102	92	90	86	93	92	110	119	106	80	81	103	77	114
F3			CP 100038	1.09	-0.4	0.01	1.2	1.09	-0.4	0.01	1.2	1.7	-6	-8.4	-3.0	7.6	-1.8	-12.7	1.2	-2.3	1.8	
GLENFINLAS 13 38				68 %	43 %	47 %	34 %	34 %	71 %	43 %	58 %	47 %	33 %	34 %	45 %	24 %	61 %	44 %	44 %	42 %	34 %	21 %
CP 130045		✓	BA 060107	114	89	111	99	119	117	89	74	111	96	101	105	127	99	93	112	94	105	102
F2		✓	CP 080005	-0.43	-1.6	0.59	14.8	-0.43	-1.6	0.59	14.8	3.5	8	-5.5	-4.4	4.7	-0.1	9.3	-0.2	0.4	-0.2	
GLENFINLAS 13 45				75 %	49 %	58 %	32 %	42 %	76 %	49 %	69 %	58 %	29 %	32 %	52 %	33 %	63 %	35 %	34 %	31 %	16 %	10 %
CP 130068			BA 060107	85	102	119	94	124	96	102	57	119	107	106	114	129	90	92	112	93	105	103
F2			CP 040008	1.64	3.7	1.23	18.8	1.64	3.7	1.23	18.8	11.7	15	-10.7	-4.7	0.9	-0.2	9.1	-0.4	0.4	-0.1	
GLENFINLAS 13 68				66 %	43 %	46 %	36 %	41 %	69 %	43 %	54 %	46 %	31 %	36 %	52 %	30 %	55 %	35 %	35 %	31 %	16 %	10 %
BA 140085	1	✓	FB9866	113	100	96	111	130	112	100	90	96	99	89	124	132	119	99	121	94	106	99
F3		✓	BA 060097	0.04	3.0	-0.01	6.5	0.04	3.0	-0.01	6.5	5.9	-10	-16.7	-5.3	13.5	0.6	15.6	-0.1	0.5	-0.7	
WOODVIEW BA 140085				75 %	46 %	41 %	34 %	41 %	77 %	46 %	65 %	41 %	22 %	34 %	54 %	28 %	64 %	45 %	45 %	40 %	29 %	20 %
HJ 140018	1	✓	WESFZ0278	110	94	81	120	91	106	94	102	81	92	80	88	94	121	105	85	96	63	93
FB		✓	KJDFD0030	0.61	0.7	-0.47	-1.4	0.61	0.7	-0.47	-1.4	0.9	-22	3.9	1.5	14.1	1.4	-10.0	0.2	-3.6	-1.6	
HESSI HJ 140018				68 %	54 %	44 %	40 %	40 %	69 %	54 %	66 %	44 %	48 %	40 %	54 %	25 %	67 %	58 %	58 %	56 %	48 %	38 %
BA 150595	10	✓	BA 090330	101	100	85	104	92	100	100	97	85	96	96	84	99	99	81	93	111	85	108
F3		✓	BA 110560	1.22	3.0	-0.27	0.8	1.22	3.0	-0.27	0.8	3.8	1	6.5	0.7	4.7	-1.7	-4.0	2.5	-1.5	0.9	
WOODVIEW BA15-595				67 %	40 %	37 %	33 %	34 %	71 %	40 %	53 %	37 %	33 %	33 %	43 %	26 %	55 %	45 %	45 %	42 %	31 %	22 %
BB 150122			FB14115	110	111	89	101	108	108	111	94	89	102	99	103	112	118	100	109	103	123	109
PBD			BB 120022	0.42	7.2	-0.16	3.1	0.42	7.2	-0.16	3.1	8.0	5	-4.7	-1.6	13.0	0.8	7.5	1.3	2.1	1.0	
BEYOND BEEF KUNISAKE				62 %	34 %	38 %	37 %	36 %	62 %	34 %	64 %	38 %	46 %	37 %	48 %	24 %	72 %	66 %	65 %	58 %	33 %	23 %

WAGYU Cows

Inbreeding >6% is high				<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed															
Cow				Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas				
ID	%Inbreeding	Parentage		Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
Name		Genomic DNA	Sire ID																			
JAPANESE BLACK																						
BB 150141			FB13429	85	138	120	65	106	87	138	94	120	141	135	101	109	114	59	113	81	119	133
PBD			CWBFB 110007	2.49	18.2				2.49	18.2	-0.17	19.5	34.9	57	-3.6	-1.2	11.4	-4.4	9.9	-2.1	1.8	4.8
BEYOND BEEF JUDO ICHIRO				58 %	40 %	47 %	44 %	26 %	58 %	40 %	56 %	47 %	32 %	44%	36%	15%	55 %	41 %	40 %	36 %	32 %	20 %
JMP 150328	1		MOYFF0054	127	70	77	140	105	121	70	115	77	69	60	99	110	106	91	108	98	110	112
FB			KJDFE0004	-0.84	-9.3				-0.84	-9.3	-0.94	-3.4	-15.4	-50	-2.4	-1.3	7.6	-0.3	6.2	0.5	0.9	1.4
CARLOO JMP15-328W				63 %	48 %	47 %	18 %	35 %	64 %	48 %	61 %	47 %	45 %	18%	51%	19%	66 %	58 %	58 %	56 %	46 %	33 %
82016-AN				79					91		56				97		86					
BS				2.11					2.11		1.26				-0.9		-0.8					
PEER 82016-AN				27 %					27 %		30 %				14%		15 %					
848-AN				76					90		54						83					
BS				2.25					2.25		1.34						-2.1					
PEER 848-AN				29 %					29 %		32 %						14 %					
861-AN				80					92		58						84					
BS				2.02					2.02		1.20						-1.6					
PEER 861-AN				27 %					27 %		30 %						14 %					
BA 160972	1	☒ BA 120718		122	101	91	117	105	119	101	96	91	92	83	108	104	111	78	83	91	98	128
FB		☒ BA 130992		-0.57	3.4				-0.57	3.4	-0.22	3.8	1.0	-18	-7.5	-0.2	10.1	-1.9	-11.0	-0.6	-0.3	4.0
WOODVIEW BA160972				73 %	43 %	41 %	43 %	36 %	73 %	43 %	52 %	41 %	40 %	43%	46%	25%	57 %	46 %	46 %	43 %	37 %	27 %
BB 160035			BB 140001	107	98	108	96	95	103	98	105	108	99	104	98	93	86	102	80	94	81	98
F2			CWBFB 130005	0.97	2.2				0.97	2.2	-0.57	12.8	5.9	12	-1.9	1.7	-0.9	1.0	-13.0	-0.1	-1.9	-0.7
BEYOND BEEF BB160035				43 %	35 %	23 %	18 %	26 %	45 %	35 %	34 %	23 %	28 %	18%	34%	17%	46 %	48 %	48 %	47 %	27 %	17 %
BB 160043			BB 140001	93	101	109	96	95	94	101	91	109	102	104	98	93	91	102	80	94	81	98
F2			CWBFB 140017	1.80	3.3				1.80	3.3	-0.06	13.3	7.6	12	-1.9	1.7	1.3	1.0	-13.0	-0.1	-1.9	-0.7
BEYOND BEEF BB160043				49 %	35 %	23 %	18 %	26 %	50 %	35 %	44 %	23 %	28 %	18%	34%	17%	52 %	48 %	48 %	47 %	27 %	17 %
BB 160048			BB 140001	107	98	108	96	95	103	98	105	108	99	104	98	93	89	102	80	94	81	98
F2			CWBFB 140015	0.97	2.2				0.97	2.2	-0.57	12.8	5.9	12	-1.9	1.7	0.6	1.0	-13.0	-0.1	-1.9	-0.7
BEYOND BEEF BB160048				43 %	35 %	23 %	18 %	26 %	45 %	35 %	34 %	23 %	28 %	18%	34%	17%	48 %	48 %	48 %	47 %	27 %	17 %
BB 160051			BB 140001	103	99	108	96	95	100	99	101	108	100	104	98	93	96	102	80	94	81	98
F2			CWBFB 140014	1.19	2.5				1.19	2.5	-0.44	12.9	6.4	12	-1.9	1.7	3.3	1.0	-13.0	-0.1	-1.9	-0.7
BEYOND BEEF BB160051				59 %	35 %	23 %	18 %	26 %	59 %	35 %	57 %	23 %	28 %	18%	34%	17%	53 %	48 %	48 %	47 %	27 %	17 %
BB 160053			BB 140001	115	96	107	96	95	112	96	119	107	97	104	98	93	96	102	80	94	81	98
F2			CWBFB 140054	0.10	1.1				0.10	1.1	-1.11	12.2	4.0	12	-1.9	1.7	3.3	1.0	-13.0	-0.1	-1.9	-0.7
BEYOND BEEF BB160053				53 %	35 %	23 %	18 %	26 %	53 %	35 %	52 %	23 %	28 %	18%	34%	17%	53 %	48 %	48 %	47 %	27 %	17 %
BB 160054			BB 110001	106	91	112	99	97	104	91	99	112	94	101	96	98	92	93	91	84	94	105
F2			CWBFB 140049	0.85	-0.5				0.85	-0.5	-0.34	14.9	2.5	8	-0.5	0.8	1.8	-0.1	-5.9	-1.7	-0.6	0.4
BEYOND BEEF BB160054				32 %	27 %	19 %	13 %	18 %	34 %	27 %	23 %	19 %	18 %	13%	24%	13%	34 %	22 %	22 %	21 %	19 %	14 %

WAGYU Cows

Inbreeding >6% is high				<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed															
Cow				Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas				
ID	%Inbreeding	Parentage		Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
Name		Genomic DNA	Sire ID Dam ID																			
JAPANESE BLACK																						
BB 160056			BB 140001	114	96	107	96	95	109	96	116	107	97	104	98	93	96	102	80	94	81	98
F2			CWBFBB 140021																			
BEYOND BEEF BB160056			55 %																			
									56 %	35 %	52 %	23 %	28 %	18%	34%	17%	53 %	48 %	48 %	47 %	27 %	17 %
BB 160059			BB 140001	107	98	108	96	95	103	98	105	108	99	104	98	93	89	102	80	94	81	98
F2			CWBFBB 140022																			
BEYOND BEEF BB160059			43 %																			
									45 %	35 %	34 %	23 %	28 %	18%	34%	17%	48 %	48 %	48 %	47 %	27 %	17 %
BB 160063			BB 140001	107	98	108	96	95	103	98	105	108	99	104	98	93	89	102	80	94	81	98
F2			CWBFBB 130033																			
BEYOND BEEF BB160063			43 %																			
									45 %	35 %	34 %	23 %	28 %	18%	34%	17%	48 %	48 %	48 %	47 %	27 %	17 %
BB 160204		2	OVE 080002	119	79	78	130	105	127	79	119	78	72	70	111	102	118	97	79	84	116	128
FB			BB 120026																			
BEYOND BEEF BB160204			69 %																			
									69 %	54 %	69 %	50 %	57 %	36%	59%	30%	67 %	61 %	61 %	59 %	52 %	40 %
AKW 170004			BA 130975	98	93	111	97	89	95	93	103	111	99	103	96	85	98	88	96	92	95	106
F2			CWBFBA 151025																			
PEER AKW170004			40 %																			
									42 %	24 %	30 %	23 %	19 %	14%	27%	15%	43 %	28 %	28 %	26 %	20 %	13 %
AKW 170006		5	BA 130975	109	89	93	113	108	108	89	93	93	92	87	108	108	111	93	88	93	89	105
F2			BA 151029																			
PEER AKW170006			54 %																			
									54 %	29 %	54 %	27 %	24 %	19%	43%	21%	52 %	32 %	32 %	30 %	25 %	17 %
AKW 170010		2	148BE	109	96	88	116	100	107	96	94	88	92	84	103	100	108	113	80	98	96	96
PBD			BA 130821																			
PEER AKW170010			64 %																			
									64 %	56 %	62 %	54 %	55 %	49%	61%	44%	62 %	54 %	56 %	55 %	55 %	48 %
AKW 170011		2	FB9866	108	99	95	117	121	110	99	82	95	96	83	117	123	107	112	109	98	107	95
PBD			BA 130824																			
PEER AKW170011			63 %																			
									64 %	50 %	59 %	45 %	31 %	39%	53%	31%	60 %	48 %	48 %	44 %	37 %	29 %
AKW 170027			BA 130994	110	98	102	115	113	116	98	63	102	102	85	105	118	101	93	80	101	90	108
PEN																						
PEER AKW170027			34 %																			
									34 %	25 %	33 %	25 %	23 %	22%	27%	14%	35 %	30 %	30 %	28 %	24 %	16 %
BB 170341			FB13429	112	108	97	92	104	135	108	113	97	113	108	87	116	109	70	101	90	121	136
F2			BB 140027																			
BEYOND BEEF BB170341			66 %																			
									71 %	38 %	48 %	24 %	36 %	15%	44%	12%	54 %	38 %	38 %	35 %	30 %	17 %
BB 170344			FB14989	102	110	102	90	114	107	110	75	102	107	110	106	118	116	91	108	99	111	107
F2			BB 130009																			
BEYOND BEEF BB170344			66 %																			
									71 %	37 %	49 %	33 %	44 %	27%	39%	17%	50 %	42 %	42 %	38 %	27 %	19 %
CP 170092			CP 130304	93	98	113	93	91	92	98	101	113	100	107	91	93	93	103	108	102	108	106
F3			CWBFCP 130020																			
GLENFINLAS 17 0092			45 %																			
									46 %	40 %	42 %	40 %	32 %	23%	35%	20%	44 %	36 %	35 %	33 %	28 %	23 %

WAGYU Cows

Inbreeding >6% is high				<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed															
Cow				Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas				
ID	%Inbreeding	Parentage		Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
Name		Genomic DNA	Sire ID																			
JAPANESE BLACK																						
AKW 180005				101	114	88	93	120	102	114	89	88	107	107	122	118	94	100	105	110	83	85
F2									1.05	8.4	0.02	2.4	11.6	16	-15.7	-2.7	2.7	0.8	4.4	2.4	-1.7	-2.8
PEER AKW180005				65 %	37 %	22 %	17 %	29 %	70 %	37 %	45 %	22 %	34 %	17%	44%	14%	54 %	45 %	44 %	41 %	40 %	18 %
AKW 180006				119	101	83	110	117	115	101	98	83	97	90	107	124	114	61	118	78	99	131
PEN									-0.22	3.5	-0.31	-0.3	4.4	-8	-7.0	-3.9	11.1	-4.1	13.5	-2.7	-0.2	4.4
PEER AKW180006				67 %	37 %	37 %	26 %	34 %	71 %	37 %	53 %	37 %	36 %	26%	43%	24%	58 %	47 %	47 %	44 %	34 %	23 %
AKW 180012				105	108	94	95	122	103	108	120	94	105	105	126	119	109	94	96	96	94	99
F2									0.94	6.2	-1.13	5.5	10.0	13	-18.0	-2.9	9.1	0.0	-2.4	0.2	-0.6	-0.7
PEER AKW180012				66 %	31 %	24 %	21 %	30 %	70 %	31 %	51 %	24 %	35 %	21%	44%	16%	52 %	42 %	42 %	38 %	38 %	23 %
AKW 180017				118	108	92	97	124	115	108	94	92	102	103	122	124	108	98	96	100	92	94
F2									-0.24	6.0	-0.17	4.3	7.9	10	-15.7	-3.8	8.5	0.6	-2.1	0.8	-0.8	-1.4
PEER AKW180017				67 %	36 %	25 %	22 %	30 %	71 %	36 %	51 %	25 %	40 %	22%	45%	15%	53 %	41 %	40 %	37 %	38 %	23 %
AKW 180021				123	83	79	128	94	116	83	111	79	78	72	96	94	111	97	81	79	112	126
FB									-0.31	-3.9	-0.79	-2.5	-9.2	-33	-0.7	1.6	9.9	0.4	-12.8	-2.4	1.1	3.6
PEER AKW180021				52 %	42 %	35 %	25 %	34 %	53 %	42 %	48 %	35 %	51 %	25%	43%	24%	59 %	59 %	59 %	57 %	48 %	28 %
AKW 180025				117	85	74	126	99	129	85	119	74	80	74	107	95	108	118	69	104	100	106
FB									-1.54	-3.2	-1.09	-4.9	-7.5	-30	-6.8	1.4	8.8	3.1	-21.2	1.4	-0.1	0.4
PEER AKW180025				52 %	51 %	50 %	46 %	46 %	52 %	51 %	50 %	50 %	51 %	46%	52%	40%	56 %	52 %	53 %	52 %	52 %	46 %
AKW 180026				123	100	83	110	117	118	100	98	83	96	90	107	124	114	61	118	78	99	131
FB									-0.54	2.9	-0.32	-0.3	3.5	-8	-7.0	-3.9	11.1	-4.1	13.5	-2.7	-0.2	4.4
PEER AKW180026				56 %	37 %	37 %	26 %	34 %	57 %	37 %	53 %	37 %	36 %	26%	43%	24%	58 %	47 %	47 %	44 %	34 %	23 %
AKW 180028				123	100	83	110	117	118	100	98	83	96	90	107	124	112	61	118	78	99	131
FB									-0.54	2.9	-0.32	-0.3	3.5	-8	-7.0	-3.9	10.4	-4.1	13.5	-2.7	-0.2	4.4
PEER AKW180028				56 %	37 %	37 %	26 %	34 %	57 %	37 %	53 %	37 %	36 %	26%	43%	24%	60 %	47 %	47 %	44 %	34 %	23 %
AKW 180029				126	99	83	110	119	120	99	102	83	95	90	110	125	112	61	118	78	99	131
FB									-0.75	2.6	-0.45	-0.4	3.1	-8	-8.6	-4.1	10.4	-4.1	13.5	-2.7	-0.2	4.4
PEER AKW180029				58 %	37 %	37 %	26 %	37 %	59 %	37 %	56 %	37 %	36 %	26%	50%	24%	60 %	47 %	47 %	44 %	34 %	23 %
AKW 180032				123	100	83	110	117	118	100	98	83	96	90	107	124	114	61	118	78	99	131
FB									-0.54	2.9	-0.32	-0.3	3.5	-8	-7.0	-3.9	11.1	-4.1	13.5	-2.7	-0.2	4.4
PEER AKW180032				56 %	37 %	37 %	26 %	34 %	57 %	37 %	53 %	37 %	36 %	26%	43%	24%	58 %	47 %	47 %	44 %	34 %	23 %
AKW 180034				123	100	83	110	117	118	100	98	83	96	90	107	124	114	61	118	78	99	131
FB									-0.54	2.9	-0.32	-0.3	3.5	-8	-7.0	-3.9	11.1	-4.1	13.5	-2.7	-0.2	4.4
PEER AKW180034				56 %	37 %	37 %	26 %	34 %	57 %	37 %	53 %	37 %	36 %	26%	43%	24%	58 %	47 %	47 %	44 %	34 %	23 %
AKW 180035				123	100	83	110	117	118	100	98	83	96	90	107	124	114	61	118	78	99	131
FB									-0.54	2.9	-0.32	-0.3	3.5	-8	-7.0	-3.9	11.1	-4.1	13.5	-2.7	-0.2	4.4
PEER AKW180035				56 %	37 %	37 %	26 %	34 %	57 %	37 %	53 %	37 %	36 %	26%	43%	24%	58 %	47 %	47 %	44 %	34 %	23 %

WAGYU Cows

Inbreeding >6% is high				<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed															
Cow				Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas				
ID	%Inbreeding	Parentage		Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
Name		Genomic DNA	Sire ID																			
JAPANESE BLACK																						
AKW 180044	12	✓	BA 130975	104	91	87	115	104	104	91	92	87	92	85	101	107	112	83	94	85	91	111
PBD		✓	BA 120675	67 %	37 %	35 %	26 %	34 %	0.89	-0.8	-0.10	1.8	0.6	-16	-3.4	-0.7	10.3	-1.3	-3.5	-1.6	-1.0	1.2
PEER AKW180044									72 %	37 %	48 %	35 %	32 %	26%	42%	25%	55 %	37 %	39 %	36 %	31 %	20 %
AKW 180047			BA 130975	98	93	111	97	89	95	93	103	111	99	103	96	85	98	88	96	92	95	106
PEN				40 %	24 %	23 %	14 %	21 %	1.69	0.2	-0.51	14.6	5.8	11	-0.6	3.3	4.3	-0.8	-2.0	-0.5	-0.6	0.5
PEER AKW180047									42 %	24 %	30 %	23 %	19 %	14%	27%	15%	43 %	28 %	28 %	26 %	20 %	13 %
AKW 180058		✓	BB 150146	116	113	89	97	128	110	113	109	89	107	103	128	126	116	91	87	102	104	113
F2		✓	BB 130004	62 %	36 %	25 %	23 %	26 %	0.28	8.2	-0.73	3.0	11.6	11	-19.2	-4.2	11.8	-0.4	-8.2	1.1	0.3	1.5
PEER AKW180058									68 %	36 %	40 %	25 %	46 %	23%	33%	18%	47 %	31 %	31 %	29 %	27 %	22 %
AKW 180069	1	✓	KF 120007	123	100	83	110	117	118	100	98	83	96	90	107	124	114	61	118	78	99	131
FB		✓	BA 110474	56 %	37 %	37 %	26 %	34 %	-0.54	2.9	-0.32	-0.3	3.5	-8	-7.0	-3.9	11.1	-4.1	13.5	-2.7	-0.2	4.4
PEER AKW180069									57 %	37 %	53 %	37 %	36 %	26%	43%	24%	58 %	47 %	47 %	44 %	34 %	23 %
AKW 180074	1	✓	KF 120007	123	100	83	110	117	118	100	98	83	96	90	107	124	114	61	118	78	99	131
FB		✓	BA 110474	56 %	37 %	37 %	26 %	34 %	-0.54	2.9	-0.32	-0.3	3.5	-8	-7.0	-3.9	11.1	-4.1	13.5	-2.7	-0.2	4.4
PEER AKW180074									57 %	37 %	53 %	37 %	36 %	26%	43%	24%	58 %	47 %	47 %	44 %	34 %	23 %
AKW 180075	1	✓	KF 120007	123	100	83	110	117	118	100	98	83	96	90	107	124	114	61	118	78	99	131
FB		✓	BA 110474	56 %	37 %	37 %	26 %	34 %	-0.54	2.9	-0.32	-0.3	3.5	-8	-7.0	-3.9	11.1	-4.1	13.5	-2.7	-0.2	4.4
PEER AKW180075									57 %	37 %	53 %	37 %	36 %	26%	43%	24%	58 %	47 %	47 %	44 %	34 %	23 %
AKW 180081	3	✓	BA 150370	100	96	87	112	100	101	96	92	87	92	88	108	96	111	107	89	108	100	101
F2		✓	BA 151026	63 %	36 %	32 %	30 %	31 %	1.18	1.5	-0.09	1.6	0.9	-11	-7.5	1.2	10.0	1.7	-6.7	2.0	-0.1	-0.4
PEER AKW180081									69 %	36 %	39 %	32 %	34 %	30%	37%	25%	48 %	34 %	35 %	33 %	31 %	27 %
AKW 180082	1	✓	BA 150370	104	92	87	115	102	105	92	90	87	90	85	108	99	112	104	100	109	97	98
F2		✓	BA 151031	63 %	35 %	32 %	29 %	32 %	0.77	-0.4	0.01	1.6	-0.7	-15	-7.5	0.7	10.2	1.3	0.7	2.2	-0.4	-0.8
PEER AKW180082									69 %	35 %	42 %	32 %	32 %	29%	38%	25%	47 %	36 %	37 %	35 %	32 %	28 %
AKW 180084		✓	CP 130307	120	111	103	94	99	115	111	102	103	107	106	88	107	93	93	109	97	116	112
F3		✓	CP 100061	70 %	49 %	50 %	23 %	35 %	-0.26	7.4	-0.47	10.3	11.2	15	4.2	-0.8	2.1	0.0	7.2	0.3	1.4	1.5
PEER AKW180084									73 %	49 %	57 %	50 %	35 %	23%	45%	25%	56 %	42 %	42 %	38 %	28 %	18 %
AKW 180085		✓	CP 130307	115	111	101	95	112	112	111	98	101	107	105	97	122	92	94	110	97	117	112
F3		✓	CP 100032	70 %	49 %	50 %	22 %	36 %	0.09	7.2	-0.32	9.0	11.0	14	-1.4	-3.5	1.7	0.0	7.6	0.3	1.5	1.4
PEER AKW180085									73 %	49 %	58 %	50 %	34 %	22%	46%	25%	56 %	42 %	41 %	38 %	28 %	18 %
AKW 180089			CP 120005	104	92	104	107	107	113	92	56	104	102	93	102	111	94	105	100	101	102	96
PEN				56 %	14 %	16 %	10 %	16 %	-0.04	-0.1	1.26	10.9	8.1	-3	-3.9	-1.5	2.7	1.4	1.1	0.9	0.1	-1.1
PEER AKW180089									62 %	14 %	31 %	16 %	12 %	10%	24%	9%	29 %	18 %	19 %	16 %	13 %	8 %
AKW 180093	9	✓	BA 130975	122	87	94	112	104	119	87	97	94	89	88	106	104	127	77	92	85	83	114
FB		✓	BA 110474	55 %	33 %	33 %	24 %	32 %	-0.57	-2.4	-0.27	5.5	-1.1	-11	-6.6	-0.1	16.6	-2.2	-5.0	-1.6	-1.7	1.8
PEER AKW180093									57 %	33 %	47 %	33 %	26 %	24%	40%	23%	56 %	37 %	37 %	34 %	27 %	18 %

WAGYU Cows

Inbreeding >6% is high				<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed															
Cow				Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas				
ID	%Inbreeding	Parentage		Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
Name		Genomic DNA	Sire ID																			
JAPANESE BLACK																						
AKW 180096	9	BA 130975		122	87	94	112	104	119	87	97	94	89	88	106	104	127	77	92	85	83	114
FB		BA 110474							-0.57	-2.4	-0.27	5.5	-1.1	-11	-6.6	-0.1	16.6	-2.2	-5.0	-1.6	-1.7	1.8
PEER AKW180096				55 %	33 %	33 %	24 %	32 %	57 %	33 %	47 %	33 %	26 %	24%	40%	23%	56 %	37 %	37 %	34 %	27 %	18 %
BB 180089	3	KI 140010		114	93	80	119	100	108	93	109	80	86	81	101	101	110	101	70	75	118	131
FB		BB 120026							0.44	0.2	-0.73	-2.1	-3.4	-21	-3.2	0.4	9.3	0.9	-20.6	-3.0	1.6	4.5
BEYOND BEEF BB180089				56 %	42 %	35 %	25 %	36 %	57 %	42 %	52 %	35 %	50 %	25%	46%	26%	62 %	61 %	61 %	59 %	51 %	31 %
BB 180101	3	BB 110011		120	86	86	118	89	128	86	110	86	82	82	80	97	105	96	84	87	113	123
F2		BB 140062							-1.49	-2.8	-0.74	1.3	-6.4	-19	9.0	1.0	7.5	0.3	-10.4	-1.3	1.1	3.2
BEYOND BEEF BB180101				63 %	36 %	28 %	19 %	30 %	69 %	36 %	40 %	28 %	32 %	19%	38%	21%	48 %	39 %	38 %	36 %	26 %	19 %
AKW 190005	1	BB 110011		113	97	87	112	106	111	97	95	87	93	88	102	109	114	90	93	84	111	120
PBD		BA 130821							0.20	1.9	-0.20	2.0	1.4	-11	-3.8	-1.2	11.3	-0.5	-3.8	-1.8	1.0	2.7
PEER AKW190005				64 %	41 %	35 %	28 %	36 %	69 %	41 %	46 %	35 %	38 %	28%	44%	27%	54 %	44 %	45 %	42 %	34 %	24 %
AKW 190017	1	BA 150370		104	102	88	109	98	103	102	97	88	98	91	106	95	111	109	86	97	108	105
F2		BB 160187							0.96	3.8	-0.29	2.4	4.9	-7	-6.4	1.4	10.0	1.9	-9.2	0.3	0.6	0.4
PEER AKW190017				64 %	43 %	34 %	29 %	32 %	70 %	43 %	41 %	34 %	38 %	29%	39%	25%	47 %	34 %	35 %	33 %	32 %	27 %
AKW 190019	1	BA 150370		124	85	88	121	108	117	85	109	88	82	79	116	104	118	109	80	100	103	106
F2		BB 160129							-0.43	-3.1	-0.71	2.4	-6.3	-23	-11.9	-0.1	12.8	1.9	-13.6	0.8	0.2	0.5
PEER AKW190019				68 %	38 %	33 %	29 %	34 %	72 %	38 %	51 %	33 %	35 %	29%	44%	25%	51 %	35 %	35 %	34 %	31 %	26 %
AKW 190021	1	BA 150370		118	91	92	110	99	112	91	109	92	88	90	106	95	108	111	81	103	90	96
F3		BB 160051							0.11	-0.6	-0.74	4.2	-1.7	-8	-6.4	1.3	8.6	2.2	-12.6	1.3	-1.0	-1.1
PEER AKW190021				63 %	36 %	32 %	29 %	30 %	69 %	36 %	42 %	32 %	34 %	29%	35%	24%	46 %	39 %	39 %	38 %	31 %	26 %
AKW 190044		BB 120028		97	92	111	106	98	95	92	101	111	91	94	102	95	92	90	84	84	108	120
PEN									1.71	-0.3	-0.42	14.6	0.2	-3	-4.3	1.5	1.6	-0.5	-10.3	-1.7	0.7	2.8
PEER AKW190044				46 %	39 %	27 %	16 %	30 %	48 %	39 %	38 %	27 %	32 %	16%	39%	22%	44 %	33 %	33 %	30 %	24 %	17 %
AKW 190047		BB 160123		102	88	102	117	112	111	88	57	102	95	83	101	119	91	106	82	98	100	104
PEN									0.16	-1.9	1.24	10.0	3.2	-18	-3.2	-2.9	1.4	1.5	-11.9	0.5	-0.1	0.2
PEER AKW190047				58 %	20 %	13 %	8 %	18 %	65 %	20 %	30 %	13 %	16 %	8 %	24%	13%	29 %	16 %	16 %	15 %	12 %	9 %
AKW 190054		BB 120028		97	92	111	106	98	95	92	101	111	91	94	102	95	92	90	84	84	108	120
PEN									1.71	-0.3	-0.42	14.6	0.2	-3	-4.3	1.5	1.6	-0.5	-10.3	-1.7	0.7	2.8
PEER AKW190054				46 %	39 %	27 %	16 %	30 %	48 %	39 %	38 %	27 %	32 %	16%	39%	22%	44 %	33 %	33 %	30 %	24 %	17 %
AKW 190061	14	BB 120028		105	99	91	117	111	102	99	103	91	91	83	109	113	105	96	73	78	113	128
F2		BB 160190							1.01	2.5	-0.48	4.1	0.2	-18	-8.2	-1.8	7.2	0.3	-18.4	-2.6	1.2	4.0
PEER AKW190061				68 %	49 %	32 %	18 %	36 %	73 %	49 %	48 %	32 %	39 %	18%	46%	25%	52 %	37 %	36 %	34 %	27 %	20 %
AKW 190063	1	BA 150370		120	91	87	120	100	114	91	107	87	87	80	108	96	108	109	86	97	108	105
F2		BB 160198							-0.10	-0.7	-0.63	1.6	-2.7	-22	-7.4	1.2	8.5	1.9	-9.2	0.3	0.6	0.4
PEER AKW190063				65 %	43 %	34 %	29 %	32 %	71 %	43 %	42 %	34 %	38 %	29%	39%	26%	47 %	34 %	35 %	33 %	32 %	27 %

WAGYU Cows

Inbreeding >6% is high										<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed									
Cow				Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas				
ID	%Inbreeding	Parentage		Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
		Genomic DNA	Sire ID																			
Name			Dam ID																			
JAPANESE BLACK																						
AKW 190065	8		BB 120028	126	86	86	124	112	120	86	114	86	79	76	113	111	105	93	72	88	111	130
F2			BB 130013	-0.67	-2.9	-0.89	1.0	-8.6	-28	-10.6	-1.4	7.4	-0.1	-19.2	-1.0	0.9	4.3	36 %	36 %	34 %	26 %	19 %
PEER AKW190065				68 %	50 %	33 %	18 %	36 %	73 %	50 %	49 %	33 %	46 %	18 %	46 %	26 %	54 %					
AKW 190069	8		BB 120028	125	67	92	134	104	120	67	100	92	67	66	105	104	105	95	74	84	112	128
F2			BB 150078	-0.70	-10.4	-0.40	4.7	-16.9	-43	-5.6	-0.2	7.4	0.1	-17.5	-1.7	1.0	4.0	36 %	36 %	33 %	27 %	19 %
PEER AKW190069				67 %	49 %	32 %	18 %	34 %	72 %	49 %	46 %	32 %	40 %	18 %	45 %	24 %	52 %					
AKW 190093			BB 120028	97	92	111	106	98	95	92	101	111	91	94	102	95	92	90	84	84	108	120
PEN				1.71	-0.3	-0.42	14.6	0.2	-3	-4.3	1.5	1.6	-0.5	-10.3	-1.7	0.7	2.8	33 %	33 %	30 %	24 %	17 %
PEER AKW190093				46 %	39 %	27 %	16 %	30 %	48 %	39 %	38 %	27 %	32 %	16 %	39 %	22 %	44 %					
AKW 190109	2		OVE 080002	123	72	78	138	95	125	72	106	78	67	62	101	93	117	93	90	87	110	123
FB			BB 120018	-1.24	-8.5	-0.62	-2.7	-17.1	-48	-3.7	1.7	12.3	-0.1	-6.4	-1.2	0.9	3.2	59 %	59 %	57 %	49 %	38 %
PEER AKW190109				62 %	54 %	50 %	36 %	40 %	62 %	54 %	61 %	50 %	58 %	36 %	52 %	29 %	63 %					
AKW 190124	2		OVE 080002	114	70	78	138	95	132	70	116	78	65	62	101	93	115	93	90	87	110	123
FB			BB 120018	-1.84	-9.2	-0.99	-3.1	-18.4	-48	-3.7	1.7	11.5	-0.1	-6.4	-1.2	0.9	3.2	59 %	59 %	57 %	49 %	38 %
PEER AKW190124				59 %	54 %	50 %	36 %	40 %	60 %	54 %	57 %	50 %	58 %	36 %	52 %	29 %	62 %					
AKW 190127			AKW 170010	101	93	96	116	105	109	93	59	96	98	84	99	109	94	114	83	104	95	93
PEN				0.35	0.1	1.14	6.4	5.2	-17	-2.0	-1.2	2.8	2.5	-10.9	1.3	-0.6	-1.5	27 %	28 %	27 %	27 %	24 %
PEER PEER AKW190127				53 %	28 %	27 %	25 %	26 %	59 %	28 %	31 %	27 %	28 %	25 %	30 %	22 %	31 %					
AKW 190139	8		BB 120028	120	83	89	127	103	116	83	102	89	77	73	101	104	110	95	72	84	111	129
F2			BB 150017	-0.28	-4.1	-0.45	2.9	-9.6	-32	-3.5	-0.3	9.5	0.2	-19.3	-1.7	1.0	4.1	37 %	36 %	34 %	27 %	20 %
PEER AKW190139				55 %	43 %	29 %	18 %	34 %	58 %	43 %	42 %	29 %	36 %	18 %	45 %	24 %	53 %					
AKW 200004			WESFZ0278	111	101	95	104	100	111	101	85	95	102	96	99	101	124	81	99	92	64	97
FB			BA 110474	0.13	3.4	0.17	6.2	7.8	1	-2.4	0.4	15.7	-1.6	0.1	-0.5	-3.5	-0.9	48 %	48 %	46 %	38 %	30 %
PEER AKW200004				59 %	47 %	39 %	33 %	37 %	60 %	47 %	53 %	39 %	40 %	33 %	47 %	27 %	57 %					
AKW 200010	4		WESFZ0278	114	108	93	108	100	112	108	96	93	105	92	100	100	118	85	84	99	66	101
FB			BA 130994	0.09	6.2	-0.23	4.9	9.8	-6	-2.7	0.5	12.9	-1.1	-10.7	0.7	-3.3	-0.3	51 %	52 %	49 %	42 %	32 %
PEER AKW200010				56 %	48 %	40 %	34 %	34 %	57 %	48 %	51 %	40 %	43 %	34 %	44 %	24 %	57 %					
AKW 200018	2		BA 150370	119	91	90	111	104	114	91	102	90	91	89	112	101	114	108	98	103	104	98
F3			CP 120005	-0.13	-0.6	-0.47	3.5	-0.2	-9	-9.6	0.4	11.1	1.8	-0.7	1.2	0.3	-0.8	35 %	36 %	34 %	31 %	26 %
PEER AKW200018				61 %	35 %	34 %	30 %	32 %	66 %	35 %	44 %	34 %	33 %	30 %	39 %	24 %	47 %					
AKW 200026	2		OVE 080002	126	83	80	128	91	123	83	107	80	75	72	96	89	106	89	72	97	93	124
FB			BB 120025	-1.00	-4.0	-0.65	-1.8	-11.0	-34	-0.7	2.5	7.9	-0.6	-19.1	0.3	-0.8	3.3	60 %	60 %	58 %	53 %	40 %
PEER AKW200026				64 %	55 %	50 %	36 %	42 %	64 %	55 %	63 %	50 %	57 %	36 %	54 %	30 %	65 %					
AKW 200028	2		OVE 080002	124	80	78	130	102	124	80	114	78	73	70	106	100	110	97	79	84	116	128
FB			BB 120026	-1.08	-5.2	-0.92	-2.8	-12.6	-37	-6.2	0.4	9.5	0.4	-14.2	-1.8	1.4	4.1	61 %	61 %	59 %	52 %	40 %
PEER AKW200028				63 %	54 %	50 %	36 %	42 %	64 %	54 %	61 %	50 %	57 %	36 %	54 %	30 %	64 %					

WAGYU Cows

Inbreeding >6% is high				<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed																	
Cow				Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas						
ID	%Inbreeding	Parentage		Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness		
Name		Genomic DNA	Sire ID																				Dam ID	
JAPANESE BLACK																								
AKW 200032				117	101	97	104	103	112	101	104	97	101	96	105	102	106	72	97	90	98	124		
PBD				56 %	52 %	50 %	39 %	36 %	0.07	3.2	-0.53	7.2	7.1	1	-6.0	0.2	7.9	-2.8	-1.3	-0.8	-0.3	3.4		
PEER AKW200032									57 %	52 %	54 %	50 %	48 %	39%	47%	25%	56 %	52 %	52 %	50 %	45 %	35 %		
AKW 200035				114	70	78	138	95	132	70	116	78	65	62	101	93	112	93	90	87	110	123		
FB				59 %	54 %	50 %	36 %	40 %	-1.84	-9.2	-0.99	-3.1	-18.4	-48	-3.7	1.7	10.2	-0.1	-6.4	-1.2	0.9	3.2		
PEER AKW200035									60 %	54 %	57 %	50 %	58 %	36%	52%	29%	62 %	59 %	59 %	57 %	49 %	38 %		
AKW 200039				124	80	78	130	102	124	80	114	78	73	70	106	100	110	97	79	84	116	128		
FB				63 %	54 %	50 %	36 %	42 %	-1.08	-5.2	-0.92	-2.8	-12.6	-37	-6.2	0.4	9.5	0.4	-14.2	-1.8	1.4	4.1		
PEER AKW200039									64 %	54 %	61 %	50 %	57 %	36%	54%	30%	64 %	61 %	61 %	59 %	52 %	40 %		
AKW 200052				107	98	98	104	102	106	98	92	98	99	96	91	110	113	89	107	89	117	119		
PBD				54 %	45 %	45 %	42 %	32 %	0.62	2.0	-0.08	7.5	5.8	1	2.5	-1.2	10.9	-0.5	5.7	-0.9	1.5	2.5		
PEER AKW200052									55 %	45 %	51 %	45 %	46 %	42%	43%	22%	51 %	50 %	50 %	47 %	43 %	32 %		
AKW 200054				124	77	79	130	101	118	77	103	79	71	70	91	108	117	115	89	83	135	123		
FB				61 %	47 %	45 %	39 %	39 %	-0.53	-6.4	-0.48	-2.5	-13.8	-37	2.3	-1.0	12.5	2.7	-7.2	-1.8	3.2	3.1		
PEER AKW200054									62 %	47 %	58 %	45 %	55 %	39%	51%	27%	60 %	60 %	59 %	56 %	51 %	38 %		
AKW 200055				107	98	98	104	102	106	98	92	98	99	96	91	110	113	89	107	89	117	119		
PBD				54 %	45 %	45 %	42 %	32 %	0.62	2.0	-0.08	7.5	5.8	1	2.5	-1.2	10.9	-0.5	5.7	-0.9	1.5	2.5		
PEER AKW200055									55 %	45 %	51 %	45 %	46 %	42%	43%	22%	51 %	50 %	50 %	47 %	43 %	32 %		
AKW 200058				124	77	79	130	101	118	77	103	79	71	70	91	108	117	115	89	83	135	123		
FB				61 %	47 %	45 %	39 %	39 %	-0.53	-6.4	-0.48	-2.5	-13.8	-37	2.3	-1.0	12.5	2.7	-7.2	-1.8	3.2	3.1		
PEER AKW200058									62 %	47 %	58 %	45 %	55 %	39%	51%	27%	60 %	60 %	59 %	56 %	51 %	38 %		
AKW 200084				111	97	91	117	111	107	97	103	91	89	83	109	113	105	96	73	78	113	128		
F2				68 %	49 %	32 %	18 %	36 %	0.55	1.6	-0.50	4.2	-1.0	-18	-8.2	-1.8	7.2	0.3	-18.4	-2.6	1.2	4.0		
PEER AKW200084									73 %	49 %	48 %	32 %	39 %	18%	46%	25%	52 %	37 %	36 %	34 %	27 %	20 %		
AKW 200086				93	103	95	105	114	104	103	56	95	107	95	108	118	88	107	96	110	89	88		
PEN				54 %	18 %	11 %	8 %	14 %	0.89	4.3	1.25	6.3	11.3	-1	-7.6	-2.8	-0.1	1.7	-2.1	2.3	-1.2	-2.4		
PEER PEER AKW200086									62 %	18 %	23 %	11 %	17 %	8 %	22%	7%	27 %	22 %	22 %	20 %	20 %	9 %		
AKW 200092				104	77	91	133	111	105	77	89	91	72	67	113	110	101	96	66	81	108	129		
F2				68 %	49 %	32 %	18 %	36 %	0.76	-6.4	0.01	3.8	-13.0	-41	-10.6	-1.3	5.5	0.3	-22.9	-2.1	0.7	4.1		
PEER AKW200092									73 %	49 %	47 %	32 %	39 %	18%	46%	25%	53 %	37 %	37 %	34 %	27 %	20 %		
AKW 200096				97	92	111	106	98	95	92	101	111	91	94	102	95	92	90	84	84	108	120		
F2				46 %	39 %	27 %	16 %	30 %	1.71	-0.3	-0.42	14.6	0.2	-3	-4.3	1.5	1.6	-0.5	-10.3	-1.7	0.7	2.8		
PEER AKW200096									48 %	39 %	38 %	27 %	32 %	16%	39%	22%	44 %	33 %	33 %	30 %	24 %	17 %		
AKW 200104				126	79	93	128	110	121	79	99	93	75	72	113	108	104	96	66	81	108	129		
F2				68 %	44 %	30 %	18 %	36 %	-0.80	-5.4	-0.36	4.9	-11.4	-34	-10.3	-1.0	6.8	0.3	-22.9	-2.1	0.7	4.1		
PEER AKW200104									73 %	44 %	47 %	30 %	36 %	18%	46%	25%	53 %	37 %	37 %	34 %	27 %	20 %		

WAGYU Cows

Inbreeding >6% is high				<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed															
Cow				Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas				
ID	%Inbreeding	Parentage		Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
		Genomic DNA	Sire ID																			
Name			Dam ID																			
JAPANESE BLACK																						
AKW 210000	1		BB 120028	125	83	86	126	100	118	83	105	86	77	74	106	97	108	100	67	91	101	120
PBD			BA 130806	0.8	-22.4	-0.5	0.0	2.7	-0.55	-4.1	-0.58	1.1	-9.8	-31	-6.5	1.0	8.6	42 %	42 %	40 %	35 %	29 %
PEER AKW210000				69 %	47 %	37 %	28 %	40 %	73 %	47 %	52 %	37 %	41 %	28%	49%	30%	55 %	42 %	42 %	40 %	35 %	29 %
AKW 210001	14		BB 120028	113	101	93	116	106	109	101	103	93	92	84	102	109	105	96	73	78	113	128
F2			BB 160188	0.3	-18.4	-2.6	1.2	4.0	0.39	3.2	-0.50	5.1	1.0	-17	-3.9	-1.1	7.2	0.3	-18.4	-2.6	1.2	4.0
PEER AKW210001				67 %	49 %	32 %	18 %	35 %	72 %	49 %	47 %	32 %	39 %	18%	46%	24%	52 %	37 %	36 %	34 %	27 %	20 %
AKW 210012			BDWFM0495	107	98	98	104	102	106	98	92	98	99	96	91	110	113	89	107	89	117	119
PBD			BB 150141	0.6	5.7	-0.9	1.5	2.5	0.62	2.0	-0.08	7.5	5.8	1	2.5	-1.2	10.9	-0.5	5.7	-0.9	1.5	2.5
PEER AKW210012				54 %	45 %	45 %	42 %	32 %	55 %	45 %	51 %	45 %	46 %	42%	43%	22%	51 %	50 %	50 %	47 %	43 %	32 %
AKW 210013	4		WESFZ0278	114	108	93	108	100	112	108	96	93	105	92	100	100	118	85	84	99	66	101
FB			BA 130994	0.0	-10.7	0.7	-3.3	-0.3	0.09	6.2	-0.23	4.9	9.8	-6	-2.7	0.5	12.9	-1.1	-10.7	0.7	-3.3	-0.3
PEER AKW210013				56 %	48 %	40 %	34 %	34 %	57 %	48 %	51 %	40 %	43 %	34%	44%	24%	57 %	51 %	52 %	49 %	42 %	32 %
AKW 210015	1		BA 150370	115	94	84	114	100	111	94	117	84	91	86	103	100	110	106	85	107	105	107
F2			BB 140010	0.2	-9.9	1.9	0.4	0.6	0.20	0.6	-1.01	0.5	-0.3	-13	-4.6	0.5	9.4	1.5	-9.9	1.9	0.4	0.6
PEER AKW210015				66 %	44 %	34 %	29 %	33 %	71 %	44 %	45 %	34 %	41 %	29%	39%	27%	48 %	34 %	35 %	33 %	30 %	26 %
AKW 210029	1		BB 120028	108	94	105	115	108	108	94	90	105	90	85	104	110	100	94	83	85	108	121
PEN			CP 100061	0.4	-11.1	-1.6	0.6	2.9	0.45	0.4	0.00	11.5	-0.5	-15	-5.2	-1.4	5.3	0.0	-11.1	-1.6	0.6	2.9
PEER AKW210029				68 %	46 %	39 %	24 %	38 %	72 %	46 %	53 %	39 %	36 %	24%	47%	28%	55 %	37 %	37 %	34 %	25 %	18 %
AKW 210034	2		BA 170026	116	90	95	115	108	130	90	99	95	89	85	108	109	105	105	93	76	109	107
F2			BB 160198	-1.6	-3.8	-2.9	0.7	0.7	-1.65	-1.0	-0.35	6.1	-1.1	-15	-7.5	-1.1	7.4	1.4	-3.8	-2.9	0.7	0.7
PEER AKW210034				63 %	37 %	24 %	17 %	26 %	69 %	37 %	38 %	24 %	28 %	17%	33%	18%	42 %	31 %	30 %	29 %	27 %	22 %
AKW 210035	1		BA 150370	112	93	84	117	96	108	93	115	84	89	83	101	94	121	106	85	107	105	107
PEN			BB 140005	0.4	-9.9	1.9	0.4	0.6	0.44	0.1	-0.96	0.4	-1.4	-18	-3.4	1.6	14.1	1.5	-9.9	1.9	0.4	0.6
PEER AKW210035				66 %	44 %	34 %	29 %	32 %	71 %	44 %	45 %	34 %	41 %	29%	39%	26%	48 %	34 %	35 %	33 %	30 %	26 %
AKW 210043	1		BA 150370	127	83	81	116	116	121	83	103	81	81	84	118	116	109	100	81	108	88	104
PEN			CP 130032	-0.8	-12.5	2.0	-1.2	0.2	-0.81	-3.9	-0.51	-1.6	-6.6	-17	-13.2	-2.4	8.9	0.8	-12.5	2.0	-1.2	0.2
PEER AKW210043				66 %	40 %	40 %	33 %	34 %	71 %	40 %	46 %	40 %	35 %	33%	41%	26%	49 %	38 %	38 %	36 %	33 %	27 %
AKW 210051	4		BB 120028	112	89	91	116	107	135	89	112	91	87	84	100	112	108	82	78	82	116	138
F3			BB 170341	-2.1	-14.7	-2.0	1.4	5.6	-2.17	-1.5	-0.84	3.8	-2.6	-16	-2.6	-1.7	8.8	-1.5	-14.7	-2.0	1.4	5.6
PEER AKW210051				66 %	44 %	29 %	18 %	34 %	71 %	44 %	45 %	29 %	36 %	18%	45%	22%	52 %	38 %	38 %	35 %	28 %	19 %
AKW 210052	4		BB 120028	126	94	90	116	107	123	94	111	90	92	84	100	112	108	82	78	82	116	138
F3			BB 170341	-1.0	-14.7	-2.0	1.4	5.6	-1.01	0.7	-0.78	3.5	0.5	-16	-2.6	-1.7	8.8	-1.5	-14.7	-2.0	1.4	5.6
PEER AKW210052				66 %	44 %	29 %	18 %	34 %	71 %	44 %	45 %	29 %	36 %	18%	45%	22%	52 %	38 %	38 %	35 %	28 %	19 %
AKW 210055	1		BB 120028	122	85	103	116	121	121	85	88	103	84	84	114	125	100	94	84	84	108	121
F3			CP 100032	-0.8	-10.8	-1.7	0.7	2.8	-0.85	-3.0	0.07	10.6	-5.1	-16	-10.8	-4.0	5.0	0.0	-10.8	-1.7	0.7	2.8
PEER AKW210055				69 %	46 %	39 %	23 %	38 %	73 %	46 %	54 %	39 %	35 %	23%	48%	28%	55 %	37 %	37 %	34 %	25 %	18 %

WAGYU Cows

Inbreeding >6% is high					<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed															
Cow					Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas				
ID	%Inbreeding	Parentage			Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
Name		Genomic DNA	Sire ID																				
JAPANESE BLACK																							
AKW 210059	2	✓	BB 120028		107	91	96	121	102	109	91	85	96	86	79	105	101	108	91	79	77	101	119
PBD		✓	BA 130856		68 %	47 %	38 %	27 %	40 %	0.40	-0.6	0.17	6.5	-3.4	-23	-5.5	0.3	8.6	-0.3	-13.8	-2.8	0.0	2.6
PEER AKW210059					68 %	47 %	38 %	27 %	40 %	73 %	47 %	51 %	38 %	41 %	27%	49%	30%	56 %	41 %	43 %	40 %	34 %	23 %
AKW 210071	26	✓	BB 120028		121	82	92	128	110	116	82	103	92	77	72	113	108	106	96	66	81	108	129
F2		✓	BB 160129		66 %	44 %	30 %	18 %	35 %	-0.31	-4.3	-0.51	4.6	-10.0	-34	-10.4	-1.0	7.7	0.3	-22.9	-2.1	0.7	4.1
PEER AKW210071					66 %	44 %	30 %	18 %	35 %	71 %	44 %	49 %	30 %	36 %	18%	46%	24%	53 %	37 %	37 %	34 %	27 %	20 %
AKW 210078			BB 120028		97	92	111	106	98	95	92	101	111	91	94	102	95	92	90	84	84	108	120
PEN					46 %	39 %	27 %	16 %	30 %	1.71	-0.3	-0.42	14.6	0.2	-3	-4.3	1.5	1.6	-0.5	-10.3	-1.7	0.7	2.8
PEER AKW210078					46 %	39 %	27 %	16 %	30 %	48 %	39 %	38 %	27 %	32 %	16%	39%	22%	44 %	33 %	33 %	30 %	24 %	17 %
AKW 210103			BB 120028		97	92	111	106	98	95	92	101	111	91	94	102	95	92	90	84	84	108	120
PEN					46 %	39 %	27 %	16 %	30 %	1.71	-0.3	-0.42	14.6	0.2	-3	-4.3	1.5	1.6	-0.5	-10.3	-1.7	0.7	2.8
PEER AKW210103					46 %	39 %	27 %	16 %	30 %	48 %	39 %	38 %	27 %	32 %	16%	39%	22%	44 %	33 %	33 %	30 %	24 %	17 %
AKW 210108			BB 120028		116	102	84	113	128	111	102	106	84	95	87	129	126	117	94	75	86	111	124
PEN			BB 150131		55 %	46 %	33 %	26 %	35 %	0.18	3.9	-0.59	0.4	3.0	-12	-19.9	-4.3	12.4	0.1	-16.7	-1.4	1.0	3.3
PEER AKW210108					55 %	46 %	33 %	26 %	35 %	57 %	46 %	47 %	33 %	42 %	26%	46%	24%	56 %	43 %	43 %	40 %	35 %	28 %
AKW 220007		✓	BB 120028		97	92	111	106	98	95	92	101	111	91	94	102	95	92	90	84	84	108	120
F2		✓	CWBFBB 140011		46 %	39 %	27 %	16 %	30 %	1.71	-0.3	-0.42	14.6	0.2	-3	-4.3	1.5	1.6	-0.5	-10.3	-1.7	0.7	2.8
PEER AKW220007					46 %	39 %	27 %	16 %	30 %	48 %	39 %	38 %	27 %	32 %	16%	39%	22%	44 %	33 %	33 %	30 %	24 %	17 %
AKW 220011		✓	AKW 180020		90	102	98	109	110	99	102	64	98	108	91	98	117	93	108	92	102	94	92
PEN					54 %	14 %	11 %	11 %	16 %	1.36	3.7	0.97	7.6	11.8	-6	-1.6	-2.6	2.0	1.8	-5.0	1.1	-0.6	-1.7
PEER AKW220011					54 %	14 %	11 %	11 %	16 %	62 %	14 %	25 %	11 %	16 %	11%	23%	8%	28 %	20 %	20 %	18 %	19 %	11 %
AKW 220022	26		BB 120028		125	70	89	136	111	119	70	101	89	68	64	115	108	103	96	66	81	108	129
PEN			BB 160199		67 %	49 %	32 %	18 %	36 %	-0.64	-9.2	-0.44	3.1	-16.3	-46	-11.6	-1.0	6.3	0.3	-22.9	-2.1	0.7	4.1
PEER AKW220022					67 %	49 %	32 %	18 %	36 %	72 %	49 %	48 %	32 %	39 %	18%	46%	25%	52 %	37 %	37 %	34 %	27 %	20 %
AKW 220035	3		BB 120028		105	92	95	118	102	102	92	104	95	86	82	105	101	101	98	68	84	96	119
PEN			BB 160051		66 %	43 %	29 %	18 %	32 %	1.05	-0.2	-0.54	6.2	-3.1	-19	-5.8	0.3	5.8	0.6	-21.9	-1.6	-0.5	2.6
PEER AKW220035					66 %	43 %	29 %	18 %	32 %	71 %	43 %	47 %	29 %	35 %	18%	42%	23%	52 %	41 %	41 %	39 %	27 %	19 %
AKW 220050	1	✓	BA 170026		105	108	95	107	107	104	108	96	95	104	93	106	108	118	102	92	87	106	109
F2		✓	BB 140006		64 %	38 %	25 %	17 %	26 %	0.88	6.2	-0.23	6.1	9.3	-4	-6.2	-0.9	13.0	1.0	-4.6	-1.3	0.5	0.9
PEER AKW220050					64 %	38 %	25 %	17 %	26 %	70 %	38 %	40 %	25 %	32 %	17%	31%	20%	42 %	30 %	30 %	29 %	25 %	20 %
AKW 220056	1		BB 120028		100	94	103	116	121	102	94	86	103	91	84	114	125	100	94	84	84	108	121
PEN			CP 100032		69 %	46 %	39 %	23 %	38 %	1.00	0.6	0.16	10.1	-0.2	-16	-10.8	-4.0	5.0	0.0	-10.8	-1.7	0.7	2.8
PEER AKW220056					69 %	46 %	39 %	23 %	38 %	73 %	46 %	54 %	39 %	35 %	23%	48%	28%	55 %	37 %	37 %	34 %	25 %	18 %



CWB

BREEDING VALUE REPORT

September 2026



MR A.K. PEER

Herd Number: 561911


E-mail: akpeer@lagroup.co.za
admin@lafarms.co.za
harun@lafarms.co.za



**WAGYU
SOCIETY**
OF SOUTH AFRICA



**CERTIFICATE
OF QUALITY**
Valid up to
October 2029



CWB Dams

Dam			Growth					Carcass					Stats				
ID	Parentage	Sire ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name	Gen. DNA	Dam ID															
AKAUSHI																	
1099Z		S5394S	101	118	114	117	103	89	90	99	104	108	107				
FB		AF9825	1.15	10.2	14.9	20.7	11	2.9	-0.4	0.1	1.3	0.7	0.7	3	11	4	
HEARTBRAND 1099Z			48%	12%	43%	18%	6%	10%	41%	40%	35%	34%	26%				
AKW 180031		HBCFV2139	100	132	125	125	113	85	87	106	107	89	95				
FB		KALFC0708	1.25	15.7	21.6	27.3	25	0.6	-0.8	4.8	1.8	-1.1	-1.3	1	1	1	
AKW180031			57%	39%	54%	50%	33%	37%	50%	50%	47%	46%	40%				
BB 150104		HBCFV2139	107	109	105	108	96	87	106	92	110	87	86				
FB		B563	0.60	6.5	9.1	13.6	1	2.0	1.6	-4.9	2.4	-1.3	-2.7	2	4	1	
FUYUKO			57%	42%	51%	45%	35%	39%	51%	52%	49%	49%	40%				
BB 150117		C0402	79	149	144	138	139	79	90	90	122	59	78				
FB		OHVFA0045	3.24	22.6	33.3	37.5	62	-2.3	-0.5	-6.2	4.1	-4.0	-4.0	2	11	7	
BB150117			89%	85%	86%	86%	85%	84%	87%	87%	86%	86%	85%				
BB 150131		HBCFV2139	101	127	123	124	114	85	94	95	97	112	108				
FB		C647	1.09	14.0	20.5	26.5	26	1.0	0.1	-2.6	0.4	1.0	0.8	3	11	9	
HOMARE			63%	46%	57%	51%	40%	38%	55%	56%	52%	52%	43%				
BB 160201		ARWFH0018	98	119	123	124	111	103	96	92	109	88	95				
F1		BB3697	1.41	10.8	20.3	26.2	21	10.3	0.3	-4.7	2.2	-1.2	-1.2	1	2	1	
BB16201			66%	9%	17%	27%	6%	6%	17%	17%	15%	10%	7%				
BB 180092		2142A	103	116	112	117	101	90	93	94	105	90	100				
FB		BB 150104	0.97	9.4	13.7	20.6	8	3.5	-0.1	-3.6	1.5	-1.0	-0.5	1	1	1	
BB180092			51%	32%	43%	40%	18%	21%	37%	38%	34%	32%	22%				
C647		HBCFV2141	105	138	133	131	130	83	85	87	118	110	120				
FB		VW95	0.80	18.2	26.7	31.4	49	-0.4	-1.2	-8.6	3.6	0.8	2.7	8	20	5	1
KALANGA F C647			53%	31%	58%	56%	23%	23%	54%	54%	48%	44%	35%				
CWBFAKW 180049		FB2998	94	119	120	122	112	103	98	100	97	95	93				
F1		47576	1.85	10.6	18.5	24.6	23	10.3	0.5	0.6	0.3	-0.6	-1.6	1	1	1	
AKW180049			65%	22%	32%	25%	19%	17%	33%	33%	30%	29%	22%				
CWBFAKW 180067		CCCFH0037	79	122	125	125	121	111	98	94	106	94	96				
F1			3.32	12.0	21.5	27.1	36	14.3	0.5	-3.4	1.7	-0.7	-1.1	1	2	1	
AKW180067			45%	30%	42%	40%	30%	28%	39%	39%	37%	36%	27%				
KALFC0708		HBCFV2141	96	149	145	141	136	81	73	121	128	95	104				
FB		VW36	1.67	22.6	34.0	39.6	57	-1.3	-2.6	15.6	5.1	-0.6	0.2	7	11	2	1
KALANGA F C708 (AI) (ET)			51%	31%	61%	54%	22%	29%	46%	45%	35%	35%	26%				
OHVFA0045		QW132	85	138	128	127	127	82	99	100	116	45	60				
FB		VW45	2.71	18.1	23.6	28.8	45	-0.7	0.7	0.5	3.2	-5.3	-6.9	8	41	19	5
HIDDEN VALE OHV45			91%	87%	89%	89%	87%	86%	90%	90%	89%	89%	86%				

CWB Dams

Dam				Growth					Carcass					Stats				
ID	Parentage	Sire ID		Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name	Gen.	DNA	Dam ID															
AKAUSHI																		
V7202U			B3314R	100	132	128	131	116	90	98	115	111	101	91	2	8	3	
FB			B0078M	1.24	15.8	23.6	31.9	29	3.3	0.6	11.5	2.4	0.0	-2.0				
HEARTBRAND V7202U				44%	19%	26%	22%	14%	16%	49%	49%	43%	24%	17%				
WB 170004			HBCFV2139	102	134	126	125	117	85	95	106	105	74	76	1	6	6	
FB			CCCFH0018	1.02	16.8	22.3	27.4	31	0.5	0.2	4.7	1.6	-2.6	-4.3				
WB 17-004				57%	45%	51%	49%	34%	37%	53%	53%	51%	51%	43%				
JAPANESE BLACK																		
47576				94											1	1	1	
BS				1.85														
PEER 47576				29%														
82016-AN				91											1	1	1	
BS				2.11														
82016-AN				27%														
848-AN				90											1	1	1	
BS				2.25														
848-AN				29%														
861-AN				92											1	1	1	
BS				2.02														
861-AN				27%														
875				96											1	1	1	
BS				1.59														
PEER 875				24%														
AACFB0229			IMJFQ3161	123	89	85	88	80	76	98	86	98	103	117	2	5	5	
FB			WESFY0231	-1.04	-1.5	-3.3	-2.0	-22	-3.8	0.6	-8.7	0.4	0.2	2.3				
WESTHOLME TAKAMI 2 (AI)				38%	28%	29%	24%	22%	27%	39%	38%	34%	36%	19%				
AKW 170006		✓	BA 130975	108	89	91	93	87	93	93	88	93	89	105	1	2	2	
F2		✓	BA 151029	0.45	-1.6	0.2	2.3	-12	4.8	-0.1	-8.0	-0.4	-1.2	0.3				
AKW170006				54%	29%	23%	24%	19%	27%	32%	32%	30%	25%	17%				
AKW 170010		✓	148BE	107	96	92	93	84	88	113	80	98	96	96	1	1	1	
PBD		✓	BA 130821	0.54	1.1	1.2	1.7	-17	2.5	2.5	-13.1	0.5	-0.5	-1.1				
AKW170010				64%	56%	55%	55%	49%	54%	54%	56%	55%	55%	48%				
AKW 170011		✓	FB9866	110	99	95	96	83	95	112	109	98	107	95	1	1	1	
PBD		✓	BA 130824	0.26	2.4	3.1	4.3	-17	5.8	2.3	7.1	0.5	0.6	-1.3				
AKW170011				64%	50%	31%	31%	39%	45%	48%	48%	44%	37%	29%				

CWB Dams

Dam				Growth					Carcass					Stats				
ID	Parentage	Sire ID		Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name	Gen.	DNA	Dam ID															
JAPANESE BLACK																		
AKW 180004		 BB	150114	99	106	105	107	100	93	101	97	96	94	94	1	1	1	
F2		 BB	140042	1.30	5.2	9.0	12.7	7	5.1	0.9	-1.3	0.1	-0.6	-1.5				
AKW180004				71%	36%	42%	32%	21%	25%	40%	40%	37%	39%	23%				
AKW 180005		 BB	150115	102	114	108	107	107	88	100	105	110	83	85	1	1	1	
F2		 BB	150073	1.05	8.4	11.2	12.8	16	2.4	0.8	4.4	2.4	-1.7	-2.8				
AKW180005				70%	37%	40%	28%	17%	22%	45%	44%	41%	40%	18%				
AKW 180012		 BB	150114	103	108	105	105	105	94	94	96	96	94	99	1	1	1	
F2		 BB	140032	0.94	6.2	9.0	11.8	13	5.5	0.0	-2.4	0.2	-0.6	-0.7				
AKW180012				70%	31%	36%	34%	21%	24%	42%	42%	38%	38%	23%				
AKW 180017		 BB	150114	115	108	103	102	103	92	98	96	100	92	94	1	1	1	
F2		 BB	130009	-0.24	6.0	7.8	8.8	10	4.3	0.6	-2.1	0.8	-0.8	-1.4				
AKW180017				71%	36%	41%	40%	22%	25%	41%	40%	37%	38%	23%				
AKW 180020		 BB	150114	116	100	99	101	99	94	101	97	96	94	94	1	1	1	
F2		 BB	140030	-0.32	2.8	5.5	8.5	5	5.7	0.9	-1.3	0.1	-0.6	-1.5				
AKW180020				71%	29%	34%	32%	21%	22%	40%	40%	37%	39%	23%				
AKW 180029		 KF	120007	120	99	94	96	90	83	61	118	78	99	131	1	1	1	
FB		 BA	110474	-0.75	2.6	2.3	4.7	-8	-0.4	-4.1	13.5	-2.7	-0.2	4.4				
AKW180029				59%	37%	39%	34%	26%	37%	47%	47%	44%	34%	23%				
AKW 190019		 BA	150370	117	85	82	82	79	88	109	80	100	103	106	1	1	1	
F2		 BB	160129	-0.43	-3.1	-5.5	-6.3	-23	2.4	1.9	-13.6	0.8	0.2	0.5				
AKW190019				72%	38%	36%	34%	29%	33%	35%	35%	34%	31%	26%				
AKW 190109		 OVE	080002	125	72	65	68	62	78	93	90	87	110	123	1	1	1	
FB		 BB	120018	-1.24	-8.5	-16.0	-17.3	-48	-2.7	-0.1	-6.4	-1.2	0.9	3.2				
AKW190109				62%	54%	59%	56%	36%	50%	59%	59%	57%	49%	38%				
AKW 200026		 OVE	080002	123	83	74	76	72	80	89	72	97	93	124	1	1	1	
FB		 BB	120025	-1.00	-4.0	-10.0	-11.2	-34	-1.8	-0.6	-19.1	0.3	-0.8	3.3				
AKW200026				64%	55%	58%	56%	36%	50%	60%	60%	58%	53%	40%				
BA 010039		 ETJ003		129	93	92	93	83	94	84	67	92	70	113	6	63	10	3
FB		 BA	980016	-1.58	0.1	0.9	2.1	-19	5.6	-1.3	-22.7	-0.5	-2.9	1.6				
MEGAN 4TH				90%	72%	71%	55%	57%	67%	84%	83%	80%	65%	46%				
BA 060097			BA 000024	102	97	100	102	94	91	82	113	93	99	110	1	10	2	1
F2			BA 020050	0.99	1.6	6.2	8.9	-2	4.1	-1.4	9.9	-0.3	-0.2	1.1				
BLACK PEARL				81%	38%	26%	25%	26%	45%	43%	42%	37%	25%	16%				
BA 060112			BA 000024	109	105	107	107	107	119	102	103	95	90	91	1	9	4	
F2			BA 020226	0.35	4.9	10.2	13.2	16	18.6	1.1	2.9	0.0	-1.1	-2.0				
06 112				80%	44%	28%	25%	26%	55%	40%	39%	35%	28%	20%				

CWB Dams

Dam			Growth					Carcass					Stats				
ID	Parentage	Sire ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name	Gen. DNA	Dam ID															
JAPANESE BLACK																	
BA 070154		BA 000024	124	91	93	96	102	102	65	102	81	87	124				
FB		BA 010025	-1.09	-0.9	1.8	4.6	9	10.0	-3.6	2.1	-2.2	-1.3	3.4	1	10	5	1
CASTLE 7 154			82%	49%	31%	31%	36%	58%	60%	60%	55%	34%	22%				
BA 070177		BA 000024	93	104	110	111	107	116	105	116	102	101	88				
F2		BA 030020	1.95	4.5	12.1	15.8	16	17.0	1.4	11.8	1.1	0.0	-2.3	1	9	1	1
BLAIRMORE LOVERS LIS			80%	35%	25%	25%	26%	40%	42%	41%	36%	24%	16%				
BA 090294		BA 060107	104	87	89	91	89	88	80	115	89	104	113				
F3		BA 060097	0.89	-2.2	-0.8	0.4	-9	2.5	-1.7	11.1	-1.0	0.3	1.7	1	8	4	
BLACK PEARL 09 294			82%	51%	31%	33%	35%	58%	44%	44%	39%	24%	13%				
BA 110474	✓	Y342	116	94	94	98	96	105	63	105	80	82	118				
FB	✓	BA 070154	-0.35	0.5	2.3	5.6	1	11.4	-3.9	4.1	-2.4	-1.9	2.3	2	23	18	1
CASTLE 11 474			79%	44%	34%	35%	40%	49%	49%	49%	44%	35%	24%				
BA 110560	✓	BA 090240	94	103	107	109	110	111	74	101	111	81	103				
F2	✓	CWBFBA 080252	1.83	4.2	10.3	14.4	20	14.7	-2.5	1.2	2.5	-1.9	0.1	1	6	2	1
BELLE 11 560			66%	29%	28%	27%	27%	31%	39%	38%	35%	25%	20%				
BA 120675	✓	IMUFQTF147	87	102	99	102	90	91	76	109	79	97	111				
PBD		BA 090294	2.50	3.6	5.4	8.8	-8	3.9	-2.3	7.1	-2.4	-0.3	1.2	2	5	2	
BLACK PEARL			79%	55%	50%	51%	45%	54%	48%	53%	50%	48%	30%				
BA 130086			107														
F1			0.56											1	1	1	
BA 130086			25%														
BA 130806	✓	148BE	108	92	90	91	87	87	105	79	108	91	100				
F3		BA 110530	0.50	-0.4	0.1	0.2	-13	2.1	1.5	-14.0	2.0	-1.0	-0.5	2	5	2	1
BA 130806			76%	52%	51%	51%	47%	51%	51%	52%	51%	51%	46%				
BA 130821	✓	IMUFQTF147	82	110	109	111	98	104	88	109	86	96	98				
F3		BA 070177	2.96	6.9	11.8	16.4	4	11.0	-0.7	7.5	-1.4	-0.5	-0.8	2	5	3	
BA 130821			78%	52%	49%	50%	43%	49%	48%	53%	50%	48%	30%				
BA 130824	✓	148BE	114	91	90	90	83	85	108	89	101	101	102				
F3		BA 060097	-0.12	-0.8	-0.4	-0.6	-18	0.8	1.8	-7.2	1.0	0.0	-0.1	2	4	3	
BA 130824			78%	54%	52%	51%	46%	57%	54%	55%	53%	51%	46%				
BA 130856	✓	IMUFQTF147	87	110	108	110	99	108	88	103	79	92	99				
F3		BA 060112	2.51	6.9	10.9	15.4	4	12.9	-0.7	3.2	-2.5	-0.9	-0.6	2	4	1	1
BA 130856			77%	53%	50%	50%	43%	53%	50%	55%	51%	49%	31%				
BA 130992	✓	ETJ002	112	107	100	102	70	106	68	72	76	95	137				
FB		BA 010039	0.08	5.9	5.9	9.4	-37	11.7	-3.3	-19.2	-2.9	-0.5	5.4	3	19	7	2
WOODVIEW BA130992			92%	90%	91%	90%	92%	91%	91%	91%	91%	90%	89%				

CWB Dams

Dam				Growth					Carcass					Stats				
ID	Parentage	Sire ID		Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name	Gen.	DNA	Dam ID															
JAPANESE BLACK																		
BA 130994		✓	ETJ002	117	108	100	103	87	100	72	74	94	86	125				
FB			BA 010039	-0.43	6.2	6.3	9.7	-13	8.7	-2.8	-17.3	-0.1	-1.5	3.6	2	5	4	1
WOODVIEW BA 130994				68%	51%	50%	42%	45%	50%	60%	61%	57%	47%	33%				
BA 140085		✓	FB9866	112	100	99	100	89	96	99	121	94	106	99				
F3		✓	BA 060097	0.04	3.0	5.2	7.5	-10	6.5	0.6	15.6	-0.1	0.5	-0.7	2	2	1	
BA 140085				77%	46%	22%	22%	34%	41%	45%	45%	40%	29%	20%				
BA 150474		✓	IMUFP0036	106	94	102	105	111	121	82	107	75	129	123				
PBD			CWBFBA 110566	0.63	0.7	7.3	11.6	22	20.1	-1.5	5.4	-3.1	2.7	3.1	2	3	1	
WOODVIEW BA15-474				56%	44%	42%	31%	32%	51%	43%	43%	41%	38%	28%				
BA 150564		✓	BA 110540	115	94	99	101	89	98	92	80	92	87	107				
F2			BA 130065	-0.27	0.7	5.2	8.0	-10	7.7	-0.2	-13.5	-0.5	-1.4	0.6	1	1	1	
WOODVIEW BA15-564				70%	26%	24%	19%	19%	28%	44%	44%	41%	25%	19%				
BA 151026		✓	BA 120718	91	104	103	102	101	98	94	97	104	100	107				
F1			BA-ANG-116	2.15	4.5	8.2	9.3	7	7.9	0.1	-1.1	1.3	-0.1	0.7	1	2	1	1
WOODVIEW BA15-1026				51%	31%	26%	29%	21%	26%	32%	32%	29%	27%	20%				
BA 151029		✓	BA 120761	99	97	99	101	95	102	95	96	95	94	100				
F1			BA-ANG-119	1.29	1.7	5.8	8.1	-1	9.6	0.1	-1.9	0.0	-0.7	-0.5	1	3	3	
WOODVIEW BA15-1029				49%	30%	29%	29%	25%	28%	29%	31%	30%	29%	21%				
BA 151031		✓	BA 120752	88	99	102	103	95	98	88	118	106	94	102				
F1			BA-ANG-120	2.38	2.6	7.1	9.6	-1	7.6	-0.7	13.6	1.7	-0.7	-0.2	1	3	2	
WOODVIEW BA15-1031				55%	27%	24%	23%	18%	26%	39%	39%	36%	31%	25%				
BB 080009				94	104	115	115		130									
BS				1.83	4.7	15.4	19.0		24.9						1	1	1	
BB 080009				29%	27%	28%	29%		40%									
BB 120018		✓	TFWFW0629	126	76	67	69	66	81	101	98	77	143	131				
FB		✓	KJDFE0008	-1.32	-6.5	-14.4	-16.7	-42	-1.2	0.9	-0.3	-2.7	4.0	4.5	2	16	11	1
BUKEKA				68%	50%	73%	68%	32%	46%	68%	68%	65%	52%	37%				
BB 120022		✓	TFWFW0629	126	79	69	68	72	81	107	101	91	131	120				
FB		✓	KJDFE0008	-1.27	-5.5	-13.4	-17.5	-34	-1.6	1.7	1.4	-0.7	2.9	2.7	3	30	16	1
BUSHA				80%	51%	70%	69%	35%	47%	70%	70%	66%	59%	42%				
BB 120025		✓	TFWFW0629	114	101	89	87	86	86	93	62	96	109	133				
FB		✓	KJDFE0001	-0.17	3.2	-1.0	-2.9	-14	1.2	-0.1	-25.8	0.2	0.7	4.7	3	33	14	
NANSI				77%	56%	69%	66%	34%	47%	73%	73%	69%	65%	45%				
BB 120026		✓	TFWFW0629	111	97	85	84	83	83	110	76	70	155	142				
FB		✓	KJDFE0008	0.19	1.5	-3.2	-4.8	-19	-0.5	2.0	-15.9	-3.9	5.1	6.1	5	35	17	1
KHULU				80%	50%	70%	68%	32%	46%	76%	76%	71%	62%	45%				

CWB Dams

Dam				Growth						Carcass					Stats			
ID	Parentage	Sire ID		Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name		Gen. DNA	Dam ID															
JAPANESE BLACK																		
BB 130001			BB 110002	124	86	88	86	98	92	91	88	102	111	120				
F1			BB 070009	-1.08	-2.9	-1.6	-3.3	3	4.6	-0.3	-7.7	1.1	0.9	2.7	3	4	2	
BEYOND BEEF BB130001				68%	60%	63%	64%	32%	35%	31%	31%	28%	21%	15%				
BB 130002			BB 110002	118	86	88	88	88	93	91	88	102	111	120				
F1			BB 070001	-0.54	-2.5	-1.5	-2.1	-11	5.1	-0.3	-7.7	1.1	0.9	2.7	2	5	4	
BEYOND BEEF BB 130002				74%	60%	63%	64%	32%	35%	31%	31%	28%	21%	15%				
BB 130004			BB 110002	127	85	81	78	84	94	91	88	102	111	120				
F1			BB 070024	-1.38	-3.3	-5.5	-9.9	-17	5.8	-0.3	-7.7	1.1	0.9	2.7	2	5	2	
BEYOND BEEF BB 130004				71%	60%	63%	64%	32%	35%	31%	31%	28%	21%	15%				
BB 130009			BB 110004	121	98	95	90	97	98	89	91	102	108	118				
F1			BB 080050	-0.83	2.1	2.8	-0.4	2	7.4	-0.6	-5.8	1.1	0.7	2.4	2	6	4	
BB 130009				73%	57%	61%	61%	18%	32%	30%	30%	28%	23%	17%				
BB 130013			BB 110002	125	91	89	88	92	88	91	88	102	111	120				
F1			BB 090034	-1.22	-0.7	-0.8	-1.8	-5	2.4	-0.3	-7.7	1.1	0.9	2.7	2	5	2	
BB 130013				73%	62%	65%	65%	15%	39%	31%	31%	28%	21%	15%				
BB 130018			BB 110003	109	81	84	85	83	100	81	89	89	100	123				
F1			BB 090039	0.32	-4.6	-4.1	-4.1	-18	8.7	-1.7	-7.0	-1.0	-0.1	3.2	2	5	1	1
BB 130018				71%	54%	58%	22%	12%	29%	50%	45%	40%	18%	13%				
BB 140003			BB 110002	140	76	77	78	84	90	91	88	102	111	120				
F1			BB 080015	-2.67	-6.6	-8.1	-9.8	-17	3.6	-0.3	-7.7	1.1	0.9	2.7	2	4	2	
BB 14 0003				73%	61%	65%	66%	15%	35%	31%	31%	28%	21%	15%				
BB 140005			BB 110002	122	89	90	91	90	94	91	88	102	111	120				
F1			BB 080022	-0.95	-1.3	-0.3	0.1	-8	5.8	-0.3	-7.7	1.1	0.9	2.7	3	4	2	1
BB 140005				73%	61%	65%	44%	15%	35%	31%	31%	28%	21%	15%				
BB 140006			BB 110002	113	106	105	104	100	100	91	88	102	111	120				
F1			BB 080013	-0.02	5.5	9.1	10.8	6	8.8	-0.3	-7.7	1.1	0.9	2.7	1	3	3	
BB 140006				72%	61%	65%	44%	15%	35%	31%	31%	28%	21%	15%				
BB 140010			BB 110002	115	98	98	98	97	94	91	88	102	111	120				
F1			BB 080005	-0.18	2.0	4.9	6.1	2	5.7	-0.3	-7.7	1.1	0.9	2.7	2	4	2	
BB 140010				73%	61%	65%	44%	15%	35%	31%	31%	28%	21%	15%				
BB 140027			BB 120023	136	75	83	85	88	100	95	93	93	113	117				
F1			BB 080021	-2.30	-7.1	-4.8	-4.2	-11	8.7	0.1	-4.2	-0.4	1.1	2.2	1	1	1	
BB140027				68%	58%	63%	35%	15%	31%	28%	28%	27%	24%	17%				
BB 140029			BB 120023	108	88	97	101	94	102	95	93	93	113	117				
F1			BB 080014	0.42	-2.0	4.0	8.2	-2	9.7	0.1	-4.2	-0.4	1.1	2.2	2	3	1	1
BB 140029				71%	58%	63%	58%	15%	31%	28%	28%	27%	24%	17%				

CWB Dams

Dam			Growth					Carcass					Stats				
ID	Parentage	Sire ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name	Gen. DNA	Dam ID															
JAPANESE BLACK																	
BB 140030		BB 120023	140	76	81	84	90	102	95	93	93	113	117	2	3	1	1
F1		BB 080016	-2.63	-6.8	-5.5	-5.2	-8	9.7	0.1	-4.2	-0.4	1.1	2.2				
BB 140030			71%	38%	41%	35%	15%	22%	28%	28%	27%	24%	17%				
BB 140032		BB 110002	113	92	93	92	100	103	80	90	94	113	127	2	4	2	1
F1		CWBFBB 090099	0.01	-0.3	1.4	1.3	7	10.1	-1.7	-6.5	-0.1	1.1	3.9				
1432			64%	45%	45%	44%	15%	28%	38%	38%	33%	21%	15%				
BB 140042		BB 120023	108	86	91	93	92	101	95	93	93	113	117	2	4	1	
F1		BB 080047	0.43	-2.9	0.7	2.3	-5	9.3	0.1	-4.2	-0.4	1.1	2.2				
BB 140042			71%	58%	63%	35%	15%	31%	28%	28%	27%	24%	17%				
BB 140052		BB 110004	119	104	102	100	99	94	88	90	105	107	119	3	5	3	1
F1		BB 080052	-0.62	4.5	7.1	7.9	5	5.6	-0.8	-6.5	1.6	0.5	2.5				
BB 140052			72%	59%	62%	33%	18%	37%	36%	36%	32%	23%	17%				
BB 140057		BB 110002	122	74	74	76	76	92	91	88	102	111	120	1	3	2	1
F1		BB 080034	-0.87	-7.6	-10.1	-11.1	-28	4.6	-0.3	-7.7	1.1	0.9	2.7				
BB 140057			71%	61%	65%	44%	15%	35%	31%	31%	28%	21%	15%				
BB 140062		BB 110003	111	90	90	91	88	102	101	91	92	99	105	2	2	1	
F1		BB 090007	0.20	-1.3	0.1	0.5	-11	9.6	0.9	-5.7	-0.5	-0.2	0.3				
BB 140062			68%	30%	30%	22%	12%	28%	26%	25%	24%	18%	13%				
BB 150017		BB 110008	111	88	87	89	86	95	96	88	94	112	118	1	1	1	
F1		BB 090011	0.17	-2.0	-2.0	-1.4	-14	6.0	0.2	-7.9	-0.2	1.0	2.3				
BB15-0017			65%	36%	34%	28%	18%	25%	32%	32%	30%	24%	18%				
BB 150064	👍	BB 120023	118	84	89	91	90	102	95	93	93	113	117	1	1	1	
F1		BB 090043	-0.49	-3.3	-0.7	0.5	-8	9.9	0.1	-4.2	-0.4	1.1	2.2				
BB15-0064			68%	38%	41%	35%	15%	22%	28%	28%	27%	24%	17%				
BB 150073		BB 110008	115	74	74	77	76	93	96	88	94	112	118	1	1	1	
F1		BB 090041	-0.24	-7.5	-9.9	-10.4	-28	5.1	0.2	-7.9	-0.2	1.0	2.3				
BB15-0073			68%	57%	61%	28%	18%	33%	32%	32%	30%	24%	18%				
BB 150078		BB 120023	115	58	66	71	71	101	95	93	93	113	117	1	1	1	
F1		BB 090034	-0.21	-13.8	-14.8	-15.4	-35	9.4	0.1	-4.2	-0.4	1.1	2.2				
BB15-0078			69%	59%	64%	38%	15%	35%	28%	28%	27%	24%	17%				
BB 150087		BB 110002	104	115	114	113	110	98	91	88	102	111	120	1	1	1	
F1		BB 090047	0.88	9.0	15.1	17.7	20	7.9	-0.3	-7.7	1.1	0.9	2.7				
BB15-0087			68%	61%	65%	44%	15%	35%	31%	31%	28%	21%	15%				
BB 150122		FB14115	108	111	102	103	99	89	100	109	103	123	109	8	23	9	6
PBD		BB 120022	0.42	7.2	7.3	9.5	5	3.1	0.8	7.5	1.3	2.1	1.0				
KUNISAKE			62%	34%	44%	47%	37%	38%	66%	65%	58%	33%	23%				

CWB Dams

Dam				Growth					Carcass					Stats				
ID	Parentage	Sire ID		Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name		Gen. DNA	Dam ID															
JAPANESE BLACK																		
BB 150141			FB13429	87	138	140	141	135	120	59	113	81	119	133				
PBD			CWBFBB 110007	2.49	18.2	31.2	39.3	57	19.5	-4.4	9.9	-2.1	1.8	4.8	3	12	12	
JUDO ICHIRO				58%	40%	39%	24%	44%	47%	41%	40%	36%	32%	20%				
BB 160043			BB 140001	94	101	102	102	104	109	102	80	94	81	98				
F2			CWBFBB 140017	1.80	3.3	7.3	8.9	12	13.3	1.0	-13.0	-0.1	-1.9	-0.7	1	1	1	
BB160043				50%	35%	35%	20%	18%	23%	48%	48%	47%	27%	17%				
BB 160051			BB 140001	100	99	100	100	104	108	102	80	94	81	98				
F2			CWBFBB 140014	1.19	2.5	6.1	7.4	12	12.9	1.0	-13.0	-0.1	-1.9	-0.7	1	3	3	
BB160051				59%	35%	35%	20%	18%	23%	48%	48%	47%	27%	17%				
BB 160053			BB 140001	112	96	97	97	104	107	102	80	94	81	98				
F2			CWBFBB 140054	0.10	1.1	4.0	4.9	12	12.2	1.0	-13.0	-0.1	-1.9	-0.7	1	2	2	
BB160053				53%	35%	35%	20%	18%	23%	48%	48%	47%	27%	17%				
BB 160056			BB 140001	109	96	97	97	104	107	102	80	94	81	98				
F2			CWBFBB 140021	0.32	1.4	4.4	5.4	12	12.4	1.0	-13.0	-0.1	-1.9	-0.7	1	2	2	
BB160056				56%	35%	35%	20%	18%	23%	48%	48%	47%	27%	17%				
BB 160123			BB 120028	114	85	85	86	83	102	97	78	88	106	118				
F1			BB190	-0.10	-3.3	-3.5	-3.3	-18	9.8	0.4	-15.0	-1.1	0.4	2.4	1	3	3	
BB16123				72%	39%	40%	24%	16%	27%	33%	33%	30%	24%	17%				
BB 160125			BB 120028	120	82	82	84	83	102	97	78	88	106	118				
F1			BB677	-0.72	-4.5	-5.0	-5.1	-18	10.0	0.4	-15.0	-1.1	0.4	2.4	1	2	2	
BB16125				71%	39%	40%	24%	16%	27%	33%	33%	30%	24%	17%				
BB 160129			BB 120028	114	86	85	87	83	101	97	78	88	106	118				
F1			BB1015	-0.09	-2.9	-3.1	-3.0	-18	9.3	0.4	-15.0	-1.1	0.4	2.4	1	5	5	
BB16129				73%	39%	40%	24%	16%	27%	33%	33%	30%	24%	17%				
BB 160157			BB 120028	103	80	81	83	78	100	103	87	92	109	110				
F1			BB00558	0.94	-5.0	-5.5	-5.5	-25	8.6	1.2	-8.4	-0.5	0.8	1.2	1	2	1	1
BB16157				70%	59%	62%	24%	16%	35%	38%	38%	34%	24%	17%				
BB 160164			BB 120028	87	77	78	80	74	98	97	78	88	106	118				
F1			BB1002	2.54	-6.1	-7.8	-7.9	-31	7.8	0.4	-15.0	-1.1	0.4	2.4	1	2	2	
BB16164				71%	59%	62%	24%	16%	35%	33%	33%	30%	24%	17%				
BB 160187			BB 120027	87	119	118	117	106	101	98	90	82	116	117				
F1			BB1030	2.53	10.7	17.5	20.6	15	9.2	0.5	-6.1	-2.1	1.4	2.2	1	2	2	
BB16187				70%	58%	62%	24%	16%	34%	32%	32%	30%	27%	20%				
BB 160188			BB 120027	103	121	117	115	107	103	98	90	82	116	117				
F1			BB565	0.92	11.4	16.6	19.2	16	10.5	0.5	-6.1	-2.1	1.4	2.2	1	2	2	
BB16188				70%	58%	62%	24%	16%	34%	32%	32%	30%	27%	20%				

CWB Dams

Dam			Growth						Carcass					Stats			
ID	Parentage	Sire ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name	Gen. DNA	Dam ID															
JAPANESE BLACK																	
BB 160190		BB 120027	87	119	116	114	106	99	98	90	82	116	117	1	3	3	
F1		BB0677	2.49	10.5	15.8	18.5	14	8.4	0.5	-6.1	-2.1	1.4	2.2				
BB16190			71%	58%	62%	24%	16%	34%	32%	32%	30%	27%	20%				
BB 160196		BB 120028	123	72	72	74	70	101	97	78	88	106	118	1	1	1	
F1		BB568	-1.02	-8.4	-11.7	-12.8	-37	9.1	0.4	-15.0	-1.1	0.4	2.4				
BB16196			68%	59%	62%	24%	16%	35%	33%	33%	30%	24%	17%				
BB 160197		BB 120028	108	83	80	82	76	103	97	78	88	106	118	1	1	1	
F1		BB569	0.50	-3.9	-6.2	-6.6	-28	10.1	0.4	-15.0	-1.1	0.4	2.4				
BB16197			69%	59%	62%	24%	16%	35%	33%	33%	30%	24%	17%				
BB 160198		BB 120027	124	90	90	90	85	99	98	90	82	116	117	1	2	2	
F1		BB570	-1.07	-1.2	-0.3	0.0	-16	8.0	0.5	-6.1	-2.1	1.4	2.2				
BB16198			70%	58%	62%	24%	16%	34%	32%	32%	30%	27%	20%				
BB 160199		BB 120028	121	61	66	69	67	95	97	78	88	106	118	1	3	3	
F1		BB00571	-0.81	-12.8	-15.3	-16.5	-41	6.3	0.4	-15.0	-1.1	0.4	2.4				
BB16199			72%	59%	63%	24%	16%	35%	33%	33%	30%	24%	17%				
BB 160204		OVE 080002	127	79	71	73	70	78	97	79	84	116	128	2	3	3	
FB		BB 120026	-1.39	-5.5	-12.2	-13.4	-37	-3.0	0.4	-14.2	-1.8	1.4	4.1				
BB160204			69%	54%	58%	56%	36%	50%	61%	61%	59%	52%	40%				
BB 170341		FB13429	135	108	111	115	108	97	70	101	90	121	136	1	2	2	
F2		BB 140027	-2.12	6.0	13.2	19.1	18	7.3	-3.0	1.4	-0.8	1.9	5.3				
BB170341			71%	38%	42%	29%	15%	24%	38%	38%	35%	30%	17%				
BON SMARA1			101											1	1	1	
BS			1.15														
SMUTS DE KOMBUYS BONSMARA			30%														
CP 033945			99	97	108	109	105	122	97	103	102			1	4	1	
F1			1.38	1.7	11.1	14.7	13	20.2	0.4	3.0	1.0						
CP 033945			56%	34%	19%	14%	32%	47%	18%	18%	14%						
CP 040008			82	100	111	113	106	122	99	99	99			1	3	1	
F1			2.95	3.0	13.1	17.3	14	20.1	0.7	0.4	0.6						
CP 040008			48%	22%	23%	19%	32%	29%	12%	12%	10%						
CP 050015			85	104				127						1	3	1	
F1			2.72	4.4				23.0									
CP 050015			50%	13%				20%									
CP 050038			81	103				125						1	4	1	
F1			3.06	4.1				22.0									
CP 050038			54%	14%				22%									

CWB Dams

Dam				Growth					Carcass					Stats				
ID	Parentage	Sire ID		Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name	Gen.	DNA	Dam ID															
JAPANESE BLACK																		
CP 060012				101	100	111	112	105	128	99	98	102						
F1				1.12	3.1	12.9	16.5	14	23.8	0.6	-0.7	1.1			1	3	1	
CP 060012				53%	30%	23%	19%	32%	41%	12%	12%	10%						
CP 060029				104	98	109			124	89	86	94	97					
F1				0.81	2.1	11.7			21.4	-0.6	-9.0	-0.1	-0.4		1	4	1	1
CP 060029				55%	30%	20%			40%	32%	31%	26%	13%					
CP 080005				97	95				119									
F1				1.51	0.8				18.7						1	7	2	
CP 080005				62%	31%				47%									
CP 090013				107	95				121									
F1				0.53	0.8				20.1						1	7	3	
CP 090013				62%	27%				40%									
CP 100032		BA 060107		104	102	107	108	108	123	93	112	94	105	102				
F2		CP 050038		0.85	3.7	10.3	13.8	18	20.8	-0.1	9.3	-0.2	0.4	-0.2	2	8	4	
CP100032				75%	48%	28%	30%	32%	57%	35%	34%	31%	16%	10%				
CP 100038		BA 060107		99	100	105	107	104	119	93	112	94	105	102				
F2		CP 075265		1.32	2.9	9.2	12.6	12	18.6	-0.1	9.3	-0.2	0.4	-0.2	1	2	2	
CP100038				61%	44%	29%	31%	36%	46%	35%	34%	31%	16%	10%				
CP 100056		BA 060107		116	98	103	104	108	121	93	112	94	105	102				
F2		CP 050014		-0.34	2.0	7.8	10.7	18	19.8	-0.1	9.3	-0.2	0.4	-0.2	1	6	2	
CP100056				72%	51%	28%	30%	32%	60%	35%	34%	31%	16%	10%				
CP 100061		BA 060107		108	104	109	110	110	128	92	111	94	104	102				
F2		CP 060012		0.42	4.6	11.5	15.1	21	23.4	-0.2	8.6	-0.1	0.3	-0.1	2	7	3	
CP 100061				72%	49%	30%	32%	36%	57%	35%	35%	31%	16%	10%				
CP 120005		BIMFE0003		113	96	101	102	103	105	96	114	93	109	102				
F2		CP 090013		-0.01	1.2	6.4	9.3	11	11.5	0.2	10.9	-0.3	0.7	-0.2	2	3	2	
1205				72%	29%	26%	20%	20%	32%	36%	37%	33%	26%	15%				
CP 120034		BA 060107		101	102	107	108	108	121	93	112	94	105	102				
F2		CP 050015		1.11	3.9	10.5	13.9	18	19.9	-0.1	9.3	-0.2	0.4	-0.2	2	3	2	
12 34				74%	43%	28%	30%	32%	45%	35%	34%	31%	16%	10%				
CP 120035		BA 060107		116	93	99	100	104	116	91	114	94	106	103				
F2		CP 033945		-0.30	0.1	5.2	7.8	12	17.0	-0.3	10.4	-0.1	0.4	-0.1	2	4	1	
12 35				76%	56%	29%	31%	36%	68%	36%	35%	31%	16%	10%				
CP 130032		KKWFA0871		120	82	84	87	92	86	80	81	103	77	114				
F3		CP 100056		-0.67	-4.1	-3.9	-2.4	-5	1.2	-1.8	-12.7	1.2	-2.3	1.8	2	3	1	
13 32				76%	46%	34%	31%	33%	53%	44%	44%	42%	34%	21%				

CWB Dams

Dam				Growth					Carcass					Stats				
ID	Parentage	Sire ID		Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name	Gen.	DNA	Dam ID															
JAPANESE BLACK																		
CP 130038			KKWFA0871	102	92	92	95	92	86	80	81	103	77	114				
F3			CP 100038	1.09	-0.4	0.9	3.3	-6	1.2	-1.8	-12.7	1.2	-2.3	1.8	1	1	1	
13 38				71%	43%	35%	31%	34%	47%	44%	44%	42%	34%	21%				
CP 130045		✓	BA 060107	117	89	95	97	101	111	93	112	94	105	102				
F2		✓	CP 080005	-0.43	-1.6	2.8	4.9	8	14.8	-0.1	9.3	-0.2	0.4	-0.2	2	4	1	1
13 45				76%	49%	28%	30%	32%	58%	35%	34%	31%	16%	10%				
CWBFAKW 170019		✓	BA 130975	95	93	98	100	103	111	88	96	92	95	106				
F1				1.69	0.2	5.1	7.3	11	14.6	-0.8	-2.0	-0.5	-0.6	0.5	1	1	1	
AKW170019				42%	24%	19%	19%	14%	23%	28%	28%	26%	20%	13%				
CWBFAKW 170026		✓	BA 130975	95	93	98	100	103	111	88	96	92	95	106				
F1				1.69	0.2	5.1	7.3	11	14.6	-0.8	-2.0	-0.5	-0.6	0.5	1	1	1	
AKW170026				42%	24%	19%	19%	14%	23%	28%	28%	26%	20%	13%				
CWBFAKW 180009		✓	BB 150109	84	131	130	126	133	110	94	112	108	85	83				
F1				2.82	15.6	24.8	27.7	53	13.9	0.1	9.0	2.1	-1.5	-3.2	1	2	2	
AKW180009				46%	44%	45%	42%	14%	21%	34%	33%	30%	23%	15%				
CWBFAKW 180078		✓	BA 160745	87	94	101	100	113	125	88	102	91	109	109				
F1		✓	CWBFJ160036	2.51	0.5	6.8	7.6	24	22.2	-0.8	2.5	-0.6	0.8	1.0	1	1	1	
AKW180078				24%	21%	14%	13%	13%	15%	21%	20%	19%	13%	9%				
CWBFAKW 190036		✓	RW 160002	99	102	102	102	105	103	84	115	80	114	115				
F1			CWBFN02	1.35	3.7	7.5	9.3	14	10.3	-1.2	11.7	-2.3	1.2	1.9	1	1	1	
AKW190036				38%	21%	23%	21%	13%	20%	35%	35%	31%	19%	13%				
CWBFAKW 200012		✓	BA 150370	96	95	97	96	101	107	102	97	103	103	98				
F1			CWBFAKB1300010	1.60	1.0	4.1	4.4	8	12.5	1.1	-1.1	1.2	0.2	-0.8	1	1	1	
AKW200012				43%	32%	30%	31%	28%	30%	30%	31%	30%	29%	25%				
CWBFAKW 200025		✓	BA 150370	96	95	97	96	101	107	102	97	103	103	98				
F1			CWBFBFC 120009	1.60	1.0	4.1	4.4	8	12.5	1.1	-1.1	1.2	0.2	-0.8	1	1	1	
AKW200025				43%	32%	30%	31%	28%	30%	30%	31%	30%	29%	25%				
CWBFBFA 140273		✓	BA 090330	103	96	95	96	100	90	93	93	106	95	105				
F1			BA-ANGUS-71	0.93	1.2	3.0	4.4	6	3.5	-0.1	-4.2	1.7	-0.6	0.3	3	9	3	2
WOODVIEW BA14-273				47%	37%	31%	29%	62%	34%	40%	40%	38%	28%	20%				
CWBFBFA 151025		✓	BA 120750	105	95	98	99	95	101	96	98	94	95	99				
F1			BA-ANG-115	0.74	1.0	4.7	6.8	-1	9.3	0.3	-0.5	-0.1	-0.6	-0.7	1	1	1	
WOODVIEW BA15-1025				36%	30%	29%	29%	25%	28%	29%	31%	30%	29%	21%				
CWBFBFB 110007		✓	TFWFW0629	122	86	78	80	76	76	84	85	65	125	140				
FB		✓	KJDFC0061	-0.93	-2.6	-7.7	-7.8	-28	-3.8	-1.2	-9.8	-4.6	2.3	5.9	1	27	18	
BB110007				57%	51%	64%	64%	35%	46%	55%	55%	53%	46%	34%				

CWB Dams

Dam				Growth					Carcass					Stats				
ID	Parentage	Sire ID		Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name		Gen. DNA	Dam ID															
JAPANESE BLACK																		
CWBFBB 130005			BB 110002	122	97	102	112	92	96	91	88	102	111	120	2	4	2	
F1			BB 080018	-0.90	1.7	7.6	16.5	-5	6.4	-0.3	-7.7	1.1	0.9	2.7				
BB 130005				66%	61%	64%	65%	15%	39%	31%	31%	28%	21%	15%				
CWBFBB 130033			BB 110002	134	81	80	81	73	95	91	88	102	111	120	1	3	1	
F1			BB 080001	-2.04	-4.7	-6.2	-7.0	-32	5.8	-0.3	-7.7	1.1	0.9	2.7				
BB130033				66%	61%	64%	65%	33%	35%	31%	31%	28%	21%	15%				
CWBFBB 140011			BB 120023	117	98	100	99	100	106	95	93	93	113	117	1	4	3	1
F1			BB 080009	-0.38	2.1	6.0	7.1	6	12.0	0.1	-4.2	-0.4	1.1	2.2				
BB 140011				65%	58%	63%	63%	15%	31%	28%	28%	27%	24%	17%				
CWBFBB 140014			BB 110012	131	75	77	80	79	100	91	94	86	114	120	1	2	1	
F1			BB 080012	-1.76	-7.0	-8.0	-8.3	-24	8.7	-0.4	-3.3	-1.4	1.2	2.7				
BB 140014				64%	57%	61%	61%	16%	32%	37%	37%	34%	25%	17%				
CWBFBB 140015			BB 110002	115	71	73	75	76	90	91	88	102	111	120	3	7	1	1
F1			BB 080026	-0.26	-8.7	-10.7	-11.7	-29	3.4	-0.3	-7.7	1.1	0.9	2.7				
BB 140015				66%	61%	65%	66%	15%	35%	31%	31%	28%	21%	15%				
CWBFBB 140017			BB 110002	127	90	90	92	89	96	91	88	102	111	120	1	3	1	
F1			BB 080006	-1.36	-1.0	-0.1	1.3	-9	6.5	-0.3	-7.7	1.1	0.9	2.7				
BB 140017				66%	61%	65%	66%	15%	35%	31%	31%	28%	21%	15%				
CWBFBB 140021			BB 110004	117	118	113	109	109	101	89	91	102	108	118	3	7	2	1
F1			BB 080007	-0.37	10.1	14.0	14.9	20	9.0	-0.6	-5.8	1.1	0.7	2.4				
BB 140021				64%	58%	61%	56%	18%	32%	30%	30%	28%	23%	17%				
CWBFBB 140022			BB 110002	121	97	96	94	96	96	91	88	102	111	120	1	3	1	
F1			BB 090035	-0.80	1.6	3.8	2.8	1	6.7	-0.3	-7.7	1.1	0.9	2.7				
BB 140022				68%	63%	66%	46%	15%	39%	31%	31%	28%	21%	15%				
CWBFBB 140049			BB 110004	105	103	102	101	97	96	89	91	102	108	118	3	5	2	1
F1			BB 080040	0.79	4.3	7.1	8.2	2	6.6	-0.6	-5.8	1.1	0.7	2.4				
BB 140049				65%	36%	35%	30%	18%	24%	30%	30%	28%	23%	17%				
CWBFBB 140054			BB 120016	104	96	93	94	91	107	89	93	102	108	120	1	2	1	
F1			BB 080054	0.83	1.3	1.6	2.9	-7	12.5	-0.7	-4.0	1.1	0.7	2.6				
BB 140054				64%	57%	61%	27%	15%	32%	42%	41%	39%	25%	19%				
CWBFBB 170361			BB 130001	112	90	97	98	91	97	103	87	105	103	105	1	1	1	
BS				0.05	-1.0	4.2	5.9	-7	7.3	1.1	-8.2	1.6	0.2	0.4				
BEYOND BEEF BB170361				59%	30%	31%	32%	16%	17%	16%	15%	14%	10%	8%				
CWBFBB 170399			BB 140005	127	85	92	95	87	99	103	87	105	103	105	1	3	2	1
BS				-1.35	-3.0	1.3	3.4	-13	8.3	1.1	-8.2	1.6	0.2	0.4				
BEYOND BEEF BB170399				60%	31%	32%	22%	8%	18%	16%	15%	14%	10%	8%				

CWB Dams

Dam				Growth					Carcass					Stats				
ID	Parentage	Sire ID		Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name		Gen. DNA	Dam ID															
JAPANESE BLACK																		
CWBFCP 130020			KJDFC0086	91	94	97	97	85	93	98	99	120	102	108				
F2			CP 044210	2.07	0.7	4.2	5.4	-15	4.8	0.5	0.3	3.9	0.1	0.8	2	3	1	
13 20				68%	36%	28%	27%	24%	34%	62%	61%	54%	34%	25%				
HJ 140018			WESFZ0278	106	94	91	93	80	81	105	85	96	63	93				
FB			KJDFD0030	0.61	0.7	0.3	2.4	-22	-1.4	1.4	-10.0	0.2	-3.6	-1.6	3	3	1	
HJ 140018				69%	54%	52%	43%	40%	44%	58%	58%	56%	48%	38%				
JMP 150328			MOYFF0054	121	70	66	71	60	77	91	108	98	110	112				
FB			KJD FE0004	-0.84	-9.3	-15.1	-14.9	-50	-3.4	-0.3	6.2	0.5	0.9	1.4	1	1	1	
JMP15-328W				64%	48%	49%	41%	18%	47%	58%	58%	56%	46%	33%				
KJDFD0030			151BE	107	81	76	77	64	76	111	76	88	79	109				
FB			CAMFU0303	0.59	-4.8	-8.8	-10.7	-46	-3.9	2.2	-16.0	-1.1	-2.1	0.9	9	25	5	1
X LAKE WAGYU F D0300				82%	69%	67%	55%	60%	62%	81%	81%	78%	68%	55%				
KJD FE0001			151BE	107	103	94	95	80	90	102	93	86	95	103				
FB			KJD FB0044	0.55	4.0	2.3	3.3	-22	3.5	1.1	-4.2	-1.5	-0.5	0.0	4	8	2	
LAKE WAGYU E1				76%	63%	67%	47%	30%	48%	67%	67%	63%	55%	39%				
KJD FE0004			151BE	122	91	84	86	74	82	85	99	68	105	124				
FB			KJD FB0047	-0.94	-0.9	-3.7	-3.2	-31	-0.6	-1.1	0.0	-4.2	0.4	3.3	11	22	4	1
LAKE WAGYU E4				79%	61%	57%	48%	30%	58%	72%	72%	67%	48%	34%				
KJD FE0008			151BE	94	99	92	93	81	87	108	123	89	130	103				
SP			KJD FB0047	1.79	2.7	1.1	1.8	-21	1.8	1.8	16.8	-0.9	2.8	0.1	15	34	3	6
LAKE WAGYU E8				93%	89%	91%	90%	88%	89%	92%	92%	91%	90%	89%				

CWB Bulls

Inbreeding >6% is high					<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed															
Bull					Selection Value					Calf weight		Mother		Growth		Fertility			Carcass				
ID	%Inbreeding	Parentage			Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
Name		Genomic	DNA	Sire ID Dam ID																			
AKAUSHI																							
CWBMAKW 180073				✓ CCCFH0037	81	118	102	90	123	90	118	67	102	122	110	123	118	103	105	87	110	91	93
F1				BC 130020	44%	30%	28 %	30%	24%	2.21	10.1	0.87	9.5	21.6	20	-16.2	-3.3	6.6	1.4	-8.1	2.3	-1.0	-1.5
PEER AKW180073										45 %	30 %	42%	28%	41%	30%	36%	11%	49 %	39 %	39 %	37 %	36 %	27 %
CWBMAKW 190077				✓ 2142A	76	116	116	83	121	81	116	86	116	120	117	119	118	92	82	104	96	100	107
F1					36%	24%	7 %	5 %	18%	3.05	9.4	0.16	17.4	20.6	30	-14.0	-3.3	1.6	-1.5	3.9	0.2	-0.1	0.7
PEER AKW190077										37 %	24 %	30%	7 %	34%	5 %	24%	11%	38 %	27 %	27 %	24 %	21 %	9 %
JAPANESE BLACK																							
CWBMAKW 170022				✓ HWKFA0002	83	103	107	94	92	88	103	84	107	107	106	107	82	103	93	100	93	97	103
F1					34%	24%	22 %	8 %	21%	2.43	4.3	0.22	12.4	11.2	15	-6.8	3.6	6.7	0.0	0.8	-0.3	-0.4	0.1
PEER AKW170022										35 %	24 %	30%	22%	14%	8 %	28%	14%	38 %	39 %	39 %	37 %	36 %	30 %
CWB MBA 170200				✓ AACFF0758	65	133	107	69	91	69	133	96	107	125	131	94	87	116	93	135	90	120	97
F2				✓ CWBFBA 140273	45%	41%	27 %	20%	30%	4.25	16.1	-0.24	12.4	24.1	50	0.4	2.4	12.2	-0.1	25.4	-0.8	1.8	-0.9
WOODVIEW BA170200										47 %	41 %	39%	27%	33%	20%	39%	20%	50 %	44 %	43 %	41 %	39 %	34 %
CWBMAKW 180008				✓ BB 150114	120	102	89	102	115	114	102	109	89	100	98	118	111	118	99	95	100	93	95
F2				✓ BB 130002	65%	37%	26 %	25%	27%	-0.09	3.7	-0.71	3.1	6.5	4	-13.1	-1.7	13.0	0.7	-3.0	0.8	-0.7	-1.3
PEER AKW180008										70 %	37 %	45%	26%	42%	25%	37%	17%	49 %	41 %	40 %	37 %	38 %	23 %
CWBMAKW 180016				✓ BB 150114	121	105	87	99	132	115	105	114	87	101	101	131	129	106	99	95	100	93	95
F2				✓ BB 130013	65%	38%	27 %	21%	28%	-0.24	5.0	-0.91	1.7	7.2	7	-20.9	-5.1	7.9	0.7	-3.0	0.8	-0.7	-1.3
PEER AKW180016										70 %	38 %	44%	27%	42%	21%	37%	18%	50 %	41 %	40 %	37 %	38 %	23 %
CWBMAKW 180019				✓ BB 150114	113	113	93	96	122	109	113	103	93	109	104	122	120	115	99	95	100	93	95
F2				✓ BB 140006	64%	38%	26 %	21%	26%	0.39	8.1	-0.48	4.9	12.9	13	-15.9	-3.3	11.7	0.7	-3.0	0.8	-0.7	-1.3
PEER AKW180019										70 %	38 %	43%	26%	38%	21%	34%	17%	49 %	41 %	40 %	37 %	38 %	23 %
CWBMAKW 180022	3			✓ KI 140010	123	83	79	128	94	116	83	111	79	78	72	96	94	123	97	81	79	112	126
FB				✓ BB 120018	52%	42%	35 %	25%	34%	-0.31	-3.9	-0.79	-2.5	-9.2	-33	-0.7	1.6	15.1	0.4	-12.8	-2.4	1.1	3.6
PEER AKW180022										53 %	42 %	48%	35%	51%	25%	43%	24%	61 %	59 %	59 %	57 %	48 %	28 %
CWBMAKW 180033	1			✓ KF 120007	123	100	83	110	117	118	100	98	83	96	90	107	124	126	61	118	78	99	131
FB				✓ BA 110474	56%	37%	37 %	26%	34%	-0.54	2.9	-0.32	-0.3	3.5	-8	-7.0	-3.9	16.4	-4.1	13.5	-2.7	-0.2	4.4
PEER AKW180033										57 %	37 %	53%	37%	36%	26%	43%	24%	60 %	47 %	47 %	44 %	34 %	23 %
CWBMAKW 180037	1			✓ KF 120007	123	100	83	110	117	118	100	98	83	96	90	107	124	126	61	118	78	99	131
FB				✓ BA 110474	56%	37%	37 %	26%	34%	-0.54	2.9	-0.32	-0.3	3.5	-8	-7.0	-3.9	16.4	-4.1	13.5	-2.7	-0.2	4.4
PEER AKW180037										57 %	37 %	53%	37%	36%	26%	43%	24%	60 %	47 %	47 %	44 %	34 %	23 %
CWBMAKW 180054				✓ BDWFM0495	97	82	107	108	91	98	82	91	107	87	92	87	97	94	102	107	95	110	103
F1					46%	40%	39 %	36%	30%	1.45	-4.3	-0.05	12.5	-2.9	-5	4.8	1.4	2.7	1.1	5.8	0.0	0.9	-0.1
PEER AKW180054										47 %	40 %	43%	39%	43%	36%	39%	20%	43 %	46 %	46 %	44 %	40 %	30 %
CWBMAKW 180055				✓ BA 150370	99	95	107	99	94	96	95	105	107	96	101	103	87	108	102	97	103	103	98
F1					41%	32%	30 %	28%	26%	1.60	1.0	-0.58	12.5	3.8	8	-4.9	2.5	8.7	1.1	-1.1	1.2	0.2	-0.8
PEER AKW180055										43 %	32 %	31%	30%	30%	28%	31%	22%	42 %	30 %	31 %	30 %	29 %	25 %

CWB Bulls

Inbreeding >6% is high				<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed																
Bull				Selection Value					Calf weight		Mother		Growth		Fertility			Carcass					
ID	%Inbreeding	Parentage		Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness	
Name		Genomic	Sire ID																				DNA
JAPANESE BLACK																							
CWBMAKW 180056		✓	BA	150370	99	95	107	99	94	96	95	105	107	96	101	103	87	114	102	97	103	103	98
F1					41%	32%	30 %	28%	26%	1.60	1.0	-0.58	12.5	3.8	8	-4.9	2.5	11.2	1.1	-1.1	1.2	0.2	-0.8
PEER AKW180056					43 %	32 %	30 %	28%	26%	43 %	32 %	31%	30%	30%	28%	31%	22%	44 %	30 %	31 %	30 %	29 %	25 %
CWBMAKW 180071		✓	BB	150146	122	106	87	97	115	122	106	125	87	104	103	119	111	122	91	87	102	104	113
F2		✓	BB	140003	63%	36%	25 %	18%	26%	-0.93	5.5	-1.32	2.0	9.5	11	-13.6	-1.6	14.7	-0.4	-8.2	1.1	0.3	1.5
PEER AKW180071					63 %	36 %	25 %	18%	26%	68 %	36 %	42%	25%	47%	18%	34%	18%	50 %	31 %	31 %	29 %	27 %	22 %
CWBMAKW 180072		✓	BB	150113	108	123	88	84	115	104	123	104	88	117	116	112	113	108	93	96	115	87	96
F2		✓	BB	140010	67%	55%	29 %	16%	28%	0.84	12.1	-0.54	2.5	18.0	30	-9.7	-2.4	8.8	-0.1	-2.2	3.1	-1.3	-1.1
PEER AKW180072					67 %	55 %	29 %	16%	28%	73 %	55 %	46%	29%	52%	16%	41%	16%	55 %	35 %	35 %	32 %	27 %	17 %
CWBMAKW 180076		✓	BA	150370	99	95	107	99	94	96	95	105	107	96	101	103	87	108	102	97	103	103	98
F1					41%	32%	30 %	28%	26%	1.60	1.0	-0.58	12.5	3.8	8	-4.9	2.5	8.7	1.1	-1.1	1.2	0.2	-0.8
PEER AKW180076					43 %	32 %	30 %	28%	26%	43 %	32 %	31%	30%	30%	28%	31%	22%	42 %	30 %	31 %	30 %	29 %	25 %
CWBMAKW 180087		✓	BA	150370	99	95	107	99	94	96	95	105	107	96	101	103	87	108	102	97	103	103	98
F1					41%	32%	30 %	28%	26%	1.60	1.0	-0.58	12.5	3.8	8	-4.9	2.5	8.7	1.1	-1.1	1.2	0.2	-0.8
PEER AKW180087					41 %	32 %	30 %	28%	26%	43 %	32 %	31%	30%	30%	28%	31%	22%	42 %	30 %	31 %	30 %	29 %	25 %
CWBMAKW 180091		✓	BDWFM0495		97	82	107	108	91	98	82	91	107	87	92	87	97	94	102	107	95	110	103
F1					46%	40%	39 %	36%	30%	1.45	-4.3	-0.05	12.5	-2.9	-5	4.8	1.4	2.7	1.1	5.8	0.0	0.9	-0.1
PEER AKW180091					46 %	40 %	39 %	36%	30%	47 %	40 %	43%	39%	43%	36%	39%	20%	43 %	46 %	46 %	44 %	40 %	30 %
CWBMBB 180190	1		BB	160202	126	83	90	116	94	120	83	115	90	81	84	98	92	130	100	92	94	108	112
PBD			BB	160204	55%	29%	27 %	19%	24%	-0.74	-3.8	-0.96	3.4	-6.7	-17	-1.9	2.0	18.2	0.7	-5.1	-0.2	0.6	1.4
BEYOND BEEF BB180190					55 %	29 %	27 %	19%	24%	60 %	29 %	37%	27%	30%	19%	32%	16%	47 %	35 %	36 %	34 %	31 %	24 %
CWBMAKW 190003		✓	BA	150370	99	95	107	99	94	96	95	105	107	96	101	103	87	98	102	97	103	103	98
F1					41%	32%	30 %	28%	26%	1.60	1.0	-0.58	12.5	3.8	8	-4.9	2.5	4.4	1.1	-1.1	1.2	0.2	-0.8
PEER AKW190003					41 %	32 %	30 %	28%	26%	43 %	32 %	31%	30%	30%	28%	31%	22%	37 %	30 %	31 %	30 %	29 %	25 %
CWBMAKW 190007		✓	BA	150370	99	95	107	99	94	96	95	105	107	96	101	103	87	98	102	97	103	103	98
F1					41%	32%	30 %	28%	26%	1.60	1.0	-0.58	12.5	3.8	8	-4.9	2.5	4.4	1.1	-1.1	1.2	0.2	-0.8
PEER AKW190007					41 %	32 %	30 %	28%	26%	43 %	32 %	31%	30%	30%	28%	31%	22%	37 %	30 %	31 %	30 %	29 %	25 %
CWBMAKW 190015	18	✓	BA	150370	126	86	80	121	111	121	86	100	80	82	79	113	109	119	114	85	107	100	98
PBD		✓	BA	130824	66%	42%	41 %	36%	38%	-0.81	-2.8	-0.37	-1.7	-6.0	-23	-10.3	-1.4	13.2	2.6	-9.7	1.8	-0.1	-0.8
PEER AKW190015					66 %	42 %	41 %	36%	38%	71 %	42 %	48%	41%	40%	36%	44%	32%	50 %	41 %	41 %	40 %	38 %	34 %
CWBMAKW 190016	1	✓	BA	150370	126	72	85	129	108	123	72	106	85	72	71	116	100	109	109	80	100	103	106
F2		✓	BB	160199	64%	44%	34 %	29%	32%	-0.99	-8.4	-0.61	1.0	-13.3	-35	-12.2	0.0	9.1	1.9	-13.6	0.8	0.2	0.5
PEER AKW190016					64 %	44 %	34 %	29%	32%	70 %	44 %	43%	34%	38%	29%	39%	26%	46 %	35 %	35 %	34 %	31 %	26 %
CWBMAKW 190022	1	✓	BA	150370	122	85	89	121	107	117	85	103	89	82	79	114	101	120	109	80	100	103	106
F2		✓	BB	160125	64%	38%	33 %	29%	32%	-0.41	-3.3	-0.50	2.7	-6.4	-23	-10.9	0.0	13.9	1.9	-13.6	0.8	0.2	0.5
PEER AKW190022					64 %	38 %	33 %	29%	32%	70 %	38 %	42%	33%	35%	29%	39%	26%	52 %	35 %	35 %	34 %	31 %	26 %

CWB Bulls

Inbreeding >6% is high					<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed																
Bull					Selection Value					Calf weight		Mother		Growth		Fertility			Carcass					
ID	Name	%Inbreeding	Parentage		Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling	Fineness
			Genomic	DNA																				
JAPANESE BLACK																								
CWBMAKW 190029			✓	RW 160002	102	102	103	95	92	99	102	106	103	102	105	88	94	111	84	115	80	114	115	
F1					1.35	3.7				1.35	3.7	-0.62	10.3	8.0	14	4.1	1.3	9.8	-1.2	11.7	-2.3	1.2	1.9	
PEER AKW190029					35%	21%	20 %	13%	16%	38 %	21 %	25%	20%	22%	13%	22%	11%	41 %	35 %	35 %	31 %	19 %	13 %	
CWBMAKW 190040			✓	RW 160002	102	102	103	95	92	99	102	106	103	102	105	88	94	94	84	115	80	114	115	
F1				CWBFAKW28	1.35	3.7				1.35	3.7	-0.62	10.3	8.0	14	4.1	1.3	2.6	-1.2	11.7	-2.3	1.2	1.9	
PEER AKW190040					35%	21%	20 %	13%	16%	38 %	21 %	25%	20%	22%	13%	22%	11%	36 %	35 %	35 %	31 %	19 %	13 %	
CWBMAKW 190053			✓	BA 150370	99	95	107	99	94	96	95	105	107	96	101	103	87	98	102	97	103	103	98	
F1					1.60	1.0				1.60	1.0	-0.58	12.5	3.8	8	-4.9	2.5	4.4	1.1	-1.1	1.2	0.2	-0.8	
PEER AKW190053					41%	32%	30 %	28%	26%	43 %	32 %	31%	30%	30%	28%	31%	22%	37 %	30 %	31 %	30 %	29 %	25 %	
CWBMAKW 190055				BB 120028	120	83	102	117	103	118	83	91	102	84	83	103	103	93	97	78	88	106	118	
F1				BON SMARA1	-0.49	-4.0				-0.49	-4.0	-0.06	9.8	-4.8	-18	-4.4	-0.2	2.2	0.4	-15.0	-1.1	0.4	2.4	
PEER AKW190055					62%	39%	27 %	16%	30%	68 %	39 %	41%	27%	32%	16%	39%	22%	45 %	33 %	33 %	30 %	24 %	17 %	
CWBMAKW 190058			✓	AF320	86	123	113	75	107	88	123	94	113	126	125	111	101	90	80	125	91	102	100	
F1					2.40	12.0				2.40	12.0	-0.17	15.8	24.8	42	-9.5	-0.1	0.9	-1.8	18.6	-0.6	0.1	-0.5	
PEER AKW190058					34%	25%	10 %	10%	19%	35 %	25 %	30%	10%	27%	10%	28%	10%	38 %	28 %	28 %	24 %	17 %	12 %	
CWBMAKW 190070			✓	BB 120028	97	92	111	106	98	95	92	101	111	91	94	102	94	92	90	84	84	108	120	
F2				CWBFBFB 140011	1.71	-0.3				1.71	-0.3	-0.42	14.6	0.2	-3	-4.3	1.5	1.6	-0.5	-10.3	-1.7	0.7	2.8	
PEER AKW190070					46%	39%	27 %	16%	30%	48 %	39 %	38%	27%	32%	16%	39%	22%	44 %	33 %	33 %	30 %	24 %	17 %	
CWBMAKW 190071		8	✓	BB 120028	128	81	88	126	94	122	81	109	88	76	74	100	90	127	93	72	88	111	130	
F2				BB 130002	-0.88	-4.8				-0.88	-4.8	-0.71	2.5	-10.2	-31	-2.8	2.0	16.7	-0.1	-19.2	-1.0	0.9	4.3	
PEER AKW190071					68%	49%	32 %	23%	36%	73 %	49 %	51%	32%	46%	23%	46%	25%	56 %	36 %	36 %	34 %	26 %	19 %	
CWBMAKW 190085		26	✓	BB 120028	109	75	91	133	111	109	75	90	91	71	67	113	110	101	96	66	81	108	129	
F2				BB 160164	0.41	-7.1				0.41	-7.1	0.00	3.9	-14.0	-41	-10.6	-1.3	5.5	0.3	-22.9	-2.1	0.7	4.1	
PEER AKW190085					67%	49%	32 %	18%	36%	72 %	49 %	47%	32%	39%	18%	46%	25%	53 %	37 %	37 %	34 %	27 %	20 %	
CWBMAKW 190087				BB 120028	97	92	111	106	98	95	92	101	111	91	94	102	94	92	90	84	84	108	120	
F1					1.71	-0.3				1.71	-0.3	-0.42	14.6	0.2	-3	-4.3	1.5	1.6	-0.5	-10.3	-1.7	0.7	2.8	
PEER AKW190087					46%	39%	27 %	16%	30%	48 %	39 %	38%	27%	32%	16%	39%	22%	44 %	33 %	33 %	30 %	24 %	17 %	
CWBMAKW 190088				BB 120028	97	92	111	106	98	95	92	101	111	91	94	102	94	92	90	84	84	108	120	
F1				CWBFBFB 170361	1.71	-0.3				1.71	-0.3	-0.42	14.6	0.2	-3	-4.3	1.5	1.6	-0.5	-10.3	-1.7	0.7	2.8	
PEER AKW190088					46%	39%	27 %	16%	30%	48 %	39 %	38%	27%	32%	16%	39%	22%	44 %	33 %	33 %	30 %	24 %	17 %	
CWBMAKW 190092			✓	CWBMAKW 170008	104	88	98	115	108	112	88	59	98	97	85	101	112	96	103	87	101	92	98	
PEN				AKW 170006	0.04	-1.8				0.04	-1.8	1.14	7.6	4.4	-15	-3.5	-1.9	3.5	1.2	-8.4	0.9	-0.9	-0.8	
PEER AKW190092					53%	14%	13 %	9 %	16%	60 %	14 %	27%	13%	12%	9 %	21%	11%	26 %	16 %	16 %	15 %	12 %	8 %	
CWBMAKW 190099			✓	BA 150370	99	95	107	99	94	96	95	105	107	96	101	103	87	98	102	97	103	103	98	
F1					1.60	1.0				1.60	1.0	-0.58	12.5	3.8	8	-4.9	2.5	4.4	1.1	-1.1	1.2	0.2	-0.8	
PEER AKW190099					41%	32%	30 %	28%	26%	43 %	32 %	31%	30%	30%	28%	31%	22%	37 %	30 %	31 %	30 %	29 %	25 %	

CWB Bulls

Inbreeding >6% is high				<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed															
Bull				Selection Value					Calf weight		Mother		Growth		Fertility			Carcass				
ID	Parentage			Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn. Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
Name	%Inbreeding	Genomic DNA	Sire ID Dam ID																			
JAPANESE BLACK																						
CWBMAKW 190101 FB PEER AKW190101	2	OVE 080002 BB 120018		119 68%	72 54%	78 50 %	138 36%	95 40%	128 -1.46 71 %	72 -8.5 54 %	116 -0.97 57%	78 -3.2 50%	66 -17.3 58%	62 -48 36%	101 -3.7 52%	93 1.7 29%	112 10.2 62 %	93 -0.1 59 %	90 -6.4 59 %	87 -1.2 57 %	110 0.9 49 %	123 3.2 38 %
CWBMAKW 190106 F1 PEER AKW190106		OVE 080002		107 48%	85 48%	106 44 %	108 32%	93 34%	103 0.90 49 %	85 -3.1 48 %	103 -0.50 46%	106 12.2 44%	88 -1.7 46%	92 -5 32%	101 -3.7 44%	87 2.8 24%	87 -0.3 49 %	84 -1.2 48 %	97 -1.2 48 %	95 0.1 47 %	92 -0.9 42 %	108 0.8 33 %
CWBMAKW 190118 F1 PEER AKW190118		BA 150370		99 41%	95 32%	107 30 %	99 28%	94 26%	96 1.60 43 %	95 1.0 32 %	105 -0.58 31%	107 12.5 30%	96 3.8 30%	101 8 28%	103 -4.9 31%	87 2.5 22%	108 8.6 42 %	102 1.1 30 %	97 -1.1 31 %	103 1.2 30 %	103 0.2 29 %	98 -0.8 25 %
CWBMAKW 190122 F1 PEER AKW190122		BA 150370 CWBFAK P12026		99 41%	95 32%	107 30 %	99 28%	94 26%	96 1.60 43 %	95 1.0 32 %	105 -0.58 31%	107 12.5 30%	96 3.8 30%	101 8 28%	103 -4.9 31%	87 2.5 22%	105 7.2 40 %	102 1.1 30 %	97 -1.1 31 %	103 1.2 30 %	103 0.2 29 %	98 -0.8 25 %
CWBMAKW 190125 F1 PEER AKW190125		BA 150370		99 41%	95 32%	107 30 %	99 28%	94 26%	96 1.60 43 %	95 1.0 32 %	105 -0.58 31%	107 12.5 30%	96 3.8 30%	101 8 28%	103 -4.9 31%	87 2.5 22%	98 4.4 37 %	102 1.1 30 %	97 -1.1 31 %	103 1.2 30 %	103 0.2 29 %	98 -0.8 25 %
CWBMAKW 190126 F1 PEER AKW190126		BA 150370		99 41%	95 32%	107 30 %	99 28%	94 26%	96 1.60 43 %	95 1.0 32 %	105 -0.58 31%	107 12.5 30%	96 3.8 30%	101 8 28%	103 -4.9 31%	87 2.5 22%	98 4.4 37 %	102 1.1 30 %	97 -1.1 31 %	103 1.2 30 %	103 0.2 29 %	98 -0.8 25 %
CWBMAKW 190130 F1 PEER AKW190130		BA 150370		99 41%	95 32%	107 30 %	99 28%	94 26%	96 1.60 43 %	95 1.0 32 %	105 -0.58 31%	107 12.5 30%	96 3.8 30%	101 8 28%	103 -4.9 31%	87 2.5 22%	108 8.6 42 %	102 1.1 30 %	97 -1.1 31 %	103 1.2 30 %	103 0.2 29 %	98 -0.8 25 %
CWBMAKW 190135 F1 PEER AKW190135		BA 150370		99 41%	95 32%	107 30 %	99 28%	94 26%	96 1.60 43 %	95 1.0 32 %	105 -0.58 31%	107 12.5 30%	96 3.8 30%	101 8 28%	103 -4.9 31%	87 2.5 22%	98 4.4 37 %	102 1.1 30 %	97 -1.1 31 %	103 1.2 30 %	103 0.2 29 %	98 -0.8 25 %
CWBMAKW 190137 F1 PEER AKW190137		BA 150370		99 41%	95 32%	107 30 %	99 28%	94 26%	96 1.60 43 %	95 1.0 32 %	105 -0.58 31%	107 12.5 30%	96 3.8 30%	101 8 28%	103 -4.9 31%	87 2.5 22%	98 4.4 37 %	102 1.1 30 %	97 -1.1 31 %	103 1.2 30 %	103 0.2 29 %	98 -0.8 25 %
CWBMAKW 190138 F1 PEER AKW190138		BA 150370		99 41%	95 32%	107 30 %	99 28%	94 26%	96 1.60 43 %	95 1.0 32 %	105 -0.58 31%	107 12.5 30%	96 3.8 30%	101 8 28%	103 -4.9 31%	87 2.5 22%	108 8.6 42 %	102 1.1 30 %	97 -1.1 31 %	103 1.2 30 %	103 0.2 29 %	98 -0.8 25 %
CWBMAKW 190142 F1 PEER AKW190142		BB 120028		97 46%	92 39%	111 27 %	106 16%	98 30%	95 1.71 48 %	92 -0.3 39 %	101 -0.42 38%	111 14.6 27%	91 0.2 32%	94 -3 16%	102 -4.3 39%	94 1.5 22%	92 1.6 44 %	90 -0.5 33 %	84 -10.3 33 %	84 -1.7 30 %	108 0.7 24 %	120 2.8 17 %
CWBMAKW 200007 F1 PEER AKW200007		BA 150370		99 41%	95 32%	107 30 %	99 28%	94 26%	96 1.60 43 %	95 1.0 32 %	105 -0.58 31%	107 12.5 30%	96 3.8 30%	101 8 28%	103 -4.9 31%	87 2.5 22%	98 4.4 37 %	102 1.1 30 %	97 -1.1 31 %	103 1.2 30 %	103 0.2 29 %	98 -0.8 25 %

CWB Bulls

Inbreeding >6% is high					<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed																
Bull					Selection Value					Calf weight		Mother		Growth		Fertility			Carcass					
ID	%Inbreeding	Parentage			Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn. Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling	Fineness
Name		Genomic	DNA	Sire ID Dam ID																				
JAPANESE BLACK																								
CWBMAKW 200013			BA 150370		99	95	107	99	94	96	95	105	107	96	101	103	87	98	102	97	103	103	98	
F1			CWBFSI M12002		41%	32%	30 %	28%	26%	1.60	1.0	-0.58	12.5	3.8	8	-4.9	2.5	4.4	1.1	-1.1	1.2	0.2	-0.8	
PEER AKW200013										43 %	32 %	31%	30%	30%	28%	31%	22%	37 %	30 %	31 %	30 %	29 %	25 %	
CWBMAKW 200015			BA 150370		99	95	107	99	94	96	95	105	107	96	101	103	87	98	102	97	103	103	98	
F1			CWBFSIM 170010		41%	32%	30 %	28%	26%	1.60	1.0	-0.58	12.5	3.8	8	-4.9	2.5	4.4	1.1	-1.1	1.2	0.2	-0.8	
PEER AKW200015										43 %	32 %	31%	30%	30%	28%	31%	22%	37 %	30 %	31 %	30 %	29 %	25 %	
CWBMAKW 200017			BA 150370		99	95	107	99	94	96	95	105	107	96	101	103	87	98	102	97	103	103	98	
F1			CWBFAKB 110007		41%	32%	30 %	28%	26%	1.60	1.0	-0.58	12.5	3.8	8	-4.9	2.5	4.4	1.1	-1.1	1.2	0.2	-0.8	
PEER AKW200017										43 %	32 %	31%	30%	30%	28%	31%	22%	37 %	30 %	31 %	30 %	29 %	25 %	
CWBMAKW 200019	3		BB 110011		116	92	77	116	117	131	92	113	77	85	84	111	120	115	76	98	79	113	136	
FB			AKW 180029		58%	37%	31 %	22%	32%	-1.73	-0.4	-0.87	-3.7	-4.1	-17	-9.5	-3.3	11.8	-2.2	-0.8	-2.4	1.1	5.3	
PEER AKW200019										62 %	37 %	41%	31%	34%	22%	41%	22%	50 %	44 %	43 %	40 %	29 %	22 %	
CWBMAKW 200020			BA 150370		99	95	107	99	94	96	95	105	107	96	101	103	87	98	102	97	103	103	98	
F1			CWBFA82016		41%	32%	30 %	28%	26%	1.60	1.0	-0.58	12.5	3.8	8	-4.9	2.5	4.4	1.1	-1.1	1.2	0.2	-0.8	
PEER AKW200020										43 %	32 %	31%	30%	30%	28%	31%	22%	37 %	30 %	31 %	30 %	29 %	25 %	
CWBMAKW 200021			BA 150370		99	95	107	99	94	96	95	105	107	96	101	103	87	98	102	97	103	103	98	
F1			CWBFBFC 150018		41%	32%	30 %	28%	26%	1.60	1.0	-0.58	12.5	3.8	8	-4.9	2.5	4.4	1.1	-1.1	1.2	0.2	-0.8	
PEER AKW200021										43 %	32 %	31%	30%	30%	28%	31%	22%	37 %	30 %	31 %	30 %	29 %	25 %	
CWBMAKW 200023			BA 150370		99	95	107	99	94	96	95	105	107	96	101	103	87	98	102	97	103	103	98	
F1			CWBFBFC 120020		41%	32%	30 %	28%	26%	1.60	1.0	-0.58	12.5	3.8	8	-4.9	2.5	4.4	1.1	-1.1	1.2	0.2	-0.8	
PEER AKW200023										43 %	32 %	31%	30%	30%	28%	31%	22%	37 %	30 %	31 %	30 %	29 %	25 %	
CWBMAKW 200024			BA 150370		99	95	107	99	94	96	95	105	107	96	101	103	87	98	102	97	103	103	98	
F1			CWBFBFC 120030		41%	32%	30 %	28%	26%	1.60	1.0	-0.58	12.5	3.8	8	-4.9	2.5	4.4	1.1	-1.1	1.2	0.2	-0.8	
PEER AKW200024										43 %	32 %	31%	30%	30%	28%	31%	22%	37 %	30 %	31 %	30 %	29 %	25 %	
CWBMAKW 200027			BA 150370		99	95	107	99	94	96	95	105	107	96	101	103	87	118	102	97	103	103	98	
F1			CWBFBFA 150139		41%	32%	30 %	28%	26%	1.60	1.0	-0.58	12.5	3.8	8	-4.9	2.5	13.0	1.1	-1.1	1.2	0.2	-0.8	
PEER AKW200027										43 %	32 %	31%	30%	30%	28%	31%	22%	41 %	30 %	31 %	30 %	29 %	25 %	
CWBMAKW 200033			OVE 080002		107	85	106	108	93	103	85	103	106	88	92	101	87	87	84	97	95	92	108	
F1			CWBFAKA 150010		48%	48%	44 %	32%	34%	0.90	-3.1	-0.50	12.2	-1.7	-5	-3.7	2.8	-0.3	-1.2	-1.2	0.1	-0.9	0.8	
PEER AKW200033										49 %	48 %	46%	44%	46%	32%	44%	24%	49 %	48 %	48 %	47 %	42 %	33 %	
CWBMAKW 200036			BA 150370		99	95	107	99	94	96	95	105	107	96	101	103	87	98	102	97	103	103	98	
F1			CWBFAKA 160023		41%	32%	30 %	28%	26%	1.60	1.0	-0.58	12.5	3.8	8	-4.9	2.5	4.4	1.1	-1.1	1.2	0.2	-0.8	
PEER AKW200036										43 %	32 %	31%	30%	30%	28%	31%	22%	37 %	30 %	31 %	30 %	29 %	25 %	
CWBMAKW 200041			BA 150370		99	95	107	99	94	96	95	105	107	96	101	103	87	98	102	97	103	103	98	
F1			CWBFBFC 120012		41%	32%	30 %	28%	26%	1.60	1.0	-0.58	12.5	3.8	8	-4.9	2.5	4.4	1.1	-1.1	1.2	0.2	-0.8	
PEER AKW200041										43 %	32 %	31%	30%	30%	28%	31%	22%	37 %	30 %	31 %	30 %	29 %	25 %	

CWB Bulls

Inbreeding >6% is high				<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed															
Bull				Selection Value					Calf weight		Mother		Growth		Fertility			Carcass				
ID	%Inbreeding	Parentage		Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
Name		Genomic DNA	Sire ID Dam ID																			
JAPANESE BLACK																						
CWBMAKW 200045 F2 PEER AKW200045	2		BA 170026 BB 160129	124 51%	89 30%	96 22 %	116 17%	115 26%	122 -0.92 54 %	89 -1.4 30 %	99 -0.34 40%	96 6.7 22%	88 -1.9 23%	84 -17 17%	114 -11.1 34%	115 -2.3 17%	110 9.5 43 %	104 1.4 31 %	87 -8.3 31 %	80 -2.4 29 %	104 0.2 26 %	108 0.8 21 %
CWBMAKW 200060 F1 PEER AKW200060			BDWFM0495	97 46%	82 40%	107 39 %	108 36%	91 30%	98 1.45 47 %	82 -4.3 40 %	91 -0.05 43%	107 12.5 39%	87 -2.9 43%	92 -5 36%	87 4.8 39%	97 1.4 20%	94 2.7 43 %	102 1.1 46 %	107 5.8 46 %	95 0.0 44 %	110 0.9 40 %	103 -0.1 30 %
CWBMAKW 200062 F1 PEER AKW200062			FB2998	77 43%	124 22%	112 17 %	77 19%	108 27%	81 3.08 44 %	124 12.7 22 %	91 -0.05 39%	112 15.1 17%	125 23.7 28%	123 38 19%	111 -9.1 38%	103 -0.5 16%	96 3.5 45 %	90 -0.4 33 %	106 5.3 33 %	93 -0.3 30 %	98 -0.3 29 %	95 -1.2 22 %
CWBMAKW 200068 PEN PEER AKW200068			AKW 180004	95 54%	99 18%	98 12 %	108 11%	121 16%	103 0.93 62 %	99 2.5 18 %	63 1.01 25%	98 7.6 12%	106 10.4 18%	92 -5 11%	113 -10.6 23%	123 -4.0 8%	96 3.6 28 %	108 1.8 20 %	92 -5.0 20 %	102 1.1 18 %	94 -0.6 19 %	92 -1.7 11 %
CWBMAKW 200073 F2 PEER AKW200073			CWBMBB 180190 BB 140030	100 57%	78 19%	103 11 %	113 7 %	96 17%	137 -2.35 64 %	78 -6.0 19 %	75 0.54 30%	103 10.2 11%	89 -1.1 19%	87 -13 7 %	85 6.1 23%	103 -0.2 11%	91 1.5 29 %	104 1.4 14 %	90 -6.5 14 %	101 0.9 13 %	104 0.3 12 %	104 0.1 8 %
CWBMAKW 200076 PEN PEER AKW200076			CP 130038	107 57%	87 21%	95 23 %	112 17%	112 17%	115 -0.19 64 %	87 -2.2 21 %	58 1.19 30%	95 5.9 23%	96 3.4 16%	88 -11 17%	102 -3.9 22%	118 -2.9 12%	112 10.2 35 %	97 0.4 22 %	84 -10.7 22 %	106 1.7 21 %	86 -1.5 17 %	103 -0.1 10 %
CWBMAKW 200077 PEN PEER AKW200077			BB 160053	115 55%	87 17%	105 11 %	106 9 %	102 13%	124 -1.11 62 %	87 -2.3 17 %	73 0.62 26%	105 11.5 11%	96 3.4 14%	94 -2 9 %	96 -0.7 17%	105 -0.6 9%	88 0.2 26 %	108 1.8 24 %	83 -10.9 24 %	101 1.0 24 %	88 -1.2 13 %	95 -1.3 8 %
CWBMAKW 200078 F2 PEER AKW200078	1		BA 170026 BB 140042	122 63%	87 37%	96 23 %	111 17%	116 25%	124 -1.14 69 %	87 -2.3 37 %	101 -0.41 39%	96 6.8 23%	90 -0.9 30%	89 -10 17%	113 -10.5 33%	117 -2.5 17%	118 12.9 42 %	103 1.2 29 %	95 -2.9 29 %	82 -2.0 28 %	107 0.6 26 %	107 0.7 21 %
CWBMAKW 200085 F2 PEER AKW200085	8		BB 120028 BB 140029	122 67%	81 49%	93 31 %	123 18%	102 34%	117 -0.39 72 %	81 -4.5 49 %	102 -0.45 48%	93 4.9 31%	82 -6.3 44%	77 -26 18%	97 -1.4 45%	106 -0.5 24%	107 8.1 53 %	95 0.1 36 %	74 -17.5 36 %	84 -1.7 33 %	112 1.0 27 %	128 4.0 19 %
CWBMAKW 200087 F1 PEER AKW200087			AKW 170006	97 53%	91 14%	98 13 %	115 9 %	108 16%	106 0.66 60 %	91 -0.6 14 %	58 1.17 27%	98 7.4 13%	100 6.1 12%	85 -15 9 %	101 -3.5 21%	112 -1.9 11%	96 3.5 26 %	103 1.2 16 %	87 -8.4 16 %	101 0.9 15 %	92 -0.9 12 %	98 -0.8 8 %
CWBMAKW 200090 F1 PEER AKW200090			BB 120028	97 46%	92 39%	111 27 %	106 16%	98 30%	95 1.71 48 %	92 -0.3 39 %	101 -0.42 38%	111 14.6 27%	91 0.2 32%	94 -3 16%	102 -4.3 39%	94 1.5 22%	92 1.6 44 %	90 -0.5 33 %	84 -10.3 33 %	84 -1.7 30 %	108 0.7 24 %	120 2.8 17 %
CWBMAKW 200093 F2 PEER AKW200093	8		BB 120028 BB 130001	128 67%	82 49%	88 32 %	121 23%	106 36%	121 -0.84 72 %	82 -4.4 49 %	111 -0.79 47%	88 2.2 32%	77 -9.8 46%	79 -24 23%	108 -7.4 46%	104 -0.4 25%	115 11.6 54 %	93 -0.1 36 %	72 -19.2 36 %	88 -1.0 34 %	111 0.9 26 %	130 4.3 19 %

CWB Bulls

Inbreeding >6% is high					<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed																
Bull					Selection Value					Calf weight		Mother		Growth		Fertility			Carcass					
ID	Parentage	%Inbreeding	Genomic	Sire ID	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling	Fineness
Name																								
JAPANESE BLACK																								
CWBMAKW 200097	1		BB	120028	102	91	92	122	109	102	91	93	92	86	78	108	108	107	95	76	85	102	120	
F2			BA	151029	65%	42%	30 %	20%	34%	1.07	-0.7	-0.13	4.6	-3.1	-26	-7.6	-1.3	8.0	0.1	-16.3	-1.5	0.1	2.7	
PEER AKW200097										70 %	42 %	46%	30%	35%	20%	45%	24%	52 %	36 %	36 %	34 %	28 %	20 %	
CWBMAKW 200098			AKW	180052	89	104	113	95	95	89	104	98	113	106	105	97	93	97	86	96	94	87	104	
F2			CWBF	AKW 180049	34%	21%	16 %	14%	15%	2.30	4.5	-0.31	15.8	10.6	14	-1.2	1.7	4.0	-1.0	-2.3	-0.2	-1.3	0.2	
PEER AKW200098										36 %	21 %	24%	16%	16%	14%	20%	10%	28 %	24 %	24 %	22 %	18 %	14 %	
CWBMAKW 200101			BB	120028	97	92	111	106	98	95	92	101	111	91	94	102	94	92	90	84	84	108	120	
F1			CWBF	BFO	46%	39%	27 %	16%	30%	1.71	-0.3	-0.42	14.6	0.2	-3	-4.3	1.5	1.6	-0.5	-10.3	-1.7	0.7	2.8	
PEER AKW200101			NSMARA							48 %	39 %	38%	27%	32%	16%	39%	22%	44 %	33 %	33 %	30 %	24 %	17 %	
CWBMAKW 200103			BB	140052	106	98	98	109	106	114	98	59	98	103	91	99	108	95	101	88	107	101	105	
F1					58%	29%	18 %	9 %	16%	-0.10	2.0	1.17	7.9	8.6	-6	-2.5	-1.4	3.2	0.9	-7.6	1.9	0.0	0.3	
PEER AKW200103										65 %	29 %	31%	18%	24%	9 %	23%	10%	29 %	18 %	18 %	16 %	11 %	8 %	
CWBMAKW 200106			AKW	180012	101	100	98	106	116	106	100	72	98	105	94	110	117	95	104	91	103	94	95	
F3					55%	16%	12 %	11%	15%	0.65	2.8	0.67	7.9	10.0	-2	-8.7	-2.8	3.1	1.3	-5.6	1.2	-0.6	-1.3	
PEER AKW200106										62 %	16 %	26%	12%	18%	11%	22%	8%	26 %	21 %	21 %	19 %	19 %	11 %	
CWBMAKW 200107	26		BB	120028	124	78	93	132	102	119	78	98	93	72	68	103	100	100	96	66	81	108	129	
F2			BB	160197	67%	49%	32 %	18%	35%	-0.64	-6.0	-0.32	5.1	-13.3	-39	-4.7	0.2	5.2	0.3	-22.9	-2.1	0.7	4.1	
PEER AKW200107										72 %	49 %	46%	32%	39%	18%	46%	24%	53 %	37 %	37 %	34 %	27 %	20 %	
CWBMAKW 200108			BA	150370	99	95	107	99	94	96	95	105	107	96	101	103	87	98	102	97	103	103	98	
F1					41%	32%	30 %	28%	26%	1.60	1.0	-0.58	12.5	3.8	8	-4.9	2.5	4.4	1.1	-1.1	1.2	0.2	-0.8	
BEYOND BEEF PEER AKW200108										43 %	32 %	31%	30%	30%	28%	31%	22%	37 %	30 %	31 %	30 %	29 %	25 %	
CWBMAKW 200109	1		BA	150370	124	82	89	121	109	124	82	104	89	79	79	110	106	111	109	80	100	103	106	
F2			BB	160123	65%	38%	33 %	29%	32%	-1.06	-4.5	-0.54	2.8	-8.2	-23	-8.9	-1.0	9.8	1.9	-13.6	0.8	0.2	0.5	
PEER AKW200109										71 %	38 %	43%	33%	35%	29%	39%	26%	47 %	35 %	35 %	34 %	31 %	26 %	
CWBMAKW 200110			BB	120028	97	92	111	106	98	95	92	101	111	91	94	102	94	92	90	84	84	108	120	
F1			CWBF	J1623	46%	39%	27 %	16%	30%	1.71	-0.3	-0.42	14.6	0.2	-3	-4.3	1.5	1.6	-0.5	-10.3	-1.7	0.7	2.8	
PEER AKW200110										48 %	39 %	38%	27%	32%	16%	39%	22%	44 %	33 %	33 %	30 %	24 %	17 %	
CWBMAKW 210010			BA	150370	99	95	107	99	94	96	95	105	107	96	101	103	87	98	102	97	103	103	98	
F1					41%	32%	30 %	28%	26%	1.60	1.0	-0.58	12.5	3.8	8	-4.9	2.5	4.4	1.1	-1.1	1.2	0.2	-0.8	
PEER AKW210010										43 %	32 %	31%	30%	30%	28%	31%	22%	37 %	30 %	31 %	30 %	29 %	25 %	
CWBMAKW 210011	3		BB	120028	119	87	95	118	102	114	87	112	95	82	82	105	101	101	98	68	84	96	119	
F3			BB	160056	66%	43%	29 %	18%	32%	-0.08	-2.1	-0.84	6.1	-5.9	-19	-5.8	0.3	5.8	0.6	-21.9	-1.6	-0.5	2.6	
PEER AKW210011										71 %	43 %	46%	29%	35%	18%	42%	23%	52 %	41 %	41 %	39 %	27 %	19 %	
CWBMAKW 210017			BB	150141	92	113	112	91	108	101	113	60	112	122	109	98	112	98	87	100	95	107	112	
F2					29%	20%	23 %	22%	12%	1.10	8.2	1.13	14.9	21.5	20	-1.5	-2.0	4.2	-0.9	0.6	0.0	0.6	1.4	
PEER AKW210017										29 %	20 %	28%	23%	16%	22%	18%	7%	27 %	20 %	20 %	18 %	16 %	10 %	

CWB Bulls

Inbreeding >6% is high					<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed															
Bull					Selection Value					Calf weight		Mother		Growth		Fertility			Carcass				
ID	Name	%Inbreeding	Parentage		Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
			Genomic	DNA																			
JAPANESE BLACK																							
CWBMAKW 210018			✓	BA 150370	99	95	107	99	94	96	95	105	107	96	101	103	87	98	102	97	103	103	98
F1					41%	32%	30 %	28%	26%	1.60	1.0	-0.58	12.5	3.8	8	-4.9	2.5	4.4	1.1	-1.1	1.2	0.2	-0.8
PEER AKW210018										43 %	32 %	31%	30%	30%	28%	31%	22%	37 %	30 %	31 %	30 %	29 %	25 %
CWBMAKW 210021			✓	BA 150370	99	95	107	99	94	96	95	105	107	96	101	103	87	98	102	97	103	103	98
F1					41%	32%	30 %	28%	26%	1.60	1.0	-0.58	12.5	3.8	8	-4.9	2.5	4.4	1.1	-1.1	1.2	0.2	-0.8
PEER AKW210021										43 %	32 %	31%	30%	30%	28%	31%	22%	37 %	30 %	31 %	30 %	29 %	25 %
CWBMAKW 210022	1		✓	BA 150370	116	68	86	129	108	131	68	107	86	69	71	116	100	109	109	80	100	103	106
F2			✓	BB 160199	65%	44%	34 %	29%	32%	-1.79	-10.0	-0.64	1.2	-15.4	-35	-12.2	0.0	9.1	1.9	-13.6	0.8	0.2	0.5
PEER AKW210022										71 %	44 %	43%	34%	38%	29%	39%	26%	46 %	35 %	35 %	34 %	31 %	26 %
CWBMAKW 210023			✓	BA 150370	99	95	107	99	94	96	95	105	107	96	101	103	87	98	102	97	103	103	98
F1					41%	32%	30 %	28%	26%	1.60	1.0	-0.58	12.5	3.8	8	-4.9	2.5	4.4	1.1	-1.1	1.2	0.2	-0.8
PEER AKW210023										43 %	32 %	31%	30%	30%	28%	31%	22%	37 %	30 %	31 %	30 %	29 %	25 %
CWBMAKW 210024			✓	BA 150370	99	95	107	99	94	96	95	105	107	96	101	103	87	98	102	97	103	103	98
F1					41%	32%	30 %	28%	26%	1.60	1.0	-0.58	12.5	3.8	8	-4.9	2.5	4.4	1.1	-1.1	1.2	0.2	-0.8
PEER AKW210024										43 %	32 %	31%	30%	30%	28%	31%	22%	37 %	30 %	31 %	30 %	29 %	25 %
CWBMAKW 210026			✓	BB 120028	97	92	111	106	98	95	92	101	111	91	94	102	94	92	90	84	84	108	120
F1				CWBFAKP 120067	46%	39%	27 %	16%	30%	1.71	-0.3	-0.42	14.6	0.2	-3	-4.3	1.5	1.6	-0.5	-10.3	-1.7	0.7	2.8
PEER AKW210026										48 %	39 %	38%	27%	32%	16%	39%	22%	44 %	33 %	33 %	30 %	24 %	17 %
CWBMAKW 210033			✓	BA 170026	101	100	115	94	103	100	100	96	115	103	106	104	101	96	98	105	82	104	100
F1					36%	22%	17 %	16%	18%	1.21	2.9	-0.25	16.8	8.5	15	-5.0	0.2	3.4	0.6	4.3	-2.0	0.3	-0.5
PEER AKW210033										39 %	22 %	26%	17%	16%	16%	23%	14%	31 %	26 %	26 %	25 %	23 %	19 %
CWBMAKW 210037			✓	BB 120028	97	92	111	106	98	95	92	101	111	91	94	102	94	92	90	84	84	108	120
F1				CWBFAKP 150126	46%	39%	27 %	16%	30%	1.71	-0.3	-0.42	14.6	0.2	-3	-4.3	1.5	1.6	-0.5	-10.3	-1.7	0.7	2.8
PEER AKW210037										48 %	39 %	38%	27%	32%	16%	39%	22%	44 %	33 %	33 %	30 %	24 %	17 %
CWBMAKW 210038				BB 140003	120	86	96	116	94	120	86	83	96	93	84	90	96	98	103	87	105	103	105
F2					58%	31%	18 %	8 %	20%	-0.68	-2.7	0.26	6.8	1.6	-17	3.2	1.0	4.2	1.1	-8.2	1.6	0.2	0.4
PEER AKW210038										64 %	31 %	33%	18%	32%	8 %	25%	15%	30 %	16 %	15 %	14 %	10 %	8 %
CWBMAKW 210039	2			BA 150370	123	78	88	121	104	125	78	105	88	77	79	107	101	107	100	85	100	100	109
F2				BB 130018	65%	42%	33 %	29%	31%	-1.20	-5.8	-0.57	2.3	-9.4	-23	-7.0	0.1	8.1	0.8	-9.6	0.8	-0.1	0.9
PEER AKW210039										70 %	42 %	44%	33%	38%	29%	37%	25%	47 %	39 %	38 %	36 %	30 %	26 %
CWBMAKW 210040			✓	BB 120028	97	92	111	106	98	95	92	101	111	91	94	102	94	92	90	84	84	108	120
F1					46%	39%	27 %	16%	30%	1.71	-0.3	-0.42	14.6	0.2	-3	-4.3	1.5	1.6	-0.5	-10.3	-1.7	0.7	2.8
PEER AKW210040										48 %	39 %	38%	27%	32%	16%	39%	22%	44 %	33 %	33 %	30 %	24 %	17 %
CWBMAKW 210042				BA 150370	117	101	89	107	107	112	101	105	89	100	93	112	101	103	108	87	111	94	95
F2				BB 160201	64%	32%	30 %	28%	30%	0.09	3.3	-0.56	3.0	6.2	-4	-9.9	-0.2	6.4	1.8	-8.5	2.4	-0.7	-1.3
PEER AKW210042										70 %	32 %	40%	30%	32%	28%	36%	23%	46 %	32 %	32 %	31 %	29 %	25 %

CWB Bulls

Inbreeding >6% is high					<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed															
Bull					Selection Value					Calf weight		Mother		Growth		Fertility			Carcass				
ID	%Inbreeding	Parentage			Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
Name		Genomic	DNA	Sire ID Dam ID																			
JAPANESE BLACK																							
CWBMAKW 210046			BB 120028		97	92	111	106	98	95	92	101	111	91	94	102	94	92	90	84	84	108	120
F1			CWBFAK P20001		46%	39%	27 %	16%	30%	1.71	-0.3	-0.42	14.6	0.2	-3	-4.3	1.5	1.6	-0.5	-10.3	-1.7	0.7	2.8
PEER AKW210046										48 %	39 %	38%	27%	32%	16%	39%	22%	44 %	33 %	33 %	30 %	24 %	17 %
CWBMAKW 210047			CWBMAKW 180071		102	85	101	114	104	130	85	53	101	96	86	93	110	94	103	83	100	91	99
F2			BA 150564		56%	13%	14 %	10%	18%	-1.65	-3.2	1.37	9.3	3.6	-13	1.1	-1.5	2.8	1.2	-11.1	0.8	-1.0	-0.7
PEER AKW210047										64 %	13 %	27%	14%	11%	10%	24%	12%	30 %	22 %	22 %	21 %	12 %	10 %
CWBMAKW 210048	11		BB 120028		123	78	81	135	107	125	78	114	81	69	65	111	104	113	96	67	79	113	134
FB			BB 160204		68%	48%	37 %	24%	38%	-1.16	-6.0	-0.92	-1.5	-15.4	-43	-9.5	-0.5	10.6	0.3	-22.5	-2.4	1.2	4.9
PEER AKW210048										72 %	48 %	51%	37%	43%	24%	49%	26%	56 %	45 %	45 %	42 %	35 %	27 %
CWBMAKW 210053			CWBMAKW 180092		112	88	110	106	110	120	88	51	110	99	94	98	119	95	103	100	101	100	97
F3			CP 120035		59%	28%	34 %	18%	22%	-0.73	-1.7	1.45	13.8	6.0	-3	-1.5	-2.7	2.9	1.1	0.9	1.0	-0.1	-1.0
PEER AKW210053										65 %	28 %	37%	34%	16%	18%	28%	17%	31 %	18 %	18 %	16 %	8 %	5 %
CWBMAKW 210060	8		BB 120028		122	78	88	132	103	116	78	109	88	73	68	105	101	108	93	72	88	111	130
F2			BB 140057		67%	50%	32 %	18%	36%	-0.28	-5.9	-0.72	2.1	-12.6	-39	-5.9	0.1	8.7	-0.1	-19.2	-1.0	0.9	4.3
PEER AKW210060										72 %	50 %	49%	32%	42%	18%	45%	26%	53 %	36 %	36 %	34 %	26 %	19 %
CWBMAKW 210061	8		BB 120028		113	95	91	120	102	109	95	102	91	88	80	105	99	114	93	72	88	111	130
F2			BB 140006		68%	50%	32 %	18%	35%	0.36	1.1	-0.45	4.2	-1.8	-22	-5.5	0.4	11.2	-0.1	-19.2	-1.0	0.9	4.3
PEER AKW210061										73 %	50 %	49%	32%	42%	18%	44%	26%	53 %	36 %	36 %	34 %	26 %	19 %
CWBMAKW 210067			BA 170026		101	100	115	94	103	100	100	96	115	103	106	104	101	96	98	105	82	104	100
F1					36%	22%	17 %	16%	18%	1.21	2.9	-0.25	16.8	8.5	15	-5.0	0.2	3.4	0.6	4.3	-2.0	0.3	-0.5
PEER AKW210067										39 %	22 %	26%	17%	16%	16%	23%	14%	31 %	26 %	26 %	25 %	23 %	19 %
CWBMAKW 210068	8		BB 120028		125	84	89	128	107	118	84	110	89	75	72	108	105	112	93	72	88	111	130
F2			BB 130004		67%	49%	32 %	23%	36%	-0.51	-3.7	-0.76	2.7	-11.1	-34	-7.4	-0.7	10.3	-0.1	-19.2	-1.0	0.9	4.3
PEER AKW210068										72 %	49 %	49%	32%	46%	23%	46%	26%	54 %	36 %	36 %	34 %	26 %	19 %
CWBMAKW 210072	26		BB 120028		120	83	92	128	110	115	83	103	92	77	72	113	107	106	96	66	81	108	129
F2			BB 160129		66%	44%	30 %	18%	35%	-0.19	-4.1	-0.50	4.5	-9.7	-34	-10.4	-1.0	7.7	0.3	-22.9	-2.1	0.7	4.1
PEER AKW210072										71 %	44 %	49%	30%	36%	18%	46%	24%	53 %	37 %	37 %	34 %	27 %	20 %
CWBMAKW 210086			CWBMAKW 180071		111	90	106	106	102	117	90	64	106	98	94	96	105	88	108	83	101	88	95
F3			BB 160051		56%	17%	11 %	9 %	13%	-0.40	-1.3	0.96	11.8	5.0	-2	-0.7	-0.6	0.2	1.8	-10.9	1.0	-1.2	-1.3
PEER AKW210086										63 %	17 %	29%	11%	14%	9 %	17%	9%	26 %	24 %	24 %	24 %	13 %	8 %
CWBMAKW 210109			BB 120028		97	92	111	106	98	95	92	101	111	91	94	102	94	92	90	84	84	108	120
F1					46%	39%	27 %	16%	30%	1.71	-0.3	-0.42	14.6	0.2	-3	-4.3	1.5	1.6	-0.5	-10.3	-1.7	0.7	2.8
PEER AKW210109										48 %	39 %	38%	27%	32%	16%	39%	22%	44 %	33 %	33 %	30 %	24 %	17 %
CWBMAKW 210116			AKW 180017		105	99	97	107	116	113	99	59	97	103	93	108	119	94	106	91	105	93	92
F3					55%	18%	12 %	11%	15%	0.00	2.6	1.14	7.3	8.8	-3	-7.6	-3.3	2.8	1.6	-5.4	1.5	-0.7	-1.7
PEER AKW210116										62 %	18 %	26%	12%	20%	11%	23%	7%	26 %	20 %	20 %	19 %	19 %	11 %

CWB Bulls

Inbreeding >6% is high				<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed																	
Bull				Selection Value					Calf weight		Mother		Growth		Fertility			Carcass						
ID	Parentage			Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn. Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling	Fineness	
Name	%Inbreeding	Genomic DNA	Sire ID Dam ID																					
JAPANESE BLACK																								
CWBMAKW 220002 F3	3	BB 120028 BB 160056		124 66%	83 43%	95 29 %	118 18%	102 32%	124 -1.12 71 %	83 -4.1 43 %	113 -0.89 46%	95 6.3 29%	78 -8.7 35%	82 -19 18%	105 -5.8 42%	101 0.3 23%	101 5.8 52 %	98 0.6 41 %	68 -21.9 41 %	84 -1.6 39 %	96 -0.5 27 %	119 2.6 19 %		
PEER AKW220002																								
CWBMAKW 220003 F2	8	BB 120028 BB 150064		121 66%	77 44%	93 29 %	125 18%	101 34%	128 -1.46 72 %	77 -6.4 44 %	109 -0.72 45%	93 5.1 29%	75 -11.0 38%	75 -29 18%	99 -2.2 45%	104 -0.2 24%	106 7.8 52 %	95 0.1 36 %	74 -17.5 36 %	84 -1.7 33 %	112 1.0 27 %	128 4.0 19 %		
PEER AKW220003																								
CWBMAKW 220005 F1		BB 150122		97 57%	102 17%	96 19 %	109 19%	108 18%	107 0.60 64 %	102 3.7 17 %	59 1.16 32%	96 6.6 19%	104 9.5 23%	91 -6 19%	99 -2.1 24%	113 -2.2 12%	100 5.0 36 %	107 1.7 33 %	98 -0.6 32 %	106 1.7 29 %	109 0.8 16 %	100 -0.5 11 %		
PEER AKW220005																								
CWBMAKW 220008 F1		BB 120028 CWBFBFB 170399		97 46%	92 39%	111 27 %	106 16%	98 30%	95 1.71 48 %	92 -0.3 39 %	101 -0.42 38%	111 14.6 27%	91 0.2 32%	94 -3 16%	102 -4.3 39%	94 1.5 22%	92 1.6 44 %	90 -0.5 33 %	84 -10.3 33 %	84 -1.7 30 %	108 0.7 24 %	120 2.8 17 %		
PEER AKW220008																								
CWBMAKW 220012 F2		CWBMAKW 190071 BB 160123		102 56%	88 20%	102 13 %	117 8 %	112 18%	111 0.17 63 %	88 -1.8 20 %	57 1.24 30%	102 10.0 13%	95 3.2 16%	83 -18 8 %	101 -3.2 24%	117 -2.9 13%	91 1.4 29 %	106 1.5 16 %	82 -11.9 16 %	98 0.5 15 %	100 -0.1 12 %	104 0.2 9 %		
PEER AKW220012																								
CWBMAKW 220013 F2		CWBMAKW 190022 BB 160053		117 55%	89 17%	105 11 %	106 9 %	102 13%	120 -0.68 63 %	89 -1.5 17 %	73 0.63 26%	105 11.4 11%	97 4.6 14%	94 -2 9 %	96 -0.7 17%	105 -0.6 9%	88 0.2 26 %	108 1.8 24 %	83 -10.9 24 %	101 1.0 24 %	88 -1.2 13 %	95 -1.3 8 %		
PEER AKW220013																								
CWBMAKW 220015 F2		CWBMAKW 190071 BB 160157		104 56%	82 30%	102 17 %	119 8 %	105 18%	114 -0.13 63 %	82 -4.3 30 %	53 1.37 28%	102 9.6 17%	91 -0.1 22%	81 -21 8 %	101 -3.3 25%	107 -1.1 12%	87 -0.5 29 %	108 1.9 19 %	87 -8.6 19 %	100 0.8 17 %	102 0.1 12 %	101 -0.4 9 %		
PEER AKW220015																								
CWBMAKW 220016 PEN		BB 160129		94 58%	75 20%	103 13 %	117 8 %	110 18%	140 -2.62 65 %	75 -7.0 20 %	64 0.95 31%	103 10.4 13%	85 -4.1 16%	83 -18 8 %	104 -5.3 25%	111 -1.9 11%	93 2.1 29 %	106 1.5 16 %	82 -11.9 16 %	98 0.5 15 %	100 -0.1 12 %	104 0.2 9 %		
PEER AKW220016																								
CWBMAKW 220017 F2		CWBMAKW 180056 BA 130086		102 50%					131 -1.76 59 %		56 1.28 16%						87 -0.6 20 %							
PEER AKW220017																								
CWBMAKW 220018 F2	14	BB 120028 BB 160188		119 67%	98 49%	93 32 %	116 18%	106 35%	114 -0.13 72 %	98 2.2 49 %	104 -0.52 47%	93 5.2 32%	90 -0.4 39%	84 -17 18%	102 -3.9 46%	108 -1.1 24%	105 7.2 52 %	96 0.3 37 %	73 -18.4 36 %	78 -2.6 34 %	113 1.2 27 %	128 4.0 20 %		
PEER AKW220018																								
CWBMAKW 220021 F2		CWBMAKW 190071 BB 160196		109 57%	77 30%	102 17 %	123 8 %	103 18%	125 -1.24 65 %	77 -6.3 30 %	60 1.11 26%	102 9.9 17%	85 -3.8 22%	77 -27 8 %	95 0.2 24%	108 -1.2 11%	91 1.4 29 %	106 1.5 16 %	82 -11.9 16 %	98 0.5 15 %	100 -0.1 12 %	104 0.2 9 %		
PEER AKW220021																								
CWBMAKW 220024 F2		CWBMAKW 190022 BB 140052		93 57%	103 29%	98 18 %	109 9 %	106 16%	103 0.92 64 %	103 4.0 29 %	57 1.21 31%	98 7.6 18%	107 11.3 24%	91 -6 9 %	99 -2.5 23%	108 -1.4 10%	95 3.2 29 %	101 0.9 18 %	88 -7.6 18 %	107 1.9 16 %	101 0.0 11 %	105 0.3 8 %		
PEER AKW220024																								

CWB Bulls

Inbreeding >6% is high					<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed																
Bull					Selection Value					Calf weight		Mother		Growth		Fertility			Carcass					
ID	%Inbreeding	Parentage			Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling	Fineness
Name		Genomic	DNA	Sire ID Dam ID																				
JAPANESE BLACK																								
CWBMAKW 220025					105	89	91	122	100	112	89	65	91	92	78	95	103	94	101	79	103	94	107	
F1 AKW 200026					0.11	-1.5	0.92	4.1	0.6	-26	-0.1	-0.2	2.5	1.0	-13.9	1.2	-0.7	0.7	30 %	30 %	29 %	27 %	20 %	
PEER AKW220025					54%	28%	25 %	18%	21%	60 %	28 %	32%	25%	28%	18%	27%	15%	32 %	30 %	30 %	29 %	27 %	20 %	
CWBMAKW 220029					123	82	93	120	101	122	82	123	93	77	80	106	96	108	88	73	84	112	133	
F2 BB 120028 BB 140032					-0.94	-4.3	-1.24	5.1	-9.6	-22	-6.6	1.0	8.6	-0.8	-18.6	-1.6	1.0	4.9	-0.8	-18.6	-1.6	1.0	4.9	
PEER AKW220029					67%	45%	30 %	18%	34%	72 %	45 %	50%	30%	39%	18%	44%	25%	53 %	38 %	38 %	35 %	26 %	19 %	
CWBMAKW 220030					113	86	96	119	108	118	86	67	96	92	81	105	109	99	111	83	104	99	98	
F1 CWBMAKW 200076 AKW 190019					-0.55	-2.8	0.85	6.4	0.5	-20	-5.7	-1.5	4.9	2.2	-11.2	1.5	-0.2	-0.7	2.2	-11.2	1.5	-0.2	-0.7	
PEER AKW220030					55%	19%	16 %	15%	17%	63 %	19 %	26%	16%	18%	15%	22%	12%	26 %	17 %	18 %	17 %	15 %	13 %	
CWBMAKW 220031					115	95	102	105	111	121	95	63	102	101	95	100	116	92	106	88	95	105	104	
PEN BB 160190					-0.79	0.7	1.00	9.8	-2	-3.1	-2.7	1.6	1.6	-7.4	0.0	0.4	0.1	1.6	-7.4	0.0	0.4	0.1		
PEER AKW220031					58%	29%	17 %	8 %	18%	65 %	29 %	30%	17%	22%	8 %	24%	13%	28 %	16 %	16 %	15 %	13 %	10 %	
CWBMAKW 220032					111	86	103	111	108	122	86	54	103	96	89	99	112	93	104	91	102	94	95	
F1 CWBMAKW 190022 BA 151029					-0.89	-2.7	1.35	10.3	-9	-2.5	-2.2	2.4	2.4	1.4	-5.3	1.1	-0.7	-1.2	1.4	-5.3	1.1	-0.7	-1.2	
PEER AKW220032					56%	15%	14 %	13%	17%	63 %	15 %	27%	14%	14%	13%	22%	12%	26 %	15 %	16 %	15 %	15 %	10 %	
CWBMAKW 220038					108	94	90	121	105	107	94	90	84	79	108	102	105	92	73	88	110	129		
F2 BB 120028 BB 130009					0.58	0.6	-0.15	3.3	-4.5	-24	-7.4	-0.3	7.5	-0.2	-18.3	-1.0	0.8	4.1	-0.2	-18.3	-1.0	0.8	4.1	
PEER AKW220038					68%	49%	31 %	18%	34%	73 %	49 %	49%	31%	44%	18%	45%	24%	53 %	36 %	36 %	34 %	26 %	19 %	
CWBMAKW 220040					98	110	96	104	107	100	110	88	96	107	96	106	106	109	105	93	76	109	107	
F2 BA 170026 BB 160187					1.26	7.0	0.07	6.5	11.4	0	-6.6	-0.8	9.0	1.4	-3.8	-2.9	0.7	0.7	31 %	-3.8	-2.9	0.7	0.7	
PEER AKW220040					63%	37%	24 %	17%	26%	70 %	37 %	38%	24%	28%	17%	33%	18%	42 %	31 %	30 %	29 %	27 %	22 %	
CWBMAKW 220047					112	82	98	120	103	117	82	67	98	89	80	96	105	95	103	87	105	103	105	
PEN BB 140057					-0.43	-4.4	0.84	7.5	-1.0	-23	-0.8	-0.8	3.1	1.1	-8.2	1.6	0.2	0.4	1.1	-8.2	1.6	0.2	0.4	
PEER AKW220047					58%	31%	18 %	8 %	19%	65 %	31 %	31%	18%	27%	8 %	24%	14%	29 %	16 %	15 %	14 %	10 %	8 %	
CWBMAKW 220053					97	92	111	106	98	95	92	101	111	91	94	102	94	92	90	84	84	108	120	
F1 BB 120028 CWBFBA 150139					1.71	-0.3	-0.42	14.6	0.2	-3	-4.3	1.5	1.6	-0.5	-10.3	-1.7	0.7	2.8	-0.5	-10.3	-1.7	0.7	2.8	
PEER AKW220053					46%	39%	27 %	16%	30%	48 %	39 %	38%	27%	32%	16%	39%	22%	44 %	33 %	33 %	30 %	24 %	17 %	
CWBMAKW 220054					101	100	115	94	103	100	100	96	115	103	106	104	101	96	98	105	82	104	100	
F1 BA 170026					1.21	2.9	-0.25	16.8	8.5	15	-5.0	0.2	3.4	0.6	4.3	-2.0	0.3	-0.5	0.6	4.3	-2.0	0.3	-0.5	
PEER AKW220054					36%	22%	17 %	16%	18%	39 %	22 %	26%	17%	16%	16%	23%	14%	31 %	26 %	26 %	25 %	23 %	19 %	
CWBMAKW 220058					97	92	111	106	98	95	92	101	111	91	94	102	94	92	90	84	84	108	120	
F2 BB 120028 CWBFBB 130005					1.71	-0.3	-0.42	14.6	0.2	-3	-4.3	1.5	1.6	-0.5	-10.3	-1.7	0.7	2.8	-0.5	-10.3	-1.7	0.7	2.8	
PEER AKW220058					46%	39%	27 %	16%	30%	48 %	39 %	38%	27%	32%	16%	39%	22%	44 %	33 %	33 %	30 %	24 %	17 %	

CWB Cows

Inbreeding >6% is high				<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed																
Cow				Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas					
ID	Parentage	%Inbreeding	Genomic DNA	Sire ID	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
AKAUSHI																							
CWBFAKW 180049				FB2998	87	119	103	88	118	94	119	75	103	121	112	117	117	103	98	100	97	95	93
F1				47576	60 %	22 %	17 %	19 %	30 %	1.85	10.6	0.56	10.3	21.1	23	-12.8	-2.6	6.5	0.5	0.6	0.3	-0.6	-1.6
PEER AKW180049										65 %	22 %	43 %	17 %	28 %	19%	45%	16%	52 %	33 %	33 %	30 %	29 %	22 %
CWBFAKW 180067				CCCFH0037	72	122	111	79	115	79	122	84	111	125	121	114	114	107	98	94	106	94	96
F1					44 %	30 %	28 %	30 %	29 %	3.32	12.0	0.23	14.3	23.9	36	-11.1	-2.0	8.0	0.5	-3.4	1.7	-0.7	-1.1
PEER AKW180067										45 %	30 %	42 %	28 %	41 %	30%	44%	14%	51 %	39 %	39 %	37 %	36 %	27 %
JAPANESE BLACK																							
CWBFBFB 140011				BB 120023	122	98	106	100	111	117	98	104	106	100	100	95	121	123	95	93	93	113	117
F1				BB 080009						-0.38	2.1	-0.52	12.0	6.1	6	0.1	-3.3	15.0	0.1	-4.2	-0.4	1.1	2.2
BEYOND BEEF BB 140011					59 %	58 %	31 %	15 %	28 %	65 %	58 %	38 %	31 %	63 %	15%	34%	23%	54 %	28 %	28 %	27 %	24 %	17 %
CWBFBFA 151025				BA 120750	104	95	101	105	108	105	95	87	101	98	95	109	108	111	96	98	94	95	99
F1				BA-ANG-115	36 %	30 %	28 %	25 %	32 %	0.74	1.0	0.09	9.3	5.3	-1	-7.9	-0.9	9.8	0.3	-0.5	-0.1	-0.6	-0.7
WOODVIEW BA15-1025										36 %	30 %	36 %	28 %	29 %	25%	44%	21%	48 %	29 %	31 %	30 %	29 %	21 %
CWBFAKW 170019				BA 130975	98	93	111	97	89	95	93	103	111	99	103	96	85	100	88	96	92	95	106
F1					40 %	24 %	23 %	14 %	21 %	1.69	0.2	-0.51	14.6	5.8	11	-0.6	3.3	5.2	-0.8	-2.0	-0.5	-0.6	0.5
PEER AKW170019										42 %	24 %	30 %	23 %	19 %	14%	27%	15%	45 %	28 %	28 %	26 %	20 %	13 %
CWBFAKW 170026				BA 130975	98	93	111	97	89	95	93	103	111	99	103	96	85	98	88	96	92	95	106
F1					40 %	24 %	23 %	14 %	21 %	1.69	0.2	-0.51	14.6	5.8	11	-0.6	3.3	4.4	-0.8	-2.0	-0.5	-0.6	0.5
PEER AKW170026										42 %	24 %	30 %	23 %	19 %	14%	27%	15%	47 %	28 %	28 %	26 %	20 %	13 %
CWBFBFB 170361				BB 130001	107	90	97	109	106	112	90	68	97	97	91	99	110	104	103	87	105	103	105
BS					53 %	30 %	17 %	16 %	18 %	0.05	-1.0	0.81	7.3	4.6	-7	-2.3	-1.3	7.0	1.1	-8.2	1.6	0.2	0.4
BEYOND BEEF BB170361										59 %	30 %	28 %	17 %	32 %	16%	24%	13%	37 %	16 %	15 %	14 %	10 %	8 %
CWBFBFB 170383				BB 140052	110	96	99	109	106	117	96	59	99	102	91	99	111	95	101	88	107	101	105
BS					54 %	29 %	18 %	9 %	16 %	-0.45	1.4	1.15	8.0	7.7	-6	-2.5	-1.4	3.2	0.9	-7.6	1.9	0.0	0.3
BEYOND BEEF BB170383										60 %	29 %	31 %	18 %	24 %	9 %	23%	10%	29 %	18 %	18 %	16 %	11 %	8 %
CWBFBFB 170399				BB 140005	111	85	99	113	99	127	85	72	99	94	87	91	104	111	103	87	105	103	105
BS					54 %	31 %	18 %	8 %	19 %	-1.35	-3.0	0.68	8.3	1.9	-13	2.3	-0.3	9.9	1.1	-8.2	1.6	0.2	0.4
BEYOND BEEF BB170399										60 %	31 %	32 %	18 %	27 %	8 %	25%	13%	42 %	16 %	15 %	14 %	10 %	8 %
CWBFAKW 180009				BB 150109	81	131	110	67	112	84	131	91	110	128	133	117	107	93	94	112	108	85	83
F1					43 %	44 %	21 %	14 %	19 %	2.82	15.6	-0.06	13.9	25.8	53	-13.0	-0.8	2.2	0.1	9.0	2.1	-1.5	-3.2
PEER AKW180009										46 %	44 %	30 %	21 %	44 %	14%	31%	7%	49 %	34 %	33 %	30 %	23 %	15 %
CWBFAKW 180030				148BE 740	115	89	97	113	100	113	89	92	97	91	87	103	98	99	119	76	106	98	95
F1					49 %	49 %	48 %	44 %	44 %	-0.05	-1.5	-0.09	6.9	0.4	-13	-4.6	0.9	4.7	3.2	-16.5	1.7	-0.3	-1.3
PEER AKW180030										49 %	49 %	48 %	48 %	49 %	44%	49%	39%	53 %	48 %	49 %	49 %	49 %	45 %

CWB Cows

Inbreeding >6% is high				<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed																								
Cow				Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas													
ID	Name	%Inbreeding	Parentage		Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling	Fineness							
			Genomic DNA	Sire ID																					Dam ID						
JAPANESE BLACK																															
CWBFAKW 180038				✓	148BE																										
F1					CWBF796																										
PEER AKW180038																															
CWBFAKW 180039				✓	BA 150474																										
F1																															
PEER AKW180039																															
CWBFAKW 180057				✓	BA 150370																										
F1																															
PEER AKW180057																															
CWBFAKW 180063				✓	BA 150370																										
F1																															
PEER AKW180063																															
CWBFAKW 180077				✓	BA 160808																										
F1				✓	CWBFJ160026																										
PEER AKW180077																															
CWBFAKW 180078				✓	BA 160745																										
F1				✓	CWBFJ160036																										
PEER AKW180078																															
CWBFAKW 180079				✓	BA 150370																										
F1					848-AN																										
PEER AKW180079																															
CWBFAKW 180086				✓	BA 150370																										
F1					82016-AN																										
PEER AKW180086																															
CWBFAKW 180095				✓	WC 160011																										
F1																															
PEER AKW180095																															
CWBFAKW 180098				✓	CP 130304																										
F1																															
PEER AKW180098																															
CWBFAKW 190002				✓	BA 150370																										
F1					861-AN																										
PEER AKW190002																															
CWBFAKW 190004				✓	BA 150370																										
F1																															
PEER AKW190004																															

CWB Cows

Inbreeding >6% is high				<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed																							
Cow				Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas												
ID	%Inbreeding	Parentage		Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling	Fineness							
Name		Genomic DNA	Sire ID																					Dam ID						
JAPANESE BLACK																														
CWBFAKW 190006  BA 150370				99	95	107	99	94	96	95	105	107	96	101	103	89	98	102	97	103	103	98								
F1				41 %	32 %	30 %	28 %	26 %	1.60	1.0	-0.58	12.5	3.8	8	-4.9	2.5	4.4	1.1	-1.1	1.2	0.2	-0.8								
PEER AKW190006				43 %	32 %	30 %	28 %	26 %	43 %	32 %	31 %	30 %	30 %	28%	31%	22%	37 %	30 %	31 %	30 %	29 %	25 %								
CWBFAKW 190014  BA 150370				99	95	107	99	94	96	95	105	107	96	101	103	89	98	102	97	103	103	98								
F1				41 %	32 %	30 %	28 %	26 %	1.60	1.0	-0.58	12.5	3.8	8	-4.9	2.5	4.4	1.1	-1.1	1.2	0.2	-0.8								
PEER AKW190014				41 %	32 %	30 %	28 %	26 %	43 %	32 %	31 %	30 %	30 %	28%	31%	22%	37 %	30 %	31 %	30 %	29 %	25 %								
CWBFAKW 190027  WC 160011				96	103	113	92	95	95	103	98	113	107	108	99	92	89	87	105	83	135	127								
F1				43 %	24 %	23 %	21 %	19 %	1.68	4.0	-0.30	15.6	11.0	18	-2.2	1.9	0.5	-0.9	4.2	-1.9	3.2	3.8								
PEER AKW190027				43 %	24 %	23 %	21 %	19 %	47 %	24 %	26 %	23 %	27 %	21%	24%	14%	42 %	45 %	45 %	43 %	24 %	17 %								
CWBFAKW 190028  WC 160011				96	103	113	92	95	95	103	98	113	107	108	99	92	89	87	105	83	135	127								
F1				43 %	24 %	23 %	21 %	19 %	1.68	4.0	-0.30	15.6	11.0	18	-2.2	1.9	0.5	-0.9	4.2	-1.9	3.2	3.8								
PEER AKW190028				43 %	24 %	23 %	21 %	19 %	47 %	24 %	26 %	23 %	27 %	21%	24%	14%	42 %	45 %	45 %	43 %	24 %	17 %								
CWBFAKW 190030  WC 160011				96	103	113	92	95	95	103	98	113	107	108	99	92	89	87	105	83	135	127								
F1				43 %	24 %	23 %	21 %	19 %	1.68	4.0	-0.30	15.6	11.0	18	-2.2	1.9	0.5	-0.9	4.2	-1.9	3.2	3.8								
PEER AKW190030				43 %	24 %	23 %	21 %	19 %	47 %	24 %	26 %	23 %	27 %	21%	24%	14%	42 %	45 %	45 %	43 %	24 %	17 %								
CWBFAKW 190031  WC 160011				96	103	113	92	95	95	103	98	113	107	108	99	92	102	87	105	83	135	127								
F1				43 %	24 %	23 %	21 %	19 %	1.68	4.0	-0.30	15.6	11.0	18	-2.2	1.9	6.1	-0.9	4.2	-1.9	3.2	3.8								
PEER AKW190031				43 %	24 %	23 %	21 %	19 %	47 %	24 %	26 %	23 %	27 %	21%	24%	14%	46 %	45 %	45 %	43 %	24 %	17 %								
CWBFAKW 190032  WC 160011				96	103	113	92	95	95	103	98	113	107	108	99	92	89	87	105	83	135	127								
F1				43 %	24 %	23 %	21 %	19 %	1.68	4.0	-0.30	15.6	11.0	18	-2.2	1.9	0.5	-0.9	4.2	-1.9	3.2	3.8								
PEER AKW190032				43 %	24 %	23 %	21 %	19 %	47 %	24 %	26 %	23 %	27 %	21%	24%	14%	42 %	45 %	45 %	43 %	24 %	17 %								
CWBFAKW 190033  RW 160002				102	102	103	95	92	99	102	106	103	102	105	88	95	94	84	115	80	114	115								
F1				35 %	21 %	20 %	13 %	16 %	1.35	3.7	-0.62	10.3	8.0	14	4.1	1.3	2.6	-1.2	11.7	-2.3	1.2	1.9								
PEER AKW190033				35 %	21 %	20 %	13 %	16 %	38 %	21 %	25 %	20 %	22 %	13%	22%	11%	36 %	35 %	35 %	31 %	19 %	13 %								
CWBFAKW 190034  RW 160002				102	102	103	95	92	99	102	106	103	102	105	88	95	94	84	115	80	114	115								
F1				35 %	21 %	20 %	13 %	16 %	1.35	3.7	-0.62	10.3	8.0	14	4.1	1.3	2.6	-1.2	11.7	-2.3	1.2	1.9								
PEER AKW190034				35 %	21 %	20 %	13 %	16 %	38 %	21 %	25 %	20 %	22 %	13%	22%	11%	36 %	35 %	35 %	31 %	19 %	13 %								
CWBFAKW 190035  RW 160002				102	102	103	95	92	99	102	106	103	102	105	88	95	94	84	115	80	114	115								
F1				35 %	21 %	20 %	13 %	16 %	1.35	3.7	-0.62	10.3	8.0	14	4.1	1.3	2.6	-1.2	11.7	-2.3	1.2	1.9								
PEER AKW190035				35 %	21 %	20 %	13 %	16 %	38 %	21 %	25 %	20 %	22 %	13%	22%	11%	36 %	35 %	35 %	31 %	19 %	13 %								
CWBFAKW 190036  RW 160002				102	102	103	95	92	99	102	106	103	102	105	88	95	105	84	115	80	114	115								
F1				35 %	21 %	20 %	13 %	16 %	1.35	3.7	-0.62	10.3	8.0	14	4.1	1.3	7.4	-1.2	11.7	-2.3	1.2	1.9								
PEER AKW190036				35 %	21 %	20 %	13 %	16 %	38 %	21 %	25 %	20 %	22 %	13%	22%	11%	41 %	35 %	35 %	31 %	19 %	13 %								
CWBFAKW 190037  RW 160002				102	102	103	95	92	99	102	106	103	102	105	88	95	94	84	115	80	114	115								
F1				35 %	21 %	20 %	13 %	16 %	1.35	3.7	-0.62	10.3	8.0	14	4.1	1.3	2.6	-1.2	11.7	-2.3	1.2	1.9								
PEER AKW190037				35 %	21 %	20 %	13 %	16 %	38 %	21 %	25 %	20 %	22 %	13%	22%	11%	36 %	35 %	35 %	31 %	19 %	13 %								

CWB Cows

Inbreeding >6% is high				<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed																
Cow				Selection Values					Kalf gewig		Moeder		Groeï		Vrugbaarheid			Karkas					
ID	Parentage			Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness	
Name	%Inbreeding	Genomic DNA	Sire ID																				Dam ID
JAPANESE BLACK																							
CWBFAKW 190043 ✓ RW 160002				102	102	103	95	92	99	102	106	103	102	105	88	95	94	84	115	80	114	115	
F1				35 %	21 %	20 %	13 %	16 %	1.35	3.7	-0.62	10.3	8.0	14	4.1	1.3	2.6	-1.2	11.7	-2.3	1.2	1.9	
PEER AKW190043									38 %	21 %	25 %	20 %	22 %	13%	22%	11%	36 %	35 %	35 %	31 %	19 %	13 %	
CWBFAKW 190046 875				101					111		45			86									
F1				49 %					0.17		1.66			-0.7									
PEER AKW190046									57 %		17 %			18 %									
CWBFAKW 190049 ✓ BB 120028				97	92	111	106	98	95	92	101	111	91	94	102	95	92	90	84	84	108	120	
F1				46 %	39 %	27 %	16 %	30 %	1.71	-0.3	-0.42	14.6	0.2	-3	-4.3	1.5	1.6	-0.5	-10.3	-1.7	0.7	2.8	
PEER AKW190049									48 %	39 %	38 %	27 %	32 %	16%	39%	22%	44 %	33 %	33 %	30 %	24 %	17 %	
CWBFAKW 190060 ✓ BB 120028				97	92	111	106	98	95	92	101	111	91	94	102	95	92	90	84	84	108	120	
F1				46 %	39 %	27 %	16 %	30 %	1.71	-0.3	-0.42	14.6	0.2	-3	-4.3	1.5	1.6	-0.5	-10.3	-1.7	0.7	2.8	
PEER AKW190060									48 %	39 %	38 %	27 %	32 %	16%	39%	22%	44 %	33 %	33 %	30 %	24 %	17 %	
CWBFAKW 190078 ✓ BB 120028				97	92	111	106	98	95	92	101	111	91	94	102	95	92	90	84	84	108	120	
F1				46 %	39 %	27 %	16 %	30 %	1.71	-0.3	-0.42	14.6	0.2	-3	-4.3	1.5	1.6	-0.5	-10.3	-1.7	0.7	2.8	
PEER AKW190078									48 %	39 %	38 %	27 %	32 %	16%	39%	22%	44 %	33 %	33 %	30 %	24 %	17 %	
CWBFAKW 190079 ✓ BB 120028				97	92	111	106	98	95	92	101	111	91	94	102	95	92	90	84	84	108	120	
F1				46 %	39 %	27 %	16 %	30 %	1.71	-0.3	-0.42	14.6	0.2	-3	-4.3	1.5	1.6	-0.5	-10.3	-1.7	0.7	2.8	
PEER AKW190079									48 %	39 %	38 %	27 %	32 %	16%	39%	22%	44 %	33 %	33 %	30 %	24 %	17 %	
CWBFAKW 190094 ✓ FB2998				77	124	112	77	108	81	124	91	112	125	123	111	105	96	90	106	93	98	95	
F1				43 %	22 %	17 %	19 %	27 %	3.08	12.7	-0.05	15.1	23.7	38	-9.1	-0.5	3.5	-0.4	5.3	-0.3	-0.3	-1.2	
PEER AKW190094									44 %	22 %	39 %	17 %	28 %	19%	38%	16%	45 %	33 %	33 %	30 %	29 %	22 %	
CWBFAKW 190112 ✓ BB 160204				116	83	91	123	107	122	83	72	91	87	77	103	110	99	105	83	96	105	110	
F1				56 %	27 %	25 %	18 %	22 %	-0.94	-3.9	0.65	3.7	-2.8	-27	-4.4	-1.4	4.9	1.5	-11.5	0.2	0.4	1.1	
PEER AKW190112									62 %	27 %	35 %	25 %	28 %	18%	30%	15%	34 %	31 %	30 %	29 %	26 %	20 %	
CWBFAKW 190117 ✓ BA 150370				99	95	107	99	94	96	95	105	107	96	101	103	89	98	102	97	103	103	98	
F1				41 %	32 %	30 %	28 %	26 %	1.60	1.0	-0.58	12.5	3.8	8	-4.9	2.5	4.4	1.1	-1.1	1.2	0.2	-0.8	
PEER AKW190117									43 %	32 %	31 %	30 %	30 %	28%	31%	22%	37 %	30 %	31 %	30 %	29 %	25 %	
CWBFAKW 190119 ✓ BA 150370				99	95	107	99	94	96	95	105	107	96	101	103	89	98	102	97	103	103	98	
F1				41 %	32 %	30 %	28 %	26 %	1.60	1.0	-0.58	12.5	3.8	8	-4.9	2.5	4.4	1.1	-1.1	1.2	0.2	-0.8	
PEER AKW190119									43 %	32 %	31 %	30 %	30 %	28%	31%	22%	37 %	30 %	31 %	30 %	29 %	25 %	
CWBFAKW 190123 ✓ BA 150370				99	95	107	99	94	96	95	105	107	96	101	103	89	98	102	97	103	103	98	
F1				41 %	32 %	30 %	28 %	26 %	1.60	1.0	-0.58	12.5	3.8	8	-4.9	2.5	4.4	1.1	-1.1	1.2	0.2	-0.8	
PEER AKW190123									43 %	32 %	31 %	30 %	30 %	28%	31%	22%	37 %	30 %	31 %	30 %	29 %	25 %	
CWBFAKW 190128 ✓ BA 150370				99	95	107	99	94	96	95	105	107	96	101	103	89	98	102	97	103	103	98	
F1				41 %	32 %	30 %	28 %	26 %	1.60	1.0	-0.58	12.5	3.8	8	-4.9	2.5	4.4	1.1	-1.1	1.2	0.2	-0.8	
PEER AKW190128									43 %	32 %	31 %	30 %	30 %	28%	31%	22%	37 %	30 %	31 %	30 %	29 %	25 %	

CWB Cows

Inbreeding >6% is high				<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed																
Cow				Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas					
ID	Name	%Inbreeding	Parentage	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling	Fineness
			Sire ID Genomic DNA Dam ID																				
JAPANESE BLACK																							
CWBFAKW 190129  BA 120750				96	100	110	95	99	94	100	104	110	102	105	104	97	95	89	105	90	98	101	
F1				1.85	2.8	-0.55	14.1	7.6	14	-5.2	1.1	2.9	-0.7	4.2	-0.7	-0.3	-0.2						
PEER AKW190129				36 %	30 %	28 %	25 %	27 %	36 %	30 %	36 %	28 %	29 %	25%	33%	21%	40 %	29 %	31 %	30 %	29 %	21 %	
CWBFAKW 190132  BB 120028				97	92	111	106	98	95	92	101	111	91	94	102	95	92	90	84	84	108	120	
F1				1.71	-0.3	-0.42	14.6	0.2	-3	-4.3	1.5	1.6	-0.5	-10.3	-1.7	0.7	2.8						
PEER AKW190132				46 %	39 %	27 %	16 %	30 %	48 %	39 %	38 %	27 %	32 %	16%	39%	22%	44 %	33 %	33 %	30 %	24 %	17 %	
CWBFAKW 190134  BA 150370				99	95	107	99	94	96	95	105	107	96	101	103	89	98	102	97	103	103	98	
F1				1.60	1.0	-0.58	12.5	3.8	8	-4.9	2.5	4.4	1.1	-1.1	1.2	0.2	-0.8						
PEER AKW190134				41 %	32 %	30 %	28 %	26 %	43 %	32 %	31 %	30 %	30 %	28%	31%	22%	37 %	30 %	31 %	30 %	29 %	25 %	
CWBFAKW 190136  BA 150370				99	95	107	99	94	96	95	105	107	96	101	103	89	98	102	97	103	103	98	
F1				1.60	1.0	-0.58	12.5	3.8	8	-4.9	2.5	4.4	1.1	-1.1	1.2	0.2	-0.8						
PEER AKW190136				41 %	32 %	30 %	28 %	26 %	43 %	32 %	31 %	30 %	30 %	28%	31%	22%	37 %	30 %	31 %	30 %	29 %	25 %	
CWBFAKW 190140  BA 150370				99	95	107	99	94	96	95	105	107	96	101	103	89	98	102	97	103	103	98	
F1				1.60	1.0	-0.58	12.5	3.8	8	-4.9	2.5	4.4	1.1	-1.1	1.2	0.2	-0.8						
PEER AKW190140				41 %	32 %	30 %	28 %	26 %	43 %	32 %	31 %	30 %	30 %	28%	31%	22%	37 %	30 %	31 %	30 %	29 %	25 %	
CWBFAKW 190143  BB 120028				97	92	111	106	98	95	92	101	111	91	94	102	95	92	90	84	84	108	120	
F1				1.71	-0.3	-0.42	14.6	0.2	-3	-4.3	1.5	1.6	-0.5	-10.3	-1.7	0.7	2.8						
PEER AKW190143				46 %	39 %	27 %	16 %	30 %	48 %	39 %	38 %	27 %	32 %	16%	39%	22%	44 %	33 %	33 %	30 %	24 %	17 %	
CWBFAKW 200001  BA 150370				99	95	107	99	94	96	95	105	107	96	101	103	89	98	102	97	103	103	98	
F1				1.60	1.0	-0.58	12.5	3.8	8	-4.9	2.5	4.4	1.1	-1.1	1.2	0.2	-0.8						
PEER AKW200001				41 %	32 %	30 %	28 %	26 %	43 %	32 %	31 %	30 %	30 %	28%	31%	22%	37 %	30 %	31 %	30 %	29 %	25 %	
CWBFAKW 200006  BA 150370				99	95	107	99	94	96	95	105	107	96	101	103	89	98	102	97	103	103	98	
F1				1.60	1.0	-0.58	12.5	3.8	8	-4.9	2.5	4.4	1.1	-1.1	1.2	0.2	-0.8						
PEER AKW200006				41 %	32 %	30 %	28 %	26 %	43 %	32 %	31 %	30 %	30 %	28%	31%	22%	37 %	30 %	31 %	30 %	29 %	25 %	
CWBFAKW 200008  BA 150370 CWBFB2016/7				99	95	107	99	94	96	95	105	107	96	101	103	89	98	102	97	103	103	98	
F1				1.60	1.0	-0.58	12.5	3.8	8	-4.9	2.5	4.4	1.1	-1.1	1.2	0.2	-0.8						
PEER AKW200008				41 %	32 %	30 %	28 %	26 %	43 %	32 %	31 %	30 %	30 %	28%	31%	22%	37 %	30 %	31 %	30 %	29 %	25 %	
CWBFAKW 200012  BA 150370 CWBFAKB1300010				99	95	107	99	94	96	95	105	107	96	101	103	89	107	102	97	103	103	98	
F1				1.60	1.0	-0.58	12.5	3.8	8	-4.9	2.5	8.4	1.1	-1.1	1.2	0.2	-0.8						
PEER AKW200012				41 %	32 %	30 %	28 %	26 %	43 %	32 %	31 %	30 %	30 %	28%	31%	22%	41 %	30 %	31 %	30 %	29 %	25 %	
CWBFAKW 200014  BA 150370 CWBFAKB 110009				99	95	107	99	94	96	95	105	107	96	101	103	89	98	102	97	103	103	98	
F1				1.60	1.0	-0.58	12.5	3.8	8	-4.9	2.5	4.4	1.1	-1.1	1.2	0.2	-0.8						
PEER AKW200014				41 %	32 %	30 %	28 %	26 %	43 %	32 %	31 %	30 %	30 %	28%	31%	22%	37 %	30 %	31 %	30 %	29 %	25 %	
CWBFAKW 200025  BA 150370 CWBFBFC 120009				99	95	107	99	94	96	95	105	107	96	101	103	89	99	102	97	103	103	98	
F1				1.60	1.0	-0.58	12.5	3.8	8	-4.9	2.5	4.7	1.1	-1.1	1.2	0.2	-0.8						
PEER AKW200025				41 %	32 %	30 %	28 %	26 %	43 %	32 %	31 %	30 %	30 %	28%	31%	22%	40 %	30 %	31 %	30 %	29 %	25 %	

CWB Cows

Inbreeding >6% is high				<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed																	
Cow				Selection Values					Kalf gewig		Moeder		Groeï		Vrugbaarheid			Karkas						
ID	Parentage	%Inbreeding	Genomic DNA	Sire ID	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness	
Name																								Dam ID
JAPANESE BLACK																								
CWBFAKW 200030				✓	BB 110011	106	97	104	98	100	101	97	108	104	97	102	103	98	97	88	95	87	116	121
F1 CWBFAKB 130018						39 %	32 %	24 %	18 %	26 %	1.09	1.8	-0.69	11.1	4.0	9	-4.7	0.8	4.1	-0.7	-2.5	-1.2	1.5	2.9
PEER AKW200030										41 %	32 %	29 %	24 %	29 %	18%	32%	19%	40 %	37 %	36 %	34 %	24 %	18 %	
CWBFAKW 200038				✓	BA 150370	99	95	107	99	94	96	95	105	107	96	101	103	89	98	102	97	103	103	98
F1 CWBFN23						41 %	32 %	30 %	28 %	26 %	1.60	1.0	-0.58	12.5	3.8	8	-4.9	2.5	4.4	1.1	-1.1	1.2	0.2	-0.8
PEER AKW200038										43 %	32 %	31 %	30 %	30 %	28%	31%	22%	37 %	30 %	31 %	30 %	29 %	25 %	
CWBFAKW 200040				✓	BA 150370	99	95	107	99	94	96	95	105	107	96	101	103	89	98	102	97	103	103	98
F1 CWBFAKB 130021						41 %	32 %	30 %	28 %	26 %	1.60	1.0	-0.58	12.5	3.8	8	-4.9	2.5	4.4	1.1	-1.1	1.2	0.2	-0.8
PEER AKW200040										43 %	32 %	31 %	30 %	30 %	28%	31%	22%	37 %	30 %	31 %	30 %	29 %	25 %	
CWBFAKW 200042				✓	BA 150370	99	95	107	99	94	96	95	105	107	96	101	103	89	98	102	97	103	103	98
F1 CWBFAKW 170019						41 %	32 %	30 %	28 %	26 %	1.60	1.0	-0.58	12.5	3.8	8	-4.9	2.5	4.4	1.1	-1.1	1.2	0.2	-0.8
PEER AKW200042										43 %	32 %	31 %	30 %	30 %	28%	31%	22%	37 %	30 %	31 %	30 %	29 %	25 %	
CWBFAKW 200043				✓	BA 150370	99	95	107	99	94	96	95	105	107	96	101	103	89	98	102	97	103	103	98
F1 CWBFAKA 170023						41 %	32 %	30 %	28 %	26 %	1.60	1.0	-0.58	12.5	3.8	8	-4.9	2.5	4.4	1.1	-1.1	1.2	0.2	-0.8
PEER AKW200043										43 %	32 %	31 %	30 %	30 %	28%	31%	22%	37 %	30 %	31 %	30 %	29 %	25 %	
CWBFAKW 200044				✓	BA 150370	99	95	107	99	94	96	95	105	107	96	101	103	89	98	102	97	103	103	98
F1 CWBFBBC 120006						41 %	32 %	30 %	28 %	26 %	1.60	1.0	-0.58	12.5	3.8	8	-4.9	2.5	4.4	1.1	-1.1	1.2	0.2	-0.8
PEER AKW200044										43 %	32 %	31 %	30 %	30 %	28%	31%	22%	37 %	30 %	31 %	30 %	29 %	25 %	
CWBFAKW 200063				✓	FB2998	77	124	112	77	108	81	124	91	112	125	123	111	105	96	90	106	93	98	95
F1						43 %	22 %	17 %	19 %	27 %	3.08	12.7	-0.05	15.1	23.7	38	-9.1	-0.5	3.5	-0.4	5.3	-0.3	-0.3	-1.2
PEER AKW200063										44 %	22 %	39 %	17 %	28 %	19%	38%	16%	45 %	33 %	33 %	30 %	29 %	22 %	
CWBFAKW 200079				✓	BB 160043	77	102	105	106	102	89	102	56	105	108	94	96	106	86	108	83	101	88	95
BS						54 %	17 %	11 %	9 %	13 %	2.28	3.6	1.25	11.5	12.0	-2	-0.7	-0.6	-0.8	1.8	-10.9	1.0	-1.2	-1.3
PEER AKW200079										62 %	17 %	23 %	11 %	14 %	9 %	17%	9%	26 %	24 %	24 %	24 %	13 %	8 %	
CWBFAKW 200080				✓	AKW 170011	98	95	99	117	115	109	95	53	99	101	83	106	121	94	113	98	104	101	93
F1						55 %	25 %	22 %	19 %	21 %	0.38	1.1	1.38	8.0	6.8	-17	-6.1	-3.2	2.6	2.4	-0.8	1.3	0.0	-1.6
PEER AKW200080										61 %	25 %	30 %	22 %	16 %	19%	27%	15%	30 %	24 %	24 %	22 %	18 %	15 %	
CWBFAKW 200081				✓	BB 130002	104	90	98	114	94	110	90	66	98	98	86	91	97	104	103	87	105	103	105
BS						59 %	30 %	17 %	16 %	18 %	0.24	-0.9	0.90	7.6	4.8	-14	2.4	1.1	6.9	1.1	-8.2	1.6	0.2	0.4
PEER AKW200081										65 %	30 %	34 %	17 %	32 %	16%	24%	13%	30 %	16 %	15 %	14 %	10 %	8 %	
CWBFAKW 200082				✓	BB 130009	102	96	100	110	105	112	96	53	100	100	90	99	109	92	102	89	106	101	105
BS						57 %	28 %	16 %	9 %	16 %	0.04	1.3	1.39	8.8	6.1	-8	-2.2	-1.2	1.9	1.0	-7.3	1.6	0.0	0.2
PEER AKW200082										64 %	28 %	32 %	16 %	30 %	9 %	23%	10%	29 %	15 %	15 %	14 %	11 %	8 %	
CWBFAKW 200111				✓	BB 120028	97	92	111	106	98	95	92	101	111	91	94	102	95	92	90	84	84	108	120
F1						46 %	39 %	27 %	16 %	30 %	1.71	-0.3	-0.42	14.6	0.2	-3	-4.3	1.5	1.6	-0.5	-10.3	-1.7	0.7	2.8
PEER AKW200111										48 %	39 %	38 %	27 %	32 %	16%	39%	22%	44 %	33 %	33 %	30 %	24 %	17 %	

CWB Cows

Inbreeding >6% is high				<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed															
Cow				Selection Values					Kalf gewig		Moeder		Groeï		Vrugbaarheid			Karkas				
ID	%Inbreeding	Parentage		Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
Name		Genomic DNA	Sire ID Dam ID																			
JAPANESE BLACK																						
CWBFAKW 210002  BA 150370				99	95	107	99	94	96	95	105	107	96	101	103	89	98	102	97	103	103	98
F1				41 %	32 %	30 %	28 %	26 %	1.60	1.0	-0.58	12.5	3.8	8	-4.9	2.5	4.4	1.1	-1.1	1.2	0.2	-0.8
PEER AKW210002				41 %	32 %	30 %	28 %	26 %	43 %	32 %	31 %	30 %	30 %	28%	31%	22%	37 %	30 %	31 %	30 %	29 %	25 %
CWBFAKW 210003  BB 120028				97	92	111	106	98	95	92	101	111	91	94	102	95	92	90	84	84	108	120
F1				46 %	39 %	27 %	16 %	30 %	1.71	-0.3	-0.42	14.6	0.2	-3	-4.3	1.5	1.6	-0.5	-10.3	-1.7	0.7	2.8
PEER AKW210003				46 %	39 %	27 %	16 %	30 %	48 %	39 %	38 %	27 %	32 %	16%	39%	22%	44 %	33 %	33 %	30 %	24 %	17 %
CWBFAKW 210006  BA 150370				99	95	107	99	94	96	95	105	107	96	101	103	89	98	102	97	103	103	98
F1				41 %	32 %	30 %	28 %	26 %	1.60	1.0	-0.58	12.5	3.8	8	-4.9	2.5	4.4	1.1	-1.1	1.2	0.2	-0.8
PEER AKW210006				41 %	32 %	30 %	28 %	26 %	43 %	32 %	31 %	30 %	30 %	28%	31%	22%	37 %	30 %	31 %	30 %	29 %	25 %
CWBFAKW 210007  BA 120675				100	91	97	113	112	110	91	49	97	98	87	99	121	93	95	98	94	96	101
BS				60 %	27 %	27 %	22 %	26 %	0.26	-0.7	1.53	7.3	5.2	-13	-2.1	-3.4	2.0	0.2	-0.8	-0.2	-0.5	-0.4
PEER AKW210007				60 %	27 %	27 %	22 %	26 %	66 %	27 %	37 %	27 %	26 %	22%	31%	20%	34 %	24 %	27 %	25 %	24 %	15 %
CWBFAKW 210014  WESFZ0278				86	107	112	88	84	88	107	92	112	112	112	89	82	96	92	103	99	76	89
F1				45 %	41 %	31 %	26 %	28 %	2.39	5.9	-0.07	15.2	14.7	23	3.6	3.8	3.4	-0.3	3.0	0.6	-2.4	-2.2
PEER AKW210014				45 %	41 %	31 %	26 %	28 %	46 %	41 %	39 %	31 %	36 %	26%	36%	20%	45 %	42 %	42 %	40 %	34 %	27 %
CWBFAKW 210016  BDWFM0495				97	82	107	108	91	98	82	91	107	87	92	87	95	94	102	107	95	110	103
F1				46 %	40 %	39 %	36 %	30 %	1.45	-4.3	-0.05	12.5	-2.9	-5	4.8	1.4	2.7	1.1	5.8	0.0	0.9	-0.1
PEER AKW210016				46 %	40 %	39 %	36 %	30 %	47 %	40 %	43 %	39 %	43 %	36%	39%	20%	43 %	46 %	46 %	44 %	40 %	30 %
CWBFAKW 210020  BA 150370				99	95	107	99	94	96	95	105	107	96	101	103	89	98	102	97	103	103	98
F1				41 %	32 %	30 %	28 %	26 %	1.60	1.0	-0.58	12.5	3.8	8	-4.9	2.5	4.4	1.1	-1.1	1.2	0.2	-0.8
PEER AKW210020				41 %	32 %	30 %	28 %	26 %	43 %	32 %	31 %	30 %	30 %	28%	31%	22%	37 %	30 %	31 %	30 %	29 %	25 %
CWBFAKW 210027  BB 120028				97	92	111	106	98	95	92	101	111	91	94	102	95	92	90	84	84	108	120
F1				46 %	39 %	27 %	16 %	30 %	1.71	-0.3	-0.42	14.6	0.2	-3	-4.3	1.5	1.6	-0.5	-10.3	-1.7	0.7	2.8
PEER AKW210027				46 %	39 %	27 %	16 %	30 %	48 %	39 %	38 %	27 %	32 %	16%	39%	22%	44 %	33 %	33 %	30 %	24 %	17 %
CWBFAKW 210028  BB 120028				97	92	111	106	98	95	92	101	111	91	94	102	95	92	90	84	84	108	120
F1				46 %	39 %	27 %	16 %	30 %	1.71	-0.3	-0.42	14.6	0.2	-3	-4.3	1.5	1.6	-0.5	-10.3	-1.7	0.7	2.8
PEER AKW210028				46 %	39 %	27 %	16 %	30 %	48 %	39 %	38 %	27 %	32 %	16%	39%	22%	44 %	33 %	33 %	30 %	24 %	17 %
CWBFAKW 210030  BB 120028				97	92	111	106	98	95	92	101	111	91	94	102	95	92	90	84	84	108	120
F1				46 %	39 %	27 %	16 %	30 %	1.71	-0.3	-0.42	14.6	0.2	-3	-4.3	1.5	1.6	-0.5	-10.3	-1.7	0.7	2.8
PEER AKW210030				46 %	39 %	27 %	16 %	30 %	48 %	39 %	38 %	27 %	32 %	16%	39%	22%	44 %	33 %	33 %	30 %	24 %	17 %
CWBFAKW 210031  BA 170026				101	100	115	94	103	100	100	96	115	103	106	104	102	96	98	105	82	104	100
F1				36 %	22 %	17 %	16 %	18 %	1.21	2.9	-0.25	16.8	8.5	15	-5.0	0.2	3.4	0.6	4.3	-2.0	0.3	-0.5
PEER AKW210031				36 %	22 %	17 %	16 %	18 %	39 %	22 %	26 %	17 %	16 %	16%	23%	14%	31 %	26 %	26 %	25 %	23 %	19 %
CWBFAKW 210041  FB2998				77	124	112	77	108	81	124	91	112	125	123	111	105	96	90	106	93	98	95
F1				43 %	22 %	17 %	19 %	27 %	3.08	12.7	-0.05	15.1	23.7	38	-9.1	-0.5	3.5	-0.4	5.3	-0.3	-0.3	-1.2
PEER AKW210041				43 %	22 %	17 %	19 %	27 %	44 %	22 %	39 %	17 %	28 %	19%	38%	16%	45 %	33 %	33 %	30 %	29 %	22 %

CWB Cows

Inbreeding >6% is high				<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed																
Cow				Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas					
ID	%Inbreeding	Parentage		Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling	Fineness
Name		Genomic DNA	Sire ID Dam ID																				
JAPANESE BLACK																							
CWBFAKW 210044				97	92	111	106	98	95	92	101	111	91	94	102	95	92	90	84	84	108	120	
F1									1.71	-0.3	-0.42	14.6	0.2	-3	-4.3	1.5	1.6	-0.5	-10.3	-1.7	0.7	2.8	
PEER AKW210044				46 %	39 %	27 %	16 %	30 %	48 %	39 %	38 %	27 %	32 %	16%	39%	22%	44 %	33 %	33 %	30 %	24 %	17 %	
CWBFAKW 210045				101	100	115	94	103	100	100	96	115	103	106	104	102	96	98	105	82	104	100	
F1									1.21	2.9	-0.25	16.8	8.5	15	-5.0	0.2	3.4	0.6	4.3	-2.0	0.3	-0.5	
PEER AKW210045				36 %	22 %	17 %	16 %	18 %	39 %	22 %	26 %	17 %	16 %	16%	23%	14%	31 %	26 %	26 %	25 %	23 %	19 %	
CWBFAKW 210054				97	92	111	106	98	95	92	101	111	91	94	102	95	92	90	84	84	108	120	
F1									1.71	-0.3	-0.42	14.6	0.2	-3	-4.3	1.5	1.6	-0.5	-10.3	-1.7	0.7	2.8	
PEER AKW210054				46 %	39 %	27 %	16 %	30 %	48 %	39 %	38 %	27 %	32 %	16%	39%	22%	44 %	33 %	33 %	30 %	24 %	17 %	
CWBFAKW 210058				97	92	111	106	98	95	92	101	111	91	94	102	95	92	90	84	84	108	120	
F1									1.71	-0.3	-0.42	14.6	0.2	-3	-4.3	1.5	1.6	-0.5	-10.3	-1.7	0.7	2.8	
PEER AKW210058				46 %	39 %	27 %	16 %	30 %	48 %	39 %	38 %	27 %	32 %	16%	39%	22%	44 %	33 %	33 %	30 %	24 %	17 %	
CWBFAKW 210065				97	92	111	106	98	95	92	101	111	91	94	102	95	92	90	84	84	108	120	
F1									1.71	-0.3	-0.42	14.6	0.2	-3	-4.3	1.5	1.6	-0.5	-10.3	-1.7	0.7	2.8	
PEER AKW210065				46 %	39 %	27 %	16 %	30 %	48 %	39 %	38 %	27 %	32 %	16%	39%	22%	44 %	33 %	33 %	30 %	24 %	17 %	
CWBFAKW 210077				101	100	115	94	103	100	100	96	115	103	106	104	102	96	98	105	82	104	100	
F1									1.21	2.9	-0.25	16.8	8.5	15	-5.0	0.2	3.4	0.6	4.3	-2.0	0.3	-0.5	
PEER AKW210077				36 %	22 %	17 %	16 %	18 %	39 %	22 %	26 %	17 %	16 %	16%	23%	14%	31 %	26 %	26 %	25 %	23 %	19 %	
CWBFAKW 220006				97	92	111	106	98	95	92	101	111	91	94	102	95	92	90	84	84	108	120	
F1									1.71	-0.3	-0.42	14.6	0.2	-3	-4.3	1.5	1.6	-0.5	-10.3	-1.7	0.7	2.8	
PEER AKW220006				46 %	39 %	27 %	16 %	30 %	48 %	39 %	38 %	27 %	32 %	16%	39%	22%	44 %	33 %	33 %	30 %	24 %	17 %	
CWBFAKW 220009				111	98	97	108	130	118	98	61	97	105	92	120	135	103	103	90	107	93	95	
F1									-0.51	2.2	1.07	7.2	10.2	-4	-14.7	-5.9	6.3	1.2	-6.2	1.8	-0.8	-1.2	
PEER AKW220009				55 %	16 %	10 %	9 %	12 %	63 %	16 %	25 %	10 %	20 %	9 %	17%	7%	27 %	19 %	19 %	17 %	16 %	11 %	
CWBFAKW 220039				101	100	115	94	103	100	100	96	115	103	106	104	102	96	98	105	82	104	100	
F1									1.21	2.9	-0.25	16.8	8.5	15	-5.0	0.2	3.4	0.6	4.3	-2.0	0.3	-0.5	
777 PEER AKW220039				36 %	22 %	17 %	16 %	18 %	39 %	22 %	26 %	17 %	16 %	16%	23%	14%	31 %	26 %	26 %	25 %	23 %	19 %	
CWBFAKW 220043				95	88	90	127	102	103	88	64	90	91	73	98	106	99	103	88	98	102	107	
F1									0.92	-1.9	0.98	3.4	0.1	-33	-1.5	-0.6	4.7	1.2	-7.6	0.5	0.1	0.6	
PEER AKW220043				55 %	27 %	25 %	18 %	20 %	61 %	27 %	31 %	25 %	28 %	18%	26%	14%	32 %	29 %	29 %	28 %	25 %	19 %	

