



BOERBOK GENETIC REPORT

21 September 2026



MR J. JOHNNY HENDERSON

FDM : 175



CERTIFICATE
OF QUALITY

Valid up to
October 2029

 **SA** STAMBOEK
STUD BOOK
'n Storie met twee kante

General Information

This **Genetic Report** of your flock enables you to determine the genetic merit and potential of the animals in your herd relative to that of the breed. An animal's performance is determined by two factors, namely the environment and genetics. Good nutrition and management can improve performance, but an animal cannot perform better than its genetic potential. Superior performance due to the environment cannot be carried over to the next generation. It is therefore extremely important not to neglect genetic progress of your flock. Due to the interaction between environment and genetics, it is difficult to identify genetically superior animals on performance data. Estimated Breeding Values (EBVs) are therefore predicted for every animal to determine its genetic potential, as well as its worth as a parent for the next generation. Through the use of EBVs, animals can be compared fairly **within the breed**, therefore across herds, years and production systems. Results presented in this report allow the breeder to identify the underlying genetics of the animals.

Genetic parameters

Genetic parameters (heritability and genetic correlations) are estimated on a breed-basis and are required for the prediction of breeding values. The **heritability** refers to the portion of the variation of a trait in a population that is due to transferrable genetics (the rest of the variation can be attributed to the environment and non-transferrable genetics). Some traits are genetically correlated, which means that a change in one trait will lead to changes in other traits. The strength of this association amongst traits is referred to as a **genetic correlations** and can be desirable or undesirable.

Breeding Values

The prediction of EBVs makes use of performance recordings of the animal as well as those of its relatives, pedigree information and genetic parameters. The deviation of the animal's measurement relative to the average of its contemporary group, forms the basis for identifying the animal's genetic potential for the trait. A **contemporary group** is a group of animals that have been exposed to the same environmental and biological effects, including herd, year, sex and age effects. After adjusting for differences in these effects, animals can fairly be compared and the difference in performance that still persist are then assumed to be due to differences in the genetic merit of the animals.

The EBV predicted for an animal at birth and until it has been measured, is the average EBV of its parents, since the animal received half of its genes from each parent. This mid-parent value makes the assumption that the same half of the parents' genes are carried over to all their offspring. In reality, each offspring receives a random sample of each parent's genes,

therefore mid-parent EBVs are still of low accuracy, but it does indicate the genetic level that can be expected due its parental history. An animal's true genetic merit can be predicted more accurately as more information becomes available, eg. when the animal has been measured or when the number of relatives with measurements increases. Estimated breeding values therefore change over time as more information becomes available. EBVs of animals are published with an **accuracy (%)**, which indicates how much information was available for the estimation of breeding values and therefore the confidence with which a breeder can use it. Factors that influence the accuracy of an EBV are the heritability of the trait, the number of measured relatives, the size of the contemporary group, the precision with which the measurements were taken and the completeness of pedigree information. An EBV with an accuracy of 85% or more is less likely to change significantly with subsequent genetic analyses.

Interpretation of breeding values

EBVs are expressed around a **base year** (5 years ago), which means that the average breeding value of the base year is set as zero and all breeding values are expressed relative to this average. An animal with an EBV of +1kg for weaning weight is therefore genetically superior by 1kg compared to an average animal born in the base year. EBVs therefore express genetic merit of animals relative to each other. The true performance of an animal cannot be calculated from the EBV, but it enables the breeder to know which animals will make a better contribution to the next generation. For easier interpretation EBVs are also expressed as breeding value indices. For these indices the average value of the **active population** is set as 100 with a standard deviation of 12. An index of 76 therefore indicates that the animal is 2 standard deviations below the average and an index of 112 indicates that the animal is 1 standard deviation above the average of the active population for the specific trait. Please note that negative EBVs are favourable for Inter-Lambing Period and Age at First Lambing, therefore shorter inter-lambing periods and younger ages at first lambing indicates better fertility. However, breeding value indices are expressed in the same way for all traits, therefore higher indices indicates desirability for the traits and lower indices are undesirable. This makes it easy to identify superior animals for all traits.

The data used in this evaluation has been obtained from LOGIX, as supplied by breeders. Everything possible had been done to present the information correctly. SA Stud Book does not take any responsibility for the use and interpretation of the information from this publication.

Selection Indices

It is easy to select on a single trait, but that is not the best approach to follow. Selecting on only one trait can lead to the deterioration of performance in other traits due to genetic correlations. There are different traits that are important, some being more important than others. A selection index combines multiple traits, each with an economic weight to take the different levels of importance into account. EBVs for different traits cannot simply be added together, since the unit of measurement and range of the values differ and in some cases negative values are favoured. These factors are accounted for in the compilation of a selection index. An overall selection index includes EBVs of all the traits of economic importance, while other selection indices are more focused on specific breeding objectives. Selection indices are expressed around 100, with 100 being the average of the active population, with a standard deviation of 12. A selection index of 124 is therefore 2 standard deviations above the average and an index of 88 is one standard deviation below the average of the active animals of the population.

Two Indices are constructed for the Boer Goat breed, namely the Logix Merit Index and the Reproduction Index. These indices, their purpose and the contribution of the different traits to the indices are summarised as follows :


Logix Merit Index (LMI)

This index combines all the traits to select for a balanced, profitable animal that is fertile and delivers a desirable level of production. Selection based on the LMI will lead to breeding of balanced animals that will have the genetic potential to wean at a heavier weight (both due to its own potential and having dams that produce sufficient milk), lambs at an early age, lambs regularly and give multiple lambs. This value is especially important for sustainability, which requires the selection of good, productive replacement animals for the flock.

The LMI is constructed as follows :

$$LMI = (0.1375 * AFL) + (0.0825 * ILP) + (0.216 * Wean Dir) + (0.144 * Wean Mat) + (0.33 * N_Lambs_Weaned) + (0.09 * Post-Wean Dir)$$

Schematically the LMI can be explained as follows :



Reproduction Index (RI)

This index includes Weaning Maternal, Number of Lambs Weaned, Age at First Lambing and Inter-lambing Period. This is especially an important index to consider in the development of a dam line.

The RI is constructed as follows :

$$(0.2 * AFL) + (0.2 * ILP) + (0.3 * Wean Mat) + (0.3 * N_Lambs_Weaned)$$

Schematically it can be explained as follows :



It is always important to consider the traits that contribute to the index individually when selection of animals is based on indices. It sometimes happen that an animal receives a good index due to its exceptional genetic merit of a specific trait, while some of the other traits of the animal in the index might be at undesirable levels for the specific flock's breeding objective, but masked in the index due to the exceptionality of that trait. A sound procedure is to rank animals based on the relevant selection index and then eliminate animals from the list that do not conform towards the flock's breeding objectives when considering the individual traits. Make use of all the available information.

Active Genetic Levels

Genetic Averages : Breeding Values

Trait	Flock			Breed		
	All	Rams	Ewes	All	Rams	Ewes
Weaning Weight Direct	-0.50	-0.61	-0.44	-0.06	-0.01	-0.09
Weaning Weight Maternal	0.07	0.09	0.06	-0.02	-0.03	-0.02
Weaning Weight Combined	-0.18	-0.22	-0.17	-0.06	-0.03	-0.07
Post-wean Weight	-0.26	-0.41	-0.17	0.50	0.58	0.45
Number Lambs Weaned	0.56	0.77	0.45	-0.36	-0.55	-0.26
Total Weight Weaned	-0.10	-0.06	-0.12	-0.31	-0.37	-0.27
Age at First Lambing	1.03	1.07	1.01	-0.30	-0.22	-0.35
Inter-lambing Period	-1.75	-1.56	-1.86	0.15	0.19	0.13
Selection Indices						
Logix Merit Index	102	102	102	101	100	101
Reproduction Index	106	107	106	102	101	102
Inbreeding						
Inbreeding (%)	3.88	3.79	3.92	5.54	5.93	5.34
Number of Animals						
Number of Animals	195	69	126	49286	16616	32526

** Averages of all active animals in the flock.

Breeding Value Indices

Trait	Flock **		
	All	Rams	Ewes
Weaning Weight Direct	94.1	92.9	94.7
Weaning Weight Maternal	102.5	102.9	102.2
Weaning Weight Comb	97.1	96.6	97.5
Post-wean Weight	93.9	92.9	94.5
Number Lambs Weaned	106.1	107.0	105.5
Total Weight Weaned	102.0	102.2	101.8
Age First Lambing	98.5	98.4	98.5
Interlambing Period	106.7	106.2	107.0
Selection Indices			
Logix Merit Index	101.7	101.6	101.7
Ewe Index	106.5	107.0	106.2
Growth Index	94.1	93.0	94.7
Inbreeding			
Inbreeding (%)	3.88	3.79	3.92
Number of Animals			
Number of Animals	195	69	126

** Averages of all active animals in the flock.

Inbreeding

Inbreeding primarily leads to decreased fertility and low survivability of lambs. The effects of inbreeding can be observed from 6.25% onwards. It is therefore highly recommended to record pedigree information as accurately and completely as possible and to use a selection programme for selection of unrelated rams.

Incomplete or incorrect pedigree information can be reported to SA Stud Book. Inbreeding is dependent on pedigree information. Conventional methods for the Calculation of inbreeding coefficients usually assume that unknown parents are unrelated. However, this is usually far from the truth. An algorithm is used for the calculation of inbreeding, where the average inbreeding coefficient is assigned to unknown parents based on the generation in which they were born. This result is a more accurate reflection of inbreeding of the herd and breed.

Inbreeding Levels for Specific Matings


Progeny with Parents :	25%
Full Brother x Full Sister :	25%
Half Brother x Half Sister :	12.5%
One Common Grandparent :	6.25%
One Common Great-Grandparent :	3.125%

Level and Rate of Inbreeding

Year of Birth	Level* (%)	Rate (% / year)
2001 - 2025	5.04	0.12
Recommended:	< 6.25	< 0.1 - 0.2

*Of the last year of birth

Average Inbreeding per Year of Birth




Pedigree Information

	Number	%
Known Sires	194	99
Known Dams	194	99

Note: Inbreeding can be under-estimated if pedigree information is incomplete or incorrect

Genetic Windows



WWd: Weaning Weight Direct
WWm: Weaning Weight Maternal
WWc: Weaning Weight Combined
PoW: Post-Wean Weight
L-wean: Number of Lambs Weaned
TWW: Total Weight Weaned
AFL: Age at First Lambing
ILP: Inter-lambing Period
RI: Reproduction Index
LMI: Logix Merit Index


The genetic windows allow a quick overview of the genetic status of the flock compared to the breed. The values presented here are the average EBV indices of all the active animals of the flock, of the dams and sires of the active animals of the flock, as well as of the ewes and rams that are younger than 2-years old. An index of 100 is equal to the average of the active measured population. Due to the higher selection intensity on rams (selection is more strict since a much smaller percentage of young animals are retained in the flock), the expectation is for the average index of the sires to be higher than that of the dams.

Remember that the EBV index for AFL and ILP are presented in such a way that an index above 100 indicates animals that have a lower EBV for these traits.

Genetic Windows

Dams

Number: 97




Sires

Number: 29




Young Ewes

Number: 20









Young Rams

Number: 69




Genetic Trends

Genetic trends are based on measured animals that were bred by the specific breeder.






Genetic Trends

Genetic trends are based on measured animals that were bred by the specific breeder.



For AFL and ILP flock genetic trends below breed averages are desirable.



Genetic Trends of Breed

Birth year	Weaning Weight EBV				Post-wean	Lambs Weaned		TWW	AFL		ILP		RI	LMI	
	Number	Dir	Mat	Comb	Number	EBV	Number	EBV	Number	EBV	Number	EBV	Number	EBV	Number
2013	1336	-0.37	0.02	-0.17	108	0.51	508	0.24	1336	100	1078	-2.27	653	0.70	1336
2014	1007	-0.37	-0.07	-0.26	58	-0.17	671	0.13	1007	99	1072	-1.16	661	0.26	1007
2015	1626	-0.20	0.08	-0.02	233	1.23	705	0.74	1626	104	1180	-1.69	715	0.18	1626
2016	1804	-0.26	0.04	-0.09	239	0.72	791	0.07	1804	102	1291	-1.49	887	0.13	1804
2017	2163	-0.29	-0.02	-0.17	313	1.21	825	0.29	2120	99	1404	-1.53	992	0.29	2120
2018	2547	-0.28	0.07	-0.07	236	0.58	909	0.35	2519	101	1853	-0.08	1275	-0.77	2519
2019	2144	-0.01	0.02	0.01	254	0.24	889	0.13	2138	102	2101	-0.70	1389	0.07	2138
2020	2459	-0.10	0.04	-0.01	436	-0.69	864	0.14	2459	102	2740	-0.11	1744	-0.19	2459
2021	1759	0.00	0.00	0.00	330	0.00	823	-0.01	1759	103	3094	0.00	1960	0.00	1759
2022	2519	-0.07	0.05	0.02	427	0.54	802	-0.40	2519	102	3449	-0.76	1843	0.46	2519
2023	2896	-0.17	0.05	-0.03	465	-0.06	570	-0.16	2894	101	3098	-0.57	1076	0.57	2894
2024	3036	0.04	-0.06	-0.04	414	1.29	196	-0.35	3035	100	1825	-1.17	154	0.85	3035
2025	2284	0.15	-0.01	0.07	476	1.04			2283	103	82	-1.16			2283

Genetic Trends of Flock

Birth year	Weaning Weight EBV				Post-Wean	Lambs Weaned		TWW	AFL		ILP		RI	LMI	
	Number	Dir	Mat	Comb	Number	EBV	Number	EBV	Number	EBV	Number	EBV	Number	EBV	Number
2016									10	0.49	10	-1.75			
2017									2	0.99	2	-3.49			
2019									8	0.97	4	-2.31			
2020									13	0.85	13	-1.44			
2021									11	-3.09	9	-1.32			
2022									3	-1.26					
2023									7	0.00	1	-1.70			
2024									1	3.14					

Breeding Value & Selection Index Percentiles

The percentiles indicate the ranking of the animals' EBVs and Selection Indices within the active population.

For example, if an animal's EBV for a specific trait falls between the maximum and 99% percentile of the trait, it means that this animal ranks in the top 1% of the active population, or this animal's genetic merit for the trait is better than 99% of that of the active population.

Should the EBV for a specific trait falls between the 5% and 10% percentile, it means that the animal ranks in the bottom 10% of the active population for the specific trait, or the animal's genetic merit is worse than 90% of the active population.

Note that the percentiles for Age at First Lambing and Inter-lambing Period EBVs work on the reverse scale.

All Active Animals

Trait	AVG	SA*	Min	Percentiles (%)															Max
				1	5	10	20	25	30	40	50	60	70	75	80	90	95	99	
Weaning Weight Direct	-0.06	0.74	-4.91	-1.74	-1.04	-0.83	-0.65	-0.57	-0.48	-0.32	-0.16	0.02	0.22	0.35	0.51	0.91	1.28	2.04	4.89
Weaning Weight Maternal	-0.02	0.33	-2.29	-0.90	-0.58	-0.43	-0.26	-0.20	-0.15	-0.07	0.00	0.06	0.11	0.15	0.20	0.35	0.49	0.86	2.30
Weaning Weight Combined	-0.06	0.49	-2.89	-1.24	-0.79	-0.58	-0.39	-0.33	-0.28	-0.21	-0.12	-0.01	0.12	0.20	0.29	0.58	0.84	1.32	3.11
Post-Wean Weight	0.50	1.23	-7.95	-2.29	-1.01	-0.67	-0.42	-0.31	-0.19	0.05	0.33	0.61	0.96	1.14	1.38	1.99	2.60	4.25	12.54
Number of Lambs Weaned	-0.36	2.06	-13.10	-5.70	-4.20	-3.30	-2.20	-1.70	-1.30	-0.50	0.10	0.60	1.10	1.30	1.40	1.60	2.00	3.80	11.20
Total Weight Weaned	-0.30	1.53	-9.52	-4.12	-2.96	-2.34	-1.52	-1.22	-0.94	-0.48	-0.12	0.16	0.38	0.52	0.74	1.37	2.06	3.69	8.21
Age at First Lambing	-0.30	-6.96	62.93	17.45	10.46	7.50	4.40	3.30	2.43	0.97	-0.37	-1.47	-2.89	-3.74	-4.73	-7.80	-10.96	-19.95	-75.66
Interlambing Period	0.15	-3.66	23.72	9.96	6.51	4.87	2.99	2.35	1.75	0.75	-0.15	-0.94	-1.75	-2.21	-2.71	-4.10	-5.38	-8.00	-21.68
Reproduction Index	102	10	49	75	84	88	94	96	98	101	103	105	107	108	109	112	114	121	146
Logix Merit Index	101	9	62	79	85	89	94	95	97	100	102	103	105	106	107	111	116	126	147

*SD : Standard Deviation. An indicator of how far breeding values/selection indices are distributed around the average.

Breeding Value & Selection Index Percentiles

All Active Rams

Trait	AVG	SA*	Min	Percentiles (%)															Max
				1	5	10	20	25	30	40	50	60	70	75	80	90	95	99	
Weaning Weight Direct	-0.01	0.75	-4.91	-1.73	-0.99	-0.78	-0.60	-0.51	-0.41	-0.26	-0.09	0.07	0.30	0.42	0.57	0.96	1.32	2.10	3.75
Weaning Weight Maternal	-0.03	0.31	-1.73	-0.81	-0.55	-0.42	-0.26	-0.20	-0.16	-0.08	-0.01	0.05	0.11	0.14	0.19	0.33	0.45	0.76	1.79
Weaning Weight Combined	-0.03	0.46	-2.44	-1.09	-0.69	-0.51	-0.36	-0.31	-0.26	-0.19	-0.10	0.01	0.14	0.21	0.29	0.57	0.82	1.25	2.18
Post-Wean Weight	0.58	1.24	-7.95	-2.36	-0.94	-0.60	-0.33	-0.22	-0.10	0.17	0.45	0.71	1.06	1.24	1.48	2.06	2.64	4.24	12.54
Number of Lambs Weaned	-0.55	2.07	-8.30	-5.70	-4.40	-3.60	-2.40	-2.00	-1.50	-0.80	-0.20	0.40	0.80	1.10	1.30	1.60	1.90	3.60	8.30
Total Weight Weaned	-0.37	1.55	-5.94	-4.10	-3.06	-2.47	-1.65	-1.33	-1.05	-0.55	-0.18	0.11	0.37	0.50	0.72	1.35	2.01	3.69	7.18
Age at First Lambing	-0.22	-6.62	39.94	16.34	10.21	7.43	4.48	3.42	2.57	1.12	-0.29	-1.47	-2.85	-3.69	-4.63	-7.53	-10.44	-18.29	-65.44
Interlambing Period	0.19	-3.45	20.34	9.44	6.20	4.66	2.89	2.30	1.73	0.78	-0.11	-0.90	-1.67	-2.11	-2.61	-3.86	-4.98	-7.30	-14.85
Reproduction Index	101	9	55	76	83	88	93	95	97	100	103	105	107	108	109	111	114	120	135
Logix Merit Index	100	9	65	79	85	88	93	95	97	99	101	103	105	106	107	111	116	126	144

All Active Ewes

Trait	AVG	SA*	Min	Percentiles (%)															Max
				1	5	10	20	25	30	40	50	60	70	75	80	90	95	99	
Weaning Weight Direct	-0.09	0.74	-3.89	-1.74	-1.07	-0.86	-0.67	-0.60	-0.51	-0.36	-0.20	-0.02	0.19	0.31	0.47	0.88	1.27	2.00	4.89
Weaning Weight Direct	-0.02	0.34	-2.29	-0.94	-0.59	-0.44	-0.27	-0.20	-0.15	-0.07	0.00	0.06	0.12	0.16	0.21	0.37	0.52	0.89	2.30
Weaning Weight Combined	-0.07	0.50	-2.89	-1.31	-0.83	-0.62	-0.41	-0.34	-0.29	-0.22	-0.13	-0.02	0.11	0.19	0.29	0.58	0.85	1.36	3.11
Post-Wean Weight	0.46	1.22	-6.83	-2.27	-1.05	-0.70	-0.46	-0.36	-0.24	-0.01	0.27	0.55	0.90	1.09	1.33	1.96	2.58	4.25	8.78
Number of Lambs Weaned	-0.26	2.05	-13.10	-5.80	-4.10	-3.20	-2.00	-1.60	-1.10	-0.40	0.20	0.70	1.10	1.30	1.50	1.70	2.00	3.90	11.20
Total Weight Weaned	-0.27	1.52	-9.52	-4.15	-2.89	-2.26	-1.45	-1.16	-0.90	-0.44	-0.10	0.19	0.39	0.54	0.75	1.38	2.08	3.69	8.21
Age at First Lambing	-0.34	-7.13	62.93	18.10	10.67	7.55	4.36	3.23	2.34	0.88	-0.38	-1.48	-2.90	-3.76	-4.78	-7.95	-11.29	-20.92	-75.66
Interlambing Period	0.13	-3.78	23.72	10.31	6.69	4.98	3.03	2.38	1.76	0.73	-0.17	-0.94	-1.80	-2.27	-2.76	-4.23	-5.54	-8.30	-21.68
Reproduction Index	102	10	49	74	84	89	94	96	98	101	104	106	108	109	109	112	115	122	146
Logix Merit Index	101	9	62	79	86	89	94	96	97	100	102	103	105	106	107	111	116	126	147

*SD : Standard Deviation. An indicator of how far breeding values/selection indices are distributed around the average.

Rams

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information						Selection Indices		EBV - Weights				EBV - Fertility					
Animal ID Comp no.			Parents			% In- breeding	Logix Merit Index	Reproducti on	Wean Weight		Post-Wean	Number Weaned	TWW	AFL	ILP	Dam	
									Dir	Mat							Comb
								Acc	EBV Index	Acc	EBV Index	Acc	EBV Index	Acc	EBV Index	EPI Times Lambded	
Active Breed Average:						100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15		
1298	21	0235	1590	18	0118	3.63	101	106	-0.25	0.13	0.01	0.19	-0.20	-0.23	3.71	-3.20	3
	93283695		1298	17	0143				30	97	28	104	16	102	26	101	
175	22	0001	175	20	0964	2.89	100	106	-0.80	0.07	-0.34	-0.71	1.00	-0.14	0.40	0.37	3
	95815023		175	20	0272				6	91	5	103	5	108	5	102	
175	22	0002	175	20	0964	2.89	100	106	-0.80	0.07	-0.34	-0.71	1.00	-0.14	0.40	0.37	3
	95815031		175	20	0272				6	91	5	103	5	108	5	102	
175	22	0003	175	20	0964	2.89	100	106	-0.80	0.07	-0.34	-0.71	1.00	-0.14	0.40	0.37	3
	95815049		175	20	0272				6	91	5	103	5	108	5	102	
175	22	0005	175	20	0964	5.95	101	108	-0.98	0.13	-0.37	-1.02	1.40		1.98	-0.88	5
	95815072		175	20	0004				5	89	5	104	5	110	29	97	
175	22	0010	175	20	0964	11.70	101	108	-0.98	0.13	-0.37	-1.02	1.40		1.62	-0.21	4
	95815098		175	20	0007				5	89	5	104	5	110	28	98	
175	22	0014	106	19	0282	2.00	101	105	-0.41	0.01	-0.19	-0.16	-0.30	-0.57	-3.78	-1.13	4
	98982747		175	19	0051				29	95	30	101	7	102	24	99	
1509	22	0030	1509	20	0133	2.70	103	107	-0.63	0.01	-0.31	-0.49	1.30	0.16	-3.87	1.24	1
	97609929		1509	21	0105				6	93	5	101	5	110	5	103	
175	23	0118	1298	21	0235	2.85	108	108	0.66	0.19	0.52	1.30	0.20	0.97	2.36	-2.83	4
	107304487		1298	20	0472				28	107	25	106	11	104	23	97	
175	23	0119	1298	21	0235	3.18	107	106	0.59	0.05	0.34	1.50	0.10	0.70	2.60	-3.18	1
	107304495		1298	21	0425				29	106	26	102	13	104	24	97	
175	23	0120	1298	21	0235	3.18	107	106	0.59	0.05	0.34	1.50	0.10	0.70	2.60	-3.18	1
	107304503		1298	21	0425				29	106	26	102	13	104	24	97	
882	23	0193	882	20	0155	2.85	104	108	-0.67	0.08	-0.26	-0.49	1.60		-0.55	0.09	3
	101251957		882	20	0017				5	92	5	103	5	111	32	101	

Rams

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices		EBV - Weights				EBV - Fertility											
Animal ID Comp no.			Parents			% In-breeding	Logix Merit Index	Reproduction	Wean Weight		Post-Wean		Number Weaned	TWW	AFL	ILP	Dam					
									Dir	Mat	Comb											
								Acc	Index	Acc	Index	Acc	Index	Acc	Index	EPI	Times Lambded					
			Active Breed Average:			100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15							
175	24	0001	116	22	0207	1.91	104	111	-0.59	0.14	-0.15	-0.44	1.20	0.27	1.56	-3.59	3					
	106726482	175	20	0556					14	93	10	104	98	6	93	5		109	10	104	32	98
175	24	0008	116	22	0207	1.82	105	112	-0.68	0.19	-0.15	-0.60	1.70	0.53	0.62	-2.78	4					
	106726078	175	19	0421					12	92	9	106	98	5	92	5		111	9	106	33	99
175	24	0010	116	22	0226	1.88	101	108	-0.90	0.10	-0.35	-0.81	1.30	-0.02	3.26	-2.05	1					
	106726094	175	22	0008					20	90	11	103	94	5	90	5		110	12	102	29	96
175	24	0011	116	22	0207	1.95	102	109	-0.64	0.17	-0.15	-0.59	0.60	-0.11	-0.30	-2.41	2					
	106726102	175	21	0111					19	93	18	105	98	9	92	5		106	15	102	35	100
175	24	0012	116	22	0226	1.86	102	109	-0.94	0.12	-0.35	-0.89	1.50	0.08	4.11	-2.89	3					
	106726441	175	22	0015					20	89	11	104	94	5	90	5		111	12	103	25	95
175	24	0013	116	22	0226	1.86	102	109	-0.94	0.12	-0.35	-0.89	1.50	0.08	4.11	-2.89	3					
	106726458	175	22	0015					20	89	11	104	94	5	90	5		111	12	103	25	95
175	24	0015	116	22	0226	1.90	100	107	-0.88	0.08	-0.36	-0.76	1.00	-0.20	4.46	-2.85	1					
	106726474	175	19	0888					21	90	12	103	94	5	91	5		108	13	101	28	94
175	24	0016	116	22	0226	1.90	101	108	-0.79	0.06	-0.33	-0.61	1.10	-0.07	4.06	-3.44	2					
	106726110	175	19	0377					20	91	12	102	95	5	92	5		109	13	102	32	95
175	24	0017	116	22	0226	2.90	102	110	-0.88	0.11	-0.33	-0.77	1.60	0.19	3.49	-2.74	1					
	107311714	175	19	0106					20	90	11	104	95	5	91	5		111	12	104	20	95
175	24	0018	116	22	0207	1.91	104	110	-0.59	0.14	-0.15	-0.44	1.20	0.27	1.32	-3.19	2					
	106726151	175	19	0222					14	93	10	104	98	6	93	5		109	10	104	29	98
175	24	0020	116	22	0226	1.90	102	109	-0.79	0.06	-0.33	-0.61	1.10	-0.07	4.82	-5.01	1					
	106726177	175	19	0810					20	91	12	102	95	5	92	5		109	13	102	28	94
175	24	0021	116	22	0207	1.90	103	108	-0.59	0.14	-0.15	-0.44	1.20	0.27	0.39	-0.73	2					
	106726185	175	20	0012					14	93	10	104	98	6	93	5		109	10	104	33	99
175	24	0022	116	22	0207	1.90	103	108	-0.59	0.14	-0.15	-0.44	1.20	0.27	0.39	-0.73	2					
	106726193	175	20	0012					14	93	10	104	98	6	93	5		109	10	104	33	99

Rams

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices		EBV - Weights				EBV - Fertility							
Animal ID Comp no.			Parents			% In- breeding	Logix Merit Index	Reproducti on	Wean Weight		Post-Wean	Number Weaned	TWW	AFL	ILP	Dam		
									Dir	Mat							Comb	Acc
Active Breed Average:							100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15		
175	24	0024	116	22	0226	1.87	100	109	-1.05	0.14	-0.39	-1.08	1.40	-0.08	4.89	-2.65	5	
	107311	722	175	20	0004				20	88	12	104	5	110	13	94	13	109
175	24	0025	116	22	0226	1.87	100	109	-1.05	0.14	-0.39	-1.08	1.40	-0.08	4.89	-2.65	5	
	107311	730	175	20	0004				20	88	12	104	5	110	13	94	13	109
175	24	0027	116	22	0207	2.00	103	110	-0.51	0.13	-0.12	-0.35	0.40	-0.13	-0.08	-4.04	2	
	106726	219	175	21	0021				19	94	18	104	9	105	15	102	34	100
175	24	0029	116	22	0226	1.90	100	107	-0.88	0.08	-0.36	-0.76	1.00	-0.20	4.54	-2.71	3	
	106726	235	175	20	0077				21	90	12	103	5	108	13	94	14	109
175	24	0031	116	22	0207	1.81	104	112	-0.75	0.20	-0.18	-0.71	1.60	0.41	1.15	-2.61	1	
	106726	250	175	22	0013				12	91	9	106	5	111	9	98	12	109
175	24	0032	116	22	0207	1.81	104	112	-0.75	0.20	-0.18	-0.71	1.60	0.41	1.15	-2.61	1	
	106726	268	175	22	0013				12	91	9	106	5	111	9	98	12	109
175	24	0035	116	22	0207	2.00	103	109	-0.51	0.13	-0.12	-0.35	0.40	-0.13	-0.37	-3.62	2	
	106726	318	175	21	0016				19	94	18	104	9	105	15	102	36	100
175	24	0038	116	22	0226	1.92	100	107	-0.83	0.09	-0.33	-0.76	0.50	-0.44	2.18	-2.36	2	
	106726	342	175	21	0202				25	90	19	103	8	106	18	100	34	97
175	24	0041	116	22	0207	1.91	103	110	-0.64	0.15	-0.17	-0.52	1.10	0.17	1.90	-3.37	2	
	106726	375	175	21	0108				14	93	10	105	6	109	10	104	29	97
175	24	0044	116	22	0226	1.94	100	107	-0.70	0.05	-0.30	-0.53	0.40	-0.41	2.01	-3.26	2	
	106726	409	175	22	0011				25	92	19	102	8	105	18	100	31	97
175	24	0046	116	22	0207	1.90	103	109	-0.68	0.16	-0.18	-0.59	1.10	0.14	1.56	-2.18	5	
	106726	425	175	19	0593				14	92	11	105	6	109	10	103	34	98
175	24	0047	116	22	0207	1.90	103	109	-0.68	0.16	-0.18	-0.59	1.10	0.14	1.56	-2.18	5	
	106726	433	175	19	0593				14	92	11	105	6	109	10	103	34	98
175	24	0048	116	22	0226	1.94	100	106	-0.70	0.05	-0.30	-0.53	0.40	-0.41	0.96	-1.99	1	
	107311	755	175	21	0100				25	92	19	102	8	105	18	100	31	99

Rams

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information						Selection Indices			EBV - Weights						EBV - Fertility									
Animal ID Comp no.			Parents			% In-breeding	Logix Merit Index	Reproduction	Wean Weight		Post-Wean		Number Weaned	TWW	AFL	ILP	Dam							
									Dir	Mat	Comb													
								Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	EPI	Times Lambded					
Active Breed Average:						100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15									
959	24	0051	959	23	0018	9.51	89	107	-2.01	0.38	-0.63	-2.43	-2.00	-2.83	-2.83	-2.64	111	5						
100979897			959	19	0167				58	77	36	110	90	17	80	11	94	39	86	32	103	19	109	
175	24	0058	175	22	0001	17.90	101	107	-0.74	0.06	-0.31	-0.60	1.00		0.55	-0.75								
106725781			175	20	0034				5	91	5	102	95	5	92	5	108	21	99	9	104		1	
175	24	0059	175	22	0001	17.90	101	107	-0.74	0.06	-0.31	-0.60	1.00		0.55	-0.75								
106725799			175	20	0034				5	91	5	102	95	5	92	5	108	21	99	9	104		1	
175	24	0060	175	22	0001	10.96	100	105	-0.74	0.04	-0.33	-0.59	0.80	-0.22	0.71	-0.19								
106725807			175	20	0068				7	91	6	102	95	5	92	5	107	6	101	21	99	10	102	
175	24	0072	116	22	0226	1.92	101	108	-0.75	0.08	-0.30	-0.61	0.60	-0.31	1.57	-2.88								
107311797			175	21	0102				24	91	19	103	95	8	92	5	106	17	101	34	98	17	110	
175	24	0104	1298	21	0235	4.25	101	103	-0.11	0.19	0.13	0.35	-0.60	-0.28	2.26	-0.22								
106715972			1298	20	0541				22	99	21	106	103	14	98	13	101	20	101	32	97	19	103	
175	24	0110	1298	21	0235	4.65	103	107	-0.01	0.03	0.03	0.25	0.20	0.14	3.23	-4.25								
106716020			1658	22	0135				26	100	18	102	101	9	97	9	104	19	103	32	96	19	114	
175	24	0113	1298	21	0235	3.01	101	106	-0.50	0.10	-0.16	-0.22	0.40	-0.17	2.44	-2.28								
106716053			175	20	0011				15	94	14	103	98	8	94	8	105	13	102	29	97	16	108	
175	24	0114	1298	21	0235	4.88	96	98	-0.36	-0.16	-0.34	0.14	-1.20	-1.24	0.64	-0.25								
106716061			106	22	0955				21	96	19	97	94	9	97	9	98	17	95	29	99	17	103	
175	24	0116	1298	21	0235	5.85	101	106	-0.50	0.21	-0.04	-0.01	-0.10	-0.34	1.25	-0.74								
106716087			1298	19	0107				28	94	25	106	100	14	96	15	103	24	101	34	98	22	104	
175	25	0001	175	22	0007	3.92	100	105	-0.65	0.05	-0.28	-0.51	0.30	-0.42	-1.72	-0.16								
107420325			175	23	0003				15	92	15	102	96	7	92	5	105	12	100	28	102	15	102	
175	25	0005	175	22	0007	4.66	101	107	-0.87	0.09	-0.34	-0.83	1.20		0.82	-0.17								
107420366			175	20	0004				5	90	5	103	94	5	90	5	109	27	99	12	102		5	
175	25	0007	175	22	0007	9.34	102	107	-0.61	0.02	-0.28	-0.37	0.90	-0.05	-0.19	-1.08								
107420382			175	19	1052				6	93	6	101	95	5	93	5	108	5	102	28	100	11	105	

Rams

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices		EBV - Weights				EBV - Fertility						
Animal ID Comp no.			Parents			% In- breeding	Logix Merit Index	Reproducti on	Wean Weight		Post-Wean		Number Weaned	TWW	AFL	ILP	Dam
									Dir	Mat	Comb						
								Acc	Index	Acc	Index	Acc	Index	Acc	Index	EPI	Times Lambded
Active Breed Average:							100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15	
175 25 0009 111489456	175 22 0007 175 20 0077	13.92	101	105	-0.69 7 92	0.04 6 102	-0.31 95	-0.52 5 92	0.80 5 107	-0.18 6 102	0.46 28 99	-0.22 14 103				3	
175 25 0011 111489464	1509 22 0030 1805 21 0037	3.33	102	106	-0.77 7 91	-0.03 5 100	-0.41 93	-0.62 5 92	1.50 5 111		-2.84 30 103	1.38 11 98				2	
175 25 0012 111489472	1509 22 0030 1805 21 0037	3.33	102	106	-0.77 7 91	-0.03 5 100	-0.41 93	-0.62 5 92	1.50 5 111		-2.84 30 103	1.38 11 98				2	
175 25 0013 111489480	1509 22 0030 175 23 0029	2.88	103	106	-0.38 13 96	-0.01 10 101	-0.20 97	-0.21 5 94	0.70 5 107	0.03 10 103	-2.83 27 103	0.01 11 102				1	
1509 25 0053 111489506	1509 22 0030 175 19 0051	2.48	104	108	-0.65 5 92	0.04 5 102	-0.28 95	-0.49 5 92	1.50 5 111		-1.84 30 102	-0.13 13 102				4	
1509 25 0054 111489514	1509 22 0030 175 19 0051	2.48	104	108	-0.65 5 92	0.04 5 102	-0.28 95	-0.49 5 92	1.50 5 111		-1.84 30 102	-0.13 13 102				4	
175 25 0057 111489555	1509 22 0030 175 19 0222	2.63	103	107	-0.56 6 93	0.00 6 101	-0.29 95	-0.33 5 94	1.00 5 108	0.03 5 103	-1.65 27 102	-0.59 11 104				2	
175 25 0059 111489571	1509 22 0030 175 23 0032	2.85	103	106	-0.38 13 96	-0.01 10 101	-0.19 97	-0.21 5 94	0.80 5 107	0.10 10 103	-2.77 27 103	-0.24 11 103				2	
175 25 0060 111489589	1509 22 0030 175 23 0032	2.85	103	106	-0.38 13 96	-0.01 10 101	-0.19 97	-0.21 5 94	0.80 5 107	0.10 10 103	-2.77 27 103	-0.24 11 103				2	
175 25 0061 111489597	1509 22 0030 175 22 0015	2.47	103	108	-0.72 5 92	0.05 5 102	-0.31 95	-0.60 5 92	1.40 5 110		-1.51 24 102	-0.01 9 102				3	
175 25 0062 111489605	1509 22 0030 175 22 0015	2.47	103	108	-0.72 5 92	0.05 5 102	-0.31 95	-0.60 5 92	1.40 5 110		-1.51 24 102	-0.01 9 102				3	
175 25 0065 111489613	1509 22 0030 175 23 0014	2.54	102	107	-0.67 5 92	0.03 5 102	-0.31 95	-0.52 5 92	1.20 5 109		-1.35 24 102	-0.46 9 103				1	
175 25 0101 112860135	1298 21 0235 1351 21 0066	2.90	101	108	-0.59 18 93	0.11 15 104	-0.19 97	-0.31 8 94	0.70 8 107	-0.06 15 102	6.42 33 92	-4.44 16 114				2	

Rams

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices		EBV - Weights						EBV - Fertility											
Animal ID Comp no.			Parents			% In-breeding	Logix Merit Index	Reproducti on	Wean Weight		Post-Wean		Number Weaned	TWW	AFL	ILP	Dam							
									Dir	Mat	Comb													
								Acc	EBV Index	Acc	EBV Index	EBV Index	Acc	EBV Index	Acc	EBV Index	EPI Times Lamberd							
Active Breed Average:						100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15									
175	25	0108	1298	21	0235	3.01	101	106	-0.50	0.10	-0.16	-0.22	0.40	-0.17	2.44	-2.28	3							
		112860143	175	20	0011				15	94	14	103	98	8	94	8	105	13	102	29	97	16	108	
175	25	0120	1298	21	0235	4.88	96	98	-0.36	-0.16	-0.34	0.14	-1.20	-1.24	0.64	-0.25	2							
		112860184	106	22	0955				21	96	19	97	94	9	97	9	98	17	95	29	99	17	103	
175	25	0121	1298	21	0235	2.81	101	106	-0.52	0.11	-0.15	-0.23	0.70	0.00	8.13	-3.63	1							
		112860192	1351	23	0156				17	94	16	104	98	8	94	8	107	15	103	29	89	15	112	
175	25	0123	1298	21	0235	3.82	100	98	0.20	0.01	0.12	0.90	-0.80	-0.26	1.33	2.63	2							
		112863618	1298	21	0352				22	102	20	101	102	12	102	10	100	18	101	28	98	20	95	
175	25	0127	1298	21	0235	4.25	101	103	-0.11	0.19	0.13	0.35	-0.60	-0.28	2.26	-0.22	3							
		112860218	1298	20	0541				22	99	21	106	103	14	98	13	101	20	101	32	97	19	103	
Ram Flock Average: Number of rams in the flock: 69						102	107	-0.61	0.09	-0.22	-0.41	0.77	-0.06	1.07	-1.56									

Ewes

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information				Selection Indices		EBV - Weights				EBV - Fertility								
Animal Comp no.				% In- breeding	Logix Merit Index	Repro- duction Index	Wean Weight		Post-Wean		Number Weaned	TWW		AFL		ILP		Times EPI Lamberd
							Dir	Mat	Comb									
							Acc	Index	Acc	Index	EBV	EBV	EBV	EBV	Acc	Index	Acc	Index
Active Breed Average:					100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15				
175 19 0051 96328638	175 12 0069 175 16 0099	1.98		104	109	-0.67 5 92	0.08 5 103	-0.26 96	-0.49 5 92	1.60 5 111		0.19 46 100	-1.50 22 106	4				
1298 19 0107 91601260	762 16 0351 1298 11 0448	4.53		100	106	-0.75 48 91	0.29 41 108	-0.08 99	-0.21 23 94	0.10 24 104	-0.39 40 100	-1.22 54 101	1.72 35 97	5				
175 19 0186 85357234	1298 13 0383 175 16 0055	1.86		102	105	-0.50 11 94	-0.01 10 101	-0.26 96	-0.17 6 95	0.70 6 107	-0.09 9 102	-0.17 37 100	-0.74 18 104	0				
175 19 0222 101832913	1298 13 0383 175 16 0080	1.91		102	107	-0.50 11 94	-0.01 10 101	-0.26 96	-0.17 6 95	0.70 6 107	-0.09 9 102	0.57 37 99	-2.41 18 109	2				
175 19 0377 106582935	1298 13 0383 175 16 0039	1.91		102	106	-0.50 11 94	-0.01 10 101	-0.26 96	-0.17 6 95	0.70 6 107	-0.09 9 102	0.76 50 99	-2.35 20 108	2				
175 19 0421 96328521	175 12 0069 175 16 0045	8.10		104	110	-0.67 5 92	0.08 5 103	-0.26 96	-0.49 5 92	1.60 5 111		-0.84 48 101	-1.58 22 106	4				
175 19 0536 97185490	1298 13 0383 175 16 0198	1.91		103	109	-0.50 11 94	-0.01 10 101	-0.26 96	-0.17 6 95	0.70 6 107	-0.09 9 102	2.27 48 97	-5.80 24 118	4				
175 19 0593 97192066	1298 13 0383 175 16 0200	1.65		100	104	-0.67 12 92	0.02 10 101	-0.32 95	-0.48 7 93	0.50 6 106	-0.36 10 101	1.04 51 98	-0.38 20 103	5				
175 19 0810 106583644	1298 13 0383 175 16 0199	1.91		103	109	-0.50 11 94	-0.01 10 101	-0.26 96	-0.17 6 95	0.70 6 107	-0.09 9 102	2.28 38 97	-5.49 18 117	1				
175 19 0888 106583651	1298 13 0383 175 16 0203	1.70		100	105	-0.67 12 92	0.02 10 101	-0.32 95	-0.48 7 93	0.50 6 106	-0.36 10 101	1.56 38 98	-1.16 18 105	1				
175 19 1052 107312654	1298 13 0383 175 17 0728	2.04		102	107	-0.50 11 94	-0.01 10 101	-0.26 96	-0.17 6 95	0.70 6 107	-0.09 9 102	0.41 47 99	-2.58 18 109	2				
175 20 0004 95815064	175 12 0015 175 16 0039	1.91		100	108	-1.02 8 88	0.13 6 104	-0.38 94	-1.10 8 88	1.40 5 110	-0.05 6 102	2.43 44 97	-0.76 21 104	5				
175 20 0007 95815080	175 12 0015 175 16 0055	1.87		100	107	-1.02 8 88	0.13 6 104	-0.38 94	-1.10 8 88	1.40 5 110	-0.05 6 102	1.70 43 98	0.58 21 100	4				
175 20 0011 97185508	175 17 0763 175 19 0187	20.09		101	107	-0.76 6 91	0.06 5 102	-0.32 95	-0.64 5 92	1.00 5 108	-0.10 5 102	1.18 42 98	-1.37 20 106	3				
175 20 0012 96328653	1298 13 0383 175 16 0099	1.80		101	103	-0.50 11 94	-0.01 10 101	-0.26 96	-0.17 6 95	0.70 6 107	-0.09 9 102	-1.30 47 101	2.52 23 95	2				

Ewes

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices		EBV - Weights				EBV - Fertility										
Animal Comp no.				% In- breeding	Logix Merit Index	Repro- duction Index	Dir		Wean Weight		Post-Wean		Number Weaned		TWW		AFL		ILP		Times EPI Lambded
							EBV Acc	Index	EBV Acc	Index	EBV Index	EBV Acc	Index	EBV Acc	Index	EBV Acc	Index	EBV Acc	Index	Phenotype	
Active Breed Average:					100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15							
175 20 0025 97185912	1298 13 0383 175 16 0198	1.91	102	107	-0.50 11 94	-0.01 10 101	-0.26 96	-0.17 6 95	0.70 6 107	-0.09 9 102	1.00 38 99	-3.19 18 111	1								
175 20 0034 106665581	175 17 0763 175 19 1052	2.88	102	108	-0.67 6 92	0.05 5 102	-0.29 95	-0.48 5 93	1.10 5 109	0.03 5 103	0.69 31 99	-1.87 13 107	1								
175 20 0044 97185839	1298 13 0383 175 16 0199	1.91	103	110	-0.50 11 94	-0.01 10 101	-0.26 96	-0.17 6 95	0.70 6 107	-0.09 9 102	3.22 48 96	-7.01 23 121	4								
175 20 0068 97185524	1298 13 0383 175 16 0028	1.91	100	105	-0.67 12 92	0.02 10 101	-0.32 95	-0.48 7 93	0.50 6 106	-0.36 10 101	1.03 32 99	-0.74 16 104	1								
175 20 0077 101766566	1298 13 0383 175 16 0200	1.65	100	105	-0.67 12 92	0.02 10 101	-0.32 95	-0.48 7 93	0.50 6 106	-0.36 10 101	1.72 47 98	-0.87 24 104	3								
175 20 0078 101766574	1298 13 0383 175 17 0762	1.94	101	106	-0.59 11 93	0.00 10 101	-0.29 95	-0.32 6 94	0.60 6 106	-0.22 9 101	0.93 46 99	-2.07 22 108	3								
175 20 0104 106582950	175 17 0763 175 19 0210	4.00	103	110	-0.67 6 92	0.05 5 102	-0.29 95	-0.48 5 93	1.10 5 109	0.03 5 103	2.09 31 97	-4.53 19 114	3								
175 20 0105 106582943	175 17 0763 175 19 0377	4.00	102	108	-0.67 6 92	0.05 5 102	-0.29 95	-0.48 5 93	1.10 5 109	0.03 5 103	1.11 42 98	-2.26 20 108	2								
175 20 0111 106665664	175 17 0763 175 19 0593	11.62	101	107	-0.76 6 91	0.06 5 102	-0.32 95	-0.64 5 92	1.00 5 108	-0.10 5 102	1.01 32 99	-0.77 14 104	1								
175 20 0272 95815015	1298 13 0383 175 16 0036	1.91	99	103	-0.67 12 92	0.02 10 101	-0.32 95	-0.48 7 93	0.50 6 106	-0.36 10 101	-0.73 43 101	1.73 20 97	3								
1298 20 0472 91652271	16 4 60 DL 1398 15 0153	2.12	116	110	1.56 48 117	0.25 41 107	1.03 118	2.41 30 111	0.60 16 106	2.17 38 115	1.02 55 99	-2.46 41 109	4								
1298 20 0487 91659912	16 4 60 DL 1398 17 0112	2.12	120	117	1.23 46 114	0.13 39 104	0.74 113	2.56 30 112	1.80 17 112	2.44 37 117	1.14 58 98	-8.73 42 126	4								
1298 20 0541 96979323	762 17 0294 1298 13 0164	4.15	100	101	0.03 33 100	0.24 30 107	0.26 105	0.52 23 99	-1.00 22 99	-0.33 29 101	0.80 49 99	2.75 28 94	3								
175 20 0556 97185870	1298 13 0383 175 16 0080	1.91	102	107	-0.50 11 94	-0.01 10 101	-0.26 96	-0.17 6 95	0.70 6 107	-0.09 9 102	1.04 46 98	-3.19 22 111	3								
175 21 0003 96112396	106 19 0282 175 19 0593	4.58	98	102	-0.41 30 95	-0.02 31 100	-0.22 97	-0.15 14 95	-0.90 8 99	-0.96 25 97	-3.33 55 104	-0.63 29 104	2								

Ewes

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information				Selection Indices		EBV - Weights				EBV - Fertility									
Animal Comp no.				% In- breeding	Logix Merit Index	Repro- duction Index	Wean Weight		Post-Wean		Number Weaned		TWW		AFL		ILP		Times EPI Lambded
							Dir	Mat	Comb										
							EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index
Active Breed Average:				100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15						
175 21 0016 96181664	106 19 0282 175 19 0536	4.71	100	105	-0.32 30 96	-0.03 31 100	-0.19 97	0.00 14 96	-0.80 8 100	-0.83 25 98	-2.80 54 103	-3.26 30 111	2						
175 21 0021 96181680	106 19 0282 175 20 0044	4.71	100	106	-0.32 30 96	-0.03 31 100	-0.19 97	0.00 14 96	-0.80 8 100	-0.83 25 98	-2.23 52 103	-4.10 29 113	2						
1805 21 0037 91975714	1658 19 0175 1805 17 0026	2.92	101	106	-0.90 12 90	-0.06 6 99	-0.52 91	-0.75 5 91	1.70 5 111	0.05 7 103	-1.80 46 102	1.52 18 98	2						
175 21 0056 96328547	106 19 0282 175 20 0078	4.72	99	103	-0.36 30 96	-0.03 31 100	-0.21 97	-0.08 14 95	-0.90 8 99	-0.93 25 97	-3.40 46 104	-1.41 26 106	1						
1351 21 0066 94176088	1658 19 0025 1351 19 0111	2.90	101	110	-0.93 19 89	0.08 10 103	-0.39 94	-0.81 5 90	1.60 5 111	0.11 11 103	9.14 51 88	-5.68 20 118	2						
175 21 0100 101767218	106 19 0282 175 20 0072	4.69	99	102	-0.32 30 96	-0.03 31 100	-0.19 97	0.00 14 96	-0.80 8 100	-0.83 25 98	-5.43 47 107	0.55 26 100	1						
175 21 0102 96181672	106 19 0282 175 19 0421	2.02	101	105	-0.41 29 95	0.01 30 101	-0.19 97	-0.16 14 95	-0.30 7 102	-0.57 24 99	-4.21 54 105	-1.23 30 105	2						
175 21 0106 96112388	106 19 0282 175 19 0051	2.00	101	105	-0.41 29 95	0.01 30 101	-0.19 97	-0.16 14 95	-0.30 7 102	-0.57 24 99	-3.11 54 104	-1.61 30 106	3						
175 21 0108 96331129	1298 13 0383 175 17 0762	1.94	101	106	-0.59 11 93	0.00 10 101	-0.29 95	-0.32 6 94	0.60 6 106	-0.22 9 101	1.72 37 98	-2.76 23 110	2						
175 21 0109 106665649	106 19 0282 175 20 0012	4.67	98	100	-0.32 30 96	-0.03 31 100	-0.19 97	0.00 14 96	-0.80 8 100	-0.83 25 98	-5.50 51 107	2.76 29 94	2						
175 21 0111 96328505	106 19 0282 175 20 0004	1.79	99	104	-0.58 29 93	0.04 31 102	-0.25 96	-0.46 15 93	-0.50 7 101	-0.84 25 98	-2.67 54 103	-0.84 30 104	2						
175 21 0202 96328588	106 19 0282 175 20 0007	1.77	99	104	-0.58 29 93	0.04 31 102	-0.25 96	-0.46 15 93	-0.50 7 101	-0.84 25 98	-3.01 53 104	-0.19 30 102	2						
1298 21 0352 96301676	1298 19 0308 1298 11 0284	5.09	98	90	0.66 33 107	-0.11 28 98	0.22 104	1.62 18 106	-1.40 13 97	-0.29 26 101	-1.06 39 101	8.45 31 79	2						
1298 21 0425 93000735	16 4 60 DL 1298 15 0281	1.95	113	106	1.42 50 116	-0.03 44 100	0.68 112	2.81 34 114	0.50 20 106	1.69 41 112	1.50 52 98	-3.17 42 111	1						
1298 21 0675 96815592	762 20 0057 1298 18 0392	5.73	91	95	-0.45 37 95	0.20 30 106	-0.02 100	-0.03 22 95	-2.30 16 93	-1.63 29 93	5.37 35 93	2.88 28 94	2						

Ewes

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information				Selection Indices		EBV - Weights				EBV - Fertility											
Animal Comp no.				% In- breeding	Logix Merit Index	Repro- duction Index	Dir		Wean Weight		Post-Wean		Number Weaned		TWW		AFL		ILP		Times EPI Lambed
							EBV	Mat	Comb		EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV
	Acc	Index	Acc				Index	EBV	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc
Active Breed Average:				100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15								
175 22 0004 95815056	175 20 0964 175 20 0272	2.89	100	106	-0.80 6 91	0.07 5 103	-0.34 95	-0.71 5 91	1.00 5 108	-0.14 5 102	0.40 28 99	0.37 12 101	0								
175 22 0008 95835088	175 20 0964 175 20 0072	9.39	102	106	-0.72 6 92	0.05 5 102	-0.30 95	-0.56 5 92	1.10 5 109	0.00 5 103	-0.83 41 101	0.44 13 101	1								
175 22 0011 101772804	106 19 0282 175 20 0556	4.71	100	104	-0.32 30 96	-0.03 31 100	-0.19 97	0.00 14 96	-0.80 8 100	-0.83 25 98	-3.35 46 104	-1.97 26 107	2								
175 22 0013 98982721	175 20 0964 175 19 0421	9.51	103	109	-0.80 5 91	0.10 5 103	-0.30 95	-0.72 5 91	1.50 5 111		0.22 41 100	-1.25 13 105	1								
175 22 0015 101772820	175 20 0964 175 19 0051	9.49	103	109	-0.80 5 91	0.10 5 103	-0.30 95	-0.72 5 91	1.50 5 111		0.86 29 99	-1.25 13 105	3								
175 22 0017 101772846	106 19 0282 175 17 0762	1.93	100	105	-0.49 29 94	0.03 30 101	-0.22 97	-0.31 14 94	-0.40 7 102	-0.71 24 98	-2.80 46 103	-2.02 26 107	3								
175 22 0018 101772895	106 19 0282 175 19 0593	4.58	98	102	-0.41 30 95	-0.02 31 100	-0.22 97	-0.15 14 95	-0.90 8 99	-0.96 25 97	-3.18 54 104	-0.62 26 104	1								
1298 22 0104 96815675	762 18 0096 1298 16 0078	5.00	87	88	-0.10 38 99	0.09 34 103	0.04 101	0.90 23 102	-4.40 24 83	-2.66 33 87	9.76 37 87	0.26 31 101	3								
1264 22 0110 98930639	1264 20 0001 1264 19 0099	8.77	101	106	-0.97 14 89	-0.17 10 97	-0.66 89	-0.83 5 90	1.60 5 111	-0.18 9 102	-3.99 46 105	0.35 22 101	1								
1658 22 0135 99935033	1610 18 0117 1658 21 0013	3.95	106	108	0.22 42 102	-0.07 24 99	0.04 101	0.31 9 98	0.60 9 106	0.51 27 106	2.75 50 96	-5.31 29 117	2								
1658 22 0400 97559363	1610 18 0117 1658 20 0061	2.66	103	103	-0.09 42 99	-0.27 25 94	-0.31 95	0.05 9 96	0.90 9 108	0.19 28 104	-0.28 51 100	-1.74 29 107	2								
106 22 0955 96423686	106 20 0102 106 19 9125	8.67	90	90	-0.46 30 95	-0.46 27 89	-0.69 88	0.09 9 96	-2.20 8 93	-2.24 24 90	-2.44 40 103	2.70 22 94	2								
175 23 0014 97191977	175 20 0964 175 20 0201	2.72	102	108	-0.72 6 92	0.05 5 102	-0.30 95	-0.56 5 92	1.10 5 109	0.00 5 103	1.17 29 98	-2.14 13 108	1								
175 23 0029 106713092	1384 21 0280 175 21 0003	3.60	102	104	-0.12 26 98	-0.03 19 100	-0.09 99	0.08 8 96	0.00 6 103	-0.15 19 102	-1.78 37 102	-1.22 19 105	1								
175 23 0032 106713126	1384 21 0280 175 21 0106	3.33	103	106	-0.12 25 98	-0.02 19 100	-0.08 99	0.07 8 96	0.30 6 105	0.05 18 103	-1.67 36 102	-1.70 19 107	2								

Ewes

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices		EBV - Weights				EBV - Fertility									
Animal Comp no.				% In- breeding	Logix Merit Index	Repro- duction Index	Wean Weight		Comb	Post-Wean		Number Weaned		TWW		AFL		ILP		Times EPI Lambded
							Dir	Mat		Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Phenotype
							EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	
Active Breed Average:					100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15						
175 23 0105 106582968	1384 21 0280 1298 21 0675	3.55	99	101	-0.14 28 98	0.08 19 103	0.01 101	0.14 12 97	-0.70 9 100	-0.48 20 100	2.57 30 97	0.54 18 100	1							
175 23 0106 113070403	1384 21 0280 1298 20 0487	2.69	113	112	0.70 31 108	0.04 23 102	0.39 107	1.43 15 105	1.30 9 110	1.52 23 111	0.46 38 99	-5.27 24 116	0							
175 23 0107 113068449	1384 21 0280 1298 20 0487	2.69	113	112	0.70 31 108	0.04 23 102	0.39 107	1.43 15 105	1.30 9 110	1.52 23 111	0.46 38 99	-5.27 24 116	0							
175 23 0110 107304586	1384 21 0280 175 20 0011	2.73	104	107	-0.30 21 96	0.01 12 101	-0.14 98	-0.17 5 95	1.00 5 108	0.31 14 104	0.48 32 99	-1.59 16 106	1							
175 23 0117 107304479	1298 21 0235 1298 19 0107	5.85	101	106	-0.50 28 94	0.21 25 106	-0.04 100	-0.01 14 96	-0.10 15 103	-0.34 24 101	1.25 34 98	-0.74 22 104	0							
1351 23 0156 106661192	1351 22 0015 1351 21 0066	2.89	100	106	-0.80 15 91	0.08 15 103	-0.32 95	-0.65 5 91	1.60 5 111	0.24 12 104	12.55 42 84	-4.05 14 113	1							
1351 23 0157 106661200	1351 22 0015 1351 21 0066	2.89	100	106	-0.80 15 91	0.08 15 103	-0.32 95	-0.65 5 91	1.60 5 111	0.24 12 104	11.43 42 85	-3.69 14 112	1							
1351 23 0158 106661218	1351 22 0015 1351 21 0066	2.89	100	106	-0.80 15 91	0.08 15 103	-0.32 95	-0.65 5 91	1.60 5 111	0.24 12 104	11.99 34 85	-3.87 14 113	0							
1633 23 0616 97353130	1509 20 0051 1633 21 0289	2.79	104	109	-0.38 24 95	0.04 10 102	-0.15 98	-0.25 5 94	1.00 5 108	0.26 14 104	1.24 28 98	-3.29 10 111	0							
175 24 0002 106726490	116 22 0226 175 22 0017	1.92	100	108	-0.79 25 91	0.08 19 103	-0.31 95	-0.68 8 91	0.60 5 106	-0.35 18 101	2.28 31 97	-3.28 16 111	0							
175 24 0003 106726508	116 22 0207 175 20 0007	1.81	103	110	-0.86 13 90	0.22 10 106	-0.21 97	-0.90 6 90	1.50 5 111	0.26 9 104	1.89 32 97	-1.70 15 107	0							
175 24 0004 106726516	116 22 0207 175 20 0007	1.81	103	110	-0.86 13 90	0.22 10 106	-0.21 97	-0.90 6 90	1.50 5 111	0.26 9 104	1.89 32 97	-1.70 15 107	0							
175 24 0006 106726532	116 22 0207 175 22 0018	1.99	102	108	-0.55 19 94	0.14 18 104	-0.13 98	-0.43 9 93	0.40 5 105	-0.17 15 102	-0.56 35 101	-2.30 16 108	0							
175 24 0007 106726540	116 22 0226 175 20 0044	1.90	102	110	-0.79 20 91	0.06 12 102	-0.33 95	-0.61 5 92	1.10 5 109	-0.07 13 102	5.29 31 93	-5.78 14 118	0							
175 24 0009 106726086	116 22 0207 175 19 0421	1.82	105	112	-0.68 12 92	0.19 9 106	-0.15 98	-0.60 5 92	1.70 5 111	0.53 9 106	0.62 33 99	-2.78 15 110	0							

Ewes

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices		EBV - Weights				EBV - Fertility								
Animal Comp no.				% In- breeding	Logix Merit Index	Repro- duction Index	Wean Weight		Comb	Post-Wean		Number Weaned	TWW		AFL		ILP		Times EPI Lambed
							Dir	Mat		Acc	Index		Acc	Index	Acc	Index	Acc	Index	Phenotype
							EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV
Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index
Active Breed Average:					100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15					
175 24 0019 106726169	116 22 0207 175 19 0222	1.91	104	110	-0.59 14 93	0.14 10 104	-0.15 98	-0.44 6 93	1.20 5 109	0.27 10 104	1.32 29 98	-3.19 14 111	0						
175 24 0023 106726201	116 22 0207 175 20 0012	1.90	103	108	-0.59 14 93	0.14 10 104	-0.15 98	-0.44 6 93	1.20 5 109	0.27 10 104	0.39 33 99	-0.73 15 104	0						
175 24 0026 107311748	116 22 0226 175 20 0004	1.87	100	109	-1.05 20 88	0.14 12 104	-0.39 94	-1.08 5 89	1.40 5 110	-0.08 13 102	4.89 30 94	-2.65 13 109	0						
175 24 0028 106726227	116 22 0207 175 21 0021	2.00	103	110	-0.51 19 94	0.13 18 104	-0.12 98	-0.35 9 93	0.40 5 105	-0.13 15 102	-0.08 34 100	-4.04 18 113	0						
175 24 0030 106726243	116 22 0226 175 20 0077	1.90	100	107	-0.88 21 90	0.08 12 103	-0.36 94	-0.76 5 91	1.00 5 108	-0.20 13 101	4.54 31 94	-2.71 14 109	0						
175 24 0033 106726292	116 22 0207 175 22 0013	1.81	104	112	-0.75 12 91	0.20 9 106	-0.18 97	-0.71 5 91	1.60 5 111	0.41 9 105	1.15 31 98	-2.61 12 109	0						
175 24 0034 106726300	116 22 0226 175 20 0078	1.91	101	108	-0.83 20 90	0.07 12 103	-0.35 94	-0.69 5 91	1.10 5 109	-0.10 13 102	4.14 31 95	-3.30 14 111	0						
175 24 0036 106726326	116 22 0207 175 21 0016	2.00	103	109	-0.51 19 94	0.13 18 104	-0.12 98	-0.35 9 93	0.40 5 105	-0.13 15 102	-0.37 36 100	-3.62 18 112	0						
175 24 0037 106726334	116 22 0207 175 21 0016	2.00	103	109	-0.51 19 94	0.13 18 104	-0.12 98	-0.35 9 93	0.40 5 105	-0.13 15 102	-0.37 36 100	-3.62 18 112	0						
175 24 0039 106726359	116 22 0226 175 21 0202	1.92	100	107	-0.83 25 90	0.09 19 103	-0.33 95	-0.76 8 91	0.50 5 106	-0.44 18 100	2.18 34 97	-2.36 17 108	0						
175 24 0040 106726367	116 22 0226 175 21 0202	1.92	100	107	-0.83 25 90	0.09 19 103	-0.33 95	-0.76 8 91	0.50 5 106	-0.44 18 100	2.18 34 97	-2.36 17 108	0						
175 24 0042 106726383	116 22 0207 175 21 0108	1.91	103	110	-0.64 14 93	0.15 10 105	-0.17 97	-0.52 6 92	1.10 5 109	0.17 10 104	1.90 29 97	-3.37 15 111	0						
175 24 0043 106726391	116 22 0207 175 21 0108	1.91	103	110	-0.64 14 93	0.15 10 105	-0.17 97	-0.52 6 92	1.10 5 109	0.17 10 104	1.90 29 97	-3.37 15 111	0						
175 24 0045 106726417	116 22 0226 175 22 0011	1.94	100	107	-0.70 25 92	0.05 19 102	-0.30 95	-0.53 8 92	0.40 5 105	-0.41 18 100	2.01 31 97	-3.26 15 111	0						
175 24 0050 107311771	116 22 0207 175 21 0003	1.99	102	108	-0.55 19 94	0.14 18 104	-0.13 98	-0.43 9 93	0.40 5 105	-0.17 15 102	-0.63 36 101	-2.30 18 108	0						

Ewes

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices		EBV - Weights				EBV - Fertility								
Animal Comp no.				% In- breeding	Logix Merit Index	Repro- duction Index	Wean Weight		Post-Wean		Number Weaned		TWW		AFL		ILP		Times EPI Lamberd
							Dir	Mat	Comb										
							EBV Acc Index	EBV Acc Index	EBV Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	Phenotype		
Active Breed Average:					100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15					
175 24 0051 107311789	116 22 0207 175 21 0003	1.99			102	108	-0.55 19 94	0.14 18 104	-0.13 98	-0.43 9 93	0.40 5 105	-0.17 15 102	-0.63 36 101	-2.30 18 108	0				
175 24 0053 106725583	116 22 0207 175 21 0106	1.95			103	110	-0.55 19 94	0.16 18 105	-0.12 98	-0.43 9 93	0.70 5 107	0.03 15 103	-0.52 35 100	-2.79 18 110	0				
175 24 0055 106725609	175 22 0001 175 21 0109	7.72			99	103	-0.56 15 93	0.02 16 101	-0.26 96	-0.36 7 93	0.10 5 104	-0.48 13 100	-2.55 29 103	1.56 16 98	0				
175 24 0056 106725617	175 22 0001 175 21 0056	8.61			100	105	-0.58 15 93	0.02 16 101	-0.27 96	-0.39 7 93	0.10 5 104	-0.50 13 100	-1.50 27 102	-0.52 14 103	0				
175 24 0057 106725625	175 22 0001 175 21 0056	8.61			100	105	-0.58 15 93	0.02 16 101	-0.27 96	-0.39 7 93	0.10 5 104	-0.50 13 100	-1.50 27 102	-0.52 14 103	0				
175 24 0061 106725815	175 22 0001 175 23 0003	5.28			100	105	-0.69 15 92	0.05 15 102	-0.29 95	-0.59 8 92	0.30 5 105	-0.46 12 100	-1.13 27 101	-0.19 14 102	0				
175 24 0101 106715899	1298 21 0235 1658 22 0400	4.14			102	105	-0.17 26 98	-0.07 19 99	-0.15 98	0.12 9 96	0.40 9 105	0.01 19 103	1.72 33 98	-2.47 19 109	0				
175 24 0102 106715956	1298 21 0235 1658 22 0400	4.14			102	105	-0.17 26 98	-0.07 19 99	-0.15 98	0.12 9 96	0.40 9 105	0.01 19 103	1.72 33 98	-2.47 19 109	0				
175 24 0103 106715964	1298 21 0235 1298 20 0541	4.25			101	103	-0.11 22 99	0.19 21 106	0.13 103	0.35 14 98	-0.60 13 101	-0.28 20 101	2.26 32 97	-0.22 19 103	0				
175 24 0105 106715980	1298 21 0235 175 20 0104	3.05			102	108	-0.46 15 95	0.09 14 103	-0.14 98	-0.15 8 95	0.40 8 105	-0.13 13 102	2.90 26 96	-3.86 16 113	0				
175 24 0106 106715998	1298 21 0235 175 20 0104	3.05			102	108	-0.46 15 95	0.09 14 103	-0.14 98	-0.15 8 95	0.40 8 105	-0.13 13 102	2.90 26 96	-3.86 16 113	0				
175 24 0107 106716004	1298 21 0235 1298 21 0675	5.36			96	100	-0.35 24 96	0.17 20 105	-0.01 100	0.08 13 96	-1.30 11 97	-0.96 19 97	4.54 27 94	-0.16 19 102	0				
175 24 0108 107304362	1298 21 0235 1298 22 0104	5.96			94	97	-0.18 24 98	0.11 22 104	0.02 101	0.55 14 99	-2.30 14 93	-1.45 21 94	6.74 28 91	-1.47 20 106	0				
175 24 0109 106716012	1298 21 0235 1658 22 0135	4.65			103	107	-0.01 26 100	0.03 18 102	0.03 101	0.25 9 97	0.20 9 104	0.14 19 103	3.23 32 96	-4.25 19 114	0				
175 24 0111 106716038	1298 21 0235 175 20 0105	3.05			102	107	-0.46 15 95	0.09 14 103	-0.14 98	-0.15 8 95	0.40 8 105	-0.13 13 102	2.41 29 97	-2.73 16 109	0				

Ewes

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices		EBV - Weights				EBV - Fertility							
Animal Comp no.				% In- breeding	Logix Merit Index	Repro- duction Index	Wean Weight		Comb	Post-Wean	Number Weaned	TWW		AFL		ILP		Times EPI Lambed
							Dir	Mat				EBV	EBV	EBV	EBV	EBV	EBV	EBV
							Acc	Index	Acc	Index	Index	Index	Index	Index	Index	Index	Index	Index
Active Breed Average:					100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15				
175 24 0112 113070429	1298 21 0235 1298 20 0487	2.68			110	111	0.49 27 105	0.13 24 104	0.38 107	1.38 17 105	0.80 12 107	1.10 22 109	2.43 35 97	-5.97 24 118	0			
175 24 0115 106716079	1298 21 0235 175 23 0105	4.78			100	103	-0.20 20 98	0.11 17 104	0.01 101	0.16 10 97	-0.50 9 101	-0.39 16 100	3.14 25 96	-1.33 16 106	1			
175 24 0801 106899792	116 22 0207 175 20 0111	1.84			104	111	-0.73 13 92	0.18 10 105	-0.18 97	-0.67 6 91	1.40 5 110	0.30 9 104	1.54 28 98	-2.37 12 108	0			
175 24 0802 106899800	116 22 0207 175 20 0111	1.84			104	111	-0.73 13 92	0.18 10 105	-0.18 97	-0.67 6 91	1.40 5 110	0.30 9 104	1.54 28 98	-2.37 12 108	0			
175 25 0002 107420333	175 22 0007 175 23 0003	3.92			100	105	-0.65 15 92	0.05 15 102	-0.28 96	-0.51 7 92	0.30 5 105	-0.42 12 100	-1.72 28 102	-0.16 15 102	0			
175 25 0003 107420341	175 22 0007 175 23 0001	24.55			102	108	-0.72 5 92	0.05 5 102	-0.30 95	-0.56 5 92	1.10 5 109		0.56 21 99	-1.49 10 106	0			
175 25 0004 107420358	175 22 0007 175 21 0106	5.60			101	106	-0.56 15 93	0.03 15 102	-0.25 96	-0.36 7 93	0.40 5 105	-0.29 12 101	-1.95 31 102	-0.59 16 104	0			
175 25 0006 107420374	175 22 0007 175 20 0004	4.66			101	107	-0.87 5 90	0.09 5 103	-0.34 94	-0.83 5 90	1.20 5 109		0.82 27 99	-0.17 12 102	0			
175 25 0008 107420390	175 22 0007 175 23 0032	4.17			102	106	-0.42 13 95	0.02 10 101	-0.19 97	-0.24 5 94	0.70 5 107	0.02 10 103	-1.23 24 101	-0.64 12 104	0			
175 25 0014 111489498	1509 22 0030 175 23 0029	2.88			103	106	-0.38 13 96	-0.01 10 101	-0.20 97	-0.21 5 94	0.70 5 107	0.03 10 103	-2.83 27 103	0.01 11 102	0			
175 25 0055 111489522	1509 22 0030 175 20 0025	2.63			103	107	-0.56 6 93	0.00 6 101	-0.29 95	-0.33 5 94	1.00 5 108	0.03 5 103	-1.44 27 102	-0.98 11 105	0			
175 25 0058 111489563	1509 22 0030 175 19 0222	2.63			103	107	-0.56 6 93	0.00 6 101	-0.29 95	-0.33 5 94	1.00 5 108	0.03 5 103	-1.65 27 102	-0.59 11 104	0			
175 25 0066 111489621	1509 22 0030 175 23 0014	2.54			102	107	-0.67 5 92	0.03 5 102	-0.31 95	-0.52 5 92	1.20 5 109		-1.35 24 102	-0.46 9 103	0			
175 25 0111 112860168	1298 21 0235 1298 22 0104	5.96			94	97	-0.18 24 98	0.11 22 104	0.02 101	0.55 14 99	-2.30 14 93	-1.45 21 94	6.74 28 91	-1.47 20 106	0			
175 25 0112 112860150	1298 21 0235 1351 23 0157	2.81			101	106	-0.52 17 94	0.11 16 104	-0.15 98	-0.23 8 94	0.70 8 107	0.00 15 103	7.57 29 90	-3.44 15 111	0			

Ewes

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices		EBV - Weights				EBV - Fertility										
Animal Comp no.				% In- breeding	Logix Merit Index	Repro- duction Index	Dir		Wean Weight		Comb	Post-Wean		Number Weaned	TWW		AFL		ILP	EPI	Times Lambded
							EBV	EBV	EBV	EBV		EBV	EBV		EBV	EBV	EBV	EBV			
							Acc	Index	Acc	Index	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index
Active Breed Average:					100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15							
175 25 0119 112860176	1298 21 0235 175 24 0115		28.30	101	104	-0.22 18 97	0.12 16 104	0.01 101	0.18 9 97	-0.30 9 102	-0.28 15 101	3.43 24 95	-2.26 15 108	0							
175 25 0126 112860200	1298 21 0235 175 23 0110		3.61	103	106	-0.27 18 97	0.07 15 103	-0.07 99	0.01 8 96	0.40 8 105	0.04 15 103	2.09 26 97	-2.39 15 109	0							
175 25 0128 112860226	1298 21 0235 175 20 0104		3.05	102	108	-0.46 15 95	0.09 14 103	-0.14 98	-0.15 8 95	0.40 8 105	-0.13 13 102	2.90 26 96	-3.86 16 113	0							
175 25 0133 112861075	1298 21 0235 1298 20 0472		2.85	108	108	0.66 28 107	0.19 25 106	0.52 109	1.30 17 104	0.20 11 104	0.97 23 108	2.36 34 97	-2.83 24 110	0							
175 25 0135 113070452	1298 21 0235 1298 20 0487		2.68	110	111	0.49 27 105	0.13 24 104	0.38 107	1.38 17 105	0.80 12 107	1.10 22 109	2.43 35 97	-5.97 24 118	0							
	Ewe flock average: Total ewes in flock: 125				102	106	-0.44	0.06	-0.17	-0.17	0.45	-0.12	1.01	-1.86							

Sires Used in Flock

*Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents & Progeny						Selection Indices		EBV - Weights				EBV - Fertility				
Animal ID Computer nr	% In-breeding	Sire ID Dam ID	1st Generation		2nd Generation		Logix Merit Index	Reprod Index	Weaning Weight		Post-Wean		Number Weaned	TWW	AFL	ILP	Dam	
			Progeny y	Number Herds	Progeny Weaned	Number Herds			Dir EBV Acc Index	Mat EBV Acc Index	Comb EBV Index	Post-Wean EBV Acc Index						
		Active Breed Average:						100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15	
1	175 12 0015 70464003	1.93	356 M 0001 175 06 1407					96	105	-1.37 17 84	0.18 12 105	-0.50 92	-1.71 15 84	1.10 5 109	-0.53 12 100	4.20 39 94	0.87 18 100	1
2	175 12 0069 70463856	2.26	1385 08 0073 175 07 1531					105	113	-0.67 5 92	0.08 5 103	-0.26 96	-0.49 5 92	1.60 5 111		0.70 53 99	-4.95 24 116	2
3	1298 13 0383 77994366	3.73	1168 11 0021 1298 12 0422					99	102	-0.32 22 96	-0.10 20 98	-0.26 96	0.15 11 97	-0.30 11 102	-0.60 19 99	0.85 59 99	-1.43 30 106	2
4	762 16 0351 79104378	6.90	762 12 0564 762 14 0576	16	1	12	1	111	113	0.25 82 102	0.59 73 116	0.71 113	1.12 44 103	1.20 45 109	1.55 70 112	0.61 80 99	0.20 58 101	92 2
5	IMPA 16 460 82909680	3.32	15 9 61 6DJL 12 0 01 8DL	28	1	5	2	128	115	2.82 89 131	0.19 76 106	1.60 128	4.89 59 128	1.90 32 112	4.16 71 127	1.57 93 98	-5.04 76 116	1
6	762 17 0294 80905250	3.86	762 15 0272 762 14 0576					95	101	-0.47 56 95	0.46 55 112	0.23 104	-0.20 44 94	-1.90 42 94	-1.15 52 96	3.72 66 95	1.67 45 97	92 2
7	175 17 0763 81808743	26.19	175 12 0030 175 16 0203					102	109	-0.85 5 90	0.11 5 103	-0.32 95	-0.80 5 90	1.50 5 111		0.97 39 99	-1.16 19 105	4
8	762 18 0096 82066739	18.68	762 16 0414 762 16 0281					84	80	0.53 67 106	-0.09 58 99	0.18 103	1.77 39 107	-5.90 43 76	-3.10 58 85	12.20 57 84	1.10 45 99	102 8
9	1610 18 0117 82719907	2.89	1590 15 0038 1610 15 0311	44	1	1	1	108	104	1.00 83 111	-0.18 46 96	0.32 106	1.09 17 103	0.10 17 104	0.87 54 108	0.41 79 99	-3.90 44 113	1
10	1590 18 0118 86287778	5.28	762 15 0008 1590 15 0032			2	1	96	108	-0.60 51 93	0.44 49 112	0.14 103	-0.75 25 91	-2.20 30 93	-1.48 45 94	4.48 62 94	-6.88 40 121	1
11	1658 19 0025 90038324	2.90														13.31 75 83	-8.33 39 125	
12	1658 19 0175 89849533	2.61	770 18 0271 770 16 0288					99	101	-1.13 25 87	-0.20 13 96	-0.77 87	-1.02 5 89	1.70 5 111	-0.32 15 101	-7.81 68 110	6.69 35 83	1
13	106 19 0282 91053264	8.41	762 15 0121 106 16 0063			10	1	97	101	-0.14 58 98	-0.05 61 100	-0.12 98	0.17 28 97	-2.30 15 93	-1.57 49 93	-7.74 81 110	-0.75 47 104	4

Sires Used in Flock

*Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents & Progeny				Selection Indices		EBV - Weights				EBV - Fertility						
Animal ID Computer nr	% In-breeding	Sire ID Dam ID	1st Generation		2nd Generation		Logix Merit Index	Reprod Index	Weaning Weight		Post-Wean		Number Weaned	TWW	AFL	ILP	Dam	
			Progeny Number	Progeny Number	Dir	Mat			Comb		EBV	EBV						EBV
			y	Herds	Weaned	Herds			Acc Index	Acc Index	EBV Index	Acc Index	Acc Index	Acc Index	Acc Index	Acc Index	Lambeds	
		Active Breed Average:					100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15		
14	1298 19 0308 91950683	2.10	16 4 60 DL 1298 11 0201					110	102	1.04 49 111	0.04 41 102	0.56 110	2.39 30 111	0.60 17 106	1.43 39 111	1.08 58 98	2.14 42 96	2
15	1264 20 0001 96414214	14.78	1658 18 0027 1658 17 0078					101	105	-1.07 18 88	-0.28 14 94	-0.82 86	-0.92 5 90	1.60 5 111	-0.39 13 100	-9.38 64 112	2.23 36 96	1
16	1509 20 0051 96162763	2.92	430 18 0081 1509 17 0032	6	1			104	108	-0.10 48 99	0.01 21 101	-0.04 100	-0.02 9 96	0.40 9 105	0.15 29 103	2.85 57 96	-5.63 20 117	4
17	762 20 0057 86884616	2.95	762 18 0307 762 09 0268					84	93	-1.22 63 86	0.39 49 111	-0.22 97	-1.18 40 88	-2.90 24 90	-2.57 49 88	11.70 55 85	2.64 33 95	97 12
18	106 20 0102 95889341	11.97	106 18 0044 106 18 0191			4	1	85	81	-0.41 52 95	-1.04 45 75	-1.24 79	0.38 14 98	-2.30 10 93	-2.82 40 86	2.24 61 97	0.98 31 99	5
19	1509 20 0133 96041793	2.70	1509 19 0144 1658 19 0082					102	105	-0.50 10 94	0.04 8 102	-0.21 97	-0.40 5 93	1.00 5 108	0.14 8 103	-2.28 41 103	1.51 17 98	1
20	882 20 0155 97141931	2.87	- - - 882 17 0023					103	107	-0.67 5 92	0.08 5 103	-0.26 96	-0.49 5 92	1.60 5 111		0.57 62 99	0.98 23 99	5
21	175 20 0964 95815007	38.52	175 17 0763 175 16 0203					101	108	-0.94 5 89	0.12 5 104	-0.35 94	-0.95 5 89	1.40 5 110		1.54 36 98	-1.00 14 105	4
22	1298 21 0235 93283695	3.63	1590 18 0118 1298 17 0143					101	106	-0.25 30 97	0.13 28 104	0.01 101	0.19 15 97	-0.20 16 102	-0.23 26 101	3.71 41 95	-3.20 25 111	3
23	1384 21 0280 96077060	2.65	1610 18 0117 1384 19 0106					106	106	0.17 42 102	-0.05 23 100	0.04 101	0.30 8 98	0.90 8 108	0.66 27 106	-0.23 49 100	-1.80 24 107	2
24	175 22 0001 95815023	2.89	175 20 0964 175 20 0272					100	106	-0.80 6 91	0.07 5 103	-0.34 95	-0.71 5 91	1.00 5 108	-0.14 5 102	0.40 28 99	0.37 12 101	3
25	175 22 0007 95835070	9.39	175 20 0964 175 20 0072					102	106	-0.72 6 92	0.05 5 102	-0.30 95	-0.56 5 92	1.10 5 109	0.00 5 103	-0.79 30 101	0.43 13 101	3
26	1351 22 0015 97614010	2.88	1351 20 0066 1351 15 0077			3	1	99	103	-0.67 22 92	0.08 28 103	-0.25 96	-0.49 5 92	1.60 5 111	0.38 19 105	14.83 45 81	-2.07 20 108	2

Sires Used in Flock

*Inbreeding in red is high

EBV - Estimated Breeding Value

Indices ≥ 124
Above breed average
Indices ≤ 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents & Progeny				Selection Indices		EBV - Weights				EBV - Fertility					
Animal ID Computer nr	% In-breeding	Sire ID Dam ID	1st Generation		2nd Generation		Logix Merit Index	Reprod Index	Weaning Weight		Post-Wean	Number Weaned	TWW	AFL	ILP	Dam	
			Progeny Number	Herds	Progeny Number	Herds			Dir EBV Acc index	Mat EBV Acc Index							Comb EBV Index
		Active Breed Average:				100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15		
27	1509 22 0030 97609929	2.70	1509 20 0133 1509 21 0105				103	107	-0.63 6 93	0.01 5 101	-0.31 95	-0.49 5 92	1.30 5 110	0.16 5 103	-3.87 39 105	1.24 12 99	1
28	116 22 0207 96412598	2.37	116 21 0065 116 17 0015				106	114	-0.69 25 92	0.30 18 108	-0.05 100	-0.71 10 91	1.70 5 111	0.63 17 106	2.07 46 97	-3.98 21 113	6
29	116 22 0226 96417720	4.74	116 21 0023 116 20 0072				101	110	-1.08 39 88	0.14 22 104	-0.40 93	-1.05 5 89	1.50 5 111	-0.04 24 102	7.36 41 90	-4.54 17 114	2
30	959 23 0018 99135386	12.83	959 20 0164 959 21 0083	35	1		82	111	-3.69 80 64	0.76 43 120	-1.08 82	-4.31 31 67	-3.00 13 89	-4.72 50 75	-3.15 50 104	-3.77 22 112	5
		Sire Flock Average: Number of sires used in the flock: 30				100	105	-0.45	0.08	-0.15	-0.16	0.13	-0.30	1.87	-1.18		

Ram Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents & Progeny			Selection Indices		EBV - Weights				EBV - Fertility							
Animal ID Computer nr	% In-breeding	Sire ID Dam ID	1st Generation	2nd Generation	Logix Merit Index	Repro- duction Index	Weaning Weight		Post-Wean		Number Weaned	TWW		AFL	ILP		Dam	
			Progeny Number	Progeny Number			Dir	Mat	Comb									
			Weaned Herds	Weaned Herds														
Active Breed Average:					100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15				
1	175 23 0118 107304487	2.85	298 21 0235 298 20 0472		108	108	0.66 28 107	0.19 25 106	0.52 109	1.30 17 104	0.20 11 104	0.97 23 108	2.36 34 97	-2.83 24 110	4			
2	175 23 0120 107304503	3.18	298 21 0235 298 21 0425		107	106	0.59 29 106	0.05 26 102	0.34 106	1.50 19 106	0.10 13 104	0.70 24 107	2.60 33 97	-3.18 25 111	1			
3	175 23 0119 107304495	3.18	298 21 0235 298 21 0425		107	106	0.59 29 106	0.05 26 102	0.34 106	1.50 19 106	0.10 13 104	0.70 24 107	2.60 33 97	-3.18 25 111	1			
4	175 24 0008 106726078	1.82	116 22 0207 175 19 0421		105	112	-0.68 12 92	0.19 9 106	-0.15 98	-0.60 5 92	1.70 5 111	0.53 9 106	0.62 33 99	-2.78 15 110	4			
5	175 24 0032 106726268	1.81	116 22 0207 175 22 0013		104	112	-0.75 12 91	0.20 9 106	-0.18 97	-0.71 5 91	1.60 5 111	0.41 9 105	1.15 31 98	-2.61 12 109	1			
6	175 24 0031 106726250	1.81	116 22 0207 175 22 0013		104	112	-0.75 12 91	0.20 9 106	-0.18 97	-0.71 5 91	1.60 5 111	0.41 9 105	1.15 31 98	-2.61 12 109	1			
7	175 24 0001 106726482	1.91	116 22 0207 175 20 0556		104	111	-0.59 14 93	0.14 10 104	-0.15 98	-0.44 6 93	1.20 5 109	0.27 10 104	1.56 32 98	-3.59 15 112	3			
8	175 24 0018 106726151	1.91	116 22 0207 175 19 0222		104	110	-0.59 14 93	0.14 10 104	-0.15 98	-0.44 6 93	1.20 5 109	0.27 10 104	1.32 29 98	-3.19 14 111	2			
9	882 23 0193 101251957	2.85	882 20 0155 882 20 0017		104	108	-0.67 5 92	0.08 5 103	-0.26 96	-0.49 5 92	1.60 5 111		-0.55 32 101	0.09 12 102	3			
10	1509 25 0054 111489514	2.48	509 22 0030 175 19 0051		104	108	-0.65 5 92	0.04 5 102	-0.28 95	-0.49 5 92	1.50 5 111		-1.84 30 102	-0.13 13 102	4			
11	1509 25 0053 111489506	2.48	509 22 0030 175 19 0051		104	108	-0.65 5 92	0.04 5 102	-0.28 95	-0.49 5 92	1.50 5 111		-1.84 30 102	-0.13 13 102	4			
12	175 24 0110 106716020	4.65	298 21 0235 658 22 0135		103	107	-0.01 26 100	0.03 18 102	0.03 101	0.25 9 97	0.20 9 104	0.14 19 103	3.23 32 96	-4.25 19 114	2			
13	175 24 0041 106726375	1.91	116 22 0207 175 21 0108		103	110	-0.64 14 93	0.15 10 105	-0.17 97	-0.52 6 92	1.10 5 109	0.17 10 104	1.90 29 97	-3.37 15 111	2			
14	175 24 0021 106726185	1.90	116 22 0207 175 20 0012		103	108	-0.59 14 93	0.14 10 104	-0.15 98	-0.44 6 93	1.20 5 109	0.27 10 104	0.39 33 99	-0.73 15 104	2			
15	175 24 0022 106726193	1.90	116 22 0207 175 20 0012		103	108	-0.59 14 93	0.14 10 104	-0.15 98	-0.44 6 93	1.20 5 109	0.27 10 104	0.39 33 99	-0.73 15 104	2			

Ram Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents & Progeny			Selection Indices		EBV - Weights				EBV - Fertility						
Animal ID Computer nr	% In-breeding	Sire ID Dam ID	1st Generation	2nd Generation	Logix Merit Index	Repro- duction Index	Weaning Weight		Post-Wean	Number Weaned	TWW	AFL		ILP		Dam	
			Progeny Number	Progeny Number			Dir	Mat				Comb	EBV Acc Index	EBV Acc Index	EBV Acc Index		EBV Acc Index
			Weaned	Herds					Herds	EBV Acc Index	EBV Acc Index					EBV Acc Index	
Active Breed Average:					100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15			
16	175 25 0059 111489571	2.85	509 22 0030 175 23 0032		103	106	-0.38 13	-0.01 96	-0.19 10	-0.21 101	-0.19 97	-0.21 5	0.80 107	0.10 103	-2.77 27	-0.24 103	2
17	175 25 0060 111489589	2.85	509 22 0030 175 23 0032		103	106	-0.38 13	-0.01 96	-0.19 10	-0.21 101	-0.19 97	-0.21 5	0.80 107	0.10 103	-2.77 27	-0.24 103	2
18	175 24 0027 106726219	2.00	116 22 0207 175 21 0021		103	110	-0.51 19	0.13 94	-0.12 18	-0.35 104	-0.12 98	-0.35 9	0.40 105	-0.13 15	-0.08 102	-4.04 100	2
19	1509 22 0030 97609929	2.70	509 20 0133 509 21 0105		103	107	-0.63 6	0.01 93	-0.31 5	-0.49 101	-0.31 95	-0.49 5	1.30 110	0.16 103	-3.87 39	1.24 105	1
20	175 25 0061 111489597	2.47	509 22 0030 175 22 0015		103	108	-0.72 5	0.05 92	-0.31 5	-0.60 102	-0.31 95	-0.60 5	1.40 110		-1.51 24	-0.01 102	3
21	175 24 0035 106726318	2.00	116 22 0207 175 21 0016		103	109	-0.51 19	0.13 94	-0.12 18	-0.35 104	-0.12 98	-0.35 9	0.40 105	-0.13 15	-0.37 102	-3.62 100	2
22	175 25 0013 111489480	2.88	509 22 0030 175 23 0029		103	106	-0.38 13	-0.01 96	-0.20 10	-0.21 101	-0.20 97	-0.21 5	0.70 107	0.03 103	-2.83 27	0.01 103	1
23	175 25 0062 111489605	2.47	509 22 0030 175 22 0015		103	108	-0.72 5	0.05 92	-0.31 5	-0.60 102	-0.31 95	-0.60 5	1.40 110		-1.51 24	-0.01 102	3
24	175 24 0046 106726425	1.90	116 22 0207 175 19 0593		103	109	-0.68 14	0.16 92	-0.18 11	-0.59 105	-0.18 97	-0.59 6	1.10 109	0.14 103	1.56 34	-2.18 98	5
25	175 24 0047 106726433	1.90	116 22 0207 175 19 0593		103	109	-0.68 14	0.16 92	-0.18 11	-0.59 105	-0.18 97	-0.59 6	1.10 109	0.14 103	1.56 34	-2.18 98	5
26	175 25 0057 111489555	2.63	509 22 0030 175 19 0222		103	107	-0.56 6	0.00 93	-0.29 6	-0.33 101	-0.29 95	-0.33 5	1.00 108	0.03 103	-1.65 27	-0.59 102	2
27	175 25 0065 111489613	2.54	509 22 0030 175 23 0014		102	107	-0.67 5	0.03 92	-0.31 5	-0.52 102	-0.31 95	-0.52 5	1.20 109		-1.35 24	-0.46 102	1
28	175 24 0017 107311714	2.90	116 22 0226 175 19 0106		102	110	-0.88 20	0.11 90	-0.33 11	-0.77 104	-0.33 95	-0.77 5	1.60 111	0.19 12	3.49 20	-2.74 95	1
29	175 24 0011 106726102	1.95	116 22 0207 175 21 0111		102	109	-0.64 19	0.17 93	-0.15 18	-0.59 105	-0.15 98	-0.59 9	0.60 106	-0.11 15	-0.30 35	-2.41 100	2
30	175 25 0012 111489472	3.33	509 22 0030 805 21 0037		102	106	-0.77 7	-0.03 91	-0.41 5	-0.62 100	-0.41 93	-0.62 5	1.50 111		-2.84 30	1.38 103	2

Ram Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents & Progeny			Selection Indices		EBV - Weights				EBV - Fertility				
Animal ID Computer nr	% In-breeding	Sire ID Dam ID	1st Generation Progeny Number Weaned Herds	2nd Generation Progeny Number Weaned Herds	Logix Merit Index	Repro- duction Index	Dir EBV Acc Index	Mat EBV Acc Index	Comb EBV Index	Post-Wean EBV Acc Index	Number Weaned EBV Acc Index	TWW EBV Acc Index	AFL EBV Acc Index	ILP EBV Acc Index	Dam EPI Times Lamb
Active Breed Average:					100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15	
31	175 25 0011 111489464	3.33	509 22 0030 805 21 0037		102	106	-0.77 7 91	-0.03 5 100	-0.41 93	-0.62 5 92	1.50 5 111		-2.84 30 103	1.38 11 98	2
32	175 25 0007 107420382	9.34	175 22 0007 175 19 1052		102	107	-0.61 6 93	0.02 6 101	-0.28 95	-0.37 5 93	0.90 5 108	-0.05 5 102	-0.19 28 100	-1.08 11 105	2
33	175 24 0020 106726177	1.90	116 22 0226 175 19 0810		102	109	-0.79 20 91	0.06 12 102	-0.33 95	-0.61 5 92	1.10 5 109	-0.07 13 102	4.82 28 94	-5.01 12 116	1
34	175 24 0012 106726441	1.86	116 22 0226 175 22 0015		102	109	-0.94 20 89	0.12 11 104	-0.35 94	-0.89 5 90	1.50 5 111	0.08 12 103	4.11 25 95	-2.89 11 110	3
35	175 24 0013 106726458	1.86	116 22 0226 175 22 0015		102	109	-0.94 20 89	0.12 11 104	-0.35 94	-0.89 5 90	1.50 5 111	0.08 12 103	4.11 25 95	-2.89 11 110	3
36	175 25 0101 112860135	2.90	298 21 0235 351 21 0066		101	108	-0.59 18 93	0.11 15 104	-0.19 97	-0.31 8 94	0.70 8 107	-0.06 15 102	6.42 33 92	-4.44 16 114	2
37	175 24 0113 106716053	3.01	298 21 0235 175 20 0011		101	106	-0.50 15 94	0.10 14 103	-0.16 98	-0.22 8 94	0.40 8 105	-0.17 13 102	2.44 29 97	-2.28 16 108	3
38	1298 21 0235 93283695	3.63	590 18 0118 298 17 0143		101	106	-0.25 30 97	0.13 28 104	0.01 101	0.19 15 97	-0.20 16 102	-0.23 26 101	3.71 41 95	-3.20 25 111	3
39	175 24 0016 106726110	1.90	116 22 0226 175 19 0377		101	108	-0.79 20 91	0.06 12 102	-0.33 95	-0.61 5 92	1.10 5 109	-0.07 13 102	4.06 32 95	-3.44 13 111	2
40	175 25 0108 112860143	3.01	298 21 0235 175 20 0011		101	106	-0.50 15 94	0.10 14 103	-0.16 98	-0.22 8 94	0.40 8 105	-0.17 13 102	2.44 29 97	-2.28 16 108	3
41	175 24 0058 106725781	17.90	175 22 0001 175 20 0034		101	107	-0.74 5 91	0.06 5 102	-0.31 95	-0.60 5 92	1.00 5 108		0.55 21 99	-0.75 9 104	1
42	175 24 0059 106725799	17.90	175 22 0001 175 20 0034		101	107	-0.74 5 91	0.06 5 102	-0.31 95	-0.60 5 92	1.00 5 108		0.55 21 99	-0.75 9 104	1
43	175 24 0010 106726094	1.88	116 22 0226 175 22 0008		101	108	-0.90 20 90	0.10 11 103	-0.35 94	-0.81 5 90	1.30 5 110	-0.02 12 102	3.26 29 96	-2.05 11 108	1
44	175 22 0005 95815072	5.95	175 20 0964 175 20 0004		101	108	-0.98 5 89	0.13 5 104	-0.37 94	-1.02 5 89	1.40 5 110		1.98 29 97	-0.88 13 104	5
45	175 25 0005 107420366	4.66	175 22 0007 175 20 0004		101	107	-0.87 5 90	0.09 5 103	-0.34 94	-0.83 5 90	1.20 5 109		0.82 27 99	-0.17 12 102	5

Ram Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information			Parents & Progeny			Selection Indices		EBV - Weights				EBV - Fertility				
Animal ID Computer nr	% In-breeding	Sire ID Dam ID	1st Generation	2nd Generation	Logix Merit Index	Repro- duction Index	Weaning Weight		Comb	Post-Wean	Number Weaned	TWW	AFL	ILP	Dam	
			Progeny Number Weaned	Progeny Number Weaned			Dir	Mat								EBV
			Herds	Herds			EBV Acc Index	EBV Acc Index	EBV Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EPI	Times Lamb		
Active Breed Average:			100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15				
46	175 25 0121 112860192	2.81	298 21 0235 351 23 0156		101	106	-0.52 17 94	0.11 16 104	-0.15 98	-0.23 8 94	0.70 8 107	0.00 15 103	8.13 29 89	-3.63 15 112	1	
47	175 22 0010 95815098	11.70	175 20 0964 175 20 0007		101	108	-0.98 5 89	0.13 5 104	-0.37 94	-1.02 5 89	1.40 5 110		1.62 28 98	-0.21 12 103	4	
48	175 24 0072 107311797	1.92	116 22 0226 175 21 0102		101	108	-0.75 24 91	0.08 19 103	-0.30 95	-0.61 8 92	0.60 5 106	-0.31 17 101	1.57 34 98	-2.88 17 110	2	
49	175 22 0014 98982747	2.00	106 19 0282 175 19 0051		101	105	-0.41 29 95	0.01 30 101	-0.19 97	-0.16 14 95	-0.30 7 102	-0.57 24 99	-3.78 47 105	-1.13 26 105	4	
50	175 25 0127 112860218	4.25	298 21 0235 298 20 0541		101	103	-0.11 22 99	0.19 21 106	0.13 103	0.35 14 98	-0.60 13 101	-0.28 20 101	2.26 32 97	-0.22 19 103	3	
51	175 25 0009 111489456	13.92	175 22 0007 175 20 0077		101	105	-0.69 7 92	0.04 6 102	-0.31 95	-0.52 5 92	0.80 5 107	-0.18 6 102	0.46 28 99	-0.22 14 103	3	
52	175 24 0104 106715972	4.25	298 21 0235 298 20 0541		101	103	-0.11 22 99	0.19 21 106	0.13 103	0.35 14 98	-0.60 13 101	-0.28 20 101	2.26 32 97	-0.22 19 103	3	
53	175 24 0116 106716087	5.85	298 21 0235 298 19 0107		101	106	-0.50 28 94	0.21 25 106	-0.04 100	-0.01 14 96	-0.10 15 103	-0.34 24 101	1.25 34 98	-0.74 22 104	5	
54	175 22 0001 95815023	2.89	175 20 0964 175 20 0272		100	106	-0.80 6 91	0.07 5 103	-0.34 95	-0.71 5 91	1.00 5 108	-0.14 5 102	0.40 28 99	0.37 12 101	3	
55	175 22 0002 95815031	2.89	175 20 0964 175 20 0272		100	106	-0.80 6 91	0.07 5 103	-0.34 95	-0.71 5 91	1.00 5 108	-0.14 5 102	0.40 28 99	0.37 12 101	3	
56	175 22 0003 95815049	2.89	175 20 0964 175 20 0272		100	106	-0.80 6 91	0.07 5 103	-0.34 95	-0.71 5 91	1.00 5 108	-0.14 5 102	0.40 28 99	0.37 12 101	3	
57	175 24 0025 107311730	1.87	116 22 0226 175 20 0004		100	109	-1.05 20 88	0.14 12 104	-0.39 94	-1.08 5 89	1.40 5 110	-0.08 13 102	4.89 30 94	-2.65 13 109	5	
58	175 24 0024 107311722	1.87	116 22 0226 175 20 0004		100	109	-1.05 20 88	0.14 12 104	-0.39 94	-1.08 5 89	1.40 5 110	-0.08 13 102	4.89 30 94	-2.65 13 109	5	
59	175 24 0060 106725807	10.96	175 22 0001 175 20 0068		100	105	-0.74 7 91	0.04 6 102	-0.33 95	-0.59 5 92	0.80 5 107	-0.22 6 101	0.71 21 99	-0.19 10 102	1	
60	175 24 0044 106726409	1.94	116 22 0226 175 22 0011		100	107	-0.70 25 92	0.05 19 102	-0.30 95	-0.53 8 92	0.40 5 105	-0.41 18 100	2.01 31 97	-3.26 15 111	2	

Ram Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents & Progeny			Selection Indices		EBV - Weights				EBV - Fertility					
Animal ID Computer nr	% In-breeding	Sire ID Dam ID	1st Generation	2nd Generation	Logix Merit Index	Repro- duction Index	Weaning Weight		Post-Wean	Number Weaned	TWW	AFL	ILP	Dam		
			Progeny Number	Progeny Number			Dir	Mat							Comb	
			Weaned Herds	Weaned Herds			EBV Acc Index	EBV Acc Index	EBV Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EPI	Times Lamb		
			Active Breed Average:		100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15		
61	175 24 0015 106726474	1.90	116 22 0226 175 19 0888		100	107	-0.88 21	0.08 12	-0.36 94	-0.76 5	1.00 5	-0.20 13	4.46 28	-2.85 12	1	
62	175 25 0001 107420325	3.92	175 22 0007 175 23 0003		100	105	-0.65 15	0.05 15	-0.28 96	-0.51 7	0.30 5	-0.42 12	-1.72 28	-0.16 15	2	
63	175 24 0029 106726235	1.90	116 22 0226 175 20 0077		100	107	-0.88 21	0.08 12	-0.36 94	-0.76 5	1.00 5	-0.20 13	4.54 31	-2.71 14	3	
64	175 24 0048 107311755	1.94	116 22 0226 175 21 0100		100	106	-0.70 25	0.05 19	-0.30 95	-0.53 8	0.40 5	-0.41 18	0.96 31	-1.99 16	1	
65	175 25 0123 112863618	3.82	298 21 0235 298 21 0352		100	98	0.20 22	0.01 20	0.12 102	0.90 12	-0.80 10	-0.26 18	1.33 28	2.63 20	2	
66	175 24 0038 106726342	1.92	116 22 0226 175 21 0202		100	107	-0.83 25	0.09 19	-0.33 95	-0.76 8	0.50 5	-0.44 18	2.18 34	-2.36 17	2	
67	175 24 0114 106716061	4.88	298 21 0235 106 22 0955		96	98	-0.36 21	-0.16 19	-0.34 94	0.14 9	-1.20 9	-1.24 17	0.64 29	-0.25 17	2	
68	175 25 0120 112860184	4.88	298 21 0235 106 22 0955		96	98	-0.36 21	-0.16 19	-0.34 94	0.14 9	-1.20 9	-1.24 17	0.64 29	-0.25 17	2	
69	959 24 0051 100979897	9.51	959 23 0018 959 19 0167		89	107	-2.01 58	0.38 36	-0.63 90	-2.43 17	-2.00 11	-2.83 39	-2.83 32	-2.64 19	111 5	

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents	Selection Indices		EBV - Weights				EBV - Fertility						
Animal ID Computer nr	% In-breeding	Sire ID Dam ID	Logix Merit Index	Repro- duction Index	Weaning Weight		Post-Wean		Number Weaned	TWW	AFL	ILP	EPI	Times Lambd	
					Dir EBV Acc	Mat EBV Index	Comb EBV Index	Acc							EBV Index
Active Breed Average:			100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15			
1	1298 20 0487 91659912	2.12	16 4 60 DL 1398 17 0112	120	117	1.23 46	0.13 39	0.74 113	2.56 30	1.80 17	2.44 37	1.14 58	-8.73 42	126	4
2	1298 20 0472 91652271	2.12	16 4 60 DL 1398 15 0153	116	110	1.56 48	0.25 41	1.03 118	2.41 30	0.60 16	2.17 38	1.02 55	-2.46 41	109	4
3	1298 21 0425 93000735	1.95	16 4 60 DL 1298 15 0281	113	106	1.42 50	-0.03 44	0.68 112	2.81 34	0.50 20	1.69 41	1.50 52	-3.17 42	111	1
4	175 23 0107 113068449	2.69	1384 21 0280 1298 20 0487	113	112	0.70 31	0.04 23	0.39 107	1.43 15	1.30 9	1.52 23	0.46 38	-5.27 24	116	0
5	175 23 0106 113070403	2.69	1384 21 0280 1298 20 0487	113	112	0.70 31	0.04 23	0.39 107	1.43 15	1.30 9	1.52 23	0.46 38	-5.27 24	116	0
6	175 24 0112 113070429	2.68	1298 21 0235 1298 20 0487	110	111	0.49 27	0.13 24	0.38 107	1.38 17	0.80 12	1.10 22	2.43 35	-5.97 24	118	0
7	175 25 0135 113070452	2.68	1298 21 0235 1298 20 0487	110	111	0.49 27	0.13 24	0.38 107	1.38 17	0.80 12	1.10 22	2.43 35	-5.97 24	118	0
8	175 25 0133 112861075	2.85	1298 21 0235 1298 20 0472	108	108	0.66 28	0.19 25	0.52 109	1.30 17	0.20 11	0.97 23	2.36 34	-2.83 24	110	0
9	1658 22 0135 99935033	3.95	1610 18 0117 1658 21 0013	106	108	0.22 42	-0.07 24	0.04 101	0.31 9	0.60 9	0.51 27	2.75 50	-5.31 29	117	2
10	175 24 0009 106726086	1.82	116 22 0207 175 19 0421	105	112	-0.68 12	0.19 9	-0.15 98	-0.60 5	1.70 5	0.53 9	0.62 33	-2.78 15	110	0
11	175 19 0421 96328521	8.10	175 12 0069 175 16 0045	104	110	-0.67 5	0.08 5	-0.26 96	-0.49 5	1.60 5		-0.84 48	-1.58 22	106	4
12	175 24 0033 106726292	1.81	116 22 0207 175 22 0013	104	112	-0.75 12	0.20 9	-0.18 97	-0.71 5	1.60 5	0.41 9	1.15 31	-2.61 12	109	0
13	175 19 0051 96328638	1.98	175 12 0069 175 16 0099	104	109	-0.67 5	0.08 5	-0.26 96	-0.49 5	1.60 5		0.19 46	-1.50 22	106	4
14	175 24 0019 106726169	1.91	116 22 0207 175 19 0222	104	110	-0.59 14	0.14 10	-0.15 98	-0.44 6	1.20 5	0.27 10	1.32 29	-3.19 14	111	0
15	1633 23 0616 97353130	2.79	1509 20 0051 1633 21 0289	104	109	-0.38 24	0.04 10	-0.15 98	-0.25 5	1.00 5	0.26 14	1.24 28	-3.29 10	111	0

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents	Selection Indices		EBV - Weights				EBV - Fertility					
Animal ID Computer nr	% In-breeding	Sire ID Dam ID	Logix Merit Index	Repro- duction Index	Weaning Weight		Post-Wean		Number Weaned	TWW	AFL	ILP	EPI	Times Lambled
					Dir EBV Acc	Mat EBV Index	Comb EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	Phenotype
Active Breed Average:			100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15		
16	175 23 0110 107304586	2.73	1384 21 0280 175 20 0011	104	107	-0.30 21 96	0.01 12 101	-0.14 98	-0.17 5 95	1.00 5 108	0.31 14 104	0.48 32 99	-1.59 16 106	1
17	175 24 0801 106899792	1.84	116 22 0207 175 20 0111	104	111	-0.73 13 92	0.18 10 105	-0.18 97	-0.67 6 91	1.40 5 110	0.30 9 104	1.54 28 98	-2.37 12 108	0
18	175 24 0802 106899800	1.84	116 22 0207 175 20 0111	104	111	-0.73 13 92	0.18 10 105	-0.18 97	-0.67 6 91	1.40 5 110	0.30 9 104	1.54 28 98	-2.37 12 108	0
19	175 24 0109 106716012	4.65	1298 21 0235 1658 22 0135	103	107	-0.01 26 100	0.03 18 102	0.03 101	0.25 9 97	0.20 9 104	0.14 19 103	3.23 32 96	-4.25 19 114	0
20	175 23 0032 106713126	3.33	1384 21 0280 175 21 0106	103	106	-0.12 25 98	-0.02 19 100	-0.08 99	0.07 8 96	0.30 6 105	0.05 18 103	-1.67 36 102	-1.70 19 107	2
21	175 24 0042 106726383	1.91	116 22 0207 175 21 0108	103	110	-0.64 14 93	0.15 10 105	-0.17 97	-0.52 6 92	1.10 5 109	0.17 10 104	1.90 29 97	-3.37 15 111	0
22	175 24 0043 106726391	1.91	116 22 0207 175 21 0108	103	110	-0.64 14 93	0.15 10 105	-0.17 97	-0.52 6 92	1.10 5 109	0.17 10 104	1.90 29 97	-3.37 15 111	0
23	175 24 0023 106726201	1.90	116 22 0207 175 20 0012	103	108	-0.59 14 93	0.14 10 104	-0.15 98	-0.44 6 93	1.20 5 109	0.27 10 104	0.39 33 99	-0.73 15 104	0
24	175 24 0053 106725583	1.95	116 22 0207 175 21 0106	103	110	-0.55 19 94	0.16 18 105	-0.12 98	-0.43 9 93	0.70 5 107	0.03 15 103	-0.52 35 100	-2.79 18 110	0
25	175 20 0044 97185839	1.91	1298 13 0383 175 16 0199	103	110	-0.50 11 94	-0.01 10 101	-0.26 96	-0.17 6 95	0.70 6 107	-0.09 9 102	3.22 48 96	-7.01 23 121	4
26	1658 22 0400 97559363	2.66	1610 18 0117 1658 20 0061	103	103	-0.09 42 99	-0.27 25 94	-0.31 95	0.05 9 96	0.90 9 108	0.19 28 104	-0.28 51 100	-1.74 29 107	2
27	175 20 0104 106582950	4.00	175 17 0763 175 19 0210	103	110	-0.67 6 92	0.05 5 102	-0.29 95	-0.48 5 93	1.10 5 109	0.03 5 103	2.09 31 97	-4.53 19 114	3
28	175 19 0536 97185490	1.91	1298 13 0383 175 16 0198	103	109	-0.50 11 94	-0.01 10 101	-0.26 96	-0.17 6 95	0.70 6 107	-0.09 9 102	2.27 48 97	-5.80 24 118	4
29	175 19 0810 106583644	1.91	1298 13 0383 175 16 0199	103	109	-0.50 11 94	-0.01 10 101	-0.26 96	-0.17 6 95	0.70 6 107	-0.09 9 102	2.28 38 97	-5.49 18 117	1
30	175 24 0003 106726508	1.81	116 22 0207 175 20 0007	103	110	-0.86 13 90	0.22 10 106	-0.21 97	-0.90 6 90	1.50 5 111	0.26 9 104	1.89 32 97	-1.70 15 107	0

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents	Selection Indices		EBV - Weights				EBV - Fertility				
Animal ID Computer nr	% In-breeding	Sire ID Dam ID	Logix Merit Index	Repro- duction Index	Dir EBV Acc	Weaning Weight Mat EBV Index	Comb EBV Index	Post-Wean EBV Acc	Number Weaned EBV Acc	TWW EBV Acc	AFL EBV Acc	ILP EBV Acc	EPI Phenotype
Active Breed Average:			100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15	
31 175 22 0013 98982721	9.51	175 20 0964 175 19 0421	103	109	-0.80 5 91	0.10 5 103	-0.30 95	-0.72 5 91	1.50 5 111		0.22 41 100	-1.25 13 105	1
32 175 24 0004 106726516	1.81	116 22 0207 175 20 0007	103	110	-0.86 13 90	0.22 10 106	-0.21 97	-0.90 6 90	1.50 5 111	0.26 9 104	1.89 32 97	-1.70 15 107	0
33 175 24 0028 106726227	2.00	116 22 0207 175 21 0021	103	110	-0.51 19 94	0.13 18 104	-0.12 98	-0.35 9 93	0.40 5 105	-0.13 15 102	-0.08 34 100	-4.04 18 113	0
34 175 24 0036 106726326	2.00	116 22 0207 175 21 0016	103	109	-0.51 19 94	0.13 18 104	-0.12 98	-0.35 9 93	0.40 5 105	-0.13 15 102	-0.37 36 100	-3.62 18 112	0
35 175 25 0014 111489498	2.88	1509 22 0030 175 23 0029	103	106	-0.38 13 96	-0.01 10 101	-0.20 97	-0.21 5 94	0.70 5 107	0.03 10 103	-2.83 27 103	0.01 11 102	0
36 175 24 0037 106726334	2.00	116 22 0207 175 21 0016	103	109	-0.51 19 94	0.13 18 104	-0.12 98	-0.35 9 93	0.40 5 105	-0.13 15 102	-0.37 36 100	-3.62 18 112	0
37 175 25 0055 111489522	2.63	1509 22 0030 175 20 0025	103	107	-0.56 6 93	0.00 6 101	-0.29 95	-0.33 5 94	1.00 5 108	0.03 5 103	-1.44 27 102	-0.98 11 105	0
38 175 22 0015 101772820	9.49	175 20 0964 175 19 0051	103	109	-0.80 5 91	0.10 5 103	-0.30 95	-0.72 5 91	1.50 5 111		0.86 29 99	-1.25 13 105	3
39 175 25 0126 112860200	3.61	1298 21 0235 175 23 0110	103	106	-0.27 18 97	0.07 15 103	-0.07 99	0.01 8 96	0.40 8 105	0.04 15 103	2.09 26 97	-2.39 15 109	0
40 175 25 0058 111489563	2.63	1509 22 0030 175 19 0222	103	107	-0.56 6 93	0.00 6 101	-0.29 95	-0.33 5 94	1.00 5 108	0.03 5 103	-1.65 27 102	-0.59 11 104	0
41 175 25 0008 107420390	4.17	175 22 0007 175 23 0032	102	106	-0.42 13 95	0.02 10 101	-0.19 97	-0.24 5 94	0.70 5 107	0.02 10 103	-1.23 24 101	-0.64 12 104	0
42 175 25 0066 111489621	2.54	1509 22 0030 175 23 0014	102	107	-0.67 5 92	0.03 5 102	-0.31 95	-0.52 5 92	1.20 5 109		-1.35 24 102	-0.46 9 103	0
43 175 20 0034 106665581	2.88	175 17 0763 175 19 1052	102	108	-0.67 6 92	0.05 5 102	-0.29 95	-0.48 5 93	1.10 5 109	0.03 5 103	0.69 31 99	-1.87 13 107	1
44 175 24 0102 106715956	4.14	1298 21 0235 1658 22 0400	102	105	-0.17 26 98	-0.07 19 99	-0.15 98	0.12 9 96	0.40 9 105	0.01 19 103	1.72 33 98	-2.47 19 109	0
45 175 24 0101 106715899	4.14	1298 21 0235 1658 22 0400	102	105	-0.17 26 98	-0.07 19 99	-0.15 98	0.12 9 96	0.40 9 105	0.01 19 103	1.72 33 98	-2.47 19 109	0

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents	Selection Indices		EBV - Weights				EBV - Fertility				
Animal ID Computer nr	% In-breeding	Sire ID Dam ID	Logix Merit Index	Repro- duction Index	Dir EBV Acc	Weaning Weight Mat EBV Index	Comb EBV Index	Post-Wean EBV Acc	Number Weaned EBV Acc	TWW EBV Acc	AFL EBV Acc	ILP EBV Acc	EPI Phenotype
Active Breed Average:			100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15	
46 175 20 0105 106582943	4.00	175 17 0763 175 19 0377	102	108	-0.67 6 92	0.05 5 102	-0.29 95	-0.48 5 93	1.10 5 109	0.03 5 103	1.11 42 98	-2.26 20 108	2
47 175 19 1052 107312654	2.04	1298 13 0383 175 17 0728	102	107	-0.50 11 94	-0.01 10 101	-0.26 96	-0.17 6 95	0.70 6 107	-0.09 9 102	0.41 47 99	-2.58 18 109	2
48 175 20 0556 97185870	1.91	1298 13 0383 175 16 0080	102	107	-0.50 11 94	-0.01 10 101	-0.26 96	-0.17 6 95	0.70 6 107	-0.09 9 102	1.04 46 98	-3.19 22 111	3
49 175 20 0025 97185912	1.91	1298 13 0383 175 16 0198	102	107	-0.50 11 94	-0.01 10 101	-0.26 96	-0.17 6 95	0.70 6 107	-0.09 9 102	1.00 38 99	-3.19 18 111	1
50 175 24 0050 107311771	1.99	116 22 0207 175 21 0003	102	108	-0.55 19 94	0.14 18 104	-0.13 98	-0.43 9 93	0.40 5 105	-0.17 15 102	-0.63 36 101	-2.30 18 108	0
51 175 24 0051 107311789	1.99	116 22 0207 175 21 0003	102	108	-0.55 19 94	0.14 18 104	-0.13 98	-0.43 9 93	0.40 5 105	-0.17 15 102	-0.63 36 101	-2.30 18 108	0
52 175 24 0006 106726532	1.99	116 22 0207 175 22 0018	102	108	-0.55 19 94	0.14 18 104	-0.13 98	-0.43 9 93	0.40 5 105	-0.17 15 102	-0.56 35 101	-2.30 16 108	0
53 175 23 0029 106713092	3.60	1384 21 0280 175 21 0003	102	104	-0.12 26 98	-0.03 19 100	-0.09 99	0.08 8 96	0.00 6 103	-0.15 19 102	-1.78 37 102	-1.22 19 105	1
54 175 24 0106 106715998	3.05	1298 21 0235 175 20 0104	102	108	-0.46 15 95	0.09 14 103	-0.14 98	-0.15 8 95	0.40 8 105	-0.13 13 102	2.90 26 96	-3.86 16 113	0
55 175 19 0377 106582935	1.91	1298 13 0383 175 16 0039	102	106	-0.50 11 94	-0.01 10 101	-0.26 96	-0.17 6 95	0.70 6 107	-0.09 9 102	0.76 50 99	-2.35 20 108	2
56 175 24 0105 106715980	3.05	1298 21 0235 175 20 0104	102	108	-0.46 15 95	0.09 14 103	-0.14 98	-0.15 8 95	0.40 8 105	-0.13 13 102	2.90 26 96	-3.86 16 113	0
57 175 25 0128 112860226	3.05	1298 21 0235 175 20 0104	102	108	-0.46 15 95	0.09 14 103	-0.14 98	-0.15 8 95	0.40 8 105	-0.13 13 102	2.90 26 96	-3.86 16 113	0
58 175 23 0014 97191977	2.72	175 20 0964 175 20 0201	102	108	-0.72 6 92	0.05 5 102	-0.30 95	-0.56 5 92	1.10 5 109	0.00 5 103	1.17 29 98	-2.14 13 108	1
59 175 19 0222 101832913	1.91	1298 13 0383 175 16 0080	102	107	-0.50 11 94	-0.01 10 101	-0.26 96	-0.17 6 95	0.70 6 107	-0.09 9 102	0.57 37 99	-2.41 18 109	2
60 175 25 0003 107420341	24.55	175 22 0007 175 23 0001	102	108	-0.72 5 92	0.05 5 102	-0.30 95	-0.56 5 92	1.10 5 109		0.56 21 99	-1.49 10 106	0

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents	Selection Indices		EBV - Weights				EBV - Fertility				
Animal ID Computer nr	% In-breeding	Sire ID Dam ID	Logix Merit Index	Repro- duction Index	Dir EBV Acc	Weaning Weight Mat EBV Index	Comb EBV Index	Post-Wean EBV Acc	Number Weaned EBV Acc	TWW EBV Acc	AFL EBV Acc	ILP EBV Acc	EPI Phenotype
Active Breed Average:			100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15	
61 175 24 0007 106726540	1.90	116 22 0226 175 20 0044	102	110	-0.79 20 91	0.06 12 102	-0.33 95	-0.61 5 92	1.10 5 109	-0.07 13 102	5.29 31 93	-5.78 14 118	0
62 175 24 0111 106716038	3.05	1298 21 0235 175 20 0105	102	107	-0.46 15 95	0.09 14 103	-0.14 98	-0.15 8 95	0.40 8 105	-0.13 13 102	2.41 29 97	-2.73 16 109	0
63 175 19 0186 85357234	1.86	1298 13 0383 175 16 0055	102	105	-0.50 11 94	-0.01 10 101	-0.26 96	-0.17 6 95	0.70 6 107	-0.09 9 102	-0.17 37 100	-0.74 18 104	0
64 175 22 0008 95835088	9.39	175 20 0964 175 20 0072	102	106	-0.72 6 92	0.05 5 102	-0.30 95	-0.56 5 92	1.10 5 109	0.00 5 103	-0.83 41 101	0.44 13 101	1
65 1351 21 0066 94176088	2.90	1658 19 0025 1351 19 0111	101	110	-0.93 19 89	0.08 10 103	-0.39 94	-0.81 5 90	1.60 5 111	0.11 11 103	9.14 51 88	-5.68 20 118	2
66 1805 21 0037 91975714	2.92	1658 19 0175 1805 17 0026	101	106	-0.90 12 90	-0.06 6 99	-0.52 91	-0.75 5 91	1.70 5 111	0.05 7 103	-1.80 46 102	1.52 18 98	2
67 175 25 0004 107420358	5.60	175 22 0007 175 21 0106	101	106	-0.56 15 93	0.03 15 102	-0.25 96	-0.36 7 93	0.40 5 105	-0.29 12 101	-1.95 31 102	-0.59 16 104	0
68 1264 22 0110 98930639	8.77	1264 20 0001 1264 19 0099	101	106	-0.97 14 89	-0.17 10 97	-0.66 89	-0.83 5 90	1.60 5 111	-0.18 9 102	-3.99 46 105	0.35 22 101	1
69 175 21 0108 96331129	1.94	1298 13 0383 175 17 0762	101	106	-0.59 11 93	0.00 10 101	-0.29 95	-0.32 6 94	0.60 6 106	-0.22 9 101	1.72 37 98	-2.76 23 110	2
70 175 20 0011 97185508	20.09	175 17 0763 175 19 0187	101	107	-0.76 6 91	0.06 5 102	-0.32 95	-0.64 5 92	1.00 5 108	-0.10 5 102	1.18 42 98	-1.37 20 106	3
71 175 20 0078 101766574	1.94	1298 13 0383 175 17 0762	101	106	-0.59 11 93	0.00 10 101	-0.29 95	-0.32 6 94	0.60 6 106	-0.22 9 101	0.93 46 99	-2.07 22 108	3
72 175 20 0111 106665664	11.62	175 17 0763 175 19 0593	101	107	-0.76 6 91	0.06 5 102	-0.32 95	-0.64 5 92	1.00 5 108	-0.10 5 102	1.01 32 99	-0.77 14 104	1
73 175 24 0034 106726300	1.91	116 22 0226 175 20 0078	101	108	-0.83 20 90	0.07 12 103	-0.35 94	-0.69 5 91	1.10 5 109	-0.10 13 102	4.14 31 95	-3.30 14 111	0
74 175 25 0112 112860150	2.81	1298 21 0235 1351 23 0157	101	106	-0.52 17 94	0.11 16 104	-0.15 98	-0.23 8 94	0.70 8 107	0.00 15 103	7.57 29 90	-3.44 15 111	0
75 175 21 0102 96181672	2.02	106 19 0282 175 19 0421	101	105	-0.41 29 95	0.01 30 101	-0.19 97	-0.16 14 95	-0.30 7 102	-0.57 24 99	-4.21 54 105	-1.23 30 105	2

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents	Selection Indices		EBV - Weights				EBV - Fertility				
Animal ID Computer nr	% In-breeding	Sire ID Dam ID	Logix Merit Index	Repro- duction Index	Dir EBV Acc	Weaning Weight Mat EBV Index	Comb EBV Index	Post-Wean EBV Acc	Number Weaned EBV Acc	TWW EBV Acc	AFL EBV Acc	ILP EBV Acc	EPI Phenotype
Active Breed Average:			100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15	
76 175 25 0006 107420374	4.66	175 22 0007 175 20 0004	101	107	-0.87 5 90	0.09 5 103	-0.34 94	-0.83 5 90	1.20 5 109		0.82 27 99	-0.17 12 102	0
77 175 25 0119 112860176	28.30	1298 21 0235 175 24 0115	101	104	-0.22 18 97	0.12 16 104	0.01 101	0.18 9 97	-0.30 9 102	-0.28 15 101	3.43 24 95	-2.26 15 108	0
78 175 20 0012 96328653	1.80	1298 13 0383 175 16 0099	101	103	-0.50 11 94	-0.01 10 101	-0.26 96	-0.17 6 95	0.70 6 107	-0.09 9 102	-1.30 47 101	2.52 23 95	2
79 175 21 0106 96112388	2.00	106 19 0282 175 19 0051	101	105	-0.41 29 95	0.01 30 101	-0.19 97	-0.16 14 95	-0.30 7 102	-0.57 24 99	-3.11 54 104	-1.61 30 106	3
80 175 24 0103 106715964	4.25	1298 21 0235 1298 20 0541	101	103	-0.11 22 99	0.19 21 106	0.13 103	0.35 14 98	-0.60 13 101	-0.28 20 101	2.26 32 97	-0.22 19 103	0
81 175 23 0117 107304479	5.85	1298 21 0235 1298 19 0107	101	106	-0.50 28 94	0.21 25 106	-0.04 100	-0.01 14 96	-0.10 15 103	-0.34 24 101	1.25 34 98	-0.74 22 104	0
82 175 24 0002 106726490	1.92	116 22 0226 175 22 0017	100	108	-0.79 25 91	0.08 19 103	-0.31 95	-0.68 8 91	0.60 5 106	-0.35 18 101	2.28 31 97	-3.28 16 111	0
83 1351 23 0157 106661200	2.89	1351 22 0015 1351 21 0066	100	106	-0.80 15 91	0.08 15 103	-0.32 95	-0.65 5 91	1.60 5 111	0.24 12 104	11.43 42 85	-3.69 14 112	1
84 175 22 0004 95815056	2.89	175 20 0964 175 20 0272	100	106	-0.80 6 91	0.07 5 103	-0.34 95	-0.71 5 91	1.00 5 108	-0.14 5 102	0.40 28 99	0.37 12 101	0
85 175 20 0004 95815064	1.91	175 12 0015 175 16 0039	100	108	-1.02 8 88	0.13 6 104	-0.38 94	-1.10 8 88	1.40 5 110	-0.05 6 102	2.43 44 97	-0.76 21 104	5
86 1351 23 0158 106661218	2.89	1351 22 0015 1351 21 0066	100	106	-0.80 15 91	0.08 15 103	-0.32 95	-0.65 5 91	1.60 5 111	0.24 12 104	11.99 34 85	-3.87 14 113	0
87 175 24 0026 107311748	1.87	116 22 0226 175 20 0004	100	109	-1.05 20 88	0.14 12 104	-0.39 94	-1.08 5 89	1.40 5 110	-0.08 13 102	4.89 30 94	-2.65 13 109	0
88 175 21 0021 96181680	4.71	106 19 0282 175 20 0044	100	106	-0.32 30 96	-0.03 31 100	-0.19 97	0.00 14 96	-0.80 8 100	-0.83 25 98	-2.23 52 103	-4.10 29 113	2
89 175 24 0045 106726417	1.94	116 22 0226 175 22 0011	100	107	-0.70 25 92	0.05 19 102	-0.30 95	-0.53 8 92	0.40 5 105	-0.41 18 100	2.01 31 97	-3.26 15 111	0
90 1351 23 0156 106661192	2.89	1351 22 0015 1351 21 0066	100	106	-0.80 15 91	0.08 15 103	-0.32 95	-0.65 5 91	1.60 5 111	0.24 12 104	12.55 42 84	-4.05 14 113	1

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information			Parents	Selection Indices		EBV - Weights				EBV - Fertility								
Animal ID Computer nr	% In-breeding	Sire ID Dam ID	Logix Merit Index	Repro- duction Index	Weaning Weight		Post-Wean		Number Weaned		TWW		AFL		ILP		EPI	Times Lambled
					Dir Acc	EBV Index	Mat Acc	EBV Index	Comb EBV Index	EBV Acc	Index	EBV Acc	Index	EBV Acc	Index	EBV Acc	Index	Phenotype
Active Breed Average:				100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15					
91	175 21 0016 96181664	4.71	106 19 0282 175 19 0536	100	105	-0.32 30	-0.03 31	-0.19 97	0.00 14	96	-0.80 8	-0.83 25	-2.80 54	-3.26 103	30	111	2	
92	175 24 0030 106726243	1.90	116 22 0226 175 20 0077	100	107	-0.88 21	0.08 12	-0.36 94	-0.76 5	91	1.00 5	-0.20 13	4.54 31	-2.71 14	109		0	
93	1298 19 0107 91601260	4.53	762 16 0351 1298 11 0448	100	106	-0.75 48	0.29 41	-0.08 99	-0.21 23	94	0.10 24	-0.39 40	-1.22 54	1.72 35	97		5	
94	175 25 0002 107420333	3.92	175 22 0007 175 23 0003	100	105	-0.65 15	0.05 15	-0.28 96	-0.51 7	92	0.30 5	-0.42 12	-1.72 28	-0.16 15	102		0	
95	175 20 0007 95815080	1.87	175 12 0015 175 16 0055	100	107	-1.02 8	0.13 6	-0.38 94	-1.10 8	88	1.40 5	-0.05 6	1.70 43	0.58 21	100		4	
96	175 22 0017 101772846	1.93	106 19 0282 175 17 0762	100	105	-0.49 29	0.03 30	-0.22 97	-0.31 14	94	-0.40 7	-0.71 24	-2.80 46	-2.02 26	107		3	
97	175 24 0056 106725617	8.61	175 22 0001 175 21 0056	100	105	-0.58 15	0.02 16	-0.27 96	-0.39 7	93	0.10 5	-0.50 13	-1.50 27	-0.52 14	103		0	
98	175 24 0057 106725625	8.61	175 22 0001 175 21 0056	100	105	-0.58 15	0.02 16	-0.27 96	-0.39 7	93	0.10 5	-0.50 13	-1.50 27	-0.52 14	103		0	
99	175 19 0888 106583651	1.70	1298 13 0383 175 16 0203	100	105	-0.67 12	0.02 10	-0.32 95	-0.48 7	93	0.50 6	-0.36 10	1.56 38	-1.16 18	105		1	
100	175 24 0115 106716079	4.78	1298 21 0235 175 23 0105	100	103	-0.20 20	0.11 17	0.01 101	0.16 10	97	-0.50 9	-0.39 16	3.14 25	-1.33 16	106		1	
101	175 20 0068 97185524	1.91	1298 13 0383 175 16 0028	100	105	-0.67 12	0.02 10	-0.32 95	-0.48 7	93	0.50 6	-0.36 10	1.03 32	-0.74 16	104		1	
102	1298 20 0541 96979323	4.15	762 17 0294 1298 13 0164	100	101	0.03 33	0.24 30	0.26 105	0.52 23	99	-1.00 22	-0.33 29	0.80 49	2.75 28	94		3	
103	175 24 0061 106725815	5.28	175 22 0001 175 23 0003	100	105	-0.69 15	0.05 15	-0.29 95	-0.59 8	92	0.30 5	-0.46 12	-1.13 27	-0.19 14	102		0	
104	175 22 0011 101772804	4.71	106 19 0282 175 20 0556	100	104	-0.32 30	-0.03 31	-0.19 97	0.00 14	96	-0.80 8	-0.83 25	-3.35 46	-1.97 26	107		2	
105	175 19 0593 97192066	1.65	1298 13 0383 175 16 0200	100	104	-0.67 12	0.02 10	-0.32 95	-0.48 7	93	0.50 6	-0.36 10	1.04 51	-0.38 20	103		5	

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents	Selection Indices		EBV - Weights				EBV - Fertility					
Animal ID Computer nr	% In-breeding	Sire ID Dam ID	Logix Merit Index	Repro- duction Index	Weaning Weight		Comb	Post-Wean	Number Weaned	TWW	AFL	ILP	EPI	Times Lambd
					Dir EBV Acc Index	Mat EBV Acc Index								
Active Breed Average:			100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15		
106	175 20 0077 101766566	1.65	1298 13 0383 175 16 0200	100	105	-0.67 12 92	0.02 10 101	-0.32 95	-0.48 7 93	0.50 6 106	-0.36 10 101	1.72 47 98	-0.87 24 104	3
107	175 24 0039 106726359	1.92	116 22 0226 175 21 0202	100	107	-0.83 25 90	0.09 19 103	-0.33 95	-0.76 8 91	0.50 5 106	-0.44 18 100	2.18 34 97	-2.36 17 108	0
108	175 24 0040 106726367	1.92	116 22 0226 175 21 0202	100	107	-0.83 25 90	0.09 19 103	-0.33 95	-0.76 8 91	0.50 5 106	-0.44 18 100	2.18 34 97	-2.36 17 108	0
109	175 24 0055 106725609	7.72	175 22 0001 175 21 0109	99	103	-0.56 15 93	0.02 16 101	-0.26 96	-0.36 7 93	0.10 5 104	-0.48 13 100	-2.55 29 103	1.56 16 98	0
110	175 21 0100 101767218	4.69	106 19 0282 175 20 0072	99	102	-0.32 30 96	-0.03 31 100	-0.19 97	0.00 14 96	-0.80 8 100	-0.83 25 98	-5.43 47 107	0.55 26 100	1
111	175 20 0272 95815015	1.91	1298 13 0383 175 16 0036	99	103	-0.67 12 92	0.02 10 101	-0.32 95	-0.48 7 93	0.50 6 106	-0.36 10 101	-0.73 43 101	1.73 20 97	3
112	175 21 0056 96328547	4.72	106 19 0282 175 20 0078	99	103	-0.36 30 96	-0.03 31 100	-0.21 97	-0.08 14 95	-0.90 8 99	-0.93 25 97	-3.40 46 104	-1.41 26 106	1
113	175 23 0105 106582968	3.55	1384 21 0280 1298 21 0675	99	101	-0.14 28 98	0.08 19 103	0.01 101	0.14 12 97	-0.70 9 100	-0.48 20 100	2.57 30 97	0.54 18 100	1
114	175 21 0111 96328505	1.79	106 19 0282 175 20 0004	99	104	-0.58 29 93	0.04 31 102	-0.25 96	-0.46 15 93	-0.50 7 101	-0.84 25 98	-2.67 54 103	-0.84 30 104	2
115	175 21 0202 96328588	1.77	106 19 0282 175 20 0007	99	104	-0.58 29 93	0.04 31 102	-0.25 96	-0.46 15 93	-0.50 7 101	-0.84 25 98	-3.01 53 104	-0.19 30 102	2
116	175 21 0109 106665649	4.67	106 19 0282 175 20 0012	98	100	-0.32 30 96	-0.03 31 100	-0.19 97	0.00 14 96	-0.80 8 100	-0.83 25 98	-5.50 51 107	2.76 29 94	2
117	1298 21 0352 96301676	5.09	1298 19 0308 1298 11 0284	98	90	0.66 33 107	-0.11 28 98	0.22 104	1.62 18 106	-1.40 13 97	-0.29 26 101	-1.06 39 101	8.45 31 79	2
118	175 21 0003 96112396	4.58	106 19 0282 175 19 0593	98	102	-0.41 30 95	-0.02 31 100	-0.22 97	-0.15 14 95	-0.90 8 99	-0.96 25 97	-3.33 55 104	-0.63 29 104	2
119	175 22 0018 101772895	4.58	106 19 0282 175 19 0593	98	102	-0.41 30 95	-0.02 31 100	-0.22 97	-0.15 14 95	-0.90 8 99	-0.96 25 97	-3.18 54 104	-0.62 26 104	1
120	175 24 0107 106716004	5.36	1298 21 0235 1298 21 0675	96	100	-0.35 24 96	0.17 20 105	-0.01 100	0.08 13 96	-1.30 11 97	-0.96 19 97	4.54 27 94	-0.16 19 102	0

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information				Parents	Selection Indices		EBV - Weights						EBV - Fertility										
Animal ID Computer nr			% In-breeding	Sire ID Dam ID		Logix Merit Index	Reproduction Index	Weaning Weight				Post-Wean		Number Weaned		TWW		AFL		ILP		EPI	Times Lambded
								Dir		Mat		Comb	Post-Wean			Acc	Index	Acc	Index	Acc	Index		
Active Breed Average:						100	100	-0.06		-0.02				-0.06								0.50	
121	175 24 0108	5.96	1298 21 0235	94	97	-0.18	0.11		0.02	0.55	-2.30	-1.45	6.74	-1.47	0								
	107304362		1298 22 0104			24 98	22 104	101	14 99	14 93	21 94	28 91	20 106										
122	175 25 0111	5.96	1298 21 0235	94	97	-0.18	0.11		0.02	0.55	-2.30	-1.45	6.74	-1.47	0								
	112860168		1298 22 0104			24 98	22 104	101	14 99	14 93	21 94	28 91	20 106										
123	1298 21 0675	5.73	762 20 0057	91	95	-0.45	0.20		-0.02	-0.03	-2.30	-1.63	5.37	2.88	2								
	96815592		1298 18 0392			37 95	30 106	100	22 95	16 93	29 93	35 93	28 94										
124	106 22 0955	8.67	106 20 0102	90	90	-0.46	-0.46		-0.69	0.09	-2.20	-2.24	-2.44	2.70	2								
	96423686		106 19 9125			30 95	27 89	88	9 96	8 93	24 90	40 103	22 94										
125	1298 22 0104	5.00	762 18 0096	87	88	-0.10	0.09		0.04	0.90	-4.40	-2.66	9.76	0.26	3								
	96815675		1298 16 0078			38 99	34 103	101	23 102	24 83	33 87	37 87	31 101										