

Boerboel Genetic Evaluation

SA Stud Book
February 2026

MS I. DU PLESSIS

PO BOX 100503
RENOSTERSPRUIT
BLOEMFONTEIN
9326



Kennel Number: 675502



Estimated Breeding Values (EBVs)

Litter size and conformation traits are influenced by many genes, with every gene making a small contribution to the expression of the trait. These traits are, however, also influenced by physiological and physical environmental factors, for example the age and sex of the animal, the feeding and management the animal received and year x season effects. It is therefore not possible to know what the animal's genetic potential for the trait is by merely using the measurement.

With BLUP (*Best Linear Unbiased Prediction*) methodology an animal's genetic potential is predicted by making use of the genetic parameters (heritabilities and genetic correlations) of the breed, pedigree information, as well as the measurements of the animal as deviation from the average of the animals that were measured with the animal. Adjustments are made for differences in sex, age, classifier, management and year x season effects to ensure that fair comparisons are made amongst the animals. These predictions are called **EBVs (Estimated Breeding Values)** which indicates the animal's genetic potential for the specific trait and predicts the type of progeny that the animal will breed.

Pedigree information determines the genetic level at which the animal enters the genetic evaluation, it links the information of all relatives together and it is used to determine the genetic ranking of the breed. For young animals that were not yet measured, mid-parent EBVs are estimated, which are the average of the EBVs of the sire and dam. These breeding values are still inaccurate and can change a lot when more information (measurements) is included in subsequent genetic evaluations.

Breeding values therefore enables a breeder to compare his/her animals genetically to one another, as well as to all other animals of the breed. This Report gives a summary of the genetic levels of the active males and females of the relevant breeder in comparison to that of the breed for linearly classified traits and litter size. The genetic change that occurred over time can also easily be seen.

Breeding Value Indices (EBVi)

For easy interpretation, EBVs are standardised and expressed relative to the average (100) of the active animals of the breed, using 12 as standard deviation (SD). This means that an EBV of 100 is equal to the active average of the breed, and more or less 50% of the animals will have EBVi's of between 90 and 110, which indicates an average animal. Only 0.5% of the EBVi's will be lower than 64 and 0.5% will be higher than 136. Higher EBVi's indicate better genetic potential for the trait.

Accuracy

EBVs are published with an **accuracy value (%)**, which indicates how much info was available for the estimation of the EBV and with how much trust it can therefore be applied. Factors that influence the accuracy include heritability, completeness and correctness of pedigree information, number of own and measured relatives and the size of the group in which the animal was measured. When an accuracy of 85% and more is reached, the EBV should not change significantly with the inclusion of more information in subsequent genetic evaluations.

Kennel and Breed Averages: The different traits' averages of the breeder's active animals are compared to those of the breed in the Kennel and Breed Average Graphs and Tables. The breeder can therefore easily see for which traits the animals are above or below the average of the breed.


Genetic Trends: The Genetic Trends indicate the genetic change that occurred over time in the animals bred by the breeder compared to that of the breed. These are calculated as the average of the breeding values of all measured animals bred by the breeder, per year of birth.

Inbreeding: Inbreeding is the mating of related animals and is widely viewed as being harmful. The danger of inbreeding lies there in that it can gradually decrease fertility and survivability – a phenomenon known as inbreeding depression. It can cause lower conception rates, more abortions, more stillborn and weak offspring and a higher susceptibility to diseases. Indications in dogs include a low litter size as well as problems relative to fertility, such as invisible heat, behavioural problems when mating and low sperm quality. Overall, reduced litter size most likely reflects inbreeding depression in several traits, both physiological and behavioural, as well as a high frequency of non-viable embryos due to lethal alleles. Generally, the effects of inbreeding can become noticeable at a value of 6.25%, therefore it is generally recommended that individuals should have inbreeding coefficients of less than 6.25%. Breeders should therefore avoid matings causing inbreeding of more than 6.25% in the progeny. The theoretical maximum inbreeding coefficient is 50%. However, it should be noted that not all inbred animals show signs of inbreeding depression.

The data used in this evaluation was obtained from LOGIX from linear classifications that were done by the Breeder Society. All possible attempts have been made to present the information correctly. SA Stud Book does not accept responsibility for the use and interpretation of the information presented on animals in this publication.

Genetic Levels

Kennel Average relative to Breed Average, where Breed Average is indicated as 0



Average Breeding Value Indices (EBVi) where Breed Average = 100

Trait	All Animals	Males	Females
Litter size (LS)	98	99	97
Movement (Mv)	100	94	101
Temperament (Tmp)	98	86	100
Coat (Ct)	99	100	99
General Appearance	95	87	96
Head & Face (H&F)	101	87	103
Front Quarter (FQ)	97	73	101
Centre (C)	99	88	101
Hind Quarter (HQ)	105	99	106
Final Score (FS)	101	88	103
Hip Health (HH)	96	79	98
Elbow Health (ELM)	107	105	107

Inbreeding

Notes

Inbreeding primarily leads to decreased fertility, low survivability of pups and low disease resistance.

Inbreeding coefficients are calculated for all animals of the breed and indicates the probability that two genes of a pair are the same due to a common ancestor in the pedigree of the animal.

The adverse effects of inbreeding can be observed from 6.25% onwards.


It is therefore highly recommended to record pedigree information as accurately. Inbreeding is dependent on pedigree information. Conventional methods for the calculation of inbreeding coefficients usually assume that unknown parents are unrelated, which is usually far from the truth. Inbreeding coefficients are therefore conservative indicators of the level of inbreeding.

Incomplete or incorrect pedigree information can be reported to SA Stud Book via the Breed Society.

Inbreeding Levels for Specific Matings

Progeny with Parents :	25%
Full Brother x Full Sister :	25%
Half Brother x Half Sister :	12.5%
One Common Grandparent :	6.25%
One Common Great-Grandparent :	3.125%

Rate of Inbreeding




Inbreeding Levels


	All Animals		Males		Females		Sires		Dams	
	Kennel	Breed	Kennel	Breed	Kennel	Breed	Kennel	Breed	Kennel	Breed
Number	7	49007	1	25141	6	23857	3	3371	4	6287
Average Inbreeding	4.51	8.49	3.62	8.46	4.66	8.53	7.57	8.01	5.43	8.00
Number inbred	7	48727	1	24990	6	23728	3	24990	3	23728
Number >6.25% Inbr.	1	30600		15537	1	15058	1	15537	2	15058

Genetic Trends


Litter Size




Movement




Temperament




Coat



General Appearance




Head & Face




Genetic Trends


Front Quarter



Centre




Hind Quarter




Final Score & Health Traits


Final Score



Hip Health



Elbow Health



Estimated Breeding Value Indices (EBVi's)

Males

Inbreeding >6.25% is high

< 80

>= 100

>= 120

Animal Information			Inbreed	Health		Fertility	General			Appearance						Progeny :	Appraisal	Health		Progeny with litters
Name	Sire	Dam	%	Hips	Elbows	Litter Size	Move-	Tempe-	Coat	General	Head &	Front	Centre	Hind	Final	Progeny	Progeny	Hips	Elbows	
	BYr	Dam		Acc.	Acc.	Acc.	ment	rament		Appear.	Face	Quarter		Quarter	Score	Litters	Kennels			
IDP KING ARTHUR		PAURON HUNTER BLUE	3.62	79	105	99	94	86	100	87	87	73	88	99	88					
	2022	IDP LUNA		5	5	14	33	5	51	32	50	34	36	39	44					

Estimated Breeding Value Indices (EBVi's)

Females

Inbreeding >6.25% is high

< 80

>= 100

>= 120

Animal Information

Inbreed

Health

Fertility

General

Appearance

Progeny :

Appraisal

Health

Progeny with litters

Name	BYr	Sire Dam	%	Hips Acc.	Elbows Acc.	Litter Size Acc.	Move-ment	Tempe-rament	Coat	General Appear.	Head & Face	Front Quarter	Centre	Hind Quarter	Final Score	Progeny Progeny	Litters Litters	Progeny Kennels	Hips Elbows	Progeny with litters
MINTAKAROO FIREWORKS	2021	MIDDELPOS BBD GAMKA MINTAKAROO FLASH	15.24	121 5	122 5	101 31	79 57	109 33	109 70	101 56	124 69	126 57	110 59	100 61	114 66	7	2	2 1		
IDP LAYLA	2022	PAURON HUNTER BLUE IDP LUNA	3.62	79 5	105 5	107 24	105 33	95 5	82 51	90 32	84 50	80 33	92 36	101 39	88 44	10	1			
IDP NALA I	2024	KADIMA OLAF IDP ATHENA	1.42	100 5	102 5	93 21	103 31	95 14	107 42	95 31	99 41	97 32	97 33	105 35	100 38					
IDP ANNABETH	2024	KADIMA OLAF IDP ATHENA	1.42	100 5	102 5	93 21	103 31	95 14	107 42	95 31	99 41	97 32	97 33	105 35	100 38					
IDP CREMORA	2024	KADIMA OLAF IDP LAYLA	3.13	95 5	106 5	96 13	108 27	101 5	94 39	98 26	107 38	102 27	105 29	114 31	108 35					
IDP TWINKLE TOES	2024	KADIMA OLAF IDP LAYLA	3.13	95 5	106 5	96 13	108 27	101 5	94 39	98 26	107 38	102 27	105 29	114 31	108 35					

Estimated Breeding Value Indices (EBVi's)

Sires

Inbreeding >6.25% is high

< 80

>= 100

>= 120

Sire Information			Inbreed	Health		Fertility	General			Appearance						Progeny :	Appraisal	Health		Progeny
Name	BYr	Sire Dam	%	Hips Acc.	Elbows Acc.	Litter Size Acc.	Move- ment	Tempe- rament	Coat	General Appear.	Head & Face	Front Quarter	Centre	Hind Quarter	Final Score	Progeny Litters	Progeny Kennels	Hips	Elbows	with litters
PAURON HUNTER BLUE		SOL ET SOLEIL TITAN	1.19	84	98	107	100	102	96	89	89	86	89	90	89	56 14	6 4			4 2
	2014	Y-NOT BLONDIE		6	5	34	38	18	52	37	51	38	40	42	47					
MIDDELPOS BBD GAMKA		AFRIKA LEO 5	18.20	138	139	100	78	117	89	106	133	133	109	106	118	137 29	57 42	5	6	38 9
	2017	MIDDELPOS BBD DIXIE		34	50	56	81	60	89	80	89	81	83	84	87					
KADIMA OLAF		GIANTS OF AFRICA MAXIMUS AURELIUS	3.33	111	107	85	112	108	107	106	131	124	117	127	128	66 12	7 6			3 3
	2020	BREKER KALASHNIKOV		5	5	34	53	32	65	52	64	54	55	57	61					

Estimated Breeding Value Indices (EBVi's)

Dams

Inbreeding >6.25% is high

< 80

>= 100

>= 120

Animal Information			Inbreed	Health		Fertility	General			Appearance						Progeny :		Appraisal	Health		Progeny with litters
Name	BYr	Sire Dam	%	Hips Acc.	Elbows Acc.	Litter Size Acc.	Move-ment	Tempe-rament	Coat	General Appear.	Head & Face	Front Quarter	Centre	Hind Quarter	Final Score	Progeny	Litters	Progeny Kennels	Hips	Elbows	
IDP LUNA	2017	DELMA WOLFGANG TZAAR	8.06	74	112	91	99	80	82	84	80	72	93	102	84	25	4	5			1
		MAKARIOS BBD SELINA		5	5	37	43	18	59	42	58	44	46	48	53			4			1
IDP ATHENA	2019	PAURON HUNTER BLUE	0.00		98	100	93	83	107	84	66	71	76	83	73	21	4	2			2
		SHIELA			5	34	40	21	57	39	56	41	43	45	51			2			1
MINTAKAROO FLASH	2019	CDH KAROO	10.03	104	105	118	101	104	111	93	101	105	105	107	105	24	3	3			3
		MINTAKAROO NO-HESITATION		5	5	37	59	36	73	59	72	60	62	64	69			2			1
IDP LAYLA	2022	PAURON HUNTER BLUE	3.62	79	105	107	105	95	82	90	84	80	92	101	88	10	1				
		IDP LUNA		5	5	24	33	5	51	32	50	33	36	39	44						

