

Boerboel Genetic Evaluation

SA Stud Book
February 2026

MISS H.M. COMPTON

P.O. BOX 172

0

KOMGA

4950



Kennel Number: 691873



Estimated Breeding Values (EBVs)

Litter size and conformation traits are influenced by many genes, with every gene making a small contribution to the expression of the trait. These traits are, however, also influenced by physiological and physical environmental factors, for example the age and sex of the animal, the feeding and management the animal received and year x season effects. It is therefore not possible to know what the animal's genetic potential for the trait is by merely using the measurement.

With BLUP (*Best Linear Unbiased Prediction*) methodology an animal's genetic potential is predicted by making use of the genetic parameters (heritabilities and genetic correlations) of the breed, pedigree information, as well as the measurements of the animal as deviation from the average of the animals that were measured with the animal. Adjustments are made for differences in sex, age, classifier, management and year x season effects to ensure that fair comparisons are made amongst the animals. These predictions are called **EBVs (Estimated Breeding Values)** which indicates the animal's genetic potential for the specific trait and predicts the type of progeny that the animal will breed.

Pedigree information determines the genetic level at which the animal enters the genetic evaluation, it links the information of all relatives together and it is used to determine the genetic ranking of the breed. For young animals that were not yet measured, mid-parent EBVs are estimated, which are the average of the EBVs of the sire and dam. These breeding values are still inaccurate and can change a lot when more information (measurements) is included in subsequent genetic evaluations.

Breeding values therefore enables a breeder to compare his/her animals genetically to one another, as well as to all other animals of the breed. This Report gives a summary of the genetic levels of the active males and females of the relevant breeder in comparison to that of the breed for linearly classified traits and litter size. The genetic change that occurred over time can also easily be seen.

Breeding Value Indices (EBVi)

For easy interpretation, EBVs are standardised and expressed relative to the average (100) of the active animals of the breed, using 12 as standard deviation (SD). This means that an EBV of 100 is equal to the active average of the breed, and more or less 50% of the animals will have EBVi's of between 90 and 110, which indicates an average animal. Only 0.5% of the EBVi's will be lower than 64 and 0.5% will be higher than 136. Higher EBVi's indicate better genetic potential for the trait.

Accuracy

EBVs are published with an **accuracy value (%)**, which indicates how much info was available for the estimation of the EBV and with how much trust it can therefore be applied. Factors that influence the accuracy include heritability, completeness and correctness of pedigree information, number of own and measured relatives and the size of the group in which the animal was measured. When an accuracy of 85% and more is reached, the EBV should not change significantly with the inclusion of more information in subsequent genetic evaluations.

Kennel and Breed Averages: The different traits' averages of the breeder's active animals are compared to those of the breed in the Kennel and Breed Average Graphs and Tables. The breeder can therefore easily see for which traits the animals are above or below the average of the breed.




Genetic Trends: The Genetic Trends indicate the genetic change that occurred over time in the animals bred by the breeder compared to that of the breed. These are calculated as the average of the breeding values of all measured animals bred by the breeder, per year of birth.

Inbreeding: Inbreeding is the mating of related animals and is widely viewed as being harmful. The danger of inbreeding lies there in that it can gradually decrease fertility and survivability – a phenomenon known as inbreeding depression. It can cause lower conception rates, more abortions, more stillborn and weak offspring and a higher susceptibility to diseases. Indications in dogs include a low litter size as well as problems relative to fertility, such as invisible heat, behavioural problems when mating and low sperm quality. Overall, reduced litter size most likely reflects inbreeding depression in several traits, both physiological and behavioural, as well as a high frequency of non-viable embryos due to lethal alleles. Generally, the effects of inbreeding can become noticeable at a value of 6.25%, therefore it is generally recommended that individuals should have inbreeding coefficients of less than 6.25%. Breeders should therefore avoid matings causing inbreeding of more than 6.25% in the progeny. The theoretical maximum inbreeding coefficient is 50%. However, it should be noted that not all inbred animals show signs of inbreeding depression.

The data used in this evaluation was obtained from LOGIX from linear classifications that were done by the Breeder Society. All possible attempts have been made to present the information correctly. SA Stud Book does not accept responsibility for the use and interpretation of the information presented on animals in this publication.

Genetic Levels

Kennel Average relative to Breed Average, where Breed Average is indicated as 0



Average Breeding Value Indices (EBVi) where Breed Average = 100

Trait	All Animals	Males	Females
Litter size (LS)	101	102	100
Movement (Mv)	107	108	106
Temperament (Tmp)	109	111	108
Coat (Ct)	102	95	105
General Appearance	108	109	107
Head & Face (H&F)	108	107	109
Front Quarter (FQ)	110	109	111
Centre (C)	110	110	110
Hind Quarter (HQ)	112	114	110
Final Score (FS)	111	111	111
Hip Health (HH)	100	99	101
Elbow Health (ELM)	109	105	111

Inbreeding

Notes

Inbreeding primarily leads to decreased fertility, low survivability of pups and low disease resistance.

Inbreeding coefficients are calculated for all animals of the breed and indicates the probability that two genes of a pair are the same due to a common ancestor in the pedigree of the animal.

The adverse effects of inbreeding can be observed from 6.25% onwards.


It is therefore highly recommended to record pedigree information as accurately. Inbreeding is dependent on pedigree information. Conventional methods for the calculation of inbreeding coefficients usually assume that unknown parents are unrelated, which is usually far from the truth. Inbreeding coefficients are therefore conservative indicators of the level of inbreeding.

Incomplete or incorrect pedigree information can be reported to SA Stud Book via the Breed Society.

Inbreeding Levels for Specific Matings

Progeny with Parents :	25%
Full Brother x Full Sister :	25%
Half Brother x Half Sister :	12.5%
One Common Grandparent :	6.25%
One Common Great-Grandparent :	3.125%

Rate of Inbreeding




Inbreeding Levels


	All Animals		Males		Females		Sires		Dams	
	Kennel	Breed	Kennel	Breed	Kennel	Breed	Kennel	Breed	Kennel	Breed
Number	29	49007	10	25141	19	23857	14	3371	18	6287
Average Inbreeding	9.94	8.49	8.67	8.46	10.60	8.53	10.97	8.01	11.17	8.00
Number inbred	29	48727	10	24990	19	23728	14	24990	18	23728
Number >6.25% Inbr.	23	30600	8	15537	15	15058	12	15537	14	15058

Genetic Trends


Litter Size




Movement




Temperament




Coat



General Appearance




Head & Face




Genetic Trends


Front Quarter



Centre




Hind Quarter




Final Score & Health Traits


Final Score



Hip Health



Elbow Health



Estimated Breeding Value Indices (EBVi's)

Males

Inbreeding >6.25% is high

< 80

>= 100

>= 120

Animal Information		Inbreed	Health		Fertility	General			Appearance						Progeny :		Appraisal	Health		Progeny with litters
Name	Sire	%	Hips	Elbows	Litter Size	Move-	Tempe-	Coat	General	Head &	Front	Centre	Hind	Final	Progeny	Litters	Progeny	Hips	Elbows	litters
BYr	Dam		Acc.	Acc.	Acc.	ment	rament		Appear.	Face	Quarter		Quarter	Score			Kennels			
KUBUSIE BUFFEL	EAGLES NEST PLUTO	12.83	82	108	92	98	104	58	102	101	97	105	105	98	58	8	3			2
	FONT BOERBOELS TESSA		5	5	5	33	5	51	32	50	34	37	40	46						
KUBUSIE PUMBA	CDH JOKER	7.14	98	110	99	98	110	57	98	101	103	112	112	102						
	FONT BOERBOELS TESSA		5	5	17	34	5	46	33	45	34	36	38	42						
KUBUSIE THOR	CDH MUSTANG	7.10	94	110	103	99	108	86	110	102	107	111	107	105						
	FONT BOERBOELS TESSA		5	5	11	32	5	46	32	45	33	35	37	41						
KUBUSIE GLADIATOR	CDH MUSTANG	6.65	107	116	97	105	112	125	117	127	129	119	114	126	17	2				
	KUBUSIE ANGELIQUE		5	5	5	39	5	59	38	57	40	42	46	52						
KUBUSIE MAVERICK	CDH MUSTANG	9.93	102	97	108	110	110	132	115	104	116	113	114	115						
	KLEIN SANDFONTEIN GYPSEY ROSE		5	5	20	34	5	46	34	45	35	36	38	42						
WOEKER BBD PULA	WOEKER BBD MATEKWA	15.51	110	91	108	129	128	102	114	115	115	112	133	125	29	4				
	WOEKER BBD ELCAH		5	5	5	45	5	63	45	62	46	49	52	57						
KUBUSIE NYALA	KUBUSIE BUFFEL	5.28	91	97	100	104	108	88	109	99	104	109	111	105						
	KLEIN SANDFONTEIN GYPSEY ROSE		5	5	7	28	5	42	27	41	29	31	33	37						
KUBUSIE CASPER	KUBUSIE BUFFEL	5.12	104	121	103	99	99	89	102	103	97	100	99	99						
	KLEIN SANDFONTEIN DUSTY ROSE		5	5	5	21	5	37	21	36	22	25	28	32						
KUBUSIE MALIK	WOEKER BBD PULA	8.45	101	99	106	119	115	108	112	108	109	108	121	115						
	LALAS NAVANA		5	5	5	23	5	40	22	39	24	27	29	34						

Estimated Breeding Value Indices (EBVi's)

Males

Inbreeding >6.25% is high

< 80

>= 100

>= 120

Animal Information			Inbreed	Health		Fertility	General			Appearance						Progeny :	Appraisal	Health		Progeny with litters
Name	Sire		%	Hips	Elbows	Litter Size	Move-	Tempe-	Coat	General	Head &	Front	Centre	Hind	Final	Progeny	Progeny	Hips	Elbows	
	BYr	Dam		Acc.	Acc.	Acc.	ment	rament		Appear.	Face	Quarter		Quarter	Score	Litters	Kennels			
KUBUSIE SPARTAN		WOEKER BBD PULA	8.67	102	101	106	124	119	109			116	112							
	2025	KUBUSIE ANATASIA		5	5	5	21	5	39		38	23	25	28	34					

Estimated Breeding Value Indices (EBVi's)

Females

Inbreeding >6.25% is high

< 80

>= 100

>= 120

Animal Information			Inbreed	Health		Fertility	General			Appearance						Progeny :		Appraisal	Health		Progeny with litters
Name	BYr	Sire Dam	%	Hips Acc.	Elbows Acc.	Litter Size Acc.	Move-ment	Tempe-rament	Coat	General Appear.	Head & Face	Front Quarter	Centre	Hind Quarter	Final Score	Progeny	Litters	Progeny Kennels	Hips	Elbows	
FONT BOERBOELS CHLOE I	2018	FONT BOERBOELS CANON	12.98	81	112	87	71	86	90	96	85	82	88	89	82						
		FONT BOERBOELS WHITNEY		5	5	18	43	5	63	42	61	44	47	50	56						
KLEIN SANDFONTEIN GYPSEY ROSE	2019	KLEIN SANDFONTEIN HUEY	11.80	100	87	108	110	111	118	115	97	111	114	117	112	24	4	2			
		KLEIN SANDFONTEIN LIEFA		5	20	50	56	35	70	56	70	57	59	61	66			2			
KLEIN SANDFONTEIN DUSTY ROSE	2019	MIDDELPOS BBD TANK I	10.49	127	134	114	100	94	121	101	104	98	95	94	100	26	2				
		KLEIN SANDFONTEIN KALILA		5	9	40	50	23	67	49	66	51	53	56	61						
KUBUSIE ANGELIQUE	2021	KUBUSIE BUFFEL	5.20	110	126	85	98	105	82	107	118	114	112	107	111	12	1	2			1
		AFRIKA DAGBREEK VICKY		5	5	19	24	5	41	24	40	25	28	30	35			2			1
MINTAKAROO KANTARA	2021	CDH CHAMP	8.96	91	109	83	102	112	107	108	116	114	116	101	113						
		MINTAKAROO KHALIFA		5	5	13	45	16	63	44	62	46	48	51	57						
KUBUSIE NABRASKA	2021	KUBUSIE BUFFEL	17.85	85	113	93	109	105	76	101	100	103	106	108	102	19	1	1			1
		RAZOR XENA		5	5	5	5	5	36	11	35	6	14	20	29			1			1
MINTAKAROO FLUORESCENT	2022	MINTAKAROO DARUMA	14.45	112	117	102	87	111	120	113	133	127	120	112	125						
		MINTAKAROO FANCYNANCY		5	5	5	43	5	62	42	61	44	47	50	56						
LALAS NAVANA	2022	CDH MUSTANG	6.12	93	107	104	108	103	113	109	100	102	104	110	106	7	1				
		KUBUSIE CANADA		5	5	5	41	5	60	40	59	42	45	48	54						
MINTAKAROO RAYNA	2023	MINTAKAROO FOKKERDR1	12.89	118	125	109	104	112	84	112	109	109	105	105	107						
		MINTAKAROO RITA		5	5	5	40	5	59	39	58	41	44	47	53						
TARU NALA	2023	BRIEL THE GHOST	7.21	98	100	107	107	102	118	103	101	107	108	103	106						
		CDH LUNA III		5	5	5	32	5	44	31	43	33	35	37	40						
KUBUSIE ANATASIA	2023	CDH MUSTANG	6.06	95	110	104	120	110	116	106	106	116	113	117	116	17	2				
		KUBUSIE NABRASKA		5	5	7	37	5	58	37	57	38	41	45	51						

Estimated Breeding Value Indices (EBVi's)

Females

Inbreeding >6.25% is high

< 80

>= 100

>= 120

Animal Information			Inbreed	Health		Fertility	General			Appearance						Progeny :		Appraisal	Health		Progeny with litters
Name	BYr	Sire Dam	%	Hips Acc.	Elbows Acc.	Litter Size Acc.	Move-ment	Tempe-rament	Coat	General Appear.	Head & Face	Front Quarter	Centre	Hind Quarter	Final Score	Progeny	Litters	Progeny Kennels	Hips	Elbows	
KUBUSIE RUBY	2024	KUBUSIE BUFFEL	5.28	91	97	100	110	108	95	108	100	105	112	112	108						
		KLEIN SANDFONTEIN GYPSEY ROSE		5	5	7	40	5	60	40	59	41	44	47	53						
MINTAKAROO FELICIA	2024	MINTAKAROO DARUMA	14.45	112	117	102	93	112	113	108	120	121	116	113	119						
		MINTAKAROO FANCYNANCY		5	5	5	32	5	46	31	45	33	35	37	42						
MINTAKAROO FIELA	2024	MINTAKAROO DARUMA	14.45	112	117	102	98	113	112	103	120	123	121	117	121						
		MINTAKAROO FANCYNANCY		5	5	5	43	5	62	42	61	44	47	50	56						
KUBUSIE MEISIE	2024	KUBUSIE GLADIATOR	13.64	96	115	95	107	109	101	109	114	116	113	111	114						
		KUBUSIE NABRASKA		5	5	5	5	5	23	5	21	5	5	5	12						
KUBUSIE LATIFA	2024	KUBUSIE GLADIATOR	13.64	96	115	95	107	109	101	109	114	116	113	111	114						
		KUBUSIE NABRASKA		5	5	5	5	5	23	5	21	5	5	5	12						
KUBUSIE CASIDY	2025	WOEKER BBD PULA	8.67	102	101	106	124	119	109	110	111	116	112	125	120						
		KUBUSIE ANATASIA		5	5	5	21	5	39	21	38	23	25	28	34						
KUBUSIE AURORA	2025	WOEKER BBD PULA	8.67	102	101	106	124	119	109		111	116	112	125	120						
		KUBUSIE ANATASIA		5	5	5	21	5	39		38	23	25	28	34						
KUBUSIE AMBER	2025	WOEKER BBD PULA	8.67	102	101	106	124	119	109		111	116	112	125	120						
		KUBUSIE ANATASIA		5	5	5	21	5	39		38	23	25	28	34						

Estimated Breeding Value Indices (EBVi's)

Sires

Inbreeding >6.25% is high

< 80

>= 100

>= 120

Sire Information			Inbreed	Health		Fertility	General			Appearance						Progeny :		Appraisal	Health		Progeny with litters
Name	BYr	Sire Dam	%	Hips Acc.	Elbows Acc.	Litter Size Acc.	Move-ment	Tempe-rament	Coat	General Appear.	Head & Face	Front Quarter	Centre	Hind Quarter	Final Score	Progeny Litters	Progeny Kennels	Hips	Elbows		
KLEIN SANDFONTEIN HUEY		GROENBERG BBD RAMBO	5.01	105 52	72 64	117 67	119 81	129 64	116 89	124 80	102 88	126 81	117 83	124 84	120 87	162 28	63 55	13	13	47 10	
MIDDELPOS BBD TANK I	2014	KLEIN SANDFONTEIN KISSKA																			
	2015	MIDDELPOS BBD BOETA	11.54	133 24	127 37	109 50	108 66	108 44	113 79	112 66	112 78	112 67	108 69	100 71	111 75	58 8	21 20	3	3	11 5	
FONT BOERBOELS CANON		CABARET SON OF A GUN	7.75	83 5	109 5	79 41	91 53	104 35	84 63	109 52	104 62	97 53	114 55	107 56	105 60	9 1	3 3			1 1	
FONT BOERBOELS MORGAN BELLE	2016	FONT BOERBOELS MORGAN BELLE																			
EAGLES NEST PLUTO		FONT BOERBOELS COLLIN	14.54	79 5	104 5	91 5	103 46	97 5	81 66	96 45	103 65	97 47	97 50	103 53	99 59	7 1	1 1			2 1	
FONT BOERBOELS VELVET	2017	FONT BOERBOELS VELVET																			
CDH JOKER		CDH KAROO	14.14	113 5	107 5	101 41	108 57	113 37	89 68	91 57	109 67	114 58	114 59	122 61	114 64	40 7	6 6			3 2	
CDH MIA	2018	CDH MIA																			
CDH CHAMP		TARGUS BOM BOEL	11.62	95 5	110 5	77 39	94 59	115 37	82 73	112 59	107 72	110 60	119 62	110 64	110 68	13 2	4 4				
CDH MIA	2019	CDH MIA																			
CDH MUSTANG		CDH BULLET	14.60	104 5	107 5	109 30	110 57	109 30	147 71	114 56	111 70	122 57	112 60	112 62	119 66	42 5	6 4			4 2	
CDH LAYLA1	2020	CDH LAYLA1																			
KUBUSIE BUFFEL		EAGLES NEST PLUTO	12.83	82 5	108 5	92 5	98 33	104 5	58 51	102 32	101 50	97 34	105 37	105 40	98 46	58 8	3 3			2 1	
FONT BOERBOELS TESSA	2020	FONT BOERBOELS TESSA																			
BRIEL THE GHOST		WIESENHOF MENEER	4.99	91 5	107 5	114 26	103 65	96 36	129 80	107 63	107 79	104 66	108 68	96 71	107 76	93 16	21 13			14 4	
ALESSANDRO BELLA	2020	ALESSANDRO BELLA																			
MINTAKAROO DARUMA		CDH BULLET	8.65	103 5	112 5	96 23	113 50	116 24	120 65	117 50	111 64	118 51	122 53	119 56	121 60	8 2	2 1				
MINTAKAROO MRSDOUBTFIRE	2020	MINTAKAROO MRSDOUBTFIRE																			
MIDDELPOS BBD GAMKA		MIDDELPOS BBD GAMKA	15.24	121 5	122 5	109 25	88 57	110 33	89 72	100 57	107 71	112 58	103 60	101 62	104 67	13 3	3 2				
MINTAKAROO FLASH	2021	MINTAKAROO FLASH																			
WOEKER BBD MATEKWA		LOMBARD SUPERIOR HAMMILTON	10.45	110 5	88 5	133 24	104 64	120 36	84 79	116 64	110 79	111 65	97 68	115 70	110 75	91 12	35 15			9 5	
WOEKER BBD STELLA	2021	WOEKER BBD STELLA																			

Estimated Breeding Value Indices (EBVi's)

Sires

Inbreeding >6.25% is high

< 80

>= 100

>= 120

Sire Information			Inbreed	Health		Fertility	General			Appearance						Progeny :		Appraisal	Health		Progeny with litters
Name	BYr	Sire Dam	%	Hips Acc.	Elbows Acc.	Litter Size Acc.	Move-ment	Tempe-rament	Coat	General Appear.	Head & Face	Front Quarter	Centre	Hind Quarter	Final Score	Progeny Litters	Progeny Kennels	Hips	Elbows		
KUBUSIE GLADIATOR		CDH MUSTANG	6.65	107	116	97	105	112	125	117	127	129	119	114	126	17	2				
	2023	KUBUSIE ANGELIQUE		5	5	5	39	5	59	38	57	40	42	46	52						
WOEKER BBD PULA		WOEKER BBD MATEKWA	15.51	110	91	108	129	128	102	114	115	115	112	133	125	29	4				
	2023	WOEKER BBD ELCAH		5	5	5	45	5	63	45	62	46	49	52	57						

Estimated Breeding Value Indices (EBVi's)

Dams

Inbreeding >6.25% is high

< 80

>= 100

>= 120

Animal Information		Inbreed	Health		Fertility	General			Appearance						Progeny :		Appraisal	Health		Progeny with litters
Name	BYr	Sire Dam	%	Hips Acc.	Elbows Acc.	Litter Size Acc.	Move-ment	Tempe-rament	Coat	General Appear.	Head & Face	Front Quarter	Centre	Hind Quarter	Final Score	Progeny	Litters	Progeny Kennels	Hips Elbows	
FONT BOERBOELS WHITNEY	2015	FONT BOERBOELS TIGER	9.48	79	115	94	70	83	85	86	87	86	82	91	82	23	5	2		1
		FONT BOERBOELS COLLEEN		5	5	49	51	22	67	50	66	51	54	56	62			2		1
KLEIN SANDFONTEIN LIEFA	2017	KLEIN SANDFONTEIN MATANA	7.51	95	101	107	103	98	104	103	86	97	112	108	100	26	3	7		3
		KLEIN SANDFONTEIN REEVA		15	28	56	57	34	72	57	71	58	60	63	67			7		1
KLEIN SANDFONTEIN KALILA	2017	ZUKANDI BEAU	9.55	122	141	103	103	92	120	98	103	96	98	102	103	13	2	6		2
		KLEIN SANDFONTEIN EDEN		31	48	48	58	34	73	57	72	59	61	63	68			6		1
RAZOR XENA	2018	FONT BOERBOELS MOJO	11.07	89	117	92	111	105	90	101	98	105	104	103	102	8	2			1
		SHAKIRA LARRA CROFT		5	5	13	33	5	48	45	47	34	36	39	44					1
MINTAKAROO KHALIFA	2018	DELMA MINTAKAROO MADALA	4.78	87	107	90	105	97	120	95	108	99	97	87	101	11	2	3		
		MINTAKAROO NO-HESITATION		5	5	28	41	15	56	41	55	42	44	46	51			3		
FONT BOERBOELS TESSA	2018	FONT BOERBOELS MOJO	9.53	84	113	97	87	108	25	105	93	91	110	102	91	21	3	3		2
		FONT BOERBOELS ROSSI		5	5	34	50	22	68	50	67	51	54	56	62			3		1
AFRIKA DAGBREEK VICKY	2019	LINGA LONGA HARLEY 3	6.35	138	144	87	97	102	96	106	122	121	112	105	114	6	2			1
		AFRIKA SONJA 4		19	35	42	42	18	54	42	53	43	45	46	50					1
KLEIN SANDFONTEIN GYPSEY ROSE	2019	KLEIN SANDFONTEIN HUEY	11.80	100	87	108	110	111	118	115	97	111	114	117	112	24	4	2		
		KLEIN SANDFONTEIN LIEFA		5	20	50	56	35	70	56	70	57	59	61	66			2		
KLEIN SANDFONTEIN DUSTY ROSE	2019	MIDDELPOS BBD TANK I	10.49	127	134	114	100	94	121	101	104	98	95	94	100	26	2			
		KLEIN SANDFONTEIN KALILA		5	9	40	50	23	67	49	66	51	53	56	61					
KUBUSIE CANADA	2020	EAGLES NEST PLUTO	12.83	82	108	97	96	100	67	102	99	91	102	105	97	52	6	3		2
		FONT BOERBOELS TESSA		5	5	5	42	5	63	42	62	44	47	50	57			3		1
WOEKER BBD ELCAH	2020	WOEKER BBD WOEKER	22.17	110	95	83	139	127	112	111	112	110	116	133	125	10	3	6	1 1	3
		WOEKER BBD BELLA 5		5	5	36	57	23	74	56	73	58	61	63	68			2		1
MINTAKAROO RITA	2020	KLEIN SANDFONTEIN NUTCRACKER	15.95	114	128	110	118	115	86	117	126	116	117	115	121	6	1	1		
		MINTAKAROO REA		5	5	9	49	15	67	48	65	50	53	55	61			1		

Estimated Breeding Value Indices (EBVi's)

Dams

Inbreeding >6.25% is high

< 80

>= 100

>= 120

Animal Information			Inbreed	Health		Fertility	General			Appearance						Progeny :		Appraisal	Health		Progeny with litters
Name	BYr	Sire Dam	%	Hips Acc.	Elbows Acc.	Litter Size Acc.	Move- ment	Tempe- r ament	Coat	General Appear.	Head & Face	Front Quarter	Centre	Hind Quarter	Final Score	Progeny	Litters	Progeny Kennels	Hips	Elbows	
MINTAKAROO FANCYNANCY		MIDDELPOS BBD GAMKA	15.24	121	122	109	74	108	105	99	130	123	110	107	117	8	2	2			
	2021	MINTAKAROO FLASH		5	5	25	56	32	70	55	69	57	59	61	65			1			
KUBUSIE ANGELIQUE		KUBUSIE BUFFEL	5.20	110	126	85	98	105	82	107	118	114	112	107	111	12	1	2			1
	2021	AFRIKA DAGBREEK VICKY		5	5	19	24	5	41	24	40	25	28	30	35			2	1		
CDH LUNA III		CDH FRIK	19.04	104	93	101	110	109	107	98	96	110	108	109	106	6	1				
	2021	CDH TILLA		5	5	29	35	5	47	34	47	35	37	40	44						
KUBUSIE NABRASKA		KUBUSIE BUFFEL	17.85	85	113	93	109	105	76	101	100	103	106	108	102	19	1	1			1
	2021	RAZOR XENA		5	5	5	5	5	36	11	35	6	14	20	29			1			
LALAS NAVANA		CDH MUSTANG	6.12	93	107	104	108	103	113	109	100	102	104	110	106	7	1				
	2022	KUBUSIE CANADA		5	5	5	41	5	60	40	59	42	45	48	54						
KUBUSIE ANATASIA		CDH MUSTANG	6.06	95	110	104	120	110	116	106	106	116	113	117	116	17	2				
	2023	KUBUSIE NABRASKA		5	5	7	37	5	58	37	57	38	41	45	51						

