



DOHNE MERINO GENETIC REPORT



20 September 2026

MR B.G. MILES

FDM : CA



CERTIFICATE
OF QUALITY

Valid up to
October 2029



Information

This Report gives a summary of the genetic levels of the flock with regards to production and fertility. Breeders can easily see if genetic progress occurred in their flocks.

EBV (Estimated Breeding Value)

The breeding value indicates an animal's genetic ability for a specific trait. It is indicated in the unit of measurement and relative to that of an average animal born in the base year, i.e. five years ago. A higher breeding value is desirable for all traits, except Fibre Diameter (thinner fibres are better), AFL (early sexual maturity) and ILP (easy conceptions – shorter Interlambing Periods).

EBVi (EBVindex)

The base of a breeding value index is 100, where 100 is the average of the active animals in the breed. Values above 100 are always in the more desirable direction, also for AFL (early sexual maturity) and ILP (shorter intervals). However, for FD values below 100 indicate thinner (more desirable) fibres.

Selection Indices

This is the combination of breeding values into a single value. It indicates of the genetic value of the combined traits of the animal with regards to the breed. Traits cannot simply be summed, as they are expressed in different units, their genetic variation differ and because negative values are more desirable for certain traits. Traits are also weighted differently according to economic importance. All these factors are taken into account when selection indices are constructed. The selection indices currently available for the Dohne Merino breed, is the General Merit (GM) and the within-test-group selection index (SIP). The GM and SIP indices are only published for animals with wean and wool measurements.

General Merit (GM)

$$GM = (EBV \text{ BWeight} * 2.30) + (EBV \text{ CFW} * 22.0) + (EBV \text{ FD} * -5.0) + (EBV \text{ TWW} * 5.0)$$

Within-Test-Group Selection Index (SIP)

$$SIP = (GM_{\text{dier}} / \text{Average GM of wool contemporary group}) * 100$$

This is a lifetime value for the animal, allocated on the basis of the animal's own measurements. This value is not updated when the animal's EBVs are estimated more accurately due to the inclusion of progeny and other relatives' information in the Genetic Evaluation.

Genetic Windows and Averages

The flock's average genetic levels are compared to the active breed average, where active breed average is set to 100.

Genetic Trends

The Genetic Trends indicate the genetic changes that occurred in the flock over time in comparison to that of the breed. This is based only on the animals that were measured for the relevant trait.

Inbreeding

The average inbreeding of the flock per year of birth is compared to that of the breed. Inbreeding levels should stay below 6.25% and rate of inbreeding less than 0.1-0.2% per year to maintain genetic diversity.

The active population is defined as the lambs born in the last 36 months and their parents, regardless if they were measured for the trait or not, excluding the animals that are already cancelled on Logix.

Abbreviations

WnD:	Weaning Weight Direct
WnM	Weaning Weight Maternal
BW:	Body Weight
CFW:	Clean Fleece Weight
FD:	Fibre Diameter
SL:	Staple Length
AFL:	Age First Lambing
ILP:	Interlambing Period
NLW:	Number of Lambs Weaned
TWW:	Total Weight of Lambs Weaned

The data used in this evaluation has been obtained from LOGIX, as supplied by breeders. Everything possible had been done to present the information correctly. SA Stud Book does not take any responsibility for the use and interpretation of the information from this publication.

Genetic Windows

Average Breeding Value Indices (EBVi)

(Lambs born in the last 36 months and their parents)

Number: 2063


Genetic Linkage

(Based on the youngest measured generation)

Level	Nr of Link Rams
Matig / Moderate	4

A link ram should have at least 20 measured progeny in your flock and at least another 20 measured progeny in at least one more flock.

Try to use at least 5 link rams in a 5-year period to obtain strong genetic linkages within the breed.



Abbr.	Trait	Interpretation of Index	
		<100 (Worse)	>100 (Better)
WnD	Weaning Weight Direct	Lighter	Heavier
WnM	Weaning Weight Maternal	Less	More
BW	Body Weight	Lighter	Heavier
CFW	Clean Fleece Weight	Less	More
FD	Fibre Diameter	Thinner	Thicker
SL	Staple Length	Shorter	Longer
AFL	Age at First Lambing	Later	Earlier
ILP	Interlambing Period	Longer	Shorter
NLW	Number of Lambs Weaned	Less	More
TWW	Total Weight of Lambs Weaned	Lighter	Heavier
AM	General Merit	Poor	Good
SIP	Within-Test Group Selection Index	Poor	Good

* The Genetic Windows provide a quick overview of the flock's genetic status compared to the breed.

* The values presented here are the average breeding value indices and selection indices of all the lambs born in the past 36 months and their parents in the flock compared to the breed.


* An index of 100 equals the average of the lambs born in the past 36 months and their parents in the breed.

* The breeding value indices for AFL and ILP are expressed in such a way that an index above 100 indicates the better animals, thus the animals with a genetic ability for a short AFL and ILP. See accompanying table for interpretation of other Indices.

Genetic Windows


Sires of lambs born in the last 36 months

Number : 10




Dams of lambs born in the last 36 months

Number : 514



Lambs born in the last 36 months

Number : 1032



Average Genetic Levels

Average Breeding Values

Averages of all lambs born in the last 36 months and their parents

Trait	Flock			Breed		
	All	Rams	Ewes	All	Rams	Ewe
Breeding Values for Production Traits						
Weaning Weight Direct	0.80	1.00	0.68	0.54	0.66	0.47
Weaning Weight Mat	-0.07	-0.05	-0.09	0.01	0.00	0.01
Body Weight	1.09	1.43	0.88	0.56	0.96	0.41
Clean Fleece Weight	0.10	0.12	0.09	0.03	0.06	0.02
Fibre Diameter	0.17	0.15	0.19	-0.14	-0.22	-0.12
Staple Length	0.43	0.68	0.27	0.50	0.68	0.43
Breeding Values for Fertility						
Age First Lambing	3.46	4.15	3.01	1.48	2.04	1.17
Interlambing Period	2.18	2.13	2.22	0.36	0.44	0.31
Lambs Weaned	1.45	1.56	1.38	0.46	0.56	0.39
Total Weight Weaned	0.59	0.65	0.54	0.27	0.32	0.24
Selection Indices						
General Merit Index	4.08	6.38	2.68	2.81	4.45	2.23
SIP	100.1	100.2	100.1	100.7	100.4	100.8
Inbreeding						
Inbreeding (%)	3.61	3.86	3.46	3.00	3.13	2.92
Number of Animals						
Number of Animals	2063	792	1271	125905	45967	79938









Average Breeding Value Indices

Average EBVi of all active measured animals, where breed average of active measured animals = 100.

Trait	Flock		
	All	Rams	Ewes
Breeding value Indices for Production Traits			
Weaning Weight Direct	102.5	104.3	101.3
Weaning Weight Mat	98.3	98.9	98.0
Body Weight	103.4	105.5	102.1
Clean Fleece Weight	104.4	105.6	103.6
Fibre Diameter	104.9	104.6	105.1
Staple Length	99.8	100.4	99.4
Breeding Value Indices for Fertility			
Age First Lambing	97.8	97.0	98.3
Interlambing Period	93.9	94.1	93.8
Lambs Weaned	103.7	104.2	103.5
Total Weight Weaned	103.8	104.6	103.3
Selectopn Indices			
General Merit Index	102.1	105.8	99.8
SIP	100.1	100.2	100.1
Inbreeding			
Inbreeding (%)	3.61	3.86	3.46
Number of Animals			
Number of Animals	2063	792	1271

Genetic Trends




Average breeding value per year of birth for animals in the breed and flock. Genetic trends are based on measured animals that were bred by the relevant breeder.



For FD, AFL and ILP, flock trends below breed averages are desirable

Genetic Trends: Fertility Traits

Average breeding value per year of birth in the breed and flock. Genetic trends are based on measured animals that were bred by the relevant breeder.



Genetic Trends: Breed and Flock

Average breeding value per year of birth for animals in the breed and flock. Genetic trends are based on measured animals that were bred by the relevant breeder.

Genetic Trends of Breed


Birth Year	Weaning Weight			Body Weight		CFW		FD		SL		AFL		ILP		NLW		TWW		General Merit	
	Nr	Dir	Mat	Nr	EBV	Nr	EBV	Nr	EBV	Nr	EBV	Nr	EBV	Nr	EBV	Nr	EBV	Nr	EBV	Nr	Ind
2014	34600	-1.62	-0.08	23613	-2.43	23477	-0.20	23511	0.33	23404	-1.65	6513	-4.96	4764	-1.69	8149	-0.57	6758	-0.41	25195	-9.76
2015	36007	-1.44	-0.05	25062	-2.12	24975	-0.18	24990	0.28	24511	-1.51	6856	-4.79	5313	-1.43	8627	-0.57	7110	-0.42	26207	-8.59
2016	33764	-1.17	-0.03	24799	-1.74	24614	-0.15	24664	0.22	24080	-1.07	7054	-4.46	5449	-1.38	8681	-0.41	7293	-0.27	25836	-6.81
2017	33408	-0.95	0.00	24007	-1.39	23924	-0.13	23948	0.19	23487	-1.19	7125	-3.04	5498	-0.77	9139	-0.30	7020	-0.19	24328	-5.48
2018	34871	-0.67	0.00	24937	-0.96	24789	-0.10	24807	0.17	24087	-0.72	7421	-2.86	5764	-0.67	8663	0.09	7374	0.04	25402	-3.35
2019	34833	-0.46	0.02	25157	-0.74	25034	-0.06	25045	0.07	24985	-0.63	7016	-1.62	5333	-0.50	8420	-0.19	6949	-0.05	25370	-2.61
2020	35032	-0.26	0.03	24234	-0.34	24298	-0.04	24310	0.04	24213	-0.20	6557	-0.74	4885	-0.15	8732	0.34	6476	0.18	24153	-0.71
2021	33757	0.00	0.00	23306	0.00	23200	0.00	23217	0.00	23156	0.00	6425	0.00	4779	0.00	8439	0.00	6245	0.00	23180	0.17
2022	32965	0.20	-0.02	22207	0.34	22115	0.01	22136	-0.05	22041	0.27	5933	0.83	3883	0.50	7685	0.48	5658	0.21	22071	1.75
2023	32993	0.44	-0.06	21947	0.60	21831	0.04	21880	-0.16	21853	0.46	5361	1.77	1851	1.14	5554	0.35	4743	0.22	21836	2.88
2024	34418	0.50	-0.04	22757	0.76	22780	0.06	22790	-0.16	22746	0.74	2626	4.31	147	0.21	2149	0.65	2008	0.48	22746	3.82
2025	28497	0.77	0.02	8675	1.57	9028	0.07	9040	-0.38	9011	0.95	60	10.56							8597	6.80

Genetic Trends of Flock

Birth Year	Weaning Weight			Body Weight		CFW		FD		SL		AFL		ILP		NLW		TWW		General Merit	
	Nr	Dir	Mat	Nr	EBV	Nr	EBV	Nr	EBV	Nr	EBV	Nr	EBV	Nr	EBV	Nr	EBV	Aantal	EBV	Nr	EBV
2014	400	-1.30	-0.06	339	-2.42	336	-0.13	336	0.70	335	-0.15					18	-3.55	18	-0.76	339	-10.73
2015	368	-1.43	-0.30	340	-2.44	340	-0.09	340	0.64	164	-0.68	4	-7.71	2	-1.89	75	0.38	58	-0.30	341	-8.67
2016	289	-1.18	-0.19	289	-1.76	286	-0.12	286	0.44	289	0.40	24	-6.86	16	-2.50	67	-1.27	47	-0.47	289	-7.93
2017	291	-0.86	-0.41	291	-0.91	291	-0.03	291	0.77	291	0.09	67	-8.56	56	2.37	100	0.84	97	-0.10	291	-5.22
2018	308	-0.15	-0.05	297	-0.31	297	-0.05	297	0.28	296	0.45	100	-2.21	73	0.23	100	-0.60	99	0.27	297	-0.84
2019	246	-0.80	-0.45	238	-1.10	237	0.00	238	0.46	237	-0.94	96	-5.50	55	1.24	124	0.05	95	-0.40	238	-4.95
2020	341	0.23	-0.15	254	0.26	253	-0.02	253	0.36	252	-0.46	105	0.73	76	0.97	143	2.19	105	1.24	253	3.57
2021	351	-0.14	-0.31	253	-0.39	253	0.09	253	0.03	253	-0.08	75	-1.88	62	2.62	114	0.09	73	-0.32	253	-0.27
2022	400	0.55	-0.36	280	0.87	277	0.12	278	0.25	278	-0.20	121	8.15	80	3.93	160	0.67	120	0.47	277	4.34
2023	382	0.50	-0.16	318	0.15	318	0.11	318	0.00	318	0.37	125	-0.51	101	2.18	124	1.73	124	0.46	318	3.66
2024	438	0.96	-0.06	358	1.80	357	0.12	357	0.28	357	0.14	120	5.51			118	1.09	118	0.55	357	5.77
2025	456	0.77	-0.11	189	0.53	189	0.14	189	-0.15	189	0.94									189	6.92

Inbreeding

Inbreeding in Flock and Breed



Pedigree Information

	Number	%
Known Sires	1961	95
Known Dams	1960	95

Please Note : When pedigree information is incomplete, inbreeding is under-estimated.

The effects of inbreeding can be observed from 6.25% onwards. Inbreeding primarily leads to decreased fertility and low survivability of lambs.

Inbreeding % is dependent on the accuracy of pedigree information. It is therefore highly recommended to record pedigrees as accurately and completely as possible and not to mate related animals.

Incomplete and incorrect pedigree information can be reported to SA Stud Book

Inbreeding Level and Rate

Year of Birth	Level* (%)	Rate (% / year)
2000 - 2026	4.20	0.15
Recommendations	< 6.25	< 0.1 - 0.2

*Of last birth year

Inbreeding Levels for Specific Matings

Progeny with Parents :	25%
Full Brother x Full Sister :	25%
Half Brother x Half Sister :	12.5%
One Common Grandparent :	6.25%
One Common Great-Grandparent :	3.125%

Percentiles of Breeding Values : All Active Animals

Percentile	Wean Dir	Wean Mat	Body Weight	CFW	FD	SL	NLW	TWW	AFL	ILP	Gen. Merit
Gemid/Avg	0.43	0.00	0.58	0.04	-0.15	0.46	0.47	0.26	1.30	0.30	2.53
SA/SD	1.29	0.56	1.84	0.17	0.69	3.92	2.99	0.93	-10.19	-3.48	7.11
MIN	-4.90	-3.44	-9.56	-0.75	3.11	-18.57	-17.30	-5.29	68.72	22.49	-25.62
1%	-2.32	-1.35	-3.42	-0.38	1.49	-8.80	-7.64	-2.17	33.49	9.02	-13.42
5%	-1.58	-0.89	-2.30	-0.25	0.95	-5.86	-4.59	-1.30	18.37	6.15	-8.27
10%	-1.19	-0.67	-1.72	-0.19	0.69	-4.38	-3.19	-0.87	13.14	4.69	-6.12
20%	-0.68	-0.43	-0.98	-0.11	0.41	-2.72	-1.72	-0.43	8.52	3.05	-3.50
30%	-0.30	-0.27	-0.43	-0.05	0.20	-1.54	-0.76	-0.11	5.14	1.87	-1.46
40%	0.05	-0.13	0.05	0.00	0.02	-0.54	0.06	0.10	2.16	0.90	0.38
50%	0.38	0.00	0.50	0.04	-0.14	0.39	0.45	0.21	0.19	0.13	1.99
60%	0.72	0.13	0.96	0.08	-0.31	1.32	1.08	0.41	-1.46	-0.57	3.85
70%	1.09	0.27	1.48	0.13	-0.49	2.34	1.79	0.65	-3.58	-1.45	6.03
80%	1.54	0.44	2.11	0.18	-0.72	3.60	2.66	0.96	-5.70	-2.39	8.71
90%	2.13	0.69	2.98	0.26	-1.03	5.43	4.08	1.41	-9.18	-3.66	12.22
95%	2.62	0.93	3.73	0.32	-1.29	7.03	5.33	1.81	-12.92	-4.88	14.90
99%	3.57	1.41	5.08	0.45	-1.80	10.22	7.78	2.59	-23.99	-8.36	19.40
MAX	5.84	2.39	8.39	0.84	-3.43	19.74	16.55	5.29	-43.24	-17.72	31.42

SD = Standard Deviation = Indicates the spread around the average

Percentiles of Indices : All Active Animals

Percentile	Wean Dir	Wean Mat	Body Weight	CFW	FD	SL	NLW	TWW	AFB	ILP	Gen. Merit
Gemid/Avg	100	100	100	100	100	100	100	100	100	100	100
SA/SD	12	12	12	12	12	12	12	12	12	12	12
MIN	49	24	35	52	149	50	33	33	24	30	53
1%	73	71	73	72	128	73	68	69	63	70	72
5%	81	81	81	80	120	80	80	80	80	80	80
10%	85	85	85	85	115	85	85	85	86	85	85
20%	90	91	90	90	110	90	91	91	92	91	90
30%	93	94	94	94	106	94	95	95	95	95	94
40%	97	97	97	97	103	97	98	97	99	98	97
50%	100	100	100	100	100	100	100	100	101	100	100
60%	103	103	103	103	97	103	103	103	103	103	103
70%	106	106	106	106	94	106	106	106	106	106	106
80%	110	109	110	110	90	110	109	109	108	109	110
90%	116	115	115	115	85	115	115	115	112	114	116
95%	120	120	120	120	80	120	119	120	117	118	120
99%	129	130	130	128	72	129	129	129	130	130	128
MAX	150	150	150	150	49	150	160	160	150	160	147

Rams with Progeny



Genotyped

*Inbreeding in red is high

EBV - Estimated Breeding Value

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding values
Breeding values with accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of lambs born in the past 36 months and their parents in the breed

Animal Information		Parents & Progeny						Selection Indices			EBV - Weights			EBV - Wool			EBV - Fertility				Rank
Animal ID Regnr	% In- brding	Sire ID Dam ID	Wean		Wool test		SIP	GM		Weaning Dir		Weight	Body Weight	CFW	FD	SL	NLW	TWW	DAM EPI Lambed		
			Progeny weaned	Nr flocks	Progeny tested	Nr flocks		EBV	Index	EBV	Index	Acc							Index	Acc	
		Active Breed Average :						101	2.8	100	0.54	0.01	0.56	0.03	-0.14	0.50	0.46	0.27			
CA 22 0182 93932440	0.96	SD 15 0015 CA 19 0235	85	1	71	1	113	18.10	125	2.78 94 121	-0.18 75 96	5.52 93 132	0.46 92 127	0.23 96 106	0.46 94 100	1.16 60 103	0.67 60 105	94	2	1	
CA 22 0240 93933083	1.35	CA 20 0024 CA 20 0101	104	1	81	1	104	8.96	110	1.42 95 108	0.51 77 111	2.66 94 113	0.19 93 110	0.31 96 107	1.69 94 103	-1.25 59 94	0.71 59 105	90	2	24	
CA 22 0270 93933323	0.97	SD 15 0015 CA 18 0213	126	1	104	1	109	10.14	112	1.87 96 113	-0.27 80 94	2.63 95 113	0.22 94 112	0.23 97 106	1.85 96 104	3.59 64 112	0.83 64 107	132	5	7	
CA 22 0301 93929347	0.83	SD 15 0015 CA 18 0220	114	1	97	1	103	8.95	110	1.99 95 114	0.02 80 100	3.72 95 120	0.12 94 105	0.17 97 105	-1.34 95 95	0.04 64 99	0.41 64 102	103	4	32	
CA 23 0126 96789763	0.96	SD 17 0272 CA 20 0051	79	1	30	1	114	16.46	122	1.59 93 110	0.19 64 104	2.26 88 111	0.16 86 108	-0.42 92 96	-2.40 89 92	7.12 56 125	2.42 56 126	109	4	6	
CA 23 0255 96791041	2.00	SD 17 0272 CA 20 0384	80	1	33	1	111	10.70	113	1.45 93 109	0.07 60 101	1.13 88 104	0.35 86 119	-0.12 92 100	6.07 89 115	2.31 49 107	0.79 49 106	95	3	16	
CA 23 0276 96791322	0.89	SD 17 0272 CA 20 0236	137	1	54	1	115	13.83	118	1.68 96 111	0.01 65 100	1.89 92 109	0.14 90 107	-0.93 95 88	-2.15 92 93	2.60 56 108	1.42 56 114	90	2	3	
CA 23 0382 96792627	1.14	SD 17 0272 CA 20 0054	87	1	36	1	107	9.97	112	1.12 94 106	-0.10 64 98	0.59 89 100	0.02 87 99	-0.82 93 90	3.41 90 108	4.09 55 114	1.55 55 116	122	5	31	
CA 23 0433 96793088	0.95	SD 17 0272 CA 17 0304	73	1	36	1	111	9.80	112	0.78 93 102	-0.45 64 91	-0.27 89 95	0.51 88 129	0.03 93 103	7.36 90 118	1.06 55 102	0.62 55 104	129	6	15	
CA 24 0174 100002708	2.08	CA 22 0270 CA 22 0464	155	1			107	9.82	112	2.99 96 123	0.72 57 115	4.46 65 125	0.03 62 100	0.01 74 102	-0.90 67 96	2.02 32 106	0.52 32 103	107	2	27	
CA 24 0311 100004142	2.33	CA 22 0270 CA 22 0239	86	1			103	7.42	108	1.32 93 107	0.33 56 107	2.78 69 114	0.12 66 105	0.86 77 115	5.08 71 112	2.51 37 108	1.09 37 110	114	3	72	
CA 24 0425 100005206	2.94	CA 22 0301 CA 21 0058	76	1			102	8.11	109	2.09 93 115	-0.10 57 98	2.58 70 113	0.20 68 110	0.06 77 103	0.97 72 101	1.09 40 102	0.22 40 99	120	4	84	
CA 24 0459 100005545	2.20	CA 22 0301 CA 20 0226	78	1			103	10.44	113	3.19 93 125	-0.11 57 98	5.74 70 133	0.17 67 109	0.77 77 114	4.58 72 111	-0.86 41 95	0.24 40 100	105	4	66	
JW 15 0558 75276717	7.90	JW 13 0407 JW 11 0986	4938	36	3617	34	116	24.20	135	3.07 99 124	-0.06 99 99	3.86 99 121	0.13 99 106	0.25 99 106	-8.28 99 77	9.47 98 134	4.64 98 153	113	4	1	
 SD 17 0272 80506033	1.01	SD 15 0015 SD 12 0182	3410	16	2648	15	112	19.09	127	1.64 99 110	-0.10 99 98	2.05 99 110	0.45 99 126	-0.76 99 91	3.72 99 108	5.06 96 117	1.64 96 117	106	4	3	
Rams with Progeny Average :							109	12.4	116	1.93	0.03	2.77	0.22	-0.01	1.34	2.67	1.18				

Young Rams



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding value

Breeding values with an accuracy of below 5% are not printed

Young rams, born since 2020 with a weaning weight, and wool test, but no progeny, both parents known.

Animal Information		Parents		Rank	Selection Indices			EBV - Weights			EBV - Wool			EBV - Fertility			
Animal ID Regnr	% In- breeding	Sire ID	Dam ID		SIP	GM		Weaning Dir	Weight Mat	Body Weight	CFW	FD	SL	NLW	TWW	EPI	DAM Lambed
						EBV	Index	EBV	Acc	Index	EBV	Acc	Index	EBV	Acc	Index	Phenotype
		Active Breed Average :			101	2.8	100	0.54	0.01	0.56	0.03	-0.14	0.50	0.46	0.27		
CA 24 0003 100001007	2.08	CA 22 0270	CA 22 0469	128	97	3.52	101	-0.27 64	-0.41 46	-1.01 64	0.14 61	-0.25 73	4.37 66	2.02 32	0.52 32	95	1
CA 24 0014 100001049	2.08	CA 22 0270	CA 22 0468	156	94	1.90	99	0.79 67	-0.40 50	-0.38 66	0.20 63	0.72 74	-0.64 68	2.02 32	0.52 32	124	3
CA 24 0015 100001064	13.83	CA 22 0270	CA 22 0147	30	106	11.01	114	1.98 70	0.03 53	3.49 69	0.17 67	0.62 77	2.62 71	4.70 42	1.29 42	123	3
CA 24 0021 100001122	1.20	CA 22 0270	CA 20 0142	76	102	8.42	109	0.23 71	-0.28 55	0.32 71	0.18 69	0.45 78	3.26 72	5.72 44	1.80 44	136	5
CA 24 0025 100001163	3.62	CA 22 0270	CA 22 0169	9	110	11.73	115	1.72 70	-0.42 53	3.21 70	0.12 68	-0.42 77	0.90 72	2.87 40	0.83 40	99	2
CA 24 0029 100001205	1.49	CA 22 0182	CA 21 0160	147	95	2.52	100	-0.55 68	-0.99 49	1.23 69	0.22 67	0.90 77	1.32 71	1.38 37	0.02 37	87	2
CA 24 0032 100001221	1.72	CA 22 0270	CA 22 0229	32	105	8.47	109	0.88 69	-0.57 51	0.54 68	0.32 67	-0.13 75	7.43 70	3.33 39	0.56 39	95	1
CA 24 0035 100001262	1.21	CA 22 0240	CA 22 0318	50	104	8.43	109	0.98 69	0.27 52	2.86 70	0.23 67	0.82 77	-1.51 72	1.46 42	0.79 42	103	3
CA 24 0043 100001304	3.42	CA 22 0270	CA 22 0350	34	105	10.30	112	0.85 70	0.05 52	0.81 70	0.02 67	-0.83 77	1.72 72	4.68 38	1.53 38	123	3
CA 24 0044 100001320	3.42	CA 22 0270	CA 22 0350	41	105	9.79	112	1.25 70	0.02 52	1.27 70	0.10 67	-0.16 77	7.14 72	4.68 38	1.53 38	123	3
CA 24 0048 100001346	14.17	CA 22 0270	CA 22 0332	28	106	10.69	113	3.02 69	-0.28 52	1.73 70	0.26 68	0.20 77	-2.05 72	3.83 42	1.19 42	97	2
CA 24 0054 100001361	2.21	CA 22 0301	CA 21 0398	74	102	7.07	107	2.04 65	0.88 47	2.35 66	0.05 63	-0.36 74	5.62 68	0.10 32	0.27 32	104	2
CA 24 0055 100001387	2.13	CA 22 0301	CA 21 0258	132	97	3.72	102	0.02 68	-0.04 49	1.95 69	-0.07 67	-0.74 77	-4.80 71	-1.92 38	-0.31 38	89	3
CA 24 0058 100001403	2.21	WW 15 2063	CA 21 0399	184	81	-9.37	80	-0.12 66	0.45 56	-1.38 66	-0.36 64	-0.16 74	-9.31 68	-3.54 46	-0.60 46	110	3
CA 24 0062 100001445	17.83	CA 22 0240	CA 22 0022	103	99	2.63	100	0.56 69	-0.17 50	1.84 69	0.22 67	1.50 77	5.43 71	-0.54 38	0.39 37	94	1

Young Rams



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding value
Breeding values with an accuracy of below 5% are not printed

Young rams, born since 2020 with a weaning weight, and wool test, but no progeny, both parents known.

Animal Information		Parents		Rank	Selection Indices			EBV - Weights			EBV - Wool			EBV - Fertility		
Animal ID Regnr	% In- breeding	Sire ID	Dam ID		SIP	GM		Weaning Weight Dir	Weight Mat	Body Weight	CFW	FD	SL	NLW	TWW	DAM EPI Lambled
					EBV	Index		Acc	Index	Acc	Acc	Index	Acc	Acc	Index	Phenotype
Active Breed Average :					101	2.8	100	0.54	0.01	0.56	0.03	-0.14	0.50	0.46	0.27	
CA 24 0066 100001460	25.96	CA 22 0270	CA 18 0213	58	103	7.65	108	2.12 70 115	-0.59 54 88	1.43 71 106	0.37 69 121	0.41 78 109	5.77 73 114	0.27 41 99	0.20 41 99	132 5
CA 24 0069 100001502	13.83	CA 22 0270	CA 22 0403	26	107	11.35	114	2.46 68 118	-0.08 51 98	2.16 69 110	0.25 67 113	0.21 77 106	-0.83 71 97	4.57 41 116	1.27 41 112	96 1
CA 24 0070 100001528	13.83	CA 22 0270	CA 22 0403	45	104	9.57	111	1.11 68 105	0.00 51 100	1.69 69 107	0.30 67 117	0.75 77 114	-1.13 71 96	4.57 41 116	1.27 41 112	96 1
CA 24 0072 100001544	2.83	CA 22 0270	CA 22 0100	108	99	3.68	101	1.11 70 105	0.11 53 102	0.50 70 100	-0.10 68 92	-0.45 77 95	-0.79 72 97	1.48 41 104	0.73 41 106	130 3
CA 24 0076 100001627	15.82	CA 22 0240	CA 22 0049	145	95	-0.06	95	0.11 68 96	-0.22 50 95	0.81 69 102	0.08 67 103	1.19 77 121	-1.39 71 95	0.07 37 99	0.43 37 102	93 1
CA 24 0077 100001643	2.00	CA 22 0301	CA 20 0380	105	99	5.75	105	1.55 66 109	-0.11 49 98	0.97 66 103	0.09 63 104	-0.40 74 96	-6.02 68 83	0.25 32 99	0.31 32 101	117 5
CA 24 0078 100001668	2.00	CA 22 0301	CA 20 0380	180	85	-5.18	87	-1.44 66 81	0.65 49 114	-0.24 66 95	-0.11 63 91	1.19 74 121	2.07 68 104	0.25 32 99	0.31 32 101	117 5
CA 24 0082 100001726	2.21	WW 15 2063	CA 21 0428	182	85	-6.25	85	-1.23 67 83	-0.01 57 100	-1.31 66 88	-0.12 64 91	0.10 74 104	-2.09 68 93	-3.22 46 86	-0.57 45 90	125 4
CA 24 0088 100001742	1.88	CA 22 0270	CA 22 0214	33	105	8.60	110	1.28 69 107	-0.44 52 91	1.67 70 107	0.17 68 108	-0.19 77 99	-3.90 72 89	1.34 41 103	0.67 41 105	103 3
CA 24 0089 100001767	4.75	CA 22 0240	CA 22 0063	111	99	4.58	103	-0.09 68 94	0.10 50 102	1.50 70 106	0.13 67 106	1.25 77 122	3.97 71 109	2.45 41 108	1.22 41 112	91 1
CA 24 0092 100001809	2.21	CA 22 0301	CA 21 0392	155	94	2.14	99	-0.74 64 88	-0.20 47 96	-0.10 65 96	-0.02 62 97	-0.36 74 97	-0.54 67 97	0.25 32 99	0.31 32 101	97 3
CA 24 0095 100001825	7.89	CA 22 0182	CA 19 0167	73	103	7.98	109	2.81 69 121	-0.28 51 94	4.08 70 123	0.28 68 115	0.85 77 115	3.15 72 107	-1.85 39 91	-0.05 39 96	110 5
CA 24 0096 100001841	0.99	WW 15 2063	CA 21 0288	176	87	-4.04	89	0.20 69 97	0.07 56 101	0.78 70 101	-0.19 68 86	-0.33 77 97	-8.46 72 77	-4.93 50 80	-1.02 50 84	94 2
CA 24 0100 100001908	1.57	CA 22 0240	CA 22 0394	51	104	8.08	109	1.01 68 104	0.16 51 103	0.71 69 101	0.33 66 119	0.25 77 106	4.22 71 110	-0.55 40 96	0.67 40 105	107 3
CA 24 0105 100001940	2.72	CA 22 0301	CA 20 0338	161	93	1.36	98	0.70 69 102	-0.36 52 92	0.24 70 98	0.24 68 113	1.51 77 126	6.02 72 114	0.97 40 102	0.68 40 105	100 3
CA 24 0106 100001965	1.77	CA 22 0270	CA 22 0158	112	98	3.45	101	0.07 69 96	-0.34 52 93	-0.28 70 95	0.16 67 108	0.35 77 108	5.68 71 114	1.45 41 104	0.68 41 105	105 3

Young Rams



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding value

Breeding values with an accuracy of below 5% are not printed

Young rams, born since 2020 with a weaning weight, and wool test, but no progeny, both parents known.

Animal Information		Parents		Rank	Selection Indices			EBV - Weights			EBV - Wool			EBV - Fertility				
Animal ID Regnr	% In- breeding	Sire ID	Dam ID		SIP	GM		Weaning Dir	Weight Mat	Body Weight	CFW	FD	SL	NLW	TWW	EPI	DAM Lambd	
						EBV	Index	EBV	Index	EBV	Index	EBV	Index	EBV	Index	EBV	Index	Phenotype
		Active Breed Average :			101	2.8	100	0.54	0.01	0.56	0.03	-0.14	0.50	0.46	0.27			
CA 24 0107 100001981	2.21	CA 22 0301	CA 21 0393	139	96	3.57	101	2.18 63	0.26 45	1.27 64	0.03 61	0.09 73	-1.43 66	0.25 32	0.31 32	95	2	
CA 24 0109 100002005	1.87	CA 22 0270	CA 22 0124	133	97	2.41	99	-0.01 69	-0.39 52	-0.37 70	-0.09 68	-1.02 77	-3.58 72	0.59 41	0.16 40	104	3	
CA 24 0115 100002062	2.21	CA 22 0301	CA 21 0425	119	98	4.60	103	0.56 66	-0.25 49	1.01 64	-0.05 63	-0.67 72	-1.41 66	0.25 32	0.31 32	120	3	
CA 24 0120 100002120	15.36	CA 22 0240	CA 22 0189	92	101	4.61	103	1.03 69	-0.26 50	0.97 69	0.20 67	0.70 77	0.42 71	1.49 37	0.62 37	95	1	
CA 24 0125 100002161	2.08	CA 22 0270	CA 22 0465	69	103	7.84	108	1.62 64	-0.55 46	1.22 64	0.30 61	0.23 73	1.62 66	2.02 32	0.52 32	95	1	
CA 24 0131 100002229	2.21	CA 22 0182	CA 21 0419	15	109	12.67	116	3.09 62	0.21 41	4.96 64	0.46 61	1.24 73	4.77 66	0.80 30	0.44 30	93	1	
CA 24 0135 100002260	14.46	CA 22 0240	CA 22 0313	87	102	4.78	103	1.80 68	-0.09 50	1.93 69	0.10 67	0.43 77	-3.85 71	-0.94 37	0.39 37	95	1	
CA 24 0138 100002302	1.97	CA 22 0182	CA 20 0070	22	108	11.44	114	2.39 70	0.11 51	3.08 70	0.26 67	0.17 77	2.29 72	-0.14 39	0.78 39	136	5	
CA 24 0139 100002328	2.21	WW 15 2063	CA 21 0386	183	83	-7.44	83	-0.47 67	-0.06 56	-1.86 66	-0.26 64	-0.45 74	-3.62 68	-3.22 46	-0.57 45	117	4	
CA 24 0143 100002385	2.08	CA 22 0240	CA 22 0470	167	92	-1.48	93	0.18 62	0.45 42	0.46 64	-0.09 61	0.72 73	-1.61 66	-0.40 29	0.46 29	92	1	
CA 24 0146 100002401	4.45	CA 22 0301	CA 21 0217	116	98	5.03	104	2.15 70	-0.18 53	1.91 70	0.07 68	0.01 77	-0.90 72	0.38 41	0.19 41	120	3	
CA 24 0150 100002468	2.33	CA 22 0301	CA 21 0022	177	87	-3.26	90	-1.15 70	-0.58 52	-0.96 70	0.01 67	0.44 77	1.92 72	0.52 39	-0.13 39	109	4	
CA 24 0152 100002484	1.84	CA 22 0182	CA 21 0197	102	99	6.24	106	0.92 68	-0.17 49	1.83 69	0.29 67	0.47 77	-1.26 71	0.41 38	0.04 38	102	4	
CA 24 0154 100002500	14.39	CA 22 0240	CA 22 0352	53	104	6.23	106	1.73 69	0.01 51	2.66 70	0.29 67	1.35 77	4.47 72	-0.62 38	0.52 38	102	2	
CA 24 0157 100002542	0.87	WW 15 2063	CA 19 0284	178	87	-4.19	88	0.09 70	-0.23 58	1.07 71	-0.12 69	0.00 77	-3.84 72	-5.57 51	-1.18 51	98	4	
CA 24 0165 100002625	3.93	CA 22 0301	CA 19 0022	135	96	4.06	102	1.72 70	0.11 53	1.48 70	0.11 68	0.31 77	-3.04 72	-0.66 41	0.23 41	125	5	

Young Rams



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding value

Breeding values with an accuracy of below 5% are not printed

Young rams, born since 2020 with a weaning weight, and wool test, but no progeny, both parents known.

Animal Information		Parents		Rank	Selection Indices			EBV - Weights			EBV - Wool			EBV - Fertility		
Animal ID Regnr	% In- breeding	Sire ID	Dam ID		SIP	GM		Weaning Weight	Body		CFW	FD	SL	NLW	TWW	DAM
						EBV	Index	Dir	Mat	Weight	EBV	EBV	EBV	EBV	EBV	EPI
								Acc	Index	Acc	Index	Acc	Index	Acc	Index	Phenotype
Active Breed Average :					101	2.8	100	0.54	0.01	0.56	0.03	-0.14	0.50	0.46	0.27	
CA 24 0171 100002666	2.21	CA 22 0182	CA 21 0383	77	102	7.46	108	2.23 64	0.43 45	2.78 114	0.14 63	0.31 74	0.84 68	0.80 30	0.44 30	102 2
CA 24 0175 100002724	2.08	CA 22 0270	CA 22 0464	100	100	5.44	104	0.77 66	0.75 48	1.67 107	0.04 62	0.00 74	-3.63 67	2.02 32	0.52 32	107 2
CA 24 0178 100002765	7.88	CA 22 0240	CA 22 0299	2	115	16.06	122	3.60 68	0.77 48	6.33 137	0.15 67	0.40 77	4.17 71	0.34 35	1.26 35	112 1
CA 24 0179 100002781	7.88	CA 22 0240	CA 22 0299	21	108	10.31	112	2.21 68	0.69 48	3.30 118	0.17 67	0.68 77	1.51 71	0.34 35	1.26 35	112 1
CA 24 0182 100002807	2.00	CA 22 0182	CA 20 0372	10	109	12.32	116	2.28 65	0.05 47	3.89 121	0.14 63	-0.49 74	-5.74 68	0.99 31	0.51 31	103 3
CA 24 0184 100002823	4.92	CA 22 0240	CA 22 0183	70	103	6.45	106	1.98 68	0.70 50	2.63 113	0.13 66	1.15 76	-2.85 71	-0.09 36	1.12 36	117 3
CA 24 0190 100002864	2.21	CA 22 0301	CA 21 0391	163	92	0.71	97	-0.18 65	0.34 48	0.52 107	-0.10 61	-0.05 73	1.50 66	0.25 32	0.31 32	112 4
CA 24 0193 100002880	1.92	CA 22 0182	CA 20 0105	13	109	13.13	117	0.70 69	-0.22 52	2.07 110	0.29 68	0.57 77	-2.11 72	4.59 42	1.96 42	101 3
CA 24 0196 100002906	1.64	CA 22 0301	CA 20 0148	121	98	6.27	106	0.20 70	0.53 53	0.80 111	0.06 68	0.11 77	-2.42 72	3.07 39	1.16 39	142 5
CA 24 0198 100002922	16.47	CA 22 0240	CA 22 0248	4	114	14.10	119	3.03 69	0.04 50	3.85 121	0.23 67	-0.32 77	-5.86 71	-0.38 38	0.81 38	107 1
CA 24 0201 100002948	2.16	CA 22 0182	CA 20 0324	3	114	17.53	124	2.66 70	-0.13 52	5.69 133	0.25 68	-0.19 77	4.08 72	3.31 39	0.96 39	108 3
CA 24 0202 100002963	2.16	CA 22 0182	CA 20 0324	36	105	10.25	112	2.39 70	-0.13 52	3.91 122	0.22 68	0.92 77	0.54 72	3.31 39	0.96 39	108 3
CA 24 0205 100002989	2.00	CA 22 0270	CA 20 0364	146	95	1.57	98	1.15 66	0.48 49	2.15 110	-0.06 65	0.72 73	1.54 67	1.17 33	0.41 33	109 3
CA 24 0207 100003003	4.92	CA 22 0240	CA 22 0155	1	116	17.64	124	2.65 69	0.07 52	4.47 125	0.31 67	-0.10 77	4.58 71	1.76 42	1.36 42	106 3
CA 24 0210 100003045	2.00	CA 22 0301	CA 19 0204	166	92	0.50	96	-0.02 69	-0.06 52	0.99 103	-0.02 68	0.44 77	3.50 72	0.12 39	0.17 39	100 3
CA 24 0212 100003060	2.13	CA 22 0182	CA 20 0206	24	107	10.21	112	1.18 69	-0.63 51	1.43 106	0.46 67	0.20 77	1.40 72	-0.56 39	0.31 38	112 4

Young Rams



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding value

Breeding values with an accuracy of below 5% are not printed

Young rams, born since 2020 with a weaning weight, and wool test, but no progeny, both parents known.

Animal Information		Parents		Rank	Selection Indices			EBV - Weights			EBV - Wool			EBV - Fertility			
Animal ID Regnr	% In- breeding	Sire ID	Dam ID		SIP	GM		Weaning Weight Dir		Body Weight	CFW	FD	SL	NLW	TWW	EPI	DAM Lambed
						EBV	Index	EBV	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc
		Active Breed Average :			101	2.8	100	0.54	0.01	0.56	0.03	-0.14	0.50	0.46	0.27		
CA 24 0214 100003086	4.92	CA 22 0240	CA 22 0282	54	104	8.46	109	0.73 69	0.59 50	2.11 110	0.16 67	0.90 77	6.00 114	2.23 37	1.54 36	101	2
CA 24 0218 100003102	1.73	CA 22 0270	CA 22 0081	83	102	6.58	106	1.20 70	0.10 53	1.42 106	0.09 68	0.25 77	-4.05 88	2.14 42	0.98 41	110	3
CA 24 0229 100003169	2.81	CA 22 0301	CA 21 0202	129	97	5.79	105	1.76 70	0.17 53	2.54 113	0.17 68	0.49 77	6.04 115	0.03 40	0.16 40	127	4
CA 24 0232 100003201	2.90	CA 22 0301	CA 19 0142	179	87	-3.82	89	-0.16 70	0.24 53	-1.05 90	-0.10 68	0.74 77	-2.87 91	1.26 40	0.57 40	108	3
CA 24 0234 100003243	2.19	CA 22 0270	CA 18 0235	16	109	12.66	116	3.40 70	0.06 53	4.75 127	0.22 67	0.38 77	3.24 107	0.76 40	0.71 40	127	4
CA 24 0243 100003326	1.97	CA 22 0301	CA 20 0031	29	106	12.21	115	2.43 70	-0.65 53	5.13 129	0.20 68	0.54 77	1.07 102	3.27 40	0.69 40	104	4
CA 24 0244 100003342	1.97	CA 22 0301	CA 20 0031	120	98	5.61	105	1.11 70	-0.30 53	2.84 115	-0.06 68	0.19 77	0.21 99	3.27 40	0.69 40	104	4
CA 24 0246 100003383	14.09	CA 22 0240	CA 22 0141	104	99	2.61	100	-0.03 69	-0.19 51	0.60 100	0.11 67	0.17 77	1.35 102	-0.49 39	0.10 39	99	3
CA 24 0248 100003409	17.78	CA 22 0240	CA 22 0407	12	109	9.74	111	1.09 68	-0.24 49	2.34 111	0.17 67	-0.69 77	3.62 108	-1.83 37	0.17 37	94	1
CA 24 0249 100003425	2.96	CA 22 0240	CA 22 0004	8	110	13.73	118	2.42 70	0.35 53	4.02 122	0.25 68	0.44 77	1.91 104	2.79 42	1.28 42	128	3
CA 24 0250 100003441	2.96	CA 22 0240	CA 22 0004	57	104	8.82	110	1.96 70	0.43 53	3.12 116	0.23 68	1.28 77	0.89 101	2.79 42	1.28 42	128	3
CA 24 0251 100003466	2.13	CA 22 0301	CA 21 0240	174	89	-1.56	93	0.20 70	0.36 52	0.90 102	-0.09 67	0.78 77	5.03 112	0.85 39	0.30 39	124	4
CA 24 0252 100003482	2.13	CA 22 0301	CA 21 0240	82	102	8.55	109	1.57 70	-0.20 52	1.62 107	0.06 67	-1.03 77	-4.95 86	0.85 39	0.30 39	124	4
CA 24 0256 100003508	2.08	CA 22 0240	CA 22 0477	60	103	6.10	105	0.81 63	0.32 44	2.05 110	0.08 62	0.08 74	-0.77 97	-0.40 29	0.46 29	95	1
CA 24 0258 100003524	2.12	CA 22 0182	CA 17 0051	115	98	4.49	103	1.69 70	-0.16 52	1.56 106	0.18 68	0.71 77	2.72 106	2.25 40	0.43 40	127	5
CA 24 0259 100003540	2.12	CA 22 0182	CA 17 0051	107	99	5.40	104	0.76 70	0.23 52	2.95 115	0.04 68	0.48 77	-0.62 97	2.25 40	0.43 40	127	5

Young Rams



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding value

Breeding values with an accuracy of below 5% are not printed

Young rams, born since 2020 with a weaning weight, and wool test, but no progeny, both parents known.

Animal Information		Parents		Rank	Selection Indices			EBV - Weights			EBV - Wool			EBV - Fertility			
Animal ID Regnr	% In- breeding	Sire ID	Dam ID		SIP	GM		Weaning Dir	Weight Mat	Body Weight	CFW	FD	SL	NLW	TWW	EPI	DAM Lambd
						EBV	Index	EBV	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc
		Active Breed Average :			101	2.8	100	0.54	0.01	0.56	0.03	-0.14	0.50	0.46	0.27		
CA 24 0261 100003565	1.35	CA 22 0301	CA 20 0152	65	103	9.04	110	1.66 69	-0.07 52	2.12 70	0.12 68	0.28 77	-5.79 72	2.37 40	1.25 40	100	3
CA 24 0265 100003623	2.26	CA 22 0182	CA 21 0136	5	112	15.04	120	1.86 69	0.08 50	4.90 69	0.25 67	-0.40 77	-3.45 71	1.15 38	0.40 38	108	3
CA 24 0266 100003649	1.43	CA 22 0182	CA 21 0348	40	105	10.03	112	1.52 68	-0.99 48	1.79 69	0.38 67	-0.51 77	-1.05 71	-0.29 37	-0.23 37	92	2
CA 24 0270 100003664	1.06	CA 22 0270	CA 17 0238	142	96	2.63	100	0.25 70	-0.40 54	1.63 70	-0.07 68	0.28 77	0.23 72	3.58 40	0.52 39	101	3
CA 24 0271 100003680	1.91	CA 22 0301	CA 21 0350	49	104	9.96	112	2.60 69	0.17 51	4.28 70	-0.07 67	-0.58 77	-6.54 72	0.47 40	0.52 40	102	3
CA 24 0274 100003722	1.89	CA 22 0301	CA 19 0423	154	94	2.10	99	-0.56 67	0.10 51	-0.28 67	0.11 65	0.14 75	-2.63 70	-0.13 34	0.32 34	124	4
CA 24 0275 100003748	1.89	CA 22 0301	CA 19 0423	165	92	0.56	96	0.95 67	0.38 51	1.12 67	-0.14 65	0.08 75	-6.44 70	-0.13 34	0.32 34	124	4
CA 24 0276 100003763	1.58	CA 22 0240	CA 22 0033	136	96	2.39	99	0.29 67	0.20 49	1.37 69	0.08 67	1.15 77	3.62 71	0.93 39	0.78 39	91	1
CA 24 0279 100003789	1.67	CA 22 0182	CA 20 0054	31	106	10.83	113	2.47 70	-0.12 51	4.65 70	0.15 68	0.89 77	5.60 72	2.14 40	1.07 40	122	5
CA 24 0281 100003805	2.08	CA 22 0270	CA 22 0461	153	95	1.40	98	-0.08 63	0.05 46	0.46 65	0.02 62	0.48 74	0.18 67	2.02 32	0.52 32	95	2
CA 24 0283 100003821	14.09	CA 22 0240	CA 22 0315	46	104	7.05	107	0.55 69	-0.36 51	2.06 69	0.17 67	-0.11 77	-1.69 71	-0.63 37	0.11 37	103	3
CA 24 0284 100003847	1.00	CA 22 0270	CA 17 0304	152	95	2.22	99	0.92 71	0.07 54	1.92 71	0.12 69	1.04 78	6.48 73	0.32 41	0.22 41	129	6
CA 24 0288 100003888	2.26	CA 22 0270	CA 22 0221	96	100	4.55	103	0.55 68	-0.28 51	1.01 69	0.06 67	-0.29 77	5.08 71	0.26 39	0.20 39	105	3
CA 24 0289 100003904	5.68	CA 22 0240	CA 22 0432	61	103	7.23	107	1.47 68	0.04 48	3.85 69	0.19 66	0.96 77	7.04 71	-1.41 36	0.33 35	96	2
CA 24 0294 100003961	2.59	CA 22 0270	CA 18 0320	95	101	5.95	105	0.92 71	-0.12 54	1.06 71	0.22 68	0.30 78	2.95 72	1.51 42	0.48 42	174	7
CA 24 0301 100004001	15.77	CA 22 0240	CA 22 0283	37	105	7.81	108	1.66 68	-0.18 50	1.60 69	0.27 67	0.37 77	1.57 71	-0.18 38	0.61 38	92	1

Young Rams



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding value

Breeding values with an accuracy of below 5% are not printed

Young rams, born since 2020 with a weaning weight, and wool test, but no progeny, both parents known.

Animal Information		Parents		Rank	Selection Indices			EBV - Weights			EBV - Wool			EBV - Fertility		
Animal ID Regnr	% In- breeding	Sire ID	Dam ID		SIP	GM		Weaning Weight	Body		CFW	FD	SL	NLW	TWW	DAM
						EBV	Index	Dir	Mat	Weight	EBV	EBV	EBV	EBV	EBV	EPI
								Acc	Index	Acc	Index	Acc	Index	Acc	Index	Phenotype
Active Breed Average :					101	2.8	100	0.54	0.01	0.56	0.03	-0.14	0.50	0.46	0.27	
CA 24 0303 100004027	2.21	CA 22 0240	CA 21 0384	164	92	-1.46	93	0.41 66 99	0.19 48 104	0.84 65 102	-0.02 63 97	1.14 74 120	-0.72 68 97	-0.57 30 96	0.39 30 102	117 4
CA 24 0304 100004043	13.88	CA 22 0240	CA 22 0296	43	104	6.99	107	0.77 68 102	-0.09 49 98	1.32 69 105	0.22 67 111	-0.08 77 101	-3.23 71 90	-0.95 37 95	0.28 37 100	91 1
CA 24 0305 100004068	2.00	CA 22 0182	CA 20 0402	88	101	7.10	107	1.62 64 110	0.31 45 106	4.49 65 125	-0.10 63 92	0.11 74 104	-3.11 68 91	0.98 31 102	0.43 30 102	95 3
CA 24 0306 100004084	3.28	CA 22 0240	CA 22 0272	56	104	8.12	109	1.16 68 106	0.24 51 105	2.89 69 115	0.17 67 109	0.49 77 110	4.50 71 111	0.13 41 99	0.63 41 104	92 1
CA 24 0308 100004100	1.83	CA 22 0182	CA 20 0258	23	107	12.19	115	2.42 70 118	0.06 51 101	2.99 69 116	0.18 67 109	-0.52 77 94	1.38 71 102	0.80 39 101	0.69 39 105	127 5
CA 24 0310 100004126	3.76	CA 22 0301	CA 21 0051	91	101	7.89	108	2.59 69 119	0.31 51 106	2.52 70 113	0.17 68 109	-0.05 77 101	2.02 72 104	-0.61 40 96	0.20 40 99	95 2
CA 24 0312 100004167	14.14	CA 22 0240	CA 22 0094	109	99	2.55	100	0.09 67 96	-0.06 48 99	0.37 68 99	0.13 66 106	0.20 76 105	3.85 71 109	-1.76 36 92	0.12 36 98	91 1
CA 24 0316 100004183	2.17	CA 22 0270	CA 20 0312	80	102	9.36	111	2.26 69 116	-0.18 52 96	2.67 70 114	0.11 67 105	0.10 77 104	-2.51 72 92	3.49 39 111	0.96 38 108	113 4
CA 24 0318 100004209	3.05	CA 22 0240	CA 21 0007	141	96	0.87	97	0.78 69 102	-0.09 51 98	0.84 69 102	-0.11 66 91	-0.27 77 98	-0.24 71 98	-1.67 37 92	0.03 37 97	112 4
CA 24 0320 100004225	1.53	CA 22 0240	CA 22 0331	123	98	2.63	100	0.81 69 103	-0.01 51 100	1.02 69 103	0.14 67 107	0.97 77 117	5.51 71 113	0.27 40 99	0.55 40 104	99 3
CA 24 0321 100004241	13.73	CA 22 0240	CA 22 0223	71	103	6.32	106	0.26 69 97	0.14 51 103	2.96 70 115	0.15 67 107	0.72 77 113	-1.68 71 94	0.98 38 102	0.42 38 102	110 3
CA 24 0325 100004266	4.56	CA 22 0182	CA 21 0234	85	102	8.48	109	1.44 70 108	-0.71 51 85	1.66 70 107	0.46 67 126	0.56 77 111	6.62 72 116	-0.13 38 98	0.10 38 98	125 4
CA 24 0328 100004282	13.39	CA 22 0270	CA 22 0386	157	94	1.69	98	-0.01 69 95	-0.24 53 95	0.57 70 100	0.17 68 108	1.11 77 119	4.10 72 109	1.98 43 106	0.53 43 103	93 2
CA 24 0331 100004308	1.98	CA 22 0270	CA 22 0127	110	99	3.56	101	1.34 69 108	-0.57 52 88	1.85 70 108	0.17 67 109	0.79 77 114	3.23 71 107	1.28 40 103	0.13 40 98	102 3
CA 24 0338 100004381	2.40	CA 22 0301	CA 21 0222	81	102	8.78	110	1.70 70 111	-0.65 52 86	2.23 70 111	0.32 67 118	-0.19 77 99	-0.45 72 98	-1.20 39 94	-0.20 39 94	106 3
CA 24 0340 100004423	2.00	CA 22 0301	CA 20 0362	170	90	-1.24	93	-0.41 67 91	0.12 50 102	2.21 66 111	-0.06 64 94	1.49 75 125	1.60 69 103	0.44 33 100	0.35 33 101	112 4

Young Rams



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding value
Breeding values with an accuracy of below 5% are not printed

Young rams, born since 2020 with a weaning weight, and wool test, but no progeny, both parents known.

Animal Information		Parents		Rank	Selection Indices			EBV - Weights			EBV - Wool			EBV - Fertility			
Animal ID Regnr	% In- breeding	Sire ID	Dam ID		SIP	GM		Weaning Weight Dir Mat		Body Weight	CFW	FD	SL	NLW	TWW	EPI	DAM Lambred
						EBV	Index	EBV	Index	EBV	Acc	Index	Acc	Index	Acc	Index	Phenotype
		Active Breed Average :			101	2.8	100	0.54	0.01	0.56	0.03	-0.14	0.50	0.46	0.27		
CA 24 0342 100004449	2.73	CA 22 0301	CA 21 0294	97	100	7.49	108	0.57 69 100	-0.39 51 92	1.25 69 104	0.33 66 118	-0.12 76 100	-5.52 71 84	-0.46 39 97	-0.11 39 96	106	4
CA 24 0347 100004480	14.09	CA 22 0240	CA 22 0376	35	105	7.88	108	0.86 69 103	-0.17 50 96	1.59 69 107	0.24 67 113	-0.31 77 97	-1.16 71 96	-2.09 38 90	0.07 38 98	95	2
CA 24 0348 100004506	7.98	CA 22 0182	CA 19 0227	144	96	2.74	100	-0.04 69 95	-0.49 51 90	2.49 70 112	0.08 67 103	0.13 77 104	-4.53 72 87	-2.87 40 88	-0.62 39 89	103	5
CA 24 0349 100004522	2.65	CA 22 0270	CA 19 0283	185	81	-9.15	80	-0.63 69 89	0.02 52 100	-0.39 70 94	-0.29 68 80	1.23 77 121	1.27 72 102	2.13 39 106	0.09 39 98	96	4
CA 24 0350 100004548	2.16	CA 22 0270	CA 22 0251	11	109	12.58	116	2.49 69 118	-0.22 50 95	2.26 69 111	0.38 67 122	0.10 77 104	1.77 71 103	1.24 38 103	0.86 38 107	108	3
CA 24 0355 100004563	1.19	CA 22 0270	CA 18 0300	173	90	-1.95	92	-0.12 70 94	-0.44 52 91	-0.77 70 92	0.14 68 107	0.41 77 109	1.64 72 103	-2.17 40 90	-0.44 40 91	105	4
CA 24 0356 100004589	2.00	CA 22 0182	CA 20 0394	168	92	-1.15	93	-1.40 67 82	-0.15 49 97	0.62 66 100	0.08 63 103	1.38 75 124	3.43 68 108	0.10 31 99	0.37 31 101	122	5
CA 24 0358 100004605	3.35	CA 22 0270	CA 22 0303	94	101	6.63	106	1.56 68 110	-0.06 48 99	2.32 69 111	0.05 67 101	-0.04 77 102	5.19 71 112	1.29 37 103	0.48 36 103	92	1
CA 24 0360 100004621	2.97	CA 22 0301	CA 21 0016	89	101	8.63	110	1.70 70 111	-0.10 52 98	1.13 70 104	0.34 68 119	-0.07 77 101	2.59 72 106	0.71 41 101	0.31 40 101	123	4
CA 24 0363 100004647	3.80	CA 22 0301	CA 21 0262	86	102	8.15	109	2.23 69 116	-0.01 52 100	3.94 70 122	0.04 68 100	-0.52 77 94	-3.32 72 90	-2.07 40 91	-0.25 40 94	98	3
CA 24 0365 100004662	2.21	CA 22 0182	CA 21 0411	125	97	3.76	102	0.03 66 95	0.02 47 100	0.93 65 102	0.09 63 103	0.25 74 106	-5.44 68 84	0.80 30 101	0.44 30 102	118	3
CA 24 0372 100004704	1.58	CA 22 0182	CA 20 0233	17	109	13.34	117	2.23 69 116	-0.08 50 98	2.90 69 115	0.37 67 121	0.25 77 106	5.30 71 113	1.10 39 102	0.99 39 109	105	4
CA 24 0373 100004720	2.32	CA 22 0301	CA 19 0275	158	94	3.04	100	0.82 70 103	0.20 53 104	2.20 70 111	-0.04 68 96	-0.29 77 98	-2.72 72 92	-2.34 41 90	-0.32 40 93	131	6
CA 24 0376 100004761	1.58	CA 22 0240	CA 22 0364	38	105	9.31	111	1.82 69 112	0.22 51 105	1.97 69 109	0.21 66 111	0.25 76 106	-1.93 71 94	1.40 40 104	0.99 40 109	115	3
CA 24 0377 100004787	3.29	CA 22 0270	CA 22 0261	64	103	7.29	107	1.73 69 111	-0.18 52 96	3.19 70 117	0.12 68 105	0.35 77 108	-1.83 72 94	0.73 41 101	0.35 40 101	108	3
CA 24 0378 100004803	1.43	CA 22 0301	CA 20 0069	124	97	4.64	103	1.23 70 106	0.02 52 100	2.00 70 109	0.08 68 103	0.56 77 111	2.82 72 106	-0.22 40 98	0.53 40 103	113	4

Young Rams



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding value
Breeding values with an accuracy of below 5% are not printed

Young rams, born since 2020 with a weaning weight, and wool test, but no progeny, both parents known.

Animal Information		Parents		Rank	Selection Indices			EBV - Weights			EBV - Wool			EBV - Fertility			
Animal ID Regnr	% In- breeding	Sire ID	Dam ID		SIP	GM		Weaning Dir	Weight Mat	Body Weight	CFW	FD	SL	NLW	TWW	DAM EPI	Lambcd
						EBV	Index	EBV Acc	Index Acc	EBV A	EBV Acc	Index Acc	EBV Acc	Index Acc	EBV Acc	Index Acc	EBV Acc
		Active Breed Average :			101	2.8	100	0.54	0.01	0.56	0.03	-0.14	0.50	0.46	0.27		
CA 24 0380 100004829	2.26	CA 22 0270	CA 22 0292	42	104	8.47	109	1.94 68 113	-0.05 50 99	1.75 69 108	0.09 67 104	-0.69 77 92	-3.52 71 90	0.54 37 100	0.42 36 102	105	3
CA 24 0381 100004845	1.94	CA 22 0182	CA 20 0290	78	102	8.11	109	1.58 68 110	-0.22 48 95	1.98 69 109	0.27 67 115	0.78 77 114	-4.64 71 87	1.25 38 103	0.91 38 108	88	2
CA 24 0384 100004886	1.86	CA 22 0270	CA 22 0029	99	100	5.05	104	0.56 69 100	-0.58 51 88	0.50 70 100	0.22 68 111	0.67 77 113	-3.21 72 90	2.55 41 108	0.85 40 107	91	1
CA 24 0389 100004902	9.79	CA 22 0301	CA 18 0310	175	88	-2.39	91	0.31 70 98	0.55 53 111	1.44 70 106	-0.25 68 83	-0.22 77 99	1.50 72 103	-4.20 40 83	-0.49 40 91	134	6
CA 24 0392 100004944	2.04	CA 22 0182	CA 20 0195	14	109	13.64	118	1.55 70 110	-0.31 51 93	2.39 69 112	0.43 67 125	-0.34 77 97	2.86 71 106	-0.41 39 97	0.43 38 102	121	4
CA 24 0394 100004969	1.89	CA 22 0301	CA 19 0441	131	97	4.42	103	0.33 66 98	-0.14 50 97	0.39 66 99	0.13 64 106	-0.02 75 102	-1.69 69 94	1.21 33 103	0.43 33 102	118	5
CA 24 0395 99999948	2.41	CA 22 0182	CA 18 0268	101	100	5.38	104	1.43 71 108	-0.09 53 98	1.78 70 108	0.17 68 109	0.72 77 113	7.08 72 117	1.27 41 103	0.61 41 104	189	7
CA 24 0396 100004985	1.68	CA 22 0240	CA 22 0428	20	108	11.52	114	1.36 69 108	-0.22 52 95	1.23 70 104	0.37 67 121	-0.23 77 99	-1.90 71 94	0.66 42 101	0.75 41 106	105	3
CA 24 0401 100005008	2.17	CA 22 0301	CA 21 0126	137	96	2.37	99	-0.10 70 94	-0.15 52 97	0.42 70 99	0.00 68 98	-0.25 77 98	-2.88 72 91	0.80 39 101	0.19 39 99	122	4
CA 24 0404 100000082	2.19	CA 22 0301	CA 19 0245	48	104	9.93	112	1.95 70 113	-0.37 53 92	1.59 70 107	0.39 67 122	0.16 77 105	-6.59 72 81	1.25 40 103	0.46 40 102	153	6
CA 24 0408 100005040	2.00	CA 22 0301	CA 20 0366	160	93	2.26	99	0.32 67 98	0.01 50 100	0.78 67 101	-0.11 64 91	-0.23 75 99	-2.58 69 92	0.92 32 102	0.49 32 103	116	4
CA 24 0415 100005081	2.57	CA 22 0182	CA 20 0075	6	111	15.00	120	0.56 70 100	-0.32 52 93	2.73 70 114	0.27 67 115	-0.83 77 89	-1.76 72 94	4.14 38 114	0.89 38 108	118	5
CA 24 0419 100005107	2.15	CA 22 0301	CA 19 0169	122	98	4.77	103	1.58 69 110	-0.35 51 93	3.76 69 121	0.16 67 108	0.84 77 115	1.13 71 102	-1.99 38 91	-0.29 38 93	93	4
CA 24 0420 100005123	1.84	CA 22 0182	CA 20 0343	44	104	10.15	112	1.17 69 106	-0.29 51 94	1.94 70 109	0.15 67 107	-0.36 77 97	0.62 72 100	2.36 38 107	0.91 38 108	105	3
CA 24 0421 100005149	1.84	CA 22 0182	CA 20 0343	55	104	9.72	111	1.20 69 106	0.04 51 101	3.74 70 120	0.04 67 100	0.13 77 104	0.69 72 101	2.36 38 107	0.91 38 108	105	3
CA 24 0423 100005164	2.08	CA 22 0270	CA 22 0459	159	93	0.31	96	0.38 65 98	0.27 48 106	0.53 66 100	-0.16 63 88	-0.01 74 102	-3.20 68 90	1.97 32 106	0.50 32 103	102	2

Young Rams



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding value
Breeding values with an accuracy of below 5% are not printed

Young rams, born since 2020 with a weaning weight, and wool test, but no progeny, both parents known.

Animal Information		Parents		Rank	Selection Indices			EBV - Weights			EBV - Wool			EBV - Fertility			
Animal ID Regnr	% In- breeding	Sire ID	Dam ID		SIP	GM		Weaning Dir	Weight Mat	Body Weight	CFW	FD	SL	NLW	TWW	EPI	DAM Lambed
						EBV	Index	EBV	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc
		Active Breed Average :			101	2.8	100	0.54	0.01	0.56	0.03	-0.14	0.50	0.46	0.27		
CA 24 0427 100005222	3.90	CA 22 0270	CA 22 0418	39	105	9.33	111	2.06 69	0.03 51	1.88 101	0.16 67	0.17 77	-0.90 105	3.89 37	1.16 37	101	2
CA 24 0430 100005248	2.00	CA 22 0182	CA 20 0403	130	97	3.11	101	-0.46 65	-0.22 47	1.15 65	-0.01 63	0.02 74	-2.79 103	0.32 31	0.34 31	95	3
CA 24 0431 100000389	4.69	CA 22 0270	CA 22 0153	19	108	10.42	113	2.53 69	-0.55 52	2.38 88	0.30 68	-0.05 77	3.31 101	1.35 40	0.43 40	107	3
CA 24 0436 100005289	2.23	CA 22 0182	CA 20 0113	52	104	10.18	112	2.27 69	-0.21 50	2.41 96	0.28 67	0.46 77	0.57 109	2.07 38	0.92 38	112	4
CA 24 0437 100005305	2.08	CA 22 0270	CA 22 0466	149	95	1.84	98	0.43 63	0.24 46	1.17 105	0.03 61	0.73 73	-0.71 114	2.02 32	0.52 32	96	3
CA 24 0443 100005388	1.73	CA 22 0270	CA 22 0275	150	95	0.35	96	1.20 69	-0.27 52	2.12 94	-0.03 67	1.30 77	-6.57 122	0.55 41	0.49 41	101	3
CA 24 0444 100005404	3.05	CA 22 0270	CA 22 0354	7	110	14.51	119	2.54 69	-0.01 52	5.76 100	0.17 67	0.71 77	0.42 100	4.20 39	1.33 39	112	3
CA 24 0447 100005420	3.18	CA 22 0240	CA 21 0253	98	100	4.95	104	1.86 69	-0.38 50	1.08 92	0.18 67	-0.14 77	-0.60 100	-1.51 37	-0.09 37	98	3
CA 24 0449 100005446	15.00	CA 22 0240	CA 22 0387	68	103	6.17	106	0.73 69	-0.02 51	1.49 100	0.15 67	-0.05 77	5.03 102	-2.22 39	0.27 38	104	3
CA 24 0450 100005461	2.08	CA 22 0270	CA 22 0453	90	101	6.38	106	1.95 65	0.04 47	2.57 101	0.02 61	0.04 73	-0.65 103	2.02 32	0.52 32	106	3
CA 24 0454 100005487	3.35	CA 22 0270	CA 22 0439	25	107	12.62	116	1.50 70	0.11 52	4.37 69	0.18 67	-0.08 77	2.65 101	1.55 39	0.62 38	113	3
CA 24 0457 100005503	2.08	CA 22 0270	CA 22 0472	143	96	2.06	99	0.49 63	-0.29 46	0.01 94	0.06 61	0.24 73	-1.21 106	2.02 32	0.52 32	94	2
CA 24 0458 100005529	2.32	CA 22 0270	CA 20 0322	148	95	3.15	101	0.74 70	-0.23 52	1.21 95	0.01 68	0.45 77	2.80 109	3.06 40	0.70 40	108	4
CA 24 0460 100005560	2.73	CA 22 0301	CA 21 0235	59	103	9.45	111	1.79 68	-0.04 51	3.47 99	0.13 67	-0.35 77	-0.94 97	-0.15 38	0.07 38	92	2
CA 24 0462 100005586	2.15	CA 22 0270	CA 18 0351	127	97	3.04	100	-0.76 70	0.47 53	2.27 110	-0.05 68	0.45 77	-0.05 109	0.38 40	0.42 39	170	7
CA 24 0467 100005628	2.21	CA 22 0240	CA 21 0422	79	102	6.44	106	0.49 65	-0.03 47	0.75 99	0.11 62	-0.47 74	-3.78 95	-0.40 29	0.46 29	108	4

Young Rams



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding value

Breeding values with an accuracy of below 5% are not printed

Young rams, born since 2020 with a weaning weight, and wool test, but no progeny, both parents known.

Animal Information		Parents		Rank	Selection Indices			EBV - Weights			EBV - Wool			EBV - Fertility		
Animal ID Regnr	% In- breeding	Sire ID	Dam ID		SIP	GM		Weaning Weight Dir	Weight Mat	Body Weight	CFW	FD	SL	NLW	TWW	DAM EPI Lambled
					EBV	Index		Acc	Index	Acc	Acc	Index	Acc	Acc	Index	Phenotype
Active Breed Average :					101	2.8	100	0.54	0.01	0.56	0.03	-0.14	0.50	0.46	0.27	
CA 24 0468 100005644	2.21	CA 22 0240	CA 21 0421	162	93	-1.10	94	-0.42 62 91	0.20 42 104	-0.11 64 96	0.04 61 100	0.93 73 117	1.48 66 103	-0.40 29 97	0.46 29 102	92 1
CA 24 0469 100005669	14.53	CA 22 0270	CA 22 0327	62	103	8.56	109	0.09 69 96	-0.37 53 92	2.32 70 111	0.42 68 124	1.01 77 118	2.00 72 104	1.57 43 104	0.46 43 102	103 3
CA 24 0474 100005685	2.08	CA 22 0270	CA 22 0447	138	96	2.65	100	0.17 63 97	-0.40 46 91	-0.34 64 94	0.03 61 100	-0.19 73 99	-2.47 66 92	2.02 32 106	0.52 32 103	93 2
CA 24 0476 100005701	2.21	CA 22 0182	CA 21 0409	106	99	5.04	104	1.52 64 109	0.53 45 111	3.02 65 116	0.02 63 99	0.55 74 111	1.07 68 102	0.80 30 101	0.44 30 102	101 3
CA 24 0477 100005727	2.21	CA 22 0182	CA 21 0409	47	104	8.90	110	1.68 64 111	0.25 45 105	3.24 65 117	0.19 63 110	0.33 74 107	1.90 68 104	0.80 30 101	0.44 30 102	101 3
CA 24 0478 100005743	2.21	CA 22 0301	CA 21 0406	181	85	-5.32	87	-0.08 65 94	0.15 47 103	1.97 66 109	-0.18 63 87	1.95 74 132	-2.23 68 93	0.18 32 99	0.29 32 100	95 2
CA 24 0479 100005768	2.21	CA 22 0301	CA 21 0406	151	95	2.41	99	0.27 65 97	-0.24 47 95	1.31 66 105	-0.11 63 91	-0.21 74 99	-6.11 68 83	0.18 32 99	0.29 32 100	95 2
CA 24 0480 100005784	1.19	CA 22 0240	CA 21 0002	118	98	2.55	100	0.85 70 103	0.52 52 111	0.66 70 101	0.00 68 98	-0.09 77 101	-3.35 72 90	-1.56 40 92	0.29 40 100	124 4
CA 24 0481 100005800	1.19	CA 22 0240	CA 21 0002	172	90	-3.93	89	-0.91 70 86	0.61 52 113	-1.76 70 85	0.02 68 99	0.71 77 113	0.30 72 100	-1.56 40 92	0.29 40 100	124 4
CA 24 0482 100005826	2.72	CA 22 0301	CA 19 0186	140	96	4.01	102	0.57 71 100	-0.51 54 89	1.83 71 108	0.16 68 108	0.86 78 116	0.35 72 100	3.77 42 113	0.40 42 102	144 6
CA 24 0483 100005842	2.72	CA 22 0301	CA 19 0186	171	90	-0.97	94	-0.42 71 91	-0.57 54 88	-1.34 71 88	0.09 68 104	0.49 78 110	-2.66 72 92	3.77 42 113	0.40 42 102	144 6
CA 24 0485 100005867	3.23	CA 22 0301	CA 21 0357	114	98	5.10	104	1.04 69 105	-0.21 50 95	1.81 70 108	0.12 67 106	-0.23 77 99	-5.98 72 83	-0.85 39 95	-0.22 39 94	92 2
CA 24 0487 100005883	1.13	CA 22 0182	CA 16 0077	113	98	5.63	105	-0.12 70 94	0.48 53 110	2.05 70 110	0.08 68 103	0.66 77 112	2.09 72 104	2.78 39 109	0.89 39 108	103 4
CA 24 0489 100005909	2.29	CA 22 0301	CA 21 0368	134	96	3.90	102	0.86 65 103	-0.51 47 89	1.22 66 104	0.11 64 105	-0.26 74 98	-2.72 68 92	-1.02 37 95	-0.26 37 94	85 2
CA 24 0490 100005925	2.21	CA 22 0301	CA 21 0394	169	91	-0.77	94	-0.38 63 91	-0.12 45 97	1.01 64 103	-0.16 61 88	0.35 73 108	4.28 66 110	0.25 32 99	0.31 32 101	89 2
CA 24 0491 100005941	2.11	CA 22 0270	CA 18 0188	117	98	4.26	102	0.26 70 97	-0.26 54 94	1.76 70 108	0.08 68 103	0.07 77 103	4.14 72 110	0.23 42 99	0.07 42 98	126 6

Young Rams



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding value
Breeding values with an accuracy of below 5% are not printed

Young rams, born since 2020 with a weaning weight, and wool test, but no progeny, both parents known.

Animal Information		Parents		Rank	Selection Indices			EBV - Weights			EBV - Wool			EBV - Fertility			
Animal ID Regnr	% In- breeding	Sire ID	Dam ID		SIP	GM		Weaning Dir	Weight Mat	Body Weight	CFW	FD	SL	NLW	TWW	EPI	DAM Lambed
						EBV	Index	EBV	Acc	Index	Acc	Index	A	Index	Acc	Index	Acc
		Active Breed Average :			101	2.8	100	0.54	0.01	0.56	0.03	-0.14	0.50	0.46	0.27		
CA 24 0494 100000926	1.73	CA 22 0270	CA 22 0005	93	101	5.46	104	1.08 68	-0.16 51	3.41 70	0.16 67	0.76 77	3.53 72	-0.37 39	-0.03 39	91	1
CA 24 0495 100005982	1.27	CA 22 0182	CA 20 0261	18	109	14.38	119	1.57 70	0.12 52	3.67 70	0.25 68	0.21 77	-2.06 72	1.92 42	1.42 42	113	4
CA 24 0496 100006006	1.87	CA 22 0270	CA 22 0255	126	97	3.97	102	-0.15 68	-0.15 49	1.27 69	0.10 67	0.73 77	-1.40 71	1.71 38	0.76 38	91	1
CA 24 0501 100006048	2.75	CA 22 0240	CA 21 0255	75	102	6.61	106	-0.04 69	0.31 52	0.73 70	0.05 68	-0.80 77	-0.04 72	1.30 38	0.44 38	106	3
CA 24 0502 100006063	1.12	CA 22 0182	CA 20 0356	63	103	9.63	111	1.47 70	-0.14 52	2.10 70	0.26 68	1.18 77	-2.19 72	4.03 40	1.74 40	111	4
CA 25 0001 108871567	1.29	CA 23 0276	CA 18 0213	155	95	2.68	100	-0.03 70	0.21 48	-0.12 70	-0.01 68	-0.33 77	1.88 72	-0.22 38	0.49 38	132	5
CA 25 0007 108871583	1.47	CA 23 0255	CA 20 0142	38	105	11.16	114	2.00 70	-0.35 48	0.80 69	0.30 67	0.39 77	3.53 71	5.08 39	1.78 39	136	5
CA 25 0009 108871591	1.71	CA 23 0382	CA 22 0411	112	98	5.73	105	0.11 69	0.45 46	-0.17 68	-0.10 66	-0.58 76	-0.27 70	4.88 35	1.52 34	102	2
CA 25 0012 108871617	13.87	CA 23 0126	CA 23 0095	72	102	9.91	112	0.24 69	0.16 47	-0.67 67	0.14 65	-0.48 76	-1.73 70	6.79 38	1.95 38	110	2
CA 25 0014 108871625	7.25	CA 23 0276	CA 22 0004	1	113	16.98	123	2.63 70	0.04 49	3.34 70	0.20 67	-0.65 77	-3.66 71	4.71 41	1.63 41	128	3
CA 25 0016 108871633	1.19	CA 23 0276	CA 22 0390	90	101	5.75	105	1.06 70	-0.41 47	0.85 69	0.11 67	0.12 77	2.18 71	1.91 38	0.79 38	108	3
CA 25 0020 108871658	7.63	CA 23 0382	CA 20 0088	140	97	4.45	103	-0.97 70	0.11 49	-1.09 69	0.00 66	0.19 77	1.80 71	5.54 38	1.87 38	135	5
CA 25 0021 108871666	13.34	CA 23 0126	CA 23 0087	47	104	10.16	112	0.80 69	0.19 47	0.54 68	0.10 66	-0.11 76	-2.53 70	6.55 40	1.99 40	106	2
CA 25 0023 108871674	1.00	CA 23 0382	CA 21 0119	21	107	11.53	114	1.02 70	0.09 48	1.17 69	-0.07 67	-2.01 77	1.58 71	3.59 39	0.93 39	113	4
CA 25 0025 108869165	2.00	CA 23 0382	CA 20 0366	147	96	4.60	103	-0.37 67	0.06 44	-0.30 65	-0.19 63	-1.15 75	2.78 68	2.94 28	1.06 28	116	4
CA 25 0029 108871690	2.08	CA 23 0382	CA 22 0475	184	90	-1.29	93	-0.61 67	-0.45 44	-2.72 63	-0.10 61	-0.44 73	8.29 66	2.24 28	0.87 28	120	3

Young Rams



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding value

Breeding values with an accuracy of below 5% are not printed

Young rams, born since 2020 with a weaning weight, and wool test, but no progeny, both parents known.

Animal Information		Parents		Rank	Selection Indices			EBV - Weights			EBV - Wool			EBV - Fertility					
Animal ID Regnr	% In- breeding	Sire ID	Dam ID		SIP	GM		Weaning Weight Dir Mat		Body Weight	CFW	FD	SL	NLW	TWW	EPI	DAM Lambd		
						EBV	Index	EBV	Index	EBV	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Phenotype
		Active Breed Average :			101	2.8	100	0.54	0.01	0.56	0.03	-0.14	0.50	0.46	0.27				
CA 25 0031 108871708	1.92	CA 23 0126	CA 23 0131	65	103	9.92	112	0.61 68 101	-0.42 44 91	0.75 68 101	0.19 65 110	-0.36 76 97	1.30 70 102	4.11 34 114	1.18 34 111	97	2		
CA 25 0033 108871724	1.28	CA 23 0276	CA 19 0090	185	88	-2.39	91	-1.29 70 83	0.13 49 103	-1.69 70 86	-0.10 67 92	0.40 77 108	3.73 72 108	5.01 38 117	0.93 38 108	110	4		
CA 25 0034 108869207	1.69	CA 23 0255	CA 22 0326	22	107	10.81	113	1.75 69 111	-0.45 45 91	1.64 65 107	0.37 66 121	0.30 73 107	3.00 67 107	2.67 35 108	0.89 35 108	118	3		
CA 25 0038 108871757	2.08	CA 23 0382	CA 22 0448	165	94	2.11	99	-0.21 65 93	-0.21 42 95	-1.13 60 89	-0.10 61 92	-0.62 69 93	1.59 62 103	2.27 27 107	0.88 27 107	109	2		
CA 25 0039 108871765	2.08	CA 23 0382	CA 22 0448	162	94	2.21	99	-0.37 65 91	-0.08 42 98	-0.78 60 91	-0.18 61 87	-0.83 69 89	-0.13 62 98	2.27 27 107	0.88 27 107	109	2		
CA 25 0052 108871815	7.65	CA 23 0382	CA 22 0331	145	96	3.71	101	0.08 68 96	-0.23 46 95	-0.44 68 94	-0.01 66 97	-0.27 76 98	3.99 70 109	2.94 38 109	0.97 38 109	99	3		
CA 25 0057 108871849	2.84	CA 23 0382	CA 21 0222	120	98	4.83	103	0.81 69 103	-0.64 46 87	-0.19 68 95	0.32 66 118	0.40 76 108	12.54 70 132	0.83 36 101	0.37 36 101	106	3		
CA 25 0066 108871898	2.09	CA 23 0126	CA 23 0357	134	97	6.75	107	0.36 68 98	-0.36 43 92	0.13 67 97	0.07 64 102	0.44 76 109	1.60 69 103	7.87 33 128	1.92 33 120	116	2		
CA 25 0071 108871914	2.08	CA 23 0433	CA 22 0467	181	92	0.56	96	0.80 64 102	0.11 41 102	0.98 64 103	0.11 61 105	1.26 73 122	8.27 66 120	0.57 28 100	0.45 28 102	100	2		
CA 25 0075 108871922	1.66	CA 23 0126	CA 23 0442	49	104	10.35	112	0.68 69 101	0.08 46 102	0.79 68 102	0.14 65 107	-0.31 76 97	-1.48 70 95	6.08 36 121	1.55 35 116	106	2		
CA 25 0077 108871930	1.28	CA 23 0382	CA 19 0220	98	100	7.18	107	1.02 70 105	-0.40 48 91	1.15 69 104	0.27 66 115	0.45 77 109	2.17 71 104	1.32 37 103	0.69 37 105	135	5		
CA 25 0082 108871963	1.64	CA 23 0276	CA 23 0425	119	98	5.54	105	0.17 68 97	-0.15 44 97	-0.15 68 96	0.16 65 108	0.03 76 103	4.18 70 110	2.62 33 108	0.90 33 108	103	2		
CA 25 0084 108871971	2.20	CA 23 0382	CA 18 0351	150	95	2.94	100	0.62 70 101	0.40 47 108	1.37 69 105	-0.18 66 87	-0.17 77 100	0.85 71 101	0.63 36 101	0.78 36 106	170	7		
CA 25 0086 108871989	2.08	CA 23 0255	CA 22 0449	175	92	0.97	97	-0.95 65 86	-0.44 40 91	-0.61 62 93	0.18 59 109	0.79 72 115	5.07 65 112	1.38 24 104	0.50 24 103	104	3		
CA 25 0088 108871997	2.09	CA 23 0126	CA 23 0211	131	97	4.97	104	0.13 68 96	-0.35 44 93	0.47 67 99	0.04 64 101	0.33 76 107	-2.17 69 93	5.53 33 119	1.27 33 112	98	2		
CA 25 0090 108872003	2.00	CA 23 0255	CA 20 0386	183	91	0.14	96	-0.25 66 93	0.14 42 103	0.27 64 98	0.03 61 100	0.82 74 115	2.07 67 104	1.83 25 105	0.57 25 104	110	3		

Young Rams



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding value

Breeding values with an accuracy of below 5% are not printed

Young rams, born since 2020 with a weaning weight, and wool test, but no progeny, both parents known.

Animal Information		Parents		Rank	Selection Indices			EBV - Weights			EBV - Wool			EBV - Fertility			
Animal ID Regnr	% In- breeding	Sire ID	Dam ID		SIP	GM		Weaning Weight Dir Mat		Body Weight	CFW	FD	SL	NLW	TWW	EPI	DAM Lambd
						EBV	Index	EBV	Acc	EBV	Acc	Index	A	EBV	Acc	Index	Acc
		Active Breed Average :			101	2.8	100	0.54	0.01	0.56	0.03	-0.14	0.50	0.46	0.27		
CA 25 0092 108872011	1.33	CA 23 0276	CA 19 0079	158	94	2.27	99	-0.53 71 90	-0.41 49 91	-0.21 69 95	-0.16 67 88	-0.45 77 95	-1.95 71 94	5.39 38 119	0.94 37 108	158	6
CA 25 0093 108872029	1.33	CA 23 0276	CA 19 0079	157	95	2.21	99	-0.01 71 95	-0.51 49 89	-0.02 69 96	-0.09 67 93	-0.03 77 102	2.52 71 105	5.39 38 119	0.94 37 108	158	6
CA 25 0094 108872037	1.27	CA 23 0276	CA 21 0016	19	107	12.55	116	1.77 70 112	0.01 47 100	0.72 69 101	0.24 67 113	-1.27 77 83	0.77 71 101	1.98 38 106	0.82 37 107	123	4
CA 25 0102 108872060	5.47	CA 23 0382	CA 22 0322	57	103	9.83	112	0.23 69 97	-0.02 46 99	-0.06 68 96	0.20 66 110	-0.06 76 101	3.86 70 109	5.27 35 118	1.80 35 119	124	3
CA 25 0103 108872078	5.47	CA 23 0382	CA 22 0322	23	106	12.50	116	2.19 69 115	0.06 46 101	1.95 68 109	0.05 66 101	-0.52 76 94	1.98 70 104	5.27 35 118	1.80 35 119	124	3
CA 25 0110 108872110	4.45	CA 23 0126	CA 23 0253	5	111	15.79	121	1.86 68 112	0.47 45 110	2.62 68 113	0.05 65 101	-0.90 76 88	-5.06 70 85	5.26 36 118	2.05 36 122	106	2
CA 25 0112 108872128	1.50	CA 23 0255	CA 19 0304	174	93	1.14	97	-0.15 70 94	-0.18 47 96	0.35 68 99	0.19 66 110	0.36 76 108	0.77 70 101	-1.31 36 93	-0.38 35 92	131	6
CA 25 0118 108872136	1.48	CA 23 0255	CA 20 0322	95	100	6.65	106	0.88 69 103	-0.22 45 95	0.56 68 100	0.16 66 108	-0.19 76 99	10.91 70 127	2.42 34 107	0.68 34 105	108	4
CA 25 0119 108872144	1.48	CA 23 0255	CA 20 0322	126	97	4.65	103	0.84 69 103	0.01 45 100	1.32 68 105	0.04 66 100	0.19 76 105	5.90 70 114	2.42 34 107	0.68 34 105	108	4
CA 25 0120 108872151	13.76	CA 23 0126	CA 23 0406	7	110	15.58	121	1.69 69 111	-0.01 47 100	2.81 68 114	0.22 66 112	-0.23 76 99	-4.97 70 86	5.72 39 120	1.80 39 119	109	2
CA 25 0121 108872169	13.76	CA 23 0126	CA 23 0406	2	112	17.20	124	2.21 69 116	-0.23 47 95	2.65 68 113	0.36 66 120	-0.18 76 99	2.49 70 105	5.72 39 120	1.80 39 119	109	2
CA 25 0124 108872177	2.21	CA 23 0276	CA 21 0428	106	99	6.16	106	-0.17 67 93	-0.29 44 94	-1.19 65 89	0.13 62 106	-0.83 74 89	-5.97 67 83	1.52 28 104	0.81 28 107	125	4
CA 25 0128 108872193	1.53	CA 23 0276	CA 22 0418	32	106	11.32	114	1.49 69 109	0.03 45 101	0.95 69 103	0.23 66 112	-0.23 77 99	-3.41 71 90	3.39 34 111	1.45 34 114	101	2
CA 25 0130 108872219	2.08	CA 23 0255	CA 22 0455	164	94	2.10	99	-0.30 63 92	0.14 38 103	-0.46 63 94	0.14 60 107	0.32 73 107	10.66 66 127	1.22 25 103	0.45 25 102	95	2
CA 25 0133 108872227	1.71	CA 23 0255	CA 20 0023	4	111	14.35	119	2.25 69 116	0.23 46 105	3.30 68 118	0.43 65 124	0.38 76 108	8.74 70 122	0.94 35 102	0.95 35 108	121	4
CA 25 0136 108872243	2.29	CA 23 0433	CA 21 0238	142	96	3.64	101	0.12 69 96	-0.91 46 81	-1.04 69 90	0.37 66 121	-0.10 77 101	3.44 71 108	-1.56 36 92	-0.26 36 94	108	4

Young Rams



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding value
Breeding values with an accuracy of below 5% are not printed

Young rams, born since 2020 with a weaning weight, and wool test, but no progeny, both parents known.

Animal Information		Parents		Rank	Selection Indices			EBV - Weights			EBV - Wool			EBV - Fertility			
Animal ID Regnr	% In- breeding	Sire ID	Dam ID		SIP	GM		Weaning Weight Dir	Weight Mat	Body Weight	CFW	FD	SL	NLW	TWW	DAM EPI	Lambd
					EBV	Index		Acc	Index	Acc	Acc	Index	Acc	Acc	Index	Acc	Phenotype
Active Breed Average :					101	2.8	100	0.54	0.01	0.56	0.03	-0.14	0.50	0.46	0.27		
CA 25 0139 108872268	1.02	CA 23 0433	CA 19 0102	188	87	-3.12	90	-1.19 70 84	-0.59 48 87	-2.82 69 78	0.09 67 104	0.18 77 105	-0.33 71 98	2.53 37 108	0.16 37 99	103	4
CA 25 0140 108872276	1.02	CA 23 0433	CA 19 0102	186	88	-2.30	92	-0.76 70 88	-0.56 48 88	-2.10 69 83	0.07 67 102	0.17 77 105	-1.37 71 95	2.53 37 108	0.16 37 99	103	4
CA 25 0143 108872284	1.18	CA 23 0433	CA 22 0223	66	103	7.52	108	0.90 69 103	-0.36 47 92	1.68 68 107	0.23 66 112	0.10 76 104	0.59 71 100	2.14 37 106	0.37 37 101	110	3
CA 25 0145 108872292	2.08	CA 23 0382	CA 22 0459	137	97	4.39	103	0.71 64 102	0.19 41 104	0.45 64 99	-0.21 61 85	-1.04 74 86	-5.97 67 83	2.22 28 107	0.86 28 107	102	2
CA 25 0147 108872300	2.58	CA 23 0433	CA 18 0320	160	94	1.81	98	-0.38 70 91	0.05 49 101	-1.19 69 89	0.20 67 111	0.26 77 106	3.28 71 107	0.24 39 99	0.38 38 101	174	7
CA 25 0155 108872326	2.21	CA 23 0255	CA 21 0418	113	98	5.46	104	0.79 65 102	0.13 40 103	0.32 63 99	0.20 60 110	0.03 73 103	0.42 66 100	1.38 24 104	0.50 24 103	107	3
CA 25 0157 108872334	1.53	CA 23 0382	CA 21 0250	54	103	10.39	112	1.94 69 113	0.14 47 103	1.41 68 105	0.06 65 102	-0.73 76 91	-1.94 70 94	3.60 35 112	1.23 35 112	133	4
CA 25 0159 108872342	2.26	CA 23 0433	CA 21 0122	144	96	3.85	102	-0.31 68 92	-0.80 45 83	-0.70 68 92	0.14 66 106	-1.28 76 82	-2.20 71 93	-1.76 35 92	-0.52 35 91	89	3
CA 25 0161 108872367	1.29	CA 23 0276	CA 23 0068	43	104	11.60	114	3.02 70 123	-0.24 46 95	1.74 69 108	0.21 66 111	-0.13 76 100	-1.55 71 95	4.39 35 115	1.34 35 113	113	2
CA 25 0165 108872391	1.95	CA 23 0126	CA 23 0174	10	109	14.02	118	1.56 68 110	0.02 44 100	1.51 67 106	0.15 65 107	-1.13 76 85	-2.17 70 93	4.93 33 117	1.38 33 114	105	2
CA 25 0166 108872409	1.95	CA 23 0126	CA 23 0174	50	104	10.01	112	0.28 68 98	0.19 44 104	0.04 67 97	0.07 65 102	-1.04 76 86	-2.02 70 93	4.93 33 117	1.38 33 114	105	2
CA 25 0167 108872417	15.05	CA 23 0276	CA 23 0248	26	106	12.10	115	0.66 70 101	-0.11 48 98	1.26 69 105	0.23 67 112	-0.01 77 102	-1.93 71 94	4.91 40 117	1.75 40 118	101	2
CA 25 0169 108872425	7.23	CA 23 0276	CA 22 0242	51	104	9.63	111	0.96 69 104	-0.23 47 95	0.27 69 98	0.25 67 113	-0.25 77 98	-4.08 71 88	2.92 40 109	1.18 40 111	104	3
CA 25 0170 108872433	7.23	CA 23 0276	CA 22 0242	84	101	7.79	108	0.83 69 103	-0.07 47 98	0.56 69 100	0.19 67 110	0.14 77 104	-3.10 71 91	2.92 40 109	1.18 40 111	104	3
CA 25 0172 108872458	1.49	CA 23 0382	CA 20 0206	129	97	3.77	102	0.45 69 99	-0.32 47 93	-0.11 69 96	0.15 66 107	0.35 77 108	6.12 71 115	0.91 37 102	0.75 36 106	112	4
CA 25 0173 108872466	2.62	CA 23 0433	CA 21 0178	172	93	1.20	97	-0.31 69 92	-0.15 47 97	-1.36 68 88	0.21 66 111	0.40 76 108	4.06 70 109	1.88 37 105	0.38 36 101	109	4

Young Rams



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding value
Breeding values with an accuracy of below 5% are not printed

Young rams, born since 2020 with a weaning weight, and wool test, but no progeny, both parents known.

Animal Information		Parents		Rank	Selection Indices			EBV - Weights			EBV - Wool			EBV - Fertility			
Animal ID Regnr	% In- breeding	Sire ID	Dam ID		SIP	GM		Weaning Weight Dir Mat		Body Weight	CFW	FD	SL	NLW	TWW	EPI	DAM Lambd
						EBV	Index	EBV	Index	A	EBV	Index	Acc	Index	Acc	Index	Acc
		Active Breed Average :			101	2.8	100	0.54	0.01	0.56	0.03	-0.14	0.50	0.46	0.27		
CA 25 0177 108872474	2.51	CA 23 0433	CA 19 0126	103	99	6.33	106	0.40 70 99	-0.44 48 91	0.58 69 100	0.37 67 121	-0.06 77 101	7.33 71 118	-1.37 38 93	-0.25 37 94	137	6
CA 25 0184 108872490	1.91	CA 23 0126	CA 23 0170	121	98	5.46	104	0.93 69 104	0.08 46 102	0.22 68 98	0.04 65 100	-0.03 76 102	-7.37 70 79	4.47 35 115	1.18 35 111	110	2
CA 25 0185 108872508	1.91	CA 23 0126	CA 23 0170	35	106	11.44	114	0.90 69 103	0.05 46 101	1.51 68 106	0.11 65 104	-0.82 76 90	-3.11 70 91	4.47 35 115	1.18 35 111	110	2
CA 25 0186 108872516	2.08	CA 23 0276	CA 22 0468	123	98	5.05	104	-0.28 67 92	0.01 44 100	-0.08 65 96	0.05 62 101	-0.37 74 96	-5.86 67 83	1.52 28 104	0.81 28 107	124	3
CA 25 0189 108872524	1.68	CA 23 0255	CA 20 0005	77	102	7.51	108	-0.07 70 94	-0.49 47 90	-1.48 68 87	0.19 66 110	-0.86 76 89	0.74 70 101	3.36 36 111	1.05 36 109	106	4
CA 25 0196 108872557	1.49	CA 23 0433	CA 21 0182	156	95	2.73	100	-0.14 69 94	-0.42 47 91	-1.40 69 87	0.29 66 116	0.13 77 104	1.47 71 103	1.50 36 104	0.23 36 100	108	4
CA 25 0197 108872565	1.86	CA 23 0255	CA 22 0426	101	99	5.89	105	-0.83 67 87	-0.34 41 93	-0.83 67 91	0.32 64 118	-0.23 76 99	0.79 69 101	0.31 29 99	0.35 29 101	92	2
CA 25 0201 108872581	7.92	CA 23 0255	CA 22 0147	25	106	12.22	116	2.17 69 115	0.25 46 105	2.63 68 113	0.09 65 104	-0.48 76 95	-0.59 70 97	4.06 36 114	1.27 36 112	123	3
CA 25 0202 108872599	1.50	CA 23 0255	CA 21 0234	173	93	2.04	99	-0.29 70 92	-0.26 46 95	-1.40 68 87	0.14 66 107	-0.41 76 96	-0.70 70 97	0.44 34 100	0.16 33 99	125	4
CA 25 0204 108872607	2.21	CA 23 0255	CA 21 0384	171	93	1.17	97	-0.37 66 92	0.06 42 101	-0.17 64 95	0.00 61 98	0.08 73 103	0.93 67 101	1.21 25 103	0.43 25 102	117	4
CA 25 0208 108872623	1.41	CA 23 0433	CA 20 0335	133	97	3.53	101	-0.01 69 95	-0.58 48 88	-0.83 69 91	0.28 66 115	0.46 77 109	5.31 71 113	1.60 37 104	0.56 37 104	112	5
CA 25 0210 108872631	1.68	CA 23 0276	CA 23 0460	71	102	9.15	110	1.14 67 106	-0.12 41 97	1.89 68 109	-0.01 65 98	-0.91 76 88	-1.32 70 95	2.24 32 107	0.78 32 106	93	1
CA 25 0212 108872656	1.10	CA 23 0433	CA 20 0356	97	100	7.03	107	0.18 69 97	0.01 48 100	-0.03 69 96	0.15 67 108	0.46 77 109	6.72 71 116	3.98 38 113	1.72 38 118	111	4
CA 25 0214 108872664	2.21	CA 23 0255	CA 21 0386	154	95	2.95	100	-0.41 66 91	0.15 41 103	-0.35 64 94	0.01 61 99	-0.39 74 96	2.29 67 105	1.38 24 104	0.50 24 103	117	4
CA 25 0215 108872672	2.21	CA 23 0255	CA 21 0386	170	93	1.57	98	-0.23 66 93	0.12 41 103	-0.64 64 92	0.02 61 99	-0.12 74 100	3.12 67 107	1.38 24 104	0.50 24 103	117	4
CA 25 0218 108872698	1.26	CA 23 0276	CA 21 0058	41	105	10.14	112	1.04 70 105	0.13 48 103	2.53 69 113	0.16 67 108	-0.20 77 99	-3.02 71 91	2.36 37 107	0.72 37 106	120	4

Young Rams



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding value

Breeding values with an accuracy of below 5% are not printed

Young rams, born since 2020 with a weaning weight, and wool test, but no progeny, both parents known.

Animal Information		Parents		Rank	Selection Indices			EBV - Weights			EBV - Wool			EBV - Fertility			
Animal ID Regnr	% In- breeding	Sire ID	Dam ID		SIP	GM		Weaning Weight Dir	Weight Mat	Body Weight	CFW	FD	SL	NLW	TWW	DAM EPI	Lambd
					EBV	Index		Acc	Index	Acc	Acc	Index	Acc	Acc	Index	Acc	Phenotype
Active Breed Average :					101	2.8	100	0.54	0.01	0.56	0.03	-0.14	0.50	0.46	0.27		
CA 25 0219 108872706	1.26	CA 23 0276	CA 21 0058	40	105	10.25	112	1.96 70 113	0.24 48 105	2.58 69 113	-0.01 67 98	-0.95 77 87	-1.64 71 94	2.36 37 107	0.72 37 106	120	4
CA 25 0227 108872722	2.00	CA 23 0433	CA 20 0394	187	88	-2.45	91	-1.06 67 85	-0.64 45 86	-2.96 65 78	0.16 62 108	0.43 74 109	7.64 67 119	0.05 29 99	0.34 29 101	122	5
CA 25 0233 108872730	13.34	CA 23 0276	CA 23 0088	15	108	13.02	117	0.84 69 103	0.15 47 103	1.78 69 108	0.03 67 100	-1.29 77 82	2.46 71 105	3.46 40 111	1.34 40 113	98	2
CA 25 0235 108872755	1.65	CA 23 0433	CA 22 0315	92	100	5.74	105	-0.22 68 93	-0.82 46 83	-0.27 68 95	0.30 65 116	-0.30 76 98	-1.76 70 94	0.52 36 100	0.07 35 98	103	3
CA 25 0241 108872771	1.42	CA 23 0255	CA 20 0255	91	100	7.20	107	-0.28 69 92	-0.42 46 91	0.92 68 102	0.20 66 111	0.24 76 106	9.49 70 124	1.69 38 105	0.90 38 108	90	3
CA 25 0242 108872789	1.32	CA 23 0276	CA 20 0343	27	106	11.61	115	1.67 70 111	-0.47 47 90	1.01 69 103	0.16 67 108	-0.78 77 90	3.38 71 108	3.08 36 110	1.28 36 112	105	3
CA 25 0244 108872805	4.40	CA 23 0276	CA 20 0285	124	98	6.15	106	0.18 70 97	0.31 49 107	-0.46 69 94	-0.02 67 97	0.05 77 103	-2.29 71 93	4.95 38 117	2.03 38 121	129	4
CA 25 0246 108872813	7.19	CA 23 0276	CA 22 0316	8	110	14.23	119	1.34 69 108	-0.20 48 96	2.01 69 109	0.23 67 112	-0.74 77 91	-2.71 71 92	3.63 40 112	1.24 40 112	100	2
CA 25 0249 108872821	5.30	CA 23 0276	CA 22 0330	79	102	8.24	109	-0.41 69 91	0.18 46 104	0.05 69 97	0.03 66 100	-0.70 77 91	-3.10 71 91	2.45 37 108	1.41 36 114	102	3
CA 25 0250 108872839	2.00	CA 23 0433	CA 20 0376	86	101	8.27	109	0.19 67 97	-0.41 46 91	-1.29 65 88	0.41 62 123	-0.46 74 95	-4.72 67 86	1.98 28 106	0.60 28 104	139	5
CA 25 0252 108872847	4.48	CA 23 0276	CA 22 0214	31	106	10.18	112	1.74 69 111	-0.32 47 93	1.56 69 106	0.15 67 108	-0.45 77 95	-0.65 71 97	0.84 38 102	0.96 38 108	103	3
CA 25 0256 108872862	2.89	CA 23 0382	CA 20 0069	14	108	12.26	116	1.47 69 109	-0.45 47 90	1.02 69 103	0.20 66 111	-0.92 77 88	-0.42 71 98	1.81 36 105	1.10 36 110	113	4
CA 25 0257 108872870	2.89	CA 23 0382	CA 20 0069	110	98	4.90	103	0.13 69 96	0.20 47 104	0.83 69 102	-0.07 66 94	-0.17 77 100	3.58 71 108	1.81 36 105	1.10 36 110	113	4
CA 25 0258 108872888	1.34	CA 23 0433	CA 20 0260	46	104	9.75	111	0.85 69 103	0.03 48 101	-0.30 69 95	0.27 66 115	-0.23 77 99	2.32 71 105	2.06 37 106	1.39 37 114	130	5
CA 25 0260 108872904	1.51	CA 23 0433	CA 22 0356	18	107	12.28	116	1.26 69 107	-0.15 46 97	0.69 68 101	0.27 66 114	-0.88 77 89	2.31 71 105	2.66 35 108	1.02 35 109	101	3
CA 25 0261 108872912	2.08	CA 23 0255	CA 22 0457	96	100	6.92	107	1.36 65 108	0.11 41 102	2.08 63 110	0.10 60 104	-0.01 73 102	6.70 66 116	1.35 25 103	0.49 25 103	111	3

Young Rams



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding value
Breeding values with an accuracy of below 5% are not printed

Young rams, born since 2020 with a weaning weight, and wool test, but no progeny, both parents known.

Animal Information		Parents		Rank	Selection Indices			EBV - Weights			EBV - Wool			EBV - Fertility						
Animal ID Regnr	% In- breeding	Sire ID	Dam ID		SIP	GM		Weaning Weight Dir Mat		Body Weight	CFW	FD	SL	NLW	TWW	EPI	DAM Lambded			
						EBV	Index	Acc	EBV	Index	Acc	EBV	Index	Acc	EBV	Index	Acc	EBV	Index	Phenotype
		Active Breed Average :			101	2.8	100	0.54	0.01	0.56	0.03	-0.14	0.50	0.46	0.27					
CA 25 0262 108872920	2.09	CA 23 0433	CA 21 0126	149	96	3.86	102	0.28 69 98	-0.48 47 90	-1.34 69 88	0.21 66 111	-0.44 77 96	6.64 71 116	1.31 35 103	0.29 35 100	122	4			
CA 25 0263 108872938	2.08	CA 23 0276	CA 22 0452	182	91	0.29	96	-1.06 65 85	0.03 42 101	-0.28 64 95	-0.06 61 94	0.38 73 108	-2.22 67 93	1.52 28 104	0.81 28 107	107	3			
CA 25 0264 108872946	2.21	CA 23 0255	CA 21 0407	189	85	-4.90	87	-1.09 63 85	0.08 37 102	-0.35 62 94	0.01 59 98	1.79 72 130	2.68 65 106	1.38 24 104	0.50 24 103	88	3			
CA 25 0269 108872995	0.99	CA 23 0276	CA 20 0031	69	102	8.52	109	0.60 70 101	-0.38 47 92	1.13 69 104	0.00 67 98	-0.63 77 93	5.45 71 113	4.55 37 115	1.19 37 111	104	4			
CA 25 0273 108873035	2.21	CA 23 0276	CA 21 0426	180	92	0.74	97	-0.13 65 94	0.33 41 107	0.08 64 97	-0.04 61 95	0.54 73 111	-1.60 67 95	1.47 28 104	0.85 28 107	104	3			
CA 25 0274 108873043	2.21	CA 23 0382	CA 21 0424	179	92	0.51	96	-0.67 63 89	0.21 39 104	-0.15 63 96	-0.23 60 84	-0.28 72 98	2.14 65 104	2.27 27 107	0.88 27 107	92	2			
CA 25 0275 108873050	1.59	CA 23 0433	CA 20 0148	36	105	10.75	113	0.68 70 101	-0.13 48 97	-0.60 69 93	0.51 67 129	0.27 77 106	4.13 71 110	3.57 36 112	1.27 35 112	142	5			
CA 25 0276 108873068	1.59	CA 23 0433	CA 20 0148	30	106	11.30	114	0.48 70 99	0.08 48 102	-0.04 69 96	0.38 67 121	-0.21 77 99	2.06 71 104	3.57 36 112	1.27 35 112	142	5			
CA 25 0282 108873076	1.10	CA 23 0276	CA 23 0314	89	101	7.83	108	0.92 69 104	0.12 45 103	1.68 69 107	0.03 66 100	-0.39 76 96	2.38 71 105	2.29 34 107	0.85 34 107	108	2			
CA 25 0284 108873084	1.65	CA 23 0255	CA 22 0354	9	109	13.66	118	1.70 69 111	-0.14 45 97	1.84 68 108	0.30 65 116	-0.31 76 98	6.05 70 115	3.56 34 112	1.31 33 113	112	3			
CA 25 0286 108873092	1.48	CA 23 0255	CA 20 0014	17	107	12.15	115	1.73 70 111	-0.19 49 96	0.19 69 98	0.48 67 128	0.73 77 113	4.55 71 111	5.01 40 117	1.87 39 119	143	5			
CA 25 0287 108873100	1.48	CA 23 0255	CA 20 0014	42	104	9.76	111	0.78 70 102	0.15 49 103	-0.32 69 94	0.27 67 115	0.21 77 105	1.23 71 102	5.01 40 117	1.87 39 119	143	5			
CA 25 0289 108873118	1.13	CA 23 0382	CA 21 0318	168	94	2.29	99	-0.58 68 89	-0.76 43 84	-0.65 68 92	0.18 66 109	0.13 76 104	-1.57 70 95	0.42 35 100	0.24 35 100	89	3			
CA 25 0292 108873126	1.28	CA 23 0433	CA 22 0421	75	102	8.66	110	0.42 67 99	-0.27 43 94	0.59 68 100	0.27 65 115	0.37 76 108	10.22 70 125	3.26 35 111	1.27 34 112	91	1			
CA 25 0293 108873134	7.86	CA 23 0382	CA 22 0327	58	103	9.02	110	0.25 69 97	0.01 47 100	1.44 69 106	0.04 66 101	-0.82 76 90	5.08 71 112	1.82 40 105	0.82 40 107	103	3			
CA 25 0294 108873142	1.59	CA 23 0255	CA 20 0329	127	97	5.74	105	0.72 69 102	-0.04 46 99	-1.37 68 88	0.21 66 111	0.05 76 103	0.26 70 99	3.79 36 113	1.33 35 113	105	4			

Young Rams



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding value
Breeding values with an accuracy of below 5% are not printed

Young rams, born since 2020 with a weaning weight, and wool test, but no progeny, both parents known.

Animal Information		Parents		Rank	Selection Indices			EBV - Weights			EBV - Wool			EBV - Fertility			
Animal ID Regnr	% In- breeding	Sire ID	Dam ID		SIP	GM		Weaning Weight Dir	Weight Mat	Body Weight	CFW	FD	SL	NLW	TWW	DAM EPI	Lambd
					EBV	Index		Acc	Index	Acc	Acc	Index	Acc	Acc	Index	Acc	Phenotype
Active Breed Average :					101	2.8	100	0.54	0.01	0.56	0.03	-0.14	0.50	0.46	0.27		
CA 25 0296 108873159	2.21	CA 23 0433	CA 21 0382	178	92	0.78	97	0.47 64 99	0.23 41 105	0.47 64 99	0.08 61 103	0.84 73 115	5.72 66 114	0.57 28 100	0.44 28 102	103	4
CA 25 0301 108873175	1.94	CA 23 0126	CA 23 0149	3	112	15.96	122	1.84 68 112	0.05 44 101	2.80 68 114	0.26 65 114	-1.08 76 86	-1.20 70 96	2.58 35 108	0.91 35 108	101	2
CA 25 0306 108873183	1.71	CA 23 0433	CA 22 0292	82	101	7.39	108	0.33 68 98	-0.15 44 97	-0.53 68 93	0.33 65 119	-0.49 76 95	5.33 70 113	-0.73 33 96	0.32 33 101	105	3
CA 25 0307 108873191	1.37	CA 23 0276	CA 23 0355	102	99	7.38	108	0.55 69 100	0.33 45 107	0.68 69 101	0.01 66 98	-0.71 77 91	-3.18 71 90	2.12 35 106	0.97 35 108	105	2
CA 25 0311 108873209	1.60	CA 23 0255	CA 20 0352	117	98	4.90	103	0.45 69 99	-0.01 46 100	0.15 69 97	0.11 66 105	-0.12 77 100	3.24 71 107	1.03 35 102	0.66 34 105	106	4
CA 25 0312 108870502	1.62	CA 23 0126	CA 23 0275	12	109	14.21	119	1.99 68 114	-0.50 43 89	1.62 68 107	0.21 65 111	-1.15 76 84	-1.47 70 95	3.62 35 112	1.12 34 110	98	2
CA 25 0316 108873225	1.41	CA 23 0382	CA 19 0245	166	94	2.87	100	0.27 70 98	0.22 47 105	0.08 68 97	0.09 66 104	0.71 77 113	1.20 71 102	3.27 36 111	1.03 36 109	153	6
CA 25 0322 108873233	1.22	CA 23 0276	CA 23 0200	55	103	9.60	111	1.25 69 107	0.10 45 102	1.38 69 105	0.01 66 99	-1.03 77 86	-1.01 71 96	2.70 36 108	0.93 35 108	101	2
CA 25 0324 108873241	1.03	CA 23 0433	CA 21 0002	161	94	1.75	98	0.86 69 103	-0.15 48 97	-1.14 69 89	0.31 67 117	0.62 77 112	3.61 71 108	-0.41 39 97	0.25 38 100	124	4
CA 25 0325 108873258	1.94	CA 23 0433	CA 20 0268	68	103	8.46	109	2.12 69 115	-0.05 48 99	1.41 69 106	0.05 66 101	-0.52 77 94	7.47 71 118	1.18 38 103	0.93 38 108	113	4
CA 25 0330 108873266	7.20	CA 23 0276	CA 22 0383	24	106	11.54	114	2.01 69 114	0.18 46 104	1.18 69 104	0.05 67 101	-1.16 77 84	-9.28 71 74	2.62 40 108	1.25 40 112	93	1
CA 25 0331 108873274	2.85	CA 23 0276	CA 23 0054	100	100	5.32	104	0.87 68 103	-0.36 43 92	0.02 69 97	-0.01 66 98	-0.83 77 89	-4.04 71 88	1.18 35 103	0.63 35 104	94	2
CA 25 0334 108873282	1.92	CA 23 0126	CA 23 0106	74	102	8.39	109	1.91 68 113	0.05 44 101	2.16 68 110	0.09 65 104	-0.09 76 101	-0.39 70 98	1.65 35 105	0.80 35 107	99	2
CA 25 0336 108873308	1.73	CA 23 0126	CA 23 0011	104	99	7.03	107	0.55 68 100	-0.44 44 91	-0.04 67 96	0.29 64 116	0.57 76 111	-0.03 69 99	4.33 33 115	1.25 33 112	104	2
CA 25 0340 108873316	2.44	CA 23 0382	CA 22 0153	108	99	4.60	103	0.86 69 103	-0.07 46 98	1.14 68 104	0.07 66 102	0.37 76 108	2.33 71 105	1.60 37 104	0.79 36 106	107	3
CA 25 0341 108873324	2.06	CA 23 0126	CA 23 0080	48	104	9.53	111	1.50 68 109	0.09 44 102	1.34 68 105	0.07 65 102	-0.78 76 90	-6.55 70 82	2.60 35 108	0.93 35 108	98	2

Young Rams



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding value

Breeding values with an accuracy of below 5% are not printed

Young rams, born since 2020 with a weaning weight, and wool test, but no progeny, both parents known.

Animal Information		Parents		Rank	Selection Indices			EBV - Weights			EBV - Wool			EBV - Fertility			
Animal ID Regnr	% In- breeding	Sire ID	Dam ID		SIP	GM		Weaning Weight Dir		Body Weight	CFW	FD	SL	NLW	TWW	EPI	DAM Lambd
						EBV	Index	EBV	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc
		Active Breed Average :			101	2.8	100	0.54	0.01	0.56	0.03	-0.14	0.50	0.46	0.27		
CA 25 0344 108873332	1.70	CA 23 0276	CA 22 0293	13	108	11.83	115	2.48 68	0.04 44	3.35 101	0.01 65	-1.11 76	-6.50 82	-0.22 35	0.55 35	96	3
CA 25 0345 108873340	1.71	CA 23 0433	CA 22 0246	29	106	10.23	112	0.77 69	-0.86 47	0.84 102	0.42 65	-0.35 76	1.42 70	-0.10 36	0.24 35	111	3
CA 25 0346 108873357	1.20	CA 23 0382	CA 19 0275	130	97	4.73	103	1.20 70	0.00 48	1.24 100	0.01 66	-0.42 77	2.83 71	-0.31 37	0.25 37	131	6
CA 25 0348 108873373	1.96	CA 23 0433	CA 21 0258	152	95	3.24	101	0.71 68	-0.69 43	-0.33 85	0.36 66	0.37 76	4.55 70	-1.41 34	-0.20 34	89	3
CA 25 0350 108873381	4.43	CA 23 0276	CA 22 0045	60	103	9.24	111	1.68 69	0.44 45	1.24 109	-0.02 66	-0.55 77	-1.69 71	1.74 36	1.51 36	110	3
CA 25 0351 108870718	1.60	CA 23 0255	CA 20 0318	62	103	9.00	110	2.69 67	0.11 42	1.81 102	-0.03 65	-0.81 76	0.48 70	3.59 31	0.99 30	89	1
CA 25 0352 108873399	2.01	CA 23 0126	CA 23 0153	67	103	9.67	111	0.79 67	0.15 42	0.06 103	0.15 65	-0.70 76	-1.55 70	3.68 32	1.28 32	94	1
CA 25 0357 108873415	1.74	CA 23 0255	CA 22 0350	80	102	8.85	110	1.82 69	0.27 45	1.29 106	0.05 66	-0.10 76	1.91 70	4.04 32	1.51 32	123	3
CA 25 0359 108873423	1.32	CA 23 0382	CA 21 0253	167	94	2.24	99	0.24 68	-0.28 45	-0.54 94	-0.09 66	-0.90 76	0.16 71	1.16 35	0.33 35	98	3
CA 25 0360 108873431	1.29	CA 23 0433	CA 22 0077	70	102	7.79	108	0.32 68	-0.62 46	0.03 87	0.31 66	-0.16 76	0.60 71	0.75 37	0.61 37	94	2
CA 25 0362 108873449	2.07	CA 23 0126	CA 23 0249	73	102	8.45	109	1.24 68	0.12 44	1.39 102	0.09 65	-0.31 76	2.35 70	2.35 35	0.98 35	99	2
CA 25 0363 108873456	1.95	CA 23 0433	CA 22 0081	44	104	8.84	110	1.13 69	-0.07 47	1.12 99	0.31 66	0.34 76	-1.34 71	0.87 38	0.88 38	110	3
CA 25 0364 108873464	1.19	CA 23 0276	CA 16 0062	148	96	4.24	102	1.26 70	-0.37 50	-0.02 92	0.18 68	0.13 77	1.50 72	-0.71 37	0.51 37	146	6
CA 25 0368 108870791	1.30	CA 23 0276	CA 22 0124	135	97	3.78	102	-0.54 69	-0.29 47	0.46 94	0.12 67	0.16 77	2.44 71	0.09 38	0.45 37	104	3
CA 25 0369 108873480	2.28	CA 23 0433	CA 19 0107	136	97	4.55	103	1.31 68	-0.21 46	0.76 96	0.28 66	0.50 76	0.85 71	0.59 36	0.14 36	102	4
CA 25 0370 108873498	1.70	CA 23 0433	CA 19 0298	163	94	3.07	100	0.70 69	-0.36 48	0.11 92	0.41 67	0.81 77	5.47 71	-3.18 38	-0.24 37	120	5

Young Rams



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding value
Breeding values with an accuracy of below 5% are not printed

Young rams, born since 2020 with a weaning weight, and wool test, but no progeny, both parents known.

Animal Information		Parents		Rank	Selection Indices			EBV - Weights			EBV - Wool			EBV - Fertility			
Animal ID Regnr	% In- breeding	Sire ID	Dam ID		SIP	GM		Weaning Weight Dir Mat	Body Weight		CFW	FD	SL	NLW	TWW	DAM EPI	Lambd
								EBV Index	EBV Index	A	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	Phenotype	
Active Breed Average :					101	2.8	100	0.54	0.01	0.56	0.03	-0.14	0.50	0.46	0.27		
CA 25 0371 108873506	1.56	CA 23 0255	CA 20 0213	99	100	6.93	107	0.93 69 104	0.52 46 111	1.63 69 107	-0.06 66 94	-0.28 77 98	-1.06 71 96	2.35 36 107	1.13 35 111	104	4
CA 25 0376 108873530	2.81	CA 23 0276	CA 23 0134	53	103	9.63	111	1.92 69 113	-0.14 44 97	1.11 69 104	0.30 66 116	0.20 76 105	-4.28 71 88	1.60 35 104	1.03 34 109	102	2
CA 25 0378 108873548	1.95	CA 23 0126	CA 23 0294	138	97	4.83	103	-0.38 68 91	-0.01 43 100	-0.11 67 96	0.10 64 104	0.27 75 106	2.88 69 106	3.49 33 111	1.21 33 111	98	2
CA 25 0379 108873555	2.01	CA 23 0126	CA 23 0306	93	100	6.56	106	-0.16 68 93	-0.03 44 99	1.50 68 106	0.15 65 108	0.42 76 109	-0.10 70 98	3.31 35 111	0.84 35 107	94	2
CA 25 0381 108873563	7.67	CA 23 0276	CA 20 0191	11	109	13.24	117	4.00 70 133	-0.46 49 90	3.18 69 117	0.21 67 111	0.80 77 115	-5.35 71 85	5.27 41 118	2.08 41 122	110	5
CA 25 0382 108873571	2.08	CA 23 0382	CA 22 0461	139	97	4.25	102	0.77 63 102	0.00 39 100	0.46 64 99	-0.05 61 95	-0.26 73 98	0.19 66 99	2.27 27 107	0.88 27 107	95	2
CA 25 0384 108873589	1.55	CA 23 0255	CA 22 0141	109	99	4.57	103	1.11 69 105	-0.50 45 89	1.61 68 107	0.26 66 114	0.79 76 114	-0.09 70 98	1.29 35 103	0.14 35 99	99	3
CA 25 0385 108873597	4.78	CA 23 0276	CA 22 0239	59	103	9.89	112	0.24 69 97	0.60 45 112	2.15 68 110	0.01 66 98	-0.32 76 97	-1.20 70 96	2.01 34 106	1.38 34 113	114	3
CA 25 0386 108873605	1.58	CA 23 0276	CA 23 0062	76	102	8.74	110	1.85 68 112	0.09 43 102	1.62 68 107	0.08 65 103	-0.47 76 95	0.68 70 100	1.33 33 103	0.84 33 107	101	2
CA 25 0387 108873613	3.30	CA 23 0126	CA 23 0136	122	98	5.36	104	0.87 68 103	0.41 44 109	2.29 68 111	-0.06 65 95	0.83 76 115	4.65 70 111	3.94 35 113	1.48 35 115	97	2
CA 25 0388 108873621	1.24	CA 23 0276	CA 23 0320	107	99	6.37	106	0.71 69 102	-0.41 45 91	-0.19 69 95	0.19 66 110	-0.21 77 99	4.33 71 110	2.57 35 108	0.78 35 106	98	2
CA 25 0398 108873647	1.23	CA 23 0382	CA 19 0051	177	92	0.66	96	-1.00 70 86	-0.49 48 90	-1.62 69 86	-0.05 66 95	-0.74 77 91	-0.09 71 98	2.44 38 108	0.35 38 101	118	6
CA 25 0401 108873654	1.19	CA 23 0276	CA 21 0277	56	103	9.07	110	0.98 69 104	-0.37 46 92	0.75 69 101	0.23 67 112	-0.52 77 94	-0.54 71 97	2.80 37 109	0.60 36 104	97	4
CA 25 0406 108873662	1.29	CA 23 0382	CA 19 0252	176	92	1.28	97	0.33 70 98	-0.29 48 94	-0.96 69 90	-0.03 67 96	-0.29 77 98	-5.74 71 84	1.61 38 104	0.59 38 104	135	6
CA 25 0408 108873670	2.00	CA 23 0382	CA 20 0393	169	93	1.33	98	1.15 67 106	0.27 44 106	1.20 65 104	-0.06 62 94	0.74 74 114	0.84 67 101	1.92 28 106	0.80 28 106	131	5
CA 25 0414 108873688	1.60	CA 23 0255	CA 22 0261	85	101	6.48	106	1.57 69 110	-0.11 45 98	2.15 68 110	0.26 66 114	0.71 76 113	2.04 70 104	0.09 35 99	0.33 35 101	108	3

Young Rams



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding value

Breeding values with an accuracy of below 5% are not printed

Young rams, born since 2020 with a weaning weight, and wool test, but no progeny, both parents known.

Animal Information		Parents		Rank	Selection Indices			EBV - Weights			EBV - Wool			EBV - Fertility		
Animal ID Regnr	% In- breeding	Sire ID	Dam ID		SIP	GM		Weaning Weight Dir	Weight Mat	Body Weight	CFW	FD	SL	NLW	TWW	DAM EPI Lambled
								EBV Acc	Index	EBV Acc	Index	EBV Acc	Index	EBV Acc	Index	Phenotype
Active Breed Average :					101	2.8	100	0.54	0.01	0.56	0.03	-0.14	0.50	0.46	0.27	
CA 25 0419 108873704	1.70	CA 23 0276	CA 22 0221	28	106	10.26	112	1.68 68	-0.30 111	1.67 68	0.03 66	-1.42 76	-0.36 98	-0.23 36	0.49 36	105 3
CA 25 0421 108873712	1.02	CA 23 0382	CA 17 0372	159	94	2.27	99	-0.13 69	-0.18 94	-0.54 69	0.06 66	0.30 77	2.14 104	2.84 36	0.87 36	110 5
CA 25 0422 108873720	1.86	CA 23 0433	CA 21 0008	94	100	7.22	107	0.82 69	-0.09 103	0.08 69	0.14 66	-1.27 77	-1.70 94	-1.06 36	0.05 36	102 3
CA 25 0423 108873738	1.08	CA 23 0276	CA 23 0438	111	98	5.49	104	1.50 69	-0.17 109	1.55 69	0.02 66	-0.38 76	-2.28 93	0.31 35	0.30 34	100 2
CA 25 0430 108873753	2.21	CA 23 0382	CA 21 0411	151	95	3.10	100	0.21 66	-0.22 97	-0.33 64	0.07 61	0.19 74	-2.12 93	2.27 27	0.88 27	118 3
CA 25 0431 108871146	2.21	CA 23 0382	CA 21 0411	146	96	3.72	102	0.72 66	-0.25 102	0.47 64	0.11 61	0.60 74	-0.60 97	2.27 27	0.88 27	118 3
CA 25 0434 108873761	7.58	CA 23 0276	CA 20 0261	45	104	10.22	112	1.41 70	0.00 108	0.12 70	0.06 68	-0.69 77	-8.39 72	2.64 41	1.80 41	113 4
CA 25 0435 108873779	7.58	CA 23 0276	CA 20 0261	61	103	9.41	111	0.40 70	0.05 99	-0.24 70	0.15 68	-0.23 77	-1.53 95	2.64 41	1.80 41	113 4
CA 25 0437 108873787	2.21	CA 23 0276	CA 21 0402	115	98	5.41	104	0.85 63	-0.03 103	1.06 63	-0.02 61	-0.26 73	-4.57 87	1.52 28	0.81 28	91 3
CA 25 0438 108873795	1.92	CA 23 0126	CA 23 0145	88	101	8.11	109	0.88 67	-0.38 103	0.97 68	-0.03 65	-0.76 76	2.62 106	4.08 34	1.14 34	93 1
CA 25 0440 108873803	17.62	CA 23 0126	CA 23 0418	6	111	15.75	121	2.03 68	-0.11 114	2.52 68	0.41 66	0.97 76	-1.15 96	6.89 40	2.38 40	95 2
CA 25 0442 108873811	4.50	CA 23 0126	CA 23 0376	20	107	13.32	117	1.90 69	0.06 113	1.73 68	0.33 65	0.56 76	0.67 100	5.04 36	2.01 36	106 2
CA 25 0444 108873829	2.45	CA 23 0433	CA 22 0385	125	98	5.04	104	1.24 68	-0.58 107	1.11 69	0.40 66	0.58 77	2.74 106	-1.73 40	-0.34 40	95 2
CA 25 0446 108873837	2.75	CA 23 0276	CA 23 0204	16	108	12.36	116	0.81 69	-0.47 103	0.02 69	0.37 66	-1.26 76	3.16 107	0.41 35	0.54 35	97 2
CA 25 0448 108871237	1.58	CA 23 0255	CA 22 0377	78	102	6.94	107	1.47 68	-0.29 109	1.17 68	0.28 65	0.04 76	-1.46 95	-0.32 35	0.18 35	97 3
CA 25 0449 108873845	2.17	CA 23 0382	CA 22 0352	81	102	6.83	107	1.59 69	-0.11 110	1.48 68	0.01 66	-0.19 76	0.19 99	2.06 37	0.94 36	102 2

Young Rams



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding value
Breeding values with an accuracy of below 5% are not printed

Young rams, born since 2020 with a weaning weight, and wool test, but no progeny, both parents known.

Animal Information		Parents		Rank	Selection Indices			EBV - Weights			EBV - Wool			EBV - Fertility			
Animal ID Regnr	% In- breeding	Sire ID	Dam ID		SIP	GM		Weaning Weight Dir	Weight Mat	Body Weight	CFW	FD	SL	NLW	TWW	DAM EPI	Lambd
								EBV Acc	Index	EBV Acc	Index	EBV Acc	Index	EBV Acc	Index	EBV Acc	Index
Active Breed Average :					101	2.8	100	0.54	0.01	0.56	0.03	-0.14	0.50	0.46	0.27		
CA 25 0452 108873852	1.18	CA 23 0382	CA 21 0240	63	103	9.07	110	1.96 69	-0.02 113	2.21 68	-0.07 66	-0.92 76	-3.52 71	2.87 36	0.87 35	124	4
CA 25 0453 108873860	1.52	CA 23 0255	CA 20 0295	143	96	3.88	102	0.56 69	0.27 100	0.94 68	0.02 66	0.42 76	2.00 70	2.40 33	0.94 33	101	4
CA 25 0458 108873878	2.25	CA 23 0433	CA 21 0045	114	98	5.56	105	0.45 69	-0.19 99	-0.33 46	0.43 66	0.51 77	3.94 71	0.23 35	0.29 35	106	3
CA 25 0459 108873886	1.37	CA 23 0126	CA 23 0188	116	98	5.84	105	0.15 68	0.45 96	1.36 68	-0.09 65	0.10 76	-4.26 70	5.51 35	1.48 35	101	2
CA 25 0467 108873894	1.36	CA 23 0276	CA 20 0070	39	105	9.84	112	1.81 70	0.36 112	2.92 69	0.11 67	0.26 77	0.79 71	0.58 38	1.15 37	136	5
CA 25 0469 108873902	14.23	CA 23 0276	CA 23 0372	64	103	9.15	110	2.11 69	0.09 115	1.13 69	0.13 67	-0.32 77	2.68 71	2.03 40	1.11 39	102	2
CA 25 0470 108873910	2.00	CA 23 0382	CA 20 0383	128	97	4.57	103	0.73 66	0.00 102	-0.48 65	0.09 61	-0.30 74	1.13 67	1.91 28	0.75 28	115	4
CA 25 0471 108873928	2.37	CA 23 0433	CA 21 0202	87	101	8.51	109	0.41 70	-0.07 99	0.97 69	0.42 66	0.22 77	7.83 71	0.53 37	0.26 37	127	4
CA 25 0472 108873936	2.37	CA 23 0433	CA 21 0202	141	96	5.01	104	-0.14 70	0.12 94	1.19 69	0.40 66	1.20 77	7.86 71	0.53 37	0.26 37	127	4
CA 25 0480 108873944	2.04	CA 23 0126	CA 23 0117	37	105	10.94	113	1.47 68	-0.15 109	1.45 68	0.31 65	-0.24 76	0.43 70	1.41 35	0.74 35	100	2
CA 25 0482 108873951	15.07	CA 23 0126	CA 23 0245	34	106	11.91	115	0.91 68	0.08 104	-0.07 68	0.10 66	-0.96 76	-7.63 70	5.09 40	1.93 40	99	2
CA 25 0487 108873969	1.68	CA 23 0276	CA 23 0156	33	106	11.65	115	2.03 67	-0.28 114	1.34 68	0.26 65	-0.47 76	1.87 70	2.32 32	1.00 32	95	1
CA 25 0491 108873977	2.01	CA 23 0126	CA 23 0307	83	101	7.51	108	0.81 69	-0.19 103	1.22 68	0.28 65	0.76 76	2.62 70	4.36 35	1.04 35	102	2
CA 25 0492 108873985	1.12	CA 23 0276	CA 23 0208	132	97	5.93	105	0.56 70	-0.32 100	0.22 69	0.14 66	0.19 77	-0.92 71	5.44 35	1.11 35	111	2
CA 25 0494 108873993	4.42	CA 23 0276	CA 20 0054	105	99	5.96	105	0.64 71	-0.17 101	0.54 70	0.07 67	0.37 77	3.31 71	2.86 38	1.44 38	122	5
CA 25 0497 108874017	4.29	CA 23 0276	CA 23 0252	52	103	9.54	111	0.47 70	-0.31 99	-0.40 69	0.17 66	-0.44 77	-5.37 71	5.30 36	1.63 36	123	3

Young Rams



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding value
Breeding values with an accuracy of below 5% are not printed

Young rams, born since 2020 with a weaning weight, and wool test, but no progeny, both parents known.

Animal Information		Parents		Rank	Selection Indices			EBV - Weights			EBV - Wool			EBV - Fertility			
Animal ID Regnr	% In- breeding	Sire ID	Dam ID		SIP	GM		Weaning Weight Dir	Weight Mat	Body Weight	CFW	FD	SL	NLW	TWW	DAM EPI	Lambd
					EBV	Index	EBV Acc	EBV Index	A EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	Phenotype	
		Active Breed Average :			101	2.8	100	0.54	0.01	0.56	0.03	-0.14	0.50	0.46	0.27		
CA 25 0498 108874025	1.62	CA 23 0255	CA 22 0417	118	98	4.36	103	-0.56 69 90	-0.53 45 89	-0.07 68 96	0.41 65 124	0.69 76 113	8.99 70 122	0.39 35 100	0.08 35 98	104	3
CA 25 0499 108874033	1.18	CA 23 0382	CA 21 0197	153	95	3.26	101	-0.93 68 86	-0.07 45 99	-1.10 68 89	0.08 66 103	-0.54 76 94	2.80 70 106	1.88 36 105	0.48 36 103	102	4
Young rams (with known parents) average :					100	6.31	106	0.86	-0.08	1.14	0.13	0.06	0.56	1.61	0.70		

Ewes with Progeny



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high



Indices in top 10%



Above breed average



Indices in bottom 10%

Acc: Accuracy of the breeding values

Breeding values with an accuracy of less than 5% are not printed

Ewes with progeny and measured at weaning, with both parents known.

Animal Information		Parents			Progeny		Selection Indices			EBV - Weights			EBV - Wool			EBV - Fertility				Rank
Animal ID Regnr	% In- breeding	Sire ID Dam ID	DAM : EPI Times lambd	Generation Progeny Weaned 1st 2nd	SIP	GM	Weaning Dir	Weight Mat	Body Weight	SVG	VD	SL	Lammers gespeen	TWW	EPI	Times lambd				
																		EBV	Index	EBV
					Active Breed Average :							100.7	2.8	100	0.54	0.01	0.56	0.03	-0.14	0.50
CA 16 0062 77690337	1.37	CA 14 0412 CA 12 0503		8 1	97	-13.65	73	-1.71 76 79	-0.16 74 97	-4.40 77 68	-0.14 75 89	0.82 84 115	1.06 79 102	-4.02 48 83	-0.41 47 92	146	6	37		
CA 16 0072 77689107	0.81	CA 14 0364 CA 09 0055		10 4	102	-5.58	86	-0.52 79 90	0.29 76 106	-0.84 76 91	-0.14 73 90	0.69 83 113	-2.04 78 93	-0.82 52 95	0.07 51 98	158	6	23		
CA 16 0077 77690451	1.37	JL 12 0641 CA 12 0529	115 3	8 2	92	-4.17	89	-1.17 77 84	0.90 75 119	-0.96 77 90	-0.32 75 78	0.47 83 109	0.06 79 99	4.40 50 115	1.12 50 110	103	4	56		
CA 17 0038 79473252	1.37	CA 15 0259 CA 12 0503		11 4	92	-8.87	81	-1.97 79 76	-0.17 76 96	-2.75 75 79	-0.04 73 95	2.14 82 135	-0.78 77 97	6.85 51 124	1.07 50 110	155	6	143		
CA 17 0042 79475117	14.15	CA 15 0080 CA 15 0140		8 1	98	-4.35	88	-1.00 78 86	-0.57 73 88	-0.66 76 92	0.03 74 100	1.11 82 119	-0.50 78 97	1.80 51 105	0.02 50 97	125	5	107		
CA 17 0051 79472965	0.95	CA 15 0214 CA 12 0065		7 1	95	-6.28	85	-1.47 77 81	-0.14 73 97	-3.29 77 75	-0.05 75 95	0.26 83 106	2.77 79 106	3.35 53 111	0.18 52 99	127	5	130		
CA 17 0052 79472981	0.94	CA 15 0214 CA 12 0110	99 4	8 3	99	-1.74	93	-0.63 79 89	-0.34 75 93	-0.53 78 93	0.05 76 101	0.86 84 116	2.28 80 105	3.00 56 110	0.38 55 101	145	6	97		
CA 17 0058 79472635	1.16	CA 15 0259 CA 11 0032		6 1	103	-1.74	93	-1.35 76 82	-0.33 71 93	-1.97 77 84	-0.11 74 91	0.48 83 110	-7.21 79 80	5.89 43 120	1.33 42 113	102	3	54		
CA 17 0238 79475257	7.41	CA 15 0080 CA 15 0192		6 1	98	-8.98	81	-1.82 76 78	-0.70 71 85	-1.25 76 88	-0.25 74 83	1.09 82 119	0.15 78 99	3.56 47 112	0.21 47 99	101	3	106		
CA 17 0304 79473989	1.04	CA 15 0185 CA 14 0074		6 4	100	-2.84	91	0.44 78 99	0.14 72 103	0.55 78 100	0.05 76 101	0.90 84 116	6.62 80 116	-2.95 52 87	-0.39 51 92	129	6	78		
CA 17 0372 79475869	1.08	CA 15 0259 CA 15 0405		5 1	96	-5.16	87	-1.73 74 79	-0.05 67 99	-1.85 74 85	-0.09 72 93	0.46 81 109	-1.04 76 96	1.58 47 104	0.20 46 99	110	5	121		
CA 18 0001 81419806	0.87	JW 15 0558 CA 15 0255		3 2				3.26 73 126	-0.58 69 88					3.01 59 110	1.84 59 119	95	4			
CA 18 0109 81420903	1.24	CA 16 0116 CA 16 0109		5 1	94	-3.64	89	-0.61 74 89	-0.31 67 93	-0.69 75 92	-0.14 73 89	0.58 82 111	5.48 77 113	-0.33 47 97	0.45 46 102	117	4	117		
CA 18 0188 81419343	1.16	CA 16 0116 CA 15 0113		6 3	102	0.38	96	0.79 77 102	-0.63 73 87	1.60 76 107	0.11 73 104	0.44 82 109	12.61 78 132	-3.13 56 87	-0.69 55 88	126	6	55		
CA 18 0200 81422156	1.78	CA 16 0116 CA 16 0536		7 2	114	8.93	110	1.45 77 109	-0.06 74 99	3.37 76 118	0.22 74 112	0.71 82 113	2.05 78 104	0.55 57 100	0.65 56 105	139	5	4		
CA 18 0213 81420853	1.92	CA 16 0205 CA 16 0091		6	112	-0.14	95	0.54 77 100	-0.08 71 98	-0.05 78 96	0.06 76 102	-0.11 83 101	4.53 79 111	-3.04 52 87	-0.43 51 92	132	5	10		

Ewes with Progeny



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding values
Breeding values with an accuracy of less than 5% are not printed

Ewes with progeny and measured at weaning, with both parents known.

Animal Information		Parents		Progeny		Selection Indices		EBV - Weights			EBV - Wool			EBV - Fertility			Rank		
Animal ID Regnr	% In- breeding	Sire ID Dam ID	DAM : EPI Times lambd	Generation Progeny Weaned		SIP	GM	Weaning Weight		Body Weight	SVG	VD		SL	Lammers gespeen		EPI	Times lambd	
				1st	2nd			Dir	Mat			Acc	Index		Acc	Index			
		Active Breed Average :				100.7	2.8	100	0.54	0.01	0.56	0.03	-0.14	0.50	0.46	0.27			
CA 18 0220 81419756	1.57	CA 16 0209 CA 15 0247		4	1	97	-2.58	91	0.31 76	-0.54 98	1.64 107	0.01 74	0.48 82	1.65 103	-6.16 51	-1.08 84	103	4	98
CA 18 0221 81422008	1.78	CA 16 0116 CA 16 0522		8	3	102	2.57	100	-0.23 75	0.33 93	-1.52 107	0.09 71	-0.27 80	5.13 112	1.66 52	0.70 105	162	6	58
CA 18 0235 81420846	1.54	CA 16 0116 CA 16 0087		5		102	5.80	105	1.77 75	0.76 68	3.06 116	0.06 69	0.66 78	5.58 113	-2.08 48	0.59 104	127	4	54
CA 18 0268 81421125	2.90	CA 16 0116 CA 16 0177		10	2	99	-2.79	91	0.08 80	0.02 96	-0.77 100	-0.17 76	0.24 84	4.24 110	1.39 56	0.54 103	189	7	88
CA 18 0300 81420184	2.80	CA 16 0209 CA 15 0403		4		94	-11.02	77	-0.88 74	-0.72 66	-2.22 85	0.14 72	0.99 81	0.88 101	-7.94 49	-1.72 76	105	4	123
CA 18 0310 81418972	13.97	CA 16 0209 CA 14 0479		6	1	95	-5.41	86	-0.56 75	0.23 68	0.37 105	-0.05 72	0.12 82	2.66 106	-8.45 48	-1.40 78	134	6	111
CA 18 0317 81419822	0.60	JW 15 0558 CA 15 0264		5	1	93	1.21	97	-0.04 75	-0.29 95	0.02 97	-0.13 71	0.09 80	-5.63 75	-0.56 62	0.93 108	125	6	125
CA 18 0320 81419863	1.10	CA 16 0312 CA 15 0283		9	2	101	-0.17	95	0.16 78	0.24 73	-0.95 105	-0.05 75	-0.41 83	-5.29 96	-0.58 55	0.14 98	174	7	67
CA 18 0347 81421638	6.44	CA 16 0116 CA 16 0325	107 5	7	2	107	1.94	99	-0.37 77	-1.05 72	-0.33 94	0.11 75	-0.26 83	2.07 104	2.51 52	-0.10 96	131	5	19
CA 18 0350 81419335	0.66	CA 16 0209 CA 15 0111		4	1	98	-3.80	89	-0.84 73	0.27 65	0.13 106	-0.19 71	-0.28 80	-3.33 90	-3.81 47	-0.62 89	105	5	93
CA 18 0351 81421752	1.78	CA 16 0180 CA 16 0502		8	3	103	-0.15	95	-0.62 74	0.67 69	2.32 114	-0.18 72	0.38 82	-1.41 95	-2.84 47	0.00 97	170	7	43
CA 19 0004 83605246	0.88	CG 12 1276 CA 15 0279		7	3	97	-4.39	88	0.17 77	-0.10 72	0.32 98	-0.28 73	0.71 82	-0.59 97	6.19 51	0.54 103	130	5	85
CA 19 0022 83605949	1.20	CA 17 0112 CA 16 0253		6	1	98	-3.49	90	-1.18 76	0.49 71	-1.61 110	0.11 74	0.81 82	-2.32 93	-1.36 51	0.05 97	125	5	80
CA 19 0051 83605634	0.89	CG 12 1276 CA 16 0042		7	2	102	-7.18	84	-1.16 77	-0.84 72	-2.10 82	-0.21 72	-0.69 81	-2.99 91	0.79 53	-0.85 101	118	6	51
CA 19 0056 83606467	8.22	CA 17 0223 CA 17 0016		6	2	104	0.29	96	-0.56 75	-1.24 66	-0.61 73	0.22 72	0.88 80	0.08 99	3.98 48	0.24 100	105	3	35
CA 19 0060 83605196	1.21	CA 17 0112 CA 15 0223		10	3	109	1.08	97	0.40 79	-0.41 74	0.49 100	-0.05 75	0.32 83	-4.47 87	5.73 54	0.56 104	156	6	11

Ewes with Progeny



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding values
Breeding values with an accuracy of less than 5% are not printed

Ewes with progeny and measured at weaning, with both parents known.

Animal Information		Parents			Progeny		Selection Indices			EBV - Weights			EBV - Wool			EBV - Fertility				Rank
Animal ID Regnr	% In- breeding	Sire ID Dam ID	DAM : EPI Times lambded	Generation Progeny Weaned 1st 2nd	SIP		GM	Weaning		Body Weight	SVG		VD		SL	Lammers gespeen		EPI	Times lambded	
					EBV	Index		Acc	Index		Acc	Index	Acc	Index		Acc	Index			
		Active Breed Average :			100.7	2.8	100	0.54	0.01	0.56	0.03	-0.14	0.50	0.46	0.27					
CA 19 0073 83607416	1.50	CA 17 0112 CA 17 0278		7 1	100	-3.30	90	-1.25 76	-0.99 83	-1.96 75	0.14 73	0.26 82	-2.89 106	3.03 50	-0.42 49	120	5	64		
CA 19 0079 83606335	1.78	CG 12 1276 CA 16 0536		11 3	92	-9.36	80	-2.67 78	-0.98 70	-2.41 75	-0.33 73	0.55 82	2.63 111	8.19 50	0.47 50	158	6	119		
CA 19 0081 83607358	8.47	CA 17 0223 CA 17 0265		6 5	96	-2.49	91	0.09 77	-0.42 74	-1.63 91	0.13 75	1.13 83	4.44 120	4.32 52	0.56 52	115	4	90		
CA 19 0085 83605550	1.56	CA 17 0220 CA 15 0532		5	99	-3.20	90	-1.57 72	0.44 66	-1.45 109	-0.09 68	0.30 79	-0.62 107	3.34 42	0.40 41	103	4	70		
CA 19 0090 83605295	1.04	CG 12 1276 CA 15 0305		6 1	96	-8.18	82	-1.93 76	-0.32 71	-3.44 93	-0.17 74	0.44 82	1.31 109	7.42 51	0.44 50	110	4	93		
CA 19 0102 83606103	0.78	CG 12 1276 CA 16 0341		6 1	106	-5.28	87	-1.02 76	-1.15 70	-2.59 76	-0.12 73	-0.50 82	-4.87 95	4.00 49	-0.31 49	103	4	28		
CA 19 0107 83606236	1.78	CA 17 0112 CA 16 0517		4 1	109	-1.89	92	-0.62 70	0.04 66	-0.98 101	0.08 69	0.13 80	-4.38 104	0.13 46	-0.34 46	102	4	10		
CA 19 0126 83606939	4.36	CA 17 0223 CA 17 0155		7 2	110	2.73	100	1.16 76	-0.57 70	1.50 88	0.21 73	-0.23 82	2.09 99	-3.79 52	-1.12 51	137	6	8		
CA 19 0142 83607341	4.07	CA 17 0223 CA 17 0264		5 1	96	-4.35	88	-0.51 75	0.19 69	-1.49 104	-0.05 73	1.06 81	1.90 119	2.48 48	0.73 48	108	3	97		
CA 19 0158 83606178	1.78	CA 17 0071 CA 16 0505		4 1	101	-7.92	82	-0.61 71	-0.25 66	-0.76 95	-0.08 68	0.93 78	-4.70 117	-4.72 46	-0.65 45	106	4	53		
CA 19 0167 83605741	4.06	CA 17 0071 CA 16 0123	105 3	5 1	108	-1.15	93	0.88 75	-0.19 68	1.44 96	-0.02 73	0.15 81	2.18 105	-4.86 50	-0.78 49	110	5	17		
CA 19 0169 83606327	1.78	CA 17 0071 CA 16 0535		4	111	-1.74	93	0.69 69	-0.93 62	1.24 80	0.20 67	1.02 78	1.15 118	-4.03 42	-0.98 42	93	4	4		
CA 19 0186 83607069	13.60	CA 17 0112 CA 17 0196	124 5	9 1	101	-1.81	92	-0.10 79	-1.21 73	-1.40 77	0.15 75	0.95 83	0.67 117	7.49 54	0.38 53	144	6	58		
CA 19 0204 83604884	0.96	CA 17 0220 CA 14 0431		4 2	91	-7.11	84	-0.98 73	-0.12 67	-0.81 97	-0.28 71	0.37 81	-0.58 108	0.19 46	-0.07 45	100	3	121		
CA 19 0205 83604942	1.21	CA 17 0112 CA 15 0020		9	101	-0.62	94	-0.96 78	-0.19 72	-2.62 96	0.30 70	1.34 79	0.62 123	6.90 53	0.99 52	155	6	56		
CA 19 0214 83605642	7.09	CA 17 0071 CA 16 0053		6	99	-7.87	82	-0.51 75	-0.91 69	-0.03 81	0.13 69	1.31 78	10.06 122	-6.16 51	-1.49 50	116	5	67		

Ewes with Progeny



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding values
Breeding values with an accuracy of less than 5% are not printed

Ewes with progeny and measured at weaning, with both parents known.

Animal Information		Parents			Progeny		Selection Indices			EBV - Weights			EBV - Wool			EBV - Fertility			Rank		
Animal ID Regnr	% In- breeding	Sire ID Dam ID	DAM : EPI Times lambd	Generation Progeny Weaned 1st 2nd	SIP		GM		Weaning Weight Dir Mat		Body Weight	SVG		VD		SL	Lammers gespeen		TWW	EPI Times lambd	Rank
					EBV	Index	Acc	Index	Acc	Index		Acc	Index	Acc	Index		Acc	Index			
		Active Breed Average :			100.7	2.8	100	0.54	0.01	0.56	0.03	-0.14	0.50	0.46	0.27						
CA 19 0220 83605113	1.09	CA 17 0071 CA 15 0122		8 1	107	3.35	101	0.41 77	-0.21 99	2.03 109	0.19 71	0.70 80	-2.19 113	-1.46 50	-0.18 49	135	5	23			
CA 19 0227 83605311	7.18	CA 17 0071 CA 15 0307		5	100	-10.89	77	-1.35 75	-1.41 82	-1.68 70	-0.05 72	0.18 81	-3.93 105	-6.90 52	-1.92 51	103	5	60			
CA 19 0245 83605501	1.56	CA 17 0112 CA 15 0521		8	105	-0.60	94	-0.72 74	0.22 69	-1.73 105	0.26 70	1.08 80	-0.30 119	2.45 48	0.51 47	153	6	30			
CA 19 0252 83605121	0.87	CA 17 0071 CA 15 0139		8	95	-4.23	88	0.08 78	-0.75 72	-1.35 84	0.22 73	1.22 82	-1.87 121	-0.87 52	-0.37 52	135	6	99			
CA 19 0257 83606533	4.83	CA 17 0223 CA 17 0051	127 5	5	94	-8.47	81	-2.31 76	-0.27 68	-3.34 94	0.11 73	0.32 82	2.72 107	-1.47 50	-1.03 49	101	4	108			
CA 19 0275 83604710	1.43	CA 17 0223 CA 13 0503	115 2	6 1	104	-6.52	85	-1.04 75	0.14 70	-1.63 103	-0.04 72	-0.13 81	0.56 100	-4.72 50	-1.05 49	131	6	38			
CA 19 0283 83605733	0.93	CG 12 1276 CA 16 0106		4	94	-18.13	66	-2.97 73	-0.38 66	-3.32 92	-0.43 71	1.06 80	-1.19 119	0.66 46	-0.65 45	96	4	110			
CA 19 0284 83607317	16.74	CA 17 0220 CA 17 0255	115 5	4 1	99	-5.12	87	-0.52 73	-0.76 65	-1.13 84	0.11 71	0.45 81	3.80 109	-4.25 47	-1.01 47	98	4	66			
CA 19 0298 83605824	0.91	CA 17 0071 CA 16 0157		5 2	100	-3.20	90	0.81 76	0.07 70	1.83 101	0.12 73	1.21 82	3.33 121	-7.42 52	-1.11 51	120	5	63			
CA 19 0304 83606053	4.11	CA 17 0071 CA 16 0325	107 5	7	94	-12.78	74	-1.30 77	-0.45 70	-1.58 90	-0.02 70	1.25 80	-6.60 122	-4.94 52	-1.54 52	131	6	109			
CA 20 0005 89421770	1.51	CA 18 0287 CA 18 0221	162 6	6 2	105	3.19	101	-0.90 77	-0.89 71	-2.47 84	0.02 71	-0.59 81	-0.08 93	4.40 52	1.31 52	106	4	34			
CA 20 0014 89419451	0.80	JW 15 0558 CA 15 0252		8 3	99	11.70	115	1.21 79	0.17 76	0.27 104	0.29 76	1.11 84	-0.47 119	7.71 62	2.94 62	143	5	74			
CA 20 0023 89421689	2.45	CA 18 0245 CA 18 0200	139 5	5	115	13.61	118	2.77 75	0.46 68	4.00 110	0.39 69	0.89 79	6.15 116	-0.42 50	1.10 49	121	4	2			
CA 20 0027 89419212	0.97	JW 15 0558 CA 15 0005		3 1	115	14.75	120	2.04 75	-0.99 70	2.46 79	0.20 71	-0.14 79	-1.71 100	4.15 59	1.95 59	90	4	1			
CA 20 0031 89420699	0.95	CA 18 0195 CA 17 0196	124 5	5	98	3.76	102	0.23 76	-1.02 68	1.02 79	0.00 72	0.42 81	5.53 109	6.50 48	0.96 47	104	4	80			
CA 20 0051 89420202	0.82	JW 15 0558 CA 17 0014	112 4	5	104	14.32	119	0.84 78	0.16 72	1.10 103	0.08 75	0.09 82	-7.60 104	9.18 59	3.20 58	109	4	36			

Ewes with Progeny



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding values
Breeding values with an accuracy of less than 5% are not printed

Ewes with progeny and measured at weaning, with both parents known.

Animal Information		Parents			Progeny		Selection Indices			EBV - Weights			EBV - Wool			EBV - Fertility			Rank
Animal ID Regnr	% In- breeding	Sire ID Dam ID	DAM : EPI Times lambd	Generation Progeny Weaned 1st 2nd	SIP	GM	EBV	Index	Weaning Dir	Weight Mat	Body Weight	SVG	VD	SL	Lammers gespeen	TWW	EPI	Times lambd	
									EBV Acc	Index Acc	Index Acc	EBV Acc	Index Acc	Index Acc	EBV Acc	Index Acc	Index Acc	Phenotype	
Active Breed Average :					100.7	2.8	100		0.54	0.01	0.56	0.03	-0.14	0.50	0.46	0.27			
CA 20 0054 89422000	1.21	CA 18 0287 CA 18 0286	93 2	6	98	2.99	100		0.44 78 99	-0.31 70 93	0.74 75 101	-0.07 73 93	0.68 81 113	6.18 77 115	3.13 52 110	1.46 51 114	122	5	83
CA 20 0069 89421820	2.39	CA 18 0245 CA 18 0232	90 2	5	109	8.62	110		1.54 74 109	0.03 67 101	3.70 75 120	0.06 73 102	0.27 82 106	2.45 77 105	-0.48 48 97	0.66 47 105	113	4	12
CA 20 0070 89421838	2.39	CA 18 0245 CA 18 0232	90 2	6 2	98	2.03	99		1.09 75 105	0.84 70 118	1.64 74 107	-0.12 72 91	0.58 81 111	-0.48 76 97	-1.44 50 93	0.88 50 107	136	5	81
CA 20 0071 89420749	1.24	CA 18 0081 CA 17 0211		4 1	100	1.07	97		0.29 74 98	-0.05 67 99	-0.50 73 93	0.04 70 100	0.27 80 106	5.57 75 113	0.63 48 101	0.58 48 104	105	4	68
CA 20 0075 89419873	9.37	CA 18 0081 CA 16 0251		7 1	105	9.59	111		-0.04 76 95	-0.49 70 90	1.53 74 106	0.16 72 108	-0.14 81 100	3.61 76 108	7.13 47 125	1.11 46 110	118	5	28
CA 20 0088 89421424	1.24	CA 18 0287 CA 18 0084	96 2	8 3	97	5.42	104		-0.61 78 89	0.33 73 107	-0.08 75 96	-0.15 73 89	0.01 82 102	-0.49 77 97	6.99 53 125	2.20 52 123	135	5	91
CA 20 0093 89419337	1.38	CA 18 0195 CA 15 0139		3	98	0.90	97		0.15 73 96	-0.41 65 91	-0.70 74 92	0.04 72 100	0.72 81 113	4.34 76 110	4.09 46 114	1.07 46 110	94	3	84
CA 20 0103 89419659	1.03	CA 18 0195 CA 16 0022	100 3	5	94	-2.46	91		0.38 75 99	-1.84 68 61	0.31 73 98	0.07 71 102	1.18 80 120	-1.03 76 96	0.78 48 101	-0.01 47 97	103	4	113
CA 20 0105 89420954	0.82	JW 15 0558 CA 17 0264		4 2	107	15.14	120		2.22 75 116	-0.33 72 93	2.59 76 113	0.08 74 103	0.61 82 112	-0.86 78 96	8.03 59 129	3.24 59 136	101	3	19
CA 20 0113 89420806	1.48	CA 18 0081 CA 17 0214	90 3	5	98	2.98	100		0.65 74 101	0.13 67 103	1.10 71 104	0.04 69 100	1.06 79 119	-1.32 74 95	2.99 47 110	1.17 46 111	112	4	88
CA 20 0142 89420301	0.73	JW 15 0558 CA 17 0052	145 6	8 2	101	9.70	111		0.77 79 102	-0.47 75 90	0.44 77 99	0.19 75 110	1.13 83 120	-3.48 79 90	7.84 62 128	2.77 62 130	136	5	64
CA 20 0148 89420053	1.78	CA 18 0081 CA 16 0514		8 1	100	7.23	107		-0.42 76 91	0.91 70 119	-0.77 76 92	0.07 73 102	-0.10 83 101	-2.58 78 92	6.09 46 121	1.92 45 120	142	5	67
CA 20 0152 89422125	1.54	CA 18 0287 CA 18 0308	94 3	4 1	101	7.32	107		0.65 74 101	0.24 67 105	0.89 73 102	-0.06 71 95	0.25 80 106	-6.21 75 82	4.70 48 116	2.09 48 122	100	3	62
CA 20 0157 89419899	4.40	CA 18 0195 CA 16 0253		4 3	94	4.93	104		0.97 75 104	0.05 69 101	2.57 75 113	-0.05 73 95	0.40 82 108	-2.10 77 93	-0.24 48 97	0.79 48 106	103	3	115
CA 20 0183 89421507	1.25	CA 18 0287 CA 18 0122	90 2	5 3	107	9.49	111		0.58 76 100	0.16 70 103	-0.96 73 90	0.15 71 107	-0.78 80 90	-4.60 75 87	3.32 51 111	1.63 51 116	112	4	21
CA 20 0191 89420251	1.17	JW 15 0558 CA 17 0038	155 6	5	94	5.60	105		1.12 77 105	-0.40 72 91	0.62 75 100	0.17 73 109	2.28 81 137	-2.93 77 91	7.95 60 128	2.75 59 130	110	5	112

Ewes with Progeny



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding values
Breeding values with an accuracy of less than 5% are not printed

Ewes with progeny and measured at weaning, with both parents known.

Animal Information		Parents			Progeny		Selection Indices			EBV - Weights			EBV - Wool			EBV - Fertility			Rank		
Animal ID Regnr	% In- breeding	Sire ID Dam ID	DAM :		Generation Progeny Weaned	SIP	GM	Weaning Weight			SVG	VD		SL	Lammers gespeen	TWW	EPI	Times lambded			
			EPI	Times lambded				Dir	Mat	Body Weight		EBV	EBV							EBV	EBV
					1st	2nd		EBV	Index		Acc	Index	Acc	Index	Acc	Index	Acc	Index			
		Active Breed Average :				100.7	2.8	100			0.54	0.01	0.56	0.03	-0.14	0.50	0.46	0.27			
CA 20 0192 89420681	0.76	JW 15 0558 CA 17 0191			3	2	106	8.22	109		1.58 74	0.12 110	2.13 70	-0.04 73	0.24 81	-4.89 106	1.04 59	1.70 59	97	3	24
CA 20 0195 89421754	1.33	CA 18 0245 CA 18 0220	103	4	6		102	6.12	105		1.05 76	0.18 105	2.50 69	0.14 69	0.26 79	1.33 106	-1.97 48	0.18 48	121	4	52
CA 20 0196 89420673	1.48	CA 18 0081 CA 17 0190			6		103	-0.65	94		-0.52 74	-0.49 67	-1.44 90	-0.14 66	-0.47 77	2.32 95	3.19 45	0.57 45	112	4	46
CA 20 0206 89422315	13.73	CA 18 0245 CA 18 0357	91	3	5	1	108	2.60	100		0.50 74	-0.85 67	-0.69 82	0.35 72	0.48 81	1.76 110	-2.27 49	-0.05 48	112	4	14
CA 20 0213 89422497	1.13	CA 18 0287 CA 18 0392	113	4	4	2	99	2.74	100		0.30 75	0.40 69	0.24 108	-0.14 73	0.23 82	-9.62 106	2.38 52	1.48 52	104	4	77
CA 20 0221 89422141	1.14	CA 18 0287 CA 18 0309	86	3	8	2	94	-1.20	93		-0.80 78	0.02 72	-1.91 100	-0.14 71	0.67 80	-0.79 113	6.73 53	1.79 52	132	5	116
CA 20 0226 89420921	1.09	CA 18 0195 CA 17 0255	115	5	4	1	97	1.09	97		1.12 77	-0.09 68	1.72 98	0.07 70	0.93 80	12.96 117	-1.76 50	0.07 49	105	4	90
CA 20 0228 89419675	5.01	CA 18 0195 CA 16 0042			6	1	104	1.44	98		0.11 76	-0.39 70	-0.17 92	-0.05 71	-0.24 80	5.98 99	1.75 49	0.44 49	118	5	39
CA 20 0233 89421747	1.20	CA 18 0287 CA 18 0218	90	2	4	1	97	0.86	97		0.97 74	0.55 67	-0.54 112	-0.10 70	0.42 79	1.50 109	1.05 50	1.30 50	105	4	94
CA 20 0235 89421283	1.35	CA 18 0287 CA 18 0012	99	3	3	1	95	-0.72	94		-0.35 73	0.65 66	-1.25 114	-0.10 69	0.80 79	-7.88 115	2.62 49	1.59 49	96	3	103
CA 20 0255 89419295	0.51	JW 15 0558 CA 15 0108			3		104	5.45	104		-0.05 74	-1.39 69	0.35 71	0.13 72	0.25 80	1.47 106	1.07 59	1.01 59	90	3	41
CA 20 0258 89419741	1.66	CA 18 0081 CA 16 0072	158	6	6	1	102	1.36	98		0.68 76	0.53 70	0.10 111	-0.13 71	-0.14 80	1.28 100	0.45 50	0.71 49	127	5	53
CA 20 0260 89422018	1.51	CA 18 0287 CA 18 0288	88	1	6	2	100	7.31	107		0.82 75	0.86 69	0.85 118	-0.08 72	0.21 81	-0.23 106	3.07 51	2.16 51	130	5	69
CA 20 0261 89419121	0.91	JW 15 0558 CA 14 0097			5	1	91	3.46	101		0.08 76	0.27 73	-1.06 106	0.05 75	0.96 83	-3.79 117	2.69 59	2.18 59	113	4	132
CA 20 0268 89421648	1.25	CA 18 0287 CA 18 0188	126	6	5	1	97	3.11	101		0.85 76	0.32 70	1.45 107	-0.24 72	0.03 81	2.18 103	1.30 53	1.23 52	113	4	92
CA 20 0271 89421077	1.07	CA 18 0195 CA 17 0304	129	6	5		101	5.84	105		0.82 76	-0.08 68	2.57 98	-0.10 71	0.08 80	7.53 103	2.65 47	0.91 46	105	3	56

Ewes with Progeny



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding values
Breeding values with an accuracy of less than 5% are not printed

Ewes with progeny and measured at weaning, with both parents known.

Animal Information		Parents			Progeny		Selection Indices			EBV - Weights			EBV - Wool			EBV - Fertility			Rank	
Animal ID Regnr	% In- breeding	Sire ID Dam ID	DAM :		1st	2nd	SIP	GM	Weaning Weight		Body Weight	SVG	VD	SL	Lammers gespeen	TWW	EPI	Times lambd		
			EPI	Times lambd					Dir	Mat										Acc
		Active Breed Average :				100.7	2.8	100	0.54	0.01	0.56	0.03	-0.14	0.50	0.46	0.27				
CA 20 0285 89421986	1.18	CA 18 0287 CA 18 0280	98	3	7	1	105	10.20	112	1.10 77	0.07 105	0.74 73	0.12 70	0.69 80	-7.78 75	7.31 51	2.64 129	129	4	27
CA 20 0289 89419444	1.28	CA 18 0081 CA 15 0227	110	4	3	3	105	-2.69	91	0.21 73	-0.43 97	-0.47 66	0.09 70	0.30 80	6.11 107	-1.88 48	-0.68 89	94	4	29
CA 20 0290 89421366	1.11	CA 18 0287 CA 18 0046	88	1	2		96	-0.02	95	0.69 70	-0.02 101	-0.40 60	-0.03 70	0.87 79	-0.89 116	1.35 46	1.14 111	88	2	96
CA 20 0295 89419378	1.08	CA 18 0125 CA 15 0187			4		99	2.90	100	0.78 72	0.33 102	2.62 64	-0.20 70	0.65 80	1.55 112	2.48 46	1.09 110	101	4	76
CA 20 0300 89421358	14.40	CA 18 0287 CA 18 0037	88	1	4		96	7.04	107	-0.13 73	-0.17 94	0.01 66	0.00 70	0.46 79	-3.46 109	5.77 52	2.37 125	100	4	97
CA 20 0312 89419097	1.43	CA 18 0195 CA 13 0516			5		94	2.30	99	-0.49 72	0.22 90	-0.14 67	-0.07 68	0.11 79	-2.66 104	3.38 44	1.09 110	113	4	121
CA 20 0314 89419543	1.50	CA 18 0081 CA 15 0314			4		91	-6.95	84	-1.71 74	0.30 79	-2.06 66	-0.28 69	0.59 79	-4.56 111	4.11 46	0.78 106	99	5	131
CA 20 0318 89420574	1.35	CA 18 0195 CA 17 0152			1		105	7.38	108	2.20 70	0.05 116	2.46 58	-0.12 68	-0.22 78	0.26 99	4.87 37	1.18 111	89	1	26
CA 20 0322 89421168	1.06	CA 18 0195 CA 17 0348	87	2	5		95	-1.04	94	-0.26 74	-0.33 93	0.09 73	-0.10 71	0.48 80	8.11 110	2.52 48	0.56 104	108	4	104
CA 20 0324 89419600	2.53	CA 18 0195 CA 16 0005			5	3	105	6.34	106	0.89 76	-0.02 103	1.48 72	-0.10 74	-0.25 83	0.57 98	5.46 51	1.24 112	108	3	33
CA 20 0329 89421879	1.25	CA 18 0287 CA 18 0240	118	4	5	1	104	3.37	101	-1.15 76	0.06 84	-3.63 70	0.01 71	-0.66 80	-3.63 92	5.27 52	1.87 118	105	4	38
CA 20 0335 89422109	2.45	CA 18 0245 CA 18 0305	88	2	6	2	108	2.58	100	0.18 75	-1.02 97	0.20 69	0.27 69	1.08 81	4.06 119	2.15 50	0.50 103	112	5	13
CA 20 0338 89419303	1.20	CA 18 0125 CA 15 0113			4	3	94	-3.09	90	0.52 73	-0.30 100	-0.60 67	0.01 71	1.63 81	3.99 127	1.89 48	0.96 108	100	3	119
CA 20 0343 89421036	1.30	CA 18 0195 CA 17 0287	90	2	5	1	101	3.85	102	0.35 74	-0.29 98	0.63 68	-0.16 72	-0.31 81	1.41 98	3.57 46	1.14 111	105	3	55
CA 20 0352 89421960	2.33	CA 18 0245 CA 18 0276	88	1	5	2	101	-0.15	95	0.35 74	-0.10 98	1.23 69	-0.01 73	1.14 82	5.08 120	-0.25 49	0.54 103	106	4	58
CA 20 0356 89421259	14.44	CA 18 0287 CA 18 0009	95	4	5	2	95	6.02	105	0.80 76	0.22 102	0.81 75	-0.16 73	0.82 82	-3.81 115	6.90 54	2.81 131	111	4	109

Ewes with Progeny



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding values
Breeding values with an accuracy of less than 5% are not printed

Ewes with progeny and measured at weaning, with both parents known.

Animal Information		Parents			Progeny		Selection Indices			EBV - Weights			EBV - Wool			EBV - Fertility				Rank						
Animal ID Regnr	% In- breeding	Sire ID Dam ID	DAM :		Generation Progeny Weaned 1st 2nd	SIP	GM	Weaning Weight			Body Weight			SVG		VD		SL	Lammers gespeen		TWW	EPI	Times lambded			
			EPI	Times lambded				Dir	Mat																	
								EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV					EBV	EBV
								Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index							
		Active Breed Average :				100.7	2.8	100	0.54	0.01	0.56	0.03	-0.14	0.50	0.46	0.27										
CA 21 0002 91818385	1.10	MV 17 0140 CA 16 0002	112	4	5	1	101	-4.38	88	0.77 76	0.31 102	-1.30 75	0.02 73	0.63 82	1.21 77	-1.88 54	-0.13 54	124	4	63						
CA 21 0007 91818484	1.78	CA 19 0193 CA 16 0531			4	1	96	-3.58	89	0.01 71	-0.92 65	0.31 69	-0.13 66	-0.02 77	0.18 102	-2.09 44	-0.66 44	112	4	96						
CA 21 0008 91818500	4.30	CA 19 0152 CA 14 0097			3	1	97	-1.81	92	0.66 73	0.21 66	0.14 74	0.02 72	0.18 81	1.78 76	-3.18 47	-0.53 47	102	3	93						
CA 21 0016 91818567	17.05	CA 19 0152 CA 19 0060	156	6	4		102	5.96	105	0.65 75	0.48 67	0.14 73	0.18 71	-0.55 80	-0.89 75	1.37 50	0.21 50	123	4	50						
CA 21 0022 91818625	2.72	CA 19 0261 CA 17 0004			5	1	101	-4.10	89	-0.68 74	-1.58 67	-1.91 72	0.01 69	-0.33 79	2.20 74	1.00 44	-0.66 44	109	4	64						
CA 21 0045 91818765	2.42	CA 19 0261 CA 17 0014	112	4	3	1	98	2.83	100	-0.51 73	0.28 64	-0.12 73	0.22 71	0.11 80	-1.81 75	-0.59 45	-0.04 45	106	3	85						
CA 21 0047 91818807	1.13	CA 19 0152 CA 19 0102	103	4	2	1	108	4.50	103	0.55 73	0.13 64	0.18 72	-0.04 70	-1.55 79	-4.45 74	1.21 47	-0.27 46	94	2	12						
CA 21 0051 91818849	17.45	CA 19 0152 CA 19 0022	125	5	2	1	99	1.68	98	0.26 73	0.84 64	-0.48 73	0.23 71	0.33 80	1.55 75	-1.27 47	-0.02 47	95	2	79						
CA 21 0058 91818906	2.97	CA 19 0152 CA 19 0086	91	2	5	1	107	5.09	104	1.10 77	0.01 69	0.87 74	0.15 72	-0.30 81	-1.22 77	2.13 48	0.02 48	120	4	14						
CA 21 0072 91819045	1.58	CA 19 0152 CA 18 0104	88	2	2		100	1.54	98	-0.31 71	0.45 60	-0.32 72	0.07 70	-0.40 79	-1.67 74	-0.72 44	-0.15 44	95	2	68						
CA 21 0091 91819243	5.93	CA 19 0152 CA 19 0056	105	3	2		102	1.69	98	-0.23 71	-0.71 62	-0.23 64	0.23 70	0.30 69	-0.47 66	1.69 45	-0.17 45	92	2	46						
CA 21 0103 91819300	2.54	CA 19 0239 CA 19 0310	89	1	5		99	-7.03	84	-0.87 74	-0.89 66	-2.45 70	-0.08 68	-0.46 78	-4.12 72	-2.53 46	-0.98 45	116	4	81						
CA 21 0119 91819441	0.90	MV 17 0140 CA 15 0305			5	1	106	2.61	100	-0.92 76	0.30 72	-1.29 75	-0.09 73	-1.35 81	-0.66 77	3.09 55	0.30 54	113	4	18						
CA 21 0122 91819482	2.67	CA 19 0261 CA 17 0252	94	4	2	1	92	-9.58	80	-2.08 72	-1.09 62	-2.15 72	-0.13 70	-0.49 79	-1.99 74	-4.58 44	-1.67 44	89	3	112						
CA 21 0126 91819508	1.56	CA 19 0193 CA 15 0532			5		103	-1.07	94	-0.06 73	-0.65 67	-1.56 73	0.05 70	-0.21 80	2.65 75	1.56 45	-0.04 44	122	4	39						
CA 21 0127 91819524	1.56	CA 19 0193 CA 15 0532			1		109	0.35	96	0.61 68	-1.15 58	-1.18 67	0.23 65	-0.29 75	5.11 69	-0.66 43	-0.68 42	79	3	9						

Ewes with Progeny



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding values
Breeding values with an accuracy of less than 5% are not printed

Ewes with progeny and measured at weaning, with both parents known.

Animal Information		Parents			Progeny		Selection Indices			EBV - Weights			EBV - Wool			EBV - Fertility				Rank				
Animal ID Regnr	% In- breeding	Sire ID Dam ID	DAM :		Generation Progeny Weaned	1st	2nd	SIP	GM	Weaning Weight		Body Weight	SVG	VD		SL	Lammers gespeen	TWW		EPI	Times lambded			
			EPI	Times lambded						Dir	Mat			Acc	Index			Acc	Index				Acc	Index
		Active Breed Average :						100.7	2.8	100		0.54	0.01	0.56		0.03	-0.14	0.50		0.46	0.27			
CA 21 0132 91819565	1.36	CA 19 0193 CA 14 0369			4	2		104	-1.69	93		0.43 74	-1.20 67	-1.47 73		0.12 71	0.10 80	1.12 75		2.00 45	-0.26 45	103	3	33
CA 21 0134 91819607	13.67	CA 19 0193 CA 17 0290	103	3	1			106	5.72	105		1.35 70	-1.28 57	0.99 68		0.24 66	0.16 76	1.24 70		3.34 41	0.19 40	90	2	23
CA 21 0136 91819623	1.53	CA 19 0152 CA 18 0314	88	2	4	1		104	3.66	101		0.24 74	0.43 66	1.23 73		-0.06 71	-0.56 80	-1.16 75		1.14 47	0.14 46	108	3	32
CA 21 0142 91819680	1.00	MV 17 0140 CA 18 0145	97	2	2	2		110	7.08	107		0.39 73	-0.54 66	-1.08 73		0.17 71	-0.82 80	-2.14 75		2.73 53	0.87 53	89	2	7
CA 21 0149 91819748	1.43	CA 19 0221 CA 18 0356	100	2	2	1		93	-0.94	94		-0.11 70	0.42 59	0.58 69		-0.08 66	0.52 77	-3.89 71		0.52 39	0.29 39	92	2	109
CA 21 0151 91819763	1.57	CA 19 0261 CA 17 0337	93	4	1	1		91	-9.49	80		-1.03 70	-0.56 56	-1.49 70		0.15 68	1.28 78	-3.71 72		-4.60 43	-1.41 42	85	2	116
CA 21 0153 91819789	2.92	CA 19 0152 CA 19 0230	88	1	1			100	-0.18	95		-0.58 70	-0.44 57	-0.52 70		0.17 67	-0.05 77	3.46 71		-1.03 42	-0.65 42	90	2	73
CA 21 0158 91819821	1.51	CA 19 0193 CA 17 0339	91	1	5	3		99	3.48	101		2.66 74	0.11 68	3.43 73		-0.08 70	0.56 80	-0.04 75		0.15 49	0.27 48	133	4	82
CA 21 0160 91819847	1.69	CA 19 0193 CA 17 0238	101	3	2			95	-5.26	87		-0.09 71	-2.08 61	0.13 72		-0.03 70	0.82 79	-0.53 74		1.60 44	-0.64 43	87	2	98
CA 21 0167 91819920	1.89	CA 19 0239 CA 19 0423	124	4	2			106	1.32	98		-0.06 69	-0.26 58	-0.73 66		0.07 64	-0.71 75	-9.78 69		-1.54 39	-0.38 39	90	4	22
CA 21 0177 91819987	4.33	CA 19 0152 CA 19 0081	115	4	3			102	2.91	100		0.47 74	-0.51 66	-0.95 72		0.36 70	0.68 79	6.79 74		3.25 47	0.31 46	97	2	43
CA 21 0178 91820001	4.33	CA 19 0152 CA 19 0081	115	4	4			94	-1.24	93		0.78 75	-0.18 67	0.30 72		0.13 70	1.22 79	2.23 74		2.70 48	0.13 48	109	4	105
CA 21 0182 91820043	0.98	CA 19 0261 CA 15 0035			4	1		91	-8.50	81		-2.75 75	-0.26 67	-4.72 74		0.01 71	0.12 80	-1.83 76		1.95 48	-0.17 48	108	4	119
CA 21 0197 91820142	16.91	CA 19 0152 CA 19 0026			3			92	-2.41	91		-1.15 71	-0.15 63	-0.77 71		0.21 69	0.69 78	0.59 73		-0.33 46	-0.59 46	102	4	113
CA 21 0202 91820183	2.89	CA 19 0152 CA 19 0286	95	3	6	1		105	4.10	102		0.15 76	0.24 69	1.13 74		0.34 72	0.80 81	8.42 77		0.01 49	-0.10 49	127	4	30
CA 21 0217 91820308	0.90	MV 17 0140 CA 18 0385	99	4	6			106	1.93	99		0.65 76	-0.26 70	-0.01 75		0.07 73	-0.22 82	0.49 77		0.72 51	-0.02 51	120	3	17

Ewes with Progeny



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding values
Breeding values with an accuracy of less than 5% are not printed

Ewes with progeny and measured at weaning, with both parents known.

Animal Information		Parents			Progeny		Selection Indices			EBV - Weights			EBV - Wool			EBV - Fertility			Rank
Animal ID Regnr	% In- breeding	Sire ID Dam ID	DAM : EPI Times lambded	Generation Progeny Weaned 1st 2nd	SIP	GM	EBV	Index	Weaning Dir	Weight Mat	Body Weight	SVG	VD	SL	Lammers gespeen	TWW	EPI	Times lambded	
									EBV Acc	Index Acc	Index Acc	EBV Acc	Index Acc	Index Acc	EBV Acc	Index Acc	Index Acc	Phenotype	
Active Breed Average :					100.7	2.8	100		0.54	0.01	0.56	0.03	-0.14	0.50	0.46	0.27			
CA 21 0218 91820324	4.22	CA 19 0193 CA 17 0304	129 6	3 1	109	5.49	104		2.08 73 114	-0.73 65 85	1.70 72 107	0.18 70 109	-0.45 79 95	-0.14 74 98	-1.70 47 92	-0.55 47 90	101	4	8
CA 21 0219 91820340	1.21	MV 17 0140 CA 17 0378	127 5	1	107	2.42	99		-0.23 72 93	-0.77 62 84	-1.87 72 84	0.16 70 108	-0.96 79 87	-4.76 74 86	-0.10 48 98	-0.15 48 95	90	2	15
CA 21 0222 91820381	4.26	CA 19 0261 CA 18 0188	126 6	4	102	0.23	96		0.52 74 100	-0.79 65 83	-0.38 72 94	0.26 70 114	0.14 79 104	8.37 74 121	-2.44 46 89	-0.81 46 87	106	3	45
CA 21 0225 91820407	1.28	CA 19 0193 CA 18 0012	99 3	3 1	104	3.99	102		1.53 72 109	-0.32 64 93	0.92 72 102	0.03 70 100	-0.31 80 97	-3.76 75 89	2.89 44 109	0.23 43 100	99	2	34
CA 21 0229 91820423	1.27	CA 19 0193 CA 18 0268	189 7	1	103	1.28	97		1.44 71 109	-0.69 59 85	0.90 71 102	-0.11 69 91	-0.42 78 96	1.14 73 102	1.00 46 102	-0.03 45 96	90	2	38
CA 21 0234 91820506	1.27	CA 19 0261 CA 16 0062	146 6	6	94	-5.97	86		-0.67 76 89	-0.78 68 83	-3.16 74 76	0.09 71 104	0.19 81 105	3.15 76 107	-1.42 46 93	-0.48 45 91	125	4	104
CA 21 0235 91820522	1.89	CA 19 0152 CA 19 0415	117 4	2 1	105	5.65	105		1.23 70 107	-0.08 61 98	2.06 69 110	0.15 66 107	-0.21 77 99	2.24 71 105	-0.34 41 97	-0.28 41 93	92	2	25
CA 21 0238 91820589	7.38	CA 19 0261 CA 18 0205	91 3	4 2	101	-2.73	91		0.25 74 97	-1.13 66 76	-0.67 73 92	0.06 71 102	-0.40 80 96	0.73 75 101	-4.17 48 83	-1.15 47 83	108	4	60
CA 21 0239 91820605	1.78	CA 19 0193 CA 16 0504		2	109	4.32	103		0.75 67 102	-1.44 58 70	0.73 67 101	0.21 64 111	-0.40 76 96	0.89 69 101	0.37 38 100	-0.49 38 91	90	2	11
CA 21 0240 91820621	1.39	CA 19 0239 CA 19 0011	98 3	5	99	1.51	98		1.28 74 107	0.17 66 104	1.54 73 106	-0.15 70 89	-0.13 80 100	-0.61 75 97	1.65 46 105	0.20 45 99	124	4	78
CA 21 0248 91820704	18.27	CA 19 0152 CA 19 0064	86 1	7 1	98	-1.46	93		-1.19 77 84	-1.03 71 78	-2.10 74 83	0.14 71 107	0.13 80 104	3.14 76 107	6.93 49 124	0.02 49 97	127	4	83
CA 21 0250 91820720	2.01	CA 19 0221 CA 18 0011	92 2	6 1	106	7.39	108		2.57 74 119	0.23 67 105	1.58 70 107	0.28 67 115	0.84 78 115	-0.83 72 97	3.10 44 110	0.92 44 108	133	4	21
CA 21 0253 91820746	1.14	CA 19 0193 CA 16 0292	89 1	3	105	-2.10	92		1.73 71 111	-0.72 61 85	0.30 72 98	-0.13 70 90	-0.68 80 92	-6.04 75 83	-1.77 44 92	-0.89 43 86	98	3	29
CA 21 0255 91820787	1.17	CA 19 0152 CA 15 0410		4 2	99	1.62	98		-0.43 75 91	-0.11 69 98	-0.59 74 93	0.12 72 106	0.02 81 103	2.36 76 105	3.85 49 113	0.16 49 99	106	3	76
CA 21 0258 91820803	1.31	CA 19 0239 CA 18 0023	89 3	2	111	0.74	97		0.35 70 98	-0.63 57 87	0.38 71 99	-0.03 68 96	-1.13 79 85	-0.41 73 98	-3.88 41 84	-1.03 40 84	89	3	6
CA 21 0262 91820845	3.60	CA 19 0152 CA 19 0298	120 5	3 1	102	1.69	98		1.47 74 109	-0.04 66 99	2.71 73 114	0.07 71 102	0.22 80 106	1.04 75 101	-4.18 49 83	-0.90 49 86	98	3	49

Ewes with Progeny



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding values
Breeding values with an accuracy of less than 5% are not printed

Ewes with progeny and measured at weaning, with both parents known.

Animal Information		Parents			Progeny		Selection Indices			EBV - Weights			EBV - Wool			EBV - Fertility			Rank
Animal ID Regnr	% In- breeding	Sire ID Dam ID	DAM : EPI Times lambded	Generation Progeny Weaned 1st 2nd	SIP	GM	EBV	Index	Weaning Dir	Weight Mat	Body Weight	SVG	VD	SL	Lammers gespeen	TWW	EPI	Times lambded	
									EBV Acc	Index Acc	Index Acc	EBV Acc	Index Acc	Index Acc	EBV Acc	Index Acc	Index Acc	Phenotype	
Active Breed Average :					100.7	2.8	100		0.54	0.01	0.56	0.03	-0.14	0.50	0.46	0.27			
CA 21 0274 91820944	1.89	CA 19 0152 CA 19 0426	95 3	4 2	97	2.26	99		-0.02 71	-0.05 65	1.17 69	0.14 67	0.63 77	4.04 72	1.79 43	0.05 43	106	3	95
CA 21 0275 91820969	7.44	CA 19 0152 CA 15 0114		3 2	100	2.96	100		1.85 74	-0.77 67	1.88 73	0.33 71	0.87 80	0.81 75	-1.58 50	-0.66 50	100	3	75
CA 21 0277 91820985	1.17	CA 19 0152 CA 19 0089	96 2	3	101	0.90	97		0.20 73	-0.40 64	-0.09 72	0.14 70	0.15 79	2.10 74	3.00 47	-0.21 47	97	4	57
CA 21 0288 91821108	6.44	CA 19 0239 CA 19 0231	87 1	2	97	-2.66	91		0.89 70	0.23 58	1.75 71	-0.17 69	0.15 79	-1.03 74	-2.96 42	-0.68 41	94	2	89
CA 21 0294 91821165	1.89	CA 19 0152 CA 19 0421	91 1	4	103	2.67	100		-1.00 69	-0.40 62	-0.85 66	0.37 63	-0.08 75	-1.28 68	-0.97 44	-0.62 44	106	4	37
CA 21 0299 91821223	4.02	CA 19 0261 CA 15 0296		4	99	-1.86	92		-0.24 74	-0.83 66	-1.47 71	0.27 69	0.77 78	3.98 73	0.26 47	-0.28 46	105	4	80
CA 21 0306 91821280	16.06	CA 19 0239 CA 19 0218	91 3	2 2	98	-1.38	93		-0.10 72	-0.67 62	1.23 72	0.07 69	0.27 79	0.79 74	-1.76 44	-1.05 44	90	2	87
CA 21 0318 91821447	5.70	CA 19 0239 CA 19 0054	86 1	2	93	-4.78	88		-1.62 70	-1.24 58	-1.09 71	0.20 69	0.66 79	-5.02 74	-3.26 43	-1.08 43	89	3	111
CA 21 0330 91821504	1.87	CA 19 0221 CA 18 0381	95 3	2	91	-4.66	88		-0.47 66	0.53 55	-1.37 63	-0.01 60	0.41 73	-7.29 65	-2.68 37	-0.25 37	94	4	118
CA 21 0348 91821660	1.10	CA 19 0193 CA 16 0149		2	94	-6.35	85		-1.55 70	-1.12 61	-2.69 70	-0.01 68	-0.59 78	-1.16 72	-1.73 44	-1.13 44	92	2	106
CA 21 0350 91821702	3.93	CA 19 0239 CA 18 0014	105 3	3 1	100	3.87	102		0.20 73	0.17 64	0.41 72	-0.09 70	-0.61 79	-6.45 74	0.90 48	0.63 48	102	3	72
CA 21 0357 91821785	8.96	CA 19 0152 CA 19 0134	86 1	2	93	-4.62	88		-1.27 71	0.12 60	-0.55 72	-0.11 70	-0.26 79	-5.70 74	-1.75 44	-0.84 44	92	2	108
CA 22 0003 93926079	0.90	CA 20 0214 CA 15 0029		1 1	96	4.33	103		2.00 70	-0.23 58	0.70 70	0.03 67	0.66 78	-1.14 72	2.98 41	1.38 41	92	1	123
CA 22 0004 93926095	0.93	SD 15 0015 CA 17 0052	145 6	5	101	13.96	118		2.51 77	0.40 72	4.09 75	0.18 73	0.66 81	-0.59 77	6.83 60	1.85 59	128	3	69
CA 22 0005 93926111	1.47	CA 20 0024 CA 17 0028		1	97	-1.44	93		0.68 71	-0.29 61	2.59 72	0.13 70	1.32 79	2.59 74	-4.34 47	-0.89 46	91	1	116
CA 22 0022 93926277	17.41	CA 20 0024 CA 20 0335	112 5	2	102	2.69	100		0.07 73	-1.23 64	0.37 72	0.32 69	0.96 79	3.52 74	0.17 47	0.08 47	94	1	55

Ewes with Progeny



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding values
Breeding values with an accuracy of less than 5% are not printed

Ewes with progeny and measured at weaning, with both parents known.

Animal Information		Parents			Progeny		Selection Indices			EBV - Weights			EBV - Wool			EBV - Fertility			Rank			
Animal ID Regnr	% In- breeding	Sire ID Dam ID	DAM :		Generation Progeny Weaned		SIP	GM		Weaning Weight		Body Weight	SVG	VD		SL	Lammers gespeen	TWW	EPI	Times lambded		
			EPI	Times lambded	1st	2nd				EBV	Index			EBV	Index		EBV					Index
		Active Breed Average :					100.7	2.8	100		0.54	0.01	0.56		0.03	-0.14	0.50	0.46	0.27			
CA 22 0023 93926293	2.27	CA 20 0024 CA 20 0317	93	2	1	1	98	3.96	102	1.22 71	-0.44 60	0.70 71	101	0.22 69	0.98 78	-5.05 73	85	1.40 46	0.77 46	91	1	105
CA 22 0025 93926319	5.17	CA 20 0149 CA 20 0213	104	4	2	1	95	9.33	111	0.71 71	0.27 62	1.06 72	103	0.22 69	1.00 79	3.06 74	107	5.83 40	2.13 40	95	1	125
CA 22 0029 93926335	1.78	CA 20 0024 CA 20 0142	136	5	1		100	4.33	103	0.66 72	-0.82 62	0.26 72	98	0.14 70	0.46 79	-2.65 74	92	1.50 50	0.88 50	91	1	87
CA 22 0033 93926392	1.89	SD 15 0015 CA 19 0434	100	3	1		98	3.58	101	0.04 68	-0.42 61	0.84 69	102	0.04 67	0.43 77	-1.40 71	95	3.11 51	0.85 51	91	1	103
CA 22 0041 93926459	5.65	CA 20 0024 CA 20 0277	87	1	1	1	92	-1.70	93	-0.70 70	-0.81 60	-0.28 71	95	-0.11 69	-0.28 78	-1.09 73	96	-0.39 45	-0.20 45	92	1	142
CA 22 0045 93926491	1.23	CA 20 0214 CA 20 0343	105	3	3	1	97	6.25	106	1.83 72	0.94 62	1.58 71	107	-0.22 68	-0.32 79	-4.74 73	86	0.87 45	1.61 45	110	3	114
CA 22 0049 93926558	1.57	CA 20 0024 CA 20 0327	91	1	2		103	0.55	96	0.62 71	-1.47 62	-0.30 71	95	0.16 69	0.58 78	1.56 73	103	1.38 45	0.14 45	93	1	44
CA 22 0063 93926699	1.23	SD 15 0015 CA 18 0106	104	3	1		94	7.78	108	0.51 72	-0.78 64	1.93 73	109	0.24 71	1.55 79	3.34 74	107	6.14 57	1.73 57	91	1	132
CA 22 0065 93926715	2.00	CA 20 0024 CA 20 0394	122	5	2		107	0.62	96	-0.36 71	-1.53 63	-0.89 67	91	0.08 64	-0.77 75	-4.16 69	88	-3.18 43	-0.60 43	92	2	11
CA 22 0077 93926871	1.43	CA 20 0024 CA 18 0010	112	4	2	1	101	7.05	107	0.25 73	-0.80 65	1.05 73	103	0.13 71	-0.27 80	-3.76 75	89	0.45 51	0.61 51	94	2	67
CA 22 0081 93926954	1.34	CA 20 0024 CA 20 0014	143	5	3		99	7.14	107	0.91 75	0.33 67	1.57 74	106	0.12 72	0.43 80	-5.08 75	85	0.68 53	1.13 53	110	3	92
CA 22 0083 93926970	1.63	CA 20 0024 CA 19 0107	102	4	3	1	101	1.54	98	0.66 73	-0.56 66	1.39 71	105	0.20 69	0.41 78	-3.24 73	90	-3.05 50	-0.74 50	106	3	75
CA 22 0088 93927051	6.14	CA 20 0024 CA 20 0340	90	1	5	1	93	1.45	98	0.25 75	-1.29 69	0.99 71	103	0.17 69	0.81 78	10.47 73	126	2.14 49	-0.03 49	116	3	137
CA 22 0090 93927077	2.72	CA 20 0149 CA 18 0268	189	7	4	1	97	2.56	100	-0.24 75	0.15 66	-0.47 71	93	-0.16 68	-0.42 78	3.89 73	109	3.64 46	1.17 45	110	3	108
CA 22 0094 93927127	2.00	CA 20 0024 CA 20 0378	91	1	1		97	-3.15	90	-0.12 66	-0.63 56	-0.60 66	93	0.03 64	0.31 75	-1.56 69	95	-2.27 40	-0.48 40	91	1	117
CA 22 0100 93927184	17.39	CA 20 0024 CA 20 0352	106	4	5	1	98	3.11	101	1.13 76	0.25 70	1.47 73	106	-0.12 71	-0.04 80	-4.40 75	87	-0.63 51	0.63 50	130	3	99

Ewes with Progeny



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding values
Breeding values with an accuracy of less than 5% are not printed

Ewes with progeny and measured at weaning, with both parents known.

Animal Information		Parents			Progeny		Selection Indices			EBV - Weights			EBV - Wool			EBV - Fertility			Rank			
Animal ID Regnr	% In- breeding	Sire ID Dam ID	DAM :		Generation Progeny Weaned	1st	2nd	SIP	GM	Weaning Weight		Body Weight	SVG	VD		SL	Lammers gespeen		TWW	EPI	Times lambded	
			EPI	Times lambded						Dir	Mat			Acc	Index		Acc	Index				
		Active Breed Average :					100.7	2.8	100	0.54	0.01	0.56	0.03	-0.14	0.50	0.46	0.27					
CA 22 0113 93927325	1.78	CA 20 0024 CA 16 0528	130	5	1			100	0.32	96	0.78 70 102	-0.52 61 89	0.67 70 101	-0.13 68 90	-0.62 78 93	-10.43 72 71	-1.92 41 91	-0.32 41 93	91	1	82	
CA 22 0121 93927424	1.93	CA 20 0024 CA 19 0091	98	3	2	1		106	2.89	100	1.26 72 107	-0.83 64 82	1.16 72 104	0.14 69 107	-0.37 79 97	-6.07 74 83	-1.71 48 92	-0.76 48 88	93	3	19	
CA 22 0122 93927440	1.89	SD 15 0015 CA 19 0435	96	2	2			103	11.44	114	0.75 69 102	-0.01 63 100	2.33 66 111	0.13 64 106	-0.07 74 101	0.58 68 100	5.24 51 118	1.45 51 114	95	1	40	
CA 22 0124 93927481	1.47	CA 20 0024 CA 17 0378	127	5	3			92	-2.85	91	-0.78 74 88	-0.79 66 83	-0.38 73 94	0.01 71 99	0.20 80 105	0.03 75 99	-2.41 50 89	-0.52 50 91	104	3	141	
CA 22 0127 93927507	1.40	CA 20 0024 CA 19 0005	92	2	3			91	-3.96	89	0.16 73 96	-0.76 65 84	0.87 71 102	0.10 69 104	1.42 78 124	3.98 73 109	-1.03 49 94	-0.56 49 90	102	3	148	
CA 22 0141 93927622	1.32	CA 20 0024 CA 19 0120	104	3	3			97	-2.93	91	0.33 74 98	-1.11 67 76	-0.44 73 94	0.09 71 104	0.56 80 111	-0.90 75 96	0.27 51 99	-0.50 51 91	99	3	112	
CA 22 0142 93927648	1.32	CA 20 0024 CA 19 0120	104	3	3	1		91	-8.50	81	-1.52 74 81	-0.97 68 79	-2.53 72 80	-0.10 70 92	0.49 79 110	-5.66 74 84	1.12 51 103	-0.31 51 93	100	3	144	
CA 22 0147 93927721	1.89	SD 15 0015 CA 19 0420	102	3	5			99	9.27	111	0.89 73 103	0.20 69 104	1.57 71 107	0.13 68 106	0.49 78 110	0.81 73 101	5.80 54 120	1.76 54 118	123	3	95	
CA 22 0153 93927820	3.60	CA 20 0024 CA 20 0076	91	1	3			101	3.73	102	1.01 73 104	-0.42 65 91	1.08 73 103	0.27 70 115	0.71 80 113	3.67 75 108	-0.90 49 95	0.02 48 97	107	3	65	
CA 22 0155 93927846	1.19	SD 15 0015 CA 18 0124	106	3	3			113	21.55	131	3.27 74 126	-0.13 69 97	5.43 73 131	0.29 71 116	-0.23 79 99	2.86 74 106	4.78 60 116	2.00 60 121	106	3	2	
CA 22 0158 93927887	1.42	CA 20 0024 CA 20 0128	90	1	3			106	5.71	105	0.58 73 100	-0.75 66 84	-0.31 71 95	0.22 69 112	-0.20 78 99	2.74 73 106	-0.70 52 96	0.52 52 103	105	3	22	
CA 22 0169 93928000	2.48	CA 20 0024 CA 20 0088	135	5	3	1		109	11.06	114	1.73 75 111	-0.67 67 86	3.41 73 118	0.09 71 103	-0.28 80 98	-0.51 75 97	2.14 50 106	0.82 50 107	99	2	6	
CA 22 0175 93928083	3.08	CA 20 0024 CA 20 0001	89	1	2	1		98	-2.95	91	0.86 72 103	-1.15 63 76	-0.34 71 94	0.35 69 120	1.21 78 121	4.29 73 110	-4.22 49 82	-1.06 49 84	93	3	101	
CA 22 0183 93928141	2.00	CA 20 0214 CA 20 0369	90	1	4	1		97	4.40	103	0.64 69 101	0.72 62 115	-0.55 66 93	0.12 63 106	0.63 75 112	-5.37 69 85	1.08 40 102	1.53 40 115	117	3	111	
CA 22 0189 93928224	1.47	CA 20 0024 CA 19 0016	107	3	2			98	3.15	101	0.78 73 102	-0.99 64 79	0.14 72 97	0.23 70 112	0.75 79 114	2.36 74 105	4.23 46 114	0.53 46 103	95	1	100	
CA 22 0191 93928240	2.00	CA 20 0024 CA 20 0384	95	3	1	1		103	0.48	96	0.43 69 99	-0.39 59 92	-0.32 69 94	0.15 67 107	0.08 76 103	-1.08 71 96	-1.88 41 91	-0.33 41 93	91	1	38	

Ewes with Progeny



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding values
Breeding values with an accuracy of less than 5% are not printed

Ewes with progeny and measured at weaning, with both parents known.

Animal Information		Parents			Progeny		Selection Indices			EBV - Weights			EBV - Wool			EBV - Fertility			Rank
Animal ID Regnr	% In- breeding	Sire ID Dam ID	DAM : EPI Times lambded	Generation Progeny Weaned 1st 2nd	SIP	GM	EBV	Index	Weaning Dir	Weight Mat	Body Weight	SVG	VD	SL	Lammers gespeen	TWW	EPI	Times lambded	
									EBV Acc	Index Index	EBV Acc	Index Index	EBV Acc	Index Index	EBV Acc	Index Index	Phenotype		
Active Breed Average :					100.7	2.8	100		0.54	0.01	0.56	0.03	-0.14	0.50	0.46	0.27			
CA 22 0192 93928265	2.00	CA 20 0024 CA 20 0384	95 3	1 1	101	1.04	97		1.03 68	-0.52 105	0.16 89	0.36 67	0.69 76	4.10 109	-3.54 41	-0.69 88	92	1	74
CA 22 0214 93928380	2.95	CA 20 0024 CA 20 0243	95 2	3	112	10.50	113		2.49 73	-0.72 118	2.72 85	0.18 71	-0.36 80	-6.08 83	-0.91 52	0.50 103	103	3	3
CA 22 0221 93928463	2.00	CA 20 0024 CA 20 0390	90 1	3	97	-0.20	95		0.03 69	-0.43 95	0.12 91	-0.06 66	-0.53 77	1.67 103	-3.06 45	-0.43 92	105	3	110
CA 22 0223 93928489	1.44	CA 20 0024 CA 19 0009	93 2	4	95	2.83	100		-0.01 74	-0.36 95	2.45 92	0.09 71	0.89 80	-3.27 90	3.22 49	0.12 98	110	3	127
CA 22 0229 93928521	1.35	CA 20 0024 CA 19 0089	96 2	2	101	4.03	102		0.78 71	-0.49 102	0.35 90	0.15 69	0.02 66	3.37 108	3.07 46	0.29 100	95	1	70
CA 22 0239 93928604	2.00	CA 20 0214 CA 20 0372	103 3	4	93	3.91	102		0.35 73	0.99 98	1.98 121	-0.16 64	0.52 76	-4.04 88	1.43 40	1.34 113	114	3	139
CA 22 0242 93928620	1.08	SD 15 0015 CA 18 0241	87 3	3	96	4.56	103		0.09 73	-0.06 96	0.01 99	0.22 71	0.67 80	2.09 104	3.25 58	0.94 108	104	3	121
CA 22 0243 93928646	0.89	CG 13 1276 CA 17 0304	129 6	2	101	-1.15	93		1.37 73	-0.67 108	0.13 86	0.14 71	0.16 79	1.21 102	-3.86 56	-0.87 86	94	2	76
CA 22 0246 93928687	2.00	CA 20 0024 CA 20 0362	112 4	4 1	107	7.34	107		0.67 73	-1.01 101	2.36 79	0.23 67	-0.07 78	-1.86 94	-1.25 46	-0.13 95	111	3	14
CA 22 0248 93928703	4.84	CA 20 0024 CA 20 0275	88 2	2 1	104	7.11	107		1.34 72	0.07 108	0.92 101	0.10 71	-0.18 80	-3.33 90	0.49 47	0.91 108	97	1	33
CA 22 0251 93928729	4.76	CA 20 0218 CA 20 0216	88 1	3	109	12.33	116		1.60 70	0.44 110	2.21 109	0.23 66	-0.49 77	-1.44 95	-1.11 41	0.89 108	108	3	7
CA 22 0252 93928745	2.50	CA 20 0024 CA 20 0289	94 4	1	100	0.54	96		0.51 71	-0.84 100	1.05 82	0.24 68	0.62 77	5.89 114	-3.29 46	-0.80 87	91	1	78
CA 22 0254 93928760	8.02	CA 20 0214 CA 20 0297	87 1	3	90	0.14	96		-0.19 70	0.50 93	-1.49 87	-0.09 66	0.29 77	-3.27 90	0.45 44	1.37 113	105	3	149
CA 22 0255 93928786	1.04	CA 20 0214 CA 15 0114		1	93	1.26	97		-0.43 69	-0.18 91	0.57 96	-0.06 67	0.37 78	-4.91 86	-0.17 43	0.69 105	91	1	138
CA 22 0258 93928828	2.00	CA 20 0218 CA 20 0402	95 3	1 1	99	2.44	99		-0.04 64	-0.13 95	1.05 97	0.00 62	0.09 75	5.96 114	-0.03 29	0.26 100	91	1	98
CA 22 0260 93928869	0.94	SD 15 0015 CA 15 0410		3 1	95	3.48	101		-0.08 74	-0.02 94	-0.56 93	0.16 71	0.82 79	2.16 104	5.01 59	1.28 112	104	3	129

Ewes with Progeny



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding values
Breeding values with an accuracy of less than 5% are not printed

Ewes with progeny and measured at weaning, with both parents known.

Animal Information		Parents			Progeny		Selection Indices			EBV - Weights			EBV - Wool			EBV - Fertility			Rank
Animal ID Regnr	% In- breeding	Sire ID Dam ID	DAM : EPI Times lambd	Generation Progeny Weaned 1st 2nd	SIP	GM	EBV	Index	Weaning Dir	Weight Mat	Body Weight	SVG	VD	SL	Lammers gespeen	TWW	EPI	Times lambd	
									EBV Acc	Index Acc	Index Acc	EBV Acc	Index Acc	Index Acc	EBV Acc	Index Acc	Index Acc	Phenotype	
Active Breed Average :					100.7	2.8	100		0.54	0.01	0.56	0.03	-0.14	0.50	0.46	0.27			
CA 22 0261 93928885	6.60	CA 20 0024 CA 20 0228	118 5	3	98	3.03	100		1.25 74	-0.16 107	2.71 73	0.10 71	0.76 80	4.42 110	-2.14 50	-0.13 95	108	3	106
CA 22 0265 93928901	7.72	CA 20 0214 CA 20 0338	100 3	1	90	-0.42	95		0.73 69	0.22 102	-0.05 54	-0.09 65	1.11 76	-2.21 119	1.22 40	1.36 113	91	1	151
CA 22 0268 93928943	3.30	CA 20 0149 CA 18 0365	104 3	2 1	93	3.51	101		0.50 71	-0.10 100	1.50 70	-0.03 67	0.34 78	10.63 127	1.49 42	0.72 105	94	2	140
CA 22 0269 93928968	1.45	SD 15 0015 CA 18 0069	90 2	4	109	10.14	112		0.79 74	-0.84 69	1.25 70	0.11 69	-0.90 77	-4.72 86	3.59 57	0.83 107	104	3	5
CA 22 0272 93929008	1.11	SD 15 0015 CA 18 0188	126 6	1	101	7.79	108		0.12 72	-0.21 96	1.54 73	0.24 71	0.17 79	5.69 114	1.52 57	0.55 103	92	1	66
CA 22 0273 93929024	2.33	CA 20 0024 CA 19 0286	95 3	2 1	105	3.50	101		1.54 72	-0.72 109	2.09 71	0.27 69	0.78 78	3.90 109	-3.02 46	-0.42 92	95	1	26
CA 22 0275 93929040	1.34	CA 20 0024 CA 20 0192	97 3	3	101	0.76	97		1.21 73	-0.77 106	2.03 72	-0.02 70	0.80 79	-8.69 76	-2.50 53	0.14 99	101	3	72
CA 22 0276 93929065	2.49	CA 20 0024 CA 20 0150	88 2	3 1	96	-3.62	89		-0.24 73	-0.59 93	-0.10 71	0.00 69	0.35 78	0.66 100	-3.56 50	-0.68 89	103	3	118
CA 22 0282 93929107	1.53	CA 20 0149 CA 20 0097	91 2	3	105	13.56	118		1.56 72	0.21 110	1.71 71	0.26 69	0.53 79	5.86 114	5.72 43	2.36 125	101	2	28
CA 22 0283 93929123	2.89	CA 20 0024 CA 20 0221	132 5	1	103	4.43	103		1.30 72	-0.54 107	0.55 71	0.15 69	0.22 78	0.49 100	0.90 48	0.50 103	92	1	39
CA 22 0292 93929222	2.00	CA 20 0218 CA 20 0364	109 3	3	97	1.22	97		0.17 69	0.33 97	-0.20 68	0.08 65	-0.04 77	1.53 103	-2.51 36	0.01 97	105	3	115
CA 22 0293 93929248	2.00	CA 20 0024 CA 20 0375	89 1	2	107	3.38	101		0.97 66	0.05 104	0.91 66	-0.05 64	-1.03 75	-1.02 96	-3.03 43	-0.31 93	96	3	13
CA 22 0296 93929263	1.56	CA 20 0024 CA 19 0011	98 3	1	102	1.48	98		0.74 70	-0.38 102	0.45 71	0.06 69	-0.07 78	-4.64 87	-0.66 46	-0.16 95	91	1	53
CA 22 0299 93929305	4.84	CA 20 0218 CA 20 0260	130 5	2	103	12.01	115		2.20 70	0.81 116	3.11 71	0.21 68	0.83 79	3.61 108	1.94 37	1.81 119	97	1	45
CA 22 0300 93929321	1.37	CA 20 0024 CA 20 0027	90 4	2	102	4.40	103		0.89 72	-1.11 103	1.45 71	0.15 69	0.59 78	-2.32 93	-0.47 51	0.45 102	92	3	54
CA 22 0303 93929388	1.79	CA 20 0149 CA 18 0362	89 3	1	102	2.71	100		0.45 68	-0.18 99	-0.18 69	0.03 66	-0.51 77	5.81 114	-1.01 36	0.14 98	92	1	51

Ewes with Progeny



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding values
Breeding values with an accuracy of less than 5% are not printed

Ewes with progeny and measured at weaning, with both parents known.

Animal Information		Parents			Progeny		Selection Indices			EBV - Weights			EBV - Wool			EBV - Fertility			Rank
Animal ID Regnr	% In- breeding	Sire ID Dam ID	DAM : EPI Times lambded	Generation Progeny Weaned 1st 2nd	SIP	GM	EBV	Index	Weaning Dir	Weight Mat	Body Weight	SVG	VD	SL	Lammers gespeen	TWW	EPI	Times lambded	
									EBV Acc	Index Index	EBV Acc	Index Index	EBV Acc	Index Index	EBV Acc	Index Index	Phenotype		
Active Breed Average :					100.7	2.8	100		0.54	0.01	0.56	0.03	-0.14	0.50	0.46	0.27			
CA 22 0307 93929446	1.39	CA 20 0024 CA 20 0356	111 4	2 1	99	8.05	109		1.58 73 110	-0.47 65 90	2.82 73 115	0.09 71 103	0.70 80 113	0.25 75 99	2.31 48 107	1.24 48 112	95	1	91
CA 22 0313 93929503	2.54	CA 20 0024 CA 20 0091	90 2	2	101	2.46	99		0.58 72 100	-0.96 63 80	0.12 71 97	0.35 69 119	1.00 78 118	0.07 73 99	-0.64 46 96	0.06 46 98	95	1	64
CA 22 0315 93929529	1.89	CA 20 0024 CA 19 0419	102 4	4	103	3.40	101		0.30 71 98	-1.30 66 72	1.06 69 103	0.16 67 108	-0.21 77 99	-4.64 71 87	-0.01 45 98	-0.48 45 91	103	3	36
CA 22 0316 93929545	1.01	SD 15 0015 CA 18 0382	115 4	3 1	102	10.48	113		1.79 74 112	-0.34 69 93	2.69 74 114	0.33 72 119	0.88 80 116	0.32 76 100	4.67 57 116	1.06 57 110	100	2	59
CA 22 0318 93929586	0.99	SD 15 0015 CA 15 0305		3	103	7.66	108		0.80 75 102	-0.26 70 94	1.03 73 103	0.35 72 120	0.79 79 114	-0.93 75 96	4.18 59 114	0.87 59 107	103	3	37
CA 22 0320 93929602	1.41	SD 15 0015 CA 19 0311	89 2	2	106	7.66	108		0.85 72 103	-0.68 65 86	2.39 70 112	0.14 68 106	-0.20 77 99	-6.87 72 81	-0.39 57 97	0.20 57 99	90	3	23
CA 22 0321 93929628	1.35	CA 20 0024 CA 19 0090	110 4	4 1	100	3.89	102		0.90 75 103	-0.14 69 97	0.51 72 100	0.12 70 105	0.01 79 102	0.93 74 101	2.03 51 106	0.30 51 100	117	3	84
CA 22 0322 93929644	2.11	CA 20 0149 CA 20 0259	85 2	5	90	6.03	105		-0.77 74 88	0.58 66 112	-0.49 71 93	-0.03 69 96	0.06 79 103	-2.97 73 91	6.44 43 123	2.06 43 122	124	3	150
CA 22 0326 93929669	4.84	CA 20 0024 CA 20 0004	89 1	5 1	113	9.51	111		1.48 75 109	-0.76 67 84	1.03 72 103	0.22 70 111	-0.21 79 99	0.16 74 99	3.04 50 110	0.98 50 109	118	3	1
CA 22 0327 93929685	1.04	SD 15 0015 CA 18 0304	99 4	3	100	6.91	107		-0.89 74 87	-0.09 68 98	2.04 73 110	0.22 71 112	0.12 80 104	2.73 75 106	-0.46 58 97	0.08 58 98	103	3	77
CA 22 0330 93929701	1.52	CA 20 0149 CA 18 0243	107 4	3 1	101	7.50	108		-0.20 72 93	0.12 64 102	0.32 71 99	-0.02 69 97	-0.58 79 93	-3.56 74 89	2.30 47 107	1.40 47 114	102	3	68
CA 22 0331 93929727	1.78	SD 15 0015 CA 16 0510	102 4	3	102	1.92	99		0.87 71 103	-0.65 66 86	0.18 71 98	0.09 68 104	0.39 78 108	5.43 73 113	1.78 54 105	0.39 54 102	99	3	49
CA 22 0332 93929743	1.38	SD 15 0015 CA 18 0290	103 4	2 1	108	11.58	114		2.03 73 114	0.12 66 103	1.18 73 104	0.25 71 113	-0.01 80 102	-0.12 75 98	4.07 55 114	1.55 55 116	97	2	8
CA 22 0336 93929768	1.42	SD 15 0015 CA 18 0093	91 2	1	100	8.12	109		1.51 71 109	0.08 62 102	2.17 71 110	0.06 69 102	0.11 78 104	-3.26 73 90	3.55 54 112	1.07 54 110	93	1	89
CA 22 0345 93929867	1.44	CA 20 0024 CA 19 0275	131 6	2 1	103	0.45	96		0.80 73 102	-0.41 65 91	-0.11 72 96	0.18 70 109	-0.28 79 98	1.85 74 104	-4.96 49 80	-0.92 49 86	95	2	35
CA 22 0349 93929909	1.89	SD 15 0015 CA 19 0441	118 5	2	106	12.31	116		0.35 70 98	-0.74 65 84	0.22 67 98	0.51 65 129	0.25 75 106	2.93 69 106	5.74 51 120	1.32 51 113	94	1	21

Ewes with Progeny



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding values
Breeding values with an accuracy of less than 5% are not printed

Ewes with progeny and measured at weaning, with both parents known.

Animal Information		Parents			Progeny		Selection Indices			EBV - Weights			EBV - Wool			EBV - Fertility			Rank
Animal ID Regnr	% In- breeding	Sire ID Dam ID	DAM : EPI Times lambded	Generation Progeny Weaned 1st 2nd	SIP	GM	EBV	Index	Weaning Dir	Weight Mat	Body Weight	SVG	VD	SL	Lammers gespeen	TWW	EPI	Times lambded	
									EBV Acc	Index Acc	Index Acc	EBV Acc	Index Acc	Index Acc	EBV Acc	Index Acc	Index Acc	Phenotype	
Active Breed Average :					100.7	2.8	100		0.54	0.01	0.56	0.03	-0.14	0.50	0.46	0.27			
CA 22 0350 93929925	2.03	CA 20 0149 CA 20 0230	89 1	5	102	10.56	113		0.80 74 102	0.31 65 106	0.86 72 102	-0.04 70 96	-0.46 80 95	2.72 75 106	5.77 43 120	2.22 42 124	123	3	50
CA 22 0351 93929941	0.92	SD 15 0015 CA 17 0084	128 5	3 2	107	11.73	115		1.57 75 110	-0.27 70 94	2.55 74 113	0.17 72 108	-0.07 80 101	-2.19 76 93	4.96 58 117	1.25 58 112	98	2	17
CA 22 0352 93929966	2.57	CA 20 0024 CA 19 0142	108 3	3	100	2.50	100		1.24 74 107	-0.43 66 91	0.81 73 102	0.25 71 114	1.17 80 120	2.59 75 106	0.02 48 98	0.34 48 101	102	2	79
CA 22 0354 93929982	1.54	CA 20 0149 CA 18 0001	95 4	4	102	14.58	119		1.91 73 113	-0.28 65 94	3.12 70 116	0.27 68 115	0.42 78 109	4.36 72 110	4.80 46 116	1.84 46 119	112	3	48
CA 22 0356 93930006	2.60	CA 20 0149 CA 18 0221	162 6	3 1	107	10.62	113		1.24 73 107	0.19 64 104	1.25 73 104	0.09 70 104	-0.51 80 94	0.31 75 100	4.27 43 114	1.42 42 114	101	3	12
CA 22 0364 93930063	1.89	SD 15 0015 CA 19 0413	88 2	4	100	7.61	108		0.91 71 104	0.02 67 100	0.70 68 101	0.31 66 117	0.86 76 116	0.85 70 101	4.06 54 114	1.27 54 112	115	3	85
CA 22 0367 93930105	1.42	CA 20 0024 CA 19 0126	137 6	2 1	109	5.79	105		2.17 73 115	-0.95 65 80	2.73 72 114	0.32 70 118	0.11 79 104	3.91 74 109	-4.52 50 81	-0.99 49 85	95	2	4
CA 22 0370 93930162	1.38	SD 15 0015 CA 18 0168	122 5	1	107	8.40	109		0.53 70 100	0.15 63 103	1.15 68 104	0.18 66 109	-0.21 75 99	2.12 70 104	1.49 55 104	0.79 55 106	92	1	15
CA 22 0373 93930204	2.27	CA 20 0024 CA 19 0051	118 6	3	96	-3.57	90		0.16 74 96	-0.53 67 89	-0.75 72 92	-0.01 70 97	-0.06 79 101	-2.74 74 92	-2.38 51 89	-0.71 51 88	108	3	119
CA 22 0376 93930246	1.35	CA 20 0024 CA 17 0229	109 4	2	102	2.58	100		0.73 73 102	-0.47 64 90	1.12 72 104	0.05 70 101	-0.51 79 94	-5.16 74 85	-2.93 49 87	-0.56 48 90	95	2	57
CA 22 0377 93930261	1.35	CA 20 0024 CA 17 0229	109 4	2	99	1.43	98		0.32 73 98	-0.16 64 97	1.49 72 106	-0.01 70 97	-0.14 79 100	-7.45 74 79	-2.96 50 87	-0.43 50 92	97	3	94
CA 22 0383 93930329	1.04	SD 15 0015 CA 18 0320	174 7	1	102	7.29	107		0.85 73 103	0.64 65 113	0.92 73 102	-0.01 71 97	-0.54 79 94	-8.96 75 75	2.65 57 108	1.08 57 110	93	1	62
CA 22 0385 93930360	0.66	CG 13 1276 CA 15 0403		2 1	96	-2.55	91		0.88 74 103	-0.48 68 90	1.01 74 103	0.07 72 102	0.22 80 106	-5.32 76 85	-4.51 59 81	-1.30 58 81	95	2	124
CA 22 0386 93930386	1.03	SD 15 0015 CA 17 0255	115 5	2	100	3.25	101		0.81 73 103	-0.64 67 86	0.90 73 102	0.22 71 112	0.73 79 114	1.29 75 102	0.37 58 100	0.22 58 100	93	2	86
CA 22 0387 93930402	6.56	CA 20 0024 CA 20 0157	103 3	3	97	2.13	99		0.46 74 99	-0.47 66 90	1.20 72 104	0.06 70 101	0.08 79 103	-1.16 74 96	-3.19 50 86	-0.17 50 95	104	3	113
CA 22 0390 93930428	6.10	CA 20 0024 CA 20 0324	108 3	4	104	4.00	102		0.32 75 98	-1.01 68 79	0.49 72 100	0.18 70 109	0.13 79 104	3.45 74 108	1.22 51 103	0.17 50 99	108	3	31

Ewes with Progeny



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding values
Breeding values with an accuracy of less than 5% are not printed

Ewes with progeny and measured at weaning, with both parents known.

Animal Information		Parents			Progeny		Selection Indices			EBV - Weights			EBV - Wool			EBV - Fertility			Rank
Animal ID Regnr	% In- breeding	Sire ID Dam ID	DAM : EPI Times lambd	Generation Progeny Weaned 1st 2nd	SIP	GM	EBV	Index	Weaning Dir	Weight Mat	Body Weight	SVG	VD	SL	Lammers gespeen	TWW	EPI	Times lambd	
									EBV Acc	Index Index	EBV Acc	Index Index	EBV Acc	Index Index	EBV Acc	Index Index	Phenotype		
Active Breed Average :					100.7	2.8	100		0.54	0.01	0.56	0.03	-0.14	0.50	0.46	0.27			
CA 22 0394 93930444	1.87	SD 15 0015 CA 18 0381	95 3	3	102	5.56	105		0.29 70 98	0.17 66 104	-0.77 68 92	0.22 66 112	-0.27 76 98	-1.31 71 95	0.15 54 99	0.63 54 104	107	3	46
CA 22 0395 93930469	15.04	CA 20 0024 CA 20 0241	88 2	2	100	-0.93	94		-0.75 71 88	-1.41 62 70	-0.40 70 94	0.30 68 117	0.59 77 111	2.41 72 105	-3.80 48 84	-0.86 47 86	89	3	81
CA 22 0403 93930485	1.89	SD 15 0015 CA 19 0416	97 3	2	100	9.55	111		1.32 69 107	0.41 64 109	1.57 70 107	0.24 68 113	0.83 78 115	-3.00 72 91	5.55 51 119	1.71 51 117	96	1	88
CA 22 0406 93930501	2.00	CA 20 0024 CA 20 0392	87 3	1	92	-2.80	91		-1.28 66 83	-0.75 56 84	-0.76 65 92	0.02 63 99	0.30 74 107	2.29 68 105	-1.41 43 93	-0.25 43 94	86	2	143
CA 22 0407 93930527	17.39	CA 20 0024 CA 20 0057	88 1	2 1	105	8.34	109		0.96 71 104	-1.01 61 79	3.19 72 117	0.30 70 116	0.10 79 104	5.45 74 113	-2.41 45 89	-0.38 45 92	94	1	24
CA 22 0408 93930543	1.89	CA 20 0024 CA 19 0423	124 4	2	96	-3.18	90		0.26 70 97	-0.18 63 96	-0.48 68 93	0.02 65 99	0.44 76 109	-6.02 70 83	-2.97 44 87	-0.34 44 93	95	2	120
CA 22 0411 93930568	9.30	CA 20 0149 CA 18 0309	86 3	3 1	94	2.96	100		-0.48 72 90	0.76 64 116	-0.60 72 93	-0.02 69 97	0.34 79 107	4.66 74 111	5.66 43 120	1.48 42 115	102	2	131
CA 22 0412 93930584	1.36	CA 20 0024 CA 19 0081	115 4	4	93	-2.66	91		0.22 75 97	-0.73 69 84	-0.28 71 95	0.15 69 107	1.13 78 120	2.23 73 105	0.45 51 100	-0.19 51 94	108	3	136
CA 22 0414 93930626	1.01	SD 15 0015 CA 16 0059	114 5	2 1	95	3.88	102		0.71 74 102	-0.09 68 98	2.37 73 112	-0.02 71 97	0.36 79 108	3.70 75 108	1.48 58 104	0.39 58 102	95	2	128
CA 22 0416 93930642	1.89	CA 20 0214 CA 19 0429	90 2	1	94	3.47	101		0.85 63 103	0.22 49 105	1.55 63 106	-0.06 60 95	0.55 73 111	-2.72 65 92	0.20 33 99	1.02 33 109	92	1	133
CA 22 0417 93930667	1.41	CA 20 0024 CA 19 0013	86 2	3	91	-1.28	93		-0.64 73 89	-1.01 65 79	0.28 71 98	0.25 69 114	1.01 78 118	2.90 73 106	-1.54 49 93	-0.64 49 89	104	3	146
CA 22 0418 93930683	2.86	CA 20 0149 CA 18 0308	94 3	3	99	7.96	108		1.39 71 108	0.40 62 108	1.20 71 104	0.18 68 109	0.66 79 113	2.22 73 105	4.18 40 114	1.49 39 115	101	2	93
CA 22 0419 93930709	1.55	CA 20 0149 CA 18 0313	99 4	3 1	107	13.91	118		0.51 73 100	-0.18 65 96	1.31 70 105	0.11 68 105	-1.01 78 87	1.31 72 102	4.77 47 116	1.77 47 118	104	3	16
CA 22 0421 93930741	1.51	CA 20 0149 CA 18 0009	95 4	1	98	7.61	108		1.65 70 110	-0.27 58 94	1.52 70 106	-0.03 68 96	0.40 78 108	4.47 72 110	5.47 42 119	1.92 42 120	91	1	107
CA 22 0426 93930782	2.00	CA 20 0218 CA 20 0385	108 4	2	96	1.84	98		-0.84 67 87	-0.38 55 92	0.45 65 99	0.05 62 101	-0.12 75 100	-2.04 68 93	-1.70 33 92	-0.08 33 96	92	2	122
CA 22 0428 93930808	0.89	SD 15 0015 CA 17 0173	109 4	3	104	11.25	114		1.29 74 107	-0.39 69 92	1.89 73 109	0.33 71 118	-0.02 79 102	-5.28 74 85	2.57 59 108	0.78 58 106	105	3	30

Ewes with Progeny



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding values
Breeding values with an accuracy of less than 5% are not printed

Ewes with progeny and measured at weaning, with both parents known.

Animal Information		Parents			Progeny		Selection Indices			EBV - Weights			EBV - Wool			EBV - Fertility				Rank	
Animal ID Regnr	% In- breeding	Sire ID Dam ID	DAM :		Generation Progeny Weaned 1st 2nd	SIP	GM	Weaning Dir	Weight		Body Weight	SVG	VD		SL	Lammers gespeen		TWW	EPI	Times lambded	
			EPI	Times lambded					EBV	Index			Acc	Index		Acc	Index				
		Active Breed Average :				100.7	2.8	100	0.54	0.01	0.56	0.03	-0.14	0.50	0.46	0.27					
CA 22 0432 93930840	1.39	CA 20 0218 CA 17 0146			2	91	2.70	100	1.74 70 111	-0.51 58 89	3.32 69 118	0.07 66 102	1.05 77 119	3.07 71 107	-1.56 40 92	-0.06 39 96	96	2	145		
CA 22 0439 93930923	1.81	CA 20 0149 CA 18 0310	134	6	4	99	6.41	106	0.35 74 98	0.37 65 108	2.46 70 112	0.13 68 106	0.35 78 108	4.06 72 109	-0.50 43 96	0.41 43 102	113	3	96		
CA 22 0442 93930949	1.22	SD 15 0015 CA 15 0088			1	100	8.33	109	0.42 71 99	-0.15 64 97	1.92 71 109	0.12 69 106	0.23 78 106	0.63 73 100	4.15 54 114	1.10 54 110	91	1	80		
CA 23 0002 96784301	1.18	CA 21 0297 CA 21 0002	124	4	2	99	1.46	98	3.45 72 127	-0.13 61 97	0.70 69 101	0.01 67 99	0.19 77 105	0.86 71 101	0.42 44 100	0.20 43 99	100	2	81		
CA 23 0011 96784384	2.00	CA 21 0336 CA 20 0386	110	3	3	92	-2.71	91	-0.19 70 93	-0.53 60 89	-0.33 66 94	0.11 64 105	1.21 75 121	0.70 69 101	1.53 34 104	0.09 34 98	104	2	141		
CA 23 0022 96784467	1.04	SD 17 0272 CA 18 0347	131	5	3	108	9.70	111	0.12 75 96	-0.92 69 81	-0.73 72 92	0.29 70 116	-1.02 78 86	3.25 73 107	4.67 57 116	0.71 57 105	101	2	20		
CA 23 0026 96784483	1.89	CA 21 0241 CA 19 0438	107	4	3	96	0.47	96	-0.33 70 92	0.21 60 104	-1.74 64 85	0.11 61 105	-0.18 73 100	3.37 67 108	2.42 35 107	0.24 35 100	102	2	115		
CA 23 0030 96784525	1.89	CA 21 0241 CA 19 0420	102	3	1	97	2.74	100	-0.05 67 94	0.79 53 117	-0.48 66 93	-0.12 63 90	-0.94 74 88	-0.96 68 96	1.06 32 102	0.55 32 103	95	1	101		
CA 23 0032 96784566	2.74	CA 21 0336 CA 17 0366	100	3	1	97	0.74	97	1.23 70 107	-0.50 55 89	0.85 69 102	0.18 66 109	0.89 77 116	1.26 71 102	0.38 38 100	-0.14 38 95	94	1	102		
CA 23 0040 96784681	2.00	CA 21 0241 CA 20 0363	92	2	1	97	1.62	98	0.22 66 97	0.17 52 103	-1.21 64 89	0.05 61 101	-0.59 73 93	3.70 67 108	0.38 31 100	0.18 31 99	94	1	100		
CA 23 0047 96784723	2.00	CA 21 0336 CA 20 0396	106	3	1	92	-1.80	92	1.15 67 106	0.02 52 100	-0.63 64 92	0.10 62 104	0.70 74 113	-2.94 67 91	-0.50 30 96	-0.01 30 97	95	1	138		
CA 23 0049 96784764	1.06	SD 17 0272 CA 19 0204	100	3	3	107	9.23	111	1.12 74 105	-0.55 68 88	1.64 71 107	0.14 69 107	-0.39 78 96	-0.52 73 97	3.77 56 113	0.77 56 106	101	2	27		
CA 23 0050 96784780	1.39	CA 21 0150 CA 20 0241	88	2	1	100	2.24	99	-0.18 69 93	-0.42 55 91	-0.60 68 93	0.26 66 114	0.25 76 106	-2.10 71 93	-0.68 38 96	-0.02 38 97	93	1	68		
CA 23 0054 96784848	1.46	CA 21 0336 CA 20 0005	106	4	1	99	-0.78	94	0.50 70 100	-0.92 56 80	-0.86 70 91	0.05 68 101	-0.08 78 101	-1.45 72 95	-0.23 42 97	-0.16 41 95	94	2	77		
CA 23 0057 96784863	1.17	CA 21 0336 CA 18 0010	112	4	2	96	-0.50	95	0.89 71 103	-1.15 60 76	-1.11 69 89	0.24 66 113	1.32 77 123	-5.90 71 83	1.98 43 106	0.58 43 104	96	2	114		
CA 23 0058 96784889	0.94	SD 17 0272 CA 20 0192	97	3	2	113	14.65	120	3.13 73 124	0.49 67 110	4.27 71 124	0.14 69 107	0.15 78 105	3.08 73 107	2.12 59 106	1.63 59 116	102	2	4		

Ewes with Progeny



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding values
Breeding values with an accuracy of less than 5% are not printed

Ewes with progeny and measured at weaning, with both parents known.

Animal Information		Parents			Progeny		Selection Indices			EBV - Weights			EBV - Wool			EBV - Fertility			Rank					
Animal ID Regnr	% In- breeding	Sire ID Dam ID	DAM :		Generation Progeny Weaned	1st	2nd	SIP	GM	Weaning Weight		Body Weight	SVG		VD		SL	Lammers gespeen		TWW	EPI	Times lambd		
			EPI	Times lambd						Dir	Mat		Acc	Index	Acc	Index		Acc	Index					Acc
		Active Breed Average :						100.7	2.8	100		0.54	0.01	0.56		0.03	-0.14	0.50		0.46	0.27			
CA 23 0062 96784947	1.89	CA 21 0241 CA 19 0433	95	3	2			95	0.28	96		-0.07 67 94	0.30 56 106	-0.56 66 93		-0.02 63 97	-0.12 75 100	0.38 69 100		0.07 35 99	0.27 35 100	101	2	125
CA 23 0064 96784962	1.51	CA 21 0336 CA 18 0351	170	7	1			98	0.14	96		0.41 70 99	-0.32 55 93	0.55 69 100		0.04 66 101	0.16 77 105	1.36 71 102		-1.56 38 92	-0.28 37 93	93	1	88
CA 23 0068 96784988	5.68	CA 21 0297 CA 21 0250	133	4	4			101	8.39	109		2.57 74 119	-0.36 65 92	0.44 70 99		0.29 68 116	0.43 78 109	3.06 72 107		6.18 41 122	1.27 41 112	113	2	67
CA 23 0080 96785068	16.05	CA 21 0249 CA 21 0136	108	3	2			91	-4.48	88		-1.04 71 85	0.26 60 105	-1.23 70 89		0.01 68 99	0.24 78 106	-4.79 72 86		-1.92 42 91	-0.55 42 90	98	2	144
CA 23 0083 96785084	2.00	CA 21 0150 CA 20 0385	108	4	2			99	3.18	101		0.51 69 100	0.49 58 110	0.97 65 103		0.15 62 107	0.52 74 110	-4.34 67 87		-0.71 36 96	0.27 35 100	101	2	83
CA 23 0087 96785126	0.94	SD 17 0272 CA 20 0324	108	3	3			108	10.34	112		1.75 74 111	-0.06 69 99	1.43 73 106		0.22 71 111	0.33 79 107	-0.47 75 98		5.99 57 121	1.57 57 116	106	2	23
CA 23 0088 96785142	0.94	SD 17 0272 CA 20 0324	108	3	2			112	13.04	117		0.93 73 104	-0.10 67 98	1.61 73 107		0.12 71 105	-1.08 79 86	3.39 75 108		4.33 57 115	1.26 57 112	98	2	9
CA 23 0094 96785167	1.38	SD 17 0272 CA 20 0152	100	3	3			114	14.85	120		1.39 74 108	0.35 68 107	3.74 71 120		-0.01 69 98	-0.45 78 95	-0.46 73 98		5.63 57 120	1.98 56 121	105	2	3
CA 23 0095 96785183	2.00	SD 17 0272 CA 20 0376	139	5	4			105	9.89	112		0.63 74 101	-0.16 69 97	-1.39 69 88		0.27 67 114	-0.71 77 91	-1.89 71 94		6.45 52 123	1.49 52 115	110	2	37
CA 23 0099 96785209	2.10	CA 21 0150 CA 17 0038	155	6	1			92	-1.04	94		-0.52 71 90	0.25 59 105	-0.51 69 93		-0.04 67 96	0.68 77 113	-4.81 71 86		3.78 40 113	0.76 39 106	94	1	139
CA 23 0101 96785225	1.89	CA 21 0241 CA 19 0416	97	3	3			92	-0.36	95		-0.27 69 92	0.65 60 114	-0.98 65 90		0.21 62 111	1.39 74 124	2.98 67 107		2.67 35 108	0.78 35 106	106	2	140
CA 23 0105 96785282	2.00	SD 17 0272 CA 20 0394	122	5	2			105	8.28	109		1.22 71 106	0.53 65 111	2.95 67 115		-0.01 65 97	0.02 75 103	0.33 69 100		1.31 52 103	0.98 52 109	103	2	36
CA 23 0106 96785308	2.20	CA 21 0249 CA 21 0281	90	1	2			98	-0.18	95		0.91 70 103	-0.10 58 98	0.59 70 100		0.04 67 101	-0.27 78 98	0.40 72 100		-3.82 41 84	-0.81 40 87	99	2	91
CA 23 0109 96785340	1.78	SD 17 0272 CA 16 0528	130	5	3			107	9.84	112		0.64 73 101	0.04 68 101	1.10 69 104		0.09 67 103	-0.75 77 91	-1.16 71 96		3.80 52 113	1.08 52 110	104	2	26
CA 23 0110 96785365	1.47	CA 21 0336 CA 20 0258	127	5	2			94	-0.81	94		0.74 72 102	-0.14 60 97	-0.15 69 96		-0.02 66 97	0.30 77 107	-5.30 71 85		-0.26 38 97	0.18 38 99	98	2	129
CA 23 0112 96785381	2.00	CA 21 0150 CA 20 0383	115	4	2			91	-3.95	89		-0.34 69 92	0.32 58 107	-0.99 65 90		0.14 62 107	1.32 74 123	0.65 67 100		-0.28 35 97	0.02 35 97	96	2	142

Ewes with Progeny



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding values
Breeding values with an accuracy of less than 5% are not printed

Ewes with progeny and measured at weaning, with both parents known.

Animal Information		Parents			Progeny		Selection Indices			EBV - Weights			EBV - Wool			EBV - Fertility			Rank	
Animal ID Regnr	% In- breeding	Sire ID Dam ID	DAM :		Generation Progeny Weaned 1st 2nd	SIP	GM	Weaning Weight		Body Weight	SVG		VD		SL	Lammers gespeen	TWW	EPI	Times lambded	
			EPI	Times lambded				Dir	Mat		Acc	Index	Acc	Index		Acc				
		Active Breed Average :				100.7	2.8	100	0.54	0.01	0.56	0.03	-0.14	0.50	0.46	0.27				
CA 23 0117 96785449	16.96	CA 21 0249 CA 21 0262	98	3	2	95	0.34	96	0.85 71	0.08 59	0.96 102	0.13 68	0.02 78	-0.48 103	-0.43 72	-0.94 97	100	2	121	
CA 23 0121 96785464	1.39	SD 17 0272 CA 19 0158	106	4	3	103	6.63	106	1.60 73	-0.25 68	2.21 95	0.01 68	-0.17 77	-0.72 100	1.10 56	0.59 102	103	2	52	
CA 23 0131 96785548	16.18	CA 21 0297 CA 21 0005	91	1	2	105	6.21	106	1.74 70	-1.27 58	0.57 73	0.28 67	-0.24 78	3.97 99	1.11 39	-0.05 96	97	2	38	
CA 23 0134 96785563	1.39	CA 21 0336 CA 20 0235	96	3	2	96	0.96	97	1.18 71	0.34 59	0.67 107	0.12 67	1.25 78	-7.29 122	0.60 41	0.65 105	102	2	116	
CA 23 0136 96785589	2.03	CA 21 0150 CA 20 0338	100	3	2	96	-0.33	95	0.71 71	0.19 60	2.58 104	-0.09 68	1.45 78	1.69 125	0.75 41	0.53 103	97	2	109	
CA 23 0138 96785605	1.36	CA 21 0336 CA 20 0059	89	1	3	96	1.01	97	0.44 71	-0.18 60	-0.49 96	0.04 66	0.34 76	0.63 107	1.96 40	0.63 104	105	2	113	
CA 23 0145 96785704	16.18	CA 21 0297 CA 21 0007	112	4	1	102	3.14	101	1.46 70	-1.46 55	0.52 69	0.12 67	-0.21 78	9.15 99	1.04 38	-0.14 95	93	1	58	
CA 23 0146 96785720	2.85	CA 21 0150 CA 19 0284	98	4	2	95	0.33	96	0.28 71	0.17 59	0.17 104	0.10 66	0.15 77	2.33 105	-2.28 41	-0.30 93	99	2	126	
CA 23 0148 96785761	1.86	CA 21 0150 CA 20 0136	88	2	3	96	2.96	100	0.48 72	0.65 62	0.33 114	-0.11 66	-0.45 76	0.59 95	1.98 40	0.65 105	107	2	119	
CA 23 0149 96785787	15.88	CA 21 0249 CA 21 0047	94	2	2	109	10.61	113	1.80 71	0.23 59	3.15 105	0.17 68	-1.33 78	-3.32 82	-1.97 42	-0.60 90	101	2	18	
CA 23 0151 96785803	1.40	CA 21 0150 CA 20 0289	94	4	3	95	0.03	95	0.15 72	-0.61 62	-0.56 87	0.15 66	0.36 77	5.77 108	0.91 41	-0.09 96	100	2	122	
CA 23 0153 96785845	2.00	CA 21 0241 CA 20 0393	131	5	1	100	2.65	100	-0.12 68	0.26 54	-1.13 105	0.10 65	-0.64 76	-2.80 92	0.23 32	0.14 98	94	1	74	
CA 23 0156 96785860	2.21	CA 21 0297 CA 21 0403	96	3	1	100	5.30	104	0.48 66	-0.29 52	-0.62 94	0.27 63	0.03 75	5.85 103	2.04 32	0.59 106	95	1	73	
CA 23 0162 96785902	0.95	SD 17 0272 CA 19 0220	135	5	2	110	13.45	118	0.85 74	0.42 67	2.56 109	0.30 69	-0.44 78	3.97 96	1.11 57	0.79 106	102	2	16	
CA 23 0168 96785944	1.13	SD 17 0272 CA 20 0233	105	4	3	104	9.29	111	1.15 74	0.59 68	0.40 112	0.11 69	-0.13 77	3.88 100	4.03 57	1.75 118	107	2	46	
CA 23 0170 96785985	3.02	CA 21 0249 CA 21 0079	90	1	4	97	1.03	97	0.36 73	-0.04 64	-0.35 99	-0.01 69	-0.52 79	-5.09 94	1.83 43	-0.05 105	110	2	104	

Ewes with Progeny



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high


Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding values
Breeding values with an accuracy of less than 5% are not printed

Ewes with progeny and measured at weaning, with both parents known.

Animal Information		Parents			Progeny		Selection Indices			EBV - Weights			EBV - Wool			EBV - Fertility			Rank	
Animal ID Regnr	% In- breeding	Sire ID Dam ID	DAM :		Generation Progeny Weaned 1st 2nd	SIP	GM	Weaning Weight		Body Weight	SVG		VD		SL	Lammers gespeen	TWW	EPI	Times lambd	
			EPI	Times lambd				Dir	Mat		Acc	Index	Acc	Index		Acc				
		Active Breed Average :				100.7	2.8	100	0.54	0.01	0.56	0.03	-0.14	0.50	0.46	0.27				
CA 23 0171 96786009	1.95	CA 21 0150 CA 19 0120	104	3	2	94	-0.86	94	-0.43 72	0.31 61	-1.13 69	-0.12 67	-0.35 77	-1.46 71	3.07 43	0.42 42	99	2	127	
CA 23 0173 96786025	1.57	CA 21 0336 CA 20 0335	112	5	2	100	0.91	97	1.06 71	-0.70 59	0.95 69	0.02 66	0.27 77	-5.18 71	0.47 41	-0.06 41	98	2	76	
CA 23 0174 96786041	1.89	CA 21 0241 CA 19 0419	102	4	3	97	3.89	102	-0.53 69	0.14 60	-1.12 68	0.06 65	-0.95 77	-3.00 71	2.75 36	0.35 35	105	2	97	
CA 23 0180 96786108	2.00	SD 17 0272 CA 20 0364	109	3	2	108	9.40	111	1.07 70	0.45 64	1.58 68	0.18 66	-0.34 75	6.63 70	1.28 52	0.74 52	99	2	21	
CA 23 0186 96786140	1.48	CA 21 0150 CA 19 0079	158	6	2	91	-2.95	91	-0.96 72	0.09 61	-0.59 67	-0.25 67	-0.04 75	-3.26 69	3.95 42	0.44 42	99	2	145	
CA 23 0188 96786181	1.48	CA 21 0150 CA 19 0079	158	6	2	91	-2.48	91	-0.88 72	0.44 61	0.35 69	-0.16 68	0.72 76	2.71 71	3.90 42	0.54 42	101	2	146	
CA 23 0198 96786264	17.59	CA 21 0249 CA 21 0058	120	4	3	103	5.35	104	0.83 73	-0.26 63	0.12 69	0.29 67	-0.48 77	-0.94 71	0.25 42	-0.37 42	104	2	53	
CA 23 0200 96786306	1.25	CA 21 0297 CA 21 0119	113	4	2	107	8.86	110	1.62 72	-0.05 61	1.71 71	0.03 69	-1.08 78	2.41 73	2.81 44	0.44 43	101	2	25	
CA 23 0204 96786322	6.21	CA 21 0249 CA 21 0350	102	3	2	100	3.15	101	0.03 71	-0.32 59	-1.21 70	0.18 68	-0.95 78	-1.74 72	-1.77 42	-0.34 42	97	2	72	
CA 23 0206 96786348	1.31	CA 21 0150 CA 20 0183	112	4	2	103	6.58	106	0.19 72	0.37 61	-0.90 69	0.09 66	-0.84 77	-4.77 71	1.87 42	1.00 42	98	2	55	
CA 23 0207 96790480	1.31	CA 21 0150 CA 20 0183	112	4	3	103	9.51	111	1.12 73	0.86 63	-0.05 69	0.16 66	-0.49 77	-2.86 71	2.95 42	1.45 42	109	2	50	
CA 23 0208 96786363	12.49	CA 21 0297 CA 21 0248	127	4	4	97	4.26	102	0.42 74	-0.86 65	-0.48 71	0.20 68	0.30 78	2.39 73	8.28 42	0.80 42	111	2	98	
CA 23 0211 96786405	2.21	CA 21 0297 CA 21 0423	93	1	3	97	-1.03	94	0.23 68	-1.34 59	-1.18 65	0.07 63	0.23 74	-0.67 68	3.93 36	0.13 35	98	2	99	
CA 23 0214 96786421	2.21	CA 21 0297 CA 21 0399	110	3	2	97	0.22	96	0.41 68	-0.10 57	-0.87 65	0.00 62	-0.09 74	0.02 67	1.48 36	0.34 35	99	2	108	
CA 23 0216 96786447	2.21	CA 21 0297 CA 21 0397	95	2	2	96	-0.36	95	0.82 66	-0.07 56	-0.80 64	0.07 61	0.23 73	-1.20 66	1.23 36	0.14 35	97	2	112	
CA 23 0228 96786488	2.61	CA 21 0336 CA 19 0119	103	3	3	97	-0.84	94	-0.06 73	-1.18 62	-1.00 69	0.04 66	0.06 77	-1.01 71	5.04 41	0.05 41	100	2	105	

Ewes with Progeny



*Inbreeding in red is high

- Indices in top 10%
- Above breed average
- Indices in bottom 10%

Acc: Accuracy of the breeding values
Breeding values with an accuracy of less than 5% are not printed

Ewes with progeny and measured at weaning, with both parents known.

Animal Information		Parents			Progeny		Selection Indices			EBV - Weights			EBV - Wool			EBV - Fertility				Rank				
Animal ID Regnr	% In- breeding	Sire ID Dam ID	DAM :		Generation Progeny Weaned	SIP	GM	Weaning Weight			Body Weight			SVG		VD		SL	Lammers gespeen	TWW	EPI	Times lambd		
			EPI	Times lambd				Dir	Mat	Weight	EBV		EBV		Acc	Index	Acc	Index	Acc	Index	Acc	Index		Phenotype
											1st	2nd	Acc	Index										
		Active Breed Average :				100.7	2.8	100	0.54	0.01	0.56	0.03	-0.14	0.50	0.46	0.27								
CA 23 0230 96786504	1.18	SD 17 0272 CA 20 0268	113	4	2	110	10.06	112	1.31 73	0.13 107	2.23 111	0.05 69	-0.28 78	2.67 106	2.33 57	1.24 112	98	2	17					
CA 23 0233 96786520	19.06	CA 21 0249 CA 21 0275	100	3	1	106	6.93	107	2.14 70	-0.49 56	2.55 113	0.33 66	-0.14 77	-0.03 100	-2.91 40	-0.88 86	94	2	34					
CA 23 0239 96786561	16.26	CA 21 0249 CA 21 0274	106	3	1	102	4.50	103	0.77 69	-0.30 56	0.37 99	0.28 65	-0.27 76	-1.68 94	-1.04 39	-0.45 91	91	2	56					
CA 23 0240 96786587	7.76	CA 21 0297 CA 21 0235	92	2	2	104	5.97	105	1.36 70	-0.90 59	0.15 81	0.31 66	-0.16 76	8.09 120	1.47 40	0.03 97	97	2	48					
CA 23 0245 96786603	1.11	SD 17 0272 CA 20 0213	104	4	2	112	12.68	116	1.91 73	0.07 66	1.69 107	0.09 71	-0.88 79	-7.03 80	3.06 57	1.44 114	99	2	10					
CA 23 0248 96786645	1.11	SD 17 0272 CA 20 0285	129	4	3	110	12.14	115	0.92 75	-0.40 69	0.43 99	0.29 70	0.21 106	-0.40 98	7.22 57	2.08 122	101	2	13					
CA 23 0249 96786660	9.11	CA 21 0249 CA 21 0158	133	4	2	103	3.74	102	1.79 71	-0.35 60	0.71 101	0.19 68	-0.30 78	2.18 104	-2.41 43	-0.46 91	99	2	51					
CA 23 0251 96786686	1.23	SD 17 0272 CA 20 0091	90	2	1	104	6.04	105	1.16 71	-0.62 63	-0.52 93	0.33 69	0.48 77	5.63 113	2.63 55	0.91 108	93	1	45					
CA 23 0252 96786702	2.53	CA 21 0336 CA 20 0014	143	5	5	106	9.87	112	0.80 75	-0.71 67	-0.57 93	0.27 69	0.05 78	-2.61 103	8.00 45	1.85 119	123	3	33					
CA 23 0253 96786728	1.18	CA 21 0150 CA 20 0097	91	2	3	113	15.23	120	3.19 72	0.41 63	3.44 118	0.19 68	-0.11 78	-2.45 101	3.40 44	1.69 117	106	2	8					
CA 23 0257 96786769	5.12	CA 21 0249 CA 21 0122	89	3	2	90	-5.74	86	-0.48 70	-0.52 59	0.58 100	-0.16 66	-0.30 77	-5.43 85	-4.64 41	-1.52 78	96	2	147					
CA 23 0271 96786843	2.21	CA 21 0297 CA 21 0396	91	1	3	101	5.36	104	0.88 67	-0.66 58	0.37 99	0.19 60	0.20 73	8.43 121	4.02 36	0.64 105	104	2	63					
CA 23 0274 96786868	1.23	SD 17 0272 CA 20 0206	112	4	1	117	13.97	118	1.87 72	-1.18 64	1.26 105	0.52 69	-0.44 78	2.55 105	1.05 55	0.56 104	93	1	1					
CA 23 0275 96786884	2.11	CA 21 0297 CA 21 0291	90	1	2	100	4.18	102	1.06 70	-0.96 58	-0.10 96	0.30 68	-0.04 78	9.79 124	0.12 40	-0.19 95	98	2	71					
CA 23 0282 96786926	1.36	CA 21 0150 CA 16 0072	158	6	1	95	0.92	97	0.82 71	0.63 58	0.54 100	-0.06 67	0.09 77	-1.70 104	-0.26 40	0.31 101	94	1	123					
CA 23 0285 96786967	9.04	CA 21 0150 CA 19 0016	107	3	2	108	12.26	116	2.57 72	0.40 60	4.06 122	-0.01 67	-0.34 77	3.43 108	7.02 38	1.22 112	98	1	22					

Ewes with Progeny



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding values
Breeding values with an accuracy of less than 5% are not printed

Ewes with progeny and measured at weaning, with both parents known.

Animal Information		Parents			Progeny		Selection Indices			EBV - Weights			EBV - Wool			EBV - Fertility			Rank		
Animal ID Regnr	% In- breeding	Sire ID Dam ID	DAM :		Generation Progeny Weaned 1st 2nd	SIP	GM	Weaning Weight		Body Weight	SVG		VD		SL	Lammers gespeen	TWW	EPI	Times lambd		
			EPI	Times lambd				Dir	Mat		EBV	EBV	EBV	EBV		EBV					EBV
								EBV			Acc	Index	Acc	Index	Acc	Index	Acc	Index			
		Active Breed Average :				100.7	2.8	100			0.54	0.01	0.56	0.03	-0.14	0.50	0.46	0.27			
CA 23 0288 96786983	4.52	CA 21 0241 CA 20 0352	106	4	2	96	0.32	96			0.96 72	0.40 104	1.40 105	0.04 67	1.05 77	0.76 101	-0.13 42	0.29 100	99	2	110
CA 23 0292 96787007	16.00	CA 21 0297 CA 21 0132	103	3	2	97	1.76	98			1.71 71	-1.11 60	-0.52 93	0.18 67	0.23 77	2.58 105	2.79 41	0.13 98	98	2	95
CA 23 0294 96787023	1.89	CA 21 0241 CA 19 0432	114	3	2	91	-4.13	89			-1.95 68	-0.45 77	-2.52 80	0.11 63	0.50 72	3.34 107	-0.15 35	0.00 97	98	2	143
CA 23 0299 96787080	2.61	CA 21 0241 CA 19 0004	130	5	3	93	-0.37	95			-0.10 73	0.32 63	0.09 97	-0.08 67	0.41 77	1.86 104	4.63 42	0.59 104	105	2	132
CA 23 0306 96787148	16.95	CA 21 0249 CA 21 0255	106	3	2	103	2.63	100			0.59 71	-0.60 60	2.07 110	0.20 68	0.40 78	0.89 101	-0.50 43	-0.74 88	94	2	49
CA 23 0307 96791686	16.95	CA 21 0249 CA 21 0255	106	3	3	105	4.91	103			0.63 72	-1.03 63	-0.35 94	0.53 68	0.52 78	3.03 107	1.60 43	-0.33 93	102	2	40
CA 23 0314 96787189	4.35	CA 21 0297 CA 21 0349	90	1	3	102	7.02	107			1.86 71	-0.33 61	0.67 101	0.07 68	-1.03 78	8.58 121	1.99 40	0.27 100	108	2	57
CA 23 0320 96787247	2.20	CA 21 0297 CA 21 0182	108	4	2	95	-0.45	95			0.69 71	-0.77 60	-1.58 86	0.10 68	0.02 78	4.03 109	2.54 42	0.14 98	98	2	124
CA 23 0321 96787262	1.00	SD 17 0272 CA 20 0222	99	3	2	105	5.83	105			0.01 73	-0.11 66	0.96 103	0.17 68	0.57 77	6.87 117	2.76 56	0.98 109	94	2	42
CA 23 0324 96787288	16.76	CA 21 0249 CA 21 0202	127	4	2	98	2.71	100			0.10 72	0.59 60	0.60 100	0.27 67	0.21 77	-0.12 98	-2.54 43	-0.52 90	101	2	89
CA 23 0325 96787304	1.02	SD 17 0272 CA 20 0105	101	3	2	113	12.58	116			1.26 73	-0.32 67	1.69 107	0.31 70	0.84 78	1.99 104	5.61 59	2.18 123	97	2	7
CA 23 0328 96787346	20.44	CA 21 0249 CA 21 0051	95	2	2	98	2.03	99			0.42 71	0.57 59	-0.79 91	0.27 66	-0.14 77	-0.38 98	-2.93 42	-0.45 91	101	2	84
CA 23 0335 96787387	1.53	CA 21 0249 CA 21 0142	89	2	2	104	3.29	101			-0.32 71	-0.32 60	-1.46 87	0.24 66	-0.62 77	-0.78 97	-0.94 44	-0.13 95	99	2	47
CA 23 0336 96787403	1.21	SD 17 0272 CA 17 0378	127	5	2	101	6.84	107			1.35 73	0.27 67	2.05 110	0.12 70	0.58 78	-5.65 84	2.47 57	0.96 108	103	2	66
CA 23 0340 96787445	12.00	CA 21 0249 CA 21 0306	90	2	2	97	-0.09	95			-0.04 70	-0.60 59	0.63 100	0.11 66	-0.36 76	1.10 102	-3.28 41	-1.21 82	96	2	96
CA 23 0351 96787502	13.62	CA 21 0297 CA 21 0206	93	1	1	95	0.82	97			0.64 69	-0.34 55	-0.71 92	0.10 66	0.22 77	0.96 101	3.24 38	0.31 101	94	1	120

Ewes with Progeny



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding values
Breeding values with an accuracy of less than 5% are not printed

Ewes with progeny and measured at weaning, with both parents known.

Animal Information		Parents			Progeny		Selection Indices			EBV - Weights			EBV - Wool			EBV - Fertility			Rank						
Animal ID Regnr	% In- breeding	Sire ID Dam ID	DAM :		Generation Progeny Weaned 1st 2nd	SIP	GM	Weaning Weight		Body Weight	SVG		VD		SL	Lammers gespeen	TWW	EPI	Times lambded						
			EPI	Times lambded				Dir	Mat		EBV	EBV	EBV	EBV		EBV					EBV	Acc	Index	Acc	Index
		Active Breed Average :				100.7	2.8	100	0.54	0.01	0.56	0.03	-0.14	0.50	0.46	0.27									
CA 23 0355 96787528	9.82	CA 21 0241 CA 18 0165	108	4	3	96	2.05	99	0.27 73	0.52 62	0.53 71	0.97 111	0.53 71	100	-0.03 68	0.10 78	-4.22 73	88	1.64 41	0.52 41	105	103	105	2	111
CA 23 0357 96787544	2.21	CA 21 0297 CA 21 0400	92	1	5	99	4.37	103	-0.48 70	-1.29 56	-2.41 66	81	81	0.09 63	-0.46 75	3.98 69	109	8.62 36	1.41 35	114	114	116	2	80	
CA 23 0359 96787569	1.25	CA 21 0150 CA 16 0077	103	4	3	100	5.70	105	-0.14 73	0.91 64	2.08 70	110	110	-0.03 67	0.29 77	4.35 72	110	3.57 42	1.01 42	109	109	105	2	69	
CA 23 0368 96787627	1.01	SD 17 0272 CA 20 0044	90	2	2	108	11.44	114	0.82 73	0.48 66	1.39 71	105	105	0.18 69	-0.42 78	7.11 73	117	3.25 56	1.29 56	112	112	103	2	24	
CA 23 0369 96787643	1.01	SD 17 0272 CA 20 0044	90	2	2	113	13.80	118	1.54 73	-0.38 66	2.73 71	114	114	0.30 69	-0.20 78	6.35 73	115	3.64 56	1.05 56	110	110	97	2	5	
CA 23 0372 96787668	1.11	SD 17 0272 CA 20 0150	88	2	2	98	2.56	100	0.87 72	0.28 65	-1.15 72	89	89	0.08 70	-0.04 79	6.15 74	115	1.47 56	0.81 56	107	107	102	2	90	
CA 23 0376 96787684	2.79	CA 21 0150 CA 20 0261	113	4	3	98	6.02	105	0.73 73	0.42 64	0.12 71	97	97	0.21 69	0.95 78	3.79 73	109	2.96 45	1.60 44	116	116	106	2	87	
CA 23 0381 96787700	0.95	SD 17 0272 CA 17 0250	108	4	3	106	8.41	109	0.60 74	-0.35 69	1.16 71	104	104	0.38 70	0.71 78	8.33 73	121	3.59 57	0.82 56	107	107	102	2	30	
CA 23 0385 96787742	4.47	CA 21 0150 CA 20 0088	135	5	1	105	8.34	109	0.74 71	0.94 58	2.03 69	109	109	-0.06 67	-0.21 77	1.21 71	102	3.54 40	1.42 40	114	114	95	1	41	
CA 23 0389 96787767	1.09	SD 17 0272 CA 20 0356	111	4	3	111	14.07	119	1.49 74	0.12 69	1.16 71	104	104	0.17 69	-0.18 78	-2.99 73	91	6.87 58	2.45 58	126	126	107	2	12	
CA 23 0396 96787825	0.90	SD 17 0272 CA 19 0051	118	6	3	102	5.69	105	-0.66 75	-0.56 69	-1.67 71	86	86	0.16 69	-1.10 78	1.22 73	102	3.73 58	0.53 57	103	103	104	2	60	
CA 23 0398 96787866	2.21	CA 21 0249 CA 21 0384	117	4	1	94	-4.18	89	0.01 67	-0.24 54	0.41 64	99	99	-0.11 62	0.33 74	-5.97 67	83	-2.04 33	-0.60 32	90	90	93	1	131	
CA 23 0401 96787924	2.00	CA 21 0241 CA 20 0403	95	3	2	92	-2.25	92	-0.47 68	-0.03 57	-0.82 65	91	91	-0.06 62	0.11 74	-1.61 67	95	-0.05 35	0.09 35	98	98	99	2	136	
CA 23 0402 96787940	2.00	CA 21 0241 CA 20 0403	95	3	1	90	-4.50	88	-0.86 67	-0.31 53	-1.22 65	89	89	0.00 62	0.78 74	1.16 67	102	0.15 32	0.02 32	97	97	93	1	148	
CA 23 0406 96788005	0.98	SD 17 0272 CA 17 0086	91	2	3	109	13.20	117	1.20 74	-0.21 68	2.04 73	110	110	0.31 72	-0.18 80	-0.12 75	98	4.32 55	1.19 55	111	111	109	2	19	
CA 23 0409 96870779	2.21	CA 21 0249 CA 21 0406	95	2	1	92	-4.51	88	-0.57 65	0.15 52	2.28 64	111	111	-0.16 62	1.18 74	-2.16 67	93	-1.72 33	-0.45 32	91	91	94	1	137	

Ewes with Progeny



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding values
Breeding values with an accuracy of less than 5% are not printed

Ewes with progeny and measured at weaning, with both parents known.

Animal Information		Parents			Progeny		Selection Indices			EBV - Weights			EBV - Wool			EBV - Fertility			Rank
Animal ID Regnr	% In- breeding	Sire ID Dam ID	DAM : EPI Times lambd	Generation Progeny Weaned 1st 2nd	SIP	GM	EBV	Index	Weaning Dir	Weight Mat	Body Weight	SVG	VD	SL	Lammers gespeen	TWW	EPI	Times lambd	
									EBV Acc	Index Acc	Index Acc	EBV Acc	Index Acc	Index Acc	EBV Acc	Index Acc	Index Acc	Phenotype	
Active Breed Average :					100.7	2.8	100		0.54	0.01	0.56	0.03	-0.14	0.50	0.46	0.27			
CA 23 0412 96788047	2.52	CA 21 0150 CA 19 0167	110 5	1	94	-1.31	93		0.04 70	0.29 56	1.20 69	-0.07 67	0.44 77	-4.81 71	-2.19 39	-0.23 39	93	1	130
CA 23 0417 96788104	0.96	SD 17 0272 CA 20 0084	90 2	2	115	14.84	120		1.56 73	-0.14 67	3.11 71	0.18 69	0.18 78	-3.83 73	6.03 59	2.04 59	98	2	2
CA 23 0418 96788120	0.96	SD 17 0272 CA 20 0084	90 2	1	113	14.13	119		1.31 72	0.03 64	1.83 73	0.34 71	0.75 79	-1.54 74	6.66 58	2.34 57	95	2	6
CA 23 0423 96788187	2.19	CA 21 0150 CA 20 0226	105 4	2	101	6.02	105		0.87 72	0.30 60	1.74 69	0.20 66	0.37 77	7.68 71	-0.64 42	0.33 42	100	2	64
CA 23 0425 96788203	2.00	CA 21 0241 CA 20 0392	87 3	3	100	3.45	101		-0.30 68	-0.50 59	-1.48 66	0.11 63	-0.74 75	-1.17 69	2.65 35	0.39 35	103	2	70
CA 23 0426 96788229	1.13	SD 17 0272 CA 20 0275	88 2	1	110	11.14	114		0.78 71	0.13 63	1.31 71	0.06 69	-0.64 78	1.05 73	3.76 56	1.55 55	94	1	14
CA 23 0434 96788260	1.89	CA 21 0241 CA 19 0441	118 5	3	98	2.87	100		-1.10 70	-0.22 61	-1.65 66	0.34 63	0.43 74	-0.90 68	2.84 35	0.47 35	103	2	93
CA 23 0435 96788286	3.48	CA 21 0249 CA 21 0238	108 4	2	98	0.66	96		0.58 71	-0.83 60	-0.16 69	0.18 66	-0.54 77	-2.99 71	-4.02 42	-1.12 42	98	2	85
CA 23 0438 96788302	5.25	CA 21 0336 CA 19 0218	91 3	2	94	-2.07	92		0.08 71	-0.49 59	-0.19 70	0.01 68	-0.25 78	-2.35 72	-1.98 41	-0.82 40	100	2	128
CA 23 0442 96793161	9.09	CA 21 0150 CA 19 0186	144 6	3	101	6.55	106		1.37 74	-0.05 64	1.69 71	0.18 69	0.45 78	0.70 73	5.04 43	0.67 43	106	2	65
CA 23 0446 96788401	1.47	CA 21 0336 CA 17 0291	89 2	2	96	-2.08	92		-0.23 70	-1.00 58	0.01 68	0.06 66	0.39 76	-2.13 70	-0.72 38	-0.51 37	97	2	118
CA 23 0449 96793203	1.89	CA 21 0241 CA 19 0423	124 4	3	97	2.91	100		0.93 71	0.68 62	0.49 67	-0.04 64	-0.19 75	-3.49 69	1.45 36	0.53 36	107	2	107
CA 23 0450 96788468	4.61	CA 21 0241 CA 20 0070	136 5	2	100	2.75	100		1.37 72	0.82 60	2.56 69	-0.08 67	0.57 77	-2.91 71	-0.71 42	0.46 42	99	2	75
CA 23 0454 96788500	0.91	SD 17 0272 CA 20 0306	92 2	2	110	10.87	113		0.36 73	-0.43 66	-1.34 71	0.35 69	-0.43 78	3.41 73	4.11 58	1.64 58	97	2	15
CA 23 0460 96788567	2.21	CA 21 0297 CA 21 0404	92 1	1	104	5.36	104		1.87 63	-0.72 49	1.71 65	0.10 63	-0.09 74	2.12 68	1.88 32	0.14 32	93	1	44
CA 24 0004 99996167	2.08	CA 22 0270 CA 22 0478	95 1	1	97	2.66	100		-0.40 65	-0.43 52	0.14 65	0.16 62	0.41 74	1.91 67	1.55 36	0.35 36	98	1	109

Ewes with Progeny



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding values
Breeding values with an accuracy of less than 5% are not printed

Ewes with progeny and measured at weaning, with both parents known.

Animal Information		Parents			Progeny		Selection Indices			EBV - Weights			EBV - Wool			EBV - Fertility			Rank	
Animal ID Regnr	% In- breeding	Sire ID Dam ID	DAM :		Generation Progeny Weaned 1st 2nd	SIP	GM	Weaning Weight		Body Weight	SVG		VD		SL	Lammers gespeen		EPI	Times lambd	
			EPI	Times lambd				Dir	Mat		Acc	Index	Acc	Index		Acc	Index			
		Active Breed Average :				100.7	2.8	100	0.54	0.01	0.56	0.03	-0.14	0.50	0.46	0.27				
CA 24 0007 99996209	4.98	CA 22 0270 CA 22 0025	95	1	2	103	11.35	114	2.13 71 115	0.65 60 114	2.80 70 114	0.13 67 106	0.67 77 113	2.15 72 104	5.95 41 121	1.94 40 120	110	1	55	
CA 24 0009 99996225	2.18	CA 22 0270 CA 22 0326	118	3	2	101	5.91	105	1.65 72 110	-0.38 61 92	1.31 70 105	0.12 68 106	0.70 77 113	3.00 72 107	4.68 43 116	1.16 43 111	106	1	75	
CA 24 0010 99996241	4.03	CA 22 0270 CA 22 0268	94	2	1	105	9.28	111	1.93 70 113	-0.66 56 86	2.20 69 111	0.32 67 117	0.52 77 110	9.96 71 125	2.21 41 107	0.67 41 105	98	1	38	
CA 24 0012 99996282	1.36	CA 22 0270 CA 19 0079	158	6	1	92	-3.00	90	-1.32 72 83	-1.21 59 74	-1.19 70 89	-0.04 68 95	0.51 77 110	3.11 72 107	5.59 43 119	0.36 43 101	95	1	159	
CA 24 0017 99996324	9.75	CA 22 0301 CA 18 0350	105	5	2	93	3.98	102	1.09 72 105	0.44 60 109	1.89 70 109	-0.04 68 95	-0.08 77 101	-0.13 72 98	-0.50 42 96	0.31 42 101	109	1	151	
CA 24 0020 99996365	1.20	CA 22 0270 CA 20 0142	136	5	1	104	10.89	113	2.44 72 118	0.08 60 102	1.98 71 109	0.27 69 115	1.00 78 118	0.83 72 101	5.23 47 118	1.89 46 120	102	1	39	
CA 24 0022 99996381	0.91	CA 22 0270 CA 19 0056	105	3	1	100	5.86	105	0.69 71 101	-0.69 57 85	1.30 70 105	0.24 68 113	0.59 77 111	-2.20 72 93	3.39 43 111	0.51 42 103	100	1	86	
CA 24 0024 99996407	3.62	CA 22 0270 CA 22 0169	99	2	1	103	7.64	108	1.60 71 110	-0.08 57 98	3.26 70 117	0.04 68 100	0.38 77 108	-2.09 72 93	2.49 43 108	0.81 43 107	100	1	49	
CA 24 0027 99996423	1.80	CA 22 0270 CA 22 0307	95	1	1	110	11.83	115	1.85 70 112	-0.60 57 87	2.82 70 115	0.12 68 106	-0.52 77 94	-2.29 72 93	2.63 43 108	0.90 42 108	98	1	8	
CA 24 0030 99996464	2.08	CA 22 0240 CA 22 0475	120	3	1	97	1.39	98	-0.88 68 87	-0.27 55 94	-1.18 65 89	0.10 62 104	-0.05 73 101	2.85 67 106	-0.49 34 97	0.42 34 102	99	1	127	
CA 24 0039 99996589	1.25	CA 22 0301 CA 20 0088	135	5	1	104	8.09	109	0.87 72 103	-0.64 59 87	1.21 70 104	0.18 68 109	0.17 77 105	2.64 72 106	3.24 44 111	1.06 44 110	96	1	45	
CA 24 0047 99996688	14.17	CA 22 0270 CA 22 0332	97	2	1	108	11.33	114	1.94 70 113	-0.06 57 99	2.56 70 113	0.18 68 109	-0.04 77 102	1.15 72 102	3.46 45 111	1.12 44 110	99	1	22	
CA 24 0050 99996720	1.52	CA 22 0301 CA 18 0109	117	4	1	94	1.20	97	0.12 71 96	-0.39 57 92	1.08 70 103	0.03 68 100	0.69 77 113	6.50 72 116	-0.17 42 98	0.34 42 101	98	1	146	
CA 24 0053 99996787	2.21	CA 22 0301 CA 21 0398	104	2	1	100	5.81	105	4.79 66 140	0.35 53 107	3.30 66 118	0.06 63 102	0.37 74 108	0.02 68 99	-0.20 36 98	0.18 36 99	98	1	80	
CA 24 0057 99996829	2.01	CA 22 0182 CA 17 0038	155	6	1	97	4.23	102	0.41 72 99	0.03 58 101	1.44 70 106	0.10 68 104	0.79 77 114	-2.09 72 93	3.60 42 112	0.85 42 107	100	1	114	
CA 24 0071 99996969	2.83	CA 22 0270 CA 22 0100	130	3	1	98	2.65	100	0.48 71 99	-0.42 58 91	0.31 70 98	0.14 68 107	0.62 77 112	1.98 72 104	1.21 43 103	0.54 43 103	97	1	98	

Ewes with Progeny



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding values
Breeding values with an accuracy of less than 5% are not printed

Ewes with progeny and measured at weaning, with both parents known.

Animal Information		Parents			Progeny		Selection Indices			EBV - Weights			EBV - Wool			EBV - Fertility			Rank	
Animal ID Regnr	% In- breeding	Sire ID Dam ID	DAM :		Generation Progeny Weaned 1st 2nd	SIP	GM	Weaning Weight		Body Weight	SVG		VD		SL	Lammers gespeen	TWW	EPI	Times lambd	
			EPI	Times lambd				Dir	Mat		Acc	Index	Acc	Index		Acc				
		Active Breed Average :				100.7	2.8	100	0.54	0.01	0.56	0.03	-0.14	0.50	0.46	0.27				
CA 24 0079 99996985	1.46	CA 22 0301 CA 20 0005	106	4	1	98	4.21	102	-0.64 71 89	-0.25 58 95	-0.60 70 93	-0.06 68 94	-0.91 77 88	-5.18 72 85	1.89 44 105	0.78 44 106	99	1	99	
CA 24 0085 99997041	3.79	CA 22 0270 CA 22 0356	101	3	1	100	5.11	104	0.54 70 100	-0.01 57 100	1.68 70 107	0.11 68 105	0.89 77 116	1.51 72 103	3.82 41 113	1.04 41 109	98	1	81	
CA 24 0101 99997181	3.35	CA 22 0240 CA 22 0090	110	3	1	94	1.69	98	0.17 71 97	0.98 56 121	0.74 69 101	-0.04 67 95	0.77 77 114	7.87 71 119	0.78 40 101	1.04 40 109	102	1	148	
CA 24 0104 99997223	2.72	CA 22 0301 CA 20 0338	100	3	1	101	7.65	108	3.04 71 124	-0.20 57 96	3.52 70 119	0.15 68 107	0.85 77 115	0.05 72 99	0.61 43 101	0.68 42 105	100	1	71	
CA 24 0108 99997249	4.75	CA 22 0182 CA 21 0045	106	3	1	107	11.80	115	1.97 70 114	-0.09 55 98	2.09 69 110	0.40 67 123	-0.20 77 99	4.63 71 111	-0.06 40 98	0.32 40 101	100	1	29	
CA 24 0117 99997322	3.36	CA 22 0182 CA 19 0004	130	5	1	103	8.69	110	2.53 71 119	-0.14 57 97	4.27 70 124	0.12 68 105	0.71 77 113	2.64 72 106	3.52 42 112	0.60 42 104	99	1	56	
CA 24 0118 99997348	3.36	CA 22 0182 CA 19 0004	130	5	2	97	5.89	105	1.92 72 113	0.47 61 110	3.40 70 118	-0.05 68 95	0.79 77 114	1.06 72 101	4.94 42 117	1.03 42 109	109	1	125	
CA 24 0122 99997389	2.00	CA 22 0182 CA 20 0393	131	5	1	97	2.22	99	-0.38 68 91	0.13 54 103	1.09 66 103	0.11 63 105	0.64 75 112	4.61 68 111	0.17 34 99	0.23 34 100	98	1	110	
CA 24 0129 99997447	2.74	CA 22 0240 CA 22 0351	98	2	1	103	8.99	110	1.04 71 105	0.57 57 112	2.09 70 110	0.07 68 103	-0.13 77 100	-0.79 72 97	1.71 44 105	1.06 44 110	101	1	67	
CA 24 0130 99997462	2.74	CA 22 0240 CA 22 0351	98	2	1	107	12.54	116	2.26 71 116	0.79 57 116	4.06 70 122	0.15 68 108	0.22 77 106	1.35 72 102	1.41 44 104	1.14 44 111	103	1	26	
CA 24 0137 99997520	1.97	CA 22 0182 CA 20 0070	136	5	1	107	9.76	111	1.39 71 108	-0.08 56 98	1.64 70 107	0.15 67 107	-0.61 77 93	-1.36 72 95	-0.41 42 97	0.66 42 105	98	1	28	
CA 24 0141 99997546	2.30	CA 22 0270 CA 22 0273	95	1	1	100	3.27	101	0.92 70 104	-0.41 57 91	2.26 69 111	0.06 67 102	0.45 77 109	0.22 71 99	0.03 42 98	0.02 42 97	97	1	87	
CA 24 0149 99997587	2.33	CA 22 0301 CA 21 0022	109	4	1	99	5.99	105	2.58 71 119	-0.76 57 84	3.26 70 117	-0.05 67 95	-0.50 77 95	3.04 72 107	0.43 42 100	-0.12 41 95	99	1	88	
CA 24 0155 99997645	2.08	CA 22 0240 CA 22 0458	93	1	1	97	0.42	96	0.68 64 101	-0.10 50 98	1.00 64 103	-0.07 61 94	0.28 73 107	-0.60 66 97	-0.38 34 97	0.19 34 99	96	1	122	
CA 24 0160 100002583	2.08	CA 22 0240 CA 22 0457	111	3	1	97	3.00	100	0.71 67 102	0.68 53 114	3.11 65 116	-0.16 62 88	0.37 74 108	-0.03 67 99	-0.50 34 96	0.44 34 102	99	1	108	
CA 24 0163 99997702	2.34	CA 22 0240 CA 22 0411	102	2	1	101	5.39	104	0.73 70 102	0.60 56 113	1.32 69 105	0.05 67 101	0.41 77 109	3.10 71 107	2.10 39 106	1.06 39 110	99	1	72	

Ewes with Progeny



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding values
Breeding values with an accuracy of less than 5% are not printed

Ewes with progeny and measured at weaning, with both parents known.

Animal Information		Parents			Progeny		Selection Indices			EBV - Weights			EBV - Wool			EBV - Fertility				Rank
Animal ID Regnr	% In- breeding	Sire ID Dam ID	DAM :		Generation Progeny Weaned	SIP	GM	Weaning Weight		Body Weight	SVG		VD		SL	Lammers gespeen	TWW	EPI	Times lambd	
			EPI	Times lambd				Dir	Mat		Acc	Index	Acc	Index		Acc				
		Active Breed Average :				100.7	2.8	100	0.54	0.01	0.56	0.03	-0.14	0.50	0.46	0.27				
CA 24 0169 99997769	13.72	CA 22 0240 CA 22 0321	117	3	1	109	11.20	114	1.97 71 113	0.39 57 108	2.57 69 113	0.23 67 112	-0.24 77 99	0.84 71 101	0.24 42 99	0.64 41 105	102	1	16	
CA 24 0172 99997801	2.98	CA 22 0301 CA 21 0306	90	2	2	97	6.52	106	1.19 71 106	0.04 60 101	3.93 70 122	0.08 67 103	0.38 77 108	-0.66 71 97	0.55 42 100	-0.01 41 97	107	1	111	
CA 24 0176 99997827	2.63	CA 22 0301 CA 17 0372	110	5	1	97	3.94	102	-0.26 71 92	-0.16 57 97	0.74 70 101	0.11 68 105	-0.01 77 102	-0.96 72 96	0.50 42 100	0.22 42 99	98	1	120	
CA 24 0183 99997884	4.92	CA 22 0240 CA 22 0183	117	3	1	108	10.42	113	2.04 70 114	0.14 55 103	1.20 68 104	0.38 66 121	0.39 76 108	-2.75 71 92	-0.39 39 97	1.05 39 110	99	1	17	
CA 24 0186 99997926	2.18	CA 22 0270 CA 19 0298	120	5	2	99	8.07	109	1.98 72 114	0.25 62 105	3.21 70 117	0.21 68 111	0.47 77 109	0.35 72 100	-0.53 43 96	0.27 43 100	108	1	90	
CA 24 0192 99998007	1.92	CA 22 0182 CA 20 0105	101	3	2	113	17.10	124	3.21 72 125	-0.29 61 94	4.37 70 124	0.23 68 112	0.47 77 109	3.74 72 109	5.93 45 121	2.20 44 123	106	1	1	
CA 24 0195 99998049	1.64	CA 22 0301 CA 20 0148	142	5	1	109	14.51	119	1.90 71 113	0.54 58 111	2.70 70 114	0.22 68 112	-0.51 77 94	-6.52 72 82	2.87 42 109	1.29 42 112	102	1	15	
CA 24 0197 99998064	16.47	CA 22 0240 CA 22 0248	97	1	1	105	6.77	107	1.29 70 107	0.29 56 106	1.96 70 109	0.12 67 106	0.31 77 107	0.32 71 100	-0.66 41 96	0.72 40 105	98	1	33	
CA 24 0199 99998080	2.37	CA 22 0301 CA 19 0060	156	6	1	94	1.84	98	-0.39 72 91	-0.12 59 97	1.22 71 104	0.00 68 98	0.54 78 111	-3.89 72 89	2.78 44 109	0.43 44 102	98	1	149	
CA 24 0200 99998106	2.37	CA 22 0301 CA 19 0060	156	6	1	95	2.75	100	0.73 72 102	-0.40 59 92	0.74 71 101	-0.07 68 94	-0.31 78 98	-4.02 72 88	2.81 44 109	0.38 44 101	97	1	137	
CA 24 0209 99998189	2.00	CA 22 0301 CA 19 0204	100	3	2	92	1.28	97	0.72 72 102	-0.23 61 95	1.39 70 105	-0.08 68 93	0.36 77 108	-0.03 72 99	1.56 42 104	0.37 42 101	105	1	155	
CA 24 0216 99998262	1.00	CA 22 0301 CA 21 0142	89	2	1	104	7.90	108	0.96 70 104	-0.22 57 95	1.45 70 106	0.17 68 109	-0.16 77 100	1.56 72 103	1.05 44 102	0.57 44 104	99	1	40	
CA 24 0217 99998288	1.67	CA 22 0270 CA 22 0142	100	3	2	90	-1.90	92	0.11 72 96	-0.63 61 87	-0.22 70 95	0.15 67 107	1.63 77 127	2.28 72 105	3.74 43 112	0.51 43 103	106	1	167	
CA 24 0241 99998544	2.33	CA 22 0182 CA 20 0157	103	3	2	110	13.83	118	2.08 72 115	-0.44 60 91	3.70 70 120	0.19 68 109	-0.45 77 95	-4.01 72 88	1.94 41 106	0.86 41 107	103	1	9	
CA 24 0242 99998569	2.33	CA 22 0182 CA 20 0157	103	3	1	111	14.26	119	2.23 71 116	-0.37 56 92	4.45 70 125	0.26 68 114	-0.12 77 100	-4.41 72 87	0.16 41 99	0.64 41 105	98	1	6	
CA 24 0254 99998627	15.11	CA 22 0240 CA 22 0088	116	3	1	104	5.08	104	0.73 71 102	-0.99 57 79	0.88 69 102	0.19 67 110	-0.04 77 102	3.85 71 109	0.22 41 99	0.11 41 98	96	1	47	

Ewes with Progeny



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding values
Breeding values with an accuracy of less than 5% are not printed

Ewes with progeny and measured at weaning, with both parents known.

Animal Information		Parents			Progeny		Selection Indices			EBV - Weights			EBV - Wool			EBV - Fertility			Rank		
Animal ID Regnr	% In- breeding	Sire ID Dam ID	DAM :		Generation Progeny Weaned 1st 2nd	SIP	GM	Weaning Weight		Body Weight	SVG		VD		SL	Lammers gespeen		TWW	EPI	Times lambd	
			EPI	Times lambd				Dir	Mat		Acc	Index	Acc	Index		Acc	Index				
		Active Breed Average :				100.7	2.8	100			0.54	0.01	0.56	0.03	-0.14	0.50	0.46	0.27			
CA 24 0264 99998700	2.21	CA 22 0240 CA 21 0427	95	2	2	100	5.94	105			1.39 67 108	0.62 56 113	1.11 65 104	0.14 62 106	0.33 74 107	-5.48 67 84	1.73 34 105	0.83 34 107	106	1	83
CA 24 0267 99998726	2.95	CA 22 0301 CA 19 0081	115	4	2	97	5.98	105			1.12 73 105	0.13 62 103	1.24 71 104	0.05 68 101	-0.07 78 101	0.50 72 100	3.54 44 112	0.78 44 106	107	1	113
CA 24 0268 99998742	2.95	CA 22 0301 CA 19 0081	115	4	1	100	6.30	106			1.97 72 113	-0.60 59 87	2.08 71 110	0.12 68 106	0.15 78 105	1.35 72 102	2.12 44 106	0.38 44 101	97	1	77
CA 24 0280 99998841	5.63	CA 22 0240 CA 22 0045	110	3	1	105	9.58	111			2.41 70 118	1.05 55 122	3.25 69 117	-0.05 67 95	-0.15 77 100	-0.78 71 97	-0.55 40 96	1.23 40 112	102	1	34
CA 24 0282 99998866	2.21	CA 22 0182 CA 21 0387	100	3	1	104	9.23	111			1.11 66 105	0.35 52 107	3.20 64 117	0.16 62 108	0.11 73 104	-3.12 67 91	0.27 34 99	0.46 34 102	100	1	46
CA 24 0285 99998882	14.20	CA 22 0240 CA 22 0175	93	3	1	100	2.04	99			0.94 70 104	-0.58 56 88	0.04 69 97	0.34 67 119	0.73 77 114	0.43 71 100	-2.99 41 87	-0.23 41 94	99	1	85
CA 24 0291 99998940	2.27	CA 22 0240 CA 22 0385	95	2	1	93	0.85	97			1.24 70 107	0.67 57 114	1.08 70 103	0.01 68 98	0.19 77 105	-8.09 72 78	-3.23 44 86	-0.15 44 95	103	1	153
CA 24 0293 100003946	2.21	CA 22 0182 CA 21 0408	109	3	1	108	11.43	114			1.80 67 112	-0.01 53 100	3.59 65 119	0.28 63 115	0.12 74 104	-1.76 68 94	0.69 34 101	0.38 34 101	99	1	21
CA 24 0297 99999005	3.77	CA 22 0270 CA 22 0276	103	3	1	96	0.57	96			0.69 70 101	-0.63 57 87	0.86 70 102	0.00 67 98	0.19 77 105	-2.03 71 93	-0.23 43 97	-0.10 43 96	97	1	129
CA 24 0300 99999047	1.23	CA 22 0240 CA 22 0414	95	2	1	102	6.37	106			0.95 70 104	0.15 57 103	2.18 70 110	0.06 67 102	0.06 77 103	3.51 71 108	0.05 44 99	0.52 44 103	99	1	68
CA 24 0302 99999062	2.08	CA 22 0270 CA 22 0479	92	1	1	98	4.28	102			0.26 64 97	-0.02 51 99	0.58 64 100	0.22 61 112	0.55 73 111	1.79 66 103	1.49 36 104	0.46 36 102	99	1	106
CA 24 0307 99999088	13.98	CA 22 0240 CA 22 0345	95	2	1	103	6.81	107			1.10 70 105	0.45 56 109	1.46 69 106	0.20 67 110	-0.35 77 97	-0.25 71 98	-3.42 41 85	-0.02 41 97	102	1	61
CA 24 0309 99999104	2.08	CA 22 0182 CA 20 0071	105	4	1	107	11.26	114			1.55 70 110	-0.42 56 91	1.93 69 109	0.34 67 119	-0.18 77 100	3.75 71 109	0.58 41 101	0.56 41 104	99	1	23
CA 24 0323 99999245	2.08	CA 22 0240 CA 22 0445	116	3	1	96	1.77	98			1.29 67 107	1.10 53 123	2.68 64 114	-0.25 61 82	0.07 73 103	-3.64 66 89	-0.86 34 95	0.41 34 102	100	1	128
CA 24 0329 99999328	1.19	CA 22 0301 CA 20 0329	105	4	2	103	10.72	113			1.35 72 108	0.42 61 109	1.36 70 105	-0.06 68 95	-1.06 77 86	-8.01 72 78	3.96 44 113	1.52 43 115	108	1	60
CA 24 0330 99999344	17.10	CA 22 0240 CA 22 0077	94	2	2	107	10.91	113			0.95 71 104	-0.11 60 98	1.74 70 108	0.19 67 110	-0.43 77 96	-2.15 72 93	1.01 42 102	0.95 41 108	107	1	24

Ewes with Progeny



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding values
Breeding values with an accuracy of less than 5% are not printed

Ewes with progeny and measured at weaning, with both parents known.

Animal Information		Parents			Progeny		Selection Indices			EBV - Weights			EBV - Wool			EBV - Fertility			Rank
Animal ID Regnr	% In- breeding	Sire ID Dam ID	DAM : EPI Times lambd	Generation Progeny Weaned 1st 2nd	SIP	GM	EBV	Index	Weaning Dir	Weight Mat	Body Weight	SVG	VD	SL	Lammers gespeen	TWW	EPI	Times lambd	
									EBV Acc	Index Index	EBV Acc	Index Index	EBV Acc	Index Index	EBV Acc	Index Index	Phenotype		
Active Breed Average :					100.7	2.8	100		0.54	0.01	0.56	0.03	-0.14	0.50	0.46	0.27			
CA 24 0333 99999369	3.92	CA 22 0301 CA 21 0275	100 3	1	103	8.29	109		2.50 71	-0.74 118	3.54 84	0.29 68	0.37 77	0.15 99	-1.03 43	-0.24 94	98	1	59
CA 24 0334 99999385	2.08	CA 22 0240 CA 22 0441	92 1	1	107	9.57	111		0.61 64	0.05 101	2.16 110	0.12 61	-0.76 73	-1.16 91	-0.83 34	0.34 101	99	1	25
CA 24 0336 99999401	4.70	CA 22 0182 CA 21 0151	85 2	1	95	2.81	100		0.44 69	-0.25 99	1.39 105	0.31 67	0.84 77	-0.20 98	-2.01 40	-0.41 92	99	1	142
CA 24 0341 99999427	2.08	CA 22 0270 CA 22 0476	92 1	1	95	1.46	98		-0.02 64	-0.32 95	-0.67 92	0.17 61	0.45 73	1.67 103	1.53 36	0.39 102	98	1	143
CA 24 0344 99999443	2.26	CA 22 0270 CA 22 0258	91 1	2	100	6.66	106		0.52 70	-0.09 100	2.14 110	0.10 66	0.38 76	5.23 112	3.17 38	0.79 106	106	1	79
CA 24 0345 99999468	2.21	CA 22 0301 CA 21 0412	92 2	1	92	-0.40	95		-0.11 65	0.13 94	1.36 105	0.01 61	1.03 73	-2.05 93	-0.20 36	0.18 99	98	1	160
CA 24 0346 99999484	2.08	CA 22 0270 CA 22 0446	109 3	2	95	3.49	101		0.42 69	-0.30 99	0.04 97	0.20 61	0.81 73	3.55 108	4.11 36	0.84 107	105	1	138
CA 24 0351 99999500	2.34	CA 22 0182 CA 18 0200	139 5	1	109	12.97	117		2.23 71	0.21 116	4.68 126	0.38 68	0.94 77	-1.10 96	0.48 44	0.71 105	101	1	11
CA 24 0353 99999542	2.28	CA 22 0301 CA 19 0073	120 5	1	98	5.75	105		0.82 71	-0.37 103	1.76 108	0.14 68	-0.18 77	-6.37 82	1.18 43	-0.03 96	100	1	102
CA 24 0359 99999583	14.70	CA 22 0240 CA 22 0083	106 3	1	105	5.28	104		1.58 70	-1.02 56	0.76 101	0.34 67	0.17 77	-0.50 97	-2.08 41	-0.23 94	95	1	37
CA 24 0361 99999609	4.51	CA 22 0240 CA 22 0003	92 1	2	100	5.96	105		1.23 70	-0.05 107	0.22 98	0.15 67	0.39 77	3.72 108	2.29 39	1.26 112	105	1	82
CA 24 0362 99999625	14.77	CA 22 0240 CA 22 0041	92 1	2	103	6.99	107		0.94 71	-0.14 104	2.32 111	-0.01 67	-0.40 77	3.64 108	0.63 40	0.49 103	105	1	57
CA 24 0366 99999666	17.05	CA 22 0270 CA 22 0316	100 2	1	105	9.53	111		2.00 71	-0.45 114	2.28 111	0.24 68	0.32 77	0.12 99	3.76 45	0.85 107	98	1	36
CA 24 0370 99999724	1.74	CA 22 0270 CA 22 0367	95 2	1	103	7.11	107		1.79 70	-0.51 112	2.58 113	0.20 67	0.01 77	2.06 104	-0.77 43	-0.12 95	99	1	54
CA 24 0371 99999740	3.14	CA 22 0240 CA 21 0218	101 4	1	104	8.56	109		2.62 70	-0.15 120	2.87 115	0.18 67	-0.18 77	1.58 103	-1.52 41	0.07 98	99	1	42
CA 24 0374 99999765	1.45	CA 22 0182 CA 20 0183	112 4	1	113	16.45	122		1.79 71	-0.15 112	2.18 110	0.49 67	-0.29 77	0.91 101	1.88 42	1.11 110	100	1	2

Ewes with Progeny



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding values
Breeding values with an accuracy of less than 5% are not printed

Ewes with progeny and measured at weaning, with both parents known.

Animal Information		Parents			Progeny		Selection Indices			EBV - Weights			EBV - Wool			EBV - Fertility			Rank	
Animal ID Regnr	% In- breeding	Sire ID Dam ID	DAM :		Generation Progeny Weaned 1st 2nd	SIP	GM	Weaning Weight		Body Weight	SVG		VD		SL	Lammers gespeen	TWW	EPI	Times lambded	
			EPI	Times lambded				Dir	Mat		Acc	Index	Acc	Index						
		Active Breed Average :				100.7	2.8	100	0.54	0.01	0.56	0.03	-0.14	0.50	0.46	0.27				
CA 24 0382 99999807	4.21	CA 22 0270 CA 18 0347	131	5	2	103	8.14	109	1.21 73	-0.96 62	1.82 71	0.15 68	-0.26 78	0.00 72	99	4.49 44	0.46 43	103	1	53
CA 24 0385 99999823	3.22	CA 22 0270 CA 22 0330	102	3	1	104	9.00	110	1.31 70	0.01 57	1.68 70	0.24 67	0.49 77	-0.86 72	96	2.55 42	1.12 42	101	1	48
CA 24 0387 99999864	2.21	CA 22 0240 CA 21 0426	104	3	1	97	2.91	100	0.12 66	0.46 53	0.60 65	0.20 62	0.95 74	0.08 67	99	-0.56 34	0.57 34	101	1	107
CA 24 0398 99999989	1.69	CA 22 0182 CA 20 0289	94	4	1	108	10.90	113	1.72 70	-0.78 56	3.24 69	0.37 67	-0.08 77	-2.11 71	93	-0.60 41	-0.19 41	97	1	18
CA 24 0402 100000041	2.08	CA 22 0240 CA 22 0451	120	3	1	96	-0.23	95	-0.22 68	-0.14 54	0.66 65	0.09 62	1.04 74	-0.67 67	97	-0.40 34	0.24 34	97	1	134
CA 24 0407 100005024	2.00	CA 22 0301 CA 20 0366	116	4	2	96	6.63	106	1.19 70	0.50 59	3.09 67	-0.12 64	-0.03 75	-5.45 69	84	2.27 36	0.86 36	108	1	131
CA 24 0410 100000140	2.17	CA 22 0301 CA 21 0158	133	4	1	92	0.57	96	1.02 71	0.34 58	2.88 70	-0.10 68	0.99 77	4.90 72	112	-0.18 43	0.22 43	98	1	157
CA 24 0411 100000165	2.17	CA 22 0301 CA 21 0158	133	4	1	99	6.23	106	2.82 71	-0.02 58	3.62 70	0.01 68	0.36 77	2.93 72	106	0.01 43	0.34 43	99	1	91
CA 24 0412 100000181	1.81	CA 22 0182 CA 20 0260	130	5	1	111	14.02	118	1.76 71	0.31 56	4.02 70	0.13 67	-0.13 77	-2.83 72	91	2.03 42	1.34 42	98	1	5
CA 24 0414 100000223	2.57	CA 22 0182 CA 20 0075	118	5	2	111	15.49	121	0.85 72	-0.37 60	3.14 70	0.30 67	-0.39 77	1.70 72	103	5.50 41	1.12 41	105	1	4
CA 24 0417 100000264	2.26	CA 22 0270 CA 22 0246	111	3	1	108	10.42	113	1.48 71	-0.60 57	2.67 70	0.17 67	-0.58 77	-2.06 71	93	0.83 42	0.31 42	99	1	20
CA 24 0422 100000306	2.08	CA 22 0270 CA 22 0459	102	2	1	95	1.50	98	0.73 66	0.16 54	1.26 66	-0.07 63	0.39 74	-0.70 68	97	1.87 36	0.47 36	99	1	144
CA 24 0428 100000348	2.76	CA 22 0182 CA 17 0052	145	6	1	101	7.35	107	0.60 72	-0.23 58	2.35 71	0.26 68	0.70 77	-1.40 72	95	1.97 44	0.49 43	99	1	70
CA 24 0432 100000405	4.02	CA 22 0301 CA 21 0008	102	3	1	92	1.71	98	1.62 70	0.42 57	3.15 70	0.08 68	1.33 77	1.65 72	103	-1.89 42	-0.03 42	101	1	158
CA 24 0439 100000462	1.76	CA 22 0182 CA 17 0058	102	3	1	96	4.46	103	0.19 71	0.55 57	1.22 70	0.11 68	0.96 77	0.63 72	100	3.06 40	1.13 40	103	1	135
CA 24 0440 100000488	3.14	CA 22 0240 CA 21 0274	106	3	1	101	4.74	103	1.14 70	0.35 56	2.71 69	0.00 67	0.20 77	4.81 71	111	-0.01 40	0.25 39	98	1	76

Ewes with Progeny



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding values
Breeding values with an accuracy of less than 5% are not printed

Ewes with progeny and measured at weaning, with both parents known.

Animal Information		Parents			Progeny		Selection Indices			EBV - Weights			EBV - Wool			EBV - Fertility			Rank
Animal ID Regnr	% In- breeding	Sire ID Dam ID	DAM : EPI Times lambd	Generation Progeny Weaned 1st 2nd	SIP	GM	EBV	Index	Weaning Dir	Weight Mat	Body Weight	SVG	VD	SL	Lammers gespeen	TWW	EPI	Times lambd	
									EBV Acc	Index Acc	EBV Acc	Index Acc	EBV Acc	Index Acc	EBV Acc	Index Acc	Phenotype		
Active Breed Average :					100.7	2.8	100		0.54	0.01	0.56	0.03	-0.14	0.50	0.46	0.27			
CA 24 0445 100000504	3.08	CA 22 0270 CA 22 0419	104 3	2	109	14.04	119		1.14 72	0.06 60	3.16 101	0.03 67	-0.77 77	1.78 71	5.52 42	1.55 42	106	1	13
CA 24 0446 100000520	2.09	CA 22 0301 CA 21 0225	99 2	2	102	8.80	110		1.95 72	-0.36 60	2.49 92	0.03 67	-0.61 77	-3.75 72	2.89 42	0.52 41	105	1	63
CA 24 0451 100000561	2.54	CA 22 0301 CA 18 0001	95 4	1	102	6.78	107		2.56 70	-0.49 58	2.98 90	0.03 66	0.59 76	-2.07 70	1.25 46	0.94 46	97	1	65
CA 24 0452 100000587	14.14	CA 22 0240 CA 22 0191	91 1	2	96	3.23	101		0.33 70	0.46 58	0.18 110	0.25 66	0.91 77	6.47 71	-0.19 39	0.61 39	109	1	130
CA 24 0453 100000603	2.08	CA 22 0270 CA 22 0455	95 2	1	102	6.48	106		1.29 65	-0.23 52	1.56 95	0.07 62	-0.39 74	1.53 67	1.54 36	0.37 36	98	1	69
CA 24 0455 100000629	2.25	CA 22 0301 CA 21 0238	108 4	1	93	1.77	98		0.86 71	-0.20 57	0.85 96	-0.04 68	-0.60 77	-0.03 72	-2.37 43	-0.36 42	100	1	150
CA 24 0463 100000686	0.92	CA 22 0270 CA 18 0317	125 6	1	102	5.65	105		0.47 71	-0.68 58	1.25 86	-0.01 68	-0.31 77	-4.91 72	1.25 46	0.68 46	96	1	66
CA 24 0465 100000702	2.08	CA 22 0240 CA 22 0467	100 2	1	91	-2.38	91		-0.49 66	1.04 52	0.65 122	-0.20 62	0.66 74	-2.86 67	-0.93 34	0.55 34	101	1	166
CA 24 0466 100000728	13.34	CA 22 0270 CA 22 0260	104 3	1	101	7.86	108		1.19 71	0.28 58	1.55 106	0.13 68	0.24 77	0.53 72	3.86 46	1.11 45	101	1	74
CA 24 0470 100000744	1.89	CA 22 0301 CA 19 0411	110 4	1	91	0.54	96		0.85 67	0.86 54	2.12 118	-0.15 64	0.67 75	0.96 69	-0.33 36	0.45 36	102	1	165
CA 24 0472 100000785	5.17	CA 22 0301 CA 21 0149	92 2	1	97	4.58	103		1.26 70	-0.23 55	1.42 95	0.11 67	0.12 77	-0.06 71	-0.01 40	0.24 40	98	1	115
CA 24 0475 100000827	2.21	CA 22 0270 CA 22 0023	91 1	1	106	10.26	112		1.52 70	-0.15 56	1.83 97	0.19 67	-0.30 77	-7.05 71	2.10 42	0.84 42	101	1	31
CA 24 0492 100000900	2.32	CA 22 0301 CA 21 0132	103 3	1	98	6.82	107		1.64 71	-0.43 57	1.63 91	0.32 68	0.46 77	2.33 72	0.62 42	0.17 42	102	1	105
CA 24 0497 100000942	1.92	CA 22 0270 CA 22 0121	93 3	1	104	6.63	106		1.46 70	-0.82 57	1.93 83	0.22 67	-0.06 77	-5.15 72	0.66 43	-0.12 42	97	1	41
CA 24 0498 100000967	2.89	CA 22 0301 CA 19 0126	137 6	1	98	5.78	105		1.36 71	-0.17 58	2.39 96	0.13 68	-0.29 77	0.71 72	-2.15 44	-0.39 43	99	1	97
CA 24 0500 100000983	2.21	CA 22 0301 CA 21 0382	103 4	1	98	4.83	103		1.51 66	0.91 53	4.34 119	-0.29 62	-0.24 74	-4.29 67	-0.29 36	0.37 36	101	1	104

Ewes with progeny average :	100.5	3.5	101	0.58	-0.20	0.69	0.09	0.21	0.18	1.16	0.43	
-----------------------------	-------	-----	-----	------	-------	------	------	------	------	------	------	--

Young Ewes



EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding values
Breeding values with an accuracy of less than 5% are not

Ewes born since 2020 with a weaning weight and wool test, no progeny, with both parents known.

Animal Information		Parents			Selection Indices			EBV - Weights			EBV - Wol			EBV - Fertility		Rank
Animal ID Regnr	% In- breeding	Sire ID Dam ID	DAM REPROD :		SIP	GM		Weaning Weight		Body Weight	CFW	FD	SL	NLW	TWW	
			EPI	Times lambded				Dir	Mat							
								EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	
								Acc	Index	Acc	Index	Acc	Index	Acc	Index	
Active Breed Average :					100.7	2.8	100	0.54	0.01	0.56	0.03	-0.14	0.50	0.46	0.27	
CA 21 0113 91819409	5.56	CA 19 0261 CA 17 0007	97	3	102	0.05	95	1.52 68	0.08 49	2.03 69	-0.14 66	-0.10 77	-3.97 71	-1.68 37	-0.47 37	41
CA 22 0014 93926210	1.48	CA 20 0024 CA 19 0073	120	5	102	1.18	97	0.32 71	-1.09 57	-0.45 77	0.17 68	-0.30 77	-4.57 72	-0.54 45	-0.56 44	56
CA 22 0366 93930089	2.00	CA 20 0024 CA 20 0377	121	5	101	-2.16	92	0.60 67	0.22 53	-0.48 105	-0.06 63	-0.01 74	-3.35 102	-1.74 40	-0.19 40	73
CA 23 0397 96787841	1.36	SD 17 0272 CA 20 0259	85	2	104	8.26	109	-0.50 70	-0.14 59	-0.42 97	0.12 69	-0.47 77	-3.45 72	4.19 54	1.49 54	43
CA 24 0005 100001023	2.08	CA 22 0270 CA 22 0478	95	1	97	3.12	101	0.51 64	-0.31 46	0.77 65	0.14 62	0.63 74	0.48 67	1.86 32	0.46 32	121
CA 24 0006 99996183	4.98	CA 22 0270 CA 22 0025	95	1	106	10.88	113	0.56 69	-0.26 51	0.55 95	0.42 67	0.56 77	9.69 72	4.71 38	1.48 38	32
CA 24 0011 99996266	1.36	CA 22 0270 CA 19 0079	158	6	97	2.74	100	-1.57 71	-0.70 54	-0.99 85	0.01 68	-0.49 77	6.10 72	5.89 41	0.65 40	117
CA 24 0013 99996308	2.08	CA 22 0270 CA 22 0468	124	3	99	4.63	103	-0.20 67	-0.63 50	-1.52 87	0.34 63	0.07 74	-0.17 68	2.02 32	0.52 32	96
CA 24 0018 99996340	2.51	CA 22 0301 CA 20 0014	143	5	108	10.34	112	1.89 71	-0.09 55	1.56 98	0.27 69	0.24 78	0.99 73	1.85 47	1.17 47	19
CA 24 0028 99996449	1.80	CA 22 0270 CA 22 0307	95	1	104	8.01	109	1.72 69	-0.21 52	3.42 95	0.11 68	0.88 77	1.57 72	2.95 40	1.03 40	43
CA 24 0034 99996506	2.08	CA 22 0240 CA 22 0463	91	1	90	-3.21	90	-1.70 62	-0.20 42	-2.19 96	0.15 61	1.07 73	6.67 66	-0.40 29	0.46 29	168
CA 24 0036 99996522	2.08	CA 22 0270 CA 22 0480	92	1	98	4.48	103	0.33 62	-0.15 44	0.78 97	0.00 61	-0.35 73	6.98 66	2.02 32	0.52 32	101
CA 24 0041 99996605	2.00	CA 22 0270 CA 20 0396	106	3	97	3.28	101	-0.13 66	-0.09 49	-1.25 98	0.04 63	-0.72 74	-6.87 68	1.79 32	0.56 32	118
CA 24 0049 99996704	1.52	CA 22 0301 CA 18 0109	117	4	95	2.53	100	0.91 70	-0.11 52	1.74 98	-0.03 68	0.45 77	3.92 72	-0.14 40	0.43 39	145
CA 24 0063 99996886	2.08	CA 22 0270 CA 22 0456	102	2	95	1.97	99	1.45 65	0.09 47	1.74 102	0.05 62	1.01 74	5.12 67	2.02 32	0.52 32	141
CA 24 0064 99996902	2.08	CA 22 0270 CA 22 0456	102	2	102	7.29	107	2.24 65	0.23 47	4.14 105	-0.07 62	0.14 74	-0.79 67	2.02 32	0.52 32	62

Young Ewes



EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding values
Breeding values with an accuracy of less than 5% are not

Ewes born since 2020 with a weaning weight and wool test, no progeny, with both parents known.

Animal Information		Parents			Selection Indices			EBV - Weights						EBV - Wol						EBV - Fertility				Rank
Animal ID Regnr	% In- breeding	Sire ID Dam ID	DAM REPROD :		SIP	GM	Weaning Weight				Body Weight		CFW		FD		SL	NLW		TWW				
			EPI	Times lambded			Dir	Mat	Weight	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index			
			EBV	Index	EBV	Index	EBV	Index	EBV	Index	EBV	Index	EBV	Index	EBV	Index	EBV	Index	EBV	Index				
		Active Breed Average :			100.7	2.8	100	0.54		0.01		0.56		0.03		-0.14		0.50	0.46		0.27			
CA 24 0083 99997009	2.21	CA 22 0301 CA 21 0416	124	4	92	-0.08	95	0.69 67	-0.48 101	0.67 65	101	0.18 62	1.46 74	0.91 67	101	0.25 32	0.31 32	101				162		
CA 24 0084 99997025	2.21	CA 22 0301 CA 21 0416	124	4	83	-6.85	84	-0.89 67	-0.08 87	-0.94 65	90	-0.02 62	1.75 74	1.54 67	103	0.25 32	0.31 32	101				172		
CA 24 0086 99997066	3.79	CA 22 0270 CA 22 0356	101	3	109	12.87	117	2.38 69	-0.14 117	2.16 70	110	0.10 68	-0.98 77	-3.97 72	88	3.93 38	1.13 38	110				10		
CA 24 0093 99997124	1.51	CA 22 0270 CA 22 0243	94	2	96	2.92	100	1.81 69	-0.50 112	1.14 70	104	0.20 68	0.62 77	3.68 72	108	-0.13 42	-0.02 42	97				133		
CA 24 0116 100002088	2.21	CA 22 0301 CA 21 0425	120	3	92	0.68	97	-0.83 66	-0.09 87	0.28 64	98	-0.06 63	0.02 72	-4.29 103	87	0.25 32	0.31 32	101				154		
CA 24 0126 99997421	3.24	CA 22 0301 CA 21 0248	127	4	92	1.47	98	0.24 70	-0.38 97	1.06 70	103	0.13 68	0.90 77	4.29 72	110	3.49 40	0.21 40	99				163		
CA 24 0145 99997561	4.45	CA 22 0301 CA 21 0217	120	3	96	3.37	101	0.35 70	-0.10 98	1.15 70	104	0.14 68	0.43 77	-1.84 72	94	0.38 41	0.19 41	99				132		
CA 24 0170 99997785	2.21	CA 22 0182 CA 21 0383	102	2	99	5.05	104	0.58 64	0.68 100	2.91 65	115	0.13 63	1.00 74	-1.72 68	94	0.80 30	0.44 30	102				94		
CA 24 0181 99997868	2.00	CA 22 0182 CA 20 0372	103	3	94	1.99	99	0.33 65	0.91 47	3.66 65	120	-0.23 63	0.66 74	-6.38 68	82	0.99 31	0.51 31	103				147		
CA 24 0187 99997942	2.00	CA 22 0182 CA 20 0383	115	4	99	5.27	104	1.26 66	0.40 107	2.71 66	114	0.07 63	0.44 74	-3.85 68	89	0.44 31	0.31 31	101				95		
CA 24 0191 99997983	1.72	CA 22 0182 CA 20 0103	103	4	97	4.09	102	0.57 70	-0.91 51	1.68 70	107	0.26 67	1.15 77	3.10 72	107	0.97 38	0.33 38	101				124		
CA 24 0203 99998122	2.00	CA 22 0270 CA 20 0364	109	3	99	5.18	104	1.25 66	0.15 107	1.57 65	107	0.09 65	0.13 73	1.16 67	102	1.17 33	0.41 33	102				89		
CA 24 0204 99998148	2.00	CA 22 0270 CA 20 0364	109	3	95	2.18	99	0.85 66	0.17 103	0.17 65	98	0.05 65	0.13 73	2.23 67	105	1.17 33	0.41 33	102				139		
CA 24 0206 99998163	14.14	CA 22 0240 CA 22 0192	92	1	107	6.63	106	1.28 67	-0.20 107	1.07 69	103	0.35 66	-0.24 77	5.68 71	114	-4.31 39	-0.47 39	91				30		
CA 24 0213 99998221	4.92	CA 22 0240 CA 22 0282	101	2	111	13.06	117	1.73 69	0.24 111	2.63 69	113	0.31 67	0.50 77	4.22 71	110	2.23 37	1.54 36	115				7		
CA 24 0220 99998320	2.19	CA 22 0182 CA 21 0072	95	2	109	13.40	117	2.62 68	0.05 101	4.31 69	124	0.28 67	-0.24 77	-2.92 71	91	0.22 37	0.26 37	100				14		

Young Ewes



EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding values
Breeding values with an accuracy of less than 5% are not

Ewes born since 2020 with a weaning weight and wool test, no progeny, with both parents known.

Animal Information		Parents			Selection Indices			EBV - Weights						EBV - Wol						EBV - Fertility				Rank	
Animal ID Regnr	% In- breeding	Sire ID Dam ID	DAM REPROD :		SIP	GM	Weaning Weight				Body Weight		CFW		FD		SL	NLW		TWW					
			EPI	Times lambded			Dir	Mat	Weight	Weight	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc		Index		
							EBV			EBV		EBV		EBV		EBV		EBV		EBV					
							Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index					
		Active Breed Average :			100.7	2.8	100			0.54		0.01		0.56		0.03		-0.14		0.50		0.46		0.27	
CA 24 0240 99998528	1.85	CA 22 0182 CA 20 0093	94	3	103	8.62	110		1.36 69	-0.40 108	50	92		1.46 70	0.29 67	0.46 116	77	4.37 110	72	2.62 38	0.87 108	38	107	58	
CA 24 0247 99998585	17.78	CA 22 0240 CA 22 0407	94	1	107	6.30	106		0.62 68	-0.28 101	49	94		2.41 69	0.29 67	0.35 116	77	4.39 110	71	-3.76 40	-0.32 84	40	93	27	
CA 24 0255 99998643	2.08	CA 22 0240 CA 22 0477	95	1	91	-1.98	92		0.08 63	0.78 96	44	116		1.98 65	-0.16 62	1.26 88	-10.88 74	-10.88 122	67	-0.40 29	0.46 97	29	102	164	
CA 24 0260 99998684	1.35	CA 22 0301 CA 20 0152	100	3	105	10.17	112		1.70 69	0.01 111	52	100		2.47 70	0.09 68	-0.04 103	-2.51 72	-2.51 92	2.37 40	1.25 107	40	112	35		
CA 24 0269 99998767	1.06	CA 22 0270 CA 17 0238	101	3	87	-3.43	90		-0.90 70	-0.28 86	54	94		-0.21 70	-0.11 68	0.94 77	0.56 117	72	3.58 40	0.52 112	39	103	170		
CA 24 0286 99998908	1.37	CA 22 0182 CA 16 0062	146	6	86	-3.03	90		0.22 70	0.07 97	53	101		-0.30 70	0.00 68	0.89 77	-0.55 116	72	-1.43 38	0.13 93	38	98	171		
CA 24 0299 99999021	2.00	CA 22 0182 CA 20 0400	94	4	99	2.61	100		0.98 64	-0.25 104	45	95		0.83 64	0.14 61	0.02 107	-3.98 73	-3.98 103	66	-2.13 34	-0.29 90	34	93	92	
CA 24 0314 99999146	1.87	CA 22 0240 CA 22 0336	93	1	109	12.11	115		2.78 68	0.33 121	50	107		4.70 69	0.07 67	0.04 103	-5.31 71	-5.31 85	1.15 40	0.89 103	40	108	12		
CA 24 0317 99999187	2.08	CA 22 0240 CA 22 0443	98	3	98	3.24	101		0.02 64	-0.29 95	46	94		0.03 64	0.09 61	-0.01 103	2.61 66	2.61 106	-0.40 29	0.46 97	29	102	100		
CA 24 0322 99999229	6.52	CA 22 0240 CA 22 0254	105	3	100	4.78	103		0.19 68	0.22 97	49	105		-1.12 69	0.17 66	-0.04 108	-1.36 77	-1.36 102	71	-0.40 37	1.04 97	37	109	78	
CA 24 0324 99999260	2.08	CA 22 0240 CA 22 0452	107	3	97	2.15	99		0.65 65	-0.27 101	47	94		0.84 65	0.22 62	1.26 112	-1.13 74	-1.13 122	67	-0.40 29	0.46 97	29	102	112	
CA 24 0327 99999302	2.14	CA 22 0270 CA 22 0113	91	1	97	2.62	100		0.79 68	-0.42 102	51	91		-0.05 69	0.01 67	-0.43 77	-4.66 96	-4.66 87	0.84 38	0.25 101	38	100	116		
CA 24 0352 99999526	1.36	CA 22 0182 CA 20 0192	97	3	112	15.28	121		2.40 69	0.00 118	51	100		4.90 70	0.24 68	0.25 113	-0.71 77	-0.71 106	72	1.10 42	1.19 102	42	111	3	
CA 24 0364 99999641	2.08	CA 22 0270 CA 22 0460	103	2	100	5.60	105		1.26 65	0.27 107	47	106		1.90 64	0.15 61	0.51 107	-0.52 73	-0.52 110	66	2.02 32	0.52 106	32	103	84	
CA 24 0386 99999849	1.48	CA 22 0182 CA 21 0277	97	4	103	8.91	110		1.45 69	-0.20 109	49	96		3.18 69	0.27 67	0.42 114	-1.38 77	-1.38 109	71	2.08 38	0.23 106	38	100	50	
CA 24 0393 99999922	1.19	CA 22 0301 CA 20 0221	132	5	95	0.76	97		0.51 71	0.27 100	54	106		1.56 70	-0.14 68	0.51 77	-3.68 110	-3.68 89	72	1.37 44	0.60 103	44	104	140	

Young Ewes



EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding values
Breeding values with an accuracy of less than 5% are not

Ewes born since 2020 with a weaning weight and wool test, no progeny, with both parents known.

Animal Information		Parents			Selection Indices			EBV - Weights						EBV - Wol						EBV - Fertility				Rank
Animal ID Regnr	% In- breeding	Sire ID Dam ID	DAM REPROD :		SIP	GM		Weaning Weight				Body Weight		CFW	FD		SL		NLW		TWW			
			EPI	Times lambded				Dir	Mat															
			EBV	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index		
		Active Breed Average :			100.7	2.8	100	0.54		0.01		0.56		0.03	-0.14		0.50		0.46		0.27			
CA 24 0397 99999963	1.77	CA 22 0270 CA 22 0300	92	3	97	2.36	99	0.58 69	-0.36 100	52	92	1.63 70	107	0.04 67	0.94 77	-0.56 97	1.56 41	0.64 104	105	119				
CA 24 0399 10000009	2.08	CA 22 0240 CA 22 0454	98	2	101	5.50	104	2.10 63	0.61 115	44	113	1.90 64	109	0.02 61	-0.07 73	-0.52 97	-0.40 29	0.46 97	102	73				
CA 24 0400 10000025	2.17	CA 22 0301 CA 21 0126	122	4	97	3.58	101	1.50 70	-0.29 109	52	94	1.24 70	104	0.01 68	-0.15 77	-1.84 100	0.80 39	0.19 99	99	123				
CA 24 0403 10000066	2.08	CA 22 0240 CA 22 0451	120	3	92	-1.75	93	-0.04 66	0.47 95	48	110	-0.20 65	95	-0.14 62	0.23 74	-0.51 97	-0.40 30	0.39 97	102	156				
CA 24 0405 100000108	2.19	CA 22 0301 CA 19 0245	153	6	98	5.20	104	-0.13 70	0.00 94	53	100	0.47 70	99	0.32 67	0.65 77	0.71 101	1.25 40	0.46 103	102	103				
CA 24 0406 100000124	2.00	CA 22 0301 CA 20 0376	139	5	93	2.05	99	-0.87 68	0.06 87	51	101	-0.85 66	91	0.19 64	0.40 75	-1.53 95	1.48 33	0.50 104	103	152				
CA 24 0418 100000280	2.15	CA 22 0301 CA 19 0169	93	4	95	3.32	101	1.11 69	-0.39 105	51	92	2.49 69	112	0.14 67	0.60 77	0.45 71	-1.99 38	-0.29 91	93	136				
CA 24 0429 100000363	2.76	CA 22 0182 CA 17 0052	145	6	99	5.58	105	0.62 70	-0.08 101	53	98	3.37 71	118	0.28 68	1.80 77	3.10 107	2.08 41	0.52 106	103	93				
CA 24 0433 100000421	2.21	CA 22 0301 CA 21 0403	96	3	102	7.92	108	0.68 65	-0.09 101	47	98	2.26 65	111	0.21 62	0.14 74	-0.09 104	0.11 32	0.36 99	101	64				
CA 24 0434 100000447	2.79	CA 22 0270 CA 22 0373	108	3	97	2.12	99	1.00 69	-0.32 104	52	93	1.39 70	105	0.11 67	0.63 77	0.18 97	0.60 41	0.06 101	98	126				
CA 24 0448 100000546	2.76	CA 22 0182 CA 20 0352	106	4	103	8.44	109	1.97 69	0.00 113	51	100	4.15 70	123	0.14 68	0.83 77	1.97 104	0.46 39	0.60 100	104	52				
CA 24 0456 100000645	3.74	CA 22 0301 CA 21 0091	92	2	92	0.51	96	0.99 69	-0.11 104	51	98	1.90 68	109	0.04 67	1.09 76	-3.70 89	0.87 39	0.12 102	98	161				
CA 24 0461 100000660	1.84	CA 22 0182 CA 20 0213	104	4	102	7.73	108	0.34 69	-0.10 98	51	98	0.55 70	100	0.29 68	0.48 77	-4.41 110	1.77 40	1.07 105	110	67				
CA 24 0464 100005602	7.36	CA 22 0182 CA 19 0252	135	6	104	9.98	112	2.02 70	-0.87 114	52	82	1.82 70	108	0.52 68	0.55 77	-3.88 111	0.14 40	0.15 99	99	44				
CA 24 0473 100000801	2.20	CA 22 0182 CA 18 0220	103	4	103	9.32	111	0.99 70	-0.32 104	51	93	2.90 70	115	0.19 68	-0.61 77	3.74 93	-2.50 40	-0.21 89	94	51				
CA 24 0484 100000843	3.23	CA 22 0301 CA 21 0357	92	2	89	-1.61	93	-0.06 69	0.29 94	50	106	1.43 70	106	-0.08 67	0.58 77	-1.88 94	-0.85 39	-0.22 95	94	169				

Young Ewes (with known parents) average :	98.8	4.4	103	0.77	-0.09	1.35	0.12	0.39	-0.21	0.81	0.44	
---	------	-----	-----	------	-------	------	------	------	-------	------	------	--