



BOERBOK GENETIC REPORT

21 September 2026



TWO THORNS BOERBOKKE

FDM : 2058



**CERTIFICATE
OF QUALITY**

Valid up to
October 2029

General Information

This **Genetic Report** of your flock enables you to determine the genetic merit and potential of the animals in your herd relative to that of the breed. An animal's performance is determined by two factors, namely the environment and genetics. Good nutrition and management can improve performance, but an animal cannot perform better than its genetic potential. Superior performance due to the environment cannot be carried over to the next generation. It is therefore extremely important not to neglect genetic progress of your flock. Due to the interaction between environment and genetics, it is difficult to identify genetically superior animals on performance data. Estimated Breeding Values (EBVs) are therefore predicted for every animal to determine its genetic potential, as well as its worth as a parent for the next generation. Through the use of EBVs, animals can be compared fairly **within the breed**, therefore across herds, years and production systems. Results presented in this report allow the breeder to identify the underlying genetics of the animals.

Genetic parameters

Genetic parameters (heritability and genetic correlations) are estimated on a breed-basis and are required for the prediction of breeding values. The **heritability** refers to the portion of the variation of a trait in a population that is due to transferrable genetics (the rest of the variation can be attributed to the environment and non-transferrable genetics). Some traits are genetically correlated, which means that a change in one trait will lead to changes in other traits. The strength of this association amongst traits is referred to as a **genetic correlations** and can be desirable or undesirable.

Breeding Values

The prediction of EBVs makes use of performance recordings of the animal as well as those of its relatives, pedigree information and genetic parameters. The deviation of the animal's measurement relative to the average of its contemporary group, forms the basis for identifying the animal's genetic potential for the trait. A **contemporary group** is a group of animals that have been exposed to the same environmental and biological effects, including herd, year, sex and age effects. After adjusting for differences in these effects, animals can fairly be compared and the difference in performance that still persist are then assumed to be due to differences in the genetic merit of the animals.

The EBV predicted for an animal at birth and until it has been measured, is the average EBV of its parents, since the animal received half of its genes from each parent. This mid-parent value makes the assumption that the same half of the parents' genes are carried over to all their offspring. In reality, each offspring receives a random sample of each parent's genes,

therefore mid-parent EBVs are still of low accuracy, but it does indicate the genetic level that can be expected due its parental history. An animal's true genetic merit can be predicted more accurately as more information becomes available, eg. when the animal has been measured or when the number of relatives with measurements increases. Estimated breeding values therefore change over time as more information becomes available. EBVs of animals are published with an **accuracy** (%), which indicates how much information was available for the estimation of breeding values and therefore the confidence with which a breeder can use it. Factors that influence the accuracy of an EBV are the heritability of the trait, the number of measured relatives, the size of the contemporary group, the precision with which the measurements were taken and the completeness of pedigree information. An EBV with an accuracy of 85% or more is less likely to change significantly with subsequent genetic analyses.

Interpretation of breeding values

EBVs are expressed around a **base year** (5 years ago), which means that the average breeding value of the base year is set as zero and all breeding values are expressed relative to this average. An animal with an EBV of +1kg for weaning weight is therefore genetically superior by 1kg compared to an average animal born in the base year. EBVs therefore express genetic merit of animals relative to each other. The true performance of an animal cannot be calculated from the EBV, but it enables the breeder to know which animals will make a better contribution to the next generation. For easier interpretation EBVs are also expressed as breeding value indices. For these indices the average value of the **active population** is set as 100 with a standard deviation of 12. An index of 76 therefore indicates that the animal is 2 standard deviations below the average and an index of 112 indicates that the animal is 1 standard deviation above the average of the active population for the specific trait. Please note that negative EBVs are favourable for Inter-Lambing Period and Age at First Lambing, therefore shorter inter-lambing periods and younger ages at first lambing indicates better fertility. However, breeding value indices are expressed in the same way for all traits, therefore higher indices indicates desirability for the traits and lower indices are undesirable. This makes it easy to identify superior animals for all traits.

The data used in this evaluation has been obtained from LOGIX, as supplied by breeders. Everything possible had been done to present the information correctly. SA Stud Book does not take any responsibility for the use and interpretation of the information from this publication.

Selection Indices

It is easy to select on a single trait, but that is not the best approach to follow. Selecting on only one trait can lead to the deterioration of performance in other traits due to genetic correlations. There are different traits that are important, some being more important than others. A selection index combines multiple traits, each with an economic weight to take the different levels of importance into account. EBVs for different traits cannot simply be added together, since the unit of measurement and range of the values differ and in some cases negative values are favoured. These factors are accounted for in the compilation of a selection index. An overall selection index includes EBVs of all the traits of economic importance, while other selection indices are more focused on specific breeding objectives. Selection indices are expressed around 100, with 100 being the average of the active population, with a standard deviation of 12. A selection index of 124 is therefore 2 standard deviations above the average and an index of 88 is one standard deviation below the average of the active animals of the population.

Two Indices are constructed for the Boer Goat breed, namely the Logix Merit Index and the Reproduction Index. These indices, their purpose and the contribution of the different traits to the indices are summarised as follows :


Logix Merit Index (LMI)

This index combines all the traits to select for a balanced, profitable animal that is fertile and delivers a desirable level of production. Selection based on the LMI will lead to breeding of balanced animals that will have the genetic potential to wean at a heavier weight (both due to its own potential and having dams that produce sufficient milk), lambs at an early age, lambs regularly and give multiple lambs. This value is especially important for sustainability, which requires the selection of good, productive replacement animals for the flock.

The LMI is constructed as follows :

$$LMI = (0.1375 * AFL) + (0.0825 * ILP) + (0.216 * Wean Dir) + (0.144 * Wean Mat) + (0.33 * N_Lambs_Weaned) + (0.09 * Post-Wean Dir)$$

Schematically the LMI can be explained as follows :



Reproduction Index (RI)

This index includes Weaning Maternal, Number of Lambs Weaned, Age at First Lambing and Inter-lambing Period. This is especially an important index to consider in the development of a dam line.

The RI is constructed as follows :

$$(0.2 * AFL) + (0.2 * ILP) + (0.3 * Wean Mat) + (0.3 * N_Lambs_Weaned)$$

Schematically it can be explained as follows :



It is always important to consider the traits that contribute to the index individually when selection of animals is based on indices. It sometimes happen that an animal receives a good index due to its exceptional genetic merit of a specific trait, while some of the other traits of the animal in the index might be at undesirable levels for the specific flock's breeding objective, but masked in the index due to the exceptionality of that trait. A sound procedure is to rank animals based on the relevant selection index and then eliminate animals from the list that do not conform towards the flock's breeding objectives when considering the individual traits. Make use of all the available information.

Active Genetic Levels

Genetic Averages : Breeding Values

Trait	Flock			Breed		
	All	Rams	Ewes	All	Rams	Ewes
Weaning Weight Direct	-0.53	-0.48	-0.55	-0.06	-0.01	-0.09
Weaning Weight Maternal	0.00	-0.04	0.02	-0.02	-0.03	-0.02
Weaning Weight Combined	-0.27	-0.28	-0.26	-0.06	-0.03	-0.07
Post-wean Weight	-0.10	0.09	-0.18	0.50	0.58	0.45
Number Lambs Weaned	-0.44	-0.75	-0.31	-0.36	-0.55	-0.26
Total Weight Weaned	-0.79	-0.97	-0.72	-0.31	-0.37	-0.27
Age at First Lambing	0.75	1.82	0.29	-0.30	-0.22	-0.35
Inter-lambing Period	-0.17	-0.52	-0.02	0.15	0.19	0.13
Selection Indices						
Logix Merit Index	98	97	98	101	100	101
Reproduction Index	102	100	102	102	101	102
Inbreeding						
Inbreeding (%)	3.32	3.51	3.24	5.54	5.93	5.34
Number of Animals						
Number of Animals	128	37	91	49286	16616	32526

** Averages of all active animals in the flock.

Breeding Value Indices

Trait	Flock **		
	All	Rams	Ewes
Weaning Weight Direct	93.8	94.4	93.5
Weaning Weight Maternal	100.8	99.7	101.2
Weaning Weight Comb	95.7	95.5	95.8
Post-wean Weight	95.0	96.2	94.5
Number Lambs Weaned	101.3	99.8	101.9
Total Weight Weaned	97.9	96.9	98.4
Age First Lambing	98.8	97.4	99.4
Interlambing Period	102.3	103.3	101.9
Selection Indices			
Logix Merit Index	97.8	96.8	98.2
Ewe Index	101.6	100.1	102.2
Growth Index	94.5	95.4	94.1
Inbreeding			
Inbreeding (%)	3.32	3.51	3.24
Number of Animals			
Number of Animals	128	37	91

** Averages of all active animals in the flock.

Inbreeding

Inbreeding primarily leads to decreased fertility and low survivability of lambs. The effects of inbreeding can be observed from 6.25% onwards. It is therefore highly recommended to record pedigree information as accurately and completely as possible and to use a selection programme for selection of unrelated rams.

Incomplete or incorrect pedigree information can be reported to SA Stud Book. Inbreeding is dependent on pedigree information. Conventional methods for the Calculation of inbreeding coefficients usually assume that unknown parents are unrelated. However, this is usually far from the truth. An algorithm is used for the calculation of inbreeding, where the average inbreeding coefficient is assigned to unknown parents based on the generation in which they were born. This result is a more accurate reflection of inbreeding of the herd and breed.

Inbreeding Levels for Specific Matings


Progeny with Parents :	25%
Full Brother x Full Sister :	25%
Half Brother x Half Sister :	12.5%
One Common Grandparent :	6.25%
One Common Great-Grandparent :	3.125%

Level and Rate of Inbreeding

Year of Birth	Level* (%)	Rate (% / year)
2015 - 2026	3.45	0.05
Recommended:	< 6.25	< 0.1 - 0.2

*Of the last year of birth

Average Inbreeding per Year of Birth




Pedigree Information

	Number	%
Known Sires	119	93
Known Dams	116	91

Note: Inbreeding can be under-estimated if pedigree information is incomplete or incorrect

Genetic Windows



WWd: Weaning Weight Direct
WWm: Weaning Weight Maternal
WWc: Weaning Weight Combined
PoW: Post-Wean Weight
L-wean: Number of Lambs Weaned
TWW: Total Weight Weaned
AFL: Age at First Lambing
ILP: Inter-lambing Period
RI: Reproduction Index
LMI: Logix Merit Index

The genetic windows allow a quick overview of the genetic status of the flock compared to the breed. The values presented here are the average EBV indices of all the active animals of the flock, of the dams and sires of the active animals of the flock, as well as of the ewes and rams that are younger than 2-years old. An index of 100 is equal to the average of the active measured population. Due to the higher selection intensity on rams (selection is more strict since a much smaller percentage of young animals are retained in the flock), the expectation is for the average index of the sires to be higher than that of the dams.

Remember that the EBV index for AFL and ILP are presented in such a way that an index above 100 indicates animals that have a lower EBV for these traits.

Genetic Windows


Dams

Number: 41




Sires

Number: 9




Young Ewes

Number: 44



Young Rams


Number: 37




Genetic Trends

Genetic trends are based on measured animals that were bred by the specific breeder.


Weaning Weight Direct




Wean Weight Maternal




Weaning Weight Combined




Post-weaning Weight



Number of Lambs Weaned




Total Weight Weaned (TWW)






Genetic Trends

Genetic trends are based on measured animals that were bred by the specific breeder.



For AFL and ILP flock genetic trends below breed averages are desirable.



Genetic Trends of Breed

Birth year	Weaning Weight				Post-wean	Lambs Weaned		TWW	AFL		ILP		RI		LMI			
	EBV					EBV			EBV		EBV		EBV		EBV			
	Number	Dir	Mat	Comb		Number	EBV		Number	EBV	Number	EBV	Number	EBV	Number	EBV	Number	EBV
2013	1336	-0.37	0.02	-0.17	108	0.51	508	0.24	1336	100	1078	-2.27	653	0.70	1336	103	1336	100
2014	1007	-0.37	-0.07	-0.26	58	-0.17	671	0.13	1007	99	1072	-1.16	661	0.26	1007	100	1007	97
2015	1626	-0.20	0.08	-0.02	233	1.23	705	0.74	1626	104	1180	-1.69	715	0.18	1626	106	1626	104
2016	1804	-0.26	0.04	-0.09	239	0.72	791	0.07	1804	102	1291	-1.49	887	0.13	1804	104	1804	102
2017	2163	-0.29	-0.02	-0.17	313	1.21	825	0.29	2120	99	1404	-1.53	992	0.29	2120	102	2120	99
2018	2547	-0.28	0.07	-0.07	236	0.58	909	0.35	2519	101	1853	-0.08	1275	-0.77	2519	104	2519	101
2019	2144	-0.01	0.02	0.01	254	0.24	889	0.13	2138	102	2101	-0.70	1389	0.07	2138	102	2138	102
2020	2459	-0.10	0.04	-0.01	436	-0.69	864	0.14	2459	102	2740	-0.11	1744	-0.19	2459	102	2459	101
2021	1759	0.00	0.00	0.00	330	0.00	823	-0.01	1759	103	3094	0.00	1960	0.00	1759	104	1759	104
2022	2519	-0.07	0.05	0.02	427	0.54	802	-0.40	2519	102	3449	-0.76	1843	0.46	2519	103	2519	102
2023	2896	-0.17	0.05	-0.03	465	-0.06	570	-0.16	2894	101	3098	-0.57	1076	0.57	2894	103	2894	101
2024	3036	0.04	-0.06	-0.04	414	1.29	196	-0.35	3035	100	1825	-1.17	154	0.85	3035	100	3035	100
2025	2284	0.15	-0.01	0.07	476	1.04			2283	103	82	-1.16			2283	101	2283	102

Genetic Trends of Flock

Birth year	Weaning Weight EBV				Post-Wean	Lambs Weaned		TWW	AFL		ILP	RI		LMI
	Number	Dir	Mat	Comb		Number	EBV		Number	EBV		Number	EBV	
2018						3	2.10							
2019						1	0.90							
2020						2	1.70							
2021						7	1.49		3	-1.36	3	-1.37		
2022						12	1.09		11	-2.58	9	-0.33		
2023	29	-0.79	0.20	-0.20	18	-0.47	29	96	13	-0.38	9	1.62	29	102
2024	39	-0.64	0.06	-0.27			39	100	5	-0.11	1	-5.43	39	105
2025	4	-0.55	-0.01	-0.29			4	101					4	108

Breeding Value & Selection Index Percentiles

The percentiles indicate the ranking of the animals' EBVs and Selection Indices within the active population.

For example, if an animal's EBV for a specific trait falls between the maximum and 99% percentile of the trait, it means that this animal ranks in the top 1% of the active population, or this animal's genetic merit for the trait is better than 99% of that of the active population.

Should the EBV for a specific trait falls between the 5% and 10% percentile, it means that the animal ranks in the bottom 10% of the active population for the specific trait, or the animal's genetic merit is worse than 90% of the active population.

Note that the percentiles for Age at First Lambing and Inter-lambing Period EBVs work on the reverse scale.

All Active Animals

Trait	AVG	SA*	Min	Percentiles (%)															Max
				1	5	10	20	25	30	40	50	60	70	75	80	90	95	99	
Weaning Weight Direct	-0.06	0.74	-4.91	-1.74	-1.04	-0.83	-0.65	-0.57	-0.48	-0.32	-0.16	0.02	0.22	0.35	0.51	0.91	1.28	2.04	4.89
Weaning Weight Maternal	-0.02	0.33	-2.29	-0.90	-0.58	-0.43	-0.26	-0.20	-0.15	-0.07	0.00	0.06	0.11	0.15	0.20	0.35	0.49	0.86	2.30
Weaning Weight Combined	-0.06	0.49	-2.89	-1.24	-0.79	-0.58	-0.39	-0.33	-0.28	-0.21	-0.12	-0.01	0.12	0.20	0.29	0.58	0.84	1.32	3.11
Post-Wean Weight	0.50	1.23	-7.95	-2.29	-1.01	-0.67	-0.42	-0.31	-0.19	0.05	0.33	0.61	0.96	1.14	1.38	1.99	2.60	4.25	12.54
Number of Lambs Weaned	-0.36	2.06	-13.10	-5.70	-4.20	-3.30	-2.20	-1.70	-1.30	-0.50	0.10	0.60	1.10	1.30	1.40	1.60	2.00	3.80	11.20
Total Weight Weaned	-0.30	1.53	-9.52	-4.12	-2.96	-2.34	-1.52	-1.22	-0.94	-0.48	-0.12	0.16	0.38	0.52	0.74	1.37	2.06	3.69	8.21
Age at First Lambing	-0.30	-6.96	62.93	17.45	10.46	7.50	4.40	3.30	2.43	0.97	-0.37	-1.47	-2.89	-3.74	-4.73	-7.80	-10.96	-19.95	-75.66
Interlambing Period	0.15	-3.66	23.72	9.96	6.51	4.87	2.99	2.35	1.75	0.75	-0.15	-0.94	-1.75	-2.21	-2.71	-4.10	-5.38	-8.00	-21.68
Reproduction Index	102	10	49	75	84	88	94	96	98	101	103	105	107	108	109	112	114	121	146
Logix Merit Index	101	9	62	79	85	89	94	95	97	100	102	103	105	106	107	111	116	126	147

*SD : Standard Deviation. An indicator of how far breeding values/selection indices are distributed around the average.

Breeding Value & Selection Index Percentiles

All Active Rams

Trait	AVG	SA*	Min	Percentiles (%)															Max
				1	5	10	20	25	30	40	50	60	70	75	80	90	95	99	
Weaning Weight Direct	-0.01	0.75	-4.91	-1.73	-0.99	-0.78	-0.60	-0.51	-0.41	-0.26	-0.09	0.07	0.30	0.42	0.57	0.96	1.32	2.10	3.75
Weaning Weight Maternal	-0.03	0.31	-1.73	-0.81	-0.55	-0.42	-0.26	-0.20	-0.16	-0.08	-0.01	0.05	0.11	0.14	0.19	0.33	0.45	0.76	1.79
Weaning Weight Combined	-0.03	0.46	-2.44	-1.09	-0.69	-0.51	-0.36	-0.31	-0.26	-0.19	-0.10	0.01	0.14	0.21	0.29	0.57	0.82	1.25	2.18
Post-Wean Weight	0.58	1.24	-7.95	-2.36	-0.94	-0.60	-0.33	-0.22	-0.10	0.17	0.45	0.71	1.06	1.24	1.48	2.06	2.64	4.24	12.54
Number of Lambs Weaned	-0.55	2.07	-8.30	-5.70	-4.40	-3.60	-2.40	-2.00	-1.50	-0.80	-0.20	0.40	0.80	1.10	1.30	1.60	1.90	3.60	8.30
Total Weight Weaned	-0.37	1.55	-5.94	-4.10	-3.06	-2.47	-1.65	-1.33	-1.05	-0.55	-0.18	0.11	0.37	0.50	0.72	1.35	2.01	3.69	7.18
Age at First Lambing	-0.22	-6.62	39.94	16.34	10.21	7.43	4.48	3.42	2.57	1.12	-0.29	-1.47	-2.85	-3.69	-4.63	-7.53	-10.44	-18.29	-65.44
Interlambing Period	0.19	-3.45	20.34	9.44	6.20	4.66	2.89	2.30	1.73	0.78	-0.11	-0.90	-1.67	-2.11	-2.61	-3.86	-4.98	-7.30	-14.85
Reproduction Index	101	9	55	76	83	88	93	95	97	100	103	105	107	108	109	111	114	120	135
Logix Merit Index	100	9	65	79	85	88	93	95	97	99	101	103	105	106	107	111	116	126	144

All Active Ewes

Trait	AVG	SA*	Min	Percentiles (%)															Max
				1	5	10	20	25	30	40	50	60	70	75	80	90	95	99	
Weaning Weight Direct	-0.09	0.74	-3.89	-1.74	-1.07	-0.86	-0.67	-0.60	-0.51	-0.36	-0.20	-0.02	0.19	0.31	0.47	0.88	1.27	2.00	4.89
Weaning Weight Direct	-0.02	0.34	-2.29	-0.94	-0.59	-0.44	-0.27	-0.20	-0.15	-0.07	0.00	0.06	0.12	0.16	0.21	0.37	0.52	0.89	2.30
Weaning Weight Combined	-0.07	0.50	-2.89	-1.31	-0.83	-0.62	-0.41	-0.34	-0.29	-0.22	-0.13	-0.02	0.11	0.19	0.29	0.58	0.85	1.36	3.11
Post-Wean Weight	0.46	1.22	-6.83	-2.27	-1.05	-0.70	-0.46	-0.36	-0.24	-0.01	0.27	0.55	0.90	1.09	1.33	1.96	2.58	4.25	8.78
Number of Lambs Weaned	-0.26	2.05	-13.10	-5.80	-4.10	-3.20	-2.00	-1.60	-1.10	-0.40	0.20	0.70	1.10	1.30	1.50	1.70	2.00	3.90	11.20
Total Weight Weaned	-0.27	1.52	-9.52	-4.15	-2.89	-2.26	-1.45	-1.16	-0.90	-0.44	-0.10	0.19	0.39	0.54	0.75	1.38	2.08	3.69	8.21
Age at First Lambing	-0.34	-7.13	62.93	18.10	10.67	7.55	4.36	3.23	2.34	0.88	-0.38	-1.48	-2.90	-3.76	-4.78	-7.95	-11.29	-20.92	-75.66
Interlambing Period	0.13	-3.78	23.72	10.31	6.69	4.98	3.03	2.38	1.76	0.73	-0.17	-0.94	-1.80	-2.27	-2.76	-4.23	-5.54	-8.30	-21.68
Reproduction Index	102	10	49	74	84	89	94	96	98	101	104	106	108	109	109	112	115	122	146
Logix Merit Index	101	9	62	79	86	89	94	96	97	100	102	103	105	106	107	111	116	126	147

*SD : Standard Deviation. An indicator of how far breeding values/selection indices are distributed around the average.

Rams

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information						Selection Indices		EBV - Weights				EBV - Fertility					
Animal ID		Parents			% In-breeding	Logix Merit Index	Reproduction	Dir	Wean Weight Mat	Comb	Post-Wean	Number Weaned	TWW	AFL	ILP	Dam	
Comp no.								EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EBV Index	EPI	Times Lamed
Active Breed Average:						100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15		
1984	23	0004	1556	21	0021	3.05	101	106	-0.65	-0.26	-0.59	0.01	0.60	-0.55	1.55	-5.99	96
	96045919		1562	20	0002				73	92	47	94	18	106	50	99	36
2058	24	0039	1984	23	0004	3.70	112	104	1.36	-0.16	0.52	2.96	0.70	1.61	1.28	-1.80	117
	106868268		2058	23	0013				57	115	35	97	16	107	39	112	28
2058	24	0051	1984	23	0004	6.30	104	105	0.04	-0.11	-0.10	0.83	0.30	0.10	-2.25	-1.53	88
	106868300		2058	23	0025				44	100	29	98	13	105	31	103	27
2058	25	0033	1984	23	0004	2.90	103	109	-0.58	0.00	-0.29	-0.22	0.70	-0.16	0.82	-4.38	102
	111385050		2058	19	0068				42	93	34	101	11	107	32	102	18
2058	25	0036	1984	23	0004	2.67	103	109	-0.64	-0.01	-0.33	-0.19	1.00	-0.05	0.21	-3.62	112
	111385118		2058	22	0002				43	93	34	101	11	108	32	102	22
2058	25	0037	1984	23	0004	2.67	103	109	-0.64	-0.01	-0.33	-0.19	1.00	-0.05	0.21	-3.62	112
	111384947		2058	22	0002				43	93	34	101	11	108	32	102	22
2058	25	0038	1984	23	0004	3.70	105	108	-0.33	0.17	0.00	0.71	0.70	0.26	1.28	-1.80	117
	111385126		2058	23	0013				47	96	34	105	16	107	35	104	28
2058	25	0040	1984	24	0051	2.90	105	113	-0.14	0.52	0.45	-0.55	0.30	0.56	5.39	-5.12	107
	111384863		2058	21	0011				33	98	30	114	8	105	26	106	20
2058	25	0044	1984	23	0004	2.80	105	111	-0.70	0.22	-0.13	0.60	1.00	0.12	0.70	-3.10	106
	111384814		1962	18	0360				42	92	34	106	10	108	32	103	18
2058	25	0050	1984	23	0004	6.31	102	106	-0.52	-0.23	-0.49	-0.49	0.80	-0.27	-1.71	-3.05	114
	111385019		2058	22	0035				40	94	30	95	10	107	29	101	27
2058	25	0051	1984	23	0004	3.70	98	104	-0.79	-0.05	-0.44	-0.08	0.00	-0.83	0.60	-1.72	91
	111384780		2058	23	0031				46	91	30	100	14	103	32	98	23
2058	25	0054	1984	23	0004	2.90	101	106	-0.75	-0.20	-0.58	-0.30	1.20	-0.23	0.32	-3.00	145
	111384889		1751	19	0401				42	91	32	96	11	109	31	101	18

Rams

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices		EBV - Weights				EBV - Fertility														
Animal ID Comp no.			Parents			% In-breeding	Logix Merit Index	Reproduction	Wean Weight		Post-Wean		Number Weaned	TWW	AFL	ILP	Dam								
									Dir	Mat	Comb						Acc	Index	Acc	Index	Acc	Index	EPI	Times Lambded	
Active Breed Average:							100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15									
2058	25	0057	1984	23	0004	2.91	101	106	-0.56	-0.29	-0.57	-0.98	1.10	-0.19	-0.61	-3.70	92	4							
	111384897		2058	21	0017				38	93	28	93	90	14	89	9	109	27	101	21	101	13	112		
2058	25	0058	1984	23	0004	2.91	101	106	-0.56	-0.29	-0.57	-0.98	1.10	-0.19	-0.61	-3.70	92	4							
	111384848		2058	21	0017				38	93	28	93	90	14	89	9	109	27	101	21	101	13	112		
2058	25	0064	1984	23	0004	3.74	96	104	-0.99	0.06	-0.44	-0.52	-0.70	-1.35	1.59	-3.31	110	3							
	111385092		2058	23	0005				47	89	34	102	93	27	92	17	100	35	95	23	98	15	111		
2058	25	0069	1984	24	0051	2.84	102	109	-0.35	0.32	0.15	-0.50	0.10	0.03	5.80	-4.25	113	5							
	111384921		2058	21	0002				34	96	30	109	103	12	92	8	104	26	103	17	92	11	114		
2058	25	0070	1984	24	0051	2.84	102	109	-0.35	0.32	0.15	-0.50	0.10	0.03	5.80	-4.25	113	5							
	111384830		2058	21	0002				34	96	30	109	103	12	92	8	104	26	103	17	92	11	114		
2058	26	0001	1984	24	0116	2.90	92	94	-0.61	-0.20	-0.51	0.01	-1.40	-1.65	2.50	1.69	145	6							
	114075435		1751	19	0401				41	93	30	96	92	10	96	11	97	30	93	16	97	12	97		
2058	26	0002	1984	24	0116	2.90	88	96	-1.57	-0.01	-0.80	-1.28	-1.40	-2.43	2.50	1.69	145	6							
	114075450		1751	19	0401				53	82	31	101	87	10	87	11	97	35	89	16	97	12	97		
2058	26	0005	1984	24	0116	3.58	90	94	-0.98	-0.23	-0.72	-0.36	-1.60	-2.17	3.12	0.19	100	1							
	114075294		2058	24	0066				53	89	30	95	88	11	93	13	96	35	90	18	96	13	101		
2058	26	0009	1984	24	0116	3.80	93	89	0.65	-0.17	0.16	1.34	-3.70	-1.74	1.85	1.78	103	4							
	114075674		1751	19	0028				55	107	34	97	103	12	104	13	86	37	92	20	97	13	97		
2058	26	0012	1984	24	0116	2.81	91	92	-0.70	-0.25	-0.60	-0.09	-1.40	-1.79	2.64	2.40	117	2							
	114075633		2058	22	0030				53	92	31	95	90	10	95	9	97	34	92	19	96	12	95		
2058	26	0014	1984	24	0116	3.80	91	93	-0.49	0.06	-0.18	0.98	-2.70	-2.04	3.41	2.62	86	2							
	114075302		2058	23	0044				46	94	28	102	97	29	102	13	91	31	91	21	95	14	95		
2058	26	0016	1984	24	0116	5.56	90	96	-1.12	0.05	-0.52	-0.64	-1.70	-2.09	1.89	2.34	100	1							
	114075492		2058	24	0030				56	87	32	102	91	14	91	14	95	37	90	21	97	14	95		
2058	26	0018	1984	24	0116	3.80	89	93	-0.79	0.03	-0.37	0.01	-2.50	-2.26	1.82	3.00	97	3							
	114304611		2058	23	0018				45	91	28	102	94	28	96	16	92	32	89	27	98	16	94		

Rams

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices		EBV - Weights				EBV - Fertility														
Animal ID Comp no.			Parents			% In-breeding	Logix Merit Index	Reproducti on	Wean Weight		Post-Wean		Number Weaned	TWW	AFL	ILP	Dam								
									Dir	Mat	Comb														
								Acc	EBV Index	Acc	EBV Index	EBV Index	Acc	EBV Index	Acc	EBV Index	Acc	EBV Index	EPI	Times Lambded					
			Active Breed Average:				100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15									
2058	26	0019	1984	24	0116	3.80	89	93	-0.79	0.03	-0.37	0.01	-2.50	-2.26	1.82	3.00									
	114304629		2058	23	0018				45	91	28	102	94	28	96	16	92	32	89	27	98	16	94	97	3
2058	26	0021	1984	24	0116	3.83	95	94	0.05	-0.05	-0.02	0.54	-2.00	-1.20	0.64	2.73									
	114075542		2058	23	0002				54	100	32	100	100	13	99	13	94	36	96	20	99	15	94	99	2
2058	26	0028	1984	24	0116	3.44	93	95	-0.42	-0.20	-0.40	0.36	-1.70	-1.63	3.39	-1.03									
	114075260		2058	24	0034				44	95	25	96	93	11	98	10	95	29	93	19	96	14	105		2
2058	26	0030	1984	24	0116	3.78	92	93	-0.39	-0.15	-0.35	0.04	-1.80	-1.62	1.40	3.02									
	114075575		2058	22	0033				40	95	27	97	94	13	96	11	95	28	93	26	98	15	94	96	2
2058	26	0034	1984	24	0116	3.80	89	92	-0.65	-0.05	-0.37	0.23	-2.50	-2.20	2.79	2.96									
	114075583		2058	23	0031				45	92	26	100	94	28	97	14	92	31	90	21	96	15	94	91	2
2058	26	0037	1984	24	0116	3.83	95	93	0.18	-0.12	-0.03	1.15	-2.20	-1.26	-0.07	3.16									
	114075419		2058	23	0025				43	102	26	98	100	26	103	13	93	30	95	26	100	15	93	88	3
2058	26	0038	1984	24	0116	2.87	93	96	-0.52	-0.09	-0.36	0.07	-1.40	-1.46	2.77	1.22									
	114075252		2058	20	0047				36	94	20	98	94	10	96	9	97	24	94	16	96	11	99		1
2058	26	0039	1984	24	0116	2.87	93	96	-0.52	-0.09	-0.36	0.07	-1.40	-1.46	2.77	1.22									
	114075336		2058	20	0047				36	94	20	98	94	10	96	9	97	24	94	16	96	11	99		1
2058	26	0040	1984	24	0116	3.04	93	96	-0.52	-0.09	-0.36	0.07	-1.40	-1.46	2.77	1.22									
	114075427		2058	23	0105				36	94	20	98	94	10	96	9	97	24	94	16	96	11	99		1
2058	26	0041	1984	24	0116	3.31	93	96	-0.52	-0.09	-0.36	0.07	-1.40	-1.46	2.77	1.22									
	114075591		2058	24	0401				36	94	20	98	94	10	96	9	97	24	94	16	96	11	99		1
2058	26	0042	1984	24	0116	3.31	93	96	-0.52	-0.09	-0.36	0.07	-1.40	-1.46	2.77	1.22									
	114075484		2058	24	0401				36	94	20	98	94	10	96	9	97	24	94	16	96	11	99		1
2058	26	0043	1984	24	0116	3.80	96	96	-0.20	0.17	0.07	1.02	-1.80	-1.11	3.46	2.88									
	114075534		2058	23	0013				46	98	31	105	102	28	102	16	95	33	96	27	95	16	94	117	3
Ram Flock Average:							97	100	-0.48	-0.04	-0.28	0.09	-0.75	-0.97	1.82	-0.52									
Number of rams in the flock: 37																									

Ewes

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices		EBV - Weights						EBV - Fertility														
Animal Comp no.				% In- breeding	Logix Merit Index	Repro- duction Index	Dir		Wean Weight		Comb	Post-Wean		Number Weaned		TWW		AFL		ILP		Times EPI Lamberd					
							EBV		EBV		EBV		EBV		EBV		EBV		EBV		EBV		EBV		EBV		Phenotype
							Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Phenotype
Active Breed Average:					100	100	-0.06		-0.02		-0.06		0.50		-0.36		-0.31		-0.30		0.15						
1751 19 0028 91484832	1751 17 0268 1146 14 0089	2.92	94	100	-0.21 49	97	0.30 51	108	0.19 104	-0.47 13	93	-3.00 18	-1.71 43	93	-2.22 24	103	0.18 15	101	103	4							
2058 21 0002 97434005	- - - 2058 19 0068	2.79	106	112	-0.50 41	94	0.28 48	108	0.03 101	-0.41 14	93	1.30 6	0.56 36	106	-0.15 5	100	-1.86 5	107	113	5							
2058 21 0006 97433940	1740 19 0106 - - -	2.79	95	99	-1.38 46	84	-0.71 50	83	-1.40 76	-0.89 11	90	1.40 6	-1.25 38	95	-2.22 17	103	-0.73 11	104	99	3							
2058 21 0011 96754502	1751 19 0301 1509 19 0015	2.90	112	120	-0.08 41	99	0.68 47	118	0.64 111	-0.50 26	92	1.60 5	1.56 34	112	-0.97 22	101	-3.59 15	112	107	5							
2058 21 0017 96717699	1751 19 0301 1751 19 0164	2.90	101	105	-0.47 24	94	-0.33 31	93	-0.56 91	-1.97 24	83	1.60 5	0.16 21	104	-2.77 24	103	-1.41 14	106	92	4							
2058 22 0002 97433981	1740 19 0106 2058 18 0003	2.80	105	111	-0.63 45	93	0.24 49	107	-0.07 99	-0.39 11	93	1.30 12	0.39 39	105	-1.13 27	101	-1.26 17	105	112	3							
2058 22 0008 97434013	1740 19 0106 2058 18 0001	2.80	105	110	-0.68 43	92	0.23 50	107	-0.11 98	-0.30 16	94	1.50 8	0.45 38	105	-5.13 19	106	2.26 17	96	97	4							
2058 22 0021 97434138	2058 21 0001 2058 21 0002	2.84	104	109	-0.26 38	97	0.15 41	105	0.02 101	-0.47 19	93	0.70 11	0.31 33	104	-3.37 25	104	-0.37 15	103	88	1							
2058 22 0023 97434062	2058 21 0001 - - -	2.71	104	108	-0.30 27	96	0.10 24	103	-0.06 99	-0.48 17	93	0.90 10	0.33 22	104	-3.48 25	104	0.08 15	102	91	2							
2058 22 0024 96717632	2058 21 0001 1509 19 0015	2.90	106	111	-0.05 40	99	0.21 43	106	0.19 104	-0.82 22	90	0.90 10	0.71 34	107	-1.86 37	102	-2.06 20	108	95	3							
2058 22 0025 96717657	2058 21 0001 1509 19 0015	2.90	109	115	0.18 40	102	0.50 43	113	0.59 110	-0.67 22	91	0.90 10	1.22 34	110	-2.42 37	103	-1.88 20	107	97	2							
2058 22 0029 97434047	970 19 0088 1797 16 0528	2.61	96	100	-0.93 16	89	-0.13 15	98	-0.59 90	-0.82 10	90	0.60 7	-0.70 14	99	0.45 22	99	2.41 19	95		2							
2058 22 0030 97434104	770 17 0172 - - -	2.71	99	103	-0.93 38	89	-0.25 44	95	-0.71 88	-0.66 5	91	1.60 5	-0.22 32	101	-0.65 20	101	1.43 11	98	117	2							
2058 22 0032 97434120	2058 21 0001 2058 18 0002	2.85	99	102	-0.57 33	93	-0.50 33	88	-0.79 87	-1.28 21	87	0.90 10	-0.53 28	99	-2.49 40	103	-2.80 21	110	90	2							
2058 22 0033 97434161	2058 21 0001 2058 18 0003	2.85	102	103	-0.41 35	95	-0.04 37	100	-0.24 96	-0.55 17	92	0.90 11	0.10 30	103	-3.12 40	104	2.67 21	95	96	2							

Ewes

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices		EBV - Weights				EBV - Fertility										
Animal Comp no.				% In- breeding	Logix Merit Index	Repro- duction Index	Wean Weight		Comb	Post-Wean		Number Weaned		TWW		AFL		ILP		Times EPI Landed	
							Dir	Mat		Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index
							EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index
Active Breed Average:					100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15							
2058 22 0035 96717715	2058 21 0001 1751 19 0164	2.91			102	105	-0.39 34 95	-0.20 36 96	-0.39 94	-0.99 18 89	0.90 10 108	-0.04 29 102	-4.96 41 106	-0.10 21 102	114	2					
2058 23 0001 97437289	2058 21 0001 1751 19 0401	2.90			104	107	-0.39 44 95	-0.01 34 100	-0.21 97	-0.54 17 92	1.40 18 110	0.44 34 105	-4.00 25 105	0.97 20 99	101	2					
2058 23 0002 97437297	2058 21 0001 1751 19 0401	2.90			105	108	-0.15 43 98	0.30 45 108	0.22 104	-0.38 17 93	0.50 18 106	0.45 38 105	-4.64 25 106	2.09 20 96	99	2					
2058 23 0003 97442669	762 20 1122 1962 20 0006	2.87			86	98	-1.74 54 80	-0.09 41 99	-0.96 84	-2.59 48 79	-1.10 22 98	-2.49 42 88	2.97 44 96	-0.22 22 103	93	2					
2058 23 0004 97442677	762 20 1122 1962 20 0006	2.87			92	92	-0.60 54 93	-0.35 42 92	-0.65 89	1.31 48 104	-1.80 22 95	-2.03 42 91	2.85 44 96	0.23 17 101	94	1					
2058 23 0005 97437305	762 20 1122 2058 19 0068	2.90			91	103	-1.32 60 85	0.38 50 110	-0.28 95	-1.05 52 89	-2.00 29 94	-2.15 49 90	1.62 28 98	-0.63 21 104	110	3					
2058 23 0009 97437347	762 20 1122 1797 19 0319	2.90			97	107	-1.25 60 86	0.40 49 111	-0.23 96	-0.91 53 90	0.20 22 104	-0.74 47 98	2.08 43 97	0.64 16 100	100	1					
2058 23 0013 97437388	762 20 1122 2058 18 0340	2.80			108	110	-0.02 59 100	0.60 48 116	0.59 111	1.41 52 105	0.80 25 107	1.06 47 109	1.00 43 99	2.39 22 95	117	3					
2058 23 0018 97437412	762 20 1122 2058 18 0001	2.80			96	104	-1.21 56 86	0.33 39 109	-0.28 96	-0.61 52 92	-0.50 26 101	-1.18 43 96	-2.28 43 103	2.63 22 95	97	3					
2058 23 0025 97437560	2058 21 0001 1962 19 0101	2.90			108	104	0.73 49 108	0.03 33 102	0.40 107	1.66 47 107	0.10 18 104	0.82 36 107	-6.06 41 108	2.94 21 94	88	3					
2058 23 0030 98323124	762 20 1122 2058 18 0002	2.80			82	100	-2.68 57 70	0.07 39 103	-1.27 78	-4.30 51 67	-0.90 17 99	-3.15 41 84	1.25 30 98	0.56 17 100		0					
2058 23 0031 98387236	762 20 1122 1962 18 0345	2.80			96	101	-0.93 55 89	0.17 36 105	-0.29 95	-0.17 52 95	-0.70 21 100	-1.17 40 96	-0.35 28 100	2.55 21 95	91	2					
2058 23 0042 98323082	762 20 1122 2058 22 0004	2.70			97	103	-0.57 60 93	0.30 48 108	0.01 101	0.13 53 97	-1.30 22 97	-1.06 47 96	-0.17 30 100	0.64 18 100	91	1					
2058 23 0043 98323108	762 20 1122 2058 22 0004	2.70			91	104	-1.55 59 82	0.39 42 111	-0.39 94	-2.02 53 82	-1.20 17 98	-1.88 43 92	-0.08 30 100	0.93 18 99		0					
2058 23 0044 98323140	762 20 1122 1962 18 0360	2.80			99	103	-0.60 58 93	0.39 40 111	0.09 102	1.34 53 104	-1.00 17 99	-0.81 42 98	0.90 28 99	1.87 16 97	86	2					

Ewes

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices		EBV - Weights						EBV - Fertility							
Animal Comp no.				% In- breeding	Logix Merit Index	Repro- duction Index	Wean Weight		Post-Wean		Number Weaned		TWW		AFL		ILP		Times EPI Lambed	
							Dir	Mat	Comb											
							EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	Phenotype
Active Breed Average:					100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15						
2058 23 0045 98322902	762 1962	20 18	1122 0360	2.80	99	97	-0.09 60	0.02 99 47 101	-0.03 100	2.39 53 111	-1.20 22	-0.80 98 46 98	1.16 28	2.69 16	92	1				
2058 23 0047 98323264	762 1751	20 19	1122 0401	2.90	95	99	-0.79 56	0.08 91 39 103	-0.32 95	-0.31 33 94	-0.90 18	-1.26 99 41 95	0.53 28	2.03 17	0					
2058 24 0014 99750077	762 2058	22 22	0044 0024	4.09	106	111	-0.12 52	0.30 98 37 108	0.24 104	-0.61 19 92	1.00 17	0.78 38	-2.02 32	-0.21 21	0					
2058 24 0017 99750119	762 2058	20 22	1122 0004	2.70	95	101	-0.85 59	0.17 90 42 105	-0.26 96	-0.47 38 93	-1.20 17	-1.40 98 43 94	-0.08 30	0.93 18	0					
2058 24 0026 99750432	762 2058	20 20	1122 0002	2.84	91	93	-0.76 56	-0.45 91 39 90	-0.83 86	-0.39 34 93	-0.90 17	-1.75 99 40 92	1.30 30	0.97 16	0					
2058 24 0030 99750275	762 1962	22 19	0044 0101	2.90	104	106	-0.43 57	0.07 95 48 103	-0.14 98	0.00 20 96	1.10 21	0.30 45	-2.14 28	1.30 19	100	1				
2058 24 0034 106868466	1984 2058	23 21	0004 0009	2.66	104	109	-0.46 52	-0.13 95 32 98	-0.36 94	0.09 9 96	1.00 9	0.01 34	0.86 20	-5.43 18	2					
2058 24 0045 106868425	1984 2058	23 22	0004 0008	2.67	103	108	-0.67 42	-0.02 92 34 100	-0.35 94	-0.15 10 95	1.10 10	-0.02 32	-1.79 20	-1.87 14	0					
2058 24 0046 107130478	1984 2058	23 22	0004 0008	2.67	108	105	0.42 53	-0.23 104 36 95	-0.02 100	1.30 10 104	1.10 10	0.85 37	-1.79 20	-1.87 14	0					
2058 24 0052 106868540	1984 2058	23 23	0004 0018	3.70	99	105	-0.93 46	0.03 89 31 102	-0.43 93	-0.30 27 94	0.10 16	-0.84 33	-0.37 28	-1.68 15	0					
2058 24 0064 107145336	1984 2058	23 22	0004 0002	2.67	102	110	-0.85 55	0.07 90 42 103	-0.36 94	-0.48 9 93	0.90 17	-0.24 41	0.30 34	-3.88 14	101	1				
2058 24 0065 107145351	1984 2058	23 22	0004 0002	2.67	103	107	-0.51 55	-0.13 94 42 98	-0.39 94	0.03 9 96	0.90 17	-0.10 41	0.13 34	-3.37 14	99	1				
2058 24 0066 106868235	1984 1751	23 19	0004 0401	2.90	100	104	-0.86 46	-0.34 90 40 92	-0.77 87	-0.37 7 93	1.30 17	-0.42 37	0.32 18	-3.00 12	100	1				
2058 24 0069 106868516	1984 2058	23 23	0004 0005	3.74	96	104	-0.99 47	0.06 89 34 102	-0.44 93	-0.52 27 92	-0.70 17	-1.35 35	1.59 23	-3.31 15	0					
2058 24 0075 106868565	1984 2058	23 23	0004 0002	6.30	103	107	-0.40 42	0.02 95 33 101	-0.18 97	-0.19 11 94	0.60 13	-0.02 32	-1.55 22	-1.95 15	0					

Ewes

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices		EBV - Weights				EBV - Fertility								
Animal Comp no.				% In- breeding	Logix Merit Index	Repro- duction Index	Wean Weight		Comb	Post-Wean		Number Weaned	TWW		AFL		ILP		Times EPI Lambded
							Dir	Mat		Acc	Index		Acc	Index	Acc	Index	Acc	Index	Phenotype
							EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV
Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index
Active Breed Average:					100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15					
2058 25 0006 107872939	1984 23 0004 - - -	3.87	102	108	-0.66 37 92	-0.09 24 99	-0.42 93	-0.24 7 94	1.10 9 109	-0.09 26 102	0.59 18 99	-3.47 11 111	0						
2058 25 0027 107873028	1984 23 0004 2058 21 0011	2.90	110	111	0.32 51 103	0.07 35 103	0.23 104	0.67 15 100	1.10 9 109	1.05 35 109	0.29 21 99	-4.79 13 115	0						
2058 25 0032 111384855	1984 23 0004 2058 23 0001	6.30	103	107	-0.52 43 94	-0.14 29 97	-0.40 94	-0.27 11 94	1.00 13 108	-0.06 31 102	-1.22 22 101	-2.51 15 109	0						
2058 25 0034 111385100	1984 23 0004 2058 19 0068	2.90	103	109	-0.58 42 93	0.00 34 101	-0.29 95	-0.22 16 94	0.70 11 107	-0.16 32 102	0.82 18 99	-4.38 12 114	0						
2058 25 0039 111384988	1984 23 0004 2058 23 0013	3.70	105	108	-0.33 47 96	0.17 34 105	0.00 100	0.71 27 100	0.70 16 107	0.26 35 104	1.28 28 98	-1.80 15 107	0						
2058 25 0049 111385142	1984 23 0004 2058 22 0035	6.31	102	106	-0.52 40 94	-0.23 30 95	-0.49 92	-0.49 11 92	0.80 10 107	-0.27 29 101	-1.71 27 102	-3.05 15 110	0						
2058 25 0052 111384996	1984 24 0051 2058 22 0024	3.61	102	109	-0.13 33 98	0.29 28 108	0.22 104	-0.71 15 91	-0.10 9 103	0.10 26 103	4.95 25 94	-4.35 15 114	0						
2058 25 0061 111385159	1984 23 0004 2058 23 0018	3.70	99	105	-0.93 46 89	0.03 31 102	-0.43 93	-0.30 27 94	0.10 16 104	-0.84 33 98	-0.37 28 100	-1.68 15 107	0						
2058 25 0063 111384913	1984 23 0004 2058 23 0025	6.30	104	105	0.04 44 100	-0.11 29 98	-0.10 99	0.83 25 101	0.30 13 105	0.10 31 103	-2.25 27 103	-1.53 15 106	0						
2058 25 0065 111385027	1984 23 0004 2058 23 0005	3.74	96	104	-0.99 47 89	0.06 34 102	-0.44 93	-0.52 27 92	-0.70 17 100	-1.35 35 95	1.59 23 98	-3.31 15 111	0						
2058 26 0003 114075500	1984 24 0116 1751 19 0401	2.90	92	94	-0.61 41 93	-0.20 30 96	-0.51 92	0.01 10 96	-1.40 11 97	-1.65 30 93	2.50 16 97	1.69 12 97	0						
2058 26 0004 114075377	1984 24 0116 2058 23 0042	3.74	92	91	0.05 56 100	-0.09 32 99	-0.06 99	1.07 28 103	-2.90 14 90	-1.78 37 92	2.88 22 96	2.01 14 96	0						
2058 26 0006 114075625	1984 24 0116 2058 23 0001	3.83	96	93	0.22 53 102	-0.26 28 94	-0.15 98	0.85 13 101	-1.50 13 96	-0.94 34 97	0.96 20 99	2.18 15 96	0						
2058 26 0007 114075401	1984 24 0116 2058 23 0001	3.83	94	94	-0.25 53 97	-0.17 28 97	-0.29 95	0.22 13 97	-1.50 13 96	-1.32 34 95	0.96 20 99	2.18 15 96	0						
2058 26 0008 114075393	1984 24 0116 2058 23 0001	3.83	90	97	-1.11 53 87	0.01 28 101	-0.55 91	-0.93 13 90	-1.50 13 96	-2.01 34 91	0.96 20 99	2.18 15 96	0						

Ewes

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices		EBV - Weights				EBV - Fertility									
Animal Comp no.				% In- breeding	Logix Merit Index	Repro- duction Index	Wean Weight		Comb	Post-Wean		Number Weaned		TWW		AFL		ILP		Times EPI Lambded
							Dir	Mat		Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Phenotype
							EBV Acc	EBV Index	EBV Index											
Active Breed Average:					100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15						
2058 26 0010 114075609	1984 24 0116 2058 23 0005	3.85	83	95	-1.62 57 82	0.21 33 106	-0.60 90	-1.25 28 88	-3.20 17 88	-3.33 39 83	3.77 21 95	1.38 15 98	0							
2058 26 0011 114075369	1984 24 0116 2058 23 0005	3.85	90	91	-0.14 57 98	-0.08 33 99	-0.15 98	0.73 28 100	-3.20 17 88	-2.14 39 90	3.77 21 95	1.38 15 98	0							
2058 26 0013 114075286	1984 24 0116 2058 22 0030	2.81	88	94	-1.24 53 86	-0.14 31 97	-0.76 87	-0.80 10 90	-1.40 9 97	-2.22 34 90	2.64 19 96	2.40 12 95	0							
2058 26 0015 114075310	1984 24 0116 2058 23 0044	3.80	91	93	-0.49 46 94	0.06 28 102	-0.18 97	0.98 29 102	-2.70 13 91	-2.04 31 91	3.41 21 95	2.62 14 95	0							
2058 26 0017 114075344	1984 24 0116 2058 24 0030	5.56	93	94	-0.51 56 94	-0.08 32 99	-0.33 95	0.17 14 97	-1.70 14 95	-1.61 37 93	1.89 21 97	2.34 14 95	0							
2058 26 0020 114075385	1984 24 0116 2058 23 0002	3.83	96	94	0.23 54 102	-0.08 32 99	0.04 101	0.79 13 101	-2.00 13 94	-1.05 36 96	0.64 20 99	2.73 15 94	0							
2058 26 0022 114125958	1984 24 0116 2058 22 0002	2.64	98	94	0.36 54 104	-0.18 33 96	0.00 100	1.28 11 104	-1.50 11 96	-0.72 36 98	2.40 21 97	1.06 14 99	0							
2058 26 0023 114075567	1984 24 0116 2058 22 0002	2.64	93	97	-0.64 54 93	0.02 33 101	-0.31 95	-0.07 11 95	-1.50 11 96	-1.53 36 94	2.40 21 97	1.06 14 99	0							
2058 26 0024 114075351	1984 24 0116 2058 22 0002	2.64	94	97	-0.50 42 94	-0.01 31 101	-0.26 96	0.12 11 96	-1.50 11 96	-1.42 31 94	2.40 21 97	1.06 14 99	0							
2058 26 0025 114125933	1984 24 0116 2058 24 0065	3.45	92	95	-0.66 55 92	-0.16 30 97	-0.48 92	0.04 11 96	-1.80 13 95	-1.89 36 92	3.02 23 96	0.01 13 102	0							
2058 26 0026 114125941	1984 24 0116 2058 24 0064	3.45	93	96	-0.53 55 94	-0.12 30 98	-0.38 94	0.18 11 97	-1.70 13 95	-1.67 36 93	3.11 23 96	-0.25 13 103	0							
2058 26 0027 114075641	1984 24 0116 2058 24 0034	3.44	93	95	-0.42 44 95	-0.20 25 96	-0.40 93	0.36 11 98	-1.70 10 95	-1.63 29 93	3.39 19 96	-1.03 14 105	0							
2058 26 0029 114075518	1984 24 0116 2058 24 0024	3.31	93	96	-0.52 36 94	-0.09 20 98	-0.36 94	0.07 10 96	-1.40 9 97	-1.46 24 94	2.77 16 96	1.22 11 99	0							
2058 26 0031 114075526	1984 24 0116 2058 22 0033	3.78	92	93	-0.39 40 95	-0.15 27 97	-0.35 94	0.04 13 96	-1.80 11 95	-1.62 28 93	1.40 26 98	3.02 15 94	0							
2058 26 0032 114075328	1984 24 0116 2058 22 0008	2.64	94	96	-0.53 41 94	-0.02 32 100	-0.28 96	0.17 13 97	-1.40 10 97	-1.39 30 95	0.40 18 99	2.82 14 94	0							

Ewes

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information					Selection Indices		EBV - Weights				EBV - Fertility											
Animal Comp no.				% In- breeding	Logix Merit Index	Repro- duction Index	Dir		Wean Weight		Comb	Post-Wean		Number Weaned	TWW		AFL		ILP		Times EPI Lambded	
							EBV		EBV			EBV			EBV		EBV		EBV			EBV
							Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index
Active Breed Average:					100	100	-0.06		-0.02		-0.06		0.50		-0.36		-0.31		-0.30		0.15	
2058 26 0033 114075443	1984 24 0116 2058 23 0031	3.80	89	92	-0.65 45	92	-0.05 26	100	-0.37 94	0.23 28	97	-2.50 14	92	-2.20 31	90	2.79 21	96	2.96 15	94	0		
2058 26 0035 114075468	1984 24 0116 2058 21 0011	2.90	97	101	-0.23 41	97	0.21 31	106	0.09 102	0.07 16	96	-1.40 9	97	-0.86 30	98	2.48 19	97	-0.10 13	102	0		
2058 26 0036 114075559	1984 24 0116 2058 21 0011	2.90	97	101	-0.23 41	97	0.21 31	106	0.09 102	0.07 16	96	-1.40 9	97	-0.86 30	98	2.48 19	97	-0.10 13	102	0		
2058 26 0044 114075476	1984 24 0116 2058 23 0013	3.80	96	96	-0.20 46	98	0.17 31	105	0.07 102	1.02 28	102	-1.80 16	95	-1.11 33	96	3.46 27	95	2.88 16	94	0		
2058 26 0045 114075658	1984 24 0116 2058 18 0340	2.80	96	99	-0.54 39	94	0.04 28	102	-0.23 96	0.43 16	98	-0.80 11	100	-0.98 28	97	2.84 18	96	1.50 12	98	0		
2058 26 0046 114075666	1984 24 0116 2058 18 0340	2.80	96	99	-0.54 39	94	0.04 28	102	-0.23 96	0.43 16	98	-0.80 11	100	-0.98 28	97	2.84 18	96	1.50 12	98	0		
2058 26 0047 114075617	1984 24 0116 2058 21 0017	2.91	92	94	-0.42 37	95	-0.30 25	93	-0.51 92	-0.67 16	91	-1.40 9	97	-1.56 26	94	1.58 20	98	0.98 13	99	0		
2058 26 0048 114075278	1984 24 0116 2058 21 0017	2.91	92	94	-0.42 37	95	-0.30 25	93	-0.51 92	-0.67 16	91	-1.40 9	97	-1.56 26	94	1.58 20	98	0.98 13	99	0		
	Ewe flock average: Total ewes in flock: 83				98	102	-0.55		0.02		-0.26		-0.18		-0.31		-0.72		0.29		-0.02	

Sires Used in Flock

*Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents & Progeny					Selection Indices		EBV - Weights				EBV - Fertility				
Animal ID Computer nr	% In-breeding	Sire ID Dam ID	1st Generation		2nd Generation		Logix Merit Index	Reprod Index	Weaning Weight		Post-Wean	Number Weaned	TWW	AFL	ILP	Dam	
			Progeny Number	Herds	Progeny Number	Herds			Dir EBV Acc Index	Mat EBV Acc Index							Comb EBV Index
		Active Breed Average:					100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15	
1 770 17 0172 83351536	2.92				3	2									-0.91 40 101	3.80 22 91	
2 1751 17 0268 91516088	2.92				1	1									-1.80 7 102	0.32 7 101	
3 970 19 0088 85930402	2.04	HOK 15 0035 970 16 0009					90	94	-1.18 33 86	-0.33 30 92	-0.93 84	-1.15 19 88	-0.50 14 101	-1.82 27 92	3.92 43 95	1.18 29 99	7
4 1740 19 0106 86664026	2.76	1740 17 0105 1740 16 0275			6	1	101	106	-1.03 46 88	-0.15 50 97	-0.66 89	-0.57 21 92	1.20 13 109	-0.46 40 100	-4.06 34 105	-0.51 22 103	97 4
5 1751 19 0301 91516096	2.90				2	1									-5.22 39 106	-1.56 14 106	
6 762 20 1122 90576984	4.31	762 19 0080 762 16 0406	45	2	12	2	87	94	-0.99 85 89	0.35 62 110	-0.15 98	-0.34 67 93	-3.40 33 87	-2.68 64 87	1.97 57 97	4.06 33 91	90 4
7 2058 21 0001 96700232	2.90	762 17 0618 1556 19 0046	3	1	10	1	105	107	0.06 54 100	0.11 47 104	0.15 103	-0.47 34 93	0.20 21 104	0.30 44 104	-6.59 50 108	1.11 30 99	100 1
8 1556 21 0021 94654944	6.44	762 17 0618 1556 19 0011	20	2	3	1	104	111	-0.61 77 93	-0.08 54 99	-0.38 94	-0.38 19 93	0.50 23 106	-0.39 56 100	-5.73 52 107	-5.80 32 118	114 7
9 762 22 0044 95996757	6.19	762 19 1002 762 16 0358	8	1	1	1	108	109	0.18 69 102	0.31 56 109	0.40 107	0.11 32 96	1.10 32 109	1.15 55 109	-2.18 53 103	1.64 36 97	126 9
10 1984 23 0004 96045919	3.05	1556 21 0021 1562 20 0002	21	1	3	1	101	106	-0.65 73 92	-0.26 47 94	-0.59 90	0.01 14 96	0.60 18 106	-0.55 50 99	1.55 36 98	-5.99 22 118	96 5
11 1984 24 0051 100829704	12.39	1590 18 0057 1984 21 0003					98	106	-0.20 53 97	0.36 36 110	0.26 105	-0.60 20 92	-1.10 15 98	-0.50 38 100	11.76 33 85	-6.65 23 120	104 2
12 1984 24 0116 106982184	8.23	1673 22 0018 493 20 0015	19	1			83	82	-0.37 71 96	-0.27 39 94	-0.45 93	0.63 20 100	-4.40 19 83	-3.28 47 84	5.92 31 92	3.38 22 93	93 6
		Sire Flock Average: Number of sires used in the flock: 12					97	102	-0.53	0.01	-0.26	-0.31	-0.64	-0.91	-0.11	-0.42	

Ram Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents & Progeny				Selection Indices		EBV - Weights				EBV - Fertility							
Animal ID Computer nr	% In-breeding	Sire ID Dam ID	1st Generation		2nd Generation		Logix Merit Index	Reproduction Index	Weaning Weight		Post-Wean		Number Weaned	TWW	AFL	ILP	Dam		
			Progeny Number Weaned	Herds	Progeny Number Weaned	Herds			Dir		Mat							Comb	
									EBV Acc Index	EBV Acc Index	EBV Index	EBV Index							
			Active Breed Average:				100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15			
1	2058 24 0039 106868268	3.70	984 23 0004 2058 23 0013					112	104	1.36 57 115	-0.16 35 97	0.52 109	2.96 27 115	0.70 16 107	1.61 39 112	1.28 28 98	-1.80 15 107	117 3	
2	2058 25 0040 111384863	2.90	984 24 0051 2058 21 0011					105	113	-0.14 33 98	0.52 30 114	0.45 108	-0.55 17 92	0.30 8 105	0.56 26 106	5.39 20 93	-5.12 14 116	107 5	
3	2058 25 0044 111384814	2.80	984 23 0004 962 18 0360					105	111	-0.70 42 92	0.22 34 106	-0.13 98	0.60 18 100	1.00 10 108	0.12 32 103	0.70 18 99	-3.10 11 110	106 4	
4	2058 25 0038 111385126	3.70	984 23 0004 2058 23 0013					105	108	-0.33 47 96	0.17 34 105	0.00 100	0.71 27 100	0.70 16 107	0.26 35 104	1.28 28 98	-1.80 15 107	117 3	
5	2058 24 0051 106868300	6.30	984 23 0004 2058 23 0025					104	105	0.04 44 100	-0.11 29 98	-0.10 99	0.83 25 101	0.30 13 105	0.10 31 103	-2.25 27 103	-1.53 15 106	88 3	
6	2058 25 0036 111385118	2.67	984 23 0004 2058 22 0002					103	109	-0.64 43 93	-0.01 34 101	-0.33 95	-0.19 9 94	1.00 11 108	-0.05 32 102	0.21 22 100	-3.62 14 112	112 3	
7	2058 25 0037 111384947	2.67	984 23 0004 2058 22 0002					103	109	-0.64 43 93	-0.01 34 101	-0.33 95	-0.19 9 94	1.00 11 108	-0.05 32 102	0.21 22 100	-3.62 14 112	112 3	
8	2058 25 0033 111385050	2.90	984 23 0004 2058 19 0068					103	109	-0.58 42 93	0.00 34 101	-0.29 95	-0.22 16 94	0.70 11 107	-0.16 32 102	0.82 18 99	-4.38 12 114	102 5	
9	2058 25 0070 111384830	2.84	984 24 0051 2058 21 0002					102	109	-0.35 34 96	0.32 30 109	0.15 103	-0.50 12 92	0.10 8 104	0.03 26 103	5.80 17 92	-4.25 11 114	113 5	
10	2058 25 0069 111384921	2.84	984 24 0051 2058 21 0002					102	109	-0.35 34 96	0.32 30 109	0.15 103	-0.50 12 92	0.10 8 104	0.03 26 103	5.80 17 92	-4.25 11 114	113 5	
11	2058 25 0050 111385019	6.31	984 23 0004 2058 22 0035					102	106	-0.52 40 94	-0.23 30 95	-0.49 92	-0.49 11 92	0.80 10 107	-0.27 29 101	-1.71 27 102	-3.05 15 110	114 2	
12	2058 25 0054 111384889	2.90	984 23 0004 751 19 0401					101	106	-0.75 42 91	-0.20 32 96	-0.58 90	-0.30 7 94	1.20 11 109	-0.23 31 101	0.32 18 99	-3.00 12 110	145 6	
13	2058 25 0057 111384897	2.91	984 23 0004 2058 21 0017					101	106	-0.56 38 93	-0.29 28 93	-0.57 90	-0.98 14 89	1.10 9 109	-0.19 27 101	-0.61 21 101	-3.70 13 112	92 4	
14	2058 25 0058 111384848	2.91	984 23 0004 2058 21 0017					101	106	-0.56 38 93	-0.29 28 93	-0.57 90	-0.98 14 89	1.10 9 109	-0.19 27 101	-0.61 21 101	-3.70 13 112	92 4	
15	1984 23 0004 96045919	3.05	556 21 0021 562 20 0002	21	1	3	1	101	106	-0.65 73 92	-0.26 47 94	-0.59 90	0.01 14 96	0.60 18 106	-0.55 50 99	1.55 36 98	-5.99 22 118	96 5	

Ram Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents & Progeny			Selection Indices		EBV - Weights				EBV - Fertility							
Animal ID Computer nr	% In-breeding	Sire ID Dam ID	1st Generation	2nd Generation	Logix Merit Index	Repro- duction Index	Weaning Weight		Post-Wean		Number Weaned EBV Acc Index	TWW		AFL		ILP		Dam EPI Times Lamb
			Progeny Number Weaned	Progeny Number Herds			Progeny Number Weaned	Progeny Number Herds	Dir EBV Acc Index	Mat EBV Acc Index		Comb EBV Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	
			Active Breed Average:		100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15				
16	2058 25 0051 111384780	3.70	984 23 0004 2058 23 0031		98	104	-0.79 46 91	-0.05 30 100	-0.44 93	-0.08 27 95	0.00 14 103	-0.83 32 98	0.60 23 99	-1.72 15 107	91	2		
17	2058 25 0064 111385092	3.74	984 23 0004 2058 23 0005		96	104	-0.99 47 89	0.06 34 102	-0.44 93	-0.52 27 92	-0.70 17 100	-1.35 35 95	1.59 23 98	-3.31 15 111	110	3		
18	2058 26 0043 114075534	3.80	984 24 0116 2058 23 0013		96	96	-0.20 46 98	0.17 31 105	0.07 102	1.02 28 102	-1.80 16 95	-1.11 33 96	3.46 27 95	2.88 16 94	117	3		
19	2058 26 0037 114075419	3.83	984 24 0116 2058 23 0025		95	93	0.18 43 102	-0.12 26 98	-0.03 100	1.15 26 103	-2.20 13 93	-1.26 30 95	-0.07 26 100	3.16 15 93	88	3		
20	2058 26 0021 114075542	3.83	984 24 0116 2058 23 0002		95	94	0.05 54 100	-0.05 32 100	-0.02 100	0.54 13 99	-2.00 13 94	-1.20 36 96	0.64 20 99	2.73 15 94	99	2		
21	2058 26 0038 114075252	2.87	984 24 0116 2058 20 0047		93	96	-0.52 36 94	-0.09 20 98	-0.36 94	0.07 10 96	-1.40 9 97	-1.46 24 94	2.77 16 96	1.22 11 99		1		
22	2058 26 0039 114075336	2.87	984 24 0116 2058 20 0047		93	96	-0.52 36 94	-0.09 20 98	-0.36 94	0.07 10 96	-1.40 9 97	-1.46 24 94	2.77 16 96	1.22 11 99		1		
23	2058 26 0042 114075484	3.31	984 24 0116 2058 24 0401		93	96	-0.52 36 94	-0.09 20 98	-0.36 94	0.07 10 96	-1.40 9 97	-1.46 24 94	2.77 16 96	1.22 11 99		1		
24	2058 26 0028 114075260	3.44	984 24 0116 2058 24 0034		93	95	-0.42 44 95	-0.20 25 96	-0.40 93	0.36 11 98	-1.70 10 95	-1.63 29 93	3.39 19 96	-1.03 14 105		2		
25	2058 26 0041 114075591	3.31	984 24 0116 2058 24 0401		93	96	-0.52 36 94	-0.09 20 98	-0.36 94	0.07 10 96	-1.40 9 97	-1.46 24 94	2.77 16 96	1.22 11 99		1		
26	2058 26 0040 114075427	3.04	984 24 0116 2058 23 0105		93	96	-0.52 36 94	-0.09 20 98	-0.36 94	0.07 10 96	-1.40 9 97	-1.46 24 94	2.77 16 96	1.22 11 99		1		
27	2058 26 0009 114075674	3.80	984 24 0116 751 19 0028		93	89	0.65 55 107	-0.17 34 97	0.16 103	1.34 12 104	-3.70 13 86	-1.74 37 92	1.85 20 97	1.78 13 97	103	4		
28	2058 26 0001 114075435	2.90	984 24 0116 751 19 0401		92	94	-0.61 41 93	-0.20 30 96	-0.51 92	0.01 10 96	-1.40 11 97	-1.65 30 93	2.50 16 97	1.69 12 97	145	6		
29	2058 26 0030 114075575	3.78	984 24 0116 2058 22 0033		92	93	-0.39 40 95	-0.15 27 97	-0.35 94	0.04 13 96	-1.80 11 95	-1.62 28 93	1.40 26 98	3.02 15 94	96	2		
30	2058 26 0014 114075302	3.80	984 24 0116 2058 23 0044		91	93	-0.49 46 94	0.06 28 102	-0.18 97	0.98 29 102	-2.70 13 91	-2.04 31 91	3.41 21 95	2.62 14 95	86	2		

Ram Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents & Progeny			Selection Indices		EBV - Weights				EBV - Fertility					
Animal ID Computer nr	% In-breeding	Sire ID Dam ID	1st Generation	2nd Generation	Logix Merit Index	Repro- duction Index	Weaning Weight		Post-Wean		Number Weaned EBV Acc Index	TWW EBV Acc Index	AFL EBV Acc Index	ILP EBV Acc Index	Dam EPI Times Lamb	
			Progeny Number	Progeny Number			Dir EBV Acc Index	Mat EBV Acc Index	Comb EBV Index							
			Weaned Herds	Weaned Herds												
			Active Breed Average:		100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15		
31	2058 26 0012 114075633	2.81	984 24 0116 058 22 0030		91	92	-0.70 53	-0.25 31	-0.60 90	-0.09 10	-1.40 9	-1.79 34	2.64 19	2.40 12	117 2	
32	2058 26 0016 114075492	5.56	984 24 0116 058 24 0030		90	96	-1.12 56	0.05 32	-0.52 91	-0.64 14	-1.70 14	-2.09 37	1.89 21	2.34 14	100 1	
33	2058 26 0005 114075294	3.58	984 24 0116 058 24 0066		90	94	-0.98 53	-0.23 30	-0.72 88	-0.36 11	-1.60 13	-2.17 35	3.12 18	0.19 13	100 1	
34	2058 26 0034 114075583	3.80	984 24 0116 058 23 0031		89	92	-0.65 45	-0.05 26	-0.37 94	0.23 28	-2.50 14	-2.20 31	2.79 21	2.96 15	91 2	
35	2058 26 0018 114304611	3.80	984 24 0116 058 23 0018		89	93	-0.79 45	0.03 28	-0.37 94	0.01 28	-2.50 16	-2.26 32	1.82 27	3.00 16	97 3	
36	2058 26 0019 114304629	3.80	984 24 0116 058 23 0018		89	93	-0.79 45	0.03 28	-0.37 94	0.01 28	-2.50 16	-2.26 32	1.82 27	3.00 16	97 3	
37	2058 26 0002 114075450	2.90	984 24 0116 751 19 0401		88	96	-1.57 53	-0.01 31	-0.80 87	-1.28 10	-1.40 11	-2.43 35	2.50 16	1.69 12	145 6	

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents	Selection Indices		EBV - Weights				EBV - Fertility									
Animal ID Computer nr	% In-breeding	Sire ID Dam ID	Logix Merit Index	Repro-duction Index	Weaning Weight		Post-Wean		Number Weaned	TWW	AFL		ILP		EPI	Times Lambded		
					Dir EBV Acc Index	Mat EBV Acc Index	Comb EBV Index	EBV Acc Index			EBV Acc Index	EBV Acc Index	EBV Acc Index	Phenotype				
Active Breed Average:			100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15						
1	2058 21 0011 96754502	2.90	1751 19 0301 1509 19 0015	112	120	-0.08 41	0.68 99	0.64 47	-0.50 118	0.64 111	-0.26 92	1.60 5	1.56 111	34 112	-0.97 22	-3.59 15	107	5
2	2058 25 0027 107873028	2.90	1984 23 0004 2058 21 0011	110	111	0.32 51	0.07 103	0.23 35	0.67 103	0.23 104	0.15 100	1.10 9	1.05 109	35 109	0.29 21	-4.79 13		0
3	2058 22 0025 96717657	2.90	2058 21 0001 1509 19 0015	109	115	0.18 40	0.50 102	0.59 43	-0.67 113	0.59 110	-0.22 91	0.90 10	1.22 108	34 110	-2.42 37	-1.88 20	97	2
4	2058 23 0013 97437388	2.80	762 20 1122 2058 18 0340	108	110	-0.02 59	0.60 100	0.59 48	1.41 116	0.59 111	0.52 105	0.80 25	1.06 107	47 109	1.00 43	2.39 22	117	3
5	2058 23 0025 97437560	2.90	2058 21 0001 1962 19 0101	108	104	0.73 49	0.03 108	0.40 33	1.66 102	0.40 107	0.47 107	0.10 18	0.82 104	36 107	-6.06 41	2.94 21	88	3
6	2058 24 0046 107130478	2.67	1984 23 0004 2058 22 0008	108	105	0.42 53	-0.23 104	-0.02 36	1.30 95	-0.02 100	0.10 104	1.10 10	0.85 109	37 107	-1.79 20	-1.87 14		0
7	2058 22 0024 96717632	2.90	2058 21 0001 1509 19 0015	106	111	-0.05 40	0.21 99	0.19 43	-0.82 106	0.19 104	-0.22 90	0.90 10	0.71 108	34 107	-1.86 37	-2.06 20	95	3
8	2058 24 0014 99750077	4.09	762 22 0044 2058 22 0024	106	111	-0.12 52	0.30 98	0.24 37	-0.61 108	0.24 104	-0.19 92	1.00 17	0.78 108	38 107	-2.02 32	-0.21 21		0
9	2058 21 0002 97434005	2.79	- - - 2058 19 0068	106	112	-0.50 41	0.28 94	0.03 48	-0.41 108	0.03 101	-0.14 93	1.30 6	0.56 110	36 106	-0.15 5	-1.86 5	113	5
10	2058 22 0008 97434013	2.80	1740 19 0106 2058 18 0001	105	110	-0.68 43	0.23 92	-0.11 50	-0.30 107	-0.11 98	-0.16 94	1.50 8	0.45 111	38 105	-5.13 19	2.26 17	97	4
11	2058 23 0002 97437297	2.90	2058 21 0001 1751 19 0401	105	108	-0.15 43	0.30 98	0.22 45	-0.38 108	0.22 104	-0.17 93	0.50 18	0.45 106	38 105	-4.64 25	2.09 20	99	2
12	2058 22 0002 97433981	2.80	1740 19 0106 2058 18 0003	105	111	-0.63 45	0.24 93	-0.07 49	-0.39 107	-0.07 99	-0.11 93	1.30 12	0.39 110	39 105	-1.13 27	-1.26 17	112	3
13	2058 25 0039 111384988	3.70	1984 23 0004 2058 23 0013	105	108	-0.33 47	0.17 96	0.00 34	0.71 105	0.00 100	0.27 100	0.70 16	0.26 107	35 104	1.28 28	-1.80 15		0
14	2058 25 0063 111384913	6.30	1984 23 0004 2058 23 0025	104	105	0.04 44	-0.11 100	-0.10 29	0.83 98	-0.10 99	0.25 101	0.30 13	0.10 105	31 103	-2.25 27	-1.53 15		0
15	2058 22 0021 97434138	2.84	2058 21 0001 2058 21 0002	104	109	-0.26 38	0.15 97	0.02 41	-0.47 105	0.02 101	-0.19 93	0.70 11	0.31 107	33 104	-3.37 25	-0.37 15	88	1

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents	Selection Indices		EBV - Weights				EBV - Fertility					
Animal ID Computer nr	% In-breeding	Sire ID Dam ID	Logix Merit Index	Repro- duction Index	Dir EBV Acc	Weaning Weight Mat EBV Index	Comb EBV Index	Post-Wean EBV Acc	Number Weaned EBV Acc	TWW EBV Acc	AFL EBV Acc	ILP EBV Acc	EPI EBV Acc	Times Lambd
Active Breed Average:			100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15		
16 2058 23 0001 97437289	2.90	2058 21 0001 1751 19 0401	104	107	-0.39 44 95	-0.01 34 100	-0.21 97	-0.54 17 92	1.40 18 110	0.44 34 105	-4.00 25 105	0.97 20 99	101	2
17 2058 22 0023 97434062	2.71	2058 21 0001 - - -	104	108	-0.30 27 96	0.10 24 103	-0.06 99	-0.48 17 93	0.90 10 108	0.33 22 104	-3.48 25 104	0.08 15 102	91	2
18 2058 24 0034 106868466	2.66	1984 23 0004 2058 21 0009	104	109	-0.46 52 95	-0.13 32 98	-0.36 94	0.09 9 96	1.00 9 108	0.01 34 103	0.86 20 99	-5.43 18 117		2
19 2058 24 0030 99750275	2.90	762 22 0044 1962 19 0101	104	106	-0.43 57 95	0.07 48 103	-0.14 98	0.00 20 96	1.10 21 109	0.30 45 104	-2.14 28 103	1.30 19 98	100	1
20 2058 24 0045 106868425	2.67	1984 23 0004 2058 22 0008	103	108	-0.67 42 92	-0.02 34 100	-0.35 94	-0.15 10 95	1.10 10 109	-0.02 32 102	-1.79 20 102	-1.87 14 107		0
21 2058 24 0075 106868565	6.30	1984 23 0004 2058 23 0002	103	107	-0.40 42 95	0.02 33 101	-0.18 97	-0.19 11 94	0.60 13 106	-0.02 32 102	-1.55 22 102	-1.95 15 107		0
22 2058 24 0065 107145351	2.67	1984 23 0004 2058 22 0002	103	107	-0.51 55 94	-0.13 42 98	-0.39 94	0.03 9 96	0.90 17 108	-0.10 41 102	0.13 34 100	-3.37 14 111	99	1
23 2058 25 0034 111385100	2.90	1984 23 0004 2058 19 0068	103	109	-0.58 42 93	0.00 34 101	-0.29 95	-0.22 16 94	0.70 11 107	-0.16 32 102	0.82 18 99	-4.38 12 114		0
24 2058 25 0032 111384855	6.30	1984 23 0004 2058 23 0001	103	107	-0.52 43 94	-0.14 29 97	-0.40 94	-0.27 11 94	1.00 13 108	-0.06 31 102	-1.22 22 101	-2.51 15 109		0
25 2058 25 0006 107872939	3.87	1984 23 0004 - - -	102	108	-0.66 37 92	-0.09 24 99	-0.42 93	-0.24 7 94	1.10 9 109	-0.09 26 102	0.59 18 99	-3.47 11 111		0
26 2058 25 0052 111384996	3.61	1984 24 0051 2058 22 0024	102	109	-0.13 33 98	0.29 28 108	0.22 104	-0.71 15 91	-0.10 9 103	0.10 26 103	4.95 25 94	-4.35 15 114		0
27 2058 24 0064 107145336	2.67	1984 23 0004 2058 22 0002	102	110	-0.85 55 90	0.07 42 103	-0.36 94	-0.48 9 93	0.90 17 108	-0.24 41 101	0.30 34 99	-3.88 14 113	101	1
28 2058 22 0035 96717715	2.91	2058 21 0001 1751 19 0164	102	105	-0.39 34 95	-0.20 36 96	-0.39 94	-0.99 18 89	0.90 10 108	-0.04 29 102	-4.96 41 106	-0.10 21 102	114	2
29 2058 25 0049 111385142	6.31	1984 23 0004 2058 22 0035	102	106	-0.52 40 94	-0.23 30 95	-0.49 92	-0.49 11 92	0.80 10 107	-0.27 29 101	-1.71 27 102	-3.05 15 110		0
30 2058 22 0033 97434161	2.85	2058 21 0001 2058 18 0003	102	103	-0.41 35 95	-0.04 37 100	-0.24 96	-0.55 17 92	0.90 11 108	0.10 30 103	-3.12 40 104	2.67 21 95	96	2

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents	Selection Indices		EBV - Weights				EBV - Fertility					
Animal ID Computer nr	% In-breeding	Sire ID Dam ID	Logix Merit Index	Repro- duction Index	Dir EBV Acc	Weaning Weight Mat EBV Index	Comb EBV Index	Post-Wean EBV Acc	Number Weaned EBV Acc	TWW EBV Acc	AFL EBV Acc	ILP EBV Acc	EPI Acc	Times Lambd
Active Breed Average:			100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15		
31 2058 21 0017 96717699	2.90	1751 19 0301 1751 19 0164	101	105	-0.47 24 94	-0.33 31 93	-0.56 91	-1.97 24 83	1.60 5 111	0.16 21 104	-2.77 24 103	-1.41 14 106	92	4
32 2058 24 0066 106868235	2.90	1984 23 0004 1751 19 0401	100	104	-0.86 46 90	-0.34 40 92	-0.77 87	-0.37 7 93	1.30 17 110	-0.42 37 100	0.32 18 99	-3.00 12 110	100	1
33 2058 22 0030 97434104	2.71	770 17 0172 - - -	99	103	-0.93 38 89	-0.25 44 95	-0.71 88	-0.66 5 91	1.60 5 111	-0.22 32 101	-0.65 20 101	1.43 11 98	117	2
34 2058 23 0044 98323140	2.80	762 20 1122 1962 18 0360	99	103	-0.60 58 93	0.39 40 111	0.09 102	1.34 53 104	-1.00 17 99	-0.81 42 98	0.90 28 99	1.87 16 97	86	2
35 2058 23 0045 98322902	2.80	762 20 1122 1962 18 0360	99	97	-0.09 60 99	0.02 47 101	-0.03 100	2.39 53 111	-1.20 22 98	-0.80 46 98	1.16 28 98	2.69 16 95	92	1
36 2058 22 0032 97434120	2.85	2058 21 0001 2058 18 0002	99	102	-0.57 33 93	-0.50 33 88	-0.79 87	-1.28 21 87	0.90 10 108	-0.53 28 99	-2.49 40 103	-2.80 21 110	90	2
37 2058 24 0052 106868540	3.70	1984 23 0004 2058 23 0018	99	105	-0.93 46 89	0.03 31 102	-0.43 93	-0.30 27 94	0.10 16 104	-0.84 33 98	-0.37 28 100	-1.68 15 107		0
38 2058 25 0061 111385159	3.70	1984 23 0004 2058 23 0018	99	105	-0.93 46 89	0.03 31 102	-0.43 93	-0.30 27 94	0.10 16 104	-0.84 33 98	-0.37 28 100	-1.68 15 107		0
39 2058 26 0022 114125958	2.64	1984 24 0116 2058 22 0002	98	94	0.36 54 104	-0.18 33 96	0.00 100	1.28 11 104	-1.50 11 96	-0.72 36 98	2.40 21 97	1.06 14 99		0
40 2058 23 0042 98323082	2.70	762 20 1122 2058 22 0004	97	103	-0.57 60 93	0.30 48 108	0.01 101	0.13 53 97	-1.30 22 97	-1.06 47 96	-0.17 30 100	0.64 18 100	91	1
41 2058 23 0009 97437347	2.90	762 20 1122 1797 19 0319	97	107	-1.25 60 86	0.40 49 111	-0.23 96	-0.91 53 90	0.20 22 104	-0.74 47 98	2.08 43 97	0.64 16 100	100	1
42 2058 26 0036 114075559	2.90	1984 24 0116 2058 21 0011	97	101	-0.23 41 97	0.21 31 106	0.09 102	0.07 16 96	-1.40 9 97	-0.86 30 98	2.48 19 97	-0.10 13 102		0
43 2058 26 0035 114075468	2.90	1984 24 0116 2058 21 0011	97	101	-0.23 41 97	0.21 31 106	0.09 102	0.07 16 96	-1.40 9 97	-0.86 30 98	2.48 19 97	-0.10 13 102		0
44 2058 26 0006 114075625	3.83	1984 24 0116 2058 23 0001	96	93	0.22 53 102	-0.26 28 94	-0.15 98	0.85 13 101	-1.50 13 96	-0.94 34 97	0.96 20 99	2.18 15 96		0
45 2058 22 0029 97434047	2.61	970 19 0088 1797 16 0528	96	100	-0.93 16 89	-0.13 15 98	-0.59 90	-0.82 10 90	0.60 7 106	-0.70 14 99	0.45 22 99	2.41 19 95		2

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents	Selection Indices		EBV - Weights				EBV - Fertility							
Animal ID Computer nr	% In-breeding	Sire ID Dam ID	Logix Merit Index	Repro- duction Index	Weaning Weight		Comb	Post-Wean	Number Weaned	TWW	AFL	ILP	EPI	Times Lambd		
					Dir EBV Acc Index	Mat EBV Acc Index									EBV Index	EBV Acc Index
Active Breed Average:			100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15				
46	2058 26 0045 114075658	2.80	1984 24 0116 2058 18 0340	96	99	-0.54 39	0.04 28	-0.23 96	0.43 16	98	-0.80 11	-0.98 28	2.84 18	1.50 12	98	0
47	2058 26 0046 114075666	2.80	1984 24 0116 2058 18 0340	96	99	-0.54 39	0.04 28	-0.23 96	0.43 16	98	-0.80 11	-0.98 28	2.84 18	1.50 12	98	0
48	2058 24 0069 106868516	3.74	1984 23 0004 2058 23 0005	96	104	-0.99 47	0.06 34	-0.44 93	-0.52 27	92	-0.70 17	-1.35 35	1.59 23	-3.31 15	111	0
49	2058 25 0065 111385027	3.74	1984 23 0004 2058 23 0005	96	104	-0.99 47	0.06 34	-0.44 93	-0.52 27	92	-0.70 17	-1.35 35	1.59 23	-3.31 15	111	0
50	2058 23 0018 97437412	2.80	762 20 1122 2058 18 0001	96	104	-1.21 56	0.33 39	-0.28 96	-0.61 52	92	-0.50 26	-1.18 43	-2.28 43	2.63 22	95	97 3
51	2058 26 0020 114075385	3.83	1984 24 0116 2058 23 0002	96	94	0.23 54	-0.08 32	0.04 101	0.79 13	101	-2.00 13	-1.05 36	0.64 20	2.73 15	94	0
52	2058 23 0031 98387236	2.80	762 20 1122 1962 18 0345	96	101	-0.93 55	0.17 36	-0.29 95	-0.17 52	95	-0.70 21	-1.17 40	-0.35 28	2.55 21	95	91 2
53	2058 26 0044 114075476	3.80	1984 24 0116 2058 23 0013	96	96	-0.20 46	0.17 31	0.07 102	1.02 28	102	-1.80 16	-1.11 33	3.46 27	2.88 16	94	0
54	2058 21 0006 97433940	2.79	1740 19 0106 - - -	95	99	-1.38 46	-0.71 50	-1.40 76	-0.89 11	90	1.40 6	-1.25 38	-2.22 17	-0.73 11	104	99 3
55	2058 23 0047 98323264	2.90	762 20 1122 1751 19 0401	95	99	-0.79 56	0.08 39	-0.32 95	-0.31 33	94	-0.90 18	-1.26 41	0.53 28	2.03 17	96	0
56	2058 24 0017 99750119	2.70	762 20 1122 2058 22 0004	95	101	-0.85 59	0.17 42	-0.26 96	-0.47 38	93	-1.20 17	-1.40 43	-0.08 30	0.93 18	99	0
57	1751 19 0028 91484832	2.92	1751 17 0268 1146 14 0089	94	100	-0.21 49	0.30 51	0.19 104	-0.47 13	93	-3.00 18	-1.71 43	-2.22 24	0.18 15	101	103 4
58	2058 26 0032 114075328	2.64	1984 24 0116 2058 22 0008	94	96	-0.53 41	-0.02 32	-0.28 96	0.17 13	97	-1.40 10	-1.39 30	0.40 18	2.82 14	94	0
59	2058 26 0007 114075401	3.83	1984 24 0116 2058 23 0001	94	94	-0.25 53	-0.17 28	-0.29 95	0.22 13	97	-1.50 13	-1.32 34	0.96 20	2.18 15	96	0
60	2058 26 0024 114075351	2.64	1984 24 0116 2058 22 0002	94	97	-0.50 42	-0.01 31	-0.26 96	0.12 11	96	-1.50 11	-1.42 31	2.40 21	1.06 14	99	0

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents	Selection Indices		EBV - Weights				EBV - Fertility												
Animal ID Computer nr	% In-breeding	Sire ID Dam ID	Logix Merit Index	Repro- duction Index	Weaning Weight		Comb	Post-Wean	Number Weaned	TWW	AFL	ILP	EPI	Times Lambd							
					Dir EBV Acc Index	Mat EBV Acc Index									EBV Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	Phenotype		
Active Breed Average:			100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15									
61	2058 26 0027 114075641	3.44	1984 24 0116 2058 24 0034	93	95	-0.42 44	-0.20 95	-0.40 25	0.36 96	93	11	98	-1.70 10	-1.63 29	3.39 96	-1.03 14	105	0			
62	2058 26 0023 114075567	2.64	1984 24 0116 2058 22 0002	93	97	-0.64 54	0.02 93	-0.31 33	-0.07 101	95	11	95	-1.50 11	-1.53 36	2.40 94	1.06 21	97	14	99	0	
63	2058 26 0029 114075518	3.31	1984 24 0116 2058 24 0024	93	96	-0.52 36	-0.09 94	-0.36 20	0.07 98	94	10	96	-1.40 9	-1.46 24	2.77 94	1.22 16	96	11	99	0	
64	2058 26 0026 114125941	3.45	1984 24 0116 2058 24 0064	93	96	-0.53 55	-0.12 94	-0.38 30	0.18 98	94	11	97	-1.70 13	-1.67 36	3.11 93	-0.25 23	96	13	103	0	
65	2058 26 0017 114075344	5.56	1984 24 0116 2058 24 0030	93	94	-0.51 56	-0.08 94	-0.33 32	0.17 99	95	14	97	-1.70 14	-1.61 37	1.89 93	2.34 21	97	14	95	0	
66	2058 26 0004 114075377	3.74	1984 24 0116 2058 23 0042	92	91	0.05 56	-0.09 100	-0.06 32	1.07 99	99	28	103	-2.90 14	-1.78 37	2.88 92	2.01 22	96	14	96	0	
67	2058 26 0047 114075617	2.91	1984 24 0116 2058 21 0017	92	94	-0.42 37	-0.30 95	-0.51 25	-0.67 93	92	16	91	-1.40 9	-1.56 26	1.58 94	0.98 20	98	13	99	0	
68	2058 26 0003 114075500	2.90	1984 24 0116 1751 19 0401	92	94	-0.61 41	-0.20 93	-0.51 30	0.01 96	92	10	96	-1.40 11	-1.65 30	2.50 93	1.69 16	97	12	97	0	
69	2058 26 0048 114075278	2.91	1984 24 0116 2058 21 0017	92	94	-0.42 37	-0.30 95	-0.51 25	-0.67 93	92	16	91	-1.40 9	-1.56 26	1.58 94	0.98 20	98	13	99	0	
70	2058 26 0031 114075526	3.78	1984 24 0116 2058 22 0033	92	93	-0.39 40	-0.15 95	-0.35 27	0.04 97	94	13	96	-1.80 11	-1.62 28	1.40 93	3.02 26	98	15	94	0	
71	2058 23 0004 97442677	2.87	762 20 1122 1962 20 0006	92	92	-0.60 54	-0.35 93	-0.65 42	1.31 92	89	48	104	-1.80 22	-2.03 42	2.85 91	0.23 44	96	17	101	94	1
72	2058 26 0025 114125933	3.45	1984 24 0116 2058 24 0065	92	95	-0.66 55	-0.16 92	-0.48 30	0.04 97	92	11	96	-1.80 13	-1.89 36	3.02 92	0.01 23	96	13	102	0	
73	2058 24 0026 99750432	2.84	762 20 1122 2058 20 0002	91	93	-0.76 56	-0.45 91	-0.83 39	-0.39 90	86	34	93	-0.90 17	-1.75 40	1.30 92	0.97 30	98	16	99	0	
74	2058 23 0043 98323108	2.70	762 20 1122 2058 22 0004	91	104	-1.55 59	0.39 82	-0.39 42	-2.02 111	94	53	82	-1.20 17	-1.88 43	-0.08 92	0.93 30	96	18	99	0	
75	2058 23 0005 97437305	2.90	762 20 1122 2058 19 0068	91	103	-1.32 60	0.38 85	-0.28 50	-1.05 110	95	52	89	-2.00 29	-2.15 49	1.62 90	-0.63 28	98	21	104	110	3

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents	Selection Indices		EBV - Weights				EBV - Fertility				
Animal ID Computer nr	% In-breeding	Sire ID Dam ID	Logix Merit Index	Repro- duction Index	Dir EBV Acc	Weaning Weight Mat EBV Index	Comb EBV Index	Post-Wean EBV Acc	Number Weaned EBV Acc	TWW EBV Acc	AFL EBV Acc	ILP EBV Acc	EPI Phenotype
Active Breed Average:			100	100	-0.06	-0.02	-0.06	0.50	-0.36	-0.31	-0.30	0.15	
76 2058 26 0015 114075310	3.80	1984 24 0116 2058 23 0044	91	93	-0.49 46	0.06 28	-0.18 97	0.98 29	-2.70 13	-2.04 31	3.41 21	2.62 14	0
77 2058 26 0011 114075369	3.85	1984 24 0116 2058 23 0005	90	91	-0.14 57	-0.08 33	-0.15 98	0.73 28	-3.20 17	-2.14 39	3.77 21	1.38 15	0
78 2058 26 0008 114075393	3.83	1984 24 0116 2058 23 0001	90	97	-1.11 53	0.01 28	-0.55 91	-0.93 13	-1.50 13	-2.01 34	0.96 20	2.18 15	0
79 2058 26 0033 114075443	3.80	1984 24 0116 2058 23 0031	89	92	-0.65 45	-0.05 26	-0.37 94	0.23 28	-2.50 14	-2.20 31	2.79 21	2.96 15	0
80 2058 26 0013 114075286	2.81	1984 24 0116 2058 22 0030	88	94	-1.24 53	-0.14 31	-0.76 87	-0.80 10	-1.40 9	-2.22 34	2.64 19	2.40 12	0
81 2058 23 0003 97442669	2.87	762 20 1122 1962 20 0006	86	98	-1.74 54	-0.09 41	-0.96 84	-2.59 48	-1.10 22	-2.49 42	2.97 44	-0.22 22	93 2
82 2058 26 0010 114075609	3.85	1984 24 0116 2058 23 0005	83	95	-1.62 57	0.21 33	-0.60 90	-1.25 28	-3.20 17	-3.33 39	3.77 21	1.38 15	0
83 2058 23 0030 98323124	2.80	762 20 1122 2058 18 0002	82	100	-2.68 57	0.07 39	-1.27 78	-4.30 51	-0.90 17	-3.15 41	1.25 30	0.56 17	0