

Boerboel Genetic Evaluation

SA Stud Book
February 2026

MR J. CHUKWU

PARLIAMENTARY EXTENSIONS
CALABAR
RIVERS STATE
NIGERIA



Kennel Number: 698576



Estimated Breeding Values (EBVs)

Litter size and conformation traits are influenced by many genes, with every gene making a small contribution to the expression of the trait. These traits are, however, also influenced by physiological and physical environmental factors, for example the age and sex of the animal, the feeding and management the animal received and year x season effects. It is therefore not possible to know what the animal's genetic potential for the trait is by merely using the measurement.

With BLUP (*Best Linear Unbiased Prediction*) methodology an animal's genetic potential is predicted by making use of the genetic parameters (heritabilities and genetic correlations) of the breed, pedigree information, as well as the measurements of the animal as deviation from the average of the animals that were measured with the animal. Adjustments are made for differences in sex, age, classifier, management and year x season effects to ensure that fair comparisons are made amongst the animals. These predictions are called **EBVs (Estimated Breeding Values)** which indicates the animal's genetic potential for the specific trait and predicts the type of progeny that the animal will breed.

Pedigree information determines the genetic level at which the animal enters the genetic evaluation, it links the information of all relatives together and it is used to determine the genetic ranking of the breed. For young animals that were not yet measured, mid-parent EBVs are estimated, which are the average of the EBVs of the sire and dam. These breeding values are still inaccurate and can change a lot when more information (measurements) is included in subsequent genetic evaluations.

Breeding values therefore enables a breeder to compare his/her animals genetically to one another, as well as to all other animals of the breed. This Report gives a summary of the genetic levels of the active males and females of the relevant breeder in comparison to that of the breed for linearly classified traits and litter size. The genetic change that occurred over time can also easily be seen.

Breeding Value Indices (EBVi)

For easy interpretation, EBVs are standardised and expressed relative to the average (100) of the active animals of the breed, using 12 as standard deviation (SD). This means that an EBV of 100 is equal to the active average of the breed, and more or less 50% of the animals will have EBVi's of between 90 and 110, which indicates an average animal. Only 0.5% of the EBVi's will be lower than 64 and 0.5% will be higher than 136. Higher EBVi's indicate better genetic potential for the trait.

Accuracy

EBVs are published with an **accuracy value (%)**, which indicates how much info was available for the estimation of the EBV and with how much trust it can therefore be applied. Factors that influence the accuracy include heritability, completeness and correctness of pedigree information, number of own and measured relatives and the size of the group in which the animal was measured. When an accuracy of 85% and more is reached, the EBV should not change significantly with the inclusion of more information in subsequent genetic evaluations.

Kennel and Breed Averages: The different traits' averages of the breeder's active animals are compared to those of the breed in the Kennel and Breed Average Graphs and Tables. The breeder can therefore easily see for which traits the animals are above or below the average of the breed.




Genetic Trends: The Genetic Trends indicate the genetic change that occurred over time in the animals bred by the breeder compared to that of the breed. These are calculated as the average of the breeding values of all measured animals bred by the breeder, per year of birth.

Inbreeding: Inbreeding is the mating of related animals and is widely viewed as being harmful. The danger of inbreeding lies there in that it can gradually decrease fertility and survivability – a phenomenon known as inbreeding depression. It can cause lower conception rates, more abortions, more stillborn and weak offspring and a higher susceptibility to diseases. Indications in dogs include a low litter size as well as problems relative to fertility, such as invisible heat, behavioural problems when mating and low sperm quality. Overall, reduced litter size most likely reflects inbreeding depression in several traits, both physiological and behavioural, as well as a high frequency of non-viable embryos due to lethal alleles. Generally, the effects of inbreeding can become noticeable at a value of 6.25%, therefore it is generally recommended that individuals should have inbreeding coefficients of less than 6.25%. Breeders should therefore avoid matings causing inbreeding of more than 6.25% in the progeny. The theoretical maximum inbreeding coefficient is 50%. However, it should be noted that not all inbred animals show signs of inbreeding depression.

The data used in this evaluation was obtained from LOGIX from linear classifications that were done by the Breeder Society. All possible attempts have been made to present the information correctly. SA Stud Book does not accept responsibility for the use and interpretation of the information presented on animals in this publication.

Genetic Levels

Kennel Average relative to Breed Average, where Breed Average is indicated as 0



Average Breeding Value Indices (EBVi) where Breed Average = 100

Trait	All Animals	Males	Females
Litter size (LS)	110		110
Movement (Mv)	97		97
Temperament (Tmp)	98		98
Coat (Ct)	100		100
General Appearance	91		91
Head & Face (H&F)	98		98
Front Quarter (FQ)	94		94
Centre (C)	94		94
Hind Quarter (HQ)	102		102
Final Score (FS)	97		97
Hip Health (HH)	102		102
Elbow Health (ELM)	95		95

Inbreeding

Notes

Inbreeding primarily leads to decreased fertility, low survivability of pups and low disease resistance.

Inbreeding coefficients are calculated for all animals of the breed and indicates the probability that two genes of a pair are the same due to a common ancestor in the pedigree of the animal.

The adverse effects of inbreeding can be observed from 6.25% onwards.


It is therefore highly recommended to record pedigree information as accurately. Inbreeding is dependent on pedigree information. Conventional methods for the calculation of inbreeding coefficients usually assume that unknown parents are unrelated, which is usually far from the truth. Inbreeding coefficients are therefore conservative indicators of the level of inbreeding.

Incomplete or incorrect pedigree information can be reported to SA Stud Book via the Breed Society.

Inbreeding Levels for Specific Matings

Progeny with Parents :	25%
Full Brother x Full Sister :	25%
Half Brother x Half Sister :	12.5%
One Common Grandparent :	6.25%
One Common Great-Grandparent :	3.125%

Rate of Inbreeding




Inbreeding Levels


	All Animals		Males		Females		Sires		Dams	
	Kennel	Breed	Kennel	Breed	Kennel	Breed	Kennel	Breed	Kennel	Breed
Number	4	49007	0	25141	4	23857	4	3371	4	6287
Average Inbreeding	6.16	8.49		8.46	6.16	8.53	8.20	8.01	3.95	8.00
Number inbred	4	48727		24990	4	23728	4	24990	4	23728
Number >6.25% Inbr.	2	30600		15537	2	15058	4	15537		15058

Genetic Trends


Litter Size




Movement




Temperament




Coat



General Appearance




Head & Face




Genetic Trends


Front Quarter



Centre




Hind Quarter




Final Score & Health Traits


Final Score



Hip Health



Elbow Health



Estimated Breeding Value Indices (EBVi's)

Estimated Breeding Value Indices (EBVi's)

Females

Inbreeding >6.25% is high

< 80

>= 100

>= 120

Animal Information

Inbreed

Health

Fertility

General

Appearance

Progeny :

Appraisal

Health

Progeny with litters

Name	BYr	Sire Dam	%	Hips Acc.	Elbows Acc.	Litter Size Acc.	Move-ment	Tempe-rament	Coat	General Appear.	Head & Face	Front Quarter	Centre	Hind Quarter	Final Score	Progeny	Litters	Progeny Kennels	Hips	Elbows	Progeny with litters
WEEJEE SAARTJIE	2015	ROBYN BBD TIGER DELMA NIKITA EDEN	2.75	90 5	107 5	110 10	77 27	73 5	113 44	60 26	60 43	57 28	71 30	89 33	67 38	21	2	4 3			
AFRIKA BLOSSOM	2019	AFRIKA DANTOR AFRIKA GEMMA	6.10	117 16	81 30	124 48	106 55	104 31	109 68	111 54	116 67	106 55	98 57	98 59	108 64	7	1	1 1			1 1
MEYER BBD BELLA	2020	AFRIKA GHUNTER VOLSPPOED BONNIE	9.31	94 5	85 5	112 28	103 45	112 24	105 55	118 45	107 54	109 46	111 47	111 49	112 52						
LANDRE BLACK VENOM GIRL	2021	MES ZULU II MILLAN MOLLY	6.49	106 5	107 5	92 5	102 43	100 8	75 60	78 42	107 59	105 44	96 46	109 49	101 55	5	1				

Estimated Breeding Value Indices (EBVi's)

Sires

Inbreeding >6.25% is high

< 80

>= 100

>= 120

Sire Information			Inbreed	Health		Fertility	General			Appearance						Progeny :	Appraisal	Health		Progeny with litters
Name	BYr	Sire Dam	%	Hips Acc.	Elbows Acc.	Litter Size Acc.	Move-ment	Tempe-rament	Coat	General Appear.	Head & Face	Front Quarter	Centre	Hind Quarter	Final Score	Progeny Litters	Progeny Kennels	Hips	Elbows	
ROBYN BBD TIGER		ROBYN BBD TROFFEL	8.09	84	98	102	75	85	101	64	78	76	77	88	77	1	1			1
	2011	ROBYN BBD KLIPPIES		5	5	5	5	5	17	5	16	5	5	5	8					1
AFRIKA DANTOR		AFRIKA RAMBOMAX	6.30	137	67	122	103	111	85	124	144	128	114	96	122	143	29	35	4	25
	2017	AFRIKA DALITA		46	61	58	77	54	87	76	86	77	79	81	84		21		4	3
MES ZULU II		ULTRA-INYATHI KOJAK	9.11	92	105	92	75	90	83	73	109	100	81	94	92	34	10	12		7
	2017	LEESER MIEKE		5	5	25	60	31	76	59	75	61	63	66	71		9			5
AFRIKA GHUNTER		MES RUBENSTEIN	9.30	93	66	103	113	135	118	138	125	129	122	119	130	227	37	64		32
	2018	DORSLAND EMMA		19	33	49	79	57	88	79	88	79	81	83	86		43	1	1	11

Estimated Breeding Value Indices (EBVi's)

Dams

Inbreeding >6.25% is high

< 80

>= 100

>= 120

Animal Information			Inbreed	Health		Fertility	General			Appearance						Progeny :		Appraisal	Health		Progeny with litters
Name	BYr	Sire Dam	%	Hips Acc.	Elbows Acc.	Litter Size Acc.	Move- ment	Tempe- r ament	Coat	General Appear.	Head & Face	Front Quarter	Centre	Hind Quarter	Final Score	Progeny	Litters	Progeny Kennels	Hips	Elbows	
AFRIKA GEMMA	2011	MIGHTY BBD BUDDY	4.96	98	94	115	111	91	113	83	84	78	74	94	86	45	10	12	2	2	12
		MIGHTY BBD ISADORA		34	43	74	65	39	79	65	79	66	68	71	75			12			
DELMA NIKITA EDEN	2014	DELMA TYSON	1.80	97	116	118	87	67	123	73	59	54	67	84	66	13	3				1
		AFRIKA ELSA		17	22	41	45	23	61	44	60	45	48	50	55			1			
VOLSPOED BONNIE	2018	CABARET BALBOA	3.68	96	105	121	92	90	93	97	90	89	100	104	94	30	4	2			1
		HOREB BELLE		5	5	48	56	32	71	56	70	57	59	61	66			2			
MILLAN MOLLY	2019	MIGHTY MUFASA V	5.37	119	109	92	113	105	85	97	104	106	108	113	107	13	2	2			1
		LANDRE MON-ANGEL		5	5	16	49	20	67	48	66	50	53	55	61			2			

