



WAGYU BREEDING VALUE REPORT

September 2026



CAWOOD

Herd Number: 8746906


E-mail: johnathan.cawood@gmail.com



**WAGYU
SOCIETY**
OF SOUTH AFRICA



**CERTIFICATE
OF QUALITY**
Valid up to
October 2029



Notes


GEBVi (GEBVindex): The average GEBVi of all the live animals in the breed is 100, and all EBVi values are expressed relative to this value. Values above 100 are mostly in a more desirable direction. Note that a very high index is not always desirable. For certain traits, such as birth weight, average values may be better. It is the top value in the list.

GEBV (Genomic Estimated Breeding Value) indicates the genetic potential of the animal for a specific trait. It is presented in the unit of measurement and relative to the average of animals born in the base year. It is the middle value in the list and not available for selection values.

Accuracy: This value gives an indication of how much information was available for breeding value estimation. It is the bottom value in the list.

Selection values combine similar breeding values in a scientific manner to simplify the selection of animals. For example, HF (Heifer Fertility), CF (Cow Fertility) and Longevity are

combined to form the Fertility Value by taking the heritability and economic importance in consideration.




* Depending on selection goal

GEBVi		Description / Measurement	Goal		General Guidelines*					
					80	90	100	110	120	
Selection V.	Calving Ease Value	Difficult calving due to high birth weight	Average birth weight	High						Low
	Calf Growth Value	Calf's genetic ability for prewean growth	Heavy weaner	Light						Heavy
	Milk Value	Cow's genetic mothering and milking ability	Enough milk for calf	Less						More
	Maintenance Value	Maintenance requirement of cow (weight and milk)	Low cow maintenance	High					*	Low
	Fertility Value	Fertility and retention of cows and heifers	Fertile cows	Low						High
Cow & Calf	Birth weight direct	Birth weight (Calf's genetic ability)	Average birth weight	Heavy						Light
	Birth weight mat	Birth weight (Dam's genetic ability)	Easy calving	Heavy						Light
	Weaning weight direct	Weaning weight (Calf's genetic ability)	Heavy weaners	Light						Heavy
	Weaning weight mat	Weaning weight (Dam's genetic ability)	Good mothers	Poor						Good
	Post-wean weight	Combination of EBVs for 12 and 18 month weights	Mature weight	Light				*	*	Heavy
	Mature Cow Weight	Cow weight at weaning of first three calves	Mature cow weight	Light				*	*	Heavy
Ferti.	Heifer Fertility	Age at first calving	Fertile heifers	Less						More
	Cow Fertility	First 3 inter-calving periods (ICPs)	Fertile cows	Less						More
	Longevity	Retention of progeny	Acceptable progeny	Poor						Good
Carcass	IMF	Intra-muscular-fat, Marbling	High quality carcass	Less						More
	Carcass weight	Weight of the carcass	High quality carcass	Light						Heavy
	EMA	Eye-muscle-area at the 12/13th rib of the dressed carcass	High quality carcass	Small						Large
	Rib Fat	Rib fat depth at the 12/13th rib of the dressed carcass	High quality carcass	Thin						Thick
	Marbling Fineness	Degree of fineness of marbling fat	High quality carcass	Low						High

Herd and Breed Averages

Number 40



Breeding Values (EBV):

Birth: Birth weight IMF: Marbling
 Wean: Weaning weight Carcwt: Carcass wt
 Birth.mat: Birth mat EMA: Eye muscle area
 Milk: Milk RibFatt: Rib Fat thickness
 Postwn: Postwean weight MF: Marbling Fineness
 Matwt: Mature weight
 HF: Heifer Fertility
 CF: Cow Fertility
 LL: Longevity

Selection values:

CEaseV Calving Ease Value
 CGrowthV Calf Growth Value
 MilkV: Milk Value
 MaintV: Maintenance Value
 FertV: Fertility Value

	Trait	EBV Herd	EBV Index	EBV Breed
Prewean growth	Birth Weight	2.35	88	1.23
	Wean Weight	1.7	97	2.9
	Birth Mat.	-0.20	95	-0.38
	Milk (Wn.Mat.)	12.1	107	8.7
Postwean growth	Postwean wt	5.7	99	6.4
	Mature weight	11	103	6
	Heifer Fertility	-3.4	101	-2.9
Fertility	Cow Fertility	-0.8	108	0.5
	Longevity	3.3	96	5.2
Carcass	IMF	1.4	105	0.8
	Carcass weight	12.6	116	0.8
	EMA	0.7	99	0.8
	Rib Fat	0.1	103	-0.1
	MF	-1.8	91	-0.5

Selection Value	Herd Avg
Calving Ease Value	87
Calf Growth Value	97
Milk Value	107
Maintenance Value	97
Fertility Value	104


- Average of live animals in the breed: 100
- Above 100: **more favourable**,
- Below 100: **less favourable**

What does a sub-selection value above breed average (100) mean?:

Calving ease: Smaller calf at birth - easier calving
 Calf growth: Heavier calves at wean due to growth potential of the calf
 Milk: Cows with more milk and better mothering ability
 Maintenance: Animals with low maintenance requirements (lower mature weight).
 Fertility: Cows/daughters that calve

Genetic Trends for On-Farm Traits

The graphs show the genetic gain of the herd relative to the breed. Only data of animals with measurements are included.




Herd

Birth Year	Calving Ease				Calf Growth			Milk		Maintenance				Fertility								
	Birth Weight		Dir	Mat	Calv. Ease	Weaning Weight		Calf Growth	Milk (Wn.Mat.)		Postwean Weight		Mature Weight		Mainte- nance	Heifer Fert.		Cow Fert.		Longevity		Ferti- lity
	Number	EBV				Number	EBV		Number	EBV	Milk	Number	EBV	Number		EBV	Number	EBV	Number	EBV	Number	
2021																			1 -4.0			
2023																						
2024																						
2025	1	1.64	-0.23	96																		
2026	1	1.64	-0.23	96																		

Breed

Birth Year	Calving Ease				Calf Growth			Milk			Maintenance						Fertility							
	Birth Weight		Mat EBV	Calv. Ease	Weaning Weight		Calf Growth	Milk (Wn.Mat.)		Postwean Weight		Mature Weight		Maintenance	Heifer Fert.		Cow Fert.		Longevity		Ferti- lity			
	Number	Dir EBV			Number	EBV		Number	EBV	Milk	Number	EBV	Number		EBV	Number	EBV	Number	EBV	Number		EBV		
2016	667	0.14	0.06	106	280	0.5	94	280	6.43	96	213	2.7	17	-11	110	777	-1.4	388	-0.8	6318	-0.5	102		
2017	787	0.41	0.21	102	405	0.6	94	405	3.76	91	309	0.1	33	-9	111	791	-1.9	308	-0.6	10308	-0.4	102		
2018	1180	0.44	0.12	103	815	-1.4	89	815	2.45	88	823	-0.9	19	-23	113	665	-4.6	407	-1.0	9232	2.0	106		
2019	1379	0.55	0.15	102	901	0.1	93	901	1.30	86	896	0.6	27	-30	112	1006	-2.8	469	-0.6	11910	1.7	103		
2020	2115	0.65	-0.03	102	556	2.3	98	556	7.29	97	273	6.2	24	-7	103	665	-4.3	269	-1.0	11395	1.2	106		
2021	2374	0.55	-0.10	103	589	0.4	94	589	4.13	91	253	0.2	19	-6	112	405	-6.0	158	-1.5	9292	1.5	108		
2022	2062	0.42	-0.18	105	461	2.0	98	461	1.65	87	246	2.4	15	15	110	306	-2.8	72	-0.6	4200	2.1	103		
2023	1637	0.34	-0.31	107	461	2.0	98	461	1.21	86	160	2.0	5	-3	111	121	-6.6	11	-0.6			110		
2024	1413	0.39	-0.30	107	311	2.5	99	311	1.86	87	36	14.0			97	15	-2.4					101		
2025	1478	0.37	-0.14	106	386	2.5	99	386	0.24	84														
2026	307	0.25	-0.03	106																				

Genetic Trends for Carcass Traits



Herd

Birth Year	Carcass														
	IMF			Carcass weight			EMA			RibFat			Marble Fineness		
	Number	EBV	EBVi	Number	EBV	EBVi	Number	EBV	EBVi	Number	EBV	EBVi	Number	EBV	EBVi
2021															
2023	4	1.1	102	4	15.2	121	4	1.8	107	4	0.9	110	4	-1.4	94

Breed

Birth Year	Carcass														
	IMF			Carcass weight			EMA			Rib Fat			Marble Fineness		
	Number	EBV	EBVi	Number	EBV	EBVi	Number	EBV	EBVi	Number	EBV	EBVi	Number	EBV	EBVi
2013	17	0.6	99	776	-0.1	99	361	0.8	100	346	0.2	103	5	-4.6	74
2014	16	-1.0	86	541	-3.8	94	301	1.7	106	269	-0.1	100	4	0.0	103
2015	36	-0.5	90	589	-7.1	89	548	1.0	102	520	-0.1	100	6	0.3	105
2016	124	-0.8	87	588	-0.3	98	322	0.1	96	211	0.3	105	5	2.1	117
2017	732	-0.4	90	1244	-0.2	99	1116	0.1	95	272	0.0	102	17	0.3	105
2018	1946	0.0	94	1969	0.0	99	1940	0.0	95	87	0.0	101	22	0.0	103
2019	2812	0.3	96	2823	-1.3	97	2753	0.8	100	212	-0.5	96	61	0.4	106
2020	4627	0.7	99	4682	-0.6	98	4656	0.5	98	713	-0.3	98	92	-1.2	95
2021	3444	0.9	101	3606	-0.3	98	3596	0.6	99	3275	-0.2	99	531	-0.6	99
2022	3277	1.0	101	3324	-0.9	98	3275	0.4	97	3191	-0.3	97	2749	-1.0	97
2023	1839	1.1	103	1845	1.3	101	1836	0.6	99	1795	0.0	101	1841	-1.0	96
2024	17	-0.6	89	17	1.3	101	17	0.5	98	16	-0.5	96	17	0.1	103

WAGYU Sires

Sire			Growth							Carcass					Stats				
ID	Parentage	Sire ID	Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Daughters with calves	Active 2yrs & older	Carcasses	
Name	Gen. DNA	Dam ID																	
JAPANESE BLACK																			
SMOFF0154		IMUFM1615	105	85	78	74	84	61	138	104	94	116	98	33	285	101	126	20	
FB		SMOFC0016	0.73	-3.1	-7.4	-13.2	-17	-12.0	5.7	3.6	-0.2	1.4	-0.8						
SUMO CATTLE CO MICHIFUKU F154 (AI)			99%	98%	98%	98%	98%	98%	99%	99%	98%	98%	98%						
WCW 190103		SMOFF0154	104	88	85	85	83	78	123	120	104	99	83	2	31	3	13		
FB		BA 110480	0.80	-1.8	-3.4	-4.5	-18	-2.9	3.7	14.8	1.5	-0.2	-3.2						
CHIYO WCW190103			88%	87%	87%	87%	86%	87%	88%	88%	88%	88%	87%						

WAGYU Dams

Dam				Growth						Carcass					Stats			
ID	Parentage	Sire ID		Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name	Gen. DNA	Dam ID																
JAPANESE BLACK																		
BA 110480		 Y342		100	96	94	98	86	90	86	90	87	65	97	5	30	8	
FB		 CWBFBA 080172		1.20	1.4	2.1	5.7	-14	3.2	-1.0	-6.1	-1.2	-3.5	-0.9				
LETTER 11 480				91%	88%	88%	89%	88%	88%	89%	89%	89%	89%	88%				
JC 230001		WCW 190103		87	98	101	100	105	109	104	116	99	103	92	1	1		
F1		CWBFJC 190135		2.48	1.9	6.5	7.4	13	13.3	1.3	12.4	0.6	0.1	-1.7				
WOLVEHUIS JC230001				29%	22%	23%	23%	20%	22%	31%	30%	28%	30%	26%				
JC 230004		WCW 190103		87	98	101	100	105	109	104	116	99	103	92	1	1		
F1		CWBFJC 210149		2.48	1.9	6.5	7.4	13	13.3	1.3	12.4	0.6	0.1	-1.7				
JC230004				29%	22%	23%	23%	20%	22%	31%	30%	28%	30%	26%				

WAGYU Bulls

Inbreeding >6% is high				<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed															
Bull				Selection Value					Calf weight		Mother		Growth		Fertility		Carcass					
ID	Parentage	%Inbreeding	Sire ID	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn. Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
JAPANESE BLACK																						
WCW 190103 1  SMOFF0154				106	88	78	117	121	104	88	97	78	85	83	108	131	116	123	120	104	99	83
FB																						
GYUNIKU CHIYO WCW190103																						

WAGYU Cows

Inbreeding >6% is high				<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed															
Cow				Selection Values					Kalf gewig		Moeder		Groei		Vrugaarheid			Karkas				
ID	Parentage	%Inbreeding	Sire ID	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn. Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
JAPANESE BLACK																						
JC 230001	✓ WCW 190103			86	98	109	95	103	87	98	95	109	100	105	100	106	96	104	116	99	103	92
F1	CWBFJC 190135			29 %	22 %	22 %	20 %	20 %	2.48	1.9	-0.20	13.3	6.5	13	-3.1	-0.5	3.5	1.3	12.4	0.6	0.1	-1.7
WOLVEHUIS JC230001				29 %	22 %	22 %	20 %	20 %	29 %	22 %	27 %	22 %	23 %	20%	25%	14%	31 %	31 %	30 %	28 %	30 %	26 %
JC 230002	✓ WCW 190103			86	98	109	95	103	87	98	95	109	100	105	100	106	96	104	116	99	103	92
F1	CWBFJC 120090			29 %	22 %	22 %	20 %	20 %	2.48	1.9	-0.20	13.3	6.5	13	-3.1	-0.5	3.5	1.3	12.4	0.6	0.1	-1.7
WOLVEHUIS JC230002				29 %	22 %	22 %	20 %	20 %	29 %	22 %	27 %	22 %	23 %	20%	25%	14%	31 %	31 %	30 %	28 %	30 %	26 %
JC 230004	✓ WCW 190103			86	98	109	95	103	87	98	95	109	100	105	100	106	96	104	116	99	103	92
F1	CWBFJC 210149			29 %	22 %	22 %	20 %	20 %	2.48	1.9	-0.20	13.3	6.5	13	-3.1	-0.5	3.5	1.3	12.4	0.6	0.1	-1.7
WOLVEHUIS JC230004				29 %	22 %	22 %	20 %	20 %	29 %	22 %	27 %	22 %	23 %	20%	25%	14%	31 %	31 %	30 %	28 %	30 %	26 %
JC 240009	✓ WCW 190103			86	98	109	95	103	87	98	95	109	100	105	100	106	96	104	116	99	103	92
F1				29 %	22 %	22 %	20 %	20 %	2.48	1.9	-0.20	13.3	6.5	13	-3.1	-0.5	3.5	1.3	12.4	0.6	0.1	-1.7
WOLVEHUIS JC240009				29 %	22 %	22 %	20 %	20 %	29 %	22 %	27 %	22 %	23 %	20%	25%	14%	31 %	31 %	30 %	28 %	30 %	26 %
JC 240010	✓ WCW 190103			86	98	109	95	103	87	98	95	109	100	105	100	106	96	104	116	99	103	92
F1				29 %	22 %	22 %	20 %	20 %	2.48	1.9	-0.20	13.3	6.5	13	-3.1	-0.5	3.5	1.3	12.4	0.6	0.1	-1.7
WOLVEHUIS JC240010				29 %	22 %	22 %	20 %	20 %	29 %	22 %	27 %	22 %	23 %	20%	25%	14%	31 %	31 %	30 %	28 %	30 %	26 %



CWB

BREEDING VALUE REPORT

September 2026



CAWOOD

Herd Number: 8746906


E-mail: johnathan.cawood@gmail.com



**WAGYU
SOCIETY**
OF SOUTH AFRICA



**CERTIFICATE
OF QUALITY**
Valid up to
October 2029



CWB Dams

Dam				Growth					Carcass					Stats				
ID	Parentage	Sire ID		Birth weight	Wean weight	12 mnth weight	18 mnth weight	Mature weight	Milk	IMF	Carcass weight	EMA	Rib Fat	Marble Fineness	Herds	Progeny	Active 2yrs & older	Carcasses
Name	Gen. DNA	Dam ID																
JAPANESE BLACK																		
BA 110480		☒ Y342		100	96	94	98	86	90	86	90	87	65	97	5	30	8	
FB		☒ CWBFBA 080172		1.20	1.4	2.1	5.7	-14	3.2	-1.0	-6.1	-1.2	-3.5	-0.9				
LETTER 11 480				91%	88%	88%	89%	88%	88%	89%	89%	89%	89%	88%				
CWBFJC 240002	☒	WCW 190103		87	98	101	100	105	109	104	116	99	103	92	1	1		
F1		CWBFJCX 200140		2.48	1.9	6.5	7.4	13	13.3	1.3	12.4	0.6	0.1	-1.7				
JC240002				29%	22%	23%	23%	20%	22%	31%	30%	28%	30%	26%				
JC 230001	☒	WCW 190103		87	98	101	100	105	109	104	116	99	103	92	1	1		
F1		CWBFJC 190135		2.48	1.9	6.5	7.4	13	13.3	1.3	12.4	0.6	0.1	-1.7				
WOLVEHUIS JC230001				29%	22%	23%	23%	20%	22%	31%	30%	28%	30%	26%				
JC 230004	☒	WCW 190103		87	98	101	100	105	109	104	116	99	103	92	1	1		
F1		CWBFJC 210149		2.48	1.9	6.5	7.4	13	13.3	1.3	12.4	0.6	0.1	-1.7				
JC230004				29%	22%	23%	23%	20%	22%	31%	30%	28%	30%	26%				

CWB Bulls

Inbreeding >6% is high					<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed															
Bull					Selection Value					Calf weight		Mother		Growth		Fertility			Carcass				
ID	Name	%Inbreeding	Parentage		Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn. Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling Fineness
			Genomic	Sire ID																			
JAPANESE BLACK																							
CWBMJC 240004					86	98	109	95	103	87	98	95	109	100	105	100	106	96	104	116	99	103	92
F1					2.48	1.9				2.48	1.9	-0.20	13.3	6.5	13	-3.1	-0.5	3.5	1.3	12.4	0.6	0.1	-1.7
WOLVEHUIS JC240004					29%	22%	22 %	20%	20%	29 %	22 %	27%	22%	23%	20%	25%	14%	31 %	31 %	30 %	28 %	30 %	26 %
CWBMJC 240005					86	98	109	95	103	87	98	95	109	100	105	100	106	96	104	116	99	103	92
F1					2.48	1.9				2.48	1.9	-0.20	13.3	6.5	13	-3.1	-0.5	3.5	1.3	12.4	0.6	0.1	-1.7
WOLVEHUIS JC240005					29%	22%	22 %	20%	20%	29 %	22 %	27%	22%	23%	20%	25%	14%	31 %	31 %	30 %	28 %	30 %	26 %
CWBMJC 240006					86	98	109	95	103	87	98	95	109	100	105	100	106	96	104	116	99	103	92
F1					2.48	1.9				2.48	1.9	-0.20	13.3	6.5	13	-3.1	-0.5	3.5	1.3	12.4	0.6	0.1	-1.7
WOLVEHUIS JC240006					29%	22%	22 %	20%	20%	29 %	22 %	27%	22%	23%	20%	25%	14%	31 %	31 %	30 %	28 %	30 %	26 %
CWBMJC 240007					86	98	109	95	103	87	98	95	109	100	105	100	106	96	104	116	99	103	92
F1					2.48	1.9				2.48	1.9	-0.20	13.3	6.5	13	-3.1	-0.5	3.5	1.3	12.4	0.6	0.1	-1.7
WOLVEHUIS JC240007					29%	22%	22 %	20%	20%	29 %	22 %	27%	22%	23%	20%	25%	14%	31 %	31 %	30 %	28 %	30 %	26 %
CWBMJC 240008					86	98	109	95	103	87	98	95	109	100	105	100	106	96	104	116	99	103	92
F1					2.48	1.9				2.48	1.9	-0.20	13.3	6.5	13	-3.1	-0.5	3.5	1.3	12.4	0.6	0.1	-1.7
WOLVEHUIS JC240008					29%	22%	22 %	20%	20%	29 %	22 %	27%	22%	23%	20%	25%	14%	31 %	31 %	30 %	28 %	30 %	26 %
CWBMJC 250003					86	98	109	95	103	87	98	95	109	100	105	100	106	96	104	116	99	103	92
F1					2.48	1.9				2.48	1.9	-0.20	13.3	6.5	13	-3.1	-0.5	3.5	1.3	12.4	0.6	0.1	-1.7
WOLVEHUIS WOLVEHUIS JC250003					29%	22%	22 %	20%	20%	29 %	22 %	27%	22%	23%	20%	25%	14%	31 %	31 %	30 %	28 %	30 %	26 %
CWBMJC 260001					86	98	109	95	103	87	98	95	109	100	105	100	106	96	104	116	99	103	92
F1					2.48	1.9				2.48	1.9	-0.20	13.3	6.5	13	-3.1	-0.5	3.5	1.3	12.4	0.6	0.1	-1.7
WOLVEHUIS WOLVEHUIS JC260001					29%	22%	22 %	20%	20%	29 %	22 %	27%	22%	23%	20%	25%	14%	31 %	31 %	30 %	28 %	30 %	26 %
CWBMJC 260005					86	98	109	95	103	87	98	95	109	100	105	100	106	96	104	116	99	103	92
F1					2.48	1.9				2.48	1.9	-0.20	13.3	6.5	13	-3.1	-0.5	3.5	1.3	12.4	0.6	0.1	-1.7
WOLVEHUIS WOLVEHUIS JC260005					29%	22%	22 %	20%	20%	29 %	22 %	27%	22%	23%	20%	25%	14%	31 %	31 %	30 %	28 %	30 %	26 %

CWB Cows

Inbreeding >6% is high				<75	75 - 125	>125	Breeding values with an accuracy < 5% are not printed																
Cow				Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas					
ID	Parentage	%Inbreeding	Sire ID	Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling	Fineness
JAPANESE BLACK																							
CWBFJC 240002 WCW 190103 CWBFJCX 200140				86	98	109	95	103	87	98	95	109	100	105	100	106	96	104	116	99	103	92	
F1 WOLVEHUIS JC240002				2.48	1.9	-0.20	13.3	6.5	13	-3.1	-0.5	3.5	1.3	12.4	0.6	0.1	-1.7	29 %	22 %	22 %	20 %	20 %	
CWBFJC 240003 WCW 190103 CWBFJCX 180126				86	98	109	95	103	87	98	95	109	100	105	100	106	96	104	116	99	103	92	
F1 WOLVEHUIS JC240003				2.48	1.9	-0.20	13.3	6.5	13	-3.1	-0.5	3.5	1.3	12.4	0.6	0.1	-1.7	29 %	22 %	22 %	20 %	20 %	
CWBFJC 240011 WCW 190103 CWBFJCX 150115				86	98	109	95	103	87	98	95	109	100	105	100	106	96	104	116	99	103	92	
F1 WOLVEHUIS WOLVEHUIS JC240011				2.48	1.9	-0.20	13.3	6.5	13	-3.1	-0.5	3.5	1.3	12.4	0.6	0.1	-1.7	29 %	22 %	22 %	20 %	20 %	
CWBFJC 250001 WCW 190103 CWBFJC 210149				86	98	109	95	103	87	98	95	109	100	105	100	106	96	104	116	99	103	92	
F1 WOLVEHUIS WOLVEHUIS JC250001				2.48	1.9	-0.20	13.3	6.5	13	-3.1	-0.5	3.5	1.3	12.4	0.6	0.1	-1.7	29 %	22 %	22 %	20 %	20 %	
CWBFJC 250002 WCW 190103 CWBFJCX 180126				86	98	109	95	103	87	98	95	109	100	105	100	106	96	104	116	99	103	92	
F1 WOLVEHUIS WOLVEHUIS JC250002				2.48	1.9	-0.20	13.3	6.5	13	-3.1	-0.5	3.5	1.3	12.4	0.6	0.1	-1.7	29 %	22 %	22 %	20 %	20 %	
CWBFJC 250004 25 WCW 190103 JC 230001				96	93	93	106	112	96	93	96	93	92	94	104	118	106	113	118	102	101	88	
F1 WOLVEHUIS WOLVEHUIS JC250004				1.64	0.1	-0.23	5.2	1.1	-2	-5.2	-2.8	7.7	2.5	13.6	1.0	0.0	-2.4	32 %	25 %	24 %	23 %	22 %	
CWBFJC 250005 WCW 190103 CWBFJCX 210150				86	98	109	95	103	87	98	95	109	100	105	100	106	96	104	116	99	103	92	
F1 WOLVEHUIS WOLVEHUIS JC250005				2.48	1.9	-0.20	13.3	6.5	13	-3.1	-0.5	3.5	1.3	12.4	0.6	0.1	-1.7	29 %	22 %	22 %	20 %	20 %	
CWBFJC 250006 WCW 190103 CWBFJC 210151				86	98	109	95	103	87	98	95	109	100	105	100	106	96	104	116	99	103	92	
F1 WOLVEHUIS WOLVEHUIS JC250006				2.48	1.9	-0.20	13.3	6.5	13	-3.1	-0.5	3.5	1.3	12.4	0.6	0.1	-1.7	29 %	22 %	22 %	20 %	20 %	
CWBFJC 250007 WCW 190103 CWBFJCX 180126				86	98	109	95	103	87	98	95	109	100	105	100	106	96	104	116	99	103	92	
F1 WOLVEHUIS WOLVEHUIS JC250007				2.48	1.9	-0.20	13.3	6.5	13	-3.1	-0.5	3.5	1.3	12.4	0.6	0.1	-1.7	29 %	22 %	22 %	20 %	20 %	
CWBFJC 250008 WCW 190103 CWBFJCX 200138				86	98	109	95	103	87	98	95	109	100	105	100	106	96	104	116	99	103	92	
F1 WOLVEHUIS WOLVEHUIS JC250008				2.48	1.9	-0.20	13.3	6.5	13	-3.1	-0.5	3.5	1.3	12.4	0.6	0.1	-1.7	29 %	22 %	22 %	20 %	20 %	
CWBFJC 260002 25 WCW 190103 JC 230004				96	93	93	106	112	96	93	96	93	92	94	104	118	106	113	118	102	101	88	
F1 WOLVEHUIS WOLVEHUIS JC260002				1.64	0.1	-0.23	5.2	1.1	-2	-5.2	-2.8	7.7	2.5	13.6	1.0	0.0	-2.4	32 %	25 %	24 %	23 %	22 %	
CWBFJC 260003 WCW 190103 CWBFJC 240002				86	98	109	95	103	87	98	95	109	100	105	100	106	96	104	116	99	103	92	
F1 WOLVEHUIS WOLVEHUIS JC260003				2.48	1.9	-0.20	13.3	6.5	13	-3.1	-0.5	3.5	1.3	12.4	0.6	0.1	-1.7	29 %	22 %	22 %	20 %	20 %	

CWB Cows

Inbreeding >6% is high			<75		75 - 125		>125		Breeding values with an accuracy < 5% are not printed														
Cow				Selection Values					Kalf gewig		Moeder		Groei		Vrugbaarheid			Karkas					
ID	%Inbreeding	Parentage		Calving Ease Value	Calf Growth Value	Milk Value	Maintenance Value	Fertility Value	Birth Weight	Wean Weight	Birth Mat.	Milk (Wn.Mat.)	Postwean Weight	Mature Weight	Heifer Fertility	Cow Fertility	Longevity	IMF	Carcass Weight	EMA	Rib Fat	Marbling	Fineness
		Genomic DNA	Sire ID																				
Name																							
JAPANESE BLACK																							
CWBFJC 260004  WCW 190103				86	98	109	95	103	87	98	95	109	100	105	100	106	96	104	116	99	103	92	
F1 CWBFJC 190135				2.48	1.9				2.48	1.9	-0.20	13.3	6.5	13	-3.1	-0.5	3.5	1.3	12.4	0.6	0.1	-1.7	
WOLVEHUIS WOLVEHUIS JC260004				29 %	22 %	22 %	20 %	20 %	29 %	22 %	27 %	22 %	23 %	20%	25%	14%	31 %	31 %	30 %	28 %	30 %	26 %	