



DOHNE MERINO GENETIC REPORT



20 September 2026

MR A.P. PIENAAR

FDM : AP



CERTIFICATE
OF QUALITY

Valid up to
October 2029



Information

This Report gives a summary of the genetic levels of the flock with regards to production and fertility. Breeders can easily see if genetic progress occurred in their flocks.

EBV (Estimated Breeding Value)

The breeding value indicates an animal's genetic ability for a specific trait. It is indicated in the unit of measurement and relative to that of an average animal born in the base year, i.e. five years ago. A higher breeding value is desirable for all traits, except Fibre Diameter (thinner fibres are better), AFL (early sexual maturity) and ILP (easy conceptions – shorter Interlambing Periods).

EBVi (EBVindex)

The base of a breeding value index is 100, where 100 is the average of the active animals in the breed. Values above 100 are always in the more desirable direction, also for AFL (early sexual maturity) and ILP (shorter intervals). However, for FD values below 100 indicate thinner (more desirable) fibres.

Selection Indices

This is the combination of breeding values into a single value. It indicates of the genetic value of the combined traits of the animal with regards to the breed. Traits cannot simply be summed, as they are expressed in different units, their genetic variation differ and because negative values are more desirable for certain traits. Traits are also weighted differently according to economic importance. All these factors are taken into account when selection indices are constructed. The selection indices currently available for the Dohne Merino breed, is the General Merit (GM) and the within-test-group selection index (SIP). The GM and SIP indices are only published for animals with wean and wool measurements.

General Merit (GM)

$$GM = (EBV \text{ BWeight} * 2.30) + (EBV \text{ CFW} * 22.0) + (EBV \text{ FD} * -5.0) + (EBV \text{ TWW} * 5.0)$$

Within-Test-Group Selection Index (SIP)

$$SIP = (GM_{\text{dier}} / \text{Average GM of wool contemporary group}) * 100$$

This is a lifetime value for the animal, allocated on the basis of the animal's own measurements. This value is not updated when the animal's EBVs are estimated more accurately due to the inclusion of progeny and other relatives' information in the Genetic Evaluation.

Genetic Windows and Averages

The flock's average genetic levels are compared to the active breed average, where active breed average is set to 100.

Genetic Trends

The Genetic Trends indicate the genetic changes that occurred in the flock over time in comparison to that of the breed. This is based only on the animals that were measured for the relevant trait.

Inbreeding

The average inbreeding of the flock per year of birth is compared to that of the breed. Inbreeding levels should stay below 6.25% and rate of inbreeding less than 0.1-0.2% per year to maintain genetic diversity.

The active population is defined as the lambs born in the last 36 months and their parents, regardless if they were measured for the trait or not, excluding the animals that are already cancelled on Logix.

Abbreviations

WnD:	Weaning Weight Direct
WnM	Weaning Weight Maternal
BW:	Body Weight
CFW:	Clean Fleece Weight
FD:	Fibre Diameter
SL:	Staple Length
AFL:	Age First Lambing
ILP:	Interlambing Period
NLW:	Number of Lambs Weaned
TWW:	Total Weight of Lambs Weaned

The data used in this evaluation has been obtained from LOGIX, as supplied by breeders. Everything possible had been done to present the information correctly. SA Stud Book does not take any responsibility for the use and interpretation of the information from this publication.

Genetic Windows

Average Breeding Value Indices (EBVi)

(Lambs born in the last 36 months and their parents)

Number: 1010


Genetic Linkage

(Based on the youngest measured generation)

Level	Nr of Link Rams
Swak / Weak	1

A link ram should have at least 20 measured progeny in your flock and at least another 20 measured progeny in at least one more flock.

Try to use at least 5 link rams in a 5-year period to obtain strong genetic linkages within the breed.



Abbr.	Trait	Interpretation of Index	
		<100 (Worse)	>100 (Better)
WnD	Weaning Weight Direct	Lighter	Heavier
WnM	Weaning Weight Maternal	Less	More
BW	Body Weight	Lighter	Heavier
CFW	Clean Fleece Weight	Less	More
FD	Fibre Diameter	Thinner	Thicker
SL	Staple Length	Shorter	Longer
AFL	Age at First Lambing	Later	Earlier
ILP	Interlambing Period	Longer	Shorter
NLW	Number of Lambs Weaned	Less	More
TWW	Total Weight of Lambs Weaned	Lighter	Heavier
AM	General Merit	Poor	Good
SIP	Within-Test Group Selection Index	Poor	Good

* The Genetic Windows provide a quick overview of the flock's genetic status compared to the breed.

* The values presented here are the average breeding value indices and selection indices of all the lambs born in the past 36 months and their parents in the flock compared to the breed.


* An index of 100 equals the average of the lambs born in the past 36 months and their parents in the breed.

* The breeding value indices for AFL and ILP are expressed in such a way that an index above 100 indicates the better animals, thus the animals with a genetic ability for a short AFL and ILP. See accompanying table for interpretation of other Indices.

Genetic Windows

Sires of lambs born in the last 36 months

Number : 6




Dams of lambs born in the last 36 months

Number : 270



Lambs born in the last 36 months

Number : 606



Average Genetic Levels

Average Breeding Values

Averages of all lambs born in the last 36 months and their parents

Trait	Flock			Breed		
	All	Rams	Ewes	All	Rams	Ewe
Breeding Values for Production Traits						
Weaning Weight Direct	-0.54	-0.36	-0.64	0.54	0.66	0.47
Weaning Weight Mat	-0.04	-0.09	-0.02	0.01	0.00	0.01
Body Weight	-0.53	-0.23	-0.71	0.56	0.96	0.41
Clean Fleece Weight	-0.04	-0.02	-0.06	0.03	0.06	0.02
Fibre Diameter	0.25	0.25	0.25	-0.14	-0.22	-0.12
Staple Length	-1.05	-0.60	-1.33	0.50	0.68	0.43
Breeding Values for Fertility						
Age First Lambing	-5.18	-4.98	-5.32	1.48	2.04	1.17
Interlambing Period	-0.65	-0.76	-0.57	0.36	0.44	0.31
Lambs Weaned	0.31	0.45	0.23	0.46	0.56	0.39
Total Weight Weaned	-0.09	-0.12	-0.08	0.27	0.32	0.24
Selection Indices						
General Merit Index	-2.58	-1.61	-3.10	2.81	4.45	2.23
SIP	100.6	100.0	100.9	100.7	100.4	100.8
Inbreeding						
Inbreeding (%)	2.41	2.40	2.42	3.00	3.13	2.92
Number of Animals						
Number of Animals	1040	382	658	125905	45967	79938









Average Breeding Value Indices

Average EBVi of all active measured animals, where breed average of active measured animals = 100.

Trait	Flock		
	All	Rams	Ewes
Breeding value Indices for Production Traits			
Weaning Weight Direct	89.9	91.5	88.9
Weaning Weight Mat	98.9	97.9	99.6
Body Weight	93.0	95.0	91.9
Clean Fleece Weight	95.4	96.9	94.5
Fibre Diameter	106.0	106.0	106.0
Staple Length	95.9	97.1	95.2
Breeding Value Indices for Fertility			
Age First Lambing	107.5	107.3	107.6
Interlambing Period	103.4	103.7	103.1
Lambs Weaned	99.4	100.0	99.1
Total Weight Weaned	95.7	95.3	95.9
Selectopn Indices			
General Merit Index	91.1	92.7	90.2
SIP	100.6	100.0	100.9
Inbreeding			
Inbreeding (%)	2.41	2.40	2.42
Number of Animals			
Number of Animals	1040	382	658

Genetic Trends




Average breeding value per year of birth for animals in the breed and flock. Genetic trends are based on measured animals that were bred by the relevant breeder.



For FD, AFL and ILP, flock trends below breed averages are desirable

Genetic Trends: Fertility Traits

Average breeding value per year of birth in the breed and flock. Genetic trends are based on measured animals that were bred by the relevant breeder.



Genetic Trends: Breed and Flock

Average breeding value per year of birth for animals in the breed and flock. Genetic trends are based on measured animals that were bred by the relevant breeder.

Genetic Trends of Breed


Birth Year	Weaning Weight			Body Weight		CFW		FD		SL		AFL		ILP		NLW		TWW		General Merit	
	Nr	Dir	Mat	Nr	EBV	Nr	EBV	Nr	EBV	Nr	EBV	Nr	EBV	Nr	EBV	Nr	EBV	Nr	EBV	Nr	Ind
2014	34600	-1.62	-0.08	23613	-2.43	23477	-0.20	23511	0.33	23404	-1.65	6513	-4.96	4764	-1.69	8149	-0.57	6758	-0.41	25195	-9.76
2015	36007	-1.44	-0.05	25062	-2.12	24975	-0.18	24990	0.28	24511	-1.51	6856	-4.79	5313	-1.43	8627	-0.57	7110	-0.42	26207	-8.59
2016	33764	-1.17	-0.03	24799	-1.74	24614	-0.15	24664	0.22	24080	-1.07	7054	-4.46	5449	-1.38	8681	-0.41	7293	-0.27	25836	-6.81
2017	33408	-0.95	0.00	24007	-1.39	23924	-0.13	23948	0.19	23487	-1.19	7125	-3.04	5498	-0.77	9139	-0.30	7020	-0.19	24328	-5.48
2018	34871	-0.67	0.00	24937	-0.96	24789	-0.10	24807	0.17	24087	-0.72	7421	-2.86	5764	-0.67	8663	0.09	7374	0.04	25402	-3.35
2019	34833	-0.46	0.02	25157	-0.74	25034	-0.06	25045	0.07	24985	-0.63	7016	-1.62	5333	-0.50	8420	-0.19	6949	-0.05	25370	-2.61
2020	35032	-0.26	0.03	24234	-0.34	24298	-0.04	24310	0.04	24213	-0.20	6557	-0.74	4885	-0.15	8732	0.34	6476	0.18	24153	-0.71
2021	33757	0.00	0.00	23306	0.00	23200	0.00	23217	0.00	23156	0.00	6425	0.00	4779	0.00	8439	0.00	6245	0.00	23180	0.17
2022	32965	0.20	-0.02	22207	0.34	22115	0.01	22136	-0.05	22041	0.27	5933	0.83	3883	0.50	7685	0.48	5658	0.21	22071	1.75
2023	32993	0.44	-0.06	21947	0.60	21831	0.04	21880	-0.16	21853	0.46	5361	1.77	1851	1.14	5554	0.35	4743	0.22	21836	2.88
2024	34418	0.50	-0.04	22757	0.76	22780	0.06	22790	-0.16	22746	0.74	2626	4.31	147	0.21	2149	0.65	2008	0.48	22746	3.82
2025	28497	0.77	0.02	8675	1.57	9028	0.07	9040	-0.38	9011	0.95	60	10.56							8597	6.80

Genetic Trends of Flock

Birth Year	Weaning Weight			Body Weight		CFW		FD		SL		AFL		ILP		NLW		TWW		General Merit	
	Nr	Dir	Mat	Nr	EBV	Nr	EBV	Nr	EBV	Nr	EBV	Nr	EBV	Nr	EBV	Nr	EBV	Aantal	EBV	Nr	EBV
2014	194	-1.94	-0.45	162	-3.06	161	-0.14	161	0.18	154	-1.36	38	-8.38	32	-2.54	74	-1.73	37	-1.26	162	-11.75
2015	214	-1.82	-0.37	201	-3.13	199	-0.13	199	-0.08	199	-2.36	45	-8.19	42	-1.17	60	-2.32	45	-0.98	201	-10.49
2016	144	-1.60	-0.24	127	-2.73	126	-0.17	126	0.00	126	-2.94	23	-7.83	14	-0.98	43	-0.38	23	-0.60	127	-8.84
2017	184	-1.48	-0.17	155	-2.28	155	-0.14	155	-0.11	155	-3.19	30	-6.85	27	0.38	53	-1.30	30	-0.70	155	-7.50
2018	164	-1.31	-0.03	89	-2.25	89	-0.15	89	-0.03	89	-3.48	23	-6.40	21	-0.32	64	-0.60	23	-0.69	89	-7.00
2019	182	-1.18	0.19	119	-1.86	119	-0.15	119	0.18	119	-3.13	36	-6.90	34	-0.05	59	0.82	37	0.10	119	-5.91
2020																12	0.45				
2021	181	-1.00	0.00	117	-0.95	117	-0.02	117	0.36	116	-0.92	31	-5.51	28	0.32	55	-0.37	30	-0.18	117	-3.22
2022	149	-1.04	0.21	111	-1.32	111	-0.10	111	0.36	111	-2.99	39	-5.73	34	-0.08	63	0.81	34	0.02	111	-4.68
2023	244	-0.55	-0.01	186	-0.49	186	-0.05	186	0.19	186	-0.72	49	-4.56							186	-2.23
2024	306	-0.40	-0.05	190	-0.27	190	-0.05	190	0.21	190	-0.92									190	-1.97

Inbreeding

Inbreeding in Flock and Breed



Pedigree Information

	Number	%
Known Sires	902	86
Known Dams	902	86

Please Note : When pedigree information is incomplete, inbreeding is under-estimated.

The effects of inbreeding can be observed from 6.25% onwards. Inbreeding primarily leads to decreased fertility and low survivability of lambs.

Inbreeding % is dependent on the accuracy of pedigree information. It is therefore highly recommended to record pedigrees as accurately and completely as possible and not to mate related animals.

Incomplete and incorrect pedigree information can be reported to SA Stud Book

Inbreeding Level and Rate

Year of Birth	Level* (%)	Rate (% / year)
2003 - 2025	2.67	0.10
Recommendations	< 6.25	< 0.1 - 0.2

*Of last birth year

Inbreeding Levels for Specific Matings

Progeny with Parents :	25%
Full Brother x Full Sister :	25%
Half Brother x Half Sister :	12.5%
One Common Grandparent :	6.25%
One Common Great-Grandparent :	3.125%

Percentiles of Breeding Values : All Active Animals

Percentile	Wean Dir	Wean Mat	Body Weight	CFW	FD	SL	NLW	TWW	AFL	ILP	Gen. Merit
Gemid/Avg	0.43	0.00	0.58	0.04	-0.15	0.46	0.47	0.26	1.30	0.30	2.53
SA/SD	1.29	0.56	1.84	0.17	0.69	3.92	2.99	0.93	-10.19	-3.48	7.11
MIN	-4.90	-3.44	-9.56	-0.75	3.11	-18.57	-17.30	-5.29	68.72	22.49	-25.62
1%	-2.32	-1.35	-3.42	-0.38	1.49	-8.80	-7.64	-2.17	33.49	9.02	-13.42
5%	-1.58	-0.89	-2.30	-0.25	0.95	-5.86	-4.59	-1.30	18.37	6.15	-8.27
10%	-1.19	-0.67	-1.72	-0.19	0.69	-4.38	-3.19	-0.87	13.14	4.69	-6.12
20%	-0.68	-0.43	-0.98	-0.11	0.41	-2.72	-1.72	-0.43	8.52	3.05	-3.50
30%	-0.30	-0.27	-0.43	-0.05	0.20	-1.54	-0.76	-0.11	5.14	1.87	-1.46
40%	0.05	-0.13	0.05	0.00	0.02	-0.54	0.06	0.10	2.16	0.90	0.38
50%	0.38	0.00	0.50	0.04	-0.14	0.39	0.45	0.21	0.19	0.13	1.99
60%	0.72	0.13	0.96	0.08	-0.31	1.32	1.08	0.41	-1.46	-0.57	3.85
70%	1.09	0.27	1.48	0.13	-0.49	2.34	1.79	0.65	-3.58	-1.45	6.03
80%	1.54	0.44	2.11	0.18	-0.72	3.60	2.66	0.96	-5.70	-2.39	8.71
90%	2.13	0.69	2.98	0.26	-1.03	5.43	4.08	1.41	-9.18	-3.66	12.22
95%	2.62	0.93	3.73	0.32	-1.29	7.03	5.33	1.81	-12.92	-4.88	14.90
99%	3.57	1.41	5.08	0.45	-1.80	10.22	7.78	2.59	-23.99	-8.36	19.40
MAX	5.84	2.39	8.39	0.84	-3.43	19.74	16.55	5.29	-43.24	-17.72	31.42

SD = Standard Deviation = Indicates the spread around the average

Percentiles of Indices : All Active Animals

Percentile	Wean Dir	Wean Mat	Body Weight	CFW	FD	SL	NLW	TWW	AFB	ILP	Gen. Merit
Gemid/Avg	100	100	100	100	100	100	100	100	100	100	100
SA/SD	12	12	12	12	12	12	12	12	12	12	12
MIN	49	24	35	52	149	50	33	33	24	30	53
1%	73	71	73	72	128	73	68	69	63	70	72
5%	81	81	81	80	120	80	80	80	80	80	80
10%	85	85	85	85	115	85	85	85	86	85	85
20%	90	91	90	90	110	90	91	91	92	91	90
30%	93	94	94	94	106	94	95	95	95	95	94
40%	97	97	97	97	103	97	98	97	99	98	97
50%	100	100	100	100	100	100	100	100	101	100	100
60%	103	103	103	103	97	103	103	103	103	103	103
70%	106	106	106	106	94	106	106	106	106	106	106
80%	110	109	110	110	90	110	109	109	108	109	110
90%	116	115	115	115	85	115	115	115	112	114	116
95%	120	120	120	120	80	120	119	120	117	118	120
99%	129	130	130	128	72	129	129	129	130	130	128
MAX	150	150	150	150	49	150	160	160	150	160	147

Rams with Progeny



Genotyped

*Inbreeding in red is high

EBV - Estimated Breeding Value

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding values

Breeding values with accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of lambs born in the past 36 months and their parents in the breed

Animal Information		Parents & Progeny					Selection Indices			EBV - Weights			EBV - Wool			EBV - Fertility				Rank		
Animal ID Regnr	% In- brding	Sire ID Dam ID	Wean		Wool test		SIP	GM		Weaning Dir		Weight Mat	Body Weight	CFW	FD	SL	NLW	TWW	DAM			
			Progeny weaned	Nr flocks	Progeny tested	Nr flocks		EBV	Index	EBV Acc	Index								EBV Acc	Index		EBV Acc
		Active Breed Average :					101	2.8	100	0.54	0.01	0.56	0.03	-0.14	0.50	0.46	0.27					
AP 19 0132 86291556	1.75	AP 17 0111 AP 17 0708	81	1	54	1	103	-4.37	88	0.17 93 97	0.75 50 116	0.60 91 100	-0.30 90 80	0.14 94 104	-5.82 92 83	0.99 29 102	-0.09 29 96	89	1	13		
AP 22 0119 94784626	0.99	SF 18 0389 AP 16 0221	71	1	41	1	102	0.54	96	-0.27 93 92	-0.41 54 91	-0.05 90 96	0.01 88 99	0.29 93 107	-3.39 91 90	3.21 35 110	0.37 34 101	124	5	19		
JL 20 0435 90412883	1.34	SD 17 0256 JL 16 1303	138	1	90	1	101	1.35	98	0.56 96 100	-0.72 65 85	1.28 94 105	0.11 93 105	0.28 96 107	5.39 95 113	1.97 52 106	-0.47 51 91	113	4	124		
JL 21 1154 92930924	1.40	JL 19 1957 JL 17 2077	79	1	59	1	102	-1.44	93	-0.47 93 91	0.27 54 106	1.22 92 104	0.04 90 101	0.49 95 110	7.30 93 118	-2.19 32 90	-0.70 32 88	99	3	128		
LW 18 1264 82913674	15.06	LW 16 1218 LW 15 1378	454	2	258	2	111	8.98	110	-0.18 99 93	-0.08 79 98	1.80 98 108	0.16 97 108	0.04 99 103	5.47 98 113	3.26 54 111	0.98 54 109	90	2	13		
MV 20 0103 86874708	1.13	MV 17 0140 MV 17 0083	106	2	73	2	103	5.61	105	1.71 95 111	0.19 70 104	1.24 93 104	0.03 92 100	-0.46 96 95	-1.58 94 95	-0.92 52 95	0.37 52 101	96	3	24		
SF 18 0389 83068197	0.83	SD 14 0365 SF 12 0293	91	1	74	1	108	-3.07	90	-0.83 94 87	-0.52 69 89	-1.94 94 84	0.13 93 106	0.51 96 110	-5.56 94 84	0.20 48 99	-0.08 47 96	111	5	17		
Rams with Progeny Average :							104	1.1	97	0.10	-0.08	0.59	0.03	0.18	0.26	0.93	0.05					

Young Rams



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding value

Breeding values with an accuracy of below 5% are not printed

Young rams, born since 2020 with a weaning weight, and wool test, but no progeny, both parents known.

Animal Information		Parents		Rank	Selection Indices			EBV - Weights			EBV - Wool			EBV - Fertility			
Animal ID Regnr	% In- breeding	Sire ID	Dam ID		SIP	GM		Weaning Weight		Body Weight	CFW	FD	SL	NLW	TWW	EPI	DAM Lambd
						EBV	Index	EBV	Index	A	EBV	Index	EBV	Index	EBV	Index	Phenotype
		Active Breed Average :			101	2.8	100	0.54	0.01	0.56	0.03	-0.14	0.50	0.46	0.27		
AP 23 0441 98882533	1.77	JL 21 1154	AP 16 0703	15	99	-4.49	88	-0.82 64 87	0.26 37 105	0.14 65 97	-0.08 62 93	0.75 74 114	-0.91 67 96	-0.88 17 95	-0.24 17 94	94	3
AP 23 0442 98882541	1.77	JL 21 1154	AP 16 0806	26	94	-7.27	83	-1.98 64 76	0.17 38 104	-1.32 64 88	0.03 61 100	1.37 73 123	-1.33 67 95	-1.19 17 94	-0.26 17 94	94	3
AP 24 0003 100181866	1.89	JL 20 0435	AP 19 0713	5	104	0.27	96	0.22 65 97	-0.12 42 97	-0.22 65 95	0.05 63 101	-0.06 74 101	2.19 68 104	0.92 26 102	-0.15 26 95	107	4
AP 24 0005 100181882	1.46	JL 20 0435	AP 13 0501	24	96	-4.34	88	-1.74 69 79	-0.17 48 96	-1.97 68 84	0.08 66 103	0.67 76 113	5.49 70 113	1.41 28 104	-0.03 28 96	193	9
AP 24 0012 100181940	1.87	JL 20 0435	AP 18 0607	16	99	-3.58	89	-1.05 67 85	-0.76 45 84	-0.72 67 92	-0.08 65 93	0.19 75 105	3.59 69 108	1.07 27 102	-0.18 27 95	117	5
AP 24 0013 100181965	1.42	JL 20 0435	AP 18 0004	18	98	-3.42	90	-0.69 70 88	-0.93 47 80	-1.03 70 90	0.21 68 111	-0.02 77 102	3.09 72 107	-3.21 35 86	-1.47 35 79	107	5
AP 24 0016 100181981	1.43	JL 20 0435	AP 19 0433	1	110	4.67	103	1.19 69 106	-0.19 47 96	0.25 70 98	0.06 68 102	-0.25 77 98	-0.71 72 97	4.66 35 116	0.61 35 104	104	3
AP 24 0019 100182021	2.21	JL 20 0435	AP 21 0804	6	103	-0.53	95	0.21 64 97	0.02 41 100	0.17 65 98	-0.14 63 90	-0.46 74 95	-4.91 67 86	1.21 26 103	-0.13 26 95	106	3
AP 24 0025 100182088	1.87	JL 20 0435	AP 18 0610	7	103	-0.73	94	0.09 66 96	-0.02 44 100	1.28 66 105	-0.09 64 92	0.27 75 106	3.52 69 108	0.94 26 102	-0.15 26 95	119	5
AP 24 0029 100182161	2.21	JL 20 0435	AP 21 0813	25	95	-6.13	85	0.01 63 95	-0.14 39 97	0.05 64 97	-0.28 61 81	0.42 72 109	1.45 66 103	1.21 26 103	-0.13 26 95	97	3
AP 24 0030 100182187	1.24	JL 20 0435	AP 19 0053	13	100	-2.48	91	-0.03 69 95	0.13 46 103	0.04 70 97	-0.12 67 91	-0.04 77 102	-1.92 72 94	0.00 34 98	-0.27 34 94	105	3
AP 24 0031 100182203	1.45	JL 20 0435	AP 22 0107	2	108	3.18	101	0.38 68 99	-0.48 42 90	1.30 69 105	-0.11 66 91	-0.95 76 88	-5.13 71 85	1.07 30 102	-0.23 29 94	99	2
AP 24 0035 100182245	2.08	JL 20 0435	AP 22 0706	9	102	-0.81	94	0.46 62 99	-0.19 37 96	0.80 64 102	0.01 61 99	0.54 72 111	8.01 66 120	1.21 26 103	-0.13 26 95	100	1
AP 24 0044 107796815	1.36	JL 20 0435	AP 22 0052	60	93	-5.05	87	-1.08 68 85	-0.18 44 96	-0.90 69 91	0.00 67 98	0.69 77 113	-0.74 71 97	2.36 33 107	-0.36 33 92	99	2
AP 24 0047 107796831	1.87	JL 20 0435	AP 18 0612	61	93	-6.24	85	-1.79 63 78	-0.58 39 88	-1.99 65 84	-0.02 62 97	0.65 73 112	1.06 67 102	1.21 26 103	-0.13 26 95	96	3



Young Rams



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding value

Breeding values with an accuracy of below 5% are not printed

Young rams, born since 2020 with a weaning weight, and wool test, but no progeny, both parents known.

Animal Information		Parents		Rank	Selection Indices			EBV - Weights			EBV - Wool			EBV - Fertility			
Animal ID Regnr	% In- breeding	Sire ID	Dam ID		SIP	GM		Weaning Weight Dir	Weight Mat	Body Weight	CFW	FD	SL	NLW	TWW	DAM EPI	Lambled
					EBV	Index		Acc	Index	Acc	Acc	Index	Acc	Acc	Index	Acc	Phenotype
Active Breed Average :					101	2.8	100	0.54	0.01	0.56	0.03	-0.14	0.50	0.46	0.27		
AP 24 0050 107796856	1.62	JL 20 0435	AP 19 0110	16	103	1.21	97	0.37 69	0.05 45	1.08 101	0.09 67	0.51 77	5.22 112	2.06 32	-0.08 96	99	2
AP 24 0054 107796864	1.43	JL 20 0435	AP 18 0403	42	98	-2.22	92	-0.06 70	-0.54 47	-1.03 90	-0.30 68	-1.01 77	0.05 72	4.04 33	0.13 98	102	2
AP 24 0056 107796872	1.29	JL 20 0435	AP 16 0221	46	97	-2.88	91	0.43 71	-0.37 48	0.25 98	-0.14 68	0.51 77	0.98 101	4.10 36	0.17 99	124	5
AP 24 0064 107796914	1.46	JL 20 0435	AP 21 0201	48	96	-3.11	90	0.32 69	-0.33 45	0.09 93	-0.03 67	0.01 77	-1.62 94	-2.39 34	-0.80 87	101	3
AP 24 0065 107796922	1.22	JL 20 0435	AP 21 0087	10	104	2.48	99	-0.06 69	-0.59 45	0.02 88	0.13 67	-0.39 77	0.90 101	0.19 33	-0.33 93	102	3
AP 24 0066 107796930	1.25	JL 20 0435	AP 22 0103	45	97	-2.59	91	-0.35 68	-0.39 43	0.00 92	0.14 67	1.20 77	2.83 106	0.99 30	-0.18 95	100	2
AP 24 0067 107796948	1.41	JL 20 0435	AP 21 0029	18	103	0.87	97	1.25 69	-0.42 44	1.09 91	-0.01 66	0.26 76	2.31 105	1.88 31	-0.01 97	106	3
AP 24 0069 107796984	1.25	JL 20 0435	AP 22 0121	22	101	0.01	95	-0.38 68	-0.51 43	-0.18 89	-0.04 67	-0.28 77	-2.36 93	2.34 32	-0.07 96	100	2
AP 24 0071 107796971	1.25	JL 20 0435	AP 22 0318	4	106	3.53	101	1.84 69	-0.20 45	2.42 96	0.15 67	0.57 77	6.10 115	0.27 32	-0.28 93	108	2
AP 24 0072 107796989	1.25	JL 20 0435	AP 22 0318	57	94	-4.70	88	-0.94 69	0.10 45	-0.30 102	0.06 67	1.19 77	2.57 105	0.27 32	-0.28 93	108	2
AP 24 0076 107796997	1.38	JL 20 0435	AP 19 0013	44	98	-3.10	90	-0.80 69	-0.40 46	-0.84 92	-0.02 67	0.26 77	4.20 110	1.56 32	-0.17 95	106	4
AP 24 0077 107797003	1.38	JL 20 0435	AP 19 0013	23	101	-0.54	95	0.10 69	-0.66 46	-0.36 86	0.09 67	0.27 77	1.52 103	1.56 32	-0.17 95	106	4
AP 24 0087 107797060	1.89	JL 20 0435	AP 19 0812	56	95	-4.98	87	-0.23 65	0.39 41	1.10 108	-0.05 62	1.57 73	6.34 115	1.21 26	-0.13 95	97	3
AP 24 0092 107797094	2.08	JL 20 0435	AP 22 0808	51	96	-3.83	89	0.74 62	0.22 37	2.19 105	-0.28 61	0.78 73	3.55 108	1.21 26	-0.13 95	101	2
AP 24 0093 107797102	1.62	JL 20 0435	AP 22 0021	53	96	-3.57	90	0.16 68	0.11 43	0.84 102	-0.10 66	0.92 76	0.68 101	2.03 31	-0.08 96	101	2
AP 24 0099 107797144	1.87	JL 20 0435	AP 18 0705	6	106	2.93	100	0.48 65	-0.25 41	1.31 95	0.15 63	0.37 74	3.87 109	1.21 26	-0.13 95	100	4

Young Rams



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding value
Breeding values with an accuracy of below 5% are not printed

Young rams, born since 2020 with a weaning weight, and wool test, but no progeny, both parents known.

Animal Information		Parents		Rank	Selection Indices			EBV - Weights			EBV - Wool			EBV - Fertility			
Animal ID Regnr	% In- breeding	Sire ID	Dam ID		SIP	GM		Weaning Weight Dir Mat		Body Weight	CFW	FD	SL	NLW	TWW	EPI	DAM Lambded
						EBV	Index	EBV	Index	A	EBV	Index	Acc	Index	Acc	Index	Acc
		Active Breed Average :			101	2.8	100	0.54	0.01	0.56	0.03	-0.14	0.50	0.46	0.27		
AP 24 0102 100182369	1.07	SF 18 0389	AP 21 0220	14	99	-3.45	90	-1.16 68	-0.56 84	-2.46 69	0.26 67	0.37 76	-4.27 88	-3.56 32	-0.64 89	90	3
AP 24 0106 100182427	1.87	SF 18 0389	AP 18 0723	21	97	-5.25	87	-1.57 67	-0.19 80	-2.48 46	0.03 64	0.58 74	-1.98 111	0.32 24	0.07 98	130	5
AP 24 0108 100182443	0.94	SF 18 0389	AP 17 0319	28	93	-7.42	83	-0.41 69	-0.30 91	-1.06 47	0.15 67	1.61 77	-1.90 127	-3.97 34	-0.69 88	93	5
AP 24 0109 107797151	1.87	AP 22 0119	AP 18 0720	39	99	-2.57	91	-1.23 65	-0.38 83	-2.32 39	-0.13 62	-0.62 74	-6.49 93	1.59 18	0.24 100	109	5
AP 24 0110 107797169	2.21	AP 22 0119	AP 21 0702	49	96	-4.13	89	-0.95 61	-0.15 86	-0.61 32	-0.07 60	0.92 72	-4.39 116	1.83 17	0.29 100	94	1
AP 24 0113 107797177	1.15	AP 22 0119	AP 14 0105	47	96	-3.60	89	-1.26 69	-0.82 83	-2.92 45	0.18 66	-0.45 76	1.77 103	-2.64 33	-0.96 85	182	9
AP 24 0118 107797193	2.08	AP 22 0119	AP 22 0713	41	98	-3.03	90	-1.20 61	-0.17 84	-1.07 32	-0.21 60	-0.24 72	-6.04 99	1.83 17	0.29 100	99	2
AP 24 0123 107797227	2.08	AP 22 0119	AP 22 0810	14	103	0.64	96	-0.20 63	-0.04 93	-0.33 35	0.05 60	0.23 72	-6.31 106	1.83 17	0.29 100	109	2
AP 24 0128 107797250	1.37	AP 22 0119	AP 18 0301	12	104	1.53	98	1.80 69	-0.04 112	2.96 43	0.07 67	1.04 77	0.33 118	-1.44 30	-0.26 94	108	3
AP 24 0134 107797276	1.16	AP 22 0119	AP 22 0054	17	103	1.27	97	0.38 67	-0.19 98	0.28 40	0.23 66	0.89 76	1.77 116	1.71 26	0.07 98	102	2
AP 24 0139 107797292	7.45	AP 22 0119	AP 16 0209	19	102	-0.18	95	-0.30 69	-0.29 92	-0.27 44	-0.08 66	0.75 77	0.39 114	8.22 29	1.12 110	130	5
AP 24 0143 107797300	2.08	AP 22 0119	AP 22 0719	28	101	-1.15	93	-1.26 61	-0.49 83	-1.85 32	0.11 60	0.29 72	0.53 107	1.83 17	0.29 100	99	2
AP 24 0146 107797326	2.08	AP 22 0119	AP 22 0711	37	99	-2.06	92	-0.83 61	-0.08 87	-0.20 32	-0.19 60	-0.03 72	-5.54 102	1.83 17	0.29 100	99	2
AP 24 0151 107797359	1.75	AP 22 0119	AP 17 0704	39	99	-2.07	92	-1.27 67	-0.22 83	-1.37 41	-0.12 63	-0.24 74	-2.93 99	1.83 17	0.29 100	128	6
AP 24 0157 107797391	2.11	AP 22 0119	AP 21 0319	7	105	2.16	99	0.42 69	-0.30 99	0.10 42	0.05 66	0.10 76	-2.70 104	2.99 26	0.41 102	116	3
AP 24 0159 107797409	1.87	AP 22 0119	AP 18 0606	15	103	0.69	97	-0.46 65	-0.46 91	-0.59 38	0.12 61	0.42 74	1.67 109	1.83 17	0.29 100	101	3

Young Rams



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding value

Breeding values with an accuracy of below 5% are not printed

Young rams, born since 2020 with a weaning weight, and wool test, but no progeny, both parents known.

Animal Information		Parents		Rank	Selection Indices			EBV - Weights			EBV - Wool			EBV - Fertility			
Animal ID Regnr	% In- breeding	Sire ID	Dam ID		SIP	GM		Weaning Weight		Body Weight	CFW	FD	SL	NLW	TWW	DAM EPI Lambbed	
						EBV	Index	EBV	Index	A	EBV	Index	EBV	Index	EBV	Index	Phenotype
		Active Breed Average :			101	2.8	100	0.54	0.01	0.56	0.03	-0.14	0.50	0.46	0.27		
AP 24 0162 107797425	0.94	AP 22 0119	AP 21 0020	11	104	2.05	99	-0.10 68	-0.88 41	-0.55 68	0.16 66	0.04 76	1.54 70	1.31 28	0.10 27	98	98 3
AP 24 0202 100182484	2.21	AP 22 0119	AP 21 0808	10	102	-1.18	93	-0.31 64	0.18 37	0.27 62	-0.15 60	0.11 71	-8.11 64	1.83 17	0.29 17	100	107 3
AP 24 0204 100182500	1.34	AP 22 0119	AP 19 0120	17	99	-3.93	89	-0.21 68	0.05 42	-1.31 68	0.02 66	0.70 76	-1.60 70	1.84 27	0.08 26	98	102 3
AP 24 0207 100182542	1.49	AP 22 0119	AP 18 0206	3	107	2.07	99	0.40 68	0.06 41	1.13 68	-0.07 65	-0.30 76	-3.61 70	-0.62 27	0.02 26	97	102 4
AP 24 0212 100182583	13.73	AP 22 0119	AP 22 0102	15	99	-3.19	90	-1.17 67	-0.40 38	-1.79 67	0.14 65	0.86 76	2.25 70	1.50 23	0.15 22	99	99 1
AP 24 0213 100182609	5.25	AP 22 0119	AP 22 0411	11	101	-1.36	93	0.23 67	0.11 37	0.68 68	-0.21 65	0.07 76	-5.29 70	2.51 24	0.26 24	100	100 2
AP 24 0220 100182682	1.43	AP 22 0119	AP 13 0708	23	96	-3.68	89	-0.84 68	0.02 43	-1.66 66	0.08 64	0.91 75	1.13 69	1.57 19	0.27 19	100	150 7
AP 24 0222 100182708	1.09	AP 22 0119	AP 17 0129	27	94	-6.42	85	-1.67 68	-0.09 43	-1.99 68	-0.12 66	-0.02 76	-2.07 70	0.63 29	-0.40 29	92	100 4
AP 24 0232 107797482	14.05	AP 19 0132	AP 21 0413	25	101	-0.47	95	-0.74 68	0.05 39	-1.17 68	-0.06 65	-0.65 76	0.34 70	1.84 22	-0.02 22	97	97 1
AP 24 0233 107797490	14.05	AP 19 0132	AP 21 0413	59	93	-5.80	86	-1.35 68	0.33 39	-1.77 68	-0.20 65	-0.06 76	-0.76 70	1.84 22	-0.02 22	97	97 1
AP 24 0236 107797508	1.37	AP 19 0132	AP 21 0081	27	101	-0.20	95	0.32 68	0.72 40	1.88 69	-0.16 67	0.22 77	-6.07 71	-0.63 26	-0.02 26	97	103 2
AP 24 0239 107797524	2.00	AP 19 0132	AP 20 0808	34	100	-1.58	93	-0.51 64	0.16 35	-0.89 64	-0.06 61	-0.13 73	2.06 66	0.72 15	0.06 15	98	114 4
AP 24 0241 107797540	13.85	AP 19 0132	AP 22 0070	30	101	-0.48	95	0.87 68	0.78 39	0.49 68	-0.27 66	-0.58 76	-9.51 71	2.14 25	0.23 25	100	101 2
AP 24 0243 107797557	1.43	AP 19 0132	AP 21 0070	13	103	1.94	99	1.53 69	0.37 42	2.18 69	-0.11 66	0.50 77	-5.20 71	1.55 25	0.48 25	103	116 3
AP 24 0248 107797581	1.89	AP 19 0132	AP 19 0703	62	90	-8.64	81	-1.45 66	0.41 39	-1.41 65	-0.42 62	0.03 74	-7.40 67	0.72 15	0.06 15	98	119 3
AP 24 0250 107797599	1.61	AP 19 0132	AP 19 0329	9	104	1.73	98	0.13 69	0.43 42	0.94 69	0.05 67	0.40 77	-0.65 71	0.02 25	0.20 25	99	116 3

Young Rams



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding value
Breeding values with an accuracy of below 5% are not printed

Young rams, born since 2020 with a weaning weight, and wool test, but no progeny, both parents known.

Animal Information		Parents		Rank	Selection Indices			EBV - Weights			EBV - Wool			EBV - Fertility			
Animal ID Regnr	% In- breeding	Sire ID	Dam ID		SIP	GM		Weaning Weight		Body Weight	CFW	FD	SL	NLW	TWW	EPI	DAM Lambd
						EBV	Index	EBV	Index	A	EBV	Index	EBV	Index	EBV	Index	Phenotype
		Active Breed Average :			101	2.8	100	0.54	0.01	0.56	0.03	-0.14	0.50	0.46	0.27		
AP 24 0258 107797623	1.39	AP 19 0132	AP 17 0422	52	96	-4.04	89	0.50 69 100	0.21 42 104	-0.30 69 95	-0.28 67 81	-0.83 77 89	-7.29 71 80	-2.28 29 90	-0.63 29 89	103	4
AP 24 0263 107797649	1.89	AP 19 0132	AP 19 0807	24	101	-0.32	95	0.58 64 100	0.70 35 115	0.94 65 102	-0.13 62 90	0.06 74 103	-6.01 67 83	0.72 15 101	0.06 15 98	100	3
AP 24 0264 107797656	1.89	AP 19 0132	AP 19 0807	36	99	-1.96	92	-0.38 64 91	0.83 35 117	0.66 65 101	-0.15 62 89	0.31 74 107	-7.81 67 78	0.72 15 101	0.06 15 98	100	3
AP 24 0304 100182740	2.21	MV 20 0103	AP 21 0806	4	107	0.49	96	0.36 63 98	0.07 41 101	-0.52 63 93	0.06 62 102	0.24 72 106	1.82 66 104	-0.24 26 97	0.29 26 100	106	2
AP 24 0305 100182765	2.21	MV 20 0103	AP 21 0806	8	102	-2.46	91	0.26 63 97	0.18 41 104	-0.49 63 93	0.01 62 99	0.83 72 115	-2.22 66 93	-0.24 26 97	0.29 26 100	106	2
AP 24 0313 107797680	1.09	MV 20 0103	AP 21 0031	20	102	1.10	97	-0.27 68 92	0.11 45 102	-0.42 69 94	-0.19 67 86	-1.27 77 83	-10.54 71 71	-1.56 33 92	0.02 32 97	89	3
AP 24 0316 107796419	1.17	MV 20 0103	AP 16 0135	43	98	-3.26	90	0.14 69 96	-0.16 48 97	-1.49 69 87	-0.01 66 97	0.00 77 102	1.82 71 103	-1.63 31 92	-0.21 31 94	105	4
AP 24 0317 107797706	1.01	MV 20 0103	AP 18 0429	3	109	5.22	104	1.63 69 110	0.36 49 107	1.11 69 104	-0.05 67 95	-1.36 77 81	-4.43 71 87	-3.21 36 86	-0.25 35 94	117	4
AP 24 0319 107797714	1.87	MV 20 0103	AP 18 0728	21	102	0.08	96	-0.06 65 94	-0.30 44 94	-0.47 65 93	0.00 63 98	0.10 74 104	3.44 67 108	-0.24 26 97	0.29 26 100	100	4
AP 24 0322 107797730	1.02	MV 20 0103	AP 22 0303	32	100	-0.74	94	0.26 68 97	-0.01 45 100	-1.29 69 88	0.21 67 111	0.47 77 110	1.36 71 102	-2.50 32 89	-0.11 32 95	101	2
AP 24 0324 107797755	1.17	MV 20 0103	AP 17 0005	8	104	2.47	99	0.53 70 100	0.11 49 102	0.31 69 98	0.06 66 102	-0.14 77 100	-4.44 71 87	-0.44 34 97	0.11 34 98	129	5
AP 24 0328 107797763	2.08	MV 20 0103	AP 22 0812	5	106	2.72	100	1.14 63 106	-0.23 41 95	0.99 63 103	0.09 61 104	0.42 73 109	-2.94 66 91	-0.24 26 97	0.29 26 100	105	2
AP 24 0334 107797797	1.22	MV 20 0103	AP 21 0025	1	112	7.80	108	1.25 69 107	0.15 48 103	1.90 69 109	0.07 67 102	-0.25 77 98	-0.04 71 99	1.06 33 102	0.69 33 105	113	3
AP 24 0335 107797805	1.22	MV 20 0103	AP 21 0025	2	110	6.34	106	1.31 69 107	0.31 48 106	1.91 69 109	-0.05 67 95	-0.37 77 97	-1.05 71 96	1.06 33 102	0.69 33 105	113	3
AP 24 0336 107797813	1.12	MV 20 0103	AP 17 0020	40	98	-1.81	92	0.29 70 98	-0.03 49 99	-1.10 70 89	-0.22 67 84	-1.56 77 78	-8.21 72 77	-3.45 36 85	-0.63 35 89	116	5
AP 24 0339 107797821	2.08	MV 20 0103	AP 22 0712	35	100	-1.84	92	0.13 62 96	0.21 39 104	-0.21 63 95	-0.19 61 86	-0.10 73 101	4.48 66 110	-0.24 26 97	0.29 26 100	100	1

Young Rams



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding value

Breeding values with an accuracy of below 5% are not printed

Young rams, born since 2020 with a weaning weight, and wool test, but no progeny, both parents known.

Animal Information		Parents		Rank	Selection Indices			EBV - Weights			EBV - Wool			EBV - Fertility		
Animal ID Regnr	% In- breeding	Sire ID	Dam ID		SIP	GM		Weaning Weight Dir	Weight Mat	Body Weight	CFW	FD	SL	NLW	TWW	DAM EPI Lambd
								EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	Phenotype
Active Breed Average :					101	2.8	100	0.54	0.01	0.56	0.03	-0.14	0.50	0.46	0.27	
AP 24 0340 107797839	1.17	MV 20 0103	AP 19 0072	54	95	-4.11	89	-0.47 69 91	-0.04 48 99	-2.58 69 80	0.04 67 101	0.18 77 105	0.00 71 99	-1.54 34 93	-0.02 34 97	103 4
AP 24 0341 107797847	1.17	MV 20 0103	AP 19 0072	26	101	-0.15	95	0.33 69 98	0.08 48 102	-0.23 69 95	0.01 67 99	0.01 77 102	0.92 71 101	-1.54 34 93	-0.02 34 97	103 4
AP 24 0353 107797904	1.89	MV 20 0103	AP 19 0716	50	96	-4.15	89	-0.53 64 90	0.22 43 105	-2.86 65 78	-0.29 63 80	-1.09 74 85	-10.09 67 72	-0.24 26 97	0.29 26 100	105 4
AP 24 0402 100182781	2.21	JL 21 1154	AP 21 0817	22	97	-5.27	87	-1.67 61 79	-0.09 32 98	-1.39 63 88	0.04 60 101	0.82 72 115	7.00 65 117	-0.87 16 95	-0.24 16 94	100 3
AP 24 0407 100182807	2.00	JL 21 1154	AP 20 0811	20	97	-5.07	87	-0.95 63 86	0.23 35 105	0.77 64 101	-0.06 61 94	1.32 73 123	-0.02 66 99	-0.87 16 95	-0.24 16 94	92 3
AP 24 0415 100182880	1.30	JL 21 1154	AP 19 0432	12	101	-2.00	92	-1.13 69 84	0.58 43 112	-1.00 69 90	-0.22 67 84	-0.34 77 97	0.64 71 100	3.22 29 110	0.49 29 103	108 4
AP 24 0416 100182906	1.20	JL 21 1154	AP 17 0109	26	94	-6.66	84	-1.69 69 79	0.20 44 104	-0.59 69 93	-0.09 67 93	0.35 77 108	4.53 71 111	-1.16 29 94	-0.91 29 86	104 4
AP 24 0417 100182922	1.33	JL 21 1154	AP 19 0038	19	98	-3.91	89	-0.35 68 92	0.17 41 104	0.08 69 97	0.19 66 110	1.73 76 129	0.84 71 101	-1.56 25 92	-0.30 25 93	103 4
AP 24 0420 107797938	2.08	JL 21 1154	AP 22 0702	38	99	-2.55	91	-0.69 61 88	0.16 32 103	0.33 63 99	0.00 60 98	0.65 72 112	6.96 65 117	-0.87 16 95	-0.24 16 94	100 2
AP 24 0421 107797946	1.75	JL 21 1154	AP 17 0812	55	95	-4.92	87	-1.36 68 82	0.21 42 104	-0.89 66 91	0.05 64 101	0.97 75 117	1.04 69 101	-0.87 16 95	-0.24 16 94	140 5
AP 24 0423 107797953	2.08	JL 21 1154	AP 22 0709	29	101	-1.51	93	-1.03 61 85	0.05 32 101	-0.70 63 92	-0.06 60 94	-0.37 72 97	1.63 65 103	-0.87 16 95	-0.24 16 94	99 2
AP 24 0427 107797979	2.08	JL 21 1154	AP 22 0715	31	100	-1.63	93	-1.16 61 84	0.09 32 102	-1.24 63 89	-0.18 60 87	-1.13 72 85	-4.77 65 86	-0.87 16 95	-0.24 16 94	99 2
AP 24 0439 107798027	2.00	JL 21 1154	AP 20 0812	58	94	-5.63	86	-0.42 63 91	0.60 35 113	1.45 64 106	-0.31 61 79	0.69 73 113	2.59 66 106	-0.87 16 95	-0.24 16 94	93 3
AP 24 0440 107798035	1.57	JL 21 1154	AP 22 0308	33	100	-1.83	92	0.45 67 99	0.34 38 107	2.45 68 112	-0.01 66 97	1.38 76 124	4.83 70 111	-1.36 23 93	-0.25 23 94	102 2
Young rams (with known parents) average :					100	-1.66	93	-0.23	-0.04	-0.22	-0.03	0.21	-0.59	0.50	-0.04	

Ewes with Progeny



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high



Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding values

Breeding values with an accuracy of less than 5% are not printed

Ewes with progeny and measured at weaning, with both parents known.

Animal Information		Parents			Progeny		Selection Indices			EBV - Weights			EBV - Wool			EBV - Fertility				Rank
Animal ID Regnr	% In- breeding	Sire ID Dam ID	DAM : EPI Times lambd	Generation Progeny Weaned	1st	2nd	SIP	GM		Weaning Dir	Weight Mat	Body Weight	SVG	VD	SL	Lammers gespeen	TWW	EPI	Times lambd	
								EBV	Index	Acc	Index	Acc	Acc	Index	Acc	Acc	Index	Acc	Index	Phenotype
Active Breed Average :							100.7	2.8	100	0.54	0.01	0.56	0.03	-0.14	0.50	0.46	0.27			
AP 16 0107 79149985	1.37	AP 12 0002 AP 12 0705	130 5	6	1		99	-15.20	70	-2.28 75	-1.09 74	-4.09 68	0.03 66	1.23 76	-3.50 71	-3.43 49	-1.32 48	115	6	47
AP 16 0133 79149308	1.04	AP 12 0002 AP 09 0701	119 6	5			98	-16.22	69	-1.74 73	-0.39 67	-2.78 70	-0.32 68	0.81 78	-5.59 72	-3.28 44	-1.07 44	104	5	49
AP 16 0135 79151221	1.47	AP 12 0002 AP 14 0721	90 1	5			104	-9.70	79	-1.05 71	-0.53 64	-2.89 69	-0.02 67	0.56 78	1.20 72	-2.33 33	-0.78 33	105	4	23
AP 16 0209 79151114	1.47	CJ 13 0381 AP 14 0715	90 1	7			100	-3.51	90	-0.91 73	0.06 67	-1.67 74	-0.38 71	0.45 81	2.31 76	13.23 46	1.86 46	130	5	42
AP 16 0211 79150207	0.98	CJ 13 0381 AP 13 0302	101 3	4			102	-7.25	83	-2.15 74	-0.31 67	-3.68 72	-0.17 69	-0.50 78	-5.60 74	1.46 50	-0.13 49	100	6	32
AP 16 0221 79150546	1.13	CJ 13 0381 AP 14 0304	108 4	7			91	-6.14	85	-1.46 79	-0.05 70	-1.89 77	-0.32 76	0.29 83	-4.91 79	6.23 50	0.82 49	124	5	70
AP 16 0505 79149258	16.25	AP 11 0141 AP 10 0220	116 6	3	1		93	-14.14	72	-1.21 72	0.44 64	-1.77 71	-0.42 69	-0.09 78	-10.27 73	-7.02 47	-1.43 46	102	3	65
AP 16 0508 79149266	1.27	AP 11 0141 AP 11 0506	100 3	3			101	-13.34	73	-2.44 68	-0.80 61	-2.95 65	-0.18 63	0.14 74	-3.62 68	-5.23 41	-1.46 41	98	3	35
AP 17 0005 80935372	1.27	AP 14 0436 AP 11 0715	118 4	7	1		108	-2.00	92	-0.77 75	-0.06 69	-1.43 70	0.15 67	0.47 78	-2.58 72	0.05 45	-0.14 44	129	5	6
AP 17 0006 80935331	2.51	AP 14 0436 AP 11 0153	142 4	3	1		103	-10.82	78	-1.92 73	-0.59 65	-4.22 74	-0.05 72	-0.53 81	-4.86 76	-4.52 48	-1.44 48	94	5	27
AP 17 0014 80937279	14.18	AP 14 0436 AP 15 0219	110 4	3	1		104	-7.10	84	-0.68 73	0.38 64	-1.26 71	-0.33 69	-1.23 78	-13.37 73	-6.60 46	-1.21 45	97	4	24
AP 17 0020 80937063	1.21	AP 14 0436 AP 15 0035	106 4	6	1		107	-8.05	82	-1.79 76	-0.41 69	-3.27 75	-0.24 72	-1.87 81	-8.36 77	-5.97 49	-1.62 48	116	5	8
AP 17 0042 80937089	1.70	AP 14 0436 AP 15 0106	109 4	4			100	-12.75	74	-1.01 74	-0.23 65	-0.92 74	-0.23 72	0.15 81	-0.01 76	-6.97 50	-2.02 49	104	5	42
AP 17 0109 80935380	1.27	CJ 11 0185 AP 11 0724	113 4	5			107	-8.35	82	-2.41 74	-0.25 68	-2.54 73	-0.03 71	-0.02 80	1.97 76	-0.12 49	-1.11 48	104	4	9
AP 17 0129 80935562	1.37	CJ 11 0185 AP 12 0701	101 4	4			95	-12.18	75	-2.71 71	0.07 65	-3.51 72	-0.14 70	0.05 80	0.44 75	-1.95 47	-1.18 47	100	4	60
AP 17 0231 80937543	1.56	CJ 13 0381 AP 15 0704	116 5	8			96	-6.04	85	-1.62 76	0.19 67	-2.40 69	-0.55 66	-0.26 77	-5.34 71	14.26 46	1.53 46	120	6	55

Ewes with Progeny



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding values
Breeding values with an accuracy of less than 5% are not printed

Ewes with progeny and measured at weaning, with both parents known.

Animal Information		Parents			Progeny		Selection Indices			EBV - Weights			EBV - Wool			EBV - Fertility			Rank
Animal ID Regnr	% In- breeding	Sire ID Dam ID	DAM : EPI Times lambded	Generation Progeny Weaned 1st 2nd	SIP	GM	EBV	Index	Weaning Dir	Weight Mat	Body Weight	SVG	VD	SL	Lammers gespeen	TWW	EPI	Times lambded	
									EBV Acc	Index Index	EBV Acc	Index Index	EBV Acc	Index Index	EBV Acc	Index Index	Phenotype		
Active Breed Average :					100.7	2.8	100		0.54	0.01	0.56	0.03	-0.14	0.50	0.46	0.27			
AP 17 0308 80935570	1.37	AP 15 0321 AP 12 0702	112 3	4 1	96	-7.19	84		-1.09 72	0.95 85	-0.76 92	-0.05 69	1.59 79	-2.22 93	-3.43 44	0.13 98	106	4	56
AP 17 0319 80935513	1.08	AP 15 0321 AP 12 0306	121 5	3	91	-12.32	75		-1.35 73	-0.01 64	-2.31 100	0.06 71	1.41 80	1.69 103	-8.15 48	-1.30 47	93	5	70
AP 17 0324 80935661	1.37	AP 15 0321 AP 12 0732	101 3	3 1	102	-6.27	85		-1.83 70	0.24 64	-2.85 105	0.20 68	0.64 78	2.01 104	-5.68 45	-0.71 44	96	6	34
AP 17 0328 80935919	1.43	AP 15 0321 AP 13 0510	108 4	5 1	108	-3.88	89		-0.78 73	-0.17 67	-1.76 96	0.33 70	0.92 80	-1.87 94	-6.03 45	-0.87 45	110	5	7
AP 17 0412 80935398	1.27	AP 13 0326 AP 11 0729	151 5	6 1	108	-1.47	93		-1.03 76	0.41 70	-2.38 109	0.11 73	-0.09 82	-7.57 77	-1.72 50	0.09 49	120	6	3
AP 17 0422 80936073	0.73	AP 13 0326 AP 14 0108	114 4	4	106	-6.46	85		-0.30 75	-0.24 67	-2.29 95	-0.25 73	-1.47 81	-5.43 77	-5.55 50	-1.18 50	103	4	12
AP 18 0004 82796103	0.96	AP 14 0436 AP 13 0302	101 3	4 1	109	-10.80	78		-2.05 74	-0.90 66	-3.76 81	0.10 73	-0.69 81	-3.73 77	-8.39 48	-2.47 47	107	5	6
AP 18 0007 82796723	1.47	AP 14 0436 AP 14 0723	134 5	4 1	109	-7.63	83		-0.76 72	-0.77 64	-0.95 84	-0.09 68	0.13 79	-1.67 94	-2.89 42	-1.19 42	107	5	4
AP 18 0019 82796178	1.43	AP 14 0436 AP 13 0503	95 4	4	99	-10.58	78		-2.16 71	-0.94 63	-2.28 80	-0.17 68	-0.09 79	-2.97 91	-3.24 42	-1.29 41	106	5	28
AP 18 0020 82796228	1.43	AP 14 0436 AP 13 0703	101 4	5 1	109	-6.68	84		-1.22 73	-0.24 65	-2.42 95	0.08 68	0.61 79	-2.30 93	1.38 42	-0.55 42	117	4	5
AP 18 0111 82796871	1.21	AP 16 0304 AP 15 0115	91 3	3	100	-4.37	88		-0.52 72	0.56 62	-1.41 112	0.04 71	0.05 80	1.80 103	-3.52 44	-0.75 43	103	3	23
AP 18 0118 82796392	9.07	AP 16 0304 AP 14 0302	98 3	5	98	-8.68	81		-0.99 75	0.03 66	-1.43 100	-0.23 73	0.05 81	-2.41 92	-3.14 46	-0.74 46	115	5	30
AP 18 0205 82796855	2.47	AP 15 0321 AP 15 0111	91 2	4	104	-4.33	88		-1.70 74	-0.12 65	-2.07 97	0.18 69	0.10 78	1.56 103	-5.75 46	-0.98 46	105	3	10
AP 18 0206 82797234	1.56	AP 15 0321 AP 15 0703	98 3	3	104	-5.13	87		-0.65 69	0.52 61	-0.24 111	-0.02 67	0.94 78	0.60 100	-4.45 41	-0.34 40	102	4	9
AP 18 0208 82797226	1.56	AP 15 0321 AP 15 0702	110 4	2 1	103	-1.15	93		0.40 69	0.77 61	1.01 116	0.07 67	1.32 78	4.37 110	-2.21 39	0.18 39	95	5	14
AP 18 0211 82796772	1.47	AP 15 0321 AP 14 0730	125 4	1	101	-5.20	87		-0.90 67	0.23 55	-1.11 105	0.14 65	0.71 76	-0.25 98	-6.08 38	-0.87 38	87	3	18

Ewes with Progeny



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding values
Breeding values with an accuracy of less than 5% are not printed

Ewes with progeny and measured at weaning, with both parents known.

Animal Information		Parents			Progeny		Selection Indices			EBV - Weights			EBV - Wool			EBV - Fertility			Rank
Animal ID Regnr	% In- breeding	Sire ID Dam ID	DAM : EPI Times lambd	Generation Progeny Weaned 1st 2nd	SIP	GM	EBV	Index	Weaning Dir	Weight Mat	Body Weight	SVG	VD	SL	Lammers gespeen	TWW	EPI	Times lambd	
									EBV Acc	Index Acc	Index Acc	EBV Acc	Index Acc	Index Acc	EBV Acc	Index Acc	Index Acc	Phenotype	
Active Breed Average :					100.7	2.8	100		0.54	0.01	0.56	0.03	-0.14	0.50	0.46	0.27			
AP 18 0212 82796780	1.47	AP 15 0321 AP 14 0731	104 3	2	96	-9.66	79		-2.05 68	-1.00 76	-3.39 75	0.22 65	1.42 76	2.63 106	-4.06 38	-0.75 88	84	4	36
AP 18 0216 82796095	4.06	AP 15 0321 AP 13 0201	114 4	3	101	-6.76	84		-1.35 73	0.07 64	-0.57 101	-0.01 71	0.52 80	-5.38 76	-7.02 47	-1.11 46	100	3	17
AP 18 0230 82797267	1.56	AP 15 0321 AP 15 0803	106 4	4 1	98	-8.51	81		-1.52 72	0.15 65	-2.00 103	0.28 67	2.34 77	3.51 108	-1.89 41	-0.40 92	102	4	32
AP 18 0301 82796848	4.02	AP 15 0321 AP 15 0106	109 4	4	99	-6.36	85		-0.76 74	0.64 66	-0.12 114	-0.07 73	0.57 81	3.28 107	-6.09 48	-0.88 47	108	3	29
AP 18 0403 82797309	1.17	CJ 13 0381 AP 16 0011	108 4	4	96	-5.14	87		-1.51 75	-0.35 67	-2.50 92	-0.55 73	-1.36 81	-2.54 77	6.11 42	0.74 106	102	2	39
AP 18 0411 82795972	0.83	AP 13 0326 AP 12 0024	102 4	3	101	-10.46	78		-2.02 73	-1.55 64	-4.71 67	-0.05 69	-0.71 78	-2.22 93	-1.97 47	-1.30 47	93	3	19
AP 18 0417 82797135	25.75	AP 13 0326 AP 15 0418	97 3	2	103	-9.25	80		-2.28 71	-1.44 62	-4.32 70	-0.19 69	-1.23 78	-2.42 92	-1.08 45	-1.03 45	85	4	12
AP 18 0425 82797150	29.39	AP 13 0326 AP 15 0425	88 3	4	101	-12.32	75		-2.07 74	-0.38 66	-3.42 92	-0.40 70	-0.85 79	-10.40 74	0.84 48	-0.99 48	102	4	21
AP 18 0429 82796806	1.01	AP 13 0326 AP 15 0027	93 2	4 1	115	-0.44	95		0.30 74	0.51 67	-0.84 111	-0.04 70	-1.25 80	-4.83 75	-5.50 49	-0.86 48	117	4	1
AP 19 0005 86289956	1.47	AP 16 0304 AP 14 0730	125 4	2	101	-4.84	87		-1.01 69	0.26 58	-1.68 105	-0.14 64	-0.04 75	-0.76 68	-0.24 28	-0.07 28	94	2	36
AP 19 0010 86289840	1.90	AP 16 0304 AP 14 0524	97 3	4	96	-7.79	83		-1.78 74	0.15 65	-1.91 103	-0.11 69	0.47 78	-0.20 73	-0.20 44	-0.41 44	103	4	58
AP 19 0013 86289899	1.47	AP 16 0304 AP 14 0711	124 4	4	98	-6.64	84		-1.50 72	-0.19 63	-2.78 96	-0.16 69	0.06 79	-2.22 93	1.16 38	0.14 38	106	4	48
AP 19 0017 86290491	1.56	AP 16 0304 AP 15 0806	95 2	2	100	-8.38	82		-1.53 68	0.03 57	-2.45 100	-0.25 67	0.01 77	-6.62 71	-0.63 36	-0.17 35	92	2	39
AP 19 0038 86289345	1.37	AP 16 0304 AP 11 0732	142 7	3	95	-5.77	86		0.00 72	0.45 62	-0.43 109	0.07 68	1.84 79	-4.17 73	-0.92 38	0.09 38	103	4	66
AP 19 0053 86291416	14.28	AP 16 0304 AP 17 0424	96 4	3	96	-8.50	81		-1.40 73	1.00 63	-1.62 121	-0.27 71	0.44 80	-5.36 76	-1.96 44	-0.06 43	105	3	56
AP 19 0072 86291309	1.73	AP 16 0304 AP 17 0324	96 6	4	102	-6.70	84		-1.56 74	-0.19 64	-2.91 96	0.08 70	0.51 79	1.08 74	-2.17 43	-0.41 43	103	4	31

Ewes with Progeny



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding values
Breeding values with an accuracy of less than 5% are not printed

Ewes with progeny and measured at weaning, with both parents known.

Animal Information		Parents			Progeny		Selection Indices			EBV - Weights			EBV - Wool			EBV - Fertility			Rank								
Animal ID Regnr	% In- breeding	Sire ID Dam ID	DAM :		Generation Progeny Weaned 1st 2nd	SIP	GM		Weaning Weight		Body Weight	SVG	VD		SL	Lammers gespeen	TWW	EPI	Times lambd								
			EPI	Times lambd			EBV	Index	Acc	Index			Acc	Index							Acc	Index	Acc	Index	Acc	Index	Phenotype
		Active Breed Average :				100.7	2.8	100	0.54	0.01	0.56	0.03	-0.14	0.50	0.46	0.27											
AP 19 0075 86290590	1.21	AP 16 0304 AP 16 0014	97	3	3	98	-7.15	84	-1.28 73	0.38 83	-2.06 72	-0.15 70	0.26 79	2.28 106	-1.08 41	-0.19 41	97	3	47								
AP 19 0101 86291572	1.75	AP 17 0111 AP 17 0709	100	5	4	95	-11.66	76	-1.48 72	0.00 64	-1.91 100	-0.36 65	1.23 76	-2.70 121	4.88 37	0.38 36	99	2	59								
AP 19 0106 86290632	1.19	AP 17 0111 AP 16 0107	115	6	4	96	-10.51	78	-1.23 75	-0.46 66	-2.18 90	-0.01 69	1.06 79	-7.46 74	-0.51 45	-0.88 45	104	4	54								
AP 19 0110 86291085	1.78	AP 17 0111 AP 16 0810	97	3	3	106	-1.53	93	-0.53 70	0.97 61	-0.12 120	-0.03 68	0.58 78	4.59 111	2.16 37	0.32 37	99	2	15								
AP 19 0120 86290467	1.56	AP 17 0111 AP 15 0803	106	4	3 1	98	-9.71	79	-0.91 70	0.67 63	-2.19 114	0.02 69	1.61 79	-1.66 73	0.47 41	-0.21 40	102	3	49								
AP 19 0122 86290129	13.42	AP 17 0111 AP 15 0139	93	3	3	94	-14.68	71	-1.93 73	-0.04 63	-2.45 99	-0.32 72	0.02 80	-0.60 103	-1.63 46	-1.61 46	96	3	67								
AP 19 0129 86289519	1.07	AP 17 0111 AP 14 0108	114	4	3	101	-9.68	79	-1.06 74	-0.07 64	-3.29 99	-0.15 69	-0.32 78	-0.46 73	-2.78 46	-0.92 45	100	4	37								
AP 19 0135 86289543	1.18	AP 17 0111 AP 14 0214	111	4	3	95	-7.20	84	-0.55 73	0.29 64	-0.47 106	-0.23 71	0.42 80	-5.80 75	0.60 43	-0.42 42	98	2	60								
AP 19 0136 86290053	13.62	AP 17 0111 AP 15 0128	98	3	4	99	-7.00	84	-1.81 74	0.68 65	-2.89 114	-0.07 70	0.37 79	-4.07 108	2.11 43	0.01 43	102	2	45								
AP 19 0207 86290798	1.78	AP 13 0326 AP 16 0702	89	1	4	101	-7.62	83	-2.36 69	-0.31 62	-3.53 93	-0.23 64	-0.68 75	-4.30 68	1.34 42	-0.22 42	102	4	35								
AP 19 0218 86291192	1.48	AP 13 0326 AP 17 0104	107	4	1	111	-3.99	89	-0.82 71	-0.27 59	-1.57 94	-0.04 70	-0.72 78	1.36 102	-3.27 45	-0.96 45	92	2	3								
AP 19 0219 86289451	1.43	AP 13 0326 AP 13 0717	98	5	2	109	-2.99	90	-0.98 69	-0.24 60	-2.40 95	-0.24 65	-1.49 76	-8.81 70	-0.74 40	-0.20 40	93	4	6								
AP 19 0220 86290772	1.78	AP 13 0326 AP 16 0701	89	1	2 1	106	-7.11	84	-1.57 66	-0.15 58	-2.78 97	-0.09 64	-0.12 75	-6.07 69	-1.49 41	-0.47 40	92	4	14								
AP 19 0320 86289360	1.00	AP 15 0321 AP 13 0005	146	5	4	98	-5.92	86	-1.12 74	0.44 66	-0.71 109	0.04 71	1.37 80	5.82 123	-2.97 47	-0.16 47	108	4	50								
AP 19 0322 86290269	13.52	AP 15 0321 AP 15 0340	100	3	4	104	-0.80	94	0.02 73	0.52 65	0.73 111	0.20 70	1.13 79	5.88 120	-3.63 45	-0.35 44	108	4	20								
AP 19 0329 86290889	1.78	AP 15 0321 AP 16 0709	105	5	5	112	4.89	103	-0.24 73	0.22 66	0.09 105	0.24 71	0.24 80	-2.32 76	-0.95 41	0.48 40	116	3	2								

Ewes with Progeny



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding values
Breeding values with an accuracy of less than 5% are not printed

Ewes with progeny and measured at weaning, with both parents known.

Animal Information		Parents			Progeny		Selection Indices			EBV - Weights			EBV - Wool			EBV - Fertility				Rank		
Animal ID Regnr	% In- breeding	Sire ID Dam ID	DAM :		Generation Progeny Weaned	1st	2nd	SIP	GM	Weaning Weight		Body Weight	SVG	VD		SL	Lammers gespeen	TWW		EPI	Times lambded	
			EPI	Times lambded						Dir	Mat			Acc	Index			Acc	Index			
		Active Breed Average :					100.7	2.8	100	0.54	0.01	0.56	0.03	-0.14	0.50	0.46	0.27					
AP 19 0331 86290285	1.91	AP 15 0321 AP 15 0418	97	3	2			102	-8.59	81	-2.40 71	-0.65 61	-2.88 78	0.10 68	0.49 78	-0.23 73	-4.81 43	-1.06 43	91	3	33	
AP 19 0401 86291218	1.26	CJ 13 0381 AP 17 0124	97	3	4	1		97	-3.24	90	-1.77 74	0.02 67	-1.65 86	-0.47 71	-0.99 80	-7.91 76	6.38 48	0.90 47	105	3	53	
AP 19 0416 86291374	1.18	CJ 13 0381 AP 17 0412	120	6	4	1		110	6.44	106	1.27 75	0.64 68	-0.08 113	-0.17 72	-1.03 81	-5.27 76	6.25 48	1.50 48	110	4	5	
AP 19 0428 86291739	1.75	CJ 13 0381 AP 17 0720	105	4	6			111	7.97	109	-0.57 74	-0.19 63	-2.31 96	-0.21 71	-1.57 80	-6.43 74	12.09 42	2.59 42	124	4	4	
AP 19 0432 86290368	1.44	CJ 13 0381 AP 15 0446	113	3	4			99	2.48	99	-0.11 75	0.51 67	-1.25 111	-0.24 73	-0.58 81	-3.88 77	8.64 48	1.68 48	108	4	42	
AP 19 0433 86290350	1.44	CJ 13 0381 AP 15 0446	113	3	3			100	3.45	101	0.34 74	0.96 65	-0.08 120	-0.24 72	-0.34 81	-10.67 76	7.35 48	1.69 47	104	3	38	
AP 19 0438 86290525	1.56	CJ 13 0381 AP 15 0809	91	2	3			97	-2.76	91	-1.03 69	0.66 61	-1.94 84	-0.14 63	1.11 73	-0.52 67	8.91 40	1.81 39	100	4	51	
AP 19 0440 86290228	1.05	CJ 13 0381 AP 15 0317	105	4	3	1		104	-3.88	89	-1.32 73	0.39 65	-1.84 108	-0.50 72	-1.76 81	-11.57 76	2.21 47	0.17 47	102	5	21	
AP 21 0020 93341352	1.03	LW 18 1264 AP 16 0011	108	4	2			103	-0.56	94	-1.04 73	-0.92 62	-1.11 89	0.15 70	0.17 79	8.25 74	-0.59 43	-0.16 43	98	3	20	
AP 21 0025 93342376	1.72	LW 18 1264 AP 18 0208	95	5	4			108	6.71	106	0.23 74	0.21 64	1.73 108	0.09 70	0.40 79	3.99 75	3.03 40	1.02 39	113	3	7	
AP 21 0029 93341691	1.78	SF 18 0389 AP 16 0810	97	3	3			106	0.21	96	-0.33 69	-0.26 59	-0.99 95	0.04 64	0.16 75	-0.82 69	1.78 33	0.44 33	106	3	10	
AP 21 0031 93341741	1.78	LW 18 1264 AP 17 0014	97	4	1			115	2.90	100	-0.21 71	-0.38 56	0.41 99	-0.09 69	-1.33 78	-11.53 73	-2.20 39	-0.33 38	89	3	1	
AP 21 0043 93342285	1.69	LW 18 1264 AP 18 0007	107	5	2			103	0.74	97	-0.22 72	-0.58 60	1.38 71	0.01 69	0.50 78	-2.05 73	1.41 38	-0.03 37	96	1	17	
AP 21 0070 93341907	1.63	LW 18 1264 AP 17 0308	106	4	4			110	5.18	104	0.21 74	-0.01 65	0.97 103	0.18 71	0.90 80	0.30 75	2.11 41	1.04 40	116	3	5	
AP 21 0076 93341543	1.78	LW 18 1264 AP 16 0707	99	2	1			102	1.80	98	0.62 68	0.82 54	1.94 109	-0.12 65	0.34 75	2.44 69	0.87 32	0.46 32	94	2	23	
AP 21 0081 93341113	1.64	LW 18 1264 AP 15 0219	110	4	2			106	0.71	97	0.17 73	0.62 61	1.48 106	-0.06 71	0.33 80	-9.38 75	-2.25 42	0.05 42	103	2	13	

Ewes with Progeny



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding values
Breeding values with an accuracy of less than 5% are not printed

Ewes with progeny and measured at weaning, with both parents known.

Animal Information		Parents			Progeny		Selection Indices			EBV - Weights			EBV - Wool			EBV - Fertility			Rank
Animal ID Regnr	% In- breeding	Sire ID Dam ID	DAM : EPI Times lambd	Generation Progeny Weaned 1st 2nd	SIP	GM	EBV	Index	Weaning Dir	Weight Mat	Body Weight	SVG	VD	SL	Lammers gespeen	TWW	EPI	Times lambd	
									EBV Acc	Index Index	EBV Acc	Index Index	EBV Acc	Index Index	EBV Acc	Index Index	Phenotype		
Active Breed Average :					100.7	2.8	100		0.54	0.01	0.56	0.03	-0.14	0.50	0.46	0.27			
AP 21 0086 93342913	1.89	LW 18 1264 AP 19 0804	111 4	3	104	0.93	97		-0.83 71	-0.15 62	-0.19 65	-0.08 63	-0.23 74	-0.82 68	2.78 35	0.44 35	104	3	15
AP 21 0087 93341345	0.96	LW 18 1264 AP 16 0007	100 4	2	107	0.77	97		-0.57 72	-0.03 60	-0.02 73	-0.04 70	-0.53 79	-0.15 75	-1.59 42	-0.20 41	102	3	9
AP 21 0089 93341105	1.99	LW 18 1264 AP 15 0210	120 5	1	106	0.45	96		0.29 71	-0.13 57	1.36 70	-0.21 68	-0.38 77	-2.00 72	0.23 39	-0.01 39	94	2	11
AP 21 0090 93341055	0.56	LW 18 1264 AP 15 0123	109 4	3	102	-2.15	92		-0.46 74	0.47 63	-0.09 73	-0.19 71	-0.29 80	-0.69 75	-0.94 43	-0.04 43	110	2	22
AP 21 0112 93341964	1.19	SF 18 0389 AP 17 0328	110 5	1	99	-3.79	89		-0.36 70	-0.06 54	-0.98 71	0.22 69	1.10 78	-1.59 73	-3.52 36	-0.52 36	92	2	33
AP 21 0115 93341782	1.04	SF 18 0389 AP 17 0103	90 3	2	99	-4.02	89		-0.72 71	-0.39 57	-1.84 70	0.27 68	1.10 78	0.96 72	-2.60 39	-0.41 38	100	2	34
AP 21 0129 93342277	1.02	SF 18 0389 AP 18 0004	107 5	1	96	-12.70	74		-2.16 70	-0.82 54	-3.30 71	0.05 69	0.55 78	-4.68 73	-4.57 40	-1.77 39	89	3	49
AP 21 0201 93341733	3.35	AP 15 0321 AP 17 0006	94 5	2	102	-7.48	83		-0.83 72	-0.16 61	-1.69 72	0.10 70	0.65 79	-0.49 74	-6.74 44	-1.13 44	101	3	24
AP 21 0202 93341527	1.78	AP 15 0321 AP 16 0703	94 3	1	103	-1.50	93		-1.61 66	-0.05 54	-1.92 65	0.27 63	0.45 74	-0.85 68	-3.61 35	-0.30 34	94	2	19
AP 21 0212 93341386	3.44	AP 15 0321 AP 16 0026	95 3	2	98	-6.71	84		-0.60 72	0.41 61	-0.08 72	-0.04 70	0.58 79	3.39 74	-8.26 45	-1.14 44	101	3	35
AP 21 0213 93341063	1.75	AP 15 0321 AP 15 0129	108 4	2	106	-4.68	88		-0.86 72	-0.44 62	-1.68 70	0.09 67	-0.29 77	0.54 71	-7.90 45	-1.28 45	98	2	12
AP 21 0220 93340909	0.97	AP 15 0321 AP 14 0108	114 4	1	98	-7.03	84		-0.96 71	-0.11 59	-1.89 71	0.12 69	0.48 78	3.83 73	-7.31 43	-1.20 42	90	3	39
AP 21 0304 93342525	1.87	AP 16 0304 AP 18 0607	117 5	2	92	-6.87	84		-1.76 70	-0.48 59	-1.72 70	-0.21 68	0.27 78	2.91 72	-0.13 35	0.02 35	97	2	56
AP 21 0312 93342152	1.75	AP 16 0304 AP 17 0714	101 4	1	101	-0.94	94		-0.77 67	0.21 54	-1.69 66	0.09 64	0.09 75	0.01 68	-0.03 32	0.15 32	91	3	28
AP 21 0319 93342269	1.37	AP 16 0304 AP 18 0002	96 2	4	101	-0.99	94		-0.37 73	0.08 64	-1.32 72	-0.05 70	-0.06 79	-2.10 74	2.78 39	0.44 39	116	3	31
AP 21 0408 93341626	1.78	AP 17 0111 AP 16 0806	94 3	2	102	-4.35	88		-0.50 68	0.63 58	-1.15 68	-0.14 66	-0.03 77	-4.89 71	0.04 37	-0.13 36	102	3	21

Ewes with Progeny



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding values
Breeding values with an accuracy of less than 5% are not printed

Ewes with progeny and measured at weaning, with both parents known.

Animal Information		Parents			Progeny		Selection Indices			EBV - Weights			EBV - Wool			EBV - Fertility				Rank						
Animal ID Regnr	% In- breeding	Sire ID Dam ID	DAM :		Generation Progeny Weaned 1st 2nd	SIP	GM	Weaning Weight			Body Weight			SVG		VD		SL	Lammers gespeen	TWW	EPI	Times lambded				
			EPI	Times lambded				Dir	Mat	Weight	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc					Index	Acc	Index
		Active Breed Average :				100.7	2.8	100	0.54	0.01	0.56	0.03	-0.14	0.50	0.46	0.27										
AP 21 0409 93342129	1.75	AP 17 0111 AP 17 0712	114	5	3	98	-0.98	94	0.23 71	0.98 62	0.86 69	0.86 69	0.86 69	0.86 69	-0.12 66	0.62 77	-3.55 71	-3.55 71	2.42 37	0.46 36	111	3	36			
AP 21 0413 93342780	1.87	AP 17 0111 AP 18 0722	109	4	2	102	-2.19	92	-1.46 69	-0.26 59	-2.36 68	-2.36 68	-2.36 68	-0.06 65	-0.63 76	-0.51 70	-0.51 70	2.69 33	0.06 33	97	1	26				
AP 21 0415 93341519	1.04	AP 17 0111 AP 16 0505	102	3	1	97	-9.46	80	-1.06 70	0.43 57	-1.38 71	-1.38 71	-1.38 71	-0.23 68	0.16 78	-8.24 73	-8.24 73	-2.95 40	-0.88 40	93	3	44				
AP 21 0416 93342905	1.89	AP 17 0111 AP 19 0803	95	2	2	96	-4.00	89	-1.17 68	0.46 58	-1.49 68	-1.49 68	-1.49 68	0.03 66	0.79 77	1.59 71	1.59 71	2.62 33	0.17 33	97	3	45				
AP 21 0417 93342772	1.87	AP 17 0111 AP 18 0721	88	1	2	98	-6.38	85	-0.62 66	0.69 56	-0.97 68	-0.97 68	-0.97 68	-0.22 65	0.03 76	-6.33 70	-6.33 70	-0.66 37	-0.39 37	101	3	38				
AP 21 0428 93342855	1.87	AP 17 0111 AP 18 0727	119	5	3	93	-5.77	86	-1.00 71	0.66 62	-1.70 71	-1.70 71	-1.70 71	-0.07 69	0.48 79	-6.50 73	-6.50 73	1.61 37	-0.10 37	106	3	52				
AP 22 0004 94781820	1.32	AP 17 0111 AP 18 0002	96	2	1	103	-5.38	87	-0.78 69	0.03 57	-1.37 69	-1.37 69	-1.37 69	-0.03 67	0.37 77	2.70 71	2.70 71	0.80 38	-0.42 38	99	2	21				
AP 22 0013 94781903	1.56	AP 17 0111 AP 15 0807	97	4	1	94	-8.87	81	-1.18 66	1.01 54	-0.97 65	-0.97 65	-0.97 65	-0.31 63	0.53 74	0.74 68	0.74 68	3.41 33	-0.17 33	101	2	54				
AP 22 0018 94781960	1.87	AP 17 0111 AP 18 0611	126	5	2	106	-2.50	91	-0.24 70	0.59 59	-1.53 64	-1.53 64	-1.53 64	-0.12 61	-0.21 73	-5.81 66	-5.81 66	3.03 33	0.27 33	105	2	12				
AP 22 0021 94781986	1.78	AP 17 0111 AP 16 0709	105	5	1	94	-6.60	85	-1.29 68	0.80 56	-0.87 68	-0.87 68	-0.87 68	-0.24 65	0.72 76	-5.17 70	-5.17 70	2.10 33	0.31 33	101	2	55				
AP 22 0022 94782000	1.75	AP 17 0111 AP 17 0713	99	4	1	98	-4.91	87	-0.79 67	0.24 54	-0.65 68	-0.65 68	-0.65 68	-0.12 65	0.39 76	-2.55 70	-2.55 70	0.46 33	-0.20 33	99	2	37				
AP 22 0037 94782109	1.40	AP 17 0111 AP 19 0220	92	4	1	100	-6.42	85	-0.92 69	0.26 55	-1.82 70	-1.82 70	-1.82 70	-0.09 68	0.10 78	-9.01 72	-9.01 72	-0.48 39	-0.50 38	99	2	33				
AP 22 0052 94782307	1.22	AP 17 0111 AP 16 0302	123	5	1	98	-7.75	83	-1.67 71	0.21 58	-2.13 71	-2.13 71	-2.13 71	-0.08 69	0.63 78	-7.36 73	-7.36 73	2.75 40	-0.25 40	99	2	36				
AP 22 0054 94782323	1.26	AP 17 0111 AP 17 0005	129	5	1	104	-2.41	91	-0.15 71	0.36 58	-1.08 71	-1.08 71	-1.08 71	0.14 68	0.63 78	-2.80 73	-2.80 73	0.21 40	-0.22 39	102	2	18				
AP 22 0062 94782463	1.87	AP 17 0111 AP 18 0610	119	5	1	98	-6.52	85	-0.72 68	0.79 55	-0.15 68	-0.15 68	-0.15 68	-0.27 66	0.46 76	-5.57 71	-5.57 71	0.19 33	-0.15 33	100	2	40				
AP 22 0065 94784121	1.87	AP 17 0111 AP 18 0730	116	4	1	97	-7.08	84	-0.95 68	0.29 55	-1.66 68	-1.66 68	-1.66 68	-0.07 65	0.71 76	-2.88 70	-2.88 70	0.26 33	-0.25 33	99	1	45				

Ewes with Progeny



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding values
Breeding values with an accuracy of less than 5% are not printed

Ewes with progeny and measured at weaning, with both parents known.

Animal Information		Parents			Progeny		Selection Indices			EBV - Weights			EBV - Wool			EBV - Fertility			Rank									
Animal ID Regnr	% In- breeding	Sire ID Dam ID	DAM :		Generation Progeny Weaned 1st 2nd	SIP	GM	Weaning Weight			Body Weight			SVG			VD			SL			Lammers gespeen		EPI	Times lambd		
			EPI	Times lambd				Dir	Mat																			
								EBV	Acc	Index	EBV	Acc	Index	EBV	Acc	Index	EBV	Acc	Index	EBV	Acc	Index	EBV	Acc				Index
Active Breed Average :						100.7	2.8	100	0.54	0.01	0.56	0.03	-0.14	0.50	0.46	0.27												
AP 22 0068 94782521	1.87	AP 17 0111 AP 18 0727	119	5	1	104	-3.47	90	0.01 68	0.28 95	-0.93 68	91	-0.01 66	0.33 76	-6.35 70	82	0.52 34	-0.21 34	99	2	20							
AP 22 0070 94782547	1.19	AP 17 0111 AP 19 0416	110	4	1	105	-0.16	95	0.72 71	0.96 102	0.00 71	96	-0.21 69	-0.30 78	-6.69 73	81	3.29 41	0.55 40	101	2	16							
AP 22 0075 94782604	1.56	AP 17 0111 AP 15 0704	116	5	1	91	-11.84	76	-1.74 68	0.31 79	-2.35 56	81	-0.27 66	0.90 77	-4.47 71	87	2.61 35	-0.19 35	99	2	58							
AP 22 0101 94782729	1.13	SF 18 0389 AP 19 0440	102	5	1	102	-5.69	86	-0.95 70	0.19 54	-1.16 71	89	-0.28 69	-0.16 78	-8.49 73	76	0.67 37	-0.03 37	100	2	27							
AP 22 0102 94782745	1.75	SF 18 0389 AP 17 0714	101	4	1	102	-4.57	88	-1.79 67	-0.46 51	-3.19 68	76	0.24 65	0.84 76	1.85 70	104	-0.22 29	-0.07 29	99	1	26							
AP 22 0103 94782760	1.43	SF 18 0389 AP 13 0501	193	9	1	94	-7.00	84	-1.17 70	0.05 55	-1.62 70	86	0.03 67	1.51 77	-2.25 72	93	0.00 30	0.11 30	100	2	52							
AP 22 0107 94782786	1.87	SF 18 0389 AP 18 0607	117	5	1	97	-3.16	90	-1.45 69	-0.11 53	-0.87 69	91	-0.23 66	-0.47 77	-1.12 71	96	0.18 29	0.02 29	99	2	44							
AP 22 0109 94782802	1.43	SF 18 0389 AP 13 0708	150	7	1	97	-7.90	82	-1.58 69	-0.12 54	-2.83 69	78	0.10 67	1.28 77	-6.77 72	81	-0.41 30	-0.11 30	98	2	43							
AP 22 0110 94782828	1.43	SF 18 0389 AP 13 0717	98	5	1	98	-5.08	87	-1.51 67	-0.42 52	-2.23 65	82	-0.02 63	0.35 74	0.91 68	101	-0.20 30	-0.01 30	101	1	39							
AP 22 0117 94782901	1.87	SF 18 0389 AP 18 0720	109	5	1	105	-3.92	89	-1.59 67	-0.68 51	-3.24 65	76	0.02 63	-0.37 74	-6.74 68	81	-0.41 29	-0.10 29	99	2	15							
AP 22 0121 94784667	1.05	SF 18 0389 AP 19 0401	105	3	1	106	-1.16	93	-1.16 71	-0.27 54	-1.40 71	88	-0.18 69	-0.73 78	-6.98 73	80	2.72 37	0.34 37	100	2	14							
AP 22 0201 94782943	1.89	LW 18 1264 AP 19 0713	107	4	1	111	3.04	100	-0.42 67	0.59 91	0.17 68	98	-0.09 66	-0.56 76	-1.73 70	94	1.00 32	0.55 32	101	2	5							
AP 22 0208 94783008	1.75	LW 18 1264 AP 17 0707	121	5	2	109	4.12	102	-0.28 70	0.34 59	1.04 67	103	-0.04 65	0.13 75	3.30 69	107	3.62 32	0.96 32	107	2	7							
AP 22 0216 94783081	1.72	LW 18 1264 AP 18 0230	102	4	1	103	-1.12	94	-0.74 71	-0.09 57	-0.12 70	96	0.28 68	1.78 77	4.11 71	110	0.84 37	0.26 37	98	2	22							
AP 22 0303 94783149	3.29	AP 16 0304 AP 19 0301	91	1	1	100	-7.03	84	-0.96 70	0.16 54	-2.29 71	82	0.18 69	1.14 78	1.20 73	102	-4.09 38	-0.60 38	101	2	32							
AP 22 0308 94783164	1.87	AP 16 0304 AP 18 0712	98	3	1	100	-5.71	86	-0.73 67	0.16 53	-1.05 67	90	-0.02 65	1.25 75	-0.13 69	98	-0.53 32	0.19 32	102	2	34							

Young Ewes



EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding values
Breeding values with an accuracy of less than 5% are not

Ewes born since 2020 with a weaning weight and wool test, no progeny, with both parents known.

Animal Information		Parents			Selection Indices			EBV - Weights						EBV - Wol						EBV - Fertility				Rank
Animal ID Regnr	% In- breeding	Sire ID Dam ID	DAM REPROD :		SIP	GM		Weaning Weight		Body Weight		CFW		FD		SL		NLW		TWW				
			EPI	Times lambded		EBV	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index			
		Active Breed Average :			100.7	2.8	100	0.54		0.01		0.56		0.03		-0.14		0.50		0.46		0.27		
AP 22 0048 94782224	1.78	AP 17 0111 AP 16 0710	93	3	98	-8.76	81	-1.10 65	0.47 85	-1.60 65	86	-0.17 63	0.20 74	-8.29 68	77	0.51 33	100	-0.80 33	87		35			
AP 22 0050 94782265	1.13	AP 17 0111 AP 18 0118	115	5	96	-8.38	82	-0.39 70	0.52 91	-0.33 70	94	-0.21 68	0.74 77	-0.84 72	97	-0.80 37	95	-0.57 37	90		47			
AP 22 0057 94782380	1.89	AP 17 0111 AP 19 0714	90	1	98	-7.19	84	-0.90 63	0.68 86	-1.39 64	88	-0.28 61	0.08 72	-6.18 66	83	0.99 29	102	-0.09 29	96		42			
AP 22 0118 94782927	1.89	SF 18 0389 AP 19 0717	105	4	112	0.77	97	-0.56 64	-0.16 90	-1.30 65	88	0.04 63	-0.53 74	-6.03 68	83	0.32 24	100	0.07 24	98		3			
AP 22 0309 94783180	1.51	AP 16 0304 AP 19 0428	124	4	110	3.23	101	-0.60 69	0.06 89	-2.06 70	83	-0.10 68	-0.92 77	-3.38 71	90	6.12 34	121	1.35 34	113		6			
AP 22 0312 94783222	26.15	AP 16 0304 AP 19 0039	93	1	101	-3.82	89	0.79 68	0.64 102	0.91 69	102	-0.20 67	0.86 77	-2.89 71	91	1.08 32	102	0.19 32	99		31			
AP 22 0404 94783347	1.63	AP 19 0405 AP 18 0020	117	4	106	-4.42	88	0.16 66	0.25 97	-0.56 66	93	-0.08 63	0.44 75	-4.54 68	87	4.12 32	114	-0.22 32	94		13			
AP 23 0003 98006869	1.43	LW 18 1264 AP 13 0501	193	9	99	1.11	97	-0.52 70	-0.08 90	-0.66 68	92	0.21 66	1.05 75	6.48 70	116	2.06 29	106	0.70 29	105		4			
AP 23 0009 98006943	1.07	LW 18 1264 AP 19 0401	105	3	104	4.34	103	-0.42 70	-0.10 91	0.32 69	98	-0.17 67	-0.84 76	-2.76 71	91	4.82 36	116	0.94 36	108		1			
AP 23 0011 98006984	2.21	LW 18 1264 AP 21 0807	96	3	100	2.83	100	-0.40 64	0.01 91	0.70 64	101	0.07 61	0.46 72	3.23 66	107	1.85 27	105	0.60 27	104		3			
AP 23 0013 98007008	1.89	LW 18 1264 AP 19 0704	109	3	107	3.76	102	0.15 66	-0.09 96	1.28 66	105	-0.01 64	0.08 74	3.17 68	107	1.62 28	104	0.52 27	103		12			
AP 23 0015 98007040	2.00	LW 18 1264 AP 20 0811	92	3	99	-0.52	95	-0.64 64	0.10 89	0.32 65	98	-0.07 63	0.61 74	4.20 68	110	1.85 27	105	0.60 27	104		27			
AP 23 0019 98007065	1.45	LW 18 1264 AP 19 0331	91	3	103	1.41	98	-1.29 69	-0.22 83	0.15 70	97	0.05 68	-0.09 77	3.19 72	107	-0.77 35	95	-0.04 35	96		19			
AP 23 0031 98007180	1.10	LW 18 1264 AP 19 0416	110	4	111	6.27	106	0.16 70	0.24 96	-0.19 71	95	0.00 69	-0.57 77	0.54 72	100	4.76 36	116	1.24 36	112		2			
AP 23 0034 98007222	1.63	LW 18 1264 AP 17 0324	96	6	107	3.25	101	-0.91 69	-0.02 86	-0.09 70	96	0.26 68	0.38 77	4.51 72	111	-1.21 35	94	0.13 35	98		13			
AP 23 0035 98007248	1.75	LW 18 1264 AP 17 0707	121	5	106	3.93	102	-0.58 68	-0.07 90	0.53 67	100	0.07 65	0.20 75	-3.16 69	90	2.44 28	108	0.72 27	105		15			

Young Ewes



EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding values
Breeding values with an accuracy of less than 5% are not

Ewes born since 2020 with a weaning weight and wool test, no progeny, with both parents known.

Animal Information		Parents			Selection Indices			EBV - Weights						EBV - Wol						EBV - Fertility				Rank	
Animal ID Regnr	% In- breeding	Sire ID Dam ID	DAM REPROD : EPI Times lambded	SIP		GM		Weaning Weight				Body Weight		CFW		FD		SL		NLW		TWW			
				EBV	Index	Dir	Weight		Mat	Body Weight	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	
							Acc	Index																	Acc
		Active Breed Average :		100.7	2.8	100		0.54		0.01		0.56		0.03	-0.14		0.50		0.46		0.27				
AP 23 0036 98007263	1.17	LW 18 1264 AP 19 0053	105	3	103	0.78	97	-0.49 70		0.52 51		0.75 101	70	-0.11 68	0.16 77		-3.29 105	72	0.65 35		0.46 102	35		22	
AP 23 0040 98007305	1.87	LW 18 1264 AP 18 0724	109	5	105	4.06	102	-0.60 66		-0.51 48		-0.29 89	66	0.20 64	0.26 74		-1.14 106	68	1.85 27		0.60 104	27		16	
AP 23 0047 98007347	2.00	LW 18 1264 AP 20 0809	106	3	97	0.97	97	0.05 65		0.11 47		1.78 108	66	0.09 64	1.58 74		5.02 127	68	1.85 27		0.60 104	27		35	
AP 23 0054 98883499	1.89	JL 20 0435 AP 19 0801	88	1	95	-6.13	85	-0.80 62		-0.33 37		-0.95 90	64	-0.05 61	0.96 73		-2.67 117	66	1.21 26		-0.13 95	26		38	
AP 23 0058 98883473	1.89	JL 20 0435 AP 19 0706	88	1	108	3.06	100	-0.20 62		-0.51 37		-0.26 95	64	0.09 61	-0.68 73		-1.30 92	66	1.21 26		-0.13 95	26		3	
AP 23 0064 98882491	1.25	JL 20 0435 AP 14 0109	125	5	97	-4.67	88	-0.23 69		-0.59 47		-0.31 94	69	0.01 66	0.01 76		-4.79 102	71	-3.23 36		-1.23 82	36		33	
AP 23 0067 98882723	1.87	JL 20 0435 AP 18 0603	89	2	101	-1.37	93	-0.36 63		-0.53 39		-0.36 94	64	0.09 62	0.53 73		4.80 110	67	1.21 26		-0.13 95	26		16	
AP 23 0068 98882905	1.33	JL 20 0435 AP 19 0304	92	1	109	3.65	101	0.58 67		-0.32 43		0.67 101	69	0.15 66	-0.41 76		-0.62 96	71	-0.21 31		-0.39 92	31		1	
AP 23 0072 98882772	1.87	JL 20 0435 AP 18 0609	93	2	101	-1.86	92	-1.23 65		-0.89 41		-1.61 86	65	0.19 63	0.51 74		1.67 110	68	1.21 26		-0.13 95	26		17	
AP 23 0080 98883002	1.13	JL 20 0435 AP 21 0070	116	3	104	1.57	98	0.78 70		-0.14 46		1.58 107	69	-0.02 67	0.53 77		2.00 110	71	2.04 33		0.28 100	33		6	
AP 23 0083 98883010	1.44	JL 20 0435 AP 21 0081	103	2	103	0.80	97	0.84 69		-0.17 45		1.60 107	70	0.09 67	0.73 77		-4.55 114	71	-0.14 33		-0.21 94	33		8	
AP 23 0087 98882525	1.44	JL 20 0435 AP 16 0209	130	5	101	-1.82	92	-0.19 70		-0.09 47		0.40 99	70	-0.26 67	0.28 77		4.68 107	72	7.60 35		0.69 105	34		18	
AP 23 0093 98883093	2.21	JL 20 0435 AP 21 0707	129	4	102	-0.47	95	-0.07 64		-0.30 39		0.14 97	60	-0.04 63	-0.08 67		0.91 101	61	1.21 26		-0.13 95	26		14	
AP 23 0106 98007388	1.89	SF 18 0389 AP 19 0812	97	3	104	0.75	97	0.64 64		-0.06 43		0.33 99	64	0.20 62	0.95 73		1.97 117	67	0.32 24		0.07 98	24		17	
AP 23 0110 98007404	0.97	SF 18 0389 AP 17 0109	104	4	98	-4.02	89	-0.84 69		-0.43 49		-1.24 89	69	0.05 67	0.20 77		-6.13 105	71	0.04 34		-0.59 90	34		33	
AP 23 0114 98007446	1.28	SF 18 0389 AP 19 0013	106	4	95	-4.62	88	-0.98 69		-0.36 47		-2.15 83	69	0.00 67	0.39 77		-0.79 108	71	0.68 31		0.03 97	30		39	

Young Ewes



EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding values
Breeding values with an accuracy of less than 5% are not

Ewes born since 2020 with a weaning weight and wool test, no progeny, with both parents known.

Animal Information		Parents			Selection Indices			EBV - Weights						EBV - Wol						EBV - Fertility				Rank
Animal ID Regnr	% In- breeding	Sire ID Dam ID	DAM REPROD :		SIP	GM		Weaning Weight		Body Weight		CFW	FD		SL	NLW		TWW						
			EPI	Times lambded		Dir	Mat	Weight	Weight	Acc	Index		Acc	Index	Acc	Index	Acc	Index	Acc		Index	Acc	Index	
						EBV	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index					
		Active Breed Average :			100.7	2.8	100																	
AP 23 0115 98007461	1.32	SF 18 0389 AP 19 0017	92	2	94	-7.06	84	-1.57 68	-0.24 45	-2.83 69	78	-0.08 66	0.23 76	-9.05 71	75	-0.22 30	-0.12 30	95		42				
AP 23 0118 98007487	0.99	SF 18 0389 AP 17 0412	120	6	99	-2.35	92	-0.58 70	-0.17 50	-1.84 70	85	0.21 68	0.80 77	-6.71 72	81	-0.76 34	0.00 34	97		28				
AP 23 0126 98007560	1.18	SF 18 0389 AP 19 0038	103	4	97	-2.31	92	-0.38 69	-0.15 47	-0.99 69	90	0.17 67	0.97 77	-5.70 71	84	-0.36 31	0.01 30	97		34				
AP 23 0128 98007586	2.21	SF 18 0389 AP 21 0812	104	3	90	-6.26	85	-0.62 64	-0.21 43	-1.22 64	89	0.02 61	1.40 73	-4.47 66	87	0.32 24	0.07 24	98		46				
AP 23 0129 98007602	0.83	SF 18 0389 AP 17 0042	104	5	94	-8.59	81	-0.78 69	-0.32 48	-1.40 70	88	-0.09 67	0.35 77	-2.20 72	93	-3.38 34	-1.05 34	84		40				
AP 23 0132 98007644	0.89	SF 18 0389 AP 21 0415	93	3	92	-8.49	81	-1.18 68	0.08 45	-1.98 69	84	-0.12 67	0.49 77	-6.63 71	81	-1.38 31	-0.48 31	91		44				
AP 23 0136 98883432	1.47	JL 21 1154 AP 18 0021	94	1	98	-4.02	89	-0.64 68	-0.30 40	-0.06 69	96	0.13 66	0.77 76	7.24 71	118	-3.06 24	-0.93 24	86		31				
AP 23 0138 98882749	1.87	JL 21 1154 AP 18 0606	101	3	95	-5.18	87	-1.59 65	0.19 38	-0.67 65	92	-0.02 62	0.85 74	3.37 67	108	-0.87 16	-0.24 16	94		35				
AP 23 0142 98882574	1.43	JL 21 1154 AP 17 0221	102	3	101	-0.31	95	-0.75 69	0.09 43	-1.83 69	85	0.08 67	0.19 77	6.03 71	115	2.96 27	0.57 27	104		15				
AP 23 0143 98882616	1.75	JL 21 1154 AP 17 0704	128	6	100	-3.04	90	-0.54 67	0.03 41	0.17 66	98	-0.03 63	0.61 75	3.10 68	107	-0.87 16	-0.24 16	94		24				
AP 23 0145 98883556	2.21	JL 21 1154 AP 21 0818	106	3	103	0.12	96	-0.02 64	0.51 37	0.42 64	99	0.01 61	-0.01 73	2.52 66	105	-0.87 16	-0.24 16	94		9				
AP 23 0210 98007768	1.14	MV 20 0103 AP 16 0302	123	5	97	-3.91	89	-0.32 70	0.45 50	-0.29 69	95	-0.15 67	0.58 77	-0.19 71	98	2.05 35	0.24 35	100		36				
AP 23 0216 98007826	2.21	MV 20 0103 AP 21 0804	106	3	107	1.63	98	0.58 64	0.45 43	0.14 65	97	-0.14 62	-0.69 74	-9.38 67	74	-0.24 26	0.29 26	100		11				
AP 23 0217 98007842	2.21	MV 20 0103 AP 21 0804	106	3	110	2.78	100	0.63 64	0.27 43	-0.10 65	96	-0.02 62	-0.59 74	-6.34 67	82	-0.24 26	0.29 26	100		8				
AP 23 0232 98007925	0.83	MV 20 0103 AP 18 0205	105	3	110	2.50	100	0.48 69	-0.09 48	0.06 69	97	0.17 67	-0.18 77	0.59 71	100	-3.34 35	-0.30 35	93		6				
AP 23 0233 98007941	1.44	MV 20 0103 AP 19 0428	124	4	111	7.48	108	0.71 69	-0.06 48	-0.42 69	94	-0.07 67	-1.06 77	-5.19 71	85	5.59 34	1.48 33	115		4				

Young Ewes



EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding values
Breeding values with an accuracy of less than 5% are not

Ewes born since 2020 with a weaning weight and wool test, no progeny, with both parents known.

Animal Information		Parents			Selection Indices			EBV - Weights						EBV - Wol						EBV - Fertility				Rank
Animal ID Regnr	% In- breeding	Sire ID Dam ID	DAM REPROD :		SIP	GM		Weaning Weight				Body Weight		CFW		FD		SL		NLW		TWW		
			EPI	Times lambded		Dir	Mat	Weight	Weight	CFW	FD	SL	NLW	TWW										
			EBV	Index	EBV	Index	EBV	Index	EBV	Index	EBV	Index	EBV	Index	EBV	Index	EBV	Index	EBV	Index	EBV	Index		
		Active Breed Average :			100.7	2.8	100	0.54		0.01		0.56		0.03		-0.14		0.50		0.46		0.27		
AP 23 0238 98883077	1.56	JL 21 1154 AP 21 0417	101	3	100	-3.21	90	0.16 67	0.51 39	0.46 68	-0.17 66	-0.16 76	-0.85 70	-1.43 25	-0.55 24	23								
AP 23 0245 98883481	1.89	JL 21 1154 AP 19 0710	88	1	102	-1.31	93	-0.35 61	0.25 32	0.62 63	-0.07 60	0.14 72	7.90 66	-0.87 16	-0.24 16	13								
AP 23 0320 98008089	1.87	AP 19 0132 AP 18 0730	116	4	94	-4.94	87	-0.41 66	0.38 38	-0.36 65	-0.15 63	0.61 74	-4.08 68	0.47 15	0.01 15	41								
AP 23 0341 98883036	1.36	JL 21 1154 AP 21 0087	102	3	104	0.29	96	-0.22 68	0.22 41	1.24 69	-0.07 67	-0.24 77	1.22 71	-1.89 26	-0.45 26	7								
AP 23 0345 98883416	1.16	JL 21 1154 AP 16 0315	87	2	99	-2.70	91	-0.92 68	-0.24 42	-1.52 69	0.00 66	-1.06 76	0.76 71	-3.93 29	-1.16 29	27								
AP 23 0401 98008287	1.62	AP 21 0114 AP 18 0019	106	5	90	-8.60	81	-1.42 67	-0.24 41	-1.19 67	-0.18 64	0.38 76	-4.23 69	-2.50 27	-0.74 26	45								
AP 23 0412 98008360	1.87	AP 21 0114 AP 18 0607	117	5	99	-0.65	94	-1.14 65	-0.64 40	-1.29 65	0.02 62	-0.31 74	-0.01 67	-0.80 18	-0.03 18	30								
AP 23 0439 98882897	1.09	JL 21 1154 AP 19 0218	92	2	100	-2.40	91	-0.08 68	0.08 40	1.08 69	-0.02 66	0.29 76	3.14 71	-2.73 28	-0.83 27	22								
AP 24 0002 100181064	1.89	JL 20 0435 AP 19 0704	109	3	98	-4.07	89	-0.50 65	-0.33 43	-0.66 65	-0.09 63	0.28 73	0.58 67	0.97 26	-0.20 26	19								
AP 24 0004 100181080	1.36	JL 20 0435 AP 18 0230	102	4	103	-1.11	94	0.25 69	-0.54 46	-0.01 69	0.33 67	1.34 76	3.87 71	0.04 33	-0.43 33	5								
AP 24 0006 100181106	1.75	JL 20 0435 AP 17 0006	94	5	95	-5.66	86	-1.36 69	-0.65 46	-2.42 70	0.05 68	-0.23 77	4.26 72	-1.28 35	-0.96 35	24								
AP 24 0008 100181122	1.26	JL 20 0435 AP 21 0043	96	1	103	-0.36	95	-1.60 69	-0.41 45	0.70 69	-0.03 67	0.08 76	-3.53 70	1.69 32	-0.25 32	6								
AP 24 0011 100181163	1.41	JL 20 0435 AP 19 0017	92	2	98	-4.65	88	-0.70 68	-0.23 44	-0.86 69	-0.15 66	-0.04 76	-1.50 71	0.67 31	-0.32 31	18								
AP 24 0014 100181189	1.19	JL 20 0435 AP 17 0412	120	6	102	-0.71	94	-0.53 70	-0.20 48	-1.33 70	0.11 68	-0.09 77	-2.93 72	0.12 36	-0.19 35	8								
AP 24 0015 100181205	1.10	JL 20 0435 AP 18 0216	100	3	101	-1.53	93	-0.50 69	-0.49 46	0.02 70	0.16 67	0.37 77	0.79 71	-2.53 35	-0.79 35	11								
AP 24 0021 100181247	2.21	JL 20 0435 AP 21 0803	99	1	103	-0.33	95	-0.73 62	-0.57 37	-1.12 63	0.07 61	-0.23 72	3.43 66	1.21 26	-0.13 26	4								

Young Ewes



EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding values
Breeding values with an accuracy of less than 5% are not

Ewes born since 2020 with a weaning weight and wool test, no progeny, with both parents known.

Animal Information		Parents			Selection Indices			EBV - Weights						EBV - Wol						EBV - Fertility				Rank
Animal ID Regnr	% In- breeding	Sire ID Dam ID	DAM REPROD :		SIP	GM		Weaning Weight				Body Weight		CFW		FD		SL	NLW		TWW			
			EPI	Times lambded		Dir	Mat	Weight	Weight	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index			
			EBV	Index	EBV	Index	EBV	Index	EBV	Index	EBV	Index	EBV	Index	EBV	Index	EBV	Index	EBV	Index	EBV	Index		
		Active Breed Average :			100.7	2.8	100	0.54		0.01		0.56		0.03		-0.14		0.50	0.46		0.27			
AP 24 0022 100181262	1.56	JL 20 0435 AP 21 0304	97	2	99	-3.55	90	-0.84 68	-0.48 87	-0.14 44	90	-0.08 67	0.37 76	6.71 71	108	116	0.92 31	-0.22 102	31	94	17			
AP 24 0034 100181320	2.00	JL 20 0435 AP 20 0809	106	3	101	-1.78	92	0.17 64	-0.15 97	1.10 41	104	-0.02 63	0.82 74	3.88 67	109	120	1.21 26	-0.13 103	26	95	10			
AP 24 0051 107795601	1.62	JL 20 0435 AP 19 0110	99	2	101	-0.77	94	-0.26 69	0.20 92	0.47 45	104	0.02 67	0.50 77	8.02 71	120	120	2.06 32	-0.08 106	32	96	25			
AP 24 0052 107795619	1.67	JL 20 0435 AP 21 0417	101	3	96	-4.37	88	-0.40 68	0.06 91	-0.21 43	101	-0.08 66	0.39 76	0.04 71	99	99	0.65 32	-0.43 101	32	92	58			
AP 24 0053 107795627	2.08	JL 20 0435 AP 22 0714	99	2	102	-0.42	95	-0.40 62	-0.37 91	-0.22 37	92	-0.05 61	-0.29 73	1.23 98	102	102	1.21 26	-0.13 103	26	95	23			
AP 24 0055 107795635	1.43	JL 20 0435 AP 18 0403	102	2	101	-1.18	93	-0.17 70	-0.59 93	-0.79 47	91	-0.24 68	-0.90 77	0.92 88	101	101	4.04 33	0.13 114	33	98	27			
AP 24 0059 107795650	1.29	JL 20 0435 AP 17 0324	96	6	101	-0.15	95	-0.35 69	-0.52 92	-0.56 46	89	0.32 67	0.65 77	0.78 71	101	101	-1.86 34	-0.59 91	34	90	26			
AP 24 0062 107795668	1.44	JL 20 0435 AP 22 0037	99	2	100	-1.93	92	-0.34 68	-0.39 92	-0.80 43	91	0.11 67	0.22 77	-0.38 106	98	98	0.74 32	-0.49 101	32	91	36			
AP 24 0063 107795676	1.67	JL 20 0435 AP 22 0065	99	1	98	-3.31	90	-0.67 68	-0.35 89	-0.89 43	93	0.15 66	0.84 76	4.76 71	111	111	1.11 31	-0.36 103	31	92	47			
AP 24 0074 107795718	1.87	JL 20 0435 AP 18 0725	117	5	100	-2.29	92	0.85 66	-0.26 103	1.69 43	107	0.00 63	1.34 74	1.59 123	103	103	1.21 26	-0.13 103	26	95	35			
AP 24 0081 107795734	1.18	JL 20 0435 AP 21 0112	92	2	103	0.77	97	0.69 68	-0.47 101	1.15 43	104	0.24 67	0.93 77	3.57 117	108	108	-0.78 32	-0.50 95	31	91	17			
AP 24 0082 107795742	2.08	JL 20 0435 AP 22 0707	101	2	100	-1.86	92	0.57 62	0.03 100	1.77 37	101	-0.13 61	0.67 73	0.47 66	100	100	1.21 26	-0.13 103	26	95	31			
AP 24 0084 107795759	1.33	JL 20 0435 AP 18 0212	84	4	96	-5.07	87	-0.84 68	-0.80 87	-1.20 44	83	0.16 66	0.98 76	7.45 71	118	118	-1.05 32	-0.61 94	32	89	59			
AP 24 0086 107795767	1.87	JL 20 0435 AP 18 0730	116	4	100	-1.89	92	-0.20 66	-0.41 93	-0.25 44	91	0.09 64	0.65 75	2.76 68	106	106	0.96 26	-0.19 102	26	95	30			
AP 24 0091 107795783	2.08	JL 20 0435 AP 22 0804	97	2	98	-3.83	89	-0.77 62	-0.39 88	-0.63 37	92	-0.06 61	0.44 73	5.27 66	113	113	1.21 26	-0.13 103	26	95	50			
AP 24 0097 107795809	1.35	JL 20 0435 AP 19 0440	102	5	107	3.07	100	0.84 69	-0.19 103	1.42 46	106	-0.24 68	-1.36 77	-6.29 72	82	82	2.09 35	-0.15 106	35	95	9			

Young Ewes



EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding values
Breeding values with an accuracy of less than 5% are not

Ewes born since 2020 with a weaning weight and wool test, no progeny, with both parents known.

Animal Information		Parents			Selection Indices			EBV - Weights						EBV - Wol						EBV - Fertility				Rank
Animal ID Regnr	% In- breeding	Sire ID Dam ID	DAM REPROD :		SIP	GM		Weaning Weight				Body Weight		CFW	FD		SL		NLW		TWW			
			EPI	Times lambded		Dir	Mat	Weight	Weight	Acc	Index	Acc	Index		Acc	Index	Acc	Index	Acc	Index	Acc	Index		
			EBV	Index	EBV	Index	EBV	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index		
		Active Breed Average :			100.7	2.8	100	0.54		0.01		0.56		0.03		-0.14		0.50		0.46		0.27		
AP 24 0098 107797136	1.89	JL 20 0435 AP 19 0715	94	2	108	2.93	100	-0.15 62	-0.44 37	-0.16 64	95	0.02 61	-0.91 73	-2.03 66	93	1.21 26	-0.13 26	95					8	
AP 24 0101 100181361	1.87	SF 18 0389 AP 18 0724	109	5	100	-2.92	91	-1.35 65	-0.46 44	-1.87 65	85	0.06 62	0.33 74	-4.03 67	88	0.32 24	0.07 24	98					13	
AP 24 0103 100181387	1.75	SF 18 0389 AP 17 0707	121	5	98	-5.01	87	-1.32 67	0.18 46	-0.98 66	90	-0.21 64	0.24 75	-8.83 68	76	0.91 24	0.19 24	99					20	
AP 24 0107 100181403	1.87	SF 18 0389 AP 18 0723	130	5	100	-3.22	90	-0.96 67	-0.13 46	-1.63 66	86	-0.06 64	-0.01 74	-5.79 68	84	0.32 24	0.07 24	98					15	
AP 24 0112 107795833	1.34	AP 22 0119 AP 22 0075	99	2	90	-9.26	80	-1.51 67	-0.06 39	-2.39 68	81	-0.09 65	1.22 76	-1.00 70	96	2.91 25	0.09 24	98					72	
AP 24 0117 107795866	2.08	AP 22 0119 AP 22 0803	99	2	101	-2.15	92	-1.12 61	-0.39 32	-2.09 63	83	0.02 60	0.09 72	-0.61 65	97	1.83 17	0.29 17	100					29	
AP 24 0126 107795890	1.10	AP 22 0119 AP 19 0135	98	2	98	-3.24	90	-0.80 68	0.16 42	-0.29 69	95	-0.26 66	-0.36 76	-5.46 71	84	1.91 27	-0.03 27	96					46	
AP 24 0127 107795908	2.12	AP 22 0119 AP 21 0212	101	3	100	-2.25	92	0.25 68	0.03 41	0.73 68	101	-0.04 66	0.47 76	2.66 71	106	-2.52 28	-0.38 28	92					37	
AP 24 0129 107795916	1.37	AP 22 0119 AP 18 0301	108	3	98	-3.05	90	0.12 69	0.10 43	0.11 69	97	-0.05 67	0.49 77	2.57 71	105	-1.44 30	-0.26 29	94					43	
AP 24 0130 107795924	1.23	AP 22 0119 AP 17 0042	104	5	91	-7.80	83	-0.92 69	-0.30 43	-0.69 69	92	-0.09 66	0.70 77	-1.43 71	95	-1.88 30	-0.83 30	87					71	
AP 24 0131 107795932	1.49	AP 22 0119 AP 21 0428	106	3	103	0.06	95	-0.40 68	-0.10 42	-1.13 68	89	0.05 66	-0.14 76	-8.56 70	76	2.41 25	0.13 25	98					19	
AP 24 0132 107795940	1.49	AP 22 0119 AP 21 0428	106	3	98	-3.40	90	-0.85 68	0.19 42	-1.39 68	88	-0.11 66	0.02 76	-7.37 70	79	2.41 25	0.13 25	98					44	
AP 24 0137 107795965	8.12	AP 22 0119 AP 19 0416	110	4	111	5.38	104	0.98 69	0.16 44	0.73 69	101	-0.14 66	-0.81 77	-6.78 71	81	4.73 30	0.93 29	108					3	
AP 24 0140 107795981	7.45	AP 22 0119 AP 16 0209	130	5	96	-5.84	86	-1.26 69	0.12 44	-1.47 69	87	-0.34 66	0.63 77	-0.23 71	98	8.22 29	1.12 28	110					61	
AP 24 0142 107796005	1.87	AP 22 0119 AP 18 0726	116	4	98	-3.94	89	-1.00 66	-0.58 40	-1.20 66	89	-0.07 63	0.58 74	-2.18 68	93	1.83 17	0.29 17	100					48	
AP 24 0147 107796021	1.40	AP 22 0119 AP 17 0308	106	4	92	-7.16	84	-1.80 68	0.61 43	-0.77 68	92	-0.15 66	1.27 76	-1.88 70	94	-0.11 28	0.25 28	100					70	

Young Ewes



EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding values
Breeding values with an accuracy of less than 5% are not

Ewes born since 2020 with a weaning weight and wool test, no progeny, with both parents known.

Animal Information		Parents			Selection Indices			EBV - Weights			EBV - Wool			EBV - Fertility		Rank
Animal ID Regnr	% In- breeding	Sire ID Dam ID	DAM REPROD : EPI Times lambd		SIP	GM		Weaning Weight Dir	Mat	Body Weight	CFW	FD	SL	NLW	TWW	
								EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	
					EBV	Index		Acc	Index	Acc	Index	Acc	Index	Acc	Index	
Active Breed Average :					100.7	2.8	100	0.54	0.01	0.56	0.03	-0.14	0.50	0.46	0.27	
AP 24 0153 107796047	1.98	AP 22 0119 AP 19 0075	97 3		98	-3.68	89	-0.85 68	-0.03 42	-1.08 99	-0.05 66	0.46 76	-0.33 98	1.07 27	0.09 98	51
AP 24 0155 107796054	1.89	AP 22 0119 AP 19 0810	103 3		99	-3.38	90	-0.31 65	0.13 38	0.58 103	-0.30 61	0.24 73	-7.51 66	1.83 17	0.29 100	41
AP 24 0158 107796062	2.11	AP 22 0119 AP 21 0319	116 3		106	1.56	98	0.07 69	-0.29 42	-0.27 94	0.07 66	0.21 76	0.48 105	2.99 26	0.41 102	12
AP 24 0203 100181429	2.08	AP 22 0119 AP 22 0802	97 2		98	-4.55	88	-2.30 61	-0.65 32	-3.89 86	0.00 60	-0.17 72	-3.30 100	1.83 17	0.29 100	21
AP 24 0208 100181460	1.78	AP 22 0119 AP 16 0708	89 2		101	-2.28	92	-0.04 63	-0.13 35	0.27 97	0.01 60	1.16 72	-0.44 98	1.83 17	0.29 100	12
AP 24 0209 100181486	4.67	AP 22 0119 AP 22 0415	101 2		100	-2.53	91	0.29 66	0.01 37	0.14 100	-0.20 64	0.42 75	-3.15 90	3.30 21	0.50 103	14
AP 24 0210 100181502	2.08	AP 22 0119 AP 22 0809	100 2		100	-2.79	91	-0.61 61	-0.06 32	-0.16 99	-0.10 60	0.58 72	-7.15 65	1.83 17	0.29 100	16
AP 24 0221 100181585	1.43	AP 22 0119 AP 13 0708	150 7		93	-6.46	85	-1.21 68	0.14 43	-1.82 103	0.03 64	1.42 75	-1.05 96	1.57 19	0.27 100	25
AP 24 0223 107797458	1.53	AP 19 0132 AP 18 0007	107 5		93	-7.74	83	-1.01 68	0.16 41	-0.75 103	-0.32 66	-0.19 76	-8.51 71	-0.95 26	-0.64 89	68
AP 24 0224 107796112	1.64	AP 19 0132 AP 22 0408	98 2		94	-6.54	85	-0.89 67	0.26 36	-0.91 105	-0.22 65	0.37 76	-4.66 87	0.30 21	-0.12 95	64
AP 24 0228 107796138	2.21	AP 19 0132 AP 21 0818	106 3		103	-0.28	95	-0.09 64	0.43 35	-1.33 109	0.00 61	-0.42 73	-2.02 96	0.72 15	0.06 98	18
AP 24 0229 107796146	14.05	AP 19 0132 AP 22 0068	99 2		97	-4.17	89	-0.11 67	0.44 38	-0.42 109	-0.08 66	0.51 76	-4.06 88	0.76 22	-0.15 95	53
AP 24 0230 107796153	1.44	AP 19 0132 AP 18 0118	115 5		93	-7.04	84	-0.23 69	0.40 42	-0.47 108	-0.29 67	0.10 77	-4.32 87	-1.08 27	-0.42 92	67
AP 24 0231 107796161	1.44	AP 19 0132 AP 18 0118	115 5		96	-5.10	87	0.01 69	0.46 42	-0.11 110	-0.39 67	-0.72 77	-8.72 71	-1.08 27	-0.42 92	60
AP 24 0234 107796179	14.00	AP 19 0132 AP 21 0408	102 3		96	-4.66	88	0.42 67	0.67 39	0.26 114	-0.20 66	0.50 76	-3.25 90	0.52 23	-0.11 95	57
AP 24 0235 107796187	1.62	AP 19 0132 AP 22 0201	101 2		101	-0.92	94	0.28 67	0.65 37	0.38 114	-0.22 65	-0.27 76	-4.46 87	1.00 22	0.23 100	24

Young Ewes



EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding values
Breeding values with an accuracy of less than 5% are not

Ewes born since 2020 with a weaning weight and wool test, no progeny, with both parents known.

Animal Information		Parents			Selection Indices			EBV - Weights			EBV - Wol			EBV - Fertility		Rank
Animal ID Regnr	% In- breeding	Sire ID Dam ID	DAM REPROD : EPI Times lambd		SIP	GM		Weaning Weight Dir	Mat	Body Weight	CFW	FD	SL	NLW	TWW	
								EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	
					EBV	Index		Acc	Index	Acc	Index	Acc	Index	Acc	Index	
Active Breed Average :					100.7	2.8	100	0.54	0.01	0.56	0.03	-0.14	0.50	0.46	0.27	
AP 24 0237 107796195	4.58	AP 19 0132 AP 18 0111	103 3		97	-4.20	88	0.10 68	0.62 40	-0.41 69	-0.15 67	-0.06 77	-4.94 71	-1.26 26	-0.42 26	56
AP 24 0242 107796203	1.49	AP 19 0132 AP 22 0109	98 2		95	-5.49	86	-1.13 67	0.28 37	-1.26 68	-0.06 66	0.61 76	-7.70 70	0.29 21	-0.10 21	63
AP 24 0246 107796211	4.47	AP 19 0132 AP 21 0090	110 2		99	-1.99	92	0.36 69	0.60 41	0.80 69	-0.28 67	-0.33 77	-5.90 71	0.02 26	-0.07 26	38
AP 24 0251 107796237	1.61	AP 19 0132 AP 19 0329	116 3		106	1.83	98	-0.61 69	0.30 42	-0.46 69	0.05 67	-0.27 77	-8.64 71	0.02 25	0.20 25	13
AP 24 0255 107796260	1.76	AP 19 0132 AP 16 0709	105 5		100	-2.55	91	-0.83 66	0.18 40	-0.86 65	-0.05 62	0.48 74	-0.09 68	1.65 17	0.36 17	34
AP 24 0257 107796278	14.05	AP 19 0132 AP 22 0062	100 2		92	-7.46	83	-0.20 67	0.88 38	0.79 68	-0.30 66	1.05 76	-5.50 70	0.59 22	-0.12 22	69
AP 24 0260 107796294	1.38	AP 19 0132 AP 18 0425	102 4		89	-9.50	80	-0.66 69	0.40 42	-0.77 69	-0.49 66	-0.35 77	-8.99 71	0.92 28	-0.54 28	73
AP 24 0262 107796302	1.37	AP 19 0132 AP 18 0411	93 3		94	-6.12	85	-0.26 69	-0.39 41	-1.35 69	-0.18 66	-0.35 76	1.18 71	-0.49 28	-0.70 27	65
AP 24 0265 107796310	14.06	AP 19 0132 AP 21 0416	97 3		97	-4.28	88	-0.47 67	0.63 39	-0.32 68	-0.16 66	0.42 76	-4.62 70	1.81 22	0.04 22	55
AP 24 0266 107796328	14.06	AP 19 0132 AP 21 0416	97 3		99	-3.22	90	-0.53 67	0.51 39	-0.56 68	-0.07 66	0.41 76	-1.45 70	1.81 22	0.04 22	42
AP 24 0267 107796336	2.08	AP 19 0132 AP 22 0701	101 2		98	-3.87	89	0.31 61	0.61 31	0.70 63	-0.24 60	0.46 72	-1.44 65	0.72 15	0.06 15	45
AP 24 0302 100181601	2.21	MV 20 0103 AP 21 0814	102 3		105	-1.01	94	0.49 64	-0.01 43	-0.35 63	-0.05 61	0.23 71	3.61 65	-0.24 26	0.29 26	3
AP 24 0303 100181627	2.21	MV 20 0103 AP 21 0709	100 3		109	1.69	98	0.34 63	-0.05 41	-0.69 63	0.09 61	-0.08 72	-4.42 65	-0.24 26	0.29 26	1
AP 24 0306 100181643	2.21	MV 20 0103 AP 21 0704	94 2		108	0.85	97	0.46 62	0.31 39	1.13 63	-0.22 61	-0.35 72	-0.03 65	-0.24 26	0.29 26	2
AP 24 0307 107796344	1.09	MV 20 0103 AP 19 0106	104 4		99	-2.41	91	0.47 69	-0.07 48	0.22 69	-0.03 67	0.43 77	-8.25 71	-0.71 35	-0.26 34	39
AP 24 0308 107796351	1.09	MV 20 0103 AP 19 0106	104 4		100	-1.63	93	0.50 69	-0.08 48	0.18 69	-0.01 67	0.29 77	-2.82 71	-0.71 35	-0.26 34	33

Young Ewes



EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding values
Breeding values with an accuracy of less than 5% are not

Ewes born since 2020 with a weaning weight and wool test, no progeny, with both parents known.

Animal Information		Parents			Selection Indices			EBV - Weights						EBV - Wol						EBV - Fertility				Rank
Animal ID Regnr	% In- breeding	Sire ID Dam ID	DAM REPROD :		SIP	GM	Weaning Weight				Body Weight		CFW	FD		SL	NLW		TWW					
			EPI	Times lambded			Dir	Mat	Weight	Weight	Acc	Index		Acc	Index	Acc	Index	Acc	Index	Acc		Index	Acc	Index
			EBV	Index	EBV	Index	EBV	Index	EBV	Index	EBV	Index	EBV	Index	EBV	Index	EBV	Index	EBV	Index	EBV	Index		
		Active Breed Average :			100.7	2.8	100	0.54		0.01		0.56		0.03		-0.14		0.50		0.46		0.27		
AP 24 0310 107796377	1.44	MV 20 0103 AP 19 0428	124	4	111	5.50	104	0.05 68	-0.11 95	-1.56 47	87	0.00 67	-0.74 72	-1.39 91	95	5.59 34	1.48 119	33	115			2		
AP 24 0312 107796393	1.44	MV 20 0103 AP 19 0428	124	4	115	7.94	108	1.02 68	0.11 105	0.43 47	99	-0.18 67	-1.29 72	-6.62 82	81	5.59 34	1.48 119	33	115			1		
AP 24 0321 107796435	2.08	MV 20 0103 AP 22 0720	101	2	108	2.85	100	1.01 62	0.20 104	0.14 39	97	-0.05 61	-0.61 73	1.48 93	103	-0.24 26	0.29 97	26	100			6		
AP 24 0326 107796450	1.30	MV 20 0103 AP 22 0401	104	2	106	2.30	99	0.89 68	0.23 103	0.34 45	99	-0.09 66	-0.19 76	0.03 99	99	3.10 31	0.64 110	31	105			10		
AP 24 0327 107796468	1.87	MV 20 0103 AP 18 0717	107	4	105	0.89	97	0.01 65	-0.07 95	-0.69 44	92	-0.12 63	-0.76 74	-6.87 91	81	-0.24 26	0.29 97	26	100			15		
AP 24 0331 107796484	1.75	MV 20 0103 AP 17 0709	100	5	103	-0.63	94	0.24 66	-0.53 97	-0.80 46	91	-0.04 63	0.14 74	0.69 104	101	1.06 27	0.45 102	27	102			22		
AP 24 0333 107796492	1.13	MV 20 0103 AP 19 0401	105	3	105	1.06	97	-0.33 69	0.30 92	-0.08 49	106	-0.36 67	-1.26 77	-7.49 83	79	2.73 35	0.63 109	35	104			14		
AP 24 0337 107796500	1.12	MV 20 0103 AP 17 0020	116	5	97	-3.35	90	0.43 70	0.17 99	-0.20 49	104	-0.28 68	-0.98 77	-5.60 87	84	-3.45 36	-0.63 85	35	89			52		
AP 24 0344 107796526	1.20	MV 20 0103 AP 17 0328	110	5	108	3.74	102	0.47 69	-0.24 99	-0.54 49	95	0.30 67	-0.19 77	-3.47 99	90	-3.47 35	-0.25 85	34	94			7		
AP 24 0348 107796542	0.92	MV 20 0103 AP 21 0115	100	2	109	3.93	102	1.51 68	-0.21 109	1.07 46	96	0.18 67	0.21 77	-3.82 106	89	-1.76 33	-0.02 92	32	97			5		
AP 24 0352 107796567	1.40	MV 20 0103 AP 21 0409	111	3	106	2.18	99	0.92 69	0.52 104	0.91 47	102	0.01 66	0.32 76	-1.32 107	95	0.75 32	0.41 101	32	102			11		
AP 24 0401 100181668	1.50	JL 21 1154 AP 22 0022	99	2	102	-1.51	93	-0.42 67	0.27 91	0.86 39	106	-0.08 65	0.08 76	-1.00 103	96	-0.87 23	-0.45 95	23	91			7		
AP 24 0405 100181726	2.08	JL 21 1154 AP 22 0708	100	2	96	-5.72	86	-0.82 61	0.31 87	0.20 32	107	-0.12 60	0.96 72	-2.76 117	91	-0.87 16	-0.24 95	16	94			22		
AP 24 0406 100181742	2.21	JL 21 1154 AP 21 0810	100	3	96	-5.89	86	-1.93 61	-0.13 77	-2.10 32	83	-0.04 60	0.32 72	9.80 107	124	-0.87 16	-0.24 95	16	94			23		
AP 24 0409 100181767	2.21	JL 21 1154 AP 21 0815	106	3	102	-1.98	92	-0.64 64	0.46 89	-0.11 36	110	-0.17 61	-0.43 72	0.35 96	100	-0.87 16	-0.24 95	16	94			9		
AP 24 0412 100181809	2.08	JL 21 1154 AP 22 0805	99	1	92	-8.55	81	-1.31 61	0.03 83	-1.24 32	89	0.13 60	2.19 72	5.69 136	114	-0.87 16	-0.24 95	16	94			26		

Young Ewes



EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices in top 10%
Above breed average
Indices in bottom 10%

Acc: Accuracy of the breeding values
Breeding values with an accuracy of less than 5% are not

Ewes born since 2020 with a weaning weight and wool test, no progeny, with both parents known.

Animal Information		Parents			Selection Indices			EBV - Weights						EBV - Wol						EBV - Fertility				Rank
Animal ID Regnr	% In- breeding	Sire ID Dam ID	DAM REPROD :		SIP	GM		Weaning Weight		Body Weight		CFW		FD		SL		NLW		TWW				
			EPI	Times lambd		EBV	Index	Dir	Mat	EBV	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index			
			EBV	Index	Acc																		Index	Acc
		Active Breed Average :			100.7	2.8	100	0.54		0.01		0.56		0.03		-0.14		0.50		0.46		0.27		
AP 24 0419 107796583	1.89	JL 21 1154 AP 19 0717	105	4	105	0.58	96	-0.48 64	90	0.33 37	107	0.44 65	99	-0.03 62	-0.31 74	0.99 67	101	-0.87 16	95	-0.24 16	94	16		
AP 24 0422 107796591	1.75	JL 21 1154 AP 17 0812	140	5	93	-7.28	83	-1.37 68	82	0.34 42	107	-0.71 66	92	0.01 64	1.56 75	3.22 69	107	-0.87 16	95	-0.24 16	94	66		
AP 24 0426 107796617	1.15	JL 21 1154 AP 22 0101	100	2	95	-5.84	86	-0.60 67	89	0.32 38	107	0.54 69	100	-0.12 66	1.03 76	-0.07 71	99	-0.76 25	95	-0.36 24	92	62		
AP 24 0429 107796633	1.38	JL 21 1154 AP 22 0004	99	2	97	-4.71	88	-1.03 67	85	0.07 39	101	-0.54 68	93	0.13 66	1.12 76	10.08 70	125	-0.70 25	96	-0.56 25	90	54		
AP 24 0433 107796658	2.00	JL 21 1154 AP 20 0803	108	4	98	-4.49	88	-1.09 65	85	0.28 38	106	-0.31 65	94	-0.25 62	-0.21 74	-0.32 67	98	-0.87 16	95	-0.24 16	94	49		
AP 24 0437 107796674	1.61	JL 21 1154 AP 21 0076	94	2	109	3.97	102	0.42 67	99	0.32 38	107	1.65 68	107	0.07 66	-0.13 76	6.77 70	116	-0.66 23	96	-0.12 23	95	4		
AP 24 0438 107796682	2.08	JL 21 1154 AP 22 0703	101	2	101	-1.95	92	-0.13 61	94	0.23 32	105	0.93 63	102	0.13 60	1.32 72	2.93 66	106	-0.87 16	95	-0.24 16	94	28		
AP 24 0445 107796716	2.21	JL 21 1154 AP 21 0801	106	3	100	-2.73	91	-0.43 64	91	0.39 37	108	0.76 63	101	-0.12 60	0.37 72	1.23 65	102	-0.87 16	95	-0.24 16	94	32		
AP 24 0447 107796732	1.25	JL 21 1154 AP 19 0136	102	2	99	-2.84	91	-1.17 69	84	0.38 43	108	-1.00 69	90	0.02 67	0.12 77	0.03 71	99	-0.04 27	98	-0.35 27	93	40		
AP 24 0448 107796740	2.08	JL 21 1154 AP 22 0801	101	2	103	-0.87	94	-0.06 61	94	0.29 32	106	0.71 63	101	-0.03 60	0.25 72	1.69 66	103	-0.87 16	95	-0.24 16	94	21		
AP 24 0452 107796773	2.08	JL 20 0435 AP 22 0718	101	2	103	0.03	95	-0.03 62	95	-0.42 37	91	-0.28 64	95	0.12 61	0.31 73	2.21 66	105	1.21 26	103	-0.13 26	95	20		
Young Ewes (with known parents) average :					100.5	-2.0	92	-0.35		0.00		-0.32		-0.04		0.22		-1.08		0.56		-0.03		