

KALAHARI RED GENETIC REPORT

04 September 2026



Kalahari Red Club

DRILL RITE STUD

FDM : 257



CERTIFICATE
OF QUALITY

Valid up to
October 2029

General Information

This **Genetic Report** of your flock enables you to determine the genetic merit and potential of the animals in your herd relative to that of the breed. An animal's performance is determined by two factors, namely the environment and genetics. Good nutrition and management can improve performance, but an animal cannot perform better than its genetic potential. Superior performance due to the environment cannot be carried over to the next generation. It is therefore extremely important not to neglect genetic progress of your flock. Due to the interaction between environment and genetics, it is difficult to identify genetically superior animals on performance data. Estimated Breeding Values (EBVs) are therefore predicted for every animal to determine its genetic potential, as well as its worth as a parent for the next generation. Through the use of EBVs, animals can be compared fairly **within the breed**, therefore across herds, years and production systems. Results presented in this report allow the breeder to identify the underlying genetics of the animals.

Genetic parameters

Genetic parameters (heritability and genetic correlations) are estimated on a breed-basis and are required for the prediction of breeding values. The **heritability** refers to the portion of the variation of a trait in a population that is due to transferrable genetics (the rest of the variation can be attributed to the environment and non-transferrable genetics). Some traits are genetically correlated, which means that a change in one trait will lead to changes in other traits. The strength of this association amongst traits is referred to as a **genetic correlations** and can be desirable or undesirable.

Breeding Values

The prediction of EBVs makes use of performance recordings of the animal as well as those of its relatives, pedigree information and genetic parameters. The deviation of the animal's measurement relative to the average of its contemporary group, forms the basis for identifying the animal's genetic potential for the trait. A **contemporary group** is a group of animals that have been exposed to the same environmental and biological effects, including herd, year, sex and age effects. After adjusting for differences in these effects, animals can fairly be compared and the difference in performance that still persist are then assumed to be due to differences in the genetic merit of the animals.

The EBV predicted for an animal at birth and until it has been measured, is the average EBV of its parents, since the animal received half of its genes from each parent. This mid-parent value makes the assumption that the same half of the parents' genes are carried over to all their offspring. In reality, each offspring receives a random sample of each parent's genes,

therefore mid-parent EBVs are still of low accuracy, but it does indicate the genetic level that can be expected due its parental history. An animal's true genetic merit can be predicted more accurately as more information becomes available, eg. when the animal has been measured or when the number of relatives with measurements increases. Estimated breeding values therefore change over time as more information becomes available. EBVs of animals are published with an **accuracy** (%), which indicates how much information was available for the estimation of breeding values and therefore the confidence with which a breeder can use it. Factors that influence the accuracy of an EBV are the heritability of the trait, the number of measured relatives, the size of the contemporary group, the precision with which the measurements were taken and the completeness of pedigree information. An EBV with an accuracy of 85% or more is less likely to change significantly with subsequent genetic analyses.

Interpretation of breeding values

EBVs are expressed around a **base year** (5 years ago), which means that the average breeding value of the base year is set as zero and all breeding values are expressed relative to this average. An animal with an EBV of +1kg for weaning weight is therefore genetically superior by 1kg compared to an average animal born in the base year. EBVs therefore express genetic merit of animals relative to each other. The true performance of an animal cannot be calculated from the EBV, but it enables the breeder to know which animals will make a better contribution to the next generation. For easier interpretation EBVs are also expressed as breeding value indices. For these indices the average value of the **active population** is set as 100 with a standard deviation of 12. An index of 76 therefore indicates that the animal is 2 standard deviations below the average and an index of 112 indicates that the animal is 1 standard deviation above the average of the active population for the specific trait. Please note that negative EBVs are favourable for Inter-Lambing Period and Age at First Lambing, therefore shorter inter-lambing periods and younger ages at first lambing indicates better fertility. However, breeding value indices are expressed in the same way for all traits, therefore higher indices indicates desirability for the traits and lower indices are undesirable. This makes it easy to identify superior animals for all traits.

The data used in this evaluation has been obtained from LOGIX, as supplied by breeders. Everything possible had been done to present the information correctly. SA Stud Book does not take any responsibility for the use and interpretation of the information from this publication.

Selection Indices

It is easy to select on a single trait, but that is not the best approach to follow. Selecting on only one trait can lead to the deterioration of performance in other traits due to genetic correlations. There are different traits that are important, some being more important than others. A selection index combines multiple traits, each with an economic weight to take the different levels of importance into account. EBVs for different traits cannot simply be added together, since the unit of measurement and range of the values differ and in some cases negative values are favoured. These factors are accounted for in the compilation of a selection index. An overall selection index includes EBVs of all the traits of economic importance, while other selection indices are more focused on specific breeding objectives. Selection indices are expressed around 100, with 100 being the average of the active population, with a standard deviation of 12. A selection index of 124 is therefore 2 standard deviations above the average and an index of 88 is one standard deviation below the average of the active animals of the population.

Two Indices are constructed for the Kalahari Red Goat breed, namely the Logix Merit Index and the Reproduction Index. These indices, their purpose and the contribution of the different traits to the indices are summarised as follows :


Logix Merit Index (LMI)

This index combines all the traits to select for a balanced, profitable animal that is fertile and delivers a desirable level of production while not reaching very large adult weights. Very large animals require more feed to meet their maintenance requirements, which makes them more expensive to keep and more likely to struggle during difficult times. Since large animals in a breeding flock are unfavourable, a penalty is placed on Post-Wean Weight EBV (indicated by the negative value) in the index. Selection based on the LMI will lead to breeding of balanced animals that will have the genetic potential to wean at a heavier weight (both due to its own potential and having dams that produce sufficient milk), lambs at an early age, lambs regularly, give multiple lambs and has lower maintenance requirements. This value is especially important for sustainability, which requires the selection of good, productive replacement animals for the flock.

The LMI is constructed as follows :

$$LMI = (0.0675 * AFL) + (0.1125 * ILP) + (0.264 * Wean Dir) + (0.176 * Wean Mat) + (0.27 * N_Lambs_Weaned) + (0.11 * Post-Wean Dir)$$

Schematically the LMI can be explained as follows :




Reproduction Index (RI)

This index includes Weaning Maternal), Number of Lambs Weaned, Age at First Lambing and Inter-lambing. This is especially an important index to consider in the development of a dam line.

The RI is constructed as follows :

$$(0.2 * AFL) + (0.2 * ILP) + (0.3 * Wean Mat) + (0.3 * N_Lambs_Weaned)$$

Schematically it can be explained as follows :



It is always important to consider the traits that contribute to the index individually when selection of animals is based on indices. It sometimes happen that an animal receives a good index due to its exceptional genetic merit of a specific trait, while some of the other traits of the animal in the index might be at undesirable levels for the specific flock's breeding objective, but masked in the index due to the exceptionality of that trait. A sound procedure is to rank animals based on the relevant selection index and then eliminate animals from the list that do not conform towards the flock's breeding objectives when considering the individual traits. Make use of all the available information.

Genetic Levels

Breeding Values

Eienskap	Flock**			Breed		
	All	Rams	Ewes	All	Rams	Ewes
Weaning Weight Direct	0.46	0.57	0.41	0.10	0.13	0.09
Weaning Weight Maternal	0.03	0.02	0.03	-0.02	-0.02	-0.03
Weaning Weight Combined	0.26	0.31	0.24	0.03	0.04	0.02
Post-wean Weight	4.35	4.55	4.25	3.97	4.04	3.94
Number Lambs Weaned	0.25	0.21	0.27	0.35	0.35	0.35
Total Weight Weaned	0.64	0.72	0.61	0.29	0.31	0.27
Age at First Lambing	4.83	4.54	4.99	-0.26	-0.27	-0.25
Inter-lambing Period	-2.93	-2.81	-3.00	0.28	0.14	0.35
Selection Indices						
Logix Merit Index	100	101	100	98	98	98
Reproduction Index	98	97	98	97	97	97
Inbreeding						
Inbreeding (%)	4.30	4.05	4.44	5.70	5.98	5.58
Number of Animals						
Number of Animals	314	106	208	12707	3920	8764

** Averages of all active animals in the flock.

Breeding Value Indices

Trait	Flock **		
	All	Rams	Ewes
Weaning Weight Direct	104.0	105.4	103.2
Weaning Weight Maternal	98.4	98.2	98.5
Weaning Weight Comb	101.3	102.2	100.9
Post-wean Weight	101.3	102.7	100.7
Number Lambs Weaned	98.5	98.3	98.6
Total Weight Weaned	100.5	101.0	100.2
Age at First Lambing	95.0	95.4	94.8
Interlambing Period	104.1	103.8	104.2
Selection Indices			
Logix Merit Index	99.9	100.6	99.5
Reproduction Index	97.7	97.5	97.9
Inbreeding			
Inbreeding (%)	4.30	4.05	4.44
Number of Animals			
Number of Animals	314	106	208

** Averages of all active animals in the flock.

Inbreeding

NOTES

- Inbreeding primarily leads to decreased fertility and low survivability of lambs.
- The effects of inbreeding can be observed from 6.25% onwards.
- It is therefore highly recommended to record pedigree information as accurately and completely as possible and to use a selection programme for selection of unrelated rams.
- Incomplete or incorrect pedigree information can be reported to SA Stud Book. Inbreeding is dependent on pedigree information. Conventional methods for the Calculation of inbreeding coefficients usually assume that unknown parents are unrelated. However, this is usually far from the truth. An algorithm is used for the calculation of inbreeding, where the average inbreeding coefficient is assigned to unknown parents based on the generation in which they were born. This result is a more accurate reflection of inbreeding of the herd and breed.

Inbreeding Levels for Specific Matings


Progeny with Parents :	25%
Full Brother x Full Sister :	25%
Half Brother x Half Sister :	12.5%
One Common Grandparent :	6.25%
One Common Great-Grandparent :	3.125%

Level and Rate of Inbreeding

Year of Birth	Level* (%)	Rate (% / year)
2016 - 2025	3.68	-0.07
Recommended:	< 6.25	< 0.1 - 0.2

*Of the last year of birth

Inbreeding




Pedigree Information

	Number	%
Known Sires	298	95
Known Dams	298	95

Note: Inbreeding can be under-estimated if pedigree information is incomplete or incorrect

Genetic Windows




WWd: Weaning Weight Direct
WWm: Weaning Weight Maternal
WWc: Weaning Weight Combined
PoW: Post-Wean Weight
L-wean: Number of Lambs Weaned
TWW: Total Weight Weaned
AFL: Age at First Lambing
ILP: Inter-lambing Period
RI: Reproduction Index
LMI: Logix Merit Index

The genetic windows allow a quick overview of the genetic status of the flock compared to the breed. The values presented here are the average EBV indices of all the active animals of the flock, of the dams and sires of the active animals of the flock, as well as of the active ewes and rams younger than 2 years old. An index of 100 is equal to the average of the active measured population. Due to the higher selection intensity on rams (selection is more strict since a much smaller percentage of young animals are retained in the flock), the expectation is for the average index of the sires to be higher than that of the dams. Remember that the EBV index for AFL and ILP are presented in such a way that an index above 100 indicates animals that have a lower EBV for these traits.

Genetic Windows


Dams

Number: 125




Sires

Number: 32




Young Ewes

Number: 208



Young Rams


Number: 106




Genetic Trends

Genetic trends are based on measured animals that were bred by the specific breeder.


Weaning Weight Direct




Wean Weight Maternal




Weaning Weight Combined




Post-weaning Weight



Number of Lambs Weaned





Total Weight Weaned (TWW)





Genetic Trends

Genetic trends are based on measured animals that were bred by the specific breeder.



For AFL and ILP flock genetic trends below breed averages are desirable.



Genetic Trends of Breed

Birth year	Weaning Weight				Post-wean	Lambs Weaned		TWW		AFL		ILP		RI		LMI				
	EBV					EBV		EBV		EBV		EBV		EBV		EBV				
	Number	Dir	Mat	Comb		Number	EBV	Number	EBV	Number	EBV	Number	EBV	Number	EBV	Number	EBV			
2013	184	0.80	-0.35	0.06	68	3.89	103	0.81	184	106	186	3.64	94	-2.39	184	96	184	106		
2014	75	-0.13	-0.10	-0.17			70	0.70	75	98	115	0.65	45	-0.59	75	97	75	98		
2015	144	-0.12	-0.14	-0.20			102	3.43	98	0.48	144	98	138	-0.07	74	-1.25	144	98	144	98
2016	108	-0.26	-0.02	-0.15			87	0.34	108	97	139	3.86	94	-4.48	108	99	108	97		
2017	271	-0.02	0.16	0.15			104	0.44	271	98	176	1.01	127	-0.49	271	99	271	96		
2018	168	-0.35	0.24	0.06			202	0.31	168	92	268	3.02	208	-2.21	168	101	168	92		
2019	293	-0.23	0.14	0.03			257	0.35	293	97	358	0.34	271	0.42	293	100	293	96		
2020	637	0.18	0.05	0.14	14	0.00	284	0.62	637	101	634	-0.01	461	0.76	637	100	637	100		
2021	562	0.00	0.00	0.00			274	-0.01	562	96	749	0.00	513	0.00	562	97	562	95		
2022	1120	-0.22	0.11	0.00			377	3.43	302	0.16	1114	97	896	0.23	522	-0.21	1114	100	1114	97
2023	1342	0.11	0.00	0.05			209	3.99	227	0.25	1342	99	805	0.42	270	0.60	1342	98	1342	98
2024	1472	0.20	0.07	0.17			164	4.47	95	-0.11	1472	101	384	-1.08	53	-2.38	1472	100	1472	101
2025	1116	0.20	0.18	0.28			394	4.65			1116	101	22	1.42			1116	102	1116	101

Genetic Trends of Flock

Birth year	Weaning Weight EBV				Post-Wean	Lambs Weaned		TWW		AFL		ILP		RI		LMI	
	Number	Dir	Mat	Comb		Number	EBV	Number	EBV	Number	EBV	Number	EBV	Number	EBV	Number	EBV
2022						12	0.78										
2023	51	0.41	0.21	0.42		27	0.07	51	99	31	5.50	7	-3.60	51	98	51	97
2024	70	0.71	0.02	0.38		3	0.13	70	103	4	3.30			70	98	70	102
2025	115	0.40	0.05	0.25				115	99					115	97	115	99

Breeding Value & Selection Index Percentiles

The percentiles indicate the ranking of the animals' EBVs and Selection Indices within the active population.

For example, if an animal's EBV for a specific trait falls between the maximum and 99% percentile of the trait, it means that this animal ranks in the top 1% of the active population, or this animal's genetic merit for the trait is better than 99% of that of the active population.

Should the EBV for a specific trait falls between the 5% and 10% percentile, it means that the animal ranks in the bottom 10% of the active population for the specific trait, or the animal's genetic merit is worse than 90% of the active population.

Note that the percentiles for Age at First Lambing and Inter-lambing Period EBVs work on the reverse scale.

All Active Animals

Trait	AVG	SA*	Min	Percentiles(%)															Max
				1	5	10	20	25	30	40	50	60	70	75	80	90	95	99	
Weaning Weight Direct	0.10	0.58	-2.61	-1.35	-0.77	-0.54	-0.31	-0.23	-0.16	-0.03	0.05	0.17	0.27	0.39	0.51	0.83	1.19	1.73	3.06
Weaning Weight Maternal	-0.02	0.41	-2.33	-0.90	-0.57	-0.45	-0.34	-0.30	-0.26	-0.18	-0.09	0.02	0.13	0.19	0.26	0.50	0.74	1.20	2.15
Weaning Weight Combined	0.03	0.48	-2.85	-1.12	-0.71	-0.54	-0.34	-0.28	-0.22	-0.08	0.03	0.13	0.23	0.29	0.36	0.60	0.87	1.30	2.36
Post-Wean Weight	3.97	1.19	-1.89	0.94	2.16	2.59	3.10	3.26	3.47	3.71	3.95	4.15	4.39	4.57	4.79	5.44	5.99	7.22	12.54
Number of Lambs Weaned	0.35	1.41	-7.50	-3.60	-1.90	-1.20	-0.50	-0.30	-0.10	0.20	0.40	0.70	0.80	1.00	1.10	1.60	2.50	4.70	13.50
Total Weight Weaned	0.29	1.17	-7.52	-3.17	-1.68	-1.10	-0.44	-0.25	-0.09	0.16	0.34	0.56	0.77	0.89	1.02	1.50	2.03	3.44	8.91
Age at First Lambing	-0.26	-7.68	56.53	18.86	11.54	8.88	5.46	4.32	3.20	1.34	0.07	-1.35	-3.26	-4.69	-6.11	-9.87	-13.80	-19.60	-37.78
Interlambing Period	0.28	-5.28	19.61	12.82	8.72	6.76	4.28	3.48	2.91	1.87	0.81	-0.54	-2.24	-3.15	-4.21	-6.85	-8.84	-12.54	-24.28
Reproduction Index	97	9	53	76	84	88	92	93	93	95	96	98	100	101	103	108	113	124	146
Logix Merit Index	98	9	45	73	83	87	92	93	95	96	98	100	101	102	104	108	112	122	147

*SD : Standard Deviation. An indicator of how far breeding values/selection indices are distributed around the average.

Breeding Value & Selection Index Percentiles

All Active Rams

Trait	AVG	SA*	Min	Percentiles (%)															Max
				1	5	10	20	25	30	40	50	60	70	75	80	90	95	99	
Weaning Weight Direct	0.13	0.58	-2.24	-1.26	-0.75	-0.51	-0.29	-0.21	-0.15	-0.02	0.07	0.19	0.31	0.43	0.55	0.86	1.21	1.70	2.81
Weaning Weight Maternal	-0.02	0.38	-1.44	-0.75	-0.52	-0.43	-0.34	-0.30	-0.25	-0.17	-0.08	0.04	0.14	0.19	0.25	0.47	0.69	1.12	1.88
Weaning Weight Combined	0.04	0.45	-1.43	-0.96	-0.64	-0.50	-0.33	-0.27	-0.21	-0.07	0.04	0.15	0.24	0.30	0.37	0.59	0.84	1.25	2.24
Post-Wean Weight	4.04	1.21	-1.77	1.42	2.31	2.63	3.12	3.28	3.47	3.73	4.00	4.22	4.48	4.67	4.91	5.49	6.15	7.30	12.54
Number of Lambs Weaned	0.35	1.31	-4.60	-3.20	-1.80	-1.10	-0.50	-0.30	-0.10	0.20	0.40	0.70	0.80	1.00	1.10	1.50	2.30	4.70	8.80
Total Weight Weaned	0.31	1.10	-4.54	-2.91	-1.53	-0.96	-0.39	-0.22	-0.08	0.15	0.34	0.59	0.80	0.92	1.02	1.45	1.95	3.29	5.84
Age at First Lambing	-0.27	-7.03	27.46	14.80	10.78	8.41	5.20	4.19	3.07	1.39	0.18	-1.27	-3.15	-4.61	-5.88	-9.01	-12.52	-19.15	-31.92
Interlambing Period	0.14	-5.04	19.27	12.69	8.29	6.32	3.96	3.17	2.66	1.58	0.49	-0.83	-2.33	-3.18	-4.11	-6.52	-8.31	-11.92	-18.90
Reproduction Index	97	8	70	77	85	89	92	93	93	95	97	98	100	101	103	108	112	124	145
Logix Merit Index	98	8	65	75	84	88	92	94	95	97	98	100	102	103	104	107	112	123	137

All Active Ewes

Trait	AVG	SA*	Min	Percentiles (%)															Max
				1	5	10	20	25	30	40	50	60	70	75	80	90	95	99	
Weaning Weight Direct	0.09	0.58	-2.61	-1.41	-0.78	-0.55	-0.32	-0.23	-0.16	-0.03	0.04	0.15	0.25	0.36	0.48	0.81	1.17	1.73	3.06
Weaning Weight Maternal	-0.03	0.42	-2.33	-0.94	-0.60	-0.46	-0.34	-0.30	-0.26	-0.18	-0.09	0.00	0.13	0.19	0.26	0.51	0.76	1.24	2.15
Weaning Weight Combined	0.02	0.49	-2.85	-1.19	-0.73	-0.56	-0.35	-0.29	-0.23	-0.09	0.02	0.11	0.23	0.29	0.35	0.60	0.88	1.37	2.36
Post-Wean Weight	3.94	1.17	-1.89	0.80	2.10	2.57	3.09	3.26	3.47	3.70	3.92	4.11	4.36	4.51	4.73	5.41	5.89	7.15	9.58
Number of Lambs Weaned	0.35	1.46	-7.50	-3.80	-2.00	-1.20	-0.50	-0.30	-0.10	0.20	0.50	0.70	0.90	1.00	1.10	1.60	2.60	4.90	13.50
Total Weight Weaned	0.27	1.21	-7.52	-3.26	-1.74	-1.16	-0.48	-0.25	-0.10	0.17	0.34	0.54	0.75	0.88	1.02	1.53	2.04	3.50	8.91
Age at First Lambing	-0.25	-7.98	56.53	19.28	11.85	9.04	5.56	4.41	3.25	1.33	0.02	-1.39	-3.32	-4.74	-6.21	-10.44	-14.24	-19.76	-37.78
Interlambing Period	0.34	-5.40	19.61	12.85	9.02	6.90	4.47	3.57	2.96	2.01	0.96	-0.41	-2.16	-3.12	-4.28	-7.01	-9.03	-12.81	-24.28
Reproduction Index	97	9	53	75	84	88	91	93	93	95	96	98	100	101	103	109	114	125	146
Logix Merit Index	98	9	45	72	83	87	92	93	94	96	98	99	101	102	104	108	113	122	147

*SD : Standard Deviation. An indicator of how far breeding values/selection indices are distributed around the average.

Rams

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information							Selection Indices		EBV - Weights				EBV - Fertility								
Animal			Parents			% In-breeding	Logix Merit Index	Reproduction Index	Wean Weight		Post-Wean		Number Weaned	TWW		AFL		ILP		Dam	
Comp no.			Sire Dam						Dir	Mat	Comb			EBV	EBV	EBV	EBV	EBV	EBV	EPI	Times
							Acc Index	Acc Index	EBV Index		Acc Index	Acc Index	Acc Index	Acc Index	Acc Index	Acc Index	Acc Index		Lambd		
Active Breed Average:							100	100	0.10	-0.02	0.03	3.97	0.35	0.29	-0.26	0.28					
173 20 0037 91090613	173 18 0001 173 17 0002	2.67	94	98	-0.27 87 94	0.29 55 104	0.16 99	4.66 27 103	-0.20 16 96	-0.10 58 95	5.91 47 94	-2.05 25 102			2						
257 23 0064 99531485	104 21 0047 147 21 0020	5.05	101	100	1.26 65 115	0.43 51 107	1.06 117	4.65 28 103	-1.40 25 89	0.85 50 102	11.27 40 86	-9.53 22 119	100	3							
257 23 0080 99531584	104 21 0047 104 21 0202	13.56	90	98	-0.41 64 92	0.26 51 104	0.06 97	3.90 37 98	-0.80 29 92	-0.63 51 91	12.22 42 85	-8.29 22 116	102	2							
49 23 0090 99602765	49 22 0021 49 17 0003	2.84	103	93	0.95 61 111	-0.33 22 90	0.14 99	5.24 5 107	0.70 5 101	1.04 33 103	3.30 11 97	-0.42 7 99	3								
257 24 0001 107673568	100 20 0259 147 20 0144	8.87	116	98	2.46 63 131	-0.09 46 96	1.14 118	7.04 17 119	0.10 17 98	2.43 46 114	5.82 34 94	-5.74 23 110	100	4							
257 24 0005 107673600	100 20 0259 49 21 0058	3.61	111	96	1.73 59 121	-0.21 42 93	0.65 109	6.64 15 117	0.50 13 100	1.82 42 109	2.81 28 98	-2.25 18 103	109	4							
257 24 0008 107673634	100 20 0259 133 16 0038	9.68	115	102	1.85 57 123	0.18 41 102	1.11 118	7.00 16 119	0.40 14 99	2.27 41 113	5.86 31 94	-5.39 19 110	91	2							
257 24 0009 107673642	100 20 0259 157 20 0125	7.17	86	95	-0.76 59 87	-0.10 43 96	-0.48 87	2.90 22 92	-0.80 18 92	-1.34 43 86	0.89 34 100	-3.54 22 105	93	3							
257 24 0014 107673691	100 20 0259 104 20 0150	5.95	89	95	-0.01 63 98	0.38 44 106	0.38 104	4.75 26 104	-2.20 21 84	-0.95 46 89	8.93 29 89	-7.34 20 114	96	3							
257 24 0018 107667776	104 21 0047 257 22 0044	2.65	97	100	0.22 59 101	0.37 45 106	0.48 106	3.73 28 97	-0.30 22 95	0.41 45 99	8.63 35 90	-5.26 15 109	103	2							
187 24 0023 100804863	100 19 0052 147 21 0024	4.93	98	105	0.11 57 99	0.52 49 109	0.57 107	3.89 25 98	-0.50 23 94	0.33 46 98	8.15 43 90	-8.23 28 116	92	3							
257 24 0032 107668568	104 20 0003 147 21 0020	4.70	102	103	0.49 61 104	0.09 44 100	0.33 103	3.04 23 93	0.90 22 102	1.12 45 104	6.52 28 93	-6.00 20 111	100	3							
257 24 0041 107668493	104 20 0003 100 20 0503	2.06	102	97	0.34 40 102	-0.44 32 88	-0.27 91	3.44 22 95	2.00 18 109	1.10 32 104	3.88 20 96	-1.73 12 101	93	2							
257 24 0042 107668501	104 20 0003 257 22 0034	2.65	107	102	0.62 43 106	-0.09 37 96	0.22 101	3.63 22 97	2.00 18 109	1.73 35 109	3.88 20 96	-1.73 12 101	106	3							
257 24 0045 107668535	104 20 0003 133 17 0029	6.13	108	103	0.76 59 108	-0.09 42 96	0.29 102	4.01 23 99	1.90 21 108	1.81 44 109	6.78 27 92	-4.96 17 109	159	5							

Rams

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information							Selection Indices		EBV - Weights				EBV - Fertility								
Animal			Parents			% In-breeding	Logix Merit Index	Reproduction Index	Wean Weight		Post-Wean		Number Weaned	TWW		AFL		ILP		Dam	
Comp no.			Sire	Dam	Dir				Mat	Comb		EBV		EBV	EBV	EBV	Acc	Acc	Acc	Acc	EPI
					EBV				EBV	EBV	EBV	Acc	Acc	Acc	Acc	Index	Index	Index	Index	Index	Index
Active Breed Average:							100	100	0.10	-0.02	0.03	3.97	0.35	0.29	-0.26	0.28					
257 24 0050 107667834	104 21 0047 257 22 0001	0050	2.65	98	95	0.69 62 107	-0.02 48 97	0.33 103	4.49 28 102	-0.30 23 95	0.49 48 99	8.90 36 89	-5.40 15 110	115	3						
257 24 0051 107673840	104 21 0047 159 20 0130	0051	5.02	99	109	-0.54 65 90	0.45 52 108	0.18 100	2.09 36 86	2.40 29 111	1.35 52 106	17.57 43 77	-7.74 20 115	97	3						
257 24 0059 107667891	104 21 0047 140 18 0042	0059	4.05	93	97	-0.11 63 96	0.01 50 98	-0.05 95	3.00 29 92	-0.10 24 96	-0.17 49 94	3.56 45 97	-2.77 20 104	148	4						
257 24 0060 107667909	104 21 0047 140 18 0042	0060	4.05	93	97	-0.15 63 96	0.01 50 98	-0.06 95	2.95 29 92	-0.10 24 96	-0.20 49 94	3.56 45 97	-2.77 20 104	148	4						
257 24 0063 107667917	104 21 0047 257 23 0009	0063	5.66	101	100	0.81 62 109	0.30 48 104	0.71 110	4.51 29 102	-0.40 23 95	0.87 48 102	7.05 42 92	-4.83 19 108	106	2						
257 24 0069 107667941	104 21 0047 257 23 0019	0069	5.38	101	96	1.04 62 112	0.08 48 99	0.60 108	5.13 29 107	-0.50 23 94	0.81 48 102	9.37 41 89	-6.50 19 112	98	2						
257 24 0071 107673766	100 20 0259 257 23 0025	0071	4.28	111	104	1.12 58 113	0.35 41 105	0.91 114	5.54 19 109	0.60 15 101	1.83 42 109	-2.23 33 105	0.80 18 96	97	1						
257 24 0072 107673774	100 20 0259 257 23 0025	0072	4.28	111	104	1.12 58 113	0.35 41 105	0.91 114	5.54 19 109	0.60 15 101	1.83 42 109	-2.23 33 105	0.80 18 96	97	1						
257 24 0073 107673782	100 20 0259 257 23 0018	0073	5.64	102	97	0.62 59 106	-0.05 43 97	0.27 101	5.03 20 106	0.00 16 97	0.58 43 100	0.30 33 101	-1.95 20 102	105	2						
257 24 0084 107668014	104 21 0047 147 20 0144	0084	7.10	100	98	1.05 58 112	0.18 51 102	0.71 110	4.41 29 102	-0.70 25 93	0.81 48 102	11.45 43 86	-8.92 23 117	100	4						
104 24 0161 99605313	KR30 20 0003 104 21 0057	0161	3.83	109	92	1.93 76 124	-0.40 52 89	0.56 107	6.73 62 117	-0.20 23 96	1.40 55 106	2.11 36 99	-3.06 18 104	96	5						
257 25 0003 111935391	187 24 0002 147 22 0136	0003	3.71	104	97	0.66 53 107	-0.37 34 90	-0.04 96	5.40 25 108	0.90 12 102	0.83 36 102	-0.21 23 102	-1.87 15 102	100	3						
257 25 0004 111935409	187 24 0002 49 22 0092	0004	3.35	106	94	1.41 51 117	-0.13 32 95	0.58 107	6.16 25 113	0.20 12 98	1.40 35 106	7.30 21 92	-3.15 12 105	100	1						
257 25 0005 111935375	187 24 0002 49 22 0092	0005	3.35	100	97	0.52 51 105	0.05 32 99	0.31 102	4.98 25 106	0.20 12 98	0.69 35 101	7.30 21 92	-3.15 12 105	100	1						
257 25 0006 111935417	187 24 0002 187 21 0088	0006	3.65	103	100	0.36 52 103	0.07 33 99	0.25 101	5.02 26 106	0.80 15 102	0.91 36 103	3.35 25 97	-1.99 16 102	99	2						

Rams

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information							Selection Indices		EBV - Weights				EBV - Fertility								
Animal Comp no.			Parents Sire Dam			% In- breeding	Logix Merit Index	Reproduction Index	Wean Weight		Post-Wean		Number Weaned	TWW		AFL		ILP		Dam	
									Dir	Mat	Comb										
									EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EPI	Times	
									Acc Index	Acc Index	Index	Acc Index	Acc Index	Acc Index	Acc Index	Acc Index	Acc Index	Acc Index		Lambd	
Active Breed Average:							100	100	0.10	-0.02	0.03	3.97	0.35	0.29	-0.26	0.28					
257 25 0008 111935433	187 24 0002 173 20 0027	2.65	97	91	0.48 52 104	-0.28 34 92	-0.04 96	5.70 27 110	-0.20 12 96	0.08 36 96	5.41 23 94	-1.96 15 102	101	3							
257 25 0009 111935367	187 24 0002 173 20 0027	2.65	96	91	0.41 39 103	-0.26 32 92	-0.06 95	5.61 27 110	-0.20 12 96	0.03 30 96	5.41 23 94	-1.96 15 102	101	3							
257 25 0012 112187869	104 21 0047 257 22 0012	2.65	99	100	0.50 59 104	0.32 45 105	0.57 107	4.11 28 100	-0.30 22 95	0.63 45 100	8.63 35 90	-5.26 15 109	102	1							
257 25 0013 112187877	104 21 0047 257 22 0012	2.65	104	98	1.21 59 114	0.18 45 102	0.78 111	5.06 28 106	-0.30 22 95	1.21 45 105	8.63 35 90	-5.26 15 109	102	1							
257 25 0015 112188024	104 21 0047 257 22 0044	2.65	103	98	1.07 60 112	0.20 46 102	0.74 111	4.87 28 105	-0.30 22 95	1.09 46 104	8.63 35 90	-5.26 15 109	103	2							
257 25 0017 111887618	104 21 0047 200 20 0096	2.06	98	95	0.65 62 107	-0.03 48 97	0.29 102	4.46 28 102	-0.40 22 95	0.38 47 99	7.92 36 91	-5.33 15 109	110	4							
257 25 0019 111887634	104 21 0047 257 22 0009	2.65	105	98	1.31 59 116	0.22 45 102	0.87 113	5.17 28 107	-0.30 22 95	1.35 45 106	8.63 35 90	-5.26 15 109	98	2							
257 25 0021 111887659	104 21 0047 147 21 0310	7.07	110	108	1.07 58 112	0.50 50 109	1.04 116	4.20 29 100	0.90 26 102	2.11 48 112	10.28 39 87	-7.71 20 115	119	3							
257 25 0022 111887667	104 21 0047 147 21 0310	7.07	113	106	1.61 65 120	0.40 51 106	1.20 120	4.93 29 105	0.90 26 102	2.55 51 115	10.28 39 87	-7.71 20 115	119	3							
257 25 0023 111887675	104 21 0047 147 21 0310	7.07	105	110	0.41 65 103	0.63 51 112	0.84 113	3.33 29 95	0.90 26 102	1.58 51 108	10.28 39 87	-7.71 20 115	119	3							
257 25 0028 111887691	104 21 0047 147 21 0020	5.05	98	101	0.86 58 109	0.51 50 109	0.94 115	4.12 28 100	-1.40 25 89	0.53 47 100	11.27 40 86	-9.53 22 119	100	3							
257 25 0033 111887733	104 21 0047 AH 21 0076	4.27	99	98	0.56 50 105	0.34 43 105	0.62 108	3.09 30 93	-0.10 23 96	0.84 41 102	1.41 41 100	2.26 19 93		1							
257 25 0034 111887741	104 21 0047 AH 21 0076	4.27	99	98	0.56 50 105	0.34 43 105	0.62 108	3.09 30 93	-0.10 23 96	0.84 41 102	1.41 41 100	2.26 19 93		1							
257 25 0036 111887758	104 21 0047 100 20 0079	5.52	91	92	0.24 59 101	-0.15 51 94	-0.03 96	3.54 29 96	-0.70 26 93	-0.33 48 93	8.76 43 90	-5.15 19 109	165	5							
257 25 0037 111887766	104 21 0047 133 17 0029	5.41	97	103	0.24 63 101	0.51 50 109	0.63 109	3.89 28 98	-0.50 25 94	0.45 49 99	11.53 40 86	-8.49 19 116	159	5							

Rams

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information							Selection Indices		EBV - Weights				EBV - Fertility							
Animal			Parents			% In-breeding	Logix Merit Index	Reproduction Index	Wean Weight		Post-Wean	Number Weaned	TWW		AFL		ILP		Dam	
Comp no.	Sire	Dam	EBV Acc Index	EBV Acc Index	EBV Index				EBV Acc Index	EBV Acc Index			EBV Acc Index	EBV Acc Index	EPI	Times Lambded				
Active Breed Average:							100	100	0.10	-0.02	0.03	3.97	0.35	0.29	-0.26	0.28				
257 25 0039 112187703	173 20 0037 257 23 0057	2.76	88	93	-0.28 62 94	-0.02 41 97	-0.16 93	3.90 20 98	-1.00 16 91	-0.90 43 89	8.95 35 89	-5.49 17 110	90	1						
257 25 0040 112187711	173 20 0037 257 23 0057	2.76	84	94	-0.84 62 86	0.09 41 100	-0.33 90	3.16 20 93	-1.00 16 91	-1.35 43 86	8.95 35 89	-5.49 17 110	90	1						
257 25 0041 112187752	173 20 0037 147 18 0036	2.76	98	100	0.33 63 102	0.44 42 107	0.60 108	4.29 16 101	0.00 12 97	0.76 43 101	12.31 32 85	-4.60 19 108	131	7						
257 25 0042 112187760	173 20 0037 147 18 0036	2.76	103	98	1.04 63 112	0.30 42 104	0.82 112	5.25 16 107	0.00 12 97	1.34 43 106	12.31 32 85	-4.60 19 108	131	7						
257 25 0043 112019963	173 20 0037 257 23 0068	2.76	102	105	0.04 63 98	0.47 41 108	0.49 106	3.90 22 98	1.20 18 104	1.24 44 105	11.29 35 86	-4.84 16 108	94	1						
257 25 0046 112020201	173 20 0073 257 23 0044	3.77	91	92	-0.12 51 96	-0.13 34 95	-0.19 93	3.98 19 99	-0.30 13 95	-0.43 36 92	5.50 30 94	-1.81 15 102		1						
257 25 0047 112020219	173 20 0073 257 23 0044	3.77	91	92	-0.12 51 96	-0.13 34 95	-0.19 93	3.98 19 99	-0.30 13 95	-0.43 36 92	5.50 30 94	-1.81 15 102		1						
257 25 0052 112020227	173 20 0073 257 23 0048	3.77	92	92	-0.08 61 97	-0.15 40 94	-0.19 93	4.04 19 99	-0.20 15 96	-0.35 42 93	5.41 30 94	-1.68 15 101	92	1						
257 25 0054 112020235	173 20 0073 257 23 0036	3.90	84	95	-1.31 58 80	0.14 36 101	-0.51 86	2.44 17 89	-0.50 12 94	-1.47 39 85	-4.67 25 108	4.94 16 87	96	1						
257 25 0056 112020193	173 20 0073 257 23 0016	4.45	90	91	-0.38 58 93	-0.38 38 89	-0.57 85	3.76 18 97	-0.10 11 96	-0.82 39 90	-1.96 25 104	1.60 16 94	97	1						
257 25 0065 112234570	173 20 0037 257 23 0065	2.70	98	98	0.31 62 102	0.16 40 101	0.31 102	4.70 19 104	0.00 15 97	0.47 43 99	7.53 34 91	-4.09 15 107	94	1						
257 25 0066 112020177	173 20 0073 257 23 0065	3.77	95	94	0.07 61 99	-0.06 40 96	-0.03 96	4.20 19 100	0.00 15 97	0.01 42 96	5.27 30 94	-1.91 15 102	94	1						
257 25 0068 112020185	173 20 0073 257 23 0067	4.72	94	102	-0.86 62 86	0.15 41 101	-0.28 91	2.61 22 90	1.70 17 107	0.31 44 98	9.32 32 89	-2.70 16 104	95	1						
257 25 0069 112020243	173 20 0073 257 23 0067	4.72	94	102	-0.88 62 86	0.16 41 101	-0.28 91	2.58 22 90	1.70 17 107	0.30 44 98	9.32 32 89	-2.70 16 104	95	1						
257 25 0070 112020250	173 20 0073 257 23 0067	4.72	101	99	0.13 62 99	-0.04 41 97	0.02 97	3.92 22 99	1.70 17 107	1.10 44 104	9.32 32 89	-2.70 16 104	95	1						

Rams

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information							Selection Indices		EBV - Weights				EBV - Fertility								
Animal			Parents			% In-breeding	Logix Merit Index	Reproduction Index	Wean Weight		Post-Wean		Number Weaned	TWW		AFL		ILP		Dam	
Comp no.			Sire Dam						Dir	Mat	Comb			EBV	EBV	EBV	EBV	EBV	EBV	EPI	Times Lambded
Active Breed Average:							100	100	0.10	-0.02	0.03	3.97	0.35	0.29	-0.26	0.28					
257 25 0079	173 20 0073	147 21 0024	3.66	93	90	0.11 62 99	-0.35 41 90	-0.30 91	4.29 14 101	-0.30 13 95	-0.42 43 93	0.75 30 101	-0.11 19 98	92	3						
257 25 0080	173 20 0073	147 21 0024	3.66	90	91	-0.26 62 94	-0.28 41 92	-0.41 89	3.80 14 98	-0.30 13 95	-0.71 43 90	0.75 30 101	-0.11 19 98	92	3						
257 25 0081	173 20 0073	147 21 0077	3.77	101	92	0.99 62 111	-0.32 40 91	0.17 100	5.56 14 109	-0.30 13 95	0.49 42 99	2.15 27 99	-2.05 20 102	95	4						
257 25 0082	173 20 0073	147 21 0077	3.77	99	92	0.75 62 108	-0.27 40 92	0.10 98	5.23 14 107	-0.30 13 95	0.30 42 98	2.15 27 99	-2.05 20 102	95	4						
257 25 0083	104 21 0047	257 22 0042	2.65	97	95	0.59 59 106	0.01 45 98	0.30 102	4.37 28 102	-0.30 22 95	0.42 45 99	8.63 35 90	-5.26 15 109	104	3						
257 25 0084	104 21 0047	257 22 0042	2.65	102	94	1.20 59 114	-0.12 45 95	0.49 106	5.18 28 107	-0.30 22 95	0.91 45 102	8.63 35 90	-5.26 15 109	104	3						
257 25 0085	104 21 0047	257 22 0042	2.65	89	99	-0.61 59 89	0.24 45 103	-0.06 95	2.76 28 91	-0.30 22 95	-0.55 45 92	8.63 35 90	-5.26 15 109	104	3						
257 25 0095	173 20 0037	147 20 0063	2.76	97	100	0.06 62 99	0.41 41 107	0.44 105	4.82 15 105	-0.80 17 92	-0.01 44 96	1.81 31 99	-2.29 21 103	89	6						
257 25 0098	173 20 0037	55 21 0010	2.76	94	96	-0.05 52 97	0.36 40 106	0.34 103	5.15 22 107	-1.00 13 91	-0.29 38 94	4.79 30 95	-1.36 20 101	95	2						
257 25 0102	173 20 0037	140 16 0001	2.76	103	103	0.26 49 101	0.48 38 108	0.60 108	4.64 14 103	0.20 10 98	0.85 36 102	-1.27 32 103	1.47 15 94	95	7						
257 25 0106	173 20 0037	257 22 0041	2.65	99	98	0.09 57 99	0.16 36 101	0.21 100	4.56 14 103	0.30 8 99	0.43 38 99	3.33 24 97	-0.53 13 99	107	2						
257 25 0107	173 20 0037	147 22 0214	2.71	91	93	-0.42 60 92	-0.26 38 92	-0.47 87	4.05 14 99	0.00 11 97	-0.67 40 91	1.96 27 99	-1.06 16 100	100	2						
257 25 0108	173 20 0037	147 22 0214	2.71	89	94	-0.69 60 88	-0.20 38 93	-0.55 86	3.69 14 97	0.00 11 97	-0.89 40 89	1.96 27 99	-1.06 16 100	100	2						
257 25 0110	173 20 0037	147 19 0126	2.76	97	96	0.48 63 104	0.05 43 99	0.29 102	4.82 14 104	-0.50 12 94	0.23 44 97	6.86 34 92	-5.00 20 109	132	6						
257 25 0111	173 20 0037	147 19 0126	2.76	95	97	0.19 63 100	0.11 43 100	0.21 100	4.43 14 102	-0.50 12 94	0.00 44 96	6.86 34 92	-5.00 20 109	132	6						

Rams

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information							Selection Indices		EBV - Weights				EBV - Fertility								
Animal			Parents			% In-breeding	Logix Merit Index	Reproduction Index	Wean Weight		Post-Wean		Number Weaned	TWW		AFL		ILP		Dam	
Comp no.			Sire Dam						Dir	Mat	Comb			EBV	EBV	EBV	EBV	EBV	EBV	EPI	Times
									Acc Index	Acc Index	EBV Index	Acc Index	Acc Index	Acc Index	Acc Index	Acc Index	Acc Index	Acc Index	Acc Index		Lambded
Active Breed Average:							100	100	0.10	-0.02	0.03	3.97	0.35	0.29	-0.26	0.28					
257 25 0112	104 24 0161	257 23 0046	5.12	115	103	1.80 59 122	0.26 39 104	1.16 119	6.02 34 113	0.50 18 100	2.36 42 113	1.80 31 99	-2.52 12 103	93	1						
257 25 0113	104 24 0161	257 23 0046	5.12	121	101	2.62 59 133	0.10 39 100	1.41 124	7.13 34 120	0.50 18 100	3.02 42 118	1.80 31 99	-2.52 12 103	93	1						
257 25 0115	104 24 0161	187 24 0015	5.03	101	98	0.60 56 106	0.04 37 99	0.34 103	4.90 34 105	0.00 15 97	0.64 39 100	5.16 26 95	-4.54 15 108	100	1						
257 25 0117	104 24 0161	257 24 0013	4.54	110	96	1.82 57 122	-0.05 37 97	0.85 113	6.33 32 115	-0.20 15 96	1.64 40 108	-1.16 25 103	-0.23 14 98	97	1						
257 25 0119	104 24 0161	257 23 0013	5.22	103	95	1.33 60 116	-0.10 42 96	0.57 107	5.37 34 108	-0.50 17 94	0.93 43 103	7.41 32 91	-6.89 16 113	103	2						
257 25 0120	104 24 0161	257 23 0013	5.22	102	96	1.17 60 114	-0.07 42 96	0.52 106	5.15 34 107	-0.50 17 94	0.80 43 102	7.41 32 91	-6.89 16 113	103	2						
257 25 0123	104 24 0161	257 23 0040	4.11	105	95	1.45 58 117	-0.15 38 95	0.58 108	5.77 34 111	-0.40 17 95	1.07 41 104	4.31 30 96	-4.26 12 107	89	1						
257 25 0125	104 24 0161	49 21 0058	3.47	102	93	0.94 57 110	-0.39 39 89	0.08 98	5.37 31 108	0.30 11 99	0.73 39 101	1.24 23 100	-1.21 13 100	109	4						
257 25 0127	104 24 0161	257 24 0002	4.61	116	97	2.31 59 129	-0.23 39 93	0.93 114	7.03 32 119	0.40 16 99	2.32 41 113	3.97 25 96	-4.40 15 107	103	1						
257 25 0129	104 24 0161	257 23 0015	4.46	93	94	-0.19 57 95	-0.28 39 92	-0.38 89	3.77 34 98	-0.10 15 96	-0.54 40 92	-2.02 29 105	-0.91 15 100	97	2						
257 25 0130	104 24 0161	257 23 0015	4.46	103	90	1.25 57 115	-0.57 39 85	0.06 97	5.70 34 110	-0.10 15 96	0.62 40 100	-2.02 29 105	-0.91 15 100	97	2						
257 25 0131	49 23 0090	257 23 0042	3.02	108	97	1.57 54 119	0.06 29 99	0.84 113	5.69 14 110	0.20 13 98	1.75 35 109	6.90 24 92	-2.74 8 104	90	1						
257 25 0132	49 23 0090	140 20 0089	3.08	109	100	1.26 54 115	0.18 31 102	0.81 112	4.94 7 105	0.50 7 100	1.74 34 109	-5.70 22 110	4.93 14 87	112	3						
257 25 0133	49 23 0090	140 20 0089	3.08	109	100	1.26 54 115	0.18 31 102	0.81 112	4.94 7 105	0.50 7 100	1.74 34 109	-5.70 22 110	4.93 14 87	112	3						
257 25 0134	49 23 0090	257 23 0009	3.28	106	97	0.96 54 111	-0.11 31 95	0.37 103	5.16 8 107	0.70 7 101	1.27 34 105	0.45 23 101	0.72 12 96	106	2						

Rams

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information							Selection Indices		EBV - Weights				EBV - Fertility					
Animal			Parents			% In-breeding	Logix Merit Index	Reproduction Index	Wean Weight		Post-Wean	Number Weaned	TWW	AFL	ILP	Dam		
Comp no.			Sire	Dam	Dir				Mat	Comb						EPI	Times Lambed	
Active Breed Average:							100	100	0.10	-0.02	0.03	3.97	0.35	0.29	-0.26	0.28		
257 25 0139	49 23 0090	3.22		94	0.96 54 111	-0.29 31 91	0.19 100 8	5.47 109	0.60 7 101	1.03 34 103	2.77 22 98	-0.95 12 100	98	2				
257 25 0144	49 23 0090	3.00	98	94	0.07 55 99	-0.41 34 89	-0.38 89 8	3.69 97	1.00 10 103	0.26 37 98	-3.04 28 106	2.77 13 91	148	4				
257 25 0145	49 23 0090	3.00	98	94	0.07 55 99	-0.41 34 89	-0.38 89 8	3.69 97	1.00 10 103	0.26 37 98	-3.04 28 106	2.77 13 91	148	4				
257 25 0146	49 23 0090	3.44		93	1.89 56 123	-0.28 34 92	0.67 109 15	6.03 113	0.00 12 97	1.62 37 108	6.23 26 93	-3.73 14 106	106	2				
257 25 0152	173 23 0170	3.53		99	0.24 53 101	-0.33 35 91	-0.21 92 11	3.88 98	1.30 9 105	0.69 36 101	-5.97 28 110	1.47 17 94	83	6				
257 25 0157	173 23 0170	3.28	96	92	0.24 56 101	-0.42 38 88	-0.30 91 12	3.51 96	0.70 14 101	0.24 39 97	0.60 28 101	1.21 13 95	165	5				
257 25 0163	173 23 0170	3.57		98	0.74 36 108	-0.22 24 93	0.15 99 10	4.13 100	0.90 7 102	1.06 25 104	0.03 21 102	-0.95 12 100		1				
257 25 0164	173 23 0170	3.57		98	0.74 36 108	-0.22 24 93	0.15 99 10	4.13 100	0.90 7 102	1.06 25 104	0.03 21 102	-0.95 12 100		1				
257 25 0165	173 23 0170	3.65		105	0.71 44 107	-0.05 29 97	0.30 102 31	5.92 112	3.30 11 117	2.64 31 115	1.16 21 100	2.23 12 93	77	3				
257 25 0166	173 23 0170	3.65		105	0.71 44 107	-0.05 29 97	0.30 102 31	5.92 112	3.30 11 117	2.64 31 115	1.16 21 100	2.23 12 93	77	3				
257 25 0167	173 23 0170	3.69		98	1.04 39 112	-0.27 27 92	0.26 101 11	4.51 102	1.50 9 106	1.68 27 108	-2.64 25 105	2.58 15 92		2				
257 25 0170	173 23 0170	3.32		98	0.54 44 105	-0.13 32 95	0.15 99 12	3.76 97	0.50 10 100	0.72 32 101	1.45 29 100	-2.05 18 102	79	4				
257 25 0171	173 23 0170	3.32		98	0.54 44 105	-0.13 32 95	0.15 99 12	3.76 97	0.50 10 100	0.72 32 101	1.45 29 100	-2.05 18 102	79	4				
257 25 0175	173 23 0170	2.06		96	0.35 39 102	-0.25 32 92	-0.07 95 9	4.02 99	0.90 5 102	0.64 28 101	-0.25 16 102	1.03 6 95	110	4				
257 25 0177	173 23 0170	2.94		97	0.87 41 110	-0.34 26 90	0.10 98 14	4.17 100	1.60 9 106	1.50 28 107	1.67 17 99	-0.29 9 98		1				

Rams

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information							Selection Indices		EBV - Weights				EBV - Fertility					
Animal			Parents			% In-breeding	Logix Merit Index	Reproduction Index	Dir	Mat	Comb	Post-Wean	Number Weaned	TWW	AFL	ILP	Dam	
Comp no.			Sire	Dam													EPI	Times Lambded
									EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV		
									Acc	Acc	Index	Acc	Acc	Acc	Acc	Acc		
Active Breed Average:							100	100	0.10	-0.02	0.03	3.97	0.35	0.29	-0.26	0.28		
257	25	0181	100	19	0052	4.95	104	110	-0.05	0.52	0.50	3.90	0.70	0.90	2.80	-6.24	100	3
111935698			147	22	0136				53	46	109	26	21	43	39	27		
Ram Flock Average:							101	97	0.57	0.02	0.31	4.55	0.21	0.72	4.54	-2.81		
Number of rams in the flock: 106																		

Ewes

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information							Selection Indices		EBV - Weights				EBV - Fertility									
Animal Comp no.			Parents Sire Dam			% In- breedin	Logix Merit Index	Reproduction Index	Wean Weight		Post-Wean		Number Weaned		TWW		AFL		ILP		Phenotype	
									Dir EBV Acc Index	Mat EBV Acc Index	Comb EBV Index		EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EPI	Times Lambd				
			Active Breed Average:				100	100	0.10	-0.02	0.03	3.97	0.35	0.29	-0.26	0.28						
140 16 0001 80731755	100 13 0101 3 13 0040	4.20				111	108	0.78 48 108	0.66 54 112	1.05 117	4.62 5 103	0.70 13 101	1.86 42 110	-8.44 43 113	4.99 17 87	95	7					
133 17 0029 80830482	133 13 0005 100 15 0036	4.20				106	105	0.71 57 107	0.36 59 106	0.72 110	5.03 13 106	0.50 22 100	1.37 50 106	6.57 39 93	-5.46 23 110	159	5					
147 18 0036 81603227	100 16 0142 100 16 0395	4.46				101	102	0.76 61 108	0.62 61 111	1.00 116	3.71 18 97	0.20 19 98	1.50 51 107	18.72 42 76	-7.15 27 113	131	7					
140 18 0042 89437016	AH 18 0104 140 17 0009	2.67				95	93	-0.35 58 93	-0.58 60 85	-0.76 82	2.76 15 91	1.30 20 105	-0.15 50 95	-9.38 55 115	5.97 25 84	148	4					
147 19 0126 89677777	AH 17 0047 147 18 0037	2.84				102	93	1.46 65 118	-0.23 63 93	0.50 106	5.27 10 107	-0.80 19 92	0.75 54 101	7.81 50 91	-7.94 32 115	132	6					
147 19 0160 89678064	AH 17 0047 100 16 0194	2.84				110	95	1.19 60 114	-0.88 57 79	-0.28 91	5.69 12 110	1.40 17 105	1.15 49 104	-12.11 49 118	1.73 32 94	83	6					
173 20 0049 91940023	173 18 0001 173 19 0004	2.64				95	95	-0.11 40 96	-0.12 36 95	-0.17 93	4.76 22 104	-0.10 9 96	-0.29 31 94	3.24 26 97	-2.58 24 103		4					
147 20 0063 89910822	AH 17 0047 100 17 0202	2.84				106	99	1.33 61 116	0.33 57 105	1.00 116	6.22 15 114	-1.50 29 88	0.76 52 101	-2.29 41 105	-2.54 33 103	89	6					
147 20 0067 89910863	AH 17 0047 100 16 0069	2.84				100	89	1.21 52 114	-0.63 46 84	-0.03 96	4.94 15 105	0.00 19 97	0.58 42 100	5.93 46 94	-4.87 33 108		4					
100 20 0079 89653687	100 17 0777 100 16 0362	2.84				86	85	-0.44 72 92	-0.74 66 81	-0.96 78	2.78 16 91	0.20 27 98	-1.06 59 88	1.03 50 100	1.20 24 95	165	5					
140 20 0088 91092015	AH 18 0104 140 16 0001	3.95				107	105	0.53 50 105	0.49 54 108	0.75 111	3.43 13 95	0.80 13 102	1.49 43 107	-14.10 46 121	10.34 28 75	104	3					
140 20 0089 91092023	AH 18 0104 140 16 0001	3.95				110	108	0.80 52 109	0.84 54 116	1.24 120	3.62 13 96	0.30 13 99	1.82 44 109	-14.69 43 122	10.27 28 75	112	3					
100 20 0128 90001959	AH 17 0079 100 18 0015	2.67				118	107	1.31 65 116	0.18 55 102	0.84 112	5.31 20 108	2.90 17 114	3.23 50 120	7.26 34 92	-1.86 20 102	84	5					
159 20 0130 92442755	KR62 17 0056 159 19 0038	3.80				102	119	-1.96 70 71	0.46 66 108	-0.52 86	-0.07 45 72	6.40 38 135	2.34 61 113	18.65 51 76	-3.97 26 106	97	3					

Ewes

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information							Selection Indices			EBV - Weights						EBV - Fertility							
Animal Comp no.			Parents Sire Dam			% In- breedin	Logix Merit Index	Reproduction Index	Wean Weight		Post-Wean		Number Weaned		TWW		AFL		ILP		Phenotype		
									Dir EBV Acc Index	Mat EBV Acc Index	Comb EBV Index		EBV Acc Index		EBV Acc Index		EBV Acc Index		EBV Acc Index		EPI	Times Lambd	
			Active Breed Average:				100	100	0.10	-0.02	0.03	3.97	0.35	0.29	-0.26	0.28							
147 20 0144 90640863	AH 17 0047 100 16 0062	2.84		104	98	1.17 71 114	-0.08 65 96	0.51 106	4.50 17 102	0.10 21 98	1.16 57 104	6.40 48 93	-6.33 35 112	100	4								
147 20 0145 90640871	AH 17 0047 100 16 0062	2.84		96	96	0.31 66 102	-0.17 53 94	-0.02 96	3.47 17 95	-0.30 20 95	-0.05 50 95	2.74 52 98	-5.30 33 109	79	4								
104 20 0150 90055641	104 19 0088 104 19 0029	4.99		73	84	-0.52 72 91	0.22 60 103	-0.04 96	4.24 42 101	-4.60 33 70	-3.06 58 73	12.62 34 84	-9.54 27 119	96	3								
147 21 0020 90641127	AH 17 0047 147 18 0010	2.84		100	103	0.80 71 109	0.59 65 111	0.99 115	3.92 11 99	-1.40 25 89	0.55 58 100	6.04 39 93	-7.55 32 114	100	3								
147 21 0024 91248583	AH 17 0047 100 16 0370	2.84		97	90	0.71 66 107	-0.50 59 87	-0.14 94	4.60 11 103	-0.40 22 95	-0.03 53 95	0.13 46 102	-2.53 28 103	92	3								
164 21 0026 92622703	AH 16 0072 164 18 0009	2.94		87	81	-0.16 52 95	-0.70 54 82	-0.78 81	2.75 25 91	1.10 13 104	-0.20 44 94	6.75 36 92	6.16 28 84	94	2								
49 21 0058 92213644	49 13 0130 49 17 0441	2.84		96	93	-0.03 49 97	-0.37 53 90	-0.39 89	4.03 5 99	0.80 5 102	0.08 39 96	0.37 28 101	0.64 19 96	109	4								
147 21 0059 93004877	AH 17 0047 AH 17 0010	2.84		101	88	1.10 60 113	-0.80 46 80	-0.25 92	5.50 5 109	0.10 14 98	0.36 44 98	-1.40 35 104	-1.71 25 101	0									
AH 21 0063 94862752	AH 16 0072 AH 19 0004	22.71		104	102	0.39 56 103	0.47 57 108	0.67 109	1.91 30 85	1.60 14 106	1.82 47 109	-6.50 39 111	11.24 28 73	105	3								
AH 21 0076 94862760	AH 16 0072 AH 19 0045	23.96		102	99	0.20 40 100	0.24 38 103	0.34 103	1.87 25 85	1.40 13 105	1.28 33 105	-13.68 41 121	16.03 25 64	1									
147 21 0077 94465127	AH 17 0047 100 17 0020	2.84		102	98	0.88 65 110	-0.13 58 95	0.31 102	4.99 11 106	-0.40 22 95	0.51 52 100	2.92 40 98	-6.41 32 112	95	4								
187 21 0088 99217168	100 20 0118 100 19 0256	6.37		109	108	0.33 46 102	0.30 43 104	0.46 105	4.57 20 103	1.70 18 107	1.65 38 108	-3.46 34 106	1.23 27 95	99	2								
147 21 0111 94618162	147 17 0001 147 19 0138	5.84		111	96	1.30 52 115	-0.45 42 88	0.20 100	4.97 12 106	1.80 17 108	1.93 40 110	-5.44 42 109	3.94 28 89	2									
147 21 0143 94618105	AH 17 0047 147 18 0052	27.13		108	91	1.83 55 123	-0.74 50 82	0.18 100	6.40 5 115	0.10 19 98	1.15 45 104	-0.81 47 103	-3.60 29 106	1									

Ewes

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information						Selection Indices			EBV - Weights					EBV - Fertility													
Animal Comp no.			Parents Sire Dam			% In- breedin	Logix Merit Index	Reproduction Index	Dir		Wean Weight		Mat		Comb	Post-Wean		Number Weaned		TWW		AFL		ILP		Phenotype	
									EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index		EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EPI	Times Lambd						
			Active Breed Average:				100	100	0.10	-0.02	0.03	3.97	0.35	0.29	-0.26	0.28											
147 21 0159 94618204	147 147	19 19	0144 0096	15.33	97	93	0.45 49	-0.33 39	-0.11 94	5.02 7	106		-0.60 14	-0.24 37	0.91 32	-4.31 23	107						2				
104 21 0202 93187888	104 104	17 17	0089 0015		2.84	90	95	-0.71 67	-0.12 65	-0.47 87	4.86 49	105		-0.10 36	-0.88 59	7.94 45	-5.06 31	109		102			2				
147 21 0310 93178978	147 147	17 19	0001 0016	9.34	123	118	1.21 69	0.57 63	1.18 119	4.09 15	100		3.40 29	3.82 57	4.07 35	-3.91 27	106		119			3					
49 22 0092 95875860	49 49	20 19	0148 0057	3.10	102	101	0.35 35	0.31 39	0.48 106	4.07 6	100		0.60 5	1.01 30	4.43 22	-1.10 13	100		100			1					
104 22 0094 93708238	104 104	17 18	0089 0102	2.84	82	91	-0.65 62	0.29 54	-0.03 96	5.30 50	108		-2.10 35	-1.62 53	16.81 42	-8.15 29	116				2						
147 22 0210 94915782	147 147	19 18	0144 0037	4.58	95	98	0.47 47	0.34 39	0.57 107	3.86 11	98		-1.10 16	0.14 37	11.04 32	-7.66 22	115				2						
104 22 0308 95336178	55 104	20 19	0107 0049	8.77	126	112	0.63 66	-0.02 48	0.30 102	7.78 60	124		5.40 22	3.85 49	2.16 32	3.25 21	90		77			3					
173 23 0001 99943276	100 104	20 20	0092 0207	3.43	87	88	-0.62 57	-0.48 52	-0.79 81	5.11 28	106		0.00 19	-1.10 46	11.83 32	-5.73 25	110		96			2					
257 23 0012 99531345	104 147	21 20	0047 0144	7.10	100	97	1.02 65	0.14 62	0.65 109	4.39 29	102		-0.70 25	0.74 55	9.17 52	-7.04 27	113		106			2					
257 23 0013 99531402	104 147	21 20	0047 0144	7.10	100	99	1.02 65	0.15 62	0.66 109	4.39 29	102		-0.70 25	0.75 55	12.71 52	-10.72 27	121		103			2					
257 23 0015 99531790	133 157	21 20	0002 0125	4.48	87	92	-0.89 52	-0.44 54	-0.89 79	2.71 27	90		-0.10 18	-1.39 45	-6.14 46	1.24 25	95		97			2					
257 23 0018 99531782	133 157	21 20	0002 0125	4.48	88	93	-0.80 54	-0.33 56	-0.73 82	2.77 27	91		-0.10 18	-1.18 46	-4.64 46	1.25 25	95		105			2					
257 23 0019 99531964	100 49	20 21	0259 0058	3.61	104	95	0.82 56	-0.22 54	0.19 100	5.51 15	109		0.50 13	0.90 45	2.24 43	-1.49 23	101		98			2					
257 23 0020 99531980	100 49	20 21	0259 0058	3.61	104	96	0.86 53	-0.18 51	0.25 101	5.53 15	109		0.50 13	0.98 43	3.19 43	-2.37 18	103		95			1					

Ewes

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information							Selection Indices		EBV - Weights				EBV - Fertility								
Animal Comp no.			Parents Sire Dam			% In- breedin	Logix Merit Index	Reproduction Index	Wean Weight		Comb	Post-Wean	Number Weaned	TWW		AFL		ILP		Phenotype	
									Dir	Mat				EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EPI
			Active Breed Average:				100	100	0.10	-0.02	0.03	3.97	0.35	0.29	-0.26	0.28					
257 23 0025	133	21	0002	3.84	106	107	0.15	0.47	0.55	3.71	1.20	1.34	-9.71	6.74	97	1					
99532129	140	20	0088				48 100	50 108	107	23 97	15 104	41 106	46 115	20 83							
257 23 0027	104	21	0047	5.35	99	101	0.58	0.27	0.56	4.63	-0.50	0.56	12.19	-10.31	93	2					
99532087	133	16	0038				56 106	54 104	107	28 103	23 94	48 100	50 85	23 120							
257 23 0035	133	21	0002	3.84	111	116	0.17	1.17	1.25	3.42	0.90	1.87	-11.08	6.43	104	1					
99532202	140	20	0089				52 100	47 123	120	23 95	15 102	42 110	33 117	20 83							
257 23 0036	133	21	0002	3.84	96	93	0.31	-0.01	0.15	4.13	-0.80	-0.18	-10.71	7.57	96	1					
99532228	140	20	0089				52 102	47 98	99	23 100	21 92	43 94	33 117	20 81							
257 23 0040	104	21	0047	2.06	94	100	0.03	0.30	0.32	3.53	-0.60	-0.03	6.51	-5.46	89	1					
99531428	200	20	0096				63 98	53 104	102	28 96	26 94	51 95	47 93	15 110							
257 23 0042	104	21	0047	2.65	105	103	1.05	0.68	1.20	4.63	-0.30	1.55	10.51	-5.06	90	1					
99530503	257	22	0032				60 112	50 113	120	28 103	26 95	48 107	47 87	15 109							
257 23 0044	104	21	0047	2.65	93	95	0.10	-0.03	0.03	3.77	-0.30	-0.10	9.62	-5.93		1					
99530529	257	22	0007				58 99	44 97	97	28 98	22 95	44 95	48 88	15 111							
257 23 0046	104	21	0047	3.86	118	116	1.27	1.01	1.65	4.78	1.30	3.06	1.50	-1.99	93	1					
99532244	140	16	0001				64 115	55 120	128	28 104	27 105	52 119	50 100	17 102							
257 23 0048	104	21	0047	2.65	94	94	0.23	-0.08	0.03	3.95	-0.30	-0.04	9.45	-5.67	92	1					
99530586	257	22	0001				65 101	56 96	97	28 99	27 95	53 95	48 89	15 110							
257 23 0056	104	21	0047	2.65	94	91	0.91	0.18	0.63	4.69	-1.80	0.01	10.24	-4.87	90	1					
99530669	257	22	0028				60 110	50 102	109	28 104	27 86	49 96	48 88	15 108							
257 23 0057	104	21	0047	4.76	89	84	0.71	-0.53	-0.17	4.47	-1.70	-0.84	12.00	-8.94	90	1					
99531865	147	20	0082				65 107	57 86	93	28 102	29 87	54 89	51 85	22 117							
257 23 0059	104	21	0047	4.36	97	97	0.41	0.25	0.45	2.90	0.00	0.66	5.07	0.08	89	1					
99531840	AH	21	0063				64 103	53 103	105	31 92	23 97	50 101	40 95	21 97							
257 23 0065	104	21	0047	2.65	97	99	0.21	0.16	0.26	3.82	0.10	0.42	9.16	-6.13	94	1					
99530685	257	22	0006				64 101	56 101	101	28 98	27 98	52 99	48 89	15 111							
257 23 0067	104	21	0047	5.02	103	112	-0.60	0.38	0.08	2.05	3.60	1.94	17.27	-7.71	95	1					
99531246	159	20	0130				69 89	61 106	98	36 86	32 118	57 110	53 78	20 115							

Ewes

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information							Selection Indices		EBV - Weights						EBV - Fertility							
Animal Comp no.			Parents Sire Dam			% In- breedin	Logix Merit Index	Reproduction Index	Wean Weight		Post-Wean		Number Weaned		TWW		AFL		ILP		Phenotype	
									Dir	Mat	Comb											
										EBV Acc Index	EBV Acc Index	EBV Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EPI	Times Lambd	
			Active Breed Average:			100	100	0.10	-0.02	0.03	3.97	0.35	0.29	-0.26	0.28							
257 23 0068 99531261	104 159	21 20	0047 0130	5.02	104	115	-0.40 68	0.80 59	0.60 115	2.12 36	86	2.70 32	2.03 56	111	16.68 53	79	-7.62 20	115	94	1		
257 23 0069 99531287	104 159	21 20	0047 0130	5.02	96	106	-0.61 65	0.47 52	0.16 108	2.00 36	86	2.40 29	1.30 52	105	26.57 51	64	-10.85 20	122		1		
257 23 0070 99531501	104 133	21 17	0047 0029	5.41	97	100	0.44 66	0.27 57	0.49 104	4.25 28	101	-0.50 28	0.41 54	99	11.52 50	86	-8.41 19	116	92	1		
147 23 0074 98916737	147 147	21 21	0082 0186	9.14	99	92	0.69 42	-0.40 31	-0.05 89	5.08 5	106	-0.20 10	0.18 30	97	0.32 22	101	-2.03 16	102		0		
257 23 0077 99531907	104 140	21 18	0047 0042	4.05	98	95	0.66 63	-0.15 50	0.18 95	4.03 29	99	-0.10 24	0.45 49	99	3.56 45	97	-2.77 20	104		0		
257 23 0078 99531923	104 140	21 18	0047 0042	4.05	94	97	-0.06 63	0.00 50	-0.03 98	3.07 29	93	-0.10 24	-0.12 49	95	3.37 53	97	-3.42 20	105		1		
257 23 0079 99531949	104 140	21 18	0047 0042	4.05	98	95	0.51 66	-0.12 57	0.13 95	3.83 29	98	0.00 28	0.39 54	99	3.44 53	97	-2.49 20	103	93	1		
257 23 0081 99531600	104 104	21 21	0047 0202	13.56	101	95	1.06 64	-0.03 51	0.50 97	5.86 37	111	-0.80 29	0.56 51	100	6.26 50	93	-5.33 22	109		1		
257 23 0082 99531626	104 104	21 21	0047 0202	13.56	93	97	0.07 64	0.17 51	0.20 101	4.53 37	103	-0.80 29	-0.24 51	94	12.22 42	85	-8.29 22	116		0		
257 23 0084 99531667	104 147	21 21	0047 0310	7.07	112	107	1.35 65	0.45 51	1.12 108	4.58 29	103	0.90 26	2.34 51	113	10.28 39	87	-7.71 20	115		0		
257 23 0085 99531683	104 147	21 21	0047 0310	7.07	101	110	-0.18 67	0.54 58	0.45 110	2.63 29	90	1.00 30	0.96 55	103	9.03 50	89	-8.15 20	116	99	1		
257 23 0087 99530743	104 100	21 20	0047 0048	5.15	95	90	0.83 66	-0.31 57	0.11 91	4.78 28	104	-1.00 28	-0.08 54	95	7.72 50	91	-6.58 18	112	101	1		
257 24 0002 107673576	100 147	20 20	0259 0144	8.87	117	103	2.02 65	0.08 55	1.09 100	6.41 17	115	0.90 21	2.64 51	115	5.82 34	94	-5.74 23	110	103	1		
187 24 0006 100804673	147 147	21 20	0138 0145	12.42	102	97	0.70 42	-0.37 34	-0.02 90	4.22 10	101	0.60 13	0.69 32	101	-0.10 31	102	-3.11 20	104		1		

Ewes

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information							Selection Indices			EBV - Weights						EBV - Fertility									
Animal Comp no.			Parents Sire Dam			% In- breedin	Logix Merit Index	Reproduction Index	Wean Weight		Post-Wean		Number Weaned	TWW		AFL		ILP		Phenotype					
									Dir EBV Acc Index	Mat EBV Acc Index	Comb EBV Index	EBV Acc Index		EBV Acc Index	EBV Acc Index	EBV Acc Index	EPI	Times Lambd							
			Active Breed Average:				100	100	0.10	-0.02	0.03	3.97	0.35	0.29	-0.26	0.28									
257 24 0013 107673683	100 140	20 20	0259 0088	4.44	111	100	1.64 60	0.31 48	1.13 118	5.84 16	-0.20 19	1.83 46	-4.43 33	2.60 21	97	1									
187 24 0015 100804780	100 173	19 16	0052 0056	4.46	95	103	-0.39 50	0.42 47	0.23 101	3.52 25	0.10 21	0.09 42	8.21 37	-6.02 25	100	1									
257 24 0016 107673717	100 104	20 20	0259 0150	5.95	96	93	0.98 63	0.19 44	0.67 109	6.06 26	-2.20 21	-0.16 46	8.93 29	-7.34 20	0										
187 24 0016 100804798	100 173	19 16	0052 0056	4.46	96	104	-0.34 48	0.49 41	0.32 102	3.55 25	0.10 21	0.20 39	8.21 37	-6.02 25	0										
257 24 0020 107667792	104 257	21 22	0047 0059	2.65	94	95	0.22 58	-0.04 44	0.07 98	3.92 28	-0.30 22	0.00 44	8.63 35	-5.26 15	0										
257 24 0021 107667800	104 257	21 22	0047 0059	2.65	94	95	0.22 58	-0.04 44	0.07 98	3.92 28	-0.30 22	0.00 44	8.63 35	-5.26 15	0										
257 24 0022 112272927	104 257	21 22	0047 0024	2.65	102	102	0.78 49	0.48 44	0.87 113	4.39 28	-0.30 22	1.08 41	8.63 35	-5.26 15	100	1									
257 24 0023 112272935	104 257	21 22	0047 0024	2.65	99	98	0.58 47	0.22 39	0.51 106	4.26 28	-0.30 22	0.62 38	8.63 35	-5.26 15	0										
257 24 0026 107668618	104 147	20 20	0003 0082	4.37	103	96	1.07 48	-0.41 40	0.13 99	4.05 23	0.90 22	1.21 39	7.56 29	-6.08 20	0										
257 24 0027 107669269	104 147	20 20	0003 0082	4.37	103	96	1.07 48	-0.41 40	0.13 99	4.05 23	0.90 22	1.21 39	7.56 29	-6.08 20	0										
257 24 0028 107669277	104 147	20 20	0003 0082	4.37	103	96	1.07 48	-0.41 40	0.13 99	4.05 23	0.90 22	1.21 39	7.56 29	-6.08 20	0										
257 24 0031 107668550	104 200	20 20	0003 0096	2.06	106	95	0.97 58	-0.60 40	-0.12 94	4.29 22	1.90 18	1.51 42	3.17 21	-1.80 12	1										
257 24 0034 107668584	104 147	20 21	0003 0020	4.70	105	102	0.87 61	0.01 44	0.45 105	3.55 23	0.90 22	1.42 45	6.52 28	-6.00 20	0										
257 24 0038 107669285	104 100	20 20	0003 0048	5.36	96	90	0.22 60	-0.84 41	-0.73 82	3.45 23	1.20 20	0.10 43	3.95 27	-3.23 16	0										

Ewes

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information							Selection Indices			EBV - Weights				EBV - Fertility						
Animal Comp no.			Parents Sire Dam			% In- breedin	Logix Merit Index	Reproduction Index	Wean Weight		Post-Wean	Number Weaned	TWW		AFL		ILP		Phenotype	
									Dir EBV Acc Index	Mat EBV Acc Index			Comb EBV Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EPI	Times Lambd	
			Active Breed Average:				100	100	0.10	-0.02	0.03	3.97	0.35	0.29	-0.26	0.28				
257 24 0039 107669293	104 20 0003 100 20 0048	5.36	96	90	0.36 60 103	-0.86 41 79	-0.69 83	3.63 23 97	1.20 20 104	0.21 43 97	3.95 27 96	-3.23 16 105	0							
257 24 0049 107667826	104 21 0047 257 22 0001	2.65	96	96	0.34 62 102	0.05 48 99	0.22 101	4.03 28 99	-0.30 23 95	0.21 48 97	8.90 36 89	-5.40 15 110	0							
187 24 0051 107418543	100 19 0052 187 22 0034	3.84	99	108	-0.24 51 94	0.67 42 112	0.55 107	3.17 28 93	0.30 21 99	0.60 41 100	7.21 41 92	-6.14 25 111	0							
257 24 0052 107673857	104 21 0047 159 20 0130	5.02	97	109	-0.82 65 87	0.51 52 109	0.10 98	1.73 36 84	2.40 29 111	1.13 52 104	17.57 43 77	-7.74 20 115	0							
257 24 0054 107667859	104 21 0047 257 22 0006	2.65	94	95	0.20 61 100	-0.06 47 96	0.04 97	3.91 28 98	-0.20 23 96	0.02 47 96	8.81 36 90	-5.55 15 110	0							
257 24 0055 107667867	104 21 0047 257 22 0006	2.65	93	96	0.01 61 98	-0.02 47 97	-0.02 96	3.65 28 97	-0.20 23 96	-0.14 47 95	8.81 36 90	-5.55 15 110	0							
257 24 0056 107669319	104 21 0047 KR83 20 0071	2.06	89	93	-0.27 58 94	-0.13 44 95	-0.27 91	3.35 28 95	-0.30 22 95	-0.58 44 91	8.63 35 90	-5.26 15 109	0							
257 24 0058 107667883	104 21 0047 257 22 0041	2.65	98	99	0.50 59 104	0.28 45 104	0.52 106	4.12 28 100	-0.30 22 95	0.59 45 100	8.63 35 90	-5.26 15 109	0							
187 24 0059 107418634	100 19 0052 187 21 0144	4.08	106	110	0.34 52 102	0.63 44 112	0.81 112	4.12 26 100	1.40 22 105	1.82 42 109	14.06 41 82	-8.33 27 116	0							
257 24 0065 107673725	100 20 0259 257 23 0035	4.28	122	106	2.33 58 129	0.46 40 108	1.62 128	6.99 19 119	0.50 15 100	3.09 41 119	-2.91 29 106	0.65 18 96	0							
257 24 0068 107673758	100 20 0259 257 23 0012	8.14	111	98	1.99 61 125	0.10 45 100	1.09 117	6.46 21 115	-0.30 18 95	1.91 45 110	7.21 35 92	-6.09 20 111	0							
257 24 0076 107673816	100 20 0259 257 23 0013	8.14	106	101	1.18 61 114	0.26 45 104	0.86 113	5.38 21 108	-0.30 18 95	1.27 45 105	8.98 35 89	-7.93 20 115	0							
257 24 0077 107667966	104 21 0047 257 23 0020	5.38	99	98	0.64 61 106	0.18 47 102	0.50 106	4.59 29 103	-0.50 23 94	0.52 47 100	9.84 41 88	-6.94 18 113	0							
257 24 0078 107667974	104 21 0047 257 23 0020	5.38	100	97	0.83 61 109	0.14 47 101	0.56 107	4.85 29 105	-0.50 23 94	0.68 47 101	9.84 41 88	-6.94 18 113	0							

Ewes

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information							Selection Indices		EBV - Weights				EBV - Fertility								
Animal Comp no.			Parents Sire Dam			% In- breedin	Logix Merit Index	Reproduction Index	Wean Weight		Post-Wean		Number Weaned	TWW		AFL		ILP		Phenotype	
									Dir	Mat	Comb			EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EPI	Times Lambd		
			Active Breed Average:				100	100	0.10	-0.02	0.03	3.97	0.35	0.29	-0.26	0.28					
257 24 0079 107673824			100 20 0259 257 23 0027	8.54	107	101	1.26 0.27 0.90 5.90 59 115 42 104 114 21 112	-0.20 1.41 8.72 -7.72 17 96 43 106 35 90 19 115											0		
257 24 0080 107671059			23 0 03 2 22 0 07 4	2.61	90	94	-0.76 -0.31 -0.69 3.09 43 87 18 91 83 5 93	0.80 -0.59 0.76 0.99 5 102 23 91 5 101 5 95											0		
257 24 0081 107667982			104 21 0047 257 23 0059	28.95	93	99	0.09 0.46 0.50 2.84 62 99 47 108 106 32 91	-0.70 0.13 10.78 -5.71 25 93 48 97 41 87 18 110											0		
257 24 0082 107667990			104 21 0047 140 20 0089	4.00	106	102	1.30 0.55 1.20 4.55 60 115 48 110 120 28 103	-0.60 1.49 0.90 -0.62 23 94 47 107 41 100 20 99											0		
257 24 0083 107668006			104 21 0047 49 21 0058	3.35	98	96	0.58 0.00 0.30 4.35 59 106 48 98 102 28 101	-0.30 0.41 8.43 -5.44 22 95 46 99 38 90 18 110											0		
257 24 0086 107668030			104 21 0047 147 20 0144	7.10	100	98	1.05 0.18 0.71 4.41 58 112 51 102 110 29 102	-0.70 0.81 11.45 -8.92 25 93 48 102 43 86 23 117											0		
257 24 0087 107668048			104 21 0047 257 22 0032	2.65	102	101	0.78 0.48 0.87 4.39 49 108 43 108 113 28 102	-0.30 1.08 9.26 -5.19 22 95 40 104 36 89 15 109											0		
257 24 0088 107676421			104 21 0047 140 20 0088	4.00	102	101	0.72 0.46 0.83 3.87 53 108 47 108 112 28 98	-0.40 0.95 1.20 -0.59 23 95 44 103 42 100 20 99											0		
257 25 0007 111935425			187 24 0002 187 21 0088	3.65	105	99	0.71 0.00 0.36 5.49 40 107 32 98 103 26 109	0.80 1.19 3.35 -1.99 15 102 31 105 25 97 16 102											0		
257 25 0010 111887592			104 21 0047 257 22 0007	2.65	94	95	0.18 -0.04 0.05 3.88 58 100 44 97 97 28 98	-0.30 -0.04 8.96 -5.49 22 95 44 95 36 89 15 110											0		
257 25 0011 111887600			104 21 0047 257 22 0007	2.65	95	94	0.35 -0.08 0.10 4.10 49 102 43 96 98 28 100	-0.30 0.10 8.96 -5.49 22 95 40 96 36 89 15 110											0		
257 25 0014 112187851			104 21 0047 257 22 0012	2.65	100	99	0.73 0.27 0.64 4.42 59 108 45 104 109 28 102	-0.30 0.82 8.63 -5.26 22 95 45 102 35 90 15 109											0		
257 25 0016 112187927			104 21 0047 257 22 0044	2.65	98	100	0.44 0.32 0.55 4.03 60 104 46 105 107 28 99	-0.30 0.59 8.63 -5.26 22 95 46 100 35 90 15 109											0		
257 25 0018 111887626			104 21 0047 200 20 0096	2.06	93	97	0.01 0.09 0.10 3.60 62 98 48 100 98 28 96	-0.40 -0.14 7.92 -5.33 22 95 47 95 36 91 15 109											0		

Ewes

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information							Selection Indices		EBV - Weights				EBV - Fertility										
Animal Comp no.			Parents Sire Dam			% In- breedin	Logix Merit Index	Reproduction Index	Dir		Wean Weight Mat		Comb EBV Index	Post-Wean EBV Acc Index	Number Weaned EBV Acc Index	TWW		AFL		ILP		Phenotype	
									EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index				EBV Acc Index	EBV Acc Index	EPI	Times Lambd				
			Active Breed Average:				100	100	0.10	-0.02	0.03	3.97	0.35	0.29	-0.26	0.28							
257 25 0020 111887642	104 21 0047 257 22 0009	2.65		102	99	0.92 0.29 0.75 4.64 59 110 45 104 111 28 103	-0.30 1.03 8.63 -5.26 22 95 45 103 35 90 15 109	0															
257 25 0024 111887683	104 21 0047 147 21 0310	7.07		117	105	2.16 0.29 1.37 5.67 65 127 51 104 123 29 110	0.90 2.99 10.28 -7.71 26 102 51 118 39 87 20 115	0															
257 25 0025 112187943	104 21 0047 KR83 20 0781	2.06	97	97	0.41 0.15 0.35 4.07 60 103 45 101 103 28 100	-0.30 0.37 8.63 -5.26 22 95 45 98 35 90 15 109	0																
257 25 0026 112187935	104 21 0047 KR83 20 0781	2.06	98	97	0.61 0.11 0.41 4.35 60 106 45 100 104 28 101	-0.30 0.54 8.63 -5.26 22 95 45 100 35 90 15 109	0																
257 25 0027 112187950	104 21 0047 KR83 20 0781	2.06	98	97	0.61 0.11 0.41 4.35 60 106 45 100 104 28 101	-0.30 0.54 8.63 -5.26 22 95 45 100 35 90 15 109	0																
257 25 0029 111887709	104 21 0047 147 21 0020	5.05	96	102	0.51 0.58 0.84 3.65 65 105 51 111 113 28 97	-1.40 0.25 11.27 -9.53 25 89 50 98 40 86 22 119	0																
257 25 0030 112187968	104 21 0047 257 22 0059	2.65	94	95	0.25 -0.04 0.08 3.96 59 101 44 97 98 28 99	-0.30 0.02 8.63 -5.26 22 95 45 96 35 90 15 109	0																
257 25 0031 111887717	104 21 0047 100 20 0503	2.06	96	96	0.44 0.04 0.26 4.17 48 104 41 99 101 28 100	-0.30 0.31 8.63 -5.26 22 95 39 98 35 90 15 109	0																
257 25 0032 111887725	104 21 0047 257 22 0034	2.65		111	97	2.11 0.12 1.17 6.20 60 126 46 100 119 28 114	-0.30 2.04 8.63 -5.26 22 95 46 111 35 90 15 109	0															
257 25 0038 111887774	104 21 0047 133 17 0029	5.41		102	101	0.92 0.38 0.84 4.81 63 110 50 106 112 28 104	-0.50 1.00 11.53 -8.49 25 94 49 103 40 86 19 116	0															
257 25 0044 111991899	173 20 0037 257 23 0068	2.76	99	106	-0.34 0.55 0.38 3.39 55 93 40 110 104 22 95	1.20 0.93 11.29 -4.84 18 104 41 103 35 86 16 108	0																
257 25 0045 111991907	173 20 0037 257 23 0068	2.76		102	105	0.13 0.46 0.52 4.01 63 100 41 108 106 22 99	1.20 1.31 11.29 -4.84 18 104 44 105 35 86 16 108	0															
257 25 0048 111991915	173 20 0037 257 23 0085	2.76	93	106	-0.82 0.53 0.12 2.85 63 86 41 109 99 20 91	0.40 -0.05 7.47 -5.10 17 99 44 95 34 91 16 109	0																
257 25 0049 111991923	173 20 0037 257 23 0085	2.76	98	104	-0.11 0.39 0.34 3.81 63 96 41 106 103 20 98	0.40 0.53 7.47 -5.10 17 99 44 100 34 91 16 109	0																

Ewes

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information							Selection Indices		EBV - Weights				EBV - Fertility						
Animal Comp no.			Parents Sire Dam			% In- breedin	Logix Merit Index	Reproduction Index	Wean Weight		Comb	Post-Wean	Number Weaned	TWW	AFL	ILP	Phenotype		
									Dir	Mat									EBV
							EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV	EPI	Times	
							Acc	Acc	Index	Acc	Acc	Index	Acc	Acc	Index	Acc	Index	Lambd	
Active Breed Average:							100	100	0.10	-0.02	0.03	3.97	0.35	0.29	-0.26	0.28			
257 25 0050	173 20 0037	2.65	94	96	-0.32	-0.01	-0.17	4.13	0.30	-0.14	3.61	-0.67	0						
111991931	257 22 0001				60 93	40 98	93	14 100	9 99	41 95	25 97	13 99							
257 25 0051	173 20 0037	2.65	96	95	-0.07	-0.06	-0.09	4.45	0.30	0.05	3.61	-0.67	0						
111991949	257 22 0001				60 97	40 97	95	14 102	9 99	41 96	25 97	13 99							
257 25 0053	173 20 0037	2.70	92	97	-0.35	0.17	-0.01	3.87	-0.20	-0.30	7.68	-3.86	0						
111991956	257 23 0048				62 93	41 102	96	19 98	15 96	43 93	34 91	15 106							
257 25 0057	173 20 0037	2.76	86	97	-1.23	0.05	-0.56	2.82	-0.10	-1.24	0.31	-0.58	0						
111991857	257 23 0016				59 81	39 99	86	19 91	12 96	40 86	29 101	16 99							
257 25 0058	173 20 0037	2.76	95	99	0.06	0.45	0.48	4.26	-0.80	0.03	5.45	-2.94	0						
111991873	257 23 0045				61 98	39 108	106	19 101	16 92	42 96	35 94	15 104							
257 25 0059	173 20 0037	2.73	93	98	-0.37	0.18	0.00	3.60	-0.10	-0.25	4.68	-2.27	0						
111991881	257 23 0079				62 93	41 102	96	20 96	16 96	43 94	36 95	16 103							
257 25 0060	173 20 0037	2.73	99	95	0.59	-0.01	0.29	4.88	-0.10	0.52	4.68	-2.27	0						
111991865	257 23 0079				62 106	41 98	102	20 105	16 96	43 100	36 95	16 103							
257 25 0061	173 20 0037	2.73	94	98	-0.17	0.14	0.06	3.87	-0.20	-0.14	4.64	-2.74	0						
112187901	257 23 0078				54 95	37 101	98	20 98	14 96	38 95	36 95	16 104							
257 25 0062	173 20 0037	2.73	94	98	-0.17	0.14	0.06	3.87	-0.20	-0.14	4.64	-2.74	0						
112187919	257 23 0078				54 95	37 101	98	20 98	14 96	38 95	36 95	16 104							
257 25 0063	173 20 0073	4.67	91	96	-0.31	0.09	-0.06	3.75	-0.30	-0.39	6.45	-3.05	0						
112187885	257 23 0070				61 94	40 100	95	19 97	16 95	43 93	31 93	16 104							
257 25 0064	173 20 0073	4.67	93	95	-0.05	0.04	0.02	4.09	-0.30	-0.19	6.45	-3.05	0						
112187893	257 23 0070				61 97	40 99	97	19 100	16 95	43 94	31 93	16 104							
257 25 0067	173 20 0037	2.70	95	94	0.45	0.21	0.44	4.85	-1.00	0.06	8.08	-3.46	0						
111991972	257 23 0056				61 104	38 102	105	19 105	15 91	42 96	34 91	15 105							
257 25 0071	173 20 0037	2.73	97	93	0.60	-0.07	0.23	5.15	-0.60	0.17	6.81	-4.32	0						
111991980	257 23 0087				62 106	41 96	101	20 107	16 94	43 97	34 92	16 107							
257 25 0072	173 20 0037	2.73	95	94	0.28	-0.01	0.13	4.72	-0.60	-0.09	6.81	-4.32	0						
112234562	257 23 0087				55 102	40 98	99	20 104	16 94	40 95	34 92	16 107							

Ewes

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information							Selection Indices		EBV - Weights				EBV - Fertility											
Animal Comp no.			Parents Sire Dam			% In- breedin	Logix Merit Index	Reproduction Index	Dir		Wean Weight Mat		Comb	Post-Wean	Number Weaned		TWW		AFL		ILP		Phenotype	
									EBV Acc Index	EBV Acc Index	EBV Index	EBV Acc Index			EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EPI	Times Lambd				
			Active Breed Average:				100	100	0.10	-0.02	0.03	3.97	0.35	0.29	-0.26	0.28								
257 25 0077 111991998	173 20 0037 104 21 0202	2.76	90	97	-0.80 63 87	0.15 44 101	-0.25 92	4.35 28 101	-0.10 20 96	-0.71 46 90	6.93 33 92	-3.56 20 105	0											
257 25 0078 112020078	173 20 0073 104 21 0202	3.84	85	94	-1.19 62 82	-0.04 43 97	-0.63 84	3.65 28 97	-0.10 19 96	-1.29 45 86	4.66 29 95	-1.37 20 101	0											
257 25 0086 112020102	173 20 0073 AH 21 0063	4.10	97	96	0.02 50 98	0.12 39 100	0.13 99	3.05 19 93	0.70 10 101	0.57 37 100	-2.56 27 105	6.78 19 83	0											
257 25 0087 112020110	173 20 0073 AH 21 0063	4.10	95	97	-0.24 60 94	0.17 40 102	0.05 97	2.70 19 90	0.70 10 101	0.35 41 98	-2.56 27 105	6.78 19 83	0											
257 25 0088 112234596	173 20 0037 49 18 4080	2.76	98	99	0.16 59 100	0.24 38 103	0.32 103	4.62 16 103	0.00 10 97	0.40 40 99	7.63 27 91	-3.82 15 106	0											
257 25 0089 112234604	173 20 0037 49 18 4080	2.76	95	100	-0.29 59 94	0.33 38 105	0.18 100	4.02 16 99	0.00 10 97	0.04 40 96	7.63 27 91	-3.82 15 106	0											
257 25 0090 112234612	173 20 0037 49 18 4080	2.76	96	100	-0.14 59 96	0.30 38 104	0.23 101	4.22 16 100	0.00 10 97	0.16 40 97	7.63 27 91	-3.82 15 106	0											
257 25 0091 112019971	173 20 0073 173 23 0001	9.69	91	88	-0.05 60 97	-0.44 38 88	-0.47 87	5.23 19 107	-0.10 11 96	-0.55 40 92	6.60 25 93	-1.71 18 101	0											
257 25 0092 112020094	173 20 0073 173 23 0001	9.69	81	92	-1.51 60 77	-0.15 38 94	-0.91 79	3.28 19 94	-0.10 11 96	-1.72 40 83	6.60 25 93	-1.71 18 101	0											
257 25 0096 112019989	173 20 0073 173 21 0431	2.71	96	91	0.22 57 101	-0.36 34 90	-0.25 92	4.65 12 103	0.30 7 99	0.04 37 96	1.07 19 100	1.65 13 94	0											
257 25 0097 112019997	173 20 0073 173 21 0431	2.71	90	93	-0.68 57 88	-0.18 34 94	-0.52 86	3.45 12 95	0.30 7 99	-0.68 37 91	1.07 19 100	1.65 13 94	0											
257 25 0099 112020003	173 20 0073 55 21 0010	5.13	91	92	-0.09 50 96	0.10 39 100	0.06 97	4.91 22 105	-1.00 13 91	-0.59 37 91	2.53 27 98	0.82 20 96	0											
257 25 0100 112020011	173 20 0073 100 20 0128	2.71	106	98	0.77 62 108	-0.08 39 96	0.31 102	5.14 16 107	1.40 11 105	1.53 41 107	4.32 25 96	0.23 16 97	0											
257 25 0101 112019914	173 20 0073 100 20 0128	2.71	107	98	0.89 62 110	-0.10 39 95	0.34 103	5.30 16 108	1.40 11 105	1.63 41 108	4.32 25 96	0.23 16 97	0											

Ewes

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information							Selection Indices		EBV - Weights				EBV - Fertility								
Animal Comp no.			Parents Sire Dam			% In- breedin	Logix Merit Index	Reproduction Index	Wean Weight		Post-Wean		Number Weaned	TWW		AFL		ILP		Phenotype	
									Dir	Mat	Comb										
										EBV Acc Index	EBV Acc Index	EBV Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EPI	Times Lambd		
			Active Breed Average:					100	100	0.10	-0.02	0.03	3.97	0.35	0.29	-0.26	0.28				
257 25 0103 112019930	173 20 0073 140 16 0001	4.03				101	99	0.31 0.20 0.35 4.53 59 102 39 102 103 13 103	0.30 0.69 -3.53 3.65 9 99 40 101 28 107 15 89	0											
257 25 0104 112020128	173 20 0073 164 21 0026	3.45	88	85	-0.25 -0.46 -0.59 3.47 49 94 38 88 85 18 96	0.40 -0.47 4.06 4.24 9 99 36 92 26 96 19 88	0														
257 25 0105 112019948	173 20 0073 164 21 0026	3.45	90	85	0.01 -0.51 -0.51 3.82 59 98 39 86 87 18 98	0.40 -0.27 4.06 4.24 9 99 40 94 26 96 19 88	0														
257 25 0109 112019955	173 20 0073 147 22 0214	2.71	94	87	0.25 -0.65 -0.53 4.75 59 101 37 83 86 13 104	0.00 -0.41 -0.31 1.13 10 97 39 93 22 102 16 95	0														
257 25 0114 111887808	104 24 0161 257 23 0081	5.77	105	93	1.49 -0.22 0.53 6.30 50 118 37 93 107 36 114	-0.50 0.98 4.18 -4.20 18 94 38 103 31 96 14 107	0														
257 25 0116 111887824	104 24 0161 187 24 0015	5.03	102	98	0.77 0.01 0.39 5.12 46 108 35 98 104 34 107	0.00 0.78 5.16 -4.54 15 97 35 102 26 95 15 108	0														
257 25 0118 111887840	104 24 0161 257 24 0013	4.54	110	96	1.78 -0.05 0.84 6.29 49 122 36 97 113 32 114	-0.20 1.62 -1.16 -0.23 15 96 36 108 25 103 14 98	0														
257 25 0121 111887873	104 24 0161 257 23 0027	5.35	104	97	1.26 -0.07 0.56 5.68 47 115 38 96 107 34 110	-0.30 1.01 7.15 -6.68 16 95 36 103 31 92 15 112	0														
257 25 0122 111887881	104 24 0161 257 23 0027	5.35	102	97	0.91 0.00 0.46 5.22 57 110 39 98 105 34 107	-0.30 0.73 7.15 -6.68 16 95 41 101 31 92 15 112	0														
257 25 0124 111887907	104 24 0161 257 23 0040	4.11	102	96	0.98 -0.05 0.44 5.13 50 111 37 97 105 34 107	-0.40 0.69 4.31 -4.26 17 95 37 101 30 96 12 107	0														
257 25 0126 111887923	104 24 0161 49 21 0058	3.47	103	93	0.95 -0.39 0.09 5.38 45 111 37 89 98 31 108	0.30 0.74 1.24 -1.21 11 99 34 101 23 100 13 100	0														
257 25 0128 111887949	104 24 0161 257 24 0002	4.61	112	98	1.82 -0.13 0.78 6.37 59 122 39 95 111 32 115	0.40 1.93 3.97 -4.40 16 99 41 110 25 96 15 107	0														
257 25 0135 111888012	49 23 0090 257 23 0009	3.28	104	97	0.78 -0.07 0.32 4.92 54 108 31 96 102 8 105	0.70 1.13 0.45 0.72 7 101 34 104 23 101 12 96	0														
257 25 0138 111888020	49 23 0090 257 23 0019	3.22	104	94	0.89 -0.28 0.17 5.38 41 110 29 92 100 8 108	0.60 0.97 2.77 -0.95 7 101 29 103 22 98 12 100	0														

Ewes

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information							Selection Indices		EBV - Weights				EBV - Fertility								
Animal Comp no.			Parents Sire Dam			% In- breedin	Logix Merit Index	Reproduction Index	Wean Weight		Post-Wean		Number Weaned	TWW		AFL		ILP		Phenotype	
									Dir	Mat	Comb										
										EBV Acc Index	EBV Acc Index	EBV Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EPI	Times Lambd		
			Active Breed Average:				100	100		0.10	-0.02	0.03	3.97	0.35	0.29	-0.26	0.28				
257 25 0140 111888046			49 23 0090 257 23 0019	3.22		104	94		0.89 41 110	-0.28 29 92	0.17 100	5.38 8 108	0.60 7 101	0.97 29 103	2.77 22 98	-0.95 12 100		0			
257 25 0141 111888053			49 23 0090 257 23 0018	3.18		91	95		-0.60 54 90	-0.20 32 93	-0.50 87	3.11 14 93	0.30 9 99	-0.61 35 91	-0.67 24 103	0.41 13 97		0			
257 25 0142 111888061			49 23 0090 257 23 0018	3.18		98	92		0.44 54 104	-0.40 32 89	-0.18 93	4.48 14 102	0.30 9 99	0.22 35 97	-0.67 24 103	0.41 13 97		0			
257 25 0143 111888079			49 23 0090 257 23 0018	3.18		95	93		0.08 41 99	-0.33 30 91	-0.29 91	4.01 14 99	0.30 9 99	-0.07 29 95	-0.67 24 103	0.41 13 97		0			
257 25 0147 111888111			49 23 0090 257 23 0012	3.44		99	96		0.60 56 106	-0.02 34 97	0.28 102	4.30 15 101	0.00 12 97	0.58 37 100	6.23 26 93	-3.73 14 106		0			
257 25 0148 111935458			173 23 0170 147 20 0144	3.32		105	98		0.98 46 111	-0.08 37 96	0.41 104	4.27 12 101	0.70 11 101	1.32 34 106	3.28 28 97	-2.56 18 103		0			
257 25 0149 111935441			173 23 0170 147 20 0144	3.32		105	98		0.98 46 111	-0.08 37 96	0.41 104	4.27 12 101	0.70 11 101	1.32 34 106	3.28 28 97	-2.56 18 103		0			
257 25 0150 111935466			173 23 0170 147 20 0144	3.32		105	98		0.98 46 111	-0.08 37 96	0.41 104	4.27 12 101	0.70 11 101	1.32 34 106	3.28 28 97	-2.56 18 103		0			
257 25 0151 111935474			173 23 0170 147 20 0144	3.32		105	98		0.98 46 111	-0.08 37 96	0.41 104	4.27 12 101	0.70 11 101	1.32 34 106	3.28 28 97	-2.56 18 103		0			
257 25 0153 111935524			173 23 0170 147 19 0160	3.53		108	97		0.99 42 111	-0.48 33 87	0.02 97	4.87 11 105	1.30 9 105	1.29 31 105	-5.97 28 110	1.47 17 94		0			
257 25 0154 111935532			173 23 0170 147 19 0160	3.53		108	97		0.99 42 111	-0.48 33 87	0.02 97	4.87 11 105	1.30 9 105	1.29 31 105	-5.97 28 110	1.47 17 94		0			
257 25 0155 112188008			173 23 0170 257 22 0042	2.65		100	96		0.37 35 103	-0.22 27 93	-0.04 96	4.03 9 99	1.00 5 103	0.75 24 101	0.46 14 101	1.10 6 95		0			
257 25 0156 112188016			173 23 0170 257 22 0042	2.65		100	96		0.37 35 103	-0.22 27 93	-0.04 96	4.03 9 99	1.00 5 103	0.75 24 101	0.46 14 101	1.10 6 95		0			
257 25 0158 111935490			173 23 0170 100 20 0079	3.28		96	92		0.17 46 100	-0.41 37 89	-0.32 90	3.41 12 95	0.70 14 101	0.18 35 97	0.60 28 101	1.21 13 95		0			

Ewes

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information							Selection Indices		EBV - Weights				EBV - Fertility											
Animal Comp no.			Parents Sire Dam			% In- breedin	Logix Merit Index	Reproduction Index	Dir		Wean Weight		Post-Wean		Number Weaned		TWW		AFL		ILP		Phenotype	
									EBV Acc Index	EBV Acc Index	EBV Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EPI	Times Lambd				
			Active Breed Average:				100	100	0.10	-0.02	0.03	3.97	0.35	0.29	-0.26	0.28								
257 25 0159 112272943			173 23 0170 257 24 0022	3.08	108	98	1.45 49 118	0.07 29 99	0.79 112	5.12 16 106	0.40 11 99	1.76 33 109	4.40 22 96	-2.02 10 102	0									
257 25 0160 111935508			173 23 0170 257 23 0069	3.55	101	103	0.09 44 99	0.20 31 102	0.24 101	3.02 20 93	1.80 15 108	1.36 32 106	13.37 29 83	-4.82 12 108	0									
257 25 0162 112272950			173 23 0170 257 24 0022	3.08	104	100	0.78 38 108	0.20 28 102	0.59 108	4.22 16 101	0.40 11 99	1.22 28 105	4.40 22 96	-2.02 10 102	0									
257 25 0168 111935599			173 23 0170 147 21 0111	3.69	108	98	1.04 39 112	-0.27 27 92	0.26 101	4.51 11 102	1.50 9 106	1.68 27 108	-2.64 25 105	2.58 15 92	0									
257 25 0169 111935607			173 23 0170 147 21 0111	3.69	108	98	1.04 39 112	-0.27 27 92	0.26 101	4.51 11 102	1.50 9 106	1.68 27 108	-2.64 25 105	2.58 15 92	0									
257 25 0176 111935649			173 23 0170 200 20 0096	2.06	100	96	0.35 39 102	-0.25 32 92	-0.07 95	4.02 9 99	0.90 5 102	0.64 28 101	-0.25 16 102	1.03 6 95	0									
257 25 0178 111935664			100 19 0052 147 18 0036	7.16	97	111	-0.24 64 94	1.15 51 123	1.03 116	2.95 26 92	-0.20 23 96	0.79 50 102	17.44 42 78	-10.54 28 121	0									
257 25 0179 111935672			100 19 0052 147 18 0036	7.16	98	111	-0.08 64 97	1.12 51 122	1.08 117	3.16 26 93	-0.20 23 96	0.92 50 103	17.44 42 78	-10.54 28 121	0									
257 25 0180 111935680			100 19 0052 147 18 0036	7.16	98	111	-0.08 64 97	1.12 51 122	1.08 117	3.16 26 93	-0.20 23 96	0.92 50 103	17.44 42 78	-10.54 28 121	0									
257 25 0182 112187844			173 20 0037 257 23 0087	2.73	95	94	0.29 62 102	-0.01 41 98	0.14 99	4.74 20 104	-0.60 16 94	-0.08 43 95	6.81 34 92	-4.32 16 107	0									
Ewe flock average: Total ewes in flock: 192							100	98	0.41	0.03	0.24	4.25	0.27	0.61	4.99	-3.00								

Sires Used in Flock

*Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information			Parents & Progeny				Selection Indices		EBV - Weights				EBV - Fertility						
Animal ID Computer nr	% In- breedin	Sire ID Dam ID	1st Generation		2nd Generation		Logix Merit Index	Reproducti on Index	Weaning Weight				Number Weaned	TWW	AFL	ILP	DAM		
			Progeny Number Weaned	Herds	Progeny Number Weaned	Herds			Dir EBV Acc Index	Mat EBV Acc Index	Comb EBV Index	Post-Wean EBV Acc Index							
			Active Breed Average:				100	100	0.10	-0.02	0.03	3.97	0.35	0.29	-0.26	0.28			
1	133 13 0005 80830102	4.20			5	1									3.08 57	-1.26 33	100		
2	100 13 0101 73371254	4.20			1	1									-4.22 30	5.23 16	86		
3	49 13 0130 82627928	4.20			1	1									-1.28 28	1.75 17	94		
4	AH 16 0072 80875297	18.27	AH 12 0191 AH 11 0011		13	3	96	88	0.43 74	0.01 98	0.22 101	2.25 44	87	1.50 25	1.34 62	4.17 68	12.61 44	70	2
5	100 16 0142 77522159	7.00	3 12 0270 100 13 0135	9	1	18	1	102	107	0.93 76	0.79 74	1.26 121	2.98 36	0.30 36	1.90 66	28.91 65	-14.95 44	131	3
6	147 17 0001 80078827	6.45	100 15 0044 100 16 0194	71	3	8	2	119	104	1.28 89	-0.37 68	0.27 102	4.68 22	3.50 30	3.01 67	-7.38 49	4.65 34	87	109 5
7	AH 17 0047 81865321	2.84		132	1	33	1	106	84	2.15 94	-1.11 81	-0.04 96	6.82 8	-0.70 29	0.62 74	-3.84 68	-3.60 49	106	
8	KR62 17 0056 82927682	4.80	KR62 16 0005 KR9 16 0266	144	1	47	1	120	143	-1.83 95	1.88 88	0.97 115	-1.23 87	8.00 64	4.85 85	-14.25 77	10.85 49	74	5
9	AH 17 0079 81860751	2.84		81	3	14	1	119	103	1.03 90	-0.84 70	-0.32 90	5.29 40	4.50 32	2.89 69	-1.65 59	-0.30 34	98	
10	104 17 0089 85955888	2.84		75	2	16	1	93	96	-0.53 92	0.48 80	0.21 100	6.94 82	-0.40 53	-0.29 78	15.12 68	-3.02 42	104	
11	100 17 0777 84087048	2.84		82	2	25	2	80	68	0.13 91	-1.31 77	-1.24 72	4.26 27	-0.90 39	-1.72 74	1.22 62	7.57 37	81	
12	173 18 0001 91090175	2.67		3	1	16	1	91	93	-0.26 79	0.04 72	-0.10 95	5.45 45	-1.00 18	-0.83 62	2.93 51	-1.30 38	100	
13	AH 18 0104 86070836	10.15	AH 16 0066 AH 15 0046		6	1	104	102	0.10 54	0.10 54	0.15 99	2.13 25	87	1.60 18	1.16 46	-20.03 75	13.97 44	67	2
14	100 19 0052 83207621	13.26	100 15 0312 100 17 0009	118	2	22	4	99	119	-0.49 94	1.53 79	1.29 121	3.19 50	-0.60 41	0.68 76	16.17 73	-13.93 48	129	100 5
15	104 19 0088 83567305	4.20	AH 13 0543 100 16 0379	16	1	5	1	70	81	-0.29 82	0.22 69	0.07 98	4.20 55	-5.70 45	-3.49 68	9.21 44	-7.44 30	114	127 11

Sires Used in Flock

*Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents & Progeny						Selection Indices		EBV - Weights				EBV - Fertility						
Animal ID Computer nr	% In- breedin	Sire ID Dam ID	1st Generation		2nd Generation		Logix Merit Index	Reproducti on Index	Weaning Weight		Comb EBV Index	Post-Wean EBV Acc Index	Number Weaned EBV Acc Index	TWW EBV Acc Index	AFL EBV Acc Index	ILP EBV Acc Index	DAM EPI Times Lambe			
			Progeny Number Weaned Herds	Progeny Number Weaned Herds	Dir EBV Acc Index	Mat EBV Acc Index														
		Active Breed Average:						100	100	0.10	-0.02	0.03	3.97	0.35	0.29	-0.26	0.28			
16	147 19 0144 89677900	2.84	AH 17 0047 100 16 0325	23	1	1	1	91	93	0.06 78 99	-0.08 55 96	-0.05 95	3.95 11 99	-1.30 19 89	-0.80 56 90	2.87 45 98	-4.86 33 108	100 5		
17	104 20 0003 86390663	4.46	KR92 16 0021 104 18 0125	17	1			108	101	0.72 76 108	-0.53 57 86	-0.17 93	2.87 44 91	3.20 36 116	2.11 59 112	7.00 39 92	-4.45 25 107	88 2		
18	KR30 20 0003 92104645	4.46	KR30 16 0091 KR30 15 0090	138	2	13	3	119	90	2.81 94 136	-0.87 73 79	0.54 107	7.51 85 122	1.60 28 106	2.90 71 117	3.51 57 97	-2.25 25 103	3		
19	173 20 0037 91090613	2.67	173 18 0001 173 17 0002	57	3	3	2	94	98	-0.27 87 94	0.29 55 104	0.16 99	4.66 27 103	-0.20 16 96	-0.10 58 95	5.91 47 94	-2.05 25 102	2		
20	173 20 0073 92011501	2.67	173 18 0001 133 19 0035	41	2	1	1	90	90	-0.35 83 93	-0.23 52 93	-0.40 89	4.19 25 100	-0.20 13 96	-0.69 55 91	1.37 37 100	2.31 25 92	1		
21	100 20 0092 89653836	2.67	173 18 0001 100 15 0333	21	1	4	1	97	90	0.26 78 101	-0.54 57 86	-0.41 88	5.89 26 112	0.20 12 98	-0.16 55 94	0.97 40 100	-0.27 26 98	151 7		
22	55 20 0107 91069492	10.32	55 18 0017 55 15 0014	70	1	3	1	121	102	0.63 90 106	-0.79 65 80	-0.47 87	8.14 77 127	4.50 27 124	2.54 66 115	-8.59 44 114	5.27 23 86	3		
23	100 20 0118 90001850	2.84	AH 17 0079 100 17 0052			1	1	115	100	1.04 64 112	-0.71 50 82	-0.19 93	4.80 24 104	3.80 23 119	2.62 49 115	2.18 41 99	-0.11 29 98	95 3		
24	49 20 0148 92925445	3.65	49 19 0125 49 19 0052			3	1	100	103	0.13 38 99	0.26 38 104	0.33 103	3.70 12 97	0.60 10 101	0.75 32 101	7.08 37 92	-4.88 22 108	99 2		
25	100 20 0259 90937608	11.15	100 19 0055 100 18 0320	26	1	5	1	115	102	1.93 82 124	0.26 63 103	1.23 120	7.15 30 120	0.10 26 98	2.25 62 113	5.25 48 94	-5.14 31 109	117 8		
26	133 21 0002 91100008	3.69	KR62 19 3196 133 12 0105	7	1	6	1	104	107	-0.32 64 93	0.33 57 105	0.17 100	3.93 45 99	1.50 27 106	0.90 53 102	-7.09 49 112	3.73 27 89	1		
27	104 21 0047 92498872	7.07	104 19 0028 104 20 0076	97	2	19	1	97	98	0.92 93 110	0.44 77 107	0.90 114	4.31 55 101	-1.50 44 88	0.46 76 99	16.49 70 79	-11.51 30 123	120 7		
28	147 21 0082 94467230	2.84	AH 17 0047 KR62 16 0144					113	91	2.30 62 129	-0.50 49 87	0.65 109	7.29 8 121	0.00 16 97	1.80 46 109	-0.92 39 103	-1.22 28 100	106 4		
29	147 21 0138 94518628	5.98	147 17 0001 147 19 0117					109	97	1.08 53 112	-0.56 43 85	-0.02 96	4.98 12 106	1.50 18 106	1.42 41 106	-2.94 34 106	-0.91 23 100	92 2		
30	49 22 0021 95826509	2.84	49 19 0043 49 17 0006					99	94	0.48 33 104	-0.12 16 95	0.12 99	4.57 7 103	0.50 6 100	0.65 20 101	4.83 21 95	-0.08 10 98	4		

Sires Used in Flock

*Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents & Progeny				Selection Indices		EBV - Weights				EBV - Fertility					
Animal ID Computer nr	% In- breedin	Sire ID Dam ID	1st Generation		2nd Generation		Logix Merit Index	Reproducti on Index	Weaning Weight		Comb EBV Index	Post-Wean EBV Acc Index	Number Weaned EBV Acc Index	TWW EBV Acc Index	AFL EBV Acc Index	ILP EBV Acc Index	DAM EPI Times Lambe
			Progeny Number Weaned	Herds	Progeny Number Weaned	Herds			Dir EBV Acc Index	Mat EBV Acc Index							
Active Breed Average:						100	100	0.10	-0.02	0.03	3.97	0.35	0.29	-0.26	0.28		
31	49 23 0090 99602765	2.84	49 22 0021 49 17 0003	12	1		103	93	0.95 61 111	-0.33 22 90	0.14 99	5.24 5 107	0.70 5 101	1.04 33 103	3.30 11 97	-0.42 7 99	3
32	173 23 0170 97948582	16.26	173 22 0028 173 22 0040	3	1		105	99	0.78 59 108	-0.08 34 96	0.31 102	4.05 17 99	1.20 5 104	1.42 37 106	0.17 27 101	1.22 12 95	100 2
33	IMPP 23 032 107671034	2.57	- - - 19 0 02 3	1	1		94	96	-0.41 21 92	-0.18 6 94	-0.38 89	3.48 5 96	0.80 5 102	-0.10 10 95	0.76 5 101	0.99 5 95	1
34	187 24 0002 98645922	3.34	KR30 20 0003 104 22 0094	6	1		101	91	1.09 65 112	-0.29 47 91	0.25 101	6.40 49 115	-0.20 22 96	0.67 48 101	10.16 36 88	-5.20 19 109	2
35	104 24 0161 99605313	3.83	KR30 20 0003 104 21 0057	13	1		109	92	1.93 76 124	-0.40 52 89	0.56 107	6.73 62 117	-0.20 23 96	1.40 55 106	2.11 36 99	-3.06 18 104	96 5
Sire Flock Average:			Number of sires used in the flock: 35			103	97	0.58	-0.10	0.19	4.71	0.83	0.98	2.36	-0.63		

Ram Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information				Parents & Progeny			Selection Indices		EBV - Weights				EBV - Fertility			
Animal ID Computer nr		% In-breedi	Sire ID Dam ID	1st Generation	2nd Generation	Logix Merit Index	Reproducti on Index	Weaning Weight		Comb EBV Index	Post-Wean EBV Acc Index	Number Weaned EBV Acc Index	TWW EBV Acc Index	AFL EBV Acc Index	ILP EBV Acc Index	
				Progeny Number Weaned Herds	Progeny Number Weaned Herds			Dir EBV Acc Index	Mat EBV Acc Index							
Active Breed Average:				100	100	0.10	-0.02	0.03	3.97	0.35	0.29	-0.26	0.28			
1	257 25 0113 111887790	5.12	104 24 0161 257 23 0046		121	101	2.62 59	0.10 133	1.41 124	7.13 34	0.50 18	3.02 100	1.80 99	-2.52 12		
2	257 24 0001 107673568	8.87	100 20 0259 147 20 0144		116	98	2.46 63	-0.09 131	1.14 118	7.04 17	0.10 98	2.43 114	5.82 94	-5.74 23		
3	257 25 0165 111935565	3.65	173 23 0170 104 22 0308		116	105	0.71 44	-0.05 107	0.30 102	5.92 31	3.30 11	2.64 115	1.16 100	2.23 12		
4	257 25 0166 111935573	3.65	173 23 0170 104 22 0308		116	105	0.71 44	-0.05 107	0.30 102	5.92 31	3.30 11	2.64 115	1.16 100	2.23 12		
5	257 25 0127 111887931	4.61	104 24 0161 257 24 0002		116	97	2.31 59	-0.23 93	0.93 114	7.03 32	0.40 16	2.32 113	3.97 96	-4.40 15		
6	257 24 0008 107673634	9.68	100 20 0259 133 16 0038		115	102	1.85 57	0.18 102	1.11 118	7.00 16	0.40 14	2.27 113	5.86 94	-5.39 19		
7	257 25 0112 111887782	5.12	104 24 0161 257 23 0046		115	103	1.80 59	0.26 104	1.16 119	6.02 34	0.50 18	2.36 113	1.80 99	-2.52 12		
8	257 25 0022 111887667	7.07	104 21 0047 147 21 0310		113	106	1.61 65	0.40 106	1.20 120	4.93 29	0.90 26	2.55 115	10.28 87	-7.71 20		
9	257 24 0005 107673600	3.61	100 20 0259 49 21 0058		111	96	1.73 59	-0.21 93	0.65 109	6.64 15	0.50 13	1.82 109	2.81 98	-2.25 18		
10	257 24 0072 107673774	4.28	100 20 0259 257 23 0025		111	104	1.12 58	0.35 105	0.91 114	5.54 19	0.60 15	1.83 109	-2.23 105	0.80 18		
11	257 24 0071 107673766	4.28	100 20 0259 257 23 0025		111	104	1.12 58	0.35 105	0.91 114	5.54 19	0.60 15	1.83 109	-2.23 105	0.80 18		
12	257 25 0117 111887832	4.54	104 24 0161 257 24 0013		110	96	1.82 57	-0.05 97	0.85 113	6.33 32	-0.20 15	1.64 108	-1.16 103	-0.23 14		
13	257 25 0021 111887659	7.07	104 21 0047 147 21 0310		110	108	1.07 58	0.50 109	1.04 116	4.20 29	0.90 26	2.11 112	10.28 87	-7.71 20		
14	257 25 0133 111887998	3.08	49 23 0090 140 20 0089		109	100	1.26 54	0.18 102	0.81 112	4.94 7	0.50 7	1.74 109	-5.70 22	4.93 14		

Ram Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents & Progeny				Selection Indices		EBV - Weights				EBV - Fertility								
Animal ID Computer nr	% In- breedi	Sire ID Dam ID	1st Generation		2nd Generation	Logix Merit Index	Reproducti on Index	Weaning Weight		Comb EBV Index	Post-Wean EBV Acc Index	Number Weaned EBV Acc Index		TWW EBV Acc Index		AFL EBV Acc Index		ILP EBV Acc Index		
			Progeny Number Weaned	Progeny Number Herds	Progeny Number Weaned			Herds	Dir EBV Acc index			Mat EBV Acc Index	9	10	11	12	13	14	15	16
		Active Breed Average:				100	100	0.10	-0.02	0.03	3.97	0.35	0.29	-0.26	0.28					
15	257 25 0132 111887980	3.08	49 23 0090 140 20 0089			109	100	1.26 54	0.18 31	0.81 112	4.94 7	0.50 7	1.74 34	-5.70 22	4.93 14		87			
16	104 24 0161 99605313	3.83	R30 20 0003 104 21 0057	13	1	109	92	1.93 76	-0.40 52	0.56 107	6.73 62	-0.20 23	1.40 55	2.11 36	-3.06 18		104			
17	257 25 0167 111935581	3.69	173 23 0170 147 21 0111			108	98	1.04 39	-0.27 27	0.26 101	4.51 11	1.50 9	1.68 27	-2.64 25	2.58 15		92			
18	257 25 0131 111887972	3.02	49 23 0090 257 23 0042			108	97	1.57 54	0.06 29	0.84 113	5.69 14	0.20 13	1.75 35	6.90 24	-2.74 8		104			
19	257 25 0146 111888103	3.44	49 23 0090 257 23 0012			108	93	1.89 56	-0.28 34	0.67 109	6.03 15	0.00 12	1.62 37	6.23 26	-3.73 14		106			
20	257 24 0045 107668535	6.13	104 20 0003 133 17 0029			108	103	0.76 59	-0.09 42	0.29 102	4.01 23	1.90 21	1.81 44	6.78 27	-4.96 17		109			
21	257 24 0042 107668501	2.65	104 20 0003 257 22 0034			107	102	0.62 43	-0.09 37	0.22 101	3.63 22	2.00 18	1.73 35	3.88 20	-1.73 12		101			
22	257 25 0004 111935409	3.35	187 24 0002 49 22 0092			106	94	1.41 51	-0.13 32	0.58 107	6.16 25	0.20 12	1.40 35	7.30 21	-3.15 12		105			
23	257 25 0177 111935656	2.94	173 23 0170 257 24 0031			106	97	0.87 41	-0.34 26	0.10 98	4.17 14	1.60 9	1.50 28	1.67 17	-0.29 9		98			
24	257 25 0134 111888004	3.28	49 23 0090 257 23 0009			106	97	0.96 54	-0.11 31	0.37 103	5.16 8	0.70 7	1.27 34	0.45 23	0.72 12		96			
25	257 25 0123 111887899	4.11	104 24 0161 257 23 0040			105	95	1.45 58	-0.15 38	0.58 108	5.77 34	-0.40 17	1.07 41	4.31 30	-4.26 12		107			
26	257 25 0023 111887675	7.07	104 21 0047 147 21 0310			105	110	0.41 65	0.63 51	0.84 113	3.33 29	0.90 26	1.58 51	10.28 39	-7.71 20		115			
27	257 25 0019 111887634	2.65	104 21 0047 257 22 0009			105	98	1.31 59	0.22 45	0.87 113	5.17 28	-0.30 22	1.35 45	8.63 35	-5.26 15		109			
28	257 25 0003 111935391	3.71	187 24 0002 147 22 0136			104	97	0.66 53	-0.37 34	-0.04 96	5.40 25	0.90 12	0.83 36	-0.21 23	-1.87 15		102			

Ram Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents & Progeny				Selection Indices		EBV - Weights				EBV - Fertility							
Animal ID Computer nr	% In- breedi	Sire ID Dam ID	1st Generation		2nd Generation	Logix Merit Index	Reproducti on Index	Weaning Weight		Comb EBV Index	Post-Wean EBV Acc Index	Number Weaned EBV Acc Index		TWW EBV Acc Index		AFL EBV Acc Index		ILP EBV Acc Index	
			Progeny Number Weaned	Progeny Number Herds	Progeny Number Weaned			Progeny Number Herds	Dir EBV Acc index			Mat EBV Acc Index	7	101	7	102	25	104	21
		Active Breed Average:				100	100	0.10	-0.02	0.03	3.97	0.35	0.29	-0.26	0.28				
29	257 25 0139 111888038	3.22	49 23 0090 257 23 0019			104	94	0.96 54 111	-0.29 31 91	0.19 100	5.47 8 109	0.60 7 101	1.03 34 103	2.77 22 98	-0.95 12 100				
30	257 25 0013 112187877	2.65	104 21 0047 257 22 0012			104	98	1.21 59 114	0.18 45 102	0.78 111	5.06 28 106	-0.30 22 95	1.21 45 105	8.63 35 90	-5.26 15 109				
31	257 25 0164 111935557	3.57	173 23 0170 187 24 0006			104	98	0.74 36 108	-0.22 24 93	0.15 99	4.13 10 100	0.90 7 102	1.06 25 104	0.03 21 102	-0.95 12 100				
32	257 25 0163 111935540	3.57	173 23 0170 187 24 0006			104	98	0.74 36 108	-0.22 24 93	0.15 99	4.13 10 100	0.90 7 102	1.06 25 104	0.03 21 102	-0.95 12 100				
33	257 25 0181 111935698	4.95	100 19 0052 147 22 0136			104	110	-0.05 53 97	0.52 46 109	0.50 106	3.90 26 98	0.70 21 101	0.90 43 102	2.80 39 98	-6.24 27 111				
34	257 25 0119 111887857	5.22	104 24 0161 257 23 0013			103	95	1.33 60 116	-0.10 42 96	0.57 107	5.37 34 108	-0.50 17 94	0.93 43 103	7.41 32 91	-6.89 16 113				
35	257 25 0130 111887964	4.46	104 24 0161 257 23 0015			103	90	1.25 57 115	-0.57 39 85	0.06 97	5.70 34 110	-0.10 15 96	0.62 40 100	-2.02 29 105	-0.91 15 100				
36	49 23 0090 99602765	2.84	49 22 0021 49 17 0003	12	1	103	93	0.95 61 111	-0.33 22 90	0.14 99	5.24 5 107	0.70 5 101	1.04 33 103	3.30 11 97	-0.42 7 99				
37	257 25 0042 112187760	2.76	173 20 0037 147 18 0036			103	98	1.04 63 112	0.30 42 104	0.82 112	5.25 16 107	0.00 12 97	1.34 43 106	12.31 32 85	-4.60 19 108				
38	257 25 0006 111935417	3.65	187 24 0002 187 21 0088			103	100	0.36 52 103	0.07 33 99	0.25 101	5.02 26 106	0.80 15 102	0.91 36 103	3.35 25 97	-1.99 16 102				
39	257 25 0152 111935516	3.53	173 23 0170 147 19 0160			103	99	0.24 53 101	-0.33 35 91	-0.21 92	3.88 11 98	1.30 9 105	0.69 36 101	-5.97 28 110	1.47 17 94				
40	257 25 0102 112019922	2.76	173 20 0037 140 16 0001			103	103	0.26 49 101	0.48 38 108	0.60 108	4.64 14 103	0.20 10 98	0.85 36 102	-1.27 32 103	1.47 15 94				
41	257 25 0015 112188024	2.65	104 21 0047 257 22 0044			103	98	1.07 60 112	0.20 46 102	0.74 111	4.87 28 105	-0.30 22 95	1.09 46 104	8.63 35 90	-5.26 15 109				
42	257 25 0125 111887915	3.47	104 24 0161 49 21 0058			102	93	0.94 57 110	-0.39 39 89	0.08 98	5.37 31 108	0.30 11 99	0.73 39 101	1.24 23 100	-1.21 13 100				

Ram Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information			Parents & Progeny				Selection Indices		EBV - Weights				EBV - Fertility			
Animal ID Computer nr	% In- breedi	Sire ID Dam ID	1st Generation		2nd Generation		Logix Merit Index	Reproducti on Index	Weaning Weight		Post-Wean	Number Weaned	TWW	AFL	ILP	
			Progeny Number Weaned	Herds	Progeny Number Weaned	Herds			Dir EBV Acc index	Mat EBV Acc Index						Comb EBV Index
			EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index										
Active Breed Average:			100	100	0.10	-0.02	0.03	3.97	0.35	0.29	-0.26	0.28				
43	257 25 0120 111887865	5.22	104 24 0161 257 23 0013				102	96	1.17 60 114	-0.07 42 96	0.52 106	5.15 34 107	-0.50 17 94	0.80 43 102	7.41 32 91	-6.89 16 113
44	257 24 0032 107668568	4.70	104 20 0003 147 21 0020				102	103	0.49 61 104	0.09 44 100	0.33 103	3.04 23 93	0.90 22 102	1.12 45 104	6.52 28 93	-6.00 20 111
45	257 24 0041 107668493	2.06	104 20 0003 100 20 0503				102	97	0.34 40 102	-0.44 32 88	-0.27 91	3.44 22 95	2.00 18 109	1.10 32 104	3.88 20 96	-1.73 12 101
46	257 24 0073 107673782	5.64	100 20 0259 257 23 0018				102	97	0.62 59 106	-0.05 43 97	0.27 101	5.03 20 106	0.00 16 97	0.58 43 100	0.30 33 101	-1.95 20 102
47	257 25 0084 112187984	2.65	104 21 0047 257 22 0042				102	94	1.20 59 114	-0.12 45 95	0.49 106	5.18 28 107	-0.30 22 95	0.91 45 102	8.63 35 90	-5.26 15 109
48	257 25 0043 112019963	2.76	173 20 0037 257 23 0068				102	105	0.04 63 98	0.47 41 108	0.49 106	3.90 22 98	1.20 18 104	1.24 44 105	11.29 35 86	-4.84 16 108
49	257 24 0069 107667941	5.38	104 21 0047 257 23 0019				101	96	1.04 62 112	0.08 48 99	0.60 108	5.13 29 107	-0.50 23 94	0.81 48 102	9.37 41 89	-6.50 19 112
50	257 24 0063 107667917	5.66	104 21 0047 257 23 0009				101	100	0.81 62 109	0.30 48 104	0.71 110	4.51 29 102	-0.40 23 95	0.87 48 102	7.05 42 92	-4.83 19 108
51	257 23 0064 99531485	5.05	104 21 0047 147 21 0020				101	100	1.26 65 115	0.43 51 107	1.06 117	4.65 28 103	-1.40 25 89	0.85 50 102	11.27 40 86	-9.53 22 119
52	257 25 0115 111887816	5.03	104 24 0161 187 24 0015				101	98	0.60 56 106	0.04 37 99	0.34 103	4.90 34 105	0.00 15 97	0.64 39 100	5.16 26 95	-4.54 15 108
53	257 25 0081 112020284	3.77	173 20 0073 147 21 0077				101	92	0.99 62 111	-0.32 40 91	0.17 100	5.56 14 109	-0.30 13 95	0.49 42 99	2.15 27 99	-2.05 20 102
54	257 25 0070 112020250	4.72	173 20 0073 257 23 0067				101	99	0.13 62 99	-0.04 41 97	0.02 97	3.92 22 99	1.70 17 107	1.10 44 104	9.32 32 89	-2.70 16 104
55	257 25 0170 111935615	3.32	173 23 0170 147 20 0145				101	98	0.54 44 105	-0.13 32 95	0.15 99	3.76 12 97	0.50 10 100	0.72 32 101	1.45 29 100	-2.05 18 102
56	257 25 0171 111935623	3.32	173 23 0170 147 20 0145				101	98	0.54 44 105	-0.13 32 95	0.15 99	3.76 12 97	0.50 10 100	0.72 32 101	1.45 29 100	-2.05 18 102

Ram Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents & Progeny			Selection Indices		EBV - Weights				EBV - Fertility							
Animal ID Computer nr	% In- breedi	Sire ID Dam ID	1st Generation	2nd Generation	Logix Merit Index	Reproducti on Index	Weaning Weight		Comb EBV Index	Post-Wean EBV Acc. Index	Number Weaned EBV		TWW		AFL		ILP	
			Progeny Number Weaned Herds	Progeny Number Weaned Herds			Dir EBV Acc. index	Mat EBV Acc. Index			Acc.	Index	Acc.	Index	Acc.	Index	Acc.	Index
		Active Breed Average:			100	100	0.10	-0.02	0.03	3.97	0.35	0.29	-0.26	0.28				
57	257 24 0084 107668014	7.10	104 21 0047 147 20 0144		100	98	1.05 58 112	0.18 51 102	0.71 110	4.41 29 102	-0.70 25 93	0.81 48 102	11.45 43 86	-8.92 23 117				
58	257 25 0005 111935375	3.35	187 24 0002 49 22 0092		100	97	0.52 51 105	0.05 32 99	0.31 102	4.98 25 106	0.20 12 98	0.69 35 101	7.30 21 92	-3.15 12 105				
59	257 25 0175 111935631	2.06	173 23 0170 200 20 0096		100	96	0.35 39 102	-0.25 32 92	-0.07 95	4.02 9 99	0.90 5 102	0.64 28 101	-0.25 16 102	1.03 6 95				
60	257 24 0051 107673840	5.02	104 21 0047 159 20 0130		99	109	-0.54 65 90	0.45 52 108	0.18 100	2.09 36 86	2.40 29 111	1.35 52 106	17.57 43 77	-7.74 20 115				
61	257 25 0082 112020086	3.77	173 20 0073 147 21 0077		99	92	0.75 62 108	-0.27 40 92	0.10 98	5.23 14 107	-0.30 13 95	0.30 42 98	2.15 27 99	-2.05 20 102				
62	257 25 0033 111887733	4.27	104 21 0047 AH 21 0076		99	98	0.56 50 105	0.34 43 105	0.62 108	3.09 30 93	-0.10 23 96	0.84 41 102	1.41 41 100	2.26 19 93				
63	257 25 0034 111887741	4.27	104 21 0047 AH 21 0076		99	98	0.56 50 105	0.34 43 105	0.62 108	3.09 30 93	-0.10 23 96	0.84 41 102	1.41 41 100	2.26 19 93				
64	257 25 0012 112187869	2.65	104 21 0047 257 22 0012		99	100	0.50 59 104	0.32 45 105	0.57 107	4.11 28 100	-0.30 22 95	0.63 45 100	8.63 35 90	-5.26 15 109				
65	257 25 0106 112234588	2.65	173 20 0037 257 22 0041		99	98	0.09 57 99	0.16 36 101	0.21 100	4.56 14 103	0.30 8 99	0.43 38 99	3.33 24 97	-0.53 13 99				
66	257 25 0065 112234570	2.70	173 20 0037 257 23 0065		98	98	0.31 62 102	0.16 40 101	0.31 102	4.70 19 104	0.00 15 97	0.47 43 99	7.53 34 91	-4.09 15 107				
67	257 25 0028 111887691	5.05	104 21 0047 147 21 0020		98	101	0.86 58 109	0.51 50 109	0.94 115	4.12 28 100	-1.40 25 89	0.53 47 100	11.27 40 86	-9.53 22 119				
68	257 25 0041 112187752	2.76	173 20 0037 147 18 0036		98	100	0.33 63 102	0.44 42 107	0.60 108	4.29 16 101	0.00 12 97	0.76 43 101	12.31 32 85	-4.60 19 108				
69	257 24 0050 107667834	2.65	104 21 0047 257 22 0001		98	95	0.69 62 107	-0.02 48 97	0.33 103	4.49 28 102	-0.30 23 95	0.49 48 99	8.90 36 89	-5.40 15 110				
70	187 24 0023 100804863	4.93	100 19 0052 147 21 0024		98	105	0.11 57 99	0.52 49 109	0.57 107	3.89 25 98	-0.50 23 94	0.33 46 98	8.15 43 90	-8.23 28 116				

Ram Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information				Parents & Progeny				Selection Indices		EBV - Weights				EBV - Fertility								
Animal ID Computer nr		% In- breedi	Sire ID Dam ID		1st Generation		2nd Generation		Logix Merit Index	Reproducti on Index	Weaning Weight		Post-Wean		Number Weaned		TWW		AFL		ILP	
					Progeny Number Weaned	Herds	Progeny Number Weaned	Herds			Dir EBV Acc index	Mat EBV Acc Index	Comb EBV Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index				
				Active Breed Average:				100	100	0.10	-0.02	0.03	3.97	0.35	0.29	-0.26	0.28					
71	257 25 0017 111887618	2.06	104 21 0047 200 20 0096					98	95	0.65 62	-0.03 107	0.29 102	4.46 28	-0.40 22	0.38 47	7.92 36	-5.33 15					
72	257 25 0144 111888087	3.00	49 23 0090 140 18 0042					98	94	0.07 55	-0.41 99	-0.38 89	3.69 8	1.00 10	0.26 37	-3.04 28	2.77 13					
73	257 25 0145 111888095	3.00	49 23 0090 140 18 0042					98	94	0.07 55	-0.41 99	-0.38 89	3.69 8	1.00 10	0.26 37	-3.04 28	2.77 13					
74	257 25 0083 112187976	2.65	104 21 0047 257 22 0042					97	95	0.59 59	0.01 106	0.30 102	4.37 28	-0.30 22	0.42 45	8.63 35	-5.26 15					
75	257 25 0110 111992020	2.76	173 20 0037 147 19 0126					97	96	0.48 63	0.05 104	0.29 102	4.82 14	-0.50 12	0.23 44	6.86 34	-5.00 20					
76	257 25 0037 111887766	5.41	104 21 0047 133 17 0029					97	103	0.24 63	0.51 101	0.63 109	3.89 28	-0.50 25	0.45 49	11.53 40	-8.49 19					
77	257 25 0095 112272968	2.76	173 20 0037 147 20 0063					97	100	0.06 62	0.41 107	0.44 105	4.82 15	-0.80 17	-0.01 44	1.81 31	-2.29 21					
78	257 25 0008 111935433	2.65	187 24 0002 173 20 0027					97	91	0.48 52	-0.28 104	-0.04 96	5.70 27	-0.20 12	0.08 36	5.41 23	-1.96 15					
79	257 24 0018 107667776	2.65	104 21 0047 257 22 0044					97	100	0.22 59	0.37 101	0.48 106	3.73 28	-0.30 22	0.41 45	8.63 35	-5.26 15					
80	257 25 0009 111935367	2.65	187 24 0002 173 20 0027					96	91	0.41 39	-0.26 103	-0.06 95	5.61 27	-0.20 12	0.03 30	5.41 23	-1.96 15					
81	257 25 0157 111935482	3.28	173 23 0170 100 20 0079					96	92	0.24 56	-0.42 101	-0.30 91	3.51 12	0.70 14	0.24 39	0.60 28	1.21 13					
82	257 25 0111 111992038	2.76	173 20 0037 147 19 0126					95	97	0.19 63	0.11 100	0.21 100	4.43 14	-0.50 12	0.00 44	6.86 34	-5.00 20					
83	257 25 0066 112020177	3.77	173 20 0073 257 23 0065					95	94	0.07 61	-0.06 99	-0.03 96	4.20 19	0.00 15	0.01 42	5.27 30	-1.91 15					
84	173 20 0037 91090613	2.67	173 18 0001 173 17 0002	57	3	3	2	94	98	-0.27 87	0.29 55	0.16 99	4.66 27	-0.20 16	-0.10 58	5.91 47	-2.05 25					

Ram Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information			Parents & Progeny				Selection Indices		EBV - Weights				EBV - Fertility			
Animal ID Computer nr	% In- breedi	Sire ID Dam ID	1st Generation		2nd Generation		Logix Merit Index	Reproducti on Index	Weaning Weight		Post-Wean	Number Weaned	TWW	AFL	ILP	
			Progeny Number Weaned	Herds	Progeny Number Weaned	Herds			Dir	Mat						Comb
			EBV Acc Index	EBV Acc Index	EBV Index	EBV Acc Index			EBV Acc Index	EBV Acc Index						
Active Breed Average:			100	100	0.10	-0.02	0.03	3.97	0.35	0.29	-0.26	0.28				
85	257 25 0068 112020185	4.72	173 20 0073 257 23 0067			94	102	-0.86 62	0.15 41	-0.28 91	2.61 22	1.70 17	0.31 44	9.32 32	-2.70 16	
86	257 25 0098 111992004	2.76	173 20 0037 55 21 0010			94	96	-0.05 52	0.36 40	0.34 103	5.15 22	-1.00 13	-0.29 38	4.79 30	-1.36 20	
87	257 25 0069 112020243	4.72	173 20 0073 257 23 0067			94	102	-0.88 62	0.16 41	-0.28 91	2.58 22	1.70 17	0.30 44	9.32 32	-2.70 16	
88	257 25 0129 111887956	4.46	104 24 0161 257 23 0015			93	94	-0.19 57	-0.28 39	-0.38 89	3.77 34	-0.10 15	-0.54 40	-2.02 29	-0.91 15	
89	257 24 0059 107667891	4.05	104 21 0047 140 18 0042			93	97	-0.11 63	0.01 50	-0.05 95	3.00 29	-0.10 24	-0.17 49	3.56 45	-2.77 20	
90	257 25 0079 112020268	3.66	173 20 0073 147 21 0024			93	90	0.11 62	-0.35 41	-0.30 91	4.29 14	-0.30 13	-0.42 43	0.75 30	-0.11 19	
91	257 24 0060 107667909	4.05	104 21 0047 140 18 0042			93	97	-0.15 63	0.01 50	-0.06 95	2.95 29	-0.10 24	-0.20 49	3.56 45	-2.77 20	
92	257 25 0052 112020227	3.77	173 20 0073 257 23 0048			92	92	-0.08 61	-0.15 40	-0.19 93	4.04 19	-0.20 15	-0.35 42	5.41 30	-1.68 15	
93	257 25 0047 112020219	3.77	173 20 0073 257 23 0044			91	92	-0.12 51	-0.13 34	-0.19 93	3.98 19	-0.30 13	-0.43 36	5.50 30	-1.81 15	
94	257 25 0046 112020201	3.77	173 20 0073 257 23 0044			91	92	-0.12 51	-0.13 34	-0.19 93	3.98 19	-0.30 13	-0.43 36	5.50 30	-1.81 15	
95	257 25 0036 111887758	5.52	104 21 0047 100 20 0079			91	92	0.24 59	-0.15 51	-0.03 96	3.54 29	-0.70 26	-0.33 48	8.76 43	-5.15 19	
96	257 25 0107 111991964	2.71	173 20 0037 147 22 0214			91	93	-0.42 60	-0.26 38	-0.47 87	4.05 14	0.00 11	-0.67 40	1.96 27	-1.06 16	
97	257 25 0080 112020276	3.66	173 20 0073 147 21 0024			90	91	-0.26 62	-0.28 41	-0.41 89	3.80 14	-0.30 13	-0.71 43	0.75 30	-0.11 19	
98	257 25 0056 112020193	4.45	173 20 0073 257 23 0016			90	91	-0.38 58	-0.38 38	-0.57 85	3.76 18	-0.10 11	-0.82 39	-1.96 25	1.60 16	

Ram Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents & Progeny				Selection Indices		EBV - Weights				EBV - Fertility				
Animal ID Computer nr	% In-breedi	Sire ID Dam ID	1st Generation		2nd Generation		Logix Merit Index	Reproducti on Index	Weaning Weight		Post-Wean	Number Weaned	TWW	AFL	ILP	
			Progeny Number Weaned	Herds	Progeny Number Weaned	Herds			Dir	Mat						Comb
			EBV Acc Index	EBV Acc Index	EBV Index	EBV Acc Index			EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index	EBV Acc Index
		Active Breed Average:				100	100	0.10	-0.02	0.03	3.97	0.35	0.29	-0.26	0.28	
99	257 23 0080 99531584	13.56	104 21 0047 104 21 0202				90	98	-0.41 64	0.26 51	0.06 97	3.90 37	-0.80 29	-0.63 51	12.22 42	-8.29 22
100	257 24 0014 107673691	5.95	100 20 0259 104 20 0150				89	95	-0.01 63	0.38 44	0.38 104	4.75 26	-2.20 21	-0.95 46	8.93 29	-7.34 20
101	257 25 0108 111992012	2.71	173 20 0037 147 22 0214				89	94	-0.69 60	-0.20 38	-0.55 86	3.69 14	0.00 11	-0.89 40	1.96 27	-1.06 16
102	257 25 0085 112187992	2.65	104 21 0047 257 22 0042				89	99	-0.61 59	0.24 45	-0.06 95	2.76 28	-0.30 22	-0.55 45	8.63 35	-5.26 15
103	257 25 0039 112187703	2.76	173 20 0037 257 23 0057				88	93	-0.28 62	-0.02 41	-0.16 93	3.90 20	-1.00 16	-0.90 43	8.95 35	-5.49 17
104	257 24 0009 107673642	7.17	100 20 0259 157 20 0125				86	95	-0.76 59	-0.10 43	-0.48 87	2.90 22	-0.80 18	-1.34 43	0.89 34	-3.54 22
105	257 25 0040 112187711	2.76	173 20 0037 257 23 0057				84	94	-0.84 62	0.09 41	-0.33 90	3.16 20	-1.00 16	-1.35 43	8.95 35	-5.49 17
106	257 25 0054 112020235	3.90	173 20 0073 257 23 0036				84	95	-1.31 58	0.14 36	-0.51 86	2.44 17	-0.50 12	-1.47 39	-4.67 25	4.94 16

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents	Selection Indices		EBV - Weights				EBV - Fertility				
Animal ID Computer nr	% In-breedin	Sire ID Dam ID	Logix Merit Index	Reproducti on Index	Dir EBV Acc Index	Weaning Weight Mat EBV Acc Index	Comb EBV Index	Post-Wean EBV Acc Index	Number Weaned EBV Acc Index	TWW EBV Acc Index	AFL EBV Acc Index	ILP EBV Acc Index	Phenotype EPI Times Lambd
Active Breed Average:			100	100	0.10	-0.02	0.03	3.97	0.35	0.29	-0.26	0.28	
1 257 25 0113 111887790	5.12	104 24 0161 257 23 0046	121	101	59 2.62 133	39 0.10 100	1.41 7.13 124 34 120		0.50 3.02 18 100 42 118	31 1.80 99	-2.52 12 103		
2 257 24 0001 107673568	8.87	100 20 0259 147 20 0144	116	98	63 2.46 131	46 -0.09 96	1.14 7.04 118 17 119		0.10 2.43 17 98 46 114	34 5.82 94	-5.74 23 110		
3 257 25 0165 111935565	3.65	173 23 0170 104 22 0308	116	105	44 0.71 107	29 -0.05 97	0.30 5.92 102 31 112		3.30 2.64 11 117 31 115	21 1.16 100	2.23 12 93		
4 257 25 0166 111935573	3.65	173 23 0170 104 22 0308	116	105	44 0.71 107	29 -0.05 97	0.30 5.92 102 31 112		3.30 2.64 11 117 31 115	21 1.16 100	2.23 12 93		
5 257 25 0127 111887931	4.61	104 24 0161 257 24 0002	116	97	59 2.31 129	39 -0.23 93	0.93 7.03 114 32 119		0.40 2.32 16 99 41 113	25 3.97 96	-4.40 15 107		
6 257 24 0008 107673634	9.68	100 20 0259 133 16 0038	115	102	57 1.85 123	41 0.18 102	1.11 7.00 118 16 119		0.40 2.27 14 99 41 113	31 5.86 94	-5.39 19 110		
7 257 25 0112 111887782	5.12	104 24 0161 257 23 0046	115	103	59 1.80 122	39 0.26 104	1.16 6.02 119 34 113		0.50 2.36 18 100 42 113	31 1.80 99	-2.52 12 103		
8 257 25 0022 111887667	7.07	104 21 0047 147 21 0310	113	106	65 1.61 120	51 0.40 106	1.20 4.93 120 29 105		0.90 2.55 26 102 51 115	39 10.28 87	-7.71 20 115		
9 257 24 0005 107673600	3.61	100 20 0259 49 21 0058	111	96	59 1.73 121	42 -0.21 93	0.65 6.64 109 15 117		0.50 1.82 13 100 42 109	28 2.81 98	-2.25 18 103		
10 257 24 0072 107673774	4.28	100 20 0259 257 23 0025	111	104	58 1.12 113	41 0.35 105	0.91 5.54 114 19 109		0.60 1.83 15 101 42 109	33 -2.23 105	0.80 18 96		
11 257 24 0071 107673766	4.28	100 20 0259 257 23 0025	111	104	58 1.12 113	41 0.35 105	0.91 5.54 114 19 109		0.60 1.83 15 101 42 109	33 -2.23 105	0.80 18 96		
12 257 25 0117 111887832	4.54	104 24 0161 257 24 0013	110	96	57 1.82 122	37 -0.05 97	0.85 6.33 113 32 115		-0.20 1.64 15 96 40 108	25 -1.16 103	-0.23 14 98		
13 257 25 0021 111887659	7.07	104 21 0047 147 21 0310	110	108	58 1.07 112	50 0.50 109	1.04 4.20 116 29 100		0.90 2.11 26 102 48 112	39 10.28 87	-7.71 20 115		
14 257 25 0133 111887998	3.08	49 23 0090 140 20 0089	109	100	54 1.26 115	31 0.18 102	0.81 4.94 112 7 105		0.50 1.74 7 100 34 109	22 -5.70 110	4.93 14 87		

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents	Selection Indices		EBV - Weights				EBV - Fertility				Phenotype	
Animal ID Computer nr	% In- breedin	Sire ID Dam ID	Logix Merit Index	Reproducti on Index	Dir EBV Acc Index	Weaning Weight Mat EBV Acc Index	Comb EBV Index	Post-Wean EBV Acc Index	Number Weaned EBV Acc Index	TWW EBV Acc Index	AFL EBV Acc Index	ILP EBV Acc Index	EPI	Times Lambd
Active Breed Average:			100	100	0.10	-0.02	0.03	3.97	0.35	0.29	-0.26	0.28		
15	257 25 0132 111887980	3.08	49 23 0090 140 20 0089	109	100	1.26 54 115	0.18 31 102	0.81 112 7 105	4.94	0.50 7 100	1.74 34 109	-5.70 22 110	4.93 14 87	
16	104 24 0161 99605313	3.83	KR30 20 0003 104 21 0057	109	92	1.93 76 124	-0.40 52 89	0.56 107 62 117	6.73	-0.20 23 96	1.40 55 106	2.11 36 99	-3.06 18 104	
17	257 25 0167 111935581	3.69	173 23 0170 147 21 0111	108	98	1.04 39 112	-0.27 27 92	0.26 101 11 102	4.51	1.50 9 106	1.68 27 108	-2.64 25 105	2.58 15 92	
18	257 25 0131 111887972	3.02	49 23 0090 257 23 0042	108	97	1.57 54 119	0.06 29 99	0.84 113 14 110	5.69	0.20 13 98	1.75 35 109	6.90 24 92	-2.74 8 104	
19	257 25 0146 111888103	3.44	49 23 0090 257 23 0012	108	93	1.89 56 123	-0.28 34 92	0.67 109 15 113	6.03	0.00 12 97	1.62 37 108	6.23 26 93	-3.73 14 106	
20	257 24 0045 107668535	6.13	104 20 0003 133 17 0029	108	103	0.76 59 108	-0.09 42 96	0.29 102 23 99	4.01	1.90 21 108	1.81 44 109	6.78 27 92	-4.96 17 109	
21	257 24 0042 107668501	2.65	104 20 0003 257 22 0034	107	102	0.62 43 106	-0.09 37 96	0.22 101 22 97	3.63	2.00 18 109	1.73 35 109	3.88 20 96	-1.73 12 101	
22	257 25 0004 111935409	3.35	187 24 0002 49 22 0092	106	94	1.41 51 117	-0.13 32 95	0.58 107 25 113	6.16	0.20 12 98	1.40 35 106	7.30 21 92	-3.15 12 105	
23	257 25 0177 111935656	2.94	173 23 0170 257 24 0031	106	97	0.87 41 110	-0.34 26 90	0.10 98 14 100	4.17	1.60 9 106	1.50 28 107	1.67 17 99	-0.29 9 98	
24	257 25 0134 111888004	3.28	49 23 0090 257 23 0009	106	97	0.96 54 111	-0.11 31 95	0.37 103 8 107	5.16	0.70 7 101	1.27 34 105	0.45 23 101	0.72 12 96	
25	257 25 0123 111887899	4.11	104 24 0161 257 23 0040	105	95	1.45 58 117	-0.15 38 95	0.58 108 34 111	5.77	-0.40 17 95	1.07 41 104	4.31 30 96	-4.26 12 107	
26	257 25 0023 111887675	7.07	104 21 0047 147 21 0310	105	110	0.41 65 103	0.63 51 112	0.84 113 29 95	3.33	0.90 26 102	1.58 51 108	10.28 39 87	-7.71 20 115	
27	257 25 0019 111887634	2.65	104 21 0047 257 22 0009	105	98	1.31 59 116	0.22 45 102	0.87 113 28 107	5.17	-0.30 22 95	1.35 45 106	8.63 35 90	-5.26 15 109	
28	257 25 0003 111935391	3.71	187 24 0002 147 22 0136	104	97	0.66 53 107	-0.37 34 90	-0.04 96 25 108	5.40	0.90 12 102	0.83 36 102	-0.21 23 102	-1.87 15 102	

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents	Selection Indices		EBV - Weights				EBV - Fertility				Phenotype	
Animal ID Computer nr	% In- breedin	Sire ID Dam ID	Logix Merit Index	Reproducti on Index	Dir EBV Acc Index	Weaning Weight Mat EBV Acc Index	Comb EBV Index	Post-Wean EBV Acc Index	Number Weaned EBV Acc Index	TWW EBV Acc Index	AFL EBV Acc Index	ILP EBV Acc Index	EPI	Times Lambd
Active Breed Average:			100	100	0.10	-0.02	0.03	3.97	0.35	0.29	-0.26	0.28		
29 257 25 0139 111888038	3.22	49 23 0090 257 23 0019	104	94	0.96 54 111	-0.29 31 91	0.19 100	5.47 8 109	0.60 7 101	1.03 34 103	2.77 22 98	-0.95 12 100		
30 257 25 0013 112187877	2.65	104 21 0047 257 22 0012	104	98	1.21 59 114	0.18 45 102	0.78 111	5.06 28 106	-0.30 22 95	1.21 45 105	8.63 35 90	-5.26 15 109		
31 257 25 0164 111935557	3.57	173 23 0170 187 24 0006	104	98	0.74 36 108	-0.22 24 93	0.15 99	4.13 10 100	0.90 7 102	1.06 25 104	0.03 21 102	-0.95 12 100		
32 257 25 0163 111935540	3.57	173 23 0170 187 24 0006	104	98	0.74 36 108	-0.22 24 93	0.15 99	4.13 10 100	0.90 7 102	1.06 25 104	0.03 21 102	-0.95 12 100		
33 257 25 0181 111935698	4.95	100 19 0052 147 22 0136	104	110	-0.05 53 97	0.52 46 109	0.50 106	3.90 26 98	0.70 21 101	0.90 43 102	2.80 39 98	-6.24 27 111		
34 257 25 0119 111887857	5.22	104 24 0161 257 23 0013	103	95	1.33 60 116	-0.10 42 96	0.57 107	5.37 34 108	-0.50 17 94	0.93 43 103	7.41 32 91	-6.89 16 113		
35 257 25 0130 111887964	4.46	104 24 0161 257 23 0015	103	90	1.25 57 115	-0.57 39 85	0.06 97	5.70 34 110	-0.10 15 96	0.62 40 100	-2.02 29 105	-0.91 15 100		
36 49 23 0090 99602765	2.84	49 22 0021 49 17 0003	103	93	0.95 61 111	-0.33 22 90	0.14 99	5.24 5 107	0.70 5 101	1.04 33 103	3.30 11 97	-0.42 7 99		
37 257 25 0042 112187760	2.76	173 20 0037 147 18 0036	103	98	1.04 63 112	0.30 42 104	0.82 112	5.25 16 107	0.00 12 97	1.34 43 106	12.31 32 85	-4.60 19 108		
38 257 25 0006 111935417	3.65	187 24 0002 187 21 0088	103	100	0.36 52 103	0.07 33 99	0.25 101	5.02 26 106	0.80 15 102	0.91 36 103	3.35 25 97	-1.99 16 102		
39 257 25 0152 111935516	3.53	173 23 0170 147 19 0160	103	99	0.24 53 101	-0.33 35 91	-0.21 92	3.88 11 98	1.30 9 105	0.69 36 101	-5.97 28 110	1.47 17 94		
40 257 25 0102 112019922	2.76	173 20 0037 140 16 0001	103	103	0.26 49 101	0.48 38 108	0.60 108	4.64 14 103	0.20 10 98	0.85 36 102	-1.27 32 103	1.47 15 94		
41 257 25 0015 112188024	2.65	104 21 0047 257 22 0044	103	98	1.07 60 112	0.20 46 102	0.74 111	4.87 28 105	-0.30 22 95	1.09 46 104	8.63 35 90	-5.26 15 109		
42 257 25 0125 111887915	3.47	104 24 0161 49 21 0058	102	93	0.94 57 110	-0.39 39 89	0.08 98	5.37 31 108	0.30 11 99	0.73 39 101	1.24 23 100	-1.21 13 100		

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents	Selection Indices		EBV - Weights				EBV - Fertility				Phenotype	
Animal ID Computer nr	% In- breedin	Sire ID Dam ID	Logix Merit Index	Reproducti on Index	Dir EBV Acc Index	Weaning Weight Mat EBV Acc Index	Comb EBV Index	Post-Wean EBV Acc Index	Number Weaned EBV Acc Index	TWW EBV Acc Index	AFL EBV Acc Index	ILP EBV Acc Index	EPI	Times Lambd
Active Breed Average:			100	100	0.10	-0.02	0.03	3.97	0.35	0.29	-0.26	0.28		
43 257 25 0120 111887865	5.22	104 24 0161 257 23 0013	102	96	1.17 60 114	-0.07 42 96	0.52 106	5.15 34 107	-0.50 17 94	0.80 43 102	7.41 32 91	-6.89 16 113		
44 257 24 0032 107668568	4.70	104 20 0003 147 21 0020	102	103	0.49 61 104	0.09 44 100	0.33 103	3.04 23 93	0.90 22 102	1.12 45 104	6.52 28 93	-6.00 20 111		
45 257 24 0041 107668493	2.06	104 20 0003 100 20 0503	102	97	0.34 40 102	-0.44 32 88	-0.27 91	3.44 22 95	2.00 18 109	1.10 32 104	3.88 20 96	-1.73 12 101		
46 257 24 0073 107673782	5.64	100 20 0259 257 23 0018	102	97	0.62 59 106	-0.05 43 97	0.27 101	5.03 20 106	0.00 16 97	0.58 43 100	0.30 33 101	-1.95 20 102		
47 257 25 0084 112187984	2.65	104 21 0047 257 22 0042	102	94	1.20 59 114	-0.12 45 95	0.49 106	5.18 28 107	-0.30 22 95	0.91 45 102	8.63 35 90	-5.26 15 109		
48 257 25 0043 112019963	2.76	173 20 0037 257 23 0068	102	105	0.04 63 98	0.47 41 108	0.49 106	3.90 22 98	1.20 18 104	1.24 44 105	11.29 35 86	-4.84 16 108		
49 257 24 0069 107667941	5.38	104 21 0047 257 23 0019	101	96	1.04 62 112	0.08 48 99	0.60 108	5.13 29 107	-0.50 23 94	0.81 48 102	9.37 41 89	-6.50 19 112		
50 257 24 0063 107667917	5.66	104 21 0047 257 23 0009	101	100	0.81 62 109	0.30 48 104	0.71 110	4.51 29 102	-0.40 23 95	0.87 48 102	7.05 42 92	-4.83 19 108		
51 257 23 0064 99531485	5.05	104 21 0047 147 21 0020	101	100	1.26 65 115	0.43 51 107	1.06 117	4.65 28 103	-1.40 25 89	0.85 50 102	11.27 40 86	-9.53 22 119		
52 257 25 0115 111887816	5.03	104 24 0161 187 24 0015	101	98	0.60 56 106	0.04 37 99	0.34 103	4.90 34 105	0.00 15 97	0.64 39 100	5.16 26 95	-4.54 15 108		
53 257 25 0081 112020284	3.77	173 20 0073 147 21 0077	101	92	0.99 62 111	-0.32 40 91	0.17 100	5.56 14 109	-0.30 13 95	0.49 42 99	2.15 27 99	-2.05 20 102		
54 257 25 0070 112020250	4.72	173 20 0073 257 23 0067	101	99	0.13 62 99	-0.04 41 97	0.02 97	3.92 22 99	1.70 17 107	1.10 44 104	9.32 32 89	-2.70 16 104		
55 257 25 0170 111935615	3.32	173 23 0170 147 20 0145	101	98	0.54 44 105	-0.13 32 95	0.15 99	3.76 12 97	0.50 10 100	0.72 32 101	1.45 29 100	-2.05 18 102		
56 257 25 0171 111935623	3.32	173 23 0170 147 20 0145	101	98	0.54 44 105	-0.13 32 95	0.15 99	3.76 12 97	0.50 10 100	0.72 32 101	1.45 29 100	-2.05 18 102		

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents	Selection Indices		EBV - Weights				EBV - Fertility				
Animal ID Computer nr	% In- breedin	Sire ID Dam ID	Logix Merit Index	Reproducti on Index	Dir EBV Acc Index	Weaning Weight Mat EBV Acc Index	Comb EBV Index	Post-Wean EBV Acc Index	Number Weaned EBV Acc Index	TWW EBV Acc Index	AFL EBV Acc Index	ILP EBV Acc Index	Phenotype EPI Times Lambd
Active Breed Average:			100	100	0.10	-0.02	0.03	3.97	0.35	0.29	-0.26	0.28	
57 257 24 0084 107668014	7.10	104 21 0047 147 20 0144	100	98	1.05 58 112	0.18 51 102	0.71 110 29	4.41 102	-0.70 25 93	0.81 48 102	11.45 43 86	-8.92 23 117	
58 257 25 0005 111935375	3.35	187 24 0002 49 22 0092	100	97	0.52 51 105	0.05 32 99	0.31 102 25	4.98 106	0.20 12 98	0.69 35 101	7.30 21 92	-3.15 12 105	
59 257 25 0175 111935631	2.06	173 23 0170 200 20 0096	100	96	0.35 39 102	-0.25 32 92	-0.07 95 9	4.02 99	0.90 5 102	0.64 28 101	-0.25 16 102	1.03 6 95	
60 257 24 0051 107673840	5.02	104 21 0047 159 20 0130	99	109	-0.54 65 90	0.45 52 108	0.18 100 36	2.09 86	2.40 29 111	1.35 52 106	17.57 43 77	-7.74 20 115	
61 257 25 0082 112020086	3.77	173 20 0073 147 21 0077	99	92	0.75 62 108	-0.27 40 92	0.10 98 14	5.23 107	-0.30 13 95	0.30 42 98	2.15 27 99	-2.05 20 102	
62 257 25 0033 111887733	4.27	104 21 0047 AH 21 0076	99	98	0.56 50 105	0.34 43 105	0.62 108 30	3.09 93	-0.10 23 96	0.84 41 102	1.41 41 100	2.26 19 93	
63 257 25 0034 111887741	4.27	104 21 0047 AH 21 0076	99	98	0.56 50 105	0.34 43 105	0.62 108 30	3.09 93	-0.10 23 96	0.84 41 102	1.41 41 100	2.26 19 93	
64 257 25 0012 112187869	2.65	104 21 0047 257 22 0012	99	100	0.50 59 104	0.32 45 105	0.57 107 28	4.11 100	-0.30 22 95	0.63 45 100	8.63 35 90	-5.26 15 109	
65 257 25 0106 112234588	2.65	173 20 0037 257 22 0041	99	98	0.09 57 99	0.16 36 101	0.21 100 14	4.56 103	0.30 8 99	0.43 38 99	3.33 24 97	-0.53 13 99	
66 257 25 0065 112234570	2.70	173 20 0037 257 23 0065	98	98	0.31 62 102	0.16 40 101	0.31 102 19	4.70 104	0.00 15 97	0.47 43 99	7.53 34 91	-4.09 15 107	
67 257 25 0028 111887691	5.05	104 21 0047 147 21 0020	98	101	0.86 58 109	0.51 50 109	0.94 115 28	4.12 100	-1.40 25 89	0.53 47 100	11.27 40 86	-9.53 22 119	
68 257 25 0041 112187752	2.76	173 20 0037 147 18 0036	98	100	0.33 63 102	0.44 42 107	0.60 108 16	4.29 101	0.00 12 97	0.76 43 101	12.31 32 85	-4.60 19 108	
69 257 24 0050 107667834	2.65	104 21 0047 257 22 0001	98	95	0.69 62 107	-0.02 48 97	0.33 103 28	4.49 102	-0.30 23 95	0.49 48 99	8.90 36 89	-5.40 15 110	
70 187 24 0023 100804863	4.93	100 19 0052 147 21 0024	98	105	0.11 57 99	0.52 49 109	0.57 107 25	3.89 98	-0.50 23 94	0.33 46 98	8.15 43 90	-8.23 28 116	

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents	Selection Indices		EBV - Weights				EBV - Fertility				Phenotype	
Animal ID Computer nr	% In- breedin	Sire ID Dam ID	Logix Merit Index	Reproducti on Index	Dir EBV Acc Index	Weaning Weight Mat EBV Acc Index	Comb EBV Index	Post-Wean EBV Acc Index	Number Weaned EBV Acc Index	TWW EBV Acc Index	AFL EBV Acc Index	ILP EBV Acc Index	EPI	Times Lambd
Active Breed Average:			100	100	0.10	-0.02	0.03	3.97	0.35	0.29	-0.26	0.28		
71 257 25 0017 111887618	2.06	104 21 0047 200 20 0096	98	95	0.65 62 107	-0.03 48 97	0.29 102 28 102	4.46	-0.40 22 95	0.38 47 99	7.92 36 91	-5.33 15 109		
72 257 25 0144 111888087	3.00	49 23 0090 140 18 0042	98	94	0.07 55 99	-0.41 34 89	-0.38 89 8 97	3.69	1.00 10 103	0.26 37 98	-3.04 28 106	2.77 13 91		
73 257 25 0145 111888095	3.00	49 23 0090 140 18 0042	98	94	0.07 55 99	-0.41 34 89	-0.38 89 8 97	3.69	1.00 10 103	0.26 37 98	-3.04 28 106	2.77 13 91		
74 257 25 0083 112187976	2.65	104 21 0047 257 22 0042	97	95	0.59 59 106	0.01 45 98	0.30 102 28 102	4.37	-0.30 22 95	0.42 45 99	8.63 35 90	-5.26 15 109		
75 257 25 0110 111992020	2.76	173 20 0037 147 19 0126	97	96	0.48 63 104	0.05 43 99	0.29 102 14 104	4.82	-0.50 12 94	0.23 44 97	6.86 34 92	-5.00 20 109		
76 257 25 0037 111887766	5.41	104 21 0047 133 17 0029	97	103	0.24 63 101	0.51 50 109	0.63 109 28 98	3.89	-0.50 25 94	0.45 49 99	11.53 40 86	-8.49 19 116		
77 257 25 0095 112272968	2.76	173 20 0037 147 20 0063	97	100	0.06 62 99	0.41 41 107	0.44 105 15 105	4.82	-0.80 17 92	-0.01 44 96	1.81 31 99	-2.29 21 103		
78 257 25 0008 111935433	2.65	187 24 0002 173 20 0027	97	91	0.48 52 104	-0.28 34 92	-0.04 96 27 110	5.70	-0.20 12 96	0.08 36 96	5.41 23 94	-1.96 15 102		
79 257 24 0018 107667776	2.65	104 21 0047 257 22 0044	97	100	0.22 59 101	0.37 45 106	0.48 106 28 97	3.73	-0.30 22 95	0.41 45 99	8.63 35 90	-5.26 15 109		
80 257 25 0009 111935367	2.65	187 24 0002 173 20 0027	96	91	0.41 39 103	-0.26 32 92	-0.06 95 27 110	5.61	-0.20 12 96	0.03 30 96	5.41 23 94	-1.96 15 102		
81 257 25 0157 111935482	3.28	173 23 0170 100 20 0079	96	92	0.24 56 101	-0.42 38 88	-0.30 91 12 96	3.51	0.70 14 101	0.24 39 97	0.60 28 101	1.21 13 95		
82 257 25 0111 111992038	2.76	173 20 0037 147 19 0126	95	97	0.19 63 100	0.11 43 100	0.21 100 14 102	4.43	-0.50 12 94	0.00 44 96	6.86 34 92	-5.00 20 109		
83 257 25 0066 112020177	3.77	173 20 0073 257 23 0065	95	94	0.07 61 99	-0.06 40 96	-0.03 96 19 100	4.20	0.00 15 97	0.01 42 96	5.27 30 94	-1.91 15 102		
84 173 20 0037 91090613	2.67	173 18 0001 173 17 0002	94	98	-0.27 87 94	0.29 55 104	0.16 99 27 103	4.66	-0.20 16 96	-0.10 58 95	5.91 47 94	-2.05 25 102		

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents	Selection Indices		EBV - Weights				EBV - Fertility				Phenotype	
Animal ID Computer nr	% In- breedin	Sire ID Dam ID	Logix Merit Index	Reproducti on Index	Dir EBV Acc Index	Weaning Weight Mat EBV Acc Index	Comb EBV Index	Post-Wean EBV Acc Index	Number Weaned EBV Acc Index	TWW EBV Acc Index	AFL EBV Acc Index	ILP EBV Acc Index	EPI	Times Lambd
Active Breed Average:			100	100	0.10	-0.02	0.03	3.97	0.35	0.29	-0.26	0.28		
85 257 25 0068 112020185	4.72	173 20 0073 257 23 0067	94	102	-0.86 62 86	0.15 41 101	-0.28 91	2.61 22 90	1.70 17 107	0.31 44 98	9.32 32 89	-2.70 16 104		
86 257 25 0098 111992004	2.76	173 20 0037 55 21 0010	94	96	-0.05 52 97	0.36 40 106	0.34 103	5.15 22 107	-1.00 13 91	-0.29 38 94	4.79 30 95	-1.36 20 101		
87 257 25 0069 112020243	4.72	173 20 0073 257 23 0067	94	102	-0.88 62 86	0.16 41 101	-0.28 91	2.58 22 90	1.70 17 107	0.30 44 98	9.32 32 89	-2.70 16 104		
88 257 25 0129 111887956	4.46	104 24 0161 257 23 0015	93	94	-0.19 57 95	-0.28 39 92	-0.38 89	3.77 34 98	-0.10 15 96	-0.54 40 92	-2.02 29 105	-0.91 15 100		
89 257 24 0059 107667891	4.05	104 21 0047 140 18 0042	93	97	-0.11 63 96	0.01 50 98	-0.05 95	3.00 29 92	-0.10 24 96	-0.17 49 94	3.56 45 97	-2.77 20 104		
90 257 25 0079 112020268	3.66	173 20 0073 147 21 0024	93	90	0.11 62 99	-0.35 41 90	-0.30 91	4.29 14 101	-0.30 13 95	-0.42 43 93	0.75 30 101	-0.11 19 98		
91 257 24 0060 107667909	4.05	104 21 0047 140 18 0042	93	97	-0.15 63 96	0.01 50 98	-0.06 95	2.95 29 92	-0.10 24 96	-0.20 49 94	3.56 45 97	-2.77 20 104		
92 257 25 0052 112020227	3.77	173 20 0073 257 23 0048	92	92	-0.08 61 97	-0.15 40 94	-0.19 93	4.04 19 99	-0.20 15 96	-0.35 42 93	5.41 30 94	-1.68 15 101		
93 257 25 0047 112020219	3.77	173 20 0073 257 23 0044	91	92	-0.12 51 96	-0.13 34 95	-0.19 93	3.98 19 99	-0.30 13 95	-0.43 36 92	5.50 30 94	-1.81 15 102		
94 257 25 0046 112020201	3.77	173 20 0073 257 23 0044	91	92	-0.12 51 96	-0.13 34 95	-0.19 93	3.98 19 99	-0.30 13 95	-0.43 36 92	5.50 30 94	-1.81 15 102		
95 257 25 0036 111887758	5.52	104 21 0047 100 20 0079	91	92	0.24 59 101	-0.15 51 94	-0.03 96	3.54 29 96	-0.70 26 93	-0.33 48 93	8.76 43 90	-5.15 19 109		
96 257 25 0107 111991964	2.71	173 20 0037 147 22 0214	91	93	-0.42 60 92	-0.26 38 92	-0.47 87	4.05 14 99	0.00 11 97	-0.67 40 91	1.96 27 99	-1.06 16 100		
97 257 25 0080 112020276	3.66	173 20 0073 147 21 0024	90	91	-0.26 62 94	-0.28 41 92	-0.41 89	3.80 14 98	-0.30 13 95	-0.71 43 90	0.75 30 101	-0.11 19 98		
98 257 25 0056 112020193	4.45	173 20 0073 257 23 0016	90	91	-0.38 58 93	-0.38 38 89	-0.57 85	3.76 18 97	-0.10 11 96	-0.82 39 90	-1.96 25 104	1.60 16 94		

Ewe Selection List: LMI

Animals sorted on LMI

Inbreeding in red is high

EBV - Estimated Breeding Value

Indices >=124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
EBVs with an accuracy below 5% are not printed

Index: Expresses the EBV around 100 where 100 is set as the average EBV of active animals

Animal Information		Parents	Selection Indices		EBV - Weights				EBV - Fertility				
Animal ID Computer nr	% In- breedin	Sire ID Dam ID	Logix Merit Index	Reproducti on Index	Dir EBV Acc Index	Weaning Weight Mat EBV Acc Index	Comb EBV Index	Post-Wean EBV Acc Index	Number Weaned EBV Acc Index	TWW EBV Acc Index	AFL EBV Acc Index	ILP EBV Acc Index	Phenotype EPI Times Lambled
Active Breed Average:			100	100	0.10	-0.02	0.03	3.97	0.35	0.29	-0.26	0.28	
99 257 23 0080 99531584	13.56	104 21 0047 104 21 0202	90	98	-0.41 64 92	0.26 51 104	0.06 97	3.90 37 98	-0.80 29 92	-0.63 51 91	12.22 42 85	-8.29 22 116	
100 257 24 0014 107673691	5.95	100 20 0259 104 20 0150	89	95	-0.01 63 98	0.38 44 106	0.38 104	4.75 26 104	-2.20 21 84	-0.95 46 89	8.93 29 89	-7.34 20 114	
101 257 25 0108 111992012	2.71	173 20 0037 147 22 0214	89	94	-0.69 60 88	-0.20 38 93	-0.55 86	3.69 14 97	0.00 11 97	-0.89 40 89	1.96 27 99	-1.06 16 100	
102 257 25 0085 112187992	2.65	104 21 0047 257 22 0042	89	99	-0.61 59 89	0.24 45 103	-0.06 95	2.76 28 91	-0.30 22 95	-0.55 45 92	8.63 35 90	-5.26 15 109	
103 257 25 0039 112187703	2.76	173 20 0037 257 23 0057	88	93	-0.28 62 94	-0.02 41 97	-0.16 93	3.90 20 98	-1.00 16 91	-0.90 43 89	8.95 35 89	-5.49 17 110	
104 257 24 0009 107673642	7.17	100 20 0259 157 20 0125	86	95	-0.76 59 87	-0.10 43 96	-0.48 87	2.90 22 92	-0.80 18 92	-1.34 43 86	0.89 34 100	-3.54 22 105	
105 257 25 0040 112187711	2.76	173 20 0037 257 23 0057	84	94	-0.84 62 86	0.09 41 100	-0.33 90	3.16 20 93	-1.00 16 91	-1.35 43 86	8.95 35 89	-5.49 17 110	
106 257 25 0054 112020235	3.90	173 20 0073 257 23 0036	84	95	-1.31 58 80	0.14 36 101	-0.51 86	2.44 17 89	-0.50 12 94	-1.47 39 85	-4.67 25 108	4.94 16 87	