



DORPER GENETIC REPORT

21 September 2026



SAMEHALING DORPERS

FDM : 330



**CERTIFICATE
OF QUALITY**

Valid up to
October 2029

General Information

This **Genetic Report** of your flock enables you to determine the genetic merit and potential of the animals in your herd relative to that of the breed. An animal's performance is determined by two factors, namely the environment and genetics. Good nutrition and management can improve performance, but an animal cannot perform better than its genetic potential. Superior performance due to the environment cannot be carried over to the next generation. It is therefore extremely important not to neglect genetic progress of your flock. Due to the interaction between environment and genetics, it is difficult to identify genetically superior animals on performance data. Estimated Breeding Values (EBVs) are therefore predicted for every animal to determine its genetic potential, as well its worth as a parent for the next generation. Through the use of EBVs, animals can be compared fairly **within the breed**, therefore across herds, years and production systems. Results presented in this report allow the breeder to identify the underlying genetics of the animals.

Genetic parameters

Genetic parameters (heritability and genetic correlations) are estimated on a breed-basis and are required for the prediction of breeding values. The **heritability** refers to the portion of the variation of a trait in a population that is due to transferrable genetics (the rest of the variation can be attributed to the environment and non-transferrable genetics). Some traits are genetically correlated, which means that a change in one trait will lead to changes in other traits. The strength of this association amongst traits is referred to as a **genetic correlations** and can be desirable or undesirable.

Breeding Values

The prediction of EBVs makes use of performance recordings of the animal as well as those of its relatives, pedigree information and genetic parameters. The deviation of the animal's measurement relative to the average of its contemporary group, forms the basis for identifying the animal's genetic potential for the trait. A **contemporary group** is a group of animals that have been exposed to the same environmental and biological effects, including herd, year, sex and age effects. After adjusting for differences in these effects, animals can fairly be compared and the difference in performance that still persist are then assumed to be due to differences in the genetic merit of the animals.

The EBV predicted for an animal at birth and until it has been measured, is the average EBV of its parents, since the animal received half of its genes from each parent. This mid-parent value makes the assumption that the same half of the parents' genes are carried over to all their offspring.

In reality, each offspring receives a random sample of each parent's genes, therefore mid-parent EBVs are still of low accuracy, but it does indicate the genetic level that can be expected due its parental history. An animal's true genetic merit can be predicted more accurately as more information becomes available, eg. when the animal has been measured or when the number of relatives with measurements increases. Estimated breeding values therefore change over time as more information becomes available. EBVs of animals are published with an **accuracy** (%), which indicates how much information was available for the estimation of breeding values and therefore the confidence with which a breeder can use it. Factors that influence the accuracy of an EBV are the heritability of the trait, the number of measured relatives, the size of the contemporary group, the precision with which the measurements were taken and the completeness of pedigree information. An EBV with an accuracy of 85% or more is less likely to change significantly with subsequent genetic analyses.

Interpretation of breeding values

EBVs are expressed around a **base year** (5 years ago), which means that the average breeding value of the base year is set as zero and all breeding values are expressed relative to this average. An animal with an EBV of +1kg for weaning weight is therefore genetically superior by 1kg compared to an average animal born in the base year. EBVs therefore express genetic merit of animals relative to each other. The true performance of an animal cannot be calculated from the EBV, but it enables the breeder to know which animals will make a better contribution to the next generation. For easier interpretation EBVs are also expressed as breeding value indices. For these indices the average value of the **active population** is set as 100 with a standard deviation of 12. An index of 76 therefore indicates that the animal is 2 standard deviations below the average and an index of 112 indicates that the animal is 1 standard deviation above the average of the active population for the specific trait. Please note that negative EBVs are favourable for Inter-Lambing Period and Age at First Lambing, therefore shorter inter-lambing periods and younger ages at first lambing indicates better fertility. However, breeding value indices are expressed in the same way for all traits, therefore higher indices indicates desirability for the traits and lower indices are undesirable. This makes it easy to identify superior animals for all traits.

The data used in this evaluation has been obtained from LOGIX, as supplied by breeders. Everything possible had been done to present the information correctly. SA Stud Book does not take any responsibility for the use and interpretation of the information from this publication.

Selection Indices

It is easy to select on a single trait, but that is not the best approach to follow. Selecting on only one trait can lead to the deterioration of performance in other traits due to genetic correlations. There are different traits that are important, some being more important than others. A selection index combines multiple traits, each with an economic weight to take the different levels of importance into account. EBVs for different traits cannot simply be added together, since the unit of measurement and range of the values differ and in some cases negative values are favoured. These factors are accounted for in the compilation of a selection index. An overall selection index includes EBVs of all the traits of economic importance, while other selection indices are more focused on specific breeding objectives. Selection indices are expressed around 100, with 100 being the average of the active population, with a standard deviation of 12. A selection index of 124 is therefore 2 standard deviations above the average and an index of 88 is one standard deviation below the average of the active animals of the population.

Three Indices are constructed for the Dorper breed, namely the Dorper Logix Merit Index (DLMI), the Dorper Growth Index (DGI) and the Dorper Reproduction Index (DRI). These indices, their purpose and the contribution of the different traits to the indices are summarised as follows :


Dorper Logix Merit Index (DLMI)

This index combines all the traits to select for a balanced, profitable animal that is fertile and delivers a desirable level of production. Selection based on the DLMI will lead to breeding of balanced animals that will have the genetic potential to wean at a heavier weight (both due to its own potential and having dams that produce sufficient milk), lambs at an early age, lambs regularly and give multiple lambs. This value is especially important for sustainability, which requires the selection of good, productive replacement animals for the flock.

The DLMI is constructed as follows :

$$DLMI = (0.30 * Wean Dir) + (0.04 * Post-Wean) + (0.21 * Wean Mat) + (0.12 * ILP) + (0.13 * AFL) + (0.20 * NLS)$$

Schematically the DLMI can be explained as follows :



Dorper Growth Index (DGI)

Breeding values for Direct and Maternal Weaning Weight, as well as Post-weaning weight are included in this index. This index can be used to identify animals with good pre-weaning and post-weaning growth potential.

The DGI is constructed as follows :

$$DGI = (0.5518 * Wean Dir) + (0.0682 * Post-Wean) + (0.38 * Wean Mat)$$

Reproduction Index (DRI)

This index includes Weaning Maternal, Number of Lambs Weaned, Age at First Lambing and Inter-lambing Period. This is especially an important index to consider in the development of a dam line.

The DRI is constructed as follows :

$$(0.2 * AFL) + (0.2 * ILP) + (0.2 * Wean Mat) + (0.4 * NLW)$$

It is always important to consider the traits that contribute to the index individually when selection of animals is based on indices. It sometimes happen that an animal receives a good index due to its exceptional genetic merit of a specific trait, while some of the other traits of the animal in the index might be at undesirable levels for the specific flock's breeding objective, but masked in the index due to the exceptionality of that trait. A sound procedure is to rank animals based on the relevant selection index and then eliminate animals from the list that do not conform towards the flock's breeding objectives when considering the individual traits. Make use of all the available information.

Dorper

Average Genetic Levels : EBVs

Trait	Flock **			Breed		
	All	Rams	Ewes	All	Rams	Ewes
Wean Direct	0.25	0.36	0.20	0.00	0.04	-0.02
Wean Maternal	0.06	0.25	-0.02	0.14	0.12	0.16
Wean Combined	0.18	0.43	0.08	0.14	0.13	0.15
Post-Wean	0.24	0.78	0.00	-0.25	-0.21	-0.27
Number of Lambs Weaned	-0.09	-0.69	0.17	0.10	0.11	0.09
Total Weight Weaned	0.25	0.19	0.28	0.21	0.22	0.20
Age at First Lambing	2.42	2.29	2.48	0.27	0.41	0.19
Inter-lambing Period	-0.46	0.13	-0.72	1.10	1.20	1.05
Selection Indices						
Dorper Logix Merit Index	99	99	99	99	99	100
Dorper Growth Index	101	103	100	100	100	100
Dorper Reproduction Index	98	96	98	99	99	99
Inteling						
Inbreeding (%)	3.08	2.93	2.86	3.50	3.79	3.35
Number of Animals						
Number of animals	390	125	265	35778	12454	23129

** Averages of all active animals in the herd.

Average Genetic Levels : Indices

Trait	Flock **			Breed		
	All	Rams	Ewes	All	Rams	Ewes
Wean Direct	101.3	102.2	100.9	100	99.5	99.0
Wean Maternal	99.5	101.5	98.6	100	100.1	100.5
Wean Combined	100.2	102.2	99.3	100	99.8	99.9
Post-Wean	101.9	104.1	100.9	100	100.0	99.8
Number of Lambs Weaned	97.9	94.8	99.2	100	98.9	98.8
Total Weight Weaned	99.4	99.2	99.5	100	99.3	99.2
Age at First Lambing	94.3	94.6	94.1	100	99.6	100.2
Inter-lambing Period	102.9	101.4	103.6	100	98.7	99.1
Selection Indices						
Dorper Logix Merit Index	99	99	99	99	99	100
Dorper Growth Index	101	103	100	100	100	100
Dorper Reproduction Index	98	96	98	99	99	99
Inbreeding						
Inbreeding (%)	3.08	2.93	2.86	3.50	3.79	3.35
Number of Animals						
Number of animals	390	125	265	35778	12454	23129

** Averages of all active animals in the flock.

ACTIVE ANIMALS

Animals born in the last 24 months and their parents, are defined as the active population, unless cancelled on Logix.

Inbreeding

- Inbreeding primarily leads to decreased fertility and low survivability of lambs.
- The effects of inbreeding can be observed from 6.25% onwards.
- It is therefore highly recommended to record pedigree information as accurately and completely as possible and to use a selection programme for selection of unrelated rams.
- Incomplete or incorrect pedigree information can be reported to SA Stud Book. Inbreeding is dependent on pedigree information. Conventional methods for the Calculation of inbreeding coefficients usually assume that unknown parents are unrelated. However, this is usually far from the truth. An algorithm is used for the calculation of inbreeding, where the average inbreeding coefficient is assigned to unknown parents based on the generation in which they were born. This result is a more accurate reflection of inbreeding of the herd and breed.

Inbreeding Levels for Specific Matings


Progeny with Parents :	25%
Full Brother x Full Sister :	25%
Half Brother x Half Sister :	12.5%
One Common Grandparent :	6.25%
One Common Great-Grandparent :	3.125%

Level and Rate of Inbreeding

Year of Birth	Level* (%)	Rate (% / year)
2001 - 2025	3.37	0.12
Recommended:	< 6.25	< 0.1 - 0.2

*Of the last year of birth

Rate of Inbreeding



Pedigree Information

	Nr Animals	% Animals
Known sires	379	97
Known dams	378	97

Note : Inbreeding can be under-estimated if pedigree information is incomplete or incorrect.

Genetic Windows

Genetic Linkage of Flock

(Based on the youngest measured generation)

Level	Nr of Link Rams
Swak / Weak	1


A link ram should have at least 20 measured progeny in your flock and at least another 20 measured progeny in at least one more flock.

Try to use at least 5 link rams in a 5 year period to obtain strong genetic linkage within the breed.

WnD:	Wean Direct
WnM:	Wean Maternal
WnC:	Wean Combined
PostWn:	Post-Wean Weight
NLW:	Number of Lambs Weaned
TWW:	Total Weight Weaned
AFL:	Age at First Lambing
ILP:	Inter-lambing Period
DRI:	Dorper Reproduction Index
DLMI:	Dorper Logix Merit Index
DGI:	Dorper Growth Index

All animals in the flock

Number : 426




The genetic windows allow a quick overview of the genetic status of the flock compared to the breed. The values presented here are the average EBV indices of all the active animals of the flock, of the dams and sires of the active animals of the flock, as well as of the ewes and rams that are less than two years old. An index of 100 is equal to the average of the active measured population. Due to the higher selection intensity on rams (selection is more strict since a much smaller percentage of young animals are retained in the flock), the expectation is for the average index of the sires to be higher than that of the dams. Remember that the EBV index for AFL and ILP are presented in such a way that an index above 100 indicates animals that have a lower EBV for these traits.

Genetic Windows


Dams of Lambs < 24 months

Number: 133




Sires of Lambs < 24 months

Number: 6




Ewes < 24 months

Number: 76




Rams < 24 months

Number: 85




Genetic Trends


Weaning Weight Direct




Weaning Weight Maternal




Weaning Weight Combined




Post-Weaning Weight



Number of Lambs Weaned




Total Weight Weaned (TWW)







Genetic trends are based on measured animals bred by the relevant breeder

Genetic Trends



For AFL and ILP flock genetic trends below breed averages are desirable.



Genetic Trends of Breed

Birth yr	Weaning Weight EBV			Post-Wean		NLW		TWW		AFL		ILP		DRI	DGI	DLMI
	Number	Dir	Mat	Number	EBV	Number	EBV	Number	EBV	Number	EBV	Number	EBV	Index	Index	Index
2014	10616	-0.75	-0.31	1723	-1.71	2567	0.18	10616	94	1815	2.67	1310	0.09	97.4	92.2	93.3
2015	9178	-0.61	-0.19	2199	-2.07	2380	0.07	9178	95	1770	1.57	1282	0.27	96.9	93.8	94.0
2016	8648	-0.64	-0.18	2168	-2.11	2851	0.05	8648	95	1887	1.08	1361	0.42	98.3	93.7	94.8
2017	9591	-0.43	-0.17	2442	-1.27	2361	0.19	9591	96	2136	1.45	1584	-0.05	98.6	95.1	96.0
2018	8658	-0.42	-0.15	2216	-0.96	2334	0.30	8658	97	1845	1.17	1345	-0.02	99.5	95.3	96.6
2019	8660	-0.25	-0.15	1784	-0.76	1966	0.13	8660	97	1740	-0.12	1314	-0.17	99.8	96.3	97.6
2020	7900	-0.18	-0.07	1820	-0.61	2135	-0.01	7900	98	1738	0.66	1328	-0.33	100.2	97.2	98.4
2021	9083	0.00	0.00	2527	0.00	2732	0.01	9083	99	2313	0.00	1597	0.00	100.4	98.8	99.6
2022	8777	-0.01	0.14	2174	-0.19	2444	0.20	8777	101	1866	0.36	1241	-0.45	102.1	99.4	100.7
2023	7691	0.09	0.12	1828	0.94	1984	0.14	7691	100	1533	-0.35	767	0.33	100.9	100.0	100.5
2024	8002	0.06	0.05	1612	1.09	1162	0.15	8002	100	1115	-0.48	155	0.16	100.0	99.4	99.7
2025	8602	0.02	0.19	1782	1.14	22	-0.19	8602	100	62	1.32	2	-2.08	100.0	99.9	99.9

Genetic Trends of Flock

Birth yr	Weaning Weight EBV			Post-wean		NLW		TWW		AFL		ILP		DRI	DGI	DLMI
	Number	Dir	Mat	Number	EBV	Number	EBV	Number	EBV	Number	EBV	Number	EBV	Index	Index	Index
2014	285	-1.21	-0.65	73	-3.05	62	-0.45	285	88	46	6.35	36	-1.66	91.4	87.6	285 87.0
2015	252	-1.04	-0.55	75	-2.86	77	0.59	252	91	68	5.39	53	-2.86	94.8	89.2	252 89.9
2016	296	-0.77	-0.49	87	-2.52	97	1.21	296	95	85	6.19	69	-3.23	97.1	91.2	296 92.4
2017	329	-0.78	-0.36	100	-2.14	84	0.93	329	94	63	6.01	45	-2.88	95.8	91.9	329 92.0
2018	305	-0.66	-0.76	112	-2.51	85	1.03	305	94	74	4.96	50	-4.28	97.3	90.4	305 92.5
2019	318	-0.62	-0.22	99	-1.75	49	2.02	318	100	46	3.28	38	-3.65	104.6	93.6	318 98.2
2020	281	-0.18	-0.43	184	-1.49	65	2.19	281	101	66	3.11	48	-4.80	106.6	95.2	281 101.1
2021	324	0.06	-0.42	91	-0.75	64	1.82	324	102	62	3.27	39	-2.52	104.4	96.9	324 100.9
2022	251	0.19	-0.32	52	-0.15	51	0.18	251	99	44	2.27	19	0.32	98.9	98.3	251 98.8
2023	204	0.24	-0.03	44	0.08	43	-0.30	204	99	41	2.28	11	-0.61	96.8	100.3	204 98.4
2024	161	0.25	-0.03	19	0.53	13	0.16	161	97	13	1.90			94.4	100.4	161 97.1
2025	153	0.32	0.26					153	99					96.8	102.4	153 99.6

Breeding Values and Selection Indices Percentiles

The percentiles indicate the ranking of the animals' EBVs and Selection Indices within the active population.

For example, if an animal's EBV for a specific trait falls between the maximum and 99% percentile of the trait, it means that this animal ranks in the top 1% of the active population, or this animal's genetic merit for the trait is better than 99% of that of the active population.

Should the EBV for a specific trait falls between the 5% and 10% percentile, it means that the animal ranks in the bottom 10% of the active population for the specific trait, or the animal's genetic merit is worse than 90% of the active population.

Note that the percentiles for Age at First Lambing and Inter-lambing Period EBVs work on the reverse scale.

Percentile	Wean Dir	Wean Mat	Wean Comb	Post Wean	NLW	TWW	AFL	ILP	DGI	DRI	DLMI
Gemid/Avg	0.01	0.15	0.15	-0.24	0.10	0.21	0.26	1.11	99.67	99.27	99.43
SA/SD	1.34	1.06	1.40	2.83	2.12	2.69	-4.79	-5.11	11.48	11.66	11.77
MIN	-6.40	-4.87	-5.73	-10.91	-9.90	-12.32	104.15	24.50	58.80	51.80	54.90
1%	-2.69	-2.69	-2.72	-6.05	-4.40	-4.76	12.59	15.06	77.20	70.60	77.00
5%	-1.89	-1.69	-1.87	-4.18	-2.80	-3.23	7.35	10.51	84.30	80.40	83.00
10%	-1.50	-1.16	-1.44	-3.37	-2.10	-2.54	5.14	7.78	87.30	84.30	86.40
20%	-1.11	-0.61	-0.90	-2.45	-1.20	-1.78	3.22	4.19	90.90	90.40	90.00
30%	-0.82	-0.28	-0.57	-1.83	-1.20	-1.21	1.96	3.55	93.20	93.30	92.60
40%	-0.50	-0.03	-0.31	-1.19	-0.70	-0.89	0.94	1.89	95.60	96.20	94.80
50%	-0.15	0.17	-0.03	-0.55	-0.20	-0.40	0.35	0.96	97.60	99.30	97.40
60%	0.18	0.36	0.25	0.02	0.20	0.21	-0.70	-0.32	100.30	101.60	100.30
70%	0.59	0.58	0.62	0.80	0.80	0.96	-1.27	-1.60	103.50	104.90	103.80
80%	1.09	0.92	1.14	1.86	1.60	2.04	-2.58	-2.95	107.90	108.70	108.70
90%	1.83	1.46	2.04	3.51	2.90	4.10	-4.62	-4.91	115.30	114.20	116.20
95%	2.49	1.93	2.90	5.09	4.10	5.80	-6.92	-6.70	122.70	119.10	122.60
99%	3.68	2.69	4.18	8.05	6.40	8.19	-13.63	-9.96	134.30	127.50	131.50
MAX	6.10	5.19	7.21	14.14	16.10	12.93	-61.56	-16.75	144.60	138.90	146.10

SA/SD = Standard deviation : An indicator of how far breeding values/selection indices are distributed around the average.

Rams with Progeny



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed avg
Indices <= 76

Acc: Accuracy of the breeding value

Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of all active animals of the breed

Animal Information			Parents & Progeny				Selection Indices			EBV - Weights						EBV - Fertility										
Animal ID BDate	Birth Status	% In- breeding	Sire ID Dam ID	1st generation		2nd generation		DLMI	DGI	DRI	Weaning Weight		Comb	Post-Wean		Lambs Weaned	TWW		AFL		ILP		Dam T Lamb N Weaned			
				Prog	Nr	Prog	Nr				Dir	Mat		Acc	Index		Acc	Index	Acc	Index	Acc	Index			Acc	Index
				EBV	Index	EBV	Index				EBV	Index		EBV	Index		EBV	Index	EBV	Index	EBV	Index	EBV	Index	EBV	Index
Active Breed Average:				100	100	100	0.00	0.14	0.14	-0.25	0.10	0.21	0.27	1.10												
330 23 0070 2023/03/22	1	2.33	330 20 0347 330 19 0531	18	1		106	106	107	-0.24 77	97	1.56 54	1.44 116	1.81 111	62	108	-0.30 33	97	1.14 58	103	-1.15 43	104	-2.80 21	109	128	5 5
330 23 0106 2023/05/11	1	2.33	770 20 0580 330 21 0318	31	2		97	107	90	0.47 82	103	0.86 52	1.09 108	2.33 63	110	-1.70 28	90	0.30 58	100	6.23 42	2.61 84	16 16	95	92	2 2	
330 23 0215 2023/06/26	1	2.33	330 20 0347 330 17 0585	53	1		97	104	88	0.65 87	105	0.22 58	0.55 101	1.12 66	105	-3.80 35	79	-1.41 64	92	-0.69 43	0.61 103	21 21	100	122	7 7	
330 24 0007 2024/03/08	1	2.33	770 20 0580 330 22 0538	27	1		94	99	94	-0.86 81	92	1.04 51	0.61 110	0.16 46	102	-2.10 25	88	-1.08 57	94	3.26 41	92	-0.50 13	103	102	2 2	
Ram Flock Average Number of rams with progeny in the flock: 4				99	104	95	0.00	0.92	0.92	1.35	-1.98	-0.26	1.91	-0.02												

Active rams, born since Jan 2022, with progeny in the flock

Young Rams



EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed avg
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information				Parents		Selection Index			EBV - Weights						EBV - Fertility					
Animal ID BDate	Birth Status	% In- breeding		Sire ID Dam ID		DLMI	DGI	DRI	Weaning Weight		Comb EBV Index	Post-Wean EBV Index	Lambs Weaned EBV Index	TWW EBV Index	AFL EBV Index	ILP EBV Index	Dam			
				Acc	Index				Acc	Index							Acc	Index	EPI	T Lamed N Weaned
Active Breed Average:						100	100	100	0.00	0.14	0.14	-0.25	0.10	0.21	0.27	1.10				
1	330 24 0187 2024/08/03	1	2.33	330 20 0347 330 20 0254		110	112	103	1.40 64	0.82 51	1.52 111	2.70 66	0.00 32	2.22 52	0.20 43	-1.85 21	105	3 4		
2	330 24 0188 2024/08/03	1	2.33	330 20 0347 330 21 0160		98	99	99	-0.08 65	0.18 52	0.14 100	0.07 51	0.50 32	0.40 52	3.14 43	0.33 21	127	4 6		
3	330 24 0195 2024/08/08	2	2.33	330 20 0347 330 21 0164		100	101	98	-0.09 64	0.54 51	0.50 103	0.79 62	-1.00 29	-0.15 51	-2.83 40	2.97 17	118	3 5		
4	330 24 0206 2024/10/10	1	2.33	330 20 0347 330 21 0257		102	106	95	1.14 63	-0.02 51	0.55 103	1.89 64	-1.00 32	0.52 51	-0.44 43	1.72 20	121	4 5		
5	330 24 0208 2024/08/09	1	2.33	330 20 0347 330 18 0426		86	91	86	-0.87 65	-0.42 53	-0.85 92	-2.12 65	-3.10 34	-3.15 53	3.38 40	-0.73 21	138	6 7		
6	330 24 0218 2024/08/19	1	2.33	330 20 0347 330 20 0336		90	102	81	0.52 63	0.03 48	0.29 101	0.74 49	-3.60 30	-1.61 50	4.68 40	4.31 19	90	1 1		
7	330 24 0229 2024/08/17	1	2.33	330 20 0347 330 19 0530		99	96	105	-1.14 65	0.81 52	0.24 101	-0.69 51	-0.20 33	-0.45 53	-0.40 43	-3.43 21	129	5 6		
8	330 24 0230 2024/08/17	1	2.33	330 20 0347 330 21 0324		102	104	100	0.13 64	0.82 50	0.89 106	1.05 50	-0.90 30	0.41 51	0.11 41	-1.34 19	102	3 3		
9	330 24 0233 2024/08/29	1	0.88	1700 17 8447 330 20 0443		85	89	87	-0.95 64	-0.76 50	-1.24 89	-2.60 56	-1.00 35	-2.31 52	8.30 41	0.00 26	109	4 4		
10	330 24 0234 2024/08/29	1	2.34	330 20 0347 330 22 0113		92	97	90	-0.73 57	0.47 42	0.10 100	-0.24 42	-2.80 22	-1.94 43	-1.33 33	3.43 14	100	2 1		
11	330 24 0239 2024/08/29	1	2.33	330 20 0347 330 18 0063		93	97	88	0.40 65	-0.75 53	-0.55 94	-0.57 64	-2.30 35	-1.73 53	0.49 45	1.99 23	130	6 6		
12	330 24 0244 2024/08/27	1	2.33	770 20 0580 330 18 0514		98	109	86	1.26 64	0.38 47	1.01 107	2.60 63	-2.40 29	0.20 49	7.01 41	0.87 18	89	1 1		
13	330 24 0247 2024/08/29	1	2.33	770 20 0580 330 23 0167		97	102	92	0.70 64	-0.22 48	0.12 100	1.07 47	-1.10 28	-0.19 50	4.43 42	-0.39 16	105	2 2		
14	330 24 0250 2024/08/31	2	0.92	1619 19 0243 330 20 0139		112	108	111	1.34 65	0.06 55	0.73 105	1.62 56	3.10 39	3.26 55	1.27 47	-2.51 25	111	3 5		
15	330 24 0252 2024/09/01	1	1.91	1619 19 0243 330 22 0730		102	109	93	1.20 64	0.36 53	0.96 107	2.37 51	-1.40 36	0.72 53	0.39 46	3.63 23	107	2 2		
16	330 24 0255 2024/08/30	1	1.89	1619 19 0243 330 23 0154		102	105	98	0.79 64	0.19 52	0.59 104	1.46 64	-0.30 35	0.80 53	0.38 46	1.35 22	112	2 2		
17	330 24 0256 2024/08/31	1	2.33	770 20 0580 330 21 0107		88	98	86	-0.60 64	0.52 47	0.21 101	-0.34 62	-1.40 26	-0.93 49	10.21 41	2.97 15	92	2 2		
18	330 24 0270 2024/08/31	2	1.02	1700 17 8447 330 19 0376		96	97	94	0.26 64	-0.59 51	-0.47 95	-0.82 65	0.70 36	0.08 53	2.05 42	4.55 27	106	4 5		

Young Rams



EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed avg
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information				Parents		Selection Index			EBV - Weights				EBV - Fertility				Dam	
Animal ID	Birth Date	Birth Status	% In-breeding	Sire ID	Dam ID	DLMI	DGI	DRI	Weaning Weight		Post-Wean		Lambs Weaned	TWW	AFL	ILP	EPI	T Lamed N Weaned
									Dir	Mat	Comb							
									EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV		
									Acc	Acc	Acc	Acc	Acc	Acc	Acc	Acc		
									Index	Index	Index	Index	Index	Index	Index	Index		
Active Breed Average:						100	100	100	0.00	0.14	0.14	-0.25	0.10	0.21	0.27	1.10		
19	330 24 0274 2024/09/02	1	2.33	770 20 0580 330 23 0089		91	100	86	0.24 64 101	-0.20 47 97	-0.08 98	0.35 47 102	-1.80 27 89	-1.04 49 94	6.72 42 83	2.16 17 96	102	2 2
20	330 24 0278 2024/09/02	2	2.33	330 20 0347 330 21 0518		107	112	96	1.76 64 114	0.30 50 102	1.18 108	3.26 64 114	-1.10 32 93	1.40 51 104	0.07 41 101	0.69 19 100	103	3 2
21	330 24 0282 2024/09/03	2	2.33	770 20 0580 330 23 0199		103	105	101	0.25 64 101	0.78 47 107	0.91 106	1.53 61 107	0.40 26 101	1.27 49 104	4.23 42 89	-1.04 14 104	103	1 2
22	330 24 0283 2024/09/03	2	2.33	770 20 0580 330 23 0199		103	106	100	0.67 64 105	0.50 47 104	0.84 106	1.77 48 108	0.40 26 101	1.42 49 104	4.23 42 89	-1.04 14 104	103	1 2
23	330 24 0294 2024/08/05	2	1.04	1619 19 0243 330 22 0145		98	101	93	0.80 65 106	-0.51 54 93	-0.11 98	0.60 64 103	0.20 38 99	0.41 55 100	2.48 45 94	4.03 25 91	114	2 4
24	330 24 0308 2024/09/06	2	1.16	1700 17 8447 330 20 0551		87	92	85	-0.07 63 99	-1.30 49 85	-1.33 88	-1.77 56 94	-0.20 34 97	-1.49 51 92	10.08 41 74	1.17 27 99	94	2 2
25	330 24 0309 2024/09/06	2	1.16	1700 17 8447 330 20 0551		76	78	83	-1.64 63 85	-1.95 49 78	-2.77 76	-5.49 66 79	-0.20 34 97	-3.71 51 83	10.08 41 74	1.17 27 99	94	2 2
26	330 24 0319 2024/09/06	2	1.11	1619 19 0243 330 22 0358		107	113	96	2.34 65 119	-0.06 53 98	1.11 108	3.58 53 115	0.50 38 101	2.58 54 109	4.35 45 89	2.15 26 96	115	2 2
27	330 24 0325 2024/09/06	1	1.65	1619 19 0243 330 23 0104		103	107	98	1.02 64 108	0.27 52 102	0.78 105	1.75 51 108	-0.30 35 97	1.11 53 103	2.18 46 95	0.08 22 102	110	2 2
28	330 24 0329 2024/09/10	2	2.33	770 20 0580 330 23 0135		103	108	97	0.96 64 107	0.48 47 104	0.96 107	2.31 48 110	0.00 26 98	1.43 49 104	4.70 42 88	0.12 14 101	103	1 2
29	330 24 0331 2024/09/08	2	2.33	770 20 0580 330 21 0093		99	99	100	-0.22 65 97	0.30 50 102	0.19 100	0.17 49 102	0.30 31 100	0.26 51 99	5.96 43 85	-4.14 18 112	133	4 5
30	330 24 0333 2024/09/06	1	2.33	770 20 0580 330 21 0309		96	107	87	0.64 64 105	0.63 48 106	0.95 106	1.95 63 109	-2.20 28 87	-0.05 50 98	9.02 41 77	0.35 16 101	99	3 3
31	330 24 0334 2024/09/06	2	2.26	1619 19 0243 330 21 0252		99	104	94	0.26 61 101	0.63 52 106	0.76 105	0.82 47 104	-1.00 31 93	0.29 51 100	1.01 39 98	4.10 20 91	100	3 5
32	330 24 0337 2024/09/09	1	2.85	1619 19 0243 330 23 0127		100	106	92	0.98 64 108	0.19 51 101	0.68 104	1.71 52 108	-1.10 35 93	0.51 52 101	3.50 46 91	1.69 21 97	96	1 1
33	330 24 0338 2024/09/09	1	2.33	770 20 0580 330 18 0519		80	92	74	-0.59 64 94	-0.63 49 92	-0.93 91	-1.78 62 94	-4.20 30 77	-3.74 50 83	8.65 42 78	3.11 18 94	93	3 3
34	330 24 0349 2024/09/13	1	2.33	330 20 0347 330 22 0192		90	96	87	-0.10 64 98	-0.53 49 93	-0.58 94	-0.82 64 98	-1.90 31 89	-1.76 51 91	0.90 42 98	4.36 21 91	107	3 2
35	330 24 0352 2024/09/15	1	2.33	330 20 0347 330 23 0105		103	108	96	1.05 63 108	0.46 48 104	0.99 107	2.56 49 111	-1.40 28 91	0.67 49 101	0.49 42 99	0.57 16 100	97	1 1
36	330 24 0359 2024/09/10	1	2.33	770 20 0580 330 22 0180		105	109	98	1.23 64 110	0.48 48 104	1.09 108	2.52 63 111	0.60 29 102	2.07 50 107	5.38 42 86	0.11 17 101	95	1 1

Young Rams



EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed avg
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information				Parents		Selection Index			EBV - Weights				EBV - Fertility				Dam	
Animal ID	Birth Date	Birth Status	% In-breeding	Sire ID	Dam ID	DLMI	DGI	DRI	Weaning Weight		Post-Wean		Lambs Weaned	TWW	AFL	ILP	EPI	T Lamed N Weaned
									Dir	Mat	Comb							
									EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV		
									Acc	Index	Acc	Index	Acc	Index	Acc	Index		
Active Breed Average:						100	100	100	0.00	0.14	0.14	-0.25	0.10	0.21	0.27	1.10		
37	330 24 0419 2024/09/16	1	2.33	770 20 0580 330 23 0015		95	100	93	-0.38 63 96	0.68 46 106	0.50 103	0.48 46 103	-1.40 25 91	-0.53 48 96	4.26 41 89	0.52 13 100	94	1 1
38	330 24 0439 2024/09/15	1	1.32	1619 19 0243 330 18 0292		114	113	106	2.52 65 121	-0.39 55 95	0.87 106	2.90 53 113	1.30 39 105	2.91 55 111	-1.32 46 104	-3.37 25 110	136	5 7
39	330 24 0440 2024/10/01	1	1.70	1619 19 0243 330 23 0010		99	105	91	1.05 64 108	-0.06 53 98	0.46 103	1.44 52 107	-1.50 37 91	0.08 54 99	1.34 46 97	2.54 24 95	106	2 2
40	330 24 0441 2024/10/01	2	1.55	1619 19 0243 330 21 0393		110	111	105	1.61 65 113	0.32 54 102	1.13 108	2.63 51 112	1.80 38 108	3.02 55 111	1.81 46 96	0.11 24 102	114	3 4
41	330 25 0011 2025/02/11	2	1.03	1619 19 0243 330 20 0116		103	94	111	-0.34 65 96	-0.45 55 94	-0.62 94	-1.65 57 94	2.30 40 110	0.59 55 101	-1.12 48 104	-5.66 26 116	96	3 4
42	330 25 0018 2025/02/16	1	1.68	1619 19 0243 330 22 0425		99	102	95	0.38 64 102	0.07 52 100	0.26 101	0.63 51 103	-1.30 36 92	-0.34 53 97	-0.91 46 103	1.45 22 98	96	1 1
43	330 25 0025 2025/02/19	1	1.64	1619 19 0243 330 22 0556		99	103	95	0.57 64 104	0.01 52 99	0.30 101	0.95 52 105	-0.40 36 96	0.34 53 100	0.96 45 98	2.49 22 95	96	1 1
44	330 25 0030 2025/02/20	1	1.64	1619 19 0243 330 22 0544		100	105	92	1.26 64 110	-0.34 52 95	0.30 101	1.49 52 107	-1.30 36 92	0.15 53 99	2.38 45 94	-0.09 23 102	97	1 1
45	330 25 0033 2025/02/22	1	0.97	1619 19 0243 330 22 0195		101	111	86	2.10 64 117	-0.18 52 97	0.87 106	2.86 52 113	-1.80 37 89	0.84 53 102	4.18 44 90	4.10 24 91	95	1 1
46	330 25 0034 2025/02/22	1	1.59	1619 19 0243 330 22 0318		100	108	89	1.58 64 113	-0.23 52 96	0.56 103	2.10 52 109	-1.60 36 90	0.38 53 100	2.37 46 94	3.29 23 93	98	1 1
47	330 25 0043 2025/02/24	1	2.44	330 23 0106 330 22 0296		99	108	89	1.13 60 109	0.34 39 102	0.90 106	2.40 42 111	-1.10 24 93	0.81 44 102	6.01 33 85	4.03 16 91	98	1 1
48	330 25 0046 2025/02/26	1	4.23	330 23 0070 330 23 0391		102	99	107	-0.68 59 93	0.77 41 107	0.43 102	-0.30 41 100	1.30 27 105	0.88 45 102	0.91 34 98	-2.34 17 108	100	1 1
49	330 25 0049 2025/02/28	1	1.58	1619 19 0243 330 22 0469		106	111	96	1.58 64 113	0.31 52 102	1.10 108	2.86 52 113	-1.00 36 93	1.29 53 104	0.06 46 101	1.02 22 99	98	1 1
50	330 25 0051 2025/02/27	1	3.43	330 23 0070 330 23 0128		97	97	101	-0.91 59 92	0.61 41 105	0.16 100	-0.67 41 98	-0.30 27 97	-0.48 45 96	0.34 34 100	-0.99 17 104	94	1 1
51	330 25 0058 2025/03/02	1	2.35	330 23 0106 330 23 0502		97	105	92	0.19 53 101	0.79 31 107	0.89 106	1.70 31 108	-1.40 14 91	0.14 36 99	3.58 21 91	3.29 8 93	100	1 1
52	330 25 0060 2025/03/03	1	1.18	1619 19 0243 330 19 0573		103	106	97	0.72 65 105	0.55 55 105	0.90 106	1.45 52 107	-1.00 39 93	0.66 55 101	-0.22 46 101	1.25 24 99	103	5 5
53	330 25 0063 2025/03/07	1	1.11	1619 19 0243 330 23 0411		94	100	89	0.71 64 105	-0.72 52 91	-0.37 96	-0.03 53 101	-1.00 37 93	-0.62 53 96	2.11 46 95	4.21 25 91	101	1 1
54	330 25 0064 2025/03/06	1	10.90	330 23 0106 330 22 0419		99	105	93	0.65 60 105	0.40 40 103	0.73 105	1.74 41 108	-0.80 25 94	0.57 44 101	4.74 32 88	1.70 15 97	97	1 1

Young Rams



EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed avg
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information				Parents		Selection Index			EBV - Weights				EBV - Fertility				Dam	
Animal ID	BDate	Birth Status	% In-breeding	Sire ID	Dam ID	DLMI	DGI	DRI	Weaning Weight		Post-Wean		Lambs Weaned	TWW	AFL	ILP	EPI	T Lambded N Weaned
									Dir	Mat	Comb							
									EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV		
									Acc	Index	Acc	Index	Acc	Index	Acc	Index		
Active Breed Average:						100	100	100	0.00	0.14	0.14	-0.25	0.10	0.21	0.27	1.10		
55	330 25 0085 2025/03/23	1	10.12	330 23 0106 330 22 0126		102	108	96	0.89 59 107	0.67 40 106	1.12 108	2.35 40 110	-0.10 23 98	1.51 43 105	4.44 31 89	2.27 15 96	100	1
56	330 25 0086 2025/03/24	1	0.89	1619 19 0243 330 20 0427		99	99	99	0.06 65 100	-0.14 54 97	-0.11 98	-0.39 56 99	1.00 38 104	0.52 55 101	2.94 46 93	0.53 25 100	111	4
57	330 25 0088 2025/03/30	1	2.01	330 23 0106 330 23 0468		94	102	88	0.19 58 101	0.28 38 102	0.37 102	1.03 39 105	-1.70 21 90	-0.56 42 96	3.84 31 90	4.11 14 91	101	1
58	330 25 0094 2025/04/03	1	0.95	1619 19 0243 330 21 0528		116	115	109	2.05 64 117	0.57 53 105	1.59 112	3.31 53 114	1.40 38 106	3.45 54 113	-0.94 44 103	-2.72 24 109	115	3
59	330 25 0126 2025/04/04	1	2.86	330 23 0215 330 21 0228		97	96	98	-0.26 62 97	-0.16 45 97	-0.28 96	-1.05 43 97	-0.70 31 95	-0.83 48 95	-0.26 37 102	-0.69 20 104	107	4
60	330 25 0127 2025/04/03	1	2.66	330 23 0215 330 20 0520		98	98	97	-0.15 62 98	0.03 45 99	-0.04 98	-0.81 46 98	-1.70 29 90	-1.14 48 94	0.88 35 98	-4.75 18 114	131	4
61	330 25 0128 2025/03/26	1	1.70	1619 19 0243 330 22 0539		102	104	99	0.55 64 104	0.24 53 101	0.51 103	0.98 52 105	0.20 37 99	0.91 54 102	2.66 46 94	-0.08 24 102	106	2
62	330 25 0129 2025/03/26	1	3.20	330 23 0070 330 20 0452		97	95	101	-0.59 59 94	-0.12 44 98	-0.41 95	-1.38 46 95	0.20 30 99	-0.58 47 96	3.76 35 91	-5.52 20 116	119	5
63	330 25 0139 2025/07/31	2	4.85	330 24 0007 330 20 0225		98	92	106	-0.84 62 92	-0.27 44 96	-0.69 93	-2.07 41 93	1.50 29 106	-0.22 47 97	2.88 35 93	-5.56 19 116	132	5
64	330 25 0140 2025/07/31	2	4.85	330 24 0007 330 20 0225		98	93	105	-0.72 62 93	-0.30 44 96	-0.65 93	-1.89 41 93	1.50 29 106	-0.11 47 98	2.88 35 93	-5.56 19 116	132	5
65	330 25 0158 2025/08/03	1	2.57	330 23 0215 330 23 0182		97	105	90	0.41 61 103	0.58 41 105	0.79 105	1.46 41 107	-2.60 24 85	-0.57 45 96	1.73 32 96	1.69 13 97	97	1
66	330 25 0159 2025/08/03	1	5.69	330 23 0215 330 21 0149		101	104	97	0.60 62 104	0.25 44 102	0.55 103	0.77 42 104	-1.20 28 92	0.13 47 99	0.06 33 101	-0.78 17 104	111	4
67	330 25 0161 2025/08/04	2	3.26	330 24 0007 330 22 0422		103	103	102	0.29 60 102	0.39 41 103	0.54 103	0.88 36 105	0.70 25 102	1.10 45 103	1.38 33 97	-0.75 15 104	101	1
68	330 25 0162 2025/08/04	2	3.26	330 24 0007 330 22 0422		103	103	102	0.29 60 102	0.39 41 103	0.54 103	0.88 36 105	0.70 25 102	1.10 45 103	1.38 33 97	-0.75 15 104	101	1
69	330 25 0165 2025/08/04	2	2.67	330 24 0007 330 22 0286		93	95	93	-0.54 60 95	-0.01 40 99	-0.28 96	-0.99 36 97	-1.00 25 93	-1.15 44 94	3.51 31 91	-0.22 16 102	102	3
70	330 25 0169 2025/08/04	2	2.14	330 23 0215 330 21 0160		103	105	98	1.13 63 109	-0.23 46 96	0.34 102	1.14 44 106	0.70 29 102	1.32 49 104	4.60 35 88	-0.82 19 104	127	4
71	330 25 0170 2025/08/04	2	2.14	330 23 0215 330 21 0160		102	104	98	0.99 63 108	-0.20 46 97	0.29 101	0.95 44 105	0.70 29 102	1.20 49 103	4.60 35 88	-0.82 19 104	127	4
72	330 25 0172 2025/08/07	1	2.73	330 23 0215 330 23 0154		109	115	96	2.15 62 118	0.43 42 103	1.50 111	4.11 42 118	-1.90 24 89	1.44 46 104	-0.77 33 103	-0.45 15 103	112	2

Young Rams



EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed avg
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information				Parents		Selection Index			EBV - Weights				EBV - Fertility				Dam	
Animal ID	BDate	Birth Status	% In-breeding	Sire ID	Dam ID	DLMI	DGI	DRI	Weaning Weight		Post-Wean		Lambs Weaned	TWW	AFL	ILP	EPI	T Lamed N Weaned
									Dir	Mat	Comb							
									EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV		
									Acc	Index	Acc	Index	Acc	Index	Acc	Index		
Active Breed Average:						100	100	100	0.00	0.14	0.14	-0.25	0.10	0.21	0.27	1.10		
73	330 25 0190 2025/08/01	2	2.98	330 23 0215 330 20 0208		112	115	103	1.88 63	0.75 45	1.69 113	3.09 48	-0.50 30	2.33 48	0.33 35	-4.14 19	112	4 4
74	330 25 0193 2025/08/01	1	3.62	330 23 0215 330 23 0229		101	111	89	1.34 62	0.64 41	1.31 109	2.96 41	-3.10 24	0.12 45	2.57 30	0.22 13	95	1 1
75	330 25 0194 2025/08/01	1	2.17	330 23 0215 330 23 0089		90	95	87	-0.21 61	-0.46 42	-0.56 94	-1.12 42	-2.30 27	-2.05 46	3.30 34	1.05 19	102	2 2
76	330 25 0198 2025/08/07	1	2.78	330 24 0007 330 22 0042		100	101	101	-0.16 61	0.59 42	0.51 103	0.32 35	0.80 26	0.91 46	3.71 33	-0.08 17	115	3 3
77	330 25 0199 2025/08/07	1	2.84	330 24 0007 330 23 0336		98	98	100	-0.54 60	0.47 40	0.20 100	-0.35 35	0.40 24	0.17 44	3.10 34	-0.70 15	100	1 1
78	330 25 0203 2025/08/07	2	3.52	330 23 0106 330 20 0453		93	91	101	-1.23 62	-0.08 44	-0.70 93	-2.00 47	0.60 29	-0.95 47	5.82 36	-5.28 19	120	5 5
79	330 25 0205 2025/08/06	2	6.19	330 23 0215 330 20 0130		105	102	105	0.57 63	-0.06 47	0.23 101	0.48 47	1.00 31	1.11 49	0.17 36	-2.85 20	124	4 6
80	330 25 0206 2025/08/06	2	6.19	330 23 0215 330 20 0130		107	105	104	1.10 63	-0.16 47	0.39 102	1.20 47	1.00 31	1.54 49	0.17 36	-2.85 20	124	4 6
81	330 25 0208 2025/08/07	1	2.63	330 23 0215 330 21 0255		105	104	104	1.10 63	-0.37 46	0.18 100	0.64 44	1.90 32	1.88 49	3.03 36	-2.10 21	111	4 4
82	330 25 0226 2025/08/11	2	3.18	330 23 0215 330 21 0164		100	102	99	-0.01 62	0.60 44	0.60 104	0.75 42	-0.70 26	0.17 47	-1.38 32	1.83 15	118	3 5
83	330 25 0228 2025/08/10	1	1.98	330 23 0215 330 22 0102		99	102	94	0.55 62	0.00 43	0.27 101	0.51 42	-1.70 27	-0.48 47	-0.85 32	0.83 17	99	2 2
84	330 25 0230 2025/08/11	2	1.77	330 23 0215 330 23 0208		105	108	97	1.20 62	0.23 44	0.83 106	1.82 41	-1.30 25	0.65 47	-1.94 33	0.24 16	117	2 3
85	330 25 0231 2025/08/11	2	1.77	330 23 0215 330 23 0208		102	105	98	0.67 62	0.33 44	0.66 104	1.10 41	-1.30 25	0.22 47	-1.94 33	0.24 16	117	2 3
86	330 25 0246 2025/08/12	1	2.26	330 23 0106 330 23 0011		94	101	89	-0.11 60	0.50 40	0.44 102	0.89 39	-2.70 21	-1.23 43	1.58 31	2.54 13	100	2 2
87	330 25 0253 2025/08/12	2	2.42	330 23 0215 330 20 0172		108	104	110	0.27 63	0.56 47	0.69 104	0.50 46	1.20 30	1.55 49	-2.03 35	-3.75 19	154	5 8
88	330 25 0256 2025/08/12	1	2.65	330 23 0106 330 22 0562		92	100	88	-0.17 60	0.31 41	0.22 101	0.19 41	-1.90 25	-1.01 45	6.30 30	0.88 18	106	2 2
89	330 25 0260 2025/08/08	1	3.55	330 23 0106 330 21 0494		100	104	97	0.14 60	0.70 40	0.77 105	1.11 39	-0.70 24	0.42 44	2.33 32	1.29 15	93	2 2
90	330 25 0261 2025/08/10	2	3.18	330 24 0007 330 20 0087		101	102	100	0.16 61	0.38 43	0.46 103	0.69 41	0.50 28	0.84 46	2.12 35	0.83 18	117	4 5

Young Rams



EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed avg
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information				Parents		Selection Index			EBV - Weights						EBV - Fertility									
Animal ID BDate		Birth Status	% In- breeding	Sire ID Dam ID		DLMI	DGI	DRI	Weaning Weight				Post-Wean		Lambs Weaned		TWW		AFL		ILP		Dam EPI T Lamed N Weaned	
									Dir EBV Acc Index	Mat EBV Acc Index	Comb EBV Index													
Active Breed Average:						100	100	100	0.00	0.14	0.14	-0.25	0.10	0.21	0.27	1.10								
91	330 25 0270 2025/08/13	1	2.63	330 24 0007 330 20 0338	84	89	87	-1.52 60	-0.07 42	-0.83 92	-2.93 40	-1.50 26	-2.49 45	8.10 34	1.26 17	99	99	3	3					
92	330 25 0276 2025/08/12	1	2.98	330 24 0007 330 22 0194	93	93	98	-1.14 59	0.17 40	-0.40 95	-2.02 34	0.30 25	-0.80 44	3.27 30	-0.09 15	102	93	1	1					
93	330 25 0363 2025/08/10	1	5.13	330 23 0215 330 20 0120	95	99	92	0.13 63	-0.20 45	-0.13 98	-0.25 48	-2.80 31	-1.75 49	3.23 36	-5.60 20	116	115	4	4					
94	330 25 0364 2025/08/07	1	2.33	330 23 0215 330 23 0392	98	106	89	0.70 60	0.44 40	0.79 105	1.81 38	-2.90 21	-0.60 43	0.80 31	2.02 11	97	102	1	1					
95	330 25 0365 2025/08/18	1	14.17	330 23 0215 330 23 0259	104	107	98	0.95 61	0.33 41	0.81 105	1.90 42	-1.80 26	0.20 45	-0.37 33	-3.01 17	110	104	2	2					
96	330 25 0372 2025/08/07	1	2.99	330 23 0215 330 21 0339	108	118	93	2.20 62	0.93 44	2.03 115	4.33 45	-1.80 29	2.05 47	0.16 34	4.02 18	91	106	3	3					
97	330 25 0384 2025/08/01	2	2.36	330 23 0215 330 20 0105	106	104	106	0.35 63	0.53 45	0.71 105	0.65 48	0.10 29	0.95 48	-3.05 34	-2.23 18	108	137	5	6					
98	330 25 0390 2025/08/29	2	2.72	330 24 0007 330 23 0155	99	100	99	-0.13 60	0.36 41	0.30 101	0.32 35	0.80 24	0.71 44	4.92 33	0.27 15	101	102	1	2					
99	330 25 0391 2025/08/29	2	2.72	330 24 0007 330 23 0155	99	100	99	-0.13 60	0.36 41	0.30 101	0.32 35	0.80 24	0.71 44	4.92 33	0.27 15	101	102	1	2					
100	330 25 0394 2025/08/28	1	3.83	330 23 0215 330 21 0483	100	105	94	0.53 63	0.57 45	0.84 106	1.46 43	-2.90 29	-0.64 48	-1.09 35	-1.24 18	105	116	4	4					
101	330 25 0402 2025/08/24	1	2.40	330 23 0106 330 23 0267	91	98	87	-0.51 60	0.30 40	0.04 99	-0.17 39	-3.10 22	-2.07 44	2.26 30	1.66 14	98	101	2	2					
102	330 25 0404 2025/09/01	2	2.78	330 23 0215 330 22 0198	91	95	88	-0.03 62	-0.71 44	-0.73 93	-1.25 43	-2.00 28	-1.94 47	0.53 34	2.26 19	96	128	3	4					
103	330 25 0411 2025/09/03	1	3.95	330 23 0215 330 21 0174	97	103	89	0.82 62	-0.17 45	0.24 101	0.71 43	-1.90 30	-0.49 48	3.76 36	0.57 20	100	102	3	3					
104	330 25 0418 2025/09/03	2	3.07	330 23 0106 330 22 0350	103	108	95	1.28 60	0.17 41	0.81 105	2.43 40	-0.40 24	1.22 44	2.70 33	1.90 15	97	108	2	2					
105	330 25 0422 2025/09/03	1	3.82	330 23 0106 330 20 0123	94	91	104	-1.45 61	0.16 43	-0.57 94	-2.47 46	3.00 29	0.51 47	6.94 35	-0.39 19	103	97	3	3					
106	330 25 0423 2025/08/28	1	3.13	330 23 0106 330 23 0010	99	107	90	0.99 60	0.29 41	0.79 105	2.14 41	-2.00 24	0.08 44	3.65 34	1.74 16	97	106	2	2					
107	330 25 0425 2025/08/31	2	2.59	330 24 0007 330 19 0646	101	96	110	-1.47 59	1.17 42	0.43 102	-1.29 36	1.10 23	0.36 44	0.31 29	-3.85 12	112	113	5	7					
108	330 25 0429 2025/08/30	2	3.27	330 24 0007 330 21 0418	101	106	95	0.84 60	0.33 42	0.75 105	1.62 35	-1.20 26	0.45 45	4.88 34	-3.38 16	110	101	3	3					

Young Rams



EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed avg
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information				Parents		Selection Index			EBV - Weights				EBV - Fertility				Dam	
Animal ID	Birth Date	Status	% In-breeding	Sire ID	Dam ID	DLMI	DGI	DRI	Weaning Weight		Post-Wean		Lambs Weaned	TWW	AFL	ILP	EPI	T Lamed N Weaned
									Dir	Mat	Comb							
									EBV	EBV	EBV	EBV	EBV	EBV	EBV	EBV		
									Acc	Index	Acc	Index	Acc	Index	Acc	Index		
Active Breed Average:						100	100	100	0.00	0.14	0.14	-0.25	0.10	0.21	0.27	1.10		
109	330 25 0444	1	2.39	330 24 0007	330 22 0192	95	101	92	-0.03	0.34	0.32	0.55	-0.80	-0.18	4.33	2.66	107	3
	2025/08/27								60 99	40 102	101	37 103	24 94	44 98	33 89	17 95		2
110	330 25 0445	1	2.63	330 23 0070	330 24 0088	101	104	98	0.32	0.60	0.76	1.06	-1.10	0.26	0.32	-0.76	100	1
	2025/08/27								59 102	41 105	105	42 105	27 93	45 99	35 100	17 104		1
111	330 25 0447	1	2.93	330 24 0007	330 22 0358	103	108	96	0.95	0.51	0.99	2.28	-0.20	1.34	5.17	-0.22	115	2
	2025/09/01								60 107	40 104	107	37 110	25 97	44 104	32 87	18 102		2
112	330 25 0449	2	8.71	330 24 0007	330 21 0183	101	101	103	-0.67	1.11	0.78	-0.04	-0.40	0.21	3.66	-5.43	114	4
	2025/09/02								60 94	42 111	105	37 101	26 96	45 99	34 91	16 116		4
113	330 25 0451	2	2.26	330 23 0106	330 21 0590	93	99	90	-0.32	0.28	0.12	0.15	-1.40	-0.88	3.58	3.29	100	2
	2025/09/08								55 96	36 102	100	31 102	14 91	38 95	21 91	8 93		3
114	330 25 0475	2	3.12	330 23 0215	330 21 0242	110	110	104	1.54	0.21	0.97	2.50	0.60	2.10	-1.02	-1.80	131	4
	2025/08/25								63 112	45 101	107	41 111	28 102	48 107	33 104	17 106		6
115	330 25 0476	2	3.12	330 23 0215	330 21 0242	106	104	105	0.48	0.40	0.64	1.07	0.60	1.24	-1.02	-1.80	131	4
	2025/08/25								63 103	45 103	104	41 105	28 102	48 104	33 104	17 106		6
116	330 25 0491	1	6.14	330 24 0007	330 20 0152	106	99	112	-0.45	0.55	0.33	-0.41	0.40	0.34	-5.95	-4.91	110	4
	2025/09/05								61 95	42 105	101	41 99	27 101	46 100	34 117	17 114		4
117	330 25 0493	1	4.24	330 23 0070	330 23 0310	103	102	105	-0.16	0.75	0.67	0.34	0.80	1.07	1.28	-2.42	100	1
	2025/08/09								59 98	41 107	104	42 102	28 103	45 103	35 97	18 108		1
118	330 25 0518	2	2.70	330 23 0070	330 21 0159	104	104	104	-0.11	1.04	0.98	1.13	0.50	1.22	0.96	-0.71	107	3
	2025/09/21								59 98	43 110	107	39 106	26 101	45 104	34 98	17 104		4
119	330 25 0519	2	2.70	330 23 0070	330 21 0159	105	106	104	0.29	0.96	1.11	1.67	0.50	1.55	0.96	-0.71	107	3
	2025/09/21								59 102	43 109	108	39 108	26 101	45 105	34 98	17 104		4
120	330 25 0522	2	2.73	330 23 0070	330 21 0431	99	105	96	-0.01	1.04	1.04	1.37	-1.10	0.37	3.53	0.51	97	2
	2025/09/15								58 99	42 110	107	39 106	25 93	44 100	32 91	16 100		3
121	330 25 0525	1	2.35	330 23 0070	330 23 0603	100	102	100	-0.46	1.06	0.83	0.83	-0.80	0.12	-0.11	0.58	98	1
	2025/09/27								50 95	32 110	106	31 104	16 94	35 99	21 101	10 100		1
122	330 25 0528	1	2.18	330 23 0070	330 19 0183	99	101	99	-0.43	0.83	0.62	0.64	-1.10	-0.26	-0.69	0.26	119	7
	2025/09/21								56 96	42 108	104	36 104	17 93	42 97	23 103	11 101		8
Ram Flock Average :						99	103	96	0.36	0.25	0.43	0.78	-0.69	0.19	2.29	0.13		
Total number of young rams :						122												

Young rams born since Jan 2024, with at least one parent known

Ewes with Progeny



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information				Parents		Selection Index			EBV - Weights						EBV - Fertility								EPI	Times Lambded Nr Weaned
Animal ID BDate	Birth Status	% In- breeding		Sire ID Dam ID	DLMI	DGI	DRI	Weaning Weight				Lambs Weaned		TWW		AFL		ILP						
								Dir EBV Acc Index	Mat EBV Acc Index	Comb EBV Index	Post-wean EBV Acc Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index			
Active Breed Average :						100	100	100	0.00	0.14	0.14	-0.25	0.10	0.21	0.27	1.10								
1	330 17 0250 2017/05/01	1	5.74	330 14 0237 330 15 0311	108	100	113	0.26 77	-0.03 101	0.10 76	-0.57 99	64	99	3.00 56	2.03 114	-0.88 72	-3.64 107	61	117	7 9				
2	330 17 0440 2017/07/24	2	1.37	1700 12 2684 330 14 0516	115	107	119	1.13 73	0.19 109	0.75 73	1.41 101	59	107	5.50 58	4.62 127	6.81 70	-8.48 118	82	126	7 8				
3	330 17 0585 2017/09/04	2	2.67	330 14 0237 330 13 0457	90	94	87	-0.28 74	-0.49 97	-0.63 72	-2.17 94	67	92	-3.20 54	-2.69 82	2.22 69	-1.68 87	33	122	7 7				
4	330 17 0631 2017/10/04	3	0.96	330 99 0902 330 16 0124	96	100	96	-0.71 67	0.93 93	0.58 68	0.02 109	59	101	0.00 46	0.22 98	4.81 63	2.64 99	24	135	7 8				
5	330 18 0140 2018/02/19	1	7.50	330 16 0103 330 12 0129	88	93	89	-0.81 71	-0.09 92	-0.50 71	-2.25 98	62	92	-0.80 54	-1.38 94	9.97 67	-0.97 93	36	122	5 5				
6	330 18 0215 2018/09/07	1	1.52	330 14 0344 330 15 0478	87	81	99	-2.07 69	-0.85 82	-1.89 71	-4.90 90	53	81	0.20 50	-2.80 99	4.72 65	-6.67 87	32	133	6 6				
7	330 18 0294 2018/09/14	2	8.32	330 16 0295 330 16 0174	101	94	106	0.13 69	-1.02 100	-0.95 67	-1.58 88	60	95	3.40 49	1.15 116	7.71 64	-6.87 103	31	114	5 5				
8	330 18 0337 2018/09/17	1	1.19	330 14 0344 330 14 0276	100	94	106	-0.51 70	-0.22 95	-0.48 69	-1.45 97	53	95	0.70 52	-0.31 102	-0.04 65	-5.64 97	33	116	5 5				
9	330 18 0376 2018/09/18	2	3.54	330 14 0344 330 17 0042	92	98	91	-0.26 71	0.07 97	-0.06 69	-0.77 100	60	98	0.10 53	-0.13 99	10.32 66	0.06 98	34	116	5 5				
10	330 18 0447 2018/09/15	1	3.01	330 16 0151 330 13 0203	87	82	96	-1.69 69	-1.13 85	-1.98 67	-4.28 87	53	84	-1.90 51	-3.97 89	0.24 64	-8.47 82	33	115	5 5				
11	330 18 0514 2018/10/01	1	2.00	330 12 0188 330 17 0133	87	93	86	-0.54 66	-0.35 95	-0.62 60	-2.03 95	58	93	-2.00 47	-2.10 88	7.88 59	-1.08 90	35	89	1 1				
12	330 19 0011 2019/01/24	1	1.39	330 16 0295 330 14 0289	103	98	107	0.14 68	-0.22 100	-0.15 68	-0.99 97	52	97	2.00 43	1.12 109	2.83 62	-4.96 103	26	114	5 6				
13	330 19 0045 2019/01/31	1	2.46	330 16 0103 330 12 0375	110	102	115	0.66 73	-0.25 105	0.08 73	-0.15 96	67	100	4.70 53	3.23 123	0.10 68	-1.48 112	34	129	5 8				
14	330 19 0458 2019/09/16	1	13.63	330 16 0103 330 14 0530	108	95	119	0.23 72	-1.03 101	-0.91 72	-1.80 88	58	94	6.90 53	3.35 134	2.38 68	-3.57 112	35	133	5 7				
15	330 19 0521 2019/09/17	1	8.51	330 14 0237 330 18 0107	89	93	87	-0.30 68	-0.79 97	-0.94 65	-2.05 90	58	93	-2.40 48	-2.53 86	1.27 62	0.68 88	32	95	4 3				
16	330 19 0531 2019/09/22	2	0.98	1619 18 0031 330 15 0349	114	105	123	-0.65 71	1.90 94	1.58 68	1.08 119	57	105	3.70 48	3.48 118	1.30 65	-8.50 113	31	128	5 5				

Ewes with Progeny



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information				Parents			Selection Index			EBV - Weights						EBV - Fertility								EPI	Times Lambded Nr Weaned
Animal ID BDate	Birth Status	% In- breeding	Sire ID Dam ID	DLMI	DGI	DRI	Weaning Weight				Lambs Weaned	TWW		AFL		ILP									
							Dir	Mat	Comb	Post-wean		Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index				
Active Breed Average :				100	100	100	0.00	0.14	0.14	-0.25	0.10	0.21	0.27	1.10											
17	330 19 0573 2019/10/01	1	1.52	330 14 0237 330 15 0133	106	108	102	0.64	0.98	1.31	1.68	-1.30	0.85	-2.07	-1.71	103	5								
18	330 19 0646 2019/10/22	2	1.39	330 18 0448 330 14 0289	111	97	125	-1.20	1.13	0.53	-1.53	4.40	2.57	-2.64	-7.20	113	5								
19	330 19 0657 2019/10/26	1	1.74	330 18 0448 330 13 0015	92	89	99	-1.04	-0.68	-1.19	-3.13	0.40	-1.47	4.67	-5.14	112	6								
20	330 20 0087 2020/09/11	2	2.85	330 16 0103 330 17 0081	107	105	106	1.16	-0.28	0.30	1.19	3.10	2.74	0.98	2.16	117	4								
21	330 20 0105 2020/09/11	2	1.28	N24 18 0313 330 15 0262	117	105	124	0.31	0.80	0.95	0.51	4.00	3.51	-5.42	-5.07	137	5								
22	330 20 0116 2020/09/12	3	14.53	330 16 0151 330 16 0233	118	99	125	1.42	-1.55	-0.84	-0.59	5.30	3.05	-3.87	-15.53	96	3								
23	330 20 0118 2020/09/10	1	1.29	N24 18 0313 330 15 0231	108	100	114	0.12	0.07	0.13	-1.00	3.20	2.11	-4.48	0.26	101	3								
24	330 20 0120 2020/09/12	1	2.81	330 16 0151 330 15 0159	92	91	95	-0.81	-0.54	-0.94	-2.20	-1.80	-2.43	7.15	-11.82	115	4								
25	330 20 0123 2020/09/11	2	13.89	330 16 0103 330 14 0529	100	86	116	-1.12	-0.96	-1.52	-4.21	7.70	2.55	7.65	-3.39	97	3								
26	330 20 0130 2020/09/13	2	7.74	330 16 0151 330 17 0422	115	103	121	1.06	-0.44	0.09	0.60	5.80	4.09	1.04	-6.31	124	4								
27	330 20 0139 2020/09/13	2	8.02	330 18 0477 330 16 0070	122	107	129	1.17	0.15	0.73	1.03	6.90	5.46	0.92	-9.23	111	3								
28	330 20 0148 2020/09/14	2	9.40	330 16 0103 330 16 0562	100	101	100	0.68	-0.43	-0.09	-0.15	2.90	1.99	4.04	5.64	90	2								
29	330 20 0152 2020/09/14	2	7.28	330 18 0477 330 17 0045	119	101	127	0.45	-0.03	0.20	-0.29	2.90	2.16	-15.17	-9.32	110	4								
30	330 20 0172 2020/09/16	1	7.53	330 18 0477 330 17 0498	125	111	131	1.37	0.62	1.30	1.87	6.20	5.70	-3.37	-8.11	154	5								
31	330 20 0208 2020/09/17	2	7.74	330 18 0477 330 15 0311	125	122	119	2.54	1.38	2.65	4.28	2.70	5.54	1.35	-8.89	112	4								
32	330 20 0225 2020/09/18	2	13.58	330 16 0151 330 15 0313	101	84	117	-0.97	-1.56	-2.05	-4.49	5.10	0.53	2.50	-10.62	132	5								

Ewes with Progeny



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information				Parents		Selection Index			EBV - Weights						EBV - Fertility							
Animal ID BDate		Birth Status	% In- breeding	Sire ID Dam ID		DLMI	DGI	DRI	Weaning Weight				Lambs Weaned		TWW		AFL		ILP		EPI	Times Lambed Nr Weaned
									Dir	Mat	Comb	Post-wean										
									Acc	Index	Acc	Index	EBV Index	Acc	Index							
Active Breed Average :						100	100	100	0.00	0.14	0.14	-0.25	0.10	0.21	0.27	1.10						
33	330 20 0254 2020/09/20	1	7.74	330 18 0477 330 16 0029	112	105	116	0.94	0.16	0.63	-0.41	4.30	3.68	3.99	-6.59	105	3					
34	330 20 0338 2020/09/15	1	0.85	1619 18 0151 330 19 0364	77	83	79	-1.23	-1.36	-1.98	-4.74	-0.80	-3.08	12.93	3.02	99	3					
35	330 20 0424 2020/09/03	1	1.16	330 99 0902 330 17 0254	97	100	99	-0.92	1.27	0.81	-0.95	-1.70	-0.67	-0.10	-0.93	111	4					
36	330 20 0427 2020/09/03	2	7.28	330 18 0321 330 16 0130	104	100	105	0.67	-0.63	-0.30	-0.15	2.80	1.72	4.25	-3.17	111	4					
37	330 20 0440 2020/09/03	2	5.32	330 18 0477 330 17 0018	110	107	109	0.77	0.62	1.01	1.61	1.60	2.36	4.19	-7.39	111	4					
38	330 20 0443 2020/09/03	1	6.98	330 18 0321 330 16 0339	86	86	93	-1.43	-0.61	-1.32	-3.58	0.40	-1.80	14.34	-7.26	109	4					
39	330 20 0452 2020/09/03	1	1.27	330 16 0151 330 14 0028	86	80	96	-1.47	-1.69	-2.43	-5.31	0.70	-2.74	8.67	-8.24	119	5					
40	330 20 0453 2020/09/03	2	8.27	330 16 0151 330 18 0029	100	89	109	-0.26	-1.52	-1.65	-2.69	2.80	-0.10	5.41	-13.17	120	5					
41	330 20 0520 2020/12/11	1	4.40	330 18 0477 330 18 0215	102	96	106	-0.17	-0.30	-0.39	-1.69	0.40	-0.23	2.44	-10.11	131	4					
42	330 20 0551 2020/12/11	2	0.90	1619 18 0151 330 18 0288	86	85	93	-1.03	-1.43	-1.94	-3.78	1.90	-1.31	17.89	-4.92	94	2					
43	330 21 0026 2021/03/17	1	8.19	330 16 0103 330 16 0284	103	92	113	-0.01	-1.29	-1.30	-2.10	6.00	2.30	2.91	-1.34	123	3					
44	330 21 0092 2021/06/01	1	2.25	330 16 0151 330 17 0399	91	83	101	-1.10	-1.62	-2.17	-4.47	-0.20	-2.84	3.04	-12.14	103	3					
45	330 21 0093 2021/06/05	1	7.49	330 16 0151 330 17 0180	103	93	113	-0.66	-0.39	-0.72	-1.92	3.40	0.99	5.79	-11.10	133	4					
46	330 21 0095 2021/06/20	1	1.06	1619 18 0151 330 18 0063	81	86	84	-1.05	-1.16	-1.69	-4.13	-0.70	-2.63	8.47	3.21	94	3					
47	330 21 0107 2021/06/20	2	1.32	1619 18 0151 330 17 0330	79	85	84	-1.83	-0.47	-1.38	-4.48	0.00	-2.30	14.28	3.12	92	2					
48	330 21 0149 2021/07/15	2	2.04	24 18 0313 330 17 0580	104	101	107	-0.02	0.39	0.38	-0.37	1.50	1.27	0.80	-2.18	111	4					

Ewes with Progeny



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information				Parents			Selection Index			EBV - Weights						EBV - Fertility							
Animal ID BDate		Birth Status	% In- breeding	Sire ID Dam ID			DLMI	DGI	DRI	Weaning Weight				Lambs Weaned		TWW		AFL		ILP		EPI	Times Lambded Nr Weaned
										Dir	Mat	Comb	Post-wean	Acc	Index	Acc	Index	Acc	Index	Acc	Index		
Active Breed Average :							100	100	100	0.00	0.14	0.14	-0.25	0.10	0.21	0.27	1.10						
49	330 21 0158 2021/07/16	2	2.04	24 18 0313 330 16 0431			102	103	101	0.51 67	0.13 104	0.38 63	0.72 100	1.30 41	1.42 59	7.12 82	-3.25 26					96	3 3
50	330 21 0159 2021/07/16	2	2.04	24 18 0313 330 16 0431			103	105	101	0.52 68	0.41 104	0.67 65	1.14 103	1.30 42	1.71 61	3.06 93	1.38 27					107	3 4
51	330 21 0160 2021/07/16	1	1.05	1619 18 0151 330 16 0182			100	95	109	-0.38 71	-0.31 96	-0.50 69	-1.56 96	5.20 47	2.43 125	9.88 55	-2.24 74					127	4 6
52	330 21 0164 2021/07/17	1	2.04	24 18 0313 330 16 0245			106	103	109	-0.12 67	0.88 98	0.82 65	1.13 108	2.30 38	2.15 60	-2.07 107	3.05 22					118	3 5
53	330 21 0174 2021/07/16	1	2.24	330 16 0103 330 17 0040			97	103	90	1.14 69	-0.59 109	-0.02 66	0.48 93	0.00 49	0.55 63	8.22 101	0.52 34					102	3 3
54	330 21 0183 2021/07/19	2	4.77	330 18 0477 330 19 0488			109	104	112	-0.04 68	1.10 99	1.08 65	0.36 111	1.30 45	1.84 62	4.06 106	-10.36 28					114	4 4
55	330 21 0184 2021/07/19	2	4.77	330 18 0477 330 19 0488			109	106	111	0.24 68	1.06 101	1.18 66	0.78 110	1.30 46	2.08 62	4.94 107	-9.76 29					115	4 4
56	330 21 0228 2021/07/23	1	8.25	330 16 0103 330 16 0265			101	94	107	-0.20 70	-0.71 98	-0.81 68	-1.92 91	2.50 51	0.59 65	0.16 101	-1.99 35					107	4 4
57	330 21 0242 2021/07/24	2	2.04	24 18 0313 330 16 0117			112	100	123	-0.41 70	0.72 96	0.51 67	0.02 107	5.10 43	3.37 63	-1.35 113	-4.21 27					131	4 6
58	330 21 0255 2021/07/26	2	13.71	330 16 0103 330 16 0078			109	97	119	0.36 71	-0.74 102	-0.55 69	-1.47 91	7.60 53	4.19 66	6.76 116	-4.82 36					111	4 4
59	330 21 0257 2021/07/26	2	0.95	1619 19 0243 330 18 0595			103	101	103	0.72 70	-0.46 105	-0.10 67	0.24 94	2.40 47	1.70 64	2.72 106	0.55 30					121	4 5
60	330 21 0309 2021/07/27	2	0.78	1619 18 0151 330 18 0426			85	92	83	-0.29 68	-0.89 97	-1.03 64	-2.57 89	-1.60 44	-2.14 61	11.90 89	-2.13 29					99	3 3
61	330 21 0318 2021/07/29	1	0.94	1619 19 0243 330 16 0426			98	105	91	0.88 70	0.13 107	0.57 63	1.67 100	-0.60 45	0.65 62	6.32 101	2.40 30					92	2 2
62	330 21 0339 2021/07/29	2	0.82	1619 19 0243 330 16 0562			114	124	100	2.34 69	1.90 119	3.07 65	5.60 119	0.30 46	4.41 62	1.00 117	7.42 29					106	3 3
63	330 21 0418 2021/08/03	1	0.98	1619 19 0243 330 18 0565			103	105	98	1.13 68	-0.12 109	0.45 65	1.17 98	-0.30 46	0.84 62	6.51 102	-6.26 29					101	3 3
64	330 21 0431 2021/08/02	1	1.21	1619 19 0243 330 17 0325			90	100	86	-0.38 67	0.63 96	0.44 62	0.09 106	-1.80 39	-0.83 59	8.21 95	3.83 26					97	2 3

Ewes with Progeny



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information				Parents		Selection Index			EBV - Weights						EBV - Fertility								
Animal ID BDate	Birth Status	% In- breeding	Sire ID Dam ID		DLMI	DGI	DRI	Weaning Weight				Lambs Weaned		TWW		AFL		ILP		EPI	Times Lambded Nr Weaned		
								Dir	Mat	Comb	Post-wean	Acc	Index	Acc	Index	Acc	Index	Acc	Index			Acc	Index
								EBV Acc	EBV Index	EBV Acc	EBV Index												
Active Breed Average :					100	100	100	0.00	0.14	0.14	-0.25	0.10	0.21	0.27	1.10								
65	330 21 0456 2021/08/16	1	0.88	1619 19 0243 330 18 0241	107	112	95	2.51 66	-0.48 121	0.78 105	3.01 52	0.30 42	2.21 58	1.36 47	3.13 26	91	1						
66	330 21 0483 2021/08/15	2	0.86	1619 19 0243 330 15 0097	104	107	100	0.40 70	0.92 103	1.13 108	1.79 57	-2.10 47	0.07 64	-1.50 55	-3.09 29	116	4						
67	330 21 0494 2021/08/17	1	2.04	24 18 0313 330 16 0232	101	99	103	-0.44 65	0.59 105	0.36 102	-0.47 47	0.20 39	0.26 57	-1.58 49	-0.03 26	93	2						
68	330 21 0518 2021/09/08	2	1.13	1619 19 0243 330 16 0337	111	111	106	1.58 68	0.42 103	1.21 109	2.75 58	2.20 45	3.32 61	3.74 48	-1.52 30	103	3						
69	330 21 0528 2021/09/24	2	2.70	330 18 0477 330 20 0084	122	112	126	0.82 66	1.48 115	1.90 114	2.01 55	3.50 43	4.41 60	-3.51 46	-9.66 26	115	3						
70	330 21 0618 2021/10/27	1	0.90	1619 18 0151 330 20 0452	88	89	92	-0.56 68	-1.20 86	-1.48 87	-3.47 59	0.90 42	-1.22 60	11.82 45	-4.34 30	99	2						
71	330 21 0633 2021/08/15	1	1.11	1619 19 0243 330 16 0099	113	111	113	0.87 66	1.16 111	1.59 112	2.52 54	4.50 47	4.73 62	2.74 50	2.92 32	109	3						
72	330 22 0042 2022/03/14	1	1.00	1619 19 0243 330 15 0372	110	108	108	1.45 69	-0.03 99	0.69 104	1.71 54	3.70 47	3.63 63	4.17 52	0.35 31	115	3						
73	330 22 0095 2022/04/17	1	0.97	1619 19 0243 330 18 0519	85	95	79	-0.13 66	-0.61 92	-0.68 93	-1.21 52	-3.00 42	-2.54 58	6.84 52	3.80 26	93	1						
74	330 22 0102 2022/04/16	1	1.68	1619 19 0243 330 20 0025	104	104	99	1.12 66	-0.36 109	0.21 100	0.82 52	0.30 41	0.95 58	-1.01 49	1.05 27	99	2						
75	330 22 0129 2022/05/01	1	1.32	1619 19 0243 330 17 0330	91	91	96	-0.79 66	-0.53 93	-0.93 91	-2.52 48	0.60 39	-0.96 57	3.08 43	1.96 23	96	1						
76	330 22 0136 2022/05/25	1	1.13	1700 17 8447 330 19 0530	91	89	97	-1.12 68	-0.46 94	-1.02 90	-2.42 57	0.20 43	-1.46 60	2.27 52	-0.74 31	114	3						
77	330 22 0145 2022/05/29	1	0.90	1700 17 8447 330 16 0431	95	95	94	0.39 69	-1.13 87	-0.93 91	-0.71 57	1.20 42	-0.02 61	3.33 50	3.84 32	114	2						
78	330 22 0171 2022/06/07	1	1.07	1700 17 8447 330 19 0299	89	90	91	-0.59 65	-0.90 89	-1.20 89	-2.34 52	-0.90 37	-2.03 55	1.17 49	2.55 26	91	1						
79	330 22 0179 2022/06/07	1	1.13	1700 17 8447 330 19 0531	101	101	100	0.28 67	0.07 100	0.21 100	0.49 54	0.70 41	0.77 58	3.73 48	-1.86 31	100	2						
80	330 22 0192 2022/06/12	1	0.81	1700 17 8447 330 17 0582	93	98	91	0.04 68	-0.23 96	-0.22 97	-0.08 58	0.40 42	0.04 59	5.39 51	5.82 31	107	3						

Ewes with Progeny



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information				Parents		Selection Index			EBV - Weights						EBV - Fertility								
Animal ID BDate	Birth Status	% In- breeding	Sire ID Dam ID		DLMI	DGI	DRI	Weaning Weight				Post-wean		Lambs Weaned		TWW		AFL		ILP		EPI	Times Lambed Nr Weaned
								Dir	Mat	Comb													
Active Breed Average :					100	100	100	0.00	0.14	0.14	-0.25	0.10	0.21	0.27	1.10								
81	330 22 0194 2022/06/12	1	1.72	330 16 0103 330 18 0047	95	89	102	-0.76 65 93	-0.83 59 90	-1.21 89	-3.29 50 88	2.70 44 112	0.03 58 99	3.28 44 92	0.33 28 101	93	1 1						
82	330 22 0195 2022/06/12	1	0.74	1700 17 8447 330 17 0042	93	106	81	1.13 67 109	-0.04 58 98	0.52 103	1.41 54 107	-3.00 41 83	-0.71 58 95	6.73 43 83	3.98 28 92	95	1 1						
83	330 22 0198 2022/06/12	1	0.85	1700 17 8447 330 19 0364	87	88	88	-0.25 69 97	-1.73 65 80	-1.86 84	-3.00 55 89	-0.20 44 97	-2.10 62 90	1.75 53 96	3.91 32 92	128	3 4						
84	330 22 0203 2022/06/13	1	1.28	1700 17 8447 330 18 0215	86	86	90	-1.34 66 88	-0.80 57 90	-1.47 87	-3.25 52 88	-1.00 40 93	-2.74 57 87	3.59 42 91	0.28 28 101	92	1 1						
85	330 22 0250 2022/06/25	2	15.67	330 16 0103 330 16 0197	105	92	113	0.35 68 102	-1.59 63 82	-1.41 87	-2.40 57 91	5.20 48 125	1.89 61 106	2.12 59 95	-5.02 36 115	93	2 1						
86	330 22 0257 2022/06/24	2	2.34	330 20 0347 - - -	94	106	85	0.41 50 103	0.72 47 107	0.92 106	1.97 42 109	-2.00 27 88	-0.08 44 98	0.25 33 100	13.25 14 68	95	1 1						
87	330 22 0279 2022/07/10	1	2.33	330 20 0347 330 18 0565	94	94	95	-0.74 66 93	0.04 57 99	-0.33 96	-1.34 51 96	-2.00 37 88	-1.90 56 90	3.93 52 90	-6.66 22 119	96	1 1						
88	330 22 0283 2022/07/11	1	0.94	1700 17 8447 330 18 0140	88	93	86	-0.21 67 97	-0.78 61 91	-0.89 92	-1.62 55 94	-1.30 43 92	-1.77 59 91	5.43 50 86	2.33 32 96	105	2 2						
89	330 22 0286 2022/06/24	1	0.97	1619 19 0243 330 20 0138	96	98	92	0.89 67 107	-1.27 61 85	-0.83 92	-0.63 56 98	0.10 43 99	-0.33 59 97	3.76 48 91	0.06 29 102	102	3 2						
90	330 22 0296 2022/07/16	1	0.83	1700 17 8447 330 16 0562	96	104	89	0.72 66 105	0.02 57 99	0.38 102	1.00 55 105	-0.50 40 96	0.44 57 100	5.78 50 85	5.46 28 88	98	1 1						
91	330 22 0318 2022/07/19	2	2.33	330 20 0347 330 19 0023	93	101	86	0.52 66 104	-0.23 57 96	0.03 99	0.48 52 103	-2.40 36 86	-1.15 56 94	3.11 52 92	2.37 22 96	98	1 1						
92	330 22 0350 2022/08/07	2	2.33	330 20 0347 330 19 0458	104	104	101	1.06 67 108	-0.32 61 95	0.21 100	1.10 51 105	0.80 39 103	1.22 58 104	-0.82 50 103	1.19 26 99	108	2 2						
93	330 22 0358 2022/08/01	1	1.05	1700 17 8447 330 16 0243	105	108	100	1.17 68 109	0.28 61 102	0.86 106	2.24 58 110	1.80 43 108	2.53 60 109	7.07 50 82	0.07 33 102	115	2 2						
94	330 22 0359 2022/08/04	2	7.83	330 16 0103 330 21 0633	107	104	109	0.78 66 106	-0.05 61 98	0.34 102	0.64 55 104	4.30 46 121	3.32 59 112	4.38 53 89	0.56 31 100	97	1 1						
95	330 22 0419 2022/08/09	2	0.88	1619 19 0243 330 18 0564	100	104	96	0.78 67 106	-0.04 60 98	0.35 102	1.10 54 105	0.00 43 98	0.74 59 102	3.24 48 92	0.78 26 100	97	1 1						
96	330 22 0422 2022/08/24	2	0.97	1619 19 0243 330 20 0130	112	107	111	1.44 68 111	-0.26 63 96	0.46 102	1.61 56 107	3.40 42 116	3.22 60 112	-0.50 53 102	-1.00 26 104	101	1 2						

Ewes with Progeny



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information				Parents			Selection Index			EBV - Weights						EBV - Fertility									
Animal ID BDate		Birth Status	% In- breeding	Sire ID Dam ID			DLMI	DGI	DRI	Weaning Weight				Lambs Weaned		TWW		AFL		ILP		EPI	Times Lambed		
										Dir	Mat	Comb	Post-wean												
										EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	EBV Acc	EBV Index	Nr Weaned			
Active Breed Average :							100	100	100	0.00	0.14	0.14	-0.25	0.10	0.21	0.27	1.10								
97	330 22 0425 2022/08/16	1	2.33	330 20 0347 330 18 0337			97	97	97	-0.33 66	0.09 96	-0.08 98	-0.36 49	-2.00 37	-1.44 56	-3.44 52	-1.33 22	96	1						
98	330 22 0469 2022/08/27	1	2.33	330 20 0347 330 20 0440			106	109	101	0.80 66	0.80 106	1.20 109	2.37 54	-1.30 35	0.82 55	-1.50 102	-2.19 20	98	1						
99	330 22 0503 2022/09/02	2	2.33	330 20 0347 330 20 0288			90	88	96	-1.33 66	-0.40 88	-1.06 90	-2.78 53	-1.30 35	-2.51 56	-0.65 50	-1.94 25	104	2						
100	330 22 0506 2022/09/25	1	2.33	330 20 0347 330 20 0102			100	103	93	0.99 66	-0.49 108	0.01 99	0.85 55	-2.40 37	-0.94 56	-0.80 51	-3.13 22	95	1						
101	330 22 0538 2022/09/20	1	2.33	330 20 0347 330 21 0184			102	104	100	0.15 69	0.72 101	0.79 105	0.92 49	-1.40 36	0.03 58	0.38 50	-3.83 24	102	2						
102	330 22 0539 2022/09/01	1	2.33	330 20 0347 330 16 0174			101	98	105	-0.55 68	0.52 95	0.25 101	-0.43 51	1.20 41	0.69 59	3.70 91	-4.38 28	106	2						
103	330 22 0544 2022/09/10	1	2.33	330 20 0347 330 18 0466			93	94	93	-0.48 66	-0.37 95	-0.61 94	-1.26 51	-1.90 36	-1.99 55	3.13 49	-4.40 22	97	1						
104	330 22 0556 2022/09/10	2	2.33	330 20 0347 330 16 0284			96	96	99	-0.64 66	0.09 58	-0.23 97	-0.68 51	0.00 37	-0.55 56	0.30 49	0.76 21	96	1						
105	330 22 0562 2022/10/07	1	0.95	1700 17 8447 330 17 0409			96	103	86	1.21 67	-0.62 110	-0.02 99	0.80 53	-2.00 42	-0.61 59	6.37 43	-0.86 32	106	2						
106	330 22 0630 2022/11/01	1	2.33	330 20 0347 330 20 0273			103	105	96	1.06 65	-0.13 108	0.40 102	1.33 53	-2.40 34	-0.51 55	-7.29 47	2.29 24	99	2						
107	330 22 0714 2022/12/04	1	2.33	330 20 0347 330 21 0393			104	106	98	0.99 65	0.17 108	0.67 104	1.72 48	-0.30 34	0.98 54	0.37 103	0.68 24	93	2						
108	330 22 0730 2022/12/31	1	2.33	330 20 0347 330 21 0159			100	106	94	0.30 66	0.85 102	1.00 107	1.74 48	-2.00 36	-0.05 56	-0.85 51	3.05 24	107	2						
109	330 23 0010 2023/01/10	1	2.33	330 20 0347 330 18 0063			95	100	90	0.17 67	-0.02 101	0.06 99	0.13 52	-2.30 40	-1.23 58	1.06 53	0.86 27	106	2						
110	330 23 0011 2023/01/12	1	2.33	330 20 0347 330 19 0183			88	92	89	-1.35 64	0.27 88	-0.41 95	-1.45 46	-3.70 30	-3.31 54	-3.08 45	2.47 20	100	2						
111	330 23 0015 2023/01/01	1	2.33	330 20 0347 330 17 0308			99	99	99	-0.12 65	0.22 98	0.17 100	-0.12 50	-0.10 37	0.05 55	2.38 52	-1.79 24	94	1						
112	330 23 0067 2023/03/20	1	2.33	330 20 0347 330 19 0025			94	94	95	-0.21 67	-0.67 97	-0.78 92	-1.32 51	-0.30 39	-1.06 58	1.25 42	-0.14 26	103	2						

Ewes with Progeny



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed average
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information				Parents		Selection Index			EBV - Weights						EBV - Fertility							
Animal ID BDate	Birth Status	% In- breeding	Sire ID Dam ID		DLMI	DGI	DRI	Weaning Weight				Lambs Weaned		TWW		AFL		ILP		EPI	Times Lambed Nr Weaned	
								Dir	Mat	Comb	Post-wean											
								EBV Acc	Index	EBV Acc	Index	EBV Index	EBV Acc	Index	EBV Acc	Index						
Active Breed Average :					100	100	100	0.00	0.14	0.14	-0.25	0.10	0.21	0.27	1.10							
113	330 23 0089 2023/04/06	1	1.00	1700 17 8447 330 18 0291	87	92	85	0.07 66	-1.35 100 60	-1.32 88	-1.82 53 94	-0.90 41	-1.83 94 58	7.29 53	1.50 81 32		102	2 2				
114	330 23 0229 2023/07/01	2	2.33	770 20 0580 330 17 0037	103	114	91	1.35 67	1.18 111 56	1.85 114	3.85 49 117	-2.40 34	1.08 55 103	5.82 43	-0.17 16 102		95	1 1				
115	330 23 0259 2023/07/25	1	2.33	330 20 0347 330 19 0530	110	108	107	1.01 66	0.49 108 57	0.99 107	2.35 51 110	0.10 38	1.56 99 56	-0.05 105 49	-6.62 101 25		104	2 2				
116	330 24 0056 2024/04/16	1	0.98	1619 19 0243 330 18 0340	102	106	94	1.55 66	-0.55 112 59	0.22 101	1.36 53 106	0.50 40	1.30 101 57	3.31 54	2.94 92 25		100	1 1				
117	330 24 0086 2024/04/30	1	2.33	330 20 0347 330 21 0664	99	97	98	0.60 65	-1.03 104 56	-0.73 93	-0.40 50 99	0.10 35	-0.36 99 55	-3.28 52 110	1.66 22 98		97	1 1				
118	330 24 0196 2024/08/08	2	2.33	330 20 0347 330 21 0164	107	112	98	1.32 65	0.84 110 55	1.50 111	3.56 49 115	-1.00 32	1.56 93 54	-1.25 105 48	2.93 17 94		101	1 1				
119	330 24 0251 2024/08/31	2	0.92	1619 19 0243 330 20 0139	112	109	109	1.82 66	-0.32 115 59	0.59 104	1.86 56 108	2.90 41	3.24 113 58	0.62 54	-2.49 99 25		99	1 1				
120	330 24 0275 2024/09/02	1	1.06	1700 17 8447 330 22 0250	96	94	98	0.23 65	-1.25 101 54	-1.14 90	-1.55 54 95	1.40 39	-0.18 106 55	1.27 51	1.15 97 29		100	1 1				
Ewe Flock Average					99	100	98	0.20	-0.02	0.08	0.00	0.17	0.28	2.48	-0.72							
Number of ewes with progeny in the flock: 120																						

Active ewes with progeny born since Jan 2024.

Young Ewes



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed avg
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information				Parents		Selection Indices			EBV - Weights						EBV - Fertility									
Animal ID BDate		Birth Status	% In- breeding	Sire ID Dam ID		DLMI	DGI	DRI	Weaning Weight		Post-Wean		Lambs weaned	TWW	AFL		ILP		Dam T Lamberd N Weaned					
									Dir	Mat	Comb													
									Acc	Index	Acc	Index	EBV Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index	
Active Breed Average:						100	100	100	0.00		0.14		0.14		-0.25		0.10		0.21		0.27		1.10	
1	330 24 0056 2024/04/16	1	0.98	1619 19 0243 330 18 0340		102	106	94	1.55 66	-0.55 112	0.22 59	1.36 93	0.50 40	1.30 101	3.31 54	2.94 92	25 94	94	2 3					
2	330 24 0086 2024/04/30	1	2.33	330 20 0347 330 21 0664		99	97	98	0.60 65	-1.03 104	-0.73 56	-0.40 88	0.10 35	-0.36 99	-3.28 52	1.66 110	22 98	103	2 2					
3	330 24 0171 2024/07/25	1	2.33	330 20 0347 330 20 0172		116	115	109	2.12 65	0.39 117	1.45 53	3.59 103	0.90 33	3.05 111	-3.48 43	-2.61 110	20 109	154	5 8					
4	330 24 0175 2024/07/29	1	2.33	330 20 0347 330 21 0026		104	104	100	1.29 65	-0.53 110	0.11 52	1.41 93	0.80 33	1.24 103	-0.34 53	0.78 104	22 102	123	3 5					
5	330 24 0176 2024/07/30	1	2.33	330 20 0347 330 21 0184		105	109	99	0.92 64	0.73 107	1.19 51	2.17 107	-1.50 32	0.75 91	0.67 52	-3.43 102	20 111	115	4 4					
6	330 24 0179 2024/07/31	1	2.33	330 20 0347 330 20 0422		94	94	95	-0.50 64	-0.35 95	-0.60 51	-1.38 95	-1.70 32	-1.87 90	-0.70 52	-1.74 91	20 106	101	3 4					
7	330 24 0180 2024/08/01	1	2.33	330 20 0347 330 21 0483		99	104	94	0.14 65	0.83 100	0.90 51	1.50 108	-3.20 32	-0.96 82	-2.55 52	-0.10 94	20 102	116	4 4					
8	330 24 0192 2024/08/08	1	2.33	330 20 0347 330 18 0447		91	92	92	-0.89 64	-0.21 92	-0.65 51	-1.50 97	-3.10 34	-2.96 82	-1.68 52	-2.79 86	21 109	115	5 5					
9	330 24 0196 2024/08/08	2	2.33	330 20 0347 330 21 0164		107	112	98	1.32 65	0.84 110	1.50 55	3.56 108	-1.00 32	1.56 93	-1.25 54	2.93 105	17 94	118	3 5					
10	330 24 0199 2024/08/08	2	2.33	330 20 0347 330 20 0225		98	93	103	-0.65 65	-0.40 94	-0.72 53	-1.77 95	0.40 34	-0.81 101	-0.55 53	-3.86 95	22 112	132	5 7					
11	330 24 0200 2024/08/08	2	2.33	330 20 0347 330 20 0225		99	95	103	-0.19 65	-0.48 98	-0.58 53	-1.15 94	0.40 34	-0.44 101	-0.55 53	-3.86 97	22 112	132	5 7					
12	330 24 0202 2024/08/10	1	2.33	330 20 0347 330 21 0242		103	100	106	-0.50 65	0.77 95	0.52 52	0.31 107	0.40 31	0.51 101	-2.47 52	-0.66 101	19 103	131	4 6					
13	330 24 0203 2024/08/12	1	2.33	330 20 0347 330 18 0215		90	90	94	-1.40 65	-0.01 87	-0.71 53	-2.25 99	-2.10 34	-2.67 88	0.56 53	-1.89 87	21 107	133	6 6					
14	330 24 0207 2024/10/10	1	2.33	330 20 0347 330 20 0087		101	104	97	0.61 63	0.21 104	0.51 52	1.34 101	-0.60 33	0.45 95	-1.31 52	2.53 100	22 95	117	4 5					
15	330 24 0209 2024/10/10	1	2.33	330 20 0347 330 21 0255		101	98	104	-0.24 63	0.06 97	-0.06 52	-0.61 100	1.60 34	0.79 107	1.58 52	-0.96 102	44 97	111	4 4					

Young Ewes



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed avg
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information				Parents		Selection Indices			EBV - Weights						EBV - Fertility									
Animal ID BDate		Birth Status	% In- breeding	Sire ID Dam ID		DLMI	DGI	DRI	Weaning Weight		Comb	Post-Wean		Lambs weaned		TWW		AFL		ILP		Dam T Lambed N Weaned		
									Dir	Mat		Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index			Acc
Active Breed Average:						100	100	100	0.00		0.14		0.14		-0.25		0.10		0.21		0.27		1.10	
16	330 24 0210 2024/08/09	1	2.33	330 20 0347 330 21 0149	99	101	98	-0.27 64	97	0.60 51	105	0.46 103	0.16 50	102	-1.40 31	91	-0.52 51	96	-1.40 41	105	0.36 19	101	111	4 4
17	330 24 0211 2024/08/08	1	2.33	330 20 0347 330 20 0118	102	102	101	0.23 64	101	0.36 51	103	0.47 103	0.42 54	103	-0.60 31	95	0.22 51	99	-4.04 42	112	1.58 19	98	101	3 4
18	330 24 0223 2024/08/25	2	2.33	330 20 0347 330 20 0208	109	112	104	1.06 65	108	1.08 51	110	1.61 112	2.55 54	111	-0.80 33	94	1.66 52	105	-1.13 43	104	-3.00 21	110	112	4 4
19	330 24 0224 2024/08/21	1	2.33	330 20 0347 330 21 0182	87	93	85	-0.48 64	95	-0.46 50	94	-0.70 93	-1.49 51	95	-2.70 31	84	-2.56 51	88	3.72 42	91	1.81 20	97	95	3 3
20	330 24 0225 2024/08/21	1	2.33	330 20 0347 330 22 0136	93	96	93	-0.64 64	94	0.14 50	100	-0.18 97	-0.62 51	98	-2.10 31	88	-1.76 51	91	-0.66 42	103	1.08 21	99	114	3 3
21	330 24 0232 2024/08/28	1	2.33	330 20 0347 330 22 0286	94	98	91	-0.02 64	99	-0.20 50	97	-0.21 97	-0.25 50	100	-2.10 31	88	-1.48 51	92	0.08 40	101	1.48 20	98	102	3 2
22	330 24 0243 2024/08/30	1	2.33	330 20 0347 330 19 0183	96	103	89	0.40 62	103	0.27 50	102	0.47 103	1.41 46	107	-3.10 23	82	-1.18 48	93	-1.92 34	106	3.11 14	94	119	7 8
23	330 24 0245 2024/08/27	1	2.33	770 20 0580 330 22 0350	97	102	94	0.11 64	100	0.43 47	103	0.49 103	0.96 46	105	-1.00 26	93	-0.06 49	98	2.66 41	94	2.01 14	97	108	2 2
24	330 24 0249 2024/08/29	1	2.33	770 20 0580 330 23 0208	102	106	97	0.49 64	103	0.70 48	106	0.94 106	1.70 45	108	-0.80 25	94	0.71 49	101	1.48 40	97	1.35 14	98	117	2 3
25	330 24 0251 2024/08/31	2	0.92	1619 19 0243 330 20 0139	112	109	109	1.82 66	115	-0.32 59	96	0.59 104	1.86 56	108	2.90 41	113	3.24 58	112	0.62 54	99	-2.49 25	108	111	3 5
26	330 24 0258 2024/09/01	1	2.33	770 20 0580 330 23 0121	100	106	92	1.06 64	108	0.04 47	99	0.57 103	1.88 47	109	-1.70 27	90	0.08 49	99	3.68 42	91	-0.55 14	103	97	1 1
27	330 24 0271 2024/08/31	2	1.02	1700 17 8447 330 19 0376	89	89	95	-1.11 64	90	-0.56 51	93	-1.12 90	-3.05 54	89	0.70 36	102	-1.25 53	93	2.05 42	95	4.55 27	90	106	4 5
28	330 24 0275 2024/09/02	1	1.06	1700 17 8447 330 22 0250	96	94	98	0.23 65	101	-1.25 54	86	-1.14 90	-1.55 54	95	1.40 39	106	-0.18 55	98	1.27 51	97	1.15 29	99	93	2 1
29	330 24 0276 2024/09/02	1	1.34	1700 17 8447 330 23 0136	97	102	90	0.83 63	106	-0.35 48	95	0.07 99	0.82 52	104	-1.40 34	91	-0.36 51	97	1.46 43	97	3.61 26	93	96	1 1
30	330 24 0286 2024/09/03	1	2.33	330 20 0347 330 18 0267	99	100	100	-0.09 65	99	0.23 52	101	0.19 100	-0.06 50	101	0.40 34	101	0.38 53	100	2.10 43	95	0.29 22	101	109	5 5

Young Ewes



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed avg
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information				Parents		Selection Indices			EBV - Weights						EBV - Fertility									
Animal ID BDate		Birth Status	% In- breeding	Sire ID Dam ID		DLMI	DGI	DRI	Weaning Weight		Comb	Post-Wean		Lambs weaned		TWW		AFL		ILP		Dam T Lamberd N Weaned		
									Dir	Mat		Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index			Acc
Active Breed Average:						100	100	100	0.00		0.14		0.14		-0.25		0.10		0.21		0.27		1.10	
31	330 24 0287 2024/09/03	1	2.33	770 20 0580 330 23 0067	90	94	92	-1.15 64	0.37 89 47 103	-0.21 97	-1.11 46 96	-1.50 25 91	-1.68 48 91	3.69 38 91	1.34 14 98	103	2 2							
32	330 24 0295 2024/08/05	2	1.04	1619 19 0243 330 22 0145	95	97	93	0.03 65 100	-0.41 54 95	-0.39 96	-0.50 53 99	0.20 38 99	-0.25 55 97	2.48 45 94	4.03 25 91	114	2 4							
33	330 24 0297 2024/08/05	2	1.59	1619 19 0243 330 23 0205	91	94	91	-0.57 65 94	-0.28 53 96	-0.57 94	-1.51 52 95	-1.50 37 91	-1.75 54 91	-0.67 46 103	4.04 24 91	106	2 2							
34	330 24 0299 2024/08/15	1	1.23	1700 17 8447 330 19 0218	93	98	88	0.70 64 105	-1.00 51 88	-0.65 93	-0.31 54 100	-0.80 36 94	-0.79 53 95	3.81 42 91	3.12 28 94	104	4 4							
35	330 24 0323 2024/09/05	1	2.33	770 20 0580 330 22 0198	92	98	87	0.13 65 100	-0.40 49 95	-0.34 96	-0.18 47 100	-1.50 28 91	-1.18 50 93	3.95 41 90	3.36 17 93	128	3 4							
36	330 24 0327 2024/09/09	1	2.34	1700 17 8447 330 22 0492	89	95	87	-0.40 58 96	-0.33 46 95	-0.53 94	-0.80 45 98	-1.80 28 89	-1.81 46 91	1.55 34 97	5.61 23 87	101	3 3							
37	330 24 0328 2024/09/09	1	2.34	1619 19 0243 330 22 0647	97	103	93	0.38 57 102	0.23 46 101	0.42 102	0.92 45 105	-1.00 31 93	0.01 47 98	1.28 38 97	4.09 20 91	103	1 1							
38	330 24 0330 2024/09/10	2	2.33	770 20 0580 330 23 0135	101	105	97	0.41 64 103	0.58 47 105	0.79 105	1.57 48 107	0.00 26 98	0.99 49 103	4.70 42 88	0.12 14 101	103	1 2							
39	330 24 0335 2024/09/06	2	2.26	1619 19 0243 330 21 0252	98	103	94	0.12 61 100	0.66 52 106	0.72 105	0.62 47 103	-1.00 31 93	0.18 51 99	1.01 39 98	4.10 20 91	100	3 5							
40	330 24 0339 2024/09/06	1	2.33	770 20 0580 330 19 0521	92	100	87	0.05 64 100	0.08 49 100	0.10 100	0.22 48 102	-2.60 29 85	-1.43 50 92	3.70 43 91	1.75 17 97	95	4 3							
41	330 24 0340 2024/09/06	1	2.33	770 20 0580 330 22 0042	102	106	97	0.74 65 106	0.49 49 104	0.86 106	1.85 47 108	0.50 29 101	1.53 51 105	5.16 41 87	1.59 16 98	115	3 3							
42	330 24 0344 2024/09/12	1	1.15	1700 17 8447 330 20 0338	82	90	80	-0.36 64 96	-1.23 50 86	-1.41 87	-2.51 56 91	-1.60 36 90	-2.56 52 88	7.60 43 80	5.14 28 89	99	3 3							
43	330 24 0346 2024/09/11	1	1.07	1700 17 8447 330 20 0437	70	76	75	-2.33 64 79	-1.45 50 83	-2.61 78	-5.68 57 78	-1.80 35 89	-4.85 52 78	10.21 42 73	6.23 28 86	90	2 2							
44	330 24 0363 2024/09/10	1	2.33	770 20 0580 330 22 0562	99	110	86	1.76 64 114	-0.01 47 99	0.87 106	2.95 47 113	-2.40 27 86	0.30 49 100	6.25 39 84	0.98 17 99	106	2 2							
45	330 24 0426 2024/10/05	1	1.76	1619 19 0243 330 23 0113	103	106	99	0.78 58 106	0.45 50 104	0.84 106	1.67 51 108	0.30 36 100	1.41 50 104	3.15 46 92	0.40 22 101	95	1 1							

Young Ewes



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed avg
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information				Parents		Selection Indices			EBV - Weights						EBV - Fertility										
Animal ID BDate		Birth Status	% In- breeding	Sire ID Dam ID		DLMI	DGI	DRI	Weaning Weight		Comb	Post-Wean		Lambs weaned		TWW		AFL		ILP		Dam T Lamberd N Weaned			
									Dir	Mat		Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index			Acc	Index
Active Breed Average:						100	100	100	0.00		0.14		0.14		-0.25		0.10		0.21		0.27		1.10		
46	330 24 0430 2024/10/25	1	1.73	1700 17 8447 330 23 0259	98	101	94	0.59 57 104		-0.27 47 96		0.02 99		0.79 52 104		-1.10 34 93		-0.35 48 97		1.11 41 98		0.32 26 101		104	2 2
47	330 24 0442 2024/10/01	2	1.55	1619 19 0243 330 21 0393	111	112	105	1.87 65 115		0.27 54 102		1.21 109		2.97 51 113		1.80 38 108		3.22 55 112		1.81 46 96		0.11 24 102		114	3 4
48	330 25 0008 2025/02/13	1	1.65	1619 19 0243 330 23 0173	106	110	97	1.69 64 114		0.14 52 100		0.98 107		2.74 52 112		0.20 35 99		1.95 53 107		1.81 46 96		2.47 22 95		96	1 1
49	330 25 0010 2025/02/11	1	2.80	330 23 0070 330 23 0174	106	109	102	0.67 58 105		0.99 39 109		1.33 110		2.36 40 111		-0.70 23 95		1.24 43 104		1.34 32 97		-3.22 13 110		96	1 1
50	330 25 0012 2025/02/11	2	1.03	1619 19 0243 330 20 0116	112	105	110	1.73 65 114		-0.84 55 90		0.03 99		1.17 57 106		2.30 40 110		2.27 55 108		-1.12 48 104		-5.66 26 116		96	3 4
51	330 25 0022 2025/02/17	1	3.17	330 23 0070 330 23 0168	99	100	101	-0.55 58 95		0.75 39 107		0.47 103		0.15 39 102		-0.30 23 97		0.02 43 98		1.22 32 98		-1.20 14 105		94	1 1
52	330 25 0027 2025/02/20	1	9.59	330 23 0106 330 21 0456	104	112	92	1.93 60 116		0.11 40 100		1.07 108		3.27 41 114		-0.70 25 95		1.62 44 105		3.80 32 91		2.87 15 94		91	1 1
53	330 25 0028 2025/02/20	1	1.06	1619 19 0243 330 17 0440	112	112	105	2.08 66 117		-0.06 57 98		0.98 107		2.84 54 112		2.40 43 111		3.46 57 113		4.22 48 89		-2.13 28 107		126	7 8
54	330 25 0029 2025/02/20	1	1.65	1619 19 0243 330 22 0279	99	103	94	0.62 64 105		-0.04 52 98		0.27 101		0.75 52 104		-1.30 36 92		-0.20 53 98		2.78 46 93		-1.22 23 105		96	1 1
55	330 25 0035 2025/02/22	1	0.96	1619 19 0243 330 19 0045	104	102	104	0.57 66 104		-0.04 57 98		0.24 101		0.32 56 102		2.00 41 109		1.72 57 106		0.87 48 98		1.37 26 98		129	5 8
56	330 25 0041 2025/02/24	2	2.70	330 23 0070 330 21 0158	107	108	103	0.79 59 106		0.72 42 107		1.12 108		2.16 39 110		0.50 26 101		1.82 45 106		2.99 34 93		-3.02 16 110		96	3 3
57	330 25 0050 2025/02/27	1	1.57	1619 19 0243 330 23 0101	98	104	91	0.78 64 106		0.01 51 99		0.39 102		1.16 50 106		-0.90 35 94		0.24 52 99		4.69 45 88		1.50 21 98		95	1 1
58	330 25 0056 2025/03/02	1	9.44	330 23 0106 330 23 0311	97	101	96	-0.15 60 98		0.46 40 104		0.38 102		0.21 42 102		-0.30 24 97		0.13 44 99		3.00 34 93		2.40 14 96		98	1 1
59	330 25 0057 2025/03/02	1	5.45	330 23 0106 330 18 0376	92	99	91	-0.53 61 95		0.58 44 105		0.32 101		-0.08 44 101		-0.80 30 94		-0.43 47 97		8.27 36 79		1.33 19 98		116	5 5
60	330 25 0061 2025/03/04	1	3.70	330 23 0070 330 21 0095	94	96	95	-0.59 59 94		0.19 43 101		-0.11 98		-1.10 42 97		-0.50 28 96		-0.70 46 95		3.66 35 91		0.20 19 101		94	3 3

Young Ewes



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed avg
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information				Parents		Selection Indices			EBV - Weights						EBV - Fertility									
Animal ID BDate		Birth Status	% In-breeding	Sire ID Dam ID		DLMI	DGI	DRI	Weaning Weight		Comb	Post-Wean		Lambs weaned		TWW		AFL		ILP		Dam T Lambed N Weaned		
									Dir	Mat		Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index			Acc
Active Breed Average:						100	100	100	0.00		0.14		0.14		-0.25		0.10		0.21		0.27		1.10	
61	330 25 0062 2025/02/25	1	2.30	1619 19 0243 330 23 0450	101	107	92	1.02 63 108 51 103		0.37 106 50 109		0.88 1.98		-1.70 34 90		0.37 52 100		-0.26 43 101		3.84 21 92		99	1 1	
62	330 25 0068 2025/03/08	1	1.22	1619 19 0243 330 22 0203	94	98	91	0.27 64 102		-0.45 52 94		-0.31 96 52 100		-0.90 37 94		-0.71 53 95		2.61 44 94		2.25 24 96		92	1 1	
63	330 25 0079 2025/03/17	1	1.65	1619 19 0243 330 23 0384	105	110	96	1.37 64 111		0.37 52 103		1.05 107 52 112		-0.60 36 95		1.38 53 104		1.07 46 98		2.04 23 97		100	1 1	
64	330 25 0087 2025/03/25	1	1.61	1619 19 0243 330 22 0538	103	108	96	1.17 65 109		0.28 53 102		0.87 106 51 109		-1.10 36 93		0.80 54 102		1.00 46 98		0.19 23 101		102	2 2	
65	330 25 0089 2025/03/26	1	1.08	1619 19 0243 330 22 0283	98	105	89	1.44 64 111		-0.55 53 93		0.17 100 53 106		-1.00 38 93		0.29 54 100		3.53 45 91		3.28 26 93		105	2 2	
66	330 25 0091 2025/04/01	1	2.87	1619 19 0243 330 22 0503	99	102	94	0.69 64 105		-0.32 52 95		0.02 99 52 103		-1.00 36 93		-0.23 53 97		0.49 46 99		1.14 23 99		104	2 2	
67	330 25 0097 2025/04/06	2	1.70	1619 19 0243 330 22 0630	100	104	94	0.82 64 106		0.01 52 99		0.42 102 52 106		-1.60 35 90		-0.13 53 98		-2.83 45 108		3.26 23 93		99	2 2	
68	330 25 0108 2025/04/11	1	3.07	1619 19 0243 330 22 0179	101	104	96	0.73 64 105		0.05 53 99		0.42 102 52 105		0.00 37 98		0.78 54 102		2.68 45 94		1.18 25 99		100	2 2	
69	330 25 0156 2025/08/03	2	2.34	330 23 0215 330 22 0491	93	98	91	-0.52 57 95		0.43 40 103		0.17 100 33 100		-2.50 18 85		-1.59 41 92		-0.29 23 102		2.30 11 96		107	3 4	
70	330 25 0157 2025/08/03	2	2.34	330 23 0215 330 22 0491	97	103	91	0.41 57 103		0.26 40 102		0.46 103 33 105		-2.50 18 85		-0.83 41 95		-0.29 23 102		2.30 11 96		107	3 4	
71	330 25 0163 2025/07/31	1	9.86	330 23 0106 330 24 0049	104	112	93	1.53 60 112		0.63 40 106		1.39 110 41 115		-0.90 25 94		1.62 44 105		3.87 34 90		3.05 14 94		102	1 1	
72	330 25 0166 2025/08/04	2	2.61	330 24 0007 330 21 0257	99	101	98	0.06 61 100		0.27 43 102		0.30 101 37 102		0.10 26 99		0.39 46 100		2.99 34 93		0.02 16 102		121	4 5	
73	330 25 0167 2025/08/04	2	2.61	330 24 0007 330 21 0257	97	98	98	-0.47 61 95		0.37 43 103		0.13 100 37 100		0.10 26 99		-0.05 46 98		2.99 34 93		0.02 16 102		121	4 5	
74	330 25 0171 2025/08/04	1	1.98	330 23 0215 330 24 0065	100	101	97	0.57 61 104		-0.25 43 96		0.03 99 42 102		-0.40 28 96		0.08 46 99		-0.03 35 101		0.49 17 101		100	1 1	
75	330 25 0185 2025/08/05	2	2.89	330 23 0215 330 22 0145	97	102	91	0.90 62 107		-0.52 44 93		-0.07 98 43 104		-1.30 27 92		-0.40 47 97		1.32 33 97		2.22 19 96		114	2 4	

Young Ewes



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed avg
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information				Parents		Selection Indices			EBV - Weights						EBV - Fertility									
Animal ID BDate		Birth Status	% In-breeding	Sire ID Dam ID		DLMI	DGI	DRI	Weaning Weight		Comb	Post-Wean		Lambs weaned		TWW		AFL		ILP		Dam T Lambed N Weaned		
									Dir	Mat		Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index			Acc
Active Breed Average:						100	100	100	0.00		0.14		0.14		-0.25		0.10		0.21		0.27		1.10	
76	330 25 0186 2025/08/05	2	2.89	330 23 0215 330 22 0145	97	101	91	0.78 62 106		-0.50 44 94		-0.11 98 43 103		-1.30 27 92		-0.51 47 96		1.32 33 97		2.22 19 96		114	2 4	
77	330 25 0192 2025/08/01	1	2.54	330 23 0215 330 24 0066	102	106	95	1.10 61 109		0.01 42 99		0.56 103 43 107		-1.70 27 90		0.10 46 99		-0.40 35 102		-0.87 17 104		101	1 1	
78	330 25 0201 2025/08/07	2	9.93	330 23 0106 330 24 0056	101	108	92	1.33 60 111		0.09 40 100		0.76 105 41 110		-0.60 24 95		1.06 44 103		4.77 34 88		2.77 15 95		100	1 1	
79	330 25 0204 2025/08/07	2	3.52	330 23 0106 330 20 0453	99	98	100	0.09 62 100		-0.33 44 95		-0.29 96 47 100		0.60 29 102		0.12 47 99		5.82 36 85		-5.28 19 115		120	5 5	
80	330 25 0209 2025/08/05	1	2.19	330 23 0215 330 20 0424	98	103	94	0.13 61 100		0.70 42 106		0.76 105 46 103		-2.70 25 84		-0.79 45 95		-0.39 30 102		-0.16 15 102		111	4 4	
81	330 25 0210 2025/08/07	2	2.92	330 23 0215 330 21 0184	103	106	100	0.59 62 104		0.61 45 105		0.91 106 42 106		-1.20 29 92		0.48 48 100		2.13 35 95		-4.58 18 114		115	4 4	
82	330 25 0211 2025/08/08	1	2.32	330 23 0215 330 24 0024	89	95	88	-0.76 61 93		0.14 40 100		-0.25 97 40 97		-2.80 22 84		-2.31 44 89		2.03 33 95		1.62 13 98		99	1 1	
83	330 25 0215 2025/08/10	1	3.47	330 23 0106 330 21 0093	99	98	102	-0.33 61 96		0.28 44 102		0.11 100 43 100		0.90 29 103		0.49 47 100		6.01 35 85		-4.24 19 113		133	4 5	
84	330 25 0223 2025/08/10	1	2.98	330 24 0007 330 18 0215	91	91	96	-1.36 61 88		0.08 44 100		-0.60 94 35 92		-1.00 28 93		-1.88 47 90		3.99 34 90		-3.59 17 111		133	6 6	
85	330 25 0224 2025/08/10	1	3.04	330 24 0007 330 23 0167	93	94	96	-0.84 60 92		-0.01 41 99		-0.43 95 35 96		-0.80 25 94		-1.33 45 93		2.99 34 93		-2.05 16 107		105	2 2	
86	330 25 0227 2025/08/11	2	3.18	330 23 0215 330 21 0164	101	104	99	0.24 62 101		0.56 44 105		0.68 104 42 105		-0.70 26 95		0.38 47 100		-1.38 32 105		1.83 15 97		118	3 5	
87	330 25 0233 2025/08/10	2	14.90	330 23 0215 330 24 0086	95	97	94	-0.02 61 99		-0.28 41 96		-0.29 96 41 99		-1.80 25 89		-1.39 45 93		-1.98 34 106		1.14 15 99		97	1 1	
88	330 25 0247 2025/08/12	1	2.65	330 23 0215 330 23 0104	100	104	96	0.37 61 102		0.44 42 104		0.62 104 41 105		-1.80 24 89		-0.27 45 97		1.02 34 98		-1.73 15 106		110	2 2	
89	330 25 0254 2025/08/12	2	2.42	330 23 0215 330 20 0172	107	103	110	0.13 63 100		0.58 47 105		0.65 104 46 102		1.20 30 105		1.43 49 104		-2.03 35 106		-3.75 19 111		154	5 8	
90	330 25 0257 2025/08/11	1	2.34	330 24 0007 330 22 0492	92	96	93	-1.08 55 90		0.75 36 107		0.20 100 23 99		-1.70 13 90		-1.36 38 93		2.05 22 95		1.73 7 97		101	3 3	

Young Ewes



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed avg
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information				Parents		Selection Indices			EBV - Weights						EBV - Fertility								
Animal ID BDate		Birth Status	% In- breeding	Sire ID Dam ID		DLMI	DGI	DRI	Weaning Weight		Comb	Post-Wean		Lambs weaned		TWW		AFL		ILP		Dam T Lambed N Weaned	
									Dir	Mat		Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index		
Active Breed Average:						100	100	100	0.00	0.14	0.14	-0.25	0.10	0.21	0.27	1.10							
91	330 25 0258 2025/08/08	1	2.56	330 23 0106 330 22 0136	96	100	93	0.07 61	0.13 42	0.16 100	0.50 42	-0.70 26	-0.22 46	4.25 33	0.94 17	114	3 3						
92	330 25 0277 2025/08/09	1	2.25	330 23 0215 330 21 0518	101	105	97	0.55 62	0.43 44	0.70 104	1.17 44	-0.80 29	0.49 47	1.53 32	-0.46 18	103	3 2						
93	330 25 0361 2025/08/07	1	3.66	330 23 0106 330 19 0011	99	100	99	-0.10 61	0.39 43	0.34 102	0.12 41	0.20 26	0.41 46	4.53 30	-1.18 15	114	5 6						
94	330 25 0362 2025/08/06	1	2.38	330 23 0215 330 24 0034	90	95	90	-0.81 61	0.27 40	-0.13 98	-1.06 40	-2.70 23	-2.16 44	1.68 33	0.99 13	98	1 1						
95	330 25 0370 2025/08/17	2	2.29	330 23 0215 330 23 0510	104	112	92	1.54 60	0.52 40	1.30 109	3.15 41	-2.00 22	0.87 44	2.13 29	0.63 13	102	1 1						
96	330 25 0377 2025/08/30	2	2.64	330 23 0215 330 22 0359	103	106	98	1.07 61	0.02 43	0.56 103	1.36 43	0.30 29	1.27 47	1.85 34	0.58 19	97	1 1						
97	330 25 0385 2025/08/01	2	2.36	330 23 0215 330 20 0105	106	104	106	0.34 63	0.54 45	0.71 105	0.63 48	0.10 29	0.94 48	-3.05 34	-2.23 18	137	5 6						
98	330 25 0386 2025/08/01	2	3.05	330 23 0215 330 21 0026	102	100	100	0.73 63	-0.61 46	-0.25 97	0.07 44	1.10 30	0.78 49	1.11 33	-0.37 20	123	3 5						
99	330 25 0387 2025/08/01	2	3.05	330 23 0215 330 21 0026	98	96	101	-0.07 63	-0.46 46	-0.50 95	-1.02 44	1.10 30	0.13 49	1.11 33	-0.37 20	123	3 5						
100	330 25 0388 2025/08/01	1	2.44	330 23 0215 330 23 0159	97	101	95	-0.06 61	0.39 40	0.36 102	0.33 40	-1.70 23	-0.69 44	-0.47 32	0.88 13	96	1 1						
101	330 25 0405 2025/09/01	2	2.78	330 23 0215 330 22 0198	91	94	89	-0.17 62	-0.69 44	-0.77 92	-1.44 43	-2.00 28	-2.06 47	0.53 34	2.26 19	128	3 4						
102	330 25 0410 2025/08/30	2	2.48	330 23 0106 330 22 0730	100	108	92	0.64 60	0.80 40	1.13 108	2.38 40	-1.80 23	0.37 44	2.69 33	2.83 14	107	2 2						
103	330 25 0421 2025/08/30	1	2.71	330 23 0106 330 22 0714	97	102	94	-0.08 60	0.67 39	0.63 104	0.92 40	-1.00 22	-0.02 43	3.30 33	1.65 15	93	2 1						
104	330 25 0426 2025/08/31	2	2.59	330 24 0007 330 19 0646	101	97	110	-1.35 59	1.15 42	0.47 103	-1.12 36	1.10 23	0.46 44	0.31 29	-3.85 12	113	5 7						
105	330 25 0432 2025/09/02	2	2.66	330 24 0007 330 19 0657	93	94	96	-1.00 61	0.19 43	-0.31 96	-1.56 32	-0.90 26	-1.35 46	3.97 31	-2.82 14	112	6 7						

Young Ewes



Genotyped

EBV - Estimated Breeding Value

*Inbreeding in red is high

Indices >= 124
Above breed avg
Indices <= 76

Acc: Accuracy of the breeding value
Breeding values with an accuracy below 5% are not printed

Index: Breeding value expressed around 100, where 100 is the average EBV of the active animals of the breed

Animal Information				Parents		Selection Indices			EBV - Weights						EBV - Fertility								
Animal ID BDate		Birth Status	% In- breeding	Sire ID Dam ID		DLMI	DGI	DRI	Weaning Weight		Comb	Post-Wean		Lambs weaned		TWW		AFL		ILP		Dam T Lamberd N Weaned	
									Dir	Mat		Acc	Index	Acc	Index	Acc	Index	Acc	Index	Acc	Index		
Active Breed Average:						100	100	100	0.00	0.14	0.14	-0.25	0.10	0.21	0.27	1.10							
106	330 25 0433 2025/09/07	1	9.41	330 23 0106 330 24 0044	103 111	94	1.29 60 110	0.61 40 105	1.26 109	3.01 40 113	-0.50 24 96	1.60 44 105	6.14 35 84	1.52 14 98	105	1							
107	330 25 0441 2025/09/04	2	3.03	330 23 0106 330 23 0219	95 102	89	0.14 60 100	0.41 39 103	0.48 103	1.05 41 105	-2.30 23 87	-0.83 43 95	4.22 33 89	1.28 14 99	96	1							
108	330 25 0446 2025/08/30	1	3.19	330 23 0106 330 23 0067	96 100	92	0.10 60 100	0.10 41 100	0.15 100	0.47 41 103	-1.00 24 93	-0.40 44 97	3.74 30 91	1.24 15 99	103	2							
109	330 25 0448 2025/08/28	1	8.92	330 24 0007 330 23 0205	96 101	90	0.51 60 104	-0.17 40 97	0.09 100	0.55 35 103	-2.20 23 87	-0.98 44 94	0.14 33 100	1.68 15 97	106	2							
110	330 25 0452 2025/09/08	2	2.26	330 23 0106 330 21 0590	93 99	90	-0.33 55 96	0.28 36 102	0.12 100	0.14 31 102	-1.40 14 91	-0.88 38 95	3.58 21 91	3.29 8 93	100	2							
111	330 25 0495 2025/09/14	2	2.53	330 23 0215 330 23 0217	101 105	96	0.29 61 102	0.72 40 107	0.86 106	1.13 41 106	-1.80 23 89	-0.08 44 98	0.96 32 98	-1.42 13 105	96	1							
112	330 25 0497 2025/09/21	2	3.50	330 23 0215 330 22 0129	93 97	92	-0.19 61 98	-0.13 42 97	-0.23 97	-0.86 41 97	-1.60 26 90	-1.29 46 93	1.20 30 98	1.29 16 98	96	1							
113	330 25 0499 2025/09/21	2	3.50	330 23 0215 330 22 0129	92 95	92	-0.59 61 94	-0.06 42 98	-0.35 96	-1.41 41 95	-1.60 26 90	-1.61 46 92	1.20 30 98	1.29 16 98	96	1							
114	330 25 0516 2025/09/28	1	3.82	330 23 0070 330 24 0251	107 105	108	0.31 58 102	0.71 40 106	0.87 106	1.18 42 106	1.30 26 105	1.80 44 106	-0.27 34 102	-2.65 16 109	99	1							
115	330 25 0521 2025/09/29	1	14.37	330 23 0070 330 24 0196	108 112	102	1.04 58 108	1.11 39 111	1.63 112	3.37 40 115	-0.70 23 95	1.73 43 106	-1.20 32 104	0.07 14 102	101	1							
116	330 25 0523 2025/09/15	2	2.73	330 23 0070 330 21 0431	100 105	96	0.12 58 100	1.02 42 110	1.08 108	1.54 39 107	-1.10 25 93	0.48 44 100	3.53 32 91	0.51 16 100	97	2							
117	330 25 0524 2025/09/28	1	3.08	330 24 0007 330 24 0275	95 97	96	-0.23 58 97	-0.12 38 98	-0.24 97	-0.58 35 99	-0.40 23 96	-0.59 42 96	2.26 33 95	0.32 16 101	100	1							
118	330 25 0527 2025/10/03	1	3.46	330 23 0070 330 24 0089	100 101	101	-0.26 58 97	0.66 40 106	0.53 103	0.21 42 102	-0.50 26 96	0.10 44 99	2.12 35 95	-2.92 16 109	98	1							
Ewe Flock Average:						99.4	98.5	0.20	-0.02	0.08	0.00	0.17	0.28	2.48	-0.72								
Total number of young ewes:						118																	

Ewes born since Jan 2024, with at least one known parent